



US0D1040344S

(12) **United States Design Patent**
Satovsky

(10) **Patent No.:** **US D1,040,344 S**

(45) **Date of Patent:** **** Aug. 27, 2024**

(54) **VESSEL LOCATION ASSISTANCE DEVICE**

(71) Applicant: **NOVOTEC LLC**, Boca Raton, FL (US)

(72) Inventor: **James B. Satovsky**, Boca Raton, FL (US)

(73) Assignee: **NOVOTEC LLC**, Boca Raton, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/898,128**

(22) Filed: **Jul. 24, 2023**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/822,411, filed on Jan. 9, 2022, now Pat. No. Des. 995,329, and a continuation-in-part of application No. 29/822,410, filed on Jan. 9, 2022, which is a continuation of application No. 17/349,804, filed on Jun. 16, 2021, said application No. 29/822,411 is a continuation of application No. 17/349,804, filed on Jun. 16, 2021.

(51) **LOC (14) Cl.** **24-01**
(52) **U.S. Cl.**

USPC **D24/169**; D24/133
CPC **A61B 5/489** (2013.01); **A61B 5/0062** (2013.01); **A61B 5/0075** (2013.01); **G01N 21/4738** (2013.01); **G01N 2021/4709** (2013.01)

(58) **Field of Classification Search**

USPC D24/133, 140, 169
CPC A61B 5/0082; A61B 5/489; A61B 5/0075; A61B 5/0062; G01N 21/4738; G01N 2021/4709
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D259,210 S * 5/1981 Ayer A61B 5/681 D24/143
5,749,371 A * 5/1998 Zadini A61M 25/09041 600/585

5,749,853 A * 5/1998 O'Donnell A61M 25/10184 604/97.03
5,749,856 A * 5/1998 Zadini A61M 5/3269 604/162
D492,776 S * 7/2004 Nilsson D24/133
D559,979 S * 1/2008 Suematsu D24/133
D995,329 S * 8/2023 Satovsky A61B 5/0082 D24/169
11,751,758 B2 * 9/2023 Lin A61B 1/12 348/66

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Charney IP Law LLC


(57) **CLAIM**

The ornamental design for a vessel location assistance device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a vessel location assistance device in accordance with a first embodiment of the invention;
FIG. 2 is a front view of the vessel location assistance device of FIG. 1;
FIG. 3 is rear view of the vessel location assistance device of FIG. 1;
FIG. 4 is a right side view of the vessel location assistance device of FIG. 1;
FIG. 5 is a left side view of the vessel location assistance device of FIG. 1;
FIG. 6 is a top view of the vessel location assistance device of FIG. 1; and,
FIG. 7 is a bottom view of the vessel location assistance device of FIG. 1.
The broken lines shown in the various figures are depicted for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0079792 A1* 4/2006 Finburgh A61B 5/681
600/503

* cited by examiner




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7