

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2006248591 B2**

(54) Title
Variants at Chr8q24.21 confer risk of cancer

(51) International Patent Classification(s)
C12Q 1/68 (2006.01)

(21) Application No: **2006248591** (22) Date of Filing: **2006.05.18**

(87) WIPO No: **WO06/123369**

(30) Priority Data

(31) Number	(32) Date	(33) Country
60/682,147	2005.05.18	US
60/795,768	2006.04.28	US

(43) Publication Date: **2006.11.23**

(44) Accepted Journal Date: **2012.02.23**

(71) Applicant(s)
Decode Genetics EHF.

(72) Inventor(s)
Amundadottir, Laufey;Sulem, Patrick;Gudmundsson, Julius

(74) Agent / Attorney
Freehills Patent & Trade Mark Attorneys, Level 43 101 Collins Street, Melbourne, VIC, 3000

(56) Related Art
DATABASE PROBE NCBI accession no. 607899
GUNDERSON et al (2005) Nature Genetics, vol.37, pages 549-554
DATABASE EMBL accession no. G10216
DATABASE EMBL accession no. AB137877
Sato et al (1999) J Nat Cancer Inst, vol 91, pps 1574-1580

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
23 November 2006 (23.11.2006)

PCT

(10) International Publication Number
WO 2006/123369 A1

(51) International Patent Classification:
C12Q 1/68 (2006.01)

(21) International Application Number:
PCT/IS2006/000012

(22) International Filing Date: 18 May 2006 (18.05.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/682,147 18 May 2005 (18.05.2005) US
60/795,768 28 April 2006 (28.04.2006) US

(71) Applicant (*for all designated States except US*): **DECODE GENETICS EHF.** [IS/IS]; Sturlugötu 8, IS-101 Reykjavik (IS).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **AMUNDADOTTIR, Laufey** [IS/IS]; Asgardi 75, IS-108 Reykjavik (IS). **GUÐMUNDSSON, Julius** [IS/IS]; Kvistalandi 17, IS-108 Reykjavik (IS). **SULEM, Patrick** [FR/IS]; Eskihlid 22, IS-105 Reykjavik (IS).

(74) Agent: **HANNESSON, Helgi**; deCODE genetics ehf., Sturlugötu 8, IS-101 Reykjavik (IS).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(48) Date of publication of this corrected version:
4 January 2007

(15) Information about Correction:
see PCT Gazette No. 01/2007 of 4 January 2007

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: VARIANTS AT CHR8Q24.21 CONFER RISK OF CANCER

(57) Abstract: A locus on chromosome 8q24.21 has been demonstrated to play a major role in particular forms of cancer. It has been discovered that certain markers and haplotypes are indicative of a susceptibility to particular cancers. Diagnostic applications for identifying susceptibility to cancer are described.

WO 2006/123369 A1

2006248591 31 Jan 2012

VARIANTS AT CHR8Q24.21 CONFER RISK OF CANCER

RELATED APPLICATIONS

This application relates to U.S. Provisional Application No. 60/682,147, filed on May 18, 2005, and U.S. Provisional Application No. 60/795,768, filed on April 28, 2006. The entire teachings of the above applications are incorporated herein by reference.

BACKGROUND OF THE INVENTION

Reference to any prior art in the specification is not, and should not be taken as, an acknowledgment or any form of suggestion that this prior art forms part of the common general knowledge in Australia or any other jurisdiction or that this prior art could reasonably be expected to be ascertained, understood and regarded as relevant by a person skilled in the art.

Cancer, the uncontrolled growth of malignant cells, is a major health problem of the modern medical era and is one of the leading causes of death in developed countries. In the United States, one in four deaths is caused by cancer (Jemal, A. *et al.*, *CA Cancer J. Clin.* 52:23-47 (2002)).

The incidence of prostate cancer has dramatically increased over the last decades and prostate cancer is now a leading cause of death in the United States and Western Europe (Peschel, R.E. and J. W. Colberg, *Lancet* 4:233-41 (2003); Nelson, W.G. *et al.*, *N. Engl. J. Med.* 349(4):366S1 (2003)). Prostate cancer is the most frequently diagnosed noncutaneous malignancy among men in industrialized countries, and in the United States, 1 in 8 men will develop prostate cancer during his life (Simard, J. *et al.*, *Endocrinology* 143 (6) -2029-40 (2002)). Although environmental factors, such as dietary factors and lifestyle-related factors, contribute to the risk of prostate cancer, genetic factors have also been shown to play an important role. Indeed, a positive family history is among the strongest epidemiological risk factors for prostate cancer, and twin studies comparing the concordant occurrence of prostate cancer in monozygotic twins have consistently revealed a stronger hereditary component in the risk of prostate cancer than in any other type of cancer (Nelson, W.G. *et al.*, *N. Engl. J. Med.* 349(4):366-81 (2003); Lichtenstein P. *et al.*, *N. Engl. J. Med.* 343(2):78-85 (2000)). In addition, an increased risk of prostate cancer is seen in 1st to 5th degree relatives of prostate cancer cases in a nation wide study on the familiarity of all cancer cases diagnosed in Iceland from 1955-2003 (Amundadottir *et al.*, *PLoS Medicine* 1(3):e65 (2004)). The genetic basis for this disease, emphasized by the increased risk among relatives, is further

supported by studies of prostate cancer among particular populations: for example, African Americans have among the highest incidence of prostate cancer and mortality rate attributable to this disease: they are 1.6 times as likely to develop prostate cancer and 2.4 times as likely to die from this disease than European Americans (Ries,

5 L.A.G. *et al.*, *NIH Pub. No. 99-4649* (1999)).

An average 40% reduction in life expectancy affects males with prostate cancer. If detected early, prior to metastasis and local spread beyond the capsule, prostate cancer can be cured (e.g., using surgery). However, if diagnosed after spread and metastasis from the prostate, prostate cancer is typically a fatal disease with low
10 cure rates. While prostate-specific antigen (PSA)-based screening has aided early diagnosis of prostate cancer, it is neither highly sensitive nor specific (Punglia *et.al.*, *N Engl J Med.* 349(4):335-42 (2003)). This means that a high percentage of false negative and false positive diagnoses are associated with the test. The consequences are both many instances of missed cancers and unnecessary follow-up biopsies for
15 those without cancer. As many as 65 to 85% of individuals (depending on age) with prostate cancer have a PSA value less than or equal to 4.0 ng/mL, which has traditionally been used as the upper limit for a normal PSA level (Punglia *et.al.*, *N Engl J Med.* 349(4):335-42 (2003); Cookston, M.S., *Cancer Control* 8(2):133-40 (2001); Thompson, I.M. *et.al.*, *N Engl J Med.* 350:2239-46 (2004)). A significant
20 fraction of those cancers with low PSA levels are scored as Gleason grade 7 or higher, which is a measure of an aggressive prostate cancer. *Id.*

In addition to the sensitivity problem outlined above, PSA testing also has difficulty with specificity and predicting prognosis. PSA levels can be abnormal in those without prostate cancer. For example, benign prostatic hyperplasia (BPH) is
25 one common cause of a false-positive PSA test. In addition, a variety of noncancer conditions may elevate serum PSA levels, including urinary retention, prostatitis, vigorous prostate massage and ejaculation. *Id.*

Subsequent confirmation of prostate cancer using needle biopsy in patients with positive PSA levels is difficult if the tumor is too small to see by ultrasound.
30 Multiple random samples are typically taken but diagnosis of prostate cancer may be missed because of the sampling of only small amounts of tissue. Digital rectal examination (DRE) also misses many cancers because only the posterior lobe of the prostate is examined. As early cancers are nonpalpable, cancers detected by DRE

may already have spread outside the prostate (Mistry K.J., *Am. Board Fam. Pract.* 16(2):95-101 (2003)).

Thus, there is clearly a great need for improved diagnostic procedures that would facilitate early-stage prostate cancer detection and prognosis, as well as aid in preventive and curative treatments of the disease. In addition, there is a need to develop tools to better identify those patients who are more likely to have aggressive forms of prostate cancer from those patients that are more likely to have more benign forms of prostate cancer that remain localized within the prostate and do not contribute significantly to morbidity or mortality. This would help to avoid invasive and costly procedures for patients not at significant risk.

Breast cancer is a significant health problem for women in the United States and throughout the world. Although advances have been made in detection and treatment of the disease, breast cancer remains the second leading cause of cancer-related deaths in women, affecting more than 180,000 women in the United States each year. For women in North America, the life-time odds of getting breast cancer are now one in eight.

No universally successful method for the treatment or prevention of breast cancer is currently available. Management of breast cancer currently relies on a combination of early diagnosis (e.g., through routine breast screening procedures) and aggressive treatment, which may include one or more of a variety of treatments, such as surgery, radiotherapy, chemotherapy and hormone therapy. The course of treatment for a particular breast cancer is often selected based on a variety of prognostic parameters including an analysis of specific tumor markers. See, e.g., Porter-Jordan and Lippman, *Breast Cancer* 8:73-100 (1994).

Although the discovery of BRCA1 and BRCA2 were important steps in identifying key genetic factors involved in breast cancer, it has become clear that mutations in BRCA1 and BRCA2 account for only a fraction of inherited susceptibility to breast cancer (Nathanson, K.L. *et al.*, *Human Mol. Gen.* 10(7):715-720 (2001); Anglican Breast Cancer Study Group. *Br. J. Cancer* 83(10):1301-08 (2000); and Syrjakoski K. *et.al.*, *J. Natl. Cancer Inst.* 92:1529-31 (2000)). In spite of considerable research into therapies for breast cancer, breast cancer remains difficult to diagnose and treat effectively, and the high mortality observed in breast cancer patients indicates that improvements are needed in the diagnosis, treatment and prevention of the disease.

deCODE has demonstrated an increased risk of breast cancer in 1st to 5th degree relatives of breast cancer cases in a nation wide study of the familiarity of all cancers diagnosed in Iceland from 1955-2003 (Amundadottir *et.al.*, *PLoS Med.* 1(3):e65 (2004); Lichtenstein P. *et.al.*, *N. Engl. J. Med.* 343(2):78-85 (2000)), where
5 the authors show that breast cancer has one of the highest heritability of all cancers tested in a cohort of close to 45,000 twins.

Lung cancer causes more deaths from cancer worldwide than any other form of cancer (Goodman, G.E., *Thorax* 57:994-999 (2002)). In the United States, lung cancer is the primary cause of cancer death among both men and women. In 2002,
10 the death rate from lung cancer was an estimated 134,900 deaths, exceeding the combined total for breast, prostate and colon cancer. *Id.* Lung cancer is also the leading cause of cancer death in all European countries and is rapidly increasing in developing countries. While environmental factors, such as lifestyle factors (e.g., smoking) and dietary factors, play an important role in lung cancer, genetic factors
15 also contribute to the disease. For example, a family of enzymes responsible for carcinogen activation, degradation and subsequent DNA repair have been implicated in susceptibility to lung cancer. *Id.* In addition an increased risk to familial members outside of the nuclear family has been shown by deCODE geneticists by analysing all lung cancer cases diagnosed in Iceland over 48 years. This increased risk could not
20 be entirely accounted for by smoking indicating that genetic variants may predispose certain individuals to lung cancer (Jonson *et.al.*, *JAMA* 292(24):2977-83 (2004); Amundadottir *et.al.*, *PLoS Med.* 1(3):e65 (2004)).

The five-year survival rate among all lung cancer patients, regardless of the stage of disease at diagnosis, is only 13%. This contrasts with a five-year survival
25 rate of 46% among cases detected while the disease is still localized. However, only 16% of lung cancers are discovered before the disease has spread. Early detection is difficult as clinical symptoms are often not observed until the disease has reached an advanced stage. Currently, diagnosis is aided by the use of chest x-rays, analysis of the type of cells contained in sputum and fiberoptic examination of the bronchial
30 passages. Treatment regimens are determined by the type and stage of the cancer, and include surgery, radiation therapy and/or chemotherapy. In spite of considerable research into therapies for this and other cancers, lung cancer remains difficult to diagnose and treat effectively. Accordingly, there is a great need in the art for improved methods for detecting and treating such cancers.

The incidence of malignant melanoma is increasing more rapidly than any other type of human cancer in North America (Armstrong *et al*, *Cancer Surv.* 19-20:219-240 (1994)). Although melanoma is curable when identified at an early stage, it requires detection and removal of the primary tumor before it has spread to distant sites. Malignant melanomas have great propensity to metastasize and are notoriously resistant to conventional cancer treatments, such as chemotherapy and D -irradiation. Once metastases have occurred the prognosis is very poor. Thus, early detection of melanoma is of vital importance in melanoma treatment and control.

Studies have demonstrated that genetic factors play an important role in melanoma. Swedish and Icelandic population-based studies report a standardized incidence ratio of approximately 2 in first-degree relatives (Hemminki K., *J. Invest. Dermatol.* 120(2):217-23 (2003); Amundadottir *et al*, *PLoS Med.* 1(3):e65 (2004)). Familial cases tend to have earlier ages of onset and a higher risk of multiple primary tumors, further suggesting a genetic component (*see, e.g.*, Tucker M., *Oncogene* 22(20):3042-52 (2003)). An interaction of genetic and environmental risk factors is likely to play a major role in melanoma. However, the molecular and biological mechanisms of how a normal melanocyte transforms into a melanoma cell remains unclear.

Clearly, identification of markers and genes that are responsible for susceptibility to particular forms of cancer (e.g., prostate cancer, breast cancer, lung cancer, melanoma) is one of the major challenges facing oncology today. There is a need to identify means for the early detection of individuals that have a genetic susceptibility to cancer so that more aggressive screening and intervention regimens may be instituted for the early detection and treatment of cancer. Cancer genes may also reveal key molecular pathways that may be manipulated (e.g., using small or large molecule weight drugs) and may lead to more effective treatments regardless of the cancer stage when a particular cancer is first diagnosed.

SUMMARY OF THE INVENTION

As used herein, except where the context requires otherwise the term 'comprise' and variations of the term, such as 'comprising', 'comprises' and 'comprised', are not intended to exclude other additives, components, integers or steps.

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). It has been discovered that particular markers and/or combinations of genetic markers

("haplotypes") in a specific DNA segment within the locus are indicative of susceptibility to particular cancers.

Thus, in one embodiment, the invention provides a method of diagnosing a susceptibility to prostate cancer in a subject, comprising detecting *in vitro* a marker allele or haplotype within
5 SEQ ID NO:1, wherein the presence of the marker allele or haplotype is indicative of a susceptibility to prostate cancer.

In a further embodiment, the invention provides a method for diagnosing a susceptibility to prostate cancer in a subject, comprising analyzing a nucleic acid sample obtained from the subject for the presence of at least one marker or haplotype within SEQ ID NO:1, wherein the
10 presence of the marker or haplotype is indicative of increased susceptibility to prostate cancer.

In one embodiment, the invention is a method of diagnosing a susceptibility to a cancer in a subject, comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of the marker or haplotype is indicative of a susceptibility to the cancer. In particular
15 embodiments, the invention is a method of diagnosing a susceptibility to a cancer selected from the group consisting of prostate cancer, breast cancer, lung cancer and melanoma.

In certain embodiments, the marker or haplotype that is indicative of cancer or a susceptibility to cancer, comprises at least one marker selected from the group consisting of the markers listed in Table 13. In other embodiments, the method comprises detecting a haplotype consisting of at least two of the markers in Table 13.

20 In one embodiment, the presence of a marker or haplotype (e.g., a marker or haplotype associated with LD Block A) is indicative of a different response rate to a particular treatment modality (e.g., a particular therapeutic agent, antihormonal drug, a chemotherapeutic agent, radiation treatment). Thus, by determining whether a subject carries a marker or haplotype, one can determine whether that subject will respond better to, or worse to, a specific therapeutic,
25 antihormonal drug and/or radiation therapy used to treat cancer.

In one embodiment, the presence of a marker or haplotype (e.g., a marker or haplotype associated with LD Block A) is indicative of a predisposition to a somatic rearrangement of Chr8q24.21 (e.g., one or more of an amplification, a translocation, an insertion and/or deletion) in a tumor or its precursor.

In one embodiment, the marker or haplotype comprises one or more markers associated with Chr8q24.21 in linkage disequilibrium (defined as the square of correlation coefficient, r^2 , greater than 0.2) with one or more markers selected from the group consisting of the markers listed in Table 13.

5 In one embodiment, the invention is a method of diagnosing a susceptibility to a cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) comprising detecting a marker or haplotype associated with Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to cancer.

10 In one embodiment, the invention is a method of predicting an increased risk for aggressive prostate cancer (e.g., having a Gleason score of 7(4+3) to 10, an increased stage, a worse outcome) in a subject comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of the marker or

haplotype is indicative of an increased risk for aggressive prostate cancer. In particular embodiments, the subject has been diagnosed with prostate cancer or has not yet been diagnosed with prostate cancer.

In one embodiment, the marker or haplotype has a relative risk of greater than one, i.e. the marker or haplotype confers increased risk of the cancer (the marker or haplotype is at-risk).

In another embodiment, the marker or haplotype has a relative risk of less than one, i.e. the marker or haplotype confers a decreased risk of the cancer (the marker or haplotype is protective).

In one embodiment, the invention is a kit for assaying a sample (e.g., tissue, blood) from a subject to detect an inherited susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). Such kits comprise one or more reagents for detecting a marker or haplotype associated with LD Block A. In a particular embodiment, such reagents comprise at least one contiguous nucleotide sequence that is completely complementary to a region comprising at least one of the markers selected from the group consisting of the markers listed in Table 13. In a particular embodiment, such reagents comprise at least one contiguous nucleotide sequence that is completely complementary to a region comprising the rs1447295 A allele or the DG8S737 -8 allele.

In one embodiment, the invention is a method for diagnosing an increased risk of cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject, comprising screening for a marker or haplotype associated with LD Block A, wherein the marker or haplotype is more frequently present in a subject having the cancer than in a subject not having the cancer, and wherein the presence of the marker or haplotype increases the risk of the subject having the cancer. In particular embodiments, the risk is increased by at least about 5%, or the increase in risk is identified as a relative risk of at least about 1.2.

In one embodiment, the invention is a method for diagnosing a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject comprising obtaining a nucleic acid sample from a subject and analyzing the nucleic acid sample for the presence or absence of at least one marker or haplotype, wherein the marker or haplotype comprises one or more markers selected from the group consisting of the markers listed in Table 13. In this

embodiment, the presence of the marker or haplotype is indicative of a susceptibility to the cancer.

In one embodiment, the invention is a method for diagnosing a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject, comprising obtaining a nucleic acid sample from the
5 subject and analyzing the nucleic acid sample for the presence or absence of at least one marker or haplotype associated with LD Block A, wherein the presence of the marker or haplotype is indicative of a susceptibility to the cancer. In a particular embodiment, the marker or haplotype comprises one or more markers selected from
10 the group consisting of the markers listed in Table 13. In another embodiment, the marker or haplotype has a relative risk of greater than one and comprises the DG8S737 -8 allele or the rs1447295 A allele.

In one embodiment, the invention is a method for diagnosing a susceptibility to cancer in a subject, comprising analyzing a nucleic acid sample obtained from the
15 subject for the presence of at least one marker or haplotype associated with LD Block A, wherein the presence of the marker or haplotype is indicative of susceptibility to the cancer. In a particular embodiment, the marker or haplotype comprises one or more markers selected from the group consisting of the markers in Table 13. In another embodiment, the marker or haplotype has a relative risk of greater than one
20 and comprises the DG8S737 -8 allele or the rs1447295 A allele. In another embodiment, the subject is of black African ancestry.

In one embodiment of the invention, the cancer is selected from the group consisting of prostate cancer, breast cancer, lung cancer and melanoma. In one preferred embodiment, the cancer is prostate cancer, and the marker or haplotype has
25 a relative risk of at least 1.5. In another embodiment, the prostate cancer is an aggressive prostate cancer as defined by a combined Gleason score of 7(4+3)-10. In another embodiment, the prostate cancer is a less aggressive prostate cancer as defined by a combined Gleason score of 2-7(3+4). In yet another embodiment, the presence of the marker or haplotype is indicative of a more aggressive prostate cancer
30 and/or a worse prognosis. In another embodiment, the cancer is breast cancer, and the marker or haplotype has a relative risk of at least 1.3. In another embodiment, the cancer is lung cancer, and the marker or haplotype has a relative risk of at least 1.3.

In yet another embodiment, the cancer is melanoma, and the marker or haplotype has a relative risk of at least 1.5. In another embodiment, the melanoma is malignant cutaneous melanoma.

In another embodiment of the invention, the presence of the marker or
5 haplotype is indicative of a different response rate of the subject to a particular treatment modality.

In another embodiment, the presence of the marker or haplotype is indicative of a predisposition to a somatic rearrangement of Chr8q24.21 in a tumor or its precursor. In a particular embodiment, the somatic rearrangement is selected from the
10 group consisting of an amplification, a translocation, an insertion and a deletion.

In another embodiment of the invention the marker or haplotype used for diagnosing a susceptibility to cancer comprises one or more markers associated with Chr8q24.21 in strong linkage disequilibrium, as defined by ($|D'| > 0.8$) and/or $r^2 > 0.2$, with one or more markers selected from the group consisting of the markers in Table
15 13. In one embodiment, the one or more markers is selected from the group consisting of the markers in Table 13 comprises the rs1447295 A allele or the DG8S737 -8 allele.

In another embodiment, the at least one marker or haplotype for diagnosing a susceptibility to cancer has a relative risk of less than one and comprises rs12542685
20 allele T and rs7814251 allele C. In another embodiment, the at least one marker or haplotype comprises at least one of the markers shown in Table 13 having a relative risk of less than one. In a preferred embodiment, the cancer is prostate cancer. In another embodiment, the subject is of black African ancestry.

In one embodiment, the present invention pertains to a kit for assaying a
25 sample from a subject to detect a susceptibility to a cancer, wherein the kit comprises one or more reagents for detecting a marker or haplotype associated with LD Block A. In one embodiment, the one or more reagents comprise at least one contiguous nucleotide sequence that is completely complementary to a region comprising at least one of the markers selected from the group consisting of the markers in Table 13. In
30 one embodiment, the cancer is prostate cancer.

In a preferred embodiment, the one or more reagents comprise at least one contiguous nucleotide sequence that is completely complementary to a region comprising the rs1447295 A allele or the DG8S737 -8 allele. In a particular embodiment, the subject is of black African ancestry.

In one embodiment, the invention is a method of diagnosing Chr8q24.21-associated cancer in a subject, comprising detecting the presence of a marker or haplotype (e.g., the markers or haplotypes described herein) associated with Chr8q24.21, wherein the presence of the marker or haplotype is indicative of the Chr8q24.21-associated cancer. In particular embodiments, the Chr8q24.21-associated cancer is Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast cancer, Chr8q24.21-associated lung cancer or Chr8q24.21-associated melanoma.

In another embodiment, the invention is a method of diagnosing susceptibility to prostate cancer, or an increased risk for prostate cancer (e.g., aggressive prostate cancer), by detecting marker DG8S737 or marker rs1447295, wherein the presence of allele -8 at marker DG8S737 or allele A at marker rs1447295, is indicative of susceptibility to prostate cancer or increased risk for prostate cancer. In a further embodiment, the invention is a method of diagnosing susceptibility to prostate cancer in a human having ancestry that includes African ancestry, by detecting marker DG8S737, wherein the presence of allele -8 at marker DG8S737 is indicative of susceptibility to prostate cancer.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, features and advantages of the invention will be apparent from the following more particular description of preferred embodiments of the invention, as illustrated in the accompanying drawings.

FIG. 1 is a linkage scan of chromosome 8 depicting a genome wide significant LOD score of 4.0 at chromosome 8q24.

FIG. 2 depicts an association analysis of haplotypes on Chr8q24.21 to prostate cancer using 352 microsatellite markers.

FIGS. 3A and 3B depict the LD structure (HAPMAP) in the area of the haplotype that associates with prostate cancer. Equivalent intervals means that each marker is shown in a sequential order with equal distances between two consecutive markers (FIG. 3A). Actual positions means that the correct interval (NCBI Build 34) between any two markers is represented in the figure (FIG. 3B).

FIG. 4 depicts the Icelandic LD structure. Equivalent intervals means that each marker is shown in a sequential order with equal distances between two consecutive markers.

FIG. 5 depicts a schematic identifying known genes mapping to chromosome 8q24.21.

FIG. 6A1-6A31 depicts a genomic DNA sequence from 128.414-128.506 of NCBI Build 34 (SEQ ID NO: 1; Build 34, hg16_chr8:1284140007-1285060000.

5 Forward (+) strand). The numbering in FIG. 6, as well as the indicated bp in the tables contained herein, refer to the location within Chromosome 8 in NCBI Build 34.

FIGS. 7A-7D depict a schematic view of linkage and association results, marker density and LD structure in a region on chromosome 8q24.21 for prostate cancer. FIG. 7A shows linkage scan results for chromosome 8q performed with 871
10 Icelandic prostate cancer patients in 323 extended families. FIG. 7B depicts single marker association results for unrelated prostate cancer cases (case control group 1, n=869), using 358 microsatellites and indels (blue diamonds), distributed over a 10 Mb region. FIG. 7C shows single marker association results for all prostate cancer cases (n=1291), red boxes denote P values for the 63 SNPs and 12 microsatellites
15 added to this region, blue diamonds denote the values for the other markers already typed in this region from 7B. FIG. 7D depicts pairwise LD from the CEU HapMap population (Phase II) for the 600 kb region from FIG. 7C, the gray triangles at the bottom indicate the location of the *c-MYC* gene and the AW183883 EST discussed in the main text. A scale for r^2 is provided on the right. Black vertical lines represent the
20 density of microsatellites (FIG. 7B), and microsatellites and SNPs (FIG. 7C) used in the association analysis.

FIG. 8 depicts a phylogenetic network of 46 SNPs and the DG8S737 microsatellite for HapMap samples.

FIGS. 9A-9C depict linkage disequilibrium between 17 SNPs and the -8 allele
25 of DG8S737 typed in the CEU and the African American populations. The linkage disequilibrium (LD) of the 17 SNPs and the -8 allele of DG8S737 is shown for CEU- in FIG. 9A and African American Michigan cohorts in 9B. Presented here is the D' (upper left hand) and r^2 (lower right hand) between pairs of alleles. Markers are plotted with an equal distance between them and physical locations given in FIG. 9C.
30 Names of markers are shown on the vertical-axis and base pair positions on horizontal-axis.

FIG. 10 is a schematic representation of the AW splice variants identified. Exons are shown as boxes and introns as lines. The transcripts extend from 128,258 – 128,451 Mb on Chr8q24. The length of exons is as follows: exon 1: 503 bp's; exon 2:

343 bp's; exon 3: 103 bp's; exon 4: 88 bp's; exon 5: 371 bp's; exon 6: 135 bp's; exon 6 long: 546 bp's; exon 7: 140 bp's and exon 8: 246 bp's. Note that the figure is not drawn to scale.

5 DETAILED DESCRIPTION OF THE INVENTION

Extensive genealogical information for a population containing cancer patients has been combined with powerful gene sharing methods to map a locus on chromosome 8q24.21, which has been demonstrated to play a major role in cancer (e.g., breast cancer, prostate cancer, lung cancer, melanoma). Various cancer patients and their relatives were genotyped with a genome-wide marker set including 1100 microsatellite markers, with an average marker density of 3-4 cM. Presented herein are results from a genome wide search of causative genetic loci for cancer (e.g., breast cancer, prostate cancer, lung cancer, melanoma).

15 *Loci Associated with Various Forms of Cancer Prostate Cancer*

The incidence of prostate cancer has dramatically increased over the last decades. Prostate cancer is a multifactorial disease with genetic and environmental components involved in its etiology. It is characterized by heterogeneous growth patterns that range from slow growing tumors to very rapid highly metastatic lesions.

Although genetic factors are among the strongest epidemiological risk factors for prostate cancer, the search for genetic determinants involved in the disease has been challenging. Studies have revealed that linking candidate genetic markers to prostate cancer has been more difficult than identifying susceptibility genes for other cancers, such as breast, ovary and colon cancer. Several reasons have been proposed for this increased difficulty including: the fact that prostate cancer is often diagnosed at a late age thereby often making it difficult to obtain DNA samples from living affected individuals for more than one generation; the presence within high-risk pedigrees of phenocopies that are associated with a lack of distinguishing features between hereditary and sporadic forms; and the genetic heterogeneity of prostate cancer and the accompanying difficulty of developing appropriate statistical transmission models for this complex disease (Simard, J. *et al.*, *Endocrinology* 143(6):2029-40 (2002)).

Various genome scans for prostate cancer-susceptibility genes have been conducted and several prostate cancer susceptibility loci have been reported. For

example, HPC1 (1q24-q25), PCAP (1q42-q43), HCPX (Xq27-q28), CAPB (1p36), HPC20 (20q13), HPC2/ELAC2 (17p11) and 16q23 have been proposed as prostate cancer susceptibility loci (Simard, J. *et al.*, *Endocrinology* 143(6):2029-40 (2002); Nwosu, V. *et al.*, *Hum. Mol. Genet.* 10(20):2313-18 (2001)). In a genome scan
5 conducted by Smith *et al.*, the strongest evidence for linkage was at HPC1, although two-point analysis also revealed a LOD score of ≥ 1.5 at D4S430 and LOD scores ≥ 1.0 at several loci, including markers at Xq27-28 (Ostrander E.A. and J.L. Stanford, *Am. J. Hum. Genet.* 67:1367-75 (2000)). Another genome scan reported two-point
10 LOD scores of ≥ 1.5 for chromosomes 10q, 12q and 14q using an autosomal dominant model of inheritance, and chromosomes 1q, 8q, 10q and 16p using a recessive model of inheritance. *Id.* Still another genome scan identified regions with nominal evidence for linkage on 2q, 12p, 15q, 16q and 16p. *Id.* A genome scan for prostate cancer predisposition loci using a small set of Utah high risk prostate cancer pedigrees and a set of 300 polymorphic markers provided evidence for linkage to a locus on
15 chromosome 17p (Simard, J. *et al.*, *Endocrinology* 143(6):2029-40 (2002)). Eight new linkage analyses were published in late 2003, which depicted remarkable heterogeneity. Eleven peaks with LOD scores higher than 2.0 were reported, none of which overlapped (*see* Actane consortium, Schleutker *et al.*, Wiklund *et al.*, Witte *et al.*, Janer *et al.*, Xu *et al.*, Lange *et al.*, Cunningham *et al.*; all of which appear in
20 *Prostate*, vol. 57 (2003)).

As described above, identification of particular genes involved in prostate cancer has been challenging. One gene that has been implicated is RNASEL, which encodes a widely expressed latent endoribonuclease that participates in an interferon-inducible RNA-decay pathway believed to degrade viral and cellular RNA, and has
25 been linked to the HPC locus (Carpten, J. *et al.*, *Nat. Genet.* 30:181-84 (2002); Casey, G. *et al.*, *Nat. Genet.* 32(4):581-83 (2002)). Mutations in RNASEL have been associated with increased susceptibility to prostate cancer. For example, in one family, four brothers with prostate cancer carried a disabling mutation in RNASEL, while in another family, four of six brothers with prostate cancer carried a base
30 substitution affecting the initiator methionine codon of RNASEL. *Id.* Other studies have revealed mutant RNASEL alleles associated with an increased risk of prostate cancer in Finnish men with familial prostate cancer and an Ashkenazi Jewish population (Rokman, A. *et al.*, *Am J. Hum. Genet.* 70:1299-1304 (2002); Rennert, H. *et al.*, *Am J. Hum. Genet.* 71:981-84 (2002)). In addition, the Ser217Leu genotype

has been proposed to account for approximately 9% of all sporadic cases in Caucasian Americans younger than 65 years (Stanford, J.L., *Cancer Epidemiol. Biomarkers Prev.* 12(9):876-81 (2003)). In contrast to these positive reports, however, some studies have failed to detect any association between RNASEL alleles with

5 inactivating mutations and prostate cancer (Wang, L. *et al.*, *Am. J. Hum. Genet.* 71:116-23 (2002); Wiklund, F. *et al.*, *Clin. Cancer Res.* 10(21):7150-56 (2004); Maier, C. *et al.*, *Br. J. Cancer* 92(6):1159-64(2005)).

The macrophage-scavenger receptor 1 (MSR1) gene, which is located at 8p22, has also been identified as a candidate prostate cancer-susceptibility gene (Xu, J. *et al.*, *Nat. Genet.* 32:321-25 (2002)). A mutant MSR1 allele was detected in

10 approximately 3% of men with nonhereditary prostate cancer but only 0.4% of unaffected men. *Id.* However, not all subsequent reports have confirmed these initial findings (*see, e.g.*, Lindmark, F. *et al.*, *Prostate* 59(2):132-40 (2004); Seppala, E.H. *et al.*, *Clin. Cancer Res.* 9(14):5252-56 (2003); Wang, L. *et al.*, *Nat Genet.* 35(2):128-29

15 (2003); Miller, D.C. *et al.*, *Cancer Res.* 63(13):3486-89 (2003)). MSR1 encodes subunits of a macrophage-scavenger receptor that is capable of binding a variety of ligands, including bacterial lipopolysaccharide and lipoteichoic acid, and oxidized high-density lipoprotein and low-density lipoprotein in serum (Nelson, W.G. *et al.*, *N. Engl. J. Med.* 349(4):366-81 (2003)).

The *ELAC2* gene on Chr17 was the first prostate cancer susceptibility gene to be cloned in high risk prostate cancer families from Utah (Tavtigian, S.V., *et al.*, *Nat. Genet.* 27(2):172-80 (2001)). A frameshift mutation (1641InsG) was found in one pedigree. Three additional missense changes: Ser217Leu; Ala541Thr; and Arg781His, were also found to associate with an increased risk of prostate cancer.

20 The relative risk of prostate cancer in men carrying both Ser217Leu and Ala541Thr was found to be 2.37 in a cohort not selected on the basis of family history of prostate cancer (Rebbeck, T.R., *et al.*, *Am. J. Hum. Genet.* 67(4):1014-19 (2000)). Another study described a new termination mutation (Glu216X) in one high incidence prostate cancer family (Wang, L., *et al.*, *Cancer Res.* 61(17):6494-99 (2001)). Other reports

25 have not demonstrated strong association with the three missense mutations, and a recent metaanalysis suggests that the familial risk associated with these mutations is more moderate than was indicated in initial reports (Vesprini, D., *et al.*, *Am. J. Hum. Genet.* 68(4):912-17 (2001); Shea, P.R., *et al.*, *Hum. Genet.* 111(4-5):398-400 (2002); Suarez, B.K., *et al.*, *Cancer Res.* 61(13):4982-84 (2001); Severi, G., *et al.*, *J. Natl.*

30

Cancer Inst. 95(11):818-24 (2003); Fujiwara, H., *et al.*, *J. Hum. Genet.* 47(12):641-48 (2002); Camp, N.J., *et al.*, *Am. J. Hum. Genet.* 71(6):1475-78 (2002)).

Polymorphic variants of genes involved in androgen action (e.g., the androgen receptor (AR) gene, the cytochrome P-450c17 (CYP17) gene, and the steroid-5- α -
5 reductase type II (SRD5A2) gene), have also been implicated in increased risk of prostate cancer (Nelson, W.G. *et al.*, *N. Engl. J. Med.* 349(4):366-81 (2003)). With respect to AR, which encodes the androgen receptor, several genetic epidemiological studies have shown a correlation between an increased risk of prostate cancer and the presence of short androgen-receptor polyglutamine repeats, while other studies have
10 failed to detect such a correlation. *Id.* Linkage data has also implicated an allelic form of CYP17, an enzyme that catalyzes key reactions in sex-steroid biosynthesis, with prostate cancer (Chang, B. *et al.*, *Int. J. Cancer* 95:354-59 (2001)). Allelic variants of SRD5A2, which encodes the predominant isozyme of 5- α -reductase in the prostate and functions to convert testosterone to the more potent dihydrotestosterone,
15 have been associated with an increased risk of prostate cancer and with a poor prognosis for men with prostate cancer (Makridakis, N.M. *et al.*, *Lancet* 354:975-78 (1999); Nam, R.K. *et al.*, *Urology* 57:199-204 (2001)).

In short, despite the effort of many groups around the world, the genes that account for a substantial fraction of prostate cancer risk have not been identified.
20 Although twin studies have implied that genetic factors are likely to be prominent in prostate cancer, only a handful of genes have been identified as being associated with an increased risk for prostate cancer, and these genes account for only a low percentage of cases. Thus, it is clear that the majority of genetic risk factors for prostate cancer remain to be found. It is likely that these genetic risk factors will
25 include a relatively high number of low-to-medium risk genetic variants. These low-to-medium risk genetic variants may, however, be responsible for a substantial fraction of prostate cancer, and their identification, therefore, a great benefit for public health. Furthermore, none of the published prostate cancer genes have been reported to predict a greater risk for aggressive prostate cancer than for less aggressive prostate
30 cancer.

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in prostate cancer and it has been discovered that particular markers and/or haplotypes in a specific DNA segment within the locus are present at a higher than expected frequency in prostate cancer subjects. Thus, in various embodiments

of the invention, certain markers and/or SNPs, identified using the methods described herein, can be used for a diagnosis of a susceptibility to prostate cancer, and also for a diagnosis of a decreased susceptibility to prostate cancer or for identification of variants that are protective against prostate cancer. The diagnostic assays presented
5 below can be used to identify the presence or absence of these particular variants.

Thus, in one embodiment, the invention is a method of diagnosing a susceptibility to prostate cancer (e.g., aggressive or high Gleason grade prostate cancer, less aggressive or low Gleason grade prostate cancer), comprising detecting a marker or haplotype associated with LD Block A (e.g., a marker as set forth in Table
10 13, having a value of RR greater than one, indicating the marker is associated with susceptibility to disease/increased risk of disease and thus is an "at-risk" variant; values of RR less than one indicate the marker is associated with decreased susceptibility to disease/decreased risk of disease and thus is a "protective" variant), wherein the presence of the marker or haplotype is indicative of a susceptibility to
15 prostate cancer. In another embodiment, the invention is a method of diagnosing a susceptibility to, or an increased risk of, prostate cancer (e.g., aggressive or high Gleason grade prostate cancer, less aggressive or low Gleason grade prostate cancer), comprising detecting marker DG8S737 or marker rs1447295, wherein the presence of the -8 allele at marker DG8S737 or the presence of the A allele at marker rs1447295,
20 is indicative of a susceptibility to prostate cancer or an increased risk of prostate cancer. In a further embodiment, the invention is a method of diagnosing a susceptibility to prostate cancer in an individual whose ancestry comprises African ancestry, comprising detecting marker DG8S737, wherein the presence of the -8 allele at marker DG8S737 is indicative of a susceptibility to prostate cancer or an increased
25 risk of prostate cancer. In particular embodiments, the marker or haplotype that is associated with a susceptibility to prostate cancer has a relative risk of at least 1.5, or at least 2.0. In another embodiment, the prostate cancer is an aggressive prostate cancer, as defined by a combined Gleason score of 7(4+3) to 10 and/or an advanced stage of prostate cancer (e.g., Stages 2 to 4). In yet another embodiment, the prostate
30 cancer is a less aggressive prostate cancer, as defined by a combined Gleason score of 2 to 7(3+4) and/or an early stage of prostate cancer (e.g., Stage 1). In another embodiment, the presence of a marker or haplotype associated with LD Block A, in conjunction with the subject having a PSA level greater than 4 ng/ml, is indicative of a more aggressive prostate cancer and/or a worse prognosis. In yet another

embodiment, in patients who have a normal PSA level (e.g., less than 4 ng/ml), the presence of a marker or haplotype is indicative of a more aggressive prostate cancer and/or a worse prognosis.

In other embodiments, the invention is a method of diagnosing a decreased
5 susceptibility to prostate cancer, comprising detecting a marker or haplotype
associated with LD Block A, wherein the presence of that marker or haplotype is
indicative of a decreased susceptibility to prostate cancer or of a protective marker or
haplotype against prostate cancer. In certain embodiments, the marker is a marker as
set forth in Table 13, or the haplotype comprises one or more markers as set forth in
10 Table 13 (e.g., a marker as set forth in Table 13, or a haplotype comprising one or
more markers set forth in Table 13 wherein the marker(s) has a value of RR less than
one, indicating the marker is associated with decreased susceptibility to
disease/decreased risk of disease and thus is a "protective" variant; values of RR
greater than one indicate the marker is associated with increased susceptibility to
15 disease/increased risk of disease and thus is an "at-risk" variant). In another
embodiment, the invention is a method of diagnosing a decreased susceptibility to, or
decreased risk of, prostate cancer, comprising detecting marker DG8S737 or marker
rs1447295, wherein the presence of an allele other than the -8 allele at marker
DG8S737 or the presence of the C allele at marker rs1447295, is indicative of a
20 decreased susceptibility to prostate cancer or a decreased risk of prostate cancer
(protective against prostate cancer). In a further embodiment, the invention is a
method of diagnosing a decreased susceptibility to prostate cancer in an individual
whose ancestry comprises African ancestry, comprising detecting marker DG8S737,
wherein the presence of an allele other than the -8 allele at marker DG8S737 is
25 indicative of a decreased susceptibility to prostate cancer or a decreased risk of
prostate cancer (protective against prostate cancer).

Breast Cancer

As described herein, although the discovery of BRCA1 and BRCA2 were
30 important milestones in identifying two key genetic factors involved in breast cancer,
it has become clear that mutations in BRCA1 and BRCA2 account for only a fraction
of inherited susceptibility to breast cancer. It is estimated that only 5-10% of all
breast cancers in women are associated with hereditary susceptibility due to mutations
in autosomal dominant genes, such as BRCA1, BRCA2, p53, pTEN and

STK11/LKB1 (Mincey, B.A. *Oncologist* 8:466-73 (2003)). One genetic locus, on Chromosome 8p, has been proposed as a locus for a breast cancer-susceptibility gene based on studies documenting allelic loss in this region in sporadic breast cancer (Seitz, S. *et al.*, *Br. J. Cancer* 76:983-91 (1997); Kerangueven, F. *et al.*, *Oncogene* 5 10:1023 (1995)). Studies have also suggested that a breast cancer-susceptibility gene may be located on 13q21 (Kainu, T. *et al.*, *Proc. Natl. Acad. Sci. USA* 97:9603-08 (2000)). However, as with prostate cancer, identification of additional breast cancer-susceptibility genes has been difficult.

As described herein, a locus on chromosome 8q24.21 has been demonstrated 10 to play a role in breast cancer and it has been discovered that particular markers and/or haplotypes in a specific DNA segment within the locus are present at a higher than expected frequency in breast cancer subjects. Thus, in one embodiment, the invention is a method of diagnosing a susceptibility to breast cancer comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of 15 the marker or haplotype is indicative of a susceptibility to breast cancer. In a particular embodiment, the marker or haplotype that is associated with a susceptibility to breast cancer has a relative risk of at least 1.3. In other embodiments, the invention is drawn to a method of diagnosing a decreased susceptibility to breast cancer comprising detecting a marker or haplotype associated with LD Block A, wherein the 20 presence of that marker or haplotype is indicative of a decreased susceptibility to breast cancer or of a protective marker or haplotype against breast cancer (protective against breast cancer). In a particular embodiment, the marker or haplotype that is associated with a decreased susceptibility to breast cancer (protective against breast cancer) has a relative risk of less than 0.75.

25 *Lung Cancer*

While environmental, lifestyle (e.g., smoking) and dietary factors play an important role in lung cancer, genetic factors are also important. Studies have revealed that defects in both the p53 and RB/p16 pathway are essential for the 30 malignant transformation of lung epithelial cells (Yokota, J. and T. Kohno, *Cancer Sci.* 95(3):197-204 (2004)). Other genes, such as K-ras, PTEN and MYO18B, are genetically altered less frequently than p53 and RB/p16 in lung cancer cells, suggesting that alterations in these genes are associated with further malignant progression or unique phenotypes in a subset of lung cancer cells. *Id.* Molecular

footprint studies that have been conducted at the sites of p53 mutations and RB/p16 deletions have further demonstrated that DNA repair activities and non-homologous end-joining of DNA double-strand breaks are important in the accumulation of genetic alterations in lung cancer cells. *Id.* In addition, studies have identified candidate lung adenocarcinoma susceptibility genes, for example, drug carcinogen metabolism genes, such as NQ01 (NAD(P)H:quinone oxidoreductase) and GSTT1 (glutathione S-transferase T1), and DNA repair genes, such as XRCC1 (X-ray cross-complementary group 1) (Yanagitani, N. *et al.*, *Cancer Epidemiol. Biomarkers Prev.* 12:366-71 (2003); Lin, P. *et al.*, *J. Toxicol. Environ. Health A.* 58:187-97 (1999); Divine, K.K. *et al.*, *Mutat. Res.* 461:273-78 (2001); Sunaga, N. *et al.*, *Cancer Epidemiol. Biomarkers Prev.* 11:730-38 (2002)). A region of chromosome 19q13.3, which encompasses locus D19S246, has also been suggested as containing a gene(s) associated with lung adenocarcinoma (Yanagitani, N. *et al.*, *Cancer Epidemiol. Biomarkers Prev.* 12:366-71 (2003)).

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in lung cancer and it has been discovered that particular markers and/or haplotypes in a specific DNA segment within the locus are present at a higher than expected frequency in lung cancer subjects. In one embodiment, the invention is a method of diagnosing a susceptibility to lung cancer comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of the marker or haplotype is indicative of a susceptibility to lung cancer. In a particular embodiment, the marker or haplotype that is associated with a susceptibility to lung cancer has a relative risk of at least 1.3. In other embodiments, the invention is drawn to a method of diagnosing a decreased susceptibility to lung cancer comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of that marker or haplotype is indicative of a decreased susceptibility to lung cancer or of a protective marker or haplotype against lung cancer (protective against lung cancer). In a particular embodiment, the marker or haplotype that is associated with a decreased susceptibility to lung cancer (protective against lung cancer) has a relative risk of less than 0.75.

Melanoma

Studies have demonstrated that genetic factors play an important role in the stepwise progression of normal pigment cells to atypical nevi to invasive primary

melanoma and finally to cells with aggressive metastatic potential (Kim, C.J., *et al.*, *Cancer Control* 9(1):49-53 (2002)). For example, genetic aberrations, such as rearrangements on chromosome 1, which harbors a tumor-suppressor gene, have been implicated in malignant melanomas. *Id.* However, the molecular and biological mechanisms of how a normal melanocyte of adult skin transforms into a melanoma cell remains unclear.

Various studies have implicated genetic factors in melanoma. For example, elevated familial risk for early onset melanoma was noted by examination of a Utah population database (Cannon-Albright, L.A., *et al.*, *Cancer Res.*, 54(9):2378-85 (1994)). In addition, the Swedish Family-Cancer Database reported a familial standardized incidence ratios (SIR) of 2.54 and 2.98 for cutaneous malignant melanoma (CMM) in a individual with an affected parent or sib, respectively. For an offspring whose parent had multiple primary melanomas, the SIR rose to 61.78 (Hemminki, K., *et al.*, *J. Invest. Dermatol.* 120(2):217-23 (2003)). Although figures vary, it has been reported that about 10% of CMM cases are familial (Hansen, C.B., *et al.*, *Lancet Oncol.* 5(5):314-19 (2004)). Given the known environmental risk factors for melanoma, shared environment in addition to genetics is likely to factor into these estimates. However, familial cases tend to have earlier ages of onset and a higher risk of multiple primary tumors, suggesting a genetic component.

A series of linkage-based studies have implicated CDKN2a on Chr9p21 as a major CMM-susceptibility gene (Bataille, V., *Eur. J. Cancer* 39(10):1341-47 (2003)). CDK4 was identified as a pathway candidate shortly thereafter, however, mutations in CDK4 have only been observed in a few families worldwide (Zuo, L., *et al.*, *Nat. Genet.* 12(1):97-99 (1996)). CDKN2a encodes the cyclin dependent kinase inhibitor p16, which inhibits CDK4 and CDK6, thereby preventing G1 to S cell cycle transit. An alternate transcript of CKDN2a produces p14ARF, which encodes a cell cycle inhibitor that acts through the MDM2-p53 pathway. It is likely that CDKN2a mutant melanocytes are deficient in cell cycle control or the establishment of senescence, either as a developmental state or in response to DNA damage (Ohtani, N., *et al.*, *J. Med. Invest.* 51(3-4):146-53 (2004)). Overall penetrance of CDKN2a mutations in familial CMM cases is 67% by age 80. However, penetrance is increased in areas of high melanoma prevalence (Bishop, D.T., *et al.*, *J. Natl. Cancer Inst.* 94(12):894-903 (2002)).

The Melanoma Genetics Consortium recently completed a genome-wide scan

for CMM, using a set of predominantly Australian, high-risk families unlinked to 9p21 or CDK4 (Gillanders, E., *et al.*, *Am. J. Hum. Genet.* 73(2):301-13 (2003)). The 10 cM resolution scan gave a non-parametric multipoint LOD score of 2.06 in the 1p22 region. Other locations on chromosomes 4, 7, 14, and 18 gave LODs in excess of 1.0. With additional markers to 1p22 and the application of an age-of-onset restriction, non-parametric LOD scores in excess of 5.0 were observed. Evidence suggests that a high-penetrance mutation of a tumor suppressor gene exists at this location, however the pattern of LOH is complex (Walker, G.J., *et al.*, *Genes Chromosomes Cancer*, 41(1):56-64 (2004)).

Another genetic locus that has been implicated in CMM is that which encodes the Melanocortin 1 Receptor (MC1R). MC1R is a G-protein coupled receptor that is involved in promoting the switch from pheomelanin to eumelanin synthesis. Numerous well-characterized variants of the MC1R gene have been implicated in red-haired, pale-skinned and freckle-prone phenotypes. More than half of red-haired individuals carry at least one of these MC1R variants (Valverde, P., *et al.*, *Nat. Genet.* 11(3):328-30 (1995); Palmer, J.S., *et al.*, *Am. J. Hum. Genet.* 66(1):176-86 (2000)). Subsequently, it was shown that the same variants conferred risk for CMM with odds ratios of about 2.0 for a single variant and about 4.0 for compound heterozygotes. Recent studies have shown that the stronger variants of MC1R increase the penetrance of CDKN2a mutations and lower the age of onset (Box, N.F., *et al.*, *Am. J. Hum. Genet.* 69(4):765-73 (2001); van der Velden, P.A., *et al.*, *Am. J. Hum. Genet.*, 69(4):774-79 (2001)).

A number of other candidate genes have been implicated in CMM. For example, a landmark study in cancer genomics identified somatic mutations in BRAF (the human B1 homolog of the v-raf murine sarcoma virus oncogene) in 60% of melanomas (Davies, H., *et al.*, *Nature* 417(6892):949-54 (2002)). Mutations are also common in nevi, both typical and atypical, suggesting that mutation is an early event. *Id.* Germline mutations have not been reported, however, a germline SNP variant of BRAF has been implicated in CMM risk (Meyer, P., *et al.*, *J. Carcinog.* 2(1):7 (2003)). Other candidate genes, which were identified through association studies and have been implicated in CMM risk include, e.g., XRCC3, XPD, EGF, VDR, NBS1, CYP2D6, and GSTM1 (Hayward, N.K., *Oncogene*, 22(20):3053-62 (2003)). However, such association studies frequently suffer from small sample sizes, reliance on single SNPs and potential population stratification.

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in melanoma and it has been discovered that particular markers and/or haplotypes in a specific DNA segment within the locus are present at a higher than expected frequency in melanoma subjects. In one embodiment, the invention is a method of diagnosing a susceptibility to melanoma comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of the marker or haplotype is indicative of a susceptibility to melanoma. In a particular embodiment, the marker or haplotype that is associated with a susceptibility to melanoma has a relative risk of at least 1.5. In another embodiment, the melanoma is malignant cutaneous melanoma. In a further embodiment, the marker or haplotype that is associated with malignant cutaneous melanoma has a relative risk of at least 1.7.

In other embodiments, the invention is drawn to a method of diagnosing a decreased susceptibility to melanoma comprising detecting a marker or haplotype associated with LD Block A, wherein the presence of that marker or haplotype is indicative of a decreased susceptibility to melanoma or of a protective marker or haplotype against melanoma (protective against melanoma). In a particular embodiment, the marker or haplotype that is associated with a decreased susceptibility melanoma (protective against melanoma) has a relative risk of less than 0.7. In another embodiment, the melanoma is malignant cutaneous melanoma. In a further embodiment, the marker or haplotype that is associated with a decreased susceptibility to malignant cutaneous melanoma (protective against malignant cutaneous melanoma) has a relative risk of less than 0.6.

ASSESSMENT FOR MARKERS AND HAPLOTYPES

Populations of individuals exhibiting genetic diversity do not have identical genomes. Rather, the genome exhibits sequence variability between individuals at many locations in the genome; in other words, there are many polymorphic sites in a population. In some instances, reference is made to different alleles at a polymorphic site without choosing a reference allele. Alternatively, a reference sequence can be referred to for a particular polymorphic site. The reference allele is sometimes referred to as the "wild-type" allele and it usually is chosen as either the first sequenced allele or as the allele from a "non-affected" individual (*e.g.*, an individual

that does not display a disease or abnormal phenotype). Alleles that differ from the reference are referred to as “variant” alleles.

A “marker”, as described herein, refers to a genomic sequence characteristic of a particular variant allele (i.e. polymorphic site). The marker can comprise any allele
5 of any variant type found in the genome, including SNPs, microsatellites, insertions, deletions, duplications and translocations.

SNP nomenclature as reported herein refers to the official Reference SNP (rs) ID identification tag as assigned to each unique SNP by the National Center for Biotechnological Information (NCBI).

10 A “haplotype,” as described herein, refers to a segment of genomic DNA that is characterized by a specific combination of genetic markers (“alleles”) arranged along the segment. The combination of alleles, such as haplotype 1 and haplotype 1a, are described in Tables 2 and 4, respectively. In a certain embodiment, the haplotype can comprise one or more alleles, two or more alleles, three or more alleles, four or
15 more alleles, or five or more alleles. The genetic markers are particular “alleles” at “polymorphic sites” associated with Chr8q24.21 and/or LD Block A. As used herein, “Chr8q24.21” and “8q24.21” refer to chromosomal band 8q24.21 or 127,200,001-131,400,000 bp in UCSC Build 34 (from the USCS Genome browser Build 34 at www.genome.ucsc.edu). As used herein, “LD Block A” refers to the LD block on
20 Chr8q24.21 wherein association of variants to prostate, breast, lung cancer and melanoma is observed. NCBI Build 34 position of this LD block is from 128,414,000 – 128,506,000 bp. The term “African ancestry”, as described herein, refers to self-reported African ancestry of individuals.

The term “susceptibility”, as described herein, encompasses both increased
25 susceptibility and decreased susceptibility. Thus, particular markers and/or haplotypes of the invention may be characteristic of increased susceptibility of cancer, as characterized by a relative risk of greater than one. Alternatively, the markers and/or haplotypes of the invention are characteristic of decreased susceptibility of cancer, as characterized by a relative risk of less than one.

30 A nucleotide position at which more than one sequence is possible in a population (either a natural population or a synthetic population, *e.g.*, a library of synthetic molecules) is referred to herein as a “polymorphic site”. Where a polymorphic site is a single nucleotide in length, the site is referred to as a single nucleotide polymorphism (“SNP”). For example, if at a particular chromosomal

location, one member of a population has an adenine and another member of the population has a thymine at the same position, then this position is a polymorphic site, and, more specifically, the polymorphic site is a SNP. Alleles for SNP markers as referred to herein refer to the bases A, C, G or T as they occur at the polymorphic site

5 in the SNP assay employed. The person skilled in the art will realise that by assaying or reading the opposite strand, the complementary allele can in each case be measured. Thus, for a polymorphic site containing an A/G polymorphism, the assay employed may either measure the percentage or ratio of the two bases possible, i.e. A and G. Alternatively, by designing an assay that determines the opposite strand on the

10 DNA template, the percentage or ratio of the complementary bases T/C can be measured. Quantitatively (for example, in terms of relative risk), identical results would be obtained from measurement of either DNA strand (+ strand or – strand). Polymorphic sites can allow for differences in sequences based on substitutions, insertions or deletions. For example, a polymorphic microsatellite has multiple small

15 repeats of bases (such as CA repeats) at a particular site in which the number of repeat lengths varies in the general population. Each version of the sequence with respect to the polymorphic site is referred to herein as an “allele” of the polymorphic site. Thus, in the previous example, the SNP allows for both an adenine allele and a thymine allele. SNPs and microsatellite markers associated with cancer (e.g., prostate cancer

20 (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) are described in Tables 1 and 13.

Typically, a reference sequence is referred to for a particular sequence. Alleles that differ from the reference are referred to as “variant” alleles. For example, the reference genomic DNA sequence from 128,414,000 – 128,506,000 bp of NCBI

25 Build 34, which refers to the location within Chromosome 8, is described herein as SEQ ID NO:1 (FIG. 6A1-6A31). A variant sequence, as used herein, refers to a sequence that differs from SEQ ID NO:1 but is otherwise substantially similar. The genetic markers that make up the haplotypes described herein are variants. Additional variants can include changes that affect a polypeptide, e.g., a polypeptide encoded by

30 SEQ ID NO:1. These sequence differences, when compared to a reference nucleotide sequence, can include the insertion or deletion of a single nucleotide, or of more than one nucleotide, resulting in a frame shift; the change of at least one nucleotide, resulting in a change in the encoded amino acid; the change of at least one nucleotide, resulting in the generation of a premature stop codon; the deletion of several

nucleotides, resulting in a deletion of one or more amino acids encoded by the nucleotides; the insertion of one or several nucleotides, such as by unequal recombination or gene conversion, resulting in an interruption of the coding sequence of a reading frame; duplication of all or a part of a sequence; transposition; or a rearrangement of a nucleotide sequence, as described in detail herein. Such sequence changes alter the polypeptide encoded by the nucleic acid. For example, if the change in the nucleic acid sequence causes a frame shift, the frame shift can result in a change in the encoded amino acids, and/or can result in the generation of a premature stop codon, causing generation of a truncated polypeptide. Alternatively, a polymorphism associated with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) or a susceptibility to cancer can be a synonymous change in one or more nucleotides (*i.e.*, a change that does not result in a change in the amino acid sequence). Such a polymorphism can, for example, alter splice sites, affect the stability or transport of mRNA, or otherwise affect the transcription or translation of an encoded polypeptide. It can also alter DNA to increase the possibility that structural changes, such as amplifications or deletions, occur at the somatic level in tumors. The polypeptide encoded by the reference nucleotide sequence is the "reference" polypeptide with a particular reference amino acid sequence, and polypeptides encoded by variant alleles are referred to as "variant" polypeptides with variant amino acid sequences.

The haplotypes described herein are a combination of various genetic markers, *e.g.*, SNPs and microsatellites, having particular alleles at polymorphic sites. The haplotypes can comprise a combination of various genetic markers, therefore, detecting haplotypes can be accomplished by methods known in the art for detecting sequences at polymorphic sites. For example, standard techniques for genotyping for the presence of SNPs and/or microsatellite markers can be used, such as fluorescence-based techniques (Chen, X. *et al.*, *Genome Res.* 9(5): 492-98 (1999)), PCR, LCR, Nested PCR and other techniques for nucleic acid amplification. These markers and SNPs can be identified in at-risk haplotypes. Certain methods of identifying relevant markers and SNPs include the use of linkage disequilibrium (LD) and/or LOD scores.

Linkage Disequilibrium

Linkage Disequilibrium (LD) refers to a non-random assortment of two genetic elements. For example, if a particular genetic element (*e.g.*, "alleles" at a

polymorphic site) occurs in a population at a frequency of 0.25 and another occurs at a frequency of 0.25, then the predicted occurrence of a person's having both elements is 0.125, assuming a random distribution of the elements. However, if it is discovered that the two elements occur together at a frequency higher than 0.125, then the elements are said to be in linkage disequilibrium since they tend to be inherited together at a higher rate than what their independent allele frequencies would predict. Roughly speaking, LD is generally correlated with the frequency of recombination events between the two elements. Allele frequencies can be determined in a population by genotyping individuals in a population and determining the occurrence of each allele in the population. For populations of diploids, *e.g.*, human populations, individuals will typically have two alleles for each genetic element (*e.g.*, a marker or gene).

Many different measures have been proposed for assessing the strength of linkage disequilibrium (LD). Most capture the strength of association between pairs of biallelic sites. Two important pairwise measures of LD are r^2 (sometimes denoted Δ^2) and $|D'|$. Both measures range from 0 (no disequilibrium) to 1 ('complete' disequilibrium), but their interpretation is slightly different. $|D'|$ is defined in such a way that it is equal to 1 if just two or three of the possible haplotypes are present, and it is <1 if all four possible haplotypes are present. So, a value of $|D'|$ that is <1 indicates that historical recombination may have occurred between two sites (recurrent mutation can also cause $|D'|$ to be <1 , but for single nucleotide polymorphisms (SNPs) this is usually regarded as being less likely than recombination). The measure r^2 represents the statistical correlation between two sites, and takes the value of 1 if only two haplotypes are present. It is arguably the most relevant measure for association mapping, because there is a simple inverse relationship between r^2 and the sample size required to detect association between susceptibility loci and SNPs. These measures are defined for pairs of sites, but for some applications a determination of how strong LD is across an entire region that contains many polymorphic sites might be desirable (*e.g.*, testing whether the strength of LD differs significantly among loci or across populations, or whether there is more or less LD in a region than predicted under a particular model). Measuring LD across a region is not straightforward, but one approach is to use the measure r , which was developed in population genetics. Roughly speaking, r measures how much recombination would be required under a particular population model to generate the

LD that is seen in the data. This type of method can potentially also provide a statistically rigorous approach to the problem of determining whether LD data provide evidence for the presence of recombination hotspots. For the methods described herein, a significant r^2 value can be at least 0.2, such as at least 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9 or 1.0.

Thus, LD represents a correlation between alleles of distinct markers. It is measured by correlation coefficient or $|D'|$ (r^2 up to 1.0 and $|D'|$ up to 1.0).

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). It has been discovered that particular markers and/or haplotypes are present at a higher than expected frequency in particular cancer subjects. In one embodiment, the marker or haplotype comprises one or more markers associated with Chr8q24.21 in linkage disequilibrium (defined as the square of correlation coefficient, r^2 , greater than 0.2) with one or more markers selected from the group consisting of the markers in Table 13.

Haplotypes and LOD Score Definition of a Susceptibility Locus

In certain embodiments, a candidate susceptibility locus is defined using LOD scores. The defined regions are then ultra-fine mapped with SNP and microsatellite markers with an average spacing between markers of less than 100 kb. All usable microsatellite and SNP markers that are found in public databases and mapped within that region can be used. In addition, microsatellite markers identified within the deCODE genetics sequence assembly of the human genome can be used. The frequencies of haplotypes in the patient and the control groups can be estimated using an expectation-maximization algorithm (Dempster A. *et al.*, *J. R. Stat. Soc. B*, 39:1-38 (1977)). An implementation of this algorithm that can handle missing genotypes and uncertainty with the phase can be used. Under the null hypothesis, the patients and the controls are assumed to have identical frequencies. Using a likelihood approach, an alternative hypothesis is tested, where a candidate at-risk-haplotype, which can include the markers described herein, is allowed to have a higher frequency in patients than controls, while the ratios of the frequencies of other haplotypes are assumed to be the same in both groups. Likelihoods are maximized separately under both hypotheses and a corresponding 1-df likelihood ratio statistic is used to evaluate the statistical significance.

To look for at-risk and protective markers and haplotypes within a linkage region, for example, association of all possible combinations of genotyped markers is studied, provided those markers span a practical region. The combined patient and control groups can be randomly divided into two sets, equal in size to the original group of patients and controls. The marker and haplotype analysis is then repeated and the most significant p-value registered is determined. This randomization scheme can be repeated, for example, over 100 times to construct an empirical distribution of p-values. In a preferred embodiment, a p-value of <0.05 is indicative of an significant marker and/or haplotype association.

10 A detailed discussion of haplotype analysis follows.

Haplotype Analysis

One general approach to haplotype analysis involves using likelihood-based inference applied to NEsted MOdels (Gretarsdottir S., *et al.*, *Nat. Genet.* 35:131-38 (2003)). The method is implemented in the program NEMO, which allows for many polymorphic markers, SNPs and microsatellites. The method and software are specifically designed for case-control studies where the purpose is to identify haplotype groups that confer different risks. It is also a tool for studying LD structures. In NEMO, maximum likelihood estimates, likelihood ratios and p-values are calculated directly, with the aid of the EM algorithm, for the observed data treating it as a missing-data problem.

Measuring Information

Even though likelihood ratio tests based on likelihoods computed directly for the observed data, which have captured the information loss due to uncertainty in phase and missing genotypes, can be relied on to give valid p-values, it would still be of interest to know how much information had been lost due to the information being incomplete. The information measure for haplotype analysis is described in Nicolae and Kong (Technical Report 537, Department of Statistics, University of Statistics, University of Chicago; *Biometrics*, 60(2):368-75 (2004)) as a natural extension of information measures defined for linkage analysis, and is implemented in NEMO.

Statistical Analysis

For single marker association to the disease, the Fisher exact test can be used to calculate two-sided p-values for each individual allele. All p-values are presented unadjusted for multiple comparisons unless specifically indicated. The presented frequencies (for microsatellites, SNPs and haplotypes) are allelic frequencies as
 5 opposed to carrier frequencies. To minimize any bias due the relatedness of the patients who were recruited as families for the linkage analysis, first and second-degree relatives can be eliminated from the patient list. Furthermore, the test can be repeated for association correcting for any remaining relatedness among the patients, by extending a variance adjustment procedure described in Risch, N. & Teng, J.
 10 (*Genome Res.*, 8:1273-1288 (1998)), DNA pooling (*ibid*) for sibships so that it can be applied to general familial relationships, and present both adjusted and unadjusted p-values for comparison. The differences are in general very small as expected. To assess the significance of single-marker association corrected for multiple testing we can carry out a randomization test using the same genotype data. Cohorts of patients
 15 and controls can be randomized and the association analysis redone multiple times (e.g., up to 500,000 times) and the p-value is the fraction of replications that produced a p-value for some marker allele that is lower than or equal to the p-value we observed using the original patient and control cohorts.

For both single-marker and haplotype analyses, relative risk (RR) and the
 20 population attributable risk (PAR) can be calculated assuming a multiplicative model (haplotype relative risk model) (Terwilliger, J.D. & Ott, J., *Hum. Hered.* 42:337-46 (1992) and Falk, C.T. & Rubinstein, P, *Ann. Hum. Genet.* 51 (Pt 3):227-33 (1987)), i.e., that the risks of the two alleles/haplotypes a person carries multiply. For example, if RR is the risk of A relative to a, then the risk of a person homozygote AA
 25 will be RR times that of a heterozygote Aa and RR^2 times that of a homozygote aa. The multiplicative model has a nice property that simplifies analysis and computations — haplotypes are independent, i.e., in Hardy-Weinberg equilibrium, within the affected population as well as within the control population. As a consequence, haplotype counts of the affecteds and controls each have multinomial
 30 distributions, but with different haplotype frequencies under the alternative hypothesis. Specifically, for two haplotypes, h_i and h_j , $\text{risk}(h_i)/\text{risk}(h_j) = (f_i/p_i)/(f_j/p_j)$, where f and p denote, respectively, frequencies in the affected population and in the control population. While there is some power loss if the true model is not

multiplicative, the loss tends to be mild except for extreme cases. Most importantly, p-values are always valid since they are computed with respect to null hypothesis.

Linkage Disequilibrium Using NEMO

LD between pairs of markers can be calculated using the standard definition of D' and R^2 (Lewontin, R., *Genetics* 49:49-67 (1964); Hill, W.G. & Robertson, A. *Theor. Appl. Genet.* 22:226-231 (1968)). Using NEMO, frequencies of the two marker allele combinations are estimated by maximum likelihood and deviation from linkage equilibrium is evaluated by a likelihood ratio test. The definitions of D' and R^2 are extended to include microsatellites by averaging over the values for all possible allele combination of the two markers weighted by the marginal allele probabilities. When plotting all marker combination to elucidate the LD structure in a particular region, we plot D' in the upper left corner and the p-value in the lower right corner. In the LD plots the markers can be plotted equidistant rather than according to their physical location, if desired.

Statistical Methods for Linkage Analysis

Multipoint, affected-only allele-sharing methods can be used in the analyses to assess evidence for linkage. Results, both the LOD-score and the non-parametric linkage (NPL) score, can be obtained using the program Allegro (Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3 (2000)). Our baseline linkage analysis uses the S_{pairs} scoring function (Whittemore, A.S., Halpern, J. *Biometrics* 50:118-27 (1994); Kruglyak L. *et al.*, *Am. J. Hum. Genet.* 58:1347-63 (1996)), the exponential allele-sharing model (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.* 61:1179-88 (1997)) and a family weighting scheme that is halfway, on the log-scale, between weighting each affected pair equally and weighting each family equally. The information measure that we use is part of the Allegro program output and the information value equals zero if the marker genotypes are completely uninformative and equals one if the genotypes determine the exact amount of allele sharing by descent among the affected relatives (Gretarsdottir *et al.*, *Am. J. Hum. Genet.*, 70:593-603 (2002)). The P-values were computed two different ways and the less significant result is reported here. The first P-value can be computed on the basis of large sample theory; the distribution of $Z_{\text{lr}} = \sqrt{2[\log_e(10)\text{LOD}]}$ approximates a standard normal variable under the null hypothesis of no linkage (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.* 61:1179-88 (1997)). The second P-value can be calculated by comparing the observed LOD-score

with its complete data sampling distribution under the null hypothesis (e.g., Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3 (2000)). When the data consist of more than a few families, these two P-values tend to be very similar.

5

Haplotypes and "Haplotype Block" Definition of a Susceptibility Locus

In certain embodiments, marker and haplotype analysis involves defining a candidate susceptibility locus based on "haplotype blocks" (also called "LD blocks"). It has been reported that portions of the human genome can be broken into series of discrete haplotype blocks containing a few common haplotypes; for these blocks, linkage disequilibrium data provided little evidence indicating recombination (see, e.g., Wall, J.D. and Pritchard, J.K., *Nature Reviews Genetics* 4:587-597 (2003); Daly, M. *et al.*, *Nature Genet.* 29:229-232 (2001); Gabriel, S.B. *et al.*, *Science* 296:2225-2229 (2002); Patil, N. *et al.*, *Science* 294:1719-1723 (2001); Dawson, E. *et al.*, *Nature* 418:544-548 (2002); Phillips, M.S. *et al.*, *Nature Genet.* 33:382-387 (2003)).

There are two main methods for defining these haplotype blocks: blocks can be defined as regions of DNA that have limited haplotype diversity (see, e.g., Daly, M. *et al.*, *Nature Genet.* 29:229-232 (2001); Patil, N. *et al.*, *Science* 294:1719-1723 (2001); Dawson, E. *et al.*, *Nature* 418:544-548 (2002); Zhang, K. *et al.*, *Proc. Natl. Acad. Sci. USA* 99:7335-7339 (2002)), or as regions between transition zones having extensive historical recombination, identified using linkage disequilibrium (see, e.g., Gabriel, S.B. *et al.*, *Science* 296:2225-2229 (2002); Phillips, M.S. *et al.*, *Nature Genet.* 33:382-387 (2003); Wang, N. *et al.*, *Am. J. Hum. Genet.* 71:1227-1234 (2002); Stumpf, M.P., and Goldstein, D.B., *Curr. Biol.* 13:1-8 (2003)). As used herein, the terms "haplotype block" or "LD block" includes blocks defined by either characteristic.

Representative methods for identification of haplotype blocks are set forth, for example, in U.S. Published Patent Application Nos. 20030099964, 20030170665, 20040023237 and 20040146870. Haplotype blocks can be used readily to map associations between phenotype and haplotype status. The main haplotypes can be identified in each haplotype block, and then a set of "tagging" SNPs or markers (the smallest set of SNPs or markers needed to distinguish among the haplotypes) can then be identified. These tagging SNPs or markers can then be used in assessment of samples from groups of individuals, in order to identify association between

phenotype and haplotype. If desired, neighboring haplotype blocks can be assessed concurrently, as there may also exist linkage disequilibrium among the haplotype blocks.

5 *Haplotypes and Diagnostics*

As described herein, certain markers and haplotypes are found to be useful for determination of susceptibility to cancer – i.e., they are found to be useful for diagnosing a susceptibility to cancer. Particular markers and haplotypes (e.g., haplotype 1, haplotype 1a, and other haplotypes containing one or more of the markers depicted in any of the Tables below) are found more frequently in individuals with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) than in individuals without cancer. Therefore, these markers and haplotypes have predictive value for detecting cancer, or a susceptibility to cancer, in an individual. Haplotype blocks comprising certain tagging markers, can be found more frequently in individuals with cancer than in individuals without cancer. Therefore, these “at-risk” tagging markers within the haplotype blocks also have predictive value for detecting cancer, or a susceptibility to cancer, in an individual. “At-risk” tagging markers within the haplotype or LD blocks can also include other markers that distinguish among the haplotypes, as these similarly have predictive value for detecting cancer or a susceptibility to cancer. As a consequence of the haplotype block structure of the human genome, a large number of markers or other variants and/or haplotypes comprising such markers or variants in association with the haplotype block (LD block) may be found to be associated with a certain trait and/or phenotype. Thus, it is possible that markers and/or haplotypes residing within LD block A as defined herein or in strong LD (characterized by r^2 greater than 0.2) with LD block A are associated with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer, breast cancer, lung cancer, melanoma). This includes markers that are described herein (Tables 13, 20 and 21), but may also include other markers that are in strong LD (characterized by r^2 greater than 0.2) with one or more of the markers listed in Tables 13, 20 and 21. The identification of such additional variants can be achieved by methods well known to those skilled in the art, for example by DNA sequencing of the LD block A genomic region, and the present invention also encompasses such additional variants.

As described herein (e.g., Table 13), certain markers within LD block A are found in decreased frequency in individuals with cancer, and haplotypes comprising two or more markers listed in Tables 13, 20 and 21 are also found to be present at decreased frequency in individuals with cancer. These markers and haplotypes are thus protective for cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), i.e. they confer a decreased risk of individuals carrying these markers and/or haplotypes developing cancer. One example of such protective haplotypes is comprised of the markers rs7814251 C allele and rs12542685 allele T allele (Table 22).

The haplotypes and markers described herein are, in some cases, a combination of various genetic markers, e.g., SNPs and microsatellites. Therefore, detecting haplotypes can be accomplished by methods known in the art and/or described herein for detecting sequences at polymorphic sites. Furthermore, correlation between certain haplotypes or sets of markers and disease phenotype can be verified using standard techniques. A representative example of a simple test for correlation would be a Fisher-exact test on a two by two table.

In specific embodiments, a marker or haplotype associated with LD Block A and/or Chr8q24.21 is one in which the marker or haplotype is more frequently present in an individual at risk for cancer (affected), compared to the frequency of its presence in a healthy individual (control), wherein the presence of the marker or haplotype is indicative of cancer or a susceptibility to cancer. In other embodiments, at-risk tagging markers in a haplotype block in linkage disequilibrium with one or more markers associated with LD Block A and/or Chr8q24.21, are tagging markers that are more frequently present in an individual at risk for cancer (affected), compared to the frequency of their presence in a healthy individual (control), wherein the presence of the tagging markers is indicative of susceptibility to cancer. In a further embodiment, at-risk markers in linkage disequilibrium with one or more markers associated with LD Block A and/or Chr8q24.21, are markers that are more frequently present in an individual at risk for cancer, compared to the frequency of their presence in a healthy individual (control), wherein the presence of the markers is indicative of susceptibility to cancer.

In particular embodiments of the invention, the marker(s) or haplotypes are associated with LD Block A. As described and exemplified herein, genotype analysis revealed an association of markers and haplotypes on chromosome 8q24.21 with

cancer. In particular, the studies described herein demonstrate an association of markers and haplotypes associated with LD Block A (i.e., the genomic DNA sequence from 128,414,000 – 128,506,000 bp of NCBI Build 34 (SEQ ID NO: 1; FIG. 6A1-6A31)) with cancer. It should be noted that markers and haplotypes within LD Block A, other than those described in particular herein, can associate with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) and are encompassed by the invention. Based on the teachings described herein and the knowledge in the art, one could identify other markers and haplotypes without undue experimentation (e.g., by sequencing regions of LD Block A in subjects with, and without, cancer or by genotyping markers that are in strong LD with markers and/or haplotypes described herein).

In one embodiment, the marker(s) or haplotype comprises at least one of the markers in Table 13. In another embodiment, the marker(s) or haplotype comprises the rs1447295 A allele and/or the DG8S737 -8 allele.

In certain methods described herein, an individual who is at risk for cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) is an individual in whom an at-risk haplotype is identified, or an individual in whom at-risk markers are identified. In one embodiment, the strength of the association of a marker or haplotype is measured by relative risk (RR). RR is the ratio of the incidence of the condition among subjects who carry one copy of the marker or haplotype to the incidence of the condition among subjects who do not carry the marker or haplotype. This ratio is equivalent to the ratio of the incidence of the condition among subjects who carry two copies of the marker or haplotype to the incidence of the condition among subjects who carry one copy of the marker or haplotype. In one embodiment, the marker or haplotype has a relative risk of at least 1.2. In other embodiments, the marker or haplotype has a relative risk of at least 1.3, at least 1.4, at least 1.5, at least 2.0, at least 2.5, at least 3.0, at least 3.5, at least 4.0, or at least 5.0.

In one embodiment, the invention is a method of diagnosing susceptibility to prostate cancer comprising detecting a marker or haplotype associated with LD Block A and/or Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to prostate cancer, and the marker or haplotype has a relative risk of at least 1.5. In another embodiment, the marker or haplotype has a relative risk of at least 2.0.

In one embodiment, the invention is a method of diagnosing susceptibility to breast cancer comprising detecting a marker or haplotype associated with LD Block A and/or Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to breast cancer, and the marker or haplotype has a relative risk of at least 1.3.

In one embodiment, the invention is a method of diagnosing susceptibility to lung cancer comprising detecting a marker or haplotype associated with LD Block A and/or Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to lung cancer, and the marker or haplotype has a relative risk of at least 1.3.

In one embodiment, the invention is a method of diagnosing susceptibility to melanoma comprising detecting a marker or haplotype associated with LD Block A and/or Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to melanoma, and the marker or haplotype has a relative risk of at least 1.5. In another embodiment, the invention is a method of diagnosing susceptibility to malignant cutaneous melanoma comprising detecting a marker or haplotype associated with LD Block A and/or Chr8q24.21, wherein the presence of the marker or haplotype is indicative of a susceptibility to malignant cutaneous melanoma, and the marker or haplotype has a relative risk of at least 1.7.

In another embodiment, significance associated with a marker or haplotype is measured by a relative risk. In one embodiment, a significant increased risk is measured as a relative risk of at least about 1.2, including but not limited to: 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9. In a further embodiment, a relative risk of at least 1.2 is significant. In a further embodiment, a relative risk of at least about 1.5 is significant. In a further embodiment, a significant increase in risk is at least about 1.7. In another embodiment, a significant decreased risk is measured as a relative risk of less than one, including but not limited to: less than 0.8, 0.7, 0.6, 0.5 and 0.4. In a further embodiment, a relative risk of less than 0.8 is significant. In a further embodiment, a relative risk of less than 0.6 is significant.

In still another embodiment, significance associated with a marker or haplotype is measured by a percentage. In one embodiment, a significant increase or decrease in risk is at least about 20%, including but not limited to about 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95% and 98%. In a further embodiment, a significant increase or decrease in risk is at least about

50%. Thus, as used herein, the term “susceptibility to” a cancer indicates that there is an increased or decreased risk of the cancer, by an amount that is significant, when a certain marker (marker allele) or haplotype is present; significance is measured as indicated above. The terms “decreased susceptibility to” a cancer and “protection against” a cancer, as used herein, indicate that the relative risk is decreased accordingly when a certain other marker or haplotype is present. It is understood however, that identifying whether a risk is medically significant may also depend on a variety of factors, including the specific disease, the marker or haplotype, and often, environmental factors.

Particular embodiments of the invention encompass methods of diagnosing a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in an individual, comprising assessing in the individual the presence or frequency of SNPs and/or microsatellites in, comprising portions of, the nucleic acid region associated with LD Block A and/or Chr8q24.21, wherein an excess or higher frequency of the SNPs and/or microsatellites compared to a healthy control individual is indicative that the individual has cancer, or is susceptible to cancer (*see, e.g.*, Tables 1 and 13 (below) for SNPs and microsatellite markers that that can be used as screening tools and/or are components of haplotypes). These microsatellite markers and SNPs can be identified in haplotypes. For example, a haplotype can include microsatellite markers and/or SNPs such as those set forth in the Tables below. The presence of the marker or haplotype is indicative of cancer, or a susceptibility to cancer, and therefore is indicative of an individual who is a good candidate for therapeutic and/or prophylactic methods. These markers and haplotypes can be used as screening tools. Other particular embodiments of the invention encompass methods of diagnosing a susceptibility to cancer in an individual, comprising detecting one or more markers at one or more polymorphic sites, wherein the one or more polymorphic sites are in linkage disequilibrium with LD Block A and/or Chr8q24.21.

Utility of Genetic Testing

The knowledge about a genetic variant that confers a risk of developing cancer, offers the opportunity to apply a genetic-test to distinguish between individuals with increased risk of developing the disease (i.e. carriers of the risk variant) and those with decreased risk of developing the disease (i.e. carriers of the

protective variant). The core values of genetic testing, for individuals belonging to both of the above mentioned groups, are the possibilities of being able to diagnose the disease at an early stage and provide information to the clinician about prognosis/aggressiveness of the disease in order to be able to apply the most appropriate treatment.

1. To aid early detection

The application of a genetic test for prostate cancer can provide an opportunity for the detection of the disease at an earlier stage which leads to higher cure rates, if found locally, and increases survival rates by minimizing regional and distant spread of the tumor.

For prostate cancer, a genetic test will most likely increase the sensitivity and specificity of the already generally applied Prostate Specific Antigen (PSA) test and Digital Rectal Examination (DRE). This can lead to lower rates of false positives (thus minimize unnecessary procedures such as needle biopsies) and false negatives (thus increasing detection of occult disease and minimizing morbidity and mortality due to PCA).

2. To determine aggressiveness

Genetic testing can provide information about pre-diagnostic prognostic indicators and enable the identification of individuals at high or low risk for aggressive tumor types that can lead to modification in screening strategies. For example, an individual determined to be a carrier of a high risk allele for the development of aggressive prostate cancer will likely undergo more frequent PSA testing, examination and have a lower threshold for needle biopsy in the presence of an abnormal PSA value.

Furthermore, identifying individuals that are carriers of high or low risk alleles for aggressive tumor types will lead to modification in treatment strategies. For example, if prostate cancer is diagnosed in an individual that is a carrier of an allele that confers increased risk of developing an aggressive form of prostate cancer, then the clinician would likely advise a more aggressive treatment strategy such as a prostatectomy instead of a less aggressive treatment strategy.

As is known in the art, Prostate Specific Antigen (PSA) is a protein that is secreted by the epithelial cells of the prostate gland, including cancer cells. An elevated level in the blood indicates an abnormal condition of the prostate, either

benign or malignant. PSA is used to detect potential problems in the prostate gland and to follow the progress of prostate cancer therapy. PSA levels above 4 ng/ml are indicative of the presence of prostate cancer (although as known in the art and described herein, the test is neither very specific nor sensitive).

5 In one embodiment, the method of the invention is performed in combination with (either prior to, concurrently or after) a PSA assay. In a particular embodiment, the presence of a marker or haplotype, in conjunction with the subject having a PSA level greater than 4 ng/ml, is indicative of a more aggressive prostate cancer and/or a worse prognosis. As described herein, particular markers and haplotypes are
10 associated with high Gleason (i.e., more aggressive) prostate cancer. In another embodiment, the presence of a marker or haplotype, in a patient who has a normal PSA level (e.g., less than 4 ng/ml), is indicative of a high Gleason (i.e., more aggressive) prostate cancer and/or a worse prognosis. A “worse prognosis” or “bad prognosis” occurs when it is more likely that the cancer will grow beyond the
15 boundaries of the prostate gland, metastasize, escape therapy and/or kill the host.

 In one embodiment, the presence of a marker or haplotype is indicative of a predisposition to a somatic rearrangement of Chr8q24.21 (e.g., one or more of an amplification, a translocation, an insertion and/or deletion) in a tumor or its precursor. The somatic rearrangement itself may subsequently lead to a more aggressive form of
20 prostate cancer (e.g., a higher histologic grade, as reflected by a higher Gleason score or higher stage at diagnosis, an increased progression of prostate cancer (e.g., to a higher stage), a worse outcome (e.g., in terms of morbidity, complications or death)). As is known in the art, the Gleason grade is a widely used method for classifying prostate cancer tissue for the degree of loss of the normal glandular architecture (size,
25 shape and differentiation of glands). A grade from 1–5 is assigned successively to each of the two most predominant tissue patterns present in the examined tissue sample and are added together to produce the total or combined Gleason grade (scale of 2-10). High numbers indicate poor differentiation and therefore more aggressive cancer.

30 Aggressive prostate cancer is cancer that grows beyond the prostate, metastasizes and eventually kills the patient. As described herein, one surrogate measure of aggressivity is a high combined Gleason grade. The higher the grade on a scale of 2-10 the more likely it is that a patient has aggressive disease.

As used herein and unless noted differently, the term "stage" is used to define the size and physical extent of a cancer (e.g., prostate cancer). One method of staging various cancers is the TNM method, wherein in the TNM acronym, T stands for tumor size and invasiveness (e.g., the primary tumor in the prostate); N relates to
5 nodal involvement (e.g., prostate cancer that has spread to lymph nodes); and M indicates the presence or absence of metastases (spread to a distant site).

METHODS OF THE INVENTION

Methods for the diagnosis of susceptibility to cancer (e.g., prostate cancer
10 (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) are described herein and are encompassed by the invention. Kits for assaying a sample from a subject to detect susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) are also encompassed by the invention. In other embodiments, the invention is a method for diagnosing
15 Chr8q24.21-associated cancer (e.g., Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast cancer, Chr8q24.21-associated lung cancer, Chr8q24.21-associated melanoma) in a subject.

DIAGNOSTIC AND SCREENING ASSAYS OF THE INVENTION

20 In certain embodiments, the present invention pertains to methods of diagnosing, or aiding in the diagnosis of, cancer or a susceptibility to cancer, by detecting particular genetic markers that appear more frequently in cancer subjects or subjects who are susceptible to cancer. In a particular embodiment, the invention is a method of diagnosing a susceptibility to prostate cancer (e.g., aggressive prostate
25 cancer), breast cancer, lung cancer and/or melanoma by detecting one or more particular genetic markers (e.g., the markers or haplotypes described herein). The present invention describes methods whereby detection of particular markers or haplotypes is indicative of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). Such prognostic
30 or predictive assays can also be used to determine prophylactic treatment of a subject prior to the onset of symptoms associated with such cancers.

In addition, in certain other embodiments, the present invention pertains to methods of diagnosing, or aiding in the diagnosis of, a decreased susceptibility to cancer, by detecting particular genetic markers or haplotypes that appear less

frequently in cancer. In a particular embodiment, the invention is a method of diagnosing a decreased susceptibility to prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer and/or melanoma by detecting one or more particular genetic markers (e.g., the markers or haplotypes described herein). The present invention describes methods whereby detection of particular markers or haplotypes is indicative of a decreased susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), or of a protective marker or haplotype against the cancer.

As described and exemplified herein, particular markers or haplotypes associated with LD Block A and/or Chr8q24.21 (e.g., haplotypes) are linked to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). In one embodiment, the marker or haplotype is one that confers a significant risk of susceptibility to prostate cancer, breast cancer, lung cancer and/or melanoma. In another embodiment, the invention pertains to methods of diagnosing a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject, by screening for a marker or haplotype associated with LD Block A and/or Chr8q24.21 that is more frequently present in a subject having, or who is susceptible to, cancer (affected), as compared to the frequency of its presence in a healthy subject (control). In certain embodiments, the marker or haplotype has a p value < 0.05.

In these embodiments, the presence of the marker or haplotype is indicative of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). These diagnostic methods involve detecting the presence or absence of a marker or haplotype that is associated with LD Block A and/or Chr8q24.21. The haplotypes described herein include combinations of various genetic markers (e.g., SNPs, microsatellites). The detection of the particular genetic markers that make up the particular haplotypes can be performed by a variety of methods described herein and/or known in the art. For example, genetic markers can be detected at the nucleic acid level (e.g., by direct nucleotide sequencing) or at the amino acid level if the genetic marker affects the coding sequence of a protein encoded by a Chr8q24.21-associated nucleic acid (e.g., by protein sequencing or by immunoassays using antibodies that recognize such a protein). As used herein, a "Chr8q24.21-associated nucleic acid" refers to a nucleic acid that is, or corresponds

to, a fragment of a genomic DNA sequence of Chr8q24.21. A "LD Block A-associated nucleic acid" refers to a nucleic acid that is, or corresponds to, a fragment of a genomic DNA sequence of LD Block A.

In one embodiment, diagnosis of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) can be accomplished using hybridization methods, such as Southern analysis, Northern analysis, and/or *in situ* hybridizations (see Current Protocols in Molecular Biology, Ausubel, F. *et al.*, eds., John Wiley & Sons, including all supplements). A biological sample from a test subject or individual (a "test sample") of genomic DNA, RNA, or cDNA is obtained from a subject suspected of having, being susceptible to, or predisposed for cancer (the "test subject"). The subject can be an adult, child, or fetus. The test sample can be from any source that contains genomic DNA, such as a blood sample, sample of amniotic fluid, sample of cerebrospinal fluid, or tissue sample from skin, muscle, buccal or conjunctival mucosa, placenta, gastrointestinal tract or other organs. A test sample of DNA from fetal cells or tissue can be obtained by appropriate methods, such as by amniocentesis or chorionic villus sampling. The DNA, RNA, or cDNA sample is then examined. The presence of an allele of the haplotype can be indicated by sequence-specific hybridization of a nucleic acid probe specific for the particular allele. A sequence-specific probe can be directed to hybridize to genomic DNA, RNA, or cDNA. A "nucleic acid probe", as used herein, can be a DNA probe or an RNA probe that hybridizes to a complementary sequence. One of skill in the art would know how to design such a probe so that sequence specific hybridization will occur only if a particular allele is present in a genomic sequence from a test sample.

To diagnose a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), a hybridization sample is formed by contacting the test sample containing a Chr8q24.21-associated and/or LD Block A-associated nucleic acid, with at least one nucleic acid probe. A non-limiting example of a probe for detecting mRNA or genomic DNA is a labeled nucleic acid probe that is capable of hybridizing to mRNA or genomic DNA sequences described herein. The nucleic acid probe can be, for example, a full-length nucleic acid molecule, or a portion thereof, such as an oligonucleotide of at least 15, 30, 50, 100, 250 or 500 nucleotides in length that is sufficient to specifically hybridize under stringent conditions to appropriate mRNA or genomic DNA. For example, the

nucleic acid probe can be all or a portion of SEQ ID NO:1, optionally comprising at least one allele contained in the haplotypes described herein, or the probe can be the complementary sequence of such a sequence. In a particular embodiment, the nucleic acid probe is a portion of SEQ ID NO:1, optionally comprising at least one allele
5 contained in the haplotypes described herein, or the probe can be the complementary sequence of such a sequence. Other suitable probes for use in the diagnostic assays of the invention are described herein.

The hybridization sample is maintained under conditions that are sufficient to allow specific hybridization of the nucleic acid probe to the Chr8q24.21-associated
10 nucleic acid and/or LD Block A-associated nucleic acid. "Specific hybridization", as used herein, indicates exact hybridization (e.g., with no mismatches). Specific hybridization can be performed under high stringency conditions or moderate stringency conditions as described herein. In one embodiment, the hybridization conditions for specific hybridization are high stringency (e.g., as described herein).

Specific hybridization, if present, is then detected using standard methods. If
15 specific hybridization occurs between the nucleic acid probe and the Chr8q24.21-associated and/or LD Block A-associated nucleic acid in the test sample, then the sample contains the allele that is complementary to the nucleotide that is present in the nucleic acid probe. The process can be repeated for the other markers that make
20 up the haplotype, or multiple probes can be used concurrently to detect more than one marker at a time. It is also possible to design a single probe containing more than one marker of a particular haplotype (e.g., a probe containing alleles complementary to 2, 3, 4, 5 or all of the markers that make up a particular haplotype). Detection of the particular markers of the haplotype in the sample is indicative that the source of the
25 sample has the particular haplotype (e.g., an haplotype) and therefore is susceptible to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma).

In another hybridization method, Northern analysis (see Current Protocols in Molecular Biology, Ausubel, F. *et al.*, eds., John Wiley & Sons, *supra*) is used to
30 identify the presence of a polymorphism associated with cancer or a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). For Northern analysis, a test sample of RNA is obtained from the subject by appropriate means. As described herein, specific hybridization of a nucleic acid probe to RNA from the subject is indicative of a particular allele complementary

to the probe. For representative examples of use of nucleic acid probes, see, for example, U.S. Patent Nos. 5,288,611 and 4,851,330.

Additionally, or alternatively, a peptide nucleic acid (PNA) probe can be used in addition to, or instead of, a nucleic acid probe in the hybridization methods
5 described herein. A PNA is a DNA mimic having a peptide-like, inorganic backbone, such as N-(2-aminoethyl)glycine units, with an organic base (A, G, C, T or U) attached to the glycine nitrogen via a methylene carbonyl linker (see, for example, Nielsen, P., *et al.*, *Bioconjug. Chem.* 5:3-7 (1994)). The PNA probe can be designed to specifically hybridize to a molecule in a sample suspected of containing one or
10 more of the genetic markers of a haplotype that is associated with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). Hybridization of the PNA probe is diagnostic for cancer or a susceptibility to cancer.

In one embodiment of the invention, diagnosis of cancer or a susceptibility to
15 cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) is accomplished through enzymatic amplification of a nucleic acid from the subject. For example, a test sample containing genomic DNA can be obtained from the subject and the polymerase chain reaction (PCR) can be used to amplify a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic
20 acid in the test sample. As described herein, identification of a particular marker or haplotype (e.g., an haplotype) associated with the amplified Chr8q24.21 region and/or LD Block A region can be accomplished using a variety of methods (e.g., sequence analysis, analysis by restriction digestion, specific hybridization, single stranded conformation polymorphism assays (SSCP), electrophoretic analysis, etc.). In another
25 embodiment, diagnosis is accomplished by expression analysis using quantitative PCR (kinetic thermal cycling). This technique can, for example, utilize commercially available technologies, such as TaqMan[®] (Applied Biosystems, Foster City, CA), to allow the identification of polymorphisms and haplotypes (e.g., haplotypes). The technique can assess the presence of an alteration in the expression or composition of
30 a polypeptide or splicing variant(s) that is encoded by Chr8q24.21 and/or LD Block A. Further, the expression of the variant(s) can be quantified as physically or functionally different.

In another method of the invention, analysis by restriction digestion can be used to detect a particular allele if the allele results in the creation or elimination of a

restriction site relative to a reference sequence. A test sample containing genomic DNA is obtained from the subject. PCR can be used to amplify particular regions of Chr8q24.21 and/or LD Block A in the test sample from the test subject. Restriction fragment length polymorphism (RFLP) analysis can be conducted, e.g., as described
5 in Current Protocols in Molecular Biology, *supra*. The digestion pattern of the relevant DNA fragment indicates the presence or absence of the particular allele in the sample.

Sequence analysis can also be used to detect specific alleles at polymorphic sites associated with Chr8q24.21 and/or LD Block A. Therefore, in one embodiment,
10 determination of the presence or absence of a particular marker or haplotype (e.g., an haplotype) comprises sequence analysis. For example, a test sample of DNA or RNA can be obtained from the test subject. PCR or other appropriate methods can be used to amplify a portion of Chr8q24.21 and/or LD Block A, and the presence of a specific allele can then be detected directly by sequencing the polymorphic site of the genomic
15 DNA in the sample.

Allele-specific oligonucleotides can also be used to detect the presence of a particular allele at a polymorphic site associated with Chr8q24.21 and/or LD Block A, through the use of dot-blot hybridization of amplified oligonucleotides with allele-specific oligonucleotide (ASO) probes (see, for example, Saiki, R. *et al.*, *Nature*,
20 324:163-166 (1986)). An "allele-specific oligonucleotide" (also referred to herein as an "allele-specific oligonucleotide probe") is an oligonucleotide of approximately 10-50 base pairs or approximately 15-30 base pairs, that specifically hybridizes to a region of Chr8q24.21 and/or LD Block A, and which contains a specific allele at a polymorphic site (e.g., a polymorphism described herein). An allele-specific
25 oligonucleotide probe that is specific for one or more particular polymorphisms associated with Chr8q24.21 and/or LD Block A can be prepared using standard methods (see, e.g., Current Protocols in Molecular Biology, *supra*). PCR can be used to amplify the desired region of Chr8q24.21 and/or LD Block A. The DNA containing the amplified Chr8q24.21 region and/or LD Block A region can be dot-
30 blotted using standard methods (see, e.g., Current Protocols in Molecular Biology, *supra*), and the blot can be contacted with the oligonucleotide probe. The presence of specific hybridization of the probe to the amplified Chr8q24.21 region and/or LD Block A region can then be detected. Specific hybridization of an allele-specific oligonucleotide probe to DNA from the subject is indicative of a specific allele at a

polymorphic site associated with Chr8q24.21 and/or LD Block A (see, e.g., Gibbs, R. *et al.*, *Nucleic Acids Res.*, 17:2437-2448 (1989) and WO 93/22456).

With the addition of such analogs as locked nucleic acids (LNAs), the size of primers and probes can be reduced to as few as 8 bases. LNAs are a novel class of bicyclic DNA analogs in which the 2' and 4' positions in the furanose ring are joined via an O-methylene (oxy-LNA), S-methylene (thio-LNA), or amino methylene (amino-LNA) moiety. Common to all of these LNA variants is an affinity toward complementary nucleic acids, which is by far the highest reported for a DNA analog. For example, particular all oxy-LNA nonamers have been shown to have melting temperatures (T_m) of 64°C and 74°C when in complex with complementary DNA or RNA, respectively, as opposed to 28°C for both DNA and RNA for the corresponding DNA nonamer. Substantial increases in T_m are also obtained when LNA monomers are used in combination with standard DNA or RNA monomers. For primers and probes, depending on where the LNA monomers are included (e.g., the 3' end, the 5' end, or in the middle), the T_m could be increased considerably.

In another embodiment, arrays of oligonucleotide probes that are complementary to target nucleic acid sequence segments from a subject, can be used to identify polymorphisms in a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid. For example, an oligonucleotide array can be used. Oligonucleotide arrays typically comprise a plurality of different oligonucleotide probes that are coupled to a surface of a substrate in different known locations. These oligonucleotide arrays, also described as "Genechips™," have been generally described in the art (see, e.g., U.S. Patent No. 5,143,854, PCT Patent Publication Nos. WO 90/15070 and 92/10092). These arrays can generally be produced using mechanical synthesis methods or light directed synthesis methods that incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis methods (Fodor, S. *et al.*, *Science*, 251:767-773 (1991); Pirrung *et al.*, U.S. Patent No. 5,143,854 (see also published PCT Application No. WO 90/15070); and Fodor, S. *et al.*, published PCT Application No. WO 92/10092 and U.S. Patent No. 5,424,186, the entire teachings of each of which are incorporated by reference herein). Techniques for the synthesis of these arrays using mechanical synthesis methods are described in, e.g., U.S. Patent No. 5,384,261; the entire teachings of which are incorporated by reference herein. In another example, linear arrays can be utilized.

Once an oligonucleotide array is prepared, a nucleic acid of interest is allowed to hybridize with the array. Detection of hybridization is a detection of a particular allele in the nucleic acid of interest. Hybridization and scanning are generally carried out by methods described herein and also in, e.g., published PCT Application Nos. 5 WO 92/10092 and WO 95/11995, and U.S. Patent No. 5,424,186, the entire teachings of each of which are incorporated by reference herein. In brief, a target nucleic acid sequence, which includes one or more previously identified polymorphic markers, is amplified by well-known amplification techniques (e.g., PCR). Typically this involves the use of primer sequences that are complementary to the two strands of the target sequence, both upstream and downstream, from the polymorphic site. Asymmetric PCR techniques can also be used. Amplified target, generally incorporating a label, is then allowed to hybridize with the array under appropriate conditions that allow for sequence-specific hybridization. Upon completion of hybridization and washing of the array, the array is scanned to determine the position on the array to which the target sequence hybridizes. The hybridization data obtained from the scan is typically in the form of fluorescence intensities as a function of location on the array.

Although primarily described in terms of a single detection block, e.g., for detection of a single polymorphic site, arrays can include multiple detection blocks, and thus be capable of analyzing multiple, specific polymorphisms (e.g., multiple polymorphisms of a particular haplotype (e.g., an haplotype)). In alternate arrangements, it will generally be understood that detection blocks can be grouped within a single array or in multiple, separate arrays so that varying, optimal conditions can be used during the hybridization of the target to the array. For example, it will often be desirable to provide for the detection of those polymorphisms that fall within G-C rich stretches of a genomic sequence, separately from those falling in A-T rich segments. This allows for the separate optimization of hybridization conditions for each situation.

Additional descriptions of use of oligonucleotide arrays for detection of polymorphisms can be found, for example, in U.S. Patent Nos. 5,858,659 and 5,837,832, the entire teachings of both of which are incorporated by reference herein.

Other methods of nucleic acid analysis can be used to detect a particular allele at a polymorphic site associated with Chr8q24.21 and/or LD Block A. Representative methods include, for example, direct manual sequencing (Church and Gilbert, *Proc.*

Natl. Acad. Sci. USA, 81: 1991-1995 (1988); Sanger, F., *et al.*, *Proc. Natl. Acad. Sci. USA*, 74:5463-5467 (1977); Beavis, *et al.*, U.S. Patent No. 5,288,644); automated fluorescent sequencing; single-stranded conformation polymorphism assays (SSCP); clamped denaturing gel electrophoresis (CDGE); denaturing gradient gel electrophoresis (DGGE) (Sheffield, V., *et al.*, *Proc. Natl. Acad. Sci. USA*, 86:232-236 (1989)), mobility shift analysis (Orita, M., *et al.*, *Proc. Natl. Acad. Sci. USA*, 86:2766-2770 (1989)), restriction enzyme analysis (Flavell, R., *et al.*, *Cell*, 15:25-41 (1978); Geever, R., *et al.*, *Proc. Natl. Acad. Sci. USA*, 78:5081-5085 (1981)); heteroduplex analysis; chemical mismatch cleavage (CMC) (Cotton, R., *et al.*, *Proc. Natl. Acad. Sci. USA*, 85:4397-4401 (1985)); RNase protection assays (Myers, R., *et al.*, *Science*, 230:1242-1246 (1985); use of polypeptides that recognize nucleotide mismatches, such as *E. coli* mutS protein; and allele-specific PCR.

In another embodiment of the invention, diagnosis of cancer or a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) can be made by examining expression and/or composition of a polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid in those instances where the genetic marker(s) or haplotype described herein results in a change in the composition or expression of the polypeptide. As described herein, particular genes and predicted genes that map to Chr8q24.21 include, e.g., POU5FLC20 (Genbank Accession No. AF268618; known gene), Genbank Accession No. BE676854 (EST), Genbank Accession No. AL709378 (EST), Genbank Accession No. BX108223 (EST), Genbank Accession No. AA375336 (EST), Genbank Accession No. CB104826 (EST), Genbank Accession No. BG203635 (EST), Genbank Accession No. AW183883 (EST), Genbank Accession No. BM804611 (EST), C-MYC (Genbank Accession No. NM_002467; known gene) and PVT1 (Genbank Accession No. XM_372058; known gene). Thus, diagnosis of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) can be made by examining expression and/or composition of one of these polypeptides, or another polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid, in those instances where the genetic marker or haplotype described herein results in a change in the composition or expression of the polypeptide. The haplotypes and markers described herein that show association to cancer may play a role through their effect on one or more of these nearby genes. Possible mechanisms affecting these

genes include, e.g., effects on transcription, effects on RNA splicing, alterations in relative amounts of alternative splice forms of mRNA, effects on RNA stability, effects on transport from the nucleus to cytoplasm, and effects on the efficiency and accuracy of translation.

5 The *c-myc* gene on Chr8q24.21 encodes the c-MYC protein that was identified over 20 years ago as the cellular counterpart of the viral oncogene *v-myc* of the avian myelocytomatosis retrovirus (Vennstrom *et al.*, *J. Virology* 42:773-79 (1982)). The c-MYC protein is a transcription factor that is rapidly induced upon treatment of cells with mitogenic stimuli. c-MYC regulates the expression of many genes by binding E-
10 boxes (CACGTG) in a heterodimeric complex with a protein named MAX. Many of the genes regulated by c-MYC are involved in cell cycle control. c-MYC promotes cell-cycle progression, inhibits cellular differentiation and induces apoptosis. c-MYC also has a negative effect on double strand DNA repair (Karlsson, A, *et al.*, *Proc. Natl. Acad. Sci. USA* 100(17):9974-79 (2003)). c-MYC also promotes angiogenesis
15 (Ngo, C.V., *et al.*, *Cell Growth Differ.* 11(4):201-10 (2000); Baudino T.A., *et al.*, *Genes Dev.* 16(19):2530-43 (2002)).

 The *c-myc* gene is highly tumorigenic *in vitro* and *in vivo*. c-MYC synergizes with proteins that inhibit apoptosis such as BCL, BCL-X_L or with the loss of p53 or ARF in lymphomagenesis in transgenic mice (Strasser *et al.*, *Nature* 348:331-333
20 (1990); Blyth, K., *et al.*, *Oncogene* 10:1717-23 (1990); Elson, A., *et al.*, *Oncogene* 11:181-90 (1995); Eischen, C.M., *et al.*, *Genes Dev.* 13:2658-69 (1999)).

 Amplification and overexpression of the *c-myc* gene is seen in prostate cancer and is often associated with aggressive tumors, hormone independence and a poor prognosis (Jenkins, R.B., *et al.*, *Cancer Res.* 57(3):524-31 (1997); El Gedaily, A., *et al.*, *Prostate* 46(3):184-90 (2001); Saramaki, O., *et al.*, *Am. J. Pathol.* 159(6):2089-94
25 (2001); Bubendorf, L., *et al.*, *Cancer Res.* 59(4):803-06 (1999)). *c-myc* and the Chr8q24.21 region is furthermore gained in prostate, breast and lung tumors and in melanoma (Blancato J., *et al.*, *Br. J. Cancer* 90(8):1612-9 (2004); Kubokura, H., *et al.*, *Ann. Thorac. Cardiovasc. Surg.* 7(4):197-203 (2001); Treszl, A., *et al.*, *Cytometry*
30 *60B*(1):37-46 (2004); Kraehn, G.M., *et al.*, *Br. J. Cancer* 84(1):72-79 (2001)). In addition, many other tumor types show a gain of this region including colon, liver, ovary, stomach, intestinal and bladder cancer. Combining all tumor types shows that Chr8q24.21 is the most frequently gained chromosomal region with gain in approximately 17% of all tumor types (www.progenetix.com).

The oncogene is involved in Burkitt's lymphoma as a result of translocations that juxtapose *c-myc* to immunoglobulin enhancers, thereby activating expression of the gene (Dalla-Favera, R., *et al.*, *Proc. Natl. Acad. Sci. USA* 79(24):7824-27 (1982); Taub, R., *et al.*, *Proc. Natl. Acad. Sci. USA* 79(24):7837-41 (1982). It is also involved
5 in cervical cancer by Human papillomavirus (HPV) integration close to the gene. In most cases, HPV integrations occur in a region spanning 500 kb centromeric and 200 kb telomeric of the *c-myc* gene (Ferber, J.M., *et al.*, *Cancer Genetics Cytogenetics* 154:1-9 (2004); Ferber, M.J., *et al.*, *Oncogene* 22:7233-7242 (2003)).

Two fragile sites, FRA8C and FRA8D, lie centromeric and telomeric to *c-myc*,
10 respectively, on Chr8q24.21. Fragile sites are prone to breakage in the presence of agents that arrest DNA synthesis. Replication of fragile sites is thought to occur late in S-phase and upon induction even later. The involvement of fragile sites in chromosomal amplification, translocation and/or viral insertion may relate to the late replication of these sites and that a break is initiated at or close to stalled replication
15 forks (Hellman, A., *et al.*, *Cancer Cell* 1:89-97 (2002)).

It is possible that markers or haplotypes described here within LD Block A or in strong LD with LD block A (as measured by r^2 greater than 0.2) could affect the stability of the region leading to gene amplifications of the *c-myc* gene or other nearby genes. That is, a person could inherit the LD Block A or a region in strong LD with
20 LD block A (as measured by r^2 greater than 0.2) from one or both parents and therefore be more likely to have a somatic mutational event later in one or more cells leading to progression of cancer to a more aggressive form. Thus, in one embodiment, identification of a marker or haplotype of the invention (e.g., a marker or haplotype associated with LD Block A) may be used to diagnose a susceptibility to
25 a somatic mutational event, which can lead to progression of cancer to a more aggressive form

In one embodiment, the marker or haplotype does not comprise a marker that is located within the *c-myc* open reading frame (i.e., chr8:128,705,092-128,710,260 bp in NCBI Build 34). In another embodiment, the marker or haplotype does not
30 comprise a marker that is located within the *c-myc* promoter or open reading frame. In yet another embodiment, the marker or haplotype does not comprise a marker that is located within the *c-myc* promoter, enhancer or open reading frame. In still other embodiments, the marker or haplotype does not comprise a marker that is located within 1 kb, 2 kb, 5 kb, 10 kb, 15 kb, 20 kb or 25 kb of the *c-myc* open reading frame.

A variety of methods can be used to make such a detection, including enzyme linked immunosorbent assays (ELISA), Western blots, immunoprecipitations and immunofluorescence. A test sample from a subject is assessed for the presence of an alteration in the expression and/or an alteration in composition of the polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid. An alteration in expression of a polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid can be, for example, an alteration in the quantitative polypeptide expression (i.e., the amount of polypeptide produced). An alteration in the composition of a polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid is an alteration in the qualitative polypeptide expression (e.g., expression of a mutant polypeptide or of a different splicing variant). In one embodiment, diagnosis of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) is made by detecting a particular splicing variant encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid, or a particular pattern of splicing variants.

Both such alterations (quantitative and qualitative) can also be present. An "alteration" in the polypeptide expression or composition, as used herein, refers to an alteration in expression or composition in a test sample, as compared to the expression or composition of polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid in a control sample. A control sample is a sample that corresponds to the test sample (e.g., is from the same type of cells), and is from a subject who is not affected by, and/or who does not have a susceptibility to, cancer (e.g., a subject that does not possess a marker or haplotype as described herein). Similarly, the presence of one or more different splicing variants in the test sample, or the presence of significantly different amounts of different splicing variants in the test sample, as compared with the control sample, can be indicative of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). An alteration in the expression or composition of the polypeptide in the test sample, as compared with the control sample, can be indicative of a specific allele in the instance where the allele alters a splice site relative to the reference in the control sample. Various means of examining expression or composition of a polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid can be used, including spectroscopy, colorimetry,

electrophoresis, isoelectric focusing, and immunoassays (e.g., David *et al.*, U.S. Pat. No. 4,376,110) such as immunoblotting (see, e.g., Current Protocols in Molecular Biology, particularly chapter 10, *supra*).

For example, in one embodiment, an antibody (e.g., an antibody with a
5 detectable label) that is capable of binding to a polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid can be used. Antibodies can be polyclonal or monoclonal. An intact antibody, or a fragment thereof (e.g., Fv, Fab, Fab', F(ab')₂) can be used. The term "labeled", with regard to the probe or antibody, is intended to encompass direct labeling of the probe or
10 antibody by coupling (i.e., physically linking) a detectable substance to the probe or antibody, as well as indirect labeling of the probe or antibody by reactivity with another reagent that is directly labeled. Examples of indirect labeling include detection of a primary antibody using a labeled secondary antibody (e.g., a fluorescently-labeled secondary antibody) and end-labeling of a DNA probe with
15 biotin such that it can be detected with fluorescently-labeled streptavidin.

In one embodiment of this method, the level or amount of polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid in a test sample is compared with the level or amount of the polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated
20 nucleic acid in a control sample. A level or amount of the polypeptide in the test sample that is higher or lower than the level or amount of the polypeptide in the control sample, such that the difference is statistically significant, is indicative of an alteration in the expression of the polypeptide encoded by the Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid, and is diagnostic for a
25 particular allele responsible for causing the difference in expression. Alternatively, the composition of the polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid in a test sample is compared with the composition of the polypeptide encoded by a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid in a control sample. In another
30 embodiment, both the level or amount and the composition of the polypeptide can be assessed in the test sample and in the control sample.

As described and exemplified herein, particular markers and haplotypes (e.g., haplotype 1, haplotype 1a, haplotypes containing two or more markers listed in the Tables below) associated with Chr8q24.21 and/or LD Block A are linked to cancer

(e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). In one embodiment, the invention pertains to a method of diagnosing a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject, comprising screening for a marker or
5 haplotype associated with a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid that is more frequently present in a subject having, or who is susceptible to, cancer (affected), as compared to the frequency of its presence in a healthy subject (control). In this embodiment, the presence of the marker or haplotype is indicative of a susceptibility to cancer. Standard techniques for
10 genotyping for the presence of SNPs and/or microsatellite markers associated with cancer can be used, such as fluorescence-based techniques (Chen, X., *et al.*, *Genome Res.*, 9:492-498 (1999)), PCR, LCR, Nested PCR and other techniques for nucleic acid amplification. In one embodiment, the method comprises assessing in a subject the presence or frequency of one or more specific SNP alleles and/or microsatellite
15 alleles that are associated with Chr8q24.21 and/or LD Block A and are linked to cancer and/or susceptibility to cancer. In this embodiment, an excess or higher frequency of the allele(s), as compared to a healthy control subject, is indicative that the subject is susceptible to cancer.

In another embodiment, the diagnosis of a susceptibility to cancer (e.g.,
20 prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) is made by detecting at least one Chr8q24.21-associated allele and/or LD Block A-associated allele in combination with an additional protein-based, RNA-based or DNA-based assay (e.g., other cancer diagnostic assays including, but not limited to: PSA assays, carcinoembryonic antigen (CEA) assays, BRCA1 assays and
25 BRCA2 assays). Such cancer diagnostic assays are known in the art. The methods of the invention can also be used in combination with an analysis of a subject's family history and risk factors (e.g., environmental risk factors, lifestyle risk factors).

As is known in the art, and as described herein, PSA testing has aided early diagnosis of prostate cancer, but it is neither highly sensitive nor specific (Punglia *et al.*, *N. Engl. J. Med.* 349(4):335-42 (2003)). Accordingly, PSA testing alone leads to
30 a high percentage of false negative and false positive diagnoses, which results in both many instances of missed cancers and unnecessary follow-up biopsies for those without cancer. In one embodiment, the diagnosis of prostate cancer or a susceptibility to prostate cancer is made by detecting at least one Chr8q24.21-

associated allele and/or LD Block A-associated allele in combination with a PSA assay.

KITS

5 Kits useful in the methods of diagnosis comprise components useful in any of the methods described herein, including for example, hybridization probes, restriction enzymes (e.g., for RFLP analysis), allele-specific oligonucleotides, antibodies that bind to an altered polypeptide encoded by a Chr8q24.21 nucleic acid and/or LD Block A-associated nucleic acid (e.g., antibodies that bind to a polypeptide comprising at
10 least one genetic marker included in the haplotypes described herein) or to a non-altered (native) polypeptide encoded by a Chr8q24.21 nucleic acid and/or LD Block A-associated nucleic acid, means for amplification of a Chr8q24.21 nucleic acid and/or LD Block A-associated nucleic acid, means for analyzing the nucleic acid sequence of a Chr8q24.21 nucleic acid and/or LD Block A-associated nucleic acid,
15 means for analyzing the amino acid sequence of a polypeptide encoded by a Chr8q24.21 nucleic acid and/or LD Block A-associated nucleic acid, etc.

Additionally, kits can provide reagents for assays to be used in combination with the methods of the present invention, e.g., reagents for use with other cancer diagnostic assays (e.g., reagents for detecting PSA, CEA, BRCA1, BRCA2, etc.).

20 In one embodiment, the invention is a kit for assaying a sample from a subject to detect cancer or a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) in a subject, wherein the kit comprises one or more reagents for detecting a marker or haplotype associated with Chr8q24.21 and/or LD Block A. In a particular embodiment, the kit comprises at
25 least one contiguous nucleotide sequence that is completely complementary to a region comprising at least one of the markers associated with Chr8q24.21 and/or LD Block A. In another embodiment, the kit comprises one or more nucleic acids that are capable of detecting one or more specific markers or haplotypes. In still another embodiment, the kit comprises one or more reagents that comprise at least one
30 contiguous nucleotide sequence that is completely complementary to a region comprising at least one of the markers from Table 1 or Table 13 (e.g., a region of SEQ ID NO:1 containing at least one of the markers from Table 1 or Table 13), or another Table below. Such contiguous nucleotide sequences or nucleic acids (e.g., oligonucleotide primers) can be designed using portions of the nucleic acids flanking

SNPs or microsatellites that are indicative of cancer or a susceptibility to cancer. Such nucleic acids (e.g., oligonucleotide primers) are designed to amplify regions of Chr8q24.21 and/or LD Block A that are associated with a marker or haplotype for cancer. In another embodiment, the kit comprises one or more labeled nucleic acids
5 capable of detecting one or more specific markers or haplotypes associated with Chr8q24.21 and/or LD Block A and reagents for detection of the label. Suitable labels include, e.g., a radioisotope, a fluorescent label, an enzyme label, an enzyme co-factor label, a magnetic label, a spin label, an epitope label.

In particular embodiments, the marker or haplotype to be detected by the
10 reagents of the kit comprises one or more markers, two or more markers, three or more markers, four or more markers or five or more markers selected from the group consisting of the markers in Table 13. In another embodiment, the marker or haplotype to be detected comprises the rs1447295 A allele and/or the DG8S737 -8 allele. In such embodiments, the presence of the marker or haplotype is indicative of
15 a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma).

DIAGNOSIS OF Chr8q24.21-ASSOCIATED PROSTATE CANCER

Although the methods of diagnosis have been generally described in the
20 context of diagnosing susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), the methods can also be used to diagnose Chr8q24.21-associated cancer (e.g., Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast cancer, Chr8q24.21-associated lung cancer, Chr8q24.21-associated melanoma). For example, an individual having cancer can be
25 assessed to determine whether the presence in the individual of a polymorphism in a Chr8q24.21-associated nucleic acid and/or LD Block A-associated nucleic acid, and/or the presence of a haplotype in the individual, could have been a contributing factor to the individual's cancer. As used herein, the terms, "Chr8q24.21-associated cancer", "Chr8q24.21-associated prostate cancer", "Chr8q24.21-associated breast
30 cancer", "Chr8q24.21-associated lung cancer" and "Chr8q24.21-associated melanoma" refer to the occurrence of cancer, or a particular form of cancer, in a subject who has a polymorphism in a Chr8q24.21-associated nucleic acid sequence or a haplotype associated with Chr8q24.21. Identification of Chr8q24.21-associated cancer (e.g., Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast

cancer, Chr8q24.21-associated lung cancer, Chr8q24.21-associated melanoma) facilitates treatment planning, as treatment can be designed and therapeutics selected to target the appropriate Chr8q24.21-associated gene or protein.

In one embodiment of the invention, diagnosis of Chr8q24.21-associated cancer (e.g., Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast cancer, Chr8q24.21-associated lung cancer, Chr8q24.21-associated melanoma) is made by detecting a polymorphism in a Chr8q24.21-associated nucleic acid (e.g., using the methods described herein and/or other methods known in the art). Particular polymorphisms in Chr8q24.21-associated nucleic acid sequences are described herein (see, e.g., Table 1 and Table 13). A test sample of genomic DNA, RNA, or cDNA, is obtained from a subject having cancer to determine whether the cancer is associated with Chr8q24.21. The DNA, RNA or cDNA sample is then examined to determine whether a polymorphism in a Chr8q24.21-associated nucleic acid sequence is present. If the Chr8q24.21-associated nucleic acid sequence has the polymorphism then the presence of the polymorphism is indicative of the Chr8q24.21-associated cancer.

For example, in one embodiment, hybridization methods, such as Southern analysis, Northern analysis or *in situ* hybridization, can be used to detect the polymorphism. In other embodiments, mutation analysis by restriction digestion or sequence analysis can be used, as can allele-specific oligonucleotides, or quantitative PCR (kinetic thermal cycling). Diagnosis of Chr8q24.21-associated cancer can also be made by examining expression and/or composition of a polypeptide encoded by a Chr8q24.21-associated nucleic acid, using a variety of methods, including enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence. A test sample from a subject is assessed for the presence of an alteration in the expression and/or an alteration in composition of the polypeptide encoded by a Chr8q24.21-associated nucleic acid, or for the presence of a particular variant encoded by a Chr8q24.21-associated nucleic acid. An alteration in expression of a polypeptide encoded by a Chr8q24.21-associated nucleic acid can be, for example, an alteration in the quantitative polypeptide expression (i.e., the amount of polypeptide produced); an alteration in the composition of a polypeptide encoded by a Chr8q24.21-associated nucleic acid is an alteration in the qualitative polypeptide expression (e.g., expression of an altered Chr8q24.21-associated polypeptide or of a different splicing variant).

In other embodiments, the invention pertains to a method for the diagnosis and identification of Chr8q24.21-associated cancer (e.g., Chr8q24.21-associated prostate cancer, Chr8q24.21-associated breast cancer, Chr8q24.21-associated lung cancer, Chr8q24.21-associated melanoma) in a subject, by identifying the presence of a marker or haplotype associated with Chr8q24.21, as described in detail herein. For example, the markers and/or haplotypes described herein in Tables 1, 2, 4, 5 and 13 are found more frequently in subjects with cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma) than in subjects not affected by cancer. Therefore, these markers and/or haplotypes have predictive value for detecting Chr8q24.21-associated cancer. In one embodiment, the marker or haplotype having predictive value for detecting Chr8q24.21-associated cancer comprises one or more markers selected from the group consisting of the markers in Table 13. In another embodiment, the marker or haplotype having predictive value for detecting Chr8q24.21-associated cancer comprises one or more markers selected from the group consisting of the DG8S737 -8 allele and the rs1447295 A allele. In still other embodiments, the haplotype having predictive value for detecting Chr8q24.21-associated cancer comprises haplotype 1 or haplotype 1a. The methods described herein can be used to assess a sample from a subject for the presence or absence of a marker or haplotype; the presence of a marker or haplotype is indicative of Chr8q24.21-associated cancer.

As is known in the art, individuals can have differential responses to a particular therapy (e.g., a therapeutic agent). The basis of the differential response may be genetically determined in part. Accordingly, in one embodiment, the presence of a marker or haplotype is indicative of a different response rate to a particular treatment modality. This means that a cancer patient carrying a marker or haplotype on Chr8q24.21 would respond better to, or worse to, a specific therapeutic, antihormonal drug and/or radiation therapy used to treat cancer. Therefore, the presence or absence of the marker or haplotype could aid in deciding what treatment should be used for a cancer patient. For example, for a newly diagnosed prostate cancer patient, the presence of a marker or haplotype on Chr8q24.21 may be assessed (e.g., through testing DNA derived from a blood sample, as described herein). If the patient is positive for a marker or haplotype at Chr8q24.21 (that is, the marker or haplotype is present), then the physician recommends one particular therapy, while if the patient is negative for a marker or haplotype, then a different course of therapy

may be recommended (which may include recommending that no immediate therapy, other than serial monitoring for progression of prostate cancer, be performed). Thus, the patient's carrier status could be used to help determine whether a particular treatment modality (e.g., a chemotherapeutic agent, an antihormonal agent, radiation treatment) should be administered.

NUCLEIC ACIDS AND POLYPEPTIDES OF THE INVENTION

The nucleic acids and polypeptides described herein can be used in methods of diagnosis of a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), as well as in kits useful for such diagnosis.

An "isolated" nucleic acid molecule, as used herein, is one that is separated from nucleic acids that normally flank the gene or nucleotide sequence (as in genomic sequences) and/or has been completely or partially purified from other transcribed sequences (e.g., as in an RNA library). For example, an isolated nucleic acid of the invention can be substantially isolated with respect to the complex cellular milieu in which it naturally occurs, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized. In some instances, the isolated material will form part of a composition (for example, a crude extract containing other substances), buffer system or reagent mix. In other circumstances, the material can be purified to essential homogeneity, for example as determined by polyacrylamide gel electrophoresis (PAGE) or column chromatography (e.g., HPLC). An isolated nucleic acid molecule of the invention can comprise at least about 50%, at least about 80% or at least about 90% (on a molar basis) of all macromolecular species present. With regard to genomic DNA, the term "isolated" also can refer to nucleic acid molecules that are separated from the chromosome with which the genomic DNA is naturally associated. For example, the isolated nucleic acid molecule can contain less than about 250 kb, 200 kb, 150 kb, 100 kb, 75 kb, 50 kb, 25 kb, 10 kb, 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of the nucleotides that flank the nucleic acid molecule in the genomic DNA of the cell from which the nucleic acid molecule is derived.

The nucleic acid molecule can be fused to other coding or regulatory sequences and still be considered isolated. Thus, recombinant DNA contained in a vector is included in the definition of "isolated" as used herein. Also, isolated nucleic

acid molecules include recombinant DNA molecules in heterologous host cells or heterologous organisms, as well as partially or substantially purified DNA molecules in solution. "Isolated" nucleic acid molecules also encompass *in vivo* and *in vitro* RNA transcripts of the DNA molecules of the present invention. An isolated nucleic acid molecule or nucleotide sequence can include a nucleic acid molecule or nucleotide sequence that is synthesized chemically or by recombinant means. Such isolated nucleotide sequences are useful, for example, in the manufacture of the encoded polypeptide, as probes for isolating homologous sequences (e.g., from other mammalian species), for gene mapping (e.g., by *in situ* hybridization with chromosomes), or for detecting expression of the gene in tissue (e.g., human tissue), such as by Northern blot analysis or other hybridization techniques.

The invention also pertains to nucleic acid molecules that hybridize under high stringency hybridization conditions, such as for selective hybridization, to a nucleotide sequence described herein (e.g., nucleic acid molecules that specifically hybridize to a nucleotide sequence containing a polymorphic site associated with a haplotype described herein). In one embodiment, the invention includes variants that hybridize under high stringency hybridization and wash conditions (e.g., for selective hybridization) to a nucleotide sequence that comprises SEQ ID NO:1 or a fragment thereof (or a nucleotide sequence comprising the complement of SEQ ID NO:1 or a fragment thereof), wherein the nucleotide sequence comprises at least one polymorphic allele contained in the haplotypes (e.g., haplotypes) described herein.

Such nucleic acid molecules can be detected and/or isolated by allele- or sequence-specific hybridization (e.g., under high stringency conditions). Stringency conditions and methods for nucleic acid hybridizations are explained on pages 2.10.1-2.10.16 and pages 6.3.1-6.3.6 in *Current Protocols in Molecular Biology* (Ausubel, F. et al., "Current Protocols in Molecular Biology", John Wiley & Sons, (1998)), and Kraus, M. and Aaronson, S., *Methods Enzymol.*, 200:546-556 (1991), the entire teachings of which are incorporated by reference herein.

The percent identity of two nucleotide or amino acid sequences can be determined by aligning the sequences for optimal comparison purposes (e.g., gaps can be introduced in the sequence of a first sequence). The nucleotides or amino acids at corresponding positions are then compared, and the percent identity between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % identity = # of identical positions/total # of positions x 100). In certain

embodiments, the length of a sequence aligned for comparison purposes is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, or at least 95%, of the length of the reference sequence. The actual comparison of the two sequences can be accomplished by well-known methods, for example, using a mathematical algorithm. A non-limiting example of such a mathematical algorithm is described in Karlin, S. and Altschul, S., *Proc. Natl. Acad. Sci. USA*, 90:5873-5877 (1993). Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0), as described in Altschul, S. *et al.*, *Nucleic Acids Res.*, 25:3389-3402 (1997). When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (e.g., NBLAST) can be used. See the website on the world wide web at ncbi.nlm.nih.gov. In one embodiment, parameters for sequence comparison can be set at score=100, wordlength=12, or can be varied (e.g., W=5 or W=20).

Another non-limiting example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Myers and Miller, CABIOS (1989). Such an algorithm is incorporated into the ALIGN program (version 2.0), which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art and include ADVANCE and ADAM as described in Torellis, A. and Robotti, C., *Comput. Appl. Biosci.* 10:3-5 (1994); and FASTA described in Pearson, W. and Lipman, D., *Proc. Natl. Acad. Sci. USA*, 85:2444-48 (1988).

In another embodiment, the percent identity between two amino acid sequences can be accomplished using the GAP program in the GCG software package (Accelrys, Cambridge, UK) using either a Blossom 63 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. In yet another embodiment, the percent identity between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using a gap weight of 50 and a length weight of 3.

The present invention also provides isolated nucleic acid molecules that contain a fragment or portion that hybridizes under highly stringent conditions to a nucleic acid that comprises, or consists of, SEQ ID NO:1 or a fragment thereof (or a nucleotide sequence comprising, or consisting of, the complement of SEQ ID NO:1

or a fragment thereof), wherein the nucleotide sequence comprises at least one polymorphic allele contained in the haplotypes (e.g., haplotypes) described herein. The nucleic acid fragments of the invention are at least about 15, at least about 18, 20, 23 or 25 nucleotides, and can be 30, 40, 50, 100, 200, 500, 1000, 10,000 or more
5 nucleotides in length.

The nucleic acid fragments of the invention are used as probes or primers in assays such as those described herein. "Probes" or "primers" are oligonucleotides that hybridize in a base-specific manner to a complementary strand of a nucleic acid molecule. In addition to DNA and RNA, such probes and primers include
10 polypeptide nucleic acids (PNA), as described in Nielsen, P. *et al.*, *Science* 254:1497-1500 (1991).

A probe or primer comprises a region of nucleotide sequence that hybridizes to at least about 15, typically about 20-25, and in certain embodiments about 40, 50 or 75, consecutive nucleotides of a nucleic acid molecule comprising a contiguous
15 nucleotide sequence from SEQ ID NO:1 and comprising at least one allele contained in one or more haplotypes described herein, and the complement thereof. In particular embodiments, a probe or primer can comprise 100 or fewer nucleotides; for example, in certain embodiments from 6 to 50 nucleotides, or, for example, from 12 to 30 nucleotides. In other embodiments, the probe or primer is at least 70% identical, at
20 least 80% identical, at least 85% identical, at least 90% identical, or at least 95% identical, to the contiguous nucleotide sequence or to the complement of the contiguous nucleotide sequence. In another embodiment, the probe or primer is capable of selectively hybridizing to the contiguous nucleotide sequence or to the complement of the contiguous nucleotide sequence. Often, the probe or primer
25 further comprises a label, e.g., a radioisotope, a fluorescent label, an enzyme label, an enzyme co-factor label, a magnetic label, a spin label, an epitope label.

The nucleic acid molecules of the invention, such as those described above, can be identified and isolated using standard molecular biology techniques and the sequence information provided in SEQ ID NO:1. See generally *PCR Technology: Principles and Applications for DNA Amplification* (ed. H.A. Erlich, Freeman Press, NY, NY, 1992); *PCR Protocols: A Guide to Methods and Applications* (Eds. Innis, *et al.*, Academic Press, San Diego, CA, 1990); Mattila, P. *et al.*, *Nucleic Acids Res.*, 19:4967-4973 (1991); Eckert, K. and Kunkel, T., *PCR Methods and Applications*,

1:17-24 (1991); PCR (eds. McPherson *et al.*, IRL Press, Oxford); and U.S. Patent 4,683,202, the entire teachings of each of which are incorporated herein by reference.

Other suitable amplification methods include the ligase chain reaction (LCR; see Wu, D. and Wallace, R., *Genomics*, 4:560-469 (1989); Landegren, U. *et al.*, *Science*, 241:1077-1080 (1988)), transcription amplification (Kwoh, D. *et al.*, *Proc. Natl. Acad. Sci. USA*, 86:1173-1177 (1989)), self-sustained sequence replication (Guatelli, J. *et al.*, *Proc. Nat. Acad. Sci. USA*, 87:1874-1878 (1990)) and nucleic acid based sequence amplification (NASBA). The latter two amplification methods involve isothermal reactions based on isothermal transcription, which produce both
10 single-stranded RNA (ssRNA) and double-stranded DNA (dsDNA) as the amplification products in a ratio of about 30 and 100 to 1, respectively.

The amplified DNA can be labeled (e.g., radiolabeled) and used as a probe for screening a cDNA library derived from human cells. The cDNA can be derived from mRNA and contained in zap express (Stratagene, La Jolla, CA), ZIPLOX (Gibco
15 BRL, Gaithersburg, MD) or other suitable vector. Corresponding clones can be isolated, DNA can obtained following *in vivo* excision, and the cloned insert can be sequenced in either or both orientations by art-recognized methods to identify the correct reading frame encoding a polypeptide of the appropriate molecular weight. For example, the direct analysis of the nucleotide sequence of nucleic acid molecules
20 of the present invention can be accomplished using well-known methods that are commercially available. See, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (2nd Ed., CSHP, New York 1989); Zyskind *et al.*, *Recombinant DNA Laboratory Manual*, (Acad. Press, 1988)). Additionally, fluorescence methods are also available for analyzing nucleic acids (Chen, X. *et al.*, *Genome Res.*, 9:492-
25 498 (1999)) and polypeptides. Using these or similar methods, the polypeptide and the DNA encoding the polypeptide can be isolated, sequenced and further characterized.

In general, the isolated nucleic acid sequences of the invention can be used as molecular weight markers on Southern gels, and as chromosome markers that are
30 labeled to map related gene positions. The nucleic acid sequences can also be used to compare with endogenous DNA sequences in patients to identify cancer or a susceptibility to cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma), and as probes, such as to hybridize and discover related DNA sequences or to subtract out known sequences from a sample (e.g.,

subtractive hybridization). The nucleic acid sequences can further be used to derive primers for genetic fingerprinting, to raise anti-polypeptide antibodies using immunization techniques, and/or as an antigen to raise anti-DNA antibodies or elicit immune responses.

5 As used herein, two polypeptides (or a region of the polypeptides) are substantially homologous or identical when the amino acid sequences are at least about 45-55%. In other embodiments, two polypeptides (or a region of the polypeptides) are substantially homologous or identical when they are at least about 70-75%, at least about 80-85%, at least about 90%, at least about 95% homologous or
10 identical, or are identical. A substantially homologous amino acid sequence, according to the present invention, will be encoded by a nucleic acid molecule comprising SEQ ID NO:1 or a portion thereof, and further comprising at least one polymorphism as shown in Table 1, wherein the encoding nucleic acid will hybridize to SEQ ID NO:1 under stringent conditions as more particularly described herein.

15

The present invention is now illustrated by the following Examples, which are not intended to be limiting in any way. The relevant teachings of all publications cited herein not previously incorporated by reference, are incorporated herein by reference in their entirety.

20

EXAMPLE 1 IDENTIFICATION OF REGION ASSOCIATED WITH CANCER

Study

A region on chromosome 8q24.21 was identified that confers an increased risk
25 for particular cancers (e.g., prostate cancer). This region was initially detected by linkage analysis of prostate cancer (PrCa) families with prostate cancer patients who are closely related to breast cancer cases.

Patients involved in the genetics study

30 The population of patients that were diagnosed with prostate cancer since 1955 included 3123 patients, about a third of whom were still alive at the time of study. The population of patients that were diagnosed with breast cancer included 4045 patients. About 950 prostate cancer patients were recruited at the time of the study. We were initially interested in finding genes that contributed to both prostate cancer

and breast cancer. Therefore, we ran the list of our recruited patients against the genealogy database to cover all of Iceland. We only included families that had at least two prostate cancer patients related up to 6 meioses (6 meioses separate second cousins) and which also included at least one breast cancer patient who was closely
5 related (up to 3 meioses) to a prostate cancer patient (we did not use the DNA or genotypes for the breast cancer patient - we only sought to fractionate our prostate cancer cohort by status of breast cancer in relatives). These criteria resulted in 75 large families that included 167 prostate cancer patients. The maximum distance between two prostate cancer patients was 6 meiosis, however, the average distance
10 was 3.5 meiosis.

Genome wide scan

The genealogy database was used to create families that included two or more prostate cancer patients and at least one breast cancer patient related to both of the
15 prostate cancer patients within 3 meiotic events (generations). A genome wide scan was performed on 167 prostate cancer patients in 75 extended families. The procedure was similar to that described in Gretarsdóttir, *et al.*, *Am J Hum Genet.*, 70(3):593-603 (2002). In short, the DNA was genotyped with a framework marker set of 1200 microsatellite markers with an average resolution of 3 cM. Subjects in the
20 study had 45 mL of blood drawn after they have signed an informed consent form approved by the Data Protection Authorities and the National Bioethics Committee in Iceland. DNA was isolated from whole blood using the Qiagen extraction method, which was adjusted for high-throughput. The microsatellite screening set used fluorescently labeled primers and all markers were extensively tested for multiplex
25 PCR reactions to optimize the yield. The genotyping error rate was less than 0.2%, based on comparison of genotypes for over 5,000 individuals genotyped twice for this framework marker set. The PCR amplifications were set up and pooled using Cyberlab robots using a reaction volume of 5 µl containing 20 ng of genomic DNA. The alleles were called automatically with the DAC program or manually, and the
30 program deCODE-GT was used to fractionate according to quality and edit the called genotypes (Palsson, B., *et al.*, *Genome Res.*, 9(10):1002-1012 (1999)). The population allele frequencies for the markers were constructed from a cohort of more than 30,000 Icelanders that have participated in genome-wide studies of various disease projects at deCODE genetics.

The microsatellite markers that were genotyped within the locus were either publicly available or designed at deCODE genetics; those markers are indicated with a DG designation. Repeats within the DNA sequence were identified that allowed us to choose or design primers that were evenly spaced across the locus. The
5 identification of the repeats and location with respect to other markers was based on the work of the physical mapping team at deCODE genetics.

For the markers used in the genomewide scan, the genetic positions were taken from the recently published high-resolution genetic map (HRGM), constructed at deCODE genetics (Kong A., *et al.*, *Nat Genet.*, 31: 241-247 (2002)). The genetic
10 position of the additional markers are either taken from the HRGM, when available, or by applying the same genetic mapping methods as were used in constructing the HRGM map to the family material genotyped for this particular linkage study.

Statistical Methods for Linkage Analysis

15 The linkage analysis was done using the software Allegro (Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3, (2000)), which determines the statistical significance of excess sharing among related patients by applying non-parametric affected-only allele-sharing methods (without any particular disease inheritance model being specified). Allegro, a linkage program developed at deCODE genetics, calculates LOD scores
20 based on multipoint calculations. Our baseline linkage analysis used the S_{pairs} scoring function (Whittemore, A.S. and Halpern, J., *Biometrics* 50:118-27 (1994); Kruglyak L, *et al.*, *Am J Hum Genet* 58:1347-63, (1996)), the exponential allele-sharing model (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.*, 61:1179 (1997)), and a family weighting scheme, which was halfway on a log scale between weighting each affected
25 pair equally and weighting each family equally. In the analysis, all genotyped individuals who were not affected were treated as "unknown". Because of concern with small sample behavior, we computed corresponding P-values in two different ways for comparison. The first P-value was computed based on large sample theory; $Z_{\text{lr}} = \sqrt{(2 \log_e (10) \text{ LOD})}$ and was approximately distributed as a standard normal
30 distribution under the null hypothesis of no linkage. A second P-value was computed by comparing the observed LOD score to its complete data sampling distribution under the null hypothesis. When a data set consists of more than a handful of families, these two P-values tend to be very similar.

All suggestive loci with LOD scores greater than 2 were followed up with some extra markers to increase the information on the sharing within the families and to decrease the chance that a LOD score represents a false-positive linkage. The information measure that was used was defined by Nicolae (D. L. Nicolae, Thesis, University of Chicago (1999)) and was a part of the Allegro program output. This measure is closely related to a classical measure of information as previously described by Dempster *et. al.* (Dempster, A.P., *et al.*, *J. R. Stat. Soc. B*, 39:1-38 (1977)); the information equals zero if the marker genotypes are completely uninformative and equals one if the genotypes determine the exact amount of allele sharing by descent among the affected relatives. Using the framework marker set with average marker spacing of 4 cM typically results in information content of about 0.7 in the families used in our linkage analysis. Increasing the marker density to one marker every centimorgan usually increases the information content above 0.85.

15 *Statistical Methods for Association and Haplotype Analysis*

For single marker association to the disease, Fisher exact test was used to calculate a two-sided P-value for each individual allele. When presenting the results, we used allelic frequencies rather than carrier frequencies for microsatellites, SNPs and haplotypes. Haplotype analyses were performed using a computer program we developed at deCODE called NEMO (NEsted MOdels) (Gretarsdóttir, *et al.*, *Nat Genet.* 2003 Oct;35(2):131-8). NEMO was used both to study marker-marker association and to calculate linkage disequilibrium (LD) between markers, and for case-control haplotype analysis. With NEMO, haplotype frequencies are estimated by maximum likelihood and the differences between patients and controls are tested using a generalized likelihood ratio test. The maximum likelihood estimates, likelihood ratios and P-values are computed with the aid of the EM-algorithm directly for the observed data, and hence the loss of information due to the uncertainty with phase and missing genotypes is automatically captured by the likelihood ratios, and under most situations, large sample theory can be used to reliably determine statistical significance. The relative risk (RR) of an allele or a haplotype, *i.e.*, the risk of an allele compared to all other alleles of the same marker, is calculated assuming the multiplicative model (Terwilliger, J.D. & Ott, J. A haplotype-based 'haplotype relative risk' approach to detecting allelic associations. *Hum. Hered.* 42, 337-46 (1992) and Falk, C.T. & Rubinstein, P. Haplotype relative risks: an easy reliable way to construct

a proper control sample for risk calculations. *Ann. Hum. Genet.* 51 (Pt 3), 227-33 (1987)), together with the population attributable risk (PAR).

In the haplotype analysis, it may be useful to group haplotypes together and test the group as a whole for association to the disease. This is possible to do with
5 NEMO. A model is defined by a partition of the set of all possible haplotypes, where haplotypes in the same group are assumed to confer the same risk while haplotypes in different groups can confer different risks. A null hypothesis and an alternative hypothesis are said to be nested when the latter corresponds to a finer partition than the former. NEMO provides complete flexibility in the partition of the haplotype
10 space. In this way, it is possible to test multiple haplotypes jointly for association and to test if different haplotypes confer different risk. As a measure of LD, we use two standard definitions of LD, D' and R^2 (Lewontin, R., *Genetics*, 49:49-67 (1964) and Hill, W.G. and A. Robertson, *Theor. Appl. Genet.*, 22:226-231 (1968)) as they provide complementary information on the amount of LD. For the purpose of estimating D'
15 and R^2 , the frequencies of all two-marker allele combinations are estimated using maximum likelihood methods and the deviation from linkage disequilibrium is evaluated using a likelihood ratio test. The standard definitions of D' and R^2 are extended to include microsatellites by averaging over the values for all possible allele combinations of the two markers weighted by the marginal allele probabilities.

20 The number of possible haplotypes that can be constructed out of the dense set of markers genotyped in the 1-LOD-drop is very large and even though the number of haplotypes that are actually observed in the patient and control cohort is much smaller, testing all of those haplotypes for association to the disease is a formidable task. It should be noted that we do not restrict our analysis to haplotypes constructed
25 from a set of consecutive markers, as some markers may be very mutable and might split up an otherwise well conserved haplotype constructed out of surrounding markers.

In this study, only haplotypes that span less than 300 kb were considered.

Results

As described herein, a region on chromosome 8q24.21 was identified that confers an increased risk for particular cancers (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). Particular haplotypes and markers associated with an increased risk of cancer are depicted in Table 1. As indicated in Table 1, the haplotypes involve the following markers (e.g., SNP, microsatellite) and alleles: SG08S686 3 allele, SG08S710 2 allele, DG8S737 –8 allele, SG08S687 4 allele, SG08S717 1 allele, SG08S664 2 allele, SG08S722 2 allele, SG08S689 2 allele, SG08S690 4 allele, SG08S720 4 allele, DG8S1769 1 allele, SG08S691 2 allele and DG8S1407 –1 allele. The haplotypes are located in what we call LD Block A between 128,417,467 and 128,511,854 bp (NCBI Build 34) and positions of the individual markers are indicated in Table 1.

Table 1.

Decode Name	SNP or Microsatellite	rs name	Strand orientation of SNP in Build 34	SNP alleles major/minor	Decode allele name in Haplotype*	Base allele name of SNPs in Haplotype	Control freq. In Iceland	Build 34 start (bp)
SG08S686	SNP	rs1447293	-	A/G	3	G	0.345	128428909
DG8S737	Microsatellite				-8		0.079	128433036
SG08S687	SNP	rs4871798	+	C/T	4	T	0.133	128436552
SG08S717	SNP	rs1447295	+	A/C	1	A	0.106	128441627
SG08S664	SNP	rs2290033	+	C/G	2	C	0.841	128449663
DG8S1761	Microsatellite				0		0.556	128452660
SG08S722	SNP	rs7820229	+	C/T	2	C	0.851	128459172
SG08S689	SNP	rs4599773	+	C/G	2	C	0.441	128467013
SG08S690	SNP	rs4078240	-	C/T	4	T	0.842	128468152
SG08S720	SNP	rs7825823	+	C/T	4	T	0.986	128498506
DG8S1769	INDEL/MNR/Multiple			-A and -T	1		0.107	128501386
SG08S691	SNP	rs6991990	+	C/T	2	C	0.618	128501972
DG8S1407	INDEL/MNR			-T	-1		0.215	128503460

* Decode allele codes for SNPs in haplotypes are as follows: 1= A, 2=C, 3=G, 4=T; for microsatellite alleles, the CEPH sample (Centre d'Etudes du Polymorphisme Humain, genomics repository, CEPH sample 1347-02) is used as a reference, the shorter allele of each microsatellite in this sample is set as 0 and all other alleles in other samples are numbered in relation to this reference. Thus, e.g., allele 1 is 1 bp longer than the shorter allele in the CEPH sample, allele 2 is 2 bp longer than the shorter allele in the CEPH sample, allele 3 is 3 bp longer than the lower allele in the CEPH sample, etc., and allele -1 is 1 bp shorter than the shorter allele in the CEPH sample, allele -2 is 2 bp shorter than the shorter allele in the CEPH sample, etc. INDEL refers to insertion (IN) or deletion (DEL), MNR = Mono Nucleotide Repeat.

To find this cancer-associated haplotype, a genome wide linkage scan was first performed using families where both prostate and breast cancer segregate. Using those criteria, a total of 167 prostate cancer patients linked together into 75 families.

5 FIG. 1 depicts the results of the linkage scan and details the peak seen at Chr8q24. Specifically, the linkage scan shows a genome wide significant LOD score of 4.0 at Chr8q24.

The peak marker on Chr8 is D8S1793 and the LOD score drops by one unit in the region extending from marker DG8S507 to marker D8S1746, or from
10 125,594,794 – 135,199,182 bp (NCBI Build 34). The region was genotyped with 352 microsatellite markers and 73 SNP markers for an average density of one marker every 22.8 kb. Association analysis with the resulting genotypes from both prostate cancer cases and controls yielded markers and haplotypes that significantly associate with prostate cancer (FIG. 2, Tables 2 - 5). The results for prostate cancer, breast
15 cancer, lung cancer, melanoma and benign prostatic hyperplasia are detailed in Tables 2 through 5.

The LD structure in the area of the haplotype that associates with prostate cancer is shown in FIGS. 3A and 3B. The structure was derived from HAPMAP data release 14. In particular, the LD block that encompasses haplotype 1 is shown by the
20 horizontal arrows on the left part of FIG. 3A. This LD block (LD Block A) was located at Chr8q24.21 between markers rs7841228, located at 128,417,467 bp, and rs7845403, located at 128,511,854 bp, and is almost 95 kb in length. LD Block A has now been refined to be located between 128,414,000 bp and 128,516,000 bp at Chr8q24.21. The LD structure is seen as a block of DNA that has a high r^2 and $|D'|$
25 between markers as indicated by the red and blue colors in the figures. Markers are represented with the same distance between any two markers in FIG. 3A but with NCBI Build34 coordinates (actual distances between markers) in FIG. 3B. FIG. 4 shows the LD block in the Icelandic cohort of prostate cancer patients and controls in the area of the haplotypes that associate with prostate cancer, breast cancer, lung
30 cancer and melanoma. It has a high $|D'|$ for the majority of the pairs of markers ($|D'| > 0.8$) and r^2 going up to 1 for pairs of markers inside this block structure. This area includes recombination events that reveal themselves by a chessboard pattern best seen in FIG. 3. Markers in this block structure are also in moderate correlation (r^2 below 0.2) with more distant markers up to 200 kb away (including markers at

128515000 bps (rs7845403, rs6470531 and rs7829243) and markers around 128720000 bps (rs10956383 and rs6470572) in the area of the PVT1 gene).

As described herein, genes and predicted genes that map to chromosome 8q24.21 of the human genome include the known genes POU5FLC20 (Genbank Accession No. AF268618), C-MYC (Genbank Accession No. NM_002467) and PVT1 (Genbank Accession No. XM_372058), as well as predicted genes (e.g., Genbank Accession Nos. BE676854, AL709378, BX108223, AA375336, CB104826, BG203635, AW183883 and BM804611. As depicted in FIG. 5, the markers and haplotypes of the invention are situated between two known genes, namely POU5FLC20/AF28618 and C-MYC (from the USCS Genome browser Build 34 at www.genome.ucsc.edu). The underlying variation in markers or haplotypes associated with this region and with cancer may affect expression of nearby genes, such as POU5FLC20, c-MYC, PVT1, and/or other known, unknown or predicted genes in the area. Furthermore, such variation may affect RNA or protein stability or may have structural consequences, such that the region is more prone to somatic rearrangement in haplotype carriers. This is in accordance with Chr8q24.21 being amplified in a large percentage of cancers, including, but not limited to, prostate cancer, breast cancer, lung cancer and melanoma (www.progenetix.com). In fact, Chr8q21-24 is the most frequently gained chromosomal region in all cancers combined (about 17%) and in prostate cancer (about 20%) (www.progenetix.com). Thus, the underlying variation could affect uncharacterized genes directly linked to the haplotypes described herein, or could influence neighbouring genes not directly linked to the haplotypes described herein. Table 2 describes one haplotype, haplotype 1 (SG08S686 3 allele, DG8S737 -8 allele, SG08S687 4 allele, SG08S717 1 allele, SG08S664 2 allele, DG8S1761 0 allele, SG08S722 2 allele, SG08S689 2 allele, SG08S690 4 allele, SG08S720 4 allele, DG8S1769 1 allele, SG08S691 2 allele, DG8S1407 -1 allele), and shows that this haplotype increases the risk for prostate cancer, with a greater risk for aggressive prostate cancer (as defined by a combined Gleason score of 7(4+3 only)-10). This haplotype was replicated in a second set of Icelandic prostate cancer cases and a new set of controls. As depicted in Table 2, haplotype 1 is carried by 21.4% of prostate cancer patients and 11.8% of controls. The relative risk of having prostate cancer for carriers of haplotype 1 is 1.92 (p-value

= 1.71×10^{-8}). It should be noted that allelic frequencies are shown in all Tables, which are roughly one half of carrier frequencies.

The Gleason score is the most frequently used grading system for prostate cancer (DeMarzo, A.M. *et al.*, *Lancet* 361:955-64 (2003)). The system is based on the discovery that prognosis of prostate cancer is intermediate between that of the most predominant pattern of cancer and that of the second most predominate pattern. *Id.* These predominant and second most prevalent patterns are identified in histological samples from prostate tumors and each is is graded from 1 (most differentiated) to 5 (least differentiated) and the two scores are added. The combined Gleason grade, also known as the Gleason sum or score, thus ranges from 2 (for tumors uniformly of pattern 1) to 10 (for undifferentiated tumors). Most cases with divergent patterns, especially on needle biopsy, do not differ by more than one pattern. *Id.*

The Gleason score is a prognostic indicator, with the major prognostic shift being between 6 and 7, as Gleason score 7 tumors behave much worse leading to more morbidity and higher mortality than tumors scoring 5 or 6. Score 7 tumors can further be subclassified into 3+4 or 4+3 (the first number is the predominant histologic subtype in the biopsied tumor sample and the second number is the next predominant histologic subtype), with the 4+3 score being associated with worse prognosis. A patient's Gleason score can also influence treatment options. For example, younger men with limited amounts of a Gleason score 5-6 on needle biopsy and low PSA concentrations may simply be monitored while men with Gleason scores of 7 or higher usually receive active management. In Table 2, the frequency of haplotype and the associated risk of aggressive prostate cancer (i.e., as indicated by a combined Gleason score of 7(4+3 only) to 10) and less aggressive prostate cancer (i.e., as indicated by a combined Gleason score of 2 to 7 (3+4 only)) are indicated. However, the Gleason score is not a perfect predictor of prognosis. Thus, patients with tumors with low Gleason scores may still have more aggressive prostate cancer (defined as tumors extending beyond the prostate locally or through distant metastasis).

Table 2: Frequencies and Risk of Haplotype 1 in Association with Prostate Cancer (Haplotype 1: rs1447293 G allele, DG8S737 -8 allele, rs4871798 T allele, rs1447295 A allele, rs2290033 C allele, DG8S1761 0 allele, rs7820229 C allele, rs4599773 C allele, rs4078240 T allele, rs7825823 T allele, DG8S1769 1 allele, rs6991990 C allele, DG8S1407 -1 allele)							
Phenotype	p-value	RR	# affected	affected frequency	# controls	control frequency	info
PrCa cohort#1 vs. Ctrls	1.85×10^{-8}	2.02	821	0.114	896	0.060	0.982
PrCa cohort#2 vs. Ctrls	0.004	1.65	330	0.095	896	0.060	0.979
PrCa vs. Ctrls	3.76×10^{-8}	1.91	1151	0.108	896	0.060	0.984
High Gleason* vs Ctrls	2.06×10^{-6}	2.35	226	0.130	896	0.060	0.991
Low Gleason** vs Ctrls	6.54×10^{-6}	1.79	810	0.102	896	0.060	0.983
High Gleason* vs Low Gleason**	0.049***	1.32	226	0.130	810	0.102	0.992
*High Gleason equals a total (combined) Gleason score of 7 (4+3 only) to 10; **Low Gleason equals a Gleason score of 2 to 7 (3+4 only); ***p-value is one sided RR = Relative Risk							

The risk and significance associated with some of the individual markers of Haplotype 1 (listed in the header of Table 2) approaches that of Haplotype 1. Table 3 lists these markers and the risk associated with them.

Table 3: Frequencies and Risk of Individual Markers Associated with Prostate Cancer

p-val	RR	#aff	aff freq	#con	con freq	H0 freq	X2	info	Allele	Marker
6.66E-09	1.69	1176	0.16752	956	0.10617	0.14001	33.6314	1	A	rs1447295
1.31E-08	1.69	1190	0.15966	982	0.10132	0.13329	32.3201	1	G	rs4314621
1.33E-08	1.68	1188	0.1633	974	0.10421	0.13668	32.2906	1	A	rs4242382
1.34E-08	1.66	1254	0.16547	967	0.10652	0.1398	32.2708	1	A	DG8S1769
2.42E-08	1.76	1231	0.13201	938	0.07942	0.10927	31.125	1	-8	DG8S737
3.56E-08	1.64	1190	0.16429	983	0.10682	0.13829	30.3745	1	C	rs4242384
5.92E-08	1.65	1158	0.15976	970	0.10336	0.13409	29.3896	0.999	A	rs7812894
6.86E-08	1.6	1196	0.176	984	0.11789	0.14977	29.1027	1	G	rs4599771
3.16E-07	1.55	1168	0.18279	954	0.12579	0.15716	26.1498	1	A	rs4498506
6.47E-07	1.52	1193	0.19084	948	0.13425	0.16577	24.7655	0.998	T	rs4871798
9.80E-06	1.37	1283	0.27336	901	0.21488	0.24923	19.5504	0.999	-A	DG8S1407
3.69E-05	1.52	1197	0.12239	981	0.08414	0.10517	17.0265	1	A	rs2121630
0.00051	1.33	953	0.24082	857	0.19312	0.21823	12.0902	1	C	rs921146
0.00079	1.24	1195	0.39414	973	0.34465	0.37194	11.2684	0.999	G	rs1447293
0.00367	1.21	1093	0.60201	911	0.55653	0.58134	8.4416	1	0	DG8S1761
0.0109	1.17	1203	0.45375	937	0.41486	0.43673	6.4818	1	-C	DG8S1434
0.01354	1.16	1192	0.47861	950	0.44076	0.46183	6.0967	1	C	rs4599773
0.01488	1.16	1186	0.47386	982	0.43686	0.4571	5.9303	1	A	rs12155672
0.01982	1.17	1100	0.65407	903	0.61849	0.63802	5.4273	0.999	C	rs6991990

A highly correlated haplotype to haplotype 1, which is detected using fewer microsatellite markers, is associated with an increased risk of other forms of cancer (e.g., breast cancer, lung cancer, melanoma). Table 4 shows that this haplotype (haplotype 1a, which contains the DG8S737 -8 allele, the DG8S1769 1 allele and the DG8S1407 -1 allele) significantly (one-sided p-value<0.05) increases the risk of having prostate cancer, high Gleason (aggressive) prostate cancer, breast cancer, lung cancer, melanoma and malignant cutaneous melanoma, but does not increase the risk of having *in situ* melanoma. Haplotype 1a is carried by 22.2%, 16.0%, 15.4% and 18.0% of prostate, breast, lung cancer and melanoma patients, respectively. Again, it should be noted that allelic frequencies are shown in all Tables, which are roughly one half of carrier frequencies.

Table 4. Frequency and Risk of Haplotype 1a in association with Other Forms of Cancer (Haplotype 1a: DG8S737 -8 allele, DG8S1769 1 allele, DG8S1407 -1 allele)							
	p-value*	RR	# affected	Affected frequency	# controls	control frequency	info
Prostate cancer	2.89x10 ⁻⁹	2.06	1062	0.111	791	0.057	0.989
Prostate cancer Gleason (4+3)-10	2.98x10 ⁻⁷	2.56	206	0.135	791	0.057	0.990
Breast cancer	0.0091	1.42	663	0.080	791	0.057	0.990
Lung cancer	0.0237	1.38	506	0.077	791	0.057	0.990
Melanoma	0.0009	1.62	504	0.090	791	0.057	0.993
Malignant Cutaneous Melanoma	0.0002	1.86	322	0.102	791	0.057	0.992
In Situ Melanoma	0.2226	1.21	160	0.069	791	0.057	0.997
*p-values are one sided							

As depicted in Table 5, further studies revealed that haplotype 1a does not increase a subject's risk of having Benign Prostatic Hyperplasia (BPH), which is not considered prostate cancer. As shown in Table 5, haplotype 1a is carried by 13.8% of BPH patients, as compared to 11.4% of controls, with a nonsignificant relative risk of 1.22.

Table 5. Frequency and Risk of Haplotype 1a in association with BPH (Benign Prostatic Hyperplasia) (Haplotype 1a: DG8S737 -8 allele, DG8S1769 1 allele, DG8S1407 -1 allele)							
Phenotype**	p-value	RR	# affected	% affected	# controls	% controls	info
BPH (not PrCa) vs Ctrls	0.1008	1.22	601	0.069	791	0.057	0.992
PrCa (not BPH) vs Ctrls	3.14x10- 8	2.19	511	0.118	791	0.057	0.988
PrCa and BPH vs Ctrls	1.24x10- 5	2.00	362	0.108	791	0.057	0.991
*p-values are one sided **First group (BPH (not PrCa)) includes men with BPH only Second group (PrCa (not BPH)) includes men with PrCa only Third group (PrCa and BPH) includes men diagnosed with both PrCa and BPH							

Table 6 depicts the amplimers used to amplify sequences for detecting
microsatellite markers. Table 7 depicts the amplimers used to amplify sequences for
5 detecting SNP markers.

Table 6: Listing of Microsatellite amplimers and primers.

Microsatellite amplimers		
NAME	SEQUENCE	LENGTH
DG8S1407 Primer pair	F: CCAATAGCCTTCAATGTATCAAA (SEQ ID NO:2) R: TGAGGAAGAGCCACAACAGA (SEQ ID NO:3)	
Amplimer	CCAATAGCCTTCAATGTATCAAAagctggca cattactggttctgctcttG[N]tttttttaaattatagtactttcttcagaaatat actaacaagaaaaaagacaattgaaatttccaaatctggaacaactggatt ggagaaaaatatacaaaataaacccacgaggttttaattctaagtactttaga ccttacaagcaccataaacatTCTGTTGTGGCTCTTCCTCA (SEQ ID NO:4)	236

DG8S1769 Primer pair	F: CCTCCCAAACACACAGAGTTG (SEQ ID NO:5) R: TGTTAAACCTAAGGGTTCCTTCC (SEQ ID NO:6)	
Amplimer:	CCTCCCAAACACACAGAGTTGaaaaccacagt gtagacttaaataaaattactaaagaccggctctatggaaaataatact[/t]c caaaattaacatactttctttctcagctcagttctttccctaaaaataaaataa aataaaataaataggctgttgactctagaaactactctaaacaactacagat caattatgc[N]aaaaaaaaagtctgaaagttacagtacatgaggggGGA AGGAACCCTTAGGTTTAACA (SEQ ID NO:7) Note: IUPAC code: /t refers to either no nucleotide or t	262
DG8S1761 Primer pair	F: TTGAAATTGCAATCCCATCA (SEQ ID NO:8) R: CCTCCCTACTTATCCCATGC (SEQ ID NO:9)	
Amplimer	TTGAAATTGCAATCCCATCAccccagaactc ctgatatcccctacactcccttatactttttgtctatagcaaccaccctcacca ctttataacatttatgctttgtagtctgtgtgtccactcactagaattcaaatatc acaaaagcaggagtcactttttttcattgaaaaactccaaatcctagaagg aagctggcatttaatatgtgctcaatagacattagaggaagaaaagaaggaa ggaaggaaaagaaggaggaggaggaggaggaggaggaggaggaggaggagg aaggaatgaaggaaggaaggaaggaaggaaggaaggaaggaaggaaggaag tcaagagacctgggctcaaatccaGCATGGGAATAAGTAGG GAGG (SEQ ID NO:10)	392
DG8S737 Primer pair	F: TGATGCACCACAGAAACCTG (SEQ ID NO:11) R: CAAGGATGCAGCTCACAACA (SEQ ID NO:12)	

Amplimer	TGATGCACCACAGAAACCTGTCAGTTGG TACTGATCTACCCTCCTCCTCCTCCTTCTCCTaca cacacacacacacacacacacacacacacacacacacTTCAT CCTACTCTCCAGCATTTCAGGGAAGAAAACAGA GGCAAATGTTGTGAGCTGCATCCTTG (SEQ ID NO:13)	134
----------	--	-----

Table 7: Listing of SNP amplimers and primers.

SNP amplimers		
NAME	SEQUENCE	INFORMATION
SNP: SG08S6 64	gtttttaaacatattttttcgctgacctccacctgtaagagctttatta ccaagcgattgagaagcacaggctcagggacactgaattgaccaaagaagc caatagaactattccaaaaacctatggttccccctaaagcattagaaaagactca gaacgggttaagtgtccctggctcattcccaacagacactacattcacctgtg cttgctctgaaataaatcagtgtcccttctgctgctgctgttgtctgaaataatg caaatgcaatgggcctttactgacattgtgctccctggaaggatacacataata aattatccctaatactgttaaagagacatttctcttactcaggagcttttggggt tggactgggctactcaccagcaaggaggaggacatgtgtcttgtcactggcc cggttattcatgtggcctctcattgtccttggtcactgcattgcaagattcaag gatgcactt[C/G]caggcctccacatcaagtcattgacttgccgtaacct agattggtttctcatttgaatttgaatttttatgttatgcattgtatgtttatttatt cggatgtcagaagctgaagataactagtgtccttggtccatgccattcatcaa ttggaagaatgccaagctgtttccgctgaggacagaaggcattggctcccctg caggaagccactgctgctccttaattgttgctagaggaagaatcaagggtaaa atttaaagtaaatggctggccgagttgcactaattcatcaaagcatgtttcaagtc agtagtcagagcatgcacagccccggcggccaccagcttctacgagagtgg aaaagccagcagacctccgagcagatgaaatcattaggaggcattcagcagg gcttgaaaagcaaagagagaggaggcggggatttctctgcatgtccctttgc cacatgggaaacaccagctgtc (SEQ ID NO:14)	Genotype statistics: old verified: None snp human edit: C/C:1986 C/G:749 G/G:75 Build34 position: chr8:128.449663+ Aliases: rs2290033 Equivalences: Unique, no other equivalent snps equivalence name: SG08S664

SNP: SG08S6 86	cccaaattatcctcacctctttataagtcctccataaccctttcttacct atTTaagcttctTTTaaatagtaaggaagagtttcttggccttctTTTTctca aatttatttttagattcaggagggtacatgtgaaggttgtaacttgggtatattgcat gatgctgagatttgggtgcagctaattccaccatccagggtactgagcatagta ctcaatagTTTTcaactctttccctctagctccctccatccccatctagtagtcc ccagtttctattgctgccatctttatgtccataagtatctggtctctTTTaaattgct ttcttcttggctcattatctagaatttccataatagaggagaacctgaaaccacacc caataagaaagaaTTTatctaaagTTTactacctttgattccagtctttctctacc cattctcctaattctgtctcgtgaaatcatggctgctgagaat[A/G]agatttctt ttggaggacaatgaaaaggatgggaggacagaagctacacagaaggggaga aaggaaaacagagcaactgaagacaaaaaattactttagaaggtgaagcacat acaacagggtgaggttatatgtttactttgaatgaatctcatttaccgagata ccaggagcattttacttaagcttttgagaacacgagtttactggctatatcatact ctgttgtagaaatacactgtaaagtactttactatcctctttattggacatttagat ctaaatgaattttgtgctaatatgaattgtatgatgaatatctttgactatattttgt gcattttgttataggcatgtatcttgaaaacggcagagggaagattttgctttgtta cccattttgataggccttgcccttggccagacatgttactgatgttttggtattgaa ctgatgtatgtcttcatttatttgttttattttttatt (SEQ ID NO:15)	Genotype statistics: old verified: None snp human edit: A/A:1474 A/G:1821 G/G:629 Build34 position: chr8:128.428909- Aliases: rs1447293 Equivalences: Unique, no other equivalent snps equivalence name: SG08S686
SNP: SG08S6 87	cagaactaggaaaattgccaaaagtatgggtctgtacagagtagt gtcacagtaagaatctcattgcccaagcaatagggtctaaaatcacgatcttatt caaagtaacagcgaccacttacctcatgctcatatgtgccagatactttcttac attatttttaatctccatagcaattatctaaaggtagataatatctagagatgaggaa actggggctctaggagtatgcaagattgtccaaggtctcacagcaatatcttag tagagtctgtctagaatcaaagccaattgtcttttgcctatcatgggtcatctct acttactctaaactccatcctaaaaaccaccttccccatccactatataaatgaat gatagcaccaccccttcagtaaaaggatctagacattcaccatctcttaccatc ctagcagcaactgcaatgcttgaaaatagtcgaggattagtaagagcttgtca aatgagacacagtttgttcttggccctgacatgaacaggtaatcaagtaaa cgtatattttatataatagtcacttcactttcctagtcactaatttcttataagac aagggtattgggcaaaaagtctagtcttaaagggtccttcaagtcatttattgaa agtttctgatactttatttttactaaactttatataatccttaatacacactcaaa gaaacataacaggtaataacagacaagctctatctaatggtgtaactgtcactt	Genotype statistics: old verified: None snp human edit: C/C:2738 C/T:1010 T/T:111 Build34 position: chr8:128.436552+ Aliases: rs4871798 C08PoolseqSNPs_12 87 Equivalences: Unique, no other equivalent snps equivalence name: SG08S687

	agtatataaagacatcttctcagagaaattggtcacatgttctttcttagacaa ctgctcatcatgtccttfgactaatcataagccaacagtaagaagtaagagtgc caagaaaaggtaactgtgtaagtgcatttgattttccaagtatttactctcca ttcttcatactataagaggattatccatccccaccactggcatgtgcg[C/T] acagtgcctccatgagggcggttatctgttttcttcacaatgaatttaccattc cttgcttggccaatagaatgtgagtgggcatac gatgtgtcatgtctgaacag aagtcataaacaattgcctgggtctgatttactcctgcttttttcttggcgta aattggtatgtgcgagatagaggtgatcttcaacttgacctggtattgagaag gcacctgaggcaaaaccagagctgatctagagttgacatacacagtggacat ataaaatgaataaaagataaaacttttagattgtaagccactgtaattggaagat gttgttactgcagcataacctatcaaaggctgacttataaaaaatattcagata ccgttagttctcactgttcacagtagttatgtttatgaagttccatggatactgaa tgagcgaacagtgaactaatgttcctaggtaaaatagaagattaggtcccgtg agctctgggcaaaacatttcatccaagcaatacataatcttgctttatgtgtg tttctatgtaaagacaccttattcaatatatttgttgattcattaaaattaaactcatg gccagcagcattatagctcatgcctaaatgaggcttactaactgtatatatttc tataagacatttcacagtcttctgactcaagaacactacacagcacttcagcact atgctgaaatggggccattttaaacagaaaaatcaccaccaacaaaattagct gggagtggtggtgcacacctgtagttcaagctacttgggagactgaggcaga agaatcggttgaacctaggaggcagaggtcgagtgagacaagattgcacca ctgtactcagcctgggcaacagagtgagctccatctcaagaaagaaaacaa aacaaaaacaaaacaaaagaaacaaaacaaaaaacacttcatcaaaaagcat aa (SEQ ID NO:16)	
SNP: SG08S6 89	taaagctcttaaccccacaatgcctgtccacagactctgaaa gatgctgatgcattgtgtgtcccatgtctgttcccagcaggtgtgagtt ctcagtgaattcagttctgtgtgcagagtcttatacaaacacagaagaat caaagttgaacaacatggagtatctacaccggagcagcccacagttcag ggatggacacagaacaagagagattcattacagacataaagcacagag atgttgggggtttctctgttgggaagaataagaggtccagaaaagctccc aaagtgatggcacctcaagggtcaggacctcaccttataatctccatgac ccagcatctactacagcatctgtcacaactgggctctgagaatgttggcta aataaatgaatgaatgatataacacaggggttttcccattttctgaatat	Genotype statistics: old verified: None snp human edit: C/C:591 C/G:1353 G/G:730 Build34 position: chr8:128.467013+ Aliases: rs4599773 Equivalences:

	tctggactaggggatatctcagaacagtacttagcacctagtgtgtg[C/ G]tcaataaattcttgtaaaccactaaaaattgctggacagctgaactga aaattactcacagccccattcaactgcatcagccatgaaatcaactcag aatttgcaaatctatgctggcatttagcacttaagatgtaatacagagtgt cagccatgtggctaagatcagcttaattcagtggtcatctctgaaattcatt aatgaltaaatactttttccttctctctatgggagtgaaacaagtatcat gtatccaaagaccagggttcagttggcccaacattaattcacttaattgttc aacaaaaatttattgaccatctactaagtctgagtgctagaatccattgac tacctactaatgaagtctagatttaacacagggacatctgtggtaaac agtaaattcttaacctcatctagaggggtgaaggttctgccttgcctac cttctatagtcagagactactggtatttcaatcc (SEQ ID NO:17)	Unique, no other equivalent snps equivalence name: SG08S689
SNP: SG08S6 90	gaccaaattaccgtcaggacagagcgcctgaggcagcgctat caagaggggagagccccaagttgtctgattggtgatgagcaggttggtgat gcttcttaccacattgctatcctaagcagcaagtggtccacctcagattgcctc taccattctgccaggaaaccagatggcaggaagagcccatgaatcacctctc tggtgataagcagaacagtacttgtgtattcttgccttctgtgttcttattcttcac aattccaataagcaggccagtgcaattgcctgctggagaatgcacttgattctt ccgtgtacagtatcagaatatgatttttagtttaagtaagaatacgaatagta ttactcttttctcattccacagctgtgactggacttttgcctctgatgatcaa cataaatcccactccatccactgatgcttttaactttaagggtcttcagtac caccggagt[C/T]ttcaggggatagagtgatccctagaaccgatcaagg gccaatctgcagtgagttaccaggagtttagagattccctcgttaggtctgtt gagtttaataatatttattatctgagcacatccttctgaacatccctctgctaga gtcaggaaattagagatgaaacactcatggcctgtgccttagaggaaactctcca ttgagcagtgagagacaggagaaaatggagaaggagaatgtgctctgctggac ccagaggagagacttggggagccctcagcagaggcccttaactccttttaga aacagggaaaactcctggaaaaggagacgtttcatctaatactcatcatgctc atatattcatcaataaacatttattgagcccttctatatgccaaagctcagcacta cgttcaagggactcaggagccaatgagtcagacagtgctcctgccttcatggag cttctatataatcttgaggaaatcc (SEQ ID NO:18)	Genotype statistics: old verified: None snp human edit: C/C:65 C/T:668 T/T:1961 Build34 position: chr8:128.468152- Aliases: rs4078240 Equivalences: Unique, no other equivalent snps equivalence name: SG08S690
SNP: SG08S6	aaattaacataactttcttctcagtcctcagttctttccctaaaaataaa ataaaaaataaataataggctgttgactctagaactactctaaaacaactaca	Genotype statistics: o verified: None

91	gatcaattatgcaaaaaaagtctgaaagttacagtacatgaggggggaagga acccttaggtttaacatagaattatctcagttaaggtgactgcataatgaatctga cataaacatcaatttgactgcatgttgctttcattaaagcaaagaaaccagaaag gtggaagaatccttatacctatgctgcatgcacacacaccaagtatacta gacctagtctgggaacctcattcaagagcaatggtgcaaaggagagcagcc agaatgaggagaggccaacagaccaggtccactctattccacagtgattcaa gaaacgttactgaacatgttgactcctatgttcaggagctgtagagacggagt tggatgccacattga[C/T]gcttcctctagaaacttacattctagtagaggga gccagtgtgcaatagaatatcatggcaataaacacagggtatactgaatagt ggactgttgcatagctaagagttatgcaagcaccaagtataaagaagcagcttc tgagttgatagtgctgtttgtgcctttcagaggtatgttttagaaaaataactct aatggcagaataaataatggaaataagacagtgaactaaaagttaaagaaa gccactgggaaccttgacagtaattcccgtgaaaaatgataacctcacaacta aagtagtggtgatgaaaatcgagaagaaaagatgttctgagagctagtttagaa ggtagaatcatgagaactcggtagctggataagtatgatggggaatgtagagg aaaagacatccaagtagctctagcttcaataagagaaaggattgaggaaca aggggaagttggcattaaacaaacaaacaaaaa (SEQ ID NO:19)	snp human edit: C/C:1087 C/T:1156 T/T:296 Build34 position: chr8:128.501972+ Aliases: rs6991990 Equivalences: Unique, no other equivalent snps equivalence name: SG08S691
SNP: SG08S7 17	tagagaaagagacaaagcaggaaagagaaaagagaaaggcata tatataatctttctcattctggtggccaccctgaaactactgaatcacagtctct agaggttctcaggcaactagcccagctgttttgccaaactggaatttatgagcca ccgcaagagaccacatgcagcttcattgtaaaacaaattatttttaagcacgcag actgagcagtgatagaggagtgacaggagtgccctacgcctactcctggtct ccatgagtctccttgcaaagtcaagtattacaagattctagaacacatattgcct gccactgataatttagttgttcagcaaacattcattgttgagttgcacgccagac actatactagatgatgggacaactaaagggtaatgaacagttctgtctctatgta aaaataataatgatgatgatgatgagatgggacttcaattgagggaagtgcatt ggggaggtatgtaaaa[A/C]gtgctatggaaaaaagcaacaggaacccc ttgatagaaaaaaaatgctggtgggggtagggtttctgcctgtgttcttcaga atgggggtatgggaaaatctgggaggaaaagaaatttaagtaagagcagagac tttgcaaaattgtgtgttgactttcctcatgctgctccctggcatgggaagtc attagctggataagagagacttcacaagaactgcaatgaatcaagatgtgctg gtttgttttgacacatggaattcttagggattgatgttttttccagttcttccat	Genotype statistics: o verified: None snp human edit: A/A:93 A/C:878 C/C:2923 Build34 position: chr8:128.441627+ Aliases: rs1447295 Equivalences: Unique, no other equivalent snps equivalence name: SG08S717

	caaagttgtttcaaccagtcctgattggaccgattgactcatcctcagatatcat agttttccactacaaaagcatggaactgatgccaataaacccactccttatcc cagagggctagggtgagtccttcagaggggaattgctagggatggcacctg gcagaaatagaccatctgtcttcctcc (SEQ ID NO:20)	
SNP: SG08S7 20	tggtttctttcttctatgtttgctgtttcattttgcattttccaaatgat gatattggagatacaaaactgttaggtcctgttattctgtgcataatgattttgc ctaagacaagatgaaataatcatactcattttactatccagttatttggggtgca tcttaactagcagttaggattagcatgttactcaagctcacaaagacatagctgg gatgacaacatgttcttgttcagagtattgccacattgaggactcctggcaaaa ataaataacttataagaaagtaacttattttgactttaaaataatcgaatgactaaa actcatttttctcagaccatgagagcaatttaccagcttttataatgggcatctt catatccttagcaagcttaattgctaattaataaaagatgattggataaacaatg gattgtactacaaaatgaagatagcaaaatttactgtcatggtgtctaa[C/T]g agcattctttacctattgccctaccaatctttcagctccataatttctgaagtaaag atcccccaagagccatttctgaaaattagagttaaatcagatcaacgttaaagg acttctgggtcaaaactatgttgagggccagccacaggcaatcataatttaattaa agcaagagagagaaaaaaatcatgccaagtgaacagcctggaagagtga caaaagccttctgtttaaatacagaatacctatgctctaaacatttactactgtgga aactagtgaagataatctaattttctgagcttcatttttctcatctataaaatggat atgatcagttcagctgcaagtaaaagaagcccaaaagtaacagaggactaag caagacaggagtatttttctaacttgcaaaagatccaaaggtagacagtcag aactcacagcagctctgctccacggaaatttcagagcctaggttccttctatgtt gttt (SEQ ID NO:21)	Genotype statistics: o verified: None snp human edit: C/T: T/T:2668 Build34 position: chr8:128.498506+ Aliases: rs7825823 Equivalences: Unique, no other equivalent snps equivalence name: SG08S720
SNP: SG08S7 22	taaaggacaggcattggggttgctttgttgaaacaaatctagcagatat ttgaatgagaagagtaatatagtcagtagaaaaaagtgaagaaataagtag agaagaaggatattttctgctgaagcatgtattctctggcacaagcccacaa taaattgaaattgacaccaacagttggctcaaaaataatcaactacaaatgct caacacataagcattctcttggacagaaccacaaagcatggctgcattgttctt aacaactctttagaagtcaccagatgcagttfaagctacaataacatagtgaggt acaagttaattacatagttaccagaaagtcacagacttttttcagtaataatgta gtaaataaatacatgctcactccatgggaatgttggaattattaagagcaca cattcacaccatcatattgcttactgataactgtgcagttaaccaatggcagtggtg	Genotype statistics: o verified: None snp human edit: C/C:1975 C/T:700 T/T:62 Build34 position: chr8:128.459172+ Aliases: rs7820229 Equivalences:

ctaaaatggatat[C/T]tgtgtttccctgagtttgcgatgctacatgcatgcat gtgaaaaccaagcataggggaattcaagatgaacttcagcgtgtgagtgtgtt tgtggccaatctccgtccccaacatcccagaataaggcttctgcttttaaca atgtatatctattttaaccaattgtctagcgtataattaatgctctataaactcttgtt aaatgcattcacagaaggtaacaaaagattttgtgacacgagtaaaccaaaag gaacaataaacttgaattactttatgttgggtgttcagaaaagagctttg gctttgaattcagaagtcctaactgaataccaggctaccaattattaattaagg aatatcaaatgaattactgcagtatttgaatttcagatttctcaattataacaagga tgtaaagagggttattatgtggctcaaataagaaaatgcatgtaaaaacacttgta aaccaaca (SEQ ID NO:22)	Unique, no other equivalent snps equivalence name: SG08S722
--	--

Discussion

As described herein, a locus on chromosome 8q24.21 has been demonstrated to play a role in cancer (e.g., prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer, melanoma). Particular markers and haplotypes (e.g., haplotype 1, haplotype 1a, haplotypes containing one or more of the markers depicted in Table 1) are present at a higher than expected frequency in subjects having cancer. Based on the haplotypes described herein, which are associated with a propensity for particular forms of cancer, genetic susceptibility assays (e.g., a diagnostic screening test) can be used to identify individuals at risk for cancer.

The markers and haplotypes described herein are not associated with benign prostatic disease and do have a higher relative risk in the high Gleason prostate cancer patients as compared to the low Gleason prostate cancer patients (Table 2), thereby indicating an increased risk for aggressive, fast growing prostate cancer. Given that a significant percentage of prostate cancer is a non-aggressive form that will not spread beyond the prostate and cause morbidity or mortality, and treatments of prostate cancer including prostatectomy, radiation, and chemotherapy all have side effects and significant cost, it would be valuable to have diagnostic markers, such as those described herein, that show greater risk for aggressive prostate cancer as compared to the less aggressive form(s).

The significantly increased relative risk of breast cancer, lung cancer and malignant melanoma in individuals with the markers and haplotypes described herein further support their use to identify increased risk of these forms of cancer. Given

that the haplotypes result in an increased risk of prostate cancer (e.g., aggressive prostate cancer), breast cancer, lung cancer and malignant melanoma, it is possible that these markers and haplotypes also are associated with an increased risk of other forms of cancer.

5

EXAMPLE 2: VERIFICATION OF ASSOCIATION WITH PROSTATE CANCER IN SEVERAL COHORTS

Additional analysis further supported the presence of the variant associated with prostate cancer on chromosome 8q24. Allele -8 of the microsatellite DG8S737 was associated with prostate cancer in three cohorts of European ancestry from Iceland, Sweden and the United States. The estimated relative risk of the allele is 1.62 ($P = 2.7 \times 10^{-11}$). About 19% of patients and 13% of the general population carry at least one copy (PAR = 7.4%). The association was also replicated in an African American cohort with similar relative risk. A higher frequency of the allele, 41% of patients and 30% of the population are carriers, leads to a greater PAR (16.8%) and probably contributes to the higher incidence of prostate cancer in African Americans. The allele associates more with aggressive forms of prostate cancer.

20 *Materials and Methods*

Icelandic study population. This cohort was based on a nation-wide list from the Icelandic Cancer Registry (ICR) that contains all 3815 Icelandic prostate cancer patients (International Classification of Disease Revision 10 code (ICD10) C61) diagnosed during the period January 1st 1955 to December 31st 2004 of which 1291 consented to the study. In addition, an average of three first-degree relatives and spouses also participated (88% participation rate for patients and relatives). Clinical information for patients from the ICR included age at diagnosis, SNOMED morphology codes and stage. Biopsy Gleason scores were obtained from medical records and reviewed by pathologists KRB and BAA. The mean age of diagnosis of genotyped patients was 71 years and the mean age of all prostate cancer patients in the ICR was 73 years.

The BPH population comprised 510 individuals diagnosed in Iceland with histopathologically confirmed diagnoses of BPH between the years 1982 to 2000 that were not diagnosed with prostate cancer.

A control group of 997 individuals was recruited from the general population. This group is unrelated at three meioses, has a sex ratio of one and an age range of 25-85 years (median age of 50 years). No sex differences were seen for allele -8 of DG8S737 and allele A of rs1447295 in control individuals.

5 The study was approved by the Data Protection Commission of Iceland and the National Bioethics Committee of Iceland. Written informed consent was obtained from all patients, relatives and controls. Personal identifiers associated with medical information and blood samples were encrypted with a third-party encryption system as previously described (Gulcher, J.R. *et al.*, *Eur. J. Hum. Genet.* 8:739-42 (2000)).

10

Swedish and U.S. study populations. CAPS1 (CAncer Prostate in Sweden1) is a population based case-control study where prostate cancer patients (ICD10 C61) were recruited from four of the six regional cancer registries in Sweden from January 1st or July 1st, 2001 until September 2002. The study population consisted of 1435
15 cases and 779 controls matched for age, gender and place of residency. Clinical information including stage and Gleason scores, ~80% from by biopsy and ~20% from surgery, were obtained from cancer registries or the National Prostate Cancer Registry. The mean age at diagnosis was 66.6 years for patients and the mean age at inclusion 67.9 years for controls. The study was approved by the Ethics Committees
20 at the Karolinska Institute and Umea University. Informed consent was obtained from all subjects (Zheng, S.L. *et al.*, *Cancer Res.* 64:2918-22 (2004); Lindmark, F. *et al.*, *J. Natl. Cancer Inst.* 96:1248-54 (2004)).

The Caucasian U.S. study population consisted of 458 prostate cancer patients (ICD10 C61), who underwent surgery at the Urology Department of Northwestern
25 Memorial Hospital, Chicago, and 260 population based controls enrolled at the Department of Human Genetics, University of Chicago. Medical records were examined to retrieve clinical information including stage and biopsy Gleason score. The mean age at diagnosis was 59 years for patients. Both patients and controls were of self-reported European American ethnicity. This was confirmed by the estimation
30 of genetic ancestry using 30 microsatellite markers distributed randomly throughout the genome (see below). The mean and median portion of European ancestry in this cohort were both greater than 0.99 (see methods described below for details). The study protocols were approved by the Institutional Review Boards of Northwestern University and the University of Chicago. All subjects gave written informed consent.

The African American study population consisted of 246 prostate cancer patients (ICD10 C61) and 352 controls recruited through the Flint Men's Health Study and the Prostate Cancer Genetics Project. The Flint Men's Health Study (FMHS) is a community-based case-control study of prostate cancer in African-American men between the ages of 40-79 that was conducted in Genesee County, Michigan between 1996 and 2002 (Cooney, K.A. *et al.*, *Urology* 57:91-6 (2001); Beebe-Dimmer, J.L. *et al.* *Prostate Cancer Prostatic Dis.* 9, 50-5 (2006)) and from that study 113 cases and 352 controls were analyzed. The Prostate Cancer Genetics Project (PCGP) conducted at the University of Michigan is a large family-based study with enrollment including men with two or more living family members with prostate cancer or men diagnosed with prostate cancer before age 56 years without a documented family history of disease (Douglas, J.A. *et al.*, *Cancer Epidemiol Biomarkers Prev.* 14:2035-9 (2005)). From that cohort 153 patients coming from 109 families were analyzed, of which 78 patients were unrelated and 75 clustered in 31 families (majority first-degree relatives). Fifteen prostate cancer patients were present in both the FMHS and PCGP cohorts. Medical records were reviewed to extract information related to prostate cancer diagnosis including stage and biopsy Gleason score. Patients and controls were of self-reported African American ethnicity. The proportion of African and European ancestry in this cohort was assessed using the Structure software (Pritchard, J.K. *et al.*, *Am. J. Hum. Genet* 67:170-81 (Epub 2000 May 26)) to analyse genotypes from 30 microsatellites distributed randomly throughout the genome (Helgadóttir, A. *et al.*, *Am. J. Hum. Genet.* 76:505-9 (Epub 2005 Jan 7)). Each of these microsatellites has alleles that exhibit large differences in frequency (>0.4) between pairs of population samples used in the HapMap project (i.e. CEU, YRI or East Asian). Genotypes from the Michigan cohort were run in Structure with genotypes from the YRI (as an African reference sample), CEU HapMap samples, and a sample of 96 Icelanders (as a combined European reference sample). The USEPOPINFO option in Structure was employed with $K=3$, so that information about individuals with known ancestry (the African and European reference samples) could be used to help determine the ancestry of individuals with unknown ancestry (the African Americans from Michigan). The resulting mean proportion of European ancestry in the Michigan cohort was estimated as 0.224 (median = 0.21) in patients and 0.215 (median = 0.207) in controls. The difference in means was not statistically significant ($P=0.11$) according to a randomization test

performed with 10,000 iterations. Association calculations for the Michigan cohort were adjusted for these genetic estimates of ancestry (see below for details). Informed consent was obtained from all study participants, and protocols were approved by the Institutional Review Board at the University of Michigan Medical School.

5

Statistical analysis. A genome-wide scan was performed with a framework scan of 1068 microsatellites, as previously described (Gretarsdottir, S. *et al.*, *Am. J. Hum. Genet.* 70:593-603 (2002); Stykarsdottir, U. *et al.*, *PLoS boil.* 1:E69 (2003)). Genotypes from a total of 871 Icelandic patients diagnosed with prostate cancer and an average of three of their first-degree relatives were analyzed. Pedigrees were identified using our genealogical database of Icelanders (Gulcher, J. and Stefansson, K., *Clin. Chem. Lab Med.* 36:523-7 (1998); Gulcher, J. *et al.*, *Cancer J.* 7:61-8 (2001); Gulcher, J. *et al.*, *Eur. J. Hum. Genet.* 8:739-42 (2000)). Linkage analysis was performed by defining prostate cancer patients as affected and all others as unknown. For multipoint linkage analysis, an affected-only allele-sharing method (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.* 61:1179-88 (1997)) was used, as implemented in the program Allegro (Gudbjartsson, D.F. *et al.*, *Nat. Genet.* 25:12-3 (2000)), and the deCODE genetic map (Kong, A. *et al.*, *Nat. Genet.* 31:241-7 (2002)) (see below). An additional 25 markers were typed in the region of suggestive linkage to increase the information content.

20

For single-marker association to prostate cancer, a likelihood ratio test was used to calculate a two-sided p-value for each allele. For the overall Icelandic cohort (1291 cases and 997 controls), formed by merging cohorts I and II, some of the individuals with prostate cancer were related to each other. To take account of this, a null distribution of the test statistic was obtained by simulating genotypes through the Icelandic genealogy (see below). A similar procedure was used to adjust for the relatedness of some individuals with prostate cancer in the Michigan African American cohort. Allelic frequencies rather than carrier frequencies are presented for the markers. Allele-specific RR was calculated assuming a multiplicative model (Falk, C.T. and Rubinstein, P., *Ann. Hum. Genet.* 51 (Pt 3):227-33 (1987)). When comparing risks of different haplotype groups, the program NEMO that employs a likelihood procedure was used (Gretarsdottir, S. *et al.*, *Nat. Genet.* 35:131-8 (2003)). Results from multiple cohorts were combined using a Mantel-Haenszel model (Mantel, N. and Haenszel, W., *J. Natl. Cancer Inst.* 22:719-48 (1959)) in which the

30

cohorts were allowed to have different population frequencies for alleles or genotypes but were assumed to have common relative risks.

Linkage analysis. The Spairs scoring function (Whittemore, A.S. and Halpern, J., *biometrics* 50:118-27 (1994); Kruglyak, L. *et al.*, *Am. J. Hum. Genet.* 58:1347-63 (1996)) and the exponential allele-sharing model (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.* 61:1179-88 (1997)) were used to generate the relevant 1 df (degree of freedom) statistics. When combining the family scores to obtain an overall score, instead of weighting the families equally or weighting the affected pairs equally, a weighting scheme was used that is halfway between the two in the log scale; the family weights are the geometric means of the weights of the two schemes.

Correction for relatedness. The association of an allele to prostate cancer was tested using the signed (+ for excess in patients, - for deficit) square-root of a standard likelihood ratio statistic applied to the allele counts in the patients and controls, which, if the subjects were unrelated, would have asymptotically a standard normal distribution under the null hypothesis. Because some Icelandic patients were related and their genotypes not independent, the statistic as described has a standard deviation larger than 1 and ignoring that would lead to *P*-values that are anti-conservative. An adjustment was performed using a previously described procedure (Grant, S.F. *et al.*, *Nat. Genet.* 38:320-3 (Epub 2006 Jan 15); Stefansson, H. *et al.*, *Nat. Genet.* 37:129-37 (Epub 2005 Jan 16)). 10,000 sets of genotypes were simulated for the marker DG8S737 through the genealogy of 708,683 Icelanders. With each simulated set, the statistic was re-calculated by treating the simulated genotypes as real genotypes of the patients and controls in the study. From the simulations, the true standard deviation of the statistic under the null hypothesis is 1.018 for allele -8, and this value was used to calculate the *P*-values for the Icelandic total cohort of 1291 prostate cancer patients and 997 controls. Based on similar simulations, the adjustment factor for allele A of rs1447295 was found to be somewhat lower, as expected due to the higher frequency of allele A compared to allele -8. It was decided to use the higher adjustment factor of 1.018 throughout for simplicity. Hence the results reported for allele A are slightly conservative. Applying the same method to the Michigan African American cohort with the given relationships of some of the patients, the adjustment factor was found to be 1.032.

Evaluation of genetic ancestry. The program Structure (Pritchard, J.K. *et al.*, *Genetics* 115:945-59 (2000)) was used to estimate the genetic ancestry of individuals. Structure infers the allele frequencies of K ancestral populations on the basis of
5 multilocus genotypes from a set of individuals and a user-specified value of K, and assigns a proportion of ancestry from each of the inferred K populations to each individual. The analysis of the data set was run with K=3, with the aim of identifying the proportion of African and European ancestry in each individual. The statistical significance of the difference in mean European ancestry between African American
10 patients and controls was evaluated by reference to a null distribution derived from 10000 randomized datasets.

To evaluate genetically estimated ancestry of the study cohorts from the US, 30 unlinked microsatellite markers were selected from about 2000 microsatellites genotyped in a previously described (Pritchard, J.K. *et al.*, *Genetics* 115:945-59
15 (2000)) multi-ethnic cohort of 35 European Americans, 88 African Americans, 34 Chinese, and 29 Mexican Americans. Of the 2000 microsatellite markers the selected set showed the most significant differences between European Americans, African Americans, and Asians, and also had good quality and yield: D1S2630, D1S2847, D1S466, D1S493, D2S166, D3S1583, D3S4011, D3S4559, D4S2460, D4S3014,
20 D5S1967, DG5S802, D6S1037, D8S1719, D8S1746, D9S1777, D9S1839, D9S2168, D10S1698, D11S1321, D11S4206, D12S1723, D13S152, D14S588, D17S1799, D17S745, D18S464, D19S113, D20S878 and D22S1172. The following primer pairs were used for DG5S802: DG5S802-F: CAAGTTTAGCTGTGATGTACAGGTTT (SEQ ID NO: 23) and DG5S802-R: TTCCAGAACCAAAGCCAAAT (SEQ ID NO:
25 24).

PCR screening of cDNA libraries. Commercially available cDNA libraries were screened for AW transcripts. The libraries screened were Prostate Marathon-Ready cDNA library (Clontech Cat. 7418-1), Testis Marathon-Ready cDNA library
30 (Clontech Cat. 7414-1), Bone marrow-Ready cDNA library (Clontech Cat. 7431-1), In addition cDNA libraries were constructed for whole blood and EBV-transformed human lymphoblastoid cells. Total RNA was isolated from the lymphoblastoid cell lines and whole blood, using the RNeasy RNA isolation kit from Qiagen (Cat . 75144)

and the RNeasy RNA isolation from whole blood kit (Cat 52304), respectively. RNA was subsequently analysed and quantitated using the Agilent 2001 Bioanalyser.

cDNA libraries were prepared using a random hexamer protocol from the RevertAidTM H Minus First Strand cDNA Synthesis Kit (Fermentas Cat. K1631). The

- 5 PCR reactions were done in 10ul volume at a final concentration of 3,5µM of forward and reverse primers, 2mM dNTP, 1x Advantage 2 PCR buffer and 0,5ul of cDNA library. PCR screening was carried out using the Advantage® 2 PCR Enzyme RT_PCR System (Clontech) according to manufacturers instructions. PCR primer pairs (Operon Biotechnologies) used are shown in Table 8.

Table 8: Primers used for GenScan gene predictions

Predicted gene	Forward primer	Predicted gene	Reverse primer
NT-008046.708	AACTGCCTCTGACAACTCTTGTG (SEQ ID NO:25)	NT-008046.708	TTAAGATGCTTGAAGTCCCCAGT (SEQ ID NO:26)
NT-008046.708	AACTGCCTCTGACAACTCTTGTG (SEQ ID NO:27)	NT-008046.708	AAGCTGCTGTACGGATTTTTCAC (SEQ ID NO:28)
NT-008046.709	GGAGAGCCTATTGTGGTCAAGA (SEQ ID NO:29)	NT-008046.709	AAGTGGATTGCAGAACTCTCTGG (SEQ ID NO:30)
NT-008046.709	CTAATTGAGAAAGGCTGGCTATGG (SEQ ID NO:31)	NT-008046.709	GTAGGATCAGACCATCCAAATGC (SEQ ID NO:32)
B. Primers used for ESTs			
EST			
AW183883	CAGGGATTTTGTCTGTTTGTG (SEQ ID NO:33)	AW183883	TTTATTCGGATGCTCAGAAGCTG (SEQ ID NO:34)
AW183883	GCAGGAAGCCACTGCTGCTCCTTA (SEQ ID NO:35)	AW183883	GCAGTGCCAGCACCTGTAGCATTAAA (SEQ ID NO:36)
CV364590	TGCACAAGCCTGATTTAAAGTG (SEQ ID NO:37)	CV364590	CCAGTTTGTGTTTGGTTGTTT (SEQ ID NO:38)
AF119310*	CCAGACATGTTACTGATGTTTGG (SEQ ID NO:39)	AF119310*	CCAGAGTGGTAGCAATGTTCTGT (SEQ ID NO:40)
BE144297	GGAATGCTTCCTTGTATGTGGAG (SEQ ID NO:41)	BE144297	GAGGGAACCTGACTGGAAAGATT (SEQ ID NO:42)
C. Primers used to connect ESTs			
EST			
CV364590	GCACAAGCCTGATTTAAAAGTGC (SEQ ID NO:43)	AW183883	CAGGGATTTGTCTGTTTGTG (SEQ ID NO:44)
CV364590	GCACAAGCCTGATTTAAAAGTGC (SEQ ID NO:45)	AW183883	CTTCTGTCTCAGCGGAAACAGCTT (SEQ ID NO:46)
AF119310*	TCTGTTTCTTTGACCTGGGTTGT (SEQ ID NO:47)	AW183883	CAGGGATTTTGTCTGTTTGTG (SEQ ID NO:48)
AF119310*	TCTGTTTCTTTGACCTGGGTTGT (SEQ ID NO:49)	AW183883	CTTCTGTCTCAGCGGAAACAGCTT (SEQ ID NO:50)
BE144297	GGAGGGAAACTGACTGGAAGAT (SEQ ID NO:51)	AW183883	CAGGGATTTTGTCTGTTTGTG (SEQ ID NO:52)
BE144297	GGAGGGAAACTGACTGGAAGAT (SEQ ID NO:53)	AW183883	CTTCTGTCTCAGCGGAAACAGCTT (SEQ ID NO:54)
AF119310*	CCAGAGTGGTAGCAATGTTCTGT (SEQ ID NO:55)	CV364590	CCAGTTTGTGTTTGGTTGTTT (SEQ ID NO:56)
AF119310*	CCAGAGTGGTAGCAATGTTCTGT (SEQ ID NO:57)	BE144297	GGAATGCTTCCTTGTATGTGGAG (SEQ ID NO:58)
BE144297	GAGGGAAACTGACTGGAAAGATT (SEQ ID NO:59)	CV364590	CCAGTTTGTGTTTGGTTGTTT (SEQ ID NO:60)

Gene prediction and EST names are from UCSC Build34 except AF119310* from BUILD 35.

RACE. 5'- and 3'-RACE of the AW transcript was carried out using the Marathon-Ready cDNA libraries (Clontech), according to the manufacturer's instructions. The primers (Operon Biotechnologies) shown in Table 9 were used.

Table 9. Primers used for RACE

AW-race 3.F	GCAGGAAGCCACTGCTGCTCCTTA (SEQ ID NO:61)
AW-race 3.R	GCAGTGCCAGCACCTGTTAGCATTAAA (SEQ ID NO:62)
AW-race1.F	AAGCTGTTTCCGCTGAGGACAGAAG (SEQ ID NO:63)
AW-race1.R	CTTCTGTCCTCAGCGGAAACAGCTT (SEQ ID NO:64)
AW-ex3.1R	TATACACCAGAATGCCCCGCATC (SEQ ID NO:65)
AW-ex4.1R	GATAGGGCCGCTACCATTGGAAG (SEQ ID NO:66)
AW-ex3.1F	TGTCAACCGCAACACTGGTTGTGT (SEQ ID NO:67)
AW-ex4.1F	CTGGAGTGCCTCTCTTCCTTTTGC (SEQ ID NO:68)

B. Primers used for nested PCR

AW-race2.F	AAGATGCCAGGGCTACAGCAATCA (SEQ ID NO:69)
AW-race2.R	TGATTGCTGTAGCCCTGGCATCTT (SEQ ID NO:70)
AW-ex2.F1	TTGCTTTTAAGCATGAAGCCACTCA (SEQ ID NO:71)
AW-ex1.R1	GGCATGGACCAGGAGCACTAGTTA (SEQ ID NO:72)
AW-ex3.1Rne	AACACAACCAAGTGTGCGGTTGAC (SEQ ID NO:73)
AW-ex4.1Rne	TGAAACAACAGTAAGCACTGGCTCTC (SEQ ID NO:74)
AW-ex3.1Fne	GATGCGGGGCATTCTGGTGTA (SEQ ID NO:75)
AW-ex4.1Fne	ACTCAATTGTTGCCATGGGCTTGAT (SEQ ID NO:76)

New splice variants of the AW transcript identified through RACE were verified using RT-PCR on the corresponding cDNA libraries. PCR products were all cloned and sequence verified to confirm the original RACE results.

Cell lines. The following prostate cancer cell lines were obtained from ATCC. DU 145, a prostate cancer cell line generated from brain metastasis; LNCaP, a prostate cancer cell line generated from lymph node metastasis; CA-HPV-10, a prostate cancer cell line generated from adenocarcinoma following HPV 18 transfection; PZ-HPV-7 and RWPE-1 both generated from normal prostate tissue following HPV18 transfection. In addition, lymphoblastoid cell lines were generated by EBV-transformation from the peripheral blood of certain Icelandic prostate cancer patients. These cell lines were used for Southern blot analysis.

Northern blot analysis. Commercial multiple tissue Northern blots were obtained from Clontech (Human MTN[®] Blot II Cat. 7759-1). In addition blots were made from the prostate cancer cell lines described above. Briefly, total RNA was isolated from cell lines using a combined Trizol (GIBCO BRL Catalog #15596-018) and RNeasy (Qiagen Catalog #74106) purification protocol following the manufacturer's instructions. Poly (A) RNA was further purified using the Poly(A)Purist[™] MAG Kit from Ambion (Cat. 1922) 1.5µg poly (A) RNA was electrophoresed in an agarose-formaldehyde gel, blotted to Hybond N nylon membranes (Amersham), and fixed using UV-crosslinking.

Probes used included: i) The AW1838833 cDNA clone (IMAGp998M216650Q) obtained from RZPD Deutsches Ressourcenzentrum für Genomforschung GmbH, Germany (<http://www.rzpd.de/products/genomecube.shtml>); and ii) cDNA clone that corresponded to exon 6-8 of the AW transcripts obtained from RT-PCR experiments. The clone was sequence verified as follows:

```
TTGCTCCTCAGGAACCCTATTTTGGACTGACGTTTAATACAACATGGAAGC
CACCAAGGCTTACAGAAATGTGCTTTCCAGAGCTGTGACCTGAACTGTACCT
GGGGCCTTTTGAGTGAGGCTGGAAGTGGAGTGGCCTGGATGCAGAGAGCA
GTGTCCTAAGGCTGTGCAGGTTGCAAGAAAGCTCAAGTAGCCTATGGAGA
GGATGCAAGGCTTCCAGCTGATGCCCTCAGCCAGGCTCAGTAGCAGCCAG
AACTAGCCTACCAACGAACCTGCTGATCATGTGCATAAGCCACCTTGAAC
GTCGATCCTCCTGCCTGGTGGAGCCATCCCAGCTGATGCCACATGAAGCA
GACACAAGCTGTCCCTACTAAGCTCTGCTCAAGTTGGATATTCATGAGTGA
AATAAATGACTGTTACTAAGTAATTAATTTTGGGTGGCTGTTATGTAGCA
GTAGATAATTGGAACAAAGCTTATTGACATAATACATCTATATCMCATCC
TCCAATCCATTTTTTTAAGTAATAAAGTTGATGTTTGTGTTTTGAAAAAAA
AAAAAAAAAAAAAAAAAGACCTGCCCGGGCGGCCGCTCGAGCCCTATAGTGA
GTAAGGGCGAATCCAGCACACTGGCGCCGTACTAGTGATCCGAGCTCGTA
GCA (SEQ ID NO:77).
```

cDNA fragments were radiolabelled with [α -³²P]dCTP (specific activity 6000Ci/mmol), using the Megaprime labelling kit (Amersham Cat. RPN 1607) and unincorporated nucleotides removed from the reaction using ProbeQuant G-50 microcolumns (Amersham Cat. 27-5335-01). Membranes were pre-hybridized in Rapid-hyb buffer (Amersham Cat. RPN 1635) for at least 30 minutes and subsequently hybridized with 100-300ng of the labelled cDNA probe. Hybridizations were performed in Rapid-hyb buffer at 68°C overnight and 0.1-0.15 µg/ml sheared, denatured salmon sperm DNA when using cDNA probes. The labelled probes were heated for 5 minutes at 95°C before addition to the filters in the pre-hybridization

solution. After hybridization, the membranes were washed at low stringency in 2x SSC, 0.05% SDS at room temperature for 30-40 minutes followed by two high stringency washes in 0.1x SSC, 0.1% SDS at 50°C for 40 minutes. The blots were immediately sealed and exposed to Kodak BioMax MR X-ray film (Cat. 8715187).

Pulse-field Southern blot analysis High molecular weight DNA in agarose blocks was prepared by embedding lymphoblast cell lines, generated from peripheral blood of prostate cancer patients, within low-melting-point agarose (Incert, FMC bioproducts) with a Biorad 10 plug pleximould. (Biorad catalog no. 170-3591). Final cell concentration within the agarose was always adjusted to 2×10^7 cells per ml. DNA was also isolated from fresh frozen normal and malignant prostate tissue. For each patient, DNA was isolated from four to five 20 micron slices of OCT embedded fresh frozen tissue samples (>70% tumor percentage) using the MasterPure™ DNA Purification Kit Epicentre Inc. Cat MC85200). DNA was subsequently amplified using the GenomiPhi DNA Amplification Kit (GE Healthcare, Cat. 25-6600-02) according to the manufacturer's protocol and diluted by an equal amount of TE-Buffer. Agarose blocks and WGA prostate tissue DNA samples corresponding to 10ug of DNA were digested with the HindIII restriction endonuclease following standard protocols (New England Biolabs). Following digestion the agarose blocks or WGA DNA samples were loaded into a 0.8% agarose gel. After electrophoresis the gel was depurinated in 0.25M HCl for 30 min and denatured in 0.5M NaOH, 1.5M NaCl DNA then transferred to a nylon filter (Hybond N+). The membranes were then probed with a radiolabeled purified BAC insert RP11 367L7(Amersham megaprime) following standard protocols as described above for Northern blotting. After washing the membrane was exposed to film (Kodak MR) from 1-4 days at -80°C.

Confirmation in Icelandic Cohorts

In an attempt to identify genetic variants underlying prostate cancer risk, a genome-wide linkage scan was conducted using 1068 microsatellite markers typed in a cohort of 871 Icelandic prostate cancer patients grouped into 323 extended families. This scan produced a suggestive linkage signal on chromosome 8q24 which after addition of markers to increase the information content gave a maximum lod score of 2.11 (D8S529 at 148.25 cM) and 3.15 (D8S557 at 145.65 cM) (FIG. 7A). To refine the source of the linkage signal, 358 microsatellite and indel markers spanning 10Mb (18.6cM) on chromosome 8 from 125-135 Mb (NCBI Build 34) in 869 were genotyped in unrelated prostate cancer patients and 596 population controls (cohort I) (FIG. 7A and 7B). Single marker association to prostate cancer was calculated based on a multiplicative model of risk (Falk, C.T. and Rubinstein, P., *Ann. Hum. Genet.* 51(pt 3), 227-33 (1987)). The strongest association was observed for allele -8 of the microsatellite DG8S737, with an estimated relative risk (RR) of 1.79 per copy carried ($P = 3.0 \times 10^{-6}$) (FIG. 7B and Table 10). This association was replicated in a second Icelandic cohort of 422 prostate cancer patients and 401 population based controls (cohort II), where allele -8 carried an estimated RR of 1.72 ($P = 0.0018$, all P -values are two-sided, including those obtained from replication studies). In the overall Icelandic cohort of 1291 prostate cancer patients and 997 controls (merging cohorts I and II), the DG8S737 -8 allele had a frequency of 13.1% in patients and 7.8% in controls. This results in an estimated RR of 1.77 ($P = 2.3 \times 10^{-8}$), an estimated RR of 1.77 ($P; 2.3 \times 10^{-8}$) and a population attributable risk (PAR) of 11% (Table 10), after adjusting for relatedness between patients from cohorts I and II. The DG8S737 marker (128.433096 Mb) is located within a linkage disequilibrium (LD) block that spans 92 kb on chromosome 8q24.21 (from 128.414 to 128.506 Mb of NCBI Build 34) in HapMap CEU samples. The LD block is referred to herein as LD Block A.

Table 10. Association of alleles at chromosome 8q24 to prostate cancer in Iceland

Table 10. Association of alleles at chromosome 8q24 to prostate cancer in Iceland							
Study population				Allelic Frequency		RR	P value
		(N cases/N controls)	Marker	Allele	Cases		
<i>Iceland</i>							
<i>Group I^a</i>							
(869/596)	DG8S737	-8	0.134	0.080	1.79	3.0x10 ⁻⁶	
<i>Group II^b</i>							
(422/401)	DG8S737	-8	0.124	0.076	1.72	1.8x10 ⁻³	
<i>Combined groups I and II^b</i>							
(1291/997)	DG8S737	-8	0.131	0.078	1.77	2.3x10 ⁻⁸	
"	rs1447295	A	0.169	0.106	1.72	1.7x10 ⁻⁹	

Alleles for the markers DG8S737 and rs1447295 at 8q24.21 are shown and the corresponding numbers of cases and controls (N), allelic frequencies of variants in affected and control individuals, the odds-ratio (RR) and two-sided P values.

^a Individuals are unrelated at 3 meioses

^b The association analysis was adjusted for the relatedness of some of the individuals.

To investigate the extent of the association signal, 12 additional microsatellites and 63 SNPs in a 600 kb region surrounding DG8S737 were genotyped (FIG. 7C, Tables 11 and 12). After typing additional microsatellite and SNP markers in a 600 kb region surrounding DG8S737, it was found that allele A of the SNP SG08S717 (rs1447295) showed the strongest association (FIG. 7C). Other alleles/markers that were located in the same LD block as DG8S737 and SG08S717 (rs1447295) associated significantly with prostate cancer as shown in Table 13 and can be used to detect the risk variants that associate with prostate cancer. These markers and alleles are thus surrogates for the -8 DG8S737 and A SG08S717 (rs1447295) alleles, as are many of the possible haplotypes comprising at least two of the markers listed in Table 13.

Table 11. Microsatellite and indel markers genotyped in the 600 kb region on Chr8q24

Marker	Location (Mb)*	Size	Forward primer	Reverse primer
DG8S605	128.257	336	CCACTTGGGTGATCAGGT (SEQ ID NO:78)	ACTCAAGGAAAGGGCCAAA (SEQ ID NO:79)
DG8S1339	128.272	189	TCAGAAAGGCACATAAGAGGA (SEQ ID NO:80)	GCTGCTTTCAGGATCAGAG (SEQ ID NO:81)
DG8S1766	128.296	195	GGGATACCAACAACATCTATCACA (SEQ ID NO:82)	GCTCTTCTATTGACACACAA (SEQ ID NO:83)
DG8S1767	128.319	116	TGCAGACTGTGCAGCAGATA (SEQ ID NO:84)	CTGCTAGAGATGTGTGCCCTA (SEQ ID NO:85)
DG8S1778	128.323	323	ATGGGTCTTGATGGACATGC (SEQ ID NO:86)	GTGGATGGATCCAGAGAGGA (SEQ ID NO:87)
DG8S1409	128.382	430	CAGAGCATCACCTCAAAACGA (SEQ ID NO:88)	ATCCTGCCAACCTTAAAGTCC (SEQ ID NO:89)
DG8S540	128.395	236	GGCAAGAAACACAAAGGCAAT (SEQ ID NO:90)	AGGTGAATGAGCCAGATGC (SEQ ID NO:91)
DG8S1434	128.426	403	CCACAGTGATTCACACCTCT (SEQ ID NO:92)	AGTGTGGCCAGGGATGTAG (SEQ ID NO:93)
DG8S737	128.433	134	TGATGCACACAGAAACCTG (SEQ ID NO:94)	CAAGGATGCAGCTCACAACA (SEQ ID NO:95)
DG8S1761	128.453	392	TTGAAATTGCAATCCCATCA (SEQ ID NO:96)	CCTCCCTACTTATTTCCCATGC (SEQ ID NO:97)
DG8S422	128.475	378	AAATGCAAGCAAAAGCCAAAGT (SEQ ID NO:98)	GCTCCACACACAGAGGTCAA (SEQ ID NO:99)
DG8S1769	128.501	262	CCTCCAAACACACAGAGTTG (SEQ ID NO:100)	TGTTAAACCTAAGGGTTCCTTCC (SEQ ID NO:101)
DG8S1407	128.503	236	CCAATAGCCTTCAATGTATCAAA (SEQ ID NO:102)	TGAGGAAGAGGCCACAACAGA (SEQ ID NO:103)
DG8S1351	128.526	200	CAGAGAGACAGAAATGGTCTCA (SEQ ID NO:104)	TTCTTAACACGCAGCACATT (SEQ ID NO:105)
DG8S482	128.531	401	GCCCTATTTCCTAACACATGC (SEQ ID NO:106)	GCTAACATGCTAATGTGCTTCC (SEQ ID NO:107)
D8S1128	128.552	241	AAACAATCAAAAGGCCCAGG (SEQ ID NO:108)	CCCAATTGGAAACAGAGTTGA (SEQ ID NO:109)
DG8S1825	128.583	392	CAAGGAGGGTGGATCACTTG (SEQ ID NO:110)	AGAGGCTCCAAAGGGGAGATT (SEQ ID NO:111)
DG8S1817	128.606	223	CCCTAAATGCAGATGGTTATGA (SEQ ID NO:112)	GCTTGTGCTATCTGTCCCTTG (SEQ ID NO:113)
DG8S432	128.626	198	TGCACAAAGCTGTTCTACACA (SEQ ID NO:114)	ACTGCTTCCAGCCAGACATT (SEQ ID NO:115)
DG8S1324	128.654	243	CTGCACCTCCAAAGACAGACA (SEQ ID NO:116)	GTTGAAGCAGGCTTCTGGA (SEQ ID NO:117)
DG8S471	128.677	128	CAGCAACCGTTTCCCTTTCAT (SEQ ID NO:118)	TTTGAGGTTGGTGTCACTGG (SEQ ID NO:119)
DG8S740	128.694	118	ACATTTCCCGTATCGTCCAA (SEQ ID NO:120)	AATGGGTGGCAGACAGAAA (SEQ ID NO:121)
DG8S1335	128.708	185	GCTGGGATCTTCTCAGCCTA (SEQ ID NO:122)	GCTGCAAAATTGCTTGGTATG (SEQ ID NO:123)
DG8S1143	128.717	251	TCAGTCTATGTGCTCCTCT (SEQ ID NO:124)	ATGGGCTATTGTGTAAGCCTCT (SEQ ID NO:125)
DG8S1816	128.754	359	TCCCTACCACACCTACATCCA (SEQ ID NO:126)	CTGCGTCGGCCAGATTAC (SEQ ID NO:127)
DG8S1436	128.761	342	ATTCAGCCCGGTAAACACAG (SEQ ID NO:128)	CTGACAGTTGATGCCCCAGTC (SEQ ID NO:129)
DG8S1818	128.771	121	AAACACACATTGGATTTCAGAGAC (SEQ ID NO:130)	GCTGGGCAACAGGTGAGAC (SEQ ID NO:131)

DG8S1824	128.800	334	ATGCTTCTGCCCCTCAGAC (SEQ ID NO:132)	TCCTGCCTCAGCCTCTGTAT (SEQ ID NO:133)
DG8S1828	128.816	339	GCCTCTGGAGTGGCTAGGAT (SEQ ID NO:134)	ATGAGATGGCCAGGTCAAAG (SEQ ID NO:135)
DG8S1820	128.827	278	CGGTCCAAACATGGTGAAATA (SEQ ID NO:136)	CCAAACCGAAACCTCAAAGAC (SEQ ID NO:137)
DG8S455	128.844	123	CTCGCTCTGCAGTCTTGGTT (SEQ ID NO:138)	CATGGTGAAAGGGCAACTG (SEQ ID NO:139)
DG8S548	128.844	238	AGCAAGAAGGGAGAGGIGTG (SEQ ID NO:140)	TGGCCACATCCCCTTTAAATC (SEQ ID NO:141)

Shown are microsatellite markers typed in the 600 kb region around marker DG8S737.

* NCBI Build 34

Table 12. SNP markers genotyped in the 600 kb region on Chr8q24

SG-name	RS-name	Location (bp's)*
SG08S665	rs283701	128258003
SG08S667	rs283720	128266554
SG08S668	rs283727	128269949
SG08S669	rs283728	128270089
SG08S671	rs424281	128296015
SG08S661	rs1949808	128351127
SG08S660	rs1562871	128358361
SG08S675	rs871135	128382982
SG08S659	rs1447294	128394275
SG08S808	rs6470517	128416993
SG08S853	rs10956372	128426845
SG08S686	rs1447293	128428909
SG08S710	rs921146	128431774
SG08S663	rs2121630	128434749
SG08S829	rs3999775	128436126
SG08S687	rs4871798	128436552
SG08S848	rs4871799	128439231
SG08S982	rs6470519	128440812
SG08S983	rs7818556	128440988
SG08S717	rs1447295	128441627
SG08S984	rs10109700	128442553
SG08S849	rs9297758	128443177
SG08S850	rs1992833	128448933
SG08S664	rs2290033	128449663
SG08S908	rs11989136	128450373
SG08S827	rs9643226	128451070
SG08S826	rs1447296	128451948
SG08S688	rs6985504	128453365
SG08S985	rs10808558	128457739
SG08S722	rs7820229	128459172
SG08S805	rs12155672	128463613
SG08S689	rs4599773	128467013
SG08S690	rs4078240	128468152
SG08S851	rs6981321	128469894
SG08S986	rs7832031	128473541
SG08S802	rs4242382	128474162
SG08S811	rs4314621	128474604
SG08S812	rs4242384	128475143
SG08S987	rs7812429	128476762
SG08S813	rs7812894	128477068

SG08S988	rs7814837	128478791
SG08S980	rs10088308	128479503
SG08S981	rs9297760	128479761
SG08S799	rs7017300	128481857
SG08S852	rs6470527	128484420
SG08S1045	rs4498506	128485622
SG08S990	rs13255059	128487205
SG08S991	rs11986220	128488278
SG08S911	rs11988857	128488462
SG08S836	rs10090154	128488726
SG08S807	rs4599771	128490819
SG08S1067	rs9656967	128491176
SG08S810	rs9656816	128491243
SG08S838	rs12548153	128491281
SG08S839	rs12545648	128491344
SG08S847	rs12542685	128494172
SG08S809	rs7814251	128494806
SG08S832	rs7837688	128495949
SG08S930	rs13256658	128496050
SG08S720	rs7825823	128498506
SG08S691	rs6991990	128501972
SG08S828	rs4543510	128502208
SG08S855	rs6470531	128515746

Shown are SNP markers typed in the 600 kb
region around marker DG8S737 to localize
the boundaries of the association signal

* NCBI Build 34

Table 13. Significant single-marker association of markers in LD Block A at chromosome 8q24 to prostate cancer in Iceland

Marker	rs-name	Allele*	Position	N		Allelic Frequency				RR	P value
				N Cases	Controls	Cases	Controls	RR	P value		
SG08S808	rs6470517	A	128.417	1121	927	0.910	0.885	1.33	0.0066		
SG08S808	rs6470517	G	128.417	1121	927	0.090	0.115	0.75	0.0066		
SG08S853	rs10956372	A	128.4268	1237	996	0.649	0.709	0.76	2.18E-05		
SG08S853	rs10956372	T	128.4268	1237	996	0.351	0.291	1.32	2.18E-05		
SG08S686	rs1447293	A	128.4289	1352	925	0.603	0.654	0.80	4.44E-04		
SG08S686	rs1447293	G	128.4289	1352	925	0.397	0.346	1.25	4.44E-04		
SG08S710	rs921146	C	128.4318	1060	827	0.246	0.196	1.33	3.00E-04		
SG08S710	rs921146	A	128.4318	1060	827	0.754	0.784	0.84	0.0306		
SG08S1043	rs3999773	T	128.4322	1348	1021	0.490	0.446	1.19	0.0025		
SG08S1043	rs3999773	A	128.4322	1348	1021	0.510	0.554	0.84	0.0025		
DG8S737	n.a.	-8	128.4331	1224	935	0.131	0.078	1.77	2.30E-08		
SG08S663	rs2121630	A	128.4347	1173	931	0.122	0.083	1.54	3.39E-05		
SG08S663	rs2121630	C	128.4347	1173	931	0.878	0.917	0.65	3.39E-05		
SG08S687	rs4871798	C	128.4366	1332	979	0.813	0.874	0.63	2.40E-08		
SG08S687	rs4871798	T	128.4366	1332	979	0.187	0.126	1.59	2.40E-08		
SG08S848	rs4871799	A	128.4392	1222	989	0.724	0.783	0.73	7.58E-06		
SG08S848	rs4871799	G	128.4392	1222	989	0.276	0.217	1.37	7.58E-06		
SG08S982	rs6470519	A	128.4408	1329	686	0.167	0.109	1.64	4.66E-07		
SG08S982	rs6470519	C	128.4408	1329	686	0.833	0.891	0.61	4.66E-07		
SG08S983	rs7818556	A	128.441	1328	995	0.835	0.898	0.57	2.56E-10		
SG08S983	rs7818556	G	128.441	1328	995	0.165	0.102	1.75	2.56E-10		
SG08S717	rs1447295	A	128.4416	1363	1009	0.171	0.103	1.81	1.01E-11		
SG08S717	rs1447295	C	128.4416	1363	1009	0.829	0.897	0.55	1.01E-11		
SG08S984	rs10109700	A	128.4426	1344	1014	0.169	0.102	1.79	2.78E-11		

SG08S984	rs10109700	G	128.4426	1344	1014	0.831	0.898	0.56	2.78E-11
SG08S850	rs1992833	T	128.4489	1242	996	0.442	0.399	1.19	0.0038
SG08S850	rs1992833	G	128.4489	1242	996	0.558	0.601	0.84	0.0038
SG08S827	rs9643226	C	128.4514	1353	993	0.168	0.101	1.81	2.29E-11
SG08S827	rs9643226	G	128.4514	1353	993	0.832	0.899	0.55	2.29E-11
SG08S993	rs1447296	C	128.4519	1350	1006	0.830	0.896	0.57	1.20E-10
SG08S993	rs1447296	T	128.4519	1350	1006	0.170	0.104	1.75	1.20E-10
DG8S1761	n.a	0	128.45267	1067	895	0.598	0.565	1.15	0.0366
DG8S1761	n.a	-4	128.45267	1067	895	0.379	0.411	0.87	0.0411
SG08S688	rs6985504	A	128.4533	1240	956	0.282	0.239	1.25	0.0012
SG08S688	rs6985504	G	128.4533	1240	956	0.718	0.761	0.80	0.0012
SG08S985	rs10808558	A	128.4577	1338	999	0.169	0.102	1.80	2.87E-11
SG08S985	rs10808558	G	128.4577	1338	999	0.831	0.898	0.56	2.87E-11
SG08S805	rs12155672	A	128.4636	1161	945	0.472	0.440	1.14	0.0338
SG08S805	rs12155672	G	128.4636	1161	945	0.528	0.560	0.88	0.0338
SG08S689	rs4599773	C	128.467	1169	905	0.476	0.444	1.14	0.0386
SG08S689	rs4599773	G	128.467	1169	905	0.524	0.556	0.88	0.0386
SG08S851	rs6981321	C	128.4699	1211	953	0.341	0.266	1.43	9.93E-08
SG08S851	rs6981321	G	128.4699	1211	953	0.659	0.734	0.70	9.93E-08
SG08S986	rs7832031	A	128.4735	1351	1011	0.169	0.103	1.78	5.01E-11
SG08S986	rs7832031	G	128.4735	1351	1011	0.831	0.897	0.56	5.01E-11
SG08S802	rs4242382	A	128.4742	1161	940	0.163	0.105	1.67	3.20E-08
SG08S802	rs4242382	G	128.4742	1161	940	0.837	0.895	0.60	3.20E-08
SG08S811	rs4314621	A	128.4746	1344	1011	0.837	0.901	0.57	1.44E-10
SG08S811	rs4314621	G	128.4746	1344	1011	0.163	0.099	1.77	1.44E-10
SG08S812	rs4242384	A	128.4751	1166	947	0.836	0.893	0.61	7.17E-08
SG08S812	rs4242384	C	128.4751	1166	947	0.164	0.107	1.64	7.17E-08
SG08S987	rs7812429	A	128.4768	1285	996	0.167	0.106	1.70	1.97E-09
SG08S987	rs7812429	G	128.4768	1285	996	0.833	0.894	0.59	1.97E-09
SG08S813	rs7812894	A	128.4771	1169	1012	0.167	0.105	1.71	2.27E-09

SG08S813	rs7812894	T	128.4771	1169	1012	0.833	0.895	0.58	2.27E-09
SG08S988	rs7814837	G	128.4788	1273	958	0.834	0.897	0.58	1.51E-09
SG08S988	rs7814837	T	128.4788	1273	958	0.166	0.103	1.72	1.51E-09
SG08S980	rs10088308	C	128.4795	1337	1009	0.190	0.127	1.62	3.89E-09
SG08S980	rs10088308	T	128.4795	1337	1009	0.810	0.873	0.62	3.89E-09
SG08S981	rs9297760	A	128.4798	1326	983	0.192	0.126	1.64	1.90E-09
SG08S981	rs9297760	G	128.4798	1326	983	0.808	0.874	0.61	1.90E-09
SG08S1006	rs7824868	C	128.481	1122	613	0.824	0.885	0.61	1.47E-06
SG08S1006	rs7824868	T	128.481	1122	613	0.176	0.115	1.64	1.47E-06
SG08S799	rs7017300	A	128.4819	1319	920	0.832	0.876	0.71	6.08E-05
SG08S799	rs7017300	C	128.4819	1319	920	0.168	0.124	1.42	6.08E-05
SG08S814	rs4498506	A	128.4856	1357	1025	0.181	0.117	1.67	9.23E-10
SG08S814	rs4498506	T	128.4856	1357	1025	0.819	0.883	0.60	9.23E-10
SG08S1044	rs4297007	A	128.4857	1350	1017	0.819	0.884	0.60	5.80E-10
SG08S1044	rs4297007	G	128.4857	1350	1017	0.181	0.116	1.68	5.80E-10
SG08S1030	rs11992171	A	128.4865	1344	1018	0.804	0.875	0.59	5.40E-11
SG08S1030	rs11992171	C	128.4865	1344	1018	0.196	0.125	1.70	5.40E-11
SG08S990	rs13235059	A	128.4872	1350	1016	0.169	0.105	1.73	3.18E-10
SG08S990	rs13235059	G	128.4872	1350	1016	0.831	0.895	0.58	3.18E-10
SG08S991	rs11986220	A	128.4883	1348	602	0.166	0.096	1.87	3.35E-09
SG08S991	rs11986220	T	128.4883	1348	602	0.834	0.904	0.54	3.35E-09
SG08S911	rs11988857	A	128.4885	1340	1017	0.821	0.888	0.58	1.32E-10
SG08S911	rs11988857	G	128.4885	1340	1017	0.179	0.112	1.72	1.32E-10
SG08S836	rs10090154	T	128.4887	1288	998	0.169	0.109	1.66	6.58E-09
SG08S836	rs10090154	C	128.4887	1288	998	0.831	0.891	0.60	6.58E-09
SG08S1071	rs7824776	C	128.49	918	927	0.169	0.109	1.65	1.73E-07
SG08S1071	rs7824776	T	128.49	918	927	0.831	0.891	0.61	1.73E-07
SG08S807	rs4599771	A	128.4907	1172	949	0.824	0.882	0.63	1.05E-07
SG08S807	rs4599771	G	128.4907	1172	949	0.176	0.118	1.60	1.05E-07
SG08S831	rs4531012	A	128.4909	1347	1027	0.825	0.886	0.61	4.62E-09

SG08S831	rs4531012	G	128.4909	1347	1027	0.175	0.114	1.64	4.62E-09
SG08S1067	rs9656967	A	128.4915	1104	883	0.821	0.887	0.59	5.76E-09
SG08S1067	rs9656967	T	128.4915	1104	883	0.179	0.113	1.71	5.76E-09
SG08S810	rs9656816	A	128.4918	1131	897	0.844	0.904	0.58	1.68E-08
SG08S810	rs9656816	G	128.4918	1131	897	0.156	0.096	1.73	1.68E-08
SG08S838	rs12548153	T	128.4919	1120	896	0.626	0.589	1.17	0.0150
SG08S838	rs12548153	C	128.4919	1120	896	0.374	0.411	0.85	0.0150
SG08S839	rs12545648	C	128.492	1112	891	0.166	0.108	1.65	8.24E-08
SG08S839	rs12545648	T	128.492	1112	891	0.834	0.892	0.61	8.24E-08
SG08S847	rs12542685	A	128.4942	1226	992	0.594	0.559	1.15	0.0199
SG08S847	rs12542685	T	128.4942	1226	992	0.406	0.441	0.87	0.0199
SG08S832	rs7837688	G	128.4958	1348	1023	0.837	0.895	0.60	7.54E-09
SG08S832	rs7837688	T	128.4958	1348	1023	0.163	0.105	1.66	7.54E-09
SG08S930	rs13256658	C	128.4962	1221	952	0.616	0.578	1.17	0.0111
SG08S930	rs13256658	T	128.4962	1221	952	0.384	0.422	0.85	0.0111
DG8S1769	n.a	0	128.50139	1275	953	0.833	0.890	0.61	4.13E-08
DG8S1769	n.a	A	128.50139	1275	953	0.167	0.110	1.63	4.13E-08
SG08S828	rs4543510	A	128.5022	1217	940	0.274	0.220	1.34	4.89E-05
SG08S828	rs4543510	G	128.5022	1217	940	0.726	0.780	0.75	4.89E-05
DG8S1407	n.a	0	128.50346	1368	905	0.726	0.780	0.75	3.85E-05
DG8S1407	n.a	-1	128.50346	1368	905	0.273	0.220	1.33	4.85E-05

Alleles for the markers at 8q24.21 are shown and the corresponding numbers of cases and controls (N), allelic frequencies of variants in affected and control individuals, the relative risk (RR) and two-sided P values. Values of RR greater than one indicate at-risk variants, while RR-values less than one indicate protective variants. All these markers can be used as surrogate markers to detect the association to prostate cancer in the region on Chr8q24.21.

*The CEPH sample (Centre d'Etudes du Polymorphisme Humain, genomics repository, CEPH sample 1347-02) is used as a reference for microsatellite alleles, the shorter allele of each microsatellite in this sample is set at 0 and all other alleles in other samples are numbered in relation to this reference.
n.a. Not applicable for microsatellite markers

Overall, 53 SNPs and 6 microsatellites from the LD block that also contains DG8S737 were genotyped. These loci captured most of the haplotype diversity in the LD block according to the Utah CEPH (CEU) HapMap data (Phase II, release 19). A total of 37 of the 53 SNPs were significantly associated with prostate cancer ($P < 0.001$), with allele A of SNP rs1447295 showing the strongest association ($RR = 1.72$, $P = 1.7 \times 10^{-9}$) (Table 10). Sixteen of the SNPs belong to the same equivalence class ($r^2 = 1$) as rs1447295 in the CEU HapMap sample, and therefore showed comparable association results.

In the Icelandic samples, allele -8 of DG8S737 and allele A of rs1447295 were substantially correlated ($r^2 \approx 0.5$). After typing the DG8S737 marker in the CEU HapMap sample, it was found that the correlation was lower there ($r^2 \approx 0.3$), but still no other SNP in HapMap (Phase II) had a higher correlation (Table 13). In other words, the SNPs that were most associated with allele -8 of DG8S737 are also those most associated with prostate cancer.

Replication in Two Cohorts of European Ancestry

Replication of this association using the markers DG8S737 and rs1447295 was performed in a Swedish cohort of 1435 unrelated prostate cancer patients and 779 population-based controls, and a cohort of 458 European American patients and 247 controls from Chicago. In both cohorts the frequency of the DG8S737 -8 allele was significantly higher in patients than controls, with a RR of 1.32 ($P = 0.013$) and 2.10 ($P = 0.0029$) for the Swedish and European American cohorts, respectively. A similar outcome was obtained for the rs1447295 A allele (Table 14), indicating that the variants initially identified in the Icelandic cohort are likely to be associated with increased risk of prostate cancer in most populations of European ancestry.

To investigate the risks of the DG8S737 -8 and rs1447295 A alleles jointly (Gretarsdottir, S. *et al.*, *Nat. Genet.* 35:131-8 (2003)), chromosomes were partitioned into three groups: i) Chromosomes that carry the DG8S737 -8 allele and either rs1447295 allele (the vast majority carry the A allele) (-8 & A/G); ii) Chromosomes with the rs1447295 A allele and any allele of DG8S737 other than allele -8 (referred to as X) (X & A); and iii) Chromosomes that carry neither the -8 allele nor the A allele (X & G). Combining the data from the three cohorts using a Mantel-Haenszel model (Mantel, N. and Haenszel, W., *J. Natl. Cancer Inst.* 22:719-48 (1959)), the risk of (-8

& A/G) relative to (X & G) was estimated to be 1.61 ($P = 5.9 \times 10^{-11}$). The estimated risk of (X & A) relative to (X & G) was substantially lower at 1.27 but significant ($P = 0.0088$). Since neither the DG8S737 -8 nor the rs1447295 A alleles by themselves can fully explain the risk profile, there may be multiple functional variants in the region, or these alleles are both in strong, but imperfect, LD.

Replication of the At-risk Variant and Greater Population Attributable Risk in an African-American Cohort

A third replication study, in an African American cohort with 246 prostate cancer patients and 352 controls, was undertaken to determine whether the variants identified above are also associated with prostate cancer in a group with high incidence of the disease. Furthermore, if this were the case, it was postulated that the greater genetic diversity in African Americans, resulting from a large proportion of African ancestry, would provide more resolution to pinpoint the location of the unknown risk variant. This assumption was supported by an analysis of the region spanning the 92kb LD block in the Nigerian Yoruba (YRI) HapMap sample, which revealed both greater genetic diversity and weaker LD in this group among the SNPs that were highly correlated in the populations of European ancestry. Specifically, while 19 SNPs, including rs1447295, are in the same equivalence class ($r^2 = 1$) in the CEU HapMap data (Phase II), these SNPs belong to 13 different equivalence classes in the HapMap YRI sample (Table 14). Consequently, in addition to DG8S737, the African American cohort was genotyped with 17 of the 19 equivalent SNPs (including rs1447295). Of the two omitted, one was perfectly correlated with two other SNPs that were genotyped, and the other was non-polymorphic in the YRI samples. The differences in allele frequencies between the YRI HapMap sample and the controls from the European ancestry cohorts raised the possibility that false positive or negative association results could be caused by differences in the distribution of European ancestry among the African American patients and controls. Therefore, to control for ancestry, genotyping was performed for a set of 30 microsatellites that are randomly distributed in the genome and informative for distinguishing between African and European ancestry. An analysis of these data with Structure (Pritchard, J.K. *et al.*, *am. J. Hum. Genet.* 67:170-81 (Epub 2000 May 26)) revealed no significant differences in European ancestry between patients and controls. Furthermore, association analyses performed with and without adjusting for ancestry

gave practically identical results (Helgadóttir, A. *et al.*, *Am. J. Hum. Genet.* 76:505-9 (Epub 2005 Jan 7); Pritchard, J.K. *et al.*, *Am. J. Hum. Genet.* 67:170-81 (Epub 2000 May 26)).

The frequency of allele -8 of DG8S737 was 23.4% in the African American prostate cancer patients and 16.1% in controls, with $RR=1.60$ ($P = 0.0022$, with adjustment for relatedness between some of the patients). The SNP that gave the lowest P -value was rs1447295, where the frequency of the A allele was 34.4% in patients and 31.3% in controls ($RR=1.15$), but the association was not significant ($P = 0.29$). These results indicate that DG8S737 -8 is either itself a functional variant or is very tightly associated with a presently unknown risk variant both in populations of European and African ancestry. In contrast, neither rs1447295 nor any of the other 16 SNPs were significantly associated with prostate cancer in the African American cohort (Table 14). Checking with the HapMap YRI data (Phase II), it was noticed that the three SNPs that have the strongest correlation with the -8 allele of DG8S737 there ($r^2=0.32$ to 0.34), were included in the 17 SNPs genotyped in the African American samples (Table 14). Even though the RR is similar in populations of African and European ancestry, the PAR in African Americans is considerably greater (16.8% vs 5.8-11%) because of the higher frequency of DG8S737 -8 in the former group. This higher frequency can be explained by the frequency of this allele in African populations e.g. in the YRI HapMap sample the frequency is 22.5%. This raises the possibility that the PAR of DG8S737 -8 may even be greater in African populations.

The DG8S737 marker is a dinucleotide AC repeat and the -8 allele derives from the fact that this allele is 8bp smaller than the smallest allele of CEPH sample 1347-02, which was used as a reference for microsatellite genotypes. Although DG8S737 exhibits a considerable range of allele sizes, a phylogenetic analysis indicates that it has a moderate mutation rate and that repeat sizes are strongly correlated with SNP background in the HapMap samples (FIG. 8). A median-joining network (Bandelt, H.J., Forster, P. & Rohl, *Mol Biol Evol* 16, 37-48 (1999)) describing the genealogical relationships between 136 distinct haplotypes inferred from the genotypes of 46 SNPs obtained from the HapMap project (*Nature* 437, 1299-320 (2005)) database (release 19) and one microsatellite, DG8S737. All these loci are contained within a ~30kb region (128,426,310-128,456,027, NCBI build 34) on chromosome 8. Haplotypes from the 60 Utah CEPH (CEU) parents with Northern and Western European ancestry, 60 Yoruban parents from Nigeria (YRI), 45 Chinese

individuals from Beijing and 44 Japanese individuals from Tokyo (HCB & JPT), used in the HapMap project are shown. Phased haplotypes were generated using the EM algorithm, in combination with the family trio information for the Utah and Yoruba samples (where the genotypes from the 30 children in each of the population samples were used to help infer the allelic phase of the haplotypes). Each mutationally distinct haplotype is represented by a filled circle, whose area reflects the combined number of copies observed in the four population groups. In cases where haplotypes were inferred to be present in more than one population, pie slices indicate the number of haplotype copies from each population. The lines between the circles indicate differences between the allelic states of haplotypes, with length proportional to the number of differences and the loci at which alleles differ indicated by labels. The lines represent the most likely mutational pathways between the haplotypes according to the principle of evolutionary parsimony underlying the median-joining algorithm. Mutational differences between haplotypes are shown as short perpendicular lines that cross the evolutionary pathways connecting haplotypes. In this case, mutational events are considered to be both point mutations at individual SNPs, stepwise mutations of the DG8S737 microsatellite and recombination events. Parallelograms in the network are shown when the temporal order of two or more mutation events could not be resolved.

The evolutionary stability (mutation rate) of a microsatellite is reflected by the extent to which repeat sizes are correlated with SNP haplotypes. Thus, a relatively stable microsatellite would be expected to exhibit similar allele sizes on the background of identical and closely related SNP haplotypes, with greater differences between more distantly related SNP haplotypes. In contrast, such a correlation would not be expected for a rapidly mutating microsatellite, where substantial differences in repeat size may be found on closely related SNP haplotypes and identical repeat sizes may be found on distantly related SNP haplotypes due to recurrent mutation events at the microsatellite. FIG. 8 clearly shows that closely related SNP haplotypes tend to have similar repeat sizes for the DG8S737 microsatellite and distantly related SNP haplotypes tend to have more divergent repeat sizes. The correlation was estimated between the number of SNP alleles that differed between all pairs of haplotypes and the number of DG8S737 repeats that differed between all pairs of haplotypes. Spearman's non-parametric correlation coefficient $\rho = 0.334$ with an empirical P-

value <0.00001 , based on the assessment of the correlation in 10,000 datasets where the microsatellite alleles were randomly assigned to the SNP haplotypes. This indicated a moderate mutation rate for the DG8S737 microsatellite, sufficient to generate a large number of different allele sizes, but insufficient to break down the correlation of repeat size with SNP haplotype background.

Table 14. Association of alleles at chromosome 8q24 to prostate cancer in Iceland, Sweden and the U.S.

Study population cases/N controls)	(N	Marker	Allelic Frequency					P value	PAR
			Allele(s)	Cases	Controls	RR			
<i>Iceland Cohort I^a</i>									
(869/596)		DG8S737	-8	0.134	0.080	1.79	3.0×10^{-6}	0.115	
<i>Iceland Cohort II</i>									
(422/401)		DG8S737	-8	0.124	0.076	1.72	1.8×10^{-3}	0.101	
<i>Iceland all</i>									
(1291/997)		DG8S737	-8	0.131	0.078	1.77	2.3×10^{-8}	0.110	
"		rs1447295	A	0.169	0.106	1.72	1.7×10^{-9}	0.137	
<i>Sweden</i>									
(1435/779)		DG8S737	-8	0.101	0.079	1.32	1.3×10^{-2}	0.058	
"		rs1447295	A	0.164	0.133	1.28	6.4×10^{-3}	0.070	
<i>European Americans</i>									
<i>Chicago</i>									
(458/247)		DG8S737	-8	0.082	0.041	2.10	2.9×10^{-3}	0.084	
"		rs1447295	A	0.127	0.081	1.66	6.7×10^{-3}	0.099	
<i>African Americans</i>									
<i>Michigan</i>									
(246/352)		DG8S737	-8	0.234	0.161	1.60	2.2×10^{-3}	0.168	
"		rs1447295	A	0.344	0.313	1.15	0.29	0.089	

Alleles for the markers DG8S737 and rs1447295 at 8q24.21 are shown and the corresponding numbers of cases and controls (N), allelic frequencies of variants in affected and control individuals, the relative risk (RR), two-sided P values and population attributable risk (PAR).

^a Individuals are unrelated at 3 meioses

Analysis of the Multiple Cohorts

Table 15 shows the LD characteristics of DG8S737 -8 allele and 19 other SNPs that belong to the same equivalent class as SG08S717/rs1447295 in HapMap CEU, Iceland, HapMap Yorubans (YRI) and African Americans from the FMHS and PCGP studies at the University of Michigan. Markers in this block structure are also in moderate correlation (r^2 below 0.2) with more distant markers up to 200 kb away (including markers at 128515000 bps (rs7845403, rs6470531 and rs7829243) and markers around 128720000 bps (rs10956383 and rs6470572) in the area of the PVT1 gene).

Table 15A: LD characteristics, in the populations studied, of the -8 allele of DG8S737 and the 19 SNPs belonging to the equivalent class of A allele of rs1447295 in HapMap Caucasians (CEU).

Marker	Allele	Location ^a	Populations									
			CEU					Iceland				
			-8	A	All	-8	A	-8	A	All	-8	All
			D'	r ²	D'	r ²	D'	D'	r ²	D'	r ²	freq ^c
DG8S737	-8	128433096	1.00	1.00	0.72	0.29	0.04	1.00	0.85	0.52	0.13	0.08
rs6470519 ^d	A	128440812	0.72	0.29	1.00	1.00	0.07	0.82	0.98	0.96	0.17	0.11
rs7818556	G	128440988	0.72	0.29	1.00	1.00	0.07	0.84	0.99	0.99	0.17	0.11
rs1447295	A	128441627	0.72	0.29	1.00	1.00	0.07	0.85	1.00	1.00	0.17	0.11
rs10109700	A	128442553	0.72	0.29	1.00	1.00	0.07	0.85	1.00	0.99	0.17	0.11
rs7826179	T	128445788	0.72	0.29	1.00	1.00	0.07	Nd				
rs9643226 ^d	C	128451070	0.72	0.29	1.00	1.00	0.07	0.83	0.99	0.97	0.17	0.11
rs1447296	T	128451948	0.72	0.29	1.00	1.00	0.07	0.82	0.99	0.95	0.17	0.11
rs10808558 ^d	A	128457739	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.97	0.17	0.11
rs7832031	A	128473541	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.96	0.17	0.11
rs4242382	A	128474162	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.94	0.17	0.11
rs4314621	G	128474604	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.96	0.17	0.11
rs4242384	C	128475143	0.72	0.29	1.00	1.00	0.07	0.84	0.98	0.96	0.17	0.11
rs7812429	A	128476762	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.96	0.17	0.11
rs7812894	A	128477068	0.72	0.29	1.00	1.00	0.07	0.85	0.98	0.96	0.17	0.11
rs7814837	T	128478791	0.72	0.29	1.00	1.00	0.07	0.84	0.98	0.95	0.17	0.11
rs4582524	G	128485024	0.72	0.29	1.00	1.00	0.07	Nd				
rs13255059	A	128487205	0.72	0.29	1.00	1.00	0.07	0.82	0.98	0.96	0.17	0.11
rs11986220	A	128488278	0.72	0.29	1.00	1.00	0.07	0.78	0.90	0.72	0.17	0.10
rs10090154	T	128488726	0.72	0.29	1.00	1.00	0.07	0.83	0.98	0.94	0.17	0.11

Shown are SNPs that have r² of 1.00 or greater to rs1447295 in HapMap CEU samples. LD characteristics are given for HapMap Caucasians (n=60), Icelanders (n=2288), HapMap Yorubans from Nigeria (YRI) (n=60) and African American from Michigan (n=598). Nd: not done; Np: not polymorphic. All freq = allelic frequency.

^aBuild34

^bcases

^ccontrols

^dThese SNPs showed the strongest correlation with the -8 allele of DG8S737 in the HapMap YRI data (Phase II)

Table 15B. LD characteristics, in the populations studied, of the -8 allele of DG8S737 and the 19 SNPs belonging to the equivalent class of A allele of rs1447295 in HapMap Caucasians (CEU).

Marker	Allele	Location ^a	Populations											
			YRI						Michigan					
			-8		A		All	-8		A		All		
			D'	r ²	D'	r ²	freq	D'	r ²	D'	r ²	freq ^b	freq ^c	
DG8S737	-8	128433096	1.00	1.00	0.62	0.21	0.22	1.00	1.00	0.48	0.12	0.23	0.16	
rs6470519 ^d	A	128440812	0.60	0.34	1.00	0.56	0.21	0.41	0.17	0.97	0.44	0.20	0.18	
rs7818556	G	128440988	0.74	0.31	1.00	0.93	0.34	0.62	0.17	0.99	0.89	0.37	0.33	
rs1447295	A	128441627	0.62	0.21	1.00	1.00	0.34	0.48	0.12	1.00	1.00	0.34	0.31	
rs10109700	A	128442553	0.56	0.20	1.00	1.00	0.29	0.48	0.12	1.00	1.00	0.34	0.31	
rs7826179	T	128445788	Np						Nd					
rs9643226 ^d	C	128451070	0.76	0.33	1.00	0.32	0.14	0.68	0.22	1.00	0.23	0.10	0.10	
rs1447296	T	128451948	0.46	0.20	1.00	0.51	0.21	0.40	0.13	0.93	0.33	0.16	0.15	
rs10808558 ^d	A	128457739	0.80	0.32	0.78	0.16	0.12	0.57	0.14	0.88	0.15	0.08	0.09	
rs7832031	A	128473541	1.00	0.01	1.00	0.02	0.04	0.09	0.00	0.13	0.00	0.05	0.04	
rs4242382	A	128474162	0.03	0.00	0.04	0.00	0.33	0.02	0.00	0.01	0.00	0.34	0.32	
rs4314621	G	128474604	0.25	0.05	0.28	0.03	0.18	0.21	0.03	0.41	0.06	0.13	0.15	
rs4242384	C	128475143	0.25	0.05	0.29	0.03	0.18	0.18	0.03	0.35	0.05	0.16	0.17	
rs7812429	A	128476762	0.36	0.05	0.22	0.01	0.11	0.21	0.02	0.26	0.01	0.08	0.08	
rs7812894	A	128477068	0.23	0.04	0.25	0.03	0.18	0.13	0.02	0.32	0.05	0.19	0.19	
rs7814837	T	128478791	0.30	0.04	0.18	0.01	0.10	0.19	0.01	0.24	0.01	0.09	0.08	
rs4582524	G	128485024	1.00	0.02	1.00	0.04	0.07	Nd						
rs13255059	A	128487205	1.00	0.02	1.00	0.04	0.07	0.03		0.47	0.01	0.06	0.04	
rs11986220	A	128488278	1.00	0.02	1.00	0.04	0.08	0.05	0.00	0.41	0.00	0.05	0.04	
rs10090154	T	128488726	0.09	0.01	0.14	0.01	0.18	0.14	0.02	0.27	0.03	0.19	0.17	

Shown are SNPs that have r² of 1.00 or greater to rs1447295 in HapMap CEU samples. LD characteristics are given for HapMap Caucasians (n=60), Icelanders (n=2288), HapMap Yorubans from Nigeria (YRI) (n=60) and African American from Michigan (n=598). Nd: not done; Np: not polymorphic. All freq = allelic frequency.

^aBuild34

^bcases

^ccontrols

^dThese SNPs showed the strongest correlation with the -8 allele of DG8S737 in the HapMap YRI data (Phase II)

It was found that the multiplicative risk model used for testing fit the data adequately for both populations of European and African ancestry. Thus, we have replicated the association seen in Icelandic prostate cancer patients and controls using the markers DG8S737 and SG08S717 (rs1447295) in a Swedish case control sample

Table 16: Comparison of the relative risk of DG8S737 -8 and rs1447295 A under the multiplicative model with that of model-free estimates of the genotype relative risks of the heterozygous- (0X), homozygous- (XX) and non-carriers (00).

N cases	Marker	Allele	Allelic RR	Genotype RR			p- value ^a
				0	0X	XX	
<i>Iceland</i>							
1291	DG8S737	-8	1.77	1	1.77	3.17	0.96
"	rs1447295	A	1.72	1	1.71	3.03	0.84
<i>Sweden</i>							
1435	DG8S737	-8	1.32	1	1.33	1.64	0.78
"	rs1447295	A	1.28	1	1.28	1.6	0.91
<i>European Americans- Chicago</i>							
458	DG8S737	-8	2.1	1	1.97	7.2	0.26
"	rs1447295	A	1.66	1	1.61	3.38	0.52
<i>African Americans - Michigan</i>							
246	DG8S737	-8	1.6	1	1.42	3.2	0.18
"	rs1447295	A	1.15	1	0.88	1.6	0.26

^aTest of the full model versus the multiplicative model

5 and in a

case control sample including of 458 European American patients and 247 controls from Chicago, U.S. Individuals that are homozygote carriers of the DG8S737 -8 allele or the rs1447295 A allele have an even higher RR than heterozygous carriers for all four populations studied as shown in Table 16 (XX genotype). Thus, individuals carrying two at risk alleles are at an even greater risk of developing prostate cancer than those carrying one at risk allele.

5 *At risk variant associates more strongly with aggressive prostate cancer*

It was next determined whether the at-risk variants associate more strongly with aggressive forms of prostate cancer as reflected by high Gleason scores. In all four patient-control cohorts, the frequency of DG8S737 -8 was significantly greater in

prostate cancer patients with combined Gleason scores of 7 to 10 than in controls (Table 17). The same is true for prostate cancer patients with Gleason scores of 2-6 compared to controls but the RR is higher in the Gleason 7-10 group compared to the Gleason 2-6 group. Moreover, the frequency of allele -8 was greater in patients with
5 high (7-10) compared to low (2-6) Gleason scores in all four case-control groups combined ($RR = 1.21$, $P = 0.02$) and the three European ancestry case-control groups combined, ($RR = 1.18$, $P = 0.07$).

Table 17. Association of alleles at chromosome 8q24 to high and low Gleason scores in Iceland, Sweden and the US.

Study population (N cases/N controls)	Marker	Allele	Cases	Controls	RR	P value	PAR
<u>Iceland</u>							
<i>Biopsy Gleason 7-10</i> (289/997)	DG8S737	-8	0.146	0.078	2.00	4.0×10^{-6}	0.141
"	rs1447295	A	0.179	0.106	1.84	7.3×10^{-6}	0.156
<i>Biopsy Gleason 2-6</i> (548/997)	DG8S737	-8	0.131	0.078	1.78	3.4×10^{-6}	0.112
"	rs1447295	A	0.170	0.106	1.73	6.7×10^{-7}	0.138
<u>Sweden</u>							
<i>Gleason 7-10</i> (625/779)	DG8S737	-8	0.107	0.079	1.41	1.1×10^{-2}	0.061
"	rs1447295	A	0.167	0.133	1.30	1.5×10^{-2}	0.075
<i>Gleason 2-6</i> (678/779)	DG8S737	-8	0.094	0.079	1.22	0.15	0.033
"	rs1447295	A	0.158	0.133	1.22	6.4×10^{-2}	0.055
<u>European Americans- Chicago</u>							
<i>Biopsy Gleason 7-10</i> (149/247)	DG8S737	-8	0.108	0.041	2.83	4.4×10^{-4}	0.135
"	rs1447295	A	0.151	0.081	2.03	2.7×10^{-3}	0.148
<i>Biopsy Gleason 2-6</i> (306/247)	DG8S737	-8	0.071	0.041	1.78	3.6×10^{-2}	0.061
"	rs1447295	A	0.116	0.081	1.50	5.1×10^{-2}	0.076
<u>African Americans – Michigan</u>							
<i>Biopsy Gleason 7-10</i> (112/352)	DG8S737	-8	0.273	0.161	1.96	3.3×10^{-4}	0.25
"	rs1447295	A	0.352	0.313	1.19	0.28	0.111
<i>Biopsy Gleason 2-6</i> (121/352)	DG8S737	-8	0.211	0.161	1.40	8.2×10^{-2}	0.116
"	rs1447295	A	0.341	0.313	1.14	0.43	0.079

Alleles for the markers DG8S737 and rs1447295 at 8q24.21 are shown and the corresponding numbers of cases and controls (N), frequencies of variants in affected and control individuals, the relative risk (RR), two-sided P values and population attributable risk (PAR). About 80% Swedish Gleason scores are from biopsy material and the rest from surgery.

Moreover, the frequency of allele -8 were greater in high Gleason patients (7-10) than in low Gleason patients (2-6) in all four cohorts (combined, odds-ratio = 1.22, $P = 0.020$). An analysis of 510 Icelandic men diagnosed with benign prostatic hyperplasia (BPH), but not prostate cancer, showed no significant excess of either allele -8 of
 5 DG8S737 or allele A of rs1447295 (Table 18) indicating that these variants only increase the risk of malignant prostate tumors, particularly the more aggressive forms.

Table 18. Association of alleles at chromosome 8q24 to benign prostatic hyperplasia (BPH) in Iceland.

Study population (N cases/N controls)	Marker	Allele(s)	Allelic Frequency		RR	P value	PAR
			Cases	Controls			
BPH+ PrCa-							
(510/997)	DG8S737	-8	0.085	0.078	1.09	0.527	0.015
"	rs1447295	A	0.122	0.106	1.17	0.207	0.035

Alleles at 8q24.21 are shown and the corresponding numbers of cases and controls (N), allelic frequencies of variants in affected and control individuals, the relative risk (RR), P values and population attributable risk (PAR). Benign prostatic hyperplasia patients (BPH) were diagnosed on the basis of transurethral excision of the prostate (TURP), fine needle biopsies or excision of the prostate gland. Individuals are unrelated at 3 meioses. Controls used in this analysis were the same individuals as used in the association analysis for the Icelandic prostate cancer cohorts. BPH+PrCa- indicates individuals diagnosed with BPH but not prostate cancer.

10 *Functional characterization of the LD block including the at risk variant*

Since only the microsatellite allele showed significant association in the African American cohort and since the LD block containing this locus is smaller and is broken up into smaller units in African Americans (FIG. 9A-9C), it is possible that the region most likely to contain the functional variant can be narrowed down to
 15 positions 128.414-128.474Mb (NCBI build 34). This region contains one spliced EST (AW183883) and three single exon ESTs (BE144297, CV364590 and AF119310) in addition to a few predicted genes, but no known genes (Kent, W.J. *et al.*, *Genome Res.* 12:996-1006 (2002)). No microRNAs were detected within the block (Griffiths-Jones, S., *Nucleic Acids Res.* 32:D109-11 (2004)).

Expression analysis in various cDNA libraries confirmed the expression of the AW183883 EST but none of the other ESTs (see Materials and Methods above). Four different splice variants were identified from the AW183883 EST by 5' and 3' rapid amplification of cDNA ends (RACE) that were verified by RT-PCR and Northern blot analysis (FIG. 10). Two of these transcripts (1,5 kb), both harboring the AW183883 EST, were expressed in testis but not in spleen, thymus, prostate, ovary, small intestine, colon, peripheral blood leukocytes or prostate cell lines (data not shown). In contrast, the expression of the two other transcripts, harboring exons 6-8 were only detected in normal (0.6 kb transcript) and malignant prostate cell lines (0.6 and 0.9kb transcripts) (data not shown). The predicted ORFs for these transcripts did not show significant homology to known proteins. The microsatellite DG8S737 and the SNP rs1447295 are located in the intron between exons 4 and 5 (or 6) in the testis transcripts and 5' to the prostate specific transcripts (FIG. 10). It is conceivable that these markers or other markers in LD with these markers affect the splicing pattern of one or more transcripts in this region. It was noted that 8q24 is the most frequently gained chromosomal region in prostate tumors (Baudis, M. and Cleary, M.L., *Bioinformatics* 17:1228-9 (2001)). Gain in this region has been associated with aggressive tumors, hormone independence and poor prognosis (El Gedaily, A. *et al.*, *Prostate* 46:184-90 (2001)). To assess whether chromosomes carrying the DG8S737 - 8 allele were associated with increased genomic instability, a Southern blot analysis was performed, covering the 92kb LD region using germline and tumor DNA from prostate cancer patients that were carriers and non-carriers of the -8 allele. Only one tumor sample (non-carrier) out of 14 showed a polymorphic restriction pattern, but none was observed in germline DNA from either carriers or non-carriers (data not shown). Thus, it seems unlikely that the DG8S737 -8 germline variant is associated with rearrangement of the LD block A region.

Also of interest is the proximity of DG8S737 to the well-known oncogene *c-MYC*, at a distance of only ~270 kb (telomeric). However, no significant correlation was observed between SNPs located in the *c-MYC* gene and either prostate cancer risk or the risk variants identified in this study (data not shown). Nevertheless, it is possible that the risk variant acts to modify *c-MYC* regulation by predisposing to genomic instability or by altering long-range regulation of expression.

DISCUSSION

In summary, significant association of prostate cancer risk to the DG8S737 -8 and rs1447295 A alleles has been demonstrated in three cohorts of European ancestry (where the rs1447295 allele is perfectly correlated with alleles from at least 18 other nearby SNPs). Combining results from these cohorts gave an estimated RR of 1.59 ($P = 1.40 \times 10^{-10}$) for DG8S737 -8 and an estimated relative risk of 1.50 ($P = 1.62 \times 10^{-11}$) for rs1447295 allele A. Assuming population frequencies of 6.6% and 10.7% (averages from the three cohorts), the corresponding PAR are 7.4% and 9.9%, respectively, for these two markers. The association was replicated between prostate cancer and the -8 allele in an African American cohort with nearly identical relative risk (RR = 1.60, $P = 0.0022$). At this time, association was not demonstrated with any of the HapMap SNPs in this region in the African Americans.

The variants described herein were identified through a positional cloning approach, starting with linkage analyses. Genome-wide association could also have been used, using common SNPs either through rs1447295 or one of its LD equivalents. The result would remain highly significant even if it were necessary to adjust for the testing of hundreds of thousands of common SNPs. In contrast, if based only on SNPs contained in release 19 of the HapMap project, the analyses suggest that a genome-wide association study would not have captured this association signal in African American or African cohorts. This is because none of the existing HapMap SNPs are sufficiently correlated with the DG8S737 -8 allele in populations of African ancestry. Consequently, it is postulated that either the -8 allele itself confers the risk or some variant that is more closely correlated with the -8 allele than any of the current HapMap SNPs. If the latter hypothesis is true, then the reduced LD in African Americans indicates that the unknown variant is located within a 60kb region containing DG8S737. Of equal importance is the relatively high population frequency of the -8 allele in African Americans, which confers an estimated PAR of 16.8%. Thus, the frequencies of the -8 allele alone could produce a 14% greater incidence of prostate cancer in African Americans than in European Americans, and thereby partially account for the unusually high incidence of prostate cancer in African Americans.

It should also be noted that these at-risk variants described in relation to prostate cancer are also seen in higher frequencies in other forms of cancer (e.g., breast

cancer, lung cancer, melanoma). Table 19 shows that the -8 allele of DG8S737 and allele A of SG08S717 (rs1447295) increases the risk of invasive breast cancer, lung cancer and malignant cutaneous melanoma. Again, it should be noted that allelic frequencies are shown in all Tables, which are roughly one half of carrier frequencies.

Table 19. Association of alleles and haplotypes at chromosome 8q24 to melanoma, breast and lung cancer in Iceland.

Study population (N cases/N controls)	Marker	Allele	Allelic Frequency		RR	P value
			Cases	Controls		
<i>Cutaneous malignant melanoma</i> (410/997)	DG8S737	-8	0.091	0.065	1.43	0.010
"	rs1447295	A	0.096	0.078	1.26	0.060
<i>Invasive breast cancer (female)</i> (1504/997)	DG8S737	-8	0.078	0.065	1.22	0.039
"	rs1447295	A	0.090	0.078	1.17	0.063
<i>Lung cancer</i> (308/997)	DG8S737	-8	0.081	0.065	1.27	0.090
"	rs1447295	A	0.097	0.078	1.28	0.065

Alleles for the markers DG8S737 and rs1447295 at 8q24.21 are shown and the corresponding numbers of cases and controls (N), allelic frequencies of variants in affected and control individuals, the relative risk (RR) and one-sided P values.

Table 20 contains all known and described SNP markers, according to the NCBI database (db SNP 125), in the LD-block interval (128.414 – 128.506).

Table 20. All SNPs in the 92 Mb LD-block interval (128.414-128.506 Mb) from dbSNP 125 (A map of NCBI dbSNP Build 125)

rs-name	chromosome	location*	Source
rs7012462	8	128414279	dbSNP-125
rs6992697	8	128414405	dbSNP-125
rs10109622	8	128414740	dbSNP-125
rs10109723	8	128414827	dbSNP-125
rs6996874	8	128414898	dbSNP-125
rs4871791	8	128415233	dbSNP-125
rs13282506	8	128415714	dbSNP-125
rs6470517	8	128416993	dbSNP-125
rs7008786	8	128417319	dbSNP-125
rs7841228	8	128417467	dbSNP-125
rs10094059	8	128418196	dbSNP-125
rs10719294	8	128418485	dbSNP-125
rs11778417	8	128418666	dbSNP-125
rs11786281	8	128420006	dbSNP-125
rs10095746	8	128420075	dbSNP-125
rs10109068	8	128420108	dbSNP-125
rs28626202	8	128420942	dbSNP-125
rs28451337	8	128421776	dbSNP-125
rs9642878	8	128421857	dbSNP-125
rs11781420	8	128421931	dbSNP-125
rs9643221	8	128422076	dbSNP-125
rs7836345	8	128422269	dbSNP-125
rs7836468	8	128422360	dbSNP-125
rs10537650	8	128422444	dbSNP-125
rs11308268	8	128422866	dbSNP-125
rs10107830	8	128423213	dbSNP-125
rs11271796	8	128423228	dbSNP-125
rs7841264	8	128423403	dbSNP-125
rs7828855	8	128423577	dbSNP-125
rs9643222	8	128423694	dbSNP-125
rs9643223	8	128423753	dbSNP-125
rs13273993	8	128423809	dbSNP-125
rs7017671	8	128424343	dbSNP-125
rs10099905	8	128424523	dbSNP-125
rs10100179	8	128424672	dbSNP-125
rs3999784	8	128425358	dbSNP-125
rs13250306	8	128425382	dbSNP-125
rs12544220	8	128425504	dbSNP-125
rs3999771	8	128426087	dbSNP-125
rs10555137	8	128426179	dbSNP-125
rs6990480	8	128426297	dbSNP-125
rs11785452	8	128426310	dbSNP-125
rs10956372	8	128426845	dbSNP-125
rs7825928	8	128427197	dbSNP-125

rs7830306	8	128427574	dbSNP-125
rs7830412	8	128427630	dbSNP-125
rs7830530	8	128428007	dbSNP-125
rs7830776	8	128428079	dbSNP-125
rs7387447	8	128428265	dbSNP-125
rs10112657	8	128428269	dbSNP-125
rs10094871	8	128428558	dbSNP-125
rs1447293	8	128428909	dbSNP-125
rs1447292	8	128429231	dbSNP-125
rs4871796	8	128430114	dbSNP-125
rs6651169	8	128431273	dbSNP-125
rs921146	8	128431774	dbSNP-125
rs3999772	8	128432143	dbSNP-125
rs3999773	8	128432171	dbSNP-125
rs3999774	8	128432275	dbSNP-125
rs7825118	8	128432406	dbSNP-125
rs13250904	8	128433758	dbSNP-125
rs13251194	8	128433845	dbSNP-125
rs2121630	8	128434749	dbSNP-125
rs2166689	8	128434904	dbSNP-125
rs4871797	8	128435349	dbSNP-125
rs10095293	8	128436099	dbSNP-125
rs3956790	8	128436116	dbSNP-125
rs3999775	8	128436126	dbSNP-125
rs4871798	8	128436552	dbSNP-125
rs12545929	8	128436814	dbSNP-125
rs10089310	8	128437573	dbSNP-125
rs7819102	8	128437938	dbSNP-125
rs4871799	8	128439231	dbSNP-125
rs4871800	8	128439304	dbSNP-125
rs6981424	8	128439685	dbSNP-125
rs7001513	8	128439754	dbSNP-125
rs4871801	8	128440503	dbSNP-125
rs6986285	8	128440524	dbSNP-125
rs6986469	8	128440699	dbSNP-125
rs6470518	8	128440770	dbSNP-125
rs6470519	8	128440812	dbSNP-125
rs6470520	8	128440922	dbSNP-125
rs7818556	8	128440988	dbSNP-125
rs1447295	8	128441627	dbSNP-125
rs4871802	8	128442229	dbSNP-125
rs6993074	8	128442270	dbSNP-125
rs10109700	8	128442553	dbSNP-125
rs9297758	8	128443177	dbSNP-125
rs6984861	8	128443731	dbSNP-125
rs10610521	8	128443970	dbSNP-125
rs13363309	8	128444111	dbSNP-125
rs9692964	8	128444780	dbSNP-125
rs7387935	8	128444971	dbSNP-125
rs7357547	8	128445291	dbSNP-125
rs13259396	8	128445300	dbSNP-125
rs13260378	8	128445339	dbSNP-125
rs1597019	8	128445342	dbSNP-125
rs7826042	8	128445690	dbSNP-125

rs7826179	8	128445788	dbSNP-125
rs13364857	8	128445897	dbSNP-125
rs13268049	8	128445908	dbSNP-125
rs11991386	8	128447040	dbSNP-125
rs10956373	8	128447165	dbSNP-125
rs7836840	8	128448381	dbSNP-125
rs16902165	8	128448411	dbSNP-125
rs7831028	8	128448618	dbSNP-125
rs1992833	8	128448933	dbSNP-125
rs2290033	8	128449663	dbSNP-125
rs28455156	8	128449949	dbSNP-125
rs11989136	8	128450373	dbSNP-125
rs9643224	8	128450700	dbSNP-125
rs9643225	8	128450980	dbSNP-125
rs9643226	8	128451070	dbSNP-125
rs11775749	8	128451255	dbSNP-125
rs11994384	8	128451916	dbSNP-125
rs1447296	8	128451948	dbSNP-125
rs16902168	8	128452197	dbSNP-125
rs9643227	8	128452685	dbSNP-125
rs11995378	8	128453001	dbSNP-125
rs16902169	8	128453095	dbSNP-125
rs13253127	8	128453180	dbSNP-125
rs11988454	8	128453351	dbSNP-125
rs11992194	8	128453353	dbSNP-125
rs6985504	8	128453365	dbSNP-125
rs13258548	8	128453436	dbSNP-125
rs13258812	8	128453456	dbSNP-125
rs4871804	8	128454118	dbSNP-125
rs16902171	8	128454315	dbSNP-125
rs12679900	8	128454604	dbSNP-125
rs16902172	8	128454631	dbSNP-125
rs7844561	8	128455093	dbSNP-125
rs1447297	8	128455211	dbSNP-125
rs12548204	8	128455431	dbSNP-125
rs7830797	8	128455565	dbSNP-125
rs7831150	8	128456027	dbSNP-125
rs13248046	8	128456232	dbSNP-125
rs10635608	8	128456241	dbSNP-125
rs13281765	8	128456338	dbSNP-125
rs7831722	8	128456407	dbSNP-125
rs7835553	8	128456440	dbSNP-125
rs4871024	8	128456500	dbSNP-125
rs7835701	8	128456514	dbSNP-125
rs4871025	8	128456569	dbSNP-125
rs723555	8	128456688	dbSNP-125
rs10808558	8	128457739	dbSNP-125
rs10685130	8	128458342	dbSNP-125
rs10685131	8	128458343	dbSNP-125
rs10686475	8	128458351	dbSNP-125
rs10103005	8	128458410	dbSNP-125
rs11393439	8	128459027	dbSNP-125
rs7820229	8	128459172	dbSNP-125
rs7820579	8	128459258	dbSNP-125

rs7013517	8	128459443	dbSNP-125
rs6993832	8	128459872	dbSNP-125
rs6994142	8	128460075	dbSNP-125
rs16902173	8	128460588	dbSNP-125
rs17766217	8	128461086	dbSNP-125
rs16902175	8	128461247	dbSNP-125
rs4871806	8	128461725	dbSNP-125
rs7818817	8	128462254	dbSNP-125
rs7010066	8	128462851	dbSNP-125
rs16902176	8	128462924	dbSNP-125
rs1562435	8	128463046	dbSNP-125
rs12155672	8	128463613	dbSNP-125
rs12156128	8	128463780	dbSNP-125
rs1562434	8	128463908	dbSNP-125
rs1562433	8	128464039	dbSNP-125
rs1562432	8	128464191	dbSNP-125
rs1562431	8	128464240	dbSNP-125
rs12056473	8	128464511	dbSNP-125
rs1374626	8	128464584	dbSNP-125
rs1374625	8	128464650	dbSNP-125
rs12056788	8	128464661	dbSNP-125
rs11365782	8	128464669	dbSNP-125
rs4599773	8	128467013	dbSNP-125
rs4078241	8	128467729	dbSNP-125
rs12545487	8	128467881	dbSNP-125
rs4461869	8	128467959	dbSNP-125
rs4078240	8	128468152	dbSNP-125
rs13269895	8	128468547	dbSNP-125
rs7013850	8	128468613	dbSNP-125
rs28609791	8	128469167	dbSNP-125
rs7813015	8	128469646	dbSNP-125
rs6981321	8	128469894	dbSNP-125
rs4871807	8	128469920	dbSNP-125
rs5894886	8	128470115	dbSNP-125
rs4871808	8	128470134	dbSNP-125
rs7817835	8	128470790	dbSNP-125
rs4412338	8	128471606	dbSNP-125
rs11408392	8	128472364	dbSNP-125
rs11393128	8	128472372	dbSNP-125
rs28475136	8	128472373	dbSNP-125
rs7827428	8	128472636	dbSNP-125
rs7832031	8	128473541	dbSNP-125
rs10113577	8	128473620	dbSNP-125
rs4242382	8	128474162	dbSNP-125
rs4242383	8	128474349	dbSNP-125
rs4314621	8	128474604	dbSNP-125
rs4242384	8	128475143	dbSNP-125
rs9297759	8	128475760	dbSNP-125
rs7018386	8	128476546	dbSNP-125
rs7812429	8	128476762	dbSNP-125
rs7812894	8	128477068	dbSNP-125
rs4871026	8	128477366	dbSNP-125
rs4871027	8	128478096	dbSNP-125
rs10099413	8	128478652	dbSNP-125

rs7814837	8	128478791	dbSNP-125
rs28429692	8	128479233	dbSNP-125
rs10088308	8	128479503	dbSNP-125
rs9297760	8	128479761	dbSNP-125
rs11457275	8	128479847	dbSNP-125
rs7007540	8	128480229	dbSNP-125
rs7841251	8	128480910	dbSNP-125
rs7824868	8	128481003	dbSNP-125
rs7017300	8	128481857	dbSNP-125
rs13275830	8	128481950	dbSNP-125
rs6470525	8	128482127	dbSNP-125
rs12547874	8	128482221	dbSNP-125
rs6470526	8	128482480	dbSNP-125
rs7004374	8	128482574	dbSNP-125
rs7005343	8	128483167	dbSNP-125
rs7010165	8	128483880	dbSNP-125
rs9693113	8	128484019	dbSNP-125
rs4871809	8	128484144	dbSNP-125
rs7461151	8	128484319	dbSNP-125
rs6470527	8	128484420	dbSNP-125
rs6470528	8	128484956	dbSNP-125
rs10108673	8	128485002	dbSNP-125
rs4582524	8	128485024	dbSNP-125
rs4641026	8	128485122	dbSNP-125
rs4498506	8	128485622	dbSNP-125
rs4297007	8	128485705	dbSNP-125
rs4242385	8	128485818	dbSNP-125
rs11992171	8	128486522	dbSNP-125
rs13255059	8	128487205	dbSNP-125
rs10091869	8	128487417	dbSNP-125
rs13265719	8	128487617	dbSNP-125
rs11986220	8	128488278	dbSNP-125
rs11988857	8	128488462	dbSNP-125
rs10090154	8	128488726	dbSNP-125
rs5894887	8	128488745	dbSNP-125
rs10103849	8	128488956	dbSNP-125
rs4515512	8	128488988	dbSNP-125
rs7388005	8	128489259	dbSNP-125
rs7824776	8	128490031	dbSNP-125
rs7843031	8	128490062	dbSNP-125
rs4645527	8	128490582	dbSNP-125
rs4599771	8	128490819	dbSNP-125
rs4531012	8	128490950	dbSNP-125
rs13277027	8	128491016	dbSNP-125
rs9656967	8	128491176	dbSNP-125
rs9656816	8	128491243	dbSNP-125
rs12548153	8	128491281	dbSNP-125
rs12545648	8	128491344	dbSNP-125
rs7005132	8	128492224	dbSNP-125
rs4871810	8	128492949	dbSNP-125
rs13264091	8	128493043	dbSNP-125
rs11985949	8	128493373	dbSNP-125
rs13272543	8	128493517	dbSNP-125
rs12547606	8	128493842	dbSNP-125

rs12542685	8	128494172	dbSNP-125
rs11987811	8	128494732	dbSNP-125
rs7814251	8	128494806	dbSNP-125
rs11268643	8	128494962	dbSNP-125
rs8180905	8	128495413	dbSNP-125
rs9694093	8	128495737	dbSNP-125
rs7837688	8	128495949	dbSNP-125
rs13256658	8	128496050	dbSNP-125
rs7824118	8	128496937	dbSNP-125
rs10551941	8	128496952	dbSNP-125
rs13265998	8	128496973	dbSNP-125
rs13266000	8	128496975	dbSNP-125
rs10107263	8	128496987	dbSNP-125
rs13268425	8	128496989	dbSNP-125
rs13268712	8	128497079	dbSNP-125
rs13266351	8	128497100	dbSNP-125
rs12549761	8	128497365	dbSNP-125
rs4871811	8	128497463	dbSNP-125
rs4242386	8	128497682	dbSNP-125
rs7825823	8	128498506	dbSNP-125
rs28489376	8	128499033	dbSNP-125
rs7465074	8	128499382	dbSNP-125
rs11308570	8	128499734	dbSNP-125
rs11988556	8	128500924	dbSNP-125
rs7007196	8	128501145	dbSNP-125
rs6470529	8	128501401	dbSNP-125
rs11323753	8	128501468	dbSNP-125
rs11300434	8	128501591	dbSNP-125
rs10106375	8	128501959	dbSNP-125
rs6991990	8	128501972	dbSNP-125
rs4543510	8	128502208	dbSNP-125
rs7846178	8	128503193	dbSNP-125
rs11786789	8	128503317	dbSNP-125
rs5894888	8	128503510	dbSNP-125
rs11368434	8	128503511	dbSNP-125
rs11988207	8	128503749	dbSNP-125
rs7003169	8	128504149	dbSNP-125
rs4871812	8	128504310	dbSNP-125
rs7837009	8	128504410	dbSNP-125
rs4871813	8	128504531	dbSNP-125
rs12386846	8	128505038	dbSNP-125
rs13258742	8	128505267	dbSNP-125

*Location in bp and according to UCSC browser NCBI Build
34

Table 21 contains all microsatellite markers identified and tested by deCODE genetics in the LD-block interval on chromosome 8 (128.414 – 128.506).

Table 21. All Microsatellite Markers in the LD-block interval (128.414 – 128.506) from Decode Inhouse Microsatellite Markers track in the UCSC browser		
Name	Amplimer Start-End*	Primers
DG8S381	128415035-128415316	F: TGTTGAATTCATTCTCTAACCACTTC (SEQ ID NO:142) R: TGATCATGAAACAGTCAACGTCT (SEQ ID NO:143)
DG8S1000	128421282-128421645	F: GCCCACTGTCCAATTAAGGA (SEQ ID NO:144) R: TCTACAGCCTCACACCGAAG (SEQ ID NO:145)
DG8S1184	128421282-128421684	F: GCCCACTGTCCAATTAAGGA (SEQ ID NO:144) R: TGTGGGTTTACATGCCAGAA (SEQ ID NO:146)
DG8S1758	128425313-128425492	F: GATCCCACTCTGTCACTCCTTT (SEQ ID NO:147) R: TGGGTGCCTGTAGTCCTAGC (SEQ ID NO:148)
DG8S1434	128426022-128426425	F: CCACAGTGATTCCCACCTCT (SEQ ID NO:92) R: AGTGTGGCCAGGGATGTAG (SEQ ID NO:93)
DG8S1775	128429995-128430409	F: CTTGGCCTTGTTACAGGAG (SEQ ID NO:149) R: TTTCTATGGCAAGTTGCTGTTT (SEQ ID NO:150)
DG8S737	128433035-128433169	F: TGATGCACCACAGAAACCTG (SEQ ID NO:94) R: CAAGGATGCAGCTCACAACA (SEQ ID NO:95)
DG8S1759	128439725-128439956	F: AGGATGCACAAGCCTGATTT (SEQ ID NO:151) R: TTGGCCATAGCTCCAACCTC (SEQ ID NO:152)
DG8S1760	128441048-128441156	F: TCTCCAAATTCAGTTCTACTACTTT (SEQ ID NO:153) R: TTTCTCTTTCTGCTTTGTCTCTT (SEQ ID NO:154)
DG8S1772	128442434-128442652	F: AAATCTGGCCATCCTCCTCT (SEQ ID NO:155) R: AATCCTGTCCCAGGCAGAC (SEQ ID NO:156)
DG8S603	128447576-128447735	F: CCCTGAACTCAGGAACAAGC (SEQ ID NO:157) R: CAAAGCCGTGTCTTTCTTC (SEQ ID NO:158)
DG8S916	128450374-128450524	F: GGGATAGCCCATGGATAGGA (SEQ ID NO:159) R: TGAATTGTTGCACAAATAAAGG (SEQ ID NO:160)
DG8S1761	128452659-128453051	F: TTGAAATTGCAATCCCATCA (SEQ ID NO:96) R: CCTCCCTACTTATTCCTATGC (SEQ ID NO:97)
DG8S1090	128466777-128467062	F: TGGGAAGAATAAGAGGTCCAGA (SEQ ID NO:161) R: TCAGTTCAGCTGTCCAGCAA (SEQ ID NO:162)
DG8S1776	128469902-128470203	F: GGGCATAGTGCTTTCTGCTT (SEQ ID NO:163) R: TGATGCATTCTTTATTCTCCA (SEQ ID NO:164)
DG8S422	128475211-128475589	F: AAATGCAAGCAAAGCCAAAGT (SEQ ID NO:98) R: GCTCCACACACAGAGGTCAA (SEQ ID NO:99)
DG8S1768	128482506-128482838	F: CCAAGCTCTCTTCTGGCTTC (SEQ ID NO:165) R: TTGCATCCCATCTTTCCTTC (SEQ ID NO:166)
DG8S1777	128486146-128486367	F: TGGTGAAGGGACTCTTCCTG (SEQ ID NO:167) R: CCCATGGTAGAACTGGCAA (SEQ ID NO:168)
DG8S1773	128488657-128488789	F: TTCTCTCCAGATTGATACACAGC (SEQ ID NO:169) R: TGGCCATATAGTAAGCCTTGG (SEQ ID NO:170)
DG8S1764	128489121-128489371	F: TCCACCTATCCAAGCAACAA (SEQ ID NO:171) R: TGTAGTGATATGCCAATGTGGT (SEQ ID NO:172)
DG8S817	128493580-128493825	F: TTTCCAAACCAAGGTCAGATTT (SEQ ID NO:173) R: GCCCTGCTTCAGTGAATGTT (SEQ ID NO:174)
DG8S738	128493793-128493883	F: TCCATGCACAGAAACATTCA (SEQ ID NO:175) R: TCATTTATTACTTTGCATTGGCTTA (SEQ ID NO:176)
DG8S1503	128496744-128497027	F: CAGTCACGTAGAGAGCAGCAG (SEQ ID NO:177) R: CTGGGCCACAGAGTGAGAC (SEQ ID NO:178)
DG8S1502	128496756-128497097	F: GAGCAGCAGTAATCCCGAAT (SEQ ID NO:179) R: GGCAGAAGAATCGCTTGAAC (SEQ ID NO:180)

DG8S1504	128496803- 128497049	F: TGCACAGTATTTCTTTCCATTGTT (SEQ ID NO:181) R: GATCGCACCATTGCACTCTA (SEQ ID NO:182)
DG8S1185	128500590- 128501013	F: GCTCTTGGTGAAAGAGAGAAGG (SEQ ID NO:183) R: CAGTTCATGTTTCGGGAGGT (SEQ ID NO:184)
DG8S1769	128501385- 128501647	F: CCTCCCAAACACACAGAGTTG (SEQ ID NO:100) R: TGTTAAACCTAAGGGTTCCTTCC (SEQ ID NO:101)
DG8S350	128502740- 128503092	F: CTGCTCTCCTCTCAGCTTGC (SEQ ID NO:185) R: AAAGGCTCTCTTGATCATGTCC (SEQ ID NO:186)
DG8S1407	128503459- 128503695	F: CCAATAGCCTTCAATGTATCAA (SEQ ID NO:102) R: TGAGGAAGAGCCACAACAGA (SEQ ID NO:103)
*Start and stop of amplimer is in bp and according to the UCSC browser NCBI Build34		

Table 22. A protective haplotype consisting of markers/alleles:
rs12542685 allele T and rs7814251 allele C

p-value	RR	Count Aff	Aff Freq.	Count Ctrl	Ctrl Freq
0.00015	0.7504	1280	0.194	995	0.242

5 The teachings of all relevant publications cited herein are incorporated herein
by reference in their entirety. While this invention has been particularly shown and
described with references to preferred embodiments thereof, it will be understood by
those skilled in the art that various changes in form and details may be made therein
without departing from the scope of the invention encompassed by the appended
10 claims.

07 Feb 2012

2006248591

Claims

1. A method of diagnosing a susceptibility to prostate cancer in a subject, comprising detecting *in vitro* a marker allele or haplotype within SEQ ID NO:1, wherein the presence of the marker allele or haplotype is indicative of a susceptibility to prostate cancer.
2. A method for diagnosing a susceptibility to prostate cancer in a subject, comprising analyzing a nucleic acid sample obtained from the subject for the presence of at least one marker or haplotype within SEQ ID NO:1, wherein the presence of the marker or haplotype is indicative of increased susceptibility to prostate cancer.
3. The method of Claim 1 or 2, wherein the marker or haplotype is one or more markers or haplotypes selected from the group consisting of the markers in Table 20.
4. The method of any one of the preceding claims, wherein the marker or haplotype is a marker selected from the group consisting of the markers in Table 13.
5. The method of Claim 4, wherein the marker or haplotype comprises one or more markers selected from the group consisting of the markers in Table 13 having a relative risk of greater than one.
6. The method of any one of the preceding claims wherein the marker allele or haplotype is the rs1447295 A allele or the DG8S737 -8 allele.
7. The method of any one of the preceding claims wherein the marker or haplotype has a relative risk of at least 1.5.
8. A method for diagnosing an increased risk of prostate cancer in a subject, comprising screening for a marker allele or haplotype within SEQ ID NO: 1, in a sample from the subject, wherein the marker allele or haplotype is more frequently present in a subject having prostate cancer than in a subject not having prostate cancer, and wherein the presence of the marker allele or haplotype increases the risk of the subject having prostate cancer.
9. The method of any one of the preceding claims wherein the prostate cancer is an aggressive prostate cancer as defined by a combined Gleason score of 7(4+3)-10.

10. The method of any one of the claims 1 to 8 wherein the prostate cancer is a less aggressive prostate cancer as defined by a combined Gleason score of 2-7(3+4).
11. The method of any one of the preceding claims wherein the presence of the marker or haplotype is indicative of a more aggressive prostate cancer, a worse prognosis, or a combination thereof.
12. The method of Claim 11 wherein the presence of the A allele in rs1447295 is indicative of a more aggressive prostate cancer, a worse prognosis, or a combination thereof.
13. A method of diagnosing an increased risk of prostate cancer in a subject, comprising detecting in a sample from the subject marker rs1447295, wherein the presence of an A allele in rs1447295 is indicative of an increased risk of prostate cancer.
14. A method of diagnosing a decreased susceptibility to prostate cancer in a subject, comprising detecting *in vitro* the haplotype shown in Table 22, wherein the presence of the haplotype is indicative of a decreased susceptibility to prostate cancer.
15. A method of diagnosing a decreased susceptibility to prostate cancer in a subject, comprising detecting *in vitro* a marker allele shown in Table 13 having a relative risk of less than one, wherein the presence of the marker allele is indicative of a decreased susceptibility to prostate cancer.
16. A method of diagnosing an increased susceptibility to prostate cancer in a subject , comprising detecting *in vitro* a marker allele shown in Table 13 having a relative risk of greater than one, wherein the presence of the marker allele is indicative of an increased susceptibility to prostate cancer.
17. The method of any of the Claims 1 to 3 or 5 to 7 or 9 to 11, wherein the presence of the marker allele or haplotype is indicative of a predisposition to a somatic rearrangement of Chr8q24.21 in a tumor or its precursor.
18. The method of Claim 17 wherein the somatic rearrangement is selected from the group consisting of an amplification, a translocation, an insertion and a deletion.
19. The method of any of the Claims 2, 3, 5 to 7 or 9 to 11 or 18, wherein the marker or haplotype comprises one or more markers within SEQ ID NO:1 in strong linkage

disequilibrium, as defined by ($|D'| > 0.8$) and/or $r^2 > 0.2$, with one or more markers selected from the group consisting of the markers in Table 13.

20. A method according to any of claims 1, 2, 8, 13 or 14 to 16, substantially as hereinbefore described.




FIG. 1: A linkage scan of chromosome 8 showing a genome wide significant LOD score of 4.0 on 8q24

2/41




FIG. 2: Association analysis of haplotypes on Chr8q24 to prostate cancer




FIG. 3A Hapmap LD structure – equivalent intervals




FIG. 3B Hapmap LD structure – actual positions




FIG. 4: Icelandic LD structure – equivalent intervals




FIG. 5: Known genes in area of haplotype

7/41

>hg16_dna range=chr8:128414000-128506000 NCBI Build 34
TCTTTGACAAATAAATTAGCATACCTAGAAGGAAGCCAGATGCTATTCCA
TTAAGACAATGGAAGAATGACACCAAAGTCATTTCAAAGATCTTGGAAGC
CGCCACTCTCATACAGGCTCAGAGTGCCAGGGCCCTGAAGGCAGAACAA
TTTCATAGGTGGTACCTTGAGGCTTCATCACCAGGACTGCCTCAGGCTT
CTGCTCCACTCATTCTGGCCCAACACTCTTTGTCTGTTGCAGCTGTAGAT
CCTCAAGTGCACCCAGGTGTGGTTCAAAGTGCTAGTCCGGAGAGCATGAG
GTAAACCCTTGGCAGCATCCATGTGGTGCTAACTGAGCAAATGCTCAGAGT
GCGTGAGCTAAGCAGGCATGGCTACCTCCTCCTCGATTTAAAAGGATGCT
TATGAGAGCCTTGGGGCGTAGGCAGAGAACTGTACAGTGGCAGGGCTAC
CACAGATAGCCCCCTACTAGGGCAATGCTTAGTGGGGCAGGGCCACTCCT
GAGACCCCCCAGCCTGTGCAGCCACCAGCATGCAATGCCAGCCTGCAAGA
ATAACAGGTATGTGACTCCAACCTGTGAAAGCTGCAGCATAAGCCGCGCC
TAGCAAAGCCACGGGGATGAGGCTGCCCAGAGTCTTGTGGGGACCAACC
ATATACCAGTGTGTCAAGTAGTCAGGAATGGAGTCAAATAAAATTATTTT
CAGTCTCCATATTTGAGTGTATTTGCCTTGTGGGTTTCGAATGGGAG
TGAGACCTATTACTCCTTTCTTTCTTTCTATTTTTTTCCCTTTTGAATG
GGAATATCCATCCTATGCCTGTCCCACCACTGCATTTGAAGCACATAATA
AAATGTATTCTATTCTATCCCAATAATTCCAAAAATCTTAATTAATCCAAC
ATCAACTTTAACTTATAAATCTAGAGTATCATCTAAGTATCATCTAAATC
AGATATGGGGGAATTCTTCTCCAGCAGTCTGCAAAATCTGACAAGATATA
GATATCTATATGTCCACATACGTAACCTATAACTATCTGTTGAATTCATT
TCTAACCACTTCTATCAAGTCACTGTGCTAAAACTTCTTACTTAATGCTC
ATTAGTGTTACACACACACACACAAAGACACACACACAAAGACACACA
CACTTGCTGCTAGATTTTACTCTCTTGGTGGATTTTACTCTCTTGCTGCT
AGATAAGGGGTACCTAATGCAAGATGTACCTATCTTAGAGTTTGCACATC
ATCTGCATTATTGAACGTAAAGTAAAAGCCAAATGAGGGAAAAGAGACGT
TGACTGTTTCATGATCATTTGTCTTACCTGAAACAATTAGGAAGTCACCGT
TCAGCTTTGCAGGCTATGTAATTGTCTATATCATGAATGGCTGATAAGG
GGTTGAATCTGTGAGGTTTTCCCATAGAGGAAAGGAAATACTGATTCTC
ACTTTAGCCCAACAGCAGTTGTCTCTAACTCACCCAAACTGCTGAGAAGAA
CTTAAGAACTATTTTACTGTGCTCTTTTCTTATTTATTTATTTAGAGAC
AGAGTCACATTCTGTACCCAGGCTGGAGTGCAGTGGCGATCTCGCCTCA
CTGCAACCTCTGCCTCCTGGGTTCCAGGTGATTCTCCTGTCTCAGCCTCCC
TAATAGCTGGGATTACAAGCATGCACCACCATGCCAGCTAATTTTTGTGTA
TTTTTAGAAGATATGAGGTTTTGTCTGTGCGCCAGGCTGCTCTCAAACCT
CCTGGTCTCGTGATCCACCTTCCTCAGCCTCCCAAAGTGCTGGAATCACA
GGCATGAGCCACCGCACCCAGCCTTTAAGAGCTATTTTATTTCCAATGCA
GAATGGAACCTCAACACCATCATGGATGAGTTCAGATTCTATAAGACTTT
AGGCCTACAGCGGACATCAGACACAATCTAACTGAGCTCCTTCACTGTAG
AGATGTGGGAAAGGAGGCCCAAGATAGGAAAGAGACTTGCCCAAGGCCAC
ACATCTGGTTAATGGAGAACAAGAGACAATACTCATTTCTCCCAACCACC
ATGCCAGTGGGAGTTCCAGGTCCACCCTGCCTGAGAGCTTCATGACCACC
TCCAAGATGGCCCCAACGCTGCCCTTCAAAGGGGTGAGTACCTGGGCAAT
CTGATGGTGAATTCATTAGAGGTGAAATAAATGCTTATAAAAGGGAAAAAT
GGAGACTTGTAATTCTACCTCTTGATTCTAAGAAATCCTTTTATTGGGTC
TAGAGTGTTCAATAATCTCTATAATTTGAAAAATTGAACAGCACAGTTTTT
TATGAACAAGTGCAAAAACGGGGTCAGAAGTCAGGAAAATTGTAAAGATG
GGATGTGACATTGCTGCTTCCCAATCTTTACCTACAAAACCTCTCCTTG
CTCTCTTCCATTCTATCAAATCCTAGTCTCAGACTATTCAATTTACACTAA
GATGTAAATGACTGACAGCAAAGTGGCCACTTTCAGGGGCATTTGGAGAC
AAAGGGATGACATTGCGATTATTGACCTATCACACTGGGGATATCAGAGC
CAGAGAGAAGACGTGGAGTCTGAAAAGAAAAGCTGTTCCACACAAAGA
ATTATCCAGCCCTAAATATCCATAGTGCAGAGGTTGAGATATCCTGCTCT
GGGTTACAGAAAGTTGCATAAATTCCTAGCATGAATCATCAGGTGGGCAC
CTTGAGAGCAATCTGCCATCTCCACAACCTTTGTACCTTTGCCTTTTTTTC
CAAAAAGAAAGGGTCTAACCAACCATGCTTATGACCAGCCTCAGCCTCC
CATCAACTGGCACCATTGGCATCCTGGCCCTTGTGTGCTGCACAGTGCC
TGCTACACACTTTTCATTAAAGTAACCTCTCAACCTTACAATAATTACAGGGAA
AGGAGACAGTATTGTTATTCTATACCCACATACAAAGAAACAAAGAAGGA
GGCAATTTACCAGGTTTTTACAGGGAGGAAGAGGAAGGGTCAGAATTCCA

FIG. 6A1

8/41

ATCCAGACTGATCCTAGCTCCAGAACTAACTATCACACTATCACACTT
CAGACAGGAGTGCAGATTATCAAACACTAACTATTTTAAGAAATGTTTCAG
GGGCGGAGCAAGAGCACAGGTGCCATCCAGTGCTGTTTGTGGAGAGGAGG
TATTCGGAGGCCACAACGTAGGGCAAGGCATTTCTTCCTAGGCTGGGTAT
GATAGGTTAGAATAATGGCTCCCCCAAAGATGTCCACATCTTAACCCCTGT
AACCTGTGACTATTACCTTACACCATGAAAGTGACTTTGCAGATGTGATT
GAATTAAGTGCCCTGAGTTGGGGAGATTTTCTTGAAGAATCAGGAGGGC
TGCAATGGAATCACAAGGGCCCTTATAAGAGGGAGGCAGGAGAGTCAGAGT
CAGAGGAGGTGTGAGGATGGAAGCAGAAATTTGTAGGGGTATGGGCGAGAA
GCCAAGGAATGCAGATGACCTCTAGAAGCCGGAGAAGCAAAATGGATTCT
CTCCCAGAGTCTCACAAGGAGTGCAGTCTGTGAACACCTTGATCTTAGC
CCAGTGAAGCTGATTTCCAGCTTCAGACCTCCAGGACTTTAATGATAATA
AATTTGTGTTGTTTTTCAGCCACCAAGTGTGCAATAATTTGTTATGGAAT
CACAGGAAGCTAATATATGAGGATTGCTACATAAAGTATAGAACACACAG
TCCAACCTGAACTTCAGATAAACATCAAATAATTTTCTAGTATGAGCATG
CTCCATGCAATATTATGTGTCTGTATTTTCATTTGCTAAAACCTGGTAG
CCCTAACCCGGCTTCCCCCTCCCACTCAGCCCCTGCATCCCCAAAGCCCTT
TCCCAGGTCTGCTCTGTGTACAGTGGTATCATTTATACCTGCTATTCTGGGG
TTAGTCTATGACTCAACCGAGTGAACTGTTAAGGCCTCAGATAAATAGC
TCTGAGGGAAAGTTATTATTCTATATCATTGCCTATCAATTATTTATAGT
TTATAATGCAATGCCATTTGTAATGGGTAATATGTTTTCTATTGTGTTG
TAATATCATCCAACCTCATCAGAACAACCATGGGGAGATGGATTGGCTTG
ATGTAAATAGCAGTGCCTAGTAACAAGCTGTGTGCATTTTTTAACCTGGA
AATCACTGCTCTTTTCAGATAAGAGGAACTCTTCTTTGAATTCAAACAGA
AGGGTCCAAGCCACCTTTTCTGACAAGTTGATTTCTGAGAAGCAGGGCA
GGAACCTAGGGCAAGGCAAAATGTGTTTCAGGGTACAAAATGTAAGGAGGCTC
TCCATTTTCAGGTGCCGACCTGCACCTTGCAAGACGTGAAAATGAGTGTCTG
CTTTAAATCTTTGCACCCCTGGGAGACTCACTTGCTTCACTCTAGTATCGAC
TCTGTCTAAGAAAACCTCACATGAAGCCATCAACAAACGCCAAAGCTAACCT
AGCCTCTTTACATGGCTTATGGGAACTGAGGCCCAAAAAAATGTGGACC
AGCCAAGATTCAATTTGCTTAGTGACTAGTGGACCTAATGGTTGCTACTG
CAGCATCAGCTGCTTCTGCCAACACCTACCTACTGAGTTTCAGCCAGAGG
CTTGAGGTTTCGCACTGCCCTCCCAGCCCTGGGACAAGGCCCTGTCTCAAC
TGGATTAAAGCAAATCAGTATAAATTCGTATCCCTGATCCCAGTGATTGAA
CACTTAACTCAGTCCTAAGCCAGTAAATAGGTTGTATGTCCTGGCCACA
GTTGTTAGCTCCAGGATATACATGTGGGGCAGGGTGAAGCTCATGACTTT
GATTACCGGAGAGAGAAAATGATTCTCTTTCTTTGGAGGGTGTGGAAT
ACAAATAGAAAAGTCTGGAACCTGCTGCAACCATTTATTACCATGAGAAAAG
CCAGAATGGGAATGAAAGCAATCATATATAGAAGGGAAAAGGTGAGAGAA
TCATAAAGGGAAACCAGATTCTTCACCGACTCCCATCTAAAGGACCCACT
ACCTCTGGACTATTCTGTATATGCACCAATAAATTCAGATTAATATTTA
ATCCAGTTTGAGTTAAAATATTCTGTACTTGTACAAAAGAGGTTCCCTAA
CTGGACAATGACCTTAGAAAAGCCAAGTTCTACAGCTACATTGCCCCATA
GAACTTTCTGCATTGATGCAACTGTTCTATATCTGTGCTGTTTCGATACAG
TAAGCCACTACCTGCGTGTGGCTATTGAACATTTGAAATGTGGCTAATGT
GACTGAGAAATGGACTTTTAAATTTTGTAACTAATTCCTTTCAATTT
AAACAGCCACACAGACCAGTGGTTACCATATTGGTCCATGCAGCCCTACA
AGCTTCTTTTCTTTCATTTTCAATTTGTTGCTCTCCAGAAACCAGCTCCA
GATCCTTTCTTCTCCAGAGTTGGTTAGGCTGATCTTTTCTGTGATCCT
ATAGCAACTGAGCATTCCTCTAAAATTTGTGATTGCCTCTCTTAGAATAAT
ATCTTTTACCGTGTGTATCTCCACCTTTGGTTGAGGTTTTAAAGGCCAA
GGCCCATTCCTGTGTCCAAGCACTGAGCAGAAGCATTGCCATGGTGACTT
TTGAATTGGATGAGATAATCTGTGGCCCAATGTGTACCAGATGTTGAAA
GGCTTTGTAGCTTTTAAAGAAATGTAAGACAATATAAAAATGTTTGTATCA
TTATTAGTTATTGTTACTATTCTGATTGTTAACCTTGATCCACTTCTCA
ATTTTCTACAGGAGTCTCAGTCACTGCCCTCGAATGACTAGAAATTTGCC
CAGCCTTGTGACATCTGTGACCATCAGTGTGAGGCTCACTGGCTTCTTAC
CCCTCTGCTGCCTTGACTTTCTTTTCTTTTCTTTCTTTTCTTTTCTTTT
CCTTGAGACGAGTCTCGCTCTGTACCAGGCTGGAGTGCAGTGGCGTGA
TCTTGGCTCACTGCAACTTCCGACTCCCCTGTTCCCTGCTTTAAGCAATT
CTCCTGACTCAGCCTCCTGAGTAGCTGGGACTACAGGCACACACCACCAC

FIG. 6A2

9/41

GGCCAGCTAATTTTTGTATTTTTTAATAGGCACAGAGTTTCACCATGATGG
CCAGGATGGTCTTGATCTCCTGACCTCGTGATCCGCCACCGCGCCTCC
CAAACTGCCCTTGACTTTCTAGCTCAAATGTCTATTTCCCTAATTATCT
GGCTTGGTCTCTTAGTCTGCCACCTACACACTTGTGGGTGAGAGAGGAG
GAGCTGGAAGACAATGCAGAGCTGCAGTTAAGGCCATTGCAATTGCCAGG
GTGTGCTATGTGGCTTCGACATGCTTAGAAGCCAGTATGGTTGGCTGTG
TCCCCACCCAACCTCTCATCTTGAATTGTAGTTCTCATAATTCCCACATGT
TGTGGGAGGGACCCAGTAAGAGATAATTGAATTTTGAGGCCAGTTTCCCC
TATACTGTTTTTCATGGTAATGAATAAGTCTCATGAGATCTGCTATTTTTA
TAAGGAGTTCCCCCTTCACTTGGCTCTTATTCTCTCTTGCCCGCTGCCA
TGTAAGACATGCCCTTTCACCTTCCACCATGACTGTGATGCCTCCCCAGCT
CCCATGTGGAACGTGTGAGTCCATTAAACCTCTTTTTCTTTTATAAATTA
CCCAGTCTCGGCTTTGTCTTTATTAGCAGCATGAGAACAGGCTAATACAG
AATCCTCCTCCTTGAGATGTGCTTCCTGATCCCAGGCCCTTACACCAGGG
GAATTCATCAAATTCATTCATCTCCTTAACAAATGTTACTGAGTTCCTAA
AAATTGTCAAGCATGTGATGAGGCACTGGGGTTCTGTCACTGAAAAAGAC
AAAGTTTCTGTCTACTGAAGGTCACGTTCTAATAGGGGAGACAGACAGA
AATAATACACCATATAAATAAATGGCTACAGTAAAGAACAAATCGAGTGTG
GGAATAGAGGGGAAGCAGGCAGGTAAGTGCAGTGGACCAGAAAAAAGCAA
TGGTGACAAAAGTCCAGAGTGGTGGCAGGTGAGACAATGGAGTGTATCAG
ATTTGAGACCAGGAACCTTAAAGAGTCTTTTTCTTTTGCCTTTGGTCT
CACTCCTTGATTTATTCCAGCTCTGCCAGATCAGATCTTGTCTTTACATG
CCCCACCCATTCTCAGATACCCCTCTGTGCCTTAACAACATAAACCTGT
TGGTTCTTTCCAGGGAATAACTTGTAAGTCACTGAGCTTCTGGGGTTCCCTAGGC
TTTTCCACTGGAATAAAATTTTCTCCTAGCTGAGCCCACTGTCCAATTAA
GGATCAGACAAAATTTAGAAGAAGCAAGTCACTTCTCCTTTCTGGATCTG
TTTCTTCTGTGCAAAAAGAGATGTTGCACAAGATAATCTCTGGTGCCCC
TTCCAATTTAATATTTTATAAATTACAGCCTAGGTTTGAAGAATAAAAAAT
ATAATAAGAGAGAAGAGAGAAAGAAAGAGATGAGGAGTGGGGCGGGGAAGA
AAGGGGAGGAAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG
GGGGGAAGGAAGAAAGGGAGGGAGGGAAGAAACCTATTTGTAAGGCCAAG
TTAAAAATTCATTGCCACAATAAATACTTCGGTGTGAGGCTGTAGAAATT
GGCAAAATGAAAAAATTCTGGCATGTAAACCCACAGGTGAGTCTAGGCT
AAGAGAAGCATCTTCTACCTCCCTCACTTCTGATCCCCATCCCATTAGC
ATTTCTGAAATGCCTGGAAAGATGCTCCCTAGCAGGGTAGAGTCAGGAAC
CCACTGTCTGTTCTTTCTCATCTAATCTGAGCATTGGAAAGATGCTCCC
TAGCAGGGTGGAGTCAGGAGCCTGCTGTCTGTTCTTTCTCATTTAATCT
GAGCATAATCTGGTGTCTTTGGGCTGTGGAGCGGATTTCTCTCCAGTCT
GTTTCTGCCTGTCTGTCTTGTGAGTGCAGTGGCAGGGATCTCAAGTGTG
TCCTTGGCCTGCACTGGGGACTTGTGCATCTGAAGGAGCAATCAGGCAGG
TGGCCTGGGGCAGCCTGCTCCATAACGATGCCCTCATTTCCAGGAGCAAG
ACTGAATGCCAGTTACTCAAATCCCATTCTGGCTTTCTGCTTCAGTCAT
TACTAAGAGTTTTTTCATATCTTCTGGTGTTCAGGAAAATATTTCTATTTT
CAGGAGAAGCAACTCTGCCTTATACTCGAAAATTAACCAGACATTTCTATT
ATTGCTGAAATCTTTCTCGTATTGCAATTTATTTAGGCTTTTAAAAAT
CCTTTATTTATGCAGTTTGAATCAGGGGTATTTCTGGCTTACAGGTTAG
TAGAGAATTACAAAACATTCAAATTTCAAAGATTCCCTAAGGGAGAAGT
GATCTATTCCAATATGGGCTTATATTCAGAAAAAAGGCG
TACTCCCAGAAAGATTTGTCTGGGAAATGATTGCAATGAGAAAACAC
TCAGATGTGAGAAATGATACCGCCCTGGACTTTCATGCTGGGCCCTAAGA
ATTATGACATGGATGTAAAAGAAGATTGCCACAAGTCGCCAGCTTGCTG
CTCCTTAAGATGCTTGAAGTCCCAGTGAAAGCTGAGAAACATGAAATTA
CTTCTGAATGTGCCCACAGACAGGACAGTGTAATTTGTAATGACAGAGAA
AAAGACCTGCTGCAGGCCCTCCCTCACGCGATCCCAAGTGAGTTTACAGT
CGTGTAGTAGGATAGAGTGAGCCTCATTTAAGGCTGACGAAGCTGAGGC
TCAGTAACCCAGTTTGATCAACTTGAGTCAGCAAGCTCAAACTGGTGA
AAGCCAGATTTTCTTATTTTTTTTTTCTACCCAGGCCTTCTACAACAGGT
CTCTACAATAGTGTCTTTTATGACCCAGTGCTGCTTTCTGATTGGGAAC
ATACCAAGTTCAAGGTCCCCATGTGGTCTGTATAGTATTCACAATACTA
TATAGTATGCAACTGTTCTATATCTGTGCTGTTCAATACAGTACTATATA
TAGTATGCACAATTTCCATGCAAGGAAAACATTTAATATCTTACAATGCA

FIG. 6A3

10/41

CTTTCACACTTAGCATCCCACTTGACCCTTACAACAACCTTCATGGGGTAA
ATATTTATTTCCCTGTTTATGAATAAAGAAATTGAGGCTCACGTTCTGTT
AAAGCCATTGTTATGGCCTTAACCCATTCTATTATGCCTCCAAGAACACA
CAAATCTGGTGGCTGTTCTGGGAGCTAACAACTCTGCTTTAAGTCCTA
ACTCTGCCATTCTCCAACCTTGTGACCTCAGGCCAAATGCAAATTTTTTC
TGCATCTCAGTGTTCACATGCGATAACTAGAGGGAAAGAGTACTTGCCCTC
ATACGGCAGATTCTTTCATTCTTCTACAAGCATTATTCAGCATCTACTA
TGCTCTAAGTTCTGGAGATACAGTAATGAACAAAACAAAAGCCTCAGCAT
TTGTGGAGTTATGTTCTACTTATGGGAGACAGAAAAGAAAATATATTGCA
TTTGAAGGTGATAAATACTAAGAAATATAAAACAGGGAAAGAGAATAGGG
AGTATTGGAAGGAGGAGTTTCAAGTTCAGAAATGACCAGGAAAGACTG
CAATTGAGAAAGCAACATGCAGTGAAGACTTCAAAAAGGAGTGAGGGGCC
AGGCGCACTGGAGGAGGATTACTCTTGTAACTCTCGCACTTTGAGAGGCC
AAGGCAGGCCAAACACTTGAGCTAAGGTGTTGGAGGCCAGCCTGGGCAAC
ACAGCGAAACCCCATCTCTACAAATACAAAAAATTAGCTAGGCATGGTG
GTGGGCTCCTGTAGTTCAGCTACTCAGAAGGTGGGGATGGGAGAAACAC
TTGAGTCCAGGAGGTCAAGGCTGCAGTGAGCTGAGATTGTGTCACTGCAC
TCCAGCTTGGGCAACAGAGTGAGACCCTGTCTCAAAAAATAAAGGGAGGA
GTGGGCGGTGAAAGAGCAAGCTTTGTAAGTATCTGGAAGAAGAGCTTTCT
AGGCAAGAGGAAACAGCAAGTTTAGAGGCCAGAGGCAAGACACTGGGAG
GGTGGTGCCTCTGTGTTCCAGAAACAGGGAGGCCATGTGGCTGCACTGGA
GTGAGCGAGGGAGAAAGAAGTAGGAGGAAGATCAGAGATGTAACGTATAG
TGCGAGGATGGGACACTAATTATGCAATGCTTTATGGGACCATTACAAGG
ACTTAGATTGTTTTCTCTAAAAGTAATTGGGAGCCATTGGAGGCTTTTGA
CGTAGGAGTGCCATGATCTGACTTCAGTTTTACCAGGATCACTCAAGCTG
CTATGTTGTGTAGACCGGAGGGATCAGGTGTGGGAGCCAGTTAGGGAGA
TGTTAAATGTTCTCTAGGAAAAGAGGATGGTGGTTTGGGCTGCAATGGTA
GCCATTGAGATGGAGAAATGGTAGGAATTGGGTTTTATTTTGAAATCGAG
CCAACAGGGTTTGTCTGATGAGTTATATGTGAGTGGGAGAGAAGGAATGGG
ACTACGAGTTTCTTGGTCTGAGTAACTGCTTTTCACAAGAATGAGAGTAT
AGAAGAAGCAGCTCTGCAAGAGTGAGAAAGAACTGAACAATGAATGTATA
TTTTCTCCAGCTATACAGTGTCCAGCACAGAGTATGTGTTCCATAACAGG
TAGATATTACTATTAATAATGTATCTGCTCACCTGGTTAAATATTTCTGC
AGACCTTTGCCCTACATCCAAGCACTCTGAGAAAGCACATGGTCAGGCTG
TTTTCCACCAGCAAAATGGACACAGAACTTGGTACCATAGTGGTTTTTA
AAGCCCATTTGGCTACCCAAAACCCCTTTGACCCATCAAGCGTGCTCTGGA
CTCAATACCTTTGCACAGGCTGATCTCCCTCTCCACCCACCCTTCCTTCC
TCTCAGCTTCTCCATACAGGAAATGGACAAAGGCACAACTGGAAGTCAG
TGCAGATTCAAGCTTTGGTTTTTGTTCAGAGAGTATTCCTTAATGCTCACA
GAAAATCTAGCCAGCTTCTCCTATTACAAAACCTGGAAGCTGAGGACTAG
AAAGATGAAGTGGCTTGCAGCTTCCCATCAGTATGACAAGGAACTGTA
TTAAATAATTCCCAAGGATTCTTCTAGCTCTCACATGCTTTTCAGGTTTTTC
AATAAACACAAGATACAATAAAAAGCAATCAAAATAATGACCAGCTGATT
TTGCTTTTCCTTCAATTACCCTCATCTAAGCCACCAGCAAACTCTGCTAACT
CTTCCTCCAAAATAGATCCCACTCTGTCACTCCTTTTTTTTTTTTTTTTT
TTTTTTTTTTTTGAGACGGAGTCTTGCTCTGTCACTAGGCTGGAGTGGAG
TGGCGCGATCTCGGCTCACTGCAAGCTCCGCTCCCGGGTTACGCCATT
CTCCTGCCTCGGCTCCCGAGTAGCTAGGACTACAGGCACCCACCACCAC
GCCCAGCTTTTTTTGTATTTTGTAGTAGAGATGGGGTTTACCGTATTAGC
CACGATGGTTTTGATCTCCTGACCTCCTGATCCACCCGCTTGGCCTCCC
AAAGTGCTGGGATTACAGGCTTGAGCCACTGCGCCCGGCCACTGTCACTC
TCTTTTTATGGTCAACACCATGAGACAAACCACCACCACTTGAAATGAA
CAGCCAGAGCAGCCTCTAACTGGCTTCTTTCCCTCCTTACCCTGGCCCT
CCTACTTGCTATATGCATGTGACAGTCTGAACGATCTGTTGAGAATTTGA
ACCAAATGTATTTACTTCTTTTCCAAAACCTACCAGTAACCTTCTATCA
TGTCTTACCTTGGCCAATCAGGCCTTACATGATCTGGCCCCCATTTTTCT
CTTTGACCAGATCTTGCACTATCCCCTTATCTACAAGCCTCTCTGAC
CTTCTGCCTGTGCCTTTGATATTCCAGGCTTCCCCTCTCTTTGGCATTCA
GGCTCCTAAGAGGGCCACCCACCCACAGTGATTCCCACCTCTCCATATT
CACATCCTTTGTGTAGGCTGGACCTAGTGCTTTGCCTTTAAGAACAGAA
TATGGCAAAGGTGATGGGATGTACATCCACGATTAGGTTGCAAAAGACT

FIG. 6A4

[illegible]

FIG. 6A5

12/41

ACCTGGATGGTGGGAATTAGCTGCACCCCAAATCTCAGCATCATGCAATAT
ACCCAAGTTACAAACCTTCACATGTACCTCCTGAATCTAAAATAAAATTT
GAGGAAAAAAGAAGGCCAGAGAACTCTTCCTTACTATATTTAAAAGAA
GCTTAAAAATAGGGTAAGAAAGGTTATGGGAGACTTATAAGAGGTGAGG
ATAATTTGGGGTAGGTTGGAGAATCCAGAAGCTATCATATAGATTTTGGG
TATGGAAGGTAGGAGAGTAATAGAAACAAAGGTTTAGGAAGTTTACCA
TGGGTTATGAATTACATTCCACTTAACATTATTTGAAGACCAAAGGTAAA
GCCTGTATTTGTCCTAATAATTATCTATGGCTAATTGAGTAGCGATTTTC
TGAGTATCCATGAACACATGAAGTCCTAGATTATATTAAGAGCATAAAGT
AAGACATTGAGGTCATCAGAAAAGCTTGTCTATGAAAAAATCCAGCACTGT
TTATTTCTCTACAGTGGAACTAGAATTAATTTATATTTTGTCTTTATAT
TTTTCTCAATTTTTTCCAAGCTTTCTTATATAAGAAAGTGCATGACTTAT
ATAGCCAGAAAAATGCATATATAATATATATTATTCAGAAAAAAGTTCCA
AAAACTTACTATTGTCTGTCCCTTCAATTGCTGCTGGAAGAATGTTTGA
TAGCGAAGCAGAAAAAGAAAGCATGGAGAAAGGGCTCTCTCAGTATATGG
GGTGGGGATGGGAGAGGAACAGCCGTGGAACCCCTCCCACCATGGCCTTG
GCCTTGTTTCACAGGAGAGCAGTTTGCCCTAAGTAGTTTTGTAGAAGGCAT
TAAAAAAATTCATCAGGCTGGGCACAGTGGCTCACGCCTGTAATCCTAG
CACTTTGGGAGGCCGAGGCAGGTGGATCACGAAGTGAGGAGTTTGAGACC
AGCCTGGCCAAGATGGTGAAACCTTGTCTCTACTAAAAATACAAAAGTTA
GCCAGGCACGGTGGTGGGCGCCTGTAATCCAGCTACTTAGGAGGCTGAG
GTGGGAGAATCGCTTGAATCTGAGAGGCAGAGGTTGCAGTGAGCTGAGAT
CATGCCACTGCACTCTAGCTTGGGCAACAGAGCAAGACTCAGTCTCAAAA
TAATAATAATTATTATAATAATAATAATTGCATCAATAAAACAGCAACTT
GCCATAGAAATAGTTATGACAGTCTGTTTTATATATAATCAAAAGATCTG
TACACAGAATTTGATGTGAATGATGTATCCACAGAGAGCCAGTAATTTAA
GTGCACCCAGAGATGACTGCCTGCCCTGATTATACTCCTGCAGATGCTGC
CAGGGGAGGAGCAGTGTGGTCTGGAAAAAGCATGGACTTGGGTTCTCTGA
AGTTAGACAAAGCTAGATTGGAATATCAGTTTGGCCACTTACTGGCTGTG
TGACTTCAGTCAAGTTATTAATTGTTTTTGTGCTCCGCTTCTCCATCTG
TAACATGGATTTAATTAAGTCCATATCACCTGGGTGCTATGAACAATAAT
ATTGAGAAATGGGATTATATAATAATATACATTTAAGCACCTAGTGGAACCT
GAGAAGTAAGAGGTGCCCAATTAGCTTTATCCTTACTGCCATTCCCCTT
ATAGCTCCCACCCCCACCACATCTCTTCTGCCCTGCCCCAAAGTTCTCA
AAGCAAGGGGGGCTGGGTGGGGATAGGAGGGGTTGGAGGCAGGGAAGGAG
TCAGGGAGGGGAACTGACTGGAAGATTATTTTATCATAAAAATAATTTTC
CTGCCAAGTTCCCCACTTACTCCTGGATTTATTTTCTCTTTTGTGCATAG
ATAAGGTATGTGTAGCGTATTCCTGTCTGAATTTAGAGGCATTTCTTA
AAAAGTCATCCAGCATCATATTACATTAGTTCTTAAACTCCACATACAAG
GAAGCATTCAGAGTACTCATATGTCTTGGGATGTACCTTTTTATCAAACA
ATCAAGAAATATAATAAGCAACTCTGATATAATCTTTATGAAGTGCCAG
GAAGTTGTCTAAATTTTTTACCATACAAAGTAGGCGCCATGACAATCTTC
ATTTTATGCATGAGGAAATTGAGGCACAGAGAGGCTGAATAACCTGACCA
AGATTATCTTCAGGCCAATGTCAAGTCTGGATTTAAGCTCAGAGCAGAA
GTCAAGAAAGTGCAGCTGGTGGGCCAAATACAGCTCATCAGATATTGTAT
AGAGAAGACTTCTGTAGCCAGCCTTCTCCTCCTCAAGGCCACCTCATCAT
CACTCCCTTTCTCTGTACTAATCCTAGTGTCTGTCTTTTATAGCTCTCA
GAACCCGATCCTATTTATGCACTGACTTGTGTATCATCGTGTATACATAC
ATACATTGTATATTGTATGACTCAAGTTAAAAATAATTTCTACCTTTTTT
TCTCTTTTCCACACTACACTGATGTAAGTTTTTACTTTTTTAAATAAAT
ATATATTAAATACAGTCCCTGACTCACAATGGTTTGAAGTACAATCTTT
GACTTTACAATGGTACAAAAGTGAGATGTATTGGAAGAAACAGTACTTC
AAGTACTCATACAGCTATTCTGTTTTTCACTTTCAATACAGCCTTGAAAA
AATTGAGATATTCAAAGTTTATTATAAAATAGGCTTTATGTTAAATGATT
TTCCCTAGCTATAAGCTAATAGAAGTATTCTGAATACTCTTAAGGTAGGC
TAGGCTAAGCTGTGATGTTCAATAGGTTAGGTGATTCAAGTGTATTGTG
ACTTAAAAATGATATTTTGAACCTTCAATTAATTTATCAAGACATAGCCCC
ATCATAAGTTAAAGAATGTCTATAGTTATACAATAAAATCTCAATGTTT
CCTTTTGGCCGTCCAAACCTAAAATATGTACAACCCATTCTTCACAAAA
GAAGTTTGTGCTCCCTTATCTAGTGTATCTTAATCACTATAAATATTCC
CTCTCATTACATGCAGTTTCAAGCACAATCTGCAACCCACAGCAATAAAA

FIG. 6A6

13/41

TTATCAGTTATCAAGCAGGAAGGCATCATCATCATCCCTTCCACTGT
ACAGTCGGTTTTAGGGTAACACAAGCAGCATTGTATGCAGGCATGGCCTGC
CAATCAGTGACACAAATGCTCTGGGCTCTCAGGGGCTATCAGTAACTAGG
ATAGGTGCTGAGGCAAATACAGTGGTAGATGACACTACCTTCATCCTGAA
GATTTACCATCAAAAATATCCCAAATAGTGCATTAAGAGCTATCCAAGTC
TTTAGGTGAACATAACCTTCAGCCAAAATATTCTCTAGTAGATTATCAAG
CCACCTAGTGAGAGAGAGAAATCAGACAAACATAAATTTCTGTGTTTGGG
GGGAAATTTGTCACTCACTCTGTGCCCAATTTCTCTTCCACACAATGGG
GTTGGTGATGACATCTACCTCATGGAGTCATTGTAGGATTTGACTGGGAC
AATAGATGTCAAGTAGTTAGCACTTTAAGTAGTTGAGACATAAACTCTCA
ATAAATGTCTAGTATTACCGGTATTGCCCCAGAATTTCTTAGTGGTAGAA
CAAAGAAAGCCCTCTGTAGAAAGGCTTCAGCAGGGTTATAGTCACCCCTGA
AATTGCACTAAAATTTTATATTTAAGATGCATTTTCTGGGGAGAGTTTC
TGTAACGTACTTCAGATTCTCTGAGAAATCTGGAACCTCAGAAATATTAAG
TGCCACAACCTCAAAATGATATGAACTAGGGGAGATACATGAAGGCTTTTG
GGAGAAAGATGTGCGCATCCCCAGACATGTCCCTCTGATGCACCACAGA
AACCTGTGAGTTGGTACTGATCTACCCCTCTCTCTCTCTCTCTCTCTCTACAC
ACACACACACACACACACACACACACACACACACACACACTTCATCCT
ACTCTCCAGCATTTCAGGGAAGAAAACAGAGGCAAATGTTGTGAGCTGCAT
CCTTGCACTCAACTGCTCTTGGGACTTCTGTAGCCAGTCTTCTCTCTCTCA
GTGCCCCCTCATCATCATTTCCCATTTCTGTCAACTGATCCTAGTGTCT
TTTTTATAGCTTTTCAGAAATGATGCTATTTATGCAGTTACTTGAGTATC
ATTGCCATCTACTATTTGAATATAGGCTCCATGAAGATAGGAACCTGGTC
CGTCTTGCTCATGACTGAATTTCTCCGTATTTGGCTCAATAGACATTTGAT
CAACAAGTAAAAGAGACCCCCAAAAATCCCCAGAAATTTTCAGTTCAGCTT
GCACATGAACAATGAAAGGCAGCTTGAGAATCTTGACTCTACTGTGAATG
CCAAATAGCCTGCTTAACCAAGGTTGTCCAAATTCAGCTAAGGGATGCAT
CAGGATGGACACCATGAGTGTGTTTGTGTGGAACAGAGTGAGGGTTTGCC
TATCATTAAAGCAACTTGTGAGTAACGAGTGTATAACATCCAGGATGTTTT
GACATTTGGGCTTCTTACATCTGACTGCTGCCACCTCGGGCCAGTACATA
ACTTAGGGGTAGGGTAGCTACGCTTATAGACCTGAAATTTCTAGTATAATA
ATAAGACAAAATATCTGAATTAAGACAGTCATAAAAATAATCTTGGGTTT
CTTTTATTTATTATCATATTCAACAAATATTTCATGGAGCCTTGTTATGCA
CTAGGCATGGGAACCTGAGCTGTGAACAAAACAGATAAATCCTTATACTT
GGGATATTTATATCCAAGTGGAGGACTAATGAGAAATCCTTCTCTCTCCCC
CAGTCCTATTCTCTAGAGCCCTTCAATATCTGATTTGATCAAACCTTACCA
AAAATACTTTTTTGACAAGGCAGCACACCCACATGCCCCCTCGTATATAGA
CAGTGCACTCAAAATGTGTTATGGTTGACAGTAGTTGTTCTCAACCAAGGGC
CATGTTGCCTTCTCTCTAGAAAGACATTTCTCAATGTCTGGAGACATTTTT
AGTATCACAAGAAGGGGGATGTGCTAATGGCACCAGTGGGGAATGCTGCC
AACCATTCTACAATGCACAGGACAGCTCCTCACAACAAAGAATTATCTGG
TCCCAGATTACCTAAGTGTCTGAGGTTGAGATGCCCTGGTCTACAGTCGAC
ATCTAATAGCCAGATCCAAGCAGCAGTTATACTTTCCCTGATTTCTTTTA
ATATAATAATATCCAGCATTAAGAGCCATTGTAGACATTGGGAGTTTTTC
CCACTGCTCAGAAGTTTTTAAACACCCCTTCCCTCATCTAAGAAACCTTTC
ACATCCCCAAGGTGGAACAAGAACTCACTTTCCCATTTCTCTTTGTAA
TGCTCCACCTCAGCCATACCAACCACAAATGAGTGAGAGTATCACTGAAAA
GTGAGCAAGATGAGAGAGCCGATGCTGGGTAGAAACTATTTTTTGGCTAG
AGATGGCAGTGATGGCTGGAAGTGGAATTTCTGACATCCTGAGCCCAGAA
TGTGAGCTGGGGTCTCTGTCTCATAGCATCGATGGAGTCTGTACTGGTT
CATTCCCATTGTATGGTATGGATGTAATCCTTCTCCATAGAGCCTCCAG
TGTGATCTCCAGCCATCTTGGAGACGTGAAGCAATATTTCTTCAAAA
AATTCTTTTTTCCCTAAACCCACTTAATGGGTTCTGTTTGCATTTTTTC
ATAAGAACAAGCAAAAAAATGTTTCACAGTCGATAGGAAATCTAAGAAGG
ATGGACTCACAATTCACCTAGAACTCACTCACTGGCTTACACTAATCATC
TTATTTTGGGGTAAAAACACCTTGGCTACTAACACAGTAAAAACACCCTA
GTGTGCGCTGCATGAAAAAGGTATTTCAAAGATAATGTCTTCATCAACAG
CAAAAGAAGAAACCTTGTCTCTGTCTTATCAAAATAGCCAATGCCTTCAT
CCAGCCAGTTTTTCCCAGCTGTAAATACAACCTATGTGAGTTTGTCTCT
ATTTTGCAAGCACAGGAAATAGGAATCATAAGCCACCTGTGCTCCTTTCA
CATCAAAATTAAGGGAGATAAAAAAGATTGAAAGGAAGCGTGGGAAAAACA

FIG. 6A7

14/41

-AAACCTCCATAAAAAATTTTAAAGTCAGACTGCCCTTGAGCCAGCTTGAAC
GTTGGTTTAAAGTGGATTATGATGCCAGCTTTCGAGGACATGCTCTACCAT
GGGAATGGAGAGACGGTGCATGGAAGATGCACCACCTTCATCTTGTATTT
GCCACTGTGGGAGAAGACTGACCTGTTAGCCTTTTCTGCTCACCAGTTCA
TCTTTTGTCTGGGAGAGAGAATTCTGAGTGCAGAATTCTTCACATTATCCA
TGCAGAACTAGGAAAATTGCCAAAAGTTATGGGTCTGTACAGAGTTAGTG
TCACAGTAAGAATCTCATTGCCCAAGCAATAGGGTCTAAAAATCACGATCT
TATTCAAAGTAACAGCGACCACTTACCTCATGCCCTCATATGTGCCAGATA
CTTTTCTTACATTATTTTAAATCTCCATAGCAATTATCTAAGGTAGATAA
TATCTAGAGATGAGGAACTGGGGCTCTAGGAGTATGCAAGATTGTCCA
AGGTCTCACAGCAATATCTTAGTAGAGTCTGTCTAGAATCAAAGCCAATT
TGTCTTTTGGCCCTATCATGGTTCATCTCTACTTCACTCTAACTCCATCC
TAAAAACCACCTTCCCCATCCACTATATAAATGAATGATAGCACCACCT
TTCAGTAAAAGGATCTAGACATTCACCATCTCTCTACCATCCTAGCAGCA
ACTGCAATGCTTGGAAAATAGTCGAGGATTAGTAAGAGCTTGTCAAATGA
GACACAGTTTGTGTTTCTGGCCCTGACATGAAACAGGTAATCAAGTAAAC
GTATATTTTATATATAGTCACTTCACTTTCCTAGTCACTAATTTCTTAT
CTATAAGACAAGGGTATTGGGCCAAAAGTCTAGTCTTAAAGGTTCTTTT
AAGTCATTATTATGAAAGTTTGTCTGATACTTTATTTTTTACTAAACTTTA
TATATTCTTAAATACACACTCAAAGAAACATATACAGGTAAATACAGAC
AAGCTCTATCTAATGGTGTAACTGTCACTTAGTATATAAAGACATCTTC
TCTCAGAGAAATTGGTCACATGTTCTTTCTTTAGACAACCTGCTCATCATG
TCCTTTGACTAATCATAAGCCAACAGTAAGAAGTTAAGAGTGCCAAGAAA
AGGTAAGTGTGTTAAGTTGCATTTGTATTTTTTCCAAGTATTTACTCTCCC
ATTCTTTTCATATCTATAAGAGGATTATCCATCCCCACCCACTGGCATGTG
CGTACAGTGCCCTCCATGAGGGGCGTTTATCTGTTTTTCTTCACAATGAAT
TTATCACATTCCTTGCTTTGGCCAATAGAATGTGAGTGGGCATACGATGT
GTGCTGCTTGAACAGAACTCATGAAACAATTGCCCTGGTTCTGATTTATC
TCTGCTTTTTTTTTTCTTTGGCGTTAAATTGGTATGTGCGAGATAGAGGT
TGATCTTTCACTTTGACCTGGTATTGAGAAGGCACCTGAGGCAAAACCA
GAGCTGATCTAGAGTTGACATACACAGTGGACATATAAAATGAATAAAAG
ATAAACTTTTAGATTGTAAGCCACTGTAATTTGGAAGATGTTTGTACT
GCAGCATAACCTATCAAAGGCTGACTTATAAAAAATATTTTCAAGTACCGT
TAGTTCTCACTGTTTACAGTAGTTATGTTTTATGAAGTTTCCATGGATAC
TGAATGAGCGAACAGTGAACATAATGTTTCTAGGTAATAAGATTAGG
TTCCCGTGAGCTCTGGGCAAAACATTTTCATCATCCAAGCAATACATAAT
CTTGCTTTTATGTGTGTTTCTATGTAAAGACACCTTATTCAATATATTTG
TTGATTGATTAAATTAACCTCATGGCCAGCAGCATTATAGCTCATGCCT
AAATGAGGCTTATCTAACATGTATATATTTTCTATAAGACATTTACAGT
CTTCTTGACTCAAGAACACTACACAGCACTTCAGCACTATGCTGAAATGG
GGCCATTTTAAACAGAAAAATCACCAACAAAAATTAGCTGGGAGTGG
TGGTGCACACCTGTAGTTCAAGCTACTTGGGAGACTGAGGCAGAAGAATC
GTTTGAACCTAGGAGGCAGAGGTCGCAGTGAGACAAGATTGCACCCTGT
ACTTCAGCCTGGGCAACAGAGTGAGTCTCCATCTCAAGAAAGAAAAACAA
ACAAAAACAAAAAGAAACAAACAAAAAACACTTCATCAAAAAGCA
TAAAAATGGGAAAATGTGGAGCTAAGTAGATTGAAAGGACACTTATTA
CAATGTGAGAGCTGAAATGAGATAGCAGAGGCTCACCTTGTTTACCCTCA
GCTAGGATCATGTGTGTCAACTGACTTAGATGTTTTGCCACCCACTCTAA
GCATGTCCAAGAATCACTGTAAAAGCACCATGAGTATTGATTTGGGGATT
TAAGTATGTTTTAGCAAGTAGGTGAGTTCACAAATATAGAATCCATGAAT
AATAAAGATCTACTCTATTTACATGTGCCACATCATTTAACCCCTCATAAC
AATCCCAAAGGTGAGTATTTTATCACCATTGTAGAGAAAAGTAAGATT
CTGACAGTGAATAATGTGTCAAAGGTATAACTAATTCTGTATAAAGCA
AGAATTTAAAGGTTTTTAAAGTCTTCTAGGTTTGCATGGCTCCAAAATCA
CAGTATGGCTCTTTCTCTGCCCATATTGTCTCCAGTAGAAGGAAAGT
TGACATGTGGCACCAGACTCACTTATCTGCCTGGATTTCAGGGCCCTG
CTTAATCTGATTGCTCATGGTATTTTCCATCTCCATTCAATCCATGCTCA
CCAACACCTCCTCTTCACTGAAGAGATTCTTTCTCCCATTTGTGCTCAG
CCTCCATTTTGTACTTTGACACGGAATATGCTCTTCTGTACGCA
TCTGGTCCACATCTCAAGGCTGGTTGGAGAAGCCTGGAGATTATTTGGT
CCAATCTTGATGCTTCCAGCTCAGACCCAGAGAGGGTCAAGTATTTCCC

FIG. 6A8

15/41

AATGTTAGTGAGAGTCTGAGTAAGGACTTGAACACAGATTTGCTGACCTT
GGGGCAATTATCCCTGGGATTGTTTCACTTTTCCCTCCCACCCCAAAAGCA
ATTACCTTTAACCCTTAGAGCAAACAAATGGGCAGAGGAGGGGCGGGAGTG
GCAAAAGCAAATCATTACCACTCAGAGGTATTTACAAATGATTTCAAAGG
GTTTTTAGGAAGGAGACAGCTGATGACTTTGTCACTCAAACAGCCTCCTG
TTCTAAAAGAAGCCAACAAACCATTGAAGAATAATAGCAGAGACCTTCTG
GTCTTTGAATTACATACAGCACTTTTCACCTCTGAAGCTCAAGGCTCCTTC
CGGATGTTATCTCATTCTTCTTCCCAGATCACTAGTAGAGAGTAGTTGCA
AGTATTGTACCCATTTTGTCTGATAGAAACATTAAGCCTCAAACGCAGTAA
GAGATTTGATCAGAATCAGAAAAATCAACAACCTTATTCTGCAGAACCAG
GGTTAAAGCTGAGAACTAGAATCAAAACTTAGCCCTTTCAAATCTTATCC
TAAGCCATAGAAGGAATTGTCTAGAAATGAGACTGAAACAAGGGGAAAA
GAGGACTGGCATTGTTGAAGATGTGTTGTGTCAAATGTCTCATATTAAA
GATATCACAGGTCCTTGGTATCCATCCTGTGAAGTAGAAATGTTATCCT
CACTTTATAGACAGAGAAAAAGATTTGACCACAGATATTCTAACATCAAA
GCCAGCATCATTGATAAAACTGCAGAAAGTGCCTGGTATTTGCAGAAGAC
TATGCTAGGCCCAATGAGCGTACAGTGAAGCACAAGATGAAGATGTAGCA
AGAACTTATTATGCACCAGGCATCAGAGATCGGAAGATAACTAAGACATG
CCCTCCAGGAGTCAACACTCTATTTGAACAGAGAAGAGGAGCATGTGGAG
CATACAGAGAATAATCCAGAACCCACTCTCTTGTGAGTACTTTCTACGT
GCCAGGCACTGTGCTCTTCATGGTAGAGATTCAACAGGGAAACAAAAACAC
AGTTCTTGCCCTTCGTGTAGCTCACTATGCTTGATTGTCAATGTATTCCAA
GGGATGCTGCATACCCAAAGATTTCGGGGCAGGCACAGGAGAAAAGGGAGG
ACTTTGACTTTTGTGTGCTTTATCTTAAAACTCATGCAAAATTAACATCCT
ACTCTATAAAATATGGAGGTTTCAATTTTAACATTACTATATATTTCTAAT
AATCAAGTTAAATTATTTGCCTTTTTTTTTCTTTATCAACCTTTCCAAAAC
AGTTGAGACTTCAGGGTACCATTACATTGACTCTGGAGCATAAATGAAC
TCCTAACAACTAGAGCTATACCATCAGGATGCACAAGCCTGATTTAAAA
GTGCTGGCAAATAGGCACAGTCCTATTCTGTGACACCCTTTGATTCAA
TATCGTTAGTGTCTACTATGTGCTATTATGCAGTGTTCAGTGCTGGGGGA
AACAAAGCAAAACAAAACAAAACAAAACAAAACAAAACAAAACCTGGGA
TAATGGAGAAGAAAACCTTCAAATTATTTCTATTCAATGAAGTTGGAGCTA
TGGCCAAAATAGCTAGAGGGGCCAAGAGGGGCCACCCAAAACAGATTAAAT
AAGTTCCAGGTTCTCTCATATTTGCACATTAAAAGCACACAATAAATGT
TTTTGGCTGATAGAGTCACATCAGTTTTGTCTTAATCTTACAAAATATGT
GTTCTTATAAAGCACATAATCACACCCAGCCTTGCAGCTCCACGTGGGG
GGCACAAAGAGGGTAGGGCTGCTTTCTGGACCCAGGAGTCTAATTAATC
TCTCATCAAGCCAGTCCAGTTGGGCCTCCAGCCTCCTACCCACCCCCAC
CTTGATGTGCCCTTTGGCAGCATTTACAGGAGTGGTCTCCCTCTCATT
CCCAAGCAAGAAAGTTTCTCACATGGTGATCTATGAATGTGTCTGCTCA
TGACTTCTCTGGAAGTTAATTCTATTACCTTGTGGGTTGGATTGACAAT
GCCAAAGGATTTCTCAGCCTCTGGGACATGGACCTCCTGGCAGTGACT
CTTTCTACACTGCTGCAACCTGACAAATTTAAAAATGAATCATTGGCCAG
ACGTAGTGGCTCATGCCGTGAATCCAGCACTTTGGGAGGCCGAGGTGGG
CAAATCACGAGGTCAAGAGATCAAGATAATCCTGGCTAACATGGTGAAAC
CCCATCTCTACTAAAAATATAAAAAATTAGCCGGGTGTGGTGGCAGGCAC
CTGTAGTCCCAGCTACTAGGGAAGCTGAGGCAGGAGAATGGCGTGAACCC
GGGAGGTGGGGCTTGCACTGAGCCAAGATCATGCCACTGCACTGCAGCCT
GGGCAACAGAGCAAGACTCCGTCTCCTAAAAAAAATGCATCATTACAT
TCTATCTACATCAAAATCCTTTATTTTTCCCTCCTTGTATGAAGTAGCC
CAGAAGCCTCAGACTTACTGCACTTTCTATTGTCTAGTATATTAGATTAA
ACTAACATTTACTGAGAACCCTTGTGTGTCTCTCATGTTTATAAATATT
ATTTAATCATATGTCTGATTAGCCCTGGGAATTAATGAGTGTTACCAT
TTTCAAGATGGGTTCTCTGAAGCTTAAAAAATAAGTTACTAAGCCAAGT
CTCCAAATTCCAGTTCTACTACTTTTCCCTCTCAACAGTGTTGCCTAAAC
CTTTGGATGGATAGATGGATGGATAGAGAAAGAGACAAAGCAGGAA
AGAGAAAAGAGAAAGGCATATATATATTTTTTTCTTCACTTCTGGGGCCCC
ACCCTGAAACTACTGAATCACAGTCTCTAGAGGTTCTCAGGCAACTAGCC
CAGCTGTTTTTGGCAACTGGAATTTATGAGCCACCGCAAGAGACCACATG
CAGCTTCATGTAAACAAATTTATTTTAAGCACGCAGACTGAGCAGTGAT
ATGAGGAGTGACAGGAGTGCCTACGCCTACTCCTGGTCTCCATGAGTCT

FIG. 6A9

16/41

CCTTTGCAAAGTCAAGTATTACAAGATTCTAGAACACATATTGCCTGCCA
CTGATAATTTAGTTGTTTCAGCAAACATTCTTTGTTGAGTTGCACGCCAG
ACACTATACTAGATGATGGGACAACATAAGGGTAATGAACAGTTCTGTCT
CTATGTAAAAATAATAATGATGATGATGATGAGATGGGACTTCAATTGAG
GAAGTGCCATTGGGGAGGTATGTAAAAAGTGCTATGGAAAAAAGCAACA
GGAACCCCTTGATAGAAAAAAAATGCTGGTGGGGGTAGGGATTTCTGCC
TGTGTTCTTCAGAATGGGGTATGGGAAAATCTGGGAGGAAAAGAAATTTA
AGTAAGAGCAGAGACTTTGCAAAATTTGTTGTTGACTTTTCCTCATGC
TGCTTCCCTGGCATGGGAAGTCATTAGCTGGATAAGAGAGACTTCACAA
GAACGTCAATGAATCAAGATGTGCTGGTTTTGTTTTGACACATGGAATTC
TTAGGGATTTGATGTTTTTTTTTCCAGTCTTCTCCATCAAAGTTGTTTTT
AACCAGTCTGATTGGACCGATTGACTCATCCTCAGATATCATAGTTTTT
CCACTACAAAAGCATGGAAGTATGCCAATAAAACCCACTCCTTATTTCCA
GAGGGCTAGGGTGAGTCTTGCAGAGGGGAATTGCTAGGGATGGCACCTG
GCAGAAATAGACCATCTGTCTTTCTCCACAATTATGGTCCCTGCCATTG
TGAAGGAAACATTTACCTCCTCCTCACCCCTCAGGCCCCCTTTTCTGCAC
TTAGGGTCTCATTGCCCCCTCCCACCCCTCCGACAAGTAGCTGGTGTCTTC
TCCTTGACCTCTGACTCACTGTGGGGAGAACTCTGCCTCAAGAAACATCT
TTTCATCTCCCTCTCTAGCTCCAACGTCTCCCTTGCCCTCCATGGGGAGCT
CCTTGCTCTCTCCTTCGGTATTTCTCTGAGGGCTCACTCAGACCCTCCA
CTCCACCTGCCACCAAGTGGTCTCATACTGAACATAAAATCTGGCCATCCT
CCTCTCCTGTTTGGTATCTTCCATCCCCTTCCCATGTCTGGTAGATGATG
ATGGCCTCAACCCCCAGGTGACTCTTGGACCACGTACCATCCATGCCTTT
CCCATTGAGCTACTGTGGAAGCCCATGCTTGCTTCTAAGTGCTCCATGG
TTTGGTTTTGTTTTGTTTTCTGTCTATGTCATTCTGTCTGCCTGGGACAGG
ATTTCTCCCTATCAACACTGAGAGATCTCCTGCTGACCCCTGTGTCTCAATG
ATTGTGTCTGCCTTGTCCTTAGCATCCAGATCAACACCTAGCAAATAAAC
AAGTGCTCAAGAATGATGTAAATGAGTGAATAAGCTAGTTAGCAAGAG
AGTGAAGAGCAATGAATGAATCCTTGGAGAGCGCAGGCCTTCACTGTGAG
GCCTCTAGAACCCTAAGTGAATGACATACTCCTTCTGCTGGGCTAACAGC
ATGTGAATATCCCTCTGCTGTAACCTTATCACTTTTACGATGTGGAAT
CTCAGGCTCCCTTCTTGGGCACATAGTCTGTATCACATTTTGTATCAGCA
GCACATAATAGCCATGCAATATATAATCAACAATTTAGTTTTACGAATCC
ATTTGACCATCCACATTCCCACATCTCCTCACCTCTTTCTACAGCATT
TCTGACTCCTCACTTTTCACTTCTCTCTTACCTTCAGAAAATTCAG
ACCTTGCTCCTTTACCTTAGTATTACTGCCTGAAATGCCCTCTCCTGCAT
CCTTTCTGTGTGATTTAAACCTAACTCCTCACAGCTAACAAAAGAC
CATCTCCCAAGCCTCCAGGCTTTCAAGAACATTCCTCCTGTGGCTCCC
AAGTCACACACATGTCTCTTTGACAATAATAATAAAACAATCATTTTTT
AGTACCAGAATGAATCTCAAGTGCTTTATGTATTACATAAAATTCAGATAT
ATCTCTTTTTTATGTACTTCTCTTTACTGTGCTTTGCAGAGATATTGCAT
TTTTTTTTTTACAACTGAAGATTTGTGGCAACCTGCATCTAGGAAATCT
ATCAGTGCCAAATTTTCCAACAGTGTAGGCTTATTTCAATTTCACTGTGTCC
CATTTTGTTAATTTCTTTTATAAGTTCAAGTTTATTGTTATTATTCTATCT
GTTATGGTGATCTGTGATCAGTGATCTTTGATATTACTATTGTAATGTT
TTGGGGTGCCACACTGCACCCATATCAGAGAGTAACTGGTAAATGTG
TGTGTTCTGACTGCTCCACTCCAACCAGCCATGTCCCCATCTCTCCCCA
TCTCCTCTGGCCTTTCTATTCTTGTAGTCAGAAAAAATATTGAAATTAC
GTGAATTAATAATCTTACAATGAACCTTTAAGTATTCACATGAAAGGAAG
GGTCACAAGTCTTTTATTGTAAATAAAATACTAGAAATGATTCAAGTGAGC
CGAGATCGCACCCTGCACTCCAGCCTGGATGACAGAGTAAGACTCTGTC
TAAAAAATAAAAAAAAAAAAAAAAAAAAACTAGAAATGATTAAGCTTAG
TAAGTATGGCATGTCAAAGCTCAGCCTCTTGTGCCAAACAGCCAAGTTG
TGAATGCAAAGGCAAAGTTCTTAAAGGAACTAAAAGTGCTATTTCCCGTG
AACGTATTAATGATAAGAAGCAAAACAATCTTTTGTGATATGGATAAAG
TTTTTAGTAGTCTGGATAGATCAAACTAGCCACAACATTCCCTTAAGTCAA
AGGCTAATTCAGAGCAAGCCCTAACTCTCTTCAATTCTGTGAAGTTTGA
GAAAGATGAGGAAGCTGCAGAAAATGAGTTTGAAGCTAGCAGAGGCTGGT
TCATGAAGTTTAAAGGAAAGAGCCATCACCATAACATAAAAGTGAAAGGT
GAAGTAGCAAGTGCTGATGGAGAGGCTGCAGTAAGTTAACCAGAAGATCT
AGTTAAGATAAGTTATCCAGAAAATCTAGTTAAGATAATTGATAAAAGTA

FIG. 6A10

17/41

GCTACACTAAGCAACAGAATTTTCATTTTAGATCAAGCAGCCTTATACTGC
AAGAAGATGCCATCTAGGACTTTCGTAGCTACAGAGGAGAAGTCAATGCC
TGGCTTTTAAAGCTTCACCAGGCAGGGTAACCTCTCTTGTAGGGGCCAATG
CAGATGGAGACTTTAGGTTAAAGTCAATGCTCATTTACCATTTCTTTTTTT
TTTTTTTTTATTATTATACTTTAAGTTTTAGGGTACAAGTGACACAACGTG
CAGGTTAGTTACATATGTATCCATGTGCCATGTTAGTGTGCTGCACCCAT
TAACCTCATCATTTTAAACATTAGGTATATCTCCTAATGCTATCCCTCCCCC
TCCCCACCCACAACAGGCCCCAGTGTGTGATGTTCCCTTCTGTGTCC
ATGTGTTCTCATTTGTTTCGATTCCCACCTATGAGTGAGAACATGTGGTGT
TGGTTTTTTTTGGCCTTGCAATAGTTTGTCTGAGAATGATGATTTCCAGCTT
CATCCATGTCCCTACAAAGGAAATGAACTCATCATTTTTTATGGCTGCAT
GGTATTCATGGTGTATATGTGCCATATTTTCTTAATCCAGTCTATCATT
GATGGACATTTGGGTTGGTTCCAAGTCTTTGCTATTGTGAATAGTGCCGC
AATAAACATACGTGTGCATGTGTCTTTATAGCAGCATGATTTATAATCCT
TTGGGTATATACCCAGTAATGGGATTGCTGGGTCAAATGGTATTTCTAGT
TCTAGATCATTTACTATTCTTAAATTCTTAGGGCCCTTTAGAATCATGCT
AAATCTACTCTGTATGTGTTCTGTAAATAGAACAACAAAGCCTAGGTGAC
AGCACATCTGATTACAGAATGGTTGCTGAATATTTTAAAGCCGTGCTTG
AGACCTGCTGCTGAAAATCAAAGATTCTTTCAATAATATAGTACCCAA
GAGTCTTGATAATGCTTTTAGTTATCCAAGAGTTTGATGAAGATGTGCA
AGGAGATTAATGTTATTTTGTGCTGTGAACACAGCATTCTCGCCATAGC
CCATGGATTGAGAAATAAATTTGACTTTCAAACCTCATAATTTAAGAAATA
CATGTTATAAGGCTACAGTTGCCATAGATAGTGAGTCTTCTGATGAATCT
GAGCAAATTAATTTGAAAACCTTCTGGAAAGAATTCAGCATTTTAGAGGT
CATTAAGACTATTTGTGATGCATGGGAAGAAGTCAAATATCAGCATTAA
TAGGAGTTTAAAGAAGTGGATTCTAACCTCATGGATGACTTTGAAAGC
TTTAGTGGAGGCAAGAAGTGTGGATGTGGTAGAAACAGTAAGATAGCCAG
AATTAGAAGTGGAGCCTGAAGATGTGACAGAATTGTTACAATCTCGTGAT
AAAACCTTCAGTGGATGAGAAGTTGCTTCTTATGAGCAAAAAAAAAAAAA
AAAAAAAAAACAAAAATAGTTTCTTGAGATGGGATCCACTCCAGTGAA
GATGCTGTGAGCATTTGTTGAAATGACAACAAAAGATTCACTACAATCAAC
TTAGTTGATAAAGCAGCAGTAGGGCTTGAGAAGATTGACTTCAATTATGA
AAGATCTATAATACTATGGGTAAAGTGCTGTAAACAGCATTGCAAGCTA
CAGAGAAATCTTTTCAAAAAAGAAGTCAATCAATGCACTAAATTTTAT
TCTGTCTTATTTTAGGAAATTGTATAGCTACCTAACCTTCAGCAACCA
CCACCCTGATCAGTCAGCAGCCATCAACATTGAGACAAGACCTCCACCA
GCAAAAAAGATTATGATTTGCTGAAGGCCAGGTTTATTTATTTAGCAAT
AAAGTTTTTTTGTGTTGTTGTTGTTTGTGTTTGTGAGATGGAGTCTCGCTCTGTT
GCCCAGGCTGGAATGCAGTGGCATGATCTCGGCTCACTGTAACCTCTGCT
TCTGTGTTCAAGTGATTCTCCTGTCTCAGCCTCCCTAGTAGCTGGAAT
ACAGGCGCCACCACCACACCTGGCTAATTTTTGTATTTTTTAGTAGAGAC
AAAGTTTACCATATTGGCCAGGCTAGAATCCTGACTTCTGGTGATCCT
CCTGCCTCAGTCTTCCAAAATGCTGGGATTACAGGGATGAGCCACCACGC
CCAGCTAGCAATAAAATATTTTTTAATTAGGATGTGTACATTTAAGAATG
GGCATGGTGGCTCACACCTGTAATCCCGGCACTTTGGGAGGCCGAGACGG
GAGGATCACTTGAGGTGAGGAGTTTGAGATCAGCCTGACCAACATGGTAA
AACCCTGCCTCTACTAAAAAAGTTTAAAAAATTAGCTGA
GTGTGGTGGCATGCACCTCTGTAATCTCAGCTACTTGGGAGGCCAAGGCA
GGAGAATCACTTGGAAGTTGGAAGGTGAGGTTGAGTGAGCCGAGATCGC
ATCACTGCACTCCAGCCTGCGTGACAGACTGAGACTCAGTCTCAAAAAA
TTAAAAAAGTAAATAAGATGTGTACATGCTTTAGACATAATGCTATTTT
ACACACAGTAGACTACAGCAGTGTAAACATAACTTTTATATGCACTGGAA
AATCAAAAACTTCACGTGACTTGCTTTATGGCAATATTTGCTTTATTGCA
GTGGTCTGTAACCAAAACCCACAATATCTCAAGTTATGCTTGTATATACAT
TTTTATAATCTCCTACACATAATATGGAAGGATAAGAAATTGAGGCACAA
ACAGGTTAAATATCTGTCTTAAAGCTGGGCAACTGGTAAATGATAGAGCC
AGTATTTAACTTGGCCATTATTCATTCAATTTATTCACCGATTCAATTAA
TCATTAAACAAATAGTTATGGAGTGCCCATGAGGCATTATTTCCAGACTT
CAACACTTTGTGGTATTATTCATTGGCAAACTAAACTATTCTGTGTGCTT
AGACAAAAGTGAAGGCAGACAAAGGAGGAAAAACAGAAGGGATTACAGGCT
CTGAATCAAAGAAAGGCAGAAAAATGGAAGAGTGAGAGACAAGTTTCAGT

FIG. 6A11

18/41

TTCAGGTGAGATACCTGAAAGGGGAAAAATTCTAGGGAATAGCTTTCCT
CCTCCAGGGCTCCAGGTTGAATGAATTCCCTGAACTCAGGAACAAGCGTC
AAGACTTGTTTTATTGGTATTTACAAAAATAGGTTTTAAAGGATCAGTGA
TTTGCAGATTCCAGTTGGATGTGTACACACACACATCTCTCATTCCCTCA
CGTCTAAGAGAGGGGAGAAGGAAAGACACGGCTTTGAAAGCCTAGATATT
TTGAAAGGGGTGTTTTGGGATTTTCAGCGATTTCTTTTTCCAGCAGCAACT
GTATCTTGGACTGTGGTGTATCTCTCTTTCCCATCTCCCAGGCAGGTCAG
TTAACCCTTTTGGGCTGTGTTCAATCAGGGTTAGTGCGTAATAAAGATCC
TCTGCATTTAGAATTACCTTTTTTTAACCTCTAAACCCTCTTCAAGAGGC
TGCAAACTCTTCAAAGACAGAAGCTGCTGTACGGATTTTTTCACCTGCTTC
AGTGCCTAGAGAGGAACAAGGGAGAGAAGGGGAGAGAAAAAGGAGGAAGG
AAGAAACAGGAGCAAGGGATATCTACTTGGTACTTTACAAGGTAGTGTTA
ATGAAATACACTTAAATCAAGAGTTCTGGGTTCAAGTTCAGTCCTGACG
GTGCCATATACATCCTTGGGTCATCACTCAGACTCTCAGAGCCTCAATTTT
TTACTCTGAGAAATGGAAATAATAATGCCTACTTCACCAGATCATTAGGA
GAATTAATAAGGTAATGTATTGGGTAACATTTTGTAAATGTGTGCTACT
GTGTAAGTTAAAAATGTATGAAGGTTTAAATAAAGGAATTGTTCTTTAAG
ACTTCAAGGACTTCTGTGTCAGAGTTGAAACTAGAGGATTTACCAGGATG
TTTCTGGCTCTATAGGGGTCATGTCCCTTTTCCAAGATGCCCTCAGTTGACC
AGTAAACACATTTCTTTTCAAGGCTTAATATTAAAAATAGTATCAAATCTG
ATCTAATCTGGATCAGAAGAGAAAAATACTCCAACCTACCATTGTCAACCG
CAACACTGGTTGTGTTAATGGTGTGGAATTTCTGTCACTTCCACCAACA
CTTTTTGAGCATTCGCTGCATGCGGGGCATTCTGGTGTATACTGATAAGA
AACAACAACCAAAGATAATTAAGATTGACCTCACCTCCGAGATGTTTAC
AGTTTACTTTGCTTCCCTAAGCTTCAGTTTTTCCCTCTGCCAAAACAGAA
GCTCGGAAGAGATGTCTCCAAGACACTTTCTACCATGACCTTTTGAATTT
CATAACTCTCTAATTCAGAATTCAAAGAGTGACTGTTTTACCTCCCACT
GAATATCTCTCTGAGAAAAAAGCTCTCTGCTAGCTAAGCTAGCCAAGAC
ACCATACCTGGAAGATAATACCTAAACTTCTGTTTTGTGTCCCAGGAATCCC
AAATTGATGTACACCAAAAACAATGTCAATTTATACAATTCATTATATGTC
ACTCATTAAATACATTTGCTTAGTTGATTTTTCATTAAAAATCCTGCAGGGAG
CATTATTACACTCATTTTCAAAGAGATAACTGAGTCGTAAGGATTA
AATTATTTGCCAGGTACACGGAAAGAAATTAACGTGGCCACGGCATAA
AACCAGATTTTCTGTTTTTAAACATATTTTTTTCTGCTGACCTCCACCCTG
TAAGAGCTTTTATTACCAAGCGATTGAGAAGCAGGCTCAGGGACACTG
AATTTGACCAAAGAAGCCAATAGAACTATTCCAAAAACCTATGGTTCCCC
CTAAAGCATTAGAAAGACTCAGAACGGGTTAAGTGCTCCCTGGCTCATT
CCAACAGACACTACATTCACCTGTGCTTGCTCTGAAATAAATCAGTGTCC
CTTTCTGCTGCTGCTGTTGTCTGGAATAATGCAATGCAATGGGCCTTT
ACTGACATTGTGCTTCCCTGGAAGGATACACATAATAAATTATCCCTTAA
TACTGTAAAGAGACATTTTCTCTTACTCAGGAGCTTTTGGGGTTGGAC
TGGGCTACTACCCAGCAAGGAGGAGGACATGTGTCTTGTCACTGGCCCG
GTTATTTCATGTGGCTCTCATTGCTCCTTGGCTCACTGCATTGCAAGATT
CAAGGATGCACTTCCAGGCCTCCACATCAAGTCATAGGACTTGCCGGTAA
CCTAGATTGGTTTTCTCATTTGTAATTTGAATTTATTTTATGTTATGCAT
TTGTATGTTTTATTTATTCGGATGCTCAGAAGCTGAAGATAACTAGTGCTC
CTGGTCCATGCCATTCATCAATTGGAAGAATGCCAAGCTGTTTCCGCTGA
GGACAGAAGGCATTGTCTCTCCCTGCAGGAAGCCACTGCTGCTCCTTAAT
TGTTTGCTAGAGGAAGAATCAAGGGTAAATTTAAAGTAAATGGCTGGCC
GAGTTGCACTAATTCATCAAAGCATGTTTCAAGTCAGTAGTCAGAGCATG
CATCAGCCCCCGCGGCCACCAGCTTCTACGAGAGTGGAAGCCAGCAGA
CCTCCGAGCAGATGAATCATTAGGAGGCATTCAGCAGGGCTTGAAAAGC
AAAGAGAGAGGAGGCGGGGATTTCTCTGCATGCTCCCTTTGCCACATGGG
AAACACCAGCTGTCTGTGACCTAGTTATCCAAGAAAGGAAACACGGAAGA
GAACCCACAAAACCTGTTGTGCTACATGAGAACCCCATCTCCAAAGACATG
CTGGATGTTGAGAAAAACAATTAGCATCTTCTAGTTTGACTCTATTTTTTT
TTTTTTTGTGTTAGAGATTTTTGGTAGCAATAAAGACAAGCCCTATTACA
GTAGCCTAAGAAAAATGGAATTTTTAGGGATAGCCCATGGATAGGAAGTAA
AAATCTTGGTTCATGAAAGATGGGAAGTAGGAAGTGAATGTTTTTGGAA
AATCTATCAGCATCTCACCTCTTCTCTTGTCTCTCTCTCTCATTACAT
GGCCCTTTATTTGTGCAACAATTCATTTTCTTCTCTATGAAGGTCT

FIG. 6A12

19/41

CTCTTCTTGCTTTTAAGCATGAAGCCACTCATTTCATTTCAGTAAATATGTAT
TTTAATGCTAACAGGTGCTGGCACTGCCCAAGATGCCAGGGCTACAGCAA
TCAACAAAACAGACAAAATCCCTGCCCTCGTGAAATGTACACTGTGGTGA
GGCAGGTGAGGCAGGCAGAACTGAACAAGATAAATAAGTAAAAGATACA
GTGTGCAAGAGGGCAGTGAGTGCTTGGAAGAAAAGATCAAGGGAGGAGAA
GTGAAATACTGGCAAAAGTAGTTGAAATCTTAAATAAAATGGTCATGGGAG
ACCCCACTGAGAAAAGTCATTTCTGAGTGAAACCTGAAGGAAGTAAGAAGT
TAGCATTGCAATTGTCTGGGGCAGAGCATGCTGAGGAGAGGGAATAGCAG
GTGCAAAGGGCTTGGGGTGGTTCAAGGAGCTAGCAGAGAGGCCATTGAGG
AAGGAGGTTAAGCAAGTGAGGGGGATTAGTTAGAGGTGAAGTCATAGACC
TGGGGGCACAGATCACAAAGCGTTTTCTAGGTTCATAGTGAGGACTTTGGC
TTTTACTCTGAGTGAGATCAGAAGATCCCAAAAGGCCACCACAAGATGAT
ATTACGTGGTCCACCTAATCCAGTAGTCAGTCCTTATTGCTAACTTGCA
CACAGTCAAGCTCCCTTAGTCTCCAAAAGAGGAGATCCAAGCAACGATAC
TTCATGAGCAGTCGGCTTCGAGAGTCATCCTGAGTTTTCAGGCTGACAC
AAATATCAGTCTAACTACGCAGTCCACCTGTGTAAATATTTGGGGAATAG
TGGATGGTTAAGGAAGAGACCTAGTATGAGATAAAGTGTCCAGGCCCTGC
ACACATTTGGGTCTCACAGAATTAAGTGGCAAATGCTAGTAAGAGTATCA
GGACCTTAGGAAATAGAGATTCTTTAGAAAAGTCTAATTTCCAGAAAGA
TTTTTCACATAAGACCTTTCACACAAAGACAAAATTAGAATGTGTGTTCTCT
CACCATCTCCTTATCCAGAGAGTCTTAGATGTGGCAGAAGGACCCACAA
GAGTTGTCAGAGGCAGTTGTGAGGGGTGGCAGTCATGTTAGTATTAATA
GATATCATGAGAAGTTAGACACGTTTTTGAATAAATAGAATGAATTAAA
TATTAACCCCAAAATGTCTTATGCTCACTCCCTACCTTCCCACTATGCTT
TCCTGACAGAGAAAAGAAAGGGTGGCACTGTGGCTGGAATACAGAGCCCAC
AGGACTTCAGCATGTCTTACACATAAACCTCCTCCTTTTTGTGACCCTTG
GTGGAAAAGTATGAGAGCCACGTATCTTAGAAATAACTGCCTTTCTCTCC
CTAGATGCCTGCCACAAAACAGACATGTTCTAGAACTTCTTCTCTCCCTA
GTTCCAAGAACACTGAAGTCTATGGTAATGGCCAAACATGATCTTTTTCT
AAGGACAATGTGAGAATGCTTTACTGTGCCATTTTCATAATCAGACACAA
GAAAGTTACCATCTGTAGTTTCAGCCATAGCACTTCACATGAAAGAGGAAA
TGACATAATATATATTTACATAGCTCTCATGAATATGCATTTTGTAAATG
CACAAATATGTACAAATTACTTGTATAGACTGTTTTGTTTCTATCTTTTGA
ATATTTAATACAAGTGTAAATGTTTAATTCATATTTACTGAGTTGATTGA
ACAGTTTCTAAATTTATCCCAAGCCTTGCTGGAAACAAGATTGAATGTTTC
CAGCATATTTGCACACTAGGATTTGGCCAGGAGAATCCACACTAACTGGT
TAAATGATGATTTTCTTAGAAAGCATATTGAATAAGCTGCTGGTGAAATC
ATCTTGCTGACCACACATAGAGGGACAGCACCAGATCTAATTCCAACCA
TGACCTGCAGAGCCTCTCATGACTAGGCCCCCTGATGCCTCTTTGCACC
TCTGTCTGCACTGCCCCCTCATGTGCTAAGCCACAATCAACCCATGTTCCAC
TTTCAGTCTCTGCAACAGCTGCTCCATGTGTCCAGAATGCTCTTCACAT
AGACATCAAGCCTTTGCTCTAATGTACCTTTTCAATGAGGTCTATCTTA
ACCTCTGCATTTGAAATTGCAATCCCATCATCCCCAGAACTCCTGATAT
CCCCTACACTCCCTTATACTTTTTTGTCTATAGCAACCACCCCTCACCAC
TTTATAACATTTATGCTTTGTAGTCTGTCTGTGTCCACTCACTAGAATTC
AAATATCACAAAAGCAGGAGTCCACTTTTTTTTTTTCATTGAAAACTCCAA
ATCCTAGAAGGAAGCTGGCATTTAATATGTGCTCAATAGACATTAGAGGA
AGAAAAGAAGGAAGGAAGGAAAGAGGGAGGGAGGGAGGGAGGGAGGAG
GAAGGAAGGAAGGAATGAAGGAAGGAAGGAAGGAAGGAAGGAAGGAAGA
AAGAAAGTCAAGAGACCTGGGCTCAAATCCAGCATGGGAATAAGTAGGGA
GGAAAGAAGGGAAGTCAAGAGACCTGGGATCAAATCCAGCTTGGGCATGA
GGCAAGACCAAGAGCAGAGGAGATTGTCTTGAGCTCAGGTGACGCCCATC
TGGCCAACCTCTCCACAAAGCTGGGTCACTGTTTAGAGGACAGTTCTTG
GCAGTAGTAGTAGTGCTGGTGGGGAGGGCTTTGTCTATTATATTGTGTGCG
TGTGGTGTGGGACTCTTCCTTAGTTCAGCTAAAGACAAGCTCCCTGTAC
AAGGCCATGAAAGATTAGGCTCGCAGACAATTTGAAGGGTGAGAATAATG
GGATTTATTGAGCAAAAGGAAAAATGGGGGCAGAACAGGGACGCAGCAGA
GCCAGAGTCTTCCTAGTATGTGCTTCCTGCTTCACAATTGAATCCCAGCT
ACCACCCAGGAATAGGAAGGGCCAGGCTCTTCCCCACTGCAAAATGGTGAG
AACTTCTGTGGCTCCACCCAGTGTGCACTCCTCCAGTATGCAGGCTGG
TTGGAGTTTCTCTGTGGACCTTTCCCATCTGGCTGTCTCACATGCAAAA

FIG. 6A13

20/41

TGGGAGTATTTGAATCTCCTTCTGAGAGTAATCTGAAAGTTAAATGAGGT
AAAGCAAGTGAAAAATGCTCATGTATTAGGTCTAGGGAGGAAGCAAAAA
GGAAGTAGAAGGATTCTCCTGAGTAGGGGATAATTCTTTTAGGGAGATGC
TTACCCCAAGATTATTAATATTCAAGGAAAAGCCAGGAGCGACTATAAAA
CACAGCTCATCATTCGACAGCAAGACAAAGCACCTCAAAATATGCTCTAC
TACAGTAGGCATATTTTGCAGAAAAAAATTAGAGAAAACTACATCTCCTT
GGAGTAAAGTGCCACAGGTATCCAATAACAGAAAAATAGGAAAAGACATCA
TTGCAAAACATAGGAAAAATAGTAGATGAAGATGCAAGATCCTAAAAATGTGT
ATTTTGGGCAGTTTGTGACAGATCAAGTCACATTTCTGACAGAGTGAGAA
TTAACCACAAAGCAAAATCAAGATATCATTTTAAATGTAAAAATGGAATGATA
GACACAATTGAATAGGACAAGGAGATAATGTGAAAAATAACAGAGAGGCAA
AGGACAAAGAATAAAAAATTAAGAAGGGGACTCACTCCAGAACCGAAAC
AAGATACCCCACTAATTCTCCTGTCTGCAGACATCACCAATATTCTGGTA
AATAAAATTAATGATAATTACCAGAATGACACTATAGTTATCAATGAAGA
GTGTTTTGTAGCTTGTCTACGTGTGTGTGAATGTTCAAGGGGATGTTTAG
TAAACGGTAAATAGTGTGGGTTTCAAGTTCTGCTCTGCTAATCCTATATGCC
ATAATTACAAGGTCTCAAATAAGTGCAACCCCTCAATTATCAGGAAGAG
ATATCTGAGCCAAGTGAACCAACTGACAGTAGCAATCAAAATCTATCG
CCCACAAAGGTGTGGGGGAAAGAAGTACTTTCAAACCTTTAGTGGCATT
TAAACTGGCTAAAAATATATATACTTCTGGGAGGTAATTTTGCATACTTG
CATATGCAAAATATTCCTGTAAAAATGTGCCTAAAAATTTATTCCTCTACTC
TTCTCCATCCACCTCTGTAATACAACCTTCTGGGAGTGCAGTCTACAGAAG
TAATACAAAGATCCTGGGAAAACAATGTTATTTTGTCTCATAGGTGTTTAT
GACCACATAATGTTTATGGTAAAAAATAAAAAACAACATACATAATTAT
TGTGGGTATAGTTTAGGATTTCAAGATGCTTTTTTTCATTTTTATTAAAC
TTGGTGTGTAGACATATAATTTACACAGAGTTTTTATACATTTTAAAAACG
TAAATTTTTTAGAAATGTATACAGTCATGTAACCATGTGCATCAAGGTATG
TAACACTTGCCTGGAGTCCCAGCTACTGGGAAGAGTGAGGCAGGAGGAGC
ACGTGAGCCCGGAGTTCCAGGCTGCAGTGCACCTGTAATCATGCCTGTGA
ATAGCCACTGCCTCCAGCCTGGACAACATAATGAGACTTTTATTTCTAAA
TTATTTTTTAAATTTAAGAAAAGATATATAAACTTGCATCATCTCGAAAT
TTCCTTCAAATAGTCAATACTCACTTCTGCCCCAGGGAATCCGCTGGTA
TAGTTATTTCCCTATGGTTTGTGATTTTCTAGGTCACTATATAAATGAAA
TCATACAGTACACAACTTTTGTGTATGCCTTTTTTCCCTAGCATGATG
CATATGAGATTTATCCATGTTGTTATTGGGTAATATTCTACTGTATGGAT
GCAACAAAATTTGTTTATCTATTAACGATTCATTTTATTTTGATATAATT
ATTGATTGTGAGTGCATAATTATTAGTTATCTAAATTTAGATTTGAAAG
ATAGTACTGAGAGGTCTTGTATACCTTCCACCAAGGTTCTTCTATGGTT
CCACCTTATACAACATATCATACGATATCAAAATCAGGAATTGACAGAGGT
ACAGTGTGTGGGGGTGGGGGACAGGCATGGGCATGCACAAATTTGCATG
GGTGTGCGTGTGTAGTTCTATGTCATTTTATCACTTGTGTAGATTTCTGT
AAGTGTCTTCTGCAAGATACAGAAGTATTACCTCCCAAGATTATTATA
CTACTCCTTTATAGTTACACACCCCATGCTTATTTCCGTTTGCTTTCTC
CCAACAATAATGTAATTATTTTAGACATTTCTGCTTTGATATACTTTTT
TAACCCCATTAGACAGTGTTATATTTTTTTCTTCAATCATCAAACATGA
TCTAGAAATATCAAGAGAAGAAAGTCTTCAGTATTTGCTGGTATTTTAC
TCTTTCTGTTGTTCTTCTTCTTCTGATGACCCAAAGACTTCTTTTGTG
ATTTACTTTCTTTTGTAGAGGAATTCTTTCTGAGCACCTACCTCCCTTGCT
AGCAACATATTCCTTAGTTTTACTTTCATCGGAGAATATCTTTATTACAC
CTTCATCTTAGAAGGATATTGTCTCTGGATATAGACTAATTTTGAAAGA
CATAGTTCTTGTCTTTTCACTTAAAAAATATGCCATTTCTTTTGGCC
TCCATGGTTTTCTGATGAGAAGTGTGTTGTCATTTGTATAGTTTTTCTCT
GTAAATAAAATGTTGTTTCTAATTCATGATTTCTTTTTTTTTTTTTTT
TTTTTTTTTTTTTTGAGACGGAGTCTCGCTGTGCGCCAGGCTGGAGTGCAG
TGGCGCAATCTCGGCTCACTGCAGGCTCCGCCCCCTGGGGTTCACGCCAT
TCTCCTGCCTCAGCCTCCGAGTAGCTGGGACTACAGACGCCCCGCCACCT
CGCCCGGCTAATTTTTTTTTTTTGTATTTTTTAGTAGAGACGGGGTTTAC
CGTGTAGCCAGGATGGTCTCGATCTCCTGACCTCGTGATCCGCCCCGCT
TGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCGCCCC
TAATTCATGATTTCTAGAATTTTTGTCTTTAGTTTTTAAATGTTTTGCT
ATGGTGTGCTTGGCTATCTTTATATCTTGTACTATTGTACTTTGGATT

FIG. 6A14

21/41

TCTTTGGGCTTATCGTGTTTCAGATTTCTTGGGTTTATCATGTTTGAGGTT
CACTCAGTATCTTGAATCTGTAGGTTTATGTGTTTGTCAAATTCAGAA
ATGCAGCAATTATTTCTTTAAAGACATTTTCAGCTATGCCTTCTTTCTCTT
CTTCTGGGAATTCACAATGTTAATATTCAGTCTTTTGTATTAGTCCAA
AGCTCTCTGAGGCTCTGTTCAATCTTTTCCAATTTTTTTTTCTGTATTC
AGATTTGAAAATTCCTCATTATTTTGTCTTCTGTTTCACTGATATTTTTT
ACTGTGTCCTTCCACTTTGTTATTGAGACTATCTAATGAGTTGTTTATTT
CAGTTTATTGTATTTTTTCAGCTCTAAAATTTTTATTTCAGTTCTTTATATC
TTCTTTGCCAATAATTTCTACTTTTTTCTCTTTTTTCCAACATGTTCA
TAATTTCTCACTGAGGCATTTTGTAAATGGCTGCTTTAAAATCATTGCCA
GACAATTCAGAAATCTCTGTCAATCAAGGTAATGGTGTCTTTAATTATAT
TTTCTTATTCAAAATTTCTGATTTCTTATATAATAAGTGATTTTTTTAAT
GGAATCCCTAGACATTTGGATTATGAACTCTAGATTTCTTTAAAGTCCT
TGTTTTAGAGGGCTTCCCTCTGATACCAAGCCAGAGGAAAAGAATGGCAC
TATGTTGACACTATCAGGCGAAGGTGGATGTCCAGATACTCCACTCAGCC
TCCGCTGAGACTCAGAAAGGGGGAGGATTCTCATGACTGCTGGGCAGAA
GTGGGAATTCAGGCCCCCTGCCAGGCCCTGCTGGTACCCTCTGGCTGGT
AGTGGGGTGGATGGTGGTAGGGAGGTGAGGGGTGTGGGGGAGTTGGAATC
CCTGCTGACCATCGAGGATGAAATCTCAAGGTCTACTTTACCTTTTCT
GATGCCACCCAGGCAAGGGGGTTGGGCACCTCCTTACATCTTGGTGAGGG
TGAAAGTCAAAGCTTCTGTCACAGCCCTGGCTGATAAGATGGAATGGGCT
ACTGTTTTTACAATGGTGTGGTAGTTGATGTCTGAAAATTTTTTTTTTC
TTGCTAGGCTGCCCTTTCTGCTGCTCTGGCTGTAAGCAATCTTGTCTTG
GGACTCTTTTGCATTTGCATTGACACTTCCAGGTTGCCAACTCCTCA
AGAGGCCAGTCTGGGATAGATGAGACCAAAAGAAAACCCAGGAATCCCA
CTGTCACTGTCTACTCTGAGTCTTGAGGCCCTCCAACAAGTTGCCTTCTTT
TCTCCACCTTTCAATGTCTTCTCTGCTTATATTATACATAATATCCAAA
GTTTTTAGCTTTACTTATCCAAAAGAAATGGGAAAAAATATCCATCCATTA
CATTTTCAAAGATGTTTATAAGACGATGTTGGAGCACAGAAAAGAAAGT
TATAATATTAAGGGAAGAAAATGATATAAAATGTTCTGCATACTACATG
CAAAATCGCATCTCTACTAAAAATACAAATAATTAGCTGGGCATGGTGGT
GCACGTCTGTAATCTTAGCTACTCGGGAGGCTAAGAGATGAGAATTGCTT
GAACCTGGGAGGTAGAGGTTGCAGTGAGCCAAGATAATGCCACTGCACTC
CAGCCTGGGCGACAGACACGTGGTCTAAAAAAAAAAAAAAAAAAAAAAAAA
AATCTGCAAACTGTGGTTACTACTATGCATGTATTTTTTAAATCACAGAT
ATGCAAGAAAAACACTGAAAGAAAATATGACAGATGTTAATATGCACTG
AGTTAGTGAAAGCAGAAAGAGGGATAAAGCAATTCTCTTCTATTTTCAGTGT
TCTATATGATAGCAAGATTACATTAACATATAAAATTAGATTAACAAAA
GTATTCAGCCACTCAGACAAGAAAAGCTCTTAAAAATGAGACCTGCAAAAG
AGATCCATTTCAGGATGGCTATGCTGCTCATTCATAAACTACATCGTAA
ACTTCACAGTTTATGAAGTATATAAAGGACAGGCATTGGGGTTGCTTTGT
TGAACAAATCTAGCAGATATTTGAATGAGAAGAGTAATATAGTCAGTAGA
AAAAAAGTGCAAGAAATAAGTAGAGAAAGAAAGGATATTTTCTGCTGAAG
CATGTATTCTCTGGCACAAGCCCACAATAAATGAAATTGACACCAACAG
TTGGCTCAAAAATAATCAACTACAAATATGCTCAACACATAAGCATTTCTC
TTGGACAGAACCAAGCATGGTCTGCATTGTTCTTAACAACCTTTTAG
AAGTCACCAGATGCAGTTTAAAGCTACAATAACATAGTGAGGTACAAGTTA
ATTACATAGTTACCAGAAAGTCACAGACTTTTTTTTCAGTAATAATGTAG
TAAATAAATACATGCTCACTCCATGGGAAATGGTGGCAATTATTAAGAGC
ACACATTCACACCATCATATTGCTTACTGATACTGTGCAGTTAACCAAT
GGCAGTGTGCTAAAATGGATATCTGTGTTTCCCTGAGTTTTCATGCTAC
ATGCGATGCAATGTGAAAACCAAGCATAGGGAATTTCAAGTATGAACCTCA
GCGTGTGAGTGTGTTTGTGGTCCAATCTCCGTCCCCAAACATCCCCAGA
ATAAGGCTTCTGCTTTTTTAACAATGTATATCTATTTTAACCAATTGTCTA
GCGTATAATTAATGCTCTATAAACTCTTTGTAAATGCATTACAGAAAGG
TAACAAAAGATTTTTTGTGACACGAGTAAACCAAAAGGAACAAATAAACTT
GAATTACTTTATGTTTGTGTTGGTGTTCAGAAAAGAGCTTTGGCTTTGA
ATTCAGAAAGTTCCTAATCTGAATACCAGGTCTACCAATTATTAATTAAGG
AATATCAAAATGAATTACTTGCAGTATTTGAATTTTCAGATTTCTCAATTAT
AACAAAGGATGTAAAGAGGTTTATTATGTGGCTCAAATAAGAAAATGCATG
TAAAAACACTTGTAAAACCAACAAGTACTATACACACAGGAAACAATGTT

FIG. 6A15

22/41

ATTATGGGGCTACTATTTAAACAGTAGCAAATTCAGGCCTATCTTCAAAG
AATTATACGTTATCTAAGGACCTCTCACTGATAGTAAGAAAGAGGTGGTA
AGAGAGTCAGCACAAATTATTATTTCATAAGGGCAAGGGAATGGCCTAAGAG
GAATCCATAATGAGTGATCTGCAGTGTAATAATCCGCAAATTTTGGACA
CAAAGGCTCAAATCTAGAACCAAATCTATGGCAGGAAGTTTCTAAAAATA
TAAACGCTGTGGGATTTTTGTGAAGTTACGTACCCCTATGACATATAAAT
GAGCTCAAATAATTTATTTTTCTCATTTCAATTGACTCATATGGCATGAA
TAACGCACTCTCCAGTAATAAGGATAGAGGAAGGATAAACTGTGGAA
ATTTATTGCCCTCCAAGCCAAAACCTGTGCATCTCTCCAAAGCTCTGCTTTG
TACTATCAGAAATAACTCTGGTTCTTAGGTTAATGGCGTTCAGGAAAAAC
ACATCACATGTAGAACAGCTTTTACAAGCTAGAAAAAGAGTCAACAATA
GATTTTTCTTATTTATTACAATTCATCAATAGAATAAAACCTTTCTATTTC
AATATGAATGGATTCAAAGTTGGTTGTTTAATTGGAAAAATTTGTTGCAAT
GGGTAAACATCTATTTAGCTGAAATATATGTAAATGTTTATGTCATCACA
AATCTTTTCTTTAAGGCTCAGATCTTCTCTTTGATGATAGGTTTGGTCA
TTGACATTCAAATCATGTTACTTCTGTAAGCCATAACTCCTGGTTTTTCA
CTGGAGGGGAGTGATAACTTAAACACTTGGAAAGAAATCTGACTAAGAC
CCTAGTAGATTTCCTATGAGGTTTTCTCGAACTTTTACAGTTGTCTTCT
CACACCTAATTCACATTAATTTTGTAGTAAGTTGTCTTTATCAAGACT
GTGCGGAGCATTATCTTATACTTCATCGTCTCTCTTTTGCACATCATAT
TTCATCAGTTTGTATAATAATTAAGTGCTATAACTACAAGATATAGTACA
GCTGAGACAAACAAATGTATGTACAAATAAAACCAAAATACAGAATAAGT
CCTGGGTCCCTACTTTTCTTTCTGACAAACACAGACATTGAGAAAAAG
AAGAGAGCATTCTTAAACCAAGGTAACTGAAGCGAATTTTAAAGTTC
TTTCCATTTCCACTACCCCTCTGCAAAAATGTTTGCTATATGCTTATTGTC
ACCATCAAAGATGAAGTCACTCTCTCTCTCCCTGAAAAATACAGAATTT
TATTTTGTTTACCTGAAAGCTGTGTGATATGACTTTTAATTGAAAGTATT
TATTGTCTATAATAAGATATGTGTTACATTGGTAGCTGGTCTTTTTGTAA
GTAAACTTTTCTTTATTTTAAACAGCTTCATATTTGCAAGAAAAATCTCAA
CAACAGTACAGAATACTCATATACCCCCATCAGGTTTCCCTTATAGTTA
ACAGTTGCTGGCTTTTTGCTGTAAGTGTAAAGCATTTAATCTGGAACAAA
ATAATCTCCCATTTTATAGAAGTCATCAAATGTACATTCTTTCTTTTGT
AAAGTTATTATGCCATTTCTGTTCCCTCACTGCTAATCCAAAACCTACAGCT
ACCAAAGGCATGTACACTTTTATTGTGTTGACCACCCAGGAACCCCTTCT
TCAAATGGCACACAAGCACCTAATTTCCAGTTTGGGGAACTCCACCC
CAACTCACAGTTTTTGGCATTGAGGTGGGGTGATTCCAGGGGTAGACATG
GGGCTCAGGCCTGGCCAATCAGAGCACCCCTCACTCCAGCCACAGTAATC
AAGAGTGGCTGGGGGAGATTGTTGCCACCTGTGGGAGCAGCCTTGGAT
TATCTCAGTTTACACCTATTGTCCTGAGAGGATCATTAATGGATTTTCT
TTCACCTTCAAAGCCAAAAATGATACAGTCCCTCCAGTGAAAGTCTCTGA
GCTATTCTATGCATGACTTTAGCTGCCTCCATAATTATATGAACCAATAA
ATACCATAGAAGAAAGGGGAGAATATTGGCTTAAAGTCATTTGACAAGCA
AAGAGTGTCACTTGCCCTGTTCCCTCATCACAAGTTTCATGGTTGCAATCAC
CAAATCTTTCTATTTGGCCACTTAAAGTTTCATACACGCATAATCTGCACT
GGCAATACTGGAACATTTCTTTAGAAGAAGCACATGCAAGACCTGGAAG
CAAGAGAGGGGAGAATATGTTTCCAAAATGAAAGGGAGATCAAGAAGGAG
AGAGATCAAGTCAGAGGGAGGTGAGTGTGGGAGGGAAGATATCAGGCAG
GGAGGGTAAGCAGGGGGCCATGTTGCGCAGGCTGCGTAGAAGCTTGTGTG
TTATTCTAAGGACAATAAGGAACCAGGAAAGGATTCAGACAGAAGGAGG
GTCAAGACCATATGCTCATTTTGGAACAGTCTCTCTGAATGCTTAGAGAG
AGTGAAAGGCAGATCTGAAGACAGGAAGCTGCCTCAGGAAGCAATGATCT
TGAGTTGGGGCTATGATAGTGGCAAGGGTAAGAAATGTATGTATTAAAGA
TATAGCCAGGCAATTTCTCTCGGGTCAAATTTGGAGTCTCATTAAACGGAAA
TTCCTGTCTAACCTGGTCTCCTTTCCCTTTGCAGACCAAAACCTTAGGG
CCCAGAATACAGCCCTGCACAAATAAATACTTGTTCATTAATGAGTCTC
AATATATTTGTTCAATTAATGAGTCTCAATAGTTTGATAGTTGAATACAA
TTAGAGATGCAAGCCACCTCCAAATTCTCTAGCAAAGAAATTTTGTCTTG
GTTCTAGGTTTACGCATTTCATGGGGGAAGTAATCATGCATTATCTACC
TCAATATGGCAGCCTCAATTGCTTGAGCAAAAGCTGAAGTCAAACCTCTA
AGATTTTCAAATACTTTGTTAAGTGTAAGTATTTCATATTCTTTGCCCTT
TAAACAGTAGAGAATCAGTAAAGTATTTTCTTGGTTCCGTTGATATTAGA

FIG. 6A16

23/41

TAGAACTATTGACTTTCCTCCTCTTTTATGGCACCATAAAACATGTTGTA
CTGAAATAAAGGTTTACTTTGCAACTGAGAATTCATAGGCAAGGCTTCCT
GCTGACTCCACAGAACCCAGGACAAGGGTGTCAGTGTCTTTTGTGATGGA
GGTATTCTTAGAACCAATTAACTACTCTTTCCAGAGGAACCTTTGGATCA
TAATTAGCTTTATGTGTGTGTGCACGCACACATGTTCTGGAGAAAAGAGA
GAAAGTGTACTACATATAAATGAGTAATTAGGTTTCCGCTAAATTAAAAA
TTTTCCCAAGTCATGGTCTGCACTTAGATGATCTGTTTCTATTCTGCTAA
TTTCTGCTCAGAGCAATCACTGCCCATGAAACCATCACGTTTCTTATTC
CACAGAGGTCATAGAAGTTCTTTTCTTCTAATGGAGAGAGAAACCCTTGC
CTATTTTCCCTGTGCTGCAAGGTCAGAGAGATGATGAAGTAATGCTC
CAAAAAGATGTTTAGCCAAAGGAACCTTAGCTCAAGGCTTTGACTTTTAC
CCCTTAGACTAAAAGGCCACAATTTGAGTTTTCAGTGTATGAGATCATG
AAAGAGGAAGGGACCTCTGTGTTCACTAGGCAGAGAGGTAACAAGAAAA
AGAGATGTGCTCTAGAATTAGGCTTGAGTTCTGTGCGGGGACCTCCTGG
CTGTGAGGCCCTGGGAAAGATGCTCTGTCTCATTGAGCCTCATTTTCCA
CATCTGTAAATTGGGGGCAGCAAATACTGAGGGTGACATCATCTTCACTG
CATTGTAGTGAGGGTCACATGAGATAGTGGCAAGAAAATGCACCTGTGAA
CTGTAAATAACTAAAGGAATGCATATTGTTTTTGTCTATCTAGTTTGGCC
CTTTTTCCAAAATGGAAACAGAGGTGCAGGACTTACCCAGAGCAGCAGCC
TGGTGACCATCTAGAGTCCCAGCTCCCAATTCAGAGCACCTTCACCTCTG
CACATGACCTTCCAGTTATTGACACTCCTCCAGCAGGGCTATGTTTACCT
AATGTGTCAAACCTCAATCCTGAGGACAGCCACTCTGACCACTAGTACAGC
AGTTAACATTTAGATGGGAAATCTTAGTGTGTTTGGACTTATCATATCTT
AGTTTAAACCAAATAATTCAACCAAAGCATAAGAGTATTCCTTTTTCTGA
GCCATCTCATTCTCAGAATCACAATTATTGATGTCACCCAAAGTGAACAC
CTAGCTCTAATTTATCTGAGGCCTTCCCTTTTTGAACACGGAAGTTCCT
CATGCCAGGAACCTCCTCAGTCCCAAGAAAACCTGAGGCAGTCATCCATCC
CAAATGTCCATATTTCTCTGAATGTCTACAATATGCCAGGCACTGTTCTG
AGCTCTTTATTTACAATGTTTCTACTTATTCATTTGGAAATATAGATGAGG
TAGGGTTATTTCCAGTTTATGAGGTGAGGAACTCAGTTCCGAGTGATCC
AATAAGCTTGCCCAAGTCACACAGCCAATGTGTCATTGGAGCCAGGACCCAT
GGCATTGTGAATCCAGAATCTGTGTCATGTAACACTGACTCCCCGAATGCC
CTGAACATTCTCAGGAATTGTGGGTGGGTGGTGTAACTGCTTCACACCA
GCTTATTTTATAGTCTACCTGCCAGTTGTAATGGTTCTGCATTGATTGGA
AAGTGGTTCTAGTATTCAAACCTGGGAGTGTGATAGTGAAGACCACTA
AGAAAATGCATATAAAGCCCTCAATTCAAGTTCCTACCACATTGTTTCTT
GACTTTACATCTTGAAGTCTTTTTTTCCTTATCATATGAAATGAAAATAA
TAAAACCTACATCAAAGTAATACCTTGAGACTCAAAGTGTTTAGAAAACA
TTTTGTAAAGCTGAGAAACCAATATATTAGCAAAGTGGGGCTTAATTTAT
TTACATTAAGTTTAAATTATGTTATTGAGGATTTATATGGTGTCACTGTACA
AGCTTAATGGCTCTGTTAGCCTCTAATTTTTTTGGTTTATTTCCCAAAAT
TTACTTTTACAACCAAGTATCTTCCAGACACCGTATAGCAGACATCTGTGG
TTGCCTGCACAGCAGGAATCTTCCATTTCTCTTAATGAGATCCTGATTT
CCACGTGGGAACATCATCCTGTCCCATCCTTATTCTCAAACATGAGCTT
TAGCCAATCAGCACATGAAACAATCAGTGTGAGTGTGAGACATTTGTGAGAA
CTTCTGCGAAACACAAGTTCTCGTCATCTTCCATGGGCAAATTTATCTTC
CCCACTGGATGTGAACAATAAGTTAAAGCCACTAAAGCTATCAACAGT
AGACTTAAAAAGAGTTTTGTAGTGAGGGAGAGAAGACGAATCCTCACTTCA
TGAAAGCAGAAATTAACAGAGAGAAATGGATTTTTTTTATATCAAT
TTAGCCTTAAATCAAGTCACATACAAATTCAGCTCTGCACCTTCAAGAC
TGAGTGAGCTTGGGTGTGGCCATTAACCTCTCTGAGCTTTTGTTCCTCA
TCTGTAAAATAGGGATCAATCACTTACTCCTTATAGTGCCGTGGTGAGTG
TTGAACTGGATAACAATTGTCAAGTTGCCTACCACAAGGCCTGGCAAATA
AGTGCTCAGTGAGTGAGGGCTTTCCCTCGCTGCCCTGCCCCTAGTGGGGA
AGACTGGGCAGTGACTATATAAAAAATGATTTGAAAATAAGATTCTTGTT
TGGAGTTTAATAAGACTCCAAGAACTTTGCTCATGTTACTGTGTGTGATA
CAATAAAGGGAAAGGAGGCTAAATTATTTCTTATTGTCTCATTTTCATAT
CTGTTTACATAAATCAATTTGCATTTTAATTTGCACATTAATTCACCTTC
CAAGATGAACCCTGGACCAAATCCTGATGCAGTATTTTTTGTGTGTGTGC
CTGTGTATGGGATATAAGGTATGGCTTTGGGAAGAGGACAACCATGACCC
TGATAAACAACTGGCTAGAAGACACAATTCCTCCAGTTCCAGCCATCCTT

FIG. 6A17

24/41

---AACCTCCTCATTCCCAGTCTCTTTGACCATATACTAAAGCTGTGCTCACT
CAGTCTAGGATTGTCCCATATTAACATAAATCTGAAAGAGAGAACAATCT
TTATTATTAGAGGAGAGTAGGTCTTCTCTGGCTGTTTCACTGTATCTTGG
AAACCCAAAGATGCAGCTGGCCACTCTTCAACAACAGCAGCAGATAAGGA
AGTAACATGTCTGCTCCATCTGAACACCATCCAAAAGGAAATCCTCTCCA
AGCCTACAGGAACTCCAAGACTACACCTGGCAAGAGAACACAGGGAATA
AGAAGCGGCTAGGTTTAAAGGCAGGAGCATAGAAATCAAGAATTTTTCAGC
CACCTCTGCTTCAACTATGTATTTCCCACTCTGGGAACAGGGTTCCAC
CTGTAAAATGGGCAGTCAGAAATAATGAAGAGTAAGAAACAATCTCAACA
TCAGGTCAGCTACATCCAGCACAATCCTGGAGTGTGAGCACATCCTAGGG
TATGTGAGCACATACCCTAGACCTATAGGATAATGGATGGAGTGAACCCCT
GCAGGAGTACAATAAGTACGCCAGTGTCTCTCAAAAACCTTCTTCCATT
TCACAGGATTCTTTTCTTCCAGCAAAATCCTTATCATCTCTGAGGCCCA
GCTCAAATGCTGTCTCTTCTGTGATGTTTTTGCAACACTCATTGCCCAAG
TAATCCCAGTTATTAAAGCTCTTAACCCCAATGCCCTGTCCACAGACT
CTGAAAGATGCTGATGCATTGTTGTGTCCCATGTCTGTTTCCCCAGCAGG
TTGTGAGTCTCAGTTGAATTCAGTTTCTTGTGTCAGAGTCTTTATCAAA
CCACAGAAGAATCAAGTTGAACAACATGGAGTATCTACACCGGAGCAGC
CCACAGTTTCAGGGATGGACACAGAACAAGAGAGATTCTATTACAGACATAA
AGCACAGAGATGTTGGGGTTTTCTCTGTTGGGAAGAATAAGAGGTCCAGA
AAAGCTTCCCAAAGTGATGGCACCTCAAGGGTCAGGACCTCACCTTATTA
ATCTCCATGACCCAGCATCTACTACAGCATCTGTCACAACTGGGCTCTGA
GAATGTTGGCTAAATAAATGAATGAATGATATCAATACACAGGGTTTTTC
CCCATTTTCTGAATATTCTGGACTAGGGGATATCTCAGAACAGTACTTAG
CACCTAGTGTGTGCTCAATAAATCTTGTGTTAAACCACTAAAAATTGCTGG
ACAGCTGAACTGAAAATTACTCACAGCCCCATTCAACTGCATCAGCCATG
AAAATCAACTCAGATTGCAAATCTATGCTGGCATTTCAGACTTAAGAT
GTAAATACAGAGTGTGAGCCATGTGGCTAAGATCAGCTTTAATTCAGTGT
TCATCTCTGAAATTCATTAATGATTAAATACTTTTTTCTTTGCTCTCTA
TGGGAGTTGAAACAAGTATCATGTATCCAAAGACCAGGGTTCAGTTTGGC
CCAACATTAATTCATTAATGTTTCAACAAAAATTTATTGACCATCTACT
AAGTGCTGAGTGCTAGAATCCATTGACTACCTACTAATGAAGTGCTAGAT
TTTAACACAGGGACATCTGTGGTAAAACAGTAAATTCTCTAACCTCATCT
AGAGGGGTGAAGGTTCTGCCTTTGCCTACCTTCTATAGTCAGAGACTAC
TGGTATTTCAATCCATAAGTATTAATGAAAGTCACTCTAGTTCTCTGCA
CATGTGAAGCAGAGCATATTATTATTTTGTCTTGTGCTCTATCTAAAT
GTCATTCCCTCTTCTCCATCCCATCACTTATTTTGTCTTGGAAATTCCTT
CTGGATTTCTCAAGATTATATAGAAGCTCCATGAAGGCAGGACACTGTC
TGACTCATTGGCTCCTGAGTCCCTTGAACGTAGTGCTGAGCTTGGCATAT
AGCAAGGGCTCAATAAATGTTTATTGAATGAATATATGACATGATGAATG
ATTAGATGAAAACGTCTCCTTTTCCAGGAAGTTTCCCTGTTTCTAAAAA
GGAGTTAAGGGCCTCTGCTGAGGGCTCCCCAAGTCTCTCCTCTGGGTCCA
GCAGAGCACATTCTCCTTCTCCATTTTCTCCTGTCTCCACTGCTCAATGG
AGAGTTCCCTTAAGGCACAGGCCATGAGTGTTCATCTCTAATTTCTTGA
CTCTAGCAGAGGGATGTTTCAAAAGGATGTGCTCAGATAAATAATTTGA
TTAAACTCAACAGACCTAAACGAAGGGAATCTTAAACTCCTGGGTAACT
CACTGCAGATTGGCCCTTGATCGGTTTTCTAGGGATCCACTCTATCCCCTG
AAAACCTCCGGTGGTACTGAAGAGCCTCTTAAAGTTAAAAAGCATCAGTGG
GATGGAGGTGGGATTTATGTTGATCATCAGAGGCCAAAAGTCCAGTCACA
GCTGTGGGAATGAGGAAAAGAGTGAATACTATTCTGATTTCTTACCATTA
AAACTAAAAATCATATTCTGATACTGTACACGGAAGAATCAAGTGCATTCT
TCCAGCAGGCAATTGACACTGGCCTGCTTATTGGAATTGTGAAAGAATAA
GCAACCACAAAGGCAAGAATACACAAGTACTGTTCTGCTTATCCCAGAGA
GGTGATTTCATGGGCTCTTCTGCTATCTGGTTTCTGCGCAGGAATGGTAG
AGGCAAACTCTGAGTGGGACCACTTGTGCTTAGGATAGCAATGTGGTAA
GAAGCATCACCAACCTGCCATCATCACCATCAGACAACCTGGGGCTCTC
CCCTCTTGATAGCGCTGCCCTCAGGCTGCTCTGCTGACGGTAATTTTG
GTCATGGGGAAAAGGCCCAATTTTACCCTTACTTTCTCCCCCATAATGG
TACCTGATGGCCCTCATAATTGTAAAAGCACACAATCATAGCAGCTATTA
ACTTGCTGACACATCCTTGAGTTACTCTTCTAAAATATATCCCTAAGTGG
ATTGCAGAAGTCTCTGGGTGACCGTAGGATCAGACCATCCAATGCAAGAC

FIG. 6A18

25/41

ATCACCAGTCCATTGCTGTCACTGAAACCTGGCTTTGTTGGGATGGCATT
GGTCTGCAGCAACCTTCCCGGCACTGGTTCCCTCAGCCCACTGGAGCCAAG
GATTTCTGGTGGGAACATCTGGTAAACCATAGGATCTTTCTGTTCTCCAC
ATTACCCAGACATGCATGCATTAGGGGAGAAAACATAAACATTTATACTC
TCAATCTGCTCCACCCCTCAAAAACGGTATAATGCCTAAAAACAGGTCTGG
TTTCTATCGGGGATAGTTGGGCCATCTCTCTGTATTCCACTTCCCTCATA
TATTAAAGTAAGAAATACATACTTCCATTTAAAGTTAAAAAGAAGAAGGAT
CAGCTTCTTTTGTAGTATGTAAAGTCTCAGTGGCATCAACCAATAAGTGGA
GACTGTTAAACTCTCCAGTGGTGGAAATAATGCGGACAACCTTGTGAGTTT
ACATGTTTGTGCATGCTTATCATGCGCTAGAGAGTGTGCTAAGCACTTTA
CAAGTCTTATTGCTTCTAATTTTCATAACAAACCTAGGAGACACATATTA
TTACCATCTCCATTTTAGAGGTGAGGACACAGGCTCAGAGATAAAGTGAT
ATGGCCCAATCCCTATGGCTAGTTAAATAGTGGTGCCTGGGTTTGAATC
CAAGTGGCCTAAGTTCAAAGTCCAGGCTCTTAACCAATACTCTGGGTTAG
GGTAAGAAGAAAATTGGATAATGTATGAATCAGAGATATTCCAGATTAAA
GGAAGCTTGAGGAGCTCCTCCCAATGTTTTGATGTTGCAGGTGGGGAAG
TTTTTGAATTTGAAGCTGCTTAAGGCTTAAATTGTTATGAGCCAACACT
TGGCAAGAACGAGTTGCCCAAGTTCTTTGCAATTCTGATGGCTAGGCCCA
TATACTCTAGCAGAACATTTTGTACATGATTGTTGCTCAAGTAATATTAT
TTGAAGAAAGAATGACAGTTTGACTCAAAATGAGAAGATCTTGACTCATA
CTTCACCATCAAACTGATTCCTTTTCTGTGGCCATTTCTTTATCTGTAA
AAAGGGCATAGTGCCTTTCTGCTTAACCTTTAAGACACCAAGATAAAAGGTT
ACATAAACCCACTGAGGCATATTCTTACAATGCACATTTATACATCCTTA
GTGGCATTCTGATGGCTGATAAAAGTAAGACTTACTGAAAATAAAAAACA
GAAAGAAAGAATAAATCAAAATAAATTTTCATATTTTTGCCAGACTGAAA
ACTCCCTTAGAATAAGGATGGTGTGTTGGATTGGTCGCCACTGTATCTGTA
ATGCCAAGTAGTTATCACTGTTTGTATACATTTGGAGAATAAAGGAATGC
ATCACCAGAATGTTTAATACAATGCAAAAGGAATTTTGAGAAAAAGGTA
GGTGGGAAAATGTAGGATACAAAATTTGCACATATGGTATAAACCCAGCTC
CATAAAAAAGCAAGAAATACGTAGGAGAGAAAAAGAATTTAAGCCCAGAA
GGAAATACACAAAACACAGAGTGGTTTGCCTCTGGATAAATAGAGTAATGA
GGAAATCATTTTTCTGCCCATTCAGTTTCTTCTGAATTCTTTAAATTTT
CCATAATGATCAGTTGTTAATGGATAATCAGGAAAAAATGAAAAATAAAA
CTATTCACAGAGTCCAGCTTAGAAACCCAAGTCTTAGCATAAGGAGGTCA
CTGAGTCTGAGCAGCTTGGGTGTGGGGATCTCGGCTGTGAGCTACCCAC
TGGACACCATTAGAGCAGACGTTTAGCCCTGAGTCATATTCCAAAGCCAT
ATTATACACTTGAACCTTGCCCTTCCCCAACCTACAGCTGCACAGCAGACA
TGCTCAAAGTCCCATATGCTTCTTTAGTGCAGATTATTCAAGAAACACAG
GCTGGGGGAAATGGCATTGTCAGGAATATTGCAAGACAGGCAAGACTTGC
AGGTGCACAGCAGCAGAAAACCCACAGCCATGGTTATTCAAGTGAAGCTGG
AATCTAAAGGGATGAACAGACCTAGAAGCTCCTTGTGCGGTCACTTTGTC
TGTGTCTCCATAGCCAGCCTTCTCAATTAGTTGCGACTTATAAATAAGCA
TGTTTCTGAAATCTCCAACACATTTCTATGGGACCAAGAAGATAAAGA
GATGGGGCCGAGTGTGGATGAGTGGAGAATACAGATATGCTCAGGCCGGG
CATTTTCATATGGCTTGCAGAGATTTTACTGAGTGATGGAAGGTTGCAGGC
CCCATCAGTCCATCAGGGGATGTTTCATTTTGAAGTGAAGATCTGGACCCT
TCTGCTCCACGTGGCCCGCTCTGGTTTATGGCTCTGTCTCTGGTTGTCTA
TTAACGTGAGTTAGTGCCAGTACTTTATAGTCTAAACCTTTGCAACAGAA
AACAGCCATTCTTTGAGCTCAGCGAGCCCAGCAAGAGCAACAATGTATGG
AACGAGGAGCGTCATTTCTCTGGCACTTACTTTCTGCCCTTGCCCTAA
TGTAACAACACAGTCTTCTAAGCACAATACTTCTTTTTAGCAAGGCTTTA
AAATACAGTTCTGCCTCTCTCTATTTCTATTCTCACTACTCCTGTTCAAG
GGCCTAGTCTCCCTCACCTCTCTCTGCACTGCTGGCTTCTACCCTTGCC
CCCTCTCTTCCATTCTCCACTGGTAGCCAGAGTGAGCTTACAGAAACAGA
ATTGAGATCACACATCACTCCCCTGCTTAAAATAACTTAGAACTCTCCAC
ATTGGTATGCAAAGGGCTGTTGGACTTGAGCTTCTTCTGACACCCCTT
TGAGCTACTTGTCTCCTTTTCTATGTTCTAGCCATGCTGTTTGCAAACCT
ACCTAGCTTGTCTCCTACCTTGGGACCCTGGCACTGACAACCTCTGTCTACC
AAAAAGGCTCCCCACCTGAGTGTAATTAGTTCAACCATTGTGGAAGACA
GTGTGGCAACTCCTCAAGGATCTAGAACCAGAAATACCATTGTGACCCAGC
AATCCCATTACGGGGTATATACCCAAACGATTATAAATCATTCTACTATA

FIG. 6A19

26/41

AAGACACATGCACACGTATGAAACTTGCAGCACTGTTCACTATAACAAAG
ACTTGGAAACCAGCCCAAGTGCCCATCCATGATAGACTGGATAAAGAAAAT
GTGACACATATACATCATGGAATACTATGCAGCCATAAAAAAGGATGAGT
TCATGTCCTTTTCAGGGACATGGATGAAGCTGGAAACCATCATTCTCAGC
AAACCAACACAGGAACAGAAAATCAAACACCCGATGTTCTCATTTCATAAG
TGGGAGCTGAGCAATGAGAACACTGGACACAGGGAGGGGAATATCACACA
CCAGGGCCTGTTGGGGGTGGGGGGTTAGGGAAGGGATAGCATTAGGAGAA
ATACCTAATGTAGATGACGGGTTGATGGGTGCAGCAAACCATGTCAC
ACGTATACCTATGTAACAAACCTACACACTCTGCACATGTATACCAGAAT
TTAAAGTATAATAAATTTTTTTTTAAAAAAGGCTCCCCATTCTCACTTACA
ATCTTCTTTTAGTTTGTCTTGATAAGCTTTCAGCTCTTGACCACAAATA
GGCTCTCCAGGGTCCATCTAGTTCAATTCTCTGTTAAGATTTATTCCTA
AGAAGGAGGAAGGGAGTGGGGAAAGGGCTGAAAACTATCTACTGGTTAC
TATGGTTAGTAACTTGGTGACAGGGTCAATCATACCCAAAACCTCAGCAT
CACACAATATACCAATATAACAAACTTGCACATATACGCCCCAACTCAA
ATAAAAATTTAAATTTAAATTTTAAAAAATATTTCTTAAGATATTTATTC
CTAACTTTGAAGTATATTGTTCTTTACAGTCTGTTTCCCTCTATAAGAAA
GCAAAACCCATAAGAGACTAAGGATCTTGACAAATTTAAAGCTGTATCCCC
AGTACCTAGGACGTTGGCAATATCAATTCGTATGTTTTTAATGCATTCCCT
GAATGAACGAATAAAAACAAATTCAGCCTAAATGGAACCCAAAATCACAG
AAATGCTGTTCTTCAGTACATTACTAAGTGCAGTGCCTCCTTGACCCGTC
TACCCTAAATCATCAAAGGAAAAAGAAAACCTTCAAGAAGTGATTCCGAA
TCCTAGTTTCACCATTTACTCCATGATTCTAGACAAGTCTTAAATTCTCT
GCACCTCAGTTTTCTCTTCTAAAATAGAAGATGTAAGAGAAAATAAAAAACA
GCTGTACCTAGAGTTGTGATGCCTATTCAATGAGTGAGTATATGTTGGGC
ACTTTGAACGTATCTGGCACATGCATTACCATGAGGATATTCTCCCCAT
GTTGACAGCATTGTGTAATAAAAAAGCTCTTAGCTCTGCCGCTGGAAATA
GGCAGGAGGGGGCCAGCAGGGAGCAAGTCTGAAAGCAGGGAGACCCTGT
AAGGAGATTGATCCCCCACAGCTGACTGGTAATGAGGCTGGGCCAGGGG
AGAGGCAGTGCAAGCAGAGATGAGCTGATAAATTAACAGAGCAATGCAGA
AGTAGAATTAATAGGATTGTCTATTGTTGGAGCCATTGGAGGGAGGAGT
CAAGAGCAGGAAGCTGAGGATGCAGACCTGGCCACCCGCGATAGAGATGA
GCAGCTGTCTACTCACATCCACTCATAAGCCAACCCAGGAGATGCTCAGG
GCACAAATCACATACAACCTGGAACCTGCCTTGAGGACGTGGGTGCAAAG
AGGGGAACCAGCAGAGACAAAAAATAAGTGATGAGGGTCACCCTGGGG
GTACGAACAGAGGACAATGTGGTCACAGAATGGGATACGATTTCTTCAAG
TATAGGAGATTTGGATAGGCATCACAGAAAAAGTGACAGCCCGCAACTTT
TTTATTGCACTCCTTACAGCATACCCGAAAGCATTGGTGAGGACACAAAA
ACTACAGATAAGAATCAGATTCTAAAAAGACAATTCTCTTTTCCATTCT
GTCCTCTCCCCTGCAACTTCCCAATCCCTCACCTCTAATTAACCCGCCCA
CCCCTTCACTAGCTTCTGATTTTCAGGCAACGTCCAGTACTTGTTCCACCT
TTCTCTCTGACCAGCCATCAAGAAGATCTTGTATGTTTCTCCTACACACC
CCTGCCCCCTGGACCCAGGAATTCTTCCATTTTTCCATATTTGGGCTATAT
TAAGTAATAAGCCCACATGCTTTCTGTTGAGAAAATACAAAAAGATGTTT
CCCTCTGTCTATAAAGAAAAAGAGGTAACCCAGGGAACATTTTGTCCCTCT
AGTTATCTTCCACAGGCCCATCAAGAATCAGGCAGTAGGTGAAAAAGAA
ACACAGAGAACCCTAGGAACACAATAGGAAGACCACCATGGGGCCCTTAGGG
AGTCAGCGAAGGCTTATGATGCAAAAAGAAGGTCCCAGGTACCTTAAAAA
CTCCACTTCCCTCTCTAGGATCCCCAAGAGAGCTTGACAGCGTCCCTCTA
TGCAGATGTTTATAAATCAGGCATATGTAACCTCTGCGGTTTCTTGCACAT
AATTGATCACAGTTGAGCTGCTCAGACATTAAATCCAAAGGACATCAGAG
AAGGACGAGTTTCAATAAAGAACTGAGAAAGAAGTGACCCCTGAGCATA
GATCTTGGCATAACATGCGTGGGAAATGGCCTCTCAAGGGGTCAATTATCCA
TTCAATTACACACAGTTAATTTGGAAAGAGAAAGTTCCTGCCTTGAGTA
AATTGCTGTCTGTAGGGAAGTGAAAATCCACTAGGGGTAACAAATAAC
AAATTTAAATGCCTTTCTGGGTCCAGCAGATACCATCAATACCTATCATGA
CCAAGGAGGTGGGTGGCTTGTGAAAAACCAGAGAGTCCAGGGCCACCTGA
AACACCCTCAATTTTCAAGAACATTTTACATTTTCTGACTAGCAGATAAAT
ACCCCTGGGGTAGTGAAATTTCAAAATCTCACACAGGTCTCCTTAGAGCA
GAGTTTCTCATCTCCAGCAATATTGACATTTGGAGTCAGATAATTATTTT
TGGGTTGGGGGGTGGGCACTGATATGTTTCAATTGTAGGATGTTTAGCAAGA

FIG. 6A20

27/41

TCTCTGGACTCTGCACACTAGATACCACTAGCACCCTCATAGTGGTGACA
ATTAACCTGTGTCCCCAGACATTGCCAAATGTATCCTGGGGAGCAAAATCA
TCTCCTATTCTCACCTCCTGAGAAAGAAGTGCAGGATATCACAATAGCAG
AGGGCAATGGAAGATGACAGTCCCATGCTAGAAGCTGCTTTACCAACACA
GTCAGCTGCTATCTCCACAACAGGCGGGTGAGGAAGGATTCATGACCCTC
AATGAAATGAACAAATGCAAGCAAAGCCAAGTTGCCATTGAATGTGGCAG
TTATTGTTTTATTATTATTATTATTATTATTATTATTATTATTATTATT
CTCTCTCTCTTTTTCTTTTTCTTTTTTTTTTTTTTTTTTTTAGAGAGAGA
TTGGGTCTCACTGTGTGCCCAGGCTGGTCTCAAATGTCTGGCTTCAAGC
AATCCTCTCACCTTAGACTCCCAAAGTGCCTCCGCCCTGCCAGAGTTAC
TATTTGAATCCAGACATTCTGACTCTGAGGCTGCGTTTTAACAGCCTGA
CATCACGCCTCAAGCAGGGGATTTTTCAAAGGACAGGATGATGGAGCTGA
GGCTCAAGAGACAGTCAGCCTTGACCTCTGTGTGTGGAGCATCCCTCCAG
CGATTACCTGTCCATGGTGTAGAAGATGGGCTGGCGAGAGGCCACAGAT
GTCCGGAGGCTGTGTCAGTTGTATTGATGATAAATGACAAGGGTCTGCAC
TTTAAGCAGTGGGAGTAGGGATCTAGAAGATACTAAAACTATTTAGGCTG
GGGGCAATGAATCACGCCTGTAATCCCAGCCCTTTGAGAGGCCAAGGCAG
GCAGATAATTTGAGGCCAGGAGTTTCAAACCAGCCTGGCCCATATGGTGA
AACCCCATCTCTACTAAAAATACAAAATTAGCCGGGCGTGGTGGCAGGT
ACCTGTAATCCCAGATACTCAAAAGACTGAGGCGGGAGAATCTCTGGAAC
CTGGGAGGCGGAGGTTGAGTGAGCCAAGACCAAGATCATGCCACCATGC
TCCAGCTTAGGCAACAGAGTGAGACACTGTCTTTAAAAAGAAAAAACA
AAATTAAGACAAAAATTGACAGGATTCATGATTGATTGAACTAGGGAGTT
TTTTAAAAATTCTAGAATATTCACAATTAGTCATAATACTTAATATCAAC
TGTTTTTCAAAACCAACTAATATCACAGCAGCTTAACAATAAGTTTTAT
TTCTCACCCATGTTGGTCCAATTGCGTGTGTTGGCCAGCAGCTTCAAAGA
AGTGACTCAGGGATTCAAAATCCCTGCATCTTGTGGCATCGGCCTACTCT
AGGTCAAGGGTTCATCAAACTACTGCCTGTGGACCAATCCAGCACTGCTT
GTGGGCCAAATCCAGCCACTGCCTGTCTTTGTAAACACATTTTTTATAGG
GACACAGTCATGCTCATTTGTTTACGTATTATCTATGGGGTTTCACATT
ACAACAGCAGAGTTGAATAATTGCAACAGATGCAGAGACTGTATCATCCA
TAAGGTCTACAACATTTACTATCTGGCCGTTTGCTGGAACAGTTTGCTGA
CCCTTGCCCTCAGCTCTCCTTGAGTCTCTCACTGGATTCATGTTTCTA
TTGGCCAATGAGAAAAAGAGAAAGTAAGAGGGCTCACACGAGAGGTTTA
TCACCAGCTGGACCTGACGCATGCCCTTCTGTGGCCACACACTGTTTAC
TGGTCAAGACTGAGACTCACGGCCCCACTCACTGCAGGAAAGCTGGGAAG
CATGCAGGCAATAGTGGATAAGGCTGAGAACCCACAGTCTACGCCACACA
TCCATCCATGGCTCTGGAGGAACTTCCTTTTGCTGATTATCATCCTTTGG
TTTCCTTAGAATGGAAACTCACATATTCTTGCAAAGTGCTATAAACAAC
CATATCTCACTGAGATGCATTAATGACCAACATAAACTACTGATCCCTGA
GTTTAAACAAATGTATTATGTTAGTTGATAATCTTAGAATAAACATGACC
TCAATTAATAAATTTTCTCAGAGCTATATACTCTCTCTTAGTTCAAGTAA
GCGTACAAATGGAAATTCAGTTTAACTGGATAATACAGAGTGTCTACTTT
GTGCTCAGCACTGTGCCAAGCAGAAAGAAAAATAAAGACCTACCGGATAC
CTGCCAGGACCTCATCCTATGCGTGAAATACATAAATATAGAAATAACAA
AAGAAGTATTATGTCTAAGTTCAAAAATATGAAGTTTTATCTTCTTATCA
GCTCAGAGAAAGAATATATCATAAAGGACTGGGATAGTTGAGAGTCACTTC
CTGGAGTGGGGGAAAAAGCCATTATAATTTACAACAGTGTTCATAAAAA
TTAAAAAGAGTGAAAGTTGATCAAATGTAAAAAACACTTTAAACTTAGA
AGTCATTCTCACTATGTGATCTTCTTTAATATTTCATCAAAATTCGTAAAT
TTCCAGTGTATCAGGACTAGCTCAGTTTCAGTGAATTCCAGCAAGGGAT
GTCAAGTCACCTGAGACCTGGAACACACAGCCTGCGAGGAGAGCAGCAGG
CCTGAAACGAGGGCGGGATTTTTCTTTTCTTTTTTATTTTCTCTCCTTA
CCCCCTCTTTCTGATTTTTACTCCAGGGCTCTTTCTACTACCACATTGTC
ATTAATAATAAATAATGTCAATTGACAGACTTAACTGAGATAACCACA
GAAAACTCCAGATCTGTTCCAAAGCAAACAGCAGCCAGGAAATCCTTTCC
ATGCACAGACAGTAACATTTCTCCTTAGCTCAAGGATGGTGCAGCCAAGG
GTAAAGGAAATGAGGACACAGGTTGAATGCTGTCCCCGAAGAGTGCTCCT
TCCAGGAGCTCAGGTCAAAGGCAGCTTTGAGATTAAACACAGCTATCCT
GATAGGGGAAGGAAGTAGCACTGTGAGGGTTGTCAATTTTATCAAGTTCA
GTAAATGAACTAGACAAAGAACAAATGATCAAGAATATGCAGCCCTTGT

FIG. 6A21

28/41

TGGCAGTTCTGAAGAATTCTGGCTTCTCTCTGGGTCATGCTCCCAGGTCC
CCGTGGCCCATGCTGTTTGTCTACACTCACAGGCCGCTGGGACGGTA
AGCTCCTGAATGACAAAGGATATCTGGGTGTGCCGCACATGTATGTACAC
AGTGTCTGCTACATATGCAGGAGGTCTCCATGTTGTGGTAGAGTAGAC
ACCTGCTGTTATGGCCCACTTGAGCCAAGCATGTCCATAGGGTGAACGTG
AGCAGTCACCATGACAAGTCTGGCAAGAGGACTTCCCTTTGATGAGGAAG
TCACCATGGAAATGGGAGACAAAATGAAGTCATTTGCCCTTGGCCCTTAGA
AATAAAGTTTACATCCTTAGTGTGACATATCTGTGCCCTGTTCCCCATT
ATTGGGGCAATCTTTCTGTGTCAACTCCTGCTTTTCAGTGTCCCACCAAT
ATGAGACGCTCAGTACATTACTCACCATATACCTGGGCTTGCTTATAATT
CCACTTCTGCTTCTGCTGTGCCACTCCCCTTTCTCCACCTGGAAAAC
CCCTATCCATGTGCCATACTTAGCTATTAATGTCTAGTTCATATGTGACAA
TTTCTCCAAGGTGTTTTTTTAGTGTGTCAGGAAGCCACTTTTTTGTCTTGC
AATTGTAACTCTTTGTATGCATTATTAATATAGCACATGTTACATTCTGT
TGACATACTCTATGTTCTTCTGTTTTCTCAACCAGTCTGGATAGTTGA
ATGGACAGGCATGATGTCTAACTCTTTCTGTTTTCTCCAGTCACCTATC
AGAGTGTCTGACATGTAGTAGACATTCAACAAGTGTGCTGGAGATGGT
AAATCTCAGGGGAAAATCTGGTTGGAAGGAACTGTGAGGAAGTGAAGG
AGGCAAGAATTGAAGCTTGAAGCATTCGGCCCCCACCCTCTGTGCCCTT
GAAATCATGGACACTTCAGCAAGTATCTATTTCTTCATTTAGAAAGTGGG
AGTATTTTGTCTACCTTACATATTAATAACAAAGTCAAGATTAGGCAATA
AAAAGCTAGGAGGAAATAGTTGATTAATTGTGTCAACAGTGAATTAATAA
GGACATGAAAGGAATTTGCAACATGTACTTTTAGCAACACTGATTCATTG
CTACAGAGTGATAAGTCAAGAAGGAAAAACAGAAGATGGTATCAACTGG
TAGGCTAAGAGGAGGGTCTAACCTTTTGGCCAATTTGCTGAGCAATCAAT
TCGAATTTACATCCAAATGGTTCATTTGGTCTCAGAATAATGAAGAACAGA
GAAATAAGAAGGTAGAAACTCACTAAATGAAATCATGACTACTCTAACTC
TCCTTATCCTTCCAGATGCTGTTAATCACATCATTGTTGGTGTGTTGCA
TTTGTTTATTAGTATTTGTATTCACTGAGAGGCCACACAGCTCACTCTC
AGAGTCTGGCAGCTCCAAGGAGATCACTTCCACTGTAGGTAGATTTGCTC
TTACCAGATCATTGCCTTAGAAGGGGAGAGTGTCCATCTGCCTTAGTC
AACAGTAGTAATAGTAGTAGCAATGGTGGTGACAGAAATAGGTAGCAATG
GTTGTGTTATGGAATTCACATTTATTGAAATCTCATCAGTGACCATGTA
CTGGCCAATCATTTAACTACATCTCAGTTAATGTTCAAACTCACCTGCA
AGTGACTTACAATCTTTTATTCACTAATATTTAATCACACCTTCTAGGC
ACTGGGGATATAGCACTGAACACACCAGATGAGATCTTCAGCCTCATGTC
AATTTATGCTTGCTGGTGAGAGAAGAAAGACAACAGACAAAAAAAAAAAA
AAAAAAGTAACCGCACTAGATAACGCATTTTCTTTTCTTTATTTTTTTT
TTAAATTACTTTAAGTTCTAGGGTACATGTGCAAAATGTGCAAGTTTG
TTATACTTTAAGTTCTAGGGAACATGTGCAAAATGTGCAAGTTTG
TATGTATACATGTGCCACGTTGGTGTGCTGCACTCATTAACTTGTCAATT
ACATTAGGCATATCTCCTAATGCTATCCCTCCCCCTCCCCCACCTCATG
ACAGGCCCCGGTGTGTGATATTCCTTCTGCTGTCCTCAAGTGTCTCATT
GTTCAATTTCCACCTATGAGTGAGAACATGATAACGCATTTTCTAACATG
TGACAGAAAGTGACTGAAAGGTGAACCTCTGTGTTAGGTAGGAGAAAACCT
ATTAGTCTCATTTTACCAATGAGGCATTAGAGGCTCAGAGAAATTAAGTA
ACTTCTCCAAGATCACATAGCTACCCACGGACAGAGCAAGTCTGTCTAAA
TAGGAAGCAATAAAATAGCATAACAGCAGAATATAGTCAAGAATTAGAT
GTATTATGCTTTAAGCCTTTGTTTCGTAGCTTCTTAAGAATAGGAAGAAA
AGTCAGTGTGGCTACATTGGCTAGAAATCTTCACGAAGGAAGAAAAAGT
TAAGCTTGTCTTGAGCGTGGTTAGGATTTAGACAGGTAGAAAGAAAGAA
AAGAGTTGTGAGCAGGAAGAAATGGGTATTTATCGAGGACTTATTAAGTG
GCAAGAACAAGACAAAAAGTTTTAGATATGGTGTGTTTAGTAAATATTTAA
AGTTTTTTTTTTGTTTTGTTTTGTTTTGTTTTGAGACGGAGTCTCACT
CTGTGCCCCAGGCTGGAGTGCAAGTGCGAGTGGCGCAGTCTCGGCTCACTGCAAGCT
CTGCCCTCCCGGGTTACACCATTTCTCTGCCTCAGCCTCCCGAGTAGCCG
GGACTACCAGGCGGCCGCCACCGTCCGGCTAATTTTTTGTATTTTTTA
GTAGAGACGGGGTTCACTGTGTTAGCCAGGATGGTCTCGATCTCCTGAC
CTTGTCATCCGCTGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTG
AGCCACTGTGCCCAGCCAAATATTTAAAGTTTTTTAAATTCAGGCTGGTT
ACATGACCTTTTCAGGTTGACATAAGATGCTGGGTGTTGGGCATGTAGGTA

FIG. 6A22

29/41

GCAACTGGCAGCTGTATGCAGGGAACACTAAAATGGCTCAGGTACCTGA
GGAAGAAATTTACATTGGGGACTATTGAGAAGTATAATTCAATGGGCTAG
CAAACCAATGAGAGGCAACTGAAGACATTGAAGGAGAGGTGGTGGAGCT
GGAAGTGGCATAGGAGACAACAGGAACTGTAGCAATTTTTTCAACAAGGA
AGTAAACTCAGATGTTGGAACGAAACCATCTTTTACCATACTCTTTCA
TCTTGGAGTCATCACTCTCAAATATGGCTCCCCAGAGATGCTCCCTTCTC
GTATGATATTAGAATTAGTTGTATCACTTATTTGCTAGACTGGGCTACAG
AATAAGAACACAGACTATGTCAACCCCTCTATCCTCTTAGAATCTGGCAT
GGGATCAGGCACACATTGTTTGATTTCAACTGGCAAGGCCATGGCAATCA
GGCAGACAGGTTAGCTAGAAAATGGTGAAAAATGGCACCAAAATTAGGGC
ATCACAGACCCAGATAAACTAAGCAGAGATTACCTGAGGTGGCCCGAG
GCAGCAGAGCCGGAGGGGCCCTGACTCTGATCCTACAAAGGGGAACCTAGA
ATCATCACTGTGAAGGTGAGAAGAGCCATCAATTCTAAAGGATGAAGGAG
GATAAACTGATAGAAGAAAAATGAGCCAGGACATCAGAAAGAAAATTAAA
AACAAAGTGAATACAGTGTGAAGATTGATTTGGGGCAAAGATTGAAA
CTAAGACCATGAACAATGAGATTCTGTTAATGGAGTTTCCCTTTGTATGAT
GCCTAGACCCAGCAACAGGGCAGTTGCAGTGATTTAAGGATGACTCACAG
GGATGGATACCTGTTGAACACACCTTAAAAAGGTGAAAGAAAGGTAGGAA
GGAAACGAGATAGATGTGAGAAACATAGATAAGGACAGGGAACCTGAGGAA
AGGGAAAAAGGAAATAATCCATGATATTTTCAGAAATGATTTATAACAGG
GATTTGGTAAACTATGACCTGAGACAAAATTCAGTATACCTGTTTCTATAAA
TAAAGCTTTGTGTTAAATCACAGCCACACCTATTCATTTAAGTAATATCTAT
GCCTGCTTTCAAACCATAGTTGCAGGGTTGTTGCAAGAAAGATTATCTAG
CTCACAAAACCCAAAATATTAATCTAGCCCTTAACAGAAAAGGTTTG
CCACCCTAGTCTATAGTAAAGGAGTATTGCAATATGGATGCTAAGTGGCT
AAAGATAAAGCTGACATTCTATATCAGGGCCAGAATTTTGAATGCCTTGC
TAAGGTGTTAGAACTTTCTCTGCAGGCAATAAGGATCCATGCAAATAGCC
TAAATTTTTCTCTACATAAGCATAATTCAAAACCAATCAAAGAACTCGA
CAGTGGCAATCAATGTGGCACATGAACAATAAGAACACTACTGGCATGTT
TAATCAACCAAGCTCTCTTCTGGCTTCAACTGCCTAAGACTTAAGAAGT
TATGCTGGTCACCAGTCTGCCAAATTAGAGAGTCACAATGCCACTGTGGT
CTTTAAATTTCTAATGTCCAAATGGGGGAAATAATCCACCTGTGGGCT
TATTATGAACATAAAATTTAGATAATAGAGAAAAAATATATTAAATAAA
TAAATATTTTACAAAGGTCTGACATCACTCATTCACTTACTCAATGAAA
AAAAATGTATTTAGTGCCTGTTGTGCGCAGAGGAATCCAGAGATGAGGGA
GATTAAGGCCCATAGACTAGAAGGAAAGATGGGATGCAAACGGCAGTGCC
AAGTTCACACATAAAGCAAAGTAGGGAGGAAACCACTCAGCTTGAGAAGA
AGTAGGCTGTGAGGAAAAGGTTCCATAGGAAGGGTTTCCAGCAAGGAAGA
AAAGATCATGATGCTGAGGAAGAGATGAAGCTGCTTTCTATGTACAACA
AGTGCAAAAGGCCTAATGTAGTTCAAAGTGAGTGGCACCTAGAAGCCAAC
GTGGATGCAAAACAGAAATGAAGCAAAAGATGGAGGGAGGATATGAAAGGT
TTTCTATGCTATGCCAAGGAACCTGGACTTTATCCATTGGAAGTAGTAAG
CCTTTGAAGGATTTGGCTTCCAGGAAAGACATGGTCAGAACTGGGTGACA
AATGTCTCCATTGATCAGACTGTTAGTTGAGATTCCAGCTTTTCTCCTCCC
TGCATGAATGAGGGGGGCGAGAGCTTAAGACTGGTCATGACAGACCTCTCA
ATGACCTTTCCATTTTCAGGCAAGTCAAGGTTACCACTCATAGTCATCGTC
CTAGCAGCCATTGGGGAAAAGCAGCTGGACAAGAGAAAAGAATGACGGCA
CATGAAACACCCCTTGAATAATCCCCCTAAATTGACCCCCGCCCCGGGAC
ATCTGCCTACAAAAGAAACCGTGCCTGCATCTGTGCTATGTTTACATTT
CCCAGGCCCGTATCTTCTCCAAACGCAATCTGGACAGCCAATATTTATCA
AGCAAGAGAGGAAACAATCAACATATTCAGGAGAGGATGGAAAGAGCAAG
ATAATTTCTGATTTGGGTTTACACAGTGGATCAGGGTTTGTGTTGTTCT
CTCACCTCCAAAACCTCATTGATATCTTCTCCACCTTAGAGGAAAAGAG
GACTAGGAAGTTATTGATATAAAAAGAATTGCCATGGGAAGGATGCCCAC
GTGGGACAGTGCCAAAGCTCTCTCTCTGATGGGACCTCTGCTAATGGA
ACCACTTGACCAAGAAGGACAATTTTTTATTTTTTGTTCCTAAAACCTCAG
AGTGTCTATGGAAGAGAAAACAGGACCCGGTTGCAGTTTGACATGCACAGA
AGCCCCAAAAGAGACTCATTGCTGCTGAGAGGTAGTGTCAATCAAAAAGGAA
AGTATGGGTCTTGTAGGCAGATAAATGTGGGTCTAAAACCTGGGTCCCAAG
CCATACCTCCTGTGTGACCTTAGGGCACATGCTAAACTTTCTAAGCCTC
ATTTTCTCATCTATAAAATGGGTAATATATTCTAATGAATAGGTAATATA

FIG. 6A23

30/41

TTCCAAATGCTAAGCACAGTATTTAATGTGTACTCAATATACCCCATTAT
TAAATTATGCATAGCTTAATGCTCAAGATGAGTTCCCAGGCCATTATT
TAGTAAAGTATGATGTGCTTTAAAAACAAAAATAATAATCCTACAACATG
AAAGTCATAATACACTAAAAGAAATGTTTGAAGAAATGGCATCCATAAAA
TAAAAATAATTACTATTTAAGATTTTCTACAGATTTCTTAATTAGCATAGA
GTAGATATTCAGGAAATTTTGTGAATGTTTAGATAAATTATTGAGCTAA
TTAATTTAATACATGATATAGGCAGATTTTAAGTCTATAAACCTGCATAA
GACAAAGCAGTATTAGTATAAAGAAAGCTTACATAGACCGACAAAACCTGA
AAAAGTACAATTGCCAAAGGATTGAAAGAACAACGCAGAGAAGAGGAATT
TGAAATTACCAATAAGCCTTTGAGCAAACCAATGTTCAAACAATACATAG
TTGTATAAACACAAATGCAGACTAAAGCATTATTCACTATCGAGTTGTAA
AAGATTTTAAACTAACAGCATCCTATGATTGTTTGGGTGTCTAGAGATG
AAGCAATTCAGGCACAGTTAGTCAGAATGGACATTTACTAGCCTTTCTGG
AAAGCCACTTTTCAGCACTACTACAAGCCTTGAATGATCTGCGTAGTTTG
ACTCAATAATTCTACCCCTAAAAGCCTCCAATATAGAAATAGGAGAGCCA
TAGACAAGGATTTATCTATAGAAATGTTTGTACACTATTATTATATAG
TATCAAAAGAAGAATAAAAGGAGAAGGAGGAGGAAAGAGGAGAGGAAGAA
GGAACGAGAAGAAGAGGAAAGAGACTAAATGTTTAGCAAGAGAAGA
ATATTTAATAACATAAGGCTTGCTGTTTATATACTTTTAAATAAAAGTAG
TGAATAAATAATATTAATATCAGTATGATCATAATTTAGTGAATAAATA
TTAGATAGATGTAGATAGATACGAGGACAAATCCAAAATAGATTAAAGA
CAGAACATAAATTCACAAAATATTATGTAGTTATTTTGCATAGTTATTT
GTGTAAATAAAAAAAGGCTGCTTAAGAGAGAATAAAAAATTGCATTCTTAT
CTAACTTCTAAATAGCAAAAAATGGGAACCCAGGACATTCAGATGCTTCT
TAGCTTATAATGAGAGTATGTTCCAATACTCTATCTTAAGTTAAAAAC
ATTTAATACACCTCACTTCCCTGAAGACCACAGCTTAGCCTAGCCTACTTT
AAACATGCTCAGAGCGCTTATATTTGTCTACAGTTGAGGAAAATCTACCA
CAAAGCTTATTGTATAATAAAGTGTGAATGTCTTATGTAATTTATTGAA
TGCTGAAAGTACACTTTCTACTGAATGAATATCACTTATACACCATCATG
AAGTCCAAACATCTAAGTCAAACCATGTGAATTAGGATAGTGAAGTAAT
ATCATCAACCAGCTAAGAGAAAACCATGCTCAATCTGCAGTTGTATGCAC
AAAGAGGGGTAACCTTGTGGGAACCTAGAGGTTGACACAATAGAATTAAAAAT
ATAGGGCAGCAATAGCAAGGGAGTTTGGATGAAAAATAATCAGTTAAAAAT
ATTATGTATTTTATATTGTTCAAGTGTATAGAAAAGATAATACATTTAA
ACTTTGTTAACATGGTATGTGTGTTAAATAGGTAGGTAACCTACTAAAAT
GATAGTCACACAGCATATAATTGCCAAATAAGTAGAGGGAGAAAAATGG
AAAAAACTAAATCAATCACAATGAAGGCAAGAAAGAAAAAAGAAAAG
AAAAGAAACATAAAAGACAGACGAAGTGGAAAGCACATAACCAAATTTT
CAAATAAATCCAAATATATCAGTGCCTAGTCTGCTCCAGCTGCCATAGCA
GAATATCATAGACTAGGTGACTTAAACAACAGAAGTTTACTTCTCGCAAT
TCTGGAGGCTGGAATTTGACATCAGGGTTCCAGTATGACCGAGCTTTGG
TGAAGGGACTCTTCTGTTTGCAGAGAGCCACCTTCTCACTGTGTGCTC
ACATGGCCTTCCCTCTGTGTGTGCATGGGGTGAGAGAGAGAGAGAGAAAC
AGCAAAATAAATGGTACTGAACAACAAAATAGGATGGCAAACAAATCAGT
GCCTGGATTTTGTGACAGTTTGGTTTATTGTTTCAGAAATATTCACCTTT
TGCCAGTTCTACCATGGGTGTGATAACTGCCCCACCCACTGAAGTGACTT
GTTTTAACCAACAGTATATGATATGATTGGATGTTTGTCCCTGCCAAGT
CTCATGTGGAATGTGATCTCCAGTGTGAGGTAGAGCCTGGTGGGAGG
TGTTTGGGTCAATCAGATGAATCCCTTAGGAATGGCTTGATGCCTTCATA
TTCTCACTCTGTGTTGCACGCAAGATCCAGTTGTTTTAAAAAGTGTGGCA
CCTTCCCCCTTTCTCTCTTGCTTCCATTCTTGCTCTATGATACCTTGCTT
CCTCCTTTGCCTTCTGCCATGTGTGCAAGCTTCTTGAGTCCCTCACCAGA
AGCATAGCTGGCCCTGTTTCATGTACAGCCAGCAGAATGTGAGCCAAAA
TAAACCTCTTTTCTTTTATACATTACCCCGTCTCAGGTATTCCTTTACAG
CAATACAAAAACAGACTAACACAGTATAAGGATAGATATAATTGGAGCAA
AGGCTTAAATGTGTTTATATATATAAAATGGGGTTTGGCCTTTTATACTT
CTGTCTAATGATGAGAAAAACATGTTCTAGTCTATGGTCTAAAAAGGGT
GAGAGACACATGGAACAGACCTGAGCTTAACCTGTAATTTGGAAAAAAA
CAAACAGCAGAATCCACCTAGATCAGCCAAACCCAGCCAATTCACACAT
GTGAATCAGTGTGAATCAGAATGAGACACTGAGTTTTGTAGTAGTTTCCTT
ACACAGCATATTTTGTGGCAACAGCTAACTGATACAGAGCTATATTTATA

FIG. 6A24

31/41

AACCTGTATCAGCCAGCCCCAGAGAGATCTATAAATATATGACTGACAGT
AAGTCACCAAGTGTATTGGGTAACAGCTAAGTGATATAAAGTAATATTTA
TAAACTTCAATCTTTATGTTGAAAGAATAACAACCAACAGTTAACGGATT
AGAAAAATGACAAAGAATGTACACATGAAAAGAGAACAATGACAAAATCA
GAAAGCAATTACATTCTAAATCAACATCCATATCTCTGCAAAGGACTTGA
TATACGCTTATAGATCCAAAAAGCTCAGCAAACCACAAGCTGGACAAACC
CAAAGAAATCTATGGCAAGGTTTATTATAGACAACTTCTGAAAATTAAG
GACAAATAAAAAAATTGAAAACAGTGGGAAAAAATGACTTTTTTATAGAG
AAAAAATATGAATGACTGATTTCTCATCAGAAACCATGAAAGCCAGAAA
GAAGTGACGTAACACATTTAAAGTGCTGAAAAAATGTCAACTCAAAAT
TCTGTAACCAAAAAAATATTTCCCTGCAATGAGGGGGATATCAAGACA
TTCTCAGATGAAAAATAACAAGAATATTTGTCAACAGAAGTACCCTAAA
AAAAATGACTAAAGGAATTTCTCCAAACAGCAAGGACATCTGGAAGAAAGA
ACAACAGAAAGAGGAAAAATTACAGGTAAATATATTTTGCTTCCCTTGAGT
TTTCTAATTTACATTTGATAGTCGAAGCAACATTTTAAATATTGTCTTAC
GTGGTTCTGAATGTATGTACAGAAAATACTTGAGACAATACATTATAAAT
GAAGATAAAAAGGAAGGAATGTTTTTACACTTCACTTGAAGTAGTAAAAAT
TTCAATACCAGTAGACTATGATAAGCTATGTATATACAATTTAACATATA
TAGTAGCAACTATTTTTTAAAGCTATACAAAAAGATACCATCAAAAATAT
TATAGGTAAGTCAACATGAAATTATAAACCATGTTTAACTAACCACAAAG
AAAAACAGAAAAAGAAAAACAGATACATGAAAATCTGAGAGGAAAAA
AAACAGAGAAACACAATGGGAAGCTTCAATCAATGTAAGGGTACTAGAAGT
TCTAGCCAGTGCAATTAAGAGGAAAAAATAAATAAAAAGGCATATGTGT
TGAAAGGAAGAAATTAAGTGTCTTTATTTGCAAATGACATGATTATCAG
CACAGATAATCAAGATAAATATATAAAAAGATTTCTGAAACTAATAAGTT
AGTTCAGTAAGGTCGTAAGCTATAAGACAAACAAAGGAAAATCAATTGTA
TTTGAATGTATCGACAGTAAACATATGGACATTAATAAACAATACAAT
ATAATTTATATTTATTAATAAATAAATAAGCTTAGGCATAAATCTAACAA
AACCCCCACAGTACTTGTAGGTGAAACTATAAATACTGATTAAAAATG
ATCTAAATAAATGAAATAACATAGCATGTCCATGGATTGAAATACTCAAC
ATAGTCAGTTCTCTCCAGATTGATACACAGCTTTAATGCAATTCCTTATAA
AAATCTCTGCAAGATTTTTTTGTAAATATAGCTAAAAACAATATTGGAAAA
AAAATAGTGAAGTGGTATTCCAAGGCTTACTATATGGCCAGAGTAGTCCA
GACTGTGGTATTGGCAGAGGCATTGTATTAGTCCGTTTTCACACTGCTGT
AAAGATACTACCTGAGACCGGATAATTTATAAATAAAGAAGATTAAATG
ACTCACAGTTCTGTCATGGCTGGTGAAGCCTCAGGAACTTACAATCATGG
TAGAAAGCAGGGAGAAGCAAACACCTTCTTCAAGGCAGCAGGAGAGAG
AGAGGGGCAGGGAAAGGAAACACTCATAAAATGGATCTTATTAAATTA
AGAATTTTGCTCTCTGAAAGACCTGTAAAGGGGTAAAAAGATAAGCTA
CAGTTGTAGGAAATATTTGCAATCCACCTATCCAAGCAACAACCAATATC
TAGAATATATAAAGAAGTCTCTCAAACTCAATATTAAATGCAAATAATACA
ATTAGAAAAATGGACAAAGTACATGAAAAGATGTTTACCAAAGAGGGTGT
GTGTTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT
ACACATAAAAAATATTCAATATAATTAGCTGTCAAAGAAATCCAAATTA
ACCACATTGGCATATCACTACACATCCATCAGAATAGCTAAAAATAAAAA
TACAACACTAAAGTCATTATCACAAAGAAATACAAATTTATGTTCTACAG
GAATTTGTACATAAATGTTTCATAGCAGCTTTATTCACAATAACCAATAGG
TAAATGGTTAAATCAACTGTGGTACATCCACACCATGGAATACTACTCAG
CAATAGAAAGGAATAAAATATCGACATACACAACAACCTTGATGAACCTC
CAGAGAAATATGCTGAGCAAAAAACAGTGACTCCTAAAAGGCTACACACGG
CATAATCTCTTTACATAACATTCTTGAAATGATAAAATATAGAAATGG
AGAAAAAATCAGTGGTTGCTAGGGGTTATGGAAAGGGTGGGGGTCAGGA
GAAGGGAGTGTGGCTATAAAATAGCAACATAAGGGAACTTCCGTGGTGA
AAATGTTCTTATCTTGATTGTTATCAGTATCAATATCCTGGCTGTAATAA
TGTACTATCATTTTGTAGAGATGTTAGGATTAGCAGAAAGTTAGTAGAGAA
TACATGGGATCTCTCTGTATTATTTCTCAACCCCAAGTAAATCTACAAT
ATTTCAAAAGAAAAGTTTAAATTTAAAAAAGCAATACTTGTACAAATATTT
TAATGAGGTATCCATAATTTTACAAGATACCTCTTGACAGTTTTCCGAGA
AAGAATTTTAAATGAATCTTTAAGAATCAGACTCAATTGATTCTTATGAC
TTTAAATGGAATCTTGGCTTATCAAAAAAATTTATACATCCTCAAAAA
ATGTAATGGTGTTTACATGTGATATACTAAAAATTAATTTTTTTTTATTG

FIG. 6A25

32/41

AGGAAATTTTAAAGTTTGGGTCAGAATTTATAAAACAAAAGAGTTAGAAA
GACAGAAAATATAAATCAATTTTCCCAGTAAAAATCAGATAGAAAATAT
AATTCTAAAGAGATATATTTATAGTGGTATTATTAATATAATGCACACA
ATAAGAAAAAGTGTAAGCCATTTATGGATAATATTGTAAAACTTAATGGA
AAGACATTAAAGGAAATCTAAATAAATGGTAAGCTATATAATATTGTAAG
TAAGACAGTATCTTAAAGATGTGAATTTTCCCCAAATAGATCTATAAATT
TAATGATATTTTACCAAAAATCCTAACAGCATGTTTCATATACCTTAAC
TGATTCTAAAATTTGAAAAAAGTTCAAGAAATGGCCAAGATGCTCCTGAG
GATGTAAATCAAAATTATGGGACATCCCCAGTAGGATATCAATAACTGTT
ACAGAGATTTAGGGATTAAGCCAGCGTGGTGTCTGGTGCAGAAATTAACAA
AATGACAAATGGAaaaaaATAGAGTGCCTATGAACAAACATATACCCAAA
ATGGAACTGTATTTACAAAATGGTCATTGCAGATCACAGGAAAAATAA
CTTTTTTAATAAATTGCACCGGAATAATGATTATTTATAAGTATTACATCG
ATATTTGATCCCAGCCAAAGATCTATTTCAAGTGAATGATTTGAAGGTT
AAGGAGCAAACTATAAAGCTATTAAAAGAACATAAGAGAATATATTTGTG
GTTTTGGGGTGTAGAAGTATGTTTTTAAAAAACACAAACCTTAAAAGAA
AAAATAGACAAATTTCACTACATTGAAGTTAAGAATTTTCTTCATCAAAA
GACACAATAAAGAAGCAAAAAGCCTCAAGCTGAGTGAAGACTTTTTTAAA
CATAATCAATAAAGGCTTTGTATCTAGCATCTATAAATATTTTCTACAAA
CCAGATGTTTTTAAAGACAGCCAAATAGATTGGGAAAAAGTTATAAACA
AGCATTGCACAGAGAAAAGGACACACAAATGGTCCAAAAACATGTAATGC
TTAGCCTCTTTGGTAACCAGGGAAATATATATTGAACCCACAAACAGACA
ATTACCATTTTCATGCATGACAGACTGGCAAAAAATTTAAAGGTGCACAAC
ACCAAGTGTCAAGTTAAATTTGTGGATCAAAGAAAACTATAACACATGGCTG
GTGCGAAAGTACATTGGCACAGCCATTTGTGGAATGTTTTGGCACTGAGC
AATAAACGTGAACATGTACAGTGGATATACCACAAAATTATAATATCTGA
GTTCTTGAGGCAAAACAGGCAAGGTCTGGAGCTGCCACAGACTTTTCTACC
CCAACACCCCTACAAAACATGTCTCCTCATGTCTGCGAGGTAAACCTTACA
GACAAGCACAAAGACAGATAACAACCTTCTGGTGACCACTGCTTCACTCGT
CAAAAGGAATGAATACAGCTATGCACATTAATATGGATCAATTTCAAAAC
ACAATGGCAGGAGAAAAGAAGCAAGTCACAGAAAAACATATGTGGTATGAT
TCTGTTTCACATAAAGCCCCAAACAGACAGAACTAAGCCTTATATCATTTAA
GAAATTTGTACATAGGTGACAAACTTATAAAGAAATAATAAAATAAACATA
GAGAGTTTTACATTTGCTTACAATTTGGTCAAAGAAAAATGGGGGCCACG
CTGGGCGAGGTGGCTCACACCTGTAATCCCAGCACTTTGGGAGGCTGAGG
CGGGCGGATCACGAGGTGAGGATCGAGACCATCTGGCTAACACGGTG
AAACCCCGACTCCACTAAAAATAAAAAATTAAGAAAAAAATTAGCCAGGC
GTGGTGGCGGGCGCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGAG
AATGGCGTGAACCCGGGAGGCGGAGCTTGCAGTGAGCCTAGATCGCACCA
CTGCACTCCAGCTGGGCGACAGAGACTCCCTCTCAAATAAATGAATATT
AAAAAATAAATGGGGGCCAGGCACGGTGGCTCACGCCCTGTAATCTCAG
CACTTTGGGAGGCCGAGGCGGGTGGATCTCCTGAGGTCAGGAGTTCAAGA
CCAGCCTGGCCACATAGTGAAACCCCATCTCTACTAAAAATACAAAAAA
TTAGCCGGGCGTGGTGGCAGGCACCTGTAATCCCAGCTACTCGGGAGGCT
GAGGACGGAGAACTCGTTTGAACCCGGGAGGCGGAGGTTGCAGTGAGTCGA
GATTGCGCCATTTCACTACAGCCTGGGCAACAAGAGCAAACTCTGTCTC
AGGAAAAAATAAAGGTGGGGGGCAAAGGGTAGAGGAAAGTCGGGGA
GGGGTGGCTGATGAGGAACAAGGAGAGGGAGAGAGTAGAATAGATAATTA
TGCACACTGGAGTCAATTATTTGAGAATTAATACCTTAATGTCTTCATTA
CTGAGTTCTACATAAGCTCTAATCACCTTTGCCCTAGGCTCTGGGAATTT
CAATGTATATGTTGATAATGATTCTCCTCAAAGCACAGTGTTCTAAAAGGAA
AATGCTATTTTGGAGAAATAAGCCTGTTACCAAAATCCATTCTGCACCAA
GCCATCCAAACATCCTGCCCCCTTAAAGGTGGTCTTAAATGAAATAACG
CTGAAGAGGTGAATCAGATGAGGAAATGAACTTACAAGCAGATAGGGAAA
GGGCAATTTCTAATGTCTAATTCACCCCATATAAACCAGTGATTTTATCCG
CCTCTTCCCATCGCTTTGCAATTTCCATGATGTCTATCATCATGCCACCAG
GGCCGTTAGATGCAAGATGTTAAATTGGAAGAAAGCTGTTAAATAAATGG
GGCTTTAGAGAGCCTAATGAAATGTACTTTCCATACACAACACGTCTCTCA
GAGGGAAGAATTGCCAGTTTACAGGATGATTTATGTGCACCCTGAAGTTA
GGTCTATGCCAGAAATTTTAGTACTGGGTAAACTCATTTAATCCTATATT
TATTAAGCATAGGCTAATAATTTCTGACAGTTTACATGATGGCCATAGC

FIG. 6A26

33/41

ACAGTGCATGGGAAATAGAAGAAATGGGTGCTACACTAAGTACTATAATT
CAGCAACGGTGTCTACTTTGGGCAAACCATTGACCTTAGCTCTTTCCAAGT
ATAATCATGTAAAATGCCTACCTACAGACCCATGGGTCTGTAGAAGCATC
AAATGGCTTATTATATGAAAAAATGAACAGGTAGCATAAAAAGCTCAGGC
CAATTTAAATGGGCAATCACATATACTTAAATCTGGAGCCACCAAACAAA
ATTCCAGGTTGCGGTCTCTTTTCTTATGGAACCAACCAACATCCAAGG
AGCAAAACCTAAGATTTTGTAAATCTACCCTTTTCCAAACCAAGGTCAGA
TTTGTACTTAGGCTGACCAAAATGTTTAAATCTGATGAGGCTGTATCCTT
ATCTTACAAAATGGGAGAGGATAATGGAGGGAGGGTACAATGATGCAGAT
GCCAGTCTATATTTCTAGTGAGTCCAATTCTACAACGTCTTAAGAATAA
AACCAATACACAATAAATAAATCTACAATAACAAGAGGGAAATCCATG
CACAGAAACATTCACTGAAGCAGGGCTTGTAAATGCAAAAAGCGGGTGGGG
TGGGTAAGTAAGCCAAATGCAAAAGTAATAAATGAACGTGTGAACACCTATT
ATGTGCCAGCCACCACCTTGGACACTTCACGTTTATTTTCTCATAGGGAC
TTCACACCTATCCTATGAGATATTTATTTCTATCCCCATTTTGCAGAGGA
GGAAACAGGTTCTGAGATAGTAAGTATCAAGTAATTTGTCTAAGGATACA
TGCATAGTCTAAATCTGTCTAATTCACCTCCACTATGAATCTTGTCTATCA
TTCCTTAGAGTGTAGACATTGGGGAGGGCTTATAGGTGGGACCACAGGAA
ATTAGGTAATGTACTGGGTACCATCTGTGTGCTCATCCACCTCCATTCTT
GCCCCCTTCCACCTGTCTCAGCTGAAGAGACTGACAAGTGTGGGCTAC
ATCAGTGGTCTCTCCACATCTCCCTCACTGCCAGGTGGCCACAGATTGGA
AGCAGGAAGACAGAAAAGTCAGGGTTTTTGGTTTAGAGCTGGCTGTGTCC
CTCAACCAAGGTCTGAGCTTCCATCTCGAGGAGGCTCTTTCTCCAGTGT
CCTGAAATCATTCTGGCAGTACTTCACTCATTCAAGGCAAGGGGGTAATAC
GGCCCCACTGTCTAGGTGAGAACTGCATTATCCCCTGTGGCTTCTCT
ACATCCCAACTCTCCTCAATTACAGAATCATCATGTGCCACTGTACTTT
AAAACCCAAGTGTGATCCAAAGGCAAAATGAATTGAGGCTCCTCAATGAC
CAGCAGAGTGAACCTCGCTGGGGGATGAATGTGGCCACTGATTATGGGGC
TGAGGGTTCTTGAGCTGGTGCAATTTCAATCCCAAGATCCCTACTCCAG
AAGCTCAGTCAAAACACTGAGACTGCCAACCTAGTTCCAGAAATAGAGG
TGTCTTTTCTGCAGACCTCAGAATAATACAGATGCTATGGTTTGTCTGGAT
TTAATCCCTTAATGTTTTTACCCAGGGAATGGTAATAGTCTAATGAACATG
GCAGGTATTTGGGACTAAGAGCAGAATTATGGTGCAAGAGCTTACACGTA
GCATGGGAGTCCAACAGATGCAGAGTCAGTTCCCTGACTCACCAGCTGAC
CTTGGGCAAGCCATTCTCAGTTTCTCCAGCCATAAAATAGGGATAATCA
TAGTTCCCACCAGAGATACTCTTCATCAGGACCTTTGATGTCAAGTTTCCA
CAGACAAAGGGCTGGTATAATTATCCCAGGTGCAGTAATGAGAAAGGCAG
AAAGCCAGACTGTTTTTTATAGGACTTCTCAGGTAGAGTTCCGGCTTCT
GTCCATGAGTCATATGGACAATGGGCCCAGCTTGCTCATACAGTGGATCT
GCCAGGGAGAAGAGTGGAGGGCTGGGGGATGTTTTTCCAAACTTTGTAGG
TTTGAGGGGTGCCATGGTTGAATAAAGACAAACAGGACTTCAGAACCTGA
CAGGTGTGAATCTTATCTCTTCTCTGTTGCTTATTTTATCTATGATCTT
GGAAAAGTTGCTTAAGCTTCTGAGCCTGAGTTCTTAATCTGTGCTCG
TTGTTGTTGTTGTAGTTGTTGTTTGGAGGTGGGGTCTCACTCTGTCACTC
CCCAGGTTGGAGTGCAGGGGTGAAATCTCGGCTCACTGCAACCACCACAT
CCCAGACTCAAGTGATCCTCTACGTCACTCTCCAGGTAGTTGGAACCA
CAGGTGTGCGCTACACGCCCCACTAATTTGTATTTTGTAGTAGAAATGG
GGTTTTGCCATATATGCCAGGCTGATCTCAAACCTCTGAGCTCAAGTAAT
CCATCTGCCTGAAGTTCCCAAAGTGCTGGGATTACAGGCTTAAGCCACCA
CGCCAGCCACAGCTTTTGAATGGATAGATGTGATCGTTTAAATCAAAAT
GTCTACCAGAATGCCTGGCACATTGTAGGTGCAAAATGTCCATTCTTTC
TCTTTTTTAAAAATAAACCTTATTTTTTAGGGAAAATTTATCTTCACAGGA
AAATTGAGCAGAAAGTACAAAGAGCTCCTGTATATCCCCTACCCCCACAC
ATTACAGCCTCCCTCATTACCAACATTTCCCACTAGAGTGGTGCAATTT
GTACAATTGGGTCTATGTTGACACGTCATTTTCATAGTTTCCATCAGGGT
TCATTCTTGGCATTGCACATTATATGGGTTTGAACAAATGTATAATGGCA
CATATCCACCATTATAGTATCAAATAGAGTCATTTTATTACCTCAAAAAC
TCTCTGTGCCCTATCTATTTATCCATCCCTCTACCCTAATTTCCCTGGAAC
CACTGATCTTTTTTACTGTCTCTATATTTTGCCTATCCAGAAATGTAATAT
AGTTGAAATTATACATCATGTAGCCTTTTCAGACTGGTTTCTTTACCTA
GTAATATGCATTTAAGATTCTTCTGCGTGTGTCATGGCATGATAGCTCA

FIG. 6A27

34/41

TCGCTTTT TAGAGTGAATAATAGTCCACTGTCTGGATATACCACAGTTG
ACTTATCTGTTCAACAGTTGAAAAACATCTTGGTTATTTTCAAGATTG
CACTTTTAATAAAGCCGCTATACACATACATGTGCAAGTTTTTGCCTAGA
CATAAAATTTCAACTCATTGGGTAAATATCAAGGAGGGCAATGGCTAGAT
TGTATGGTAAGAATCAGTTTAGTTTGTAAAGAACTGCCAAATTGTCTTT
TAAAGTGGCTGTACCGTTTTGCATCCCCACCAGCAATGCATGAGAGTTTG
TATTGCTCCACATCTCCATCAGCATTGCTGTGTTGGTGCTTTGGATTT
TGCCATTCTAAGAGAAGGTGAGTACCTTCTCTTTTAGGAATCCCAAGGA
TTTGAAGATAAACCTGGAAAATCTCAGCTATGACTTGGTGTTAAGCAGTC
ACGTAGAGAGCAGCAGTAATCCGAATAGTAATAAGACCCTAACCCTAC
ATTTTGCACAGTATTTCTTCCATTGTTATATATATGTGTGTGTATATAT
ATGTGTGTATACATATATATGTGTATATGTATTGTGCATATATATGTAT
ATATGTGTATATATGTATATATATTTCTGCATATATTATGTGTGTGTGTG
TGTGTGTGTGTGTGTGTGTGTATATATATATATATATTTTTTTTTTTT
TGAGATGGAGTCTCACTCTGTGGCCCAGGCTAGAGTGCAATGGTGCGATC
TCAGCTCACTGCAACCTCTGCCTCCCTGGTTCAAGCGATTCTTCTGCCTC
AGCCTCCCGAGTAGCTGGGACCACAGGTGCGTGCCACCAAGCCCGGCTAA
TTTTTGTATTTTAGTAGAGATGGGGTTTCAACATATTGGCCAGGATGGT
CTTGAACCTCTGACCTCATGATCCACCCGCCCTCAGCCTCCCAAAGTGCTG
GGATTACAGGCGTGAGCCACCATGCCCGGCCCATTTGTTAATATATCATC
AGCTGGTATTTATCACACTTTCTACTCAGTTTGTTCATGGCAATATAA
ACCAACACAGAATCTCTGCCCAATAAAATAGACACATTTTGCCATATCT
AGAGCCAAGAAAGTGAACATGAGCTTAGAATAACACAGACACCTACTTTC
CATTGTTTTCATCAGTAAATATTAATCCAGTACCTTCTGGATTCTCAAAA
GGTTTTGACAAAAAGGGCAAATATTGTGCAGAGATGAGACTAGTGACCC
TTAGAACAAGAGGAAGATTGGGATCAGGAGAGGCTGGAAGCTTTTACATT
TGGAGAAAACCAACACAAGCTCCTGAGAAAAGCTTGTTTTGTGGGA
CAGGAAGATAAAGAAGAGGATAGCAAAGACTCCAGCTTATCTAGTTATGA
TCCAGAATTGGATCAAAAAGTGGCAAAAATAATTGGTGATATTAGGGTCC
ATATTGCTGAGCAAAGATAGTTGAAGAGATGAAACATCTGTACTATGATC
AACATAATTTGCATAAGGACACCTGCCGACATCTTAAGGAACAGCCTTTA
ATCTCATTCGTTATAGTGTATTGCTTTTATTAGCCTGTGACAGATGCATT
TTAAAGCTTGTTCATATAAAGTGGAAAACGGAGTTATGTCTATGCAGTTT
AACCAAAATATAGGTCAATTTGGGTGTCAAATAGCCAGTTATTTGGCAC
TCTATTTGGTTTTCTTTCTTCTTATGTTTTGCTTGTTCATTTTGCATTT
TCCAAAATGATGATATTGGAGATAACAACTGTTAGGTCCTTGTATTCT
GTGCATATATGATTTTGTCTAAGACAAGATGAAATAATCATATCTCATT
TTACTATCCAGTTATTTGGGGTGTCTCTTAACTAGCAGTTAGGATTAGC
ATGTTACTCAAGCTCAAAAGACATAGCTGGGATGACAAATGTTCTTTG
TTCAGAGTATTTGCCACATTGAGGACTCCTGGCAAAAATAAATAAATTAT
AAGAAAGGTAACTTATTTTGACTTTAAATAATCGATGACTAAACTCAT
TTTTCTCTCAGACCATGAGAGCAATTTACCAAGCTTTATTAATGGGCATCT
TCATATCCTTAGCAAGCTTAATTGCTAATTAATTAAGATGATTGGATA
AACAAATGGATTGTACTACAAAATGAAGATAGCAAAATTTACTGTCTAGGT
GTCTAATGAGCATTTCTTACCTATTGCCCTACCAATCTTTTCACTCCATA
ATTTCTGAAGTAAAGATCCCCAAGAGCCATTTCTGAAAATAGAGTTAA
ATCAGATCAACGTTAAAGGACTTCTGGGTCAAATATGTTGAGGGCCAGC
CACAGGCAATCATAATTTAATTAAAGCAAGAGAGAGAAAAAATCATGC
CAAGTGAAACAGCCTGGAAGAGTGACAAAAGCCTTTGTCTTAAATCAGA
ATACCTATGCTCTAAACATTTACTACTGTGGAAGCTAGTGAAAGATAATC
TAATTTTTCTGAGCTTCATTTTTCTCATCTATAAAATGGATATGATCAGT
TCAGCTGCAAGTAAAGAAGCCCAAAAGTAACAGAGGACTAAGCAAGACA
GGAGTTTATTTTTCTAACTTGCAAAAGATCCAAAGGTAGACAGTCAAGAA
CTCAGAGCAGCTCTGCTCCACGGAAATTTAGAGCCTAGGTTCTCTTCTAT
GTTGTTTTTCTCTCATGCTATAGTCTAAAAAGACTTCTCAAATCCTAGCC
CTCATGCCCAAGTTCAAACAGCAGGAACAAATGTATAAAGAAACAGGGG
CAAAGCATCTACACCAGATCTCTGTTAAGGAAAGTATCTGGAAGTTTCCA
CACAACACTTCATCTTACATCCCACTGGAGAAGCTAGTCATATGGCCACA
TCTAGCTGCAAGGGAGGTGGGAAAATGTAGTGTATTCTGGACTGCCATG
TGTCCAGCAGAGGGATTTTATCACTAATAAGAAGTGGTGAGTGGATGCC
TGGCACGGTGGCTCATGCCTGTAATCCAGCATTTTGGGAGGCCGAGGAGG

FIG. 6A28

35/41

GTGGATCACGAGGTCAGGAGATAGAGACCATCCGGGCTAACACAGTGAAA
CCCCGTCTCTACTAAAAAATTACAAAAAATTAGCCAGGCCTGGTGGCA
GGTGCCCTGTAGTCCCGAGTACTCGGGAGGCTGAGGCAGGAGAATGGCATG
AACCCGGGAGGCAGAGCTTGCAATGAGCAGAGATTGCGCCACTGCACTCC
AGCCTCGGTGACAGAGCGAGACTCTGTCTCAAAGAAAAAGAAAAA
GAAGTGGGAAGTGGAAATCAGAAAACGCCTAGCTGTCTCTAATCCAAGAT
ATAGCTCAAAGCTTTGTTAGGAGAGTACACGGAGAGCATGGATATGAAAT
AGCTAGCAGAGTGTCTGGCTGATTAAAAAAGCCAGAAATGTTTAA
TAACTTCTGTCTGAATCAGATAGACAAAAAATAGAATAAGGTTTTCTTG
AGAACCTTGACCCATTAGAGAAGAACGGGAGTAGGCTCTCTTAGTACCTG
CATCTACAGCAGGATTAAATTCCTCCAGGCAGAGATGAGACAGGGAATGG
CTTTTCTCTGAACCAAGCTTCTGTTCTAGTGTAAGGAGCCAAGACAAGCA
TCTCATTCTCCATGTCTTTGATTATACACTTTTCTCTCTCCAAATCTTC
TTCTTGCCCATTTTTCACCTTGCCAAGACTCAGTTCAAATATTACTTCAT
AAAAGAATCCTTCCTGACCCCCCAGGCTGGGTAGATGCCCTTTTGCTGA
ATTATCGTAAGAGTTGGTGCATACTGCTTCCACAGAAATCTTGCTGTGT
TGAAATTAGTCTGTTTGCACGTCTCTACCACTGAAGTGTGAACCTCCTTGA
GGAAAAATATAAAGCCTTAGATATCATCATCTTCCCCAAATTTTTCAAAA
TATTAGATCTCAATCCCTTATTTCTATGCAGGGAAC TAGAATGTTTGATG
AACATTACAAGACATAGTTGGCAAAATGATAATATAACATTTTGTGCATG
ACTTGGAATAGAATAGATATATGGTTCTCTTTGTTGATTCACTCAATAT
CTATGGGCAGCATATGGCACATATTAATTGGGTCTTGGTCAATGCTTGT
TCAACACAATAATACAACCTTGTTC AACACAATAATACAACCTTGTTCACA
CAATAATTGAAGGTTAATATTTATTGAGAAGCCAATAATCCAGAGTGTGT
AGTGACAAGTTTAGAAAAGATAAAGCACTCCGTATTTATGTGCTCTTGGT
GAAAGAGAGAAGGATGAGGCTAGGTGCAGTGGCTCATGCCTAATGTAATC
CTAACATTTTGGGAGGCCAAGGCAGAAAGATTGCTTGAGTCCAGAACTT
GAGACCAGCCTGGGCAACACAGCGAGACTCTGTCTCCACGAATATATATT
ATATACATTAGCCAGGCATGGTGGTAGGCACCTGTGGTCCCAACTACTCA
GGAGGCTAAAGTGGGAGGATTGCTTGAGCCTGGGAGTTTGAGCCTGCAGT
GAGCTATGATCACACCACTGCCTCCAGACGGGATGACAGAGTGAGACAA
AACAAACAAACAAAACAAAATAAAACAACAACAACAAAAAACAGAA
AAGAAGGATGAAAAACAAAATCAAAAGATATGTGTTCTTTTAACTCC
CGAAACATGAACTGAGAATAATTCCTATGATACAACATTATTAGAAAAAC
AACAACAATTAGAACTGAAAGACTGAGAGCTCTGTTCCACCACTGACAA
GCGTGTCAATTTTAAGTATTTGTTTATTTCTCCTGGTCAATGTGTTGGGG
TAATGGTGTGGGTTTTAGCTCTTAAATCGGATTCTTAGCCTTGCGAGCAT
TGACAGTTTGGACCAGATAATTGTTTGTGTGTCAGGCTGTCTTGTGCACT
GTAGCATATTTAGCAGCATTCCTGGTCTCTGCCCCACTAAATGCCAGTAGC
ACCCACTCGTAACATAGACTGTGACAACCAACAGTCTCCAGACATTT
CCAAATGTCCCTAGGTGGGTAAACAGTGCTCTGCCCCCTCCCAACACAC
AGAGTTGAAAACACAGTGTAGACTTAAATAAAATTACTAAAGACCGGTC
TATGGAAAATAATATACTTCCAAAATTAACATATACTTTCTTTCTCAGTC
TCAGTTCTTTTCCCTAAAAATAAAATAAAATAAAATAAATAGGCTGTTGC
ACTCTAGAACTACTCTAAAACAACTACAGATCAATTATGCAAAAAAAG
TCTGAAAGTTACAGTACATGAGGGGGGAAGGAACCTTAGGTTTAAACATA
GAATTATCTCAGTTAAGGTGACTGCATAATGAATCTGACATAAACATCAA
TTTGACTGCATGTTGCTTTCATTAAAGCAAAGAAACCAGAAAGGTGGAAG
AATCCTTATACCTTATGCTGCATGCATCACAACACACCAAGTATACTAGA
CCTAGTTCTGGGAACCTCATTTCAAGAGCAATGGTGCAAGGAGAGCAGC
CAGAATGAGGAGAGGCCAACAGACCAGGTCCACTCTATTCCACAGTGATT
CAAGAAACGTTACTGAACATGTTGACTCCTATGTTCCAGGAGCTGTAGAG
ACGGAGTTGGATGCCACATTGACGCTTCCCTCTAGAACTTACATTCTAG
TAGAGGGAGCCAGTGTGCAATAGAATATCATGGCAATAAACACAGGGCTA
TACTGAATAGTGGGACTGTTGCATAGCTAAGAGTTATGCAAGCACCAAGT
ATAAAGAAGCAGCTTCTGAGTTGATAGTGCTGTTTTGTGCCTTTTCAGAG
GTATGTTTTAGAAAAAATAACTCTAATGGCAGAATAAATAATGGAAATAA
GACAGTGAAACTAAAAGTAAAAGAAAGCCACTGGGAACCTTGACAGTAAT
TCCCGTGAAAAATGATAACCTCAAACTAAAGTAGTGGTGATGAAATC
GAGAAGAAAAGATGTTCTGAGAGCTAGTTTAGAAGGTAGAATCATGAGAA
CTCGGTGACTGGATAAGTATGATGGGGAATGTAGAGGAAAAGACATCCAA

FIG. 6A29

36/41

GATGACTCTAGCTTCAAATAAGAGAAAAGGATTGAGGAACAAGGGAAAGTTT
GGCATTAAACAAACAAACAAAAAAGACTACAGGGAGGCAAGGCTGTTG
TTCCCATGTATCAAGGACATTATCCTGTGAAAAAAGTACTAGGTGTGTT
CTATATGGTCCCAAAGCTTTAAACTGGAGCAAAGAGTAGAAGTTCAGAAG
GATTTTGCCTGAATGGCAGAAATAATTTTCTGAGACTCATTGTTATCCAA
AAATTAACATTCCGCAGGAGGTAGAAGCTCATCAAGACAGCGCCTAGGGA
GATAATGGACAGCTACCATGAAGGACATCTAGAGATTTTCACTGCTCTCC
TCTCAGCTTGCTTCTTCTAGTAATGTCTGATTGTTACCCCATCCTGATT
GTTCTTCAGGGAACCAAAGCCTCCTTCTGTCAATTACTTGATTGAGATGG
AATCAAGGCTCTTCTCTCCTGCACCAAGGGTGGTCTGTGGCTTCAGCCT
GCACAGGAAAAAGTCTCAGAGAATGGCCCCAAGATGAGCATGTGATCTAA
ATTATGGAAAGAGGCTCCTCATCAGAATTTTTCAGAAACAATTAAGGAA
GGCTTGCTCTCTCTGTGTGGTGTAGCTAAGAGGGTAGAAAGTAAGAGT
GAGAGAGAGAGAAAGACTCAAGGACATGATCAAGAGAGCCTTTAGATATA
GCTGTCCCTCAGAGTAGTTACACTCCAAGATTTTATTATCACCTGTGATC
TTTTGATCTATTATTTTTTTTTTAGCCAGTCAGTTTGAGATAGGTCTATTG
TTATCTGCTCCCCAACCCCAAAGAATTCCTCTGTGGCTACTTGTACAG
GAAGAAAATTCAGGCATAGAATGAGAAGCGACTCCCAGACAATAGGTCAC
TATCAGCAAAAGCTTTTAGACAAATGTATTTTGAAAACAAC TGAAAATCTT
TAGATTGAGAAGAAATCAAAAAAGATATCTCACTTACTGTAAGGTGTTAA
AATAAACATACAAGGTAATAATAAAGATGTCTTTCATTATAATGTTACTT
AGAGAATTTACCAATAGCCTTCAATGTATCAAAAGCTGGCACATTACTGG
TTCTGCTCTTGTTTTTTTTTAAATTATAGTACTTTCTTTTCAGAAATATAC
TAACAAAGAAAAAAGACAATTGAAATTTCCAAATCTGGAACAACTGGAT
TGGAGAAAAATATACAAAATAAACCCACGAGGTTTTAATTCCTAAGTACT
TTAGACCTTACAAGCACCATAAACATTCTGTTGTGGCTCTTCCCTCACTTA
GAATGCATGTTAATGCCGTTAGCACTTACCTCTAAGACCGGTAGCATACT
AAGTAGAACTGAAATGTTTTTTTATTACACTACTGGATCATTCTTTTAATA
GGGGATACAATCTCATTACAAGCTCTAGTAGTCATCCAGATTAAAAATCTT
AATTGTCAGGATTGGTAAAAGCGTAATAATATATACTTATCTTTTTTTTG
GAAATGGCATAATTAAAGAAGAGCAAGAATGTTTTTCTGTAAGCAAGGCT
TCTCATCCTCAGACTACGCAGATTTTCCCCCTTTCAAGTGGTGTATTCAT
GCAGTACCCATTCTTGAGAACTATACGATATTTTAAAGATTCTCTTACA
TTTTAGGGAATACATGAAGTGGTTCACCCCTCCTGCCTTCCAAAATATCTC
TTTTCTTACTTCTCTTCAAATGTGTCCATGTAATCAATGTGAGGAGAATC
AACTTTGGAACAGAATATCTGTGCTCATGTGCAAAGGAATCTTCACTTC
CTACTACTGTTGACTTTGAGTAAATCAGTTAAGGTATCTGAGACTCAGTC
TTTCTCATCCATGACATGGAAC TGCAAATACTACATATGTGGATCGATTT
TTTTTAAAAAATGTAAATATTCTAAAACTGTAAGTTCTTTTATTATTTTT
AGAATGAATGTTCACTGAGTGCTTGCTGTGGGTGATGCACTGAGGCAATG
CATGTTACCTGTTGTTTGCTATTCTAATATAGAACCTCAGAATTGGAGTG
GATCTTAAGGACTCCCAAGGACCAGGCACATCCCCTTGAGCTAAATAACC
ATCCTTTCTAGTTTCTCTTTTAAAGCAGGTTTCAAGCTGCCATGGTGGT
ATGGATTTGAACATGTAGCCTGGAGAATTATGGCCAAGAGTGAAGCTCAA
CCTTAGAACCTTGGACAGAATGGTATTAGCAGGTACAGATGAGGGTCAGA
AGTGGAACTACCCAGGAATCAATCATGGAAGTTAAATGAAGATGGATGA
ATGAACATGTATTCAATATAGACTACAAAGATGAGGACCAGGAGCTGGAA
ATGAGTCAGTAACAGGAATTAAATGAAAAGACAAAGGAAGAATCCAAAAG
TTTTATCAGAATAATTAAGCAAATTGTTAAGTCTGGTAAAAGTCACAGGT
GCAAGTTACGTGAAATAGAACTCTGTAGTCAGAAATAAGAGTAATTTGGA
GAGTTGTAAATAATCACACATACAGTTCTGGTCCATGTGATAACGTGCCT
GCTGAGGTTGTTTATCTAGCCATACTCTCCATTCTGCTTGCCTCGCTTC
TTTTACTCATCAAGTCCTCCTGTAAGAAGGAACATGTTTGCTTATTTCAGT
TAGCTAATTTTTTAGAGCCCAACTTTTCCCATGACAGATCTGAAGATGCT
AACGAAAAAATAACAAAATAAAATGTTTAAATATAAATTCTAAAC
CTGGACTAGAGAAAAATATAAATTAGTATAGGTGGAGATTACAAAAGATA
GATAAAAGAATTAATAGATTGTTGGGAGAGAAAGAGACTGCAAACAACAATC
ATAAAGTTTTTACCATTAGCTGCAGTTGAGATGAGATTTGTGTTCTGAGC
TCCCTGTGGGCCAGAAATTAATAGAAAATACAGACAGAAGGTATATCTTT
TATTATCCATAGGGCAAAGGAGATAGGTGTTTTCTTGAACATACCTCT
AAATAAAAATTTTCATGAGAACTTCCAATAAAAGGTTTTATGTGATGGA

FIG. 6A30

37/41

AGAACAATGTTCTACAGCATCTCCAGAACAAGGAGAAGCAGATATTTCC
TTCAAGGAAAAGATTGTTTCCATTGAGGACTCACTATTGGAAATACAGAT
GTCAATGTGAAGAAAAGAGTGGGGCAACAGCCTCTAATCCCACAGGACTC
TTTTTACCCAGTGTGTGGAGCCCCCTCCCCACCCCTTCTTAAAGCTCTCCA
TGGTTCTGACCCCTGTCTCTCATCAACCCTAACTTTATGATCCAGGTTCA
GCCTACACATCCATGCCTTCATCTCTCTTGCCACATCCCACAAAGATCAA
CCCCACTTTTTTATCAACTTGAATGTGAAATTATCTAAGGACTAGCATTTC
TTTTAGGCTCCAATTAAAACTTTTGAGAATACTGGAAATGCTCAAAGTGT
GTCAACTCTCACTCATATAACCACTTAATTCTGTTCTCAAGTCTTAGTCC
ACACTTGTGCTCTGAGACATTTAACACTCTATACTTAGTACCTAACAAAT
AAAATGACAATTACTAATTAATAACTCTTATAAAGTACTTATGATGTTTC
A




FIG. 7

39/41




Fig. 8




Fig. 9




FIG. 10

SEQUENCE LISTING

<110> DECODE GENETICS EHF.
 AMUNDADOTTIR, Laufey
 GUDMUNDSSON, Julius
 SULEM, Patrick

<120> VARIANTS AT CHR8Q24.21 CONFER RISK OF CANCER

<130> 2066-PC

<150> US 60/682,147
 <151> 2005-05-18

<150> US 60/795,768
 <151> 2006-04-28

<160> 180

<170> PatentIn version 3.3

<210> 1
 <211> 92001
 <212> DNA
 <213> Homo sapiens

<400> 1
 tctttgacaa ataaattagc atacctagaa ggaagccaga tgctattcca ttaagacaat 60
 ggaagaatga caccaaagtc atttcaaaga tcttggaagc cgccactctc ataacaggct 120
 cagagtgccca gggccctgaa ggcagaacaa tticatatagg ggtaccttga ggcttcatca 180
 cccaggactg cctcaggctt ctgctccact cattctggcc caacactctt tgtctcttgc 240
 agctgtagat cctcaagtgc acccagggtgt ggttcaaagt gctagtccgg agagcatgag 300
 gtaaaccctg gcagcatcca tgtggtgcta actgagcaaa tgctcagagt gcgtgagcta 360
 agcaggcatg gctacctcct cctcgattta aaaggatgct tatgagagcc ttggggcgta 420
 ggcagagAAC tgtcacagtg gcagggttac cacagatagc ccctactagg gcaatgctta 480
 gtgggggcag ggccactcct gagaccccc agcctgtgca gccaccagca tgcaatgccA 540
 gcctgcaaga ataacaggta tgtgactcca acctgtgaaa gctgcagcat aagccgcgcc 600
 tagcaaagcc acggggatga ggctgccag agtcttgtgg ggaccaaccc atataccagt 660
 gtgtcaagta gtcaggaatg gagtcaaata aaattatttt cagtctcca tatttgagtg 720
 ttatttgctt tgttgggttt cgaatgggag tgagacctat tactcctttc ttctttccta 780
 tttttttccc ctttggaatg ggaatatcca tcctatgcct gtcccaccac tgcatttgaa 840
 gcacataata aaatgtattc attctatccc aataattcca aaaatcttaa ttaatccaac 900
 atcaacttta acttataaat ctagagtatc atctaagtat catctaaatc agatatgggg 960
 gaattcttct ccagcagtct gcaaaatctg acaagatata gatatttata tgtccacata 1020

cgtaactata actatctgtt gaattcattc tctaaccact tctatcaagt cactgtgcta 1080
 aaacttctta cttaatgctc attagtgtta cacacacaca caciaagaca cacacacaca 1140
 aagacacaca cacttgetgc tagattttac tctcttggtg gattttactc tcttgctgct 1200
 agataagggg tacctaagtc aagatgtacc tatcttagag tttgcacatc atctgcatta 1260
 ttgaacgtaa agtaaaagcc aatgagggg aaagagacgt tgactgtttc atgatcattg 1320
 tottacctga aacaattagg aagtcaccgt tcagctttgc aggctatgta attgtcatat 1380
 atcatgaatg gctgataagg ggttgaatct gtgaggtttt cccatagagg aaagggaaat 1440
 actgattctc actttagcca acagcagttg tctctaactc acccaaactg ctgagaagaa 1500
 cttaagaact attttactgt gctcttttct ttatttattt atttagagac agagtccat 1560
 tctgtcaccg aggtctggagt gcagtggcga tctgcctca ctgcaacctc tgcctcctgg 1620
 gttcaggtga ttctcctgtc tcagcctccc taatagctgg gattacaagc atgcaccacc 1680
 atgccagct aatttttgta tttttagaag atatgaggtt ttgtcatgtc ggccaggctg 1740
 ctctcaaact cctggtctcg tgatccacct tctcagcct cccaaagtgc tggaatcaca 1800
 ggcatgagcc accgcacca gcctttaaga gctattttat ttccaatgca gaatggaacc 1860
 tcaacacat catggatgag ttccagattc ataagacttt aggcctacag cggacatcag 1920
 acacaatcta actgagctcc ttactgtag agatgtggga aaggaggccc aagataggaa 1980
 agagacttgc ccaaggccac acatctggtt aatggagaac aagagacaat actcatttct 2040
 cccaaccacc atgccagtgg gagttccagg tccaccctgc ctgagagctt catgaccacc 2100
 tccaagatgg cccaacgctg cccttcaaaa ggggtcagta cctgggcaat ctgatggtga 2160
 attcattaga ggtgaaataa atgcttataa aagggaaaat ggagacttgt aattctacct 2220
 cttgattcta agaaatcctt tcattgggtc tagagtgttc ataatctct ataatgtga 2280
 aattgaacag cacagtttct tatgaacaag tgcaaaaacg gggtcagaag tcaggaaaat 2340
 tgtaaagatg ggatgtgaca ttgtgtcttc cccaatcttt acctacaaa cctctccttg 2400
 ctctcttcca ttctatcaaa tcctagtctc agactattca tttacactaa gatgtaaatg 2460
 actgacagca aagtggccac tttcaggggc atttgagac aaagggatga cattgcgatt 2520
 attgacctat cacttgggg atatcagagc cagagagaag acgtggagtc tgaagagaa 2580
 agctgttccc acaacaaga attatccagc cctaaatct catagtgcag aggttgagat 2640
 atcctgtctt gggttacaga aagttgcata aattcctagc atgaatcctc aggtgggcac 2700
 cttgagagca atctgccatc tccacaactt tgtaccttg ctttttttcc caaaaagaaa 2760
 gggcttaacc aaacctgct tatgaccagc ctgagcctcc catcaactgg caccattggc 2820
 atcctggccc ttgtgtgtct gcacagtgc tgctacacac ttccattaag taactctcaa 2880

cottacaata attcagggaa aggagacagt attgttattc ataccccaca tacaagaaa 2940
 caaagaagga ggcaatttac caggttttca cagggaggaa gaggaagggc cagaattcca 3000
 atccagactg atcctagctc cagaaactaa actatcacac tatcacactt cagacaggag 3060
 tgcagattat caaacactaa ctattttaag aaatgttcag gggcggagca agagcacagg 3120
 tgccatccag tgctgtttgt ggagaggagg tattcgagg ccacaacgta gggcaaggca 3180
 tttcttccta ggctgggtat gataggtaga ataatggctc ccccaaagat gtccacatct 3240
 taaccctgt aacctgtgac tattacctta caccatgaaa gtgactttgc agatgtgatt 3300
 gaattaagtg ccctgagttg gggagatttt cctggaagaa tcaggagggc tgcatggaat 3360
 cacaagggcc cttataagag ggaggcagga gagtcagagt cagaggaggc gtgaggatgg 3420
 aagcagaatt tgtaggggta tgggcgagaa gccaaaggaat gcagatgacc tctagaagcc 3480
 ggagaagcaa aatggattct ctcccagagt ctccaaagga gtgcagtcct gtgaacacct 3540
 tgatcttagc ccagtgaagc tgatttccag cttcagacct ccaggacttt aatgataata 3600
 aatttgtgtt gttttcagcc accaagtgtg caataatttg ttatggaaat cacaggaagc 3660
 taatatatga ggattgctac ataaagtata gaacacacag tccaacttga acttcagata 3720
 aacatcaa atttttctag tatgagcatg ctccatgcaa tattcatgtg tcctgtattt 3780
 tcatttgcta aaactggtag ccctaaccgg ctccccctc ccactcagcc cctgcatccc 3840
 caaagccctt tcccaggtct gctctgttac agtggtatca ttatacctgc tattctgggg 3900
 ttagtctatg actcaaccga gtgaaactgt taaggcctca gataaatagc tctgagggaa 3960
 agttattatt ctatatcatt gcctatcaat tatttatagt ttataatgca atgccatttg 4020
 taatgggtaa tatgttttct tattgtgttg taatatcatc caactcatca gaacaacct 4080
 tggggagatg gattggcttg atgtaaatac cagtgcctag taacaagctg tgtgcatttt 4140
 taaacctgga aatcactgct ctttcagata agaggaaact cttctttgaa ttcaaacaga 4200
 aggttccaag ccaccttttc tgacaagttg atttctctag aagcagggca ggaactaggg 4260
 caaggcaaat gtgttcaggg taaaaaatgt aaggaggctc tccatttcag gtgccgacct 4320
 tgcacttgca gaacgtgaaa atgagtgtg ctttaaatct tgcaccttg gagactcact 4380
 tgcttcactc tagtatcgac tctgctaaga aaactcacat gaagccatca acaaacgcca 4440
 aagctaacct agcctcttta catggcttat gggaaactga ggcccaaaaa aatgtggacc 4500
 agccaagatt caatttgctt agtgactagt ggacctaatg gttgctactg cagcatcagc 4560
 tgcttctgcc aacacctacc tactgagttt cagccagagg cttgagggtc gcactgccct 4620
 cccagccctg ggacaaggcc ctgtctcaac tggattaagc aaatcagtat aacttcgtat 4680

ccctgatccc agtgattgaa cacttaactc agtcctaagc cagtaaatag gttgtatgtc 4740
 cctggccaca gttgttagct ccaggatata catgtggggc aggggtgaagc tcatgacttt 4800
 gattcacgga gagagaaaat gattcctctt tcctttggag ggtgtggaat acaaatagaa 4860
 agtctggaac tgctgcaacc atttattacc atgagaaaag ccagaatggg aatgaaagca 4920
 atcatatata gaagggaaaa ggtgagagaa tcataaaggg aaaccagatt cttcaccgac 4980
 tcccatctaa aggaccact acctctggac tattctgtta tatgcaccaa taaattcaga 5040
 ttaatatatta atccagtttg agttaaata ttctgttact tgtacaaaag aggttcctaa 5100
 ctggacaatg accttagaaa agccaagttc tacagctaca ttgccccata gaactttctg 5160
 cattgatgca actgttctat atctgtgctg ttcgatacag taagccacta cctgcgtgtg 5220
 gctattgaac atttgaaatg tggctaagt gactgagaaa tggactttta aattttgtta 5280
 atactaatc ctttcaattt aaacagccac acagaccagt ggttaccata ttggtccatg 5340
 cagccctaca agcttctttt ccttcatttc atttgttgcc tcctccagaa accagctcca 5400
 gatcctttct tcctccaga gttgggttagg ctgatctttt ctgtgatcct atagcaactg 5460
 agcattcctc taaaattgtg attgcctctc ttagaataat atcttttacc gtgtgtatct 5520
 cccaccttg gttgaggtt taaaaggcaa ggccattcc tgtgtccaag cactgagcag 5580
 aagcattgcc atggtgactt ttgaattgga tgagataatc tgtggcccaa atgtgtacca 5640
 gatgttgaaa ggctttgtag cttttaagaa tgtaagacaa tataaaaatg tttgctatca 5700
 ttattagtta ttgttactat ttctgattgt taaccttgat ccacttctca attttctaca 5760
 ggagtctcag tcactgccct cgaatgacta gaaatttgcc cagccttggtg acatctgtga 5820
 ccatcagtgt caggctcact ggcttcttac ccctctgctg ccttgacttt ctttttcttt 5880
 tctttctttt tttttttttt ccttgagacg gagtctcgct ctgtcaccag gctggagtgc 5940
 agtggcgtga tcttggtca ctgcaacttc cgactcccct gttccctgct ttaagcaatt 6000
 ctctgactc agcctctga gtagctggga ctacaggcac acaccaccac gccagctaa 6060
 tttttgtatt ttaataggc acagagtttc accatgatgg ccaggatggt cttgatctcc 6120
 tgacctcgtg atccgccac cgcggcctcc caaaactgcc ttgactttct agctcaaattg 6180
 tcctatttcc ctaattatct ggcttggtcc tcttagtctg ccacctacac acttggtgggt 6240
 gagagaggag gagctggaag acaatgcaga gctgcagtta aggccattgc aattgccagg 6300
 gtgtgctatg tggcttcgac atgcttagaa gccagtatgg tttggctgtg tccccacca 6360
 actctcatct tgaattgtag ttctcataat tcccacatgt tgtgggaggg acccagtaag 6420
 agataattga attttgaggc cagtttcccc tatactgttt tcatggtaat gaataagtct 6480
 catgagatct gctattttta taaggagttc cccctttcac ttggctctta ttctctcttg 6540

cccgctgcc a tgtaagacat gcctttcacc ttccaccatg actgtgatgc ctccccagct 6600
 cccatgtgga actgtgagtc cattaaacct ctttttcttt ttataaatta cccagtctcg 6660
 gctttgtctt tattagcagc atgagaacag gctaatacag aatcctcctc cttgagatgt 6720
 gcttcctgat cccaggcctt tacaccaggg gaattcatca aattcattca tctccttaac 6780
 aaatgttact gagttcctaa aaattgtcaa gcatgtgatg aggcactggg gttctgtcag 6840
 tgaaaaagac aaagtttctg tcatactgaa gggtcacgttc taatagggga gacagacaga 6900
 aataatacac catataaata aatggctaca gtaaagaaca atcgagtgtg ggaatagagg 6960
 ggaagcaggc aggtaactgc agtggaccag aaaaaagcaa tggtgacaaa gtccagagtgt 7020
 gtggcagggtg agacaatgga gtgttatcag atttgagacc aggaacttct taagagtcct 7080
 ttttcttttg cctttgggtct cactccttga tttattccag ctctgccaga tcagatcttg 7140
 tctttacatg cccccacca ttctcagata ccctctgtgc cttacaact aataacctgt 7200
 tggttctttc cagggaataa cttgtactca gcttctgggg ttccctaggc ttttccactg 7260
 gaataaaatt ttctcctagc tgagccact gtccaattaa ggatcagaca aaatttagaa 7320
 gaagcaagtc acttctcctt tctggatctg tttcttcctg tgcaaaaaga gatgttgac 7380
 aagataatct ctggtgcccc ttccaattta atattttata attacagcct aggttttgaa 7440
 gaataaaaat ataataagag aagagagaaa gaaagagatg aggagtgggg cgggggaaga 7500
 aaggggagga agaggaggag gaggaaaagc aggagaaaag ggaagggaga ggggggaagg 7560
 agaaagggag ggagggaaga aacctatttg taaggccaag ttaaaaattc attgccacaa 7620
 taaatacttc ggtgtgaggc tgtagaaatt ggcaaatga aaaaattctg gcatgtaaac 7680
 ccacagggtg gtcctaggct aagagaagca tcttctacct ccctcacttc ctgatccca 7740
 tcccattagc atttctgaaa tgcctggaaa gatgtccct agcagggtag agtcaggaac 7800
 ccactgtctg ttcttttctc atctaactctg agcattggaa agatgtctcc tagcagggtg 7860
 gagtcaggag cctgctgtct gttcctttct catttaatct gagcataatc tgggtgcttg 7920
 ggctgtggag cggatttctc tctccagtct gtttctgcct gtcctgtctt gaggtgcact 7980
 aggcagggat ctcaagtgtg tccttggcct gcagtggga cttgtgcac tgaaggagca 8040
 atcaggcagg tggcctgggg cagcctgtct cataacgatg ccctcattcc caggagcaag 8100
 actgaatgcc agttactcaa atcccattcc tggctttctg cttcagtcac tactaagagt 8160
 ttttcatatc ttctgggtgt caggaaaata tttctatctt caggagaagc aactctgcct 8220
 tatactcgaa aattaaccag acattctatt attgtgaaa ttctttcctc gtattgcatt 8280
 ttatttaggc ttttaaaaat cctttattta tgcagtttga atcaggggta ttttctggct 8340

tacaggttag tagagaatta caaaacattc aaaatttcaa agattcccta agggagaagt 8400
 gatctattcc aatatgggct tatattccag aaaaaaaaaa aaaaaaagcg tactcccaga 8460
 aagatttgctc tgggaaatga ttgcaaatga gaaaactcac tcagatgtga gaaatgatac 8520
 cgccctggac tttcatgctg ggccctaaga attatgacat ggatgtaaaa gaagattgcc 8580
 acaagtcgcc agcttgccctg ctcttaaga tgcttgaagt cccagtgaa agctgagaaa 8640
 catgaaatta cttctgaatg tgcccacaga caggacagt taaattgtaa tgacagagaa 8700
 aaagacctgc tgcaggcctc cctcacgcga tccaagtga gttttacagt cgtgtagtag 8760
 gatagagtga gcctcattct aaggctgacg aagctgaggc tcagtaacct cagtttgatc 8820
 aacttgatgc agcaagctca aaactggtga aagccagatt ttcttatttt tttttctac 8880
 ccaggccttc tacaacaggt ctctacaact agtgtctttt atgaccagct gctgctttct 8940
 gattgggaac ataccaagtt caaggtcccc atgtggctct gtatagtatt cacaatacta 9000
 tatagtatgc aactgttcta tatctgtgct gttcaatata gtactatata tagtatgcac 9060
 aatttccatg caaggaaaac atttaatatc ttacaatgca ctttcacact tagcatccca 9120
 cttgaccctt acaacaactt catggggtaa atatttattt ccctgtttat gaataaagaa 9180
 attgaggctc acgttctgtt aaagccattg ttatggcctt aaccattctt attatgcctc 9240
 caagaacaca caaaatctgg tggtgttct gggagctaac aaactctgct ttaagtccta 9300
 actctgccat tctccaactt tgtgacctca ggcaaatgc aaattttttc tgcactctag 9360
 tgttcacatg cgataactag agggaaagag tacttgccctc atacggcaga ttcttcattc 9420
 attctacaag catttattca gcatctacta tgccttaagt tctggagata cagtaatgaa 9480
 caaaacaaaa gcctcagcat ttgtggagtt atgttctact tatgggagac agaaaagaaa 9540
 atatattgca tttgaagggtg ataaatacta agaaatataa aacagggaaa gagaataggg 9600
 agtattggaa ggaggagtgc agttcaaatc agaagacca ggaaagactg caattgagaa 9660
 agcaacatgc agtgaagact tcaaaaagga gtgaggggcc aggcgcactg gaggaggatt 9720
 actcttgtaa tcctcgact ttgagaggcc aaggcaggcc aaacacttga gctaagggtg 9780
 tggaggccag cctgggcaac acagcgaaac cccatctcta caaatacaaa aaaattagct 9840
 aggcattggtg gtgggctcct gtagttccag ctactcagaa ggtggggatg ggagaaacac 9900
 ttgagtccag gaggtcaagg ctgcagtga ctgagattgt gtcactgcac tccagcttgg 9960
 gcaacagagt gagacctgt ctcaaaaaat aaaggaggga gtgggcggtg aaagagcaag 10020
 ctttgtaagt atctggaaga agagctttct aggcaagagg aaacagcaag tttagaggcc 10080
 cagaggcaag aactgggag ggtggtgcct ctgtgttcca gaaacaggga ggccatgtgg 10140
 ctgcactgga gtgagcgagg gagaaagaag taggaggaag atcagagatg taactgatag 10200

tgcgaggatg ggacactaat tatgcaatgc tttatgggac cattacaagg acttagattg 10260
 ttttctctaa aagtaattgg gagccattgg aggcttttga cgtaggagtg ccatgatctg 10320
 acttcagttt taccaggatc actcaagctg ctatgttggtg ttagaccgga gggatcaggt 10380
 gtgggagcca gttagggaga tgttaaatgt tctctaggaa aagaggatgg tggtttgggc 10440
 tgcaatggta gccattgaga tggagaaatg gtaggaattg ggttttatgt tgaaatcgag 10500
 ccaacagggt ttgctgatga gttatatgtg agtgggagag aaggaatggg actacgagtt 10560
 tcttggctctg agtaactgct tttcacaaga atgagagtat agaagaagca gctctgcaag 10620
 agtgagaaag aactgaacaa tgaatgtata ttttctccag ctatacagtg tccagcacag 10680
 agtatgtgtt ccataacagg tagatattac tattaataat gtatctgctc acctgggtta 10740
 atatttctgc agacctttgc cctacatcca agcactctga gaaagcacat ggtcaggctg 10800
 ttttccacca gcaaatggac cacagaatct tggtagcata gtggttttta aagcccattg 10860
 gctacccaaa acccctttga cccatcaagc gtgctctgga ctcaatacct ttgcacaggc 10920
 tgatctccct ctccaccac ccttctctcc tctcagcttc tccatacagg aaatggacaa 10980
 aggcacaaac tggaagtcag tgcagattca agctttggtt ttgttcagag agtattcctt 11040
 aatgctcaca gaaaatctag cccagcttct cctattacaa aactggaagc tgaggactag 11100
 aaagatgaag tggcttgagc cttccccatc agtatgacaa ggaaactgta ttaaataatt 11160
 cccaaggatt cttctagctc tcacatgctt tcaggttttc aataaacaca agatacaata 11220
 aaaagcaatc aaaataatga ccagctgatt ttgctttcct tcattaccct catctaagcc 11280
 accagcaaac tctgctaact cttctccaa aatagatccc actctgtcac tccttttttt 11340
 tttttttttt tttttttttt tgagacggag tcttgctctg tcacctaggc tggagtggag 11400
 tggcgcatc tcggctcact gcaagctccg cctcccgggt tcacgccatt ctctgcctc 11460
 ggcctccga gtagctagga ctacaggcac ccaccaccac gccagcttt ttttgtattt 11520
 ttagtagaga tggggtttca ccgtattagc cacgatggtt ttgatctcct gacctctga 11580
 tccacccgcc ttggcctccc aaagtgtggt gattacaggc ttgagccact gcgccggcc 11640
 actgtcactc tctttttatg gtcaccacca tgagacaaac caccaccacc ttgaaatgaa 11700
 cagccagagc agcctctaac tggcttcttt cccctcctta ccctggccct cctacttgct 11760
 atatgcatgt gacagtctga acgatctgtt gagaatttga accaaatgta tttacttctt 11820
 ttcccaaaac ctaccagtaa ctttctatca tgtcttacct tggccaatca ggccttacat 11880
 gatctggccc ccatttttct ctttgaccag atcttgacc actatcccct tatctacaag 11940
 cctctctgac cttctgcctg tgcctttgat attccaggct tcccctctct ttggcattca 12000

ggctcctaag agggccaccc caccacagct gattcccacc tctccatatt cacatccttt 12060
 gtgtaggctg gacctagtgc tttgccttta aagaacagaa tatggcaaag gtgatgggat 12120
 gtcacatcca cgattagggt gcaaaagact gtaacttcca tcttattggc tctctctctc 12180
 tctctctctc tctccttctc actttctcac tcagatgaag caagtttcca tgttgtgagc 12240
 tgccctgtga gaagggttac ttgctaggaa ctaagagtgg cctccagcca acagccagca 12300
 aggaagtga gcccctcagtc taacagcttg ggagaaactg aattgtgcca tcaatcatgt 12360
 gagtgagctt ggaagctctt ctatccccag tccaaccata acaggactac atccctggcc 12420
 aacacttta tgacagcttg tgagagaccc tgagacagaa gactcagcta agccaggccc 12480
 agattcctga cccatagaaa ctgtgagata aaaaatattg ctttaaacca tgcaattttg 12540
 gagtaacata ttatacaaca atagacaact aaaacaccct ctcggaacat tttctcttct 12600
 tttctctca gccagaaatt ctattttctac tcaggctctc caatgggttg ctctatcatg 12660
 cagcctctca gccagatgt ccccttctca ggccttattc cctagctaac tctacactca 12720
 gccattact ctgtttcatt atgtttatcc acttttaact gctggaaaga ttttatttat 12780
 ttactgattt acctgtcttc tctatcgtaa taaagctcc tcaagaagag gaacctctc 12840
 agatatgttc atggcggaat ctgagctcct aaaatagagc ctggaacaaa gccccctca 12900
 ataattacat gttgaataaa taaatgaaga aattatgaat gaaaaggagt tgggggtggg 12960
 ggaggaatgg agatgctctt ccacatgatt tttttaaaag tctaggacat tggaccagca 13020
 ttgctctcc tgatttatcc catttgtctg cttgagtaca tttaaatttt gaaggacccc 13080
 aggttggttg tttctttcaa agattacccc ctaacttcaa ttttctgct tgagtttttt 13140
 gcagatctca gctgaatttc agggtgga aaaccacat cctcttccgc tggctccacc 13200
 tttctctct cctcttctgc aaccaccga ctagtttcaa cacatctttc cttctaagtg 13260
 aagagcattt aaaagattgt aaagcttatt gaactcttac aacaccatat ctttatttgt 13320
 taagtaccaa tgactcaaaa atagagtagt ctctcctgaa attcatgtgg ttttacaat 13380
 tacggaggaa gttctaggct cagtgtggat tgccaagtgg tgaaaatttg ttatgtatct 13440
 tttgcaaggc tccgttttct tcctttctac tgtcattttg tctgtagctt gaaggaaatag 13500
 agtgacttat atccccatat tgtcacagag aatagagaat aaaagatcat cccattttta 13560
 agggccctc caccgaaaaa taccagagga ttttgtgtt gcttcattct taaatgcggc 13620
 ccataaatga gaacattcat ccaaagtcc aaataatatt tgaaaagggg tttcattgag 13680
 aatttcatta gtaattgggg atgaaaaata aaaacactat tacacattcc aaaaattgac 13740
 ttagacgtga aagattagaa attccaagta tgggccagaa tgtggaacaa tgaaaactgt 13800
 catacttctg gtcaaagtgt aaactggcac aagtatttta gaaaactatt tgggtattatc 13860

tactgaaatt taatataata ctatgaccca gcagttctag gtatatatcc tcagaaatgt 13920
 gtgcacatgt ggaccaaag acatgtacag aaaagtttat agcagtatta gttatgatag 13980
 cccaatcca gtaacaaca tagttctagt tcaacaatag tagatggata aacaagtttt 14040
 ggtatatattg tacaatggaa tgctacataa taatgaaaac aaactactac tataatataac 14100
 agtatggatg aatctcaaag atataatgta gaacaaaaga aactagacac ttgaaaatgc 14160
 ctaagtattg atttgattta tatggaatcc aaaaaaaaa aaaaagacaa gcaaacttgg 14220
 ctacctttgg ggagagggga ggggctggat atgggggtgat ataggcgctc ccagagtggg 14280
 agcaatgttc tgtttctttg acctgggttg tggtcagttt gtcataattt agtgacttgt 14340
 tcacttaaga tttgttcaact tttctgcgta tttgctatag ttcaagtaaa cagtttaaaa 14400
 attcaaaaa ataaaaataa ataaaaaca ataatgaag acatacatca gttcaatacc 14460
 aaaacatcag taacatgtct ggccaaaggc aaggcctatc aaaatgggta acaaagcaaa 14520
 atcttccctc tgccgttttc aagatacatg cctataacaa aatgcacaaa atatagtcaa 14580
 agatattcat catacaatat tcatattagc acaaaattca tttagatcta aatgtccaat 14640
 aaaagaggat agtgaaagta ctttacagtg tatttctaca acagagtatg atatagccag 14700
 taaaactcgt gttctcaaag acttaagtaa aatgctcctg gtatctcggg aaatgagatt 14760
 cattcaaagt gaaacatata acctcagccc tgtttgtatg tgcttacacc ttctaaagta 14820
 atttttgtct tcagttgtct tgttttcctt tctcccttct gtgtagcttc tgtcctccca 14880
 tccttttcat tgcctccaa aagaaatctc attctcagca gccatgattt cacgagacaa 14940
 gattaggaga atgggtagag aaagactgga atgcaaagg agtaaaactt tagataaaat 15000
 tctttcttat tgggtgtggt ttcaggttct cctctattat ggaaattcta gataatgagc 15060
 aaagaagaaa gcaaatttaa aaggagacca gatacttatg gacataaaga tggcagcaat 15120
 agaaactggg gactactaga tgggggatgg agggagctag aggggaaaga gttgaaaaac 15180
 tattgagtac tatgctcagt acctggatgg tggaaattagc tgcaccccaa atctcagcat 15240
 catgcaatat acccaagtta caaaccttca catgtacctc ctgaatctaa aataaaattt 15300
 gaggaaaaa agaaggccag agaaactctt ccttactata tttaaaagaa gcttaaaata 15360
 gggtaagaaa gggttatggg agacttataa agaggtgagg ataatttggg gtaggttgga 15420
 gaatccagaa gctatcatat agattttggg tatggaaagg taggagagta atagaaacaa 15480
 aggttttagga agttttacca tgggttatga attacattcc acttaacatt atttgaagac 15540
 caaaggtaaa gcctgtattt gtcctaataa ttatctatgg ctaattgagt agcgattttc 15600
 tgagtatcca tgaacacatg aagtcctaga ttatattaag agcataaagt aagacattga 15660

ggatcatcaga aaagcttgtc atgaaaaaat ccagcactgt ttatttctct acagtggaaac 15720
 tagaattaat ttatatatttg ttctttatat ttttctcaat tttttccaag ctttcttata 15780
 taagaaagtg catgacttat atagccagaa aaatgcatat ataatatata ttattcagaa 15840
 aaaagttcca aaaaacttac tattgtctgt cccttcaatt gctgctggaa gaatgtttga 15900
 tagcgaagca gaaaaagaaa gcatggagaa agggctctct cagtatatgg ggtggggatg 15960
 ggagaggaac agccgtggaa cccctccac catggccttg gccttgttca caggagagca 16020
 gtttgcccta agtagttttg tagaaggcat taaaaaatt gcatcaggct gggcacagtg 16080
 gctcacgcct gtaatcctag cactttggga ggccgaggca ggtggatcac gaagtgagga 16140
 gtttgagacc agcctggcca agatgggtgaa accttgtctc tactaaaaat acaaaagtta 16200
 gccaggcacg gtggtgggcg cctgtaatcc cagctactta ggaggctgag gtgggagaat 16260
 cgcttgaatc tgagaggcag aggttgcaat gagctgagat catgccactg cactctagct 16320
 tgggcaacag agcaagactc agtctcaaaa taataataat tattataata ataataattg 16380
 catcaataaa acagcaactt gccatagaaa tagttatgac agtctgtttt atatataatc 16440
 aaaagatctg tacacagaat ttgatgtgaa tgatgtatcc acagagagcc agtaatttaa 16500
 gtgcaccacg agatgactgc ctgccctgat tataactcctg cagatgctgc caggggagga 16560
 gcagtgtggt ctggaaaaag catggacttg ggttctctga agttagacaa gcctagattg 16620
 gaatatcagt ttgcccactt actggctgtg tgacttcagt caagttatta attgtttttg 16680
 tgcctccgct tctccatctg taacatggat ttaattaagt ccatatcacc tgggtgctat 16740
 gaacaataat attgagaaat gggattatat aatatacatt taagcaccta gtggaactct 16800
 gagaagtaag aggtgcccac ttagctttat ccttactgcc attcccactt atagctccca 16860
 cccccacca catctcttct gccctgcccc aaagttctca aagcaagggg ggtggtggtg 16920
 ggataggagg ggttggaggc agggaaggag tcaggaggag aaactgactg gaaagattat 16980
 tttatcataa aataattttc ctgccaagtt ccccacttac tcttggattt atttttcctt 17040
 ttgtgcatag ataagggtat gtgttagcgt attcctgtct gaatttagag gcatttctta 17100
 aaaagtcac cagcatcata ttacattagt tcttaaactc cacatacaag gaagcattcc 17160
 agagtactca tatgtcttgg gatgtacctt ttatcaaaca atcaagaaat tataataagc 17220
 aactctgata taatctttat gaagtgccag gaacttgtct aaatttttta ccatacaaaag 17280
 taggcgccat gacaatcttc attttatgca tgaggaaatt gaggcacaga gaggtgaat 17340
 aacctgacca agattattct tcaggccaat gtcaagtctg gatttaagct cagagcagaa 17400
 gtcaagaaag tgcagctggt gggccaaata cagctcatca gatattgtat agagaagact 17460
 tctgtagcca gccttctcct cctcaaggcc acctcatcat cactccctt ctctgttact 17520

aatccctagtg ttctgttttt atagctctca gaaccogatc ctatttatgc actgacttgt 17580
gtatcatcgt gtatacatatc atacattgta tattgtatga ctcaagttaa aaataatttc 17640
tacctttttt tctcttttcc cacactacac tgatgtaagt ttttactttt ttaaataaat 17700
atatattaaa tacagtcctt gactcacaat ggtttgactt acaattcttt gactttacaa 17760
tggtacaaaa gtgagatgta tttggaagaa acagtacttc aagtactcat acagctattc 17820
tggtttttcac tttcaatata gccttgaaaa aattgagata ttcaaagttt attataaaat 17880
aggctttatg ttaaattgatt ttccctagct ataagctaata agaagtattc tgaatactct 17940
taaggtaggc taggctaagc tgtgatgttc aatagggttag gtgtattcag tgtatttgtg 18000
acttaaaatg atattttgaa cttcaaatta atttatcaag acatagcccc atcataagtt 18060
aaagaatgtc tatagttata caataaaatt ctcaatgttt ccttttgccc gtccaaacct 18120
aaaatatgta caaccattt cttcacaaaa gaagtttgct gctcccttat ctagtgtatc 18180
ttaatcacta taaatattcc ctctcattac atgcagtttc aagcacatc tgcaaccac 18240
agcaataaaa ttatcagtta tcaagcagga aggcacatc atcatcatcc cttccactgt 18300
acagtcggtt tagggtaaca caagcagcat tgtatgcagg catggcctgc caatcagtg 18360
cacaaatgct ctgggctctc aggggctatc agtaactagg atagggtgctg aggcaaatac 18420
agtggtagat gacactacct tcctcctgaa gatttaccat caaaatatcc caaaatagtg 18480
cattaagagc tatccaagtc tttagggtgaa ctaaaccctc agccaaaata ttctctagta 18540
gattatcaag ccacctagtg agagagagaa atcagacaaa cataaatttc tgtgtttggg 18600
gggaaatttg tcaactactc tgtgccaat ttctctctcc acacaatggg gttggtgatg 18660
acatctacct catggagtca ttgtaggatt tgactgggac aatagatgtc aagtagttag 18720
cactttaagt agttgagaca taaactctca ataaatgtct agtattaccg gtattgcccc 18780
agaatttctt agtggtagaa caaagaaagc cctctgtaga aaggcttcag cagggttata 18840
gtcacctga aattgacta aaattttata tttaagatgc atttttctgg ggagagtctc 18900
tgtaacgtac ttcagattct ctgagaaatc tggaactcag aaatattaag tgccacaact 18960
caaaatgata tgaactaggg gagatacatg aaggcttttg ggagaaagat gtgcgcatcc 19020
ccagacatgt cccctctgat gcaccacaga aacctgtcag ttggtactga tctaccctcc 19080
tcctcctcct tctcctacac acacacacac acacacacac acacacacac acacacacac 19140
acttcatcct actctccagc attcagggaa gaaaacagag gcaaatgttg tgagctgcat 19200
ccttgcatgc aactgctctt gggacttctg tagccagtct tcctccctca gtgccccctc 19260
atcatcattc ccattctctg tcaactgac ctagtgttct tttttatagc tttcagaaat 19320

t gatgctatt tatgcagtta cttgagtatc attgccatct actatttgaa tataggctcc 19380
 atgaagatag gaacttggtc cgtcttgctc atgactgaat tctccgtatt tggctcaata 19440
 gacatttgat caacaagtaa aagagacccc aaaaatcccc agaaaatttc agttcagctt 19500
 gcacatgaac aatgaaagc agcttgagaa tcttgactct actgtgaatg ccaaatagcc 19560
 tgcttaacca aggttgcca aattcagcta agggatgcat caggatggac accatgagtg 19620
 ttttgtgtgg aaacagagtg agggtttgcc tatcattaag caacttgtga gtaacgagtg 19680
 tataacatcc aggatgtttt gacatttggg cttcttacat ctgactgctg ccacctcggg 19740
 ccagtacata acttaggggt agggtagcta cgcttataga cctgaaattc tagtataata 19800
 ataagacaaa atatctgaat taagacagtc ataaaaataa tcttgggttt cttttattta 19860
 ttcatacatt caacaaatat tcatggagcc ttgttatgca ctaggcactg ggaactgagc 19920
 tgtgaacaaa acagataaat ccttatactt gggatattta tatccaagtg gaggactaat 19980
 gagaaatcct tctcctcccc cagtcctatt ctctagagcc cttcaatata tgatttgatc 20040
 aaacttacca aaaatacttt ttgcacaagg cagcacaccc acatgcccct cgtatataga 20100
 cagtgcacat aatgtgttat ggttgacagt agttgttctc aaccaagggc catgttgccct 20160
 tctctctaga agacatttct caatgtctgg agacattttt agtatcaca gaagggggat 20220
 gtgctaattg caccagtggg gaatgctgcc aaccattcta caatgcacag gacagctcct 20280
 cacaacaaag aattatctgg tcccagatta cctaagtgt gaggttgaga tgccttggtc 20340
 tacagtgcac atctaatagc cagatccaag cagcagttat actttccctg atttccttta 20400
 atataataat atccagcatt aaagagccat tgtagacatt gggagttttc cactgctca 20460
 gaagttttta aacacccttc cctcatctaa gaaaccttcc acatcccaa ggtggaaaca 20520
 agaaactcac tttccattc tcctttgtaa tgctccacct cagccatacc aaccacaatg 20580
 agtgagagta tcaactgaaa gtgagcaaga tgagagagcc gatgctgggt agaaactatt 20640
 ttttggctag agatggcagt gatggctgga agtggaatth ctgacatcct gagcccagaa 20700
 tgtgagctgg ggtctctgtc ctcatagcat cgatggagtc tgtactggtt cattcccatt 20760
 gtatggtatg gatgtaatcc ttctccatag agcctcccag tgtgactctc cagccatctt 20820
 ggagacgtga agcactaata ttcttcaaaa aattcttttt tcccctaaac ccacttaatg 20880
 ggttctgttt gcattttttc ataagaacaa gcaaaaaaac tggtcacagt cgataggaaa 20940
 tctaagaagg atggactcac aattcaccta gaactcactc actggcttac actaatcatc 21000
 ttattttggg gtaaaaacca ccttggttac taacacagta aaacacccta gtgtgcgctg 21060
 catgaaaaag gtatttcaaa gataatgtct tcatcaacag caaagaaga aaccttgtcc 21120
 tctgtcttat caaatagcca atgccttcat ccagccagtt tttcccagc tgtaaatata 21180

acctatgtga gtttgtctct attttgcaag cacaggaaat aggaatcata agccacctgt 21240
 gctcctttca catcaaatta aaagggagat aaaaagattg aaaggaagcg tgggaaaaca 21300
 aaacctccat aaaaatttta aagtcagact gcccttgagc cagcttgaac gttggtttaa 21360
 gtggattatg atgccagctt tcgaggacat gctctacat gggaatggag agacgggtgca 21420
 tggaagatgc accaccttca tcttgatatt gccactgtgg gagaagactg acctgttagc 21480
 cttttctgct caccagttca tcttttgctg ggagagagaa ttctgagtgc agaattcttc 21540
 acattatcca tgcagaacta ggaaaattgc caaaagtatt gggctctgtac agagttagtg 21600
 tcacagtaag aatctcattg cccaagcaat agggctctaaa atcacgatct tattcaaagt 21660
 aacagcgacc acttacctca tgcctcatat gtgccagata cttttcttac attattttta 21720
 atctccatag caattatcta aggtagataa tatctagaga tgaggaaact ggggctctag 21780
 gagtatgcaa gatttgtcca aggtctcaca gcaatatctt agtagagtct gtctagaatc 21840
 aaagccaatt tgtctttttg ccctatcatg gtctcatctt acttcactct aactccatcc 21900
 taaaaaccac cttccccatc cactatataa atgaatgata gcaccaccct ttcagtaaaa 21960
 ggatctagac attcaccatc tctctacat cctagcagca actgcaatgc ttggaaaata 22020
 gtgaggagatt agtaagagct tgtcaaatga gacacagttt gttgttctgg ccctgacatg 22080
 aaacaggtaa tcaagtaaac gtatatttta tatatagtca cttcactttc ctagtcaacta 22140
 atttccttat ctataagaca agggatttgg gccaaaagtc tagtcttaaa gggtcctttc 22200
 aagtcattta ttgaaagttt gtctgatact ttatttttta ctaaacttta tatattcctt 22260
 aaatacacac tcaaagaaac atatacaggt aaatacagac aagctctatc taatggtgtt 22320
 aactgtcact tagtatataa agacatcttc tctcagagaa attggtcaca tgttctttct 22380
 ttagacaact gctcatcatg tcctttgact aatcataagc caacagtaag aagttaagag 22440
 tgccaagaaa aggtaactgt gtaagtgtc atttgtattt ttccaagtat ttactctccc 22500
 attctttcat atctataaga ggattatoca tccccacca ctggcatgtg cgtacagtgc 22560
 ctocatgagg ggcgtttatc tgtttttctt cacaatgaat ttatcacatt ccttgctttg 22620
 gccaatagaa tgtgagtggg catacagatg gtgcatgtct gaacagaagt catgaaacaa 22680
 ttgcctgggt ctgatttatc tctgctttt ttttctttg gcgttaaatt ggtatgtgcg 22740
 agatagaggt tgatctttca actttgacct ggtattgaga aggcacctga ggcaaaacca 22800
 gagctgatct agagttgaca tacacagtgg acatataaaa tgaataaaag ataaaacttt 22860
 tagattgtaa gccactgtaa tttggaagat gtttgttact gcagcataac ctatcaaagg 22920
 ctgacttata aaaaatattt cagataccgt tagttctcac tgttcacagt agttatgttt 22980

tatgaagttt ccatggatac tgaatgagcg aacagtgaac taatgttcct aggtaaaata 23040
 gaagattagg ttcccgtagg ctctgggcaa aacattttca tcatccaagc aatacataat 23100
 cttgctttat gtgtgtttct atgtaaagac accttattca atatattttg ttgattcatt 23160
 aaaattaaac tcatggccag cagcattata gtcattgcct aaatgaggct tatctaakat 23220
 gtatatattt tctataagac atttcacagt cttcttgact caagaacact acacagcact 23280
 tcagcactat gctgaaatgg ggccatttta aacagaaaaa tcaccaccaa caaaaattag 23340
 ctgggagtgg tgggtgcacac ctgtagttca agctacttgg gagactgagg cagaagaatc 23400
 gtttgaacct aggaggcaga ggtcgcagtg agacaagatt gcaccactgt acttcagcct 23460
 gggcaacaga gtgagtctoc atctcaagaa agaaaaacaa acaaaaacaa aacaaaagaa 23520
 acaaaaacaa aaacacttca tcaaaaagca taaaaatggg gaaaatgtgg agctaagtag 23580
 attgaaaggg acacttatta caatgtgaga gctgaaatga gatagcagag gctcaccttg 23640
 tttaccctca gctaggatca tgtgtgtcaa ctgacttaga tgttttgcca cccactctaa 23700
 gcatgtccaa gaatcactgt aaaagcacca tgagtattga tttggggatt taagtatgtt 23760
 ttagcaagta ggtgagttca caaatataga atccatgaat aataaagatc tactctattt 23820
 acatgtgcca catcatttaa ccttcataac aatcccaaaa ggtgagtatt tttatcacca 23880
 ttgtagagaa aagtaagatt ctgacagtga aataatgtgt ccaaagggtat aactaattcg 23940
 tgataaagca agaattttaa ggttttttaa gtcttctagg tttgcatggc tccaaaatca 24000
 cagtatggct cttttctctg ccccatattg tctccagta gaaggaaagt tgacatgtgg 24060
 caccaagact caacttatct gcctggattt cagggccctg cttaatctga ttgctcatgg 24120
 tattttccat ctccattcaa tccatgctca ccaacaccct cctcttcagt gaagagattc 24180
 tttcctccca ttgtgctcag cctccatttt tagttctact ttgacacgga atatgctctt 24240
 ctgtcacgca tctgggtccac attctcaagg ctgggttgag aagcctggag attatttggg 24300
 ccaatcttga tgcttccagc tcagaccag agagggtcag tgattttccc aatgttagtg 24360
 agagtctgag taaggacttg aacacagatt tgctgacctt ggggcaatta tccctgggat 24420
 tgtttcactt ttctccac cccaaaagca attacctta accttagagc aaacaaatgg 24480
 gcagaggagg ggcgggagtg gcaaaagcaa atcattacca ctgagaggta tttacaaatg 24540
 atttcaaagg gtttttagga aggagacagc tgatgacttt gtcagtcaaa cagcctcctg 24600
 ttctaaaaga agccaacaaa ccattgaaga ataatagcag agaccttctg gtctttgaat 24660
 tcatacagca cttttcacct ctgaagctca aggctccttc cggatgttat ctcatcttc 24720
 ttcccagatc actagtagag agtagtgca agtattgtac ccattttgct gatagaacaa 24780
 ttaagcctca aacgcagtaa gagatttgat cagaatcaga aaaatcaaca accttattct 24840

gcagaaccag gggttaaagct gagaactaga atcaaaactt agccctttca aatcttatcc 24900
 taagccatag aaggaattgt ctagaatga gactgaaaca agggggaaaa gaggactggc 24960
 atttgttgaa gatgtgttgt gtcaaagtgc tcatattaaa gatatcacag gtccttggtta 25020
 tccatcctgt gaagtagaaa ttgttatcct cactttatag acagagaaaa gatttgacca 25080
 cagatattca taacatcaaa gccagcatca ttgataaaac tgcagaaagt gcctgggtatt 25140
 tgcagaagac tatgctaggc ccaatgagcg tacagtgaag cacaagatga agatgtagca 25200
 agaacttatt atgcaccagg catcagagat cggaagataa ctaagacatg ccctccagga 25260
 gtcaacactc tatttgaaca gagaagagga gcatgtggag catacagaga ataatccaga 25320
 acccactctc ttgttgagta ctttctacgt gccaggcact gtgctcttca tggtagagat 25380
 tcaacaggga acaaaaacac agttcttgcc ttctgttagc tcactatgct tgattgtcaa 25440
 tgtattccaa gggatgctgc atacccaaag attcggggca ggcacaggag aaaagggagg 25500
 actttgactt tgtgtgcttt atcttaaaac tcatgcaa ataacatcct actctataaa 25560
 atatggaggt tcattttaac attactatat atttccta atcaagtta aattatttgc 25620
 ctttttttcc tttatcaacc tttccaaaac agttgagact tcagggtacc attcacattg 25680
 actctggagc ataatgaac tcctaacaaa ctagagctat accatcagga tgcacaagcc 25740
 tgatttaaaa gtgctggcaa ataggcacag tcctattctg tcgacaccac tttgattcaa 25800
 tatcgtagt gtctactatg tgctattatg cagtgttcag tgctggggga aacaaaacaa 25860
 aacaaaacaa aacaaaacaa accaaaacca aaaactggga taatggagaa gaaaacttca 25920
 aattatttct attcaatgaa gttggagcta tggccaaaat agctagaggg gccaaaggag 25980
 gccacccaaa ccagattaat aagttccagg ttctctcat atttgacat taaaagcaca 26040
 caataaatgt ttttggctga tagagtcaca tcagttttgt cttaatctta caaatatgt 26100
 gttccttata aagcacataa tcacaccag ccttgacgt ccacgtggg ggcacaaaga 26160
 gggtagggct gctttctgga ccaggagtc taattaactc tctcatcaag ccagtccagt 26220
 tgggcctcca gcctcctacc ccaccccccac cttggatgtg ccctttggca gcatttacag 26280
 gagtggctc cctctcattc cccaagcaaa gaaagtttct cacatgggtga tctatgaatg 26340
 tgtctgtc tgaacttctt ggaagtta tctattacct tgtgggttg attgacaact 26400
 gccaaaggat ttctcaccgc ctctgggaca tggacctcct ggcagtgact ctttctacac 26460
 tgctgcaacc tgacaaattt aaaaatgaat cattggccag acgtagtggc tcatgcctgt 26520
 aatccagca ctttgggagg ccgaggtggg caaatcacga ggtcaagaga tcaagataat 26580
 cctggctaac atggtgaaac cccatctcta ctaaaaatat aaaaaattag ccgggtgtgg 26640

tggcaggcac ctgtagtccc agctactagg gaagctgagg caggagaatg gcgtgaaccc 26700
 gggaggtggg gcttgacgtg agccaagatc atgccactgc actgcagcct gggcaacaga 26760
 gcaagactcc gtctcctaaa aaaaaaatgc atcattacat tctatctaca tcaaaatcct 26820
 ttatTTTTcc ctcttggtta tgaactagcc cagaagcctc agacttactg cactttctat 26880
 tgtcagtata ttcagattaa actaacatTT actgagaacc cattgtgtgt ctctcatgtt 26940
 tataaatatt atttaatcat atgtcctgat tagccctggg aattaaatga gtgttaccat 27000
 tttcaagatg ggttctctga agcttaaaaa aataagttac taagccaagt ctccaaattc 27060
 cagttctact acttttccct ctcaacagtg ttgcctaaac ctttgatgg atagatggat 27120
 ggatggatag agaaagagac aaagcaggaa agagaaaaga gaaaggcata tatatatTTT 27180
 tttcttcatt ctgggggccc accctgaaac tactgaatca cagtctctag aggttctcag 27240
 gcaactagcc cagctgtttt tgccaactgg aatttatgag ccaccgcaag agaccacatg 27300
 cagcttcatg taaaacaaat tatttttaag cagcgagact gagcagtgat atgaggagtg 27360
 cacaggagtg cctacgccta ctctggtct ccatgagtct cctttgcaa gtcaagtatt 27420
 acaagattct agaacacata ttgctgcc ctgataattt agttgttcag caaacattca 27480
 tttgttgagt tgcacgccag aactatact agatgatggg acaactaaag ggtaatgaac 27540
 agttctgtct ctatgtaaaa ataataatga tgatgatgat gagatgggac ttcaattgag 27600
 gaagtgccat tggggaggta tgtaaaaagt gctatggaaa aaaagcaaca ggaacccctt 27660
 gatagaaaaa aaaatgctgg tgggggtagg gatttctgcc tgtgttcttc agaatggggt 27720
 atgggaaaat ctgggaggaa aagaaattta agtaagagca gagactttgc aaaatttggt 27780
 gtgttgactt ttctcatgc tgcttccct ggcatgggaa gtcattagct ggataagaga 27840
 gacttcacaa gaactgcaat gaatcaagat gtgctggttt tgttttgaca catggaattc 27900
 ttagggattt gatgtttttt ttcccagtct tctccatcaa agttgttttc aaccagtcct 27960
 gattggaccg attgactcat cctcagatat catagttttc ccactacaaa agcatggaac 28020
 tgatgccaat aaaccactc cttattccca gagggctagg gtgagtcctt gcagagggga 28080
 attgctaggg atggcacctg gcagaaatag accatctgtc tttctccac aattatggtc 28140
 cctgccattg tgaaggaaac atttacctcc tctcaccct caggccccct tttctgcac 28200
 ttaggggtctc attgccctc cccaccctcc gacaagtagc tgggtgcttc tcttgacct 28260
 ctgactcact gtggggagaa ctctgcctca agaaacatct tttcatctcc ctctctagct 28320
 ccaactgtcc ctttgctcc atggggagct ccttgctctc tcttcggta tttctctgag 28380
 ggctcactca gaccactcca ctccacctgc caccagtgtt ctcatactga actataaatc 28440
 tggccatcct cctctcctgt ttggtatctt ccatccctt ccatgtctg gtagatgatg 28500

atggcctcaa cccccaggtg actcttggac cacgtacat ccatgccttt cccattgagc 28560
tactgtggaa agcccatgct tgcttctaag tgctccatgg tttggtttgg tttggttttc 28620
tgtcatgtca ttctgtctgc ctgggacagc atttctocct atcaaacctg agagatctcc 28680
tgctgaccct gtgctcaatg attgtgtctg ccttgtccct agcatccaga tcaaacctta 28740
gcaaataaac aagtgtctca gaatgtatgt taaatgagtg aataagctag ttagcaagag 28800
agtgaagag aatgaatgaa tccttggaga ggcgaggcct tcaactgtgag gcctctagaa 28860
ccctaagtga atgacatact ccttcctctg ggctaacagc atgtgaaata tccctctgct 28920
gtaaccctta tcacttttac gatgtggaat ctgagctcc cttcttgggc acatagtctg 28980
tatcacattt tgtatcagca gcacataata gccatgcaat atataatcaa caatttagtt 29040
ttacgaatcc atttgaccat ccacattccc cacatctcct cacctctttc tacagcattt 29100
tctgactcct cacttttcat tctatctctc ttaccttcag aaaattccag accttgctcc 29160
tttaccctag tattactgcc tgaaatgcc tctcctgcat cctttcctgt gtgtatttaa 29220
aacctaaact cctcacagct aacaaaagac catcctccca agcctcccag gctttcaaga 29280
acattcctcc tgtggctccc aagtcacaca catgtctctt tgacaataat aatataaaca 29340
atcatttttc agtaccagaa tgaatctcaa gtgctttatg tattacataa attcagatat 29400
atctcttttt attgtacttc tctttactgt gctttgcaga gatattgcat ttttttttta 29460
caaactgaag atttgtggca accctgcac taggaaatct atcagtgcca atttccaac 29520
agtgtaggct tatttcattt cactgtgtcc cattttgtta attctttcat aagttcaagt 29580
ttattgttat tattctatct gttatggtga tctgtgatca gtgatctttg atattactat 29640
tgtaattgtt ttggggtgcc acacactgca cccatatcag agagtaaact ggtaaatgtg 29700
tgtgttctga ctgctccact ccaaccagcc atgtcccca tctctccca tctcctctgg 29760
cctttctatt ccttgagtca gaaaaaata ttgaaattac gtgaattaat aatcttaca 29820
tgaactctta agtattcaca tgaaaggaag ggtcacagc ctttcattgt aaataaata 29880
ctagaaatga ttcagtgagc cgagatcgca ccaactgact ccagcctgga tgacagagta 29940
agactctgtc taiaaaaaaa aiaaaaaaaa aiaaaaaaaa ctagaaatga ttaagcttag 30000
taagtatggc atgtcaaaag ctgagcctct tgtgccaaac agccaagttg tgaatgcaa 30060
ggcaaagtcc ttaaaggaaa ctaaaagtgc tattcccgtg aacgtattaa tgataagaag 30120
caaaacaatc tttttgtgat atggataaag ttttagtagt ctggatagat caaactagcc 30180
acaacattcc cttaagtcaa aggctaattc agagcaagcc cctaactctc ttcaattctg 30240
tgaagtttga gaaagatgag gaagctgcag aaaatgagtt tgaagctagc agaggctggt 30300

tcatgaagtt taaggaaaga agccatcacc ataacataaa agtgaaaggt gaagtagcaa 30360
 gtgctgatgg agaggctgca gtaagttaac cagaagatct agttaagata agttatccag 30420
 aaaatctagt taagataatt gataaaagta gctacactaa gcaacagaat ttcatttttag 30480
 atcaagcagc cttatactgc aagaagatgc catctaggac tttcgtagct acagaggaga 30540
 agtcaatgcc tggctttaaa gcttcaccag gcagggtaac tctcttgta ggggccaatg 30600
 cagatggaga ctttaggtta aagtcaatgc tcatttacca ttcttttttt tttcttttta 30660
 ttattatact ttaagtttta ggttacaagt gcacaacgtg caggttagtt acatatgtat 30720
 ccatgtgcc tgttagtggt ctgcacccat taactcatca tttaacatta ggtatatctc 30780
 ctaatgctat cctccccc tccccacc acaacaggcc ccagtgtgtg atgttccct 30840
 tcctgtgtcc atgtgttctc attgttcgat tccacctat gaggagaac atgtgtgtgt 30900
 tggttttttt ggccttgcaa tagtttgctg agaatgatga tttccagctt catccatgtc 30960
 cctacaaagg aaatgaactc atcatttttt atggctgcat ggtattccat ggtgtatatg 31020
 tgccataatt tcttaatcca gtctatcatt gatggacatt tgggttggtt ccaagtcttt 31080
 gctattgtga atagtgccgc aataaacata cgtgtgcatg tgtctttata gcagcatgat 31140
 ttataatcct ttgggtatat acccagtaat gggattgctg ggtcaaattg tatttctagt 31200
 tctagatcat ttactattct taaattctta gggcccttta gaatcatgct aaatctactc 31260
 tgtatgtgtt ctgtaaatag aacaacaaag cctaggtgac agcacatctg attacagaat 31320
 ggtttgtga atattttaag cccgtgcttg agacctgctg ctgaaaatca aagattcctt 31380
 tcaataatat agctaccaa gagtcttgat aatgctttta gttatccaag agttttgatg 31440
 aagatgtgca aggagattaa tgttattttg tgctgtgaa cacagcattc ctgccatagc 31500
 ccatggattg agaaataatt tgactttcaa acctcataat ttaagaaata catgttataa 31560
 ggctacagtt gccatagata gtgagtcttc tgatgaatct gagcaaatta aattgaaaac 31620
 tttctggaaa gaattcagca ttttagaggt cattaagact atttgtgatg catgggaaga 31680
 agtcaaaaata tcagcattaa taggagtta aaagaagtgg attctaacc tcattgatga 31740
 ctttgaaagc tttagtggag gcaagaactg tggatgtggt agaaacagta agatagccag 31800
 aattagaagt ggagcctgaa gatgtgacag aattgttaca atctcgtgat aaaacttcag 31860
 tggatgagaa gttgcttctt atgagcaaaa aaaaaaaaaa aaaaaaaac aaaaaaatag 31920
 tttcttgaga tgggatccac tcccagtga gatgctgtga gcattgttga aatgacaaca 31980
 aaagattcac tacaatcaac ttagttgata aagcagcagt agggcttgag aagattgact 32040
 tcaattatga aagatctata atactatggg taaagtgtgt taaacagca ttgcaagcta 32100
 cagagaaatc tttcataaaa agaagagtca atcaatgcac taaatttcat tctgtctta 32160

ttttaggaaa ttgtcatagc tacctaacct tcagcaacca ccacctgat cagtcagcag 32220
ccatcaacat tgagacaaga ccctccacca gcaaaaacag attatgattt gctgaaggcc 32280
caggtttatt atttagcaat aaagtttttt tgtttgtttg tttgtttttg agatggagtc 32340
tcgctctgtt gcccaggctg gaatgcagtg gcatgatctc ggctcactgt aacctctgct 32400
tcctgtgttc aagtgattct cctgtctcag cctccctagt agctggaact acaggcgccc 32460
accaccacac ctggctaatt tttgtatttt tagtagagac aaagtttcac catattggcc 32520
aggctagaac tcctgacttc tggtgatcct cctgcctcag tcttccaaaa tgctgggatt 32580
acagggatga gccaccacgc ccagctagca ataaaaatatt ttttaattag gatgtgtaca 32640
tttaagaatg ggcattggtg ctacacactg taatcccggc actttgggag gccgagacgg 32700
gaggatcact tgaggtcagg agtttgagat cagcctgacc aacatggtaa aacctgcct 32760
ctactaaaaa aaaaaaaaaa agtttttaaa aattagctga gtgtggtggc atgcacctct 32820
gtaatctcag ctacttggga ggccaaggca ggagaatcac ttgaacttgg aagggtggagg 32880
ttgcagtgag ccgagatcgc atcactgcac tccagcctgc gtgacagact gagactcagt 32940
ctcaaaaaaa ttaaaaaagt aaaataagat gtgtacatgc tttagacata atgctatttc 33000
acacacagta gactacagca gtgtaaacad aacttttata tgcaactggaa aatcaaaaac 33060
ttcacgtgac ttgctttatg gcaatatttg ctttattgca gtggtctgta accaaacca 33120
caatatctca agttatgctt gtatatacat ttttataatc tcctacacat aatatggaag 33180
gataagaaat tgaggcacia acagggttaa tatctgtctt aaagctgggc aactggtaaa 33240
tgatagagcc agtattttaa cttggccatt attcattcat ttattcaccg attcatttaa 33300
tcattaaaca aatagttatg gagtgcccat gaggcattat ttccagactt caacactttg 33360
tggtattatt cacttggcaa actaaactat tctgttgctt agacaaagtg aaggcagaca 33420
aaggaggaaa accagaaggg attacaggct ctgaatcaaa gaaaggcaga aaaatggaag 33480
agtgagagac aagtttcagt ttcagggtgag atacctgaaa ggggaaaaat tcctagggaa 33540
tagctttcct cctccagggc tccagggtga atgaattccc tgaactcagg aacaagcgtc 33600
aagacttggt ttattggtat ttacaaaaat aggtttttaa ggatcagtga tttgcagatt 33660
ccagttggat gtgtcacaca cacacatctc tcatcctca cgtctaagag aggggagaag 33720
gaaagacacg gctttgaaag cctagatatt ttgaaagggg tgttttggga tttcagcgat 33780
ttctttttcc agcagcaact gtatcttggc ctgtggtgta tctctcttc ccatctcca 33840
ggcaggctcag ttaacccttt tgggctgtgt tcaatcaggg ttagtgcgta ataaagatcc 33900
tctgcattta gaattacctt tttttaacct ctaaacctc ttcaagaggc tgcaaacctc 33960

tcaaagacag aagctgctgt acggatTTTT cacctgcttc agtgcctaga gaggaacaag 34020
ggagagaagg ggagagaaaa aggaggaagg aagaacagg agcaagggat atctacttgg 34080
tactttacaa ggtagtggtta atgaaataca cttaaatcaa gagttctggg ttcaagttcc 34140
agtcctgacg gtgcctatac atccttgggt catcactcag actctcagag cctcaatttc 34200
ttactctgag aaatggaaat aataatgcct acttcaccag atcattagga gaattaaata 34260
aggtaatgta ttgggtaaca ttttgtaatt gtgtgctact gtgtaagtta aaattgtatg 34320
aaggtttaat aaaaggaatt gttctttaag acttcaagga ctttctgtca gaagttgaaa 34380
ctagaggatt taccaggatg tttctggctc tatagggggc atgtcccttt ccaagatgcc 34440
tcagttgacc agtaaacaca ttcttttcaa ggcttaatat taaaatagta tcaaattctg 34500
atctaactcg gatcagaaga gaaaatactc caacctacca ttgtcaaccg caacactggt 34560
tgtgtttaat ggtgatggaa ttctgtcact tccaccaaca ctttttgagc attcgctgca 34620
tgcggggcat tctggtgtat actgataaga aacaacaacc aaagataatt aagattgacc 34680
tcacctccg agatgtttac agtttacttt gcttccctaa gcttcagttt ttccctctgc 34740
caaaacagaa gctcggaaga gatgtctcca agacactttc taccatgacc ttttgaattt 34800
cataactctc taattccaga attcaaagag tgactgtttt acctccact gaatgattcc 34860
tctgagaaaa aagctctctg ctagctaagc tagccaagac accatacctg aagataatac 34920
ctaaacttct gtttgtgtcc caggaaatccc aaattgatgt cacacaaaaa caatgtcatt 34980
tatacaattc attatatgtc actcattaat acatttgctt agttgatttt cattaaaaac 35040
ctgcaggag cattattaca ctcatTTTT aaaagagata actgagtcgt aaaaggatta 35100
aattatttgc ccaggtcaca cggaaagaaa ttaacgtggc cacggcataa aaccagattt 35160
tctgttttta aacatatTTT tttcgtgac ctccacctg taagagcttt tattaccaag 35220
cgattgagaa gcacaggctc agggacactg aatttgacca aagaagcaa tagaactatt 35280
ccaaaaacct atggttcccc ctaaagcatt agaaagactc agaacgggtt aagtgtccc 35340
tggtcattc ccaacagaca ctacattcac ctgtgcttgc tctgaaataa atcagtgtcc 35400
ctttctgctg ctgctgttgt ctggaaataa tgcaaagca atgggccttt actgacattg 35460
tgcttccctg gaaggataca cataataaat tatcccttaa tactgttaa gagacatttt 35520
cctcttactc aggagctttt ggggttgac tgggtactc accagcaag gaggaggaca 35580
tgtgtcttgt cactggccc gttattcatg tggcctctca ttgtccttg gctcactgca 35640
ttgcaagatt caaggatgca cttccaggcc tccacatcaa gtcataggac ttgccggtaa 35700
cctagattgg ttttctcatt tgtaatttga atttatttta tgttatgcat ttgtatgttt 35760
atttatcgg atgctcagaa gctgaagata actagtgtc ctgggtccatg ccattcatca 35820

attggaagaa tgccaagctg tttccgctga ggacagaagg cattggtctc ccctgcagga 35880
agccactgct gtccttaat tgtttgctag aggaagaatc aagggtaaaa tttaaagtaa 35940
atggctggcc gagttgact aattcatcaa agcatgtttc aagtcagtag tcagagcatg 36000
catcagcccc cggcgccacc agcttctacg agagtggaaa agccagcaga cctccgagca 36060
gatgaaatca ttaggaggca ttcagcaggg cttgaaaagc aaagagagag gaggcgggga 36120
tttctctgca tgctcccttt gccacatggg aaacaccagc tgtctgtgac ctagttatcc 36180
aagaaaggaa acacggaaga gaaccacaa aactgtttgc tacatgagaa cccattctc 36240
caaagacatg ctggatgttg agaaaacaat tagcatcttc tagtttgact ctattttttt 36300
ttttttttgc ttagagattt ttggtagcaa taaagacaag ccctattaca gtagcctaag 36360
aaaatggaat ttttagggat agcccatgga taggaagtaa aaatcttggg tcatgaaaga 36420
tggaagtag gaactggaat gtttttgaa aatctatcag catctcacct ctttctcttg 36480
ctctctctct ctctattcat ggccctttat ttgtgcaaca attcattttc ctacttctct 36540
atgaaggtct ctcttcttgc ttttaagcat gaagccactc attcattcag taaatatgta 36600
tttaatgcta acaggtgctg gactgcccc agatgccagg gctacagcaa tcaacaaaac 36660
agacaaaatc cctgccctcg tgaaatgtac actgtggtga ggcaggtgag gcaggcagaa 36720
actgaacaag ataaataagt aaaagataca gtgtgcaaga gggcagtgag tgcttggaag 36780
aaaagatcaa gggaggagaa gtgaaatact ggcaaagtag ttgaaatctt aaataaaatg 36840
gtcatgggag accccactga gaaagtcatt tctgagttaa acctgaagga agtaagaagt 36900
tagcattgca attgtctggg gcagagcatg ctgaggagag ggaatagcag gtgcaaaggg 36960
cctgggggtg ttcaaggagc tagcagagag gccattgagg aaggagggtta agcaagtgag 37020
ggggattagt tagaggtgaa gtcatagacc tgggggcaca gatcaciaag cgttttctag 37080
gtcatagtga ggactttggc ttttactctg agtgagatca gaagatcca aaaggccacc 37140
acaagatgat attcacgtgg tccacctaat ccagtagtca gtccttattg ctaacttgca 37200
cacagtcaag ctcccttagt ctccaaaaga ggagatccaa gcaacgatac ttcagtagca 37260
gtcggcttcg agagtcattc tgagttttca aggtgacac aaatatcagt ctaactacgc 37320
agtccacctg tgtaaatatt tggggaatag tggatgggta aggaagagac ctagtatgag 37380
ataaagtgtc caggccctgc acacatttgg gtctcacaga attaactggc aaatgctagt 37440
aagagtatca ggaccttagg aaatagagat tcctttagaa aactctaatt ccagaaaaga 37500
ttttcacata agaccttcac acaaagacaa aattagaatg tgtgttctct caccatctcc 37560
ttatccagag agtccttaga tgtggcagaa ggaccacaa gagttgtcag aggcagttgt 37620

gaggggttgc cagtcattgt agtattaata gatcatga gaagtttagac acgtttttga 37680
 ataaattaga atgaattaaa tattaaccca aaatgtcatt atgctcactc cctaccctcc 37740
 cactatgctt tcctgacaga gaaagaaagg gtggcactgt ggctggaata cagagcccac 37800
 aggacttcag catgtcctac acataaacct cctccttttt gtgacccttg gtggaaaaag 37860
 tatgagagcc acgtatctta gaaataactg cctttcctcc ctagatgcct gccacaaaaa 37920
 cagacatggt ctagaacttt cttctcccta gttccaagaa cactgaactc atggtaatgg 37980
 ccaacaatg atctttttct aaggacaatg tcagaatgct ttactgtgcc attttcataa 38040
 tcagacacaa gaaagttacc atctgtagtt cagccatagc acttcacatg aaagaggaaa 38100
 tgactaaata tatatttaca tagctctcat gaatatgcat tttgtaaag cacaatatg 38160
 tacaattact tgatagactg ttttggttcc tatctttcga atatttaata caactgtaaa 38220
 tgtttaattc atattttact agttgattga acagtttcta aattatccca agccttgctg 38280
 gaaacaagat tgaatgtttc cagcatatgt gcacactagg atttggccag gagaatccac 38340
 actaactggg taaatgatga ttttcttaga aagcatattg aataagctgc tggtgaaatc 38400
 atcttgcctg ccacaacata gagggacagc accagatcta attccaacca tgacctgcag 38460
 agcctctcat gactaggccc ccctgatgcc tctttgcacc tctgtctgca ctgccctca 38520
 ttgctaagcc acaatcaacc catgttccac ttctagtcct ctgcaccagc tgctccatgt 38580
 gtccagaatg ctcttcacat agacatcaag cctttgctct aatgtcacct tttcaatgag 38640
 gtctatctta acctctgcat ttgaaattgc aatcccatca tccccagaa ctctgatata 38700
 ccctacact cccttatact tttttgtcta tagcaaccac ccctcaccac ttataacat 38760
 ttatgctttg tagtctgtct gtgtccactc actagaattc aaatatcaca aaagcaggag 38820
 tccacttttt ttttcattga aaaactccaa atcctagaag gaagctggca tttaatatgt 38880
 gctcaataga cattagagga agaaaagaag gaaggaagga aagaagggag ggagggaggg 38940
 agggagggag gaaggaagga aggaatgaag gaaggaagga aggaagaaag gaaggaaaga 39000
 aagaaagtca agagacctgg gctcaaatcc agcatgggaa taagtaggga ggaaagaagg 39060
 gaagtcaaga gacctgggat caaatccagc ttgggcatga ggcaagacca gagcagagga 39120
 gattgtcctt gagctcaggt gacgcccac ttggccaactc tccacaaagc tgggtcacac 39180
 tgttttagagg acagttcttg gcagtagtag tagtgctggt ggggagggct ttgtcattat 39240
 attgtgtgag tgtggtgtgg gactcttctt tagttcagct aaagacaagc tccctgtcac 39300
 aaggccatga aagattagc tcgcagacaa tttgaagggt gagaataatg ggatttattg 39360
 agcaaaagga aaaatggggg cagaacaggg acgcagcaga gccagagtct tcctagtatg 39420
 tgcttcctgc ttcacaattg aatcccagct accaccagc aataggaagg gccaggctct 39480

tccccactgc aaatggtgag aacttctgtg gctccacccc agtgtgcact cctcccagta 39540
 tgcaggctgg ttggagtttc tctgtggacc ctttcccatc tggctgtctc acatgcaaaa 39600
 tgggagtatt tgaatctcct tctgagagta atctgaaagt taaatgaggt aaagcaagtg 39660
 aaaacatgct catgtattag gtctagggag gaagcaaaaa ggaagtagaa ggattctcct 39720
 gagtagggga taattctttt agggagatgc ttaccccaga attattaata ttcaaggaaa 39780
 agccaggagc gactataaaa cacagctcat cattgcagac caaagacaaa gcacctcaaa 39840
 atatgtctac tacagtaggc atattttgca gaaaaaaatt agagaaaact acatctcctt 39900
 ggagtaaagt gccacaggta tccaataaca gaaaatagga aaagacatca ttgcaaacat 39960
 aggaaaatag tagatgaaga tgcaagatcc taaaatgtgt attttgggca gtttgtgaca 40020
 gatcaagtca ctttctgac agagtgaaga ttaacccaaa gcaaaatcaa gatatcattt 40080
 aaatgtaaaa tggaatgata gacacaattg aataggacaa ggagataatg tgaaaataac 40140
 agagaggcaa aggacaaaga ataaaaatta aaagaagggg actcactcca gaaccgaaac 40200
 aagatacccc actaattctc ctgtctgcag acatcaccaa tattctggta aataaaatta 40260
 atgataatta ccagaatgac actatagtta tcaatgaaga gtgtttgtag cttgtcatatc 40320
 gtgtgtgtga atgttcaagg ggatgtttag taaacggtaa atagtgtggg ttcagttctg 40380
 ctctgcta at cctatatgcc ataattacaa ggtctcaaat aagtgcaaac ctttcaatta 40440
 tcaggaagag atatctgagc caagtggaac caactgacag tagcaatcaa aattctatcg 40500
 cccacaaggg tgtgggggaa agaagtactt tcaaaacttt agtggcatta taaactggct 40560
 aaaaatatat atacttctgg gaggtaat ttgcatacttg catatgcaaa tattctgtga 40620
 aaaatgtgcc taaaatttat tcctctactc ttctccatcc acctctgtaa tacaacttct 40680
 gggagtgcag tctacagaag taatacaaag atcctgggaa aacaatgtta ttttgctcat 40740
 aggtgtttat gaccacataa tgttttatgg taaaaataa aaaacaacat acataattat 40800
 tgtgggtata gtttaggatt tcaagatgct ttttttcatt tttattaaac ttgggtgtga 40860
 gacatataat ttacacagag ttttatacat tttaaaaacg taaattttta gaaatgtata 40920
 cagtcagtga accattgtca tcaaggatg taacacttgc ctggagtccc agctactggg 40980
 aagagtgagg caggaggagc acgtgagccc gggagtcca ggctgcagt cactgtaatc 41040
 atgcctgtga atagccactg cactccagcc tggacaacat aatgagactt tatttctaaa 41100
 ttatttttta atttaagaaa agatatataa aacttgcac atctcgaaat ttccttcaaa 41160
 tagtcaatac tcacttctg ccccgaggaa tccgtggta tagttatttc cctatggttt 41220
 tgcattttct aggtcactat ataaatgaaa tcatcacagta cacaaacttt tgtgtatgcc 41280

ttttttcacc tagcatgatg catatgagat ttatccatgt tgttattggg taatattcta 41340
 ctgtatggat gcaacaaaat ttgtttatct attaacgatt ctttttattt tgatataatt 41400
 attgattgtc agtgcataat tattagttat ctaaattata gatttgaaaag atagtactga 41460
 gaggtcttgt atacccttca ccaagggtcc ttctatgggt ccaccttata caactatcat 41520
 acgatatcaa aatcaggaat tgacagaggt acagtgtgtg ggggtggggg gacaggcatg 41580
 ggcattgcaca aatttgcatg ggtgtgcgtg tgtagttcta tgtcatttta tcaacttgtgt 41640
 agatttctgt aagtgccttct gcaagataca gaagtattac ctcccacaaa gattattata 41700
 ctactccttt atagttacac acccccatgc ttatttccgt ttgctttctc ccaacaataa 41760
 tgtaattatt ttagacattt cctgctttga tatacttttt taacccatt agacagtgtt 41820
 atattttttt tcttcaatca tcaaacatga tctagaaata tcaagagaag aaagtcttca 41880
 gtatttctgt gtatttttac tctttctgtt gttcttctt ccttctctgat gaccaagac 41940
 ttcttttctc atttacttct ttttttagagg aattctttct gagcacctac ctcccttct 42000
 agcaacatat tcccttagtt ttacttcctc ggagaatatc tttattacac cttcatccta 42060
 gaaggatatt gtctctggat atagactaat ttggaaaga catagtctt gtctttcagc 42120
 acttaaaaaa tatgccattt tcttttggcc tccatgggtt ctgatgagaa gtgtgtgtgc 42180
 atttgatatg ttttttctct gtaaataaaa tgttgtttct aattcactga tttctttttt 42240
 tttttttttt tttttttttt tttgagacgg agtctcgtg tcgcccaggc tggagtgcag 42300
 tggcgcaatc tcggctcact gcaggctccg cccctgggg ttcacgccat tctcctgcct 42360
 cagcctccgg agtagctggg actacagacg cccgccacct cggccggcta atttttttt 42420
 tttgtatttt tagtagagac ggggtttcac cgtgttagcc aggatggtct cgatctcctg 42480
 acctcgtgat ccgccgcct tggcctccca aagtgtggg attacaggcg tgagccaccg 42540
 cggccggccc taattcactg atttctagaa tttttgtctt tagtttttaa atgttttct 42600
 atgggtgtgc ttggctatct cttatatctt gtactattgt actttggatt tctttgggct 42660
 tatcgtgttc agatttcttg ggtttatcat gtttgaggtt cactcagtat ctigaatctg 42720
 taggtttatg tgttttgc aattcaagaa atgcagcaat tatttcttta aagacatttc 42780
 agctatgcct tctttctctt cttctgggaa ttcaacaatg ttaatatcca gtcttttcta 42840
 ttagtcccaa agctctctga ggctctgttc aattcttttc caattttttt tctgttattc 42900
 agatttgaaa attotccatt attttgcct ctgtttcact gatattttt actgtgtcct 42960
 tccactttgt tattgagact atctaagag ttgtttattt cagtttattg ttttttcag 43020
 ctctaaaaatt tttattcagt tctttatatc ttctttgcca ataatttcta cttttttctc 43080
 tttttttcca aacatgttca taatttctca ctgaggcatt tttgtaatgg ctgctttaa 43140

atcattgcc a gacaattcta gaatctctgt catcaaggta atgggtgttct ttaattatat 43200
 tttcttattc aaaatttctg atttcttata taataagtga tttttttaat ggaatcctag 43260
 acatttggat tatgaaactc tagatttcct ttaaagtcct tgttttagag ggcttcctct 43320
 gataccaagc cagagggaaa agaattggac tatgttgaca ctatcaggcg aagggtggatg 43380
 tccagatact ccactcagcc tccgctgaga ctcagaaagg gggaggattc ctcatgactg 43440
 ctgggcagaa gtgggaattc aggccctgc caggcctctg ctggtaccac tctggtggt 43500
 agtgggggtg atgggtgtag ggaggtgagg ggtgtggggg agttggactc cctgctgacc 43560
 atcgaggatg aaattctcaa ggtcctactt taccttttct gatgccaccc aggcaagggg 43620
 gttgggcacc tccttacatc ttggtgaggg tgaaagtcaa agcttcctgc acagccctgg 43680
 ctgataagat ggaatgggct actgttttta caatggtgtt tggtagttga tgtctgaaaa 43740
 ttttttttct ttgctaggct gccctttcct ggtcctctgg ctgtaagcaa tcttgtcttg 43800
 ggactctttt cacttgcatc cattgacact tccaggttgc caactcctca agaggccagt 43860
 cctgggatag atgagaccaa aagaaaaccc aggaatccca ctgtcatgtc atactctgag 43920
 tcctgaggcc tccaacaagt tgccttcttt tctccacctt tcaatgtctt ctctgctta 43980
 tattatacat aatatccaaa gtttttagct ttacttatcc aaaagaatgg gaaaaatat 44040
 ccatccatta catctcaaaa gatgtttata agacgatgtt ggagcacaga aaaagaaagt 44100
 tataatatta agggaagaaa aatgatataa aatgttctgc atactacatg caaaatcgca 44160
 tctctactaa aaatacaaat aattagctgg gcatggtggt gcacgtctgt aatcctagct 44220
 actcgggagg ctaagagatg agaattgctt gaacctggga ggtagagggt gcagttagcc 44280
 aagataatgc cactgcactc cagcctgggc gacagacagc tggctctaaa aaaaaaaaaa 44340
 aaaaaaaaaa aatctgcaaa ctgtggttac tactatgcat gtatttttta aatcacagat 44400
 atgcaagaaa aaacactgaa agaaaatatg acagatgtta atatgcactg agttagtga 44460
 gcagaaagag ggataaagca attctcttct atttcagtgt tctatatgat agcaagatta 44520
 cattaaacat ataaattaga ttaacaaaaa gtattcagcc actcagacaa gaaaagctct 44580
 taaaaatgag acctgcaaag agatccattt caggatggct atgctgctca ttcataaaac 44640
 tacatcgtaa acttcacagt ttatgaagta tataaaggac aggcattggg gttgctttgt 44700
 tgaacaaatc tagcagatat ttgaatgaga agagtaatat agtcagtaga aaaaaagtc 44760
 aagaaataag tagagaaaga agggatattt tctgctgaag catgtattct ctggcacaag 44820
 cccacaataa attgaaattg acaccaacag ttggctcaaa aataatcaac tacaaatatg 44880
 ctcaacacat aagcattctc ttggacagaa ccacaaagca tggctctgcat tgttcctaac 44940

aactcttttag aagtcaccag atgcagttta agctacaata acatagtgag gtacaagtta 45000
attacatagt taccagaaag tcacagactt ttttttcagt aataatgtag taaataaata 45060
catgctcact ccatgggaaa tgggtggcaat tattaagagc acacattcac accatcatat 45120
tgcttactga taactgtgca gttaaccaat ggcagtgatgc taaaatggat atctgtgttt 45180
ccctgagttt tgcagtgtac atgcgatgca tgtgaaaacc aagcataggg aatttcaagt 45240
atgaacttca gcgtgtgagt gttgtttgtg gtccaatctc cgtcccaaaa catcccaaga 45300
ataaggcttc tgctttttta caatgtatat ctattttaac caattgtcta gcgtataatt 45360
aatgctctat aaactctttg ttaaatgcat tcacagaagg taacaaaaga tttttgtgac 45420
acgagtaaac caaaaggaac aaataaactt gaattacttt atgtttgtgt tgggtgtttca 45480
gaaaagagct ttggctttga attcagaagt tcctaactctg aataccaggt ctaccaatta 45540
ttaattaagg aatatcaaat gaattacttg cagtatttga atttcagatt tctcaattat 45600
aacaaggatg taaagagggt tatttatgtg ctcaaataag aaaatgcatg taaaaacact 45660
tgtaaaccaa acaagtacta tacacacagg aaacaatgtt attatggggc tactatttaa 45720
acagtagcaa attcaggcct atcttcaaag aattatacgt tatctaagga cctctcactg 45780
atagtaagaa agaggtggta agagagtcag cacaattatt attcataagg gcaagggaat 45840
ggcctaagag gaatccataa tgagtgatct gcagtgtaaa taatccgcaa attttggaca 45900
caaaggctca aatctagaac caaatctatg gcaggaagtt tctaaaaata taaacgctgt 45960
gggatttttg tgaagttacg taccctatg acatataaat gagctcaaat aatttatttt 46020
tctcatttca attgactcat atggcatgaa taacgcactc tccagtaata aggatagagg 46080
aaggataaac aactgtggaa atttattgcc tccaagccaa aactgtgcat ctctccaaag 46140
ctctgctttg tactatcaga aataactctg gttcttaggt taatggcggt caggaaaaac 46200
acatcacatg tagaacagct tttacaagct agaaaagaag tcaacaacta gatttttctt 46260
atattattaca attcatcaat agaataaaac ctttctattc aatatgaatg gattcaaagt 46320
tgggtgttta attggaaaat ttgttgcaat gggttaacat ctatttagct gaaatatatg 46380
taaatgttta tgtcatcaca aatcttttct ttttaaggctc agatcttctc tttgatgata 46440
ggtttgggtca ttgacattca aatcatgtta cttctgtaag ccataactcc tgggtttttca 46500
ctggagggga gtgataactt aaaacacttg gaaagaaatc tgactaagac cctagtagat 46560
tcctatgagg ttttcctoga acttttacag ttgtcttctc cacacctaatt tcaacattaa 46620
ttttgttagt aagttgtctt tatcaagact gtgcggagca tttatcttat acttcacgt 46680
ctctcctttt gcactcatat ttcacagtt tgtataataa ttaagtgcta taactacaag 46740
atatagtaca gctgagacaa acaaatgtat gtacaaataa aaccaaaaat cagaataagt 46800

cctgggtccc tacttttccct tttctgacaa acacagacat tcagaaaaag aagagagcat 46860
ttcttaaacc aaggtaaact gaagcgaatt tttaaagtcc tttccatttc cactaccctc 46920
tgcaaaaatg tttgctatat gcttattgtc accatcaaag atgaagtcac tctctctctc 46980
ccctgaaaaa tacagaattt tattttgttt acctgaaagc tgtgtgatat gacttttaat 47040
tgaaagtatt tattgtctat aataagatat gtgttacatt ggtagctggg ctttttgtaa 47100
gtaaactttt cttattttta aacagcttca tatttgcaga aaaatctcaa caacagtaca 47160
gaatactcat atacccccca tcagggttcc cttatagtta acagttgctg gctttttgct 47220
gtaactgtaa agcatttaat ctggaacaaa ataatctccc attttataga agtcatcaaa 47280
atgtacattc tttcttttgt aaagttatta tgccatttct gttcctcact gctaatacaa 47340
aactacagct accaaaggca tgtacacttt tattgtgttg accaccagc aacccttcc 47400
tcaaattggca cacaagcacc taatttccag tttggggaac aactccacc caactcacag 47460
tttttgcat tcagggtggg tgattccagg ggtagacatg gggctcaggc ctggccaatc 47520
agagcaccct tcaactccagc cacagtaatc aacgagtggc tgggggagat tgttgccacc 47580
ttgtgggagc agccttgat tatctcagtt tacacctatt gtcctgagag gatcattaat 47640
ggattttcct ttcaccttca aaagccaaaa atgatacagt ccctccagt aaagtcctga 47700
gctattctat gcatgacttt agctgcctcc ataattatat gaaccaataa ataccataga 47760
agaaagggga gaatattggc ttaaagtcatt ttgacaagca aagagtgtca cttgcctgt 47820
tcctcatcac aagttcatgg ttgcaatcac caaatcttcc tatttgcca cttaaagtcc 47880
atacacgcat aatctgcact ggcaatactg gaacatttcc ttagaagaag cacatgcaaa 47940
gacctggaag caagagaggg gagaatatgt ttccaaaatg aaaggagat caagaaggag 48000
agagatcaag tgcaagagga ggtgagtgtg ggagggaaga tatcaggcag ggagggtaa 48060
cagggggcca tgttgccgag gctgcgtaga agcttgtgtg ttatttctaag gacaataagg 48120
aaccaggaaa ggattcaaga cagaaggagg gtcaagacca tatgctcatt ttggaacagt 48180
ctctctgaat gcttagagag agtgaaaggc agatctgaag acaggaagct gcctcaggaa 48240
gcaatgatct tgagttggg ctatgatagt ggcaagggtg agaaatgtat gtattaaaga 48300
tatagccagg caattctctc ggttcaaatt tggagtctca ttaacggaaa ttcctgtcta 48360
accctggtct cttttccctt tgcagaccaa accattaggg ccagaatac agcctgcac 48420
aaataaatac ttgttcaatt aatgagtctc aatatatttg ttcaattaat gagtctcaat 48480
agtttgatag ttgaatacaa ttagagatgc aagccacctc caaattctct agcaaagaaa 48540
ttttgtcttg gttcctaggt ttacgcatt catgggggaa gtaatcatgc attatctacc 48600

tcaatatggc agcctcaatt gcttgagcaa aagctgaagt caaacctcta agattttcaa 48660
atactttggt aagtgttaact attcatattc ttttgccctt taaacagtag agaatcagta 48720
aagtattttc ttggttccgt tgatattaga tagaactatt gactttcctc ctcttttatg 48780
gcaccataaa acatgttgta ctgaaataaa ggtttacttt gcaactgaga attcataggc 48840
aaggcttcct gctgactcca cagaaccag gacaagggtg tcaactgttt tgttgatgga 48900
ggtattctta gaaccaatta actactcttt ccagaggaac ctttgatca taattagctt 48960
tatgtgtgtg tgcacgcaca catgttctgg agaaaagaga gaaagtgtac tacatataaa 49020
tgagtaatta ggtttccgct aaattaaaaa ttttcccaag tcatggtctg cacttagatg 49080
atctgtttct attctgctaa tttctgctca gagcaatcac tgcccatgaa accatcacgt 49140
tttcttattc cacagaggtc atagaagttc ttttcttcta atggagagag aaacccttgc 49200
ctattttccc ctgtgcctgc aaaggtcaga gagatgatga agtaatgctc caaaaagatg 49260
tttagccaaa ggaactttag ctcaaggctt tgacttttac cccttagact aaaaggccac 49320
aattttgagt ttcagtgtca tgagatcatg aaagaggaag ggacctctgt gttcagctag 49380
gcagagaggt aacaagaaaa agagatgtgc tctagaatta ggcttgagtt ctgtcggggg 49440
cacctcctgg ctgtgaggcc ttgggaaaga tgctctgtct catttgagcc tcattttcca 49500
catctgtaaa ttgggggcag caaatactga gggtgacatc atcttactg cattgtagtg 49560
agggtcacat gagatagtgg caagaaaatg cacctgtgaa ctgtaaataa ctaaaggaat 49620
gcatattggt ttttgctatc tagtttgccc ctttttccaa aatggaaaca gaggtgcagg 49680
acttaccag agcagcagcc tggtgaccat ctgaggtccc agctcccaat tcagagcacc 49740
ttcacctctg cacatgacct tccagttatt gacactcctc cagcagggt atgtttacct 49800
aatgtgtcaa actcaatcct gaggacagcc actctgacca gtagtacagc agttaacatt 49860
tagatgggaa atcttagtgt gtttggaact atcatatctt agtttaaacc aaataattca 49920
accaaagcat aagagtattc ctttttctga gccatctcat tctcagaatc acaattattg 49980
atgtcaccca aagtgaacac ctagctctaa tttatctgag gccttcctt tttgaacacg 50040
gaaagttcct catgccagga acttcctcag tcccaagaaa actgaggcag tcatccatcc 50100
caaatgtcca tatttctctg aatgtctaca atatgccagg cactgttctg agctctttat 50160
ttacaatggt ctacttattc atttggaat atagatgagg tagggttatt tccagtttat 50220
gaggtgagga aactcagttc cgagtgatcc aataacttgc ccaagtcaca cagccaatgt 50280
gcattggagc caggacccat ggcattgtga atccagaact gtgtcatgta aactgactc 50340
cccgaatgcc ctgaacattc tcaggaattg tgggtgggtg gtgtaaactg cttcacacca 50400
gcttatttta tagtctacct gccagttgta atggttctgc attgattgga aagtggttct 50460

agatttcaaa cttgggagtg tgatagtga aagaccacta agaaaatgca tataaagccc 50520
tcaattcaag ttactaccac attgtttctt gactttacat cttgaagtct ttttttctt 50580
atcatatgaa atgaaaataa taaaacctac atcaaagtaa taccttgaga ctcaaagtgt 50640
ttagaaaaca ttttgtaagc tgagaaaccc aatatattag caaagtggg cttaatttat 50700
ttacattagg ttaattatgt tattgaggat ttatatgggtg tctactgtaca agcttaatgg 50760
ctctgttagc ctctaatttt tttggtttat ttcccaaat ttactttcac aaccagtatc 50820
ttccagacac cgtatagcag acatctgtgg ttgcctgcac agcaggaatt cttccatttc 50880
tcttaatgag atcctgattt ccacgtggga acatcatcct gtcccatcc ttattctcaa 50940
acatgagctt tagccaatca gcacatgaaa caatcagtgt cagtgaaca tttgtgagaa 51000
cttctgogaa acacaagttc tcgtcatctt ccatgggcaa atttatcttc cccactggat 51060
gtgaacaata atagttaaag cactaaagc tatcaacagt agacttaaaa agagttttga 51120
gtgagggaga gaagacgaat cctcacttca tgaaagcaga attaaaacca gaaagagaaa 51180
tggtttttt ttatatcaat ttagccttaa atcaagtcac atacaaattc cagctctgca 51240
ctttcaagac tgagttagct tgggtgtggc cattaacttc tctgagcttt tgtttctca 51300
tctgtaaaat agggatcaat cacttactcc ttatagtgc gtggtgagtg ttgaactgga 51360
taacaattgt caagttgctt accacaaggc ctggcaaata agtgctcagt gagtgagggc 51420
ttccctcgc tgccctgccc ctagtggga agactggga gtgactatat aaaaaatgat 51480
ttgaaaataa gattcttggt tggagttaa taagactcca agaactttgc tcatgttact 51540
gtgtgtgata caataaaggg aaaggaggct aaattatttc ttattgtctc attttcatat 51600
ctgtttacat aattcaattt gcattttaat ttgcacatta attcactttc caagatgaac 51660
cctggacca atcctgatgc agtattttt gtgtgtgtgc ctgtgtatgg gatataaggt 51720
atggctttgg gaagaggaca accatgacct tgataaaca ctggctagaa gacacaattc 51780
ctccagttcc agccatcctt aacctctca ttcccagtct ctttgacct atactaaagc 51840
tgtgtcact cagtctagga ttgtccata ttaacataaa tctgaaagag agaacaatct 51900
ttattattag aggagagtag gtcttctctg gctgttcagc tgtatcttg aaacccaaag 51960
atgcagctgg ccactcttca acaacagcag cagataagga agtaacatgt ctgctccatc 52020
tgaacaccat ccaaaaggaa atcctctcca agcctacagg aaactccaag actacacctg 52080
gcaagagaac acagggaata agaagcggct aggtttaaag gcaggagcat agaaatcaag 52140
aattttcagc cacctctgct tcaactatgt atttcccact ctgggaacca gggttccac 52200
ctgtaaaatg ggcagtcaga aataatgaag agtaagaaac aatctcaaca tcaggtcagc 52260

tacatccagc acaatcctgg agtgtgagca catcctaggg tatgtgagca cataccctag 52320
 acctatagga taatggatgg agtgaaccct gcaggagtag aataagtacg ccagtgtctc 52380
 ttcaaaaact tccttcatt tcacaggatt cttttcttcc cagcaaaatc cttatcatct 52440
 ctgaggccca gctcaaatgc tgtctcttct gtgatgtttt tgcaacactc attgcccaag 52500
 taatcccagt tattaagct ctttaaccca caatgccctg tccacagact ctgaaagatg 52560
 ctgatgcatt gttgtgtccc atgtctgttt cccagcagg ttgtgagttc tcagtgaat 52620
 tcagtttctt gttgcagagt ctttatcaaa ccacagaaga atcaaagttg aacaacatgg 52680
 agtatctaca ccggagcagc ccacagttca gggatggaca cagaacaaga gagattcatt 52740
 acagacataa agcacagaga tgttggggtt ttctctgttg ggaagaataa gaggtccaga 52800
 aaagcttccc aaagtgatgg cacctcaagg gtcaggacct cacctatta atctccatga 52860
 cccagcatct actacagcat ctgtcacaac tgggctctga gaatgttggc taaataaatg 52920
 aatgaatgat atcaatacac agggtttttc cccattttct gaatttctg gactagggga 52980
 tatctcagaa cagtacttag cacctagtgt gtgctcaata aattcttgtt aaaccactaa 53040
 aaattgctgg acagctgaac tgaaaattac tcacagcccc attcaactgc atcagccatg 53100
 aaaatcaact cagaatttgc aaatctatgc tggcatttag cacttaagat gtaaatacag 53160
 agtgtcagcc atgtggctaa gatcagcttt aattcagtgt tcatctctga aattcattaa 53220
 tgattaaata cttttttcct ttgctctcta tgggagtga aacaagtatc atgtatccaa 53280
 agaccagggt tcagtttggc ccaacattaa ttcacttaat gtttcaacaa aaatttattg 53340
 accatctact aagtgtgag tgctagaatc cattgactac ctactaatga agtgctagat 53400
 tttaacacag ggacatctgt ggtaaacag taaattctct aacctcatct agaggggttg 53460
 aaggttctgc ctttgctac cttctatagt cagagactac tggatattca atccataagt 53520
 attaaactgaa agtcactcta gttctctgca catgtgaagc agagcatatt attattttgt 53580
 ccttggtgct ctatctaaat gtcattccct cttctccatc ccatcactta ttttgcctt 53640
 ggaattcctt ctggatttcc tcaagattat atagaagctc catgaaggca ggacactgtc 53700
 tgactcattg gctcctgagt cccttgaacg tagtgctgag cttggcatat agcaagggt 53760
 caataaatgt ttattgaatg aatatatgac atgatgaatg attagatgaa aacgtctcct 53820
 tttccaggaa gttttccctg tttctaaaaa ggagttaagg gcctctgctg agggctcccc 53880
 aagtctctcc tctgggtcca gcagagcaca ttctcttct ccatcttctc ctgtctccac 53940
 tgctcaatgg agagttctc taaggcacag gccatgagtg tttcatctct aatttctga 54000
 ctctagcaga gggatgttca caaaggatgt gctcagataa taaatattga ttaaactcaa 54060
 cagacctaaa cgaagggaat ctctaaactc ctgggttaact cactgcagat tggcccttga 54120

tcgggtttcta gggatccaact ctatcccctg aaaactccgg tgggtactgaa gagcctctta 54180
 aagttaaaaa gcatcagtg ggtggagggtg ggatttatgt tgatcatcag aggccaaaag 54240
 tccagtcaca gctgtgggaa tgaggaaaag agtgaatact attcgtattt cttaccatta 54300
 aaactaaaaa tcatattctg atactgtaca cggaagaatc aagtgcattc tccagcaggc 54360
 aattgacact ggcctgctta ttggaattgt gaaagaataa gcaaccacaa aggcaagaat 54420
 acacaagtac tgttctgctt atcccagaga ggtgattcat gggctcttcc tgccatctgg 54480
 tttcctggca ggaatggtag aggcaaact gaggtgggac cacttgctgc ttaggatagc 54540
 aatgtggtaa gaagcatcac caacctgcc tcatcaccaa tcagacaact tggggctctc 54600
 cctctctgat agcgtgccc tcaggctgct ctgtcctgac ggtaattttg gtcattggga 54660
 aaaggcgcca attttaccct tactttctcc ccataatgg tacctgatgg cctcataat 54720
 tgtaaaagca cacaatcata gcagctatta acttgctgac acatccttga gttactcttc 54780
 taaaatatat ccctaagtgg attgcagaag tctctgggtg accgtaggat cagaccatcc 54840
 aatgcaagac atcaccagtc cattgctgtc actgaaacct ggctttgttg ggatggcatt 54900
 ggtctgcagc aaccttcccg gcaactggtc ctcagccac tgagccaag gatttctggt 54960
 gggaacatct ggtaaacatc aggatcttct tgttctccac attaccaga catgcatgca 55020
 ttaggggaga aaacataaac atttatactc tcaatctgct ccaccctca aaaacggtat 55080
 aatgcctaaa acaggtctgg tttctatcgg ggatagttgg gccatctctc tgtattccac 55140
 ttccctcata tattaagta agaatacata cttccattta aagttaaaaa gaagaaggat 55200
 cagcttcttt tgagtatgta aagtctcagt ggcaccaacc aataagtga gactgttaa 55260
 ctctccagtg gtggaataat gcggacaacc ttgtgagttt acatgtttgt gcatgcttat 55320
 catgcgctag agagtgtgct aagcacttta caagtcttat tgcttctaatt tttcataaca 55380
 aacctaggag acacatatta ttaccatctc catttttagag gtgaggacac aggctcagag 55440
 ataaagtgat atggcccaa tccctatggc tagttaaata gtggtgctg ggtttgaatc 55500
 caagtggcct aagttcaaag tccaggctct taaccaatac tctgggttag ggtaagaaga 55560
 aaattggata atgtatgaat cagagatatt ccagattaaa ggaagcttga ggagctctc 55620
 cccaatgttt tgatgttgca ggtggggaag tttttgaaat tggaagctgc ttaaggctta 55680
 aattgttatg agccaacact tggcaagaac gagttgccca agttctttgc aattctgatg 55740
 gctaggccca tatactctag cagaacattt tgtacatgat tgttgctcaa gtaatattat 55800
 ttgaagaaag aatgacagtt tgactcaaaa tgagaagatc ttgactcata cttcaccatc 55860
 aaaactgatt ccttttctgt ggccatttct ttatctgtaa aaagggcata gtgctttctg 55920

cttaacttta agacaccaag ataaaagggtt acataaaccc actgaggcat attcctacaa 55980
 tgcacattta tacatcctta gtggcattct gatggctgat aaaagtaaga cttactgaaa 56040
 ataaaaacaa gaaagaaaga ataatcaaa ataaattttc atatttttgc cagactgaaa 56100
 actcccttag aataaggatg gtgtttggat tggtcgccac tgtatctgta atgccaagta 56160
 gttatcactg tttgtataca tttggagaat aaaggaatgc atcaccaaga atgtttaata 56220
 caatgcaaaa ggaattttga gaaaaaggta ggtgggaaaa tgtaggatac aaatttgcac 56280
 atatggtata aaccagctc cataaaaaag caagaaatac gtaggagaga aaaagaattt 56340
 aagcccagaa ggaaatacac aaaacacaga gtggtttgcc tctggataat agagtaatga 56400
 ggaaatcatt tttctgccc attcagtttc ttctgaattc tttaaatttt ccataatgat 56460
 cagttgttaa tggataatca ggaaaaaatg aaaaataaaa ctattcacag agtccagctt 56520
 agaaacccaa gtcctagcat aaggaggctc ctgagctctga gcagcttggg tgtggggatc 56580
 tcggctgtga gctacccac tggacaccat tagagcagac gtttagccct gagtcatatt 56640
 ccaaagccat attatacact tgaacttgcc ttcccaacc ctacagctgc acagcagaca 56700
 tgctcaaagt cccatatgct tctttagtgc agattattca agaaacacag gctgggggaa 56760
 atggcattgt caggaatatt gcaagacagg caagacttgc aggtgcacag cagcagaac 56820
 ccacagccat ggttattcaa gtgaagctgg aatctaaagg gatgaacaga cctagaagct 56880
 ccttgtgogg tcactttgtc tgtgtctcca tagccagcct tctcaattag ttgcgactta 56940
 taaataagca tgtttctgaa atctccaaca catttcctat gggaccaaag aagataaaga 57000
 gatggggccg agtgtggatg agtggagaat acagatatgc tcaggccggg catttcatat 57060
 ggcttgcaga gattttactg agtgatggaa ggttgcaggc cccatcagtc catcagggga 57120
 tgttcatttt gaagtgaaga tctggaccct tctgtccac gtggcccgt ctggtttatg 57180
 gctctgtctc tggttgtcta ttaacgtgag ttagtgccag tactttatag tctaaacctt 57240
 tgcaacagaa aacagccatt ctttgagctc agcgagccca gcaagagcaa caatgtatgg 57300
 aacgaggagc gtcattttctc tggacactta ctttctgccc cttgccctaa tgtacaacta 57360
 cagtcttcta agcacaatac ttcttttttag caaggcttta aaatacagtt ctgcctctct 57420
 ctatttctat tctcactact cctgttcaag ggccctagtct ccctcacctc tctcctgcac 57480
 tgctggcttc tacccttgcc ccctctcttc cattctccac tggtagccag agtgagctta 57540
 cagaaacaga attgagatca cacatcactc ccctgcttaa aataacttag aactctccac 57600
 attggtatgc aaagggtgt tggacttgag ctctcttctc gacacccctc tgagctactt 57660
 gtctcctttt ctatgttcta gccatgctgt ttgcaaacct acctagcttg ttcctacctt 57720
 gggaccctgg cactgacaac tctgtctacc aaaaaggctc ccacactgag tgtaaattag 57780

ttcaaccatt gtggaagaca gtgtggcaac tctcaagga tctagaacca gaaataccat 57840
 ttgaccacgc aatcccatta cggggatatat acccaaacga ttataaatca ttctactata 57900
 aagacacatg cacacgtatg aaacttgacg cactgttcac tataacaaag acttggaacc 57960
 agcccaagtg cccatccatg atagactgga taaagaaaat gtgacacata tacatcatgg 58020
 aatactatgc agccataaaa aaggatgagt tcatgtcctt ttcagggaca tggatgaagc 58080
 tggaaacat cattctcagc aaaccaacac aggaacagaa aatcaaacac cgcattgttct 58140
 cattcataag tgggagctga gcaatgagaa cactggacac agggagggga atatcacaca 58200
 ccagggcctg ttgggggtgg ggggttaggg aagggatagc attaggagaa atacctaagc 58260
 tagatgacgg gttgatgggt gcagcaaacc accatgtcac acgtatacct atgtaacaaa 58320
 cctacacact ctgcacatgt ataccagaat ttaaagtata ataaattttt tttaaaaaag 58380
 gctccccatt ctcaattaca atcttctttt agtttgttct tgataagctt tcagctcttg 58440
 accacaaata ggctctccag ggtccatcta gttcaattct ctgtttaaga tttattccta 58500
 agaaggagga agggagtggg gaaagggtg aaaaactatc tactgggtac tatgggttagt 58560
 aacttggtga caggggtcaat catacccaaa acctcagcat cacacaatat accaatataa 58620
 caaacttgca catatacgcc caaactcaaa ataaaaat ttaaaaaaat 58680
 atttcttaag atattttatt ctaactttga agtatattgt tctttacagt ctgtttccct 58740
 ctataagaaa gcaaaaccca taagagacta aggatcttga caatttaag ctgtatcccc 58800
 agtacctagg acgttggcaa tatcaattcg tatgttttta atgcattcct gaatgaacga 58860
 ataaaacaaa ttcaagccta aatggaaccc aaatcacag aatgctgtt cttcagtaca 58920
 ttactaagtg cagtgcctcc ttgaccgctc taccctaaat catcaaagga aaaagaaaac 58980
 cttcaagaag tgattccgaa tctagtttc accatttact ccatgattct agacaagtct 59040
 taaattctct gcacctcagt tttctcttct aaaatagaag atgtaagaga aataaaaaaca 59100
 gctgtacctg gagttgtgat gcctattcaa tgagtgaag tatgttgggc actttgaact 59160
 gtatctggca catgcattac catgaggata ttctcccat gttgacagca ttgtgtaata 59220
 aaaaagctct tagctctgcc gctggaaata ggcaggaggg ggccagcag ggagcaagtc 59280
 tgaaagcagg gagacctgt aaggagattg atccccccac agctgactgg taatgaggct 59340
 gggccagggg agaggcagtg caagcagaga tgagctgata aattaacaga gcaatgcaga 59400
 agtagaatta ataggatttg tctattgttg gagccattgg agggaggagt caagagcagg 59460
 aagctgagga tgcagacctg gccaccgcg atagagatga gcagctgtct actcacatcc 59520
 actcataagc caaccagga gatgctcagg gcacaaatca cataaacct ggaacctgcc 59580

ttgaggacgt ggggtgcaaag aggggaacca gcagagacaa aaaaaataag tgatgagggt 59640
caccctgggg gtacgaacag aggacaatgt ggtcacagaa tgggatacga tttcttcaag 59700
tataggagat ttggataggc atcacagaaa aagtgcagc ccgcaacttt tttattgcac 59760
tccttacagc ataccgaaa gcattggtga ggacacaaaa actacagata agaatcagat 59820
tctaaaaaga caattctctt ttccattcct gtctctctcc ctgcaacttc ccaatccctc 59880
acctctaatt aaccgcgcca ccccttcaact agcttctgat ttcaggcaac gtccagtact 59940
tgttccacct ttctctctga ccagccatca agaagatctt gtatgtttct cctacacacc 60000
cctgcccctg gaccagga ttcttccatt tttccatatt tgggctatat taagtaataa 60060
gccacatgc tttctgttga gaaaatacaa aaagatgttt ccctctgtca taaagaaaaa 60120
gaggtaaacc aggggaacatt ttgtccctct agttatcttc ccacaggccc atcaagaatc 60180
aggcagtagg tgaaaaagaa acacagagaa cctaggaaca caataggaag accaccatgg 60240
gcccttaggg agtcagcgaa ggcttatgat gcaaaaagaa ggtcccagggt accttaaaaa 60300
ctccacttcc ctctctagga tccccagag agcttgacag cgtccctcta tgcagatggt 60360
cataaatcag gcataatgtaa ctctgcggtt tctgcacat aattgatcac agttgagctg 60420
ctcagacatt aaatccaaag gacatcagag aaggacgagt tcagtaaaga aactgagaa 60480
agaagtggac cctgagcata gatcttggca tacatgctg ggaaatggcc tctcaagggg 60540
tcattatcca ttcaattaca cacacgttaa ttggaaaga gaaagttcct gccttgagta 60600
aattgctgtc tgttagggaa agtgaaaatc cactaggggt aacaaataac aaatttaaat 60660
gccttctggg tccagcagat accatcaata cctatcatga ccaaggagggt ggggtggcttg 60720
tgaaaaacca gagagtccag ggccacctga aacacctca atttcagaaa cattttacat 60780
ttcatgacta gcagataaat accctgggg tagtgaattt tcaaatctc acacaggctc 60840
ccttagagca gagtttctca tctccagcaa tattgacatt tggagtcaga taattatttt 60900
tgggttgggg ggtgggcact gatatgttca ttgtaggatg tttagcaaga tctctggact 60960
ctgcacacta gataccagta gcaccccat agtggtgaca attaactgtg tcccagaca 61020
ttgccaatg tatcctgggg agcaaatca tctctatc tcacctctg agaaagaagt 61080
gcaggatatc acaatagcag agggcaatgg aagatgcag tccatgcta gaagctgctt 61140
taccaacaca gtcagctgct atctccaca caggcgggtg aggaaggatt catgaccctc 61200
aatgaaatga acaaatgcaa gcaaagccaa gttgccattg aatgtggcag ttattgttta 61260
tttattttat tattttttt atttatttat attttaattt ctctctctct tttttctttt 61320
ttcttttttt ttttttttt tagagagaga ttgggtctca ctgtgttgcc caggctggtc 61380
tcaaatgtct ggcttcaagc aatctctca ccttagactc ccaaagtga ctccgccctg 61440

ccagagttac tatttgaatc cagacattct gactctgagg ctgcgtttta accagcctga 61500
 catcacgcct caagcagggg atttttcaaa ggacaggatg atggagctga ggctcaagag 61560
 acagtcagcc ttgacctctg tgtgtggagc atccctccag cgattaccct gtccatggtg 61620
 tagaagatgg gctggcgaga ggccacagat gtccggaggc tgctgcagtt gtattgatga 61680
 taaatgacaa gggctctgcac tttaagcagt gggagtaggg atctagaaga tactaaaact 61740
 atttaggctg ggggcaatga atcacgcctg taatcccagc cctttgagag gccaaggcag 61800
 gcagataatt tgaggccagg agttcgaaac cagcctggcc catatggtga aaccccatct 61860
 ctactaaaaa tacaaaaatt agccgggcgt ggtggcaggt acctgtaatc ccagatactc 61920
 aaaagactga ggcgggagaa tctctggaac ctgggaggcg gaggttgag tgagccaaga 61980
 ccaagatcat gccaccatgc tccagcttag gcaacagagt gagacactgt ctttaaaaga 62040
 aaaaaacaa aaattaaaga caaaattgac aggattcatg attgattgaa ctagggagtt 62100
 tttaaaaatt ctagaatatt ccacaattag tcataatact taatatcaac tggtttcaca 62160
 aaccaactaa ctatcacagc agcttaacaa taagttttat ttctcaccca tgttggtcca 62220
 attgcgtggt tggccagcag tcttcaaaga agtgactcag ggattcaaaa tccctgcac 62280
 ttgtggcatc ggcctactct aggtcagggg tcatcaaact actgcctgtg gaccaaacc 62340
 agcactgctt gtggggccaaa tccagccact gcctgtcttt gtaaacacat tttttatagg 62400
 gacacagtca tgctcatttg tttacgtatt atctatgggg gtttcacatt acaacagcag 62460
 agttgaataa ttgcaacaga tgcagagact gtatcatcca taaggcttac aacatttact 62520
 atctggcgtt ttgctggaac agtttgctga cccttgccct cagctctcct tggagtctct 62580
 cactggattt catgtttcta ttggccaatg agaaaaaaga gaaagtaaga gggctcacac 62640
 gagaggttta tcaccagctg gacctgacgc atgcccttc tgtggccaca cactgttcac 62700
 tggtaagac tgagactcac ggccccactc actgcaggaa agctgggaag catgcaggca 62760
 atagtggata aggctgagaa cccacagtct acgccacaca tccatccatg gctctggagg 62820
 aacttccttt tgctgattat catcctttgg ttcccttaga atggaaaact cacatatct 62880
 tgcaaagtgc tataaacaac catatctcac tgagatgcat taatgaccaa cataaactac 62940
 tgatccctga gtttaacaa atgtattatg ttagttgata atcttagaat aaacatgacc 63000
 tcaattaata aattttctca gagctatata ctctctctta gttcaagtaa gcgtacaaat 63060
 ggaaattcag ttaactgga taatacagag tgtctacttt gtgctcagca ctgtgccaaag 63120
 cagaaagaaa aataaagacc taccggatac ctgccaggac ctcacctat gcgtgaaata 63180
 cataaatata gaaataacaa aagaagtatt atgtctaagt tcaaaaatat gaagttttat 63240

cttcttatca gctcagagaa agaatatatc ataaggactg ggatagttga gagtcacttc 63300
 ctggagtggg ggaaaaagcc attataattht acaacagtgt tcaataaaaa ttaaaaagag 63360
 tgaaagttga tcaaatgtaa aaaacacttht aaaacttaga agtcattctc actatgtgat 63420
 cttctthtaat attcatcaaa attctgtaat ttccagtgtc atcaggacta gctcagthtc 63480
 agtgaattcc agcaagggat gtcaagtcac ctgagacctg gaacacacag cctgcgagga 63540
 gagcagcagg cctgaaacga gggcgggatt thtctththtc thtthththt thtctcttha 63600
 cccctcttht ctgathththt ctccagggtc thtthtacta ccacattgtc attaaaaata 63660
 aaataatgtc atttgacaga cttaaactga gataaccaca gaaaactcca gatctgtthc 63720
 aaagcaaaca gcagccagga aatctththc atgcacagac agtaacattt ctcttagct 63780
 caaggatggt gcagccaagg gtaaaggaaa tgaggacaca ggttgaatgc tgtcccgaa 63840
 gagtgtctct tccaggagct cagggtcaaag gcagctthga gattaaaaa cagctatct 63900
 gataggggaa ggaagtagca ctgtgagggt tgtcaatttht atcaagttca gtaaatgaac 63960
 tagacaaaga acaattgatc aagaatatgc agccctthgt tggcagttct gaagaattct 64020
 ggctthtctc tgggtcatgc tccaggtcc ccgtggccca tgcgtgtthgt catctacact 64080
 cacaggccgc tgggacggta agctctgaa tgacaaagga tatctgggtg tgccgcacat 64140
 gtatgtacac agtgthtctgc ctacatatgc aggaggtctc catgttgtgg tagagtagac 64200
 acctgtgtt atggccctct tgagccaagc atgtccatag ggtgaactgt agcagtcacc 64260
 atgacaagtc tggcaagagg acttcccttht gatgaggaag tcaccatgga aatgggagac 64320
 aaaatgaagt catttgctt ggcccttaga aataaagthc acatcttag tgtgacatat 64380
 ctgtgccctg thccccattc attggggcaa thtthtctgt tcaactctg thtthtcagt 64440
 tcccccaat atgagacgtc cagtacatta ctccacatat acctgggctt gcttataatt 64500
 ccacttctg ctthctggtg tgccactccc actthtctca cctggaaaac ccctatccat 64560
 gtgccatact tagctattaa tgtcagttca tatgtgacaa thtctccaag gtgtthththt 64620
 agtgtcagga agccactctt thtgtthtgc aattgttaact thtgttatgc attattaata 64680
 tagcacatgt tacattctgt tgacatactc tatgtthtct thtgtthtct caaccagtct 64740
 ggatagttga atggacaggc atgatgtcta actctthtct gththtctca gtcacctatc 64800
 agagtgtctg acatgtagta gacattcaac aagtgtthtgc tggagatggt aaatctcagg 64860
 ggaaaatctg gttggaagga aactgtgagg aagtggaagg aggcaagaat tgaagcttga 64920
 agcattccgg cccaccact ctgtgccctt gaaatcatgg acacttcagc aagtatctat 64980
 thtthtcattht agaaagtggg agtatthtgt ctaccttaca tattaataac aaagtcaaga 65040
 ttaggcaata aaaagctagg aggaatatgt tgattaattg tgtcaacagt gaattaataa 65100

ggacatgaaa ggaatttgca acatgtactt ttagcaacac tgattcattg ctacagagtg 65160
ataagtcaag aaggaaaaaa cagaagatgg tatcaactgg taggctaaga ggaggggtcta 65220
accttttggc caatttgctg agcaatcaat tcgaatttac atccaaatgg tcatttggtc 65280
tcagaataat gaagaacaga gaaataagaa ggtagaaact cactaaatga aatcatgact 65340
actctaactc tccttatcct tccagatgct gtttaatcac atcatttggtt ggtgtttgca 65400
tttgtttatt agtatttgta ttcactgaga ggccacaca gctcactctc agagtctggc 65460
agctccaagg agatcacttc cactgtaggt agatttgctc ttaccagcat cattgcctta 65520
gaaggggaga gtgttccatc tgccttagtc aacagtagta atagtagtag caatggtggt 65580
gacagaaata ggtagcaatg gttgtgttat ggaaattcac atttattgaa atctcatcag 65640
tgaccatgta ctggccaatc atttaactac atctcagtta atgttcaaaa ctcacctgca 65700
agtgaactac aatcttttat tcaactaata tttaatcaca ccttctaggc actggggata 65760
tagcactgaa cacaccagat gagatcttca gcctcatgctc aattattgct tgctggtgag 65820
agaagaaaga caacagacaa aaaaaaaaaa aaaaaagtaa ccgcactaga taacgcattt 65880
tctttttctt tatttttttt ttaaattata ctttaagttc tagggtagat gtgcaaaatg 65940
tgcaagtttg ttatacttta agttctaggg aacatgtgca aaatgtgcag gtttgtttca 66000
tatgtatata tgtgccacgt tgggtgtgctg cactcattaa cttgtcattt acattaggca 66060
tatctcctaa tgctatccct cccctcccc ccacctcatg acaggccccg gtgtgtgata 66120
ttcccttcc tgtgtccaag tgttctcatt gttcaattcc cacctatgag tgagaacatg 66180
ataacgcatt ttctaacatg tgacagaaag tgactgaaag gtgaactctg tgtaggtag 66240
gagaaaactt attagtctca ttttaccat gaggcattag aggctcagag aaattaagta 66300
acttctccaa gatcacatag ctacccacgg acagagcaag tctgtctaaa taggaagcaa 66360
taaaaatagca tacacagcag aatatagtca agaattagat gtattatgct ttaagccttt 66420
gtttcgtagc ttcttaagaa taggaagaaa agtcagtgtt ggctacattg gctagaaatc 66480
ttcacgaagg aagaaaaagt taagcttgctc ttggagcgtg gttaggattt agacaggtag 66540
aaagaaagaa aagagttgtg agcaggaaga aatgggtatt tatcgaggac ttattaagtg 66600
gcaagaacaa gacaaaaagt tttagatatg gtgttttagt aaatatttaa agtttttttt 66660
ttgtttttgt tttgtgttt ttttgagacg gagtctcact ctgtcgccca ggctggagtg 66720
cagtggcgca gtctcggtc actgcaagct ctgcctccc gggtcacacc attctcctgc 66780
ctcagcctcc cgagtagccg ggactaccag gcggccgcc caacgtccg ctaatttttt 66840
gtatttttta gtagagacgg ggtttcactg tgtagccag gatggtctcg atctcctgac 66900

cttgtcatcc gcctgcctcg gcctcccaa gtgctgggat tacaggcgtg agccactgtg 66960
 cccagccaaa tatttaaagt tttttaaat caggttggtt acatgacctt tcgaggtagac 67020
 ataagatgct ggggtgttggg catgtaggta gcaactggca cgctgtatgc agggaaact 67080
 aaaatggctc aggtacctga ggaagaaatt tacattgggg actattgaga agtataattc 67140
 aatgggctag caaaccaatg agaggcaact gaagacattg aaggagaggt ggtggaagct 67200
 ggaagtggca taggagacaa caggaaactgt agcaatTTTT tcaacaagga agtaaaactc 67260
 agatgttggg actgaaacca tcttttacca tactctttca tcttgagtc atcactctca 67320
 aatatggctc cccagagatg ctcccttctc gtatgatatt agaattagtt gtatcactta 67380
 tttgctagac tgggctacag aataagaaca cagactatgt caaccctct atcctcttag 67440
 aatctggcat gggatcaggc acacattgtt tgatttcaac tggcaaggcc atggcaatca 67500
 ggcagacagg ttagctagaa aatggtgaaa aaatggcacc aaattagggc atcacagcac 67560
 cagataaaac taagcagaga ttacactgag gtggcccgag gcagcagagc cggagggggc 67620
 tgactctgat cctacaaagg ggaactcaga atcatcactg tgaaggtagag aagagccatc 67680
 aattctaaag gatgaaggag gataaactga tagaagaaa atgagccagg acatcagaaa 67740
 gaaaattaaa aacaaagtgg aatacagtgt gaagattgat ttggggcaaa agatttgaaa 67800
 ctaagaccat gaacaatgag attcgtaaat ggagtttccc tttgtatgat gcctagacct 67860
 agcaacaggg cagttgcagt gatttaagga tgactcacag ggatggatac ctgttgaaac 67920
 caccttaaaa aggtgaaaga aaggtaggaa ggaaacgaga tagatgtgag aaacatagat 67980
 aaggacaggg aactgaggaa agggaaaaag gaaataatcc atgatatttt cagaaatgat 68040
 ttataacagg gattggtaaa ctatgacct gagacaaatt cagtatactg tttctataaa 68100
 taaagctttg ttaaatcaca gccacaccta ttcatttaag taatatctat gcctgcttc 68160
 aaaccatagt tgcagggttg ttgcaagaaa gattatctag ctcaaaaac caaaaatatt 68220
 aactatctag cccttaacag aaaagggttg ccacctagt ctatagtaaa ggagtattgc 68280
 aatatggatg ctaagtggct aaagataaag ctgacattct atatcagggc cagaattttg 68340
 aatgccttgc taagggtgta gaactttctc tgcaggcaat aaggatccat gcaaatagcc 68400
 taaaattttt ctctacataa gcataattca aaaccaatca aagaactcga cagtggcaat 68460
 caatgtggca catgaacaat aagaacacta ctggcatgtt taatcaacca agctctcttc 68520
 tggcttcaac tgccaaagac ttaagaactg tatgtgtgct accagtctgc caaattagag 68580
 agtcacaatg cactgtgtgt ctttaaattt ctaatgtcca aaatggggga aataatccca 68640
 cctgtgggct tattatgaac ataaaattta gataatagag aaaaaatat attaaataaa 68700
 taaaatattt taaaaggctc tgacatcact cattcactta ctcaatgaaa aaaaatgtat 68760

ttagtgccctg ttgtgcgcag aggaatccag agatgaggga gattaaggcc catagactag 68820
 aaggaaagat gggatgcaaa cggcagtgcc aagttcacac ataaagcaaa gtagggagga 68880
 aaccactcag cttgagaaga agtaggctgt caggaaaagg gtccatagga agggtttcca 68940
 gcaaggaaga aaagatcatg atgctgagga aggagatgaa gctgctttct atgtacaaca 69000
 agtgcaaagg cctaattgtag ttcaaagtga gtggcaccta gaagccaact gtggatgcaa 69060
 acagaaatga agcaaaagat ggagggagga tatgaaagggt tttctatgct atgccaagga 69120
 acttggactt tatccattgg aagtagtaag cctttgaagg atttggcttc caggaaagac 69180
 atggtcagaa ctgggtcaca aatgtctcca ttgatcagac tgtagttga gattccagct 69240
 tttcctcccc tgcatgaatg aggggggcag agcttaagac tggtcatgac agacctctca 69300
 atgacctttc catttcaggc aagtcaagggt taccactcat agtcacgctc ctagcagcca 69360
 ttggggaaaa gcagctggac aagagaaaag aatgacggca catgaaacac cttgaataa 69420
 tccccctaaa ttgacccccg gccctgggac atctgcctac aaaagaaacc gtgcctgcat 69480
 ctgtgctatg tttcacattt cccaggcccg tatcttctcc aaacgcaatc tggacagcca 69540
 atatattatca agcaagagag gaaacaatca acatattcag gagaggatgg aaagagcaag 69600
 ataatttctt gatttgggtt tacacagtgg atcagggttt gtgttgttct ctcacctcca 69660
 aaaacctcat tgatatcttc tccaccttag aggaaaagag gactaggaag ttattgatat 69720
 aaaaagaatt gccatgggaa ggatgccac gtgggacagt gccaaagctc tctctcctga 69780
 tgggaccctc tgctaattga accacttgac caagaaggac aattttttat ttttgttct 69840
 aaaacttcag agtgtcatgg aagagaaaac aggaccgggt tgcagtttga catgcacaga 69900
 agcccaaaaa ggactcattg ctgctgagag gtagtgtcat caaaaaggaa agtatgggtc 69960
 ttgtaggcag ataaatgtgg gtctaaaact ggggtcccaag ccatacctcc tgtgtgacct 70020
 tagggcacat gctaaacttt cctaagcctc attttctcat ctataaaatg ggtaatatat 70080
 tctaataaat aggtaatata ttccaaatgc taagcacagt atttaattgt tactcaatat 70140
 accccattat taaaattatg catagcttaa tgctcaagat gagttcccag gccatttatt 70200
 tagtaaagta tgatgtgctt taaaaacaaa aataataatc ctacaacatg aaagtcataa 70260
 tacactaaaa gaaatgtttg aagaaatggc atccataaaa taaaataatt actatttaag 70320
 attttctaca gatttcttaa ttagcataga gtagatattc aggaaatttt gttgaatgtt 70380
 tagataaatt attgagctaa ttaatttaac acatgatata ggcagatttt aagtctataa 70440
 acctgcataa gacaaagcag tattagtata aagaaagctt acatagaccg acaaaaactga 70500
 aaaagtacaa ttgccaaagg attgaaagaa caacgcagag aagaggaatt tgaaattacc 70560

aataagcctt tgagcaaacc aatgttcaaa caatacatag ttgtataaac acaaatgcag 70620
actaaagcat tattcactat cgagttgtaa aagattttta aactaacagc atcctatgat 70680
tgtttggtg tcatgagatg aagcaattca ggcacagtta gtcagaatgg acatttacta 70740
gcctttcttg aaagccactt ttcagcacta ctacaagcct tgaatgatct gcgtagtttg 70800
actcaataat tctacccta aaagcctcca atatagaaat aggagagcca tagacaagga 70860
tttatctata gaaatgtttg tcacactatt atttatatag tatcaaaaga agaataaaag 70920
gagaaggagg aggaaagagg agaggaagaa ggaaaacgaa gaagaagagg aaagaagact 70980
aaatgttttag caagagaaga atatttaata acataaggct tgctgtttat atacttttaa 71040
ataaaagtag tgaataaata atattaaata tcagtatgat cataatttag tgaataaata 71100
ttagatagat gtagatagat acgaggacaa atccaaaaat agattaaaga cagaacataa 71160
attcaacaaa atattatgta gttattttgc atagtatttt gtgtaaataa aaaaaggctg 71220
cttaagagag aataaaaatt gcattcttat ctaacttcta aatagcaaaa aatgggaacc 71280
caggacattc agatgcttct tagcttataa tgagagtatg ttccaataac tctatcttaa 71340
gttaaaaaac atttaataca cctcacttcc tgaagaccac agcttagcct agcctacttt 71400
aaacatgctc agagcgctta tatttgtcta cagttgagga aaatctacca caaagcttat 71460
tgtataataa agtggtgaat gtcttatgta atttattgaa tgctgaaagt acactttcta 71520
ctgaatgaat atcacttata caccatcatg aagtccaaac atctaagtca aaccattgtg 71580
aattaggata gtgaagtaat atcatcaacc agctaagaga aaacatgct caatctgcag 71640
ttgtatgcac aaagaggggt aacttgtggg aactagaggt tgacacaata gaattaaaat 71700
atagggcagc aatagcaagg gagtttggat gaaaaataat cagttaaaat attatgtatt 71760
tttatattgt tcaagtgtat agaaaagata atacatttaa actttgttaa catggtatgt 71820
gtgttaaaat aggtaggtta ctactaaaat gatagtcaca cagcatataa ttgccaaata 71880
agtagaggga gaaaaaatgg aaaaaaacta aatcaatcac aatgaaggca agaaagaaaa 71940
aaaagaaaag aaaagaaaca taaaagacag acgaagtggg aagcacataa ccaaattttt 72000
caaataaatc caaatatatac agtgcctagt ctgctccagc tgccatagca gaatatcata 72060
gactaggtga cttaacaac agaagtttac ttctcgcaat tctggaggct ggaaatttga 72120
catcagggtt ccagtatgac cgagcttttg tgaagggact cttcctgggt tgagagagc 72180
caccttctca ctgtgtgctc acatggcctt ccctctgtgt gtgcatgggg tgagagagag 72240
agagagaaac agcaaaataa atggtactga acaacaaaat aggatggcaa acaaatcagt 72300
gcctggattt tgtgacagtt tggtttattg ttcagaaata ttcacccttt tgccagttct 72360
accatgggtg tgataactgc cccaccact gaagtgaact gttttaacca acagtatatg 72420

atatgatttg gatgtttgtc cctgccaaagt ctcatgtgga aatgtgatct ccagtgatgg 72480
 aggtagagcc tgggtgggagg tgtttgggtc attcagatga atcccttagg aatggcttga 72540
 tgccttcata ttctcactct gtgttgacag caagatccag ttgtttaaaa aagtgtggca 72600
 ccttccccct ttctctcttg cttccattct tgccttatga taccctgcct cctcctttgc 72660
 cttctgccat gtgtcgaagc ttcttgagtc cctcaccaga agcatagctg gccctgtttc 72720
 atgtacagcc agcagaactg tgagccaaaa taaaacctct tttctttata cattacccccg 72780
 tctcaggtat tcctttacag caatacaaaa acagactaac acagtataag gatagatata 72840
 attggagcaa aggcttaaat gtgtttatat atataaaatg gggtttggcc ttttatactt 72900
 ctgtcataat gatgagaaaa acatgttcta gtctatggtc taaaaagggg gagagacaca 72960
 tggacacagc ctgagcttaa cctgtaattt ggaaaaaaaa caaacagcag aatcccacct 73020
 agatcagcca aaccagcca attcacacat gtgaatcagt gtgaatcaga atgagacact 73080
 gagttttgta gtagttcctt acacagcata ttttgtggca acagctaact gatacagagc 73140
 tatatttata aacctgtatc agccagcccc agagagatct ataaatatat gactgacagt 73200
 aagtcaccaa gtgtattggg taacagctaa gtgatataaa gtaatattta taaacttcaa 73260
 tctttatgtt gaaagaataa caaccaacag ttaacggatt agaaaaatga caaagaatgt 73320
 acacatgaaa agagaacaat gacaaaatca gaaagcaatt acattctaaa tcaacatcca 73380
 tatctctgca aaggacttga tatacgttta tagatccaaa aagctcagca aaccacaagc 73440
 tggacaaaacc caaagaaatc tatggcaagg ttcatatag acaaacttct gaaaattaag 73500
 gacaaataaa aaaattgaaa acagtgggaa aaaaatgact ttttatagag aaaaaatat 73560
 gaatgactga tttctcatca gaaacatga aagccagaaa gaagtgcagt aacacattta 73620
 aagtgtgtaa aaaaaatgtc aactcaaaat tctgtaacca aaaaaaata tttccctgca 73680
 atgaggggga tatcaagaca ttctcagatg aaaaataaca agaatatatt gtcaacagaa 73740
 ctaccctaaa aaaatgacta aaggaatttc tccaaacagc aaggacatct ggaagaaaga 73800
 acaacagaaa gaggaaaatt acaggtaaat atattttgct tcccttgagt tttctaattt 73860
 acatttgata gtcgaagcaa cttttttaat attgtcttac gtggttctga atgtatgtac 73920
 agaaaatact tgagacaata cattataaat gaagataaaa aggaaggaat gttttttcac 73980
 ttcacttgaa ctagtaaaat ttcaatacca gtagactatg ataagctatg tatatacaat 74040
 ttaacatata tagtagcaac tttttttaaa agctatacaa aaagatacca tcaaaaatat 74100
 tataggtgaag tcaacatgaa attataaacc atgtttaact aaccacaaag aaaaacagaa 74160
 aaagaaaaca gatacatgaa aatctgagag gaaaaaaaaa aaacagagaa cacaatggga 74220

agcttcattc aatgtaaggg tactagaagt tctagccagt gcaattaaga ggaaaaaat 74280
 aaataaaaag gcatatgtgt tgaaaggaag aaattaaact gtctttatgt gcaaatgaca 74340
 tgattatcag cacagataat caagataaat atataaaaag atttctgaaa ctaataagtt 74400
 agttcagtaa ggtcgtaagc tataagacaa acaaaggaaa atcaattgta tttgaatgta 74460
 tcgacagtaa acatatggac attaaaatta acaatacaat ataatttata tttattaaaa 74520
 atataaaatg cttaggcata aatctaacaa aacccccaca gtacttgtag gtgaaaacta 74580
 taaaatactg attaaaaatg atctaaataa atggaataac atagcatgtc catggattga 74640
 aatactcaac atagtcagtt ctctccagat tgatacacag ctttaatgca attcttataa 74700
 aaatctctgc aagatTTTTT tgtaaataa gctaaaacaa tattggaaaa aaaatagtga 74760
 agtgggtattc caaggcttac tatatggcca gagtagtcca gactgtggtg ttggcagagg 74820
 cattgtatta gtccgttttc aactgctgt aaagatacta cctgagaccg gataatttat 74880
 aaataaaaaga agattaattg actcacagtt ctgcatggct ggtgaagcct caggaaactt 74940
 acaatcatgg tagaaagcag ggagaagcaa acaccttctt cacaaggcag caggagagag 75000
 agaggggcag ggaaaggaaa cactcataaa aatggatctt attaaaatta agaattttgc 75060
 tctctgaaag accctgttaa ggggttaaaa agataagcta cagttgtagg aaatatttgc 75120
 aatccaccta tccaagcaac aaccaatctc tagaatatat aaagaactct caaaactcaa 75180
 tattaatgc aaataatata attagaaaat ggacaaagta catgaaaaga tgtttcacca 75240
 aagaggggtgt gtgtttgtgt gtgtgtttgt gtgtgtgtat gtactgtata tggcaaataa 75300
 acacataaaa atattcaata taattagctg tcaagaaat ccaaattaaa accacattgg 75360
 catatcacta cacatccatc agaataagcta aaataaaaaa tacaacacta aagtcattat 75420
 cacaaagaaa tacaatttta tgttctacag gaatttgtac ataatgttc atagcagctt 75480
 tattcacaat aaccaatagg taaatgggta aatcaactgt ggtacatcca caccatggaa 75540
 tactactcag caatagaaag gaataaaata tcgacataca caacaacttg gatgaacttc 75600
 cagagaatta tgctgagcaa aaacagtgac tcctaaaagg ctacacacgg cataattctc 75660
 ttacataac attcttgaaa tgataaaatt atagaaatgg agaaaaaat cagtgggtgc 75720
 taggggttat ggaaagggtg ggggtcagga gaaggagtg tggctataaa atagcaacat 75780
 aagggaaact tccgtggtga aaatgttctt atcttgattg ttatcagtat caatatcctg 75840
 gctgtaataa tgtactatca ttttgagaga tgtaggatt agcagaaagt tagtagagaa 75900
 tacatgggat ctctctgtat ttttctcaa cccaagtaa atctacaatt atttcaaaag 75960
 aaaagttaa tttaaaaag caatacttgt acaaatattt taatgaggtg tcctaattat 76020
 tcacaagata cctcttgag ttttccgaga aagaattttt aatgaatctt taagaatcag 76080

actcaattga ttcttatgac tttaaaatgg aaatcttggc ttatcaaaaa aacttataca 76140
 tcttcaaaaa atgtaattgg tgtttacatg tgatatacta aaattaaatt ttttttattg 76200
 aggaaatttt aaagtttggg tcagaattta taaacaaaaa gagttagaaa gacagaaaat 76260
 ataatcaat ttttcccagt aaaaatcaga tagaaaatat aattctaaag agatatat 76320
 atagtggat tattaaatat atgacacaca ataagaaaaa gtgtaagcca tttatggata 76380
 atattgtaaa acttaatgga aagacattaa aggaaatcta aataaatggg aagctatata 76440
 atattgtaag taagacagta tcttaaagat gtgaattttc cccaaataga tctataaatt 76500
 taatgatatt ttacaaaaa tctaacagc atgttttcat ataccttaac tgattctaaa 76560
 atttgaaaaa aagttcaaga atggccaaga tgctcctgag gatgtaaatac aaagttatgg 76620
 gacatcccca gtaggatatc aataactgtt acagagattt agggattaag ccagcgtggg 76680
 gctggtgcag aaattaacaa aatgacaaat ggaaaaaaat agagtgccta tgaacaaaca 76740
 tatacccaaa atggaaactg ttatttaciaa aatgggtcatt gcagatcaca ggaaaaataa 76800
 ctttttaata aattgcaccg gaataatgat tatttataag tattacatcg atatttgatc 76860
 ccagccaaag atctattttca agtggaaatga tttgaagggt aaggagcaaa ctataaagct 76920
 attaaaagaa cataagagaa tatattttgtg gttttggggg gtagaagtat gtttttaaaa 76980
 aaacacaaac cttaaaagaa aaaatagaca aatttcaacta cattgaagtt aagaattttc 77040
 ttcataaaaa gacacaataa agaagcaaaa agcctcaagc tgagtgaaga cttttttaaa 77100
 cataatcaat aaaggctttg tatctagcat ctataaatat ttcctacaaa ccagatgttt 77160
 ttaaaagaca gccaaataga ttgggaaaaa gttataaaca agcattgcac agagaaaagg 77220
 acacacaaat ggtccaaaaa catgtaatgc ttagcctctt tggttaaccag ggaaatatat 77280
 attgaaccca caaacagaca attaccattt catgcatgac agactggcaa aaattttaaa 77340
 ggtgcacaac accaagtgtc agttaaattg tggatcaaag aaaactataa cacatggctg 77400
 gtgcgaaagt acattggcac agccatttgt ggaatgtttt ggactgagc aataaacgtg 77460
 aacatgtaca gtggatatac caaaaatta taatatctga gttcttgagg caaacaggca 77520
 aggtctggag ctgccacaga cttttctacc ccaacacccc tacaacaat gtcctccatg 77580
 tcctgcaggt aaaccctaca gacaagcaca agaacagata acaacttctg gtgaccactg 77640
 cttcactcgt caaaaggaat gaatacagct atgcacatta atatggatca atttcaaac 77700
 acaatggcag gagaaagaag caagtcacag aaaaacatat gtggtatgat tctgttcaca 77760
 taaagcccaa acagacagaa ctaagcctta tatcatttaa gaaattgtac ataggtgaca 77820
 aacttataaa gaaataataa aataaacata gagagtttta catttgctta caatttggtc 77880

aaagaaaaat gggggccacg ctgggcacgg tggctcacac ctgtaatccc agcacttttg 77940
 gaggctgagg cgggcggatc acgaggtcag gagatcgaga ccatcctggc taacacgggtg 78000
 aaaccccgac tccactaaaa ataaaaatta agaaaaaaaa ttagccaggc gtggtggcgg 78060
 gcgcctgtag tcccagctac tcgggaggct gaggcaggag aatggcgtga acccgggagg 78120
 cggagcttgc agtgagccta gatcgacca ctgcactcca gcctgggcga cagagactcc 78180
 ctctcaaata aatgaatatt aaaaaaaaaa aatggggggc aggcacgggtg gctcacgcct 78240
 gtaatctcag cactttggga ggccgaggcg ggtggatctc ctgaggtcag gagttcaaga 78300
 ccagcctggc caacatagtg aaaccccatc tctactaaaa atacaaaaaa ttagccgggc 78360
 gtggtggcag gcacctgtaa tcccagctac tcgggaggct gaggcaggag aatcgtttga 78420
 acccgggagg cggaggttgc agtgagtcga gattgcgcca tttcactaca gcctgggcaa 78480
 caagagcaaa actctgtctc aggaaaaaaaa aaaaaaagggt ggggggcaaa gggtagagga 78540
 aagtcgggga ggggtggctg atgaggaaca aggagaggga gagagtagaa tagataatta 78600
 tgcacactgg agtcaattat ttgagaatta ataccttaat gtcttcatta ctgagttcta 78660
 cataagctct aatcaccttt gccctaggct ctgggaattt caatgtatat gttgataatg 78720
 attcctcaaa gcacagtgtt ctaaaaggaa aatgctatct tggagaaata agcctgttac 78780
 caaaatccat tctgcaccaa gccatccaaa catcctgccc cttaaaagggt ggtcttaaaa 78840
 tgaataacg ctgaagagggt gaatcagatg aggaaatgaa cttacaagca gatagggaaa 78900
 gggcaattct aatgtctaata tcaccccata taaaccagtg tatattatccg cctcttccca 78960
 tcgctttgca tttccatgat gtctatcatc atgccaccag ggccgttaga tgcaagatgt 79020
 taaattggaa gaaagctgtt aaataaatgg ggcttttagag agcctaataa aatgtacttt 79080
 ccatacacia cacgtcctca gagggagaa ttgccagttt acaggatgat ttatgtgcac 79140
 cctgaagtta ggtctatgcc agaattttta gtactgggta aactcattta atcctatatt 79200
 tattaagcat aggctaataa tttctgacag ttttacatga tggccatagc acagtgcacg 79260
 ggaaatagaa gaaatgggtg ctacactaag tactataatt cagcaacgggt gctactttgg 79320
 gcaaaccatt gaccttagct ctttccaagt ataatcatgt aaaatgccta cctacagacc 79380
 catgggtctg tagaagcatc aaatggctta ttatatgaaa aaaatgaaca ggtagcataa 79440
 aagctcaggc caatttaaat gggcaatcac atatacttaa atctggagcc accaaacaaa 79500
 attccagggt gcggtccttt ttcctatgga aaaccaacca acatccaagg agcaaaaact 79560
 aagatttttg taatctaccc ttttccaaac caaggtcaga tttgtactta ggctgaccaa 79620
 aatgtttaat tctgatgagg ctgtatcctt atcttcaaaa atgggagagg ataatggagg 79680
 gaggtacaa tgatgcagat gccagtctat atttctagtg agtccaattc tacaactgtc 79740

ttaagaataa aaccaataac acaataacaat aaaatctaca atacaagagg gaaatccatg 79800
cacagaaaca ttactgaag cagggttgt aatgcaaaaa gcgggtggg tgggtaagta 79860
agccaaatgc aaagtaataa atgaactgtg aacacctatt atgtgccagc caccaccttg 79920
gacacttcac gtttattttc tcataggagc ttcacaccta tcctatgaga tatttatttc 79980
tatccccatt ttgcagagga ggaaacaggt tctgagatag taactatcaa gtaatttgtc 80040
taaggataca tgcatagtct aaatctgtct aattcactcc actatgaatt cttgtcatca 80100
ttccttagag tgtagacatt ggggagggt tataggtggg accacaggaa attaggtaat 80160
gtactgggta ccatctgtgt gctcatccac ctccattctt gcccttctc cacctgttct 80220
cagctgaaga gactgacaag tgtgggtac atcagtgtc tctccacatc tccctcactg 80280
ccaggtggcc acagattgga agcaggaaga cagaaaagtc agggtttttg gtttagagct 80340
ggctgtgtcc ctcaacccaa ggtctgagct tccatctcga ggaggctctt tctccagtgt 80400
cctgaaatca ttctggcagt acttactca ttcaggcaag ggggtaatac ggccccactg 80460
tcctaggtca gaaaactgca ttatcccctg tggttctct acatcccaa ctctcctcaa 80520
ttacagaatc atcatgtgcc actgtacttt aaaacccaag tgtgatcaa aggcaaatg 80580
aattgaggct cctcaatgac cagcagagt aacttcgctg ggggatgaat gtggccactg 80640
attatggggc tgagggtttc ttgagctggt gcaatttcat tcccaagatc cctactccag 80700
aagctcagtc aaaacactga gactgccaac ctagttcca gaaatagagg tgtctttcct 80760
gcagacctca gaataataca gatgctatgg tttgctggat ttaatccctt aatgttttac 80820
ccagggaatg gtaatagtct aatgaacatg gcaggtattt gggactaaga gcagaattat 80880
ggtgcaagag cttacacgta gcatgggagt ccaacagatg cagagtcagt tccctgactc 80940
accagctgac cttgggcaag ccattcctca gtttctccag ccataaaata gggataatca 81000
tagttccac cagagatact cttcatcagg acctttgatg tcagtttcca cagacaaagg 81060
gctggtataa ttatcccagg tgcagtaatg agaaaggcag aaagccagac tgttttttat 81120
aggacttctc aggtagagtt tccggcttct gtccatgagt catatggaca atggggccag 81180
cttgctcata cagtggatct gccagggaga agagtggagg gctgggggat gtttttccaa 81240
actttgtagg tttgaggggt gccatgggtg aataaagaca aacaggactt cagaacctga 81300
caggtgtgaa ttcttatctc ttctctgttg cttatttcat ctatgatctt ggaaaagttg 81360
cttaagcttt ctgagcctga gttctcta atctgtctcg ttgttgttgt tgtagttgtt 81420
gttttgaggt ggggtctcac tctgtcactc ccaggttg agtgcagggg tgaaatctcg 81480
gctcactgca accaccacat ccagactca agtgatcctc ctacgtcagt ctcccagta 81540

gttggaacca caggtgtgcg ctaccacgcc ccactaactt tgtattttga gtagaaatgg 81600
 ggttttgcca tattgcccag gctgatctca aactcctgag ctcaagtaat ccatctgcct 81660
 gaagttccca aagtgtggg attacaggct taagccacca cgcccagccc acagcttttg 81720
 aatggataga tgtgatcgtt taatcaaaat gtctaccaga atgcctggca cattgtagg 81780
 gcaaaaatgt ccattctttc tctttttaaa aataaacctt attttttagg gaaaatttat 81840
 cttcacagga aaattgagca gaaagtacaa agagctcctg tatatccct accccacac 81900
 attcacagcc tccctcatta ccaacatttc ccactagagt ggtgcatttt gtacaattgg 81960
 gtctatgttg acacgtcatt ttcatagttt ccatcagggt tcattcttgg cattgcacat 82020
 tatatgggtt tgaacaaatg tataatggca catatccacc attatagtat caaatagagt 82080
 cattttatta cctcaaaaac tctctgtgcc ctatctattt atccatccct ctacccta 82140
 tcctggaaac cactgatctt tttactgtct ctatattttg cctatcccag aatgtaatat 82200
 agttgaaatt atacatcatg tagccttttc agactggttt ctttcaccta gtaatatgca 82260
 ttttaagattc ttctgcgtgt ttgcatggca tgatagctca tcgcttttta gagtgaata 82320
 atagtccact gtctggatat accacagttg acttatctgt tcaccagttg aaaaacatct 82380
 tggttatttt caagatttgg cacttttaat aaagccgcta tacacataca tgtgcaagtt 82440
 tttgcgtaga cataaatttt caactcattg ggtaaataatc aaggagggca atggctagat 82500
 tgtatggtaa gaatcagttt agttttgtaa gaaactgcc aattgtcttt taaagtggct 82560
 gtaccgtttt gcatcccccac cagcaatgca tgagagtttg tattgtccca catctccatc 82620
 agcatttgct gttgttggtg ctttggtatt tgccattcta agagaagggtg agtaccttct 82680
 ctttttagga atcccaagga tttgaagata aacctggaaa atctcagcta tgacttggtg 82740
 ttaagcagtc acgtagagag cagcagtaat ccggaatagt aataagacct taaccactac 82800
 attttgcaca gtatttcttt ccattgttat atatatgtgt gtgtatatat atgtgtgtat 82860
 acatatatat gtgtatatgt atttgtgcat atatatgtat atatgtgtat atatgtatat 82920
 atatttctgc atatatattg tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tgtatatata 82980
 tatatatatt tttttttttt tgagatggag tctcactctg tggcccaggc tagagtgcaa 83040
 tgggtgcgatc tcagctcact gcaacctctg cctccctggt tcaagcgatt cttctgcctc 83100
 agcctcccga gtagctggga ccacaggtgc gtgccaccaa gcccggttaa tttttgtatt 83160
 ttttagtagag atgggggttc accatatttg ccaggatggt cttgaactcc tgacctcatg 83220
 atccaccgc ctcagcctcc caaagtgtgt ggattacagg cgtgagccac catgccgggc 83280
 ccattgttta atatatcatc agctggtatt tatcacactt tctactcagt ttgtttcaat 83340
 ggcaatataa accaacacag aatctctgcc caataaaata gacacatttt ggccatatct 83400

agagccaaga aagtgaacat gagcttagaa taacacagac acctactttc catttgtttc 83460
atcagtaaat attaatccag taccttctgg attctcaaaa ggttttgaca aaaagggcaa 83520
atatttgtgc agagatgaga ctagtgaccc ttagaacaag aggaagattg ggatcaggag 83580
aggctggaag cttttacatt tggagaaaac cacacaagcc aagctcctga gaaaagcttg 83640
ttttgtggga caggaagata aagaagagga tagcaaagac tccagcttat ctagttatga 83700
tccagaattg gatcaaaaact ggcaaaaact aattggtgat attaggggcc atattgctga 83760
gcaaagatag ttgaagagat gaaacatctg tactatgatc aacataattt gcataaggac 83820
acctgccgac atcttaagga acagccttta atctcattcg ttatagtgtg ttgcttttat 83880
tagcctgtga cagatgcatt ttaaagcttg tttctataaa gtggaaaacg gagttatgtc 83940
tatgcagttt aaccaaata taggtcaatt tgggtgtgca aatagccagt tatttggcac 84000
tcatttttgt tttctttctt cttatgtttt gottgtttca ttttgcatth tccaaaatga 84060
tgatattgga gataacaaac tgtaggtcc ttgttattct gtgcatatat gattttgtcc 84120
taagacaaga tgaaataatc atatctcatt ttactatcca gttatttggg gtgtcatctt 84180
aactagcagt taggattagc atgttactca agctcacaaa gacatagctg ggatgacaac 84240
atgttctttg ttcagagtat ttgccacatt gaggactcct ggcaaaaata aataacttat 84300
aagaaaggta acttattttg actttaaaat aatcgatgac taaaactcat ttttcctcag 84360
accatgagag caatttacca agctttatta atgggcatct tcatatcctt agcaagctta 84420
attgctaatt aattaaaga tgattggata aacaatggat tgtactacaa aatgaagata 84480
gcaaaattta ctgtcatggt gtctaagag cattctttac ctattgccct accaatcttt 84540
cagctccata atttctgaag taaagatccc caagagccat ttcctgaaaa ttagagttaa 84600
atcagatcaa cgttaaagga cttctgggct aaactatgtt gagggccagc cacaggcaat 84660
cataatttaa ttaaagcaag agagagaaaa aaaatcatgc caagtgaac agcctggaag 84720
agtgacaaaa gcctttgtct taaaatcaga atacctatgc tctaaacatt tactactgtg 84780
gaaactagtg aaagataatc taatttttct gagcttcatt tttctcatct ataaaatgga 84840
tatgatcagt tcagctgcaa gtaaaagaag cccaaaagta acagaggact aagcaagaca 84900
ggagtttatt tttctaactt gcaaaagatc caaaggtaga cagtcaagaa ctacagcag 84960
ctctgctcca cggaaatttc agagcctagg ttccctctat gttgtttttc ctccatgcta 85020
tagtctaaaa agactttctc aatcctagcc ctcatgccca agttcaaacc agcaggaaca 85080
aatgtataaa gaaacagggg caaagcatct acaccagatc tctgttaagg aaagtatctg 85140
gaagtttcca cacaacactt catcttacat cccactggag aagctagtca tatggccaca 85200

tctagctgca agggaggtgg gaaaatgtag tgttattctg gactgccatg tgtccagcag 85260
aagggaatttt atcactaata agaagtgggtg agtggatgcc tggcacggtg gtcctatgcct 85320
gtaatccagc attttgggag gccgaggagg gtggatcacg aggtcaggag atagagacca 85380
tccgggctaa cacagtgaag ccccgctctc actaaaaaaaa ttacaaaaaa attagccagg 85440
cctggtggca ggtgcctgta gtcccagcta ctcgaggagg tgaggcagga gaatggcatg 85500
aaccggggag gcagagcttg caatgagcag agattgcgcc actgcactcc agcctcggtg 85560
acagagcgag actctgtctc aaagaaaaag aaaaaaaaaa gaagtgggaa gtggaaatca 85620
gaaaacgcct agctgtctct aatccaagat atagctcaa gctttgtag gagagtacac 85680
ggagagcatg gatatgaaat agctagcaga gtgtctggct gattaaaaaa aaaaagccag 85740
aaatgtttta taacttctgt ctgaatcaga tagacaaaa aatagaataa ggttttctctg 85800
agaaccttga cccattagag aagaacggga gtaggctctc ttagtacctg catctacagc 85860
aggattaaat tccccagggc agagatgaga cagggaatgg cttttctctg aaccaagctt 85920
ctgttctagt gtaaggagcc aagacaagca tctcattcct ccattgtctt gattatacac 85980
ttttctctct ccaaatcttc ttcttgccca tttttcacct tgccaagact cagttcaaat 86040
attacttcat aaaagaatcc ttctgaccc cccaggctgg gttagatgcc cttttgctga 86100
attatcgtaa gagttggtgc atactgcttc cacagaaatt cttgctgtgt tgaaattagt 86160
ctgtttgcac gtctctacca ctgaagtgtg aactccttga ggaaaaatat aaagccttag 86220
atatcatcat cttcccaaaa tttttcaaaa tattagatct caatccctta tttctatgca 86280
gggaactaga atgtttgatg aacattacaa gacatagttg gcaaaatgat aatataacat 86340
tttgtgcatg acttggaat agaatagata tatggttctc tttgttgatt cactcaatat 86400
ctatgggcag catatggcac atattaattg ggtccttggc caatgcttgt tcaacacaat 86460
aatacaactt gttcaacaca ataatacaac ttgttcaaca caataattga aggttaatat 86520
ttattgagaa gccaataatc cagagtgtgt agtgacaagt ttagaaaaga taaagcactc 86580
cgtatttatg tgctcttggc gaaagagaga aggatgaggc taggtgcagt ggctcatgcc 86640
taatgtaatc ctaacatttt gggaggccaa ggcagaaaga ttgcttgagt ccagaaactt 86700
gagaccagcc tgggcaacac agcgagactc tgtctccacg aatatatatt atatacatta 86760
gccaggcatg gtggtaggca cctgtggtcc caactactca ggaggctaaa gtgggaggat 86820
tgcttgagcc tgggagtttg agcctgcagt gagctatgat cacaccactg cactccagac 86880
gggatgacag agtgagacaa aacaaacaaa caaaacaaac aaataaaca caacaacaac 86940
aaaaaacaga aagaaggatg aaaaaacaaa atcaaaagat atgtgttctt tttaacctcc 87000
cgaaacatga actgagaata attcccatga tacaacatta ttagaaaaac aacaacaatt 87060

agaaactgaa agactgagag ctctgttcca cactgacaa gcgtgtcatt ttaagtattt 87120
 gttttatttc tcctggtcaa tgtgttggg taatggtgtg ggtttttagct cttaaactcg 87180
 attcttagcc ttggcagcat tgacagtttg gaccagataa ttgtttgttg tgcaggctgt 87240
 ctgtgtcact gtaggatatt tagcagcatt cccggtctct gccactaaa tgccagtagc 87300
 acccactcgt aaacatagac tgtgacaacc aaaacagtct ccagacattt ccaaagtcc 87360
 cctaggtggg taacagtgtc ctgccccctc ccaaacacac agagttgaaa accacagtgt 87420
 agacttaaat aaaattacta aagaccggtc tatggaaaat aatatacttc caaaattaac 87480
 atatactttc tttctcagtc tcagttcttt tccctaaaaa taaaataaaa taaaataaat 87540
 aggctgttgc actctagaaa ctactctaaa acaactacag atcaattatg caaaaaaag 87600
 tctgaaagtt acagtacatg aggggggaag gaacccttag gtttaacata gaattatctc 87660
 agttaagggtg actgcataat gaatctgaca taaacatcaa tttgactgca tgttgctttc 87720
 attaaagcaa agaaaccaga aaggtggaag aatccttata ccttatgctg catgcatcac 87780
 aacacaccaa gtatactaga cctagttctg ggaacctcat ttcaagagca atggtgcaaa 87840
 ggagagcagc cagaatgagg agaggccaac agaccaggtc cactctattc cacagtgtt 87900
 caagaaacgt tactgaacat gttgactcct atgttccagg agctgtagag acggagtgtg 87960
 atgccacatt gacgcttccc tctagaaact tacattctag tagagggagc cagtgtgcaa 88020
 tagaatatca tggcaataaa cacagggtc tactgaatag tgggactgtt gcatagctaa 88080
 gagttatgca agcaccaagt ataaagaagc agcttctgag ttgtagtgtc tgttttgtgc 88140
 cttttcagag gtatgtttta gaaaaataa ctctaattgc agaataaata atggaaataa 88200
 gacagtgaaa ctaaaagtaa aagaaagcca ctgggaaccc ttgcagtaat tcccgtaaa 88260
 aatgataacc tcacaaacta aagtagtgtt gatgaaaatc gagaagaaa gatgttctga 88320
 gagctagttt agaaggtaga atcatgagaa ctcggtgact ggataagtat gatggggaat 88380
 gtagaggaaa agacatccaa gatgactcta gcttcaaata agagaaagga ttgaggaaca 88440
 agggaagtgtt ggcattaaac aaacaaacaa aaaaaagact acagggaggc aaggctgttg 88500
 ttcccatgta tcaaggacat tctctgtga aaaaaagtag taggtgtgtt ctatatggtc 88560
 ccaaagcttt aaactggagc aaagagtaga agttcagaag gattttgcct gaatggcaga 88620
 aataattttc tgagactcat tggtatccaa aaattaacat tccgcaggag gtagaagctc 88680
 atcaagacag cgcctaggga gataatggac agctaccatg aaggacatct agagattttc 88740
 actgctctcc tctcagcttg cttcttctag taatgtcctg attgttacc catcctgatt 88800
 gttcttcagg gaaccaaacg ctcttctgt caattacttg attcagatgg aatcaaggct 88860

cttctctcct gcaccaaggg tggctcctgtg gcttcagcct gcacaggaaa aagtctcaga 88920
 gaatggcccc aagatgagca tgtgatctaa attatggaaa gaggctcctc atcagaatctt 88980
 ttgcagaaac aattaaggaa ggcttgctct ctctctgtgt ggtgtagcta agagggtaga 89040
 aagtaagagt gagagagaga gaaagactca aggacatgat caagagagcc tttagatata 89100
 gctgtccctc agagtagtta cactccaaga ttctattatc acctgtgatc ttttgatcta 89160
 ttattttttt ttagccagtc agtttgagat aggtctattg ttatctgctc cccaaccccc 89220
 aaagaattcc tcttggtgct acttgtagag gaagaaaatt caggcataga atgagaagcg 89280
 actcccagac aataggtcac tatcagcaaa gcttttagac aaatgtattt tgaaaacaac 89340
 tgaaaatctt tagattcaga agaaatcaaa aaagatatct cacttactgt aagtggttaa 89400
 aataaacata caaggtaata ataaagatgt ctttcattat aatgttactt agagaattta 89460
 ccaatagcct tcaatgtatc aaaagctggc acattactgg ttctgctctt gttttttttt 89520
 aaattatagt actttctttc agaaatatac taacaaagaa aaaaagacaa ttgaaatttc 89580
 caaatctgga acaactggat tggagaaaaa tatacaaaat aaaccccacg aggttttaat 89640
 tctaagtact ttagacctta caagcaccat aaacattctg ttgtggctct tctcactta 89700
 gaatgcatgt taatgccgtt agcacttacc tctaagaccg gtagcatact aagtagaact 89760
 gaaatgtttt ttattacact actggatcat tcttttaata ggggatacaa tctcattaca 89820
 agctctagta gtcattcaga ttaaaatctt aattgtcagg attggtaaaa gcgtaataat 89880
 atatacttat cttttttttg gaaatggcat aattaaagaa gagcaagaat gtttttctgt 89940
 aagcaaggct tctcatctc agactacgca gattttcccc ctttcaagtg gtgtattcat 90000
 gcagtaccca ttcttgagaa actatacgat attttaaaga ttctcttaca ttttagggaa 90060
 tacatgaagt ggttcaccct cctgccttcc aaaatatctc ttttcttact tctcttcaaa 90120
 tgtgtccatg taatcaatgt gaggagaatc aactttggaa acagaatatc tgtgctcatg 90180
 tgcaaaggaa tcttcacttc ctactactgt tgactttgag taaatcagtt aaggtatctg 90240
 agactcagtc tttctcatcc atgacatgga actgcaaata ctacatatgt ggatcgattt 90300
 tttttaaaaa atgtaaatat tctaaaactg taagttcttt tattattttt agaatgaatg 90360
 ttcactgagt gcttgctgtg ggtgatgcac tgaggcaatg catgttacct gttgtttgct 90420
 attctaatat agaacctcag aattggagtg gatcttaagg actcccaagg accaggcaca 90480
 tccccttgag ctaaataacc atcctttcct agtttcctct ttaaagcagg tttcaagctg 90540
 ccatgggtgg atggatttga acatgtagcc tggagaatta tggccaagag tgaagctcaa 90600
 ccttagaacc ttggacagaa tggattatgc aggtacagat gagggtcaga agtggaaact 90660
 acccaggaat caatcatgga agttaaatga agatggatga atgaacatgt attcaatata 90720

gactacaaag atgaggacca ggagctggaa atgagtcagt aacaggaatt aaatgaaaag 90780
 acaaaggaag aatccaaaag ttttatcaga ataattaagc aaattgttaa gtctggtaaa 90840
 agtcacaggt gcaagttacg tgaaatagaa ctctgtagtc agaaataaga gtaatttgga 90900
 gagttgtaaa taatcacaca tacagttctg gtccatgtga taacgtgcct gctgagggtg 90960
 tttatctagc catactctcc attcgtcctt gcctcgcttc tttactcat caagtcctcc 91020
 tgtaagaagg aacatgtttg cttattcagt tagctaattt tttagagccc aacttttccc 91080
 atgacagatc tgaagatgct aacagaaaaa aaaaatacaa aataaaattg ttaaatataa 91140
 attctaaaac ctggactaga gaaaaatata aattagtata ggtggagatt acaaaagata 91200
 gataaaagaa ttaatagatt tgggagagaa agagactgca aacaacaatc ataaagtttt 91260
 taccattagc tgcagttgag atgagatttg tgttctgagc tccctgtggg ccagaaatta 91320
 atagaaaatc cagacagaag gtatatcttt tattatccat agggcaaaag gagataggtg 91380
 ttttccttga acatacctct aaataaaaat tttcatgaga aacttccaat aaaaggtttt 91440
 atgtgatgga agaacaatgt tctacagcat ctccagaaca aaggagaagc agatatttcc 91500
 ttcaaggaaa agattgtttc cattgaggac tcaactattg aaatacagat gtcaatgtga 91560
 agaaaagagt ggggcaacag cctctaattc cacaggactc ttttcacca gtgtgtggag 91620
 cccctcccca ccccttctta aagctctcca tggttctgac ccctgtctct catcaaccct 91680
 aactttatga tccaggttca gcctacacat ccatgccttc atctctcttg ccacatccca 91740
 caaagatcaa cccactttt ttatcaactt gaatgtgaaa ttatctaagg actagcattc 91800
 ttttaggctc caattaaaac ttttgagaat actggaaatg ctcaaagtgt gtcaactctc 91860
 actcatataa ccaacttaatt ctgttctcaa gtcttagtcc acacttgtgc tctgagacat 91920
 ttaacactct atacttagta cctaacaaat aaaatgacaa ttactaatta ataactctta 91980
 taaagtactt atgatgtttc a 92001

<210> 2
 <211> 23
 <212> DNA
 <213> Homo sapiens

<400> 2
 ccaatagcct tcaatgtatc aaa

23

<210> 3
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 3

tgaggaagag ccacaacaga 20

<210> 4
 <211> 237
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (52)..(52)
 <223> n is a, c, g, or t

<400> 4
 ccaatagcct tcaatgtatc aaaagctggc acattactgg ttctgctctt gntttttttt 60
 taaattatag tactttcttt cagaaatata ctaacaaaga aaaaaagaca attgaaattt 120
 ccaaactctgg aacaactgga ttggagaaaa atatacaaaa taaacccac gaggttttaa 180
 ttctaagtac tttagacctt acaagcacca taaacattct gttgtggetc ttctca 237

<210> 5
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 5
 cctcccaaac acacagagtt g 21

<210> 6
 <211> 23
 <212> DNA
 <213> Homo sapiens

<400> 6
 tggtaaacct aagggttcct tcc 23

<210> 7
 <211> 263
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (206)..(206)
 <223> n is a, c, g, or t

<400> 7
 cctcccaaac acacagagtt gaaaaccaca gtgtagactt aaataaaatt actaaagacc 60
 ggtctatgga aaataatata cttccaaaat taacatatac tttctttctc agtctcagtt 120
 cttttcccta aaaataaaat aaaataaaat aaataggctg ttgcactcta gaaactactc 180
 taaaacaact acagatcaat tatgcnaaaa aaaagtctga aagttacagt acatgagggg 240

ggaaggaacc cttaggttta aca 263

<210> 8
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 8
 ttgaaattgc aatcccatca 20

<210> 9
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 9
 cctccctact tattcccatg c 21

<210> 10
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 10
 ttgaaattgc aatcccatca tccccagaa ctctgatat cccctacact cccttatact 60
 tttttgtcta tagcaaccac ccctcaccac ttataacat ttatgctttg tagtctgtct 120
 gtgtccactc actagaattc aaatatcaca aaagcaggag tccacttttt ttttcattga 180
 aaaactccaa atcctagaag gaagctggca tttaatatgt gctcaataga cattagagga 240
 agaaaagaag gaaggaagga aagaagggag ggagggaggag agggagggag gaaggaagga 300
 aggaatgaag gaaggaagga aggaagaaag gaaggaaaga aagaaagtca agagacctgg 360
 gctcaaatcc agcatgggaa taagtaggga gg 392

<210> 11
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 11
 tgatgcacca cagaaacctg 20

<210> 12
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 12
 caaggatgca gtcacaaca 20

<210> 13
 <211> 169
 <212> DNA
 <213> Homo sapiens

<400> 13
 tgatgcacca cagaaacctg tcagttggta ctgatctacc ctctcctcc tccttctcct 60
 acacacacac acacacacac acacacacac acacacacac acacacttca tcctactctc 120
 cagcattcag ggaagaaaac agaggcaa at gttgtgagct gcatccttg 169

<210> 14
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 14
 gtttttaaac atatTTTTTT cgctgacctc caccctgtaa gagcttttat taccaagcga 60
 ttgagaagca caggctcagg gacactgaat ttgaccaaag aagccaatag aactattcca 120
 aaaacctatg gttcccccta aagcattaga aagactcaga acgggttaag tgctccctgg 180
 ctcatcccca acagacacta cattcacctg tgcttgctct gaaataaatc agtgcctctt 240
 tctgtgtgtg ctgttgtctg gaaataatgc aaatgcaatg ggcctttact gacattgtgc 300
 ttccctggaa ggatacacat aataaattat ccttaatac tggttaaagag acattttcct 360
 cttactcagg agcttttggg gttggactgg gctactcacc cagcaaggag gaggacatgt 420
 gtcttgtcac tggcccggtt attcatgtgg cctctcattg ctccctggct cactgcattg 480
 caagattcaa ggatgcactt cgcaggcctc cacatcaagt cataggactt gccggttaacc 540
 tagattgggtt ttctcatttg taatttgaat ttattttatg ttatgcattt gtatgtttat 600
 ttattcggat gtcagaagc tgaagataac tagtgctcct ggtccatgcc attcatcaat 660
 tggaagaatg ccaagctgtt tccgctgagg acagaaggca ttggtctccc ctgcaggaag 720
 ccaactgtgc tccttaattg tttgctagag gaagaatcaa gggtaaaatt taaagtaa at 780
 ggctggccga gttgcactaa ttcatcaaag catgtttcaa gtcagtagtc agagcatgca 840
 tcagcccccg gcgccaccag cttctacgag agtggaaaag ccagcagacc tccgagcaga 900
 tgaaatcatt aggaggcatt cagcagggct tgaaaagcaa agagagagga ggcggggatt 960
 tctctgcatg ctccctttgc cacatgggaa acaccagctg tc 1002

<210> 15
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 15
 cccaaattat cctcacctct ttataagtct ccataaccc tttcttacc tattttaagc 60

```

ttcttttaaa tatagtaagg aagagtttct ctggccttct ttttttctc aaattttatt 120
ttagattcag gaggtacatg tgaaggtttg taacttgggt atattgcatg atgctgagat 180
ttggggtgca gctaattcca ccatccaggt actgagcata gtactcaata gtttttcaac 240
tctttccct ctagctccct ccatcccca tctagtagtc cccagtttct attgctgcca 300
tctttatgtc cataagtatc tgggtctcctt ttaaatttgc tttcttcttt gctcattatc 360
tagaatttcc ataatagagg agaacctgaa accacacca ataagaaaga attttatcta 420
aagttttact acctttgcat tccagtcttt ctctacccat tctcctaate ttgtctcgtg 480
aatcatggc tgctgagaat agagatttct tttggaggac aatgaaaagg atgggaggac 540
agaagctaca cagaaggag aaaggaaaac agagcaactg aagacaaaaa ttactttaga 600
aggtgtaagc acatacaaac agggctgagg ttatatgttt cactttgaat gaatctcatt 660
taccgagata ccaggagcat tttacttaag tctttgagaa cacgagtttt actggctata 720
tcatactctg ttgtagaaat aactgtaaa gtactttcac tctcctcttt tattggacat 780
ttagatctaa atgaattttg tgctaatatg aatattgtat gatgaatate tttgactata 840
ttttgtgcat tttgttatag gcatgtatct tgaaaacggc agagggaaga ttttgctttg 900
ttaccatttt tgataggcct tgcccttggc cagacatgtt actgatgttt tggattgaa 960
ctgatgtatg tcttcattta tttgttttta tttattttta tt 1002

```

```

<210> 16
<211> 2002
<212> DNA
<213> Homo sapiens

```

```

<400> 16
cagaactagg aaaattgcc aaagttagtg gtctgtacag agttagtg acagtaagaa 60
tctcattgcc caagcaatag ggtctaaaat cacgatctta ttcaaagtaa cagcgaccac 120
ttacctcatg cctcatatgt gccagatact tttcttacat ttttttaat ctccatagca 180
attatctaag gtagataata tctagagatg aggaaactgg ggctctagga gtatgcaaga 240
tttgtccaag gtctcacagc aatattcttag tagagtctgt ctagaatcaa agccaatttg 300
tctttttgcc ctatcatggt tcatctctac ttcactctaa ctccatccta aaaaccacct 360
tccccatcca ctatataaat gaatgatagc accacccttt cagtaaaagg atctagacat 420
tcaccatctc tctaccatcc tagcagcaac tgcaatgctt ggaaaatagt cgaggattag 480
taagagcttg tcaaatgaga cacagtttgt tgttctggcc ctgacatgaa acaggtaatc 540
aagtaaacgt atattttata tatagtcact tcactttcct agtcactaat ttccttatct 600
ataagacaag ggtattgggc caaagtcta gtcttaaagg ttcctttcaa gtcatttatt 660

```

gaaagtttgt ctgatacttt attttttact aaactttata tattccttaa atacacactc 720
 aaagaaacat atacaggtaa atacagacaa gctctatcta atggtgttaa ctgtcactta 780
 gtatataaag acatcttctc tcagagaaat tggtcacatg ttctttcttt agacaactgc 840
 tcatcatgtc ctttgactaa tcataagcca acagtaagaa gttaagagtg ccaagaaaag 900
 gtaactgtgt taagttgcat ttgtattttt ccaagtattt actctcccat tctttcatat 960
 ctataagagg attatccatc cccacccact ggcagtgtcg ctacagtgcc tccatgaggg 1020
 gcgtttatct gtttttcttc acaatgaatt tatcacattc cttgctttgg ccaatagaat 1080
 gtgagtgggc atacgatgtg tgcagtgtcg aacagaagtc atgaaacaat tgccctgggtc 1140
 tgatttatct cctgcttttt ttttctttgg cgtaaattg gtatgtgcga gatagagggt 1200
 gatctttcaa ctttgacctg gtattgagaa ggcacctgag gcaaaaccag agctgatcta 1260
 gagttgacat acacagtgga catataaaat gaataaaaga taaaactttt agattgtaag 1320
 ccaactgtaat ttggaagatg tttgttactg cagcataacc tatcaaaggc tgacttataa 1380
 aaaatatttc agataccgtt agttctcact gttcacagta gttatgtttt atgaagtttc 1440
 catggatact gaatgagcga acagtgaact aatgttccta ggtaaaatag aagattaggt 1500
 tcccgtagc tctgggcaaa acattttcat catccaagca atacataatc ttgctttatg 1560
 tgtgtttcta tgtaaagaca ccttattcaa tatattttgt tgattcatta aaattaaact 1620
 catggccagc agcattatag ctcatgccta aatgaggctt atctaacatg tatatatattt 1680
 ctataagaca tttcacagtc ttcttgactc aagaacacta cacagcactt cagcactatg 1740
 ctgaaatggg gccattttta acagaaaaat caccaccaac aaaaattagc tgggagtgg 1800
 ggtgcacacc tgtagttcaa gctacttggg agactgaggc agaagaatcg tttgaacct 1860
 ggaggcagag gtgcagtg gacaagattg caccactgta cttcagcctg ggcaacagag 1920
 tgagtctcca tctcaagaaa gaaaacaaaa caaaaacaaa acaaaagaaa caaacaaaa 1980
 aacacttcat caaaaagcat aa 2002

<210> 17
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 17
 taaagctctt aaccccacaa tgccctgtcc acagactctg aaagatgtg atgcattgtt 60
 gtgtcccatg tctgtttccc cagcagggtg tgagttctca gttgaattca gtttcttggt 120
 gcagagtctt tatcaaacca cagaagaatc aaagttgaac aacatggagt atctacaccg 180
 gagcagccca cagttcaggg atggacacag aacaagagag attcattaca gacataaagc 240

acagagatgt tggggttttc tctgttggga agaataagag gtccagaaaa gttcccaaaa 300
 gtgatggcac ctcaagggtc aggacctcac cttattaatc tccatgacct agcatctact 360
 acagcatctg tcacaactgg gctctgagaa tgttggctaa ataaatgaat gaatgatatc 420
 aatacacagg gtttttcccc attttctgaa tattctggac taggggatat ctcagaacag 480
 tacttagcac ctagtgtgtg cgtcaataaa ttcttgtaa accactaaaa attgctggac 540
 agctgaactg aaaattactc acagcccat tcaactgcat cagccatgaa aatcaactca 600
 gaatttgcaa atctatgctg gcatttagca cttagatgt aaatacagag tgtcagccat 660
 gtggctaaga tcagctttaa ttcagtgttc atctctgaaa ttcattaatg attaaatact 720
 tttttccttt gctctctatg ggagttgaaa caagtatcat gtatccaaag accagggttc 780
 agtttggccc aacattaatt cacttaatgt ttcaacaaaa atttattgac catctactaa 840
 gtgctgagtg ctagaatcca ttgactacct actaatgaag tgctagattt taacacaggg 900
 acatctgtgg taaaacagta aattctctaa cctcatctag aggggttgaa ggttctgctt 960
 ttgctacct tctatagtca gagactactg gtatttcaat cc 1002

<210> 18
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 18
 gacaaaaatt accgtcagga cagagcagcc tgagggcagc gctatcaaga ggggagagcc 60
 ccaagttgtc tgattggtga tgatggcagg ttggtgatgc ttcttaccac attgctatcc 120
 taagcagcaa gtgggtccac ctcagatttg cctctaccat tcctgccagg aaaccagatg 180
 gcaggaagag cccatgaatc acctctctgg gataagcaga acagtacttg tgtattcttg 240
 cctttgtggt tgcttattct ttcacaattc caataagcag gccagtgtca attgcctgct 300
 ggagaatgca cttgattctt ccgtgtacag tatcagaata tgatttttag ttttaatggt 360
 aagaaatacg aatagtattc actcttttcc tcattccac agctgtgact ggacttttgg 420
 cctctgatga tcaacataaa tcccacctcc atcccactga tgctttttaa ctttaagagg 480
 ctcttcagta ccaccggagt ctttcagggg atagagtgga tccctagaaa ccgatcaagg 540
 gccaatctgc agtgagttac ccaggagttt agagattccc ttcgtttagg tctgttgagt 600
 ttaatcaata ttattatct gagcacatcc ttgtgaaca tccctctgct agagtcagga 660
 aattagagat gaaacactca tggcctgtgc cttagaggaa ctctccattg agcagtggag 720
 acaggagaaa atggagaagg agaatgtgct ctgctggacc cagaggagag acttggggag 780
 ccctcagcag aggcccttaa ctccttttta gaaacaggga aaacttcctg gaaaaggaga 840

cgttttcatc taatcattca tcatgtcata tattcattca ataaacattt attgagccct 900
 tgctatatgc caagctcagc actacgttca agggactcag gagccaatga gtcagacagt 960
 gtctgcctt catggagctt ctatataatc ttgaggaaat cc 1002

<210> 19
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 19
 aaattaacat atactttctt tctcagtctc agttcttttc cctaaaaata aaataaaata 60
 aaataaatag gctggtgcac tctagaaact actctaaaac aactacagat caattatgca 120
 aaaaaaagtc tgaaagttac agtacatgag gggggaagga acccttaggt ttaacataga 180
 attatctcag ttaaggtgac tgcataatga atctgacata aacatcaatt tgactgcatg 240
 ttgctttcat taaagcaaag aaaccagaaa ggtggaagaa tccttatacc ttatgtgca 300
 tgcatacaaa cacaccaagt atactagacc tagttctggg aacctcattt caagagcaat 360
 ggtgcaaagg agagcagcca gaatgaggag aggccaacag accaggtcca ctctattcca 420
 cagtgattca agaaacgtta ctgaacatgt tgactcctat gttccaggag ctgtagagac 480
 ggagttggat gccacattga ctgcttcctt ctagaaactt acattctagt agagggagcc 540
 agtgtgcaat agaatatcat ggcaataaac acagggctat actgaatagt gggactgttg 600
 catagctaag agttatgcaa gcaccaagta taaagaagca gcttctgagt tgatagtgtt 660
 gttttgtgcc ttttcagagg tatgttttag aaaaaataac tctaattggca gaataaataa 720
 tggaaataag acagtgaaac taaaagtaaa agaaagccac tgggaaccct tgcagtaatt 780
 cccgtgaaaa atgataacct cacaactaa agtagtggtg atgaaaatcg agaagaaaag 840
 atgttctgag agctagttta gaaggtagaa tcatgagaac tcggtgactg gataagtatg 900
 atggggaatg tagaggaaaa gacatccaag atgactctag cttcaaataa gagaaaggat 960
 tgaggaacaa gggaggtttg gcattaaaca aacaaacaaa aa 1002

<210> 20
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 20
 tagagaaaga gacaaagcag gaaagagaaa agagaaaggc atatatatat ttttttcttc 60
 attctggggg cccaccctga aactactgaa tcacagtctc tagaggttct caggcaacta 120
 gccagctgt ttttgccaac tggaatttat gagccaccgc aagagaccac atgcagcttc 180

```

atgtaaaaca aattatTTTT aagcacgcag actgagcagt gatatgagga gtgcacagga 240
gtgcoctacgc ctactcctgg tctccatgag tctcctttgc aaagtcaagt attacaagat 300
tctagaacac atattgcctg ccactgataa tttagttggt cagcaaacad tcatTTgttg 360
agttgcacgc cagacactat actagatgat gggacaacta aagggtaatg aacagttctg 420
tctctatgta aaaataataa tgatgatgat gatgagatgg gacttcaatt gaggaagtgc 480
cattggggag gtatgtaaaa acgtgctatg gaaaaaaagc aacaggaacc ccttgataga 540
aaaaaaaaatg ctggtggggg tagggatttc tgctgtggtt cttcagaatg gggatatggg 600
aaatctggga ggaaaagaaa tttaagtaag agcagagact ttgcaaaatt tgttgtgttg 660
acttttcctc atgctgcttc ccctggcatg ggaagtcatt agctggataa gagagacttc 720
acaagaactg caatgaatca agatgtgctg gttttgtttt gacacatgga attcttaggg 780
atTTgatgtt ttttttccca gtcttctcca tcaaagttgt tttcaaccag tcctgattgg 840
accgattgac tcctcctcag atatcatagt tttcccaacta caaaagcatg gaactgatgc 900
caataaacc actccttatt cccagagggc taggggtgagt ccttgacagag gggaattgct 960
agggatggca cctggcagaa atagaccatc tgtctttcct cc 1002

```

```

<210> 21
<211> 1002
<212> DNA
<213> Homo sapiens

```

```

<400> 21
tggttttctt tcttcttatg ttttgcttgt ttcattttgc attttccaaa atgatgatat 60
tgagagataac aaactgttag gtccctgtta ttctgtgcat atatgatttt gtcctaagac 120
aagatgaaat aatcatatct cattttacta tccagttatt tgggggtgtca tcttaactag 180
cagttaggat tagcatgtta ctcaagctca caaagacata gctgggatga caacatgttc 240
ttgtttcaga gtatttgcca cattgaggac tcttggtgaaa aataaataac ttataagaaa 300
ggtaacttat tttgacttta aaataatcga tgactaaaac tcatttttcc tcagaccatg 360
agagcaattt accaagcttt attaatgggc atcttcatat ccttagcaag cttaattgct 420
aattaattaa aagatgattg gataaacaat ggattgtact acaaaatgaa gatagcaaaa 480
tttactgtca tgggtgtctaa ctgagcattc tttacctatt gccctacca tctttcagct 540
ccataatttc tgaagtaaag atccccaaga gccatttcct gaaaattaga gttaaatcag 600
atcaacgtta aaggacttct ggggtcaaact atgttgaggg ccagccacag gcaatcataa 660
tttaattaaa gcaagagaga gaaaaaaat catgccaaagt gaaacagcct ggaagagtga 720
caaaagcctt tgtcttaaaa tcagaatacc tatgctctaa acatttacta ctgtggaaac 780

```

tagtgaaaga taatctaatt tttctgagct tcatttttct catctataaa atggatatga 840
 tcagttcagc tgcaagtaaa agaagcccaa aagtaacaga ggactaagca agacaggagt 900
 ttatttttct aacttgcaaa agatccaaag gtagacagtc aagaactcac agcagctctg 960
 ctccacggaa atttcagagc ctaggttcct tctatgttgt tt 1002

<210> 22
 <211> 1002
 <212> DNA
 <213> Homo sapiens

<400> 22
 taaaggacag gcattggggt tgctttgttg aacaaatcta gcagatatatt gaatgagaag 60
 agtaatatag tcagtagaaa aaaagtgcaa gaaataagta gagaaagaag ggatattttc 120
 tgctgaagca tgtattctct ggcacaagcc cacaataaat tgaaattgac accaacagtt 180
 ggctcaaaaa taatcaacta caaatatgct caacacataa gcattctctt ggacagaacc 240
 acaaagcatg gtctgcattg ttcctaacaa ctcttttagaa gtcaccagat gcagtttaag 300
 ctacaataac atagtgaggt acaagttaat tacatagtta ccagaaagtc acagactttt 360
 ttttcagtaa taatgtagta aataaataca tgctcactcc atgggaaatg gtggcaatta 420
 ttaagagcac acattcacac catcatattg cttactgata actgtgcagt taaccaatgg 480
 cagtgtgcta aatggatat cttgtgtttc cctgagtttt gcatgctaca tgcgatgcat 540
 gtgaaaacca agcatagga atttcaagta tgaacttcag cgtgtgagtg ttgtttgtgg 600
 tccaatctcc gtcccaaac atcccagaa taaggcttct gctttttaac aatgtatatc 660
 tattttaacc aattgtctag cgtataatta atgctctata aactctttgt taaatgcatt 720
 cacagaaggt aacaaaagat ttttgtgaca cgagtaaacc aaaaggaaca aataaacttg 780
 aattacttta tgtttgtgtt ggtgtttcag aaaagagctt tggctttgaa ttcagaagtt 840
 cctaacttga ataccaggtc taccaattat taattaagga atatcaaag aattacttgc 900
 agtatttgaa tttcagattt ctcaattata acaaggatgt aaagaggttt attatgtggc 960
 tcaaataaga aatgcatgt aaaaacactt gtaaaccaaa ca 1002

<210> 23
 <211> 26
 <212> DNA
 <213> Homo sapiens

<400> 23
 caagtttagc tgtgatgtac aggttt 26

<210> 24
 <211> 20

<212> DNA
<213> Homo sapiens

<400> 24
ttccagaacc aaagccaaat 20

<210> 25
<211> 23
<212> DNA
<213> Homo sapiens

<400> 25
aactgcctct gacaactctt gtg 23

<210> 26
<211> 23
<212> DNA
<213> Homo sapiens

<400> 26
ttaagatgct tgaagtcccc agt 23

<210> 27
<211> 23
<212> DNA
<213> Homo sapiens

<400> 27
aactgcctct gacaactctt gtg 23

<210> 28
<211> 23
<212> DNA
<213> Homo sapiens

<400> 28
aagctgctgt acggattttt cac 23

<210> 29
<211> 23
<212> DNA
<213> Homo sapiens

<400> 29
ggagagccta tttgtggtca aga 23

<210> 30
<211> 23
<212> DNA
<213> Homo sapiens

<400> 30
aagtggattg cagaagtctc tgg 23

<210> 31
<211> 23
<212> DNA
<213> Homo sapiens

<400> 31
ctaattgaga aggctggcta tgg 23

<210> 32
<211> 22
<212> DNA
<213> Homo sapiens

<400> 32
gtaggatcag accatccaat gc 22

<210> 33
<211> 23
<212> DNA
<213> Homo sapiens

<400> 33
cagggatttt gtctgttttg ttg 23

<210> 34
<211> 23
<212> DNA
<213> Homo sapiens

<400> 34
tttattcgga tgctcagaag ctg 23

<210> 35
<211> 24
<212> DNA
<213> Homo sapiens

<400> 35
gcaggaagcc actgctgctc ctta 24

<210> 36
<211> 27
<212> DNA
<213> Homo sapiens

<400> 36
gcagtgccag cacctgtag catataa 27

<210> 37
<211> 23
<212> DNA
<213> Homo sapiens

<400> 37
tgcacaagcc tgatttaaaa gtg 23

<210> 38
<211> 23
<212> DNA
<213> Homo sapiens

<400> 38
ccagtttttg gttttggttg ttt 23

<210> 39
<211> 24
<212> DNA
<213> Homo sapiens

<400> 39
ccagacatgt tactgatgtt ttgg 24

<210> 40
<211> 23
<212> DNA
<213> Homo sapiens

<400> 40
ccagagtggg agcaatgttc tgt 23

<210> 41
<211> 23
<212> DNA
<213> Homo sapiens

<400> 41
ggaatgcttc cttgtatgtg gag 23

<210> 42
<211> 23
<212> DNA
<213> Homo sapiens

<400> 42
gagggaaact gactggaaag att 23

<210> 43
<211> 23
<212> DNA
<213> Homo sapiens

<400> 43
gcacaagcct gatttaaaag tgc 23

<210> 44
<211> 23
<212> DNA
<213> Homo sapiens

<400> 44
cagggatttt gtctgttttg ttg 23

<210> 45
<211> 23
<212> DNA
<213> Homo sapiens

<400> 45
gcacaagcct gatttaaaag tgc 23

<210> 46
<211> 25
<212> DNA
<213> Homo sapiens

<400> 46
cttctgtcct cagcggaaac agctt 25

<210> 47
<211> 23
<212> DNA
<213> Homo sapiens

<400> 47
tctgtttcct tgacctgggt tgt 23

<210> 48
<211> 23
<212> DNA
<213> Homo sapiens

<400> 48
cagggatttt gtctgttttg ttg 23

<210> 49
<211> 23
<212> DNA
<213> Homo sapiens

<400> 49
tctgtttcct tgacctgggt tgt 23

<210> 50
<211> 25
<212> DNA
<213> Homo sapiens

<400> 50
cttctgtcct cagcggaaac agctt 25

<210> 51
<211> 23
<212> DNA

<213> Homo sapiens

<400> 51
ggagggaaac tgactggaaa gat 23

<210> 52
<211> 23
<212> DNA
<213> Homo sapiens

<400> 52
cagggatttt gtctgttttg ttg 23

<210> 53
<211> 23
<212> DNA
<213> Homo sapiens

<400> 53
ggagggaaac tgactggaaa gat 23

<210> 54
<211> 25
<212> DNA
<213> Homo sapiens

<400> 54
cttctgtcct cagcggaac agctt 25

<210> 55
<211> 23
<212> DNA
<213> Homo sapiens

<400> 55
ccagagtggg agcaatgttc tgt 23

<210> 56
<211> 23
<212> DNA
<213> Homo sapiens

<400> 56
ccagtgtttg gttttggttg ttt 23

<210> 57
<211> 23
<212> DNA
<213> Homo sapiens

<400> 57
ccagagtggg agcaatgttc tgt 23

<210> 58

<211> 23
<212> DNA
<213> Homo sapiens

<400> 58
ggaatgcttc cttgtatgtg gag 23

<210> 59
<211> 23
<212> DNA
<213> Homo sapiens

<400> 59
gagggaaact gactggaaag att 23

<210> 60
<211> 23
<212> DNA
<213> Homo sapiens

<400> 60
ccagtttttg gttttggttg ttt 23

<210> 61
<211> 24
<212> DNA
<213> Homo sapiens

<400> 61
gcaggaagcc actgctgctc cttta 24

<210> 62
<211> 27
<212> DNA
<213> Homo sapiens

<400> 62
gcagtgccag cacctgttag cattaata 27

<210> 63
<211> 25
<212> DNA
<213> Homo sapiens

<400> 63
aagctgtttc cgctgaggac agaag 25

<210> 64
<211> 25
<212> DNA
<213> Homo sapiens

<400> 64
cttctgtcct cagcggaac agctt 25

<210> 65
<211> 23
<212> DNA
<213> Homo sapiens

<400> 65
tatacaccag aatgccccgc atc 23

<210> 66
<211> 25
<212> DNA
<213> Homo sapiens

<400> 66
gatagggccg ctaccatttg gaaag 25

<210> 67
<211> 24
<212> DNA
<213> Homo sapiens

<400> 67
tgtcaaccgc aacactgggt gtgt 24

<210> 68
<211> 25
<212> DNA
<213> Homo sapiens

<400> 68
ctggagtgcc tctcttcctt tttgc 25

<210> 69
<211> 24
<212> DNA
<213> Homo sapiens

<400> 69
aagatgccag ggctacagca atca 24

<210> 70
<211> 24
<212> DNA
<213> Homo sapiens

<400> 70
tgattgctgt agccctggca tctt 24

<210> 71
<211> 25
<212> DNA
<213> Homo sapiens

<400> 71

ttgcttttaa gcatgaagcc actca 25

<210> 72
 <211> 24
 <212> DNA
 <213> Homo sapiens

<400> 72
 ggcatggacc aggagcacta gtta 24

<210> 73
 <211> 24
 <212> DNA
 <213> Homo sapiens

<400> 73
 aacacaacca gtgttgcggt tgac 24

<210> 74
 <211> 26
 <212> DNA
 <213> Homo sapiens

<400> 74
 tgaacaaca gtaagcactg gctctc 26

<210> 75
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 75
 gatgcggggc attctggtgt a 21

<210> 76
 <211> 25
 <212> DNA
 <213> Homo sapiens

<400> 76
 actcaattgt tgccatgggc ttgat 25

<210> 77
 <211> 657
 <212> DNA
 <213> Homo sapiens

<400> 77
 ttgctcctca ggaaccctat tttggactga cgtttaatac aacatggaag ccaccaaggc 60

ttacagaatg tgctttccag agctgtgacc tgaactgtac ctggggcctt ttgagtgagg 120

ctggaactgg agtggcctgg atgcagagag cagtgtccta aggctgtgca gggtgcaaga 180

aagctcaagt agcctatgga gaggatgcaa ggcttccagc tgatgccctc agccaggctc 240

agtagcagcc agaactagcc taccaacgaa cctgctgata atgtgcataa gccaccttga 300
 acgtcgatcc tcotgcctgg tggagccatc ccagctgatg ccacatgaag cagacacaag 360
 ctgtccctac taagctctgc tcaagttgga tattcatgag tgaaataaat gactgttact 420
 aagtaattaa tttttgggtg gctgttatgt agcagtagat aattggaaca aagcttattg 480
 acataatata tctatatcmc atcctccaat ccattttttt aagtaataaa gttgatgttt 540
 gttttgaaaa aaaaaaaaaa aaaaaaaaag acctgcccgg gcggccgctc gagccctata 600
 gtgagtaagg gcgaatccag cacactggcg ccgtactagt gatccgagct cgtagca 657

<210> 78
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 78
 ccacttgggt ggtatcaggt 20

<210> 79
 <211> 19
 <212> DNA
 <213> Homo sapiens

<400> 79
 actcaaggaa agggccaaa 19

<210> 80
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 80
 tcagaagggc acataagagg a 21

<210> 81
 <211> 20
 <212> DNA
 <213> Homo sapiens

<400> 81
 gctgctttca ggatcaggag 20

<210> 82
 <211> 24
 <212> DNA
 <213> Homo sapiens

<400> 82
 gggataccaa caacatctat caca 24

<210> 83
<211> 22
<212> DNA
<213> Homo sapiens

<400> 83
gctcttttcta ttgacacacc aa 22

<210> 84
<211> 20
<212> DNA
<213> Homo sapiens

<400> 84
tgcagactgt gcagcagata 20

<210> 85
<211> 21
<212> DNA
<213> Homo sapiens

<400> 85
ctgctagaga tgtgtgccct a 21

<210> 86
<211> 20
<212> DNA
<213> Homo sapiens

<400> 86
atgggtcttg atggacatgc 20

<210> 87
<211> 20
<212> DNA
<213> Homo sapiens

<400> 87
gtggatggat ccagagagga 20

<210> 88
<211> 20
<212> DNA
<213> Homo sapiens

<400> 88
cagagcatca cctcaaacga 20

<210> 89
<211> 20
<212> DNA
<213> Homo sapiens

<400> 89
atcctgcctaa ccttaagtcc 20

<210> 90
<211> 20
<212> DNA
<213> Homo sapiens

<400> 90
ggcaagaaac acaaggcaat 20

<210> 91
<211> 20
<212> DNA
<213> Homo sapiens

<400> 91
aggttgaatg agccagatgc 20

<210> 92
<211> 20
<212> DNA
<213> Homo sapiens

<400> 92
ccacagtgat tcccacctct 20

<210> 93
<211> 20
<212> DNA
<213> Homo sapiens

<400> 93
agtgttggcc agggatgtag 20

<210> 94
<211> 20
<212> DNA
<213> Homo sapiens

<400> 94
tgatgcacca cagaaacctg 20

<210> 95
<211> 20
<212> DNA
<213> Homo sapiens

<400> 95
caaggatgca gctcacaaca 20

<210> 96
<211> 20
<212> DNA
<213> Homo sapiens

<400> 96
ttgaaattgc aatcccatca 20

<210> 97
<211> 21
<212> DNA
<213> Homo sapiens

<400> 97
cctccctact tattcccatg c 21

<210> 98
<211> 20
<212> DNA
<213> Homo sapiens

<400> 98
aaatgcaagc aaagccaagt 20

<210> 99
<211> 20
<212> DNA
<213> Homo sapiens

<400> 99
gctccacaca cagagggtcaa 20

<210> 100
<211> 21
<212> DNA
<213> Homo sapiens

<400> 100
cctcccaaac acacagagtt g 21

<210> 101
<211> 23
<212> DNA
<213> Homo sapiens

<400> 101
tgttaaacct aagggttcct tcc 23

<210> 102
<211> 23
<212> DNA
<213> Homo sapiens

<400> 102
ccaatagcct tcaatgtatc aaa 23

<210> 103
<211> 20
<212> DNA

<213> Homo sapiens

<400> 103
tgaggaagag ccacaacaga 20

<210> 104
<211> 22
<212> DNA
<213> Homo sapiens

<400> 104
cagagagaca gaaatggtct ca 22

<210> 105
<211> 20
<212> DNA
<213> Homo sapiens

<400> 105
ttcttaacac gcagcacatt 20

<210> 106
<211> 21
<212> DNA
<213> Homo sapiens

<400> 106
gccctatttc ctaacacatg c 21

<210> 107
<211> 22
<212> DNA
<213> Homo sapiens

<400> 107
gctaacatgc taatgtgctt cc 22

<210> 108
<211> 19
<212> DNA
<213> Homo sapiens

<400> 108
aaacaatcaa aggcccagg 19

<210> 109
<211> 20
<212> DNA
<213> Homo sapiens

<400> 109
cccattggaa acagagttga 20

<210> 110

<211> 20
<212> DNA
<213> Homo sapiens

<400> 110
caaggagggt ggatcacttg 20

<210> 111
<211> 20
<212> DNA
<213> Homo sapiens

<400> 111
agaggctcca aaggagatt 20

<210> 112
<211> 22
<212> DNA
<213> Homo sapiens

<400> 112
ccctaaatgc agatggttat ga 22

<210> 113
<211> 21
<212> DNA
<213> Homo sapiens

<400> 113
gcttgctgcta tctgtccctt g 21

<210> 114
<211> 21
<212> DNA
<213> Homo sapiens

<400> 114
tgcacaaagc tggtctacac a 21

<210> 115
<211> 20
<212> DNA
<213> Homo sapiens

<400> 115
actgcttcca gccagacatt 20

<210> 116
<211> 20
<212> DNA
<213> Homo sapiens

<400> 116
ctgcactccc aagacagaca 20

<210> 117
<211> 20
<212> DNA
<213> Homo sapiens

<400> 117
gttgaagcag gctttctgga 20

<210> 118
<211> 20
<212> DNA
<213> Homo sapiens

<400> 118
cagcaaccgt ttcctttcat 20

<210> 119
<211> 20
<212> DNA
<213> Homo sapiens

<400> 119
tttgagggtg gtgtcactgg 20

<210> 120
<211> 20
<212> DNA
<213> Homo sapiens

<400> 120
acatttcccg tatcgtccaa 20

<210> 121
<211> 18
<212> DNA
<213> Homo sapiens

<400> 121
aatgggctgg cacagaaa 18

<210> 122
<211> 20
<212> DNA
<213> Homo sapiens

<400> 122
gctgggatct tctcagccta 20

<210> 123
<211> 20
<212> DNA
<213> Homo sapiens

<400> 123

gctgcaaatt gcttggtatg 20

<210> 124
<211> 20
<212> DNA
<213> Homo sapiens

<400> 124
tcagtcctat gctgcctcct 20

<210> 125
<211> 22
<212> DNA
<213> Homo sapiens

<400> 125
atgggctatt gtgtaagcct ct 22

<210> 126
<211> 21
<212> DNA
<213> Homo sapiens

<400> 126
tccctaccac acctacatcc a 21

<210> 127
<211> 18
<212> DNA
<213> Homo sapiens

<400> 127
ctgggtcggc cagattac 18

<210> 128
<211> 20
<212> DNA
<213> Homo sapiens

<400> 128
attcaagccc ggtaacacag 20

<210> 129
<211> 20
<212> DNA
<213> Homo sapiens

<400> 129
ctgacagttg atgcccagtc 20

<210> 130
<211> 24
<212> DNA
<213> Homo sapiens

<400> 130
aaacacacat tggatttcag agac 24

<210> 131
<211> 19
<212> DNA
<213> Homo sapiens

<400> 131
gctgggcaac aggtgagac 19

<210> 132
<211> 19
<212> DNA
<213> Homo sapiens

<400> 132
atgcttcctg ccctcagac 19

<210> 133
<211> 20
<212> DNA
<213> Homo sapiens

<400> 133
tcttgccctca gcctctgtat 20

<210> 134
<211> 20
<212> DNA
<213> Homo sapiens

<400> 134
gcctctggag tggctaggat 20

<210> 135
<211> 20
<212> DNA
<213> Homo sapiens

<400> 135
atgagatggc caggtcaaag 20

<210> 136
<211> 20
<212> DNA
<213> Homo sapiens

<400> 136
cggtccaaca tgggtgaaata 20

<210> 137
<211> 20

<212> DNA
<213> Homo sapiens

<400> 137
ccaaaccgaa acctcaagac 20

<210> 138
<211> 20
<212> DNA
<213> Homo sapiens

<400> 138
ctcgctctgc agtcttggtt 20

<210> 139
<211> 19
<212> DNA
<213> Homo sapiens

<400> 139
catggtgaaa gggcaactg 19

<210> 140
<211> 20
<212> DNA
<213> Homo sapiens

<400> 140
agcaagaagg gagagggtgtg 20

<210> 141
<211> 20
<212> DNA
<213> Homo sapiens

<400> 141
tggccacatc cctttaaatc 20

<210> 142
<211> 26
<212> DNA
<213> Homo sapiens

<400> 142
tgttgaattc attctctaac cacttc 26

<210> 143
<211> 23
<212> DNA
<213> Homo sapiens

<400> 143
tgatcatgaa acagtcaacg tct 23

<210> 144
<211> 20
<212> DNA
<213> Homo sapiens

<400> 144
gcccactgtc caattaagga 20

<210> 145
<211> 20
<212> DNA
<213> Homo sapiens

<400> 145
tctacagcct cacaccgaag 20

<210> 146
<211> 20
<212> DNA
<213> Homo sapiens

<400> 146
tgtgggttta catgccagaa 20

<210> 147
<211> 22
<212> DNA
<213> Homo sapiens

<400> 147
gatccactc tgtcactcct tt 22

<210> 148
<211> 20
<212> DNA
<213> Homo sapiens

<400> 148
tgggtgctg tagtcctagc 20

<210> 149
<211> 20
<212> DNA
<213> Homo sapiens

<400> 149
cttggccttg ttcacaggag 20

<210> 150
<211> 22
<212> DNA
<213> Homo sapiens

<400> 150
tttctatggc aagttgctgt tt 22

<210> 151
<211> 20
<212> DNA
<213> Homo sapiens

<400> 151
aggatgcaca agcctgattt 20

<210> 152
<211> 20
<212> DNA
<213> Homo sapiens

<400> 152
ttggccatag ctccaacttc 20

<210> 153
<211> 26
<212> DNA
<213> Homo sapiens

<400> 153
tctccaaatt ccagttctac tacttt 26

<210> 154
<211> 24
<212> DNA
<213> Homo sapiens

<400> 154
tttctctttc ctgctttgtc tctt 24

<210> 155
<211> 20
<212> DNA
<213> Homo sapiens

<400> 155
aaatctggcc atcctcctct 20

<210> 156
<211> 19
<212> DNA
<213> Homo sapiens

<400> 156
aatcctgtcc caggcagac 19

<210> 157
<211> 20
<212> DNA
<213> Homo sapiens

<400> 157
ccctgaactc aggaacaagc 20

<210> 158
<211> 20
<212> DNA
<213> Homo sapiens

<400> 158
caaagccgtg tctttccttc 20

<210> 159
<211> 20
<212> DNA
<213> Homo sapiens

<400> 159
gggatagccc atggatagga 20

<210> 160
<211> 22
<212> DNA
<213> Homo sapiens

<400> 160
tgaattgttg cacaataaaa gg 22

<210> 161
<211> 22
<212> DNA
<213> Homo sapiens

<400> 161
tggaagaat aagaggtcca ga 22

<210> 162
<211> 20
<212> DNA
<213> Homo sapiens

<400> 162
tcagttcagc tgtccagcaa 20

<210> 163
<211> 20
<212> DNA
<213> Homo sapiens

<400> 163
gggcatagtg ctttctgctt 20

<210> 164
<211> 22
<212> DNA

<213> Homo sapiens

<400> 164
tgatgcattc ctttattctc ca 22

<210> 165
<211> 20
<212> DNA
<213> Homo sapiens

<400> 165
ccaagctctc ttctggcttc 20

<210> 166
<211> 20
<212> DNA
<213> Homo sapiens

<400> 166
ttgcatccca tctttccttc 20

<210> 167
<211> 20
<212> DNA
<213> Homo sapiens

<400> 167
tggtgaaggg actcttcctg 20

<210> 168
<211> 20
<212> DNA
<213> Homo sapiens

<400> 168
cccatggtag aactggcaaa 20

<210> 169
<211> 23
<212> DNA
<213> Homo sapiens

<400> 169
ttctctccag attgatacac agc 23

<210> 170
<211> 21
<212> DNA
<213> Homo sapiens

<400> 170
tgcccatata gtaagccttg g 21

<210> 171

<211> 20
<212> DNA
<213> Homo sapiens

<400> 171
tccacctatc caagcaacaa 20

<210> 172
<211> 22
<212> DNA
<213> Homo sapiens

<400> 172
tgtagtgata tgccaatgtg gt 22

<210> 173
<211> 22
<212> DNA
<213> Homo sapiens

<400> 173
tttccaaacc aaggtcagat tt 22

<210> 174
<211> 20
<212> DNA
<213> Homo sapiens

<400> 174
gccctgcttc agtgaatgtt 20

<210> 175
<211> 20
<212> DNA
<213> Homo sapiens

<400> 175
tccatgcaca gaaacattca 20

<210> 176
<211> 26
<212> DNA
<213> Homo sapiens

<400> 176
tcatttatta ctttgcattt ggctta 26

<210> 177
<211> 21
<212> DNA
<213> Homo sapiens

<400> 177
cagtcacgta gagagcagca g 21

<210> 178
<211> 19
<212> DNA
<213> Homo sapiens

<400> 178
ctgggccaca gagtgagac

19

<210> 179
<211> 20
<212> DNA
<213> Homo sapiens

<400> 179
gagcagcagt aatcccgaat

20

<210> 180
<211> 20
<212> DNA
<213> Homo sapiens

<400> 180
ggcagaagaa tcgcttgaac

20