



US00D593243S

(12) **United States Design Patent**  
**Flaherty et al.**

(10) **Patent No.:** **US D593,243 S**

(45) **Date of Patent:** **\*\* May 26, 2009**

(54) **LIGHTED POST**

(75) Inventors: **Richard A Flaherty**, Grapeview, WA (US); **Christopher R Martinez**, Mukilteo, WA (US); **Matthew A Gray**, Bremerton, WA (US)

(73) Assignee: **Leader Manufacturing, Inc.**, Port Orchard, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/225,023**

(22) Filed: **Mar. 10, 2005**

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/68**

(58) **Field of Classification Search** ..... D26/63,  
D26/67-71; 362/183, 145, 152, 153, 153.1,  
362/266, 267, 269, 275, 287, 415, 431  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D275,969	S	*	10/1984	Bowers	.....	D6/470
5,029,054	A	*	7/1991	Trainor	.....	362/153.1
D373,000	S	*	8/1996	Brady	.....	D26/68
D382,910	S	*	8/1997	Greenfield	.....	D20/17
D540,485	S	*	4/2007	Waedeled	.....	D26/70
D541,461	S	*	4/2007	Flaherty	.....	D26/67
2005/0231938	A1	*	10/2005	Venegas	.....	362/153.1
2006/0092646	A1	*	5/2006	Kelly et al.	.....	362/431
2006/0109667	A1	*	5/2006	Flaherty et al.	.....	362/431

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Van Dyke, Gardner, Linn & Burkhardt, LLP

(57) **CLAIM**

The ornamental design for an lighted post, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an extruded lighted post of the present invention;

FIG. 2 is a front elevation view of the lighted post of FIG. 1;

FIG. 3 is a top view of the lighted post of FIG. 2;

FIG. 4 is a bottom plan view of the lighted post of FIG. 2;

FIG. 5 is a side elevation view of the lighted post of FIG. 2;

FIG. 6 is a right side elevation view of the lighted post of FIG. 2;

FIG. 7 is a rear elevation view of the lighted post of FIG. 2;

FIG. 8 is a perspective view of another embodiment of the lighted post of the present invention;

FIG. 9 is a front elevation view of the lighted post of FIG. 8;

FIG. 10 is a top plan view of the lighted post of FIG. 9;

FIG. 11 is a bottom plan view of the lighted post of FIG. 9;

FIG. 12 is an elevation view of the left rear side of the lighted post of FIG. 9;

FIG. 13 is an elevation view of the right rear side of the lighted post of FIG. 9;

FIG. 14 is a perspective view of the another embodiment of the lighted post of the present invention;

FIG. 15 is a front elevation view of the lighted post of FIG. 14;

FIG. 16 is a top plan view of the lighted post of FIG. 15;


FIG. 17 is bottom plan view of the lighted post of FIG. 15;

FIG. 18 is a left side elevation view of the lighted post of FIG. 15;

FIG. 19 is a right side elevation view of the lighted post of FIG. 15; and,

FIG. 20 is a rear elevation view of the lighted post of FIG. 15.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 6




FIG. 5




FIG. 8




FIG. 9




FIG. 12




FIG. 13




FIG. 10




FIG. 11




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 20




FIG. 19




FIG. 18