



US00D994337S

(12) **United States Design Patent**
Miller

(10) **Patent No.:** **US D994,337 S**

(45) **Date of Patent:** **** Aug. 8, 2023**

- (54) **CONTAINMENT BASIN**
- (71) Applicant: **Miller Innovations, LLC**, Orange Beach, AL (US)
- (72) Inventor: **Clint Miller**, Orange Beach, AL (US)
- (73) Assignee: **Miller Innovations, LLC**, Orange Beach, AL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/750,452**
- (22) Filed: **Sep. 14, 2020**
- (51) **LOC (14) Cl.** **09-04**
- (52) **U.S. Cl.**
USPC **D3/304**
- (58) **Field of Classification Search**
USPC D3/302, 304, 305, 307, 309-314, 318, D3/319, 323; D7/550.1, 553.1, 553.2, D7/553.3, 554.4, 560-562, 602, 605; D9/702-714, 719, 738-740, 517-518, D9/522, 416, 425, 435, 444, 460, 455, D9/414, 499, 431-432; D15/150; D23/200, 202, 203, 207, 209, 259, 261; D34/1, 38
CPC A45C 7/0077; A45C 3/04; A45C 3/10; B65D 43/0218; B65D 33/02; B65D 33/00; B65D 33/06; B65D 33/065; B65D 33/14; B65D 33/1683; B65D 33/12; B65D 33/24; B65D 31/00; B65D 31/04; B65D 31/10; B65D 21/222; B65D 21/233; B65D 21/62; B65D 21/223; B65D 25/2841; B65D 25/25; B65D 81/3813; B65D 81/3823; B65D 88/00; B65D 88/02; B65D 88/025; B65D 88/123; B65D 88/128; B65D 88/1656; B65D 5/40; D06F 95/002

See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
3,067,921 A * 12/1962 Reifers B65D 81/262 D9/425
D221,277 S * 7/1971 Wharton D34/38
5,036,976 A * 8/1991 Sechler B65D 19/0065 206/386
D367,172 S * 2/1996 Brightbill D7/553.3
5,615,608 A * 4/1997 Shaw B65D 81/262 108/55.3
D424,298 S * 5/2000 Laib D7/602
D437,116 S * 2/2001 Dembicks D3/313
D450,455 S * 11/2001 Dembicks D3/313
D455,921 S * 4/2002 Quinn D3/304
D480,736 S * 10/2003 Wright D15/90
D616,250 S * 5/2010 Peyton D7/553.3
D766,663 S * 9/2016 Bergeron D7/553.1
D916,600 S * 4/2021 Dominion D7/553.3


* cited by examiner

Primary Examiner — Mary Shannon Malley
Assistant Examiner — Christopher John Suarez La Rosa
(74) *Attorney, Agent, or Firm* — Jones Walker LLP

(57) **CLAIM**
I claim the ornamental design for a containment basin, as shown and described.

DESCRIPTION
FIG. 1 is a top perspective view of a containment basin showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof, the left side view being identical;
FIG. 5 is a bottom view thereof;
FIG. 6 is a front view thereof, the rear view being identical;
FIG. 7 is a cross-sectional view thereof taken along line 7-7 in FIG. 4; and,
FIG. 8 is a cross-sectional view thereof taken along line 8-8 in FIG. 6.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8