



US00D766632S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,632 S**
Akana et al. (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **TABLE**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)
(72) Inventors: **Jody Akana**, San Francisco, CA (US);
Bartley K. Andre, Palo Alto, CA (US);
Shota Aoyagi, San Francisco, CA (US);
Anthony Michael Ashcroft, San Francisco, CA (US); **Jeremy Bataillou**, San Francisco, CA (US); **Daniel J. Coster**, San Francisco, CA (US); **Daniele De Iuliis**, San Francisco, CA (US); **Christopher M. Green**, Woodside, CA (US); **M. Evans Hankey**, San Francisco, CA (US); **Julian Hoenig**, San Francisco, CA (US); **Richard P. Howarth**, San Francisco, CA (US); **Jonathan P. Ive**, San Francisco, CA (US); **Duncan Robert Kerr**, San Francisco, CA (US); **Kully Kraig Mandon**, San Francisco, CA (US); **Matthew Dean Rohrbach**, San Francisco, CA (US); **Peter Russell-Clarke**, San Francisco, CA (US); **Benjamin Andrew Shaffer**, San Jose, CA (US); **Jonathan P. Siegel**, San Francisco, CA (US); **Mikael Silvano**, San Francisco, CA (US); **Christopher J. Stringer**, Woodside, CA (US); **Eugene Antony Whang**, San Francisco, CA (US); **Rico Zörkendörfer**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/495,788**
(22) Filed: **Jul. 3, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/493,879, filed on Jun. 13, 2014.
(51) **LOC (10) Cl.** **06-03**
(52) **U.S. Cl.**
USPC **D6/702**
(58) **Field of Classification Search**
USPC D6/685, 686, 691, 691.1, 694, 698.1, D6/702, 707, 707.18, 707.19; D21/397

CPC A47B 7/00; A47B 9/00; A47B 2009/006;
A47B 13/00; A47B 13/003; A47B 13/08;
A47B 13/088

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS



| | | | | | |
|------------|---|---------|----------------|-------|----------|
| D90,849 S | * | 10/1933 | Kayser | | D6/691.1 |
| D96,986 S | * | 9/1935 | Jewell | | D21/397 |
| D414,354 S | * | 9/1999 | Gower | | D6/691.1 |
| D442,391 S | * | 5/2001 | Wu | | D6/691.1 |
| D448,211 S | * | 9/2001 | Schulte | | D6/686 |
| D484,717 S | * | 1/2004 | de Blois | | D6/691 |
| D522,274 S | | 6/2006 | Coval | | |
| D527,928 S | * | 9/2006 | Spector | | D6/691.1 |
| D591,079 S | | 4/2009 | Singler et al. | | |
| D591,979 S | | 5/2009 | Singler et al. | | |
| D657,978 S | | 4/2012 | Hamm et al. | | |
| D678,696 S | | 3/2013 | Hamm et al. | | |
| D679,521 S | | 4/2013 | Hamm et al. | | |
| D688,494 S | | 8/2013 | Hamm et al. | | |
| D693,156 S | | 11/2013 | Hamm et al. | | |
| D713,658 S | | 9/2014 | Tio et al. | | |

OTHER PUBLICATIONS

U.S. Appl. No. 29/432,722, filed Sep. 19, 2012.
U.S. Appl. No. 29/469,978, filed Oct. 16, 2013.
U.S. Appl. No. 29/471,331, filed Oct. 30, 2013.
U.S. Appl. No. 29/489,107, filed Apr. 25, 2014.
U.S. Appl. No. 29/493,878, filed Jun. 13, 2014.
U.S. Appl. No. 29/493,879, filed Jun. 13, 2014.
U.S. Appl. No. 29/499,677, filed Aug. 18, 2014.
U.S. Appl. No. 29/500,951, filed Aug. 29, 2014.
U.S. Appl. No. 29/501,029, filed Aug. 29, 2014.
Neil Hughes, "Apple retail stores 'bulging at the seams' at 8400 average square feet," Appleinsider.com, dated May 8, 2012, accessed at <http://appleinsider.com/articles/12/05/08/apple_retail_stores_bulging_at_the_seams_at_8400_average_square_feet>, accessed on Oct. 10, 2014, 2 pages.
Valentina Palladino, "Apple Store Receives Trademark for 'Distinctive Design and Layout,'" Wired.com, dated Jan. 30, 2013, accessed at <<http://www.wired.com/2013/01/apple-store-trademark/>>, accessed on Oct. 10, 2014, 2 pages.

* cited by examiner

Primary Examiner — Mary Ann Calabrese



(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**
The ornamental design for a table, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a table showing our new design in a closed configuration;

FIG. 2 is a rear perspective view thereof in a closed configuration;

FIG. 3 is a front view thereof in a closed configuration;

FIG. 4 is a rear view thereof in a closed configuration;

FIG. 5 is a left side view thereof in a closed configuration;

FIG. 6 is a right side view thereof in a closed configuration;

FIG. 7 is a top view thereof in a closed configuration;

FIG. 8 is a bottom view thereof in a closed configuration;
FIG. 9 is a front perspective view thereof in an open configuration;

FIG. 10 is a rear perspective view thereof in an open configuration;

FIG. 11 is a front view thereof in an open configuration;

FIG. 12 is a rear view thereof in an open configuration;

FIG. 13 is a left side view thereof in an open configuration;

FIG. 14 is a right side view thereof in an open configuration;

FIG. 15 is a top view thereof in an open configuration; and,

FIG. 16 is a bottom view thereof in an open configuration.

The broken lines in the Figures show portions of the table that form no part of the claimed design.

The dot-dash lines show unclaimed boundaries that form no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16