



US00D818422S

(12) **United States Design Patent**  
**Seidler**

(10) **Patent No.:** **US D818,422 S**

(45) **Date of Patent:** **\*\* \*May 22, 2018**

(54) **DUCTED VEHICLE SEAT INSERT**

(71) Applicant: **Joel Arnold Seidler**, Delafield, WI  
(US)

(72) Inventor: **Joel Arnold Seidler**, Delafield, WI  
(US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/581,570**

(22) Filed: **Oct. 20, 2016**

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/416**

(58) **Field of Classification Search**  
USPC ..... D12/415-420, 400, 195, 191, 106, 345,  
D12/96, 99; D6/611  
CPC ..... B60R 7/043  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                |         |             |       |            |
|----------------|---------|-------------|-------|------------|
| D417,062 S *   | 11/1999 | Williams    | ..... | D2/860     |
| D432,075 S *   | 10/2000 | Hassett     | ..... | D12/416    |
| D447,999 S *   | 9/2001  | Thomson     | ..... | D12/416    |
| D497,874 S *   | 11/2004 | Fialla-Dori | ..... | D12/416    |
| D502,809 S *   | 3/2005  | Davis       | ..... | D12/416    |
| D601,484 S *   | 10/2009 | Alfonso     | ..... | D12/133    |
| 7,677,662 B2 * | 3/2010  | Thompson    | ..... | A47C 31/11 |
|                |         |             |       | 297/188.01 |
| D632,242 S *   | 2/2011  | Currie      | ..... | D12/416    |

|                   |        |         |       |            |
|-------------------|--------|---------|-------|------------|
| D632,510 S *      | 2/2011 | Johnson | ..... | D12/416    |
| 9,428,115 B2 *    | 8/2016 | Seifert | ..... | B60R 7/005 |
| 2009/0039128 A1 * | 2/2009 | Damico  | ..... | B60R 9/00  |
|                   |        |         |       | 224/572    |

\* cited by examiner

*Primary Examiner* — Katrina A Betton  
(74) *Attorney, Agent, or Firm* — Jansson Munger  
McKinley & Kirby Ltd.

(57) **CLAIM**


The ornamental design of a ducted vehicle seat insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the ducted vehicle seat insert; FIG. 2 is a front elevation view of the ducted vehicle seat insert; FIG. 3 is a rear elevation view of the ducted vehicle seat insert; FIG. 4 is a left side elevation view of the ducted vehicle seat insert; FIG. 5 is a right side elevation view of the ducted vehicle seat insert; FIG. 6 is a top view of the ducted vehicle seat insert; FIG. 7 is a bottom view of the ducted vehicle seat insert; and, FIG. 8 is a perspective view of the ducted vehicle seat insert mounted on a vehicle seat.

The broken lines shown represent or bound unclaimed subject matter and form no part of the claimed design. The lengthwise and widthwise separations and brackets indicate that the precise length and width of the ducted seat insert are not claimed.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8