



US00PP15744P2

(12) **United States Plant Patent**
Dirr

(10) **Patent No.:** **US PP15,744 P2**

(45) **Date of Patent:** **May 3, 2005**

(54) **HYDRANGEA MACROPHYLLA PLANT
NAMED 'MINI PENNY'**

(50) Latin Name: *Hydrangea macrophylla*
Varietal Denomination: **Mini Penny**

(75) Inventor: **Michael A. Dirr**, Watkinsville, GA
(US)

(73) Assignee: **University of Georgia Research
Foundation, Inc.**, Atlanta, GA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(22) Filed: **Dec. 17, 2003**

(51) Int. Cl.⁷ **A01H 5/00**

(52) U.S. Cl. **Plt./250**

(58) Field of Search Plt./250

Primary Examiner—Kent Bell

(74) Attorney, Agent, or Firm—MacCord Mason PLLC

(57) **ABSTRACT**

Hydrangea macrophylla 'Mini Penny' is a mophead with compact, mounded habit, leathery, lustrous dark green, mildew resistant leaves, which reblooms on new growth without the need for cool temperatures and short days.

(21) Appl. No.: **10/738,671**

4 Drawing Sheets

1

Botanical designation: *Hydrangea macrophylla* plant
named 'Mini Penny'.

Latin name of the genus and species of the plant claimed:
Hydrangea macrophylla.

Variety denomination: Mini Penny.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to a new and distinct variety
of *Hydrangea macrophylla* (Thunb.) Ser., a member of the
Hydrangeaceae family. *Hydrangea macrophylla* 'Mini
Penny' is the result of a controlled breeding program in
Athens, Ga. The variety originated from open-pollinated
Hydrangea macrophylla 'Penny Mac' (unpatented), and a
single plant was selected from a seedling population after
evaluation. The plant is used primarily as an ornamental.

The variety, 'Mini Penny', reproduces true to type in
successive generations of asexual reproduction from shoot
cuttings.

2. Description of Relevant Prior Art

'Mini Penny' is distinguished from its parent *Hydrangea
macrophylla* 'Penny Mac' and all other varieties of *Hydran-
gea macrophylla* known to the inventor by the combination
of its characters, tidy, refined, broad-mounded compact
habit, smaller than typical, leathery, lustrous dark green,
mildew-resistant leaves, and ability to flower on new growth
(remontant).

SUMMARY OF THE INVENTION

Hydrangea macrophylla 'Mini Penny' develops a com-
pact habit and leathery, lustrous dark green, mildew-resistant
leaves. The pink or blue mophead flowers develop on new
growth and flower without the cool temperatures and short
days that are required for floral induction in the traditional
varieties. On Jun. 25, 2002, 33 fully developed inflores-
cences were removed from a 2-year-old plant, and by Oct.
4, 2002, there were 34 visible flower buds or fully developed
inflorescences.

2

BRIEF DESCRIPTION OF ILLUSTRATIONS

The accompanying illustrations show characteristics of
the new cultivar in photographs as true to color as is
reasonably possible to make in illustrations of this nature.

FIG. 1 shows a 2-year-old unpruned plant in a 27 liter
container

FIG. 2 illustrates the summer leaf color and texture

FIG. 3 illustrates a mature inflorescence (no aluminum
present).

FIG. 4 illustrates new flower buds and inflorescences
developing on Oct. 4, 2002, after all inflorescences were
removed on Jun. 25, 2002.

BOTANICAL DESCRIPTION OF THE PLANT

A detailed description of *Hydrangea macrophylla* 'Mini
Penny' follows. Colors are based on The Royal Horticultural
Color Chart (1995). All measurements/characteristics were
taken from a 2-year-old plant in a 27 liter nursery container
grown out of doors under 50% shade at Dearing, Ga. (USDA
zone 7.b). Plants grown outside flag under full sun, and 30%
to 50% shade is recommended. Measurements of leaves/
stems and floral characteristics are based on 10 to 20
samples.

Classification:

Botanical.—*Hydrangea macrophylla* (Thunb.) Ser.
'Mini Penny'.

Parentage.—Open-pollinated seedling of *Hydrangea
macrophylla* 'Penny Mac'.

Propagation.—Vegetatively by cuttings.

Plant:

Size.—On average 41 cm high, 91 cm wide in 2 years.

Habit.—Mounded deciduous shrub, multistemmed and
extremely compact.

Branching.—Many breaks (shoots) from base of one-
year plants, ie, freely branching. The plant is highly
resistant to insects and diseases, including mildew.

Leaf:

Shape.—Ovate.

Base.—Cuneate.

Apex.—Acute.

Size.—Length 13.9 cm, width 7.7 cm.

Arrangement.—Opposite.

Margin.—Coarsely serrate.

Texture/substance.—Thickish; glabrous on upper and lower surfaces; 6 to 8 prominent raised vein pairs on lower surface.

Petioles.—1.40 cm long, glabrous, grooved above, rounded below. Color: Yellow-Green Group 145A.

Mature leaf color.—Summer color varies with nutrition and intensity of sunlight. Upper leaf surface typically Yellow-Green Group 147A; lower surface Green Group 137C. Lower leaf surface veins are Yellow-Green Group 145A.

Stems:

Length.—Stems varied in length from 17 to 48 cm, with an average length of 30 cm.

Thickness.—0.4 cm.

Texture.—Slender, terete, glabrous, lustrous.

Internode length.—2.8 cm.

Color.—Yellow-Green group 145A.

Hardiness.—USDA (1990) Zone 7 (−17.8° C. to −12.2° C.) to 9 (−6.7° C. to −1.1° C.).

Vigor.—Slow, 2-year old plants range from 38 to 51 cm tall by 76 to 102 cm wide.

Inflorescence:

Bloom period.—May to November, Athens and Dearing, Ga.

Flower arrangement.—Corymb, mophead, with sterile florets (sepals) covering the fertile flowers in the interior.

Shape of inflorescence.—Rounded.

Inflorescence size.—9 to 11 cm diameter with the average depth of 6 cm. The number of fertile flowers per inflorescence varies from 16 to 18.

Floral buds.—Immature buds are round, 3 mm long by 3 mm wide by 2 mm deep, and are Yellow-Green Group 145D. Mature buds are round, 4 mm long by 4 mm wide by 3 mm deep and are Purple Group 75C.

Peduncle.—Range in length from 10 mm to 15 mm and approximately 1 mm in diameter. Color is Red-Purple Group 62B.

Pedicil.—The pedicil of the fertile flower has an average length of 2 mm with 1 mm diameter, and are Greyed-Purple Group 185D. The pedicils of the sterile florets vary in length from 5 mm to 15 mm with 1 mm diameter, and are Red Group 65C.

Fertile flowers.—Insignificant and hidden by sterile florets. The immature fertile flowers are Yellow-Green Group 145B, with five stamens and five petals. The mature petals are elliptical and cupped, 3 mm long and 2 mm wide. The color of the upper surface of the mature petals is Purple Group 77C and the lower surface is Purple Group 76C.

Sterile florets.—Four sepals per cluster (showy floret), 2.45 cm diameter; each sepal—glabrous, apex acute to rounded, sometimes notched, base rounded, rounded in outline, entire, 1.5 cm long, 1.4 cm wide.

Color.—Sterile florets on plants not treated with aluminum sulfate: Upper surface Red-Purple Group 73D grading to Red-Purple Group 72C at base of sepals, lower surface Purple Group 75B to Purple Group 75C to Purple Group 75D. Sterile florets on plants treated with aluminum sulfate (42 grams per 3.8 liters of H₂O applied as soil drench when flower buds were visible) Violet-Blue Group 95C grading to White Group 155D at base of sepals on upper surface and Violet-Blue Group 94C to Violet-Blue Group 97A on the lower surface.

Fragrance.—None noted.

Persistence of inflorescence.—2 to 3 months.

Reproductive system:

Fertile flowers.—One pistil with 3, occasionally 4, stigmas, and 5 stamens on fertile flowers; pollen: white.

Fruit.—Fertile capsule, urn-shaped, 0.5 cm long, 0.3 cm wide, Brown Group 200B. Each capsule contains 50 to 200 sheets which are approximately 0.5 mm long by 0.25 mm wide, with color Greyed-Orange Group 164C.

It is claimed:

1. A new and distinct variety of *Hydrangea macrophylla* plant, substantially as herein described and illustrated.

* * * * *

FIG. 1



FIG. 2



FIG. 3



FIG. 4

