

(19)



(11) Publication number:

SG 190038 A1

(43) Publication date:

28.06.2013

(51) Int. Cl:

G06Q 10/02, G06Q 10/06, G06Q 10/10, G06Q 50/14;

(12)

Patent Application

(21) Application number: **2013032412**

(71) Applicant:

**SITA N.V HEATHROWSTRAAT 10,
NL-1043 AMSTERDAM (SLOTEDIJK),
NETHERLANDS NL**

(22) Date of filing: **09.12.2011**

(30) Priority: **US 61/425,507 21.12.2010**

(72) Inventor:

**O'SULLIVAN, KEVIN, D. 32 MANSFIELD
ROAD, HOVE SUSSEX BN3 5NN,
UNITED KINGDOM GB
IRMINGER, RENAUD 24 AVENUE
DE LA GARE, CH-2000 NEUCHATEL,
SWITZERLAND CH
CHEIKH, STEPHANE 108 IMPASSE DES
JARDINS D'HIVER, F-01170 CROZET,
FRANCE FR**

(54) **Title:**

RESERVATION SYSTEM AND METHOD

(57) **Abstract:**

A reservation system for travel, accommodation, venue ticketing and other purposes may be accessed on-line, for example via a social networking website. A user enters their social networking identification into the reservation system, which is stored for future use. When a subsequent user makes a reservation, they also enter their social networking ID and the system retrieves a list of associated parties from the social networking website, which may be a friends or contacts list, and searches for reservations made by any of those parties which have an overlapping criterion, such as date and destination. It then sends the subsequent user the social networking ID of the overlapping party. The overlap may be used to identify parties who will be at the same destination at the same time as the subsequent user, and/or are travelling on the same flight or journey. The list of associated parties may also be used to identify parties who are listing as living at the destination to which the subsequent user is travelling and those parties social networking IDs may be sent to the subsequent user. On check-in, the system may use the list of associated parties to notify the party checking-in that one of their friends or contacts has also check-in.



(51) International Patent Classification:

G06Q 10/02 (2012.01) *G06Q 10/10* (2012.01)
G06Q 10/06 (2012.01) *G06Q 50/14* (2012.01)

(21) International Application Number:

PCT/EP2011/072286

(22) International Filing Date:

9 December 2011 (09.12.2011)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/425,507 21 December 2010 (21.12.2010) US

(71) Applicant (for all designated States except US): SITA N.V. [NL/NL]; Heathrowstraat 10, NL-1043 Amsterdam (Sloterdijk) (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): O'SULLIVAN, Kevin, D. [GB/GB]; 32 Mansfield Road, Hove Sussex BN3 5NN (GB). IRMINGER, Renaud [CH/CH]; 24 Avenue de la gare, CH-2000 Neuchatel (CH). CHEIKH, Stephane [FR/FR]; 108 Impasse des jardins d'Hiver, F-01170 Crozet (FR).

(74) Agent: LLOYD, Patrick Alexander Desmond; Reddie & Grose LLP, 16 Theobalds Road, London, Greater London, WC1X 8PL (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: RESERVATION SYSTEM AND METHOD




FIG. 1

(57) **Abstract:** A reservation system for travel, accommodation, venue ticketing and other purposes may be accessed on-line, for example via a social networking website. A user enters their social networking identification into the reservation system, which is stored for future use. When a subsequent user makes a reservation, they also enter their social networking ID and the system retrieves a list of associated parties from the social networking website, which may be a friends or contacts list, and searches for reservations made by any of those parties which have an overlapping criterion, such as date and destination. It then sends the subsequent user the social networking ID of the overlapping party. The overlap may be used to identify parties who will be at the same destination at the same time as the subsequent user, and/or are travelling on the same flight or journey. The list of associated parties may also be used to identify parties who are listing as living at the destination to which the subsequent user is travelling and those parties social networking IDs may be sent to the subsequent user. On check-in, the system may use the list of associated parties to notify the party checking-in that one of their friends or

contacts has also check-in.

Reservation System and Method

Field of the Invention

This invention relates to on-line reservation systems and methods. It is particularly, but not exclusively, concerned with ticketing systems and methods for travel and events and also
5 with reservation systems for hotels, venues and the like.

Background to the Invention

In recent years, social networking has become one of the biggest activities on the Internet. The most used social networking sites include Facebook (www.facebook.com) for personal networking and LinkedIn (www.linkedin.com) for professional networking. As these social
10 media systems have developed, they have begun to integrate with service providers enabling users of social media sites to access third party goods and services from the social media sites.

Within the travel industry there has been some integration of travel related systems into social networking sites. One example in the airline industry is Delta Airlines which has a
15 booking engine hosted in Facebook which can be accessed at [http://www.facebook.com/delta?v= app 119581404755652](http://www.facebook.com/delta?v=app_119581404755652). However, this booking engine does not integrate with the Facebook functionality and merely provides a window through which a user of the social networking site can access the booking system. EasyJet provides a similar link at [http://www.facebook.com/easyjet?v=app 10442206389](http://www.facebook.com/easyjet?v=app_10442206389). This is
20 merely a link that redirects to their web site www.easyjet.com.

Satisfly Limited (www.satisfly.org) had proposed a service which aims to find compatible seat neighbours on airline flights.

Booking aggregation web sites such as Tripit (www.tripit.com) and Doppler (www.dopplr.com) enable users to publish details of travel plans to contacts on social
25 networking sites once those plans have been made. A user of these systems would make their travel reservations independently of these sites but then publish details to their contacts once the reservations have been made.

We have appreciated that the amount of interaction between these existing systems and social networking sites is very limited and that the existing interaction does not utilise many
30 of the attractive features of social networking web sites. The present invention aims to

address that problem and to improve the interaction between reservation systems and social networking platforms such as web sites.

According to a first aspect of the invention there is provided a computerised on-line reservation method, comprising the steps of: receiving a reservation enquiry at a computerised booking system from a user; receiving the user's identification on a social networking platform at the computerised booking system; storing the social networking identification of the user in a database associated with the computerised booking system; in response to a subsequent user submitting a reservation enquiry; retrieving a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated; searching, at the computerised booking system, for third party reservations having at least one overlapping reservation criterion and an associated SNID from the subsequent user's list; and displaying to the subsequent user the SNID of a third party identified by the search together with information regarding the reservation.

This aspect of the invention also provides a computerised on-line reservation system, comprising: a computerised booking system for receiving a reservation enquiry from a user, the computerised booking system being configured to receive the user's identification on a social networking platform at the computerised booking system; a store for storing the social networking identification of the user in a database associated with the computerised booking system; the computerised booking system further being configured to, in response to receiving a reservation enquiry from a subsequent user; retrieve a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated; the system further comprising a search engine for searching, at the computerised booking system, for third party reservations having at least one overlapping reservation criterion and an associated SNID from the subsequent user's list; and the computerised booking system being configured to send to the subsequent user for display, the SNID of a third party identified by the search together with information regarding the reservation.

Embodiments of the invention have the advantage that functionality of the social networking platform can be accessed and taken advantage of to enhance the reservation process by bringing to the attention of the reserving party reservations made by friends or

contacts with whom they are associated on the social networking platform and which have at least one overlapping reservation criteria..

A preferred embodiment of the invention comprises, on sending the subsequent enquiry, sending a request to the social networking platform to retrieve the city of residence of each
5 party in the subsequent user's list of associated parties; comparing the residences of the list of associated parties with the chosen destination of the subsequent user; and displaying in the subsequent user's browser, an identification of any party from the list recorded by the social networking platform as resident in the subsequent user's destination city. This embodiment has the advantage of drawing the subsequent user's attention to friends or
10 contacts with whom he is associated who are listed on the social networking platform as living in the destination to which the subsequent user is intending to travel, thus enabling the subsequent user to contact them before travelling.

Preferably, the overlapping criterion comprises destination and date. In one preferred embodiment, the reservation system is a travel reservation system and the overlapping
15 criterion comprises the instance of travel being reserved by the subsequent user. Preferably the instance of travel is one of a flight, rail journey, road journey or water journey. This embodiment has the advantage that the subsequent user can see which of their associated friends or contacts are booked onto a flight, or other form of travel, that they are considering booking.

20 Preferably, the method further comprises, on receipt of a check-in request message received at the booking engine from the user's browser, retrieving the identifications of the user's friends or contacts lists on the social networking platform and comparing the identifications of the friends or contacts lists with other passengers checked in or scheduled to check-in to the same journey as said user; and on finding a matching social networking
25 ID, causing the user's browser to display the matching ID. This embodiment of the invention has the advantage of drawing the user's attention to associated friends or contacts at the time of check-in

In one preferred embodiment, the reservation is a seat reservation and the third party's social networking ID is displayed together with the seat to which that ID has been allocated
30 where the third party has checked in. In another preferred embodiment the reservation is a room accommodation and the third party's social networking ID is displayed together with the room to which that ID has been allocated if the third party has checked-in. These

embodiments have the advantage of drawing the attention to the specific location of the third party if they have checked-in already.

In one preferred embodiment, the user's social networking ID is received from the user as part of the reservation request. Alternatively, the ID may be retrieved the database
5 associated with the booking system or from an associated booking system. This has the advantage of making the system easy to operate and requires a user to enter their social networking ID once after which it is available over a plurality of different platforms.

A second aspect of the invention provides a computerised on-line check-in method for check-in into a previously made reservation, comprising the steps of: receiving a check-in
10 request at a computerised booking system from a user computer via a browser; receiving the user's identification on a social networking platform at the computerised booking system; retrieving a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated;
15 searching, at the computerised booking system, for third party reservations having at least one overlapping criterion and an associated SNID from the subsequent user's list; and causing the user's browser to display the SNID of a third party identified by the search together with information regarding the reservation.

This aspect of the invention also provides a computerised on-line check-in system for
20 check-in to a previously made reservation, comprising a computerised booking system configured to: receive a check-in request from a user; receive the user's identification on a social networking platform; retrieve a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is
25 associated; the system further comprising a search engine for searching for third party reservations having at least one overlapping criterion and an associated SNID from the subsequent user's list; the booking system further being configured to send to the user for display, the SNID of a third party identified by the search together with information regarding the reservation.

30 In one preferred embodiment the reservation is a reservation for travel and the user's browser is caused to display the associated SNIDs of parties making the same journey. The booking system may determine whether a third party identified by the search has check-in and, if it has, displays the seat number of the third party in the user's browser.

In another preferred embodiment the reservation is a reservation for accommodation and the user's browser is caused to display the associated SNIDs or parties having booked the accommodation for an overlapping period. The booking system may determine whether a third party identified by the search has checked-in, and if it has, display the room number of the third party in the user's browser.

In one embodiment, the social network platform is a web browser.

Embodiments of the invention will now be described, by way of example only, with reference to the accompanying drawings in which:

Figure 1 is a logical view of an embodiment of the invention enabling a reservation to be made;

Figure 2 is a screen shot presented to a user during the booking process;

Figure 3 is a logical view of an embodiment of the invention enabling a user to check-in; and

Figure 4 is a screen shot presented to the user during the check-in process.

The following embodiments will be described in the context of flight reservation and check-in. However, it is to be appreciated that the invention is not limited to flight check-in and reservation and applies to any other form of transportation, including but not limited to trains, ships and cars. It is also applicable to other, non-travel related reservation systems such as events, venues, concerts, theatre, stadia, sports grounds and hotel and motel accommodation. The invention is not limited to systems and methods which handle reservations which require check-in after the reservation has been made. The air travel embodiment is given as an example only and is not to be construed as limiting.

In this specification, the term booking refers to a confirmed order, whereas the term reservation covers not only confirmed orders (bookings) but also tentative or putative orders that have not yet been confirmed.

The following example uses Facebook (www.facebook.com) as an example of a social networking platform, in this case a web site. However, it is also to be understood that the invention is not limited to any particular social networking platform or site and may be used with any suitable site including, but not limited to, Facebook (www.facebook.com); Bebo

(www.bebo.com); LinkedIn (www.linkedin.com); Twitter (www.twitter.com) and Plaxo (www.plaxo.com). It may also be used with social networks which are not hosted on websites, for example enterprise solutions within large companies. The only requirement of such a site is that users have a list of Friends or contacts, being a group of other users of the website or other platform who have consented to be associated with the user.

Figure 1 shows a booking engine 10 which is a software tool for handling the booking of flights. The booking engine is resident on one or more servers and communicates with a reservation system 12 and a database 14 of booking or reservation data 14. The reservation system may also comprise a dedicated software application running on one or more servers. Users can communicate with the booking engine via conventional communication links through an Internet browser 16 on their computer which enables them also to communicate with a social networking web site 18.

Social networking sites operate by registering users and assigning each registered user an identification. In embodiments of the present invention, the social networking identification (ID) of a user making a booking is stored in the database 14 together with other particulars of the booking. These particulars include conventional reservation details such as city, date, class of travel, airline etc and will vary depending on the type of reservation made.

The social networking identification data may be captured from multiple sources including, but not limited to, a call centre booking engine, a mobile booking engine, and an Internet booking engine. When a customer interfaces with a booking system, either via the social networking web site or otherwise, they may be asked to input their social networking identification for future use. The booking system may be a single system into which reservations and bookings may be made from a number of different sources such as on-line, including via a social networking site, via a call centre booking engine and through other interfaces with the system. The social networking identification data may be stored in separate tables which may be accessed from any part of the system.

In Figure 1, the step of storing the ID together with other booking data is shown at arrow 22 as an operation performed on the database by the booking engine 10.

At some point after a booking has been made, a different user will access the booking engine via a social networking platform, in this example a web site. Rather than booking a specific flight, a user will typically make a search for flight availability to a particular destination on a particular day or around a particular date. The booking engine performs,

in a known manner, an availability search for the airline against the airline reservation system 12, for example, a standard or other priced search, and returns data to the client browser 16 showing flight options and prices. This is a conventional step made as part of any online booking system. This step is shown by arrow 24 in Figure 1. In parallel, the client browser 16 initiates an asynchronous enquiry to the booking engine sending a list of the users friends or contacts on the social networking site 18 together with the travel search criteria. An asynchronous enquiry is a known method of retrieving information from a server in the background without interfering with the display and behaviour of the existing page. The friends or contacts list is common to all social networking sites and will comprise a list of IDs in appropriate format for that social networking site. The list comprises the IDs of other users of the system who have consented to be associated with the user. As a result of that association the see information about the user posted to the website. The terminology used varies from site to site. Friends is used by Facebook and other personal networking sites, whereas Contacts is used by professional sites such as LinkedIn.

In this example the reservation and check-in are described as made via a browser, in this case a web browser. Although this is presently preferred, other options are possible, for example via a mobile phone or kiosk which may not be browser based but still able to access the social network site. In other embodiments the social network may resident within an organisation and accessed via an API.

The booking engine 10 then searches the database 14 for other bookings that have already been stored and seeks to retrieve bookings where there is an overlap in the stored destination and dates and the social networking ID of these overlapping bookings is on the list of IDs communicated from the user via their browser. This overlap may be either to identify IDs of friends or contacts on the same flights as have been returned by the search, or who will be in the same destination for all or a part of the duration of the trip being booked. Alternatively, both types of overlap may be identified.

The social networking ID of the owner of the overlapping booking is then communicated to the user in their client browser together with other flight details. This process is illustrated by arrow 26 in Figure 1.

As these overlaps relate to users of the social networking site who are also user of the airline reservation system, their social networking IDs will already be stored in the

reservation system which does not, therefore, need to communicate with the social networking site to perform the overlap search.

Optionally, in parallel, the client browser initiates a further asynchronous enquiry to the social networking system 18 to retrieve the cities in which the friends on the user's friends
5 list are recorded as living. If there are any friends who live in the destination city of the user's booking, the information is displayed alongside the flight options and prices. As this data includes friends or contacts who are not travelling, the search has to be made outside the reservation system.

Figure 2 shows a flight search page displayed in the user's browser following a booking
10 enquiry made following the process described above. The user has selected a Book Flight tab 30 and details of possible outbound flights are displayed. In this case the departure is from Miami to Atlanta on 9 October 2010. Illustrated at 32 are details of friends who have also flown to the same destination. These are the social networking IDs of friends returned by the search for overlapping destinations and dates. In this example, a single friend is
15 identified by their user name (Thomas Puebbloclaro) together with an icon. The identification will differ depending on the social networking site being used. The ID also includes a link labelled "share with friends" that enables the user to share their travel plans with their list of friends on the social networking site.

Beneath the ID of friends with an overlapping flight and destination is shown, at 34, a list of
20 friends that the social networking system has indicated to be living in the destination city selected. In this case the name and icon of Stephane Cheikh is listed. This information may also be shared with other listed friends on the social networking web site.

Thus, through storage of social networking identifiers, the system can determine which of a user's listed friends or contacts on that social networking site has an overlapping booking in
25 terms of destination and dates. This may be flight specific or identify that they will be in the same place at the same time. Additionally, by interaction with the social networking website, the system can notify the user of any of their friends listed as friends on the social networking site that are recorded by the social networking site as being resident in their chosen destination city.

30 It will be appreciated that the notification of friends in the destination city is not essential and may be omitted. Alternatively, the notification of friends in the destination city could be used without the notification of friends having overlapping flights and destinations.

Another option is for the system to return to the user the IDs of friends or contacts who have travelled to the destination, so that the travelling party may contact them with a view to discussing their journey.

The description above was concerned with the booking or reservation process. Figures 3 and 4 illustrate a further embodiment which is concerned with the check-in process for a flight or other means of travel. It is also applicable to other types of reservation which require check-in for examples hotels and other types of accommodation. It was mentioned above that embodiments of the invention are broadly applicable to a variety of types of travel reservation and to event and accommodation reservation. It will be appreciated that some of the environments in which the system of Figures 1 and 2 can be used do not require the user to check-in, for example, where the reservation is for a numbered seat in a venue. In that case, the method and system of Figures 1 and 2 may be used in isolation.

In Figure 3 the elements of the system shown are the same as those of Figure 1 and carry the same reference numeral. The reservation system 12 is replaced by a Departure Control System 50 which interacts with individual airlines in a known manner. In practice, the reservation system and the departure control system may be resident on the same mainframe computer and will communicate with one another at a number of levels.

A user will check-in after they have already made a reservation. Their social networking ID may already be stored in a check-in database 36 with other details of the flight for which they are checking in. This check-in database may be the same as, or in communication with, the booking database 14 of Figure 1 and the check-in process may comprise setting one or more flags against the reservation to show that the user has checked-in. If the user did not provide a social networking ID on reservation the user's social networking ID may be retrieved automatically as the user is logged into the social networking site and the ID is therefore known. As in the previous example, the ID can be captured from multiple sources when checking-in including call centre check-in, mobile check-in and kiosk check-in.

When a subsequent user checks-in for a flight, multiple searches are made. First, the Booking Engine initiates the check-in process on the airline reservation system and returns data to the client, for example in a web browser, showing the available seats for selection.

In parallel, the client browser initiates an asynchronous enquiry 40 to the booking engine. As with the previous embodiment, the client browser sends the list of the social networking

identifications of their friends' or contacts' lists which is retrieved from the social networking website to the booking engine together with flight data such as flight number and departure date. The booking engine 10 then searches at 42 for other bookings already stored and looks for IDs from that list which have already checked into the flight onto which the user is checking in so comparing IDs and flight data. The details of that user, together with their seat number are returned to the user's browser and displayed on a flight information screen alongside the check-in options.

The flight information display is shown in Figure 4. Here the user has selected the check-in tab 38 which gives details of the flight in the form of a seat map. The details of the friend who has already checked in is displayed, as their user name and icon, to inform the user that one or more of their friends has already checked into the flight giving their seat number. Although not shown in the figure, the friend's seat allocation is also shown on the display.

This information may be displayed in other ways, for example the seat number may be omitted or the system may ask the user whether they want to sit next to their friend.

The system may also return details of friends who are booked on the flight, but have not yet checked in. In that case, the display will indicate that they are scheduled to travel on the flight but have not yet booked in.

The reservation and check-in processes have been described as separate processes. However, some airlines allow check-in to take place at the time of ticket reservation and booking. The embodiment of figures 3 and 4 could therefore take place at the same time as the embodiment of figures 1 and 2.

Where the reservation is for accommodation, for example in a hotel, the system may display the ID of the friend or contact who is also staying in the hotel. Where that friend or contact has already check-in, the room number may also be displayed.

Embodiments of the invention have the advantage that they utilise features of social networking platforms such as web sites that are common to all such platforms to enhance the booking and / or check-in process so that the user becomes aware of friends or contacts who are booked onto the same flight or checked in onto the same flight, who are travelling to the same destination over an overlapping period, or who are resident in the destination to which the user is travelling.

Many modifications may be made to the embodiments described without departing from the scope of the invention. For example, in the embodiment of Figures 1 and 2, the system may return details of friends who are either visiting the destination at the same time as the user, in that their destination and times overlap as described, or will be travelling on the same flight that the user is searching. Both options may be provided. Thus, a user may be presented with several alternative flights together with details of one or more of their friends on any of those flights.

In the embodiment above, the social networking website is interrogated to retrieve the user's friends or contacts list at the time of booking or checking-in. In an alternative embodiment this step is performed when the user first registers or uses the system, that is when they first enter their own social networking ID into the system or an associated system from which it can be retrieved. This has the advantage that the booking system does not need to interrogate the social networking website at the time of reservation or check-in which may make the process faster. However it does have the disadvantage that the friends or contact list, which can be stored at the booking or check-in database may become out-of-date. This problem could be overcome by regular update enquiries to the social networking platform.

As well as identifying friends or contacts at check-in who have already checked-in or who are due to check-in, the system may, at this point, identify parties who will be at the same destination at the same time or who are listed as resident in that destination as described with respect to the reservation process of figures 1 and 2.

Claims

1. A computerised on-line reservation method, comprising the steps of:

receiving a reservation enquiry at a computerised booking system from a user;

5 receiving the user's identification on a social networking platform at the computerised booking system;

storing the social networking identification of the user in a database associated with the computerised booking system;

in response to a subsequent user submitting a reservation enquiry;

10 retrieving a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated;

searching, at the computerised booking system, for third party reservations having at least one overlapping reservation criterion and an associated SNID from the subsequent user's list; and

15 displaying to the subsequent user the SNID of a third party identified by the search together with information regarding the reservation.

2. A method according to claim 1, comprising, on sending the subsequent enquiry sending a request to the social networking platform to retrieve the city of residence of each party in the subsequent user's list of associated parties;

20 comparing the residences of the list of associated parties with the chosen destination of the subsequent user; and

displaying to the subsequent user, an identification of any party from the list recorded by the social networking platform as resident in the subsequent user's destination city.

25 3. A method according to claim 1, wherein the overlapping criterion comprises destination and date.

4. A method according to claim 1, wherein the reservation system is a travel reservation system and the overlapping criterion comprises the instance of travel being reserved by the subsequent user.

5. A method according to claim 4, wherein the instance of travel is one of a flight, rail journey, road journey or water journey.

6. A method according to claim 1, comprising the steps of:

on receipt of a check-in request message received at the booking engine from the user's browser, retrieving the identifications of the user's list of associated parties on the social networking platform and comparing the identifications of the friends lists with other passengers checked in or scheduled to check-in to the same journey as said user; and

on finding a matching social networking ID, displaying the matching ID to the user.

7. A method according to claim 6, wherein the reservation is a seat reservation and the third party's social networking ID is displayed together with the seat to which that ID has been allocated where the third party has checked in.

8. A method according to claim 6, wherein the reservation is a room accommodation and the third party's social networking ID is displayed together with the room to which that ID has been allocated if the third party has checked in.

9. A method according to claim 1, wherein the user's social networking ID is received from the user as part of the reservation request.

10. A method according to claim 1, wherein the step of receiving the user's social networking ID comprises retrieving the ID from the database associated with the booking system.

11. A method according to claim 1 wherein the user's social networking ID is received from an associated booking system.

12. A method according to claim 1, wherein the overlapping criterion comprises destination and displaying to the subsequent user the social networking IDs of parties with whom the subsequent user is associated and who have travelled to the destination in the past.

13. A computerised on-line check-in method for check-in to a previously made reservation, comprising the steps of:

receiving a check-in request at a computerised booking system from a user computer via a browser;

5 receiving the user's identification on a social networking platform at the computerised booking system;

retrieving a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is
10 associated;

searching, at the computerised booking system, for third party reservations having at least one overlapping criterion and an associated SNID from the subsequent user's list; and

displaying to the user the SNID of a third party identified by the search together with
15 information regarding the reservation.

14. A method according to claim 13, wherein the reservation is a reservation for travel and the user's browser is caused to display the associated SNIDs of parties making the same journey.

15. A method according to claim 14, wherein the booking system determines whether a
20 third party identified by the search has check-in and, if it has, displays the seat number of the third party in the user's browser.

16. A method according to claim 13, wherein the reservation is a reservation for accommodation and the user's browser is caused to display the associated SNIDs or parties having booked the accommodation for an overlapping period.

25 17. A method according to claim 16, wherein the booking system determines whether a third party identified by the search has checked-in, and if it has, display the room number of the third party in the user's browser.

18 A method according to any preceding claim, wherein the platform is a web site.

19. A computerised on-line reservation system, comprising:

a computerised booking system for receiving a reservation enquiry from a user, the computerised booking system being configured to receive the user's identification on a social networking platform at the computerised booking system;

5 a store for storing the social networking identification of the user in a database associated with the computerised booking system;

the computerised booking system further being configured to, in response to receiving a reservation enquiry from a subsequent user;

10 retrieve a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated;

the system further comprising a search engine for searching, at the computerised booking system, for third party reservations having at least one overlapping reservation criterion and an associated SNID from the subsequent user's list; and the computerised
15 booking system being configured to send to the subsequent user for display, the SNID of a third party identified by the search together with information regarding the reservation.

20. A system according to claim 19, wherein the computerised booking system is configured, on receipt of the subsequent enquiry, to send a request to the social networking platform to retrieve the city of residence of each party in the subsequent user's list of
20 associated parties; to compare the residences of the list of associated parties with the chosen destination of the subsequent user; and to send to the subsequent user for display, an identification of any party from the list recorded by the social networking platform as resident in the subsequent user's destination city.

21. A system according to claim 19, wherein the overlapping criterion comprises
25 destination and date.

22. A system according to claim 20, wherein the system is a travel reservation system and the overlapping criterion comprises the instance of travel being reserved by the subsequent user.

23. A system according to claim 22, wherein the instance of travel is one of a flight, rail journey, road journey or water journey.

24. A system according to claim 19, wherein the computerised booking engine is configured, on receipt of a check-in request message received at the booking engine from
5 the user, to retrieve the identifications of the list of associated parties on the social networking platform and to compare the identifications of the lists with other passengers checked in or scheduled to check-in to the same journey as said user; and

on finding a matching social networking ID, to send the matching ID to the user for display.

10 25. A system according to claim 24, wherein the reservation is a seat reservation and the booking system is configured to cause the third party's social networking ID to be displayed together with the seat to which that ID has been allocated where the third party has checked in.

15 26. A system according to claim 24, wherein the reservation is a room accommodation and the booking system is configured to cause third party's social networking ID to be displayed together with the room to which that ID has been allocated if the third party has checked in.

27. A system according to claim 19, wherein the booking system is configured to receive the user's social networking ID from the user as part of the reservation request.

20 28. A system according to claim 19, wherein the booking system is configured to retrieve the ID from the store associated with the booking system.

29. A computerised on-line check-in system for check-in to a previously made reservation, comprising a computerised booking system configured to:

receive a check-in request from a user;

25 receive the user's identification on a social networking platform;

retrieve a list of social networking identifications (SNIDs) for that user from the social networking platform, the list comprising a group of one or more other parties registered on the social networking platform with whom the subsequent user is associated;

the system further comprising a search engine for searching for third party reservations having at least one overlapping criterion and an associated SNID from the subsequent user's list;

5 the booking system further being configured to send to the user for display, the SNID of a third party identified by the search together with information regarding the reservation.

30. A system according to claim 29, wherein the reservation is a reservation for travel and the user's browser is caused to display the associated SNIDs of parties making the same journey.

10 31. A system according to claim 30, wherein the booking system determines whether a third party identified by the search has check-in and, if it has, send the seat number of the third party for display at the user.

32. A system according to claim 29, wherein the reservation is a reservation for accommodation and the booking system sends to the user for display the associated
15 SNIDs or parties having booked the accommodation for an overlapping period.

33. A system according to claim 32, wherein the booking system is configured to determine whether a third party identified by the search has checked-in, and if it has, to send to the user for display, the room number of the third party.

34. A system according to any of claims 19 to 33, wherein the social network platform is
20 a website.