



US00D777170S

(12) **United States Design Patent**
Mihara

(10) **Patent No.:** **US D777,170 S**

(45) **Date of Patent:** **** Jan. 24, 2017**

(54) **OIL DAMPER**

(71) Applicant: **NIDEC SANKYO CORPORATION**,
Nagano (JP)

(72) Inventor: **Naoya Mihara**, Nagano (JP)

(73) Assignee: **NIDEC SANKYO CORPORATION**,
Nagano (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/539,129**

(22) Filed: **Sep. 10, 2015**

(30) **Foreign Application Priority Data**

Mar. 13, 2015 (JP) 2015-005502

(51) **LOC (10) Cl.** **14-99**

(52) **U.S. Cl.**
USPC **D14/483**

(58) **Field of Classification Search**

USPC D15/28, 147, 199, 143; D14/474-483,
D14/496, 299; 4/236, 248; 16/330;
188/290, 283

CPC E05Y 2201/21; E05Y 2201/266; E05Y
2201/256; E05F 3/14; F16F 9/12; F16F
9/145; F16F 9/14; F16F 9/516; F16F 9/50;
F16F 2230/0064; A47K 13/12; A47K
13/04; Y10T 16/540255; Y10T 464/50

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,796,732 A * 1/1989 Kong E05F 3/108
137/513.3
4,893,522 A * 1/1990 Arakawa E05F 3/14
16/82
5,153,946 A * 10/1992 Yoke A47K 13/10
188/307

5,211,267 A * 5/1993 Clark F16D 57/00
16/82

5,906,010 A * 5/1999 Suzuki A47K 13/12
16/342

6,393,624 B1 * 5/2002 Iwashita A47K 13/10
4/246.3

D479,242 S * 9/2003 Kurachi D14/483
6,634,033 B2 * 10/2003 Mizuno F16F 9/14
188/305

D494,601 S * 8/2004 Arisaka D14/483
D494,602 S * 8/2004 Arisaka D14/483

D513,264 S * 12/2005 Hayashi D14/483
D566,123 S * 4/2008 Takei D14/483

D584,315 S * 1/2009 Yamaguchi D14/483
7,798,296 B2 * 9/2010 Iwashita F16F 9/145
188/290

D669,484 S * 10/2012 Suzuki D14/483
D669,485 S * 10/2012 Suzuki D14/483

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Jianq Chyun IP Office

(57) **CLAIM**

The ornamental design for an oil damper, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an oil damper showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The dashed broken lines show portions of the oil damper and form no part of the claimed design. The dot-dashed broken lines represent a boundary of the claimed design and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D670,298	S *	11/2012	Shimozaki		D14/483
D670,299	S *	11/2012	Suzuki		D14/483
D670,300	S *	11/2012	Suzuki		D14/483
D670,301	S *	11/2012	Suzuki		D14/483
D670,302	S *	11/2012	Suzuki		D14/483
D670,303	S *	11/2012	Shimozaki		D14/483
D670,304	S *	11/2012	Shimozaki		D14/483
D670,305	S *	11/2012	Shimozaki		D14/483
D670,307	S *	11/2012	Shimozaki		D14/483
8,307,503	B1 *	11/2012	Burger		E05F 1/1215 16/277
8,439,172	B2 *	5/2013	Lee		A47K 13/12 16/330
8,516,657	B2 *	8/2013	Yoshida		A47K 13/12 16/284
8,769,770	B2 *	7/2014	Kullman		B65F 1/068 16/49
9,414,724	B2 *	8/2016	Vallance		A47K 13/12
2003/0126717	A1 *	7/2003	Iwashita		A47K 13/10 16/82
2003/0234145	A1 *	12/2003	Iwashita		A47K 13/12 188/290
2005/0246863	A1 *	11/2005	Chesworth		E05F 1/063 16/221
2006/0230573	A1 *	10/2006	Kao		E05F 3/20 16/50
2010/0102494	A1 *	4/2010	Duc		E05F 1/12 267/140.12
2012/0080278	A1 *	4/2012	Lee		A47K 13/12 188/283
2012/0090932	A1 *	4/2012	Liu		A47K 13/12 188/290

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8