



US00D717049S

(12) **United States Design Patent**
Schneider

(10) **Patent No.:** **US D717,049 S**

(45) **Date of Patent:** **** Nov. 11, 2014**

(54) **ORGANIZER INSERT**

(71) Applicant: **Jonathan Neil Schneider**, Boulder, CO (US)

(72) Inventor: **Jonathan Neil Schneider**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/460,288**

(22) Filed: **Jul. 9, 2013**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.** **D3/318**
USPC

(58) **Field of Classification Search**
CPC A45C 13/02; A45C 2013/026
USPC 150/131-149, 152, 165; 206/39, 232, 206/424, 425, 457, 494, 534; 40/124.01, 40/124.06, 124.09, 358, 910-912; D14/250; D3/203.1, 203.5, 203.6, D3/203.8, 225-227, 247-253, 299, 301, D3/303

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|--------------|---------|
| 2,718,911 | A * | 9/1955 | Solomon | 150/147 |
| 2,761,482 | A * | 9/1956 | Jeffery | 150/148 |
| 3,146,816 | A * | 9/1964 | Osher | 150/148 |
| 3,734,155 | A * | 5/1973 | Stenger | 150/148 |
| D334,588 | S * | 4/1993 | Okola | D19/27 |
| 5,362,103 | A * | 11/1994 | Bromberg | 281/29 |
| 5,431,207 | A * | 7/1995 | Siegel | 150/139 |
| 6,120,228 | A * | 9/2000 | Exline | 412/2 |
| 7,628,189 | B1 * | 12/2009 | Beckley | 150/138 |
| D624,323 | S * | 9/2010 | Simonsen | D6/301 |
| D671,315 | S * | 11/2012 | Schneider | D3/250 |
| D686,414 | S * | 7/2013 | Schneider | D3/249 |
| 2009/0014105 | A1 * | 1/2009 | Shattuck | 150/147 |
| 2011/0030860 | A1 * | 2/2011 | Allen et al. | 150/147 |

* cited by examiner

Primary Examiner — Adir Aronovich

Assistant Examiner — Ethiene Salgado-Rodriguez

(74) *Attorney, Agent, or Firm* — Fulwider Patton LLP

(57) **CLAIM**

The ornamental design for an organizer insert, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an organizer insert in a partially open position, placed within an organizer showing my new design;

FIG. 2 is a front elevational view of the exterior of the organizer insert in an open position;

FIG. 3 is a top plan view of the organizer insert in an open position;

FIG. 4 is a right side elevation view of the organizer insert in an open position;

FIG. 5 is a left side elevation view of the organizer insert in an open position;

FIG. 6 is a bottom plan view of the organizer insert in an open position;

FIG. 7 is a rear elevational view of the interior of the organizer insert in an open position;

FIG. 8 is a front elevation view of the organizer insert in a closed position;

FIG. 9 is a top plan view of the organizer insert in a closed position;

FIG. 10 is a right side elevation view of the organizer insert in a closed position;


FIG. 11 is a left side elevation view of the organizer insert in a closed position;

FIG. 12 is a bottom plan view of the organizer insert in a closed position; and,

FIG. 13 is a rear elevation view of the organizer insert in a closed position.

The broken lines in FIG. 1 showing of an organizer are shown for the purpose of illustrating environment only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7

FIG. 9





FIG. 10




FIG. 8



FIG. 11



FIG. 12




FIG. 13