



US00PP10656P

United States Patent [19]

[11] Patent Number: Plant 10,656

Van Der Made

[45] Date of Patent: Oct. 20, 1998

[54] ANTIRRHINUM PLANT NAMED
'LAPLEBLO'

P.P. 302	11/1938	Lothrop	Plt./87.9
P.P. 308	6/1939	Oder	Plt./87.9
P.P. 1,270	5/1954	Burkey	Plt./87.9
P.P. 1,597	8/1957	Burkey	Plt./87.9

[75] Inventor: Taco Van Der Made, Quedlinburg, Germany

[73] Assignee: Saatzucht Quedlinburg GmbH, Quedlinburg, Germany

Primary Examiner—Howard J. Locker
Assistant Examiner—Kent Bell
Attorney, Agent, or Firm—C. A. Whealy

[21] Appl. No.: 910,474

[57] ABSTRACT

[22] Filed: Jul. 25, 1997

A distinct cultivar of snapdragon plant named 'Lapleblo', characterized by its ability to be asexually propagated by terminal cuttings; hanging or pendulous plant form that is ideal for hanging basket culture; uniform and freely branching habit; numerous large pink and white appleblossom-colored flowers; early flowering; and excellent rooting.

[51] Int. Cl.⁶ A01H 5/00

[52] U.S. Cl. Plt./879

[58] Field of Search Plt./87.9

[56] References Cited

U.S. PATENT DOCUMENTS

P.P. 281 5/1938 Michler Plt./87.9

3 Drawing Sheets

1

The present invention relates to a new and distinct cultivar of snapdragon plant, botanically known as *Antirrhinum majus* and hereinafter referred to by the cultivar name 'Lapleblo'.

The new snapdragon is a product of a planned breeding program conducted by the inventor in Quedlinburg, Germany. The objective of the breeding program was to create new Snapdragon cultivars having a hanging growth habit, moderate vigor, desirable flower colors, numerous flowers, and strong rooting habit.

The new snapdragon originated from a cross made by the inventor of the inventor's proprietary Snapdragon seedling selections. The cultivar 'Lapleblo' was discovered and selected by the inventor as a flowering plant within the progeny of this cross in a controlled environment in Quedlinburg, Germany, in 1994.

Asexual reproduction of the new snapdragon by terminal cuttings taken at Quedlinburg, Germany, has shown that the unique features of this new Snapdragon are stable and reproduced true to type in successive generations.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Lapleblo'. These characteristics in combination distinguish 'Lapleblo' as a new and distinct cultivar:

1. Can be asexually propagated by terminal cuttings. Most commercially available snapdragon cultivars are generatively propagated by seeds.
2. Hanging or pendulous plant form that is ideal for hanging basket culture. Maintains uniform habit, does not require growth retardants.
3. Freely branching habit.
4. Numerous large pink and white appleblossom-colored flowers.
5. Early flowering.
6. Excellent rooting and easy to propagate.

The new Snapdragon has not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature, daylength and light intensity, without, however, any variance in genotype.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as

2

true as it is reasonably possible to obtain in colored reproductions of this type.

The photograph on the first sheet comprises a side perspective view of a typical flowering hanging basket plant of 'Lapleblo' with three plants in the container.

The photographs on the second sheet comprise close-up views of typical foliage (top) and a typical flower (bottom).

The photographs on the third sheet comprise close-up views of the upper (top) and lower (bottom) labiate petals. The flower and foliage colors in these photographs may appear different than the actual colors due to light reflectance.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used. The following observations and measurements describe plants grown in Quedlinburg, Germany, under commercial practice in a glass-covered greenhouse with average night temperatures of 12° C. and average day temperatures of 15° C.

Botanical classification: *Antirrhinum majus* cultivar 'Lapleblo'.

Commercial classification: Hanging basket Snapdragon.

Parentage:

Male, or pollen, parent.—Proprietary Snapdragon seedling selection.

Female, or seed, parent.—Proprietary Snapdragon seedling selection.

Propagation:

Type.—Terminal tip cuttings.

Time to rooting.—About 28 days with soil temperatures of 20° C.

Rooting habit.—Strong rooting habit, cuttings propagate easily, roots fine and freely branching.

Plant description:

Appearance.—Herbaceous annual with pendulous habit, suitable for hanging basket containers. Bushy and rounded. Freely branching, plants do not require pinching but benefit from pinching. Moderate

Plant 10,656

3

growth rate, maintains uniform habit, does not require growth retardants. From a rooted cutting, eight weeks are required to produce a flowering 9-cm container plant.

Plant diameter in a hanging basket container.—From top of plant plane to lower flowers, 40 to 50 cm.

Stem description.—Internode length: 2 to 3.5 cm. Diameter: 2 to 3 mm. Color: 137B. Texture: Pubescent.

Foliage description.—Arrangement: Single. Length: 3 to 5 cm. Width: 1 to 1.8 cm. Shape: Elliptic. Leaf apex: Acute. Leaf base: Attenuate. Margin: Entire to slightly serrated. Texture: Pubescent. Color: Young foliage upper surface: 137A. Young foliage under surface: 137C. Fully expanded foliage upper surface: 137A. Fully expanded foliage under surface: 137C. Petiole: Length: About 5 mm. Color: 137A.

Flowering description:

Appearance.—Bilabiate flowers arranged in leafy terminal racemes.

Flowering response.—Under natural conditions, plants flower continuous from May to November in the Northern Hemisphere. Flowers not persistent. Flowers last up to 10 days on the plants.

4

Flower bud.—Length: 1.5 to 2.5 cm. Diameter: 1 to 1.5 cm.

Flower size.—Diameter: 2.5 to 3.5 cm. Depth (height): 3.5 to 4 cm. Margin: Entire, undulating. Texture: Satiny, smooth and glabrous. Color: Upper lip: 65B with white streaks. Lower lip: 65B with white streaks. Lower lip palate: 12A. Throat: White.

Peduncle.—Aspect: About 70° to the flowering stem. Length: 3 to 6 mm. Diameter: About 1 mm. Color: 137B.

Sepals.—Quantity: 5. Shape: Ovate. Tip: Acute. Margin: Entire. Color: 137B.

Reproductive organs.—Androecium: Stamen number: 4. Anther size: 1 to 2 mm. Anther color: 16C. Pollen: 17B. Gynoecium: Pistil number: 1. Style length: About 1.8 cm. Style color: Green with salmon pink. Stigma color: 144D.

Disease resistance: No known snapdragon diseases observed to date on plants grown under commercial greenhouse conditions.

Seed production: Seed production has not been observed.

It is claimed:

1. A new and distinct cultivar snapdragon plant named 'Lapleblo', as illustrated and described.

* * * * *





