



(86) Date de dépôt PCT/PCT Filing Date: 1997/12/11
(87) Date publication PCT/PCT Publication Date: 1998/07/02
(45) Date de délivrance/Issue Date: 2007/08/14
(85) Entrée phase nationale/National Entry: 1999/06/15
(86) N° demande PCT/PCT Application No.: FI 1997/000777
(87) N° publication PCT/PCT Publication No.: 1998/027928
(30) Priorité/Priority: 1996/12/20 (FIU960626)

(51) Cl.Int./Int.Cl. *A61J 17/00* (2006.01)


(72) Inventeurs/Inventors:
ALANEN, PENTTI, FI;
SOEDERLING, EVA, FI

(73) Propriétaires/Owners:
ALANEN, PENTTI, FI;
SOEDERLING, EVA, FI

(74) Agent: SMART & BIGGAR

(54) Titre : SUCETTE

(54) Title: PACIFIER



(57) Abrégé/Abstract:


The invention is directed to a pacifying or a feeding dummy comprising an actual mouthpiece (10) and a cover piece (11) or parts for attaching the dummy to a feeding bottle. The actual mouthpiece comprises a piece made of an elastic material to be held in the mouth of a baby between the tongue and the palate. The mouthpiece of the pacifying dummy can be either a hollow or a solid piece. The invention is characterized in that the wall (13) of the hollow mouthpiece or the solid mouthpiece has a space (14) formed into it for the insertion of a dosage unit (20) containing an active agent.



PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61J 17/00	A1	(11) International Publication Number: WO 98/27928 (43) International Publication Date: 2 July 1998 (02.07.98)
(21) International Application Number: PCT/FI97/00777 (22) International Filing Date: 11 December 1997 (11.12.97) (30) Priority Data: U960626 20 December 1996 (20.12.96) FI (71)(72) Applicants and Inventors: ALANEN, Pentti [FI/FI]; Pa- pinkatu 18, FIN-32200 Loimaa (FI). SÖDERLING, Eva [FI/FI]; Alastuvankuja 2 C 3, FIN-24240 Salo (FI). (74) Agent: TURUN PATENTTITOIMISTO OY; P.O. Box 99, FIN-20521 Turku (FI).		(81) Designated States: AU, BR, CA, HU, JP, PL, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i> <i>In English translation (filed in Finnish).</i>
(54) Title: PACIFIER (57) Abstract The invention is directed to a pacifying or a feeding dummy comprising an actual mouthpiece (10) and a cover piece (11) or parts for attaching the dummy to a feeding bottle. The actual mouthpiece comprises a piece made of an elastic material to be held in the mouth of a baby between the tongue and the palate. The mouthpiece of the pacifying dummy can be either a hollow or a solid piece. The invention is characterized in that the wall (13) of the hollow mouthpiece or the solid mouthpiece has a space (14) formed into it for the insertion of a dosage unit (20) containing an active agent.		



74583-34

1

PACIFIER

The invention is directed to a baby's pacifying or feeding dummy.

Dental caries has been shown to develop in small children during the sucking of a dummy, especially during the sleep when the secretion of saliva is poor. Therefore, it has been proposed to add an anti-caries agent to a dummy, from which the agent is delivered into the mouth of a baby. Schweiz Monatsschr Zahnmed Vol 104:8 1994 pp 946-951 describes two dummies, where tablets containing sodium fluoride, xylitol, and sorbitol have been inserted. In the first dummy, the downwardly facing surface of the mouth piece had three identical holes through which the active agent flows to an area around the teeth in the lower jaw. In the second dummy, there were two holes made in the downwardly facing surface and also two holes made in the upwardly facing surface, wherein the active agent flowed after its delivery into contact with the teeth in both the upper jaw and the lower jaw.

In both of these dummies, the anti-caries tablet is positioned inside the mouthpiece by means of a locking device situated in the opposing side of the cover piece. However, these approaches for making dummies have certain problems. The insertion of a tablet inside the dummy through the locking device is cumbersome. The locking device itself is structurally rather complicated and thus costly. The difficulty to keep the mouthpiece and the locking device clean creates problems and may lead to an unacceptable hygienic level.

An approach for making dummies has also been presented wherein the anti-caries tablet is placed in the lip-plate. This type of construction is complicated and the plate may exert pressure against the dental alveole, which is

74583-34

2

unsatisfactory in terms of its growth.

An object of some embodiments of this invention is to overcome the above problems and to provide a dummy, which allows a tablet or a dosage unit containing an anti-
5 carries agent or another active agent to become associatively inserted. The invention is directed to a structurally simple dummy, which is easy to load with a dosage unit containing an active agent and which is easy to clean.

10 One embodiment of the invention is thus directed to a pacifying or a feeding dummy, which comprises an actual mouthpiece and a cover piece or parts for attaching the dummy to the feeding bottle. The actual mouthpiece comprises a piece made of an elastic material to be held in
15 the mouth of a baby between the tongue and the palate. The mouthpiece of the pacifying dummy may be either a hollow or a solid piece. The invention is characterized in that the wall of a hollow mouthpiece or the solid mouthpiece has a void made into it for the insertion of a dosage unit
20 containing an active agent.

A broad aspect of the invention provides a pacifying or a feeding dummy, which comprises a mouthpiece and a cover for attaching the dummy to a feeding bottle, wherein the mouthpiece comprises a piece made of an elastic
25 material to be held in a mouth of a baby between the tongue and the palate and a part to be held between the alveoli in the mouth of a baby and wherein the mouthpiece of the pacifying dummy is either a hollow or a solid piece, the mouthpiece having one end that is to be located in the
30 mouth of the baby, the mouthpiece having a wall that contains a pouch for insertion of an active agent-containing dosage unit and the wall of the mouthpiece

74583-34

2a

having an outside and the pouch including an insertion orifice through which an active agent-containing dosage unit is inserted into the pouch, the insertion orifice being positioned on the outside of the mouthpiece wall
5 between the part to be held between the alveoli and the one end of said mouthpiece.

Another broad aspect of the invention provides a pacifying or a feeding dummy, comprising a mouthpiece that includes a piece made of an elastic material to be held in
10 the mouth of a baby between the tongue and the palate and a part to be held between the alveoli in the mouth of the baby, the mouthpiece having a tip end that is to be located in the mouth of the baby, the mouthpiece having an outer surface extending from the tip end to said part to be held
15 between the alveoli in the mouth of the baby, the mouthpiece being provided with a pouch for receiving an active agent-containing dosage unit, the mouthpiece also including an insertion orifice communicating with the pouch and opening to said outer surface of the mouthpiece through
20 which the active agent-containing dosage unit is inserted into the pouch.

A further broad aspect of the invention provides a pacifying or a feeding dummy, comprising a mouthpiece that includes a piece made of an elastic material to be
25 held in the mouth of a baby between the tongue and the palate and a part to be held between the alveoli in the mouth of the baby, the mouthpiece having an outer surface and a tip end located in the mouth of the baby, the mouthpiece being provided with a pouch for receiving an
30 active agent-containing dosage unit, the mouthpiece also including an insertion orifice communicating with the pouch and opening exteriorly of the mouthpiece to insert an active agent-containing dosage unit into the pouch, the

74583-34

2b

insertion orifice extending transverse to a direction of extent of the pouch.

Embodiments of the invention is now described by reference to the attached drawings, wherein

5 Figure 1 represents a vertical longitudinal section of a dummy of a first embodiment of the invention,

Figure 2 represents a longitudinal section of the mouthpiece of the dummy of Figure 1, enlarged,

10 Figure 3 represents the mouthpiece of the dummy of Figure 2 viewed from the bottom,

Figure 4 represents a vertical cross-section of the mouthpiece of the dummy of Figure 2 along the line A-A, and

15 Figures 5A and 5B represent a section of the dummy of the invention according to the second embodiment,

Figures 6A - 6C represent a section of the dummy of the invention according to the third embodiment.

74583-34

3

The Figure 1 shows a vertical longitudinal section of the dummy of the invention embodied as a pacifying dummy, in approximately natural size. The mouthpiece to be fitted into the mouth of a baby has been given the reference number 10, the cover of the dummy the reference number 11 and the handle the reference number 12. In this embodiment the hollow mouthpiece 10 comprises an empty void 19 defined by an elastic wall forming the outer surface 13 of the mouthpiece. The Figure 2, which is a greatly enlarged view of the mouthpiece of Figure 1, shows a closer view of an embodiment of this invention. The wall 13 of the mouthpiece has been provided with a void 14, wherein a tablet 20 or a comparable dosage unit containing an active agent, for example an anti-caries agent, has been inserted.

15 The void 14, mentioned in the exemplary approach of the Figures 1 and 2, is formed as a pouch which has been positioned in the lower part 13a of the mouthpiece. The wall 15, facing the mouth of the baby, of the pouch has been provided with one or more holes 16. The active agent is delivered into the mouth of the baby through the hole or holes 16 as a result of its dissolution, erosion, or its disintegration by some other means. The holes allow the rate of introduction of the active agent into the mouth, and thus the concentrations in the mouth, to be controlled for the attainment of a proper therapeutic level. The wall 13 of the mouthpiece is provided with a protuberance 18 at the orifice 17 of the pouch 14. The insertion of the tablet 20 into the pouch 14 is performed by pressing the protuberance 18 outwards from the pouch, thus facilitating the insertion. Thereafter, the protuberance 18 retracts into the position shown in the Figure 2, when it efficiently prevents the tablet or another dosage unit 20 in the pouch from escaping through the orifice 17 of the pouch into the mouth of the baby. The Figure 3 shows that the orifice 17 is suitably very narrow as compared to the tablet 20.

The Figure 4 shows, in a vertical cross-section, the mouthpiece 10, which has a tablet 20 inserted into the lower part 13a of its wall. According to a preferred embodiment, the mouthpiece is designed as described in the published patent WO 96/20687. Accordingly, the cross-sectional profile of the mouthpiece is elongated and laterally protruding, which results in a sideways-acting pressure generated by the sucking movements of the baby. According to the said published patent the cross-sectional profile can further be slightly V-shaped or its upper edge (13b) arched slightly downwards, which results in a nonsignificant pressure from the mouthpiece against the central part of the palate.

The Figures 5A and 5B represent the second embodiment of this invention, wherein the mouthpiece 10 of a pacifying dummy is a solid elastic piece. The Figure 5A represents a side view of a vertical cross-section of the mouthpiece and the Figure 5B a front view of a vertical cross-section of the mouthpiece. In this approach the space 14 is a cleft-like cavity into which the dosage unit 20 is pushed. The dosage unit is retained safely by the elastic protuberances 18. Such an approach is not to be recommended if the dosage unit is a disintegrating tablet, because in such a case rather large pieces may be introduced into the mouth of a baby through the orifice 17. However, this approach may well be suitable if the dosage unit remains largely intact during the use, when the active agent is delivered for example through a membrane surrounding the dosage unit. The pouch-based design, instead, shown in the Figures 1 - 4, is to be recommended if an easily disintegrating tablet is concerned, because even the smallest pieces are retained safely inside the pouch.

The Figures 6A - 6C, representing sections similar to those of the Figures 1-2, 3, and 4, show a pouch made into a solid mouthpiece. The Figure 6A, which is a vertical longitudinal section of the mouthpiece, shows that the part

21 of the mouthpiece, which remains between the alveoli, is made solid and a pouch 14 is formed into the solid rear half. Because the rear half of the mouthpiece is nearly flat and small, the whole rear half has been formed into a pouch in this approach. The construction of this kind of a mouthpiece is simple and the pouch can be easily made wide enough. The Figure 6B shows the mouthpiece of Figure 6A from below and the Figure 6C shows a part of the dummy as a cross-section along the line B-B of Figure 6A. The reference numbers have the same meaning as in the previous Figures.

A tablet or an another dosage unit can contain an anti-carries agent. Alternatively, the active agent can be an agent against another disease, such as an anti-otitis agent. The active agent can also be a medicament intended for temporary use.

In the case of a pacifying dummy the mouthpiece can be hollow or a solid and elastic piece.

The invention can also be applied to a feeding dummy.

Various embodiments of this invention are evident for a person skilled in the art and these are within the scope of the appended claims.

74583-34

6

CLAIMS:

1. A pacifying or a feeding dummy, which comprises a mouthpiece and a cover for attaching the dummy to a feeding bottle, wherein the mouthpiece comprises a piece made of an elastic material to be held in a mouth of a baby between the tongue and the palate and a part to be held between the alveoli in the mouth of a baby and wherein the mouthpiece of the pacifying dummy is either a hollow or a solid piece, the mouthpiece having one end that is to be located in the mouth of the baby,

the mouthpiece having a wall that contains a pouch for insertion of an active agent-containing dosage unit and

the wall of the mouthpiece having an outside and the pouch including an insertion orifice through which an active agent-containing dosage unit is inserted into the pouch, the insertion orifice being positioned on the outside of the mouthpiece wall between the part to be held between the alveoli and the one end of said mouthpiece.

2. The dummy according to claim 1, wherein the pouch possesses a wall having one or more holes for delivering an active agent of a disintegrating dosage unit into the mouth of a baby.

3. The dummy according to claim 1, wherein the pouch is positioned in a lower part of the mouthpiece.

4. The dummy according to claim 1, wherein the wall of the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through the orifice from escaping into the mouth of a baby.

74583-34

7

5. The dummy according to claim 2, wherein the pouch is positioned in a lower part of the mouthpiece.

6. The dummy according to claim 2, wherein the mouthpiece has a protuberance at the orifice of the pouch
5 to prevent the dosage unit inserted into the pouch through the orifice from escaping into the mouth of a baby.

7. The dummy according to claim 3, wherein the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through
10 the orifice from escaping into the mouth of a baby.

8. A pacifying or a feeding dummy, comprising a mouthpiece that includes a piece made of an elastic material to be held in the mouth of a baby between the tongue and the palate and a part to be held between the
15 alveoli in the mouth of the baby, the mouthpiece having a tip end that is to be located in the mouth of the baby, the mouthpiece having an outer surface extending from the tip end to said part to be held between the alveoli in the mouth of the baby, the mouthpiece being provided with a
20 pouch for receiving an active agent-containing dosage unit, the mouthpiece also including an insertion orifice communicating with the pouch and opening to said outer surface of the mouthpiece through which the active agent-containing dosage unit is inserted into the pouch.

25 9. The dummy according to claim 8, wherein the pouch possesses a wall having one or more holes for delivering an active agent of a disintegrating dosage unit into the mouth of a baby.

10. The dummy according to claim 8, wherein the pouch
30 is positioned in a lower part of the mouthpiece.

74583-34

8

11. The dummy according to claim 8, wherein the wall of the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through the orifice from escaping into the mouth of a baby.

5 12. The dummy according to claim 9, wherein the pouch is positioned in a lower part of the mouthpiece.

13. The dummy according to claim 9, wherein the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through
10 the orifice from escaping into the mouth of a baby.

14. A pacifying or a feeding dummy, comprising a mouthpiece that includes a piece made of an elastic material to be held in the mouth of a baby between the tongue and the palate and a part to be held between the
15 alveoli in the mouth of the baby, the mouthpiece having an outer surface and a tip end located in the mouth of the baby, the mouthpiece being provided with a pouch for receiving an active agent-containing dosage unit, the mouthpiece also including an insertion orifice
20 communicating with the pouch and opening exteriorly of the mouthpiece to insert an active agent-containing dosage unit into the pouch, the insertion orifice extending transverse to a direction of extent of the pouch.

15. The dummy according to claim 14, wherein the
25 pouch possesses a wall having one or more holes for delivering an active agent of a disintegrating dosage unit into the mouth of a baby.

16. The dummy according to claim 14, wherein the pouch is positioned in a lower part of the mouthpiece.

74583-34

9

17. The dummy according to claim 14, wherein the wall of the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through the orifice from escaping into the mouth of a baby.

5 18. The dummy according to claim 15, wherein the pouch is positioned in a lower part of the mouthpiece.

19. The dummy according to claim 15, wherein the mouthpiece has a protuberance at the orifice of the pouch to prevent the dosage unit inserted into the pouch through
10 the orifice from escaping into the mouth of a baby.

SMART & BIGGAR

OTTAWA, CANADA

PATENT AGENTS

23 -01- 1998

PCT/FI 97 / 00777

14 JAN 1998

782




FIG. 1




FIG. 2




FIG. 5A




FIG. 5B

2/3




FIG. 3




FIG. 4

23-01-1998

PCT/FI 97 / 00777
14 JAN 1998

3/3




FIG. 6A




FIG. 6B




FIG. 6C

