



US00D802038S

(12) **United States Design Patent**
Kitada et al.

(10) **Patent No.:** **US D802,038 S**

(45) **Date of Patent:** **** Nov. 7, 2017**

- (54) **ROTARY DAMPER**
- (71) Applicant: **Kabushiki Kaisha Somic Ishikawa,**
Tokyo (JP)
- (72) Inventors: **Tatsuya Kitada,** Shizuoka (JP); **Keiichi Saito,** Shizuoka (JP)
- (73) Assignee: **Kabushiki Kaisha Somic Ishikawa,**
Tokyo (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/543,392**
- (22) Filed: **Oct. 23, 2015**
- (30) **Foreign Application Priority Data**

Apr. 24, 2015 (JP) 2015-009315

(51) **LOC (10) CL.** **15-09**

(52) **U.S. CL.**
USPC **D15/148**

(58) **Field of Classification Search**
USPC D8/367, 368, 372; D15/138, 148, 149
CPC B60G 13/005; B60G 2202/22; B60G
2204/1226; E05F 3/14; E05F 3/20; E05Y
2201/21; E05Y 2201/254; E05Y
2201/256; E05Y 2201/266; F16F 9/14;
F16F 9/20; F16F 9/28; F16F 9/34; F16F
9/145; F16F 9/512; F16F 9/516; Y10T
16/625

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D226,839 S * 5/1973 Kanno et al. D9/436
D271,746 S * 12/1983 Pieri D9/415
D273,940 S * 5/1984 Soos D9/436
4,576,252 A * 3/1986 Omata E05F 3/14
16/82

4,893,522 A * 1/1990 Arakawa E05F 3/14
16/82
5,211,267 A * 5/1993 Clark F16D 57/00
16/82
5,297,706 A * 3/1994 Blitz A47G 25/485
223/91
6,121,526 A * 9/2000 Kobori F16F 9/145
188/291
D445,020 S * 7/2001 Smith D8/367
D479,242 S * 9/2003 Kurachi D14/483
D496,256 S * 9/2004 Hong D8/367
D524,636 S * 7/2006 Burnett D8/367
7,204,353 B2 * 4/2007 Kanno F16F 9/20
188/290
D584,315 S * 1/2009 Yamaguchi D14/483
D669,484 S * 10/2012 Suzuki D14/483
D766,601 S * 9/2016 Barre D6/326
D770,783 S * 11/2016 Stroud D6/327
D771,403 S * 11/2016 Matthews D6/513

(Continued)

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Cozen O'Connor

(57) **CLAIM**

We claim the ornamental design for a rotary damper, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a rotary damper showing the new design;

FIG. 2 is a rear view of a rotary damper of FIG. 1;

FIG. 3 is a bottom view of a rotary damper of FIG. 1;

FIG. 4 is a left side view of a rotary damper of FIG. 1;

FIG. 5 is a right side view of a rotary damper of FIG. 1;


FIG. 6 is a plan view of a rotary damper of FIG. 1;

FIG. 7 is a cross-section A-A view of a rotary damper of FIG. 1; and,

FIG. 8 is a cross-section B-B view of a rotary damper of FIG. 1.

The broken lines shown in FIGS. 1-8 represent unclaimed portions of the claimed design of a rotary damper.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,931 S *	2/2017	Mondragon	D9/415
2006/0011428 A1 *	1/2006	Hayashi	F16F 9/12
			188/290

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

