Oct. 23, 1923. 1,471,766

J. H. WOLFE

STAND FOR USE IN COMBINATION WITH A GOLF BAG OR THE LIKE

Filed May 20. 1922




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5

Witnesses:
Eric Harrison
Helen Steeves

James Henry Wolfe

Inventor.

Patented Oct. 23, 1923. 1,471,766

UNITED STATES PATENT OFFICE.

JAMES HENRY WOLFE, OF CALGARY, ALBERTA, CANADA.

STAND FOR USE IN COMBINATION WITH A GOLF BAG OR THE LIKE.

Application filed May 20, 1922. Serial No. 562,513.

To all whom it may concern:

Be it known that I, JAMES HENRY WOLFE, a subject of the King of Great Britain and Ireland, and a resident of the city of Calgary, in the Province of Alberta and the Dominion of Canada, having invented a certain new and useful Stand for Use in Combination with a Golf Bag or the like, do hereby declare the following to be a full, clear, and exact description of the same.

My invention relates to a new and useful stand for use in combination with a golf bag or the like with which it is sought to accomplish the following objects:

1. To provide a bag with an open mouth which shall have a means of supporting the mouth of the said bag in a raised position.

2. To provide a raising and supporting means which will be portable, reliable and may be folded up when not in use.

My device is illustrated in the accompanying drawings in which Fig. 1 is a side view showing the bag with the mouth raised from the ground.

Fig. 2 is an end view the two supporting members in relation to the bag.

Fig. 3 is a view showing the supporting members closed up and held against the bag.

Fig. 4 is an enlarged vertical side elevation of the joint between the top plate of the supporting legs and the bag, and also shows the legs in relation thereto.

Fig. 5 is a perspective view of the back of the legs showing how the two legs are mounted and the automatic opening device for the said legs.

Referring more particularly to the drawings in which similar letters refer to similar parts.

a, is a golf bag which is of the usual type and with stiffening rods therein. A solid ring mouth piece is provided to which the ends of the stiffening rods are secured and exteriorly of the said ring a bracket *b*, is secured. Supporting legs *c*, are mounted upon a plate member *d*, by a pivot joint *e*, and are connected together by folding members *f*, the pivot point *g*, of which folding members is mounted in a member *h*, slidable along a guide *i* mounted upon the plate member *d*. A spring *k*, is mounted between the pivot *g*, of the folding members and the base of the framing *m*, formed upon the plate *d* to open both the supporting legs simultaneously, an adjusting screw *n* being provided to vary the tension.

The plate *d*, has lugs formed upon its upper end which lugs correspond with and are connected to the lugs upon the bracket *b*.

When closed, the legs *c*, are held by the clips *o*, mounted upon the bag *a*, in a suitable position and the before described method of mounting the legs together necessitates the placing of one leg only within the clips *o*, to retain both legs in the closed position. A clip *p*, is provided, pivoted upon the bracket member *b*, to engage upon the upper edge of the plate *d*, and retain the legs in position away from the bag.

What I do claim as my invention, and desire to secure by Letters Patent is:

1. In combination with a golf bag or the like with longitudinal supports, of a hinge bracketed to the outside of the mouth of the said bag, a pair of legs pivoted upon a bracket, which bracket is mounted upon the said hinge, a clip member securing the hinged bracket to hold the base of the legs away from the bag, means for spreading the said legs and means for securing the legs when closed in a position adjacent the bag, all as and for the purposes described.

2. In combination with a golf bag or the like with longitudinal supports, of a hinge bracketed to the outside of the mouth of the said bag, a pair of legs pivoted upon a bracket, which bracket is mounted upon the said hinge, a clip member securing the hinged bracket to hold the base of the legs away from the bag, an automatic spreader for the legs connected by folding levers operating along a guide making movement of both legs possible from force exerted upon one leg and means for securing the legs when closed in a position adjacent the bag, all substantially as described.

3. In combination with a golf bag or the like with longitudinal supports, of a hinge bracketed to the outside of the mouth of the said bag, a pair of legs pivoted upon a bracket, which bracket is mounted upon

the said hinge, a clip member securing the hinged bracket to hold the base of the legs away from the bag, an automatic spreader for the legs connected by folding levers operating along a guide making movement of both legs possible from force exerted upon one leg, clips secured upon the bag to secure the legs in the closed position adjacent the bag; all substantially as described.

JAMES HENRY WOLFE.

Witnesses:
ERIC L. HARVIE,
HELEN STEEVES.