US00D604142S

(54) **HASP ASSEMBLY**

(76) Inventor: **Robert B. Ayrest**, 6160 Cobblestone
                 Rd., Placerville, CA (US) 95667

(**) Term: **14 Years**

(21) Appl. No.: **29/314,641**

(22) Filed: **Apr. 15, 2009**

(51) **LOC (9) Cl.** **08-07**
(52) **U.S. Cl.** **D8/343**; D8/345
(58) **Field of Classification Search** D8/343,
             D8/330, 331, 333, 336, 344, 345; 70/2–8,
             70/14, 34, 51, 52, 57; 292/205, 210, 251.5,
                        292/281–287, 340, 341.17
       See application file for complete search history.

(56)   **References Cited**

                 U.S. PATENT DOCUMENTS

     4,793,163 A   *   12/1988   MacFarlane et al. 70/2

                     (Continued)

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Derrick Holland
(74) *Attorney, Agent, or Firm*—Howard Cohen

(57)   **CLAIM**

The ornamental design for a hasp assembly, as shown and
described.

                    DESCRIPTION

FIG. **1** is a top perspective view of a hasp assembly showing
my new design;

FIG. **2** is an exploded perspective view thereof;

FIG. **3** is a left side elevation view thereof;

FIG. **4** is a right side elevation view thereof;

FIG. **5** is a top plan view thereof;

FIG. **6** is a front elevation view thereof;

FIG. **7** is a rear elevation view thereof;

FIG. **8** is a bottom plan view thereof;

FIG. **9** is a top plan view of the tongue of the hasp assembly
shown separately for clarity;

FIG. **10** is a right side view of FIG. **9**;

FIG. **11** is a bottom plan view of FIG. **9**;

FIG. **12** is a front view of FIG. **9**;

FIG. **13** is a rear view of FIG. **9**;

FIG. **14** is a top plan view of the base plate of the hasp
assembly shown separately for clarity;

FIG. **15** is a bottom plan view of FIG. **14**;

FIG. **16** is a front view of FIG. **14**;

FIG. **17** is a right side view of FIG. **14**;

FIG. **18** is a rear view of FIG. **14**;

FIG. **19** is a left side view of FIG. **14**;

FIG. **20** is an enlarged detailed portion elevation view of
FIGS. **17** and **23** taken along lines **20—20**;

FIG. **21** is a top plan view of the lock loop plate of the hasp
assembly shown separately for clarity;

FIG. **22** is a bottom plan view of FIG. **21**;

FIG. **23** is a side view of FIG. **21**;

FIG. **24** is a front view of FIG. **21**;

FIG. **25** is a rear view of FIG. **21**;

FIG. **26** is a top plan view of the hinge pin of the hasp
assembly shown separately for clarity;

FIG. **27** is a left end view of FIG. **26**;

FIG. **28** is a right end view of FIG. **26**;

FIG. **29** is a top perspective view of the hasp assembly with
the base plate rotated 180 degrees from FIG. **1**;

FIG. **30** is a left side elevation of FIG. **29**;

FIG. **31** is a right side elevation of FIG. **29**;

FIG. **32** is a top plan view of FIG. **29**;

FIG. **33** is a front elevation of FIG. **29**;

FIG. **34** is a rear elevation of FIG. **29**; and,

FIG. **35** is a bottom plan view of FIG. **29**.

                 1 Claim, 6 Drawing Sheets

U.S. PATENT DOCUMENTS

D306,130 S * 2/1990 Bobrowski et al. D8/338
D313,543 S * 1/1991 MacFarlane D8/338
5,409,276 A * 4/1995 Engasser 292/281
5,456,506 A * 10/1995 Bartlett 292/281

5,732,575 A * 3/1998 Kaveney 70/2
D427,885 S * 7/2000 Ayrest D8/336
D476,548 S * 7/2003 Vito D8/346
D476,878 S * 7/2003 Evans D8/331

* cited by examiner

Fig. 1

Fig. 2

Fig. 3

Fig. 4

Fig. 5

Fig. 6

Fig. 7

Fig. 8

Fig. 9

Fig. 10

Fig. 11

Fig. 12

Fig. 13

Fig. 14

Fig. 15

Fig. 16

Fig. 17

Fig. 18

Fig. 19

Fig. 20

Fig. 21

Fig. 22

Fig. 23

Fig. 24

Fig. 25

Fig. 26

Fig. 27

Fig. 28

20   20

Fig. 29

Fig. 30

Fig. 31

Fig. 32

Fig. 33

Fig. 34

Fig. 35