




(22) Date de dépôt/Filing Date: 2015/04/15	(51) Cl.Int./Int.Cl. <i>G06Q 30/02</i> (2012.01), <i>G06Q 30/08</i> (2012.01), <i>H04W 12/04</i> (2009.01), <i>H04W 84/18</i> (2009.01)
(41) Mise à la disp. pub./Open to Public Insp.: 2015/11/22	(72) Inventeurs/Inventors: BASHEERAHAMMED, SIBISH NEELIKATTIL, US; DURVASULA, SASTRY VSM, US; MANIVANNAN, PREMKUMAR, US; MATHUR, ANUJ K., US; MUTHUKRISHNAN, SATHISH B., US; WILMES, ROBERT, US; WOLF, DAVID M., US; NORMAN, PHILIP, US
(45) Date de délivrance/Issue Date: 2017/07/25	(73) Propriétaire/Owner:
(30) Priorité/Priority: 2014/05/22 (US14/284,817)	

(54) Titre : SYSTEMES ET METHODES DESTINES AUX TRANSACTIONS COMMERCIALES ELECTRONIQUES
DYNAMIQUES FONDEES SUR LA PROXIMITE
(54) Title: SYSTEMS AND METHODS FOR DYNAMIC PROXIMITY BASED E-COMMERCE TRANSACTIONS



(57) Abrégé/Abstract:
A method comprises transmitting, by a merchant web-client, a signal using a low energy consuming device, wherein the signal may be received by a transaction account holder web-client, wherein the signal may carry content associated with a merchant, and

(73) **Propriétaires(suite)/Owners(continued):**AMERICAN EXPRESS TRAVEL RELATED SERVICES COMPANY, INC., US

(74) **Agent:** MARKS & CLERK

(57) **Abrégé(suite)/Abstract(continued):**

wherein the merchant is associated with the merchant web-client, and/or receiving, by the merchant web- client, a response from the transaction account holder web-client, wherein the response may be transmitted by the transaction account holder web-client to the merchant web- client using the low energy consuming device. The content may comprise an advertisement associated with an item offered for sale by the merchant.

ABSTRACT

A method comprises transmitting, by a merchant web-client, a signal using a low energy consuming device, wherein the signal may be received by a transaction account holder web-client, wherein the signal may carry content associated with a merchant, and wherein the merchant is associated with the merchant web-client, and/or receiving, by the merchant web-client, a response from the transaction account holder web-client, wherein the response may be transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device. The content may comprise an advertisement associated with an item offered for sale by the merchant.

SYSTEMS AND METHODS FOR DYNAMIC PROXIMITY BASED E-COMMERCE TRANSACTIONS

FIELD

[0001] The present disclosure generally relates to e-commerce, and more particularly, to the provision of content based upon a micro-location of a transaction account user.

BACKGROUND

[0002] At present, consumers may only receive tailored content (e.g., advertisements and offers), some of which may be very broadly based upon location. It would be desirable to tailor content to consumers based upon a micro-location, as defined below, of a consumer.

SUMMARY

[0003] A method comprises transmitting, by a merchant web-client, a signal using a low energy consuming device (such as a BLUETOOTH low energy consuming device), wherein the signal may be received by a transaction account holder web-client, and wherein the signal may carry content associated with a merchant (wherein the merchant is associated with the merchant web-client), and/or receiving, by the merchant web-client, a response from the transaction account holder web-client, wherein the response may be transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device. In various embodiments, the content may comprise an advertisement associated with an item offered for

sale by the merchant. The method may further comprise receiving, by the merchant web-client, a bid to purchase an item associated with the content, wherein the content comprises an item offered for sale by the merchant. The method may further comprise selecting, by the merchant web-client, a bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant. The content may comprise an interactive item catalog of items offered for sale by the merchant. The low energy consuming device may communicate with a transaction account holder web-client within 300 meters of the low energy consuming device. The method may further comprise transmitting, by the computer-based system, content based upon personal information associated with the transaction account holder.

According to an aspect of the present invention, there is provided a method comprising:

- uploading, by a merchant web-client, merchant content for a plurality of items offered for sale by a merchant;

- wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;

- receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,

- wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,

- wherein the first signal includes personal information associated with a customer;

- determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;

- updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;

- transmitting, by the merchant web-client, a second signal using a low energy consuming device,

- wherein the second signal is received by the transaction account holder web-client associated with the customer,

wherein the second signal carries the updated content associated with the merchant,
wherein the updated content comprises an advertisement associated with the item
offered for sale by the merchant,

wherein the merchant is associated with the merchant web-client;

transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;

receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,

wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.

According to another aspect of the present invention, there is provided a system comprising:

a tangible, non-transitory memory communicating with a merchant web-client processor for providing tailored content,

the tangible, non-transitory memory having instructions stored thereon that, in response to execution by the merchant web-client processor, cause the merchant web-client processor to perform operations comprising:

uploading, by the merchant web-client, merchant content for a plurality of items offered for sale by a merchant;

wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;

receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,

wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,

wherein the first signal includes personal information associated with a customer;

determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;

updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;

transmitting, by the merchant web-client, a second signal using a low energy consuming device,

wherein the second signal is received by the transaction account holder web-client associated with the customer,

wherein the second signal carries the updated content associated with the merchant,

wherein the updated content comprises an advertisement associated with the item offered for sale by the merchant,

wherein the merchant is associated with the merchant web-client;

transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;

receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,

wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.

According to a further aspect of the present invention, there is provided an article of manufacture including a non-transitory, tangible computer readable medium having instructions stored thereon that, in response to execution by a merchant web-client for providing tailored content, cause the computer-based system to perform operations comprising:

uploading, by the merchant web-client, merchant content for a plurality of items offered for sale by a merchant;

wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;

receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,

wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,

wherein the first signal includes personal information associated with a customer;

determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;

updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;

transmitting, by the merchant web-client, a second signal using a low energy consuming device,

wherein the second signal is received by the transaction account holder web-client associated with the customer,

wherein the second signal carries the updated content associated with the merchant, wherein the updated content comprises an advertisement associated with the item offered for sale by the merchant,

wherein the merchant is associated with the merchant web-client;

transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;

receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,

wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.

BRIEF DESCRIPTION OF THE DRAWINGS

[0004] The features and advantages of the present disclosure will become more apparent from the detailed description set forth below when taken in conjunction with the drawings. The left-most digit of a reference number identifies the drawing in which the reference number first appears.

[0005] Figure 1A illustrates, in accordance with various embodiments, a system for providing tailored content to a transaction account holder based upon a micro-location of the transaction account holder;

[0006] Figure 1B illustrates, in accordance with various embodiments, a system for receiving a charitable donation from a transaction account holder based upon a micro-location of the transaction account holder;

[0007] Figure 2A illustrates, in accordance with various embodiments, a process for providing tailored content to a transaction account holder based upon a micro-location of the transaction account holder; and

[0008] Figure 2B illustrates, in accordance with various embodiments, a process for receiving a charitable donation from a transaction account holder based upon a micro-location of the transaction account holder.

DETAILED DESCRIPTION

[0009] The detailed description of exemplary embodiments herein makes reference to the accompanying drawings, which show the exemplary embodiments by way of illustration and their best mode. While these exemplary embodiments are described in sufficient detail to enable those skilled in the art to practice the disclosure, it should be understood that other embodiments may be realized and that logical and mechanical changes may be made without departing from the spirit and scope of the disclosure. Thus, the detailed description herein is presented for purposes of illustration only and not of limitation. For example, the steps recited in any of the method or process descriptions may be executed in any order and are not limited to the order presented. Moreover, any of the functions or steps may be outsourced to or performed by one or more third parties. Furthermore, any reference to singular includes plural embodiments, and any reference to more than one component may include a singular embodiment.

[0010] Phrases and terms similar to a “transaction account holder,” “buyer,” “participant,” “consumer,” and/or “user” may include any person, entity, software and/or hardware that receives items in exchange for consideration (e.g. financial payment). For example, a buyer may purchase, lease, rent, barter or otherwise obtain items from a supplier and pay the supplier using a transaction account.

[0011] Phrases or terms similar to a “processor” (such as a payment processor) or “transaction account issuer” may include a company (e.g., a third party) appointed (e.g., by a merchant) to handle transactions for merchant banks. Processors may be broken down into two types: front-end and back-end. Front-end processors have connections to various transaction accounts and supply authorization and settlement services to the merchant banks’ merchants. Back-end processors accept settlements from front-end processors and, via The Federal Reserve Bank, move money from an issuing bank to the merchant bank. In an operation that will usually take a few seconds, the payment processor will both check the details received by forwarding the details to the respective account’s issuing bank or card association for verification, and may carry out a series of anti-fraud measures against the transaction. Additional parameters, including the account’s country of issue and its previous payment history, may be used to gauge the probability of the transaction being approved. In response to the payment processor receiving confirmation that the transaction account details have been verified, the information may be relayed back to the merchant, who will then complete the payment transaction. In response to the verification being denied, the payment processor relays the information to the merchant, who may then decline the transaction.

[0012] As used herein, “transmit” may include sending electronic data from one system component to another over a network connection. Additionally, as used herein, “data” may include encompassing information such as commands, queries, files, data for storage, and the like in digital or any other form.

[0013] Phrases or terms similar to “transaction account” may include any account that may be used to facilitate a financial transaction. A “transaction account” as used herein refers to an account associated with an open account or a closed account system (as described herein). The

transaction account may exist in a physical or non-physical embodiment. For example, a transaction account may be distributed in non-physical embodiments such as an account number, frequent-flyer account, and telephone calling account or the like. Furthermore, a physical embodiment of a transaction account may be distributed as a financial instrument.

[0014] In general, transaction accounts may be used for transactions between the user (or “transaction account holder”) and merchant through any suitable communication means, such as, for example, a telephone network, intranet, the global, public Internet, a point of interaction device (*e.g.*, a point of sale (POS) device, personal digital assistant (PDA), mobile telephone, kiosk, *etc.*), online communications, off-line communications, wireless communications, and/or the like.

[0015] As used herein, a “micro-location” of a transaction account holder may comprise a location of a transaction account holder in relation to any energy consuming device. For example, the energy consuming device may comprise a high, medium, and/or low energy consuming device and/or any combination thereof. For example, the energy consuming device may be a low power and/or low energy consuming device. Such a device may be a BLUETOOTH device, such as a wireless beacon communicating using a low power or low energy BLUETOOTH communication standard (a “BLUETOOTH LOW ENERGY beacon” or simply, a “BLE beacon”). However, in various embodiments, any type of low energy consuming device may be implemented with the systems described herein. For example, in various embodiments, any device (including any other BLE beacon) capable of communicating with a web-client and/or any other BLE beacon within three hundred meters of a BLE beacon may comprise a low energy consuming device. Thus, although the phrase “BLE beacon” is used herein with particular respect to a BLUETOOTH low energy consuming device, a BLE beacon

may comprise any energy consuming device capable of communication with a web-client. In various embodiments, the low energy consuming device may be capable of communication with a web-client to within approximately three hundred meters or less—that is, any device capable of communicating with a web-client within a micro-location of the web-client. As described above, a low energy consuming device (e.g., BLE beacon 103a and/or 103b) may comprise any device capable of transmitting and/or receiving a signal wirelessly using a low power or low energy connection to a network. In various embodiments, such a signal may comprise a BLUETOOTH signal. A BLUETOOTH signal may comprise and/or utilize one or more internet protocol (“IP”) session connections. The IP session connections may enable a variety of piconet communication technologies. In various embodiments, particularly with regard to IP version 6, a cryptographic key exchange protocol (symmetric and/or asymmetric) may be implemented. For example, a key management device may utilize IEEE Standard 1363.1-2013 for identity based cryptographic techniques that utilize pairings such that an encryption key may comprise one or more plain text strings (such as one or more email addresses).

[0016] Accordingly, although the term “BLE beacon” is used herein in association with a BLUETOOTH communication protocol and/or signal, the phrase may refer to any communication protocol and/or any other “low energy” signal. As used herein, a “low energy signal” may comprise any signal capable of being received by a web-client within a range of approximately three hundred meters or less. In various embodiments, a BLE beacon 103a and/or 103b may enable the discovery of a micro-location of a transaction account holder. A micro-location may comprise any location of the transaction account holder within, for example, three hundred meters of a BLE beacon.

[0017] Phrases and terms similar to an “item” may include any good, service, information, experience, data, discount, rebate, points, virtual currency, content, access, rental, lease, contribution, account, credit, debit, benefit, right, reward, points, coupons, credits, monetary equivalent, anything of value, something of minimal or no value, monetary value, non-monetary value and/or the like. Moreover, the “transactions” or “purchases” discussed herein may be associated with an item. Furthermore, a “reward” may be an item.

[0018] Referring to Figure 1A, a system 100A for providing tailored content to a transaction account holder based upon a micro-location of the transaction account holder is shown. The system may comprise a merchant web-client 102, a low energy consuming device or BLE beacon 103a, a network 104, a low energy consuming device or BLE beacon 103b, a transaction account holder web-client 106, and/or a transaction account server system 108.

[0019] Referring to Figure 1B, a system for receiving a charitable donation from a transaction account holder based upon a micro-location of the transaction account holder is shown. The system may comprise a low energy consuming device or BLE beacon 103a, a network 104, a low energy consuming device or BLE beacon 103b, a transaction account holder web-client 106, and/or a transaction account server system 108.

[0020] A merchant web-client 102 and/or a transaction account holder web-client 106 may include any device (e.g., personal computing device/mobile communication device) which communicates via any network. A web-client may be associated with and/or used by a consumer, a merchant, or both. A web-client may comprise a variety of browsing software or browser applications (e.g., Microsoft Internet Explorer, Mozilla Firefox, Google Chrome, Apple Safari, or any other of the myriad software packages available for browsing the internet). Such browser applications may comprise Internet browsing software installed within a computing unit

or a system to conduct online transactions and/or communications. These computing units or systems may take the form of a computer or processor, or a set of computers/processors, although other types of computing units or systems may be used, including laptops, notebooks, hand held computers, personal digital assistants, cellular phones, smart phones (e.g., iPhone®, BlackBerry®, Droid®, etc.) set-top boxes, workstations, computer-servers, main frame computers, mini-computers, PC servers, pervasive computers, network sets of computers, personal computers, such as iPads, iMACs, and MacBooks, kiosks, terminals, point of sale (POS) devices and/or terminals, televisions, or any other device capable of receiving data over a network 104.

[0021] As those skilled in the art will appreciate, a web-client may include an operating system (e.g., Windows NT, 95/98/2000/CE/Mobile, OS2, UNIX, Linux, Solaris, MacOS, PalmOS, etc.) as well as various conventional support software and drivers typically associated with computers. A web-client may implement security protocols such as Secure Sockets Layer (SSL) and Transport Layer Security (TLS). A web-client may implement one or more application layer protocols, including, for example, http, https, ftp, and sftp. Transactions originating at a web client may pass through a firewall (not shown; see below) in order to prevent unauthorized access from users of other networks.

[0022] A network 104 may comprise any electronic communications system or method which incorporates software and/or hardware components. Communication may be accomplished through any suitable communication channels, such as, for example, a telephone network, an extranet, an intranet, Internet, point of interaction device (point of sale device, personal digital assistant, smart phone, cellular phone (e.g., iPhone®, Palm Pilot®, Blackberry®), kiosk, etc.), online communications, satellite communications, off-line communications, wireless

communications, transponder communications, local area network (LAN), wide area network (WAN), virtual private network (VPN), networked or linked devices, keyboard, mouse and/or any suitable communication or data input modality. Moreover, although a network 104 may be described herein as being implemented with TCP/IP communications protocols, the network 104 may also be implemented using IPX, Appletalk, IP-6, NetBIOS, OSI, any tunneling protocol (e.g. IPsec, SSH), or any number of existing or future protocols. If the network 104 is in the nature of a public network, such as the Internet, it may be advantageous to presume the network 104 to be insecure and open to eavesdroppers. Specific information related to the protocols, standards, and application software utilized in connection with the Internet is generally known to those skilled in the art and, as such, need not be detailed herein. See, for example, DILIP NAIK, INTERNET STANDARDS AND PROTOCOLS (1998); JAVA 2 COMPLETE, various authors, (Sybex 1999); DEBORAH RAY AND ERIC RAY, MASTERING HTML 4.0 (1997); and LOSHIN, TCP/IP CLEARLY EXPLAINED (1997) and DAVID GOURLEY AND BRIAN TOTTY, HTTP, THE DEFINITIVE GUIDE (2002).

[0023] The various system components described herein may be independently, separately or collectively coupled to the network 104 via one or more data links including, for example, a connection to an Internet Service Provider (ISP) over a local loop as is typically used in connection with standard modem communication, cable modem, Dish networks, ISDN, Digital Subscriber Line (DSL), or various wireless communication methods, see, e.g., GILBERT HELD, UNDERSTANDING DATA COMMUNICATIONS (1996). It is noted that the network 104 may be implemented variously. For example, network 104 may be implemented as an interactive television (ITV) network. The systems and methods disclosed

herein contemplate the use, sale and/or distribution of any goods, services or information over any network having functionality similar to that described above with reference to network 104.

[0024] In various embodiments, a transaction account server system 108 may comprise any type of hardware and/or software (e.g., a computer server or computer server system) configured or configurable to perform the processes described below.

[0025] With reference to Figure 2A, an exemplary process 200A for providing tailored content to a transaction account holder based upon a micro-location of the transaction account holder is shown. In various embodiments, a merchant may log into a BLE application (such as a software application) using a merchant web-client 102 (step 202A). The merchant may acquire (e.g., the merchant may photograph, download, or otherwise acquire) an image associated with an item offered for sale by the merchant (step 204A). In various embodiments, the merchant may associate data (e.g., price data) with the item (step 206A). Further, in various embodiments, the merchant may advertise the item for sale (or transmit a signal carrying advertisement information) using a BLE beacon 103a linked to the merchant web-client 102 via the network 104 (step 208A). As described herein, an advertisement may relate to and/or be associated with any item. A variety of (non-limiting) items are described above. The merchant may further associate an offer with the item, which may vary in time and/or based upon the transaction account holder's status (e.g., new customer, loyal customer, etc.) with the merchant.

[0026] Similarly, a merchant may transmit, to a transaction account holder web-client 106, using a BLE beacon 103a and/or 103b, an interactive item catalog and/or an interactive offer. Similarly, a merchant may receive real-time feedback from a transaction account holder in relation to an item purchased via the processes described herein. Further still, the systems described herein may facilitate interactive gas pump stations, such as a gas pump station installed

with a BLE beacon 103a and/or 103b that enables a transaction account holder, using the transaction account holder's BLE application, to select a fuel grade and/or pay for fuel using the BLE application, for example. A BLE beacon 103a and/or 103b installed in a gas pump station may further communicate to the transaction account holder (e.g., through the transaction account holder's BLE application) the benefits of using premium gasoline based, for example, on the transaction account holder's vehicle model and/or year, a cost or comparison of gas prices, such as a comparison of two consecutive gas purchases, and the like.

[0027] Meanwhile (and/or at any time), a transaction account holder may log into a BLE application (e.g., a software application) using the transaction account holder web-client 106 (step 210A). Further, in various embodiments, the transaction account holder may receive, using the BLE application installed on the transaction account holder web-client 106, the advertisement provided by the merchant (step 212A). The transaction account holder BLE application may display the advertisement for the transaction account holder using the transaction account holder web-client 106.

[0028] In various embodiments, having received the advertisement, for example, the transaction account holder may place a bid (e.g., a price the transaction account holder is willing to pay for the item) on the item using the transaction account holder's BLE application installed on the transaction account holder's web-client 106 (step 214A). The transaction account holder may further purchase the item (in response, for example, to winning the bid by offering to pay the highest price among a plurality of bidders). Moreover, in various embodiments, the transaction account holder may simply purchase an advertised item, rather than, for example, bidding on the item. Thus, in various embodiments, the merchant web-client 102 may receive a response from

the transaction account holder's web-client 106 transmitted by one or more BLE beacons 103a and/or 103b.

[0029] However, in the case of a bid, the merchant may determine whether to accept a transaction account holder's bid from among a plurality of bids (step 216A). The criteria for determining whether to accept a bid may be based on the highest price bid, a loyalty of a transaction account holder to the merchant, the fact that the transaction account holder has never made a purchase with the merchant, and the like. Similarly, merchants may offer bids to transaction account holders based upon personal information associated with a transaction account holder, the time of day, the location of the transaction account holder, and the like. Factors such as these may influence the merchant's determination as to which transaction holder to award the item to. Thus, the highest bidder may not necessarily win a bid, particularly where, for example, the merchant wishes to reward a loyal customer and/or entice a new customer to shop again with the merchant.

[0030] In response to accepting a bid and/or receiving a purchase request (absent a bid), the transaction account holder may, through the BLE application installed on the transaction account holder's web-client 106, request, through the network 104, the transaction account server system 108, payment by the transaction account issuer, for the item (step 218A). In response, the merchant may receive a purchase notification (e.g., from the transaction account server system 108) and/or transaction account holder authentication details (step 220A). Thus, the merchant may be notified, perhaps of the merchant's BLE application, that the transaction account holder has been approved to make the purchase. In response, the transaction account holder may physically retrieve and/or receive from the merchant the item (step 222A).

[0031] In various embodiments, a transaction account holder may, in response to placing a bid and/or purchasing an item, provide to the merchant, using the transaction account holder's BLE application, feedback associated with the bid and/or purchase. The feedback may, as described herein, be received by a BLE beacon 103a and/or 103b and transmitted to the merchant BLE application.

[0032] With regard to Figure 2B, a process 200B for receiving a charitable donation from a transaction account holder based upon a micro-location of the transaction account holder is shown. In various embodiments, a charity and/or a requested donation amount associated with a charity may be advertised within a micro-location by a BLE beacon, such as BLE beacon 103a (step 202B). The BLE beacon 103a may be communicatively coupled to a system for receiving the donation.

[0033] Further, in various embodiments, a transaction account holder may log into the transaction account holder's BLE application (as described above) using the transaction account holder's web-client 106 (step 204B). The transaction account holder may, using the BLE application, select an amount and or select an option to make a charitable donation, whereupon the transaction account holder web-client 106 may request authorization from the transaction account server system 108 and/or transaction account issuer (in communication with or owning the transaction account server system 108) for authorization. In response to authorization, the transaction account server system 108 may communicate with the BLE beacon 103a through network 104 to transfer funds to the charity. The transaction account holder may further receive, in response to the donation, a document or record indicating that the transaction account holder made the donation, such as for example, for tax purposes.

[0034] An "account", "account code", or "account number", as used herein, may include any device, code, number, letter, symbol, digital certificate, smart chip, digital signal, analog signal, biometric or other identifier/indicia suitably configured to allow the consumer to access, interact with or communicate with the system (e.g., one or more of an authorization/access code, personal identification number (PIN), Internet code, other identification code, and/or the like). The account number may optionally be located on or associated with a rewards card, charge card, credit card, debit card, prepaid card, telephone card, embossed card, smart card, magnetic stripe card, bar code card, transponder, radio frequency card or an associated account. The system may include or interface with any of the foregoing cards or devices, QR codes, Bluetooth, Near Field Communication, or a transponder and RFID reader in RF communication with the transponder (which may include a fob). Typical devices may include, for example, a key ring, tag, card, cell phone, wristwatch or any such form capable of being presented for interrogation.

[0035] As used herein, a system, computing unit or device may include a "pervasive computing device," which may include a traditionally non-computerized device that is embedded with a computing unit. Examples can include watches, Internet enabled kitchen appliances, restaurant tables embedded with RF readers, wallets or purses with imbedded transponders, etc.

[0036] The account code may be distributed and stored in any form of plastic, electronic, magnetic, radio frequency, wireless, audio and/or optical device capable of transmitting or downloading data from itself to a second device. A customer account code may be, for example, a sixteen-digit transaction account code, although each transaction account provider has its own numbering system, such as the fifteen-digit numbering system used by American Express. Each company's transaction account codes comply with that company's standardized format such that the company using a fifteen-digit format will generally use three-spaced sets of numbers, as

represented by the number “0000 000000 00000”. The first five to seven digits are reserved for processing purposes and identify the issuing bank, card type, etc. In this example, the last (fifteenth) digit is used as a sum check for the fifteen digit number. The intermediary eight-to-eleven digits are used to uniquely identify the customer. A merchant account code may be, for example, any number or alpha-numeric characters that identify a particular merchant for purposes of card acceptance, account reconciliation, reporting, or the like.

[0037] It should be noted that the transfer of information in accordance with the present disclosure, may be completed in a format recognizable by a merchant system or account issuer. In that regard, by way of example, the information may be transmitted from a contactless (e.g., an RFID device) to a contactless (e.g., RFID) reader or from the contactless reader to the merchant system in a variety of formats, e.g., magnetic stripe or multi-track magnetic stripe format.

[0038] As used herein, phrases and terms similar to “financial institution,” “transaction account issuer” and “payment processor” may include any person, entity, software and/or hardware that offers transaction account services. Although often referred to as a “financial institution,” the financial institution may represent any type of bank, lender or other type of account issuing institution, such as credit card companies, card sponsoring companies, or third party issuers under contract with financial institutions. It is further noted that other participants may be involved in some phases of the transaction, such as an intermediary settlement institution.

[0039] The terms “payment vehicle,” “financial transaction instrument,” “transaction instrument,” or “transaction account product” may be used interchangeably throughout to refer to a financial instrument. As used herein, an account code may or may not be associated with a physical financial instrument.

[0040] In the detailed description herein, references to "one embodiment", "an embodiment", "an example embodiment", "various embodiments", etc., indicate that the embodiment described may include a particular feature, structure, or characteristic, but every embodiment may not necessarily include the particular feature, structure, or characteristic. Moreover, such phrases are not necessarily referring to the same embodiment. Further, when a particular feature, structure, or characteristic is described in connection with an embodiment, it is submitted that it is within the knowledge of one skilled in the art to effect such feature, structure, or characteristic in connection with other embodiments whether or not explicitly described. After reading the description, it will be apparent to one skilled in the relevant art(s) how to implement the disclosure in certain embodiments.

[0041] In various embodiments, the methods described herein are implemented using the various particular machines described herein. The methods described herein may be implemented using the particular machines, and those hereinafter developed, in any suitable combination, as would be appreciated immediately by one skilled in the art. Further, as is unambiguous from this disclosure, the methods described herein may result in various transformations of certain articles.

[0042] For the sake of brevity, conventional data networking, application development and other functional aspects of the systems (and components of the individual operating components of the systems) may not be described in detail herein. Furthermore, the connecting lines shown in the various figures contained herein are intended to represent exemplary functional relationships and/or physical couplings between the various elements. It should be noted that many alternative or additional functional relationships or physical connections may be present in a practical system.

[0043] The various system components discussed herein may include one or more of the following: a host server or other computing systems including a processor for processing digital data; a memory coupled to the processor for storing digital data; an input digitizer coupled to the processor for inputting digital data; an application program stored in the memory and accessible by the processor for directing processing of digital data by the processor; a display device coupled to the processor and memory for displaying information derived from digital data processed by the processor; and a plurality of databases. Various databases used herein may include: client data; merchant data; financial institution data; and/or like data useful in the operation of the system. As those skilled in the art will appreciate, user computer may include an operating system (e.g., Windows NT, 95/98/2000, XP, Vista, OS2, UNIX, Linux, Solaris, MacOS, etc.) as well as various conventional support software and drivers typically associated with computers. A user may include any individual, business, entity, government organization, software and/or hardware that interact with a system.

[0044] In an embodiment, various components, modules, and/or engines of systems 100A and/or 100B may be implemented as micro-applications or micro-apps. Micro-apps are typically deployed in the context of a mobile operating system, including for example, a Palm mobile operating system, a Windows mobile operating system, an Android Operating System, Apple iOS, a Blackberry operating system and the like. The micro-app may be configured to leverage the resources of the larger operating system and associated hardware via a set of predetermined rules which govern the operations of various operating systems and hardware resources. For example, where a micro-app desires to communicate with a device or network other than the mobile device or mobile operating system, the micro-app may leverage the communication protocol of the operating system and associated device hardware under the predetermined rules

of the mobile operating system. Moreover, where the micro-app desires an input from a user, the micro-app may be configured to request a response from the operating system which monitors various hardware components and then communicates a detected input from the hardware to the micro-app.

[0045] The system contemplates uses in association with web services, utility computing, pervasive and individualized computing, security and identity solutions, autonomic computing, cloud computing, commodity computing, mobility and wireless solutions, open source, biometrics, grid computing and/or mesh computing.

[0046] Any databases discussed herein may include relational, hierarchical, graphical, or object-oriented structure and/or any other database configurations. Common database products that may be used to implement the databases include DB2 by IBM (Armonk, NY), various database products available from Oracle Corporation (Redwood Shores, CA), Microsoft Access or Microsoft SQL Server by Microsoft Corporation (Redmond, Washington), MySQL by MySQL AB (Uppsala, Sweden), or any other suitable database product. Moreover, the databases may be organized in any suitable manner, for example, as data tables or lookup tables. Each record may be a single file, a series of files, a linked series of data fields or any other data structure. Association of certain data may be accomplished through any desired data association technique such as those known or practiced in the art. For example, the association may be accomplished either manually or automatically. Automatic association techniques may include, for example, a database search, a database merge, GREP, AGREP, SQL, using a key field in the tables to speed searches, sequential searches through all the tables and files, sorting records in the file according to a known order to simplify lookup, and/or the like. The association step may be accomplished by a database merge function, for example, using a “key field” in pre-selected databases or data

sectors. Various database tuning steps are contemplated to optimize database performance. For example, frequently used files such as indexes may be placed on separate file systems to reduce In/Out (“I/O”) bottlenecks.

[0047] More particularly, a “key field” partitions the database according to the high-level class of objects defined by the key field. For example, certain types of data may be designated as a key field in a plurality of related data tables and the data tables may then be linked on the basis of the type of data in the key field. The data corresponding to the key field in each of the linked data tables is preferably the same or of the same type. However, data tables having similar, though not identical, data in the key fields may also be linked by using AGREP, for example. In accordance with one embodiment, any suitable data storage technique may be utilized to store data without a standard format. Data sets may be stored using any suitable technique, including, for example, storing individual files using an ISO/IEC 7816-4 file structure; implementing a domain whereby a dedicated file is selected that exposes one or more elementary files containing one or more data sets; using data sets stored in individual files using a hierarchical filing system; data sets stored as records in a single file (including compression, SQL accessible, hashed via one or more keys, numeric, alphabetical by first tuple, etc.); Binary Large Object (BLOB); stored as ungrouped data elements encoded using ISO/IEC 7816-6 data elements; stored as ungrouped data elements encoded using ISO/IEC Abstract Syntax Notation (ASN.1) as in ISO/IEC 8824 and 8825; and/or other proprietary techniques that may include fractal compression methods, image compression methods, etc.

[0048] In one exemplary embodiment, the ability to store a wide variety of information in different formats is facilitated by storing the information as a BLOB. Thus, any binary information can be stored in a storage space associated with a data set. As discussed above, the

binary information may be stored on the financial transaction instrument or external to but affiliated with the financial transaction instrument. The BLOB method may store data sets as ungrouped data elements formatted as a block of binary via a fixed memory offset using either fixed storage allocation, circular queue techniques, or best practices with respect to memory management (*e.g.*, paged memory, least recently used, etc.). By using BLOB methods, the ability to store various data sets that have different formats facilitates the storage of data associated with the financial transaction instrument by multiple and unrelated owners of the data sets. For example, a first data set which may be stored may be provided by a first party, a second data set which may be stored may be provided by an unrelated second party, and yet a third data set which may be stored, may be provided by an third party unrelated to the first and second party. Each of these three exemplary data sets may contain different information that is stored using different data storage formats and/or techniques. Further, each data set may contain subsets of data that also may be distinct from other subsets.

[0049] As stated above, in various embodiments, the data can be stored without regard to a common format. However, in one exemplary embodiment, the data set (*e.g.*, BLOB) may be annotated in a standard manner when provided for manipulating the data onto the financial transaction instrument. The annotation may comprise a short header, trailer, or other appropriate indicator related to each data set that is configured to convey information useful in managing the various data sets. For example, the annotation may be called a “condition header”, “header”, “trailer”, or “status”, herein, and may comprise an indication of the status of the data set or may include an identifier correlated to a specific issuer or owner of the data. In one example, the first three bytes of each data set BLOB may be configured or configurable to indicate the status of that particular data set; *e.g.*, LOADED, INITIALIZED, READY, BLOCKED, REMOVABLE,

or DELETED. Subsequent bytes of data may be used to indicate for example, the identity of the issuer, user, transaction/membership account identifier or the like. Each of these condition annotations are further discussed herein.

[0050] The data set annotation may also be used for other types of status information as well as various other purposes. For example, the data set annotation may include security information establishing access levels. The access levels may, for example, be configured to permit only certain individuals, levels of employees, companies, or other entities to access data sets, or to permit access to specific data sets based on the transaction, merchant, issuer, user or the like. Furthermore, the security information may restrict/permit only certain actions such as accessing, modifying, and/or deleting data sets. In one example, the data set annotation indicates that only the data set owner or the user are permitted to delete a data set, various identified users may be permitted to access the data set for reading, and others are altogether excluded from accessing the data set. However, other access restriction parameters may also be used allowing various entities to access a data set with various permission levels as appropriate.

[0051] The data, including the header or trailer may be received by a stand alone interaction device configured to add, delete, modify, or augment the data in accordance with the header or trailer. As such, in one embodiment, the header or trailer is not stored on the transaction device along with the associated issuer-owned data but instead the appropriate action may be taken by providing to the transaction instrument user at the stand alone device, the appropriate option for the action to be taken. The system may contemplate a data storage arrangement wherein the header or trailer, or header or trailer history, of the data is stored on the transaction instrument in relation to the appropriate data.

[0052] One skilled in the art will also appreciate that, for security reasons, any databases, systems, devices, servers or other components of the system may consist of any combination thereof at a single location or at multiple locations, wherein each database or system includes any of various suitable security features, such as firewalls, access codes, encryption, decryption, compression, decompression, and/or the like.

[0053] A firewall may comprise any hardware and/or software suitably configured to protect systems 100A and/or 100B components and/or enterprise computing resources from users of other networks. Further, a firewall may be configured to limit or restrict access to various systems and components behind the firewall for web clients connecting through a web server. A firewall may reside in varying configurations including Stateful Inspection, Proxy based, access control lists, and Packet Filtering among others. A firewall may be integrated within a web server or any other CMS components or may further reside as a separate entity. A firewall may implement network address translation (“NAT”) and/or network address port translation (“NAPT”). A firewall may accommodate various tunneling protocols to facilitate secure communications, such as those used in virtual private networking. A firewall may implement a demilitarized zone (“DMZ”) to facilitate communications with a public network such as the Internet. A firewall may be integrated as software within an Internet server, any other application server components or may reside within another computing device or may take the form of a standalone hardware component.

[0054] Encryption may be performed by way of any of the techniques now available in the art or which may become available—e.g., Twofish, RSA, El Gamal, Schorr signature, DSA, PGP, PKI, and symmetric and asymmetric cryptosystems.

[0055] The computers discussed herein may provide a suitable website or other Internet-based graphical user interface which is accessible by users. In one embodiment, the Microsoft Internet Information Server (IIS), Microsoft Transaction Server (MTS), and Microsoft SQL Server, are used in conjunction with the Microsoft operating system, Microsoft NT web server software, a Microsoft SQL Server database system, and a Microsoft Commerce Server. Additionally, components such as Access or Microsoft SQL Server, Oracle, Sybase, Informix MySQL, Interbase, etc., may be used to provide an Active Data Object (ADO) compliant database management system. In one embodiment, the Apache web server is used in conjunction with a Linux operating system, a MySQL database, and the Perl, PHP, and/or Python programming languages.

[0056] Any of the communications, inputs, storage, databases or displays discussed herein may be facilitated through a website having web pages. The term “web page” as it is used herein is not meant to limit the type of documents and applications that might be used to interact with the user. For example, a typical website might include, in addition to standard HTML documents, various forms, Java applets, JavaScript, active server pages (ASP), common gateway interface scripts (CGI), extensible markup language (XML), dynamic HTML, cascading style sheets (CSS), AJAX (Asynchronous Javascript And XML), helper applications, plug-ins, and the like. A server may include a web service that receives a request from a web server, the request including a URL (<http://yahoo.com/stockquotes/ge>) and an IP address (123.56.789.234). The web server retrieves the appropriate web pages and sends the data or applications for the web pages to the IP address. Web services are applications that are capable of interacting with other applications over a communications means, such as the internet. Web services are typically based on standards or protocols such as XML, SOAP, AJAX, WSDL and UDDI. Web services

methods are well known in the art, and are covered in many standard texts. See, e.g., ALEX NGHIEM, IT WEB SERVICES: A ROADMAP FOR THE ENTERPRISE (2003).

[0057] Middleware may include any hardware and/or software suitably configured to facilitate communications and/or process transactions between disparate computing systems. Middleware components are commercially available and known in the art. Middleware may be implemented through commercially available hardware and/or software, through custom hardware and/or software components, or through a combination thereof. Middleware may reside in a variety of configurations and may exist as a standalone system or may be a software component residing on the Internet server. Middleware may be configured to process transactions between the various components of an application server and any number of internal or external systems for any of the purposes disclosed herein. WebSphere MQ™ (formerly MQSeries) by IBM, Inc. (Armonk, NY) is an example of a commercially available middleware product. An Enterprise Service Bus ("ESB") application is another example of middleware.

[0058] Practitioners will also appreciate that there are a number of methods for displaying data within a browser-based document. Data may be represented as standard text or within a fixed list, scrollable list, drop-down list, editable text field, fixed text field, pop-up window, and the like. Likewise, there are a number of methods available for modifying data in a web page such as, for example, free text entry using a keyboard, selection of menu items, check boxes, option boxes, and the like.

[0059] The system and method may be described herein in terms of functional block components, screen shots, optional selections and various processing steps. It should be appreciated that such functional blocks may be realized by any number of hardware and/or

software components configured to perform the specified functions. For example, the system may employ various integrated circuit components, e.g., memory elements, processing elements, logic elements, look-up tables, and the like, which may carry out a variety of functions under the control of one or more microprocessors or other control devices. Similarly, the software elements of the system may be implemented with any programming or scripting language such as C, C++, C#, Java, JavaScript, VBScript, Macromedia Cold Fusion, COBOL, Microsoft Active Server Pages, assembly, PERL, PHP, awk, Python, Visual Basic, SQL Stored Procedures, PL/SQL, any UNIX shell script, and extensible markup language (XML) with the various algorithms being implemented with any combination of data structures, objects, processes, routines or other programming elements. Further, it should be noted that the system may employ any number of conventional techniques for data transmission, signaling, data processing, network control, and the like. Still further, the system could be used to detect or prevent security issues with a client-side scripting language, such as JavaScript, VBScript or the like. For a basic introduction of cryptography and network security, see any of the following references: (1) "Applied Cryptography: Protocols, Algorithms, And Source Code In C," by Bruce Schneier, published by John Wiley & Sons (second edition, 1995); (2) "Java Cryptography" by Jonathan Knudson, published by O'Reilly & Associates (1998); (3) "Cryptography & Network Security: Principles & Practice" by William Stallings, published by Prentice Hall.

[0060] As used herein, the term "end user", "consumer", "customer", "cardmember", "business" or "merchant" may be used interchangeably with each other, and each shall mean any person, entity, machine, hardware, software or business. A bank may be part of the system, but the bank may represent other types of card issuing institutions, such as credit card companies, card

sponsoring companies, or third party issuers under contract with financial institutions. It is further noted that other participants may be involved in some phases of the transaction, such as an intermediary settlement institution, but these participants are not shown.

[0061] Each participant is equipped with a computing device in order to interact with the system and facilitate online commerce transactions. The customer has a computing unit in the form of a personal computer, although other types of computing units may be used including laptops, notebooks, hand held computers, set-top boxes, cellular telephones, touch-tone telephones and the like. The merchant has a computing unit implemented in the form of a computer-server, although other implementations are contemplated by the system. The bank has a computing center shown as a main frame computer. However, the bank computing center may be implemented in other forms, such as a mini-computer, a PC server, a network of computers located in the same or different geographic locations, or the like. Moreover, the system contemplates the use, sale or distribution of any goods, services or information over any network having similar functionality described herein.

[0062] The merchant computer and the bank computer may be interconnected via a second network, referred to as a payment network. The payment network which may be part of certain transactions represents existing proprietary networks that presently accommodate transactions for credit cards, debit cards, and other types of financial/banking cards. The payment network is a closed network that is assumed to be secure from eavesdroppers. Exemplary transaction networks may include the American Express®, VisaNet® and the Veriphone® networks.

[0063] The electronic commerce system may be implemented at the customer and issuing bank. In an exemplary implementation, the electronic commerce system is implemented as computer software modules loaded onto the customer computer and the banking computing center. The

merchant computer does not require any additional software to participate in the online commerce transactions supported by the online commerce system.

[0064] As will be appreciated by one of ordinary skill in the art, the system may be embodied as a customization of an existing system, an add-on product, upgraded software, a stand alone system, a distributed system, a method, a data processing system, a device for data processing, and/or a computer program product. Accordingly, the system may take the form of an entirely software embodiment, an entirely hardware embodiment, or an embodiment combining aspects of both software and hardware. Furthermore, the system may take the form of a computer program product on a computer-readable storage medium having computer-readable program code means embodied in the storage medium. Any suitable computer-readable storage medium may be utilized, including hard disks, CD-ROM, optical storage devices, magnetic storage devices, and/or the like.

[0065] The system and method is described herein with reference to screen shots, block diagrams and flowchart illustrations of methods, apparatus (*e.g.*, systems), and computer program products according to various embodiments. It will be understood that each functional block of the block diagrams and the flowchart illustrations, and combinations of functional blocks in the block diagrams and flowchart illustrations, respectively, can be implemented by computer program instructions.

[0066] These computer program instructions may be loaded onto a general purpose computer, special purpose computer, or other programmable data processing apparatus to produce a machine, such that the instructions that execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks. These computer program instructions may also be stored in a computer-

readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner, such that the instructions stored in the computer-readable memory produce an article of manufacture including instruction means which implement the function specified in the flowchart block or blocks. The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer-implemented process such that the instructions which execute on the computer or other programmable apparatus provide steps for implementing the functions specified in the flowchart block or blocks.

[0067] Accordingly, functional blocks of the block diagrams and flowchart illustrations support combinations of means for performing the specified functions, combinations of steps for performing the specified functions, and program instruction means for performing the specified functions. It will also be understood that each functional block of the block diagrams and flowchart illustrations, and combinations of functional blocks in the block diagrams and flowchart illustrations, can be implemented by either special purpose hardware-based computer systems which perform the specified functions or steps, or suitable combinations of special purpose hardware and computer instructions. Further, illustrations of the process flows and the descriptions thereof may make reference to user windows, webpages, websites, web forms, prompts, etc. Practitioners will appreciate that the illustrated steps described herein may comprise in any number of configurations including the use of windows, webpages, web forms, popup windows, prompts and the like. It should be further appreciated that the multiple steps as illustrated and described may be combined into single webpages and/or windows but have been expanded for the sake of simplicity. In other cases, steps illustrated and described as single

process steps may be separated into multiple webpages and/or windows but have been combined for simplicity.

[0068] Benefits, other advantages, and solutions to problems have been described herein with regard to specific embodiments. However, the benefits, advantages, solutions to problems, and any elements that may cause any benefit, advantage, or solution to occur or become more pronounced are not to be construed as critical, required, or essential features or elements of the disclosure. The scope of the disclosure is accordingly to be limited by nothing other than the appended claims, in which reference to an element in the singular is not intended to mean "one and only one" unless explicitly so stated, but rather "one or more." Moreover, where a phrase similar to 'at least one of A, B, and C' or 'at least one of A, B, or C' is used in the claims or specification, it is intended that the phrase be interpreted to mean that A alone may be present in an embodiment, B alone may be present in an embodiment, C alone may be present in an embodiment, or that any combination of the elements A, B and C may be present in a single embodiment; for example, A and B, A and C, B and C, or A and B and C. Although the inventions have been described as a method in certain embodiments, it is contemplated that it may be embodied as computer program instructions on a tangible computer- readable carrier, such as a magnetic or optical memory or a magnetic or optical disk. All structural, chemical, and functional equivalents to the elements of the above-described exemplary embodiments that are known to those of ordinary skill in the art are intended to be encompassed by the present claims. Moreover, it is not necessary for a device or method to address each and every problem sought to be solved by the present disclosure, for it to be encompassed by the present claims. Furthermore, no element, component, or method step in the present disclosure is intended to be dedicated to the public regardless of whether the element,

component, or method step is explicitly recited in the claims. No claim element herein is to be construed under the provisions of 35 U.S.C. 112(f) unless the element is expressly recited using the phrase "means for." As used herein, the terms "comprises", "comprising", or any other variation thereof, are intended to cover a non-exclusive inclusion, such that a process, method, article, or apparatus that comprises a list of elements does not include only those elements but may include other elements not expressly listed or inherent to such process, method, article, or apparatus.

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

1. A method comprising:
 - uploading, by a merchant web-client, merchant content for a plurality of items offered for sale by a merchant;
 - wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;
 - receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,
 - wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,
 - wherein the first signal includes personal information associated with a customer;
 - determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;
 - updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;
 - transmitting, by the merchant web-client, a second signal using a low energy consuming device,
 - wherein the second signal is received by the transaction account holder web-client associated with the customer,
 - wherein the second signal carries the updated content associated with the merchant,
 - wherein the updated content comprises an advertisement associated with the item offered for sale by the merchant,
 - wherein the merchant is associated with the merchant web-client;
 - transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;
 - receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,

wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.

2. The method of claim 1, wherein the low energy consuming device comprises a low energy BLUETOOTH beacon ("BLE beacon"), and wherein the BLE beacon utilizes a cryptographic key exchange protocol.

3. The method of claim 1, wherein the low energy consuming device communicates with a transaction account holder web-client within 300 meters of the low energy consuming device.

4. A system comprising:

a tangible, non-transitory memory communicating with a merchant web-client processor for providing tailored content,

the tangible, non-transitory memory having instructions stored thereon that, in response to execution by the merchant web-client processor, cause the merchant web-client processor to perform operations comprising:

uploading, by the merchant web-client, merchant content for a plurality of items offered for sale by a merchant;

wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;

receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,

wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,

wherein the first signal includes personal information associated with a customer;

determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;

updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;

transmitting, by the merchant web-client, a second signal using a low energy consuming device,

wherein the second signal is received by the transaction account holder web-client associated with the customer,

wherein the second signal carries the updated content associated with the merchant,

wherein the updated content comprises an advertisement associated with the item offered for sale by the merchant,

wherein the merchant is associated with the merchant web-client;

transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;

receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,

wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.

5. An article of manufacture including a non-transitory, tangible computer readable medium having instructions stored thereon that, in response to execution by a merchant web-client for providing tailored content, cause the computer-based system to perform operations comprising:

uploading, by the merchant web-client, merchant content for a plurality of items offered for sale by a merchant;

wherein a transaction account of a customer is synched with a transaction account holder web-client to create a synched transaction account;

receiving, by the merchant web-client and from the transaction account holder web-client, a first signal using a low energy consuming device,

wherein the receiving is in response to the customer logging into an app on the transaction account holder web-client,

wherein the first signal includes personal information associated with a customer;

determining, by the merchant web-client, merchant content based upon the personal information associated with the customer;

updating, by the merchant web-client, the merchant content to create updated content, wherein the updated content is based upon a micro-location of the transaction account holder web-client, new customer status, loyal customer status and time of day;

transmitting, by the merchant web-client, a second signal using a low energy consuming device,

wherein the second signal is received by the transaction account holder web-client associated with the customer,

wherein the second signal carries the updated content associated with the merchant,

wherein the updated content comprises an advertisement associated with the item offered for sale by the merchant,

wherein the merchant is associated with the merchant web-client;

transmitting, by the merchant web-client and to the transaction account holder web-client, an interactive item catalog of the plurality of items offered for sale by the merchant;

receiving, by the merchant web-client and from the transaction account holder web-client, a response including a bid to purchase the item from the plurality of items,

wherein the response is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device;

selecting, by the merchant web-client, the bid from a plurality of bids based upon at least one of: a highest bid, a loyalty associated with the customer to the merchant, or a new customer status of the customer with the merchant;

notifying, by the merchant web-client and to the transaction account holder web-client, the customer of winning the bid;

wherein the transaction account holder web-client authorizes a payment processor to pay for the item using the synched transaction account;

receiving, by the merchant web-client and from the payment processor, payment information and authentication details associated with the item,


wherein the payment processor charged an amount of the item to the synched transaction account;

providing, by the merchant web-client, the item to the customer in response to receiving the authentication details from the transaction account holder web-client; and

receiving, by the merchant web-client and from the transaction account holder web-client, feedback wherein the feedback is transmitted by the transaction account holder web-client to the merchant web-client using the low energy consuming device.


100A

FIG. 1A



100B

FIG. 1B



200A





FIG. 2A

200B

FIG. 2B



200A

