



US00D788296S

(12) **United States Design Patent**
Ishida et al.

(10) **Patent No.:** **US D788,296 S**
(45) **Date of Patent:** **** May 30, 2017**

- (54) **GASKET FOR SYRINGE**
- (71) Applicant: **Sumitomo Rubber Industries, Ltd.**,
Kobe-shi, Hyogo (JP)
- (72) Inventors: **Naoyuki Ishida**, Kobe (JP); **Eiji Yao**,
Kobe (JP); **Shinya Iwano**, Kobe (JP)
- (73) Assignee: **SUMITOMO RUBBER**
INDUSTRIES, LTD., Kobe-Shi (JP)
- (**) Term: **15 Years**

2014/0288508	A1*	9/2014	Iwano	A61L 31/084	604/222
2014/0339776	A1*	11/2014	Nakano	A61M 5/31515	277/358
2014/0339777	A1*	11/2014	Nakano	A61M 5/31513	277/434
2015/0231337	A1*	8/2015	Hara	A61M 5/31513	604/222
2015/0367076	A1*	12/2015	Matsutani	A61M 5/31513	604/222
2016/0033042	A1*	2/2016	Minagawa	C10M 107/42	277/654
2016/0082193	A1*	3/2016	Laubach	A61M 5/31513	604/222

(Continued)

(21) Appl. No.: **29/542,474**

(22) Filed: **Oct. 14, 2015**

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/130**

(58) **Field of Classification Search**
USPC D24/112–114, 127–131, 133
CPC A61M 5/315; A61M 5/31511; A61M
5/31513; A61M 5/31515
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D205,269	S *	7/1966	Gray	604/218
D403,762	S *	1/1999	Gabbard	D24/113
D578,210	S *	10/2008	Muta	D24/114
D632,389	S *	2/2011	Maeda	D24/130
D633,202	S *	2/2011	Maeda	D24/130
D665,498	S *	8/2012	Tamura	D24/130
D686,322	S *	7/2013	Maeda	D24/130
9,452,264	B2 *	9/2016	Maeda	A61M 5/31513
2005/0137533	A1 *	6/2005	Sudo	A61M 5/31511
					604/218
2011/0192756	A1 *	8/2011	Hill	A61M 5/008
					206/515
2013/0053786	A1 *	2/2013	Maeda	B29C 33/42
					604/187

FOREIGN PATENT DOCUMENTS

JP	1333634	S	6/2008
JP	1422296	S	9/2011
JP	1429220	S	12/2014

Primary Examiner — Richelle G Shelton

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP


(57) **CLAIM**

The ornamental design for a gasket for syringe, as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a gasket for syringe showing our new design;
FIG. 2 is a front view thereof, the rear view being the same;
FIG. 3 is a left side view thereof, the right side view being the same;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a cross-section along line 6-6 of FIG. 2.
The broken lines shown in the drawings represent portions of the article excluded from the design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0082194	A1*	3/2016	Furukawa	A61M 5/3129 604/222
2016/0101239	A1*	4/2016	Ishida	A61M 5/31513 604/222
2016/0220758	A1*	8/2016	Ishida	A61M 5/3129

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6