



US00D346594S

United States Patent [19]

[11] Patent Number: **Des. 346,594**

Skaggs et al.

[45] Date of Patent: **** May 3, 1994**

[54] POINT OF SALE TOUCH DISPLAY SCREEN

[57] CLAIM

[75] Inventors: **Paul T. Skaggs**, Spokane, Wash.;
William J. Schauert, Downers Grove, Ill.

The ornamental design for a point of sale touch display screen, as shown and described.

[73] Assignee: **Olivetti North America, Inc.**,
Spokane, Wash.

DESCRIPTION

[**] Term: **14 Years**

FIG. 1 is a perspective view of a point of sale touch display screen showing a first preferred form of my design;

[21] Appl. No.: **912,105**

FIG. 2 is a front end elevation view thereof;

[22] Filed: **Jul. 9, 1992**

FIG. 3 is a side elevation view with the touch screen thereof in a first angular position the opposite side view being a mirror image thereof;

[52] U.S. Cl. **D14/113; D18/4**

FIG. 4 is a side elevation view with the touch screen thereof in a second angular position, the opposite side view being a mirror image thereof;

[58] Field of Search 345/156, 173; 361/380,
361/395; 364/404, 405; 178/18, 19; 353/30;
D14/100, 101, 113, 106, 115, 124-126, 142,
151; D18/4

FIG. 5 is a rear end elevation view thereof;

[56] **References Cited**

FIG. 6 is a rear end elevation view of a second embodiment thereof wherein the only difference is in the size of the window;

U.S. PATENT DOCUMENTS

- D. 304,032 10/1989 Fine et al. D14/113
- D. 305,909 2/1990 Feger et al. D14/100 X
- D. 318,660 7/1991 Weber D14/113 X
- D. 321,172 10/1991 Moore, IV et al. D14/100
- D. 323,657 2/1992 Danielson et al. D14/113 X
- D. 331,747 12/1992 Takahashi D14/106
- D. 333,658 3/1993 Sasaki D18/4 X
- D. 335,286 5/1993 Savio D18/4 X
- 2,861,357 11/1958 Knutsen 353/30

FIG. 7 is a perspective view of a third embodiment thereof;

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Wells, St. John, Roberts,
Gregory & Matkin



FIG. 8 is a front end elevation view thereof;

FIG. 9 is a side elevation view thereof with the touch screen thereof in a first angular position, the opposite side view being a mirror image thereof;

FIG. 10 is a side elevation view thereof with the touch screen thereof in a second angular position, the opposite side view being a mirror image thereof;

FIG. 11 is a rear end elevation view thereof; and,

FIG. 12 is a rear end elevation view of a fourth embodiment thereof wherein the only difference is in the size of the window.






Fig. 1




Fig. 2




FIG. 3




FIG. 4




Fig. 5




Fig. 6




FIG. 1




Fig. 5




FIG 9




FIG 10




FIG. 1




FIG. 2