



US00D353152S

United States Patent [19][11] **Patent Number:** Des. 353,152**Dweck et al.**[45] **Date of Patent:** ** Dec. 6, 1994[54] **WRAP-AROUND EYEGLASSES**[75] **Inventors:** Jack Dweck, Scarsdale; Janet A. Ederer, Plainview, both of N.Y.[73] **Assignee:** Arrow Trading Co. Inc., New York, N.Y.[**] **Term:** 14 Years[21] **Appl. No.:** 5,436[22] **Filed:** Mar. 4, 1993[52] **U.S. Cl.** D16/312[58] **Field of Search** 351/44, 103; 2/439, 2/447, 452; D16/102, 107, 111, 112, 116, 123, 127[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 292,986	12/1987	Magestro	D16/107
D. 311,197	10/1990	Jannard	D16/112
D. 321,702	11/1991	Jennings	D16/107
D. 337,595	7/1993	Reymondet	D16/112
4,955,087	9/1990	Perez	2/452

OTHER PUBLICATIONS

Surfer Magazine Jun. 1989 p. 71 top of page.

Primary Examiner—Bernard Ansher*Assistant Examiner*—R. Barkai*Attorney, Agent, or Firm*—Henry R. Lerner[57] **CLAIM**

The ornamental designs for wrap-around eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a wrap-around eyeglasses showing our new design;
FIG. 2 is a side elevational view thereof with the free ends of the straps secured;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a perspective view of a second modified embodiment of the design shown in FIGS. 1-6 with a hook and loop type fastener on the free ends of the strap;

FIG. 8 is a side elevational view thereof with the free ends of the straps secured;

FIG. 9 is a top plan view thereof;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a perspective view of a third modified embodiment of the design shown in FIGS. 1-6 with a buckle at the free end of the strap;

FIG. 14 is a side elevational view thereof with the free ends of the straps secured;

FIG. 15 is a top plan view thereof;

FIG. 16 is a front elevational view thereof;

FIG. 17 is a rear elevational view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a perspective view of a fourth modified embodiment of the design shown in FIGS. 1-6 with sides that are not adjustable;

FIG. 20 is a side elevational view thereof with the free ends of the straps secured;

FIG. 21 is a top plan view thereof;

FIG. 22 is a front elevational view thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a bottom plan view thereof;

FIG. 25 is a perspective view of a fifth modified embodiment of the design shown in FIGS. 1-6 with a hook and loop type fastener on the free ends of the strap and the sides are not adjustable;

FIG. 26 is a side elevational view thereof with the free ends of the straps secured;

FIG. 27 is a top plan view thereof;

FIG. 28 is a front elevational view thereof;

FIG. 29 is a rear elevational view thereof;

FIG. 30 is a bottom plan view thereof;

FIG. 31 is a perspective view of a sixth modified embodiment of the design shown in FIGS. 1-6 with a buckle on the free end and the sides are not adjustable;

FIG. 32 is a side elevational view thereof with the free ends of the straps secured;

FIG. 33 is a top plan view thereof;

FIG. 34 is a front elevational view thereof;

FIG. 35 is a rear elevational view thereof;

FIG. 36 is a bottom plan view thereof;

FIG. 37 is a perspective view of a seventh modified embodiment of the design shown in FIGS. 1-6 with an elastic accordion type strap;

(Description continued on next page.)




FIG. 38 is a side elevational view thereof;
FIG. 39 is a top plan view thereof;
FIG. 40 is a front elevational view thereof;
FIG. 41 is a rear elevational view thereof;
FIG. 42 is a bottom plan view thereof;
FIG. 43 is a perspective view of a eighth modified em-

bodiment of the design shown in FIGS. 1-6 an elastic
accordion type strap and the sides are not adjustable;
FIG. 44 is a side elevational view thereof;
FIG. 45 is a top plan view thereof;
FIG. 46 is a front elevational view thereof;
FIG. 47 is a rear elevational view thereof; and,
FIG. 48 is a bottom plan view thereof.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48

