



(12) **DEMANDE DE BREVET CANADIEN**
CANADIAN PATENT APPLICATION

(13) **A1**

(86) **Date de dépôt PCT/PCT Filing Date:** 2022/04/20
(87) **Date publication PCT/PCT Publication Date:** 2022/10/27
(85) **Entrée phase nationale/National Entry:** 2023/10/05
(86) **N° demande PCT/PCT Application No.:** GB 2022/050989
(87) **N° publication PCT/PCT Publication No.:** 2022/223966
(30) **Priorité/Priority:** 2021/04/20 (GB2105625.4)

(51) **Cl.Int./Int.Cl.** **C07K 16/36** (2006.01)
(71) **Demandeur/Applicant:**
IP2IPO INNOVATIONS LTD, GB
(72) **Inventeurs/Inventors:**
CLEMO, NADINE, GB;
LEWIS, ALAN, GB;
MCKINNON, TOM, GB
(74) **Agent:** BERESKIN & PARR LLP/S.E.N.C.R.L.,S.R.L.

(54) **Titre : INHIBITEURS DU FACTEUR DE VON WILLEBRAND (VWF)**
(54) **Title: VON WILLEBRAND FACTOR (VWF) INHIBITORS**

(57) **Abrégé/Abstract:**

The invention relates to inhibitors of Von Willebrand Factor (VWF), and particularly to anti-VWF antibodies. The invention extends to compositions comprising the inhibitors, including pharmaceutical compositions and kits. The invention also extends to methods of making and using the inhibitors, for example in therapy and diagnosis of conditions caused by platelet-mediated aggregation, including various cardiovascular diseases, such as acquired thrombotic thrombocytopenic purpura (aTTP), ischemic stroke and atherosclerosis.



Date Submitted: 2023/10/05

CA App. No.: 3214716

Abstract:

The invention relates to inhibitors of Von Willebrand Factor (VWF), and particularly to anti-VWF antibodies. The invention extends to compositions comprising the inhibitors, including pharmaceutical compositions and kits. The invention also extends to methods of making and using the inhibitors, for example in therapy and diagnosis of conditions caused by platelet-mediated aggregation, including various cardiovascular diseases, such as acquired thrombotic thrombocytopenic purpura (aTTP), ischemic stroke and atherosclerosis.

Von Willebrand Factor (VWF) Inhibitors

- The present invention relates to inhibitors of Von Willebrand Factor (VWF), and particularly, although not exclusively, to inhibitors which target the C1-C6 domain of VWF. The invention extends to compositions comprising the inhibitors, including
- 5 pharmaceutical compositions and kits. The invention also extends to methods of using the inhibitors, for example in therapy and diagnosis of conditions caused by platelet-mediated aggregation, including various cardiovascular diseases, such as acquired thrombotic thrombocytopenic purpura (aTTP), ischemic stroke and atherosclerosis.
- 10 Cardiovascular diseases (CVDs), including ischemic heart disease, stroke, heart failure, peripheral arterial disease, and a number of other cardiac and vascular conditions, remain the leading cause of death globally. CVDs are characterised by thrombotic events, caused by uncontrolled platelet aggregation, that contribute to both cell death and organ failure. Given the central role of platelets in triggering thrombosis, several
- 15 approved antithrombotic drugs target platelets, such as aspirin, clopidogrel, and abciximab. Due to their complementary mechanisms of action, the combination of these agents inhibits platelet aggregation to a greater extent than any of the agents acting alone. However, the use of these antiplatelet drugs is hampered by an increased bleeding risk, reducing their application in wider patient populations. Therefore, there
- 20 remains a high unmet medical need for therapies that can treat thrombotic disorders without the severe risk of bleeding.
- Von Willebrand Factor (VWF), a large multimeric glycoprotein, present in blood plasma, endothelial cells, megakaryocytes, and platelets, is a well-established risk factor
- 25 of thrombotic events. VWF plays a major role in haemostasis, mediating platelet adhesion to vascular injury sites, and protecting coagulation factor VIII (FVIII) from degradation. Following injury, collagen is exposed in the damaged vessel wall to flowing blood and shear forces. Plasma VWF binds to the exposed collagen and uncoils its structure, supporting the adhesion of circulating platelets. The bound VWF then
- 30 interacts with the platelet receptor GPIb and platelet tethering occurs. Platelet plug formation is achieved once a critical mass of platelets, VWF and associated coagulation proteins bind together to seal the vessel wall. Other functions have also been reported for VWF, including regulation of inflammation and angiogenesis.
- 35 The accumulation of VWF has been associated with increased risk to CVDs. In particular, the accumulation of ultra-long VWF (ULvWF) in thrombotic

thrombocytopenic purpura (TTP) patients, has been widely studied. Currently, Caplacizumab (a monoclonal antibody) is the only approved anti-VWF therapy, which has been shown to block the binding of VWF to platelets and reduce thrombi formation in TTP patients. However, this antibody functions by targeting and inhibiting the A1 domain of VWF (see Figure 1). The A1 domain is essential for collagen binding, and therefore platelet binding, under low shear conditions, for normal haemostasis to take place. As such, by targeting this region, treatment with Caplacizumab results in a severe bleeding risk in patients. For patients suffering from TTP, a rare and fatal blood clotting disorder, the benefit of taking Caplacizumab outweighs the risk of severe bleeding. However, this severe bleeding risk is not acceptable for patients suffering from other CVDs, including ischemic stroke and myocardial infarction. Therefore, there exists a significant unmet medical need for new antithrombotic therapies that can be used to treat a wider range of thrombotic disorders, without the risk of severe bleeding.

The inventors have identified that a previously untargeted region of VWF, within the C1-C6 domain (see Figure 1), is critical for the binding of VWF to collagen, allowing platelets to clot under high shear rates, such as those found in thrombotic conditions. Importantly, the C1-C6 domain is not essential for collagen binding, and therefore platelet binding, under low shear conditions (i.e. normal bleeding). Accordingly, this identifies the C1-C6 domain of VWF as a potential new therapeutic target for the treatment of a number of conditions caused by platelet-mediated aggregation or thrombotic-related conditions, including aTTP, ischemic stroke and atherosclerosis.

As such, the inventors hypothesised that by inhibiting the ability of the VWF C1-C6 region to bind to collagen under high shear rates, they could reduce platelet clotting in thrombotic conditions. Importantly, by targeting this region, VWF retains its ability to bind to platelets as normal under low shear rates (via the A1 domain), for normal haemostasis to occur, and so does not suffer from the significant problems associated with using Caplacizumab. This has led to the inventors' further work in developing antibodies that are capable of targeting the C1-C6 domain of VWF to inhibit its pro-thrombotic function. These anti-VWF monoclonal antibodies may be used in the treatment, amelioration or prevention of a number of thrombotic-related conditions, and would be much safer than the currently available treatments, as there would be a reduced risk of severe bleeding.

Accordingly, in a first aspect of the invention, there is provided an inhibitor that specifically binds to one or more of a C1, C2, C3, C4, C5, and/or C6 domain of Von Willebrand Factor (VWF).

- 5 As shown in the examples, the inventors have developed antibodies that are capable of binding to, and inhibiting the function of the C1-C6 domains of VWF. For example, as shown in Figures 3A-3H, the inventors have developed eight antibodies that target within the C1-C6 domains of VWF. Furthermore, as shown in Figures 5 and 6, the inventors have demonstrated that surprisingly the antibodies significantly reduce
- 10 platelet aggregation under high shear rates, i.e. pathological conditions, but under low shear rates, i.e. normal conditions, platelet capture is preserved. This demonstrates that targeting one or more of the C1-C6 domains of VWF, inhibits the pro-thrombotic function of VWF, without inhibiting its normal haemostatic function.
- 15 The inventors have demonstrated that monoclonal antibodies according to the invention bind to the C5 domain of VWF, with sub-nM affinities (see Figure 9). Additionally, some of the antibody clones demonstrated weaker binding to the C3 (antibody 1-D5) and C4 (antibody 3-H9) domains of VWF.
- 20 Thus, in one preferred embodiment, the inhibitor of the invention specifically binds to the C3 and C5 domains of VWF (antibody 1-D5). Alternatively, in another preferred embodiment, the inhibitor of the invention specifically binds to the C4 and C5 domains of VWF (antibody 3-H9).
- 25 In another preferred embodiment, the inhibitor of the invention specifically binds to the C5 domain of VWF. In this embodiment, the inhibitor may additionally bind to one or more of the C1, C2, C3, C4 and/or C6 domains. However, the inhibitor of the invention may not substantially bind to the C1, C2, C3, C4 and/or C6 domains of VWF. Preferably, the inhibitor of the invention has substantially no cross-reactivity with the
- 30 C1, C2, C3, C4 and/or C6 domains of VWF. Preferably, the inhibitor does not substantially bind to the C3 and/or C4 domains of VWF.

Preferably, the inhibitor of the invention is capable of inhibiting the function of one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF. In a preferred embodiment,

35 the inhibitor of the invention is capable of inhibiting the function of the C5 domain of VWF. Preferably, the inhibitor is capable of inhibiting the function of one or more of a

C1, C2, C3, C4, C5, and/or C6 domain of VWF, such that platelet binding is inhibited under conditions of high shear rate, i.e. pathological conditions. Preferably, the inhibitor is capable of inhibiting the function of one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF, such that platelet binding is not inhibited under conditions of low shear rate, i.e. normal conditions.

In one embodiment, the amino acid sequence of VWF may be represented by Genbank ID No: NM_000552.5, which is provided herein as SEQ ID No: 1, as follows:

```

10  MIPARFAGVLLALALILPGTLCAGETRGRSSSTARCSLEGSDFVNTFDGSMYSFAGYCSYLLAGGCQKRSESIIGDFQN
    GKRVSLSVYLGEFFDIHLFVNGTIVTQGDQRVSMFYASKGLYLETEAGYYKLSGEAYGFVARIDGSGNFQVLLSDRYFN
    KTCGLCGNFNIFAEDDEMTQEGTILSDPYDFANSWALSCEQWOCERASPPSSSCNISSCEMQKQLWEQCQLLKSTSVF
    ARCHPLVDPEPFVALCEKTLCECAGGLECACPALLEYARICAQEGMVLYGWDHSAACSPVCPAGMEYRQCVCSPCARIC
15  QSLHINEMCQERCVDCCSCEGQQLLDEGLCVESTECPVHSCKRYPPCTSLSRDCNTCICRNSQWICSNEECPCCECLV
    TGQSHFKSFDNRYFTFSGICQYLLARDQDHSFSIVIVETVQCADDRDAVCTRSVTVRLPLGLHNSLVKLKHGAGVAMDG
    QDVQLPLLKGLRIQHTVTASVRLSYGEDLQMDWDGGRLLVVKLSVPYAGKTCGLCGNYNGNQGDDEFLTSPGLAEPRV
    EDEFGNAWLHGDCCQLQKQHSDFCALNPRMTRFSEEACAVLTSTPFEACHRAVSPPLPYLNCRYDVCSCSDGRECLCG
    ALASYAAACAGRGVRVAVWREPGRCELNCPKGQVYLQCGTFCNLTCRSLSYPDDEECNEACLEGCFCEPGLYMDERGDV
    PKAQCCPYDGEIFQPEDIFSDHHTMCYCEDGFMHCTMSGVPGSLLPDAVLSSPLSHRSKRSLSRPPMVKLVCPADN
20  LRAEGLECTKTCQNYDLECMSMGCVSGCLCPPGMVRHENRCVALERCPCFHHQKEYAPGETVKIGCNTCVCQDRKWN
    TDHVCDATCSTIGMAHYLTDFGLKYLFPGECCQYVLVQDYCGSNPSTFRILVGNKGCSHPSVKCKKRVTILVEGGEIEL
    FDGEVNVKREMKDETHFEVVESCRYIILLGKALSVDWRHLSISVVLKQTYQEKVCCLCGNFDGIQNNDLTSSNLQV
    EEDPVDGNSWKVSSQCADTRKVPLDSSPATCHNNIMKQIMVDSSCRILTSDFVQDCNKLVDPEPYLDVCIYDTCSC
    S1GDCAFCDDTIAAYAHVCAQHGVVWTRTATLCPQSCHEERLRENGYECWEYRNSCAPACQVTCQHPEPLACPVCV
25  EGCHAHCPGKILDELQTCVDPEDCPCEVAGRRFASGKKVTLNPSDPEHCQICHCDVNVLTCEACQEPGGVLVPPPT
    DAPVSPITLYVEDISEPFLHDFYCSRLDLVFLLDGSSRLSEAEFEVLKAEVVDMMERLRI SQKWVRVAVVEYHDGSH
    AYIGLKDKRKRPSELRRIASQVKYAGSQVASTSEVLKYTLFQIFSKIDRPEASRITLLMASQEPQORMSRNFVRYVQGL
    KKKKVIVIPVGIGPHANLKQIRLIEKQAPENKAFVLSSVDELEQQRDEIVSYLCDLAPEAPPPTLFPDMAQVTVGPG
    LGVSTLGPKRNSMVLDAFVLEGSCKIGEADFNRSKEFMEEVIQRMVDVGQDSIHVTVLQYSYMTVEYFSEAQSKGD
30  ILQVRREIRYQGGNRTNTGLALRYLSDHSFLVSQGDREQAPNLVYMTGNPASDEIKRLPGDIQVVPVIGVGNANVQE
    LERIGWPNAPILIQDFETLPREAPDLVLQRCCSGEGLQIPTLSPAPDCSQPLDVILLLDGSSSPFASYFDEMKSF
    FAKA FISKANIGPRLTQVSVLQYGSITITLDVPWNVPEKAHLLSLVDVMQREGGPSQIGDALGFVRYLTSEM
    HGARPGASK AVVILVTDVSVDSVDAADAARSNRVTVPPIGIGDRYDAAQLRILAGPAGDSNVVKLQRIEDLPTM
    VTLGNLSFLHKLCSGFVRICMDEDGNEKREPGDVWTLPDQCHTVTCQPDGQTLKSHRVNCDRGLRPS
    CPNSQSPVKVEETCGCRWTCPCVC
35  TGSSTRHIVTFDQGNFKLTGSCSYVLFQNKQDLEVLHNGACSPGARQGCMSIEVKHSALSVELHSDMEVTVNGRL
    VSVPYVGGNMEVNVYGAIMHEVRFNHLGHIFTFTPQNNEFQLQLSPKTFASKTYGLCGICDENGANDFMLR
    DGTVTTD WKTTLVQEWTVQRPQGTQCPILEEQCLVPDSSHCQVLLPLFAECHKVLADATFYAICQQDS
    CHQEQVCEVIASYAHL CRTNGVCVDWRTPDFCAMSPPSLVYNHCEHGCPRHCDGNVSSCGDHPSEGC
    FCPPDKVMLEGS CVPEEACTQCIGEDG VQHGFLEAWVPDHPQCQICTCLSGRKNCTTQPC
    TAPKTCGLCEVARLRQADQCCPEYECVCDPVS CDLPVPVPHC
40  ERGLQPTLTNPGECPNFTCACRKEECKRVSPSPCPPHRLPTLRKTQCCDEYECACNCVNSIVSC
    PLGYLASTATNDC GCTTTTCLPDKVCVHRSTLYPVGQFWEEGCDVCTCTDME
    DAVMGLRVAQCSQKPCEDSCRSGETYVLHEGECCGRCLP SACEVVTG
    SFRGDSQSSWKSQVSGWASPENPCLINECVRVKEEVFIQQRNVSC
    PQLEVVPVCPSGFQLSCKTSACCPSC RCERMEACMLNGTVI
    GPGKTVMIDVCTTCRCMVQGVVISGFKLECRKTTCNPCPLGYKEEN
    NTGECCGRCLPTACTIQ LRGGQIMTLKRDETLQDGC
    DTHFCKVNERGEYFWEKRVTCPPFDEHKCLAEGGKIMKIPGTC
    CDDTCEEPECNDITAR LQYVKVGSCKSEVEVDIHYCQK
    CASKAMYSIDINDVQDQSCCSPTRTPEPMQVALHCTNGSVVY
    HEVLNAMECKCSP RKCSK

```

[SEQ ID No: 1]

The inhibitor may therefore bind to a region between amino acid positions 2255 and 2722 of SEQ ID No: 1, which correspond to C1-C6 domains of VWF.

Thus, preferably, the inhibitor may bind to one or more amino acids between amino acid positions 2255 and 2722 of VWF, corresponding to the C1-C6 domains, which is provided herein as SEQ ID No: 2, as follows:

5 TQCIGEDGVQHQLFLEAWVPDHQPCQICTCLSGRKVNCTTQPCPTAKAPTCLCEVARLRQNADQCCPEYECVCDPVSC
DLPPVPHCERGLQPTLTNPGECPNFTCACRKEECKRVSPSPCPPHRLPTLRKTQCCDEYECACNCVNSTVSCPLGYL
ASTATNDGCTTTTCLPDKVCVHRSTIYPVGQFWEEGCDVCTCTDMEDAVMGLRVAQCSQKPCEDSCRSGETTVLHEG
ECCGRCLPSACEVVTGSPRGDSQSSWKSQVGSQWASPENPCLINECVRVKEEVFIQQRNVSCDQLEVPVCPSPGFQLSCK
10 TSACCPSCRCERMEACMLNGTIVIGPGKTVMIDVCTTCRCMVQGVISGFKLECRKTTCPCLGYKEENNITGECGRC
LPTACTIQLRGGQIMTLKRDETLQDGCDFHCKVNERGEYFWEKRVTCPPFDEHKCLAEGGKIMKIPGTCCDTCEEP
[SEQ ID No: 2]

Thus, preferably the inhibitor binds to one or more amino acids within a sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 2, or a
15 variant or fragment thereof.

In an embodiment, amino acid sequence of the C1 domain of VWF may be provided herein as SEQ ID No: 3, as follows:

20 TQCTIGEDGVQHQLFLEAWVPDHQPCQICTCLISGRKVNCTTQPCPTAKAPTCLCEVARLRQNADQCCPEYECVCDPVSC
D
[SEQ ID No: 3]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a
25 sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 3, or a variant or fragment thereof.

In an embodiment, amino acid sequence of the C2 domain of VWF may be provided herein as SEQ ID No: 4, as follows:

30 LPPVPHCERGLQPTLTNPGECPNFTCACRKEECKRVSPSPCPPHRLPTLRKTQCCDEYECACNCVNST
[SEQ ID No: 4]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a
35 sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 4, or a variant or fragment thereof.

In an embodiment, amino acid sequence of the C3 domain of VWF may be provided herein as SEQ ID No: 5, as follows:

VCVHRSTIYPVGQFWEEGCDVCTCTDMEDAVMGLRVAQCSQKPCEDSCRSCTTYVLHEGECCCRCLP

5

[SEQ ID No: 5]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 5, or a variant or fragment thereof.

10

In an embodiment, amino acid sequence of the C4 domain of VWF may be provided herein as SEQ ID No: 6, as follows:

SACEVVTGSPRGDSQSSWKSQVGSQWASPENPCLINECVRVKEEVFIQQRNVSCPQLEVPVCPSPGFQLSCKTSACCPSC
RCE

15

[SEQ ID No: 6]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 6, or a variant or fragment thereof.

20

In an embodiment, amino acid sequence of the C5 domain of VWF may be provided herein as SEQ ID No: 7, as follows:

RMEACMLNGTVIGPGKTVMIDVCTTCRCMVQGVISGFKLECRKTTTCNPCLGYKEENNTGECGGRCLP

25

[SEQ ID No: 7]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 7, or a variant or fragment thereof.

30

In an embodiment, amino acid sequence of the C6 domain of VWF may be provided herein as SEQ ID No: 8, as follows:

TACTIQLRCCQIMTLKRDETLQDGCDFHFCKVNERGEYFWEKRVTCPPFDEHKCLAE
GGKIMKIPGTCCDTCEEP

35

[SEQ ID No: 8]

Thus, preferably the inhibitor binds to one or more amino acids or an epitope within a sequence comprising or consisting of a sequence as substantially set out in SEQ ID No: 8, or a variant or fragment thereof.

- 5 Previous therapeutic targeting of VWF has focused on the A1 and A3 domains, for example Caplacizumab which target A1, and 82D6A3 which targets A3. However, the A1 and A3 domains are essential for collagen binding and, therefore, platelet binding. As such, targeting of the A1 and A3 domains, inhibits platelet binding under conditions of low shear rate, i.e. normal conditions, resulting in a severe bleeding risk in patients.

10

Therefore, it is important that the inhibitor of the invention, which targets one or more of the C1, C2, C3, C4, C5, and/or C6 domains of VWF does so specifically, and has no or little cross-reactivity with the A1, A2, and/or A3 domains of VWF, because this could result in significant unwanted off-target effects, such as a severe risk of bleeding.

15

Accordingly, preferably the inhibitor of the invention does not substantially bind to an A1, A2, and/or A3 domain of VWF. Preferably, the inhibitor of the invention has substantially no cross-reactivity with a A1, A2, and/or A3 domain of VWF. Most preferably, the inhibitor of the invention has substantially no cross-reactivity with the

20 A1 domain of VWF.

In an embodiment, amino acid sequence of the A1 domain of VWF may be provided herein as SEQ ID No: 153, as follows:

25 DLVFLLDGSSRLSEAEFEVLKAFVVDMMERLRISQKWVRVAVVEYHDGSHAYIGLKDRKRPSSELRRIASQVKYAGSQV
ASTSEVLKYTLFQIFSKIDRPEASRITLLLMASQEPQRMSENFVRYVQGLKKKKVIVIPVGIGPHANLKQIRLLEKQA
PENKAFVLSSVDELEQQRDEI

[SEQ ID No: 153]

- 30 Thus, preferably the inhibitor does not bind to a sequence as substantially set out in SEQ ID No: 153, or a variant or fragment thereof.

In an embodiment, amino acid sequence of the A2 domain of VWF may be provided herein as SEQ ID No: 154, as follows:

35

DVAFVLEGSDDKIGEADFNRSEKFMEEVIIQRMVDVGQDSIHVTVLQYSYMTVEYPFSEASQSGDILQVRVREIRYQGGNR
TNTGLALRYLSDHSFLVSQCDREQAPNLVYMTGNPASDEIKRLPGDIQVVPICVCPNANVQELERICWPNAPILIQD
FETLPREAPDLVQRCC

[SEQ ID No: 154]

Thus, preferably the inhibitor does not bind to a sequence as substantially set out in SEQ ID No: 154, or a variant or fragment thereof.

5

In an embodiment, amino acid sequence of the A3 domain of VWF may be provided herein as SEQ ID No: 155, as follows:

10 DVIILLDGSSEFPASYFDEMKSFAKAFISKANIGPRLTQVSVLQYGSITITIDVPWNVVPEKAHLLSLVDVMQREGGPS
QIGDALGFAVRYLTSEMHGARGPGASKAVVILVTDVSVDSVDAAADAARSNRVTVPFPIGIGDRYDAAQLRILAGPAGDS
NVVKLQRIEDLPTMTVTLGNSFLHKL

[SEQ ID No: 155]

15 Thus, preferably the inhibitor does not bind to a sequence as substantially set out in SEQ ID No: 155, or a variant or fragment thereof.

In one preferred embodiment, the inhibitor is an antibody, or an antigen-binding fragment thereof.

20 Hence, in a further aspect of the invention, there is provided an antibody, or an antigen-binding fragment thereof inhibitor that specifically binds to one or more of a C1, C2, C3, C4, C5, and/or C6 domain of Von Willebrand Factor (VWF), and which preferably does not substantially bind to an A1, A2 and/or A3 domain of VWF.

25 The invention extends to both whole antibodies (i.e. immunoglobulins) with immunospecificity for one or more of the C1, C2, C3, C4, C5, and/or C6 domain of VWF (preferably C5), as well as to antigen-binding fragments or regions of the corresponding full-length antibody.

30 The antibody or antigen-binding fragment thereof may be monovalent, divalent or polyvalent. Monovalent antibodies are dimers (HL) comprising a heavy (H) chain associated by a disulphide bridge with a light chain (L). Divalent antibodies are tetramer (H2L2) comprising two dimers associated by at least one disulphide bridge. Polyvalent antibodies may also be produced, for example by linking multiple dimers.

35 The basic structure of an antibody molecule consists of two identical light chains and two identical heavy chains which associate non-covalently and can be linked by disulphide bonds. Each heavy and light chain contains an amino-terminal variable

region of about 110 amino acids, and constant sequences in the remainder of the chain. The variable region includes several hypervariable regions, or Complementarity Determining Regions (CDRs), that form the antigen-binding site of the antibody molecule and determine its specificity for the antigen, i.e. one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF (preferably C5), or variant or fragment thereof (e.g. an epitope). On either side of the CDRs of the heavy and light chains is a framework region, a relatively conserved sequence of amino acids that anchors and orients the CDRs. Antibody fragments may include a bi-specific antibody (BsAb) or a chimeric antigen receptor (CAR).

The heavy chain constant region typically comprises three domains, C_{H1}, C_{H2}, and C_{H3}. Each light chain typically comprises a light chain variable region (V_L) and a light chain constant region. The light chain constant region typically comprises one domain, abbreviated C_L.

Each heavy chain and light chain generally comprise three CDRs and four FRs, arranged in the following order (from N-terminus to C-terminus): FR1 - CDR1 - FR2 - CDR2 - FR3 - CDR3 - FR4. The CDRs are involved in antigen binding and confer antigen specificity and binding affinity to the antibody. See Kabat et al., *Sequences of Proteins of Immunological Interest* 5th ed. (1991) Public Health Service, National Institutes of Health, Bethesda, MD, incorporated by reference in its entirety.

The heavy chain from any vertebrate species can be assigned to one of five different classes (or isotypes): IgA, IgD, IgE, IgG, and IgM. These classes are also designated α , δ , ϵ , γ , and μ , respectively. The IgG and IgA classes are further divided into subclasses on the basis of differences in sequence and function. Humans express the following subclasses: IgG1, IgG2, IgG3, IgG4, IgA1, and IgA2. The IgG antibody class is preferred.

The light chain from any vertebrate species can be assigned to one of two types, called kappa and lambda, based on the sequence of the constant domain.

The constant region consists of one of five heavy chain sequences (μ , γ , ζ , α , or ϵ) and one of two light chain sequences (κ or λ). The heavy chain constant region sequences determine the isotype of the antibody and the effector functions of the molecule.

Preferably, the antibody or antigen-binding fragment thereof is isolated or purified.

In one preferred embodiment, the antibody or antigen-binding fragment thereof comprises a polyclonal antibody, or an antigen-binding fragment thereof. The antibody or antigen-binding fragment thereof may be generated in a rabbit, mouse or rat.

5

Preferably, the antibody or antigen-binding fragment thereof is obtained by immunising a host animal with a C1-C6-Fc protein, or a variant or fragment thereof, such as any one or more of C1, C2, C3, C4, C5, and/or C6 domain, and then collecting the antibody or antigen-binding fragment thereof. The host animal may be a rabbit.

10

In another preferred embodiment, the antibody or antigen-binding fragment thereof comprises a monoclonal antibody or an antigen-binding fragment thereof. The antibody or fragment thereof may be mammalian. Preferably, the antibody of the invention is a human antibody. As used herein, the term “human antibody” can mean an antibody, such as a monoclonal antibody, which comprises substantially the same heavy and light chain CDR amino acid sequences as found in a particular human antibody exhibiting immunospecificity for one or more of C1, C2, C3, C4, C5, and/or C6 domains of VWF (preferably C5), or a variant or fragment thereof. An amino acid sequence, which is substantially the same as a heavy or light chain CDR, exhibits a considerable amount of sequence identity when compared to a reference sequence. Such identity is definitively known or recognisable as representing the amino acid sequence of the particular human antibody. Substantially the same heavy and light chain CDR amino acid sequence can have, for example, minor modifications or conservative substitutions of amino acids. Such a human antibody or fragment thereof maintains its function of selectively binding to at least one of the C1, C2, C3, C4, C5, and/or C6 domains of VWF (preferably C5), or a variant or fragment thereof.

20
25

The term “human monoclonal antibody” can include a monoclonal antibody with substantially or entirely human CDR amino acid sequences produced, for example by recombinant methods, such as production by a phage library, by lymphocytes or by hybridoma cells.

30

The term “monoclonal antibody” refers to an antibody from a population of substantially homogeneous antibodies. A population of substantially homogeneous antibodies comprises antibodies that are substantially similar and that bind the same epitope(s), except for variants that may normally arise during production of the

35

monoclonal antibody. Such variants are generally present in only minor amounts. A monoclonal antibody is typically obtained by a process that includes the selection of a single antibody from a plurality of antibodies. For example, the selection process can be the selection of a unique clone from a plurality of clones, such as a pool of hybridoma
5 clones, phage clones, yeast clones, bacterial clones, or other recombinant DNA clones. The selected antibody can be further altered, for example, to improve affinity for the target (by so-called “affinity maturation”), to humanize the antibody, to improve its production in cell culture, and/or to reduce its immunogenicity in a subject.

10 The term “humanised antibody” can mean an antibody from a non-human species (e.g. mouse or rabbit) whose protein sequences have been modified to increase their similarity to antibodies produced naturally in humans.

The antibody may be a recombinant antibody. The term “recombinant human
15 antibody” can include a human antibody produced using recombinant DNA technology.

The term “antigen-binding fragment” can mean a region of the antibody having specific binding affinity for its target antigen, for example, one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF (preferably C5), or a variant or fragment thereof. Preferably,
20 the fragment is an epitope. The epitope may be linear or conformational. The antigen-binding region may be a hypervariable CDR or a functional portion thereof. The term “functional portion” of a CDR can mean a sequence within the CDR which shows specific affinity for the target antigen. The functional portion of a CDR may comprise a ligand which specifically binds to one or more of a C1, C2, C3, C4, C5, and/or C6
25 domain of VWF (preferably C5), or a fragment thereof.

The term “CDR” can mean a hypervariable region in the heavy and light variable chains. There may be one, two, three or more CDRs in each of the heavy and light chains of the antibody. Normally, there are at least three CDRs on each chain which,
30 when configured together, form the antigen-binding site, i.e. the three-dimensional combining site with which the antigen binds or specifically reacts. It has however been postulated that there may be four CDRs in the heavy chains of some antibodies.

The definition of CDR also includes overlapping or subsets of amino acid residues when
35 compared against each other. The exact residue numbers which encompass a particular CDR or a functional portion thereof will vary depending on the sequence and size of the

CDR. Those skilled in the art can routinely determine which residues comprise a particular CDR given the variable region amino acid sequence of the antibody.

5 The amino acid sequence boundaries of a CDR can be determined by using any of a number of known numbering schemes, including those described by Kabat et al., *supra* (“Kabat” numbering scheme); Al-Lazikani et al., 1997, *J. Mol. Biol.*, 273:927-948 (“Chothia” numbering scheme); MacCallum et al., 1996, *J. Mol. Biol.* 262:732-745 (“Contact” numbering scheme); Lefranc et al., *Dev. Comp. Immunol.*, 2003, 27:55-77 (“IMGT” numbering scheme); and Honegge and Plückthun, *J. Mol. Biol.*, 2001, 10 309:657-70 (“AHO” numbering scheme).

The term “functional fragment” of an antibody can mean a portion of the antibody which retains a functional activity. A functional activity can be, for example antigen binding activity or specificity. A functional activity can also be, for example, an effector 15 function provided by an antibody constant region. The term “functional fragment” is also intended to include, for example, fragments produced by protease digestion or reduction of a human monoclonal antibody and by recombinant DNA methods known to those skilled in the art. Human monoclonal antibody functional fragments include, for example individual heavy or light chains and fragments thereof, such as VL, VH and 20 Fd; monovalent fragments, such as Fv, Fab, and Fab'; bivalent fragments such as F(ab')₂; single chain Fv (scFv); and Fc fragments. Alternatively, as discussed hereinafter, and as exemplified, the Fc fragment of the antibody may be disabled by introducing amino acid substitutions into the Fc region, which silence or reduce the effector function of the antibody.

25 The term “VL fragment” can mean a fragment of the light chain of a human monoclonal antibody which includes all or part of the light chain variable region, including the CDRs. A VL fragment can further include light chain constant region sequences.

30 The term “VH fragment” can mean a fragment of the heavy chain of a human monoclonal antibody which includes all or part of the heavy chain variable region, including the CDRs.

The term “Fd fragment” can mean the heavy chain variable region coupled to the first 35 heavy chain constant region, i.e. VH and CH-1. The “Fd fragment” does not include the light chain, or the second and third constant regions of the heavy chain.

The term “Fv fragment” can mean a monovalent antigen-binding fragment of a human monoclonal antibody, including all or part of the variable regions of the heavy and light chains, and absent of the constant regions of the heavy and light chains. The variable
5 regions of the heavy and light chains include, for example, the CDRs. For example, an Fv fragment includes all or part of the amino terminal variable region of about 110 amino acids of both the heavy and light chains.

The term “Fab fragment” can mean a monovalent antigen-binding fragment of a human
10 monoclonal antibody that is larger than an Fv fragment. For example, a Fab fragment includes the variable regions, and all or part of the first constant domain of the heavy and light chains. Thus, a Fab fragment additionally includes, for example, amino acid residues from about 110 to about 220 of the heavy and light chains.

15 The term “Fab' fragment” can mean a monovalent antigen-binding fragment of a human monoclonal antibody that is larger than a Fab fragment. For example, a Fab' fragment includes all of the light chain, all of the variable region of the heavy chain, and all or part of the first and second constant domains of the heavy chain. For example, a Fab' fragment can additionally include some or all of amino acid residues 220 to 330 of
20 the heavy chain.

The term “F(ab')₂ fragment” can mean a bivalent antigen-binding fragment of a human monoclonal antibody. An F(ab')₂ fragment includes, for example, all or part of the variable regions of two heavy chains-and two light chains, and can further include all or
25 part of the first constant domains of two heavy chains and two light chains.

The term “single chain Fv (scFv)” can mean a fusion of the variable regions of the heavy (VH) and light chains (VL) connected with a short linker peptide.

30 The term “bispecific antibody (BsAb)” can mean a bispecific antibody comprising two scFv linked to each other by a shorter linked peptide.

One skilled in the art knows that the exact boundaries of a fragment of an antibody are not important, so long as the fragment maintains a functional activity. Using well-
35 known recombinant methods, one skilled in the art can engineer a polynucleotide sequence to express a functional fragment with any endpoints desired for a particular

application. A functional fragment of the antibody may comprise or consist of a fragment with substantially the same heavy and light chain variable regions as the human antibody.

5 Preferably, the antibody or antigen-binding fragment thereof, with respect to the first aspect of the invention, is immunospecific for an epitope within one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF. In one preferred embodiment, the antibody or antigen-binding fragment thereof, is immunospecific for an epitope within the C3 and C5 domains of VWF (antibody 1-D5). Alternatively, in another preferred
10 embodiment, the antibody or antigen-binding fragment thereof, is immunospecific for an epitope within the C4 and C5 domains of VWF (antibody 3-H9). Even more preferably, the antibody or antigen-binding fragment thereof, is immunospecific for an epitope within the C5 domain of VWF. The antigen-binding fragment thereof may comprise or consist of any of the fragments selected from a group consisting of VH, VL,
15 Fd, Fv, Fab, Fab', scFv, F (ab')₂ and Fc fragment.

The antigen-binding fragment thereof may be a single domain antibody (sdAb), otherwise referred to as a nanobody, which the skilled person would understand is an antibody fragment consisting of a single monomeric variable antibody domain.

20

The antigen-binding fragment thereof may comprise or consist of any one of the antigen binding region sequences of the VL, any one of the antigen binding region sequences of the VH, or a combination of VL and VH antigen binding regions of a human antibody. The appropriate number and combination of VH and VL antigen
25 binding region sequences may be determined by those skilled in the art depending on the desired affinity and specificity and the intended use of the antigen-binding fragment. Functional fragments or antigen-binding fragments of antibodies may be readily produced and isolated using methods well known to those skilled in the art. Such methods include, for example, proteolytic methods, recombinant methods and
30 chemical synthesis. Proteolytic methods for the isolation of functional fragments comprise using human antibodies as a starting material. Enzymes suitable for proteolysis of human immunoglobulins may include, for example, papain, and pepsin. The appropriate enzyme may be readily chosen by one skilled in the art, depending on, for example, whether monovalent or bivalent fragments are required. For example,
35 papain cleavage results in two monovalent Fab' fragments that bind antigen and an Fc fragment. Pepsin cleavage, for example, results in a bivalent F (ab') fragment. An F

(ab')₂ fragment of the invention may be further reduced using, for example, DTT or 2-mercaptoethanol to produce two monovalent Fab' fragments.

5 Functional or antigen-binding fragments of antibodies produced by proteolysis may be purified by affinity and column chromatographic procedures. For example, undigested antibodies and Fc fragments may be removed by binding to protein A. Additionally, functional fragments may be purified by virtue of their charge and size, using, for example, ion exchange and gel filtration chromatography. Such methods are well known to those skilled in the art.

10

The antibody or antigen-binding fragment thereof may be produced by recombinant methodology. Preferably, one initially isolates a polynucleotide encoding desired regions of the antibody heavy and light chains. Such regions may include, for example, all or part of the variable region of the heavy and light chains. Preferably, such regions
15 can particularly include the antigen binding regions of the heavy and light chains, preferably the antigen binding sites, most preferably the CDRs.

The polynucleotide encoding the antibody or antigen-binding fragment thereof according to the invention may be produced using methods known to those skilled in
20 the art. The polynucleotide encoding the antibody or antigen-binding fragment thereof may be directly synthesized by methods of oligonucleotide synthesis known in the art. Alternatively, smaller fragments may be synthesized and joined to form a larger functional fragment using recombinant methods known in the art.

25 As used herein, the term "immunospecificity" can mean the binding region of the antibody or antigen-binding fragment thereof is capable of immunoreacting with one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF (preferably C5), or a variant or fragment thereof, by specifically binding therewith. The antibody or antigen-binding fragment thereof can preferably selectively interact with an antigen (one or more of a
30 C1, C2, C3, C4, C5, and/or C6 domain of VWF - preferably C5) with an affinity constant of approximately 10^{-5} to 10^{-13} M⁻¹, preferably 10^{-6} to 10^{-9} M⁻¹, even more preferably, 10^{-10} to 10^{-12} M⁻¹.

The antibody or antigen-binding fragment thereof preferably does not substantially
35 bind to A1, A2, and/or A3 domains of VWF, such that the affinity constant is approximately more than 10^{-10} M⁻¹, 10^{-9} M⁻¹, 10^{-8} M⁻¹, 10^{-7} M⁻¹, or 10^{-6} M⁻¹, preferably

more than 10^{-5} M^{-1} , 10^{-4} M^{-1} or 10^{-3} M^{-1} and even more preferably 10^{-2} M^{-1} , 10^{-1} M^{-1} or 10^{-2} M^{-1} and most preferably 10^{+1} M^{-1} , 10^{+2} M^{-1} or 10^{+3} M^{-1} .

5 The term “immunoreact” can mean the binding region is capable of eliciting an immune response upon binding with one or more of a C1, C2, C3, C4, C5, and/or C6 domain of VWF, or an epitope thereof.

The term “epitope” can mean any region of an antigen with the ability to elicit, and combine with, a binding region of the antibody or antigen-binding fragment thereof.
10 The epitope may be linear. This can mean that the antibody interacts with a plurality of continuous amino acids of the antigen, and so the epitope can consist of these defined amino acids.

Alternatively, the epitope may be conformational, i.e. non-linear or discontinuous. This
15 can mean that the antibody interacts with multiple, distinct segments from the primary amino acid sequence of the antigen.

Thus, the antibody or antigen-binding fragment thereof may comprise a heavy chain. The heavy chain may be selected from the group consisting of IgA; IgD; IgE; IgG and
20 IgM. Preferably, the heavy chain is an IgG. Preferably, the heavy chain is an IgA.

The heavy chain may be an IgG1. The heavy chain may be an IgG2. The heavy chain may be an IgG3. The heavy chain may be an IgG4. The heavy chain may be an IgA1. The heavy chain may be an IgA2.
25

As described in the Examples and as shown in Figures 3A-3H and Figures 7A-E, the inventors have surprisingly demonstrated that the antibodies and antigen-binding fragments referred to herein as 1-A2, 4-H3, 1-D5, 3-H9, 1-G5, 4-H9, 4-B12, and 4-C6, are able to significantly target one or more of the C1-C6 domains of VWF, and each of
30 these antibodies are defined below in detail. The CDR/FR/VH/VL, HC and LC sequences of these eight antibodies are conveniently summarised in the table shown in Figure 8.

1-A2

Accordingly, in one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as **1-A2**. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 9, which is provided herein, as follows:

5

GIDLT SNA

[SEQ ID No: 9]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID
10 No: 9, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of SEQ ID No: 10, which is provided herein, as follows:

15

IYGHDT S

[SEQ ID No: 10]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID
20 No: 10, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of SEQ ID No: 11, which is provided herein, as follows:

25

ARCFIYFDL

[SEQ ID No: 11]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID
30 No: 11, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 9, a CDR-H2 domain comprising or consisting of SEQ ID No: 10 and/or a CDR-H3 domain comprising or consisting of SEQ
35 ID No: 11. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 9, a CDR-H2

domain comprising or consisting of SEQ ID No: 10 and a CDR-H3 domain comprising or consisting of SEQ ID No: 11.

5 The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 12, which is provided herein, as follows:

SQSVEESGGRLVPPGTPLTLTCTVS

[SEQ ID No: 12]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 12, or a variant or fragment thereof.

15 The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 13, which is provided herein, as follows:

MNWVRQAPGKGLEWIGG

[SEQ ID No: 13]

20 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 13, or a variant or fragment thereof.

25 The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 14, which is provided herein, as follows:

YYAAWAKGRFTISRTSTTVDLKMRPTTDDTATYFC

[SEQ ID No: 14]

30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 14, or a variant or fragment thereof.

35 The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 15, which is provided herein, as follows:

WGTGTLVTISS

[SEQ ID No: 15]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4
 5 domain comprising or consisting of a sequence as substantially set out in SEQ ID No:
 15, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1
 domain comprising or consisting of SEQ ID No: 12, a FR-H2 domain comprising or
 10 consisting of SEQ ID No: 13, a FR-H3 domain comprising or consisting of SEQ ID No:
 14, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 15. Preferably,
 however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain
 comprising or consisting of SEQ ID No: 12, a FR-H2 domain comprising or consisting
 of SEQ ID No: 13, a FR-H3 domain comprising or consisting of SEQ ID No: 14, and a
 15 FR-H4 domain comprising or consisting of SEQ ID No: 15.

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable
 (VH) sequence as set out in SEQ ID No: 16, which is provided herein, as follows:

20 QSVEESGCRLLVPPGTPLTLTCTVSGIDLTSNAMNWVRQAPCKCLEWIGGIYCHDTSYYAAWAKGRFTISRTSTTVDLK
 MTRPTTDDTATYFCARGFIYFDIWGTGTLVTISS

[SEQ ID No: 16]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
 25 variable (VH) region comprising or consisting of a sequence as substantially set out in
 SEQ ID No: 16, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH)
 region is referred to herein as SEQ ID No: 17, as follows:

30 CAGTCGGTGGAGGAGTCCGGGGGTCGCCTGGTCCCGCCTGGGACACCCCTGACACTCACCTGCACAGTCTCTGGAATC
 GACCTCACTAGCAATGCAATGAAC TGGGTCCGCGCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGAGGCATTTATGGT
 CATGATACCTCATATTACGCGGCCCTGGGCGAAAGGCCGATTACCATCTCCAGAACCTCGACCACAGTGGATCTGAAA
 ATGACCAGGCCGACAACCGACGACAGGCCACCTATTTCTGTGCCAGAGGTTTTATTTATTTTGACATCTGGGGCACA
 35 GGCACCCCTGGTCACCATCTCTTCA

[SEQ ID No: 17]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 17, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 18, which is provided herein, as follows:

EDIYSG

[SEQ ID No: 18]

10

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 18, or a variant or fragment thereof.

- 15 The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 19, which is provided herein, as follows:

GAS

[SEQ ID No: 19]

20

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 19, or a variant or fragment thereof.

- 25 The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 20, which is provided herein, as follows:

LGGHSHSTTDLT

[SEQ ID No: 20]

30

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 20, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain comprising or

consisting of SEQ ID No: 19, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 20. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain comprising or consisting of SEQ ID No: 19, and a CDR-L3 domain comprising or consisting of SEQ ID No: 20.

The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 21, which is provided herein, as follows:

AIEMTQTPPSLSASVGETVRI RCLAS

[SEQ ID No: 21]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 21, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of SEQ ID No: 22, which is provided herein, as follows:

ISWYQQKPGKPPTLLIY

[SEQ ID No: 22]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 22, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of SEQ ID No: 23, which is provided herein, as follows:

NLESGVPPRFSGSGSGTDYTLTIGGVQAEDAATYYC

[SEQ ID No: 23]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 23, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 24, which is provided herein, as follows:

FGAGTKVEIK

5

[SEQ ID No: 24]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 24, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 21, a FR-L2 domain comprising or consisting of SEQ ID No: 22, a FR-L3 domain comprising or consisting of SEQ ID No: 23, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 24. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 21, a FR-L2 domain comprising or consisting of SEQ ID No: 22, a FR-L3 domain comprising or consisting of SEQ ID No: 23, and a FR-L4 domain comprising or consisting of SEQ ID No: 24.

15

20 The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 25, which is provided herein, as follows:

AIEMTQTTPPSLSASVGETVRI RCLASEDIYSGISWYQQKPGKPTLLIYGASNLESGVPPRFSGSGSGTDYTLTIGGV
QAEDAATYYCLGGHSHSTDLTFGAGTKVEIK

25

[SEQ ID No: 25]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

30

One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 26, as follows:

35

GCAATTGAGATGACCCAGACTCCACCCGCCCTGTCTGCATCTGTGGGAGAACTGTCAGGATTAGGTGCCCTGGCCAGT
GAGGACATTTACAGTGGTATATCCTGGTATCAACAGAAGCCAGGGAAACCTCCTACACTCCTGATCTATGGTGCATCC
AATTTAGAATCTGGGGTCCCACCACGGTTCAGTGGCAGTGGATCTGGGACAGATTACACCCTCACCATTGGCGGCGTG
CAGGCTGAAGATGCTGCCACCTACTACTGTCTAGGCGGTCATAGCCACAGTACTACCGATTTGACTTTTGGAGCTGGG
ACCAAGGTGGAAATCAAA

[SEQ ID No: 26]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 26, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 9, a CDR-H2 domain comprising or consisting of SEQ ID No: 10; a CDR-H3 domain comprising or consisting of SEQ ID No: 11, a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain comprising or consisting of SEQ ID No: 19, and a CDR-L3 domain comprising or consisting of SEQ ID No: 20.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 16, and a light chain variable region comprising or consisting of SEQ ID No: 25.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 17, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 26.

The inventors then set out to generate humanised antibodies of 1-A2, and the sequences of the humanised antibodies are illustrated in Figure 10. Unless stated otherwise, the six CDR sequences of the humanised antibodies are identical to the six CDR sequences of the parental antibody 1-A2.

1-A2 parental (hIgG1)

In one embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_parental (hIgG1).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 156, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 25.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

- 25 1-A2 parental (hIgG1-L234A-L235A-P329G)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_parental (hIgG1-L234A-L235A-P329G).

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 156, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 25.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 162, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 162 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2 parental (hIgG1-Fab)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_parental (hIgG1-Fab).

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 156, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 25.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 163, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 163 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_Ho (hIgG1)

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_Ho (hIgG1).

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
15 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 10, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 11, or a
20 variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 18, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
25 fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 19, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 20, or a
30 variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 10; a CDR-H3 domain comprising or consisting of SEQ ID No: 11, a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain
35 comprising or consisting of SEQ ID No: 19, and a CDR-L3 domain comprising or consisting of SEQ ID No: 20.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 25.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25

1-A2_H1 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H1 (hIgG1).

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 194, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 25.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_H2 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding
20 fragment thereof is referred to herein as 1-A2_H2 (hIgG1).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 172, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 25, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 25.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

10 1-A2_Lo (hIgG1K)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_Lo (hIgG1K).

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 156, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 190, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 190.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2 L1 (hIgG1K)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_L1 (hIgG1K).

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 156, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 191, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 191.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30

1-A2 H2 L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H2_L1.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 172, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 191, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 191.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_H2_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H2_Lo.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 172, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 190, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 190.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_H1_L1

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H1_L1.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 194, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 191, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 191.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
35 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5

1-A2_H1_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H1_L0.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 194, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 190, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 190.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_H0_L1

35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_H0_L1.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
5 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 10, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 11, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 18, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
15 fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 19, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 20, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 10; a CDR-H3 domain comprising or consisting of SEQ ID No: 11, a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain comprising or consisting of SEQ ID No: 19, and a CDR-L3 domain comprising or
25 consisting of SEQ ID No: 20.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 191, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 191.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-A2_Ho_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-A2_Ho_Lo.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 10, or a variant or fragment thereof. Preferably,
- 25 the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 11, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 18, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 19, or a variant or fragment thereof. Preferably,
- 35 the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain

comprising or consisting of a sequence as substantially set out in SEQ ID No: 20, or a variant or fragment thereof.

5 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 10; a CDR-H3 domain comprising or consisting of SEQ ID No: 11, a CDR-L1 domain comprising or consisting of SEQ ID No: 18, a CDR-L2 domain comprising or consisting of SEQ ID No: 19, and a CDR-L3 domain comprising or consisting of SEQ ID No: 20.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 190, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 190.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 4-H3. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 27, which is provided herein, as follows:

5

GIDLTSNA

[SEQ ID No: 27]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID
10 No: 27, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of SEQ ID No: 28, which is provided herein, as follows:

15

IYGHDT S

[SEQ ID No: 28]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID
20 No: 28, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of SEQ ID No: 29, which is provided herein, as follows:

25

ARGFIYFDI

[SEQ ID No: 29]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID
30 No: 29, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 27, a CDR-H2 domain comprising or consisting of SEQ ID No: 28 and/or a CDR-H3 domain comprising or consisting of SEQ
35 ID No: 29. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 27, a CDR-H2

domain comprising or consisting of SEQ ID No: 28 and a CDR-H3 domain comprising or consisting of SEQ ID No: 29.

5 The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 30, which is provided herein, as follows:

SQSLEESGGRLVPPGTPLTLTCTVS

[SEQ ID No: 30]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 30, or a variant or fragment thereof.

15 The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 31, which is provided herein, as follows:

MNWVRQAPGKGLEWIGG

[SEQ ID No: 31]

20 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 31, or a variant or fragment thereof.

25 The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 32, which is provided herein, as follows:

YYAAWAKGRFTISRTSTTVDLKMRPTTDDTATYFC

[SEQ ID No: 32]

30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 32, or a variant or fragment thereof.

35 The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 33, which is provided herein, as follows:

WGTGTLVTISS

[SEQ ID No: 33]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4
 5 domain comprising or consisting of a sequence as substantially set out in SEQ ID No:
 33, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1
 domain comprising or consisting of SEQ ID No: 30, a FR-H2 domain comprising or
 10 consisting of SEQ ID No: 31, a FR-H3 domain comprising or consisting of SEQ ID No:
 32, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 33. Preferably,
 however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain
 comprising or consisting of SEQ ID No: 30, a FR-H2 domain comprising or consisting
 of SEQ ID No: 31, a FR-H3 domain comprising or consisting of SEQ ID No: 32, and a
 15 FR-H4 domain comprising or consisting of SEQ ID No: 33.

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable
 (VH) sequence as set out in SEQ ID No: 34, which is provided herein, as follows:

20

QSLEESGGRLVPPGTPLTLTCTVSGIDLTSNAMNWVRQAPGKGLEWIGGIYGHDTSYAAWAKGRFTISRTSTTVDLK
 MTRPTTDDTATYFCARGFIYFDIWGTGTLVTISS

[SEQ ID No: 34]

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
 variable (VH) region comprising or consisting of a sequence as substantially set out in
 SEQ ID No: 34, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH)
 30 region is referred to herein as SEQ ID No: 35, as follows:

CAGTCGCTGGAGGAGTCCGGGGGTCGCCTGGTCCCGCCTGGGACACCCCTGACACTCACCTGCACAGTCTCTGGAATC
 GACCTCACTAGCAATGCAATGAACCGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGAGGCATTTATGGT
 CATGATACCTCATATTACGCGGCCCTGGGCGAAAGGCCGATTACCATCTCCAGAACCTCGACCACAGTGGATCTGAAA
 35 ATGACCAGGCCGACAACCGACGACACGCCACCTATTTCTGTGCCAGAGGTTTATTTATTTTGACATCTGGGGCACA
 GGCACCCTGGTCACCATCTCTTCA

[SEQ ID No: 35]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 35, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 36, which is provided herein, as follows:

EDIASG

[SEQ ID No: 36]

10

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 36, or a variant or fragment thereof.

- 15 The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 37, which is provided herein, as follows:

GAS

[SEQ ID No: 37]

20

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 37, or a variant or fragment thereof.

- 25 The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 38, which is provided herein, as follows:

LGGYSFSSNGLT

[SEQ ID No: 38]

30

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 38, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2 domain comprising or

consisting of SEQ ID No: 37, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 38. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2 domain comprising or consisting of SEQ ID No: 37, and a CDR-L3 domain comprising or consisting of SEQ ID No: 38.

The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 39, which is provided herein, as follows:

AYDMTQTPPSLSASVGETVRI RCLAS

[SEQ ID No: 39]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 39, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of SEQ ID No: 40, which is provided herein, as follows:

ISWYQQKPKPPTLLIY

[SEQ ID No: 40]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 40, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of SEQ ID No: 41, which is provided herein, as follows:

NLESGVPPRFSGSGSDYTLTIGGVQAEDAATYYC

[SEQ ID No: 41]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 41, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 42, which is provided herein, as follows:

FGAGTKVEIK

5

[SEQ ID No: 42]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 42, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 39, a FR-L2 domain comprising or consisting of SEQ ID No: 40, a FR-L3 domain comprising or consisting of SEQ ID No: 41, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 42. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 39, a FR-L2 domain comprising or consisting of SEQ ID No: 40, a FR-L3 domain comprising or consisting of SEQ ID No: 41, and a FR-L4 domain comprising or consisting of SEQ ID No: 42.

15

20 The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 43, which is provided herein, as follows:

AYDMTQTTPPSLSASVGETVRI RCLASEDIASGISWYQQKPGKPPTLLIYGASNLESGVPPRFSGSGSGTDYTLTIIGGV
QAEDAATYYCLGGYSFSSNGLTFGAGTKVEIK

25

[SEQ ID No: 43]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

30

One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 44, as follows:

35

GCTTATGATATGACCCAGACTCCACCCTCCCTGTCTGCATCTGTGGGAGAACTGTCAGGATTAGGTGCCTGGCCAGT
GAGGACATTGCCAGTGGTATATCCTGGTATCAACAGAAGCCAGGGAAACCTCCTACACTCCTGATCTATGGTGCATCC
AATTTAGAACTCTGGGGTCCCACCACGGTTCAGTGGCAGTGGATCTGGGACAGATTACACCTCACCATTGGCGGCGTG
CAGGCTGAAGATGCTGCCACCTACTACTGTCTAGGCGTTATAGTTTCAGTAGTAACGGTTTGACTTTTGGAGCTGGC
ACCAAGTGAGATCAAA

[SEQ ID No: 44]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 44, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 27, a CDR-H2 domain comprising or consisting of SEQ ID No: 28; a CDR-H3 domain comprising or consisting of SEQ ID No: 29, a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2 domain comprising or consisting of SEQ ID No: 37, and a CDR-L3 domain comprising or consisting of SEQ ID No: 38.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 34, and a light chain variable region comprising or consisting of SEQ ID No: 43.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 35, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 44.

The inventors then set out to generate humanised antibodies of 4-H3, and the sequences of the humanised antibodies are illustrated in Figure 10. Unless stated otherwise, the six CDR sequences of the humanised antibodies are identical to the six CDR sequences of the parental antibody 4-H3.

4-H3_parental (hIgG1)

In one embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_parental (hIgG1).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 159, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 43.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25 4-H3_parental (hIgG1-L234A-L235A-P329G)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_parental (hIgG1-L234A-L235A-P329G).

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 159, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 43.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 162, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 162 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_parental (hIgG1-Fab)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_parental (hIgG1-Fab).

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 159, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 43.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 163, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 163 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_Ho (hIgG1)

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_Ho (hIgG1).

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
15 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 28, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 29, or a
20 variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 36, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
25 fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 37, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 38, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 28; a CDR-H3 domain comprising or consisting of SEQ ID No: 29, a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2
35 domain comprising or consisting of SEQ ID No: 37, and a CDR-L3 domain comprising or consisting of SEQ ID No: 38.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 43.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H1 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H1 (hIgG1).

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 194, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 43.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H2 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding
20 fragment thereof is referred to herein as 4-H3_H2 (hIgG1).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 166, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 166 and a light chain variable region comprising or consisting of SEQ ID No: 43.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

10 4-H3_H3 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H3 (hIgG1).

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 167, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 43.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H4 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H4 (hIgG1).

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 168, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 43.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30

4-H3_H5 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H5 (hIgG1).

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 169, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 43.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H6 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H6 (hIgG1).

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 170, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 43.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H7 (hIgG1)

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H7 (hIgG1).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 171, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 43, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 43.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
35 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5

4-H3_H8 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H8 (hIgG1).

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 172, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 43, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 43.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_Lo (hIgG1K)

35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_Lo (hIgG1K).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 159, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 185.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25

4-H3_L1 (hIgG1K)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_L1 (hIgG1K).

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 159, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 186.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H8_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H8_L1.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 172, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 186.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H8_Lo

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H8_Lo.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
15 SEQ ID No: 172, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 185, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
30 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant
35 region comprising or consisting of SEQ ID No: 158.

4-H3 H7 L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H7_L1.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 171, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 186.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3 H7 Lo rep

- 30 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H7_Lo rep.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 171, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

20

4-H3_H6_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H6_L1.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 170, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 186.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H6_Lo

- 15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H6_Lo.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 170, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5 4-H3_H5_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H5_L1.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 169, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 186.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H5_LO

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H5_LO.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 169, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25 4-H3_H4_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H4_L1.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 168, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 186.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H4_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H4_Lo.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 168, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H3_L1

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H3_L1.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 167, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 186.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H3_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H3_L0.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 167, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 185.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H2_L1

- 35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H2_L1.

- 40 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 166, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 166 and a light chain variable region comprising or consisting of SEQ ID No: 186.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H2_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H2_L0.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 166, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 166 and a light chain variable region comprising or consisting of SEQ ID No: 185.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H1_L1

- 15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H1_L1.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 194, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 186.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5 4-H3_H1_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H1_L0.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 194, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 185.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_H0_L1 rep

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_H0_L1 rep.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence
5 as substantially set out in SEQ ID No: 28, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 29, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 36, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence
15 as substantially set out in SEQ ID No: 37, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 38, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1
20 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 28; a CDR-H3 domain comprising or consisting of SEQ ID No: 29, a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2 domain comprising or consisting of SEQ ID No: 37, and a CDR-L3 domain comprising
or consisting of SEQ ID No: 38.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 186, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
35 variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 186.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H3_Ho_Lo

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 4-H3_Ho_Lo.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 164, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
20 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 28, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 29, or a
25 variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 36, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
30 fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 37, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 38, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 164, a CDR-H2 domain comprising or consisting of SEQ ID No: 28; a CDR-H3 domain comprising or consisting of SEQ ID No: 29, a CDR-L1 domain comprising or consisting of SEQ ID No: 36, a CDR-L2 domain comprising or consisting of SEQ ID No: 37, and a CDR-L3 domain comprising or consisting of SEQ ID No: 38.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 165, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 185, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 185.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 1-D5. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 45, which is provided herein, as follows:

- 71 -

GFSLNNYI

[SEQ ID No: 45]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-
5 H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID
No: 45, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of
SEQ ID No: 46, which is provided herein, as follows:

10

ISTGGST

[SEQ ID No: 46]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-
15 H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID
No: 46, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of
SEQ ID No: 47, which is provided herein, as follows:

20

ARGCSSAGGFNI

[SEQ ID No: 47]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-
25 H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID
No: 47, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1
domain comprising or consisting of SEQ ID No: 45, a CDR-H2 domain comprising or
30 consisting of SEQ ID No: 46 and/or a CDR-H3 domain comprising or consisting of SEQ
ID No: 47. Preferably, however, the antibody or antigen-binding fragment thereof
comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 45, a CDR-H2
domain comprising or consisting of SEQ ID No: 46 and a CDR-H3 domain comprising
or consisting of SEQ ID No: 47.

35

The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 48, which is provided herein, as follows:

QQQLVESGGRLVTPGTPLTLTCAVS

5

[SEQ ID No: 48]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 48, or a variant or fragment thereof.

10

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 49, which is provided herein, as follows:

MGWVRQAPGKGGLEYIGI

15

[SEQ ID No: 49]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 49, or a variant or fragment thereof.

20

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 50, which is provided herein, as follows:

YYASWAKGRFTISRTSTTMDLKMTSLTTEDTATYFC

25

[SEQ ID No: 50]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 50, or a variant or fragment thereof.

30

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 51, which is provided herein, as follows:

WGPGLVTVSS

35

[SEQ ID No: 51]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 51, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 48, a FR-H2 domain comprising or consisting of SEQ ID No: 49, a FR-H3 domain comprising or consisting of SEQ ID No: 50, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 51. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain
10 comprising or consisting of SEQ ID No: 48, a FR-H2 domain comprising or consisting of SEQ ID No: 49, a FR-H3 domain comprising or consisting of SEQ ID No: 50, and a FR-H4 domain comprising or consisting of SEQ ID No: 51.

- The antibody or antigen-binding fragment thereof may comprise a heavy chain variable
15 (VH) sequence as set out in SEQ ID No: 52, which is provided herein, as follows:

QQQLVESGGRLVTPGTPLTLTCAVSGFSLNNYIMGWVRQAPGKLEYIGIISTGGSTYYASWAKGRFTISRTSTMDL
KMTSLTTEDTATYFCARGCSSACAGFNIWCPGLTVTVSS

[SEQ ID No: 52]

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 52, or a variant or fragment thereof.

- 25 One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 53, as follows:

CAGCAGCAGCTGGTGGAGTCCGGGGGTCGCCTGGTCACGCCTGGGACACCCCTGACACTAACCTGCGCAGTCTCTGGA
TTTTCCCTCAATAACTACATCATGGGCTCGGTCGCCAGCCTCCAGGGAAGGGCTGGAATACATCGGAATCATTAGT
30 ACTGGTGGTAGCACATACTACGCGAGCTGGGCAAAAGGCCGATTACCATCTCCAGAACCTCGACCACGATGGATCTG
AAAATGACCAGTCTGACAACCGAGGACACGGCCACCTATTCTGTGCCAGAGGGGGTAGTAGTGCTGGTGCGGGATTT
AATATCTGGGGCCCGGGCACCCCTGGTCACCGTCTCTCTCA

[SEQ ID No: 53]

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 53, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 54, which is provided herein, as follows:

QSINSG

5

[SEQ ID No: 54]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 54, or a variant or fragment thereof.

10

The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 55, which is provided herein, as follows:

KAS

15

[SEQ ID No: 55]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 55, or a variant or fragment thereof.

20

The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 56, which is provided herein, as follows:

QSYHYISANGAT

25

[SEQ ID No: 56]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 56, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2 domain comprising or consisting of SEQ ID No: 55, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 56. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2

35

domain comprising or consisting of SEQ ID No: 55, and a CDR-L3 domain comprising or consisting of SEQ ID No: 56.

5 The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 57, which is provided herein, as follows:

DIVMTQTPSSVSAAVGDTVTIQCQAS

[SEQ ID No: 57]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 57, or a variant or fragment thereof.

15 The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of SEQ ID No: 58, which is provided herein, as follows:

LAWYQQKPGQPPLRIY

[SEQ ID No: 58]

20 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 58, or a variant or fragment thereof.

25 The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of SEQ ID No: 59, which is provided herein, as follows:

TLASGVPSRFRGSGSGTDFTLTISDLECAATAATYYC

[SEQ ID No: 59]

30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 59, or a variant or fragment thereof.

35 The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 60, which is provided herein, as follows:

FGGGTEVVVE

[SEQ ID No: 60]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4
 5 domain comprising or consisting of a sequence as substantially set out in SEQ ID No:
 60, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1
 domain comprising or consisting of SEQ ID No: 57, a FR-L2 domain comprising or
 10 consisting of SEQ ID No: 58, a FR-L3 domain comprising or consisting of SEQ ID No:
 59, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 60. Preferably,
 however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain
 comprising or consisting of SEQ ID No: 57, a FR-L2 domain comprising or consisting of
 SEQ ID No: 58, a FR-L3 domain comprising or consisting of SEQ ID No: 59, and a FR-
 15 L4 domain comprising or consisting of SEQ ID No: 60.

The antibody or antigen-binding fragment thereof may comprise a light chain variable
 (VL) sequence as set out in SEQ ID No: 61, which is provided herein, as follows:

20 DIVMTQTPSSVSAAVGDTVITIQCASQSI NSGLAWYQQKPGQP PKRLIYKASTLASGVPSRFRGSGSGTDFTLTISDL
 ECADAATYYCQSYHYISANGATFGGGTEVVVE

[SEQ ID No: 61]

25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
 variable region comprising or consisting of a sequence as substantially set out in SEQ
 ID No: 61, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the light chain variable (VL)
 30 region is referred to herein as SEQ ID No: 62, as follows:

35 GATATTGTTATGACCCAGACTCCCTCCTCCGTGTCTGCAGCTGTGGGAGACACAGTCACCATCCAGTGCCAGGCCAGT
 CAGACCATTAATACTGCTTTGGCCCTGCTATCAGCAGAAACCAGGCCAGCCTCCCAAGCGCCTCATCTACAAGGCATCC
 ACTCTGGCATCTGGGGTCCCATCGCGTTTCAGAGGCAGTGGATCTGGGACAGACTTCACTCTCACCATCAGCGACCTG
 GAGTGTGCCGATGCTGCCACTTACTACTGTCAAAGCTATCATTATATTAGTGCTAATGGTGCTACTTTCGGCGGAGGG
 ACCGAGGTGGTCGTCGAA

[SEQ ID No: 62]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 62, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 45, a CDR-H2 domain comprising or consisting of SEQ ID No: 46; a CDR-H3 domain comprising or consisting of SEQ ID No: 47, a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2 domain comprising or consisting of SEQ ID No: 55, and a CDR-L3 domain comprising or consisting of SEQ ID No: 56.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52, and a light chain variable region comprising or consisting of SEQ ID No: 61.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 53, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 62.

25 The inventors then set out to generate humanised antibodies of 1-D5, and the sequences of the humanised antibodies are illustrated in Figure 10. Unless stated otherwise, the six CDR sequences of the humanised antibodies are identical to the six CDR sequences of the parental antibody 1-D5.

30 1-D5 parental (hIgG1)

In one embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_parental (hIgG1).

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 52, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 61, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 61.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5 _parental (hIgG1-L234A-L235A-P329G)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5 _parental (hIgG1-L234A-L235A-P329G).

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 52, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 61, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 61.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 162, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 162 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_parental (hIgG1-Fab)

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_parental (hIgG1-Fab).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 52, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 61, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 61.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 163, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
35 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 163 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5

1-D5_Ho (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_Ho (hIgG1).

10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 173, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 46, or a variant or fragment thereof. Preferably,
15 the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 47, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1
20 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 54, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 55, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain
25 comprising or consisting of a sequence as substantially set out in SEQ ID No: 56, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 173, a CDR-H2 domain comprising or
30 consisting of SEQ ID No: 46; a CDR-H3 domain comprising or consisting of SEQ ID No: 47, a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2 domain comprising or consisting of SEQ ID No: 55, and a CDR-L3 domain comprising or consisting of SEQ ID No: 56.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 174, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 61, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 61.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25 1-D5_H1 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H1 (hIgG1).

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 175, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 61, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 175 and a light chain variable region comprising or consisting of SEQ ID No: 61.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_H2 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H2 (hIgG1).

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 176, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 61, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 61.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5 Lo (hIgG1K)

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_Lo (hIgG1K).

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
15 SEQ ID No: 52, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 187, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 187.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
30 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
constant region comprising or consisting of SEQ ID No: 157 and a light chain constant
35 region comprising or consisting of SEQ ID No: 158.

1-D5_L1 (hIgG1K)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_L1 (hIgG1K).

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 52, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 188, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 188.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_H2_L1

- 35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H2_L1.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 176, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 188, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 188.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_H2_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H2_Lo.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 176, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 187, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 187.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_H1_L1

- 15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H1_L1.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 175, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 188, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 175 and a light chain variable region comprising or consisting of SEQ ID No: 188.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5 1-D5_H1_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H1_L0.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 175, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 187, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 175 and a light chain variable region comprising or consisting of SEQ ID No: 187.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_H0_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_H0_L1.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 173, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence
5 as substantially set out in SEQ ID No: 46, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 47, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 54, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence
15 as substantially set out in SEQ ID No: 55, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 56, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1
20 domain comprising or consisting of SEQ ID No: 173, a CDR-H2 domain comprising or consisting of SEQ ID No: 46; a CDR-H3 domain comprising or consisting of SEQ ID No: 47, a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2 domain comprising or consisting of SEQ ID No: 55, and a CDR-L3 domain comprising
or consisting of SEQ ID No: 56.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 174, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 188, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 188.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-D5_Ho_Lo

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-D5_Ho_Lo.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 173, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
20 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 46, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 47, or a
25 variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 54, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
30 fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 55, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 56, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 173, a CDR-H2 domain comprising or consisting of SEQ ID No: 46; a CDR-H3 domain comprising or consisting of SEQ ID No: 47, a CDR-L1 domain comprising or consisting of SEQ ID No: 54, a CDR-L2 domain comprising or consisting of SEQ ID No: 55, and a CDR-L3 domain comprising or consisting of SEQ ID No: 56.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 174, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 187, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 187.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 3-H9. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 63, which is provided herein, as follows:

GFSLSNYD

[SEQ ID No: 63]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 63, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of SEQ ID No: 64, which is provided herein, as follows:

10

IHAIGIT

[SEQ ID No: 64]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 64, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of SEQ ID No: 65, which is provided herein, as follows:

20

ARGLVDLNM

[SEQ ID No: 65]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 65, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 63, a CDR-H2 domain comprising or consisting of SEQ ID No: 64 and/or a CDR-H3 domain comprising or consisting of SEQ ID No: 65. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 63, a CDR-H2 domain comprising or consisting of SEQ ID No: 64 and a CDR-H3 domain comprising or consisting of SEQ ID No: 65.

35

The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 66, which is provided herein, as follows:

SQSLEESGRLVTPGTPLTLTCSVS

5

[SEQ ID No: 66]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 66, or a variant or fragment thereof.

10

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 67, which is provided herein, as follows:

MSWVRQAPGKGLEWIGS

15

[SEQ ID No: 67]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 67, or a variant or fragment thereof.

20

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 68, which is provided herein, as follows:

YYANWAEGRFTISKSTTTVDLKMTSLTTEDTATYFC

25

[SEQ ID No: 68]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 68, or a variant or fragment thereof.

30

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 69, which is provided herein, as follows:

WGPGLVTVSS

35

[SEQ ID No: 69]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 69, or a variant or fragment thereof.

5 Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 66, a FR-H2 domain comprising or consisting of SEQ ID No: 67, a FR-H3 domain comprising or consisting of SEQ ID No: 68, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 69. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain
10 comprising or consisting of SEQ ID No: 66, a FR-H2 domain comprising or consisting of SEQ ID No: 67, a FR-H3 domain comprising or consisting of SEQ ID No: 68, and a FR-H4 domain comprising or consisting of SEQ ID No: 69.

15 The antibody or antigen-binding fragment thereof may comprise a heavy chain variable (VH) sequence as set out in SEQ ID No: 70, which is provided herein, as follows:

OSLEESGGRLVTPGTPLTLTCSVSGFSLSNYDMSWVROAPGKGLEWIGSIHAIGITYYANWAEGRFTISKSTSTVDLK
MTSLTTEDTATYFCARGLVLDLNMWGPGLVTVSS

20

[SEQ ID No: 70]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 70, or a variant or fragment thereof.

25

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 71, as follows:

30 CAGTCGCTGGAGCAGTCCGGGGCTCGCCTGGTCACGCCTCGGACACCCCTTGACACTCACCTGTTCACTCTCTGGATTCTCCCTCAGCAACTACGACATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGACTGGAATGGATCGGGTCCATACATGCTATTGGTATCACATACTACGCGAACGGGCGGAAGGCCGATTCACCATCTCCAAAACCTCGACCCACGGTGGATCTGAAAATGACCACTCTGACAACCGAGGACACGGCCACCTATTTCTGTGCCAGAGGGCTGGTAGATTGAAACATGTGGGGCCCGGGCACCTCGTCACTGTCCTTCA

[SEQ ID No: 71]

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 71, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 72, which is provided herein, as follows:

QSVYSNNL

5

[SEQ ID No: 72]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 72, or a variant or fragment thereof.

10

The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 73, which is provided herein, as follows:

DAS

15

[SEQ ID No: 73]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 73, or a variant or fragment thereof.

20

The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 74, which is provided herein, as follows:

QGSYYSSGWYNT

25

[SEQ ID No: 74]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 74, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 72, a CDR-L2 domain comprising or consisting of SEQ ID No: 73, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 74. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 72, a CDR-L2

35

domain comprising or consisting of SEQ ID No: 73, and a CDR-L3 domain comprising or consisting of SEQ ID No: 74.

5 The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 75, which is provided herein, as follows:

AIKMTQTPSSVSVAVGGTVTINCQSS

[SEQ ID No: 75]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 75, or a variant or fragment thereof.

15 The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of SEQ ID No: 76, which is provided herein, as follows:

LSWYQQKPGQPPLLIY

[SEQ ID No: 76]

20 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 76, or a variant or fragment thereof.

25 The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of SEQ ID No: 77, which is provided herein, as follows:

TLESGVPSRFRKGSGGTQFTLTISGVQCEDAATYYC

[SEQ ID No: 77]

30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 77, or a variant or fragment thereof.

35 The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 78, which is provided herein, as follows:

FGGGTEVVVE

[SEQ ID No: 78]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4
5 domain comprising or consisting of a sequence as substantially set out in SEQ ID No:
78, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1
domain comprising or consisting of SEQ ID No: 75, a FR-L2 domain comprising or
10 consisting of SEQ ID No: 76, a FR-L3 domain comprising or consisting of SEQ ID No:
77, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 78. Preferably,
however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain
comprising or consisting of SEQ ID No: 75, a FR-L2 domain comprising or consisting of
SEQ ID No: 76, a FR-L3 domain comprising or consisting of SEQ ID No: 77, and a FR-
15 L4 domain comprising or consisting of SEQ ID No: 78.

The antibody or antigen-binding fragment thereof may comprise a light chain variable
(VL) sequence as set out in SEQ ID No: 79, which is provided herein, as follows:

20 AIKMTQTPSSSVSAVGGTVTINCQSSQSVYSNNLLSWYQQKPGQPPKLLIYDASTLESQVPSRFKSGSGTQF¹LTIS
GVQCEDAATYYCQGSYYSSGWYNTFGGGTEVVVE

[SEQ ID No: 79]

25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
variable region comprising or consisting of a sequence as substantially set out in SEQ
ID No: 79, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the light chain variable (VL)
30 region is referred to herein as SEQ ID No: 80, as follows:

35 GCTATTAAAATGACCCAGACTCCATCGTCCGTGTCTGTAGCTGTGGGAGGCACAGTCACCATCAATTGCCAGTCCAGT
CAGACTCTTTATAGTAACAACCTCTTATCTTGTTACCAGCAGAAACCAGGCCAGCCTCCCAAGCTCTTGATCTACCAT
GCATCCACTCTGGAATCTGGGGTCCCATCGCGGTTCAAAGGCAGTGGATCTGGGACACAGTTCACCTCTACCATCAGC
GGCGTGCAGTGTGAGGATGCTGCCACTTACTACTGTCAAGGCAGTTATTATAGTAGTGGTTGGTACAATACTTTCCGC
GGAGGGACCGAGGTGGTCTCGTCAA

[SEQ ID No: 80]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 80, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 63, a CDR-H2 domain comprising or consisting of SEQ ID No: 64; a CDR-H3 domain comprising or consisting of SEQ ID No: 65, a CDR-L1 domain comprising or consisting of SEQ ID No: 72, a CDR-L2 domain comprising or consisting of SEQ ID No: 73, and a CDR-L3 domain comprising or consisting of SEQ ID No: 74.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 70, and a light chain variable region comprising or consisting of SEQ ID No: 79.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 71, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 80.

25 The inventors then set out to generate humanised antibodies of 3-H9, and the sequences of the humanised antibodies are illustrated in Figure 10. Unless stated otherwise, the six CDR sequences of the humanised antibodies are identical to the six CDR sequences of the parental antibody 3-H9.

30 3-H9_parental (hIgG1)

In one embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_parental (hIgG1).

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 160, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 79, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 160 and a light chain variable region comprising or consisting of SEQ ID No: 79.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9_parental (hIgG1-L234A-L235A-P329G)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_parental (hIgG1-L234A-L235A-P329G).

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 160, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 79, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 160 and a light chain variable region comprising or consisting of SEQ ID No: 79.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 162, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 162 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9 parental (hIgG1-Fab)

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_parental (hIgG1-Fab).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 160, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 79, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 160 and a light chain variable region comprising or consisting of SEQ ID No: 79.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 163, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
35 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 163 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5

3-H9_H0 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_H0 (hIgG1).

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 177, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 64, or a variant or fragment thereof. Preferably,
- 15 the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 65, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 72, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 73, or a variant or fragment thereof. Preferably,
- 20 the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 74, or a variant or fragment thereof.
- 25

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 177, a CDR-H2 domain comprising or consisting of SEQ ID No: 64; a CDR-H3 domain comprising or consisting of SEQ ID No: 65, a CDR-L1 domain comprising or consisting of SEQ ID No: 72, a CDR-L2 domain comprising or consisting of SEQ ID No: 73, and a CDR-L3 domain comprising or consisting of SEQ ID No: 74.
- 30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 178, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 79, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 178 and a light chain variable region comprising or consisting of SEQ ID No: 79.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25 3-H9_H1 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_H1 (hIgG1).

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 179, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 79, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 179 and a light chain variable region comprising or consisting of SEQ ID No: 79.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9_H2 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_H2 (hIgG1).

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 180, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 79, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 180 and a light chain variable region comprising or consisting of SEQ ID No: 79.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9_Lo (hIgG1K)

- 10 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_Lo (hIgG1K).

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
15 SEQ ID No: 160, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 189, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 160 and a light chain variable region comprising or consisting of SEQ ID No: 189.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
30 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant
35 region comprising or consisting of SEQ ID No: 158.

3-H9_H2_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_H2_L0.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 180, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 189, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 180 and a light chain variable region comprising or consisting of SEQ ID No: 189.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

3-H9_H1_L0

- 35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_H1_L0.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 179, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 189, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 179 and a light chain variable region comprising or consisting of SEQ ID No: 189.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

20

3-H9_Ho_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 3-H9_Ho_Lo.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 177, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 64, or a variant or fragment thereof. Preferably,
- 30 the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 65, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 72, or a variant or fragment thereof. Preferably, the antibody or antigen-binding

fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 73, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 74, or a
5 variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 177, a CDR-H2 domain comprising or consisting of SEQ ID No: 64; a CDR-H3 domain comprising or consisting of SEQ ID
10 No: 65, a CDR-L1 domain comprising or consisting of SEQ ID No: 72, a CDR-L2 domain comprising or consisting of SEQ ID No: 73, and a CDR-L3 domain comprising or consisting of SEQ ID No: 74.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
15 variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 178, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
20 variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 189, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
25 variable region comprising or consisting of SEQ ID No: 178 and a light chain variable region comprising or consisting of SEQ ID No: 189.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
constant (HC) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 157, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
35 constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 1-G5. The antibody or antigen-binding fragment thereof may comprise a
5 CDR-H1 domain of SEQ ID No: 81, which is provided herein, as follows:

GFSLSSYD

[SEQ ID No: 81]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 81, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of
15 SEQ ID No: 82, which is provided herein, as follows:

IHATGIT

[SEQ ID No: 82]

20 Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 82, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of
25 SEQ ID No: 83, which is provided herein, as follows:

ARGLVDLNM

[SEQ ID No: 83]

30 Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 83, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 81, a CDR-H2 domain comprising or consisting of SEQ ID No: 82 and/or a CDR-H3 domain comprising or consisting of SEQ

ID No: 83. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 81, a CDR-H2 domain comprising or consisting of SEQ ID No: 82 and a CDR-H3 domain comprising or consisting of SEQ ID No: 83.

5

The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 84, which is provided herein, as follows:

SQSLEESGGRLVTPGTPLTLTCSVS

10

[SEQ ID No: 84]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 84, or a variant or fragment thereof.

15

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 85, which is provided herein, as follows:

MTWVRQAPGKGLEWIGS

20

[SEQ ID No: 85]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 85, or a variant or fragment thereof.

25

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 86, which is provided herein, as follows:

FYANWAKGRFTTSKTSTTVDLKMTSLTTEDTATYFC

30

[SEQ ID No: 86]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 86, or a variant or fragment thereof.

35

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 87, which is provided herein, as follows:

WGPGTLVTVSS

5

[SEQ ID No: 87]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 87, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 84, a FR-H2 domain comprising or consisting of SEQ ID No: 85, a FR-H3 domain comprising or consisting of SEQ ID No: 86, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 87. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 84, a FR-H2 domain comprising or consisting of SEQ ID No: 85, a FR-H3 domain comprising or consisting of SEQ ID No: 86, and a FR-H4 domain comprising or consisting of SEQ ID No: 87.

15

20

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable (VH) sequence as set out in SEQ ID No: 88, which is provided herein, as follows:

QSLEESCCRLVTPCTPLTLTCSVSCFSLSSYDMTWVRQAPCKGLEWIGSIHATGITFYANWAKCRFTTSKSTSTVDLK
MTSLTTEDTATYFCARGLVDLNMWGPGLVTVSS

25

[SEQ ID No: 88]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 88, or a variant or fragment thereof.

30

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 89, as follows:

35

CAGTCGTTGGAGGAGTCCGGGGGTCGCCTGGTCACGCCTGGGACACCCTTGACACTCACCTGTTCA GTCTCTGGATTCTCCCTCAGCAGCTACGACATGACCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGGTCCATACATGCTACTGGTATCACATTCTACGCGAACCTGGGCGAAAGGCCGATTACACACCTCCAAAACCTCGACCACGGTGGATCTGAAATGACCAGTCTGACAACCGAGGACACGGCCACCTATTTCTGTGCCAGAGGGCTGGTAGATTGAAACATGTGGGGCCCGGGCACCCCTCGTCAACGCTCTCTTCA

[SEQ ID No: 89]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 89, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 90, which is provided herein, as follows:

10 QSVYNNNY

[SEQ ID No: 90]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 90, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 91, which is provided herein, as follows:

20 DAS

[SEQ ID No: 91]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 91, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 92, which is provided herein, as follows:

30 QGSYYSGGWDTA

[SEQ ID No: 92]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 92, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2 domain comprising or consisting of SEQ ID No: 91, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 92. However, preferably the antibody or antigen-binding fragment thereof
5 comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2 domain comprising or consisting of SEQ ID No: 91, and a CDR-L3 domain comprising or consisting of SEQ ID No: 92.

The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of
10 SEQ ID No: 93, which is provided herein, as follows:

DPVMTQTASSVSAVGGTVTINCQAS

[SEQ ID No: 93]

15 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 93, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of
20 SEQ ID No: 94, which is provided herein, as follows:

LSWYQQKPGQPPKLLIY

[SEQ ID No: 94]

25 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 94, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of
30 SEQ ID No: 95, which is provided herein, as follows:

TLASGVPSRFSNGSGTQFTLTISGVQCDDAATYYC

[SEQ ID No: 95]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 95, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 96, which is provided herein, as follows:

FGGGTKVVVK

[SEQ ID No: 96]

10

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 96, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 93, a FR-L2 domain comprising or consisting of SEQ ID No: 94, a FR-L3 domain comprising or consisting of SEQ ID No: 95, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 96. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain
20 comprising or consisting of SEQ ID No: 93, a FR-L2 domain comprising or consisting of SEQ ID No: 94, a FR-L3 domain comprising or consisting of SEQ ID No: 95, and a FR-L4 domain comprising or consisting of SEQ ID No: 96.

- 25 The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 97, which is provided herein, as follows:

DPVMTQTASSVSAAVGGTIVTINCQASQSVYNNYLSWYQQKPGQPPELLIYDASTLASGVPSRFSNGSGTQFTLTIS
GVQCDDAATYYCQGSYYSGGWDTAFGGGTKVVVK

30

[SEQ ID No: 97]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

35

One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 98, as follows:

5 GATCCCGTGATGACCCAGACTGCGTCCTCCGTGTCTGCAGCTGTGGGAGGCACAGTCACCATCAATTGCCAGGCCAGT
 CAGAGTGTTTATAATAACAACACTACTTATCCTGGTATCAGCAGAAACCAGGGCAGCCTCCCAAGCTCTTGATCTACGAT
 GCATCCACTCTGGCATCTGGGGTCCCATCCCGGTTTCAGCGGCAATGGATCTGGGACACAGTTCACCTCACCATTGAGC
 GGCGTACAGTGTGACGATGCTGCCACTTACTACTGTCAAGGCAGTTATTATAGTGGTGGTTGGGACACTGCTTTCGGC
 GGAGGGACCAAGGTGGTTCGTCAAA

[SEQ ID No: 98]

10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
 variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ
 ID No: 98, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at
 least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the
 antibody or antigen-binding fragment thereof comprises at least CDR-H3.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1
 domain comprising or consisting of SEQ ID No: 81, a CDR-H2 domain comprising or
 consisting of SEQ ID No: 82; a CDR-H3 domain comprising or consisting of SEQ ID
 No: 83, a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2
 domain comprising or consisting of SEQ ID No: 91, and a CDR-L3 domain comprising
 or consisting of SEQ ID No: 92.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
 variable region comprising or consisting of SEQ ID No: 88, and a light chain variable
 region comprising or consisting of SEQ ID No: 97.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain
 variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID
 No: 89, and a light chain variable region encoded by a nucleic acid sequence comprising
 or consisting of SEQ ID No: 98.

35 The inventors then set out to generate humanised antibodies of 1-G5, and the
 sequences of the humanised antibodies are illustrated in Figure 10. Unless stated
 otherwise, the six CDR sequences of the humanised antibodies are identical to the six
 CDR sequences of the parental antibody 1-G5.

1-G5 parental (hIgG1)

In one embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_parental (hIgG1).

5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 161, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 97.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_parental (hIgG1-L234A-L235A-P329G)

35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_parental (hIgG1-L234A-L235A-P329G).

40 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 161, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 97.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 162, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 162 and a light chain constant region comprising or consisting of SEQ ID No: 158.

20

1-G5 parental (hIgG1-Fab)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5 parental (hIgG1-Fab).

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 161, or a variant or fragment thereof.

- 30 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 97.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 163, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 163 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_Ho (hIgG1)

- 15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_Ho (hIgG1).

- Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 181, or a variant or fragment thereof. Preferably, the antibody or antigen-binding
20 fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 82, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 83, or a variant or fragment thereof.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 90, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence
30 as substantially set out in SEQ ID No: 91, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 92, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 181, a CDR-H2 domain comprising or

consisting of SEQ ID No: 82; a CDR-H3 domain comprising or consisting of SEQ ID No: 83, a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2 domain comprising or consisting of SEQ ID No: 91, and a CDR-L3 domain comprising or consisting of SEQ ID No: 92.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 182, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 182 and a light chain variable region comprising or consisting of SEQ ID No: 97.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

30 1-G5_H1(hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_H1 (hIgG1).

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 183, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 97.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_H2 (hIgG1)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_H2 (hIgG1).

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 184, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 97, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 97.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_Lo (hIgG1K)

15 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_Lo (hIgG1K).

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in
20 SEQ ID No: 161, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in
SEQ ID No: 192, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 192.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain
35 constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

5

1-G5_L1 (hIgG1K)

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_L1 (hIgG1K).

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 161, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 193, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 193.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_H2_L1

35 Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_H2_L1.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 184, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 193, or a variant or fragment thereof.

10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 193.

15 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

25

1-G5_H2_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_H2_L0.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 184, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 192, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 192.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_H1_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding
20 fragment thereof is referred to herein as 1-G5_H1_L1.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 183, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 193, or a variant or fragment thereof.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 193.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

10 1-G5_H1_L0

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_H1_L1.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 183, or a variant or fragment thereof.

20

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 192, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 192.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_Ho_L1

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_Ho_L1.

5

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 181, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence
10 as substantially set out in SEQ ID No: 82, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 83, or a variant or fragment thereof.

15

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 90, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence
20 as substantially set out in SEQ ID No: 91, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 92, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1
25 domain comprising or consisting of SEQ ID No: 181, a CDR-H2 domain comprising or consisting of SEQ ID No: 82; a CDR-H3 domain comprising or consisting of SEQ ID No: 83, a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2 domain comprising or consisting of SEQ ID No: 91, and a CDR-L3 domain comprising or consisting of SEQ ID No: 92.

30

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 182, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 193, or a variant or fragment thereof.

- 5 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 182 and a light chain variable region comprising or consisting of SEQ ID No: 193.

- 10 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

1-G5_Ho_Lo

Alternatively, in another embodiment, the humanised antibody or antigen-binding fragment thereof is referred to herein as 1-G5_Ho_Lo.

- 25 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 181, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 82, or a variant or fragment thereof. Preferably,
- 30 the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 83, or a variant or fragment thereof.

- 35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 90, or a variant or fragment thereof. Preferably, the antibody or antigen-binding

fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 91, or a variant or fragment thereof. Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 92, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 181, a CDR-H2 domain comprising or consisting of SEQ ID No: 82; a CDR-H3 domain comprising or consisting of SEQ ID No: 83, a CDR-L1 domain comprising or consisting of SEQ ID No: 90, a CDR-L2 domain comprising or consisting of SEQ ID No: 91, and a CDR-L3 domain comprising or consisting of SEQ ID No: 92.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 182, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 192, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 182 and a light chain variable region comprising or consisting of SEQ ID No: 192.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant (HC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 157, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain constant (LC) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 158, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain constant region comprising or consisting of SEQ ID No: 157 and a light chain constant region comprising or consisting of SEQ ID No: 158.

4-H9

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 4-H9. The antibody or antigen-binding fragment thereof may comprise a
5 CDR-H1 domain of SEQ ID No: 99, which is provided herein, as follows:

GFSLNSFA

[SEQ ID No: 99]

10 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 99, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of
15 SEQ ID No: 100, which is provided herein, as follows:

ITVDGHT

[SEQ ID No: 100]

20 Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 100, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of
25 SEQ ID No: 101, which is provided herein, as follows:

AREDAGDAGYIYATYNI

[SEQ ID No: 101]

30 Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 101, or a variant or fragment thereof.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 99, a CDR-H2 domain comprising or consisting of SEQ ID No: 100 and/or a CDR-H3 domain comprising or consisting of

SEQ ID No: 101. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 99, a CDR-H2 domain comprising or consisting of SEQ ID No: 100 and a CDR-H3 domain comprising or consisting of SEQ ID No: 101.

5

The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 102, which is provided herein, as follows:

SQSVEESGGRLVTPGTPLTLTCTAS

10

[SEQ ID No: 102]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 102, or a variant or fragment thereof.

15

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 103, which is provided herein, as follows:

MSWVRQAPGKGLEWIGI

20

[SEQ ID No: 103]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 103, or a variant or fragment thereof.

25

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 104, which is provided herein, as follows:

YYASWAKGRFTISKASTTVDLKITSPPTTDTATYFC

30

[SEQ ID No: 104]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 104, or a variant or fragment thereof.

35

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 105, which is provided herein, as follows:

WGPGTLVTVSS

5

[SEQ ID No: 105]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 105, or a variant or fragment thereof.

10

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 102, a FR-H2 domain comprising or consisting of SEQ ID No: 103, a FR-H3 domain comprising or consisting of SEQ ID No: 104, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 105. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 102, a FR-H2 domain comprising or consisting of SEQ ID No: 103, a FR-H3 domain comprising or consisting of SEQ ID No: 104, and a FR-H4 domain comprising or consisting of SEQ ID No: 105.

15

20

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable (VH) sequence as set out in SEQ ID No: 106, which is provided herein, as follows:

QSVEESCCRLVTPCTPLTLTCTASCFSLNSFAMSWVRQAPCKGLEWIGIITVDGHTYYASWAKGRFTISKASTVLDLK
ITSPTTEDTATYFCAREDAGDAGYIYATYNIWGPGLVTVSS

25

[SEQ ID No: 106]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 106, or a variant or fragment thereof.

30

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 107, as follows:

35

CAATCGGTGGAGGAGTCCGGGGGTGCGCTGGTTCACGCCCTGGGACACCCCTGACACTACCTGCACAGCCTCTGGATTCTCCCTCAATAGCTTTGCGATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGAATCATTACTGTTGATGGTCACACATACTACGCGAGCTGGGCGAAAGGCCGATTCACCATCTCCAAAGCCTCGACCACGGTGGATCTGAAATCACCAGTCCGACAACCGAGGACACGGCCACCTATTTCTGTGCCAGAGAGGATGCTGGTGATGCTGGTTATATTTATGCTACCTATAACATCTGGGGCCAGGGACCCCTCGTCACCGTCTCTTCA

[SEQ ID No: 107]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 107, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 108, which is provided herein, as follows:

10 EDIGYG

[SEQ ID No: 108]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 108, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 109, which is provided herein, as follows:

20 GAN

[SEQ ID No: 109]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 109, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 110, which is provided herein, as follows:

30 QQGYSTPPT

[SEQ ID No: 110]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 110, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 108, a CDR-L2 domain comprising or consisting of SEQ ID No: 109, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 110. However, preferably the antibody or antigen-binding fragment thereof
5 comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 108, a CDR-L2 domain comprising or consisting of SEQ ID No: 109, and a CDR-L3 domain comprising or consisting of SEQ ID No: 110.

The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of
10 SEQ ID No: 111, which is provided herein, as follows:

AIEMTQTPSSLAASVGDVTVTITCKAS

[SEQ ID No: 111]

15 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 111, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of
20 SEQ ID No: 112, which is provided herein, as follows:

LAWYQQKLGIAPKLLIY

[SEQ ID No: 112]

25 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 112, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of
30 SEQ ID No: 113, which is provided herein, as follows:

TLESGVPSRFSGSGSETDYTLTISVVQAEDAGIYYC

[SEQ ID No: 113]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 113, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 114, which is provided herein, as follows:

FGAGTMVEIQ

[SEQ ID No: 114]

10

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 114, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 111, a FR-L2 domain comprising or consisting of SEQ ID No: 112, a FR-L3 domain comprising or consisting of SEQ ID No: 113, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 114. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain
20 comprising or consisting of SEQ ID No: 111, a FR-L2 domain comprising or consisting of SEQ ID No: 112, a FR-L3 domain comprising or consisting of SEQ ID No: 113, and a FR-L4 domain comprising or consisting of SEQ ID No: 114.

- 25 The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 115, which is provided herein, as follows:

AIEMTQIPSSLAASVGDTVTITCKASEDIGYGLAWYQQKLGIAPKLLIYGANTLESGVPSRFSGSGSETDYTLTISVV
QAEDAGIYYCQQGYSTPPTFGAGTMVEIQ

30

[SEQ ID No: 115]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 115, or a variant or fragment thereof.

35

One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 116, as follows:

5 GCGATTGAAATGACCCAGACTCCATCCTCCCTGGCTGCATCTGTGGGAGACACAGTCACCATCACTTGTAAGGCCAGT
 GAGGACATTGGTTATGGGTTAGCCTGGTATCAGCAGAACTGGGGATAGCTCCTAAGCTCCTGATCTATGGGGCAAAC
 ACTTTAGAATCTGGGGTCCCATCGAGGTTTCAGTGGCAGCGGATCAGAGACCGATTACACCCCTCACCATCAGCAGCGTG
 CAGGCTGAAGATGCAGGAATTTATTACTGTCTAGCAAGGATATAGTACCCCTCCTACTTTCGGTGCGGGGACCATGGTG
 GAGATCCAA

[SEQ ID No: 116]

10 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 116, or a variant or fragment thereof.

15 Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

20 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 99, a CDR-H2 domain comprising or consisting of SEQ ID No: 100; a CDR-H3 domain comprising or consisting of SEQ ID No: 101, a CDR-L1 domain comprising or consisting of SEQ ID No: 108, a CDR-L2 domain comprising or consisting of SEQ ID No: 109, and a CDR-L3 domain comprising or consisting of SEQ ID No: 110.

25 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 106, and a light chain variable region comprising or consisting of SEQ ID No: 115.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 107, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 116.

4-B12

35 In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 4-B12. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 117, which is provided herein, as follows:

GFSLNSFA

[SEQ ID No: 117]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID
5 No: 117, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of SEQ ID No: 118, which is provided herein, as follows:

10 ITVDGHT

[SEQ ID No: 118]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID
15 No: 118, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of SEQ ID No: 119, which is provided herein, as follows:

20 AREDACDAGYIYATYNI

[SEQ ID No: 119]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID
25 No: 119, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 117, a CDR-H2 domain comprising or consisting of SEQ ID No: 118 and/or a CDR-H3 domain comprising or consisting of
30 SEQ ID No: 119. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 117, a CDR-H2 domain comprising or consisting of SEQ ID No: 118 and a CDR-H3 domain comprising or consisting of SEQ ID No: 119.

35 The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 120, which is provided herein, as follows:

SQSVKESEGRLVTPGTPLTLTCTVS

[SEQ ID No: 120]

5 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 120, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of
10 SEQ ID No: 121, which is provided herein, as follows:

MSWVRQAPGKGLEWIGI

[SEQ ID No: 121]

15 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 121, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of
20 SEQ ID No: 122, which is provided herein, as follows:

YYANWAKDRFTISKASTTVDLKITSPPTTEDTATYFC

[SEQ ID No: 122]

25 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 122, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of
30 SEQ ID No: 123, which is provided herein, as follows:

WGPGTLVTVSS

[SEQ ID No: 123]

35 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 123, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 120, a FR-H2 domain comprising or consisting of SEQ ID No: 121, a FR-H3 domain comprising or consisting of SEQ ID No: 122, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 123. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 120, a FR-H2 domain comprising or consisting of SEQ ID No: 121, a FR-H3 domain comprising or consisting of SEQ ID No: 122, and a FR-H4 domain comprising or consisting of SEQ ID No: 123.

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable (VH) sequence as set out in SEQ ID No: 124, which is provided herein, as follows:

QSVKESEGRVTPGTPLTLTCTVSGFSLNSFAMSWVRQAPGKGLEWIGIITVDGHTYYANWAKDRFTISKASTTVDLK
ITSPTTEDTATYFCAREDAGDAGYIYATYNIWGPGLTVTVSS

[SEQ ID No: 124]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 124, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 125, as follows:

CAGTCGGTGAAGGAGTCCGAGGGTCGCCTGGTCAACGCTGGGACACCCCTGACACTCACCTGCACAGTCTCTGGATTCTCCCTCAATAGCTTTGCGATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGAATCATAACTGTTGATGGTCACACATACTACGCGAACTGGGCGAAAGACCGATTACCATCTCCAAAGCCTCGACCACGGTGGATCTGAAATACACAGTCCGACAACCGAGGACACGGCCACCTATTTCTGTGCCAGAGAGGATGCTGGTGATGCTGTTATATTTATGCTACCTATAACATCTGGGGCCCGGGCACCCCTGGTCACCGTCTCCTCA

[SEQ ID No: 125]

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 125, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 126, which is provided herein, as follows:

EDIGYG

[SEQ ID No: 126]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID
5 No: 126, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 127, which is provided herein, as follows:

10 GAN

[SEQ ID No: 127]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID
15 No: 127, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 128, which is provided herein, as follows:

20 QQGYSTPPT

[SEQ ID No: 128]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID
25 No: 128, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 126, a CDR-L2 domain comprising or consisting of SEQ ID No: 127, and/or a CDR-L3 domain comprising or consisting of
30 SEQ ID No: 128. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 126, a CDR-L2 domain comprising or consisting of SEQ ID No: 127, and a CDR-L3 domain comprising or consisting of SEQ ID No: 128.

35 The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 129, which is provided herein, as follows:

DPVLTQTASSLAASVGDTVTITCKAS

[SEQ ID No: 129]

5 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 129, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of
10 SEQ ID No: 130, which is provided herein, as follows:

LAWYQQKPGQPPLLIY

[SEQ ID No: 130]

15 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 130, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of
20 SEQ ID No: 131, which is provided herein, as follows:

TLESGVPSRFTGSGSETDYTLTISVQAEDAGIYYC

[SEQ ID No: 131]

25 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 131, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of
30 SEQ ID No: 132, which is provided herein, as follows:

FGAGTKVEIK

[SEQ ID No: 132]

35 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 132, or a variant or fragment thereof.

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 129, a FR-L2 domain comprising or consisting of SEQ ID No: 130, a FR-L3 domain comprising or consisting of SEQ ID No: 131, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 132. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 129, a FR-L2 domain comprising or consisting of SEQ ID No: 130, a FR-L3 domain comprising or consisting of SEQ ID No: 131, and a FR-L4 domain comprising or consisting of SEQ ID No: 132.

10

The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 133, which is provided herein, as follows:

15

DPVLTQTASSLAASVGDTVTITCKASEDIGYGLAWYQQKPGQPPKLLIYGANTLESGVPSRFTGSGSETDYTLTISSV
QAEDAGIYYCQQGYSTPPTFGAGTKVEIK

[SEQ ID No: 133]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 133, or a variant or fragment thereof.

One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 134, as follows:

25

GATCCTGTGCTGACCCAGACTGCGTCCTCCCTGGCTGCATCTGTGGGAGACACAGTCACCATCACTTGTAAGGCCAGT
GAGGACATTGGTTATGGGTAGCCTGGTATCAGCAGAAACCAGGGCAGCCTCCCAAGCTCCTGATCTATGGGGCAAAC
ACTTTAGAATCTGGGGTCCCATCGAGGTTCACTGGCAGCGGATCAGAGACCGATTACACCTCACCATCAGCAGCGTG
CAGGCTGAAGATGCAGGAATTTATTACTGTCAGCAAGGATATAGTACCCCTCCTACTTTCGGTGCGGGCACCAAGGTA
GAAATCAAA

30

[SEQ ID No: 134]

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 134, or a variant or fragment thereof.

35

Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 117, a CDR-H2 domain comprising or consisting of SEQ ID No: 118; a CDR-H3 domain comprising or consisting of SEQ ID No: 119, a CDR-L1 domain comprising or consisting of SEQ ID No: 126, a CDR-L2 domain comprising or consisting of SEQ ID No: 127, and a CDR-L3 domain comprising or consisting of SEQ ID No: 128.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 124, and a light chain variable region comprising or consisting of SEQ ID No: 133.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 125, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 134.

4-C6

In one embodiment, the antibody or antigen-binding fragment thereof is referred to herein as 4-C6. The antibody or antigen-binding fragment thereof may comprise a CDR-H1 domain of SEQ ID No: 135, which is provided herein, as follows:

GFSLNTYV

[SEQ ID No: 135]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 135, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a CDR-H2 domain of SEQ ID No: 136, which is provided herein, as follows:

INGDSNT

[SEQ ID No: 136]

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 136, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a CDR-H3 domain of SEQ ID No: 137, which is provided herein, as follows:

AREDAADAGYVYATYNI

[SEQ ID No: 137]

10

Thus, preferably the antibody or antigen-binding fragment thereof comprises a CDR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 137, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 135, a CDR-H2 domain comprising or consisting of SEQ ID No: 136 and/or a CDR-H3 domain comprising or consisting of SEQ ID No: 137. Preferably, however, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 135, a CDR-H2
20 domain comprising or consisting of SEQ ID No: 136 and a CDR-H3 domain comprising or consisting of SEQ ID No: 137.

The antibody or antigen-binding fragment thereof may comprise a FR-H1 domain of SEQ ID No: 138, which is provided herein, as follows:

25

SQSLEESGGRVLVTPGTPLTLTCTAS

[SEQ ID No: 138]

- 30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 138, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-H2 domain of SEQ ID No: 139, which is provided herein, as follows:

35

MTWVRQAPGKGLEWIGF

[SEQ ID No: 139]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 139, or a variant or fragment thereof.

5

The antibody or antigen-binding fragment thereof may comprise a FR-H3 domain of SEQ ID No: 140, which is provided herein, as follows:

YYANWAKGRFTISKSTTTVDLKITSPPTTEDTATYFC

10

[SEQ ID No: 140]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 140, or a variant or fragment thereof.

15

The antibody or antigen-binding fragment thereof may comprise a FR-H4 domain of SEQ ID No: 141, which is provided herein, as follows:

WGTGTLVTISS

20

[SEQ ID No: 141]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-H4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 141, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 138, a FR-H2 domain comprising or consisting of SEQ ID No: 139, a FR-H3 domain comprising or consisting of SEQ ID No: 140, and/or a FR-H4 domain comprising or consisting of SEQ ID No: 141. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-H1 domain comprising or consisting of SEQ ID No: 138, a FR-H2 domain comprising or consisting of SEQ ID No: 139, a FR-H3 domain comprising or consisting of SEQ ID No: 140, and a FR-H4 domain comprising or consisting of SEQ ID No: 141.

30

35

The antibody or antigen-binding fragment thereof may comprise a heavy chain variable (VH) sequence as set out in SEQ ID No: 142, which is provided herein, as follows:

QSLEESGGRLVTPGTPLTLTCTASGFSLNITYVMTWVRQAPGKGLEWIGFINGDSNTYYANWAKGRFTISKSTTVDLK
ITSPTTEDTATYFCAREDAADAGYVYATYNIWGTGTLVTISS

[SEQ ID No: 142]

5

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region comprising or consisting of a sequence as substantially set out in SEQ ID No: 142, or a variant or fragment thereof.

- 10 One embodiment of the nucleotide sequence encoding the heavy chain variable (VH) region is referred to herein as SEQ ID No: 143, as follows:

15 CAGTCGCTGGAGGAGTCCGGGGGTCGCCTGGTACGCCTGGGACACCCCTGACACTCACCTGCACAGCCTCTGGATTCTCCCTCAATACCTATGTAATGACCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGATCGGATTCATTAATGGTGATAGTAACACATACTACGCGAACTGGGCGAAAGGCCGATTACCATCTCCAAAACCTCGACCACGGTGGATCTGAAATTCACCAGTCCGACAACCGAGGACACGGCCACCTATTTCTGTGCCAGAGAGGATGCTGCTGATGCTGGTTATGTTATGCTACCTATAACATCTGGGGCACAGGCACCCTGGTCACCATCTCTTCA

[SEQ ID No: 143]

- 20 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable (VH) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 143, or a variant or fragment thereof.

- 25 The antibody or antigen-binding fragment thereof may comprise a CDR-L1 domain of SEQ ID No: 144, which is provided herein, as follows:

EDIGYG

[SEQ ID No: 144]

- 30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 144, or a variant or fragment thereof.

- 35 The antibody or antigen-binding fragment thereof may comprise a CDR-L2 domain of SEQ ID No: 145, which is provided herein, as follows:

GAN

[SEQ ID No: 145]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 145, or a variant or fragment thereof.

- 5 The antibody or antigen-binding fragment thereof may comprise a CDR-L3 domain of SEQ ID No: 146, which is provided herein, as follows:

QQGYSTPPT

[SEQ ID No: 146]

10

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 146, or a variant or fragment thereof.

- 15 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 144, a CDR-L2 domain comprising or consisting of SEQ ID No: 145, and/or a CDR-L3 domain comprising or consisting of SEQ ID No: 146. However, preferably the antibody or antigen-binding fragment thereof comprises a CDR-L1 domain comprising or consisting of SEQ ID No: 144, a CDR-L2
20 domain comprising or consisting of SEQ ID No: 145, and a CDR-L3 domain comprising or consisting of SEQ ID No: 146.

The antibody or antigen-binding fragment thereof may comprise a FR-L1 domain of SEQ ID No: 147, which is provided herein, as follows:

25

AYDMTQTPSSLAASVGDTVTITCKAS

[SEQ ID No: 147]

- 30 Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 147, or a variant or fragment thereof.

The antibody or antigen-binding fragment thereof may comprise a FR-L2 domain of SEQ ID No: 148, which is provided herein, as follows:

35

LNWYQQKLGIAPKLLIY

[SEQ ID No: 148]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L2 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 148, or a variant or fragment thereof.

5

The antibody or antigen-binding fragment thereof may comprise a FR-L3 domain of SEQ ID No: 149, which is provided herein, as follows:

TLESGVPSRFSGSGSETDYTLTISVQAEDAGIYYC

10

[SEQ ID No: 149]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L3 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 149, or a variant or fragment thereof.

15

The antibody or antigen-binding fragment thereof may comprise a FR-L4 domain of SEQ ID No: 150, which is provided herein, as follows:

FGAGTMVEIK

20

[SEQ ID No: 150]

Thus, preferably, the antibody or antigen-binding fragment thereof comprises a FR-L4 domain comprising or consisting of a sequence as substantially set out in SEQ ID No: 150, or a variant or fragment thereof.

25

Preferably, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 147, a FR-L2 domain comprising or consisting of SEQ ID No: 148, a FR-L3 domain comprising or consisting of SEQ ID No: 149, and/or a FR-L4 domain comprising or consisting of SEQ ID No: 150. Preferably, however, the antibody or antigen-binding fragment thereof comprises a FR-L1 domain comprising or consisting of SEQ ID No: 147, a FR-L2 domain comprising or consisting of SEQ ID No: 148, a FR-L3 domain comprising or consisting of SEQ ID No: 149, and a FR-L4 domain comprising or consisting of SEQ ID No: 150.

30

35 The antibody or antigen-binding fragment thereof may comprise a light chain variable (VL) sequence as set out in SEQ ID No: 151, which is provided herein, as follows:

AYDMTQTPSSLAASVGDVTITCKASEDIGYGLNWDYQQKLGIAPKLLIYGANTLESGVPSRFSGSGSETDYTLTISVV
QAEDAGLIYCCQQGYSTPPTFGAGTMVEIK

[SEQ ID No: 151]

5

Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable region comprising or consisting of a sequence as substantially set out in SEQ ID No: 151, or a variant or fragment thereof.

10 One embodiment of the nucleotide sequence encoding the light chain variable (VL) region is referred to herein as SEQ ID No: 152, as follows:

GCATATGATATGACCCAGACTCCATCCCTCCCTGGCTGCATCTGTGGGAGACACAGTCACCATCACTTGTAAGGCCAGT
GAGGACATTGGTTATGGGTGAACGGTATCAGCAGAAACTAGGGATAGCTCCTAAGCTCCTCATCTATGGGGCAAAC
15 ACTTTAGAATCCGGGTCCCATCGAGGTTCACTGGCAGCGGATCAGAGACCGATTACACCTCACCATCAGCAGCGTG
CAGGCTGAAGATGCAGGAATTTATTACTGTCAAGGATATAGTACCCCTCCTACTTTCGGTGCGGGGACCATGGTG
GAGATCAAAA

[SEQ ID No: 152]

20 Preferably, the antibody or antigen-binding fragment thereof comprises a light chain variable (VL) region encoded by a nucleic acid sequence as substantially set out in SEQ ID No: 152, or a variant or fragment thereof.

25 Preferably, the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six CDRs. Preferably, the antibody or antigen-binding fragment thereof comprises at least CDR-H3.

30 Preferably, the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising or consisting of SEQ ID No: 135, a CDR-H2 domain comprising or consisting of SEQ ID No: 136; a CDR-H3 domain comprising or consisting of SEQ ID No: 137, a CDR-L1 domain comprising or consisting of SEQ ID No: 144, a CDR-L2 domain comprising or consisting of SEQ ID No: 145, and a CDR-L3 domain comprising or consisting of SEQ ID No: 146.

35 Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 142, and a light chain variable region comprising or consisting of SEQ ID No: 151.

Preferably, the antibody or antigen-binding fragment thereof comprises a heavy chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 143, and a light chain variable region encoded by a nucleic acid sequence comprising or consisting of SEQ ID No: 152.

5

As shown in Figures 7A-7E, the inventors have surprisingly demonstrated that the antibodies and antigen-binding fragments thereof, referred to herein as 1-A2, 4-H3, 1-D5, 3-H9 and 1-G5, comprising a disabled Fc fragment, are able to bind C1-C6 domains of VWF. The Fc fragment is involved in platelet aggregation, and therefore, is
10 associated with an increased risk of blood clotting and thrombosis. As such, it is particularly advantageous to disable the Fc fragment of the antibody and reduce the risk of blood clotting, when treating a patient with a condition caused by platelet-mediated aggregation.

15 Thus, in one embodiment, the antibody or antigen-binding fragment thereof of the invention comprises a disabled Fc fragment. Preferably, the disabled Fc fragment comprises one or more amino acid substitution that silences or reduces the effector function of the antibody or antigen-binding fragment thereof. Preferably, the disabled Fc fragment comprises one or more amino acid substitution selected from the group
20 consisting of: L234A, L235A, and P329G. Preferably, the disabled Fc fragment comprises the amino acid substitutions L234A, L235A, and P329G.

Thus, most preferably, the antibody or antigen-binding fragment thereof, referred to herein as 1-A2, 4-H3, 1-D5, 3-H9 or 1-G5, comprises a disabled Fc fragment comprising
25 the amino acid substitutions L234A, L235A, and P329G.

Additionally, also as shown in Figures 7A-7E, the inventors have demonstrated that the Fab fragments of antibody clones 1-A2, 4-H3, 1-D5, 3-H9 and 1-G5, are surprisingly able to bind C1-C6 domains of VWF. Thus, in another embodiment, the antigen-
30 binding fragment thereof comprises or consists of a Fab fragment. Preferably, the antigen-binding fragment thereof, referred to herein as 1-A2, 4-H3, 1-D5, 3-H9 and 1-G5, comprises or consists of a Fab fragment.

In another embodiment, the inhibitor can be an interfering nucleic acid molecule
35 including: antisense oligonucleotide, siRNA, or dsRNA, which specifically targets a portion of an mRNA encoding one or more of the C1, C2, C3, C4, C5, and/or C6 domain

of VWF. A functional interfering nucleic acid molecule, including antisense oligonucleotides, siRNA molecules, or dsRNA molecules, is capable of specifically downregulating a target gene, preferably one or more exon thereof.

- 5 In another embodiment, the inhibitor may be a biological agent, a small molecule drug, a protein, a nucleic acid, or a pharmaceutical agent.

Thus, advantageously, the anti-C1-C6-VWF activity of the inhibitor according to the first aspect of the invention means that it has significant utility as a therapeutic agent in
10 its own right, and may be used in the treatment, amelioration or prevention of a condition caused by platelet-mediated aggregation, such as a thrombotic-related condition.

Accordingly, in a second aspect of the invention, there is provided an inhibitor
15 according to the first aspect, for use in therapy.

In a third aspect of the invention, there is provided an inhibitor according to the first aspect, for use in treating, preventing or ameliorating a condition caused by platelet-mediated aggregation.

20 According to a fourth aspect of the invention, there is provided a method of treating, preventing or ameliorating a condition caused by platelet-mediated aggregation in a subject, the method comprising administering, or having administered, to a patient in need of such treatment, a therapeutically effective amount of an inhibitor according to
25 the first aspect.

The condition caused by platelet-mediated aggregation may be selected from the group consisting of: a thrombotic-related condition; thrombotic thrombocytopenic purpura (TTP) (also referred to as acquired thrombotic thrombocytopenic purpura (aTTP)),
30 acute coronary syndrome (ACS), atherosclerosis, ischemic stroke, atrial fibrillation (AF), acute myocardial infarction (AMI), cardiovascular disease (CVD), thrombosis, unstable angina, stable angina, angina pectoris, embolus formation, deep vein thrombosis, haemolytic uremic syndrome, haemolytic anaemia, acute renal failure, thrombolytic complications, disseminated intravascular coagulation, coronary heart
35 disease, thromboembolic complications, restenosis, chronic unstable angina, peripheral vascular disease, arterial thrombosis, pre-eclampsia, embolism, restenosis, sepsis,

vascular inflammation, glomerulonephritis, and thrombotic condition resulting from a coronavirus infection.

5 Preferably, the use or method in treating, preventing or ameliorating a condition caused by platelet-mediated aggregation comprises inhibiting platelet binding under conditions of high shear rate, i.e. pathological conditions.

10 The gradient in the blood flow speed (slope of the velocity profile) in the laminar layers is highest at the vessel wall. This shear rate is termed wall shear rate. Under normal physiological flow conditions, the wall shear rate increases from about 10 s^{-1} in veins to about 15000 s^{-1} in the smallest arteries, whereas maximal wall shear rates up to $40,000 \text{ s}^{-1}$ have been described for severe atherosclerotic arteries. One possible method for measuring shear rate *in vivo*, is further discussed in Brands et al., 1999, "An integrated system for the non-invasive assessment of vessel wall and hemodynamic properties of large arteries by means of ultrasound". Specifically, a system referred to as arterial laboratory (ART-lab), measures radio frequency ultrasound signals to determine haemodynamic properties of arteries. The radio frequency signals received from an echo scanner are acquired by means of a data acquisition system and are then stored on a hard-disk. The assessment of blood flow velocity is based on the estimation of the temporal and spatial mean frequency in a given estimation window, which includes radiofrequency-samples filtered by a clutter filter, to discriminate between reflection and scattering. The temporal and spatial mean frequencies are directly related to velocity by means of the Doppler equation. From this velocity profile, the wall shear rate is calculated based on the maximum value of the derivative of the observed spatial velocity distribution with respect to the radius.

30 Preferably, the inhibitor is an antibody or antigen-binding fragment thereof. Most preferably, the inhibitor is one of the antibodies from Figure 8, or an antigen-binding fragment thereof.

It will be appreciated that inhibitors according to the invention (referred to herein as "agents") may be used in a monotherapy (e.g. the use of an inhibitor alone, more preferably one of the antibodies described herein), for treating, ameliorating or preventing a condition caused by platelet-mediated aggregation. Alternatively, agents according to the invention may be used as an adjunct to, or in combination with, known therapies for treating, ameliorating, or preventing a condition caused by platelet-

mediated aggregation, such as aspirin, clopidogrel, abciximab, heparin, warfarin, and direct oral anticoagulants (DOACs) including, dabigatran (Pradaxa), rivaroxaban (Xarelto), apixaban (Eliquis), edoxaban (Savaysa), and betrixaban (Bevyxxa) .

5 The agents according to the invention may be combined in compositions having a number of different forms depending, in particular, on the manner in which the composition is to be used. Thus, for example, the composition may be in the form of a powder, tablet, capsule, liquid, ointment, cream, gel, hydrogel, aerosol, spray, micellar
10 solution, transdermal patch, liposome suspension or any other suitable form that may be administered to a person or animal in need of treatment. It will be appreciated that the vehicle of medicaments according to the invention should be one which is well-tolerated by the subject to whom it is given.

Medicaments comprising agents of the invention may be used in a number of ways. For
15 instance, oral administration may be required, in which case the agents may be contained within a composition that may, for example, be ingested orally in the form of a tablet, capsule or liquid. Compositions comprising agents and medicaments of the invention may be administered by inhalation (e.g. intranasally). Compositions may also be formulated for topical use. For instance, creams or ointments may be applied to the
20 skin.

Agents and medicaments according to the invention may also be incorporated within a slow- or delayed-release device. Such devices may, for example, be inserted on or under the skin, and the medicament may be released over weeks or even months. The device
25 may be located at least adjacent the treatment site. Such devices may be particularly advantageous when long-term treatment with agents used according to the invention is required and which would normally require frequent administration (e.g. at least daily injection).

30 In a preferred embodiment, agents and medicaments according to the invention may be administered to a subject by injection into the blood stream or directly into a site requiring treatment. Injections may be intravenous (bolus or infusion) or subcutaneous (bolus or infusion), or intradermal (bolus or infusion).

35 It will be appreciated that the amount of the inhibitor (i.e. agent) that is required is determined by its biological activity and bioavailability, which in turn depends on the

mode of administration, the physiochemical properties of the agent, and whether it is being used as a monotherapy or in a combined therapy. The frequency of administration will also be influenced by the half-life of the agent within the subject being treated. Optimal dosages to be administered may be determined by those skilled
5 in the art, and will vary with the particular agent in use, the strength of the pharmaceutical composition, the mode of administration, and the advancement of the thrombotic-related condition. Additional factors depending on the particular subject being treated will result in a need to adjust dosages, including subject age, weight, gender, diet, and time of administration.

10

Generally, a daily dose of between 0.01 μ g/kg of body weight and 100mg/kg of body weight of agent according to the invention may be used for treating, ameliorating, or preventing a thrombotic-related condition, depending upon which agent. More preferably, the daily dose of agent is between 1 μ g/kg of body weight and 100mg/kg of
15 body weight, more preferably between 10 μ g/kg and 10mg/kg body weight, and most preferably between approximately 100 μ g/kg and 10mg/kg body weight.

The agent may be administered before, during or after onset of a thrombotic-related condition. Daily doses may be given as a single administration (e.g. a single daily
20 injection). Alternatively, the agent may require administration twice or more times during a day. As an example, agents may be administered as two (or more depending upon the severity of the thrombotic-related condition being treated) daily doses of between 0.07 μ g and 700 mg (i.e. assuming a body weight of 70 kg). A patient receiving treatment may take a first dose upon waking and then a second dose in the evening (if
25 on a two dose regime) or at 3- or 4-hourly intervals thereafter. Alternatively, a slow release device may be used to provide optimal doses of agents according to the invention to a patient without the need to administer repeated doses. Known procedures, such as those conventionally employed by the pharmaceutical industry (e.g. *in vivo* experimentation, clinical trials, etc.), may be used to form specific
30 formulations of the agents according to the invention and precise therapeutic regimes (such as daily doses of the agents and the frequency of administration).

In a fifth aspect of the invention, there is provided a pharmaceutical composition comprising an inhibitor according to the first aspect, and optionally a pharmaceutically
35 acceptable vehicle.

The pharmaceutical composition is preferably anti-thrombotic, i.e. a pharmaceutical formulation used in the therapeutic amelioration, prevention or treatment of a condition caused by platelet-mediated aggregation.

5

The invention also provides in a sixth aspect, a process for making the pharmaceutical composition according to the fifth aspect, the process comprising combining a therapeutically effective amount of an inhibitor as defined in the first aspect, with a pharmaceutically acceptable vehicle.

10

The inhibitor may be as defined with respect to the first aspect. Preferably, the inhibitor is an antibody or antigen-binding fragment thereof. Most preferably, the inhibitor is one of the antibodies from Figure 8, or an antigen-binding fragment thereof.

15

A “subject” may be a vertebrate, mammal, or domestic animal. Hence, medicaments according to the invention may be used to treat any mammal, for example livestock (e.g. a horse), pets, or may be used in other veterinary applications. Most preferably, the subject is a human being.

20

A “therapeutically effective amount” of the inhibitor is any amount which, when administered to a subject, is the amount of agent that is needed to treat the thrombotic-related condition, or produce the desired effect.

25

For example, the therapeutically effective amount of inhibitor used may be from about 0.1 ng/kg to about 100 mg/kg, and preferably from about 1 ng/kg to about 10 mg/kg. It is preferred that the amount of inhibitor is an amount from about 10 ng/kg to about 10 mg/kg, and most preferably from about 50 ng/kg to about 5 mg/kg.

30

A “pharmaceutically acceptable vehicle” as referred to herein, is any known compound or combination of known compounds that are known to those skilled in the art to be useful in formulating pharmaceutical compositions.

35

In one embodiment, the pharmaceutically acceptable vehicle may be a solid, and the composition may be in the form of a powder or tablet. A solid pharmaceutically acceptable vehicle may include one or more substances which may also act as flavouring agents, lubricants, solubilisers, suspending agents, dyes, fillers, glidants,

compression aids, inert binders, sweeteners, preservatives, dyes, coatings, or tablet-disintegrating agents. The vehicle may also be an encapsulating material. In powders, the vehicle is a finely divided solid that is in admixture with the finely divided active agents according to the invention. In tablets, the active agent may be mixed with a
5 vehicle having the necessary compression properties in suitable proportions and compacted in the shape and size desired. The powders and tablets preferably contain up to 99% of the active agents. Suitable solid vehicles include, for example calcium phosphate, magnesium stearate, talc, sugars, lactose, dextrin, starch, gelatin, cellulose, polyvinylpyrrolidone, low melting waxes and ion exchange resins. In another
10 embodiment, the pharmaceutical vehicle may be a gel and the composition may be in the form of a cream or the like.

However, the pharmaceutical vehicle may be a liquid, and the pharmaceutical composition is in the form of a solution. Liquid vehicles are used in preparing solutions,
15 suspensions, emulsions, syrups, elixirs and pressurized compositions. The active agent according to the invention may be dissolved or suspended in a pharmaceutically acceptable liquid vehicle such as water, an organic solvent, a mixture of both or pharmaceutically acceptable oils or fats. The liquid vehicle can contain other suitable pharmaceutical additives such as solubilisers, emulsifiers, buffers, preservatives,
20 sweeteners, flavouring agents, suspending agents, thickening agents, colours, viscosity regulators, stabilizers or osmo-regulators. Suitable examples of liquid vehicles for oral and parenteral administration include water (partially containing additives as above, e.g. cellulose derivatives, preferably sodium carboxymethyl cellulose solution), alcohols (including monohydric alcohols and polyhydric alcohols, e.g. glycols) and their
25 derivatives, and oils (e.g. fractionated coconut oil and arachis oil). For parenteral administration, the vehicle can also be an oily ester such as ethyl oleate and isopropyl myristate. Sterile liquid vehicles are useful in sterile liquid form compositions for parenteral administration. The liquid vehicle for pressurized compositions can be a halogenated hydrocarbon or other pharmaceutically acceptable propellant.

30 Liquid pharmaceutical compositions, which are sterile solutions or suspensions, can be utilized by, for example, intramuscular, intrathecal, epidural, intraperitoneal, intravenous and particularly subcutaneous injection. The agent may be prepared as a sterile solid composition that may be dissolved or suspended at the time of
35 administration using sterile water, saline, or other appropriate sterile injectable medium.

The agents and compositions of the invention may be administered orally in the form of a sterile solution or suspension containing other solutes or suspending agents (for example, enough saline or glucose to make the solution isotonic), bile salts, acacia,
5 gelatin, sorbitan monoleate, polysorbate 80 (oleate esters of sorbitol and its anhydrides copolymerized with ethylene oxide) and the like. The agents used according to the invention can also be administered orally either in liquid or solid composition form. Compositions suitable for oral administration include solid forms, such as pills, capsules, granules, tablets, and powders, and liquid forms, such as solutions, syrups,
10 elixirs, and suspensions. Forms useful for parenteral administration include sterile solutions, emulsions, and suspensions.

The invention also extends to methods for producing the antibody, or antigen-binding fragment of the first aspect, and antibody, or antigen-binding fragment so produced.

15

In a seventh aspect, there is provided an antibody or antigen-binding fragment thereof obtained by a method comprising:-

- (i) immunising a host organism with one or more of a C1, C2, C3, C4, C5, and/or C6 domain of Von Willebrand Factor (VWF); and
- 20 (ii) collecting an antibody or antigen-binding fragment thereof from the host.

The host may be a mammal, and may be a human, rabbit, mouse, or chicken. Preferably, the host is a rabbit. More preferably, the host is a New Zealand White (NZW) rabbit.

25

The method may comprise immunising the host with human C1-C6-Fc fusion protein. Preferably, the method comprises immunising the host with the C5 domain of VWF.

The method may comprise immunising the host with at least 50µg, 75µg, or 100µg of the immunogen. Preferably, the method comprises subsequently immunising the host
30 with a first boost of at least 25µg, 35µg or 50µg of immunogen. Preferably, the first boost is administered at least 20, 30 or 40 days after the first immunisation. Even more preferably, the method comprises subsequently immunising the host with a second boost of at least 25µg, 35µg or 50µg of immunogen.

35

Preferably, the method comprises bleeding the host animal, and then preferably collecting the antibody or antigen-binding fragment thereof from the blood, most preferably blood serum. Preferably, the method comprises bleeding the host animal at least 30, 40 or 50 days after the first immunisation.

5

Preferably, the blood serum is passed through a gravity column with covalently bound peptide-support. Following washing, the antibody or antigen-binding fragment thereof is preferably eluted in buffer, which is preferably acidic buffer, and the solution may then be neutralized. The method may further comprise dialysis against a suitable
10 buffer (e.g. PBS) and, optionally, lyophilisation.

15

In an eighth aspect, there is provided an antibody or antigen-binding fragment thereof, obtained by a method comprising selecting an antibody or antigen-binding fragment thereof that specifically binds to one or more of a C1, C2, C3, C4, C5, and/or C6 domain
of Von Willebrand Factor (VWF) using a phage library.

20

Preferably, the antibody or antigen-binding fragment thereof, is obtained by a method comprising selecting an antibody or antigen-binding fragment thereof that specifically binds to the C5 domain of VWF using a phage library. Phage display is known to the
skilled person, and is described in detail in the examples.

25

In an ninth aspect of the invention, there is provided a polynucleotide sequence encoding the antibody, or antigen-binding fragment as defined in the first aspect.

In a tenth aspect of the invention, there is provided an expression cassette comprising a polynucleotide sequence according to the ninth aspect.

30

The polynucleotide sequence encoding the antibody, or antigen-binding fragment of the invention is preferably harboured in a recombinant vector, for example a recombinant
vector for delivery into a host cell of interest to enable production of the antibody, or antigen-binding fragment thereof.

35

Accordingly, in a eleventh aspect of the invention, there is provided a recombinant vector comprising the expression cassette according to the tenth aspect.

The vector encoding the antibody, or antigen-binding fragment may for example be a plasmid, cosmid or phage and/or be a viral vector. Such recombinant vectors are highly useful in the delivery systems of the invention for transforming cells with the nucleotide sequences. The nucleotide sequences may preferably be a DNA sequence, and it is this
5 DNA sequence which encodes the antibody, or antigen-binding fragment.

Recombinant vectors encoding the antibody, or antigen-binding fragment may also include other functional elements. For example, they may further comprise a variety of other functional elements including a suitable promoter for initiating transgene
10 expression upon introduction of the vector in a host cell. For instance, the vector is preferably capable of autonomously replicating in the nucleus of the host cell. In this case, elements which induce or regulate DNA replication may be required in the recombinant vector. Alternatively, the recombinant vector may be designed such that it integrates into the genome of a host cell. In this case, DNA sequences which favour
15 targeted integration (e.g. by homologous recombination) are envisaged. Suitable promoters may include the SV40 promoter, CMV, EF1a, PGK, viral long terminal repeats, as well as inducible promoters, such as the Tetracycline inducible system, as examples. The cassette or vector may also comprise a terminator, such as the Beta globin, SV40 polyadenylation sequences or synthetic polyadenylation sequences. The
20 recombinant vector may also comprise a promoter or regulator or enhancer to control expression of the nucleic acid as required.

The vector may also comprise DNA coding for a gene that may be used as a selectable marker in the cloning process, i.e. to enable selection of cells that have been transfected
25 or transformed, and to enable the selection of cells harbouring vectors incorporating heterologous DNA. For example, ampicillin, neomycin, puromycin or chloramphenicol resistance is envisaged. Alternatively, the selectable marker gene may be in a different vector to be used simultaneously with the vector containing the transgene. The cassette or vector may also comprise DNA involved with regulating expression of the nucleotide
30 sequence, or for targeting the expressed polypeptide to a certain part of the host cell.

Purified vector may be inserted directly into a host cell by suitable means, e.g. direct endocytotic uptake. The vector may be introduced directly into a host cell (e.g. a eukaryotic or prokaryotic cell) by transfection, infection, electroporation,
35 microinjection, cell fusion, protoplast fusion, calcium phosphate, cationic lipid-based lipofection, polymer or dendrimer-based methods or ballistic bombardment.

Alternatively, vectors of the invention may be introduced directly into a host cell using a particle gun.

5 Alternatively, the delivery system may provide the polynucleotide to the host cell without it being incorporated in a vector. For instance, the nucleic acid molecule may be incorporated within a liposome or virus particle. Alternatively a “naked” polynucleotide may be inserted into a host cell by a suitable means e.g. direct endocytotic uptake.

10 In an twelfth aspect of the invention, there is provided a host cell comprising the polynucleotide sequence according to the ninth aspect, the expression cassette according to the tenth aspect, or the vector according to the eleventh aspect.

15 The host cell may be a eukaryotic or prokaryotic host cell. Preferably, the host cell is a eukaryotic host cell. More preferably, the host cell is a mammalian host cell such as NSo murine myeloma cells, PER.C6® human cells, Human embryonic kidney 293 cells or Chinese hamster ovary (CHO) cells. Most preferably, the host cell is a CHO cell.

20 In a thirteenth aspect, there is provided a method of preparing the antibody, or antigen-binding fragment according to the first aspect, the method comprising:
a) introducing, into a host cell, the vector of the eleventh aspect; and
b) culturing the host cell under conditions to result in the production of the antibody, or antigen-binding fragment according to the first aspect.

25 The host cell of step a) may be a eukaryotic or prokaryotic host cell. Preferably, the host cell is a eukaryotic host cell. More preferably, the host cell is a mammalian host cell such as NSo murine myeloma cells, PER.C6® human cells, Human embryonic kidney 293 cells or Chinese hamster ovary (CHO) cells. Most preferably, the host cell is a CHO cell.

30 The method may further comprise (c) harvesting, centrifuging and/or filtering the cell culture media to obtain a cell culture supernatant comprising the antibody or antigen binding fragment thereof.

The method may further comprise (d) separating and purifying the antibody or antigen binding fragment thereof from the cell culture supernatant. Preferably, purification is performed by at least one chromatographic step.

- 5 Suitable chromatographic steps include affinity chromatography and/or ion exchange chromatography. Preferably, affinity chromatography is protein A chromatography. Ion exchange chromatography may be anionic exchange chromatography and/or cationic exchange chromatography.
- 10 Preferably, step (d) comprises separating and purifying the antibody or antigen binding fragment thereof from the cell culture supernatant by:
- i) protein A chromatography;
 - ii) anionic exchange chromatography; and/or
 - 15 iii) cationic exchange chromatography.

15 The method may further comprise (e) filtering the purified antibody or antigen binding fragment thereof resulting from step (d). Preferably, step (e) comprises virus filtration. Thus, preferably the purified antibody or antigen binding fragment thereof resulting from step (d) is filtered using a virus filtration membrane. Suitable membranes would

20 be known to those skilled in the art.

As discussed herein, VWF expression is increased in a number of conditions caused by platelet-mediated aggregation, including ischemic stroke, heart attack, acquired thrombotic thrombocytopenic purpura and atrial fibrillation. Thus, given that the

25 antibodies of the invention are able to bind to one or more of the C1, C2, C3, C4, C5, and/or C6 domain of VWF, the antibodies or antigen-binding fragments thereof may be used as a robust diagnostic tool by detecting the presence, and determining the concentration of, VWF.

30 Thus, in a fourteenth aspect, there is provided the antibody or antibody binding fragment thereof according to the first aspect, for use in diagnosis or prognosis.

According to a fifteenth aspect of the invention, there is provided the antibody or antibody binding fragment thereof according to the first aspect, for use in diagnosing or

35 prognosing a condition caused by platelet-mediated aggregation.

According to the sixteenth aspect, there is provided a method of diagnosing or prognosing a condition caused by platelet-mediated aggregation in a subject, the method comprising detecting VWF in a biological sample obtained from the subject with the antibody or antibody binding fragment thereof according to the first aspect.

5

The condition caused by platelet-mediated aggregation may be selected from the group consisting of: a thrombotic-related condition; thrombotic thrombocytopenic purpura (TTP) (also referred to as acquired thrombotic thrombocytopenic purpura (aTTP)), acute coronary syndrome (ACS), atherosclerosis, ischemic stroke, atrial fibrillation (AF), acute myocardial infarction (AMI), cardiovascular disease (CVD), thrombosis, 10 unstable angina, stable angina, angina pectoris, embolus formation, deep vein thrombosis, haemolytic uremic syndrome, haemolytic anaemia, acute renal failure, thrombolytic complications, disseminated intravascular coagulation, coronary heart disease, thromboembolic complications, restenosis, chronic unstable angina, peripheral 15 vascular disease, arterial thrombosis, pre-eclampsia, embolism, restenosis, sepsis, vascular inflammation, glomerulonephritis, and thrombotic condition resulting from a coronavirus infection (e.g. COVID-19).

The method may be an *in vitro* or *ex vivo* method. Preferably, the method is an *in vitro* 20 method.

The use or method may comprise determining the level of expression of VWF in a subject, preferably wherein an increase in the concentration of VWF in the biological sample when compared to a reference concentration from a healthy control population 25 is indicative of a condition caused by platelet-mediated aggregation or a poor prognosis.

In one embodiment, a 1 fold increase of VWF when compared to the reference from a healthy control population is indicative of a condition caused by platelet-mediated 30 aggregation or a poor prognosis. In one embodiment, a 2 fold, 3 fold, 4 fold or 5 fold increase of VWF when compared to the reference from a healthy control population is indicative of a condition caused by platelet-mediated aggregation or a poor prognosis. In one embodiment, a 10 fold, 50 fold or 100 fold increase of VWF when compared to the reference from a healthy control population is indicative of a condition caused by 35 platelet-mediated aggregation or a poor prognosis.

According to the seventeenth aspect of the invention, there is provided a kit for diagnosing a subject suffering from a condition caused by platelet-mediated aggregation, or for providing a prognosis of the subject's condition, the kit comprising an antibody or antigen-binding fragment thereof according to the first aspect for
5 detecting VWF in a sample from a test subject.

The kit may further comprise instructions for use and/or a receptacle for obtaining a biological sample from a subject.

10 Preferably, the condition caused by platelet-mediated aggregation is as defined above.

Prognosis may relate to determining the therapeutic outcome in a subject that has been diagnosed with a condition caused by platelet-mediated aggregation. Prognosis may relate to predicting the rate of progression or improvement and/or the duration of a
15 condition caused by platelet-mediated aggregation in a subject, the probability of survival, and/or the efficacy of various treatment regimes. Thus, a poor prognosis may be indicative of progression of a condition caused by platelet-mediated aggregation, low probability of survival and reduced efficacy of a treatment regime. A favourable
20 prognosis may be indicative of resolution of a condition caused by platelet-mediated aggregation, high probability of survival and increased efficacy of a treatment regime.

Preferably, the sample comprises a biological sample. The sample may be any material that is obtainable from a subject from which protein is obtainable.

25 The biological sample may be tissue or a biological fluid. The biological sample may be any material that is obtainable from the subject from which blood plasma, endothelial cells, megakaryocytes, and platelets are obtainable. Furthermore, the sample may be blood, plasma, serum, spinal fluid, urine, sweat, saliva, tears, breast aspirate, breast milk, prostate fluid, seminal fluid, vaginal fluid, stool, cervical scraping, cytes, amniotic
30 fluid, intraocular fluid, mucous, moisture in breath, animal tissue, cell lysates, tumour tissue, hair, skin, buccal scrapings, lymph, interstitial fluid, nails, bone marrow, cartilage, prions, bone powder, ear wax, lymph, granuloma, cancer biopsy or combinations thereof.

35 The sample may be a liquid aspirate. For example, the sample may be bronchial alveolar lavage (BAL), ascites, pleural lavage, or pericardial lavage.

The sample may comprise blood, urine, tissue etc. In one preferred embodiment, the biological sample comprises a blood sample. The blood may be venous or arterial blood. Blood samples may be assayed immediately. Alternatively, the blood sample may be
5 stored at low temperatures, for example in a fridge or even frozen before the method is conducted. Alternatively, the blood sample may be stored at room temperature, for example between 18 to 22 degrees Celsius, before the method is conducted. The blood sample may comprise blood serum. The blood sample may comprise blood plasma. Preferably, however the detection is carried out on whole blood and most
10 preferably the blood sample is peripheral blood.

The blood may be further processed before the use of the first aspect is performed. For instance, an anticoagulant, such as citrate (such as sodium citrate), hirudin, heparin, PPACK, or sodium fluoride may be added. Thus, the sample collection container may
15 contain an anticoagulant in order to prevent the blood sample from clotting.

Preferably, the sample may comprise blood plasma, endothelial cells, megakaryocytes, and/or platelets.

20 It will be appreciated that the invention extends to any nucleic acid or peptide or variant, derivative or analogue thereof, which comprises substantially the amino acid or nucleic acid sequences of any of the sequences referred to herein, including variants or fragments thereof. The terms “substantially the amino acid/nucleotide/peptide
25 sequence”, “variant” and “fragment”, can be a sequence that has at least 40% sequence identity with the amino acid/nucleotide/peptide sequences of any one of the sequences referred to herein, for example 40% identity with the sequence identified as SEQ ID Nos: 1-194 and so on.

Amino acid/polynucleotide/polypeptide sequences with a sequence identity which is
30 greater than 65%, more preferably greater than 70%, even more preferably greater than 75%, and still more preferably greater than 80% sequence identity to any of the sequences referred to are also envisaged. Preferably, the amino acid/polynucleotide/polypeptide sequence has at least 85% identity with any of the sequences referred to, more preferably at least 90% identity, even more preferably at
35 least 92% identity, even more preferably at least 95% identity, even more preferably at

least 97% identity, even more preferably at least 98% identity and, most preferably at least 99% identity with any of the sequences referred to herein.

5 The skilled technician will appreciate how to calculate the percentage identity between two amino acid/polynucleotide/polypeptide sequences. In order to calculate the percentage identity between two amino acid/polynucleotide/polypeptide sequences, an alignment of the two sequences must first be prepared, followed by calculation of the sequence identity value. The percentage identity for two sequences may take different values depending on:- (i) the method used to align the sequences, for example,
10 ClustalW, BLAST, FASTA, Smith-Waterman (implemented in different programs), or structural alignment from 3D comparison; and (ii) the parameters used by the alignment method, for example, local vs global alignment, the pair-score matrix used (e.g. BLOSUM62, PAM250, Gonnet etc.), and gap-penalty, e.g. functional form and constants.

15 Having made the alignment, there are many different ways of calculating percentage identity between the two sequences. For example, one may divide the number of identities by: (i) the length of shortest sequence; (ii) the length of alignment; (iii) the mean length of sequence; (iv) the number of non-gap positions; or (v) the number of
20 equivalenced positions excluding overhangs. Furthermore, it will be appreciated that percentage identity is also strongly length dependent. Therefore, the shorter a pair of sequences is, the higher the sequence identity one may expect to occur by chance.

Hence, it will be appreciated that the accurate alignment of protein or DNA sequences
25 is a complex process. The popular multiple alignment program ClustalW (Thompson *et al.*, 1994, Nucleic Acids Research, 22, 4673-4680; Thompson *et al.*, 1997, Nucleic Acids Research, 24, 4876-4882) is a preferred way for generating multiple alignments of proteins or DNA in accordance with the invention. Suitable parameters for ClustalW may be as follows: For DNA alignments: Gap Open Penalty = 15.0, Gap Extension
30 Penalty = 6.66, and Matrix = Identity. For protein alignments: Gap Open Penalty = 10.0, Gap Extension Penalty = 0.2, and Matrix = Gonnet. For DNA and Protein alignments: ENDGAP = -1, and GAPDIST = 4. Those skilled in the art will be aware that it may be necessary to vary these and other parameters for optimal sequence alignment.

35 Preferably, calculation of percentage identities between two amino acid/polynucleotide/polypeptide sequences may then be calculated from such an

alignment as $(N/T)*100$, where N is the number of positions at which the sequences share an identical residue, and T is the total number of positions compared including gaps and either including or excluding overhangs. Preferably, overhangs are included in the calculation. Hence, a most preferred method for calculating percentage identity

5 between two sequences comprises (i) preparing a sequence alignment using the ClustalW program using a suitable set of parameters, for example, as set out above; and (ii) inserting the values of N and T into the following formula:- Sequence Identity = $(N/T)*100$.

10 Alternative methods for identifying similar sequences will be known to those skilled in the art. For example, a substantially similar nucleotide sequence will be encoded by a sequence which hybridizes to DNA sequences or their complements under stringent conditions. By stringent conditions, the inventors mean the nucleotide hybridises to filter-bound DNA or RNA in 3x sodium chloride/sodium citrate (SSC) at approximately

15 45°C followed by at least one wash in 0.2x SSC/0.1% SDS at approximately 20-65°C. Alternatively, a substantially similar polypeptide may differ by at least 1, but less than 5, 10, 20, 50 or 100 amino acids from the sequences shown in, for example, in those of SEQ ID Nos: 1 to 194 that are amino acid sequences.

20 Due to the degeneracy of the genetic code, it is clear that any nucleic acid sequence described herein could be varied or changed without substantially affecting the sequence of the protein encoded thereby, to provide a functional variant thereof. Suitable nucleotide variants are those having a sequence altered by the substitution of different codons that encode the same amino acid within the sequence, thus producing

25 a silent (synonymous) change. Other suitable variants are those having homologous nucleotide sequences but comprising all, or portions of, sequence, which are altered by the substitution of different codons that encode an amino acid with a side chain of similar biophysical properties to the amino acid it substitutes, to produce a conservative change. For example, small non-polar, hydrophobic amino acids include

30 glycine, alanine, leucine, isoleucine, valine, proline, and methionine. Large non-polar, hydrophobic amino acids include phenylalanine, tryptophan and tyrosine. The polar neutral amino acids include serine, threonine, cysteine, asparagine and glutamine. The positively charged (basic) amino acids include lysine, arginine and histidine. The negatively charged (acidic) amino acids include aspartic acid and glutamic acid. It will

35 therefore be appreciated which amino acids may be replaced with an amino acid having

similar biophysical properties, and the skilled technician will know the nucleotide sequences encoding these amino acids.

5 All of the features described herein (including any accompanying claims, abstract and drawings), and/or all of the steps of any method or process so disclosed, may be combined with any of the above aspects in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

10 For a better understanding of the invention, and to show how embodiments of the same may be carried into effect, reference will now be made, by way of example, to the accompanying Figures, in which:-

Figure 1 provides a schematic of VWF peptide structure showing the propeptide and mature VWF regions. Platelet binding is predominantly via the A1 and A3 domains, 15 which are targeted by current therapies, including Caplacizumab. The inhibitors of the invention target one or more of the C1-C6 domains.

Figure 2 shows an ELISA-based reactivity screening of plasma from NZW-1 rabbits immunised with human C1-C6-Fc protein, towards recombinant VWF proteins, 20 illustrating that the plasma showed good reactivity towards human native VWF and C1-C6-Fc recombinantly produced protein.

Figures 3A-H show the ELISA binding of 8 unique anti-VWF antibodies to native VWF protein and recombinant C1-C6 protein, demonstrating that a number of the 25 antibodies bind specifically to one or more of the C1-C6 domains.

Figure 4 shows surface plasmon resonance (SPR) affinity determination of 5 selected anti-VWF monoclonal antibodies to human native VWF.

30 **Figure 5** illustrates the results of a platelet flow assay at a high shear rate ($10,000\text{s}^{-1}$), demonstrating the ability of the antibodies to reduce platelet aggregation under pathological conditions.

Figures 6A-C show the results of a whole blood flow assay under normal (1500s^{-1}) and 35 high (5000s^{-1}) shear rates, for 4-H3, 1-A2 and 1-G5 antibodies, demonstrating their

ability to inhibit platelet capture under pathological conditions, whilst maintaining the normal haemostatic function of VWF.

5 **Figures 7A-E** show the ELISA-based reactivity screening of 5 monoclonal antibodies (Fc disabled L234A L235A-P329G null-effector backbone, and Fab fragment antibodies) towards C1-C6-Fc.

10 **Figure 8** is a table showing the various sequences of eight embodiments of the anti-VWF antibody of the invention. FR = framework region; CDR = complementarity determining region; VH = variable heavy chain sequence; VL = variable light chain sequence; HC = constant heavy chain sequence; LC = constant light chain sequence.

15 **Figure 9** is a table showing SPR affinity determination of five selected monoclonal antibodies to human VWF individual C-domains. Five rabbit-derived monoclonal antibodies were selected for affinity determination (KD) as well as on-rate (Ka) and off-rate determination (kd) for binding to individual human VWF C-domains. All five monoclonal antibodies showed binding to the C5 domain with sub-nM affinities. Weaker binding was also observed to C4 (3-H9) and C3 (1-D5).

20 **Figure 10** is a table showing the humanised mAb sequences.

Figure 11 is a table showing SPR affinity determination to human full-length VWF of humanised monoclonal antibodies. All humanised monoclonal antibodies were selected for affinity determination (KD) as well as on-rate (Ka) and off-rate determination (kd) for binding to human full-length VWF. All clones showed long off-rates and sub nM affinities.

30 **Figure 12** shows the results of selected humanised anti-VWF antibodies in whole blood flow assay under normal and high shear rates. Humanised antibodies inhibit platelet capture under high shear rate ($5000s^{-1}$) to a greater extent than under normal shear rate conditions ($1500s^{-1}$) in a whole blood flow assay, indicating that these antibodies can block the prothrombotic function of VWF while maintaining its normal hemostatic function.

35 Examples

The accumulation of VWF has been associated with an increased risk to a number of conditions caused by platelet-mediated aggregation, including various cardiovascular diseases and thrombotic-related conditions. Currently, however, therapies target the essential A1 domain for VWF, inhibiting platelet binding required for haemostasis, leading to an increased bleeding risk in patients. Therefore, the inventors set out to inhibit a previously untargeted region of VWF, i.e. the C1-C6 domains. The inventors developed antibodies that are capable of specifically binding to the C1-C6 region (i.e. one or more of the C1-C6 domains as shown in Figure 1), providing an improved treatment for a number of thrombotic-related conditions. As discussed below, several novel C5-targeting antibodies (and also humanised antibodies) have been produced which exhibit the desired effects (i.e. capable of inhibiting platelet capture under high shear rate, indicating that these antibodies are functionally active), and which could therefore be used in therapy and diagnosis.

Example 1 – Generation of anti-VWF antibodies

New Zealand White (NZW) rabbits were immunised with 100µg of recombinantly produced human C1-C6-Fc protein. After 21 days the rabbits received the first boost of 50µg human C1-C6-Fc and after 42 days, the animals received their second boost of 50µg C1-C6-Fc. Blood was withdrawn for analysis 52 days after the first immunisation.

Target proteins (C1-C6-Fc, VWFΔD4-C6 and BSA: 100 ng/well; VWF-His: 500 ng/well and native VWF: 20 ng/well) were immobilized overnight on ELISA plates, blocked and incubated with a semi-log dilution series of NZW-1 rabbit plasma samples (starting dilution 1:100). Antibody binding was detected with anti-rabbit-HRP and TMB.

An illustration of rabbit plasma reactivity towards recombinant VWF proteins is presented in Figure 2. Plasma from NZW-1 rabbits showed good reactivity towards human native VWF and C1-C6-Fc recombinantly produced protein. Plasma showed, to a lesser extent, reactivity towards recombinantly produced VWF-His tagged protein. There was minimal background reactivity to BSA and a recombinant fragment of VWF with C1-C6 domains deleted (VWFΔD4-C6). NZW-1 rabbit was selected for pre-harvest boost and subsequent library generation.

Example 2 – Phage library generation and screening

Following TRIzol-based splenocyte and bone marrow RNA isolation from C1-C6-Fc immunized NZW-1 rabbit, integrity of RNA samples was evidenced by clear presence of

S28 and S18 rRNA bands. RNA was reverse transcribed into cDNA using SuperScript III and cDNA quality was confirmed by PCR amplification of GAPDH and subsequent agarose gel electrophoresis.

5 PCR amplification of VKs and VHs on splenocyte derived cDNA and on bone marrow derived cDNA. VK and VH fragments were amplified using constant region FR1 forward and FR4 reverse primers containing a SfiI restriction site. The expected size of products was ~400 bp. For amplification of VK and VH genes, diverse forward and reverse primers were used. PCR products per origin, spleen or bone marrow, were
10 pooled and fragments of the correct size were gel-purified and used for scFv overlap-assembly PCR. Subsequently, gel-purified assembly products of the correct size were SfiI digested and used for generation of two scFv phage libraries, i.e. one library generated from splenocyte derived V-genes and one library generated from bone marrow derived V-genes.

15 Following large scale ligation of the scFv repertoires in proprietary phagemid vector and subsequent transformation in *E. coli* TG-1 bacteria, a total number of 8.9×10^7 transformants was obtained. 180 randomly picked colonies (90 clones derived from each spleen and bone marrow libraries) were analysed by PCR for presence of full-length scFv insert. 86 out of 90 selected full-length insert containing-clones (45 clones
20 derived from each spleen and bone marrow libraries) were subsequently correctly sequenced (based on quality trace data) of which 60 proved to contain a correct full scFv insert, yielding a final library of 5.9×10^7 correct full scFv-containing transformants.

25 The final phage library underwent 4 rounds of selection against human C1-C6-Fc and human native VWF proteins. The output from the 4 rounds of selection were screened for binding to C1-C6-Fc, VWF-His, VWF-ΔD4-C6, hIgG, BSA and Streptavidin. A number of reactive clones were selected for sequencing.

30 Overall, scFv sequences obtained from the combined initial and additional sequencing procedures could be categorized into 5 VH-CDR3 families. A total of 8 unique VH- and 8 unique VL-sequences derived from 8 unique scFv sequences were identified. These sequences were cloned into a human IgG1 expression vector and transiently expressed
35 and purified. Purification of the recombinant antibodies was carried out using Protein A.

Example 3 – ELISA experiment showing binding of anti-VWF antibodies to native VWF protein and recombinant C1-C6 protein

Purified monoclonal antibodies originally derived from scFvs selected from rabbit
5 immune library were tested for binding towards C1-C6-Fc, VWF Δ D4-C6, BSA (100
ng/well) and human native VWF (Imperial College, 20 ng/well). The 8 unique
sequences were cloned into an IgG1 human expression vector and expressed as
monoclonal antibodies. Protein targets were immobilized overnight on ELISA plates,
blocked and incubated with a semi-log dilution series of purified recombinant
10 monoclonal antibodies (starting concentration 10 μ g/ml), averages of duplicate values
are shown. Antibody binding towards human native VWF, VWF Δ D4-C6 and BSA were
detected with antihuman IgG-HRP or anti-human IgG-HRP and TMB staining. ELISA
reactivities towards C1-C6-Fc were performed in a separate ELISA experiment and
were detected with anti-human IgG κ -HRP and TMB staining. Results are shown in
15 Figures 3A-3H.

Clones 4-H9 (Fig. 3E), 4-C6 (Fig. 3F) and 4-B12 (Fig. 3H) only showed reactivity to C1-
C6 domain. Clones 1-G5 (Fig. 3G), 3-H9 (Fig. 3D), 4-H3 (Fig. 3C), 1-D5 (Fig. 3B) and 1-
A2 (Fig. 3A) showed positive reactivity to both native VWF and C1-C6 protein. All
20 clones showed minimal binding to VWF without the C1-C6 domain (VWF Δ C1-C6).

Example 4 – Binding of anti-VWF antibodies to human native VWF as determined by SPR

The surface plasmon resonance (SPR) experiments were performed using a Biacore 8K
25 (Cytiva) equipped with a research grade Protein A series S sensor chip. The antibodies
at a concentration of 0.156 μ g/ml or 0.312 μ g/ml in 10mM Hepes pH 7.4 containing
300mM NaCl, 3mM EDTA and 0.05% P20 buffer, were immobilised onto a protein A
series S sensor chip to a density of approximately 12RU on flow cell 2. Flow cell 1 was
left blank to serve as a reference surface. To collect single cycle kinetic binding, the
30 surface was initially primed with 10mM glycine-HCl pH 1.5 for 30 seconds at 50 μ l/min
followed by running buffer (10mM Hepes pH7.4 containing 300mM NaCl, 3mM EDTA
and 0.05% P20) 60 seconds at 30 μ l/min, before injecting the native VWF (305kDa) in
10mM Hepes pH 7.4 containing 300mM NaCl, 3mM EDTA and 0.05% P20 over two
flow cells at a concentration of 4.4, 6.6, 9.9, 14.8, 22, 33, and 50nM, at a flow rate of
35 30 μ l/min, compartment temperature of 10°C and flow cell temperature of 25°C. The
complex was allowed to associate and dissociate for 120 seconds and 7200 seconds

respectively. The surfaces were regenerated with 30sec injections of 10mM glycine-HCl pH1.5.

5 Data were collected at a rate of 10Hz. The data were fit to a simple 1:1 interaction model using the global data analysis option available within the Biacore Insight Evaluation software version 3.0.12.15655. Results are shown in Figure 4.

Five clones were selected for affinity determination (KD) as well as on-rate (Ka) and off-rate determination (kd) for binding to native VWF. All 5 clones showed
10 reproducible kinetics, with long off-rates and sub nM affinities.

Example 5 – Platelet flow assay

Flow slides were coated with purified VWF and perfused with plasma-free blood at high shear rate ($10000s^{-1}$). Plasma free blood is whole blood with the plasma fraction
15 removed, and only red blood cells and platelets remain. In the absence of soluble VWF, platelets attach to the VWF surface, but no aggregates of platelets and VWF form. When soluble VWF is added, aggregates of platelets and VWF form. The shear force is so high the soluble VWF can unfold in solution and capture platelets (see isotype control image). The addition of the antibodies (10ug/ml) prevents this occurring to
20 varying degrees.

The images generated from this plasma-free flow assay are presented in Figure 5, with platelet capture shown in white (white “clumps” are indicative of normal aggregation). The isotype control shows the level of platelet capture in the absence of an anti-VWF
25 C1-C6 antibody. In the presence of clones 1-A2 and 4-H3, platelet capture is ablated. Clones 1-D5, 3-H9 and 1-G5 also reduce platelet and thrombi formation under pathological conditions. Accordingly, the results show that platelet aggregation is reduced in the presence of 5 different C1-C6 mAbs at a high shear ‘pathological’ rate ($10,000s^{-1}$), confirming that all 5 antibodies are functionally active. These are the same
30 5 clones that demonstrated the greatest binding to native VWF as well as C1-C6 (see Example 3).

Example 6 – Whole blood flow assay

Slides were coated with collagen, perfused with whole blood with the test antibody at
35 concentrations as indicated in Figure 6. Mean Fluorescent Intensity (MFI) was

calculated from images taken after 5 minutes of flow and normalised to the isotype control (MFI %). The same blood donor was used for each flow rate.

As illustrated in Figures 6A-6C, 4-H3, 1-A2 and 1-G5 antibodies inhibit platelet capture under high shear rate (5000s^{-1}) to a greater extent than under normal shear rate conditions (1500s^{-1}) in a whole blood flow assay. This demonstrates that these antibodies can block the prothrombotic function of VWF while maintaining its normal haemostatic function.

Example 7 - ELISA experiment showing the binding of Fc disabled anti-VWF antibodies, and anti-VWF Fab fragments, towards C1-C6-Fc

An ELISA-based reactivity screening was carried out on: (i) purified monoclonal vWF antibodies comprising an Fc disabled L234A L235A-P329G null-effector backbone, and on (ii) vWF Fab fragments, to test for their binding towards C1-C6-Fc (100 ng/well). Protein targets were immobilized overnight on ELISA plates, blocked and incubated with a semi-log dilution series of purified recombinant monoclonal antibodies or Fab fragments (starting concentration 10 $\mu\text{g/ml}$, 11 dilutions), averages of duplicate values are shown. Antibody or Fab fragment binding towards C1-C6-Fc was detected with anti-human IgG κ -HRP and TMB staining.

As shown in Figures 7A-7E, the Fab fragments and Fc disabled antibodies of clones 1-A2 (Fig. 7A), 4-H3 (Fig. 7B), 1-D5 (Fig. 7C), 3-H9 (Fig. 7D) and 1-G5 (Fig. 7E), all showed positive reactivity and binding to C1-C6-Fc.

Example 8 – SPR analysis of five mAbs to individual C-domains

Antibodies were captured on Protein A sensor chip. The system was purged using running buffer (10 mM HEPES pH 7.4, 300 mM NaCl, 3 mM EDTA, 0.05% P20) and a series S Protein A chip was docked in the Biacore T200. The surface was conditioned with 10 mM glycine-HCl pH 1.5 regeneration solution (3 injections). Each antibody was diluted to ~0.8 $\mu\text{g/ml}$ in running buffer to capture ~350 RU on flow cells 2, 3 and 4 (flow cell 1 used as in-line reference cell). Single-cycle kinetic analysis of each C-domain binding to antibodies was performed using the following parameters:

Flow cell	1-4
Flow rate ($\mu\text{l/min}$)	30
Sample compartment temperature ($^{\circ}\text{C}$)	10

Flow cell temperature (°C)	25
Contact time (s)	120
Dissociation time (s)	7200
Individual C-domain concentrations (nM)	• 500, 166.67, 55.56, 18.52, 6.17 • 100, 33.33, 11.11, 3.70, 1.23 • 20, 6.67, 2.22, 0.74, 0.25

The chip surface was regenerated after each cycle with 10 mM glycine-HCl pH 1.5 for 30 seconds at 50 µl/min. Affinity and kinetics are reported in Figure 9, for each antibody tested against human each C-domain.

5

As illustrated in Figure 9, all five of the monoclonal antibodies showed binding to the C5 domain with sub-nM affinities. Weaker binding was also observed to C4 (3-H9) and C3 (1-D5).

10 Example 9 – Cloning and expression of the humanised variants

The DNA expression constructs encoding the humanised antibody variants were prepared de novo by build-up of overlapping oligonucleotides including restriction sites for cloning into mammalian expression vectors as well as a human signal sequence. HindIII and SpeI restriction sites were introduced to frame the VH domain containing the signal sequence for cloning into mammalian expression vectors containing the human γ 1 constant region. HindIII and BsiWI restriction sites were introduced to frame the VL domain containing the signal sequence for cloning into mammalian expression vector containing the human kappa constant region. Expression plasmids encoding the heavy and light chains respectively were transiently co-transfected into HEK 293 6E cells and expressed to produce antibody. Preparations were purified using protein A and concentrations were measured using a Nanodrop (Thermo Scientific).

20 Example 10 - SPR analysis of humanised mAbs to human full-length VWF

Antibodies were captured on Protein A sensor chip. The system was purged using running buffer (10 mM HEPES pH 7.4, 300 mM NaCl, 3 mM EDTA, 0.05% P20) and a series S Protein A chip was docked in the Biacore T200. The surface was conditioned with 10 mM glycine-HCl pH 1.5 regeneration solution (3 injections). Each antibody was diluted to ~0.8 µg/ml in running buffer to capture ~350 RU on flow cells 2, 3 and 4 (flow cell 1 used as in-line reference cell). Single-cycle kinetic analysis of human full-length VWF binding to antibodies was performed using the following parameters:

30

Flow cell	1-4
Flow rate ($\mu\text{l}/\text{min}$)	30
Sample compartment temperature ($^{\circ}\text{C}$)	10
Flow cell temperature ($^{\circ}\text{C}$)	25
Contact time (s)	120
Dissociation time (s)	7200
Individual C-domain concentrations (nM)	• 500, 166.67, 55.56, 18.52, 6.17 • 100, 33.33, 11.11, 3.70, 1.23 • 20, 6.67, 2.22, 0.74, 0.25

The chip surface was regenerated after each cycle with 10 mM glycine-HCl pH 1.5 for 30 s at 50 $\mu\text{l}/\text{min}$. Affinity and kinetics are reported for each antibody tested against human full-length VWF. As illustrated in Figure 11, all humanised monoclonal antibody clones showed long-off rates and sub nM affinities for human full-length VWF.

Example 11 – Inhibition of platelet capture by humanised anti-VWF antibodies in whole blood flow assay under normal and high shear rates

Slides were coated with collagen, perfused with whole blood with test antibody at concentrations as indicated. Mean Fluorescent Intensity (MFI) was calculated from images taken after 5min of flow and normalised to the isotype control (MFI %). Same blood donor was used for each flow rate.

As illustrated in Figure 12, all five of the humanised antibodies inhibit platelet capture under high shear rate (5000s^{-1}) to a greater extent than under normal shear rate conditions (1500s^{-1}) in a whole blood flow assay, indicating that these antibodies can block the prothrombotic function of VWF while maintaining its normal hemostatic function. Accordingly, these results confirm that the humanised monoclonal antibodies are functionally active.

Discussion & Conclusions

The inventors have identified the C1-C6 domains of the VWF protein as being important for VWF function in pro-thrombotic, pathological conditions, and have therefore developed antibodies that are capable of binding to, and inhibiting, C1-C6 VWF function. For example, as shown in Figures 3A-3H and Figures 7A-7E, the inventors have developed a number of antibodies and antigen-binding fragments thereof that have demonstrated the ability to specifically target the C1-C6 domains of

VWF. In particular, as shown in Figure 9, the inventors have demonstrated that the monoclonal antibodies of the invention bind to the C5 domain of VWF. Furthermore, as shown in Figures 5 and 6, the inventors have demonstrated that by targeting the C1-C6 domains, the antibodies can reduce platelet aggregation under high shear pathological rates, but under normal conditions, platelet capture is maintained.

Additionally, the inventors have generated humanised versions of the antibodies according to the invention, and have demonstrated that the humanised antibodies can bind to human full-length VWF with high affinity. The inventors have also demonstrated that the humanised antibodies are capable of inhibiting platelet capture under high shear rate, indicating that these humanised monoclonal antibodies are functionally active.

The current anti-VWF therapies target and inhibit the A1 domain of VWF, and as such, inhibit platelet binding under low shear conditions. This prevents normal haemostasis taking place, resulting in a severe bleeding risk in patients. The inventors have demonstrated that by targeting the C1-C6 domains of VWF, platelet binding can be inhibited under high shear pathological rates only, not under low shear rates associated with normal haemostasis. Accordingly, the inventors have identified a novel strategy for preventing or treating thrombotic-related conditions, without increasing the risk of severe bleeding.

Claims

1. An inhibitor that specifically binds to one or more of a C1, C2, C3, C4, C5,
and/or C6 domain of Von Willebrand Factor (VWF).
5
2. The inhibitor according to claim 1, wherein the inhibitor specifically binds to the
C5 domain of VWF.
3. The inhibitor according to either claim 1 or claim 2, wherein the inhibitor does
10 not substantially bind to an A1, A2 and/or A3 domain of VWF.
4. The inhibitor according to any preceding claim, wherein the inhibitor binds to a
region between amino acid positions 2255 and 2722 of VWF, as substantially set out in
SEQ ID No: 1.
15
5. The inhibitor according to any preceding claim, wherein the inhibitor binds to
one or more amino acids in SEQ ID No: 2, or a variant or fragment thereof.
6. The inhibitor according to any preceding claim, wherein the inhibitor binds to
20 one or more amino acids in SEQ ID No: 3, 4, 5, 6, 7, and/or 8, or a variant or fragment
thereof.
7. The inhibitor according to any preceding claim, wherein the inhibitor is a
biological agent, a small molecule drug, a protein, a nucleic acid, or a pharmaceutical
25 agent.
8. The inhibitor according to claim 7, wherein the inhibitor is an antisense
oligonucleotide, siRNA, or dsRNA, which specifically targets a portion of an mRNA
encoding one or more of the C1, C2, C3, C4, C5, and/or C6 domain of VWF.
30
9. The inhibitor according to any one of claims 1 to 6, wherein the inhibitor is an
antibody, or an antigen-binding fragment thereof.
10. The antibody or antigen-binding fragment thereof according to claim 9, wherein
35 the antibody or antigen-binding fragment thereof is a monoclonal antibody or an
antigen-binding fragment thereof, optionally wherein the antibody or antigen-binding

fragment thereof comprises a disabled Fc fragment, optionally wherein the disabled Fc fragment comprises one or more amino acid substitution selected from the group consisting of: L234A, L235A, and P329G.

5 11. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises:

(i) a CDR-H1 domain comprising SEQ ID No: 9, a CDR-H2 domain comprising SEQ ID No: 10, a CDR-H3 domain comprising SEQ ID No: 11, a CDR-L1 domain comprising SEQ ID No: 18, a CDR-L2 domain comprising SEQ ID No: 19 and/or a
10 CDR-L3 domain comprising SEQ ID No: 20; or

(ii) a CDR-H1 domain comprising SEQ ID No: 164, a CDR-H2 domain comprising SEQ ID No: 10, a CDR-H3 domain comprising SEQ ID No: 11, a CDR-L1 domain comprising SEQ ID No: 18, a CDR-L2 domain comprising SEQ ID No: 19 and/or a CDR-L3 domain comprising SEQ ID No: 20,

15 optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

12. The antibody or antigen-binding fragment thereof according to any one of claims 9 to 11, wherein the antibody or antigen-binding fragment thereof comprises:

20 (i) a heavy chain variable region comprising or consisting of SEQ ID No: 16 and a light chain variable region comprising or consisting of SEQ ID No: 25;

(ii) a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 25;

(iii) a heavy chain variable region comprising or consisting of SEQ ID No: 165
25 and a light chain variable region comprising or consisting of SEQ ID No: 25;

(iv) a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 25;

(v) a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 190;

30 (vi) a heavy chain variable region comprising or consisting of SEQ ID No: 156 and a light chain variable region comprising or consisting of SEQ ID No: 191;

(vii) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 25;

(viii) a heavy chain variable region comprising or consisting of SEQ ID No: 172
35 and a light chain variable region comprising or consisting of SEQ ID No: 191;

(ix) a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 190;

(x) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 191;

5 (xi) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 190;

(xii) a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 191; or

(xiii) a heavy chain variable region comprising or consisting of SEQ ID No: 165
10 and a light chain variable region comprising or consisting of SEQ ID No: 190.

13. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises:

(i) a CDR-H1 domain comprising SEQ ID No: 27, a CDR-H2 domain comprising
15 SEQ ID No: 28, a CDR-H3 domain comprising SEQ ID No: 29, a CDR-L1 domain comprising SEQ ID No: 36, a CDR-L2 domain comprising SEQ ID No: 37 and/or a CDR-L3 domain comprising SEQ ID No: 38; or

(ii) a CDR-H1 domain comprising SEQ ID No: 164, a CDR-H2 domain comprising SEQ ID No: 28, a CDR-H3 domain comprising SEQ ID No: 29, a CDR-L1
20 domain comprising SEQ ID No: 36, a CDR-L2 domain comprising SEQ ID No: 37 and/or a CDR-L3 domain comprising SEQ ID No: 38,

optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

25

14. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 13, wherein the antibody or antigen-binding fragment thereof comprises:

(i) a heavy chain variable region comprising or consisting of SEQ ID No: 34 and a light chain variable region comprising or consisting of SEQ ID No: 43;

30 (ii) a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 43;

(iii) a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 43;

(iv) a heavy chain variable region comprising or consisting of SEQ ID No: 166
35 and a light chain variable region comprising or consisting of SEQ ID No: 43;

- (v) a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- (vi) a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- 5 (vii) a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- (viii) a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- (ix) a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- 10 (x) a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- (xi) a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 185;
- 15 (xii) a heavy chain variable region comprising or consisting of SEQ ID No: 159 and a light chain variable region comprising or consisting of SEQ ID No: 186;
- (xiii) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 43;
- (xiv) a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 186;
- 20 (xv) a heavy chain variable region comprising or consisting of SEQ ID No: 172 and a light chain variable region comprising or consisting of SEQ ID No: 185;
- (xvi) a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 186;
- 25 (xvii) a heavy chain variable region comprising or consisting of SEQ ID No: 171 and a light chain variable region comprising or consisting of SEQ ID No: 185;
- (xviii) a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 186;
- (xix) a heavy chain variable region comprising or consisting of SEQ ID No: 170 and a light chain variable region comprising or consisting of SEQ ID No: 185;
- 30 (xx) a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 186;
- (xxi) a heavy chain variable region comprising or consisting of SEQ ID No: 169 and a light chain variable region comprising or consisting of SEQ ID No: 185;
- 35 (xxii) a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 186;

(xxiii) a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 185;

(xxiv) a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 186;

5 (xxv) a heavy chain variable region comprising or consisting of SEQ ID No: 167 and a light chain variable region comprising or consisting of SEQ ID No: 185;

(xxvi) a heavy chain variable region comprising or consisting of SEQ ID No: 166 and a light chain variable region comprising or consisting of SEQ ID No: 186;

(xxvii) a heavy chain variable region comprising or consisting of SEQ ID No: 166
10 and a light chain variable region comprising or consisting of SEQ ID No: 185;

(xxviii) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 186;

(xxix) a heavy chain variable region comprising or consisting of SEQ ID No: 194 and a light chain variable region comprising or consisting of SEQ ID No: 185;

15 (xxx) a heavy chain variable region comprising or consisting of SEQ ID No: 165 and a light chain variable region comprising or consisting of SEQ ID No: 186; or

(xxxi) a heavy chain variable region comprising or consisting of SEQ ID No: 168 and a light chain variable region comprising or consisting of SEQ ID No: 185.

20 15. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises

(i) a CDR-H1 domain comprising SEQ ID No: 45, a CDR-H2 domain comprising SEQ ID No: 46, a CDR-H3 domain comprising SEQ ID No: 47, a CDR-L1 domain comprising SEQ ID No: 54, a CDR-L2 domain comprising SEQ ID No: 55, and/or a
25 CDR-L3 domain comprising SEQ ID No: 56; or

(ii) a CDR-H1 domain comprising SEQ ID No: 173, a CDR-H2 domain comprising SEQ ID No: 46, a CDR-H3 domain comprising SEQ ID No: 47, a CDR-L1 domain comprising SEQ ID No: 54, a CDR-L2 domain comprising SEQ ID No: 55, and/or a CDR-L3 domain comprising SEQ ID No: 56,

30 optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

16. The antibody or antigen-binding fragment thereof according to claim 9 or claim
35 10 or claim 15, wherein the antibody or antigen-binding fragment thereof comprises:

- (i) a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 61;
- (ii) a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 61;
- 5 (iii) a heavy chain variable region comprising or consisting of SEQ ID No: 175 and a light chain variable region comprising or consisting of SEQ ID No: 61;
- (iv) a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 61;
- (v) a heavy chain variable region comprising or consisting of SEQ ID No: 52 and
10 a light chain variable region comprising or consisting of SEQ ID No: 187;
- (vi) a heavy chain variable region comprising or consisting of SEQ ID No: 52 and a light chain variable region comprising or consisting of SEQ ID No: 188;
- (vii) a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 188;
- 15 (viii) a heavy chain variable region comprising or consisting of SEQ ID No: 176 and a light chain variable region comprising or consisting of SEQ ID No: 187;
- (ix) a heavy chain variable region comprising or consisting of SEQ ID No: 175 and a light chain variable region comprising or consisting of SEQ ID No: 188;
- (x) a heavy chain variable region comprising or consisting of SEQ ID No: 175
20 and a light chain variable region comprising or consisting of SEQ ID No: 187;
- (xi) a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 188; or
- (xii) a heavy chain variable region comprising or consisting of SEQ ID No: 174 and a light chain variable region comprising or consisting of SEQ ID No: 187.
- 25
17. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises:
- (i) a CDR-H1 domain comprising SEQ ID No: 63, a CDR-H2 domain comprising SEQ ID No: 64, a CDR-H3 domain comprising SEQ ID No: 65, a CDR-L1 domain
30 comprising SEQ ID No: 72, a CDR-L2 domain comprising SEQ ID No: 73, and/or a CDR-L3 domain comprising SEQ ID No: 74; or
- (ii) a CDR-H1 domain comprising SEQ ID No: 177, a CDR-H2 domain comprising SEQ ID No: 64, a CDR-H3 domain comprising SEQ ID No: 65, a CDR-L1 domain comprising SEQ ID No: 72, a CDR-L2 domain comprising SEQ ID No: 73,
35 and/or a CDR-L3 domain comprising SEQ ID No: 74.

optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

5 18. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 17, wherein the antibody or antigen-binding fragment thereof comprises:

(i) a heavy chain variable region comprising or consisting of SEQ ID No: 70 and a light chain variable region comprising or consisting of SEQ ID No: 79;

(ii) a heavy chain variable region comprising or consisting of SEQ ID No: 160
10 and a light chain variable region comprising or consisting of SEQ ID No: 79;

(iii) a heavy chain variable region comprising or consisting of SEQ ID No: 178 and a light chain variable region comprising or consisting of SEQ ID No: 79;

(iv) a heavy chain variable region comprising or consisting of SEQ ID No: 179 and a light chain variable region comprising or consisting of SEQ ID No: 79;

15 (v) a heavy chain variable region comprising or consisting of SEQ ID No: 180 and a light chain variable region comprising or consisting of SEQ ID No: 79;

(vi) a heavy chain variable region comprising or consisting of SEQ ID No: 160 and a light chain variable region comprising or consisting of SEQ ID No: 189;

(vii) a heavy chain variable region comprising or consisting of SEQ ID No: 180
20 and a light chain variable region comprising or consisting of SEQ ID No: 189;

(viii) a heavy chain variable region comprising or consisting of SEQ ID No: 179 and a light chain variable region comprising or consisting of SEQ ID No: 189; or

(ix) a heavy chain variable region comprising or consisting of SEQ ID No: 178 and a light chain variable region comprising or consisting of SEQ ID No: 189.

25

19. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises:

(i) a CDR-H1 domain comprising SEQ ID No: 81, a CDR-H2 domain comprising SEQ ID No: 82, a CDR-H3 domain comprising SEQ ID No: 83, a CDR-L1 domain
30 comprising SEQ ID No: 90, a CDR-L2 domain comprising SEQ ID No: 91, and/or a CDR-L3 domain comprising SEQ ID No: 92; or

(ii) a CDR-H1 domain comprising SEQ ID No: 181, a CDR-H2 domain comprising SEQ ID No: 82, a CDR-H3 domain comprising SEQ ID No: 83, a CDR-L1 domain comprising SEQ ID No: 90, a CDR-L2 domain comprising SEQ ID No: 91,
35 and/or a CDR-L3 domain comprising SEQ ID No: 92,

optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

- 5 20. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 19, wherein the antibody or antigen-binding fragment thereof comprises:
- (i) a heavy chain variable region comprising or consisting of SEQ ID No: 88 and a light chain variable region comprising or consisting of SEQ ID No: 97;
- (ii) a heavy chain variable region comprising or consisting of SEQ ID No: 161
10 and a light chain variable region comprising or consisting of SEQ ID No: 97;
- (iii) a heavy chain variable region comprising or consisting of SEQ ID No: 182 and a light chain variable region comprising or consisting of SEQ ID No: 97;
- (iv) a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 97;
- 15 (v) a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 97;
- (vi) a heavy chain variable region comprising or consisting of SEQ ID No: 161 and a light chain variable region comprising or consisting of SEQ ID No: 192;
- (vii) a heavy chain variable region comprising or consisting of SEQ ID No: 161
20 and a light chain variable region comprising or consisting of SEQ ID No: 193;
- (viii) a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 193;
- (ix) a heavy chain variable region comprising or consisting of SEQ ID No: 184 and a light chain variable region comprising or consisting of SEQ ID No: 192;
- 25 (x) a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 193;
- (xi) a heavy chain variable region comprising or consisting of SEQ ID No: 183 and a light chain variable region comprising or consisting of SEQ ID No: 192;
- (xii) a heavy chain variable region comprising or consisting of SEQ ID No: 182
30 and a light chain variable region comprising or consisting of SEQ ID No: 193; or
- (xiii) a heavy chain variable region comprising or consisting of SEQ ID No: 182 and a light chain variable region comprising or consisting of SEQ ID No: 192.
21. The antibody or antigen-binding fragment thereof according to either claim 9 or
35 claim 10, wherein the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising SEQ ID No: 99, a CDR-H2 domain comprising SEQ ID No: 100,

a CDR-H3 domain comprising SEQ ID No: 101, a CDR-L1 domain comprising SEQ ID No: 108, a CDR-L2 domain comprising SEQ ID No: 109, and/or a CDR-L3 domain comprising SEQ ID No: 110, optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

22. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 21, wherein the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 106 and a light chain variable region comprising or consisting of SEQ ID No: 115.

23. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising SEQ ID No: 117, a CDR-H2 domain comprising SEQ ID No: 118, a CDR-H3 domain comprising SEQ ID No: 119, a CDR-L1 domain comprising SEQ ID No: 126, a CDR-L2 domain comprising SEQ ID No: 127, and/or a CDR-L3 domain comprising SEQ ID No: 128, optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

24. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 23, wherein the antibody or antigen-binding fragment thereof comprises a heavy chain variable region comprising or consisting of SEQ ID No: 124 and a light chain variable region comprising or consisting of SEQ ID No: 133.

25. The antibody or antigen-binding fragment thereof according to either claim 9 or claim 10, wherein the antibody or antigen-binding fragment thereof comprises a CDR-H1 domain comprising SEQ ID No: 135, a CDR-H2 domain comprising SEQ ID No: 136, a CDR-H3 domain comprising SEQ ID No: 137, a CDR-L1 domain comprising SEQ ID No: 144, a CDR-L2 domain comprising SEQ ID No: 145, and/or a CDR-L3 domain comprising SEQ ID No: 146, optionally wherein the antibody or antigen-binding fragment thereof comprises at least one, at least two, at least three, at least four, at least five, or at least six of the CDRs.

26. The antibody or antigen-binding fragment thereof according to claim 9 or claim 10 or claim 25, wherein the antibody or antigen-binding fragment thereof comprises a

heavy chain variable region comprising or consisting of SEQ ID No: 142 and a light chain variable region comprising or consisting of SEQ ID No: 151.

27. An inhibitor according to any one of claims 1 to 8, or an antibody or an antigen-binding fragment thereof according to any one of claims 9 to 26, for use in therapy.

28. An inhibitor according to any one of claims 1 to 8, or an antibody or an antigen-binding fragment thereof according to any one of claims 9 to 26, for use in treating, preventing or ameliorating a condition caused by platelet-mediated aggregation.

10

29. An inhibitor, or an antibody or an antigen-binding fragment thereof for use according to claim 28, wherein the condition caused by platelet-mediated aggregation may be selected from the group consisting of: a thrombotic-related condition; thrombotic thrombocytopenic purpura (TTP); acquired thrombotic thrombocytopenic purpura (aTTP), acute coronary syndrome (ACS), atherosclerosis, ischemic stroke, atrial fibrillation (AF), acute myocardial infarction (AMI), cardiovascular disease (CVD), thrombosis, unstable angina, stable angina, angina pectoris, embolus formation, deep vein thrombosis, haemolytic uremic syndrome, haemolytic anaemia, acute renal failure, thrombolytic complications, disseminated intravascular coagulation, coronary heart disease, thromboembolic complications, restenosis, chronic unstable angina, peripheral vascular disease, arterial thrombosis, pre-eclampsia, embolism, restenosis, sepsis, vascular inflammation, glomerulonephritis, and thrombotic condition resulting from a coronavirus infection.

30. A pharmaceutical composition comprising an inhibitor according to any one of claims 1 to 8, or an antibody or antigen-binding fragment thereof according to any one of claims 9 to 26, and optionally a pharmaceutically acceptable vehicle.

31. An antibody or antigen-binding fragment thereof obtained by a method comprising:-

- (i) immunising a host organism with one or more of a C1, C2, C3, C4, C5, and/or C6 domain of Von Willebrand Factor (VWF); and
- (ii) collecting an antibody or antigen-binding fragment thereof from the host.

32. A polynucleotide sequence encoding the antibody, or antigen-binding fragment thereof as defined in any one of claims 9 to 26.

33. An expression cassette comprising a polynucleotide sequence according to claim 32.
- 5 34. A recombinant vector comprising the expression cassette according to claim 33.
35. A host cell comprising the polynucleotide sequence according to claim 32, the expression cassette according to claim 33, or the vector according to claim 34.
- 10 36. A method of preparing the antibody or antigen binding fragment according to any one of claims 9 to 26, the method comprising:
- a) introducing, into a host cell, the vector of claim 34; and
 - b) culturing the host cell under conditions to result in the production of the antibody or antigen binding fragment according to any one of claims 9 to 26.
- 15 37. The antibody or antibody binding fragment thereof according to any one of claims 9 to 26, for use in diagnosis or prognosis.
38. The antibody or antibody binding fragment thereof according to any one of
20 claims 9 to 26, for use in diagnosing or prognosing a condition caused by platelet-mediated aggregation.
39. A method of diagnosing or prognosing a condition caused by platelet-mediated aggregation in a subject, the method comprising detecting VWF in a biological sample
25 obtained from the subject with the antibody or antibody binding fragment thereof according to any one of claims 9 to 26.
40. A kit for diagnosing a subject suffering from a condition caused by platelet-mediated aggregation, or for providing a prognosis of the subject's condition, the kit
30 comprising an antibody or antigen-binding fragment thereof according to any one of claims 9 to 26 for detecting VWF in a sample from a test subject.
41. The use according to claim 38, the method according to claim 39, or the kit according to claim 40, wherein the condition caused by platelet-mediated aggregation
35 may be selected from the group consisting of: a thrombotic-related condition; thrombotic thrombocytopenic purpura (TTP); acquired thrombotic thrombocytopenic

purpura (aTTP), acute coronary syndrome (ACS), atherosclerosis, ischemic stroke, atrial fibrillation (AF), acute myocardial infarction (AMI), cardiovascular disease (CVD), thrombosis, unstable angina, stable angina, angina pectoris, embolus formation, deep vein thrombosis, haemolytic uremic syndrome, haemolytic anaemia, acute renal failure, thrombolytic complications, disseminated intravascular coagulation, coronary heart disease, thromboembolic complications, restenosis, chronic unstable angina, peripheral vascular disease, arterial thrombosis, pre-eclampsia, embolism, restenosis, sepsis, vascular inflammation, glomerulonephritis, and thrombotic condition resulting from a coronavirus infection.

10

15

20

25

30

35

Figure 1




Figure 2







Figure 3A**Figure 3B****Figure 3C**




Figure 3D**Figure 3E****Figure 3F**



Figure 3G**Figure 3H**

Figure 4

Antibody	Replicate #	k_a (1/Ms)	k_d (1/s)	KD (M)
1-A2	1	73700.00	0.0000121	1.64E-10
1-A2	2	24500.00	0.0000129	5.27E-10
4-H3	1	113000.00	0.0000139	1.23E-10
4-H3	2	108000.00	0.0000167	1.54E-10
1-D5	1	151000.00	0.00000376	2.50E-11
1-D5	2	125000.00	0.00000477	3.81E-11
1-D5	3	130000.00	0.00000834	6.41E-11
3-H9	1	188000.00	0.00000915	4.87E-11
3-H9	2	127000.00	0.0000107	8.40E-11
3-H9	3	157000.00	0.00000393	2.50E-11
1-G5	1	119000.00	0.00000653	5.49E-11
1-G5	2	70700.00	0.00000562	7.90E-11
1-G5	3	116000.00	0.0000143	1.23E-10


Figure 5



Figure 6A**Figure 6B**



Figure 6C**Figure 7A**





Figure 7B**Figure 7C**

Figure 7D**Figure 7E**

- 10/34 -**Figure 8**

Antibody	CDR -H1	CDR- H2	CDR -H3	FR- H1	FR- H2	FR- H3	FR- H4	CDR -L1	CDR -L2	CDR -L3	FR- L1	FR- L2	FR- L3	FR- L4	VH	VL
1-A2	SEQ ID NO: 9	SEQ ID NO: 10	SEQ ID NO: 11	SEQ ID NO: 12	SEQ ID NO: 13	SEQ ID NO: 14	SEQ ID NO: 15	SEQ ID NO: 18	SEQ ID NO: 19	SEQ ID NO: 20	SEQ ID NO: 21	SEQ ID NO: 22	SEQ ID NO: 23	SEQ ID NO: 24	SEQ ID NO: 16	SEQ ID NO: 25
4-H3	SEQ ID NO: 27	SEQ ID NO: 28	SEQ ID NO: 29	SEQ ID NO: 30	SEQ ID NO: 31	SEQ ID NO: 32	SEQ ID NO: 33	SEQ ID NO: 36	SEQ ID NO: 37	SEQ ID NO: 38	SEQ ID NO: 39	SEQ ID NO: 40	SEQ ID NO: 41	SEQ ID NO: 42	SEQ ID NO: 34	SEQ ID NO: 43
1-D5	SEQ ID NO: 45	SEQ ID NO: 46	SEQ ID NO: 47	SEQ ID NO: 48	SEQ ID NO: 49	SEQ ID NO: 50	SEQ ID NO: 51	SEQ ID NO: 54	SEQ ID NO: 55	SEQ ID NO: 56	SEQ ID NO: 57	SEQ ID NO: 58	SEQ ID NO: 59	SEQ ID NO: 60	SEQ ID NO: 52	SEQ ID NO: 61
3-H9	SEQ ID NO: 63	SEQ ID NO: 64	SEQ ID NO: 65	SEQ ID NO: 66	SEQ ID NO: 67	SEQ ID NO: 68	SEQ ID NO: 69	SEQ ID NO: 72	SEQ ID NO: 73	SEQ ID NO: 74	SEQ ID NO: 75	SEQ ID NO: 76	SEQ ID NO: 77	SEQ ID NO: 78	SEQ ID NO: 70	SEQ ID NO: 79

-11/34-

1-G5	SEQ ID NO: 81	SEQ ID NO: 82	SEQ ID NO: 83	SEQ ID NO: 84	SEQ ID NO: 85	SEQ ID NO: 86	SEQ ID NO: 87	SEQ ID NO: 90	SEQ ID NO: 91	SEQ ID NO: 92	SEQ ID NO: 93	SEQ ID NO: 94	SEQ ID NO: 95	SEQ ID NO: 96	SEQ ID NO: 88	SEQ ID NO: 97
	SEQ ID NO: 99	SEQ ID NO: 100	SEQ ID NO: 101	SEQ ID NO: 102	SEQ ID NO: 103	SEQ ID NO: 104	SEQ ID NO: 105	SEQ ID NO: 108	SEQ ID NO: 109	SEQ ID NO: 110	SEQ ID NO: 111	SEQ ID NO: 112	SEQ ID NO: 113	SEQ ID NO: 114	SEQ ID NO: 106	SEQ ID NO: 115
	SEQ ID NO: 117	SEQ ID NO: 118	SEQ ID NO: 119	SEQ ID NO: 120	SEQ ID NO: 121	SEQ ID NO: 122	SEQ ID NO: 123	SEQ ID NO: 126	SEQ ID NO: 127	SEQ ID NO: 128	SEQ ID NO: 129	SEQ ID NO: 130	SEQ ID NO: 131	SEQ ID NO: 132	SEQ ID NO: 124	SEQ ID NO: 133
	SEQ ID NO: 135	SEQ ID NO: 136	SEQ ID NO: 137	SEQ ID NO: 138	SEQ ID NO: 139	SEQ ID NO: 140	SEQ ID NO: 141	SEQ ID NO: 144	SEQ ID NO: 145	SEQ ID NO: 146	SEQ ID NO: 147	SEQ ID NO: 148	SEQ ID NO: 149	SEQ ID NO: 150	SEQ ID NO: 142	SEQ ID NO: 151

Figure 9

human VWF protein residues	Domain	Antibody	ka (1/Ms)	kd (1/s)	KD (M)
2255-2333	C1	1-A2			
2334-2402	C2	1-A2			
2430-2496	C3	1-A2			
2497-2577	C4	1-A2			
2578-2646	C5	1-A2	1.70E+05	7.93E-05	4.66E-10
2647-2722	C6	1-A2			
2255-2333	C1	1-D5			
2334-2402	C2	1-D5			
2430-2496	C3	1-D5	1.64E+03	2.43E-03	1.49E-06
2497-2577	C4	1-D5			
2578-2646	C5	1-D5	1.55E+05	1.43E-04	9.22E-10
2647-2722	C6	1-D5			
2255-2333	C1	1-G5			
2334-2402	C2	1-G5			
2430-2496	C3	1-G5			
2497-2577	C4	1-G5			
2578-2646	C5	1-G5	2.14E+07	4.78E-03	2.23E-10
2647-2722	C6	1-G5			
2255-2333	C1	3-H9			
2334-2402	C2	3-H9			
2430-2496	C3	3-H9			
2497-2577	C4	3-H9	3.04E+04	1.42E-03	4.66E-08
2578-2646	C5	3-H9	1.60E+05	3.19E-05	1.99E-10
2647-2722	C6	3-H9			
2255-2333	C1	4-H3			
2334-2402	C2	4-H3			
2430-2496	C3	4-H3			
2497-2577	C4	4-H3			
2578-2646	C5	4-H3	4.36E+07	1.22E-02	2.79E-10
2647-2722	C6	4-H3			

- 13/34 -

Figure 10

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-A2_parental (hlgG1)	GIDLTSA (SEQ ID NO: 9)	IYGHDS (SEQ ID NO: 10)	ARGFIYDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGHSHETD LI (SEQ ID NO: 20)	SQSVESGRLVTPGTEPLTL TCVSGELLSNVMWVROA PGKGLWIGS-YGHDSYYA AWAKGRFTIISRTS-TVDLKA -RFTIDDTATY-CARGELVF DIMGTGLVT-SS (SEQ ID NO: 156)	AIEMTQIFPS-3ASVG ETVIRKCLASEDIYSG ISWYQQRPGKPTLLI YGASMLESGVPPRESG SGSGTDITLLIGGQA EJAATYVCLSGESHSI TLLTFGAGTKVLIK (SEQ ID NO: 25)	ASTKGFVFFLPAPSSKSTSGGTAAJGCL VKDYFFBEVTVSMNSGALTSQVHCFEAV LQSSC-YSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKRYEPKSCDKHTCPEFC PAPELGGFVSFLPFPPEKOTILMSKIP EVTCTVVDVSHDEDFEYKNWYDGVVEVH NAKTPREQYNSITRYAVSVLTVLAQDM LNKGKIKCKVSNKALFAIEKILISKRG QPREPQVYTLPPESRDELTKNQVSLTCLV KGYPESDIAVEMESNGQENNYKCTPEV LDSG3FFLIYSKLTVDKSRWQGNVFC SVMHEALHNHYTQKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDNALQSGNSQES VLTQDSKSTYSLSSTLT LSKADYTERHKV7ACEVTH QGLSSPVTKSFNEGEC (SEQ ID NO: 158)
4-H3_parental (hlgG1)	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIYSG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSFSSNG LI (SEQ ID NO: 38)	SQSSESGRLVTPGTEPLTL TCVSGELLSNVMWVROA PGKGLWIGS-YGHDSYYA AWAKGRFTIISRTS-TVDLKA -RFTIDDTATY-CARGELVF DIMGTGLVT-SS (SEQ ID NO: 159)	AIEMTQIFPS-3ASVG ETVIRKCLASEDIYSG ISWYQQRPGKPTLLI YGASMLESGVPPRESG SGSGTDITLLIGGQA EJAATYVCLSGESHSI TLLTFGAGTKVLIK (SEQ ID NO: 43)	ASTKGFVFFLPAPSSKSTSGGTAAJGCL VKDYFFBEVTVSMNSGALTSQVHCFEAV LQSSC-YSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKRYEPKSCDKHTCPEFC PAPELGGFVSFLPFPPEKOTILMSKIP EVTCTVVDVSHDEDFEYKNWYDGVVEVH NAKTPREQYNSITRYAVSVLTVLAQDM LNKGKIKCKVSNKALFAIEKILISKRG QPREPQVYTLPPESRDELTKNQVSLTCLV KGYPESDIAVEMESNGQENNYKCTPEV LDSG3FFLIYSKLTVDKSRWQGNVFC SVMHEALHNHYTQKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDNALQSGNSQES VLTQDSKSTYSLSSTLT LSKADYTERHKV7ACEVTH QGLSSPVTKSFNEGEC (SEQ ID NO: 158)
1-D5_parental (hlgG1)	GFSLNNYI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSAAG ENI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQVSESGRLVTPGTEPLTL TCVSGFSLNNYIMGWVROA PGKGLWIGS-3ASGITYA SWAKGRFTIISRTS-TMDLKA -SLTTIDDTATY-CARGGSA GAGFN-WGPGTLLVTVSS (SEQ ID NO: 52)	DIVMTQTESVS3ASVG DIVTINQSSQSINSNG LAWYQQRPGKPTLLI YVASTIASGVPSPRFG SGSGTDITLLISDLFC AJAATYVCLSGEYISA NGATFGGTEVVE (SEQ ID NO: 61)	ASTKGFVFFLPAPSSKSTSGGTAAJGCL VKDYFFBEVTVSMNSGALTSQVHCFEAV LQSSC-YSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKRYEPKSCDKHTCPEFC PAPELGGFVSFLPFPPEKOTILMSKIP EVTCTVVDVSHDEDFEYKNWYDGVVEVH NAKTPREQYNSITRYAVSVLTVLAQDM LNKGKIKCKVSNKALFAIEKILISKRG QPREPQVYTLPPESRDELTKNQVSLTCLV KGYPESDIAVEMESNGQENNYKCTPEV LDSG3FFLIYSKLTVDKSRWQGNVFC SVMHEALHNHYTQKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDNALQSGNSQES VLTQDSKSTYSLSSTLT LSKADYTERHKV7ACEVTH QGLSSPVTKSFNEGEC (SEQ ID NO: 158)
3-H9_parental (hlgG1)	GFSLNNYD (SEQ ID NO: 63)	THAIGIT (SEQ ID NO: 64)	ARGGLDLM (SEQ ID NO: 65)	QSYVSNL (SEQ ID NO: 72)	DAS (SEQ ID NO: 73)	QSYTSSGWY NI (SEQ ID NO: 74)	SQSSESGRLVTPGTEPLTL TCVSGFSLNNYIMGWVROA PGKGLWIGS-3A-GITYA AWAKGRFTIISRTS-TVDLKA -SLTTIDDTATY-CARGGLVD IMWPGTLLVTVSS (SEQ ID NO: 160)	AIEMTQTESVS3ASVG DIVTINQSSQSINSNG LAWYQQRPGKPTLLI YVASTIASGVPSPRFG SGSGTDITLLISDLFC AJAATYVCLSGEYISA NGATFGGTEVVE (SEQ ID NO: 61)	ASTKGFVFFLPAPSSKSTSGGTAAJGCL VKDYFFBEVTVSMNSGALTSQVHCFEAV LQSSC-YSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKRYEPKSCDKHTCPEFC PAPELGGFVSFLPFPPEKOTILMSKIP EVTCTVVDVSHDEDFEYKNWYDGVVEVH NAKTPREQYNSITRYAVSVLTVLAQDM LNKGKIKCKVSNKALFAIEKILISKRG QPREPQVYTLPPESRDELTKNQVSLTCLV KGYPESDIAVEMESNGQENNYKCTPEV LDSG3FFLIYSKLTVDKSRWQGNVFC SVMHEALHNHYTQKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDNALQSGNSQES VLTQDSKSTYSLSSTLT LSKADYTERHKV7ACEVTH QGLSSPVTKSFNEGEC (SEQ ID NO: 158)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-G5_parental (hlgG1)	GFSLSN ^{YD} (SEQ ID NO: 81)	IHTGIT (SEQ ID NO: 82)	ARGVL ^{DLNM} (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSSYISGWD IA (SEQ ID NO: 92)	QQQ ₃ ELSGRLVTFGTEPLTL "C ₃ VS ₃ FSLSN ₃ IMSWVRQA PKGLEW ₃ IG ₃ -IA-GIT ₃ YA SWAKGRFT ₃ ISK ₃ -TVDLK ₄ "SLIT ₃ EDTAT ₃ Y ₃ CARG ₃ IVL RWAGFG ₃ TLTV ₃ SS (SEQ ID NO: 161)	D ³ VMQTASSVSAAVG GTV ³ INCOASQSVYN NLLSW ³ QQKGQGTAL LITDAS ₃ TL ₃ ESGVPSF SGSGDT ₃ TL ₃ IGGVQA QCDAA ₃ TY ₃ QSG ₃ YIS GWD ₃ TAFGG ₃ TVVVK (SEQ ID NO: 97)	ASTK ₃ SPVFLAPSSKSTSGGTAA ₃ GCL LQSS ₃ -YSLSSV ₃ TPSSSLG ₃ Q ₃ Y ₃ ICN VNHK ₃ SN ₃ TKVDK ₃ VEPSCK ₃ K ₃ HC ₃ CFEC PAPRL ₃ GR ₃ SV ₃ TP ₃ PP ₃ PK ₃ OT ₃ LM ₃ SR ₃ IP EVT ₃ CVVDV ₃ SHED ₃ VE ₃ FW ₃ NV ₃ DGV ₃ VEH NKT ₃ PREQ ₃ YNST ₃ Y ₃ W ₃ SV ₃ LV ₃ VLHQ ₃ W LNGKE ₃ YK ₃ CVSNK ₃ ALG ₃ IEK ₃ IL ₃ SK ₃ ANG QPREQ ₃ Y ₃ TL ₃ PEPSR ₃ DEL ₃ IK ₃ QV ₃ SL ₃ TC ₃ LV KCE ₃ YPS ₃ DI ₃ AVES ₃ HQ ₃ EN ₃ NK ₃ CT ₃ FEV LDS ₃ DS ₃ FT ₃ LYSK ₃ LY ₃ DK ₃ SR ₃ Q ₃ GN ₃ TF ₃ SC SVMEAL ₃ HN ₃ HY ₃ TQ ₃ KS ₃ LS ₃ IS ₃ SP ₃ GK (SEQ ID NO: 157)	TVAA ₃ SV ₃ EIF ₃ PP ₃ SD ₃ QLK SGTAS ₃ VCL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA VT ₃ Q ₃ SK ₃ UST ₃ Y ₃ SL ₃ AS ₃ TL ₃ LS ₃ AD ₃ Y ₃ ER ₃ HK ₃ Y ₃ ACE ₃ V ₃ TH QGLSS ₃ FT ₃ KS ₃ FN ₃ RG ₃ EC (SEQ ID NO: 158)
1-A2_parental (hlgG1-L234A-P329G)	GIDLT ₃ SHA (SEQ ID NO: 9)	LYGHOTS (SEQ ID NO: 10)	ARGFL ₃ Y ₃ ED ₃ - (SEQ ID NO: 11)	ED ₃ YSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGSHSH ₃ LIU LI (SEQ ID NO: 20)	SQS ₃ VE ₃ SGRLVFPFGTEPLTL "C ₃ VS ₃ GIL ₃ LSN ₃ IMSWVRQA PKGLEW ₃ IG ₃ -YGHOTS ₃ YA SWAKGRFT ₃ ISK ₃ -TVDLK ₄ "R ₃ PT ₃ IDTAT ₃ Y ₃ CARG ₃ IE ₃ YF DIMG ₃ GT ₃ IL ₃ TV ₃ SS (SEQ ID NO: 156)	AIEM ₃ TQ ₃ TP ₃ PS ₃ -3ASVG ETVR ₃ K ₃ IR ₃ CL ₃ AS ₃ EDI ₃ YSG ISW ₃ Q ₃ Q ₃ RG ₃ PK ₃ PT ₃ LI ₃ I YGA ₃ SH ₃ LES ₃ GV ₃ PP ₃ RES ₃ SG SGSGDT ₃ TL ₃ IGGVQA EJA ₃ AT ₃ Y ₃ CL ₃ G ₃ ESH ₃ ST TL ₃ CT ₃ GA ₃ CT ₃ W ₃ EL ₃ K (SEQ ID NO: 25)	ASTK ₃ SPVFLAPSSKSTSGGTAA ₃ GCL LQSS ₃ -YSLSSV ₃ TPSSSLG ₃ Q ₃ Y ₃ ICN VNHK ₃ SN ₃ TKVDK ₃ VEPSCK ₃ K ₃ HC ₃ CFEC PAPRL ₃ GR ₃ SV ₃ TP ₃ PP ₃ PK ₃ OT ₃ LM ₃ SR ₃ IP EVT ₃ CVVDV ₃ SHED ₃ VE ₃ FW ₃ NV ₃ DGV ₃ VEH NKT ₃ PREQ ₃ YNST ₃ Y ₃ W ₃ SV ₃ LV ₃ VLHQ ₃ W LNGKE ₃ YK ₃ CVSNK ₃ ALG ₃ IEK ₃ IL ₃ SK ₃ ANG QPREQ ₃ Y ₃ TL ₃ PEPSR ₃ DEL ₃ IK ₃ QV ₃ SL ₃ TC ₃ LV KCE ₃ YPS ₃ DI ₃ AVES ₃ HQ ₃ EN ₃ NK ₃ CT ₃ FEV LDS ₃ DS ₃ FT ₃ LYSK ₃ LY ₃ DK ₃ SR ₃ Q ₃ GN ₃ TF ₃ SC SVMEAL ₃ HN ₃ HY ₃ TQ ₃ KS ₃ LS ₃ IS ₃ SP ₃ GK (SEQ ID NO: 162)	TVAA ₃ SV ₃ EIF ₃ PP ₃ SD ₃ QLK SGTAS ₃ VCL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA VT ₃ Q ₃ SK ₃ UST ₃ Y ₃ SL ₃ AS ₃ TL ₃ LS ₃ AD ₃ Y ₃ ER ₃ HK ₃ Y ₃ ACE ₃ V ₃ TH QGLSS ₃ FT ₃ KS ₃ FN ₃ RG ₃ EC (SEQ ID NO: 158)
4-H3_parental (hlgG1-L234A-L235A-P329G)	GIDLT ₃ SHA (SEQ ID NO: 27)	LYGHOTS (SEQ ID NO: 28)	ARGFL ₃ Y ₃ ED ₃ - (SEQ ID NO: 29)	ED ₃ IASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGY ₃ FS ₃ SSNG LI (SEQ ID NO: 38)	SQS ₃ -E ₃ ES ₃ CGRLVFPFGTEPLTL "C ₃ VS ₃ GIL ₃ LSN ₃ IMSWVRQA PKGLEW ₃ IG ₃ -YGHOTS ₃ YA SWAKGRFT ₃ ISK ₃ -TVDLK ₄ "R ₃ PT ₃ IDTAT ₃ Y ₃ CARG ₃ IE ₃ YF DIMG ₃ GT ₃ IL ₃ TV ₃ SS (SEQ ID NO: 159)	AIEM ₃ TQ ₃ TP ₃ PS ₃ -3ASVG ETVR ₃ K ₃ IR ₃ CL ₃ AS ₃ EDI ₃ ASG ISW ₃ Q ₃ Q ₃ RG ₃ PK ₃ PT ₃ LI ₃ I YGA ₃ SH ₃ LES ₃ GV ₃ PP ₃ RES ₃ SG SGSGDT ₃ TL ₃ IGGVQA EJA ₃ AT ₃ Y ₃ CL ₃ G ₃ ESH ₃ ST NGL ₃ CT ₃ GA ₃ CT ₃ W ₃ EL ₃ K (SEQ ID NO: 43)	ASTK ₃ SPVFLAPSSKSTSGGTAA ₃ GCL LQSS ₃ -YSLSSV ₃ TPSSSLG ₃ Q ₃ Y ₃ ICN VNHK ₃ SN ₃ TKVDK ₃ VEPSCK ₃ K ₃ HC ₃ CFEC PAPRL ₃ GR ₃ SV ₃ TP ₃ PP ₃ PK ₃ OT ₃ LM ₃ SR ₃ IP EVT ₃ CVVDV ₃ SHED ₃ VE ₃ FW ₃ NV ₃ DGV ₃ VEH NKT ₃ PREQ ₃ YNST ₃ Y ₃ W ₃ SV ₃ LV ₃ VLHQ ₃ W LNGKE ₃ YK ₃ CVSNK ₃ ALG ₃ IEK ₃ IL ₃ SK ₃ ANG QPREQ ₃ Y ₃ TL ₃ PEPSR ₃ DEL ₃ IK ₃ QV ₃ SL ₃ TC ₃ LV KCE ₃ YPS ₃ DI ₃ AVES ₃ HQ ₃ EN ₃ NK ₃ CT ₃ FEV LDS ₃ DS ₃ FT ₃ LYSK ₃ LY ₃ DK ₃ SR ₃ Q ₃ GN ₃ TF ₃ SC SVMEAL ₃ HN ₃ HY ₃ TQ ₃ KS ₃ LS ₃ IS ₃ SP ₃ GK (SEQ ID NO: 162)	TVAA ₃ SV ₃ EIF ₃ PP ₃ SD ₃ QLK SGTAS ₃ VCL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA VT ₃ Q ₃ SK ₃ UST ₃ Y ₃ SL ₃ AS ₃ TL ₃ LS ₃ AD ₃ Y ₃ ER ₃ HK ₃ Y ₃ ACE ₃ V ₃ TH QGLSS ₃ FT ₃ KS ₃ FN ₃ RG ₃ EC (SEQ ID NO: 158)
1-D5_parental (hlgG1-L234A-L235A-P329G)	GFSLN ₃ Y ₃ I (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGS ₃ SAGAG ENI (SEQ ID NO: 47)	QSV ₃ SNL (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSSY ₃ HSANG AT (SEQ ID NO: 56)	QQQ ₃ -V ₃ ES ₃ CGRLVTFGTEPLTL "C ₃ VS ₃ FSLSN ₃ IMSWVRQA PKGLEW ₃ IG ₃ -IA-GIT ₃ YA SWAKGRFT ₃ ISK ₃ -TVDLK ₄ "SLIT ₃ EDTAT ₃ Y ₃ CARG ₃ GS ₃ SA GAF ₃ N ₃ W ₃ CP ₃ GL ₃ TV ₃ SS (SEQ ID NO: 52)	D ³ VMQT ₃ FP ₃ SSV ₃ AAVG DTV ³ -I ₃ Q ₃ Q ₃ AS ₃ Q ₃ INS ₃ G LAW ₃ Q ₃ Q ₃ RG ₃ PK ₃ PT ₃ LI ₃ I YGA ₃ SH ₃ LES ₃ GV ₃ PP ₃ RES ₃ SG SGSGDT ₃ TL ₃ IGGVQA EJA ₃ AT ₃ Y ₃ CL ₃ G ₃ ESH ₃ ST NGL ₃ CT ₃ GA ₃ CT ₃ W ₃ EL ₃ K (SEQ ID NO: 61)	ASTK ₃ SPVFLAPSSKSTSGGTAA ₃ GCL LQSS ₃ -YSLSSV ₃ TPSSSLG ₃ Q ₃ Y ₃ ICN VNHK ₃ SN ₃ TKVDK ₃ VEPSCK ₃ K ₃ HC ₃ CFEC PAPRL ₃ GR ₃ SV ₃ TP ₃ PP ₃ PK ₃ OT ₃ LM ₃ SR ₃ IP EVT ₃ CVVDV ₃ SHED ₃ VE ₃ FW ₃ NV ₃ DGV ₃ VEH NKT ₃ PREQ ₃ YNST ₃ Y ₃ W ₃ SV ₃ LV ₃ VLHQ ₃ W LNGKE ₃ YK ₃ CVSNK ₃ ALG ₃ IEK ₃ IL ₃ SK ₃ ANG QPREQ ₃ Y ₃ TL ₃ PEPSR ₃ DEL ₃ IK ₃ QV ₃ SL ₃ TC ₃ LV KCE ₃ YPS ₃ DI ₃ AVES ₃ HQ ₃ EN ₃ NK ₃ CT ₃ FEV LDS ₃ DS ₃ FT ₃ LYSK ₃ LY ₃ DK ₃ SR ₃ Q ₃ GN ₃ TF ₃ SC SVMEAL ₃ HN ₃ HY ₃ TQ ₃ KS ₃ LS ₃ IS ₃ SP ₃ GK (SEQ ID NO: 162)	TVAA ₃ SV ₃ EIF ₃ PP ₃ SD ₃ QLK SGTAS ₃ VCL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA VT ₃ Q ₃ SK ₃ UST ₃ Y ₃ SL ₃ AS ₃ TL ₃ LS ₃ AD ₃ Y ₃ ER ₃ HK ₃ Y ₃ ACE ₃ V ₃ TH QGLSS ₃ FT ₃ KS ₃ FN ₃ RG ₃ EC (SEQ ID NO: 158)
3-H9_parental (hlgG1-L234A-L235A-P329G)	GFSLN ₃ Y ₃ D (SEQ ID NO: 63)	IHTGIT (SEQ ID NO: 64)	ARGVL ₃ DLNM (SEQ ID NO: 65)	QSV ₃ SNL (SEQ ID NO: 72)	DAS (SEQ ID NO: 73)	QSSY ₃ SSGWY NI (SEQ ID NO: 74)	SQS ₃ -E ₃ ES ₃ CGRLVTFGTEPLTL "C ₃ VS ₃ FSLSN ₃ IMSWVRQA PKGLEW ₃ IG ₃ -IA-GIT ₃ YA SWAKGRFT ₃ ISK ₃ -TVDLK ₄ "SLIT ₃ EDTAT ₃ Y ₃ CARG ₃ IVL RWAGFG ₃ TLTV ₃ SS (SEQ ID NO: 160)	AIEM ₃ TQ ₃ TP ₃ PS ₃ VSAAVG GTV ³ INCOASQSVYN NLLSW ³ QQKGQGTAL LITDAS ₃ TL ₃ ESGVPSF SGSGDT ₃ TL ₃ IGGVQA QCDAA ₃ TY ₃ QSG ₃ YIS GWD ₃ TAFGG ₃ TVVVK (SEQ ID NO: 79)	ASTK ₃ SPVFLAPSSKSTSGGTAA ₃ GCL LQSS ₃ -YSLSSV ₃ TPSSSLG ₃ Q ₃ Y ₃ ICN VNHK ₃ SN ₃ TKVDK ₃ VEPSCK ₃ K ₃ HC ₃ CFEC PAPRL ₃ GR ₃ SV ₃ TP ₃ PP ₃ PK ₃ OT ₃ LM ₃ SR ₃ IP EVT ₃ CVVDV ₃ SHED ₃ VE ₃ FW ₃ NV ₃ DGV ₃ VEH NKT ₃ PREQ ₃ YNST ₃ Y ₃ W ₃ SV ₃ LV ₃ VLHQ ₃ W LNGKE ₃ YK ₃ CVSNK ₃ ALG ₃ IEK ₃ IL ₃ SK ₃ ANG QPREQ ₃ Y ₃ TL ₃ PEPSR ₃ DEL ₃ IK ₃ QV ₃ SL ₃ TC ₃ LV KCE ₃ YPS ₃ DI ₃ AVES ₃ HQ ₃ EN ₃ NK ₃ CT ₃ FEV LDS ₃ DS ₃ FT ₃ LYSK ₃ LY ₃ DK ₃ SR ₃ Q ₃ GN ₃ TF ₃ SC SVMEAL ₃ HN ₃ HY ₃ TQ ₃ KS ₃ LS ₃ IS ₃ SP ₃ GK (SEQ ID NO: 162)	TVAA ₃ SV ₃ EIF ₃ PP ₃ SD ₃ QLK SGTAS ₃ VCL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA KVQ ₃ K ₃ Y ₃ V ₃ CL ₃ LN ₃ IF ₃ PS ₃ EA VT ₃ Q ₃ SK ₃ UST ₃ Y ₃ SL ₃ AS ₃ TL ₃ LS ₃ AD ₃ Y ₃ ER ₃ HK ₃ Y ₃ ACE ₃ V ₃ TH QGLSS ₃ FT ₃ KS ₃ FN ₃ RG ₃ EC (SEQ ID NO: 158)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-G5_parental (hlgG1-L234A-L235A-P329G)	GFSLSSVD (SEQ ID NO: 81)	THATGIT (SEQ ID NO: 82)	ARGVLDLNM (SEQ ID NO: 83)	QSVYNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYISGWD TA (SEQ ID NO: 92)	SQS_EESGRLVTPGTEPLTL "CSVSQFSLSSVDMTWVROA PKGLMEWIGS-HA-GITFYA NNAKGRFTISKIS-TVDLKA -SLITEDTATY-CARGIVDL NNAKGRFTLVVSS (SEQ ID NO: 161)	DPMQTQPSVSAVAG GITV-INCOASQSVYN NLSWYQKRGQFTAL LIYDASTLASGVPFSF SNGSGTGQFT-LIISCV QCDAAITYCQGSYIS GENDTAFGGTIVVVK (SEQ ID NO: 97)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCOKHICQFPC PFAEAAAGSFVLPFPPEKOTILASRP EVCVYVDVSHEDPEVFNWYDGVUHVH NAKTPREGGYNSTYKVSIVLYLAQCM LNKSEYKVKVSKALGAEIKELISKARG QPREQVYTLPPESADLTIKQVSLTCLV KGFYPSDIAVEMSGNQFNKYCTFFV LDSG3FFLYSKLTVDRSQNGVNFSC SVMEALHNHYTKLSLSLSPCK (SEQ ID NO: 162)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)
1-A2_parental (hlgG1-Fab)	GIDLTSA (SEQ ID NO: 9)	IVGHOTS (SEQ ID NO: 10)	ARGFTVFDI- FNI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGHSHSTTD LI (SEQ ID NO: 20)	SQS_EESGRLVFPTEPLTL "CSVSQFSLSSVDMTWVROA PKGLMEWIGS-YGHNTSYVA AWAKGRFTISKIS-TVDLKA -RPTIDDTATY-CARGIYF DIMGTGTLVT-SS (SEQ ID NO: 156)	AEMTQTPPSJASVAG ETVIRKICLASEDIYSG I3WYQKRGKPTILLI YGASMLSGVPPRESG S6SGTDITLLIGVQA EJAATYVCLGESHST TDLTGAGTKVLEIK (SEQ ID NO: 25)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCGGEK QGLSSFTVKSFNREGC (SEQ ID NO: 163)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)
4-H3_parental (hlgG1-Fab)	GIDLTSA (SEQ ID NO: 27)	IVGHOTS (SEQ ID NO: 28)	ARGFTVFDI- FNI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGHYFESNG LI (SEQ ID NO: 38)	SQS_EESGRLVFPTEPLTL "CSVSQFSLSSVDMTWVROA PKGLMEWIGS-YGHNTSYVA AWAKGRFTISKIS-TVDLKA -RPTIDDTATY-CARGIYF DIMGTGTLVT-SS (SEQ ID NO: 159)	AEMTQTPPSJASVAG ETVIRKICLASEDIYSG I3WYQKRGKPTILLI YGASMLSGVPPRESG S6SGTDITLLIGVQA EJAATYVCLGESHST NGLTGAGTKVLEIK (SEQ ID NO: 43)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCGGEK QGLSSFTVKSFNREGC (SEQ ID NO: 163)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)
1-D5_parental (hlgG1-Fab)	GFSLNNYI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSVYISNG AT (SEQ ID NO: 56)	QQQ_VBSGRLVTPGTEPLTL "CAVSQFSLSSVDMTWVROA PKGLMEWIGS-STGGSTYVA SWAKGRFTISKIS-TMDLKA -SLITEDTATY-CARGGSA GASFN-WGPGFLVTVSS (SEQ ID NO: 52)	DVMTQTPSSVSAVAG GITV-INCOASQSVYN LAWQKRGKPTKHLI Y3ASTLASGVPFSF S6SGTDITLLISDLFC AJAATYVCLGESHST NGLTGAGTKVLEIK (SEQ ID NO: 61)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCGGEK QGLSSFTVKSFNREGC (SEQ ID NO: 158)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)
3-H9_parental (hlgG1-Fab)	GFSLNNYD (SEQ ID NO: 63)	THATGIT (SEQ ID NO: 64)	ARGVLDLNM (SEQ ID NO: 65)	QSVYNNIL (SEQ ID NO: 72)	DAS (SEQ ID NO: 73)	QSVYISGWI NI (SEQ ID NO: 74)	SQS_EESGRLVTPGTEPLTL "CSVSQFSLSSVDMTWVROA PKGLMEWIGS-HA-GITFYA NNAKGRFTISKIS-TVDLKA -SLITEDTATY-CARGIVDL NNAKGRFTLVVSS (SEQ ID NO: 160)	AEMTQTPSSVSAVAG GITV-INCOASQSVYN NLSWYQKRGQFTAL LIYDASTLASGVPFSF QCDAAITYCQGSYIS GENDTAFGGTIVVVK (SEQ ID NO: 79)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCGGEK QGLSSFTVKSFNREGC (SEQ ID NO: 163)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)
1-G5_parental (hlgG1-Fab)	GFSLSSVD (SEQ ID NO: 81)	THATGIT (SEQ ID NO: 82)	ARGVLDLNM (SEQ ID NO: 83)	QSVYNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYISGWD TA (SEQ ID NO: 92)	SQS_EESGRLVTPGTEPLTL "CSVSQFSLSSVDMTWVROA PKGLMEWIGS-HA-GITFYA NNAKGRFTISKIS-TVDLKA -SLITEDTATY-CARGIVDL NNAKGRFTLVVSS (SEQ ID NO: 161)	DPMQTQPSVSAVAG GITV-INCOASQSVYN NLSWYQKRGQFTAL LIYDASTLASGVPFSF SNGSGTGQFT-LIISCV QCDAAITYCQGSYIS GENDTAFGGTIVVVK (SEQ ID NO: 97)	ASTKGPVFPFLAPSSKTSIGGTAAJGCL VKDYFPEVTVSMNSGALTSQVHCFFAV LQSSG-YSLSSVTFPSSSLGTQYICN VNHKPSNTKVDKVPKSCGGEK QGLSSFTVKSFNREGC (SEQ ID NO: 163)	TVAAPSVFIFFPSDEQLK SGTASVCLLNINFTYPERA KVQWKYNALQSGNSQES VTQDSKUSTYSLSSILIT LSXADYERKHVYACEVTH QGLSSFTVKSFNREGC (SEQ ID NO: 158)

Antibody	CDR-H ₁	CDR-H ₂	CDR-H ₃	CDR-L ₁	CDR-L ₂	CDR-L ₃	VH	VL	HC	LC
4-H3_H0 (hlgG1)	GFTFSNA (SEQ ID NO: 164)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:DNKNTLVY QMNSLRADTAITYCARGEI YFDLWGQGLTVTVSS (SEQ ID NO: 165)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GIDLTNA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:DNKNTLVY QMNSLRADTAITYCARGEI YFDLWGQGLTVTVSS (SEQ ID NO: 194)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
4-H3_H2 (hlgG1)	GIDLTNA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:SNITVLIQA NSRLRAEDTAITYCARGETIF DINGQGLTVTVSS (SEQ ID NO: 166)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GIDLTNA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:DNKNTLVY QMNSLRADTAITYCARGEI YFDLWGQGLTVTVSS (SEQ ID NO: 167)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
4-H3_H3 (hlgG1)	GIDLTNA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:DNKNTLVY QMNSLRADTAITYCARGEI YFDLWGQGLTVTVSS (SEQ ID NO: 168)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GIDLTNA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGVPSNSG LI (SEQ ID NO: 38)	QVQLVSGGGVYQPGHSLRL SCAASGIELTSSNAMHWYRQA PCKGLEWVAG:YGHDTSYVA AMAKGRFTIISR:DNKNTLVY QMNSLRADTAITYCARGEI YFDLWGQGLTVTVSS (SEQ ID NO: 168)	AYDMTQTTPS: SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASHLESGLVPFRFSG SSSGTDYTLTIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	ASTKGFVPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKTHCPFC PAPEL:GGFVSFLPPEPKOTLMSETP EVTCVVDVSHDEPVEVFNWYDGVGVH NKTAPREQYNSTFVWSVLTVLHQDM LNKSKYKCKVSNKAIPAEIKTISKAG QPREQVYTLTPSSDELTKNQVSLTCLV KGYPESDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRKQGNVFSK SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFYRPA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
4-H3_H5 (hlgG1)	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQ WVS:RAETAVYFCARGETY FDWGQGLVTVSS (SEQ ID NO: 169)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
4-H3_H6 (hlgG1)	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
4-H3_H7 (hlgG1)	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
4-H3_H8 (hlgG1)	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 27)	LYGHDTs (SEQ ID NO: 28)	ARGFTYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGSRILRS CAASG-DITSNAMWVRQAP GKGLEWAGTYSGHDTSYAA WAKGRTISRDNSKNTLYIQAN SLRAEDTAVYFCARGFTYFD TWQSG-LTVSS (SEQ ID NO: 170)	AYDMTQTPPS-SASVG ETVRIKCLASEDIASG ISWYQQKPGKPTLLI YGASMLSGGVPFRFSG SGSGDTYLLIIGGVQA EJAATYVCLGYSFSS NGLTFGAGTKVBIK (SEQ ID NO: 43)	KGYPSDI AVEMESNGQFNKYCTPEV LDSDSFTLYSKLTYDGRWQGNFTSC SVMEALHNHYTQKSLSISPGK (SEQ ID NO: 157)	TVAAFSVEIFPFSDEQLK SGTASVCLLNINFTYF3EA KVQWKVDAALQSGNSGES VTQDSKUSTYSLASLT LS3ADYERKH7YACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 138)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-D5_Ho (hlgG1)	GFTEGNVI (SEQ ID NO: 173)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AI (SEQ ID NO: 56)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV SAGAGFNINWQSTLVTVSS (SEQ ID NO: 174)	DIYMTQTPSSVSAAVG DITV ¹ IQCAQSINSG LAWYQQKPGQPKRLI YXASTLASGVPFRRFG SGSGTDFTLTITSDLEFC AQAATYQCQSYEYISA NGA ¹ TGGGTAVVE (SEQ ID NO: 61)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 158)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GFSLNNVI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AI (SEQ ID NO: 56)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV SAGAGFNINWQSTLVTVSS (SEQ ID NO: 175)	DIYMTQTPSSVSAAVG DITV ¹ IQCAQSINSG LAWYQQKPGQPKRLI YXASTLASGVPFRRFG SGSGTDFTLTITSDLEFC AQAATYQCQSYEYISA NGA ¹ TGGGTAVVE (SEQ ID NO: 61)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
1-D5_H2 (hlgG1)	GFSLNNVI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AI (SEQ ID NO: 56)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV SAGAGFNINWQSTLVTVSS (SEQ ID NO: 176)	DIYMTQTPSSVSAAVG DITV ¹ IQCAQSINSG LAWYQQKPGQPKRLI YXASTLASGVPFRRFG SGSGTDFTLTITSDLEFC AQAATYQCQSYEYISA NGA ¹ TGGGTAVVE (SEQ ID NO: 61)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GFSLNNVI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AI (SEQ ID NO: 56)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV SAGAGFNINWQSTLVTVSS (SEQ ID NO: 176)	DIYMTQTPSSVSAAVG DITV ¹ IQCAQSINSG LAWYQQKPGQPKRLI YXASTLASGVPFRRFG SGSGTDFTLTITSDLEFC AQAATYQCQSYEYISA NGA ¹ TGGGTAVVE (SEQ ID NO: 61)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
3-H9_Ho (hlgG1)	GFTEGNVD (SEQ ID NO: 177)	THAIGIT (SEQ ID NO: 64)	ARGLVDLNM (SEQ ID NO: 65)	QSYVSNNL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QGSYTSNGWY NI (SEQ ID NO: 74)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV DLNMWQSTLVTVSS (SEQ ID NO: 178)	AIKMTQTPSSVSAAVG GITV ¹ INQSSQSVYIN NLLSWTQQKPGQPKRLI LYDASTLESQVPSRF KSGSGTQFTLTITISEV QCEDAATYQCQSYIS SWAKYHFGGLTAVVVE (SEQ ID NO: 79)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)
	GFSLGNVD (SEQ ID NO: 63)	THAIGIT (SEQ ID NO: 64)	ARGLVDLNM (SEQ ID NO: 65)	QSYVSNNL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QGSYTSNGWY NI (SEQ ID NO: 74)	QVQ_VLSGGGVQPGHSLRL SCAASGFSLNNYIMGWVRA PGKGLFWAS ¹ HA-GITYYA SWAKGRFTISRNSKNTLV QMSLRADTAVYCARGLV DLNMWQSTLVTVSS (SEQ ID NO: 179)	AIKMTQTPSSVSAAVG GITV ¹ INQSSQSVYIN NLLSWTQQKPGQPKRLI LYDASTLESQVPSRF KSGSGTQFTLTITISEV QCEDAATYQCQSYIS SWAKYHFGGLTAVVVE (SEQ ID NO: 79)	ASTKGFVPFPLAPSSKSTISGGTAA ¹ GCL LQSSS ¹ YSLSSVTVFSSSLGTC ¹ YIGN VNHKPSNTKVDKVEPEKCKTH ¹ CPFC PAPEL ¹ GGFVSFLPPEPKOTLM ¹ SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTPTREQYNSTETVAVSVLTVLHQDM LNKSKYKCKVSKAKALPAEIKLISAKAG QPREQVYTLPPSRDELTIKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYK ¹ TFEV LDS ¹ GSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H ₁	CDR-H ₂	CDR-H ₃	CDR-L ₁	CDR-L ₂	CDR-L ₃	VH	VL	HC	LC
3-H9_H2 (hlgG1)	GFSLSNYD (SEQ ID NO: 63)	IHAIGIT (SEQ ID NO: 64)	ARGLVLDNR (SEQ ID NO: 65)	QSVYSNNL (SEQ ID NO: 72)	DAS (SEQ ID NO: 73)	QSSYISGGWY (SEQ ID NO: 74)	QQLVESGGGVVQPSRLRLS CAASGFSLSNYDMSWVRQAP CKGJEMIGSIIHAIGITVYAN WAGRETTISRUKNTVYLQAN SLRAEDTATVFCARGLYDLN WQ3QG-LTVYSS (SEQ ID NO: 180)	AIKMTQTSPSSVA/VG GTVYINCOSSQSVYVN MLLSWYQKFGQFAL LYDASTLESQVPSF KUGSGIQF L I I I S E V QCEDAATVYQGSYYS SGWYTFGGTIEVVVE (SEQ ID NO: 79)	KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSILT LSADYFERHKHV7ACEVTE QGLSSFTVKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	
1-A2_H0 (hlgG1)	GFTFSSNA (SEQ ID NO: 164)	IYGHOTS (SEQ ID NO: 10)	ARGFTIYDNI (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHSTTD LI (SEQ ID NO: 20)	QVQJVESGGGVVQPSRLRL SCAASGFTFSSNMMWVRQA PKGGLWVAGYGHDTSYIA AMAKGFTIISRDNKNTLYL QMSLRADTATVYFCARGEI YFOIWMQGLTVYSS (SEQ ID NO: 165)	AIEMTQTTPPSAS/VG ETVRIHCLASEDITSG ISWYQKPEKFPPTLLI YGASMLSGVFPFRESG SGSGDTYLLIIIGVQA EJAATVYCLGSHST TLLTFCAGTKVLEIK (SEQ ID NO: 25)	ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSILT LSADYFERHKHV7ACEVTE QGLSSFTVKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	
1-A2_H1 (hlgG1)	GIDLTSHA (SEQ ID NO: 9)	IYGHOTS (SEQ ID NO: 10)	ARGFTIYDNI (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHSTTD LI (SEQ ID NO: 20)	QVQJVESGGGVVQPSRLRL SCAASGILITSNMMWVRQA PKGGLWVAGYGHDTSYIA AMAKGFTIISRDNKNTLYL QMSLRADTATVYFCARGEI YFOIWMQGLTVYSS (SEQ ID NO: 194)	AIEMTQTTPPSAS/VG ETVRIHCLASEDITSG ISWYQKPEKFPPTLLI YGASMLSGVFPFRESG SGSGDTYLLIIIGVQA EJAATVYCLGSHST TLLTFCAGTKVLEIK (SEQ ID NO: 25)	ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSILT LSADYFERHKHV7ACEVTE QGLSSFTVKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	
1-A2_H2 (hlgG1)	GIDLTSHA (SEQ ID NO: 9)	IYGHOTS (SEQ ID NO: 10)	ARGFTIYDNI (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHSTTD LI (SEQ ID NO: 20)	QQLVESGGGVVQPSRLRLS CAASG-DITSNMMWVRQAP CKGJEMIGTYGHDTSYIAA WAGRETTISRUKNTVYLQAN SLRAEDTATVFCARGOFIYFD WQ3QG-LTVYSS (SEQ ID NO: 172)	AIEMTQTTPPSAS/VG ETVRIHCLASEDITSG ISWYQKPEKFPPTLLI YGASMLSGVFPFRESG SGSGDTYLLIIIGVQA EJAATVYCLGSHST TLLTFCAGTKVLEIK (SEQ ID NO: 25)	ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSILT LSADYFERHKHV7ACEVTE QGLSSFTVKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTTAAJGCL VKDYFPPEVTVSNWNGALISGVHFPFAPV LQSSSJYSLSSWTVFSSSLGQTICYN VNHKFSNTKVDKRVPEPSCKTHCTPFC PAPELGGFSVFLPPEPEKOTLMSETP EVTCTVVDVSHEDPEVFNWYDGVVEVH NAKTPEQCYNSTIRVSVLTVLHQW LNKGEYKCKVSNKALPAEIKLISKRG QPREQVYTLIPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYKCTPEV LDSQGSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKLSLSLSPGX (SEQ ID NO: 157)	

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-G5_Ho (hlgG1)	GFTSSVD (SEQ ID NO: 181)	IHATGIT (SEQ ID NO: 82)	ARGVDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSSYISGWD TA (SEQ ID NO: 92)	QVQ_VELSGGVVQFGRSLRL SCAASGFTSSVDMWVRQA PGKGLWAS-HA-GITFYA WAKGRFTISRNSKNTLV QMSLRADTATYCARGLV DLNMGQGLTVYSS	DVMQTASSVSAVG GITV-INQASQSVYNN NLSWYQKQGQPEAL LIYDASTLASGVPSRF SNGSGTQFTITISEV QDDAATYTCQGSYIS GMDTAFGGTIVVVK (SEQ ID NO: 97)	ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 138)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLT LSKADYERHKVACEVTH QGLSSPVTIKSFNREGEC (SEQ ID NO: 138)
							QVQ_VELSGGVVQFGRSLRL SCAASGFTSSVDMWVRQA PGKGLWAS-HA-GITFYA WAKGRFTISRNSKNTLV QMSLRADTATYCARGLV DLNMGQGLTVYSS (SEQ ID NO: 182)		ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	
1-G5_H1 (hlgG1)	GFTSSVD (SEQ ID NO: 81)	IHATGIT (SEQ ID NO: 82)	ARGVDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSSYISGWD TA (SEQ ID NO: 92)	QVQ_VELSGGVVQFGRSLRL SCAASGFTSSVDMWVRQA PGKGLWAS-HA-GITFYA WAKGRFTISRNSKNTLV QMSLRADTATYCARGLV DLNMGQGLTVYSS (SEQ ID NO: 183)	DVMQTASSVSAVG GITV-INQASQSVYNN NLSWYQKQGQPEAL LIYDASTLASGVPSRF SNGSGTQFTITISEV QDDAATYTCQGSYIS GMDTAFGGTIVVVK (SEQ ID NO: 97)	ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLT LSKADYERHKVACEVTH QGLSSPVTIKSFNREGEC (SEQ ID NO: 138)
							QVQ_VELSGGVVQFGRSLRL SCAASGFTSSVDMWVRQA PGKGLWAS-HA-GITFYA WAKGRFTISRNSKNTLV QMSLRADTATYCARGLV DLNMGQGLTVYSS (SEQ ID NO: 184)		ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	
4-H3_Lo (hlgGK)	GIDLTSA (SEQ ID NO: 27)	LYGHOTS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	DAS (SEQ ID NO: 37)	LAGVPSFSG LI (SEQ ID NO: 38)	SQS_REISGRLVPPGTPILTL CTVSGELTSSVDMWVRQA PGKGLWIGG-YGHOTSYYA AWAKGRFTISRNTVDLKK REFITDIDTATYCARGITV DIACTGLTVTSS (SEQ ID NO: 159)	DQMTQSPSSASAVG DAVITICLASEDIASG ISWYQKQPKAKELLI YGASMLSGVPSRSG SSSGTDTLITISLQIP EJFATYCLGVSFSS NGLTGGGKIVK (SEQ ID NO: 185)	ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLT LSKADYERHKVACEVTH QGLSSPVTIKSFNREGEC (SEQ ID NO: 138)
							SQS_REISGRLVPPGTPILTL CTVSGELTSSVDMWVRQA PGKGLWIGG-YGHOTSYYA AWAKGRFTISRNTVDLKK REFITDIDTATYCARGITV DIACTGLTVTSS (SEQ ID NO: 159)		ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	
4-H3_L1 (hlgGK)	GIDLTSA (SEQ ID NO: 27)	LYGHOTS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	DAS (SEQ ID NO: 37)	LAGVPSFSG LI (SEQ ID NO: 38)	SQS_REISGRLVPPGTPILTL CTVSGELTSSVDMWVRQA PGKGLWIGG-YGHOTSYYA AWAKGRFTISRNTVDLKK REFITDIDTATYCARGITV DIACTGLTVTSS (SEQ ID NO: 159)	DQMTQSPSSASAVG DAVITICLASEDIASG ISWYQKQPKAKELLI YGASMLSGVPSRSG SSSGTDTLITISLQIP EJFATYCLGVSFSS NGLTGGGKIVK (SEQ ID NO: 186)	ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLT LSKADYERHKVACEVTH QGLSSPVTIKSFNREGEC (SEQ ID NO: 138)
							SQS_REISGRLVPPGTPILTL CTVSGELTSSVDMWVRQA PGKGLWIGG-YGHOTSYYA AWAKGRFTISRNTVDLKK REFITDIDTATYCARGITV DIACTGLTVTSS (SEQ ID NO: 159)		ASTKGFVPFLAPSSKTSISGTAAGCL LQSSSYSLSSVTVFSSSLGTCYICN VNIKESTKVDKVEPEKCKHCPFC PAPELGGPSVFLPPEPKOTLMSETP EVTCTVVDVSHDEPVEFNWVDGVEVH NKTAPREQYNSITFVWSVLTVLHQWM LNKGRYKCKVSNKAIPAEIKLISKAG QPREQYVTLPSRDELTKNQVSLTCLV KGFPSDIAVEMESNGCFENNYKTFPEV LDSGSEFFLYSKLTVDRNQGNVFC SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-D5_Lo (hlgGK)	GFSLNNYI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG ENI (SEQ ID NO: 47)	QSIYSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHYTSANG AI (SEQ ID NO: 56)	QQQVLSGRLVTFGTEFLTL "CAVSGFSLNNYIMGWVRA PGKGLYEYIGI:3TGGSYYA SWAKGRFTISRTS:TMDLK4 "SLITDDTATY?CARGESSA GAGFN:WGFGLVTVSS (SEQ ID NO: 52)	DIQMTQSPSS:ASAVG DAV:ITICQASQINSNG LAWYQQKPGKRAKLLI YASSTLASGVPGRFSG SGSGTDFTLTI:SIISLP EAFATYVCSQSYEYISA NGA:FGGGRKVEIK (SEQ ID NO: 187)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
	GFSLNNYI (SEQ ID NO: 45)	ISTGGST (SEQ ID NO: 46)	ARGGSSAGAG ENI (SEQ ID NO: 47)	QSIYSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHYTSANG AI (SEQ ID NO: 56)	QQQVLSGRLVTFGTEFLTL "CAVSGFSLNNYIMGWVRA PGKGLYEYIGI:3TGGSYYA SWAKGRFTISRTS:TMDLK4 "SLITDDTATY?CARGESSA GAGFN:WGFGLVTVSS (SEQ ID NO: 52)	DIQMTQSPSS:ASAVG DAV:ITICQASQINSNG LAWYQQKPGKRAKLLI YASSTLASGVPGRFSG SGSGTDFTLTI:SIISLP EAFATYVCSQSYEYISA NGA:FGGGRKVEIK (SEQ ID NO: 188)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
3-H9_Lo (hlgGK)	GFSLNNYD (SEQ ID NO: 63)	THATGIT (SEQ ID NO: 64)	ARGVLDLNM (SEQ ID NO: 65)	QSIYVSNLL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QSYYSNGMY NT (SEQ ID NO: 74)	SQS:EESSGRLVTFGTEFLTL "CSVSGFSLNNYIMGWVRA PGKGLIEWTGS:HA:GITYA WNAEGRFTISRTS:TMDLK4 "SLITDDTATY?CARGLVLD IMWGFETLVTS (SEQ ID NO: 160)	DIQMTQSPSS:ASAVG DAV:ITICQASQVTSN NLWSYQQKPGKRAKLLI LYDASILESVPGRF SGSGTDFTLTI:SIISLP Q:RDPATYV?TGSYS SGWNTFGG:TKVRIK (SEQ ID NO: 189)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 9)	LYGHOTS (SEQ ID NO: 10)	ARGFTYD: (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	SQSVEBSGRLVTFGTEFLTL "CTVSGITITLASVANNWVRA PGKGLIEWTGS:YGHDTSYTA AWAKGRFTISRTS:TMDLK4 "RPTDDTATY?CARGETVF DIWGTGLVT:SS (SEQ ID NO: 156)	DIQMTQSPSS:ASAVG DAV:ITICLASEDIYSG LSWYQQKPGKRAKLLI YGASMLSGVPGRFSG SGSGTDFTLTI:SIISLP EAFATYVCLAGSHST TGLTGGGTVEIK (SEQ ID NO: 190)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
1-A2_Lo (hlgGK)	GIDLTSHA (SEQ ID NO: 9)	LYGHOTS (SEQ ID NO: 10)	ARGFTYD: (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	SQSVEBSGRLVTFGTEFLTL "CTVSGITITLASVANNWVRA PGKGLIEWTGS:YGHDTSYTA AWAKGRFTISRTS:TMDLK4 "RPTDDTATY?CARGETVF DIWGTGLVT:SS (SEQ ID NO: 156)	DIQMTQSPSS:ASAVG DAV:ITICLASEDIYSG LSWYQQKPGKRAKLLI YGASMLSGVPGRFSG SGSGTDFTLTI:SIISLP EAFATYVCLAGSHST TGLTGGGTVEIK (SEQ ID NO: 190)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
	GIDLTSHA (SEQ ID NO: 9)	LYGHOTS (SEQ ID NO: 10)	ARGFTYD: (SEQ ID NO: 11)	EDIVSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	SQSVEBSGRLVTFGTEFLTL "CTVSGITITLASVANNWVRA PGKGLIEWTGS:YGHDTSYTA AWAKGRFTISRTS:TMDLK4 "RPTDDTATY?CARGETVF DIWGTGLVT:SS (SEQ ID NO: 156)	DIQMTQSPSS:ASAVG DAV:ITICLASEDIYSG LSWYQQKPGKRAKLLI YGASMLSGVPGRFSG SGSGTDFTLTI:SIISLP EAFATYVCLAGSHST TGLTGGGTVEIK (SEQ ID NO: 190)	ASTKGPVFFLPAPSSKSTISGGTAA:GCL VKDYFPPEVTVSWNSGALITSGVH:TFPAV LQSSS:YSLSSVTVFPSSSLGQT:YICN VNHKFSNTKVDKRVPEPSCKTH:CFPC PAPEL:GGFVSFLPPEPEKOTLM:SETP EVTCTVVDVSHEDPEVFEVNWVDGVEVH NAKTPRQCYNSTYTRVSVLTVLHQWM LNKKEIKCKVSNKALPAEIKLISARAG QPREQVYTLIPESRDELTKNQVSLTCLV KGFYPSDIAVEMESNGQFNHYK:TFEV LDSQGSFFLYSKLTVDRSRWQQNFVSC SVMHRAHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYPRPA KVQWKVNALQSGNSQES VTQDSKUSTYSLSSSLIT LSXADYERHKV7FACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)

Antibody	CDR-H ₁	CDR-H ₂	CDR-H ₃	CDR-L ₁	CDR-L ₂	CDR-L ₃	VH	VL	HC	LC
1-A2_L1 (hlgGK)	GIDLTSA (SEQ ID No: 9)	IYGHDS (SEQ ID No: 10)	ARGFIYFDI (SEQ ID No: 11)	EDIYSG (SEQ ID No: 18)	3AS (SEQ ID No: 19)	L ₁ L ₂ CHSHSTTD L ₁	SQSVLESGGLVFFGTEPLT "CTVSITSTISNAMWVRQA PGKLEWTCG-YGHDSYAA AWAKGRFTISRTSTVDLKM "RPTDITATVFCARGFIYF DIWGTELTIVTS (SEQ ID NO: 156)	DIQWTQSPSS: SASVG DAY: IICLASEDIYSG ISWYQQRGKAKLLI YGASMLESGVPFRESG SGSGTDITLTISSLQF EJFATYICLGGSHST TJLTGGGKTVRIK (SEQ ID NO: 191)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
							SQS_EESGRLVTFGTEPLT "CSVSFSLSSVDMTWVRQA PGKLEWTCG-HA:GITEYA WAKGRFTISRTSTVDLKM "SLITEDTATVFCARGLVDL IMWGPETLTVTS (SEQ ID NO: 161)	DIQWTQSPSS: SASVG DAY: IICQASQVYNN NLSWYQQRGKAKLLI LYDASTLASGVPFRES SGSGTDITLTISSLQF QPEDFATYICQGSYS GMDTARFGGKTVRIK (SEQ ID NO: 192)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-G5_L1 (hlgGK)	GFSLSYD (SEQ ID No: 81)	IHTGII (SEQ ID No: 82)	ARGVLDM (SEQ ID No: 83)	QSVNNY (SEQ ID No: 90)	DAS (SEQ ID No: 91)	QSVYSGWMD TA	SQS_EESGRLVTFGTEPLT "CSVSFSLSSVDMTWVRQA PGKLEWTCG-HA:GITEYA WAKGRFTISRTSTVDLKM "SLITEDTATVFCARGLVDL IMWGPETLTVTS (SEQ ID NO: 161)	DIQWTQSPSS: SASVG DAY: IICQASQVYNN NLSWYQQRGKAKLLI LYDASTLASGVPFRES SGSGTDITLTISSLQF QPEDFATYICQGSYS GMDTARFGGKTVRIK (SEQ ID NO: 192)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-G5_L1 (hlgGK)	GFSLSYD (SEQ ID No: 81)	IHTGII (SEQ ID No: 82)	ARGVLDM (SEQ ID No: 83)	QSVNNY (SEQ ID No: 90)	DAS (SEQ ID No: 91)	QSVYSGWMD TA	SQS_EESGRLVTFGTEPLT "CSVSFSLSSVDMTWVRQA PGKLEWTCG-HA:GITEYA WAKGRFTISRTSTVDLKM "SLITEDTATVFCARGLVDL IMWGPETLTVTS (SEQ ID NO: 161)	DIQWTQSPSS: SASVG DAY: IICQASQVYNN NLSWYQQRGKAKLLI LYDASTLASGVPFRES SGSGTDITLTISSLQF QPEDFATYICQGSYS GMDTARFGGKTVRIK (SEQ ID NO: 193)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-A2_H2_L1	GIDLTSA (SEQ ID No: 9)	IYGHDS (SEQ ID No: 10)	ARGFIYFDI (SEQ ID No: 11)	EDIYSG (SEQ ID No: 18)	3AS (SEQ ID No: 19)	L ₁ L ₂ CHSHSTTD L ₁	QQLVESGGGVQPGSRSLRLS CAASG-DITSNAMWVRQAP SKGJEMIGIYGHDSYAA WAKGRFTISRDNTVYLQW SLRAEDTATVFCARGFIYF "WQCG-LTVTS (SEQ ID NO: 172)	DIQWTQSPSS: SASVG DAY: IICLASEDIYSG ISWYQQRGKAKLLI YGASMLESGVPFRESG SGSGTDITLTISSLQF EJFATYICLGGSHST TJLTGGGKTVRIK (SEQ ID NO: 191)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-A2_H2_L0	GIDLTSA (SEQ ID No: 9)	IYGHDS (SEQ ID No: 10)	ARGFIYFDI (SEQ ID No: 11)	EDIYSG (SEQ ID No: 18)	3AS (SEQ ID No: 19)	L ₁ L ₂ CHSHSTTD L ₁	QQLVESGGGVQPGSRSLRLS CAASG-DITSNAMWVRQAP SKGJEMIGIYGHDSYAA WAKGRFTISRDNTVYLQW SLRAEDTATVFCARGFIYF "WQCG-LTVTS (SEQ ID NO: 172)	DIQWTQSPSS: SASVG DAY: IICLASEDIYSG ISWYQQRGKAKLLI YGASMLESGVPFRESG SGSGTDITLTISSLQF EJFATYICLGGSHST TJLTGGGKTVRIK (SEQ ID NO: 190)	ASTKGFVPFLAPSSKSTISGTTAAJGCL LQSSJYSLSSVTVFSSSLGTCYICN VNHKPSNTKVDKVEPKSCDKHTCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVVDVSHEDPEVEFNWVDGVEVH NAKTFRGQYNTSTFVAVSVLTVLHQW LNGKFKYKVSNAKALPAIEKLTISKAG QPREQVYTLIPSRDELTKNQVSLTCLV KGFPSDIAMVESNGQFNNTKTPFV LDSGSGFTLYSKLTVDRSQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLINFFPPEA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASLTIT LSKADYERHKVYACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H ₁	CDR-H ₂	CDR-H ₃	CDR-L ₁	CDR-L ₂	CDR-L ₃	VH	VL	HC	LC
1-A2_H1_L1	GIDLTSA (SEQ ID NO: 9)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGIELTSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL QMNSLRAREDYATVYCARGEI YFDIWQGQGLIVTVSS (SEQ ID NO: 194)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 191)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
	GIDLTSA (SEQ ID NO: 9)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGIELTSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL QMNSLRAREDYATVYCARGEI YFDIWQGQGLIVTVSS (SEQ ID NO: 194)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 191)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-A2_H1_L0	GIDLTSA (SEQ ID NO: 9)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGIELTSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL QMNSLRAREDYATVYCARGEI YFDIWQGQGLIVTVSS (SEQ ID NO: 194)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 190)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
	GIDLTSA (SEQ ID NO: 9)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGIELTSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL QMNSLRAREDYATVYCARGEI YFDIWQGQGLIVTVSS (SEQ ID NO: 194)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 190)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-A2_H0_L1	GFTFSSNA (SEQ ID NO: 164)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGFTFSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL YFDIWQGQGLIVTVSS (SEQ ID NO: 165)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 191)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
	GFTFSSNA (SEQ ID NO: 164)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGFTFSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL YFDIWQGQGLIVTVSS (SEQ ID NO: 165)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 191)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
1-A2_H0_L0	GFTFSSNA (SEQ ID NO: 164)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGFTFSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL YFDIWQGQGLIVTVSS (SEQ ID NO: 165)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 190)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)
	GFTFSSNA (SEQ ID NO: 164)	IYGHDS (SEQ ID NO: 10)	ARGFIYFDI (SEQ ID NO: 11)	EDIYSG (SEQ ID NO: 18)	3AS (SEQ ID NO: 19)	LGGHSHITD LI (SEQ ID NO: 20)	QVQJVESGGGVYQFGRSLRL SCAASGFTFSSNAMHWVRQA PGKLEWVAGIYGHDTSYVA AWAKGRFTISRNGSKNTLVL YFDIWQGQGLIVTVSS (SEQ ID NO: 165)	DIQMTQSPSSLSASVG DVYITICLASEDITISG ISWYQQKPGKPKLLI YGASMLESGVPFRFSG SGSGDTFTLTLSISLQP EAFATYVCLGSEHST TCLTGGGCTKVEIK (SEQ ID NO: 190)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMEALHNHYTQKSLSISLSPCK (SEQ ID NO: 157)	TVAAFSVEIFFPSDEQLK SGTASVVCLLNNFYFPER KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILIT VTSQDSKUSTYSLSSILIT LSADYFERHKV7ACEVTH QGLSSPVTKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
4-H3_H8_L1	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 172)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 172)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
4-H3_H7_L1	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 171)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 171)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
4-H3_H6_L1	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 170)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYSPSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQPGRSIRLS CAASG-DITSNAMWVRQAP GKGEWAGTYGHDSYVAA WAKGRTTISRDNVLYLQAN SLRAEDATATYFCARGFIYD CWQGC-LVTVSS (SEQ ID NO: 170)	DYQMTQSPSS: SASVG DAY: ITICLASEDIASG ISWYQQRPGRKAPELLI YGASMLESGVP:SRFSG SSSGTDITLTIISLSQP EJFATYICLGGYSPSS NGLTGGGTVKVIK (SEQ ID NO: 186)	ASTKGFVFPFLAPSSKSTISGGTAAJGCL LQSSS:YSLSSVTVFPSSSLGTCYIGN VNHKPSNTKVDKRYEPKSCDKHTCPFC PAPEL:GGFVSFLPFPPEKOTLMSETP EVTCTVVDVSHEDPEVEENWYVDGVEVH NAKTPREGLQYNSTYVAVSVLYVLHQWM LNGKRYKCKVSNKAIPAEIKTILSKAG QPREQVYITLIPESDELTIKQVSLTCLV KGFPSDIAVEMESNGCFENNYKTPFEV LDSDSFFLYSKLTVDRSRWQGNVFS SVMEALHNHYTKSLISLSPGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)

- 25/34 -

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
4-H3_H6_Lo	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGRLRLS CAASG-DLTSNAMWVRQAP GKGJEWAGVYGHDTSYAA WAGRTTISRDNLTLYLQAN SLRAGTAVYICARGFIYD TWQGGTLIVTSS (SEQ ID NO: 170)	DYQMTQSPSS: SASVG D3V7ITICLASEDIASG ISW7QQRPGRKAKLLI YGASMLSGGVPSRFSG SGSGDTYTLTISLSQP E3FATYVCLGVSFSS NGLTGGGTVKVIK (SEQ ID NO: 185)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMHEALHNHYTKLSLSLSPCK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVVCLLNINFP3RA KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILT L3SADYERHKV7ACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGRLRLS CAASG-DLTSNAMWVRQAP GKGJEWAGVYGHDTSYAA WAGRTTISRDNLTLYLQAN SLRAGTAVYICARGFIY FDWQGGTLV-TSS (SEQ ID NO: 169)	DYQMTQSPSS: SASVG D3V7ITICLASEDIASG ISW7QQRPGRKAKLLI YGASMLSGGVPSRFSG SGSGDTYTLTISLSQP E3FATYVCLGVSFSS NGLTGGGTVKVIK (SEQ ID NO: 186)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMHEALHNHYTKLSLSLSPCK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVVCLLNINFP3RA KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILT L3SADYERHKV7ACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
4-H3_H5_Lo	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGRLRLS CAASG-DLTSNAMWVRQAP GKGJEWAGVYGHDTSYAA WAGRTTISRDNLTLYLQAN SLRAGTAVYICARGFIY FDWQGGTLV-TSS (SEQ ID NO: 169)	DYQMTQSPSS: SASVG D3V7ITICLASEDIASG ISW7QQRPGRKAKLLI YGASMLSGGVPSRFSG SGSGDTYTLTISLSQP E3FATYVCLGVSFSS NGLTGGGTVKVIK (SEQ ID NO: 185)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMHEALHNHYTKLSLSLSPCK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVVCLLNINFP3RA KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILT L3SADYERHKV7ACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)
	GIDLTSA (SEQ ID NO: 27)	IYGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QQLVESGGGVVQFGRLRLS CAASG-DLTSNAMWVRQAP GKGJEWAGVYGHDTSYAA WAGRTTISRDNLTLYLQAN SLRAGTAVYICARGFIY FDWQGGTLV-TSS (SEQ ID NO: 168)	DYQMTQSPSS: SASVG D3V7ITICLASEDIASG ISW7QQRPGRKAKLLI YGASMLSGGVPSRFSG SGSGDTYTLTISLSQP E3FATYVCLGVSFSS NGLTGGGTVKVIK (SEQ ID NO: 186)	KGYFSDIAVWESNGQFENNYKCTPEV LDSDGSFFLYSKLTVDRSRWQGNFSC SVMHEALHNHYTKLSLSLSPCK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVVCLLNINFP3RA KVQWKYNALQSGNSAES VTQDSKUSTYSLSSILT L3SADYERHKV7ACEVTH QGLSSPVTIKSFNRGEC (SEQ ID NO: 138)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
4-H3_H4_Lo	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 168)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 185)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 158)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 167)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 186)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)
4-H3_H3_Lo	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 167)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 185)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 166)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 186)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)
4-H3_H2_Lo	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 166)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 185)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)
	GIDLTSA (SEQ ID NO: 27)	IVGHDS (SEQ ID NO: 28)	ARGFIYFDI (SEQ ID NO: 29)	EDIASG (SEQ ID NO: 36)	3AS (SEQ ID NO: 37)	LGGYFSSNG LI (SEQ ID NO: 38)	QVQ_VESGGGVQPGHSLRL SCAASGIELTISNANWVRQA PGKGLIEWAG_YGHDSYVA AMAKGRFTISR_NSKNTLVL QMSLRADDTAVYFCARGEI YFOLWQGTILVTVSS (SEQ ID NO: 166)	DIQMTQSPSS_SASVG DAVYITICLASEDIASG ISWYQQKPGKRAKLLI YGASMLESGVPFRESFG SGSGTDFTLTISIQLQ EJFATYICLGSYFSS NGLTGGGTGVKIK (SEQ ID NO: 186)	ASTKGFVPFLAPSSKSTISGRTAA_GCL LQSSSYSLSSSVTVFSSSLGTCYIGN VNHKPSNTKVDKVEPKSCOKTHCPFC PAPELGGFVSFLPPEPKOTLMSETP EVTCTVDVSHEDPEVEENWYDGVGVH NAKTPREGLQYNSTYVAVSLTVLHQWM LNKSKYKCKVSNKAIPAEIKLISKAG QPREQVYITLPPSRDELINQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSDSFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYDVALQSGNSDES VTQDSKUSTYSLASITL LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 138)

CA 03214716 2023-10-5

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-D5_H2_L1	GFSLNNV1 (SEQ ID NO: 45)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFSLNNVIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNNTYLMQ NSLRADTAVT:CARGGSA GAGFN:WQGGTLYTVSS (SEQ ID NO: 176)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 188)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GFSLNNV1 (SEQ ID NO: 45)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFSLNNVIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNNTYLMQ NSLRADTAVT:CARGGSA GAGFN:WQGGTLYTVSS (SEQ ID NO: 176)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 187)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
1-D5_H1_L1	GFSLNNV1 (SEQ ID NO: 45)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFSLNNVIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNKNTLYL QMSLRADTAVT:CARGGS SAGAGFN:WQGGTLYTVSS (SEQ ID NO: 175)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 188)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GFSLNNV1 (SEQ ID NO: 45)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFSLNNVIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNKNTLYL QMSLRADTAVT:CARGGS SAGAGFN:WQGGTLYTVSS (SEQ ID NO: 175)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 187)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
1-D5_Ho_L1	GFTFGRV1 (SEQ ID NO: 173)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFTFGRNIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNKNTLYL QMSLRADTAVT:CARGGS SAGAGFN:WQGGTLYTVSS (SEQ ID NO: 174)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 188)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)
	GFTFGRV1 (SEQ ID NO: 173)	1STGGST (SEQ ID NO: 46)	ARGGSSAGAG FNI (SEQ ID NO: 47)	QSINSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHTISANG AT (SEQ ID NO: 56)	QQQ_VLSGGGVQPGHSLRL SCAASGFTFGRNIMGWVRQA PGKGLIEWAL:3TGGSTYYA SWAKGRFTISR:SNKNTLYL QMSLRADTAVT:CARGGS SAGAGFN:WQGGTLYTVSS (SEQ ID NO: 174)	DIQWTQSPSS: SASVG DAY:ITQASQINSNG LAWYQQRPGRKAERLLI YZASTLASGVPSRESFG SSSGTDFTLTI:SSIQP EJFATYQCQSYEYISA NGA:FGGGTKVRIK (SEQ ID NO: 188)	ASTKGFVPFPLAPSSKSTISGGTAA:JGCL LQSSS:YSLSSVTVFSSSLGTCYICN VNIHKPSNTKVDKRYEPKSCDKTHTCPFC PAPEL:GGPSVFLPPEPKOTLM:SETP EVTCTVVDVSHDEPVEVFNWYVDGVEVH NKTAPREQYNSITFVAVSVLTVLHQWM LNGKRYCKVSKNAKPAFIEKLTISKAG QPREQVYTLIPPSRDELTIKQVSLTCLV KGFYPSDIAVEMESNGCFENNYK:TFEV LDSG:SFLLYSKLTVDGRNQGNVFSK SVMEALHNHYTKSLSISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVTVCLNNFYPREA KVQWKYNALQSGNSDES VTQDSKUSTYSLASLTIT LSAADYERHKVYACEVTH QGSSPVTIKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-D5_Ho_Lo	GFTFSNYI (SEQ ID NO: 173)	ISTGGST (SEQ ID NO: 46)	ARGSSAGG FNI (SEQ ID NO: 47)	QSYNSG (SEQ ID NO: 54)	KAS (SEQ ID NO: 55)	QSYHISANG AI (SEQ ID NO: 56)	QVQLVESGGGVQPGERSLR SCAASGFTFSNYIMGWVRQA PCKGLEWAS ³ HTGGSTYYA SWAKGRFTISRDNKNTLVL QMSLRADTAVTYCARGGS SASAGFTIWQSGTLTVTSS (SEQ ID NO: 174)	DIQMTQSPSS ³ SASVG DEV ¹ ITCAQSINSG LAWYQQKPKRAKLLI YASITLASSGVSRESFG SMSGTITLI ¹ LSLQPF E ² FATATYQSGYEVISA NGA ¹ FGGKITVEIK (SEQ ID NO: 187)	KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVDNALQSGNSQES VTCQSKUSTYSLSSITLT LSXAOTEKHKV ¹ FACEVTE QGLSSPVTIKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTAAGCL VKDYFPPEVTVSWNSGALISGVHCTFPFV LQSSS ³ YSLSSVTVFPSSSLGQTCTICN VNHKFSNTKVDKRYEPESCKTHCTCFEC PAPEL ¹ GGFSVFLPPEPKOTLM ¹ SRTP EVTCVVDVSHEDPEVFNWYDGVGVH NAKTFRPQCYNSTYRVSVLTVLHQWM LNKEKTKCKVSNKALPAEIKTILSRAG QPREQVYTLPPSRDELTKNQVSLTCLV KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	
3-H9_H2_Lo	GFTLSNYD (SEQ ID NO: 63)	THAIGIT (SEQ ID NO: 64)	ARGLVDLM (SEQ ID NO: 65)	QSYNNIL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QSYTSCWY NT (SEQ ID NO: 74)	QQLVESGGGVQPGERSLR CAASGFTSLN ² DMGWVRQA GRCS ³ EWISHTAIGITYYAN WAGRTISRDNKNTVYLQWN SLRADTATVFCARGLVDLN MWQGLTVTSS (SEQ ID NO: 180)	DIQMTQSPSS ³ SASVG DEV ¹ ITQSSQSVYTN NLLSWYQQKPKRAEKL LIYDASTLESVPFGRF SMSGTIDFT ¹ ILISL Q ² EDPATYTYQGSYYS SGWYTFGGGITVEIK (SEQ ID NO: 189)	KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVDNALQSGNSQES VTCQSKUSTYSLSSITLT LSXAOTEKHKV ¹ FACEVTE QGLSSPVTIKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTAAGCL VKDYFPPEVTVSWNSGALISGVHCTFPFV LQSSS ³ YSLSSVTVFPSSSLGQTCTICN VNHKFSNTKVDKRYEPESCKTHCTCFEC PAPEL ¹ GGFSVFLPPEPKOTLM ¹ SRTP EVTCVVDVSHEDPEVFNWYDGVGVH NAKTFRPQCYNSTYRVSVLTVLHQWM LNKEKTKCKVSNKALPAEIKTILSRAG QPREQVYTLPPSRDELTKNQVSLTCLV KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	
3-H9_H1_Lo	GFTLSNYD (SEQ ID NO: 63)	THAIGIT (SEQ ID NO: 64)	ARGLVDLM (SEQ ID NO: 65)	QSYNNIL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QSYTSCWY NT (SEQ ID NO: 74)	QVQLVESGGGVQPGERSLR SCAASGFTFSNYIMGWVRQA PCKGLEWAS ³ HALGITYYA WAKGRFTISRDNKNTLVL QMSLRADTAVTYCARGLV DLNMQGGLTVTSS (SEQ ID NO: 179)	DIQMTQSPSS ³ SASVG DEV ¹ ITQSSQSVYTN NLLSWYQQKPKRAEKL LIYDASTLESVPFGRF SMSGTIDFT ¹ ILISL Q ² EDPATYTYQGSYYS SGWYTFGGGITVEIK (SEQ ID NO: 189)	KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVDNALQSGNSQES VTCQSKUSTYSLSSITLT LSXAOTEKHKV ¹ FACEVTE QGLSSPVTIKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTAAGCL VKDYFPPEVTVSWNSGALISGVHCTFPFV LQSSS ³ YSLSSVTVFPSSSLGQTCTICN VNHKFSNTKVDKRYEPESCKTHCTCFEC PAPEL ¹ GGFSVFLPPEPKOTLM ¹ SRTP EVTCVVDVSHEDPEVFNWYDGVGVH NAKTFRPQCYNSTYRVSVLTVLHQWM LNKEKTKCKVSNKALPAEIKTILSRAG QPREQVYTLPPSRDELTKNQVSLTCLV KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	
3-H9_Ho_Lo	GFTFSNYD (SEQ ID NO: 177)	THAIGIT (SEQ ID NO: 64)	ARGLVDLM (SEQ ID NO: 65)	QSYNNIL (SEQ ID NO: 72)	OAS (SEQ ID NO: 73)	QSYTSCWY NT (SEQ ID NO: 74)	QVQLVESGGGVQPGERSLR SCAASGFTFSNYIMGWVRQA PCKGLEWAS ³ HALGITYYA WAKGRFTISRDNKNTLVL QMSLRADTAVTYCARGLV DLNMQGGLTVTSS (SEQ ID NO: 178)	DIQMTQSPSS ³ SASVG DEV ¹ ITQSSQSVYTN NLLSWYQQKPKRAEKL LIYDASTLESVPFGRF SMSGTIDFT ¹ ILISL Q ² EDPATYTYQGSYYS SGWYTFGGGITVEIK (SEQ ID NO: 189)	KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	TVAAFSVFIFFPSDEQLK SGTASVYVCLLNNFYPRPA KVQWKVDNALQSGNSQES VTCQSKUSTYSLSSITLT LSXAOTEKHKV ¹ FACEVTE QGLSSPVTIKSFNRGEC (SEQ ID NO: 158)
									ASTKGFVFFLPAPSSKSTISGTAAGCL VKDYFPPEVTVSWNSGALISGVHCTFPFV LQSSS ³ YSLSSVTVFPSSSLGQTCTICN VNHKFSNTKVDKRYEPESCKTHCTCFEC PAPEL ¹ GGFSVFLPPEPKOTLM ¹ SRTP EVTCVVDVSHEDPEVFNWYDGVGVH NAKTFRPQCYNSTYRVSVLTVLHQWM LNKEKTKCKVSNKALPAEIKTILSRAG QPREQVYTLPPSRDELTKNQVSLTCLV KGYPSDIAVWESNGQFENNYKCTPEV LDSDGSFTFLYSKLTVDKSRWQGNVFSC SVMHEALHNHYITQKSLSLSLSPGK (SEQ ID NO: 157)	

Antibody	CDR-H1	CDR-H2	CDR-H3	CDR-L1	CDR-L2	CDR-L3	VH	VL	HC	LC
1-G5_H2_L1	GFSLSSVD (SEQ ID NO: 81)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QQLVESGGGVQPGHSLRLG CAAGSFSSVYDMWVRQAP GKGLGEMISGTHATGITFYAN WAKGRTTTSKDNVYLQWNI SLRBDATATVFCARGLVDLN MWQGG-LTVTSS (SEQ ID NO: 184)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 193)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 158)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)
	GFSLSSVD (SEQ ID NO: 81)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QQLVESGGGVQPGHSLRLG CAAGSFSSVYDMWVRQAP GKGLGEMISGTHATGITFYAN WAKGRTTTSKDNVYLQWNI SLRBDATATVFCARGLVDLN MWQGG-LTVTSS (SEQ ID NO: 184)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 192)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)
1-G5_H1_L1	GFSLSSVD (SEQ ID NO: 81)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QVQLVESGGGVQPGHSLRLG SCAASGFTSLSSYDMTWVRQA PGKGLHWAS: HA: GITEYA HWAKGRTTISRNSKNTLVG QMSLRRAEDTATV: CARGLV DLNMWQQTILVTSS (SEQ ID NO: 183)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 193)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)
	GFSLSSVD (SEQ ID NO: 81)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QVQLVESGGGVQPGHSLRLG SCAASGFTSLSSYDMTWVRQA PGKGLHWAS: HA: GITEYA HWAKGRTTISRNSKNTLVG QMSLRRAEDTATV: CARGLV DLNMWQQTILVTSS (SEQ ID NO: 183)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 192)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)
1-G5_Ho_L1	GFTSSVD (SEQ ID NO: 181)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QVQLVESGGGVQPGHSLRLG SCAASGFTSSYDMTWVRQA PGKGLHWAS: HA: GITEYA HWAKGRTTISRNSKNTLVG QMSLRRAEDTATV: CARGLV DLNMWQQTILVTSS (SEQ ID NO: 182)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 193)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)
	GFTSSVD (SEQ ID NO: 181)	IHATGIT (SEQ ID NO: 82)	ARGLDLNM (SEQ ID NO: 83)	QSVNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSVYSGWMD (SEQ ID NO: 92)	QVQLVESGGGVQPGHSLRLG SCAASGFTSSYDMTWVRQA PGKGLHWAS: HA: GITEYA HWAKGRTTISRNSKNTLVG QMSLRRAEDTATV: CARGLV DLNMWQQTILVTSS (SEQ ID NO: 182)	DQMTQSPSS: SASVG DAV: ITQASQSVYNN NYLSWYQQKPGRAEKL LIYDASTLASGVPSPRF SSGSGGIDFTLTITISL QPEDFATYV: QGGSYIS GMDTAFGGGTIVRIK (SEQ ID NO: 193)	ASTKGFVFPFLAPSSKSTISGTTAAJGCL LQSSS: YSLSSVTVFPSSSLGTCYIGN VNIHKPNTKVDKRYEPKSCDKTHCPFC PAPEL: GGFVFLPFPPEKOTLMSETP EVTCVVDVDSHEDPEVEENWYDGVGVH NKTAPREQGYNSTYTRAVSVLTVLHQWM LNGKRYKCVSNKALPAEIKLISKRG QPREQVYITLPPSRDELTKNQVSLTCLV KGFYPSDIAVEMESNGCFENNYKTPFV LDSGSGFFLYSKLTVDRSRWQGNVFC SVMEALHNHYTKSLISLSPGK (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPREA KVKWKYDVALQSGNSDES VTQDSKUSTYSLASITLT LSKADYERHKVYACEVTH QGSSPFTKSFNRGEC (SEQ ID NO: 158)

Antibody	CDR-H ₁	CDR-H ₂	CDR-H ₃	CDR-L ₁	CDR-L ₂	CDR-L ₃	VH	VL	HC	LC
1-G5_Ho_Lo									KGFYSDIAVEMESNGCFENNYKCTFEV LDSDSFFLYSKLTYDRSRWQGNFSC SVMEALHNHYIQASLSISFSGX (SEQ ID NO: 157)	
	GFTFESSYD (SEQ ID NO: 181)	IHATGIT (SEQ ID NO: 82)	ARGLYDLNM (SEQ ID NO: 83)	QSVYNNY (SEQ ID NO: 90)	DAS (SEQ ID NO: 91)	QSYYSYGWQ IA (SEQ ID NO: 92)	QVQLVSLGGGVQFGRSLRL SCRAASGFTFSYDMTWFRQA FGKGLWVASHA-GITFYA HWAKGRFTISRDNKNTLYL QMASLRADTAVYVCARGLV DLHWGQGTLLTVASS (SEQ ID NO: 182)	DIQWTQSFSS-SASVG D3VLTICQASQSVYN NYLSWVQQKFGRAEAL LIYDASTLASGVFSRF S6SGSGIDFLIILISLL Q2EDFATVY2QGSYYS GGMDTAFGG2TKVBIK (SEQ ID NO: 192)	ASTKQPSVPPLAPSSKSTISGCTAA_GCL VKDYFPBEVTVSANSGALISGWHFFAV LQSSS-YSLSSVTVFESSLGIQTICN VNHKESNTKYDKKVEFSCKIHCDPEFC PAFELJGGFSEVFLFPEFKDILMCKIP EVTGVVDVSHEDTEVHENMVVDGVEVH NAKTPRECYNSTIYAVSVLYVLHQLW LNGKEYKCVSKAKALPAEIKKILISKAG QPREQVYTLPEPSRDELTKHQVSLTCLV KGFYSDIAVEMESNGCFENNYKCTFEV LDSDSFFLYSKLTYDRSRWQGNFSC SVMEALHNHYIQASLSISFSGX (SEQ ID NO: 157)	TVAAPSVFIFPPSDEQLK SGTASVCLLNNFYPRER KVQWVKVALQGSNSQES VTQDSKSTYSLASLTIT LSKADYVEKKH7YACEVTH QGLSSFTVKSFMRGEC (SEQ ID NO: 138)

Figure 11

Antibody	ka (1/Ms)	kd (1/s)	KD (M)
1-A2 parent	5.93E+04	4.76E-07	8.02E-12
1-A2_VH-par_VL-par	6.64E+04	8.30E-09	1.25E-13
1-A2_VH-par_L1	2.56E+04	1.81E-07	7.07E-12
1-A2_VH-par_L0	5.96E+04	7.44E-07	1.25E-11
1-A2_H2_VL-par	2.45E+04	7.80E-06	3.18E-10
1-A2_H2_L1	1.90E+04	3.84E-08	2.03E-12
1-A2_H2_L0	3.61E+04	3.50E-06	9.69E-11
1-A2_H1_VL-par	3.98E+04	9.49E-07	2.38E-11
1-A2_H1_L1	2.38E+04	1.40E-07	5.89E-12
1-A2_H1_L0	3.49E+04	6.54E-07	1.87E-11
1-A2_H0_VL-par	3.51E+04	6.18E-07	1.76E-11
1-A2_H0_L1	6.32E+04	2.73E-06	4.32E-11
1-A2_H0_L0	1.19E+05	2.74E-08	2.31E-13

Antibody	ka (1/Ms)	kd (1/s)	KD (M)
4-H3 parent	1.86E+05	2.84E-06	1.53E-11
4-H3_VH-par_VL-par	1.37E+05	9.81E-06	7.17E-11
4-H3_VH-par_L1	1.23E+04	1.75E-08	1.43E-12
4-H3_VH-par_L0	4.88E+04	8.46E-08	1.73E-12
4-H3_H8_VL-par	5.49E+04	5.99E-07	1.09E-11
4-H3_H8_L1	5.28E+04	9.15E-07	1.73E-11
4-H3_H8_L0	4.52E+04	5.66E-07	1.25E-11
4-H3_H7_VL-par	2.93E+04	3.05E-07	1.04E-11
4-H3_H7_L1	6.54E+04	3.82E-07	5.84E-12
4-H3_H7_L0 rep	1.08E+05	1.73E-07	1.61E-12
4-H3_H6_VL-par rep	5.53E+04	3.63E-07	6.55E-12
4-H3_H6_L1	6.57E+04	1.14E-07	1.73E-12
4-H3_H6_L0	4.12E+04	2.67E-08	6.49E-13
4-H3_H5_VL-par	2.69E+04	4.34E-07	1.61E-11
4-H3_H5_L1	1.03E+05	5.95E-08	5.75E-13
4-H3_H5_L0	1.35E+05	4.93E-08	3.66E-13

4-H3_H4_VL-par	Binding confirmed		
4-H3_H4_L1	4.45E+04	6.25E-09	1.4E-13
4-H3_H4_L0	2.71E+04	5.24E-07	1.93E-11
4-H3_H3_VL-par	5.42E+04	1.59E-06	2.94E-11
4-H3_H3_L1	1.15E+05	1.72E-07	1.49E-12
4-H3_H3_L0	7.56E+04	1.45E-07	1.92E-12
4-H3_H2_VL-par	9.00E+04	1.75E-06	1.94E-11
4-H3_H2_L1	2.99E+04	1.36E-07	4.53E-12
4-H3_H2_L0	3.35E+04	9.13E-07	2.73E-11
4-H3_H1_VL-par	2.82E+04	1.87E-07	6.64E-12
4-H3_H1_L1	3.10E+04	4.27E-07	1.38E-11
4-H3_H1_L0	1.34E+05	2.49E-06	1.87E-11
4-H3_H0_VL-par	2.21E+04	2.89E-07	1.31E-11
4-H3_H0_L1 rep	3.69E+04	1.52E-07	4.12E-12
4-H3_H0_L0	No binding		

Antibody	ka (1/Ms)	kd (1/s)	KD (M)
1-D5 parent	1.72E+05	4.20E-06	2.43E-11
1-D5_VH-par_VL-par	1.50E+05	3.34E-06	2.23E-11
1-D5_VH-par_L1	9.60E+04	7.91E-06	8.24E-11
1-D5_VH-par_L0	1.32E+05	6.59E-06	5E-11
1-D5_H2_VL-par	1.35E+05	4.20E-06	3.12E-11
1-D5_H2_L1	2.98E+05	1.13E-05	3.8E-11
1-D5_H2_L0	1.38E+05	1.06E-06	7.66E-12
1-D5_H1_VL-par	7.80E+04	2.37E-08	3.04E-13
1-D5_H1_L1	7.10E+04	6.72E-09	9.46E-14
1-D5_H1_L0	7.79E+04	1.25E-07	1.6E-12
1-D5_H0_VL-par	7.70E+04	2.38E-09	3.1E-14
1-D5_H0_L1	1.69E+05	2.99E-07	1.77E-12
1-D5_H0_L0	7.52E+04	1.13E-08	1.5E-13

Antibody	ka (1/Ms)	kd (1/s)	KD (M)
3-H9 parent	1.50E+05	9.05E-06	6.03E-11
3-H9_VH-par_VL-par	2.06E+05	8.94E-06	4.34E-11

3-H9_VH-par_L0	1.92E+05	2.12E-05	1.11E-10
3-H9_H2_VL-par	9.20E+04	1.14E-06	1.24E-11
3-H9_H2_L0	7.81E+04	8.74E-07	1.12E-11
3-H9_H1_VL-par	2.29E+04	7.18E-08	3.13E-12
3-H9_H1_L0	1.82E+04	2.84E-07	1.56E-11
3-H9_H0_VL-par	8.77E+04	3.59E-07	4.09E-12
3-H9_H0_L0	8.09E+04	8.46E-08	1.05E-12

Antibody	ka (1/Ms)	kd (1/s)	KD (M)
1-G5 parent	8.16E+04	2.07E-06	2.53E-11
1-G5_VH-par_VL-par	1.78E+05	8.45E-08	4.75E-13
1-G5_VH-par_L1	1.07E+05	1.28E-06	1.2E-11
1-G5_VH-par_L0	1.06E+05	3.80E-07	3.58E-12
1-G5_H2_VL-par	2.62E+04	3.78E-07	1.44E-11
1-G5_H2_L1	1.29E+05	2.25E-08	1.74E-13
1-G5_H2_L0	2.99E+04	3.90E-07	1.3E-11
1-G5_H1_VL-par	2.46E+04	1.66E-07	6.77E-12
1-G5_H1_L1	4.07E+04	6.03E-07	1.48E-11
1-G5_H1_L0	No binding		
1-G5_H0_VL-par rep	8.45E+04	7.20E-07	8.52E-12
1-G5_H0_L1	7.90E+04	1.02E-06	1.29E-11
1-G5_H0_L0	8.24E+04	9.05E-08	1.1E-12

Figure 12