

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2010295968 B2**

(54) Title
Processes and compositions for methylation-based enrichment of fetal nucleic acid from a maternal sample useful for non invasive prenatal diagnoses

(51) International Patent Classification(s)
C12Q 1/68 (2006.01) **C12N 15/117** (2010.01)
C12N 15/10 (2006.01)

(21) Application No: **2010295968** (22) Date of Filing: **2010.03.18**

(87) WIPO No: **WO11/034631**

(30) Priority Data

(31)	Number	(32)	Date	(33)	Country
	12/561,241		2009.09.16		US

(43) Publication Date: **2011.03.24**

(44) Accepted Journal Date: **2015.08.20**

(71) Applicant(s)
Sequenom, Inc.;Sequenom Center for Molecular Medicine

(72) Inventor(s)
Ehrich, Mathias;Nygren, Anders Olof herman;Jensen, Taylor Jacob

(74) Agent / Attorney
FB Rice, L 14 90 Collins ST, Melbourne, VIC, 3000

(56) Related Art
WO 2006/056480 A2 (Klinkum Der Universitat Regensburg) 01 June 2006
US 2007/0275402 A1 (Lo, Y. M. D. et al) 29 November 2007
WO 2007/132166 A2 (The Chinese University of Hong Kong) 22 November 2007

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 March 2011 (24.03.2011)

(10) International Publication Number
WO 2011/034631 A1

(51) International Patent Classification:

C12Q 1/68 (2006.01) *C12N 15/10* (2006.01)
C12N 15/117 (2010.01)

(74) Agents: TAM, Tobey, M. et al.; Grant Anderson LLP, C/o PortfoliIP, P.O. Box 52050, Minneapolis, MN 55402 (US).

(21) International Application Number:

PCT/US2010/027879

(22) International Filing Date:

18 March 2010 (18.03.2010)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

12/561,241 16 September 2009 (16.09.2009) US

(71) Applicants (for all designated States except US): SEQUENOM, INC. [US/US]; 359 John Hopkins Court, San Diego, CA 92121 (US). SEQUENOM CENTER FOR MOLECULAR MEDICINE [US/US]; 25 Ottawa SW, Suite 300, Grand Rapids, MI 49503 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): EHRICH, Mathias [DE/US]; 1947 Diamond Street, San Diego, CA 92109 (US). NYGREN, Anders, Olof Herman [SE/US]; 5230 Fiore Terrace #312, San Diego, CA 92122 (US). JENSEN, Taylor, Jacob [US/US]; 11009 Caminito Arcada, San Diego, CA 92131 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: PROCESSES AND COMPOSITIONS FOR METHYLATION-BASED ENRICHMENT OF FETAL NUCLEIC ACID FROM A MATERNAL SAMPLE USEFUL FOR NON INVASIVE PRENATAL DIAGNOSES

(57) Abstract: Provided are compositions and processes that utilize genomic regions that are differentially methylated between a mother and her fetus to separate, isolate or enrich fetal nucleic acid from a maternal sample. The compositions and processes described herein are particularly useful for non-invasive prenatal diagnostics, including the detection of chromosomal aneuploidies.



WO 2011/034631 A1

PROCESSES AND COMPOSITIONS FOR METHYLATION-BASED ENRICHMENT OF FETAL NUCLEIC ACID FROM A MATERNAL SAMPLE USEFUL FOR NON-INVASIVE PRENATAL DIAGNOSES

RELATED PATENT APPLICATIONS

This patent application is a continuation-in-part of U.S. Patent Application No. 12/561,241, filed September 16, 2009, having the same title as this application, and designated by attorney docket no. SEQ-6022-UT, which claims the benefit of U.S. Provisional Patent Application No. 61/192,264, filed September 16, 2008 and designated by attorney docket no. SEQ-6022-PV. The entire content of the foregoing patent applications is incorporated by reference herein, including all text, drawings and tables.

FIELD

The technology in part relates to prenatal diagnostics and enrichment methods.

BACKGROUND

Non-invasive prenatal testing is becoming a field of rapidly growing interest. Early detection of pregnancy-related conditions, including complications during pregnancy and genetic defects of the fetus is of crucial importance, as it allows early medical intervention necessary for the safety of both the mother and the fetus. Prenatal diagnosis has been conducted using cells isolated from the fetus through procedures such as chorionic villus sampling (CVS) or amniocentesis. However, these conventional methods are invasive and present an appreciable risk to both the mother and the fetus. The National Health Service currently cites a miscarriage rate of between 1 and 2 per cent following the invasive amniocentesis and chorionic villus sampling (CVS) tests.

An alternative to these invasive approaches has been developed for prenatal screening, e.g., to detecting fetal abnormalities, following the discovery that circulating cell-free fetal nucleic acid can be detected in maternal plasma and serum (Lo et al., *Lancet* 350:485-487, 1997; and U.S. Patent 6,258,540). Circulating cell free fetal nucleic acid (cffNA) has several advantages making it more applicable for non-invasive prenatal testing. For example, cell free nucleic acid is present at higher levels than fetal cells and at concentrations sufficient for genetic analysis. Also, cffNA is cleared from the maternal bloodstream within hours after delivery, preventing contamination from previous pregnancies.

Examples of prenatal tests performed by detecting fetal DNA in maternal plasma or serum include fetal rhesus D (RhD) genotyping (Lo et al., *N. Engl. J. Med.* 339:1734-1738, 1998), fetal sex determination (Costa et al., *N. Engl. J. Med.* 346:1502, 2002), and diagnosis of several fetal disorders (Amicucci et al., *Clin. Chem.* 46:301-302, 2000; Saito et al., *Lancet* 356:1170, 2000; and Chiu et al., *Lancet* 360:998-1000, 2002). In addition, quantitative abnormalities of fetal DNA in maternal plasma/serum have been reported in preeclampsia (Lo et al., *Clin. Chem.* 45:184-188, 1999 and Zhong et al., *Am. J. Obstet. Gynecol.* 184:414-419, 2001), fetal trisomy 21 (Lo et al., *Clin. Chem.* 45:1747-1751, 1999 and Zhong et

al., Prenat. Diagn. 20:795-798, 2000) and hyperemesis gravidarum (Sekizawa et al., Clin. Chem. 47:2164-2165, 2001).

SUMMARY

The invention provides *inter alia* human epigenetic biomarkers that are useful for the noninvasive detection of fetal genetic traits, including, but not limited to, the presence or absence of fetal nucleic acid, the absolute or relative amount of fetal nucleic acid, fetal sex, and fetal chromosomal abnormalities such as aneuploidy. The human epigenetic biomarkers of the invention represent genomic DNA that display differential CpG methylation patterns between the fetus and mother. The compositions and processes of the invention allow for the detection and quantification of fetal nucleic acid in a maternal sample based on the methylation status of the nucleic acid in said sample. More specifically, the amount of fetal nucleic acid from a maternal sample can be determined relative to the total amount of nucleic acid present, thereby providing the percentage of fetal nucleic acid in the sample. Further, the amount of fetal nucleic acid can be determined in a sequence-specific (or locus-specific) manner and with sufficient sensitivity to allow for accurate chromosomal dosage analysis (for example, to detect the presence or absence of a fetal aneuploidy).

In the first aspect of the invention, a method is provided for enriching fetal nucleic acids from a maternal biological sample, based on differential methylation between fetal and maternal nucleic acid comprising the steps of: (a) binding a target nucleic acid, from a sample, and a control nucleic acid, from the sample, to a methylation-specific binding protein; and (b) eluting the bound nucleic acid based on methylation status, wherein differentially methylated nucleic acids elute at least partly into separate fractions. In an embodiment, the nucleic acid sequence includes one or more of the polynucleotide sequences of SEQ ID NOs: 1-261. SEQ ID NOs: 1-261 are provided in Tables 4A-4C. The invention includes the sequences of SEQ ID NOs: 1-261, and variations thereto. In an embodiment, a control nucleic acid is not included in step (a).

In a related embodiment, a method is provided for enriching fetal nucleic acid from a maternal sample, which comprises the following steps: (a) obtaining a biological sample from a woman; (b) separating fetal and maternal nucleic acid based on the methylation status of a CpG-containing genomic sequence in the sample, wherein the genomic sequence from the fetus and the genomic sequence from the woman are differentially methylated, thereby distinguishing the genomic sequence from the woman and the genomic sequence from the fetus in the sample. In an embodiment, the genomic sequence is at least 15 nucleotides in length, comprising at least one cytosine, further wherein the region consists of (1) a genomic locus selected from Tables 1A-1C; and (2) a DNA sequence of no more than 10 kb upstream and/or downstream from the locus. For this aspect and all aspects of the invention, obtaining a biological sample from a woman is not meant to limit the scope of the invention. Said obtaining can refer to actually drawing a sample from a woman (e.g., a blood draw) or to receiving a sample from elsewhere (e.g., from a clinic or hospital) and performing the remaining steps of the method.

In a related embodiment, a method is provided for enriching fetal nucleic acid from a maternal sample, which comprises the following steps: (a) obtaining a biological sample from the woman; (b) digesting or

removing maternal nucleic acid based on the methylation status of a CpG-containing genomic sequence in the sample, wherein the genomic sequence from the fetus and the genomic sequence from the woman are differentially methylated, thereby enriching for the genomic sequence from the fetus in the sample. Maternal nucleic acid may be digested using one or more methylation sensitive restriction enzymes that selectively digest or cleave maternal nucleic acid based on its methylation status. In an embodiment, the genomic sequence is at least 15 nucleotides in length, comprising at least one cytosine, further wherein the region consists of (1) a genomic locus selected from Tables 1A-1C; and (2) a DNA sequence of no more than 10 kb upstream and/or downstream from the locus.

In a second aspect of the invention, a method is provided for preparing nucleic acid having a nucleotide sequence of a fetal nucleic acid, which comprises the following steps: (a) providing a sample from a pregnant female; (b) separating fetal nucleic acid from maternal nucleic acid from the sample of the pregnant female according to a different methylation state between the fetal nucleic acid and the maternal nucleic acid counterpart, wherein the nucleotide sequence of the fetal nucleic acid comprises one or more CpG sites from one or more of the polynucleotide sequences of SEQ ID NOs: 1-261 within a polynucleotide sequence from a gene or locus that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261; and (c) preparing nucleic acid comprising a nucleotide sequence of the fetal nucleic acid by an amplification process in which fetal nucleic acid separated in part (b) is utilized as a template. In an embodiment, a method is provided for preparing nucleic acid having a nucleotide sequence of a fetal nucleic acid, which comprises the following steps: (a) providing a sample from a pregnant female; (b) digesting or removing maternal nucleic acid from the sample of the pregnant female according to a different methylation state between the fetal nucleic acid and the maternal nucleic acid counterpart, wherein the nucleotide sequence of the fetal nucleic acid comprises one or more CpG sites from one or more of the polynucleotide sequences of SEQ ID NOs: 1-261 within a polynucleotide sequence from a gene that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261; and (c) preparing nucleic acid comprising a nucleotide sequence of the fetal nucleic acid. The preparing process of step (c) may be a hybridization process, a capture process, or an amplification process in which fetal nucleic acid separated in part (b) is utilized as a template. Also, in the above embodiment wherein maternal nucleic acid is digested, the maternal nucleic acid may be digested using one or more methylation sensitive restriction enzymes that selectively digest or cleave maternal nucleic acid based on its methylation status. In either embodiment, the polynucleotide sequences of SEQ ID NOs: 1-261 may be within a polynucleotide sequence from a CpG island that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261. The polynucleotide sequences of SEQ ID NOs: 1-261 are further characterized in Tables 1-3 herein, including the identification of CpG islands that overlap with the polynucleotide sequences provided in SEQ ID NOs: 1-261. In an embodiment, the nucleic acid prepared by part (c) is in solution. In yet an embodiment, the method further comprises quantifying the fetal nucleic acid from the amplification process of step (c).

In a third aspect of the invention, a method is provided for enriching fetal nucleic acid from a sample from a pregnant female with respect to maternal nucleic acid, which comprises the following steps: (a) providing a sample from a pregnant female; and (b) separating or capturing fetal nucleic acid from maternal nucleic acid from the sample of the pregnant female according to a different methylation state

between the fetal nucleic acid and the maternal nucleic acid, wherein the nucleotide sequence of the fetal nucleic acid comprises one or more CpG sites from one or more of the polynucleotide sequences of SEQ ID NOs: 1-261 within a polynucleotide sequence from a gene that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261. In an embodiment, the polynucleotide sequences of SEQ ID NOs: 1-261 may be within a polynucleotide sequence from a CpG island that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261. The polynucleotide sequences of SEQ ID NOs: 1-261 are characterized in Tables 1A-1C herein. In an embodiment, the nucleic acid separated by part (b) is in solution. In yet an embodiment, the method further comprises amplifying and/or quantifying the fetal nucleic acid from the separation process of step (b).

In a fourth aspect of the invention, a composition is provided comprising an isolated nucleic acid from a fetus of a pregnant female, wherein the nucleotide sequence of the nucleic acid comprises one or more of the polynucleotide sequences of SEQ ID NOs: 1-261. In one embodiment, the nucleotide sequence consists essentially of a nucleotide sequence of a gene, or portion thereof. In an embodiment, the nucleotide sequence consists essentially of a nucleotide sequence of a CpG island, or portion thereof. The polynucleotide sequences of SEQ ID NOs: 1-261 are further characterized in Tables 1A-1C. In an embodiment, the nucleic acid is in solution. In an embodiment, the nucleic acid from the fetus is enriched relative to maternal nucleic acid. In an embodiment, the composition further comprises an agent that binds to methylated nucleotides. For example, the agent may be a methyl-CpG binding protein (MBD) or fragment thereof.

In a fifth aspect of the invention, a composition is provided comprising an isolated nucleic acid from a fetus of a pregnant female, wherein the nucleotide sequence of the nucleic acid comprises one or more CpG sites from one or more of the polynucleotide sequences of SEQ ID NOs: 1-261 within a polynucleotide sequence from a gene, or portion thereof, that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261. In an embodiment, the nucleotide sequence of the nucleic acid comprises one or more CpG sites from one or more of the polynucleotide sequences of SEQ ID NOs: 1-261 within a polynucleotide sequence from a CpG island, or portion thereof, that contains one of the polynucleotide sequences of SEQ ID NOs: 1-261. The polynucleotide sequences of SEQ ID NOs: 1-261 are further characterized in Tables 1A-1C. In an embodiment, the nucleic acid is in solution. In an embodiment, the nucleic acid from the fetus is enriched relative to maternal nucleic acid. Hyper- and hypomethylated nucleic acid sequences of the invention are identified in Tables 1A-1C. In an embodiment, the composition further comprises an agent that binds to methylated nucleotides. For example, the agent may be a methyl-CpG binding protein (MBD) or fragment thereof.

In some embodiments, a nucleotide sequence of the invention includes three or more of the CpG sites. In an embodiment, the nucleotide sequence includes five or more of the CpG sites. In an embodiment, the nucleotide sequence is from a gene region that comprises a PRC2 domain (see Table 3). In an embodiment, the nucleotide sequence is from a gene region involved with development. For example, SOX14 - which is an epigenetic marker of the present invention (See Table 1) - is a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of cell fate.

In some embodiments, the genomic sequence from the woman is methylated and the genomic sequence from the fetus is unmethylated. In other embodiments, the genomic sequence from the woman is unmethylated and the genomic sequence from the fetus is methylated. In an embodiment, the genomic sequence from the fetus is hypermethylated relative to the genomic sequence from the mother. Fetal genomic sequences found to be hypermethylated relative to maternal genomic sequence are provided in SEQ ID NOs: 1-59, 90-163, 176, 179, 180, 184, 188, 189, 190, 191, 193, 195, 198, 199, 200, 201, 202, 203, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 221, 223, 225, 226, 231, 232, 233, 235, 239, 241, 257, 258, 259, and 261. Alternatively, the genomic sequence from the fetus is hypomethylated relative to the genomic sequence from the mother. Fetal genomic sequences found to be hypomethylated relative to maternal genomic sequence are provided in SEQ ID NOs: 60-85, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 177, 178, 181, 182, 183, 185, 186, 187, 192, 194, 196, 197, 204, 215, 216, 217, 218, 219, 220, 222, 224, 227, 228, 229, 230, 234, 236, 237, 238, 240, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, and 260. Methylation sensitive restriction enzymes of the invention may be sensitive to hypo- or hyper- methylated nucleic acid.

In an embodiment, the fetal nucleic acid is extracellular nucleic acid. Generally the extracellular fetal nucleic acid is about 500, 400, 300, 250, 200 or 150 (or any number there between) nucleotide bases or less. In an embodiment, the digested maternal nucleic acid is less than about 90, 100, 110, 120, 130, 140 or 150 base pairs. In a related embodiment, the fetal nucleic acid is selectively amplified, captured or separated from or relative to the digested maternal nucleic acid based on size. For example, PCR primers may be designed to amplify nucleic acid greater than about 75, 80, 85, 90, 95, 100, 105, 110, 115 or 120 (or any number there between) base pairs thereby amplifying fetal nucleic acid and not digested maternal nucleic acid. In an embodiment, the nucleic acid is subjected to fragmentation prior to the methods of the invention. Examples of methods of fragmenting nucleic acid, include but are not limited to sonication and restriction enzyme digestion. In some embodiments the fetal nucleic acid is derived from the placenta. In other embodiments the fetal nucleic acid is apoptotic.

In some embodiments, the present invention provides a method in which the sample is a member selected from the following: maternal whole blood, maternal plasma or serum, amniotic fluid, a chorionic villus sample, biopsy material from a pre-implantation embryo, fetal nucleated cells or fetal cellular remnants isolated from maternal blood, maternal urine, maternal saliva, washings of the female reproductive tract and a sample obtained by celocentesis or lung lavage. In certain embodiments, the biological sample is maternal blood. In some embodiments, the biological sample is a chorionic villus sample. In certain embodiments, the maternal sample is enriched for fetal nucleic acid prior to the methods of the present invention. Examples of fetal enrichment methods are provided in PCT Publication Nos. WO/2007140417A2, WO2009/032781A2 and US Publication No. 20050164241.

In some embodiments, all nucleated and anucleated cell populations are removed from the sample prior to practicing the methods of the invention. In some embodiments, the sample is collected, stored or transported in a manner known to the person of ordinary skill in the art to minimize degradation or the quality of fetal nucleic acid present in the sample.

The sample can be from any animal, including but not limited, human, non-human, mammal, reptile, cattle, cat, dog, goat, swine, pig, monkey, ape, gorilla, bull, cow, bear, horse, sheep, poultry, mouse, rat, fish, dolphin, whale, and shark, or any animal or organism that may have a detectable pregnancy-associated disorder or chromosomal abnormality.

In some embodiments, the sample is treated with a reagent that differentially modifies methylated and unmethylated DNA. For example, the reagent may comprise bisulfite; or the reagent may comprise one or more enzymes that preferentially cleave methylated DNA; or the reagent may comprise one or more enzymes that preferentially cleave unmethylated DNA. Examples of methylation sensitive restriction enzymes include, but are not limited to, HhaI and HpaII.

In one embodiment, the fetal nucleic acid is separated from the maternal nucleic acid by an agent that specifically binds to methylated nucleotides in the fetal nucleic acid. In an embodiment, the fetal nucleic acid is separated or removed from the maternal nucleic acid by an agent that specifically binds to methylated nucleotides in the maternal nucleic acid counterpart. In an embodiment, the agent that binds to methylated nucleotides is a methyl-CpG binding protein (MBD) or fragment thereof.

In a sixth aspect of the invention, a method is provided for determining the amount or copy number of fetal DNA in a maternal sample that comprises differentially methylated maternal and fetal DNA. The method is performed by a) distinguishing between the maternal and fetal DNA based on differential methylation status; and b) quantifying the fetal DNA of step a). In a specific embodiment, the method comprises a) digesting the maternal DNA in a maternal sample using one or more methylation sensitive restriction enzymes thereby enriching the fetal DNA; and b) determining the amount of fetal DNA from step a). The amount of fetal DNA can be used *inter alia* to confirm the presence or absence of fetal nucleic acid, determine fetal sex, diagnose fetal disease or a pregnancy-associated disorder, or be used in conjunction with other fetal diagnostic methods to improve sensitivity or specificity. In one embodiment, the method for determining the amount of fetal DNA does not require the use of a polymorphic sequence. For example, an allelic ratio is not used to quantify the fetal DNA in step b). In an embodiment, the method for determining the amount of fetal DNA does not require the treatment of DNA with bisulfite to convert cytosine residues to uracil. Bisulfite is known to degrade DNA, thereby, further reducing the already limited fetal nucleic acid present in maternal samples. In one embodiment, determining the amount of fetal DNA in step b) is done by introducing one or more competitors at known concentrations. In an embodiment, determining the amount of fetal DNA in step b) is done by RT-PCR, primer extension, sequencing or counting. In a related embodiment, the amount of nucleic acid is determined using BEAMing technology as described in US Patent Publication No. US20070065823. In a another related embodiment, the amount of nucleic acid is determined using the shotgun sequencing technology described in US Patent Publication No. US20090029377 (US Application No. 12/178,181), or variations thereof. In an embodiment, the restriction efficiency is determined and the efficiency rate is used to further determine the amount of fetal DNA. Exemplary differentially methylated nucleic acids are provided in SEQ ID NOs: 1-261.

In a seventh aspect of the invention, a method is provided for determining the concentration of fetal DNA in a maternal sample, wherein the maternal sample comprises differentially methylated maternal and fetal DNA, comprising a) determining the total amount of DNA present in the maternal sample; b) selectively digesting the maternal DNA in a maternal sample using one or more methylation sensitive restriction enzymes thereby enriching the fetal DNA; c) determining the amount of fetal DNA from step b); and d) comparing the amount of fetal DNA from step c) to the total amount of DNA from step a), thereby determining the concentration of fetal DNA in the maternal sample. The concentration of fetal DNA can be used *inter alia* in conjunction with other fetal diagnostic methods to improve sensitivity or specificity. In one embodiment, the method for determining the amount of fetal DNA does not require the use of a polymorphic sequence. For example, an allelic ratio is not used to quantify the fetal DNA in step b). In an embodiment, the method for determining the amount of fetal DNA does not require the treatment of DNA with bisulfite to convert cytosine residues to uracil. In one embodiment, determining the amount of fetal DNA in step b) is done by introducing one or more competitors at known concentrations. In an embodiment, determining the amount of fetal DNA in step b) is done by RT-PCR, sequencing or counting. In an embodiment, the restriction efficiency is determined and used to further determine the amount of total DNA and fetal DNA. Exemplary differentially methylated nucleic acids are provided in SEQ ID NOs: 1-261.

In an eighth aspect of the invention, a method is provided for determining the presence or absence of a fetal aneuploidy using fetal DNA from a maternal sample, wherein the maternal sample comprises differentially methylated maternal and fetal DNA, comprising a) selectively digesting the maternal DNA in a maternal sample using one or more methylation sensitive restriction enzymes thereby enriching the fetal DNA; b) determining the amount of fetal DNA from a target chromosome; c) determining the amount of fetal DNA from a reference chromosome; and d) comparing the amount of fetal DNA from step b) to step c), wherein a biologically or statistically significant difference between the amount of target and reference fetal DNA is indicative of the presence of a fetal aneuploidy. In one embodiment, the method for determining the amount of fetal DNA does not require the use of a polymorphic sequence. For example, an allelic ratio is not used to quantify the fetal DNA in step b). In an embodiment, the method for determining the amount of fetal DNA does not require the treatment of DNA with bisulfite to convert cytosine residues to uracil. In one embodiment, determining the amount of fetal DNA in steps b) and c) is done by introducing one or more competitors at known concentrations. In an embodiment, determining the amount of fetal DNA in steps b) and c) is done by RT-PCR, sequencing or counting. In an embodiment, the amount of fetal DNA from a target chromosome determined in step b) is compared to a standard control, for example, the amount of fetal DNA from a target chromosome from euploid pregnancies. In an embodiment, the restriction efficiency is determined and used to further determine the amount of fetal DNA from a target chromosome and from a reference chromosome. Exemplary differentially methylated nucleic acids are provided in SEQ ID NOs: 1-261.

In a ninth aspect of the invention, a method is provided for detecting the presence or absence of a chromosomal abnormality by analyzing the amount or copy number of target nucleic acid and control nucleic acid from a sample of differentially methylated nucleic acids comprising the steps of: (a)

enriching a target nucleic acid, from a sample, and a control nucleic acid, from the sample, based on its methylation state; (b) performing a copy number analysis of the enriched target nucleic acid in at least one of the fractions; (c) performing a copy number analysis of the enriched control nucleic acid in at least one of the fractions; (d) comparing the copy number from step (b) with the copy number from step (c); and (e) determining if a chromosomal abnormality exists based on the comparison in step (d), wherein the target nucleic acid and control nucleic acid have the same or substantially the same methylation status. In a related embodiment, a method is provided for detecting the presence or absence of a chromosomal abnormality by analyzing the amount or copy number of target nucleic acid and control nucleic acid from a sample of differentially methylated nucleic acids comprising the steps of: (a) binding a target nucleic acid, from a sample, and a control nucleic acid, from the sample, to a binding agent; (b) eluting the bound nucleic acid based on methylation status, wherein differentially methylated nucleic acids elute at least partly into separate fractions; (c) performing a copy number analysis of the eluted target nucleic acid in at least one of the fractions; (d) performing a copy number analysis of the eluted control nucleic acid in at least one of the fractions; (e) comparing the copy number from step (c) with the copy number from step (d); and (f) determining if a chromosomal abnormality exists based on the comparison in step (e), wherein the target nucleic acid and control nucleic acid have the same or substantially the same methylation status. Differentially methylated nucleic acids are provided in SEQ ID NOs: 1-261.

In a tenth aspect of the invention, a method is provided for detecting the presence or absence of a chromosomal abnormality by analyzing the allelic ratio of target nucleic acid and control nucleic acid from a sample of differentially methylated nucleic acids comprising the steps of: (a) binding a target nucleic acid, from a sample, and a control nucleic acid, from the sample, to a binding agent; (b) eluting the bound nucleic acid based on methylation status, wherein differentially methylated nucleic acids elute at least partly into separate fractions; (c) performing an allelic ratio analysis of the eluted target nucleic acid in at least one of the fractions; (d) performing an allelic ratio analysis of the eluted control nucleic acid in at least one of the fractions; (e) comparing the allelic ratio from step c with the all from step d; and (f) determining if a chromosomal abnormality exists based on the comparison in step (e), wherein the target nucleic acid and control nucleic acid have the same or substantially the same methylation status. Differentially methylated nucleic acids are provided in SEQ ID NOs: 1-261, and SNPs within the differentially methylated nucleic acids are provided in Table 2. The methods may also be useful for detecting a pregnancy-associated disorder.

In an eleventh aspect of the invention, the amount of maternal nucleic acid is determined using the methylation-based methods of the invention. For example, fetal nucleic acid can be separated (for example, digested using a methylation-sensitive enzyme) from the maternal nucleic acid in a sample, and the maternal nucleic acid can be quantified using the methods of the invention. Once the amount of maternal nucleic acid is determined, that amount can be subtracted from the total amount of nucleic acid in a sample to determine the amount of fetal nucleic acid. The amount of fetal nucleic acid can be used to detect fetal traits, including fetal aneuploidy, as described herein.

For all aspects and embodiments of the invention described herein, the methods may also be useful for detecting a pregnancy-associated disorder. In some embodiments, the sample comprises fetal nucleic

acid, or fetal nucleic acid and maternal nucleic acid. In the case when the sample comprises fetal and maternal nucleic acid, the fetal nucleic acid and the maternal nucleic acid may have a different methylation status. Nucleic acid species with a different methylation status can be differentiated by any method known in the art. In an embodiment, the fetal nucleic acid is enriched by the selective digestion of maternal nucleic acid by a methylation sensitive restriction enzyme. In an embodiment, the fetal nucleic acid is enriched by the selective digestion of maternal nucleic acid using two or more methylation sensitive restriction enzymes in the same assay. In an embodiment, the target nucleic acid and control nucleic acid are both from the fetus. In an embodiment, the average size of the fetal nucleic acid is about 100 bases to about 500 bases in length. In an embodiment the chromosomal abnormality is an aneuploidy, such as trisomy 21. In some embodiments, the target nucleic acid is at least a portion of a chromosome which may be abnormal and the control nucleic acid is at least a portion of a chromosome which is very rarely abnormal. For example, when the target nucleic acid is from chromosome 21, the control nucleic acid is from a chromosome other than chromosome 21 – preferably another autosome. In an embodiment, the binding agent is a methylation-specific binding protein such as MBD-Fc. Also, the enriched or eluted nucleic acid is amplified and/or quantified by any method known in the art. In an embodiment, the fetal DNA is quantified using a method that does not require the use of a polymorphic sequence. For example, an allelic ratio is not used to quantify the fetal DNA. In an embodiment, the method for quantifying the amount of fetal DNA does not require the treatment of DNA with bisulfite to convert cytosine residues to uracil.

In some embodiments, the methods of the invention include the additional step of determining the amount of one or more Y-chromosome-specific sequences in a sample. In a related embodiment, the amount of fetal nucleic acid in a sample as determined by using the methylation-based methods of the invention is compared to the amount of Y-chromosome nucleic acid present.

Methods for differentiating nucleic acid based on methylation status include, but are not limited to, methylation sensitive capture, for example using, MBD2-Fc fragment; bisulfite conversion methods, for example, MSP (methylation-sensitive PCR), COBRA, methylation-sensitive single nucleotide primer extension (Ms-SNuPE) or Sequenom MassCLEAVE™ technology; and the use of methylation sensitive restriction enzymes. Except where explicitly stated, any method for differentiating nucleic acid based on methylation status can be used with the compositions and methods of the invention.

In some embodiments, methods of the invention may further comprise an amplification step. The amplification step can be performed by PCR, such as methylation-specific PCR. In an embodiment, the amplification reaction is performed on single molecules, for example, by digital PCR, which is further described in US Patent Nos 6,143,496 and 6,440,706, both of which are hereby incorporated by reference. In other embodiments, the method does not require amplification. For example, the amount of enriched fetal DNA may be determined by counting the fetal DNA (or sequence tags attached thereto) with a flow cytometer or by sequencing means that do not require amplification. In an embodiment, the amount of fetal DNA is determined by an amplification reaction that generates amplicons larger than the digested maternal nucleic acid, thereby further enriching the fetal nucleic acid.

In some embodiments, the fetal nucleic acid (alone or in combination with the maternal nucleic acid) comprises one or more detection moieties. In one embodiment, the detection moiety may be any one or more of a compomer, sugar, peptide, protein, antibody, chemical compound (e.g., biotin), mass tag (e.g., metal ions or chemical groups), fluorescent tag, charge tag (e.g., such as polyamines or charged dyes) and hydrophobic tag. In a related embodiment, the detection moiety is a mass-distinguishable product (MDP) or part of an MDP detected by mass spectrometry. In a specific embodiment, the detection moiety is a fluorescent tag or label that is detected by mass spectrometry. In some embodiments, the detection moiety is at the 5' end of a detector oligonucleotide, the detection moiety is attached to a non-complementary region of a detector oligonucleotide, or the detection moiety is at the 5' terminus of a non-complementary sequence. In certain embodiments, the detection moiety is incorporated into or linked to an internal nucleotide or to a nucleotide at the 3' end of a detector oligonucleotide. In some embodiments, one or more detection moieties are used either alone or in combination. See for example US Patent Applications US20080305479 and US20090111712. In certain embodiments, a detection moiety is cleaved by a restriction endonuclease, for example, as described in US Application No. 12/726,246. In some embodiments, a specific target chromosome is labeled with a specific detection moiety and one or more non-target chromosomes are labeled with a different detection moiety, whereby the amount target chromosome can be compared to the amount of non-target chromosome.

For embodiments that require sequence analysis, any one of the following sequencing technologies may be used: a primer extension method (e.g., iPLEX[®]; Sequenom, Inc.), direct DNA sequencing, restriction fragment length polymorphism (RFLP analysis), real-time PCR, for example using "STAR" (Scalable Transcription Analysis Routine) technology (see US Patent No. 7,081,339), or variations thereof, allele specific oligonucleotide (ASO) analysis, methylation-specific PCR (MSPCR), pyrosequencing analysis, acycloprime analysis, Reverse dot blot, GeneChip microarrays, Dynamic allele-specific hybridization (DASH), Peptide nucleic acid (PNA) and locked nucleic acids (LNA) probes, TaqMan, Molecular Beacons, Intercalating dye, FRET primers, fluorescence tagged dNTP/ddNTPs, AlphaScreen, SNPstream, genetic bit analysis (GBA), Multiplex minisequencing, SNaPshot, GOOD assay, Microarray miniseq, arrayed primer extension (APEX), Microarray primer extension, Tag arrays, Coded microspheres, Template-directed incorporation (TDI), fluorescence polarization, Colorimetric oligonucleotide ligation assay (OLA), Sequence-coded OLA, Microarray ligation, Ligase chain reaction, Padlock probes, Invader[™] assay, hybridization using at least one probe, hybridization using at least one fluorescently labeled probe, electrophoresis, cloning and sequencing, for example as performed on the 454 platform (Roche) (Margulies, M. et al. 2005 Nature 437, 376-380), Illumina Genome Analyzer (or Solexa platform) or SOLiD System (Applied Biosystems) or the Helicos True Single Molecule DNA sequencing technology (Harris T D et al. 2008 Science, 320, 106-109), the single molecule, real-time (SMRT.TM.) technology of Pacific Biosciences, or nanopore-based sequencing (Soni GV and Meller A. 2007 Clin Chem 53: 1996-2001), for example, using an Ion Torrent ion sensor that measures an electrical charge associated with each individual base of DNA as each base passes through a tiny pore at the bottom of a sample well, or Oxford Nanopore device that uses a nanopore to measure the electrical charge associated with each individual unit of DNA, and combinations thereof. Nanopore-based methods may include sequencing

nucleic acid using a nanopore, or counting nucleic acid molecules using a nanopore, for example, based on size wherein sequence information is not determined.

The absolute copy number of one or more nucleic acids can be determined, for example, using mass spectrometry, a system that uses a competitive PCR approach for absolute copy number measurements. See for example, Ding C, Cantor CR (2003) A high-throughput gene expression analysis technique using competitive PCR and matrix-assisted laser desorption ionization time-of-flight MS. *Proc Natl Acad Sci U S A* 100:3059-3064, and US Patent Application No. 10/655762, which published as US Patent Publication No. 20040081993, both of which are hereby incorporated by reference.

In some embodiments, the amount of the genomic sequence is compared with a standard control, wherein an increase or decrease from the standard control indicates the presence or progression of a pregnancy-associated disorder. For example, the amount of fetal nucleic acid may be compared to the total amount of DNA present in the sample. Or when detecting the presence or absence of fetal aneuploidy, the amount of fetal nucleic acid from target chromosome may be compared to the amount of fetal nucleic acid from a reference chromosome. Preferably the reference chromosome is another autosome that has a low rate of aneuploidy. The ratio of target fetal nucleic acid to reference fetal nucleic acid may be compared to the same ratio from a normal, euploid pregnancy. For example, a control ratio may be determined from a DNA sample obtained from a female carrying a healthy fetus who does not have a chromosomal abnormality. Preferably, one uses a panel of control samples. Where certain chromosome anomalies are known, one can also have standards that are indicative of a specific disease or condition. Thus, for example, to screen for three different chromosomal aneuploidies in a maternal plasma of a pregnant female, one preferably uses a panel of control DNAs that have been isolated from mothers who are known to carry a fetus with, for example, chromosome 13, 18, or 21 trisomy, and a mother who is pregnant with a fetus who does not have a chromosomal abnormality.

In some embodiments, the present invention provides a method in which the alleles from the target nucleic acid and control nucleic acid are differentiated by sequence variation. The sequence variation may be a single nucleotide polymorphism (SNP) or an insertion/deletion polymorphism. In an embodiment, the fetal nucleic acid should comprise at least one high frequency heterozygous polymorphism (e.g., about 2%, 3%, 4%, 5%, 6%, 7%, 8%, 9%, 10%, 11%, 12%, 13%, 14%, 15%, 16%, 17%, 18%, 19%, 20%, 25% or more frequency rate), which allows the determination of the allelic-ratio of the nucleic acid in order to assess the presence or absence of the chromosomal abnormality. A list of exemplary SNPs is provided in Table 2, however, this does not represent a complete list of polymorphic alleles that can be used as part of the invention. Any SNP meeting the following criteria may also be considered: (a) the SNP has a heterozygosity frequency greater than about 2% (preferably across a range of different populations), (b) the SNP is a heterozygous locus; and (c)(i) the SNP is within nucleic acid sequence described herein, or (c)(iii) the SNP is within about 5 to about 2000 base pairs of a SNP described herein (e.g., within about 5, 10, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1250, 1500, 1750 or 2000 base pairs of a SNP described herein).

In other embodiments, the sequence variation is a short tandem repeat (STR) polymorphism. In some embodiments, the sequence variation falls in a restriction site, whereby one allele is susceptible to digestion by a restriction enzyme and the one or more other alleles are not. In some embodiments, the sequence variation is a methylation site.

In some embodiments, performing an allelic ratio analysis comprises determining the ratio of alleles of the target nucleic acid and control nucleic acid from the fetus of a pregnant woman by obtaining a nucleic acid-containing biological sample from the pregnant woman, wherein the biological sample contains fetal nucleic acid, partially or wholly separating the fetal nucleic acid from the maternal nucleic acid based on differential methylation, discriminating the alleles from the target nucleic acid and the control nucleic acid, followed by determination of the ratio of the alleles, and detecting the presence or absence of a chromosomal disorder in the fetus based on the ratio of alleles, wherein a ratio above or below a normal, euploid ratio is indicative of a chromosomal disorder. In one embodiment, the target nucleic acid is from a suspected aneuploid chromosome (e.g., chromosome 21) and the control nucleic acid is from a euploid chromosome from the same fetus.

In some embodiments, the present invention is combined with other fetal markers to detect the presence or absence of multiple chromosomal abnormalities, wherein the chromosomal abnormalities are selected from the following: trisomy 21, trisomy 18 and trisomy 13, or combinations thereof. In some embodiments, the chromosomal disorder involves the X chromosome or the Y chromosome.

In some embodiments, the compositions or processes may be multiplexed in a single reaction. For example, the amount of fetal nucleic acid may be determined at multiple loci across the genome. Or when detecting the presence or absence of fetal aneuploidy, the amount of fetal nucleic acid may be determined at multiple loci on one or more target chromosomes (e.g., chromosomes 13, 18 or 21) and on one or more reference chromosomes. If an allelic ratio is being used, one or more alleles from Table 2 can be detected and discriminated simultaneously. When determining allelic ratios, multiplexing embodiments are particularly important when the genotype at a polymorphic locus is not known. In some instances, for example when the mother and child are homozygous at the polymorphic locus, the assay may not be informative. In one embodiment, greater than 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 50, 100, 200, 300 or 500, and any intermediate levels, polynucleotide sequences of the invention are enriched, separated and/or examined according the methods of the invention. When detecting a chromosomal abnormality by analyzing the copy number of target nucleic acid and control nucleic acid, less than 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, or 14 polynucleotide sequences may need to be analyzed to accurately detect the presence or absence of a chromosomal abnormality. In an embodiment, the compositions or processes of the invention may be used to assay samples that have been divided into 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 50, 100 or more replicates, or into single molecule equivalents. Methods for analyzing fetal nucleic acids from a maternal sample in replicates, including single molecule analyses, are provided in US Application No. 11/364,294, which published as US Patent Publication No. US 2007-0207466 A1, which is hereby incorporated by reference.

In a further embodiment, the present invention provides a method wherein a comparison step shows an increased risk of a fetus having a chromosomal disorder if the ratio of the alleles or absolute copy number of the target nucleic acid is higher or lower by 1 standard deviation from the standard control sequence. In some embodiments, the comparison step shows an increased risk of a fetus having a chromosomal disorder if the ratio of the alleles or absolute copy number of the target nucleic acid is higher or lower by 2 standard deviation from the standard control sequence. In some other embodiments, the comparison step shows an increased risk of a fetus having a chromosomal disorder if the ratio of the alleles or absolute copy number of the target nucleic acid is higher or lower by 3 standard deviation from the standard control sequence. In some embodiments, the comparison step shows an increased risk of a fetus having a chromosomal disorder if the ratio of the alleles or absolute copy number of the target nucleic acid is higher or lower than a statistically significant standard deviation from the control. In one embodiment, the standard control is a maternal reference, and in an embodiment the standard control is a fetal reference chromosome (e.g., non-trisomic autosome).

In some embodiments, the methods of the invention may be combined with other methods for diagnosing a chromosomal abnormality. For example, a noninvasive diagnostic method may require confirmation of the presence or absence of fetal nucleic acid, such as a sex test for a female fetus or to confirm an RhD negative female fetus in an RhD negative mother. In an embodiment, the compositions and methods of the invention may be used to determine the percentage of fetal nucleic acid in a maternal sample in order to enable another diagnostic method that requires the percentage of fetal nucleic acid be known. For example, does a sample meet certain threshold concentration requirements? When determining an allelic ratio to diagnose a fetal aneuploidy from a maternal sample, the amount or concentration of fetal nucleic acid may be required to make a diagnose with a given sensitivity and specificity. In other embodiments, the compositions and methods of the invention for detecting a chromosomal abnormality can be combined with other known methods thereby improving the overall sensitivity and specificity of the detection method. For example, mathematical models have suggested that a combined first-trimester screening program utilizing maternal age (MA), nuchal translucency (NT) thickness, serum-free beta-hCG, and serum PAPP-A will detect more than 80% of fetuses with Down's syndrome for a 5% invasive testing rate (Wald and Hackshaw, *Prenat Diagn* 17(9):921-9 (1997)). However, the combination of commonly used aneuploidy detection methods combined with the non-invasive free fetal nucleic acid-based methods described herein may offer improved accuracy with a lower false positive rate. Examples of combined diagnostic methods are provided in PCT Publication Number WO2008157264A2 (assigned to the Applicant), which is hereby incorporated by reference. In some embodiments, the methods of the invention may be combined with cell-based methods, wherein fetal cells are procured invasively or non-invasively.

In certain embodiments, an increased risk for a chromosomal abnormality is based on the outcome or result(s) produced from the compositions or methods provided herein. An example of an outcome is a deviation from the euploid absolute copy number or allelic ratio, which indicates the presence of chromosomal aneuploidy. This increase or decrease in the absolute copy number or ratio from the standard control indicates an increased risk of having a fetus with a chromosomal abnormality (e.g., trisomy 21). Information pertaining to a method described herein, such as an outcome, result, or risk of

trisomy or aneuploidy, for example, may be transfixed, renditioned, recorded and/or displayed in any suitable medium. For example, an outcome may be transfixed in a medium to save, store, share, communicate or otherwise analyze the outcome. A medium can be tangible (e.g., paper) or intangible (e.g., electronic medium), and examples of media include, but are not limited to, computer media, databases, charts, patient charts, records, patient records, graphs and tables, and any other medium of expression. The information sometimes is stored and/or renditioned in computer readable form and sometimes is stored and organized in a database. In certain embodiments, the information may be transferred from one location to another using a physical medium (e.g., paper) or a computer readable medium (e.g., optical and/or magnetic storage or transmission medium, floppy disk, hard disk, random access memory, computer processing unit, facsimile signal, satellite signal, transmission over an internet or transmission over the world-wide web).

In practicing the present invention within all aspects mentioned above, a CpG island may be used as the CpG-containing genomic sequence in some cases, whereas in other cases the CpG-containing genomic sequence may not be a CpG island.

In some embodiments, the present invention provides a kit for performing the methods of the invention. One component of the kit is a methylation-sensitive binding agent.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1: Shows the design of the recombinant MBD-Fc protein used to separate differentially methylated DNA.

FIGURE 2: Shows the methyl-CpG-binding, antibody-like protein has a high affinity and high avidity to its "antigen", which is preferably DNA that is methylated at CpG di-nucleotides.

FIGURE 3: Shows the methyl binding domain of MBD-Fc binds all DNA molecules regardless of their methylation status. The strength of this protein/DNA interaction is defined by the level of DNA methylation. After binding genomic DNA, eluate solutions of increasing salt concentrations can be used to fractionate non-methylated and methylated DNA allowing for a controlled separation.

FIGURE 4: Shows the experiment used to identify differentially methylated DNA from a fetus and mother using the recombinant MBD-Fc protein and a microarray.

FIGURE 5: Shows typical results generated by Sequenom® EpiTYPER™ method, which was used to validate the results generated from the experiment illustrated in Figure 4.

FIGURE 6: Shows the correlation between the log ratios derived from microarray analysis (x axis) and methylation differences obtained by EpiTYPER analysis (y axis). Each data point represents the average for one region across all measured samples. The microarray analysis is comparative in nature because the highly methylated fraction of the maternal DNA is hybridized together with the highly methylated fraction of placenta DNA. Positive values indicate higher methylation of the placenta samples. In mass

spectrometry each samples is measured individually. We first calculated difference in methylation by subtracting the maternal methylation values from the placenta methylation value. To compare the results with the microarray data we calculated the average of the differences for all maternal / placenta DNA pairs.

FIGURE 8: Shown is the correlation between the number of gDNA molecules that were expected and the number of molecules measured by competitive PCR in combination with mass spectrometry analysis. In this experiment we used DNA derived from whole blood (black plus signs) and commercially available fully methylated DNA (red crosses) in a 90 to 10 ratio. We used the MBD-FC fusion protein to separate the non-methylated and the methylated fraction of DNA. Each fraction was subject to competitive PCR analysis with mass spectrometry readout. The method has been described earlier for the analysis of copy number variations and is commercially available for gene expression analysis. The approach allows absolute quantification of DNA molecules with the help of a synthetic oligonucleotides of know concentration. In this experiment we targeted the MGMT locus, which was not methylated in the whole blood sample used here. Using an input of 300 total gDNA copies we expect to see 270 copies of non-methylated DNA and 30 copies of methylated DNA. The measured copy numbers are largely in agreement with the expected values. The data point at 600 copies of input DNA indicates a bias in the reaction and shows that this initial proof of concept experiment needs to be followed up with more development work, before the assay can be used. However, this initial data indicates the feasibility of the approach for capturing and quantifying of a few copies of methylated DNA in the presence of an excess of unmethylated DNA species.

FIGURE 9A-9C: Shown are bar graph plots of the methylation differences obtained from the microarray analysis (dark bars) and the mass spectrometry analysis (light grey bars) with respect to their genomic location. For each of the 85 region that were identified to be differentially methylated by microarray an individual plot is provided. The x axis for each plot shows the chromosomal position of the region. The y axis depicts the log ration (in case of the microarrays) and the methylation differences (in case of the mass spectrometry results). For the microarrays each hybridization probe in the area is shown as a single black (or dark grey) bar. For the mass spectrometry results each CpG site, is shown as a light grey bar. Bars showing values greater than zero indicate higher DNA methylation in the placenta samples compared to the maternal DNA. For some genes the differences are small (i.e. RB1 or DSCR6) but still statistically significant. Those regions would be less suitable for a fetal DNA enrichment strategy.

FIGURE 10: Shows one embodiment of the Fetal Quantifier Method. Maternal nucleic acid is selectively digested and the remaining fetal nucleic acid is quantified using a competitor of known concentration. In this schema, the analyte is separated and quantified by a mass spectrometer.

FIGURE 11: Shows one embodiment of the Methylation-Based Fetal Diagnostic Method. Maternal nucleic acid is selectively digested and the remaining fetal nucleic acid is quantified for three different chromosomes (13, 18 and 21). Parts 2 and 3 of the Figure illustrate the size distribution of the nucleic acid in the sample before and after digestion. The amplification reactions can be size-specific (e.g., greater than 100 base pair amplicons) such that they favor the longer, non-digested fetal nucleic acid over the digested maternal nucleic acid, thereby further enriching the fetal nucleic acid. The spectra at

the bottom of the Figure show an increased amount of chromosome 21 fetal nucleic acid indicative of trisomy 21.

FIGURE 12: Shows the total number of amplifiable genomic copies from four different DNA samples isolated from the blood of non-pregnant women. Each sample was diluted to contain approximately 2500, 1250, 625 or 313 copies per reaction. Each measurement was obtained by taking the mean DNA/competitor ratio obtained from two total copy number assays (ALB and RNaseP in Table X). As Figure 12 shows, the total copy number is accurate and stable across the different samples, thus validating the usefulness of the competitor-based approach.

FIGURES 13A and B: A model system was created that contained a constant number of maternal non-methylated DNA with varying amounts of male placental methylated DNA spiked-in. The samples were spiked with male placental amounts ranging from approximately 0 to 25% relative to the maternal non-methylated DNA. The fraction of placental DNA was calculated using the ratios obtained from the methylation assays (Figure 13A) and the Y-chromosome marker (Figure 13B) as compared to the total copy number assay. The methylation and Y-chromosome markers are provided in Table X.

FIGURES 14 A and B: Show the results of the total copy number assay from plasma samples. In Figure 14A, the copy number for each sample is shown. Two samples (no 25 and 26) have a significantly higher total copy number than all the other samples. A mean of approximately 1300 amplifiable copies/ml plasma was obtained (range 766-2055). Figure 14B shows a box-and-whisker plot of the given values, summarizing the results.

FIGURES 15A and B: The amount (or copy numbers) of fetal nucleic acid from 33 different plasma samples taken from pregnant women with male fetuses are plotted. The copy numbers obtained were calculated using the methylation markers and the Y-chromosome-specific markers using the assays provided in Table X. As can be seen in Figure 15B, the box-and-whisker plot of the given values indicated minimal difference between the two different measurements, thus validating the accuracy and stability of the method.

FIGURE 16: Shows a paired correlation between the results obtained using the methylation markers versus the Y-chromosome marker from Figure 15A.

FIGURE 17: Shows the digestion efficiency of the restriction enzymes using the ratio of digestion for the control versus the competitor and comparing this value to the mean total copy number assays. Apart from sample 26 all reactions indicate the efficiency to be above about 99%.

FIGURE 18: Provides a specific method for calculating fetal DNA fraction (or concentration) in a sample using the Y-chromosome-specific markers for male pregnancies and the mean of the methylated fraction for all pregnancies (regardless of fetal sex).

FIGURE 19: Provides a specific method for calculating fetal DNA fraction (or concentration) in a sample without the Y-chromosome-specific markers. Instead, only the Assays for Methylation Quantification were used to determine the concentration of fetal DNA.

FIGURE 20: Shows a power calculation t-test for a simulated trisomy 21 diagnosis using the methods of the invention. The Figure shows the relationship between the coefficient of variation (CV) on the x-axis and the power to discriminate the assay populations using a simple t-test (y-axis). The data indicates that in 99% of all cases, one can discriminate the two population (euploid vs. aneuploid) on a significance level of 0.001 provided a CV of 5% or less.

DEFINITIONS

The term "pregnancy-associated disorder," as used in this application, refers to any condition or disease that may affect a pregnant woman, the fetus, or both the woman and the fetus. Such a condition or disease may manifest its symptoms during a limited time period, e.g., during pregnancy or delivery, or may last the entire life span of the fetus following its birth. Some examples of a pregnancy-associated disorder include ectopic pregnancy, preeclampsia, preterm labor, RhD incompatibility, fetal chromosomal abnormalities such as trisomy 21, and genetically inherited fetal disorders such as cystic fibrosis, beta-thalassemia or other monogenic disorders. The compositions and processes described herein are particularly useful for diagnosis, prognosis and monitoring of pregnancy-associated disorders associated with quantitative abnormalities of fetal DNA in maternal plasma/serum, including but not limited to, preeclampsia (Lo et al., Clin. Chem. 45:184-188, 1999 and Zhong et al., Am. J. Obstet. Gynecol. 184:414-419, 2001), fetal trisomy (Lo et al., Clin. Chem. 45:1747-1751, 1999 and Zhong et al., Prenat. Diagn. 20:795-798, 2000) and hyperemesis gravidarum (Sekizawa et al., Clin. Chem. 47:2164-2165, 2001). For example, an elevated level of fetal nucleic acid in maternal blood (as compared to a normal pregnancy or pregnancies) may be indicative of a preeclamptic pregnancy. Further, the ability to enrich fetal nucleic acid from a maternal sample may prove particularly useful for the noninvasive prenatal diagnosis of autosomal recessive diseases such as the case when a mother and father share an identical disease causing mutation, an occurrence previously perceived as a challenge for maternal plasma-based non-trisomy prenatal diagnosis.

The term "chromosomal abnormality" or "aneuploidy" as used herein refers to a deviation between the structure of the subject chromosome and a normal homologous chromosome. The term "normal" refers to the predominate karyotype or banding pattern found in healthy individuals of a particular species, for example, a euploid genome (in humans, 46XX or 46XY). A chromosomal abnormality can be numerical or structural, and includes but is not limited to aneuploidy, polyploidy, inversion, a trisomy, a monosomy, duplication, deletion, deletion of a part of a chromosome, addition, addition of a part of a chromosome, insertion, a fragment of a chromosome, a region of a chromosome, chromosomal rearrangement, and translocation. Chromosomal abnormality may also refer to a state of chromosomal abnormality where a portion of one or more chromosomes is not an exact multiple of the usual haploid number due to, for example, chromosome translocation. Chromosomal translocation (e.g. translocation between chromosome 21 and 14 where some of the 14th chromosome is replaced by extra 21st chromosome) may cause partial trisomy 21. A chromosomal abnormality can be correlated with presence of a pathological condition or with a predisposition to develop a pathological condition. A chromosomal abnormality may be detected by quantitative analysis of nucleic acid.

The terms "nucleic acid" and "nucleic acid molecule" may be used interchangeably throughout the disclosure. The terms refer to nucleic acids of any composition from, such as DNA (e.g., complementary DNA (cDNA), genomic DNA (gDNA) and the like), RNA (e.g., message RNA (mRNA), short inhibitory RNA (siRNA), ribosomal RNA (rRNA), tRNA, microRNA, RNA highly expressed by the fetus or placenta, and the like), and/or DNA or RNA analogs (e.g., containing base analogs, sugar analogs and/or a non-native backbone and the like), RNA/DNA hybrids and polyamide nucleic acids (PNAs), all of which can be in single- or double-stranded form, and unless otherwise limited, can encompass known analogs of natural nucleotides that can function in a similar manner as naturally occurring nucleotides. For example, the nucleic acids provided in SEQ ID NOs: 1-261 (see Tables 4A-4C) can be in any form useful for conducting processes herein (e.g., linear, circular, supercoiled, single-stranded, double-stranded and the like) or may include variations (e.g., insertions, deletions or substitutions) that do not alter their utility as part of the present invention. A nucleic acid may be, or may be from, a plasmid, phage, autonomously replicating sequence (ARS), centromere, artificial chromosome, chromosome, or other nucleic acid able to replicate or be replicated in vitro or in a host cell, a cell, a cell nucleus or cytoplasm of a cell in certain embodiments. A template nucleic acid in some embodiments can be from a single chromosome (e.g., a nucleic acid sample may be from one chromosome of a sample obtained from a diploid organism). Unless specifically limited, the term encompasses nucleic acids containing known analogs of natural nucleotides that have similar binding properties as the reference nucleic acid and are metabolized in a manner similar to naturally occurring nucleotides. Unless otherwise indicated, a particular nucleic acid sequence also implicitly encompasses conservatively modified variants thereof (e.g., degenerate codon substitutions), alleles, orthologs, single nucleotide polymorphisms (SNPs), and complementary sequences as well as the sequence explicitly indicated. Specifically, degenerate codon substitutions may be achieved by generating sequences in which the third position of one or more selected (or all) codons is substituted with mixed-base and/or deoxyinosine residues (Batzner et al., *Nucleic Acid Res.* 19:5081 (1991); Ohtsuka et al., *J. Biol. Chem.* 260:2605-2608 (1985); and Rossolini et al., *Mol. Cell. Probes* 8:91-98 (1994)). The term nucleic acid is used interchangeably with locus, gene, cDNA, and mRNA encoded by a gene. The term also may include, as equivalents, derivatives, variants and analogs of RNA or DNA synthesized from nucleotide analogs, single-stranded ("sense" or "antisense", "plus" strand or "minus" strand, "forward" reading frame or "reverse" reading frame) and double-stranded polynucleotides. Deoxyribonucleotides include deoxyadenosine, deoxycytidine, deoxyguanosine and deoxythymidine. For RNA, the base cytosine is replaced with uracil. A template nucleic acid may be prepared using a nucleic acid obtained from a subject as a template.

A "nucleic acid comprising one or more CpG sites" or a "CpG-containing genomic sequence" as used herein refers to a segment of DNA sequence at a defined location in the genome of an individual such as a human fetus or a pregnant woman. Typically, a "CpG-containing genomic sequence" is at least 15 nucleotides in length and contains at least one cytosine. Preferably, it can be at least 30, 50, 80, 100, 150, 200, 250, or 300 nucleotides in length and contains at least 2, 5, 10, 15, 20, 25, or 30 cytosines. For anyone "CpG-containing genomic sequence" at a given location, e.g., within a region centering around a given genetic locus (see Tables 1A-1C), nucleotide sequence variations may exist from individual to individual and from allele to allele even for the same individual. Typically, such a region centering around a defined genetic locus (e.g., a CpG island) contains the locus as well as upstream and/or

downstream sequences. Each of the upstream or downstream sequence (counting from the 5' or 3' boundary of the genetic locus, respectively) can be as long as 10 kb, in other cases may be as long as 5 kb, 2 kb, 1 kb, 500 bp, 200 bp, or 100 bp. Furthermore, a "CpG-containing genomic sequence" may encompass a nucleotide sequence transcribed or not transcribed for protein production, and the nucleotide sequence can be an inter-gene sequence, intra-gene sequence, protein-coding sequence, a non protein-coding sequence (such as a transcription promoter), or a combination thereof.

As used herein, a "methylated nucleotide" or a "methylated nucleotide base" refers to the presence of a methyl moiety on a nucleotide base, where the methyl moiety is not present in a recognized typical nucleotide base. For example, cytosine does not contain a methyl moiety on its pyrimidine ring, but 5-methylcytosine contains a methyl moiety at position 5 of its pyrimidine ring. Therefore, cytosine is not a methylated nucleotide and 5-methylcytosine is a methylated nucleotide. In another example, thymine contains a methyl moiety at position 5 of its pyrimidine ring, however, for purposes herein, thymine is not considered a methylated nucleotide when present in DNA since thymine is a typical nucleotide base of DNA. Typical nucleoside bases for DNA are thymine, adenine, cytosine and guanine. Typical bases for RNA are uracil, adenine, cytosine and guanine. Correspondingly a "methylation site" is the location in the target gene nucleic acid region where methylation has, or has the possibility of occurring. For example a location containing CpG is a methylation site wherein the cytosine may or may not be methylated.

As used herein, a "CpG site" or "methylation site" is a nucleotide within a nucleic acid that is susceptible to methylation either by natural occurring events in vivo or by an event instituted to chemically methylate the nucleotide in vitro.

As used herein, a "methylated nucleic acid molecule" refers to a nucleic acid molecule that contains one or more methylated nucleotides that is/are methylated.

A "CpG island" as used herein describes a segment of DNA sequence that comprises a functionally or structurally deviated CpG density. For example, Yamada et al. (Genome Research 14:247-266, 2004) have described a set of standards for determining a CpG island: it must be at least 400 nucleotides in length, has a greater than 50% GC content, and an OCF/ECF ratio greater than 0.6. Others (Takai et al., Proc. Natl. Acad. Sci. U.S.A. 99:3740-3745, 2002) have defined a CpG island less stringently as a sequence at least 200 nucleotides in length, having a greater than 50% GC content, and an OCF/ECF ratio greater than 0.6.

The term "epigenetic state" or "epigenetic status" as used herein refers to any structural feature at a molecular level of a nucleic acid (e.g., DNA or RNA) other than the primary nucleotide sequence. For instance, the epigenetic state of a genomic DNA may include its secondary or tertiary structure determined or influenced by, e.g., its methylation pattern or its association with cellular proteins.

The term "methylation profile" "methylation state" or "methylation status," as used herein to describe the state of methylation of a genomic sequence, refers to the characteristics of a DNA segment at a particular genomic locus relevant to methylation. Such characteristics include, but are not limited to,

whether any of the cytosine (C) residues within this DNA sequence are methylated, location of methylated C residue(s), percentage of methylated C at any particular stretch of residues, and allelic differences in methylation due to, e.g., difference in the origin of the alleles. The term "methylation profile" or "methylation status" also refers to the relative or absolute concentration of methylated C or unmethylated C at any particular stretch of residues in a biological sample. For example, if the cytosine (C) residue(s) within a DNA sequence are methylated it may be referred to as "hypermethylated"; whereas if the cytosine (C) residue(s) within a DNA sequence are not methylated it may be referred to as "hypomethylated". Likewise, if the cytosine (C) residue(s) within a DNA sequence (e.g., fetal nucleic acid) are methylated as compared to another sequence from a different region or from a different individual (e.g., relative to maternal nucleic acid), that sequence is considered hypermethylated compared to the other sequence. Alternatively, if the cytosine (C) residue(s) within a DNA sequence are not methylated as compared to another sequence from a different region or from a different individual (e.g., the mother), that sequence is considered hypomethylated compared to the other sequence. These sequences are said to be "differentially methylated", and more specifically, when the methylation status differs between mother and fetus, the sequences are considered "differentially methylated maternal and fetal nucleic acid".

The term "agent that binds to methylated nucleotides" as used herein refers to a substance that is capable of binding to methylated nucleic acid. The agent may be naturally-occurring or synthetic, and may be modified or unmodified. In one embodiment, the agent allows for the separation of different nucleic acid species according to their respective methylation states. An example of an agent that binds to methylated nucleotides is described in PCT Patent Application No. PCT/EP2005/012707, which published as WO06056480A2 and is hereby incorporated by reference. The described agent is a bifunctional polypeptide comprising the DNA-binding domain of a protein belonging to the family of Methyl-CpG binding proteins (MBDs) and an Fc portion of an antibody (see Figure 1). The recombinant methyl-CpG-binding, antibody-like protein can preferably bind CpG methylated DNA in an antibody-like manner. That means, the methyl-CpG-binding, antibody-like protein has a high affinity and high avidity to its "antigen", which is preferably DNA that is methylated at CpG dinucleotides. The agent may also be a multivalent MBD (see Figure 2).

The term "polymorphism" as used herein refers to a sequence variation within different alleles of the same genomic sequence. A sequence that contains a polymorphism is considered "polymorphic sequence". Detection of one or more polymorphisms allows differentiation of different alleles of a single genomic sequence or between two or more individuals. As used herein, the term "polymorphic marker" or "polymorphic sequence" refers to segments of genomic DNA that exhibit heritable variation in a DNA sequence between individuals. Such markers include, but are not limited to, single nucleotide polymorphisms (SNPs), restriction fragment length polymorphisms (RFLPs), short tandem repeats, such as di-, tri- or tetra-nucleotide repeats (STRs), and the like. Polymorphic markers according to the present invention can be used to specifically differentiate between a maternal and paternal allele in the enriched fetal nucleic acid sample.

The terms "single nucleotide polymorphism" or "SNP" as used herein refer to the polynucleotide sequence variation present at a single nucleotide residue within different alleles of the same genomic

sequence. This variation may occur within the coding region or non-coding region (i.e., in the promoter or intronic region) of a genomic sequence, if the genomic sequence is transcribed during protein production. Detection of one or more SNP allows differentiation of different alleles of a single genomic sequence or between two or more individuals.

The term "allele" as used herein is one of several alternate forms of a gene or non-coding regions of DNA that occupy the same position on a chromosome. The term allele can be used to describe DNA from any organism including but not limited to bacteria, viruses, fungi, protozoa, molds, yeasts, plants, humans, non-humans, animals, and archeabacteria.

The terms "ratio of the alleles" or "allelic ratio" as used herein refer to the ratio of the population of one allele and the population of the other allele in a sample. In some trisomic cases, it is possible that a fetus may be tri-allelic for a particular locus. In such cases, the term "ratio of the alleles" refers to the ratio of the population of any one allele against one of the other alleles, or any one allele against the other two alleles.

The term "non-polymorphism-based quantitative method" as used herein refers to a method for determining the amount of an analyte (e.g., total nucleic acid, Y-chromosome nucleic acid, or fetal nucleic acid) that does not require the use of a polymorphic marker or sequence. Although a polymorphism may be present in the sequence, said polymorphism is not required to quantify the sequence. Examples of non-polymorphism-based quantitative methods include, but are not limited to, RT-PCR, digital PCR, array-based methods, sequencing methods, nanopore-based methods, nucleic acid-bound bead-based counting methods and competitor-based methods wherein one or more competitors are introduced at a known concentration(s) to determine the amount of one or more analytes. In some embodiments, some of the above exemplary methods (for example, sequencing) may need to be actively modified or designed such that one or more polymorphisms are not interrogated.

The terms "absolute amount" or "copy number" as used herein refers to the amount or quantity of an analyte (e.g., total nucleic acid or fetal nucleic acid). The present invention provides compositions and processes for determining the absolute amount of fetal nucleic acid in a mixed maternal sample. Absolute amount or copy number represents the number of molecules available for detection, and may be expressed as the genomic equivalents per unit. The term "concentration" refers to the amount or proportion of a substance in a mixture or solution (e.g., the amount of fetal nucleic acid in a maternal sample that comprises a mixture of maternal and fetal nucleic acid). The concentration may be expressed as a percentage, which is used to express how large/small one quantity is, relative to another quantity as a fraction of 100. Platforms for determining the quantity or amount of an analyte (e.g., target nucleic acid) include, but are not limited to, mass spectrometry, digital PCR, sequencing by synthesis platforms (e.g., pyrosequencing), fluorescence spectroscopy and flow cytometry.

The term "sample" as used herein refers to a specimen containing nucleic acid. Examples of samples include, but are not limited to, tissue, bodily fluid (for example, blood, serum, plasma, saliva, urine, tears, peritoneal fluid, ascitic fluid, vaginal secretion, breast fluid, breast milk, lymph fluid, cerebrospinal fluid or mucosa secretion), umbilical cord blood, chorionic villi, amniotic fluid, an embryo, a two-celled

embryo, a four-celled embryo, an eight-celled embryo, a 16-celled embryo, a 32-celled embryo, a 64-celled embryo, a 128-celled embryo, a 256-celled embryo, a 512-celled embryo, a 1024-celled embryo, embryonic tissues, lymph fluid, cerebrospinal fluid, mucosa secretion, or other body exudate, fecal matter, an individual cell or extract of the such sources that contain the nucleic acid of the same, and subcellular structures such as mitochondria, using protocols well established within the art.

Fetal DNA can be obtained from sources including but not limited to maternal blood, maternal serum, maternal plasma, fetal cells, umbilical cord blood, chorionic villi, amniotic fluid, urine, saliva, lung lavage, cells or tissues.

The term "blood" as used herein refers to a blood sample or preparation from a pregnant woman or a woman being tested for possible pregnancy. The term encompasses whole blood or any fractions of blood, such as serum and plasma as conventionally defined.

The term "bisulfite" as used herein encompasses all types of bisulfites, such as sodium bisulfite, that are capable of chemically converting a cytosine (C) to a uracil (U) without chemically modifying a methylated cytosine and therefore can be used to differentially modify a DNA sequence based on the methylation status of the DNA.

As used herein, a reagent that "differentially modifies" methylated or non-methylated DNA encompasses any reagent that modifies methylated and/or unmethylated DNA in a process through which distinguishable products result from methylated and non-methylated DNA, thereby allowing the identification of the DNA methylation status. Such processes may include, but are not limited to, chemical reactions (such as a C.fwdarw.U conversion by bisulfite) and enzymatic treatment (such as cleavage by a methylation-dependent endonuclease). Thus, an enzyme that preferentially cleaves or digests methylated DNA is one capable of cleaving or digesting a DNA molecule at a much higher efficiency when the DNA is methylated, whereas an enzyme that preferentially cleaves or digests unmethylated DNA exhibits a significantly higher efficiency when the DNA is not methylated.

The terms "non-bisulfite-based method" and "non-bisulfite-based quantitative method" as used herein refer to any method for quantifying methylated or non-methylated nucleic acid that does not require the use of bisulfite. The terms also refer to methods for preparing a nucleic acid to be quantified that do not require bisulfite treatment. Examples of non-bisulfite-based methods include, but are not limited to, methods for digesting nucleic acid using one or more methylation sensitive enzymes and methods for separating nucleic acid using agents that bind nucleic acid based on methylation status.

The terms "methyl-sensitive enzymes" and "methylation sensitive restriction enzymes" are DNA restriction endonucleases that are dependent on the methylation state of their DNA recognition site for activity. For example, there are methyl-sensitive enzymes that cleave or digest at their DNA recognition sequence only if it is not methylated. Thus, an unmethylated DNA sample will be cut into smaller fragments than a methylated DNA sample. Similarly, a hypermethylated DNA sample will not be cleaved. In contrast, there are methyl-sensitive enzymes that cleave at their DNA recognition sequence only if it is methylated. As used herein, the terms "cleave", "cut" and "digest" are used interchangeably.

The term "target nucleic acid" as used herein refers to a nucleic acid examined using the methods disclosed herein to determine if the nucleic acid is part of a pregnancy-related disorder or chromosomal abnormality. For example, a target nucleic acid from chromosome 21 could be examined using the methods of the invention to detect Down's Syndrome.

The term "control nucleic acid" as used herein refers to a nucleic acid used as a reference nucleic acid according to the methods disclosed herein to determine if the nucleic acid is part of a chromosomal abnormality. For example, a control nucleic acid from a chromosome other than chromosome 21 (herein referred to as a "reference chromosome") could be as a reference sequence to detect Down's Syndrome. In some embodiments, the control sequence has a known or predetermined quantity.

The term "sequence-specific" or "locus-specific method" as used herein refers to a method that interrogates (for example, quantifies) nucleic acid at a specific location (or locus) in the genome based on the sequence composition. Sequence-specific or locus-specific methods allow for the quantification of specific regions or chromosomes.

The term "gene" means the segment of DNA involved in producing a polypeptide chain; it includes regions preceding and following the coding region (leader and trailer) involved in the transcription/translation of the gene product and the regulation of the transcription/translation, as well as intervening sequences (introns) between individual coding segments (exons).

In this application, the terms "polypeptide," "peptide," and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers and non-naturally occurring amino acid polymers. As used herein, the terms encompass amino acid chains of any length, including full-length proteins (i.e., antigens), wherein the amino acid residues are linked by covalent peptide bonds.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function in a manner similar to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ -carboxyglutamate, and O-phosphoserine.

Amino acids may be referred to herein by either the commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Primers" as used herein refer to oligonucleotides that can be used in an amplification method, such as a polymerase chain reaction (PCR), to amplify a nucleotide sequence based on the polynucleotide sequence corresponding to a particular genomic sequence, e.g., one located within the CpG island CGI137, PDE9A, or CGI009 on chromosome 21, in various methylation status. At least one of the PCR primers for amplification of a polynucleotide sequence is sequence-specific for the sequence. The term "template" refers to any nucleic acid molecule that can be used for amplification in the

invention. RNA or DNA that is not naturally double stranded can be made into double stranded DNA so as to be used as template DNA. Any double stranded DNA or preparation containing multiple, different double stranded DNA molecules can be used as template DNA to amplify a locus or loci of interest contained in the template DNA.

The term “amplification reaction” as used herein refers to a process for copying nucleic acid one or more times. In embodiments, the method of amplification includes but is not limited to polymerase chain reaction, self-sustained sequence reaction, ligase chain reaction, rapid amplification of cDNA ends, polymerase chain reaction and ligase chain reaction, Q-beta phage amplification, strand displacement amplification, or splice overlap extension polymerase chain reaction. In some embodiments, a single molecule of nucleic acid is amplified, for example, by digital PCR.

The term “sensitivity” as used herein refers to the number of true positives divided by the number of true positives plus the number of false negatives, where sensitivity (sens) may be within the range of $0 \leq \text{sens} \leq 1$. Ideally, method embodiments herein have the number of false negatives equaling zero or close to equaling zero, so that no subject is wrongly identified as not having at least one chromosome abnormality or other genetic disorder when they indeed have at least one chromosome abnormality or other genetic disorder. Conversely, an assessment often is made of the ability of a prediction algorithm to classify negatives correctly, a complementary measurement to sensitivity. The term “specificity” as used herein refers to the number of true negatives divided by the number of true negatives plus the number of false positives, where sensitivity (spec) may be within the range of $0 \leq \text{spec} \leq 1$. Ideally, methods embodiments herein have the number of false positives equaling zero or close to equaling zero, so that no subject wrongly identified as having at least one chromosome abnormality other genetic disorder when they do not have the chromosome abnormality other genetic disorder being assessed. Hence, a method that has sensitivity and specificity equaling one, or 100%, sometimes is selected.

One or more prediction algorithms may be used to determine significance or give meaning to the detection data collected under variable conditions that may be weighed independently of or dependently on each other. The term “variable” as used herein refers to a factor, quantity, or function of an algorithm that has a value or set of values. For example, a variable may be the design of a set of amplified nucleic acid species, the number of sets of amplified nucleic acid species, percent fetal genetic contribution tested, percent maternal genetic contribution tested, type of chromosome abnormality assayed, type of genetic disorder assayed, type of sex-linked abnormalities assayed, the age of the mother and the like. The term “independent” as used herein refers to not being influenced or not being controlled by another. The term “dependent” as used herein refers to being influenced or controlled by another. For example, a particular chromosome and a trisomy event occurring for that particular chromosome that results in a viable being are variables that are dependent upon each other.

One of skill in the art may use any type of method or prediction algorithm to give significance to the data of the present invention within an acceptable sensitivity and/or specificity. For example, prediction algorithms such as Chi-squared test, z-test, t-test, ANOVA (analysis of variance), regression analysis, neural nets, fuzzy logic, Hidden Markov Models, multiple model state estimation, and the like may be used. One or more methods or prediction algorithms may be determined to give significance to the

data having different independent and/or dependent variables of the present invention. And one or more methods or prediction algorithms may be determined not to give significance to the data having different independent and/or dependent variables of the present invention. One may design or change parameters of the different variables of methods described herein based on results of one or more prediction algorithms (e.g., number of sets analyzed, types of nucleotide species in each set). For example, applying the Chi-squared test to detection data may suggest that specific ranges of maternal age are correlated to a higher likelihood of having an offspring with a specific chromosome abnormality, hence the variable of maternal age may be weighed differently verses being weighed the same as other variables.

In certain embodiments, several algorithms may be chosen to be tested. These algorithms can be trained with raw data. For each new raw data sample, the trained algorithms will assign a classification to that sample (i.e. trisomy or normal). Based on the classifications of the new raw data samples, the trained algorithms' performance may be assessed based on sensitivity and specificity. Finally, an algorithm with the highest sensitivity and/or specificity or combination thereof may be identified.

DETAILED DESCRIPTION

Introduction

The presence of fetal nucleic acid in maternal plasma was first reported in 1997 and offers the possibility for non-invasive prenatal diagnosis simply through the analysis of a maternal blood sample (Lo et al., Lancet 350:485-487, 1997). To date, numerous potential clinical applications have been developed. In particular, quantitative abnormalities of fetal nucleic acid, for example DNA, concentrations in maternal plasma have been found to be associated with a number of pregnancy-associated disorders, including preeclampsia, preterm labor, antepartum hemorrhage, invasive placentation, fetal Down syndrome, and other fetal chromosomal aneuploidies. Hence, fetal nucleic acid analysis in maternal plasma represents a powerful mechanism for the monitoring of fetomaternal well-being.

However, fetal DNA co-exists with background maternal DNA in maternal plasma. Hence, most reported applications have relied on the detection of Y-chromosome sequences as these are most conveniently distinguishable from maternal DNA. Such an approach limits the applicability of the existing assays to only 50% of all pregnancies, namely those with male fetuses. Thus, there is much need for the development of sex-independent compositions and methods for enriching and analyzing fetal nucleic acid from a maternal sample. Also, methods that rely on polymorphic markers to quantify fetal nucleic acid may be susceptible to varying heterozygosity rates across different ethnicities thereby limiting their applicability (e.g., by increasing the number of markers that are needed).

It was previously demonstrated that fetal and maternal DNA can be distinguished by their differences in methylation status (U.S. Patent No. 6,927,028, which is hereby incorporated by reference). Methylation is an epigenetic phenomenon, which refers to processes that alter a phenotype without involving changes in the DNA sequence. By exploiting the difference in the DNA methylation status between

mother and fetus, one can successfully detect and analyze fetal nucleic acid in a background of maternal nucleic acid.

The present inventors provides novel genomic polynucleotides that are differentially methylated between the fetal DNA from the fetus (e.g., from the placenta) and the maternal DNA from the mother, for example from peripheral blood cells. This discovery thus provides a new approach for distinguishing fetal and maternal genomic DNA and new methods for accurately quantifying fetal nucleic which may be used for non-invasive prenatal diagnosis.

Methodology

Practicing the invention utilizes routine techniques in the field of molecular biology. Basic texts disclosing the general methods of use in the invention include Sambrook and Russell, *Molecular Cloning, A Laboratory Manual* (3rd ed. 2001); Kriegler, *Gene Transfer and Expression: A Laboratory Manual* (1990); and *Current Protocols in Molecular Biology* (Ausubel et al., eds., 1994)).

For nucleic acids, sizes are given in either kilobases (kb) or base pairs (bp). These are estimates derived from agarose or acrylamide gel electrophoresis, from sequenced nucleic acids, or from published DNA sequences. For proteins, sizes are given in kilodaltons (kDa) or amino acid residue numbers. Protein sizes are estimated from gel electrophoresis, from sequenced proteins, from derived amino acid sequences, or from published protein sequences.

Oligonucleotides that are not commercially available can be chemically synthesized, e.g., according to the solid phase phosphoramidite triester method first described by Beaucage & Caruthers, *Tetrahedron Lett.* 22: 1859-1862 (1981), using an automated synthesizer, as described in Van Devanter et. al., *Nucleic Acids Res.* 12: 6159-6168 (1984). Purification of oligonucleotides is performed using any art-recognized strategy, e.g., native acrylamide gel electrophoresis or anion-exchange high performance liquid chromatography (HPLC) as described in Pearson & Reanier, *J. Chrom.* 255: 137-149 (1983).

Acquisition of Blood Samples and Extraction of DNA

The present invention relates to separating, enriching and analyzing fetal DNA found in maternal blood as a non-invasive means to detect the presence and/or to monitor the progress of a pregnancy-associated condition or disorder. Thus, the first steps of practicing the invention are to obtain a blood sample from a pregnant woman and extract DNA from the sample.

A. Acquisition of Blood Samples

A blood sample is obtained from a pregnant woman at a gestational age suitable for testing using a method of the present invention. The suitable gestational age may vary depending on the disorder tested, as discussed below. Collection of blood from a woman is performed in accordance with the

standard protocol hospitals or clinics generally follow. An appropriate amount of peripheral blood, e.g., typically between 5-50 ml, is collected and may be stored according to standard procedure prior to further preparation. Blood samples may be collected, stored or transported in a manner known to the person of ordinary skill in the art to minimize degradation or the quality of nucleic acid present in the sample.

B. Preparation of Blood Samples

The analysis of fetal DNA found in maternal blood according to the present invention may be performed using, e.g., the whole blood, serum, or plasma. The methods for preparing serum or plasma from maternal blood are well known among those of skill in the art. For example, a pregnant woman's blood can be placed in a tube containing EDTA or a specialized commercial product such as Vacutainer SST (Becton Dickinson, Franklin Lakes, N.J.) to prevent blood clotting, and plasma can then be obtained from whole blood through centrifugation. On the other hand, serum may be obtained with or without centrifugation-following blood clotting. If centrifugation is used then it is typically, though not exclusively, conducted at an appropriate speed, e.g., 1,500-3,000 times g. Plasma or serum may be subjected to additional centrifugation steps before being transferred to a fresh tube for DNA extraction.

In addition to the acellular portion of the whole blood, DNA may also be recovered from the cellular fraction, enriched in the buffy coat portion, which can be obtained following centrifugation of a whole blood sample from the woman and removal of the plasma.

C. Extraction of DNA

There are numerous known methods for extracting DNA from a biological sample including blood. The general methods of DNA preparation (e.g., described by Sambrook and Russell, *Molecular Cloning: A Laboratory Manual* 3d ed., 2001) can be followed; various commercially available reagents or kits, such as Qiagen's QIAamp Circulating Nucleic Acid Kit, QIAamp DNA Mini Kit or QIAamp DNA Blood Mini Kit (Qiagen, Hilden, Germany), GenomicPrep™ Blood DNA Isolation Kit (Promega, Madison, Wis.), and GFX™ Genomic Blood DNA Purification Kit (Amersham, Piscataway, N.J.), may also be used to obtain DNA from a blood sample from a pregnant woman. Combinations of more than one of these methods may also be used.

In some embodiments, the sample may first be enriched or relatively enriched for fetal nucleic acid by one or more methods. For example, the discrimination of fetal and maternal DNA can be performed using the compositions and processes of the present invention alone or in combination with other discriminating factors. Examples of these factors include, but are not limited to, single nucleotide differences between chromosome X and Y, chromosome Y-specific sequences, polymorphisms located elsewhere in the genome, size differences between fetal and maternal DNA and differences in methylation pattern between maternal and fetal tissues.

Other methods for enriching a sample for a particular species of nucleic acid are described in PCT Patent Application Number PCT/US07/69991, filed May 30, 2007, PCT Patent Application Number PCT/US2007/071232, filed June 15, 2007, US Provisional Application Numbers 60/968,876 and 60/968,878 (assigned to the Applicant), (PCT Patent Application Number PCT/EP05/012707, filed November 28, 2005) which are all hereby incorporated by reference. In certain embodiments, maternal nucleic acid is selectively removed (either partially, substantially, almost completely or completely) from the sample.

Methylation Specific Separation of Nucleic Acid

The methods provided herein offer an alternative approach for the enrichment of fetal DNA based on the methylation-specific separation of differentially methylated DNA. It has recently been discovered that many genes involved in developmental regulation are controlled through epigenetics in embryonic stem cells. Consequently, multiple genes can be expected to show differential DNA methylation between nucleic acid of fetal origin and maternal origin. Once these regions are identified, a technique to capture methylated DNA can be used to specifically enrich fetal DNA. For identification of differentially methylated regions, a novel approach was used to capture methylated DNA. This approach uses a protein, in which the methyl binding domain of MBD2 is fused to the Fc fragment of an antibody (MBD-FC) (Gebhard C, Schwarzfischer L, Pham TH, Schilling E, Klug M, Andreessen R, Rehli M (2006) Genomewide profiling of CpG methylation identifies novel targets of aberrant hypermethylation in myeloid leukemia. *Cancer Res* 66:6118-6128). This fusion protein has several advantages over conventional methylation specific antibodies. The MBD-FC has a higher affinity to methylated DNA and it binds double stranded DNA. Most importantly the two proteins differ in the way they bind DNA. Methylation specific antibodies bind DNA stochastically, which means that only a binary answer can be obtained. The methyl binding domain of MBD-FC on the other hand binds all DNA molecules regardless of their methylation status. The strength of this protein - DNA interaction is defined by the level of DNA methylation. After binding genomic DNA, eluate solutions of increasing salt concentrations can be used to fractionate non-methylated and methylated DNA allowing for a more controlled separation (Gebhard C, Schwarzfischer L, Pham TH, Andreessen R, Mackensen A, Rehli M (2006) Rapid and sensitive detection of CpG-methylation using methyl-binding (MB)-PCR. *Nucleic Acids Res* 34:e82). Consequently this method, called Methyl-CpG immunoprecipitation (MCIP), cannot only enrich, but also fractionate genomic DNA according to methylation level, which is particularly helpful when the unmethylated DNA fraction should be investigated as well.

Methylation Sensitive Restriction Enzyme Digestion

The invention also provides compositions and processes for determining the amount of fetal nucleic acid from a maternal sample. The invention allows for the enrichment of fetal nucleic acid regions in a maternal sample by selectively digesting nucleic acid from said maternal sample with an enzyme that selectively and completely or substantially digests the maternal nucleic acid to enrich the sample for at least one fetal nucleic acid region. Preferably, the digestion efficiency is greater than about 75%, 76%, 77%, 78%, 79%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99%. Following enrichment, the amount of fetal nucleic acid can be determined by

quantitative methods that do not require polymorphic sequences or bisulfite treatment, thereby, offering a solution that works equally well for female fetuses and across different ethnicities and preserves the low copy number fetal nucleic acid present in the sample.

For example, there are methyl-sensitive enzymes that preferentially or substantially cleave or digest at their DNA recognition sequence if it is non-methylated. Thus, an unmethylated DNA sample will be cut into smaller fragments than a methylated DNA sample. Similarly, a hypermethylated DNA sample will not be cleaved. In contrast, there are methyl-sensitive enzymes that cleave at their DNA recognition sequence only if it is methylated.

Methyl-sensitive enzymes that digest unmethylated DNA suitable for use in methods of the invention include, but are not limited to, HpaII, HhaI, MaeII, BstUI and AclI. An enzyme that can be used is HpaII that cuts only the unmethylated sequence CCGG. Another enzyme that can be used is HhaI that cuts only the unmethylated sequence GCGC. Both enzymes are available from New England BioLabs®, Inc. Combinations of two or more methyl-sensitive enzymes that digest only unmethylated DNA can also be used. Suitable enzymes that digest only methylated DNA include, but are not limited to, DpnI, which cuts at a recognition sequence GATC, and McrBC, which belongs to the family of AAA^{sup}.+ proteins and cuts DNA containing modified cytosines and cuts at recognition site 5' . . . Pu^{sup}.mC(N^{sub}.40-3000) Pu^{sup}.mC . . . 3' (New England BioLabs, Inc., Beverly, Mass.).

Cleavage methods and procedures for selected restriction enzymes for cutting DNA at specific sites are well known to the skilled artisan. For example, many suppliers of restriction enzymes provide information on conditions and types of DNA sequences cut by specific restriction enzymes, including New England BioLabs, Pro-Mega Biochems, Boehringer-Mannheim, and the like. Sambrook et al. (See Sambrook et al., *Molecular Biology: A laboratory Approach*, Cold Spring Harbor, N.Y. 1989) provide a general description of methods for using restriction enzymes and other enzymes. Enzymes often are used under conditions that will enable cleavage of the maternal DNA with about 95%-100% efficiency, preferably with about 98%-100% efficiency.

Other Methods for Methylation Analysis

Various methylation analysis procedures are known in the art, and can be used in conjunction with the present invention. These assays allow for determination of the methylation state of one or a plurality of CpG islands within a DNA sequence. In addition, the methods maybe used to quantify methylated nucleic acid. Such assays involve, among other techniques, DNA sequencing of bisulfite-treated DNA, PCR (for sequence-specific amplification), Southern blot analysis, and use of methylation-sensitive restriction enzymes.

Genomic sequencing is a technique that has been simplified for analysis of DNA methylation patterns and 5-methylcytosine distribution by using bisulfite treatment (Frommer et al., *Proc. Natl. Acad. Sci. USA* 89:1827-1831, 1992). Additionally, restriction enzyme digestion of PCR products amplified from bisulfite-converted DNA may be used, e.g., the method described by Sadri & Hornsby (*Nucl. Acids Res.* 24:5058-5059, 1996), or COBRA (Combined Bisulfite Restriction Analysis) (Xiong & Laird, *Nucleic Acids Res.* 25:2532-2534, 1997).

COBRA analysis is a quantitative methylation assay useful for determining DNA methylation levels at specific gene loci in small amounts of genomic DNA (Xiong & Laird, *Nucleic Acids Res.* 25:2532-2534, 1997). Briefly, restriction enzyme digestion is used to reveal methylation-dependent sequence differences in PCR products of sodium bisulfite-treated DNA. Methylation-dependent sequence differences are first introduced into the genomic DNA by standard bisulfite treatment according to the procedure described by Frommer et al. (*Proc. Natl. Acad. Sci. USA* 89:1827-1831, 1992). PCR amplification of the bisulfite converted DNA is then performed using primers specific for the interested CpG islands, followed by restriction endonuclease digestion, gel electrophoresis, and detection using specific, labeled hybridization probes. Methylation levels in the original DNA sample are represented by the relative amounts of digested and undigested PCR product in a linearly quantitative fashion across a wide spectrum of DNA methylation levels. In addition, this technique can be reliably applied to DNA obtained from microdissected paraffin-embedded tissue samples. Typical reagents (e.g., as might be found in a typical COBRA-based kit) for COBRA analysis may include, but are not limited to: PCR primers for specific gene (or methylation-altered DNA sequence or CpG island); restriction enzyme and appropriate buffer; gene-hybridization oligo; control hybridization oligo; kinase labeling kit for oligo probe; and radioactive nucleotides. Additionally, bisulfite conversion reagents may include: DNA denaturation buffer; sulfonation buffer; DNA recovery reagents or kits (e.g., precipitation, ultrafiltration, affinity column); desulfonation buffer; and DNA recovery components.

The MethyLight™ assay is a high-throughput quantitative methylation assay that utilizes fluorescence-based real-time PCR (TaqMan.RTM.) technology that requires no further manipulations after the PCR step (Eads et al., *Cancer Res.* 59:2302-2306, 1999). Briefly, the MethyLight.TM. process begins with a mixed sample of genomic DNA that is converted, in a sodium bisulfite reaction, to a mixed pool of methylation-dependent sequence differences according to standard procedures (the bisulfite process converts unmethylated cytosine residues to uracil). Fluorescence-based PCR is then performed either in an "unbiased" (with primers that do not overlap known CpG methylation sites) PCR reaction, or in a "biased" (with PCR primers that overlap known CpG dinucleotides) reaction. Sequence discrimination can occur either at the level of the amplification process or at the level of the fluorescence detection process, or both.

The MethyLight assay may be used as a quantitative test for methylation patterns in the genomic DNA sample, wherein sequence discrimination occurs at the level of probe hybridization. In this quantitative version, the PCR reaction provides for unbiased amplification in the presence of a fluorescent probe that overlaps a particular putative methylation site. An unbiased control for the amount of input DNA is provided by a reaction in which neither the primers, nor the probe overlie any CpG dinucleotides. Alternatively, a qualitative test for genomic methylation is achieved by probing of the biased PCR pool with either control oligonucleotides that do not "cover" known methylation sites (a fluorescence-based version of the "MSP" technique), or with oligonucleotides covering potential methylation sites.

The MethyLight process can be used with a "TaqMan" probe in the amplification process. For example, double-stranded genomic DNA is treated with sodium bisulfite and subjected to one of two sets of PCR reactions using TaqMan.RTM. probes; e.g., with either biased primers and TaqMan.RTM. probe, or unbiased primers and TaqMan.RTM. probe. The TaqMan.RTM. probe is dual-labeled with fluorescent

"reporter" and "quencher" molecules, and is designed to be specific for a relatively high GC content region so that it melts out at about 10.degree. C. higher temperature in the PCR cycle than the forward or reverse primers. This allows the TaqMan.RTM. probe to remain fully hybridized during the PCR annealing/extension step. As the Taq polymerase enzymatically synthesizes a new strand during PCR, it will eventually reach the annealed TaqMan.RTM. probe. The Taq polymerase 5' to 3' endonuclease activity will then displace the TaqMan.RTM. probe by digesting it to release the fluorescent reporter molecule for quantitative detection of its now unquenched signal using a real-time fluorescent detection system.

Typical reagents (e.g., as might be found in a typical MethyLight.TM.-based kit) for MethyLight.TM. analysis may include, but are not limited to: PCR primers for specific gene (or methylation-altered DNA sequence or CpG island); TaqMan.RTM. probes; optimized PCR buffers and deoxynucleotides; and Taq polymerase.

The Ms-SNuPE technique is a quantitative method for assessing methylation differences at specific CpG sites based on bisulfite treatment of DNA, followed by single-nucleotide primer extension (Gonzalzo & Jones, *Nucleic Acids Res.* 25:2529-2531, 1997).

Briefly, genomic DNA is reacted with sodium bisulfite to convert unmethylated cytosine to uracil while leaving 5-methylcytosine unchanged. Amplification of the desired target sequence is then performed using PCR primers specific for bisulfite-converted DNA, and the resulting product is isolated and used as a template for methylation analysis at the CpG site(s) of interest.

Small amounts of DNA can be analyzed (e.g., microdissected pathology sections), and it avoids utilization of restriction enzymes for determining the methylation status at CpG sites.

Typical reagents (e.g., as might be found in a typical Ms-SNuPE-based kit) for Ms-SNuPE analysis may include, but are not limited to: PCR primers for specific gene (or methylation-altered DNA sequence or CpG island); optimized PCR buffers and deoxynucleotides; gel extraction kit; positive control primers; Ms-SNuPE primers for specific gene; reaction buffer (for the Ms-SNuPE reaction); and radioactive nucleotides. Additionally, bisulfite conversion reagents may include: DNA denaturation buffer; sulfonation buffer; DNA recovery reagents or kit (e.g., precipitation, ultrafiltration, affinity column); desulfonation buffer; and DNA recovery components.

MSP (methylation-specific PCR) allows for assessing the methylation status of virtually any group of CpG sites within a CpG island, independent of the use of methylation-sensitive restriction enzymes (Herman et al. *Proc. Nat. Acad. Sci. USA* 93:9821-9826, 1996; U.S. Pat. No. 5,786,146). Briefly, DNA is modified by sodium bisulfite converting all unmethylated, but not methylated cytosines to uracil, and subsequently amplified with primers specific for methylated versus unmethylated DNA. MSP requires only small quantities of DNA, is sensitive to 0.1% methylated alleles of a given CpG island locus, and can be performed on DNA extracted from paraffin-embedded samples. Typical reagents (e.g., as might be found in a typical MSP-based kit) for MSP analysis may include, but are not limited to: methylated and unmethylated PCR primers for specific gene (or methylation-altered DNA sequence or CpG island), optimized PCR buffers and deoxynucleotides, and specific probes.

The MCA technique is a method that can be used to screen for altered methylation patterns in genomic DNA, and to isolate specific sequences associated with these changes (Toyota et al., Cancer Res. 59:2307-12, 1999). Briefly, restriction enzymes with different sensitivities to cytosine methylation in their recognition sites are used to digest genomic DNAs from primary tumors, cell lines, and normal tissues prior to arbitrarily primed PCR amplification. Fragments that show differential methylation are cloned and sequenced after resolving the PCR products on high-resolution polyacrylamide gels. The cloned fragments are then used as probes for Southern analysis to confirm differential methylation of these regions. Typical reagents (e.g., as might be found in a typical MCA-based kit) for MCA analysis may include, but are not limited to: PCR primers for arbitrary priming Genomic DNA; PCR buffers and nucleotides, restriction enzymes and appropriate buffers; gene-hybridization oligos or probes; control hybridization oligos or probes.

Another method for analyzing methylation sites is a primer extension assay, including an optimized PCR amplification reaction that produces amplified targets for subsequent primer extension genotyping analysis using mass spectrometry. The assay can also be done in multiplex. This method (particularly as it relates to genotyping single nucleotide polymorphisms) is described in detail in PCT publication WO05012578A1 and US publication US20050079521A1. For methylation analysis, the assay can be adopted to detect bisulfite introduced methylation dependent C to T sequence changes. These methods are particularly useful for performing multiplexed amplification reactions and multiplexed primer extension reactions (e.g., multiplexed homogeneous primer mass extension (hME) assays) in a single well to further increase the throughput and reduce the cost per reaction for primer extension reactions.

Four additional methods for DNA methylation analysis include restriction landmark genomic scanning (RLGS, Costello et al., 2000), methylation-sensitive-representational difference analysis (MS-RDA), methylation-specific AP-PCR (MS-AP-PCR) and methyl-CpG binding domain column/segregation of partly melted molecules (MBD/SPM).

Additional methylation analysis methods that may be used in conjunction with the present invention are described in the following papers: Laird, P.W. Nature Reviews Cancer 3, 253-266 (2003); Biotechniques; Uhlmann, K. et al. Electrophoresis 23:4072-4079 (2002) - PyroMeth; Colella et al. Biotechniques. 2003 Jul;35(1):146-50; Dupont JM, Tost J, Jammes H, and Gut IG. Anal Biochem, Oct 2004; 333(1): 119-27; and Tooke N and Pettersson M. IVDT. Nov 2004; 41.

Polynucleotide Sequence Amplification and Determination

Following separation of nucleic acid in a methylation-differential manner, the nucleic acid may be subjected to sequence-based analysis. Furthermore, once it is determined that one particular genomic sequence of fetal origin is hypermethylated or hypomethylated compared to the maternal counterpart, the amount of this fetal genomic sequence can be determined. Subsequently, this amount can be compared to a standard control value and serve as an indication for the potential of certain pregnancy-associated disorder.

A. Amplification of Nucleotide Sequences

In many instances, it is desirable to amplify a nucleic acid sequence of the invention using any of several nucleic acid amplification procedures which are well known in the art (listed above and described in greater detail below). Specifically, nucleic acid amplification is the enzymatic synthesis of nucleic acid amplicons (copies) which contain a sequence that is complementary to a nucleic acid sequence being amplified. Nucleic acid amplification is especially beneficial when the amount of target sequence present in a sample is very low. By amplifying the target sequences and detecting the amplicon synthesized, the sensitivity of an assay can be vastly improved, since fewer target sequences are needed at the beginning of the assay to better ensure detection of nucleic acid in the sample belonging to the organism or virus of interest.

A variety of polynucleotide amplification methods are well established and frequently used in research. For instance, the general methods of polymerase chain reaction (PCR) for polynucleotide sequence amplification are well known in the art and are thus not described in detail herein. For a review of PCR methods, protocols, and principles in designing primers, see, e.g., Innis, et al., *PCR Protocols: A Guide to Methods and Applications*, Academic Press, Inc. N.Y., 1990. PCR reagents and protocols are also available from commercial vendors, such as Roche Molecular Systems.

PCR is most usually carried out as an automated process with a thermostable enzyme. In this process, the temperature of the reaction mixture is cycled through a denaturing region, a primer annealing region, and an extension reaction region automatically. Machines specifically adapted for this purpose are commercially available.

Although PCR amplification of a polynucleotide sequence is typically used in practicing the present invention, one of skill in the art will recognize that the amplification of a genomic sequence found in a maternal blood sample may be accomplished by any known method, such as ligase chain reaction (LCR), transcription-mediated amplification, and self-sustained sequence replication or nucleic acid sequence-based amplification (NASBA), each of which provides sufficient amplification. More recently developed branched-DNA technology may also be used to qualitatively demonstrate the presence of a particular genomic sequence of the invention, which represents a particular methylation pattern, or to quantitatively determine the amount of this particular genomic sequence in the maternal blood. For a review of branched-DNA signal amplification for direct quantitation of nucleic acid sequences in clinical samples, see Nolte, *Adv. Clin. Chem.* 33:201-235, 1998.

The compositions and processes of the invention are also particularly useful when practiced with digital PCR. Digital PCR was first developed by Kalinina and colleagues (Kalinina et al., "Nanoliter scale PCR with TaqMan detection." *Nucleic Acids Research*. 25; 1999-2004, (1997)) and further developed by Vogelstein and Kinzler (Digital PCR. *Proc Natl Acad Sci U S A.* 96; 9236-41, (1999)). The application of digital PCR for use with fetal diagnostics was first described by Cantor et al. (PCT Patent Publication No. WO05023091A2) and subsequently described by Quake et al. (US Patent Publication No. US 20070202525), which are both hereby incorporated by reference. Digital PCR takes advantage of nucleic

acid (DNA, cDNA or RNA) amplification on a single molecule level, and offers a highly sensitive method for quantifying low copy number nucleic acid. Fluidigm® Corporation offers systems for the digital analysis of nucleic acids.

B. Determination of Polynucleotide Sequences

Techniques for polynucleotide sequence determination are also well established and widely practiced in the relevant research field. For instance, the basic principles and general techniques for polynucleotide sequencing are described in various research reports and treatises on molecular biology and recombinant genetics, such as Wallace et al., *supra*; Sambrook and Russell, *supra*, and Ausubel et al., *supra*. DNA sequencing methods routinely practiced in research laboratories, either manual or automated, can be used for practicing the present invention. Additional means suitable for detecting changes in a polynucleotide sequence for practicing the methods of the present invention include but are not limited to mass spectrometry, primer extension, polynucleotide hybridization, real-time PCR, and electrophoresis.

Use of a primer extension reaction also can be applied in methods of the invention. A primer extension reaction operates, for example, by discriminating the SNP alleles by the incorporation of deoxynucleotides and/or dideoxynucleotides to a primer extension primer which hybridizes to a region adjacent to the SNP site. The primer is extended with a polymerase. The primer extended SNP can be detected physically by mass spectrometry or by a tagging moiety such as biotin. As the SNP site is only extended by a complementary deoxynucleotide or dideoxynucleotide that is either tagged by a specific label or generates a primer extension product with a specific mass, the SNP alleles can be discriminated and quantified.

Reverse transcribed and amplified nucleic acids may be modified nucleic acids. Modified nucleic acids can include nucleotide analogs, and in certain embodiments include a detectable label and/or a capture agent. Examples of detectable labels include without limitation fluorophores, radioisotopes, colorimetric agents, light emitting agents, chemiluminescent agents, light scattering agents, enzymes and the like. Examples of capture agents include without limitation an agent from a binding pair selected from antibody/antigen, antibody/antibody, antibody/antibody fragment, antibody/antibody receptor, antibody/protein A or protein G, hapten/anti-hapten, biotin/avidin, biotin/streptavidin, folic acid/folate binding protein, vitamin B12/intrinsic factor, chemical reactive group/complementary chemical reactive group (e.g., sulfhydryl/maleimide, sulfhydryl/haloacetyl derivative, amine/isotriocyanate, amine/succinimidyl ester, and amine/sulfonyl halides) pairs, and the like. Modified nucleic acids having a capture agent can be immobilized to a solid support in certain embodiments.

Mass spectrometry is a particularly effective method for the detection of a polynucleotide of the invention, for example a PCR amplicon, a primer extension product or a detector probe that is cleaved from a target nucleic acid. The presence of the polynucleotide sequence is verified by comparing the mass of the detected signal with the expected mass of the polynucleotide of interest. The relative signal strength, e.g., mass peak on a spectra, for a particular polynucleotide sequence indicates the relative population of a specific allele, thus enabling calculation of the allele ratio directly from the data. For a

review of genotyping methods using Sequenom® standard iPLEX™ assay and MassARRAY® technology, see Jurinke, C., Oeth, P., van den Boom, D., "MALDI-TOF mass spectrometry: a versatile tool for high-performance DNA analysis." *Mol. Biotechnol.* 26, 147-164 (2004); and Oeth, P. et al., "iPLEX™ Assay: Increased Plexing Efficiency and Flexibility for MassARRAY® System through single base primer extension with mass-modified Terminators." SEQUENOM Application Note (2005), both of which are hereby incorporated by reference. For a review of detecting and quantifying target nucleic acid using cleavable detector probes that are cleaved during the amplification process and detected by mass spectrometry, see US Patent Application Number 11/950,395, which was filed December 4, 2007, and is hereby incorporated by reference.

Sequencing technologies are improving in terms of throughput and cost. Sequencing technologies, such as that achievable on the 454 platform (Roche) (Margulies, M. et al. 2005 *Nature* 437, 376-380), Illumina Genome Analyzer (or Solexa platform) or SOLiD System (Applied Biosystems) or the Helicos True Single Molecule DNA sequencing technology (Harris T D et al. 2008 *Science*, 320, 106-109), the single molecule, real-time (SMRT.TM.) technology of Pacific Biosciences, and nanopore sequencing (Soni GV and Meller A. 2007 *Clin Chem* 53: 1996-2001), allow the sequencing of many nucleic acid molecules isolated from a specimen at high orders of multiplexing in a parallel fashion (Dear Brief Funct Genomic Proteomic 2003; 1: 397-416).

Each of these platforms allow sequencing of clonally expanded or non-amplified single molecules of nucleic acid fragments. Certain platforms involve, for example, (i) sequencing by ligation of dye-modified probes (including cyclic ligation and cleavage), (ii) pyrosequencing, and (iii) single-molecule sequencing. Nucleotide sequence species, amplification nucleic acid species and detectable products generated there from can be considered a "study nucleic acid" for purposes of analyzing a nucleotide sequence by such sequence analysis platforms.

Sequencing by ligation is a nucleic acid sequencing method that relies on the sensitivity of DNA ligase to base-pairing mismatch. DNA ligase joins together ends of DNA that are correctly base paired. Combining the ability of DNA ligase to join together only correctly base paired DNA ends, with mixed pools of fluorescently labeled oligonucleotides or primers, enables sequence determination by fluorescence detection. Longer sequence reads may be obtained by including primers containing cleavable linkages that can be cleaved after label identification. Cleavage at the linker removes the label and regenerates the 5' phosphate on the end of the ligated primer, preparing the primer for another round of ligation. In some embodiments primers may be labeled with more than one fluorescent label (e.g., 1 fluorescent label, 2, 3, or 4 fluorescent labels).

An example of a system that can be used by a person of ordinary skill based on sequencing by ligation generally involves the following steps. Clonal bead populations can be prepared in emulsion microreactors containing study nucleic acid ("template"), amplification reaction components, beads and primers. After amplification, templates are denatured and bead enrichment is performed to separate beads with extended templates from undesired beads (e.g., beads with no extended templates). The template on the selected beads undergoes a 3' modification to allow covalent bonding to the slide, and modified beads can be deposited onto a glass slide. Deposition chambers offer the ability to segment a

slide into one, four or eight chambers during the bead loading process. For sequence analysis, primers hybridize to the adapter sequence. A set of four color dye-labeled probes competes for ligation to the sequencing primer. Specificity of probe ligation is achieved by interrogating every 4th and 5th base during the ligation series. Five to seven rounds of ligation, detection and cleavage record the color at every 5th position with the number of rounds determined by the type of library used. Following each round of ligation, a new complimentary primer offset by one base in the 5' direction is laid down for another series of ligations. Primer reset and ligation rounds (5–7 ligation cycles per round) are repeated sequentially five times to generate 25–35 base pairs of sequence for a single tag. With mate-paired sequencing, this process is repeated for a second tag. Such a system can be used to exponentially amplify amplification products generated by a process described herein, e.g., by ligating a heterologous nucleic acid to the first amplification product generated by a process described herein and performing emulsion amplification using the same or a different solid support originally used to generate the first amplification product. Such a system also may be used to analyze amplification products directly generated by a process described herein by bypassing an exponential amplification process and directly sorting the solid supports described herein on the glass slide.

Pyrosequencing is a nucleic acid sequencing method based on sequencing by synthesis, which relies on detection of a pyrophosphate released on nucleotide incorporation. Generally, sequencing by synthesis involves synthesizing, one nucleotide at a time, a DNA strand complimentary to the strand whose sequence is being sought. Study nucleic acids may be immobilized to a solid support, hybridized with a sequencing primer, incubated with DNA polymerase, ATP sulfurylase, luciferase, apyrase, adenosine 5' phosphosulfate and luciferin. Nucleotide solutions are sequentially added and removed. Correct incorporation of a nucleotide releases a pyrophosphate, which interacts with ATP sulfurylase and produces ATP in the presence of adenosine 5' phosphosulfate, fueling the luciferin reaction, which produces a chemiluminescent signal allowing sequence determination.

An example of a system that can be used by a person of ordinary skill based on pyrosequencing generally involves the following steps: ligating an adaptor nucleic acid to a study nucleic acid and hybridizing the study nucleic acid to a bead; amplifying a nucleotide sequence in the study nucleic acid in an emulsion; sorting beads using a picoliter multiwell solid support; and sequencing amplified nucleotide sequences by pyrosequencing methodology (e.g., Nakano et al., "Single-molecule PCR using water-in-oil emulsion," *Journal of Biotechnology* 102: 117-124 (2003)). Such a system can be used to exponentially amplify amplification products generated by a process described herein, e.g., by ligating a heterologous nucleic acid to the first amplification product generated by a process described herein.

Certain single-molecule sequencing embodiments are based on the principal of sequencing by synthesis, and utilize single-pair Fluorescence Resonance Energy Transfer (single pair FRET) as a mechanism by which photons are emitted as a result of successful nucleotide incorporation. The emitted photons often are detected using intensified or high sensitivity cooled charge-couple-devices in conjunction with total internal reflection microscopy (TIRM). Photons are only emitted when the introduced reaction solution contains the correct nucleotide for incorporation into the growing nucleic acid chain that is synthesized as a result of the sequencing process. In FRET based single-molecule sequencing, energy is transferred between two fluorescent dyes, sometimes polymethine cyanine dyes Cy3 and Cy5, through

long-range dipole interactions. The donor is excited at its specific excitation wavelength and the excited state energy is transferred, non-radiatively to the acceptor dye, which in turn becomes excited. The acceptor dye eventually returns to the ground state by radiative emission of a photon. The two dyes used in the energy transfer process represent the "single pair", in single pair FRET. Cy3 often is used as the donor fluorophore and often is incorporated as the first labeled nucleotide. Cy5 often is used as the acceptor fluorophore and is used as the nucleotide label for successive nucleotide additions after incorporation of a first Cy3 labeled nucleotide. The fluorophores generally are within 10 nanometers of each for energy transfer to occur successfully.

An example of a system that can be used based on single-molecule sequencing generally involves hybridizing a primer to a study nucleic acid to generate a complex; associating the complex with a solid phase; iteratively extending the primer by a nucleotide tagged with a fluorescent molecule; and capturing an image of fluorescence resonance energy transfer signals after each iteration (e.g., U.S. Patent No. 7,169,314; Braslavsky et al., PNAS 100(7): 3960-3964 (2003)). Such a system can be used to directly sequence amplification products generated by processes described herein. In some embodiments the released linear amplification product can be hybridized to a primer that contains sequences complementary to immobilized capture sequences present on a solid support, a bead or glass slide for example. Hybridization of the primer--released linear amplification product complexes with the immobilized capture sequences, immobilizes released linear amplification products to solid supports for single pair FRET based sequencing by synthesis. The primer often is fluorescent, so that an initial reference image of the surface of the slide with immobilized nucleic acids can be generated. The initial reference image is useful for determining locations at which true nucleotide incorporation is occurring. Fluorescence signals detected in array locations not initially identified in the "primer only" reference image are discarded as non-specific fluorescence. Following immobilization of the primer--released linear amplification product complexes, the bound nucleic acids often are sequenced in parallel by the iterative steps of, a) polymerase extension in the presence of one fluorescently labeled nucleotide, b) detection of fluorescence using appropriate microscopy, TIRM for example, c) removal of fluorescent nucleotide, and d) return to step a with a different fluorescently labeled nucleotide.

In some embodiments, nucleotide sequencing may be by solid phase single nucleotide sequencing methods and processes. Solid phase single nucleotide sequencing methods involve contacting sample nucleic acid and solid support under conditions in which a single molecule of sample nucleic acid hybridizes to a single molecule of a solid support. Such conditions can include providing the solid support molecules and a single molecule of sample nucleic acid in a "microreactor." Such conditions also can include providing a mixture in which the sample nucleic acid molecule can hybridize to solid phase nucleic acid on the solid support. Single nucleotide sequencing methods useful in the embodiments described herein are described in United States Provisional Patent Application Serial Number 61/021,871 filed January 17, 2008.

In certain embodiments, nanopore sequencing detection methods include (a) contacting a nucleic acid for sequencing ("base nucleic acid," e.g., linked probe molecule) with sequence-specific detectors, under conditions in which the detectors specifically hybridize to substantially complementary subsequences of the base nucleic acid; (b) detecting signals from the detectors and (c) determining the sequence of the

base nucleic acid according to the signals detected. In certain embodiments, the detectors hybridized to the base nucleic acid are disassociated from the base nucleic acid (e.g., sequentially dissociated) when the detectors interfere with a nanopore structure as the base nucleic acid passes through a pore, and the detectors disassociated from the base sequence are detected. In some embodiments, a detector disassociated from a base nucleic acid emits a detectable signal, and the detector hybridized to the base nucleic acid emits a different detectable signal or no detectable signal. In certain embodiments, nucleotides in a nucleic acid (e.g., linked probe molecule) are substituted with specific nucleotide sequences corresponding to specific nucleotides ("nucleotide representatives"), thereby giving rise to an expanded nucleic acid (e.g., U.S. Patent No. 6,723,513), and the detectors hybridize to the nucleotide representatives in the expanded nucleic acid, which serves as a base nucleic acid. In such embodiments, nucleotide representatives may be arranged in a binary or higher order arrangement (e.g., Soni and Meller, *Clinical Chemistry* 53(11): 1996-2001 (2007)). In some embodiments, a nucleic acid is not expanded, does not give rise to an expanded nucleic acid, and directly serves as a base nucleic acid (e.g., a linked probe molecule serves as a non-expanded base nucleic acid), and detectors are directly contacted with the base nucleic acid. For example, a first detector may hybridize to a first subsequence and a second detector may hybridize to a second subsequence, where the first detector and second detector each have detectable labels that can be distinguished from one another, and where the signals from the first detector and second detector can be distinguished from one another when the detectors are disassociated from the base nucleic acid. In certain embodiments, detectors include a region that hybridizes to the base nucleic acid (e.g., two regions), which can be about 3 to about 100 nucleotides in length (e.g., about 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 50, 55, 60, 65, 70, 75, 80, 85, 90, or 95 nucleotides in length). A detector also may include one or more regions of nucleotides that do not hybridize to the base nucleic acid. In some embodiments, a detector is a molecular beacon. A detector often comprises one or more detectable labels independently selected from those described herein. Each detectable label can be detected by any convenient detection process capable of detecting a signal generated by each label (e.g., magnetic, electric, chemical, optical and the like). For example, a CD camera can be used to detect signals from one or more distinguishable quantum dots linked to a detector.

In certain sequence analysis embodiments, reads may be used to construct a larger nucleotide sequence, which can be facilitated by identifying overlapping sequences in different reads and by using identification sequences in the reads. Such sequence analysis methods and software for constructing larger sequences from reads are known to the person of ordinary skill (e.g., Venter et al., *Science* 291: 1304-1351 (2001)). Specific reads, partial nucleotide sequence constructs, and full nucleotide sequence constructs may be compared between nucleotide sequences within a sample nucleic acid (i.e., internal comparison) or may be compared with a reference sequence (i.e., reference comparison) in certain sequence analysis embodiments. Internal comparisons sometimes are performed in situations where a sample nucleic acid is prepared from multiple samples or from a single sample source that contains sequence variations. Reference comparisons sometimes are performed when a reference nucleotide sequence is known and an objective is to determine whether a sample nucleic acid contains a nucleotide sequence that is substantially similar or the same, or different, than a reference nucleotide sequence.

Sequence analysis is facilitated by sequence analysis apparatus and components known to the person of ordinary skill in the art.

Methods provided herein allow for high-throughput detection of nucleic acid species in a plurality of nucleic acids (e.g., nucleotide sequence species, amplified nucleic acid species and detectable products generated from the foregoing). Multiplexing refers to the simultaneous detection of more than one nucleic acid species. General methods for performing multiplexed reactions in conjunction with mass spectrometry, are known (see, e.g., U.S. Pat. Nos. 6,043,031, 5,547,835 and International PCT application No. WO 97/37041). Multiplexing provides an advantage that a plurality of nucleic acid species (e.g., some having different sequence variations) can be identified in as few as a single mass spectrum, as compared to having to perform a separate mass spectrometry analysis for each individual target nucleic acid species. Methods provided herein lend themselves to high-throughput, highly-automated processes for analyzing sequence variations with high speed and accuracy, in some embodiments. In some embodiments, methods herein may be multiplexed at high levels in a single reaction.

In certain embodiments, the number of nucleic acid species multiplexed include, without limitation, about 1 to about 500 (e.g., about 1-3, 3-5, 5-7, 7-9, 9-11, 11-13, 13-15, 15-17, 17-19, 19-21, 21-23, 23-25, 25-27, 27-29, 29-31, 31-33, 33-35, 35-37, 37-39, 39-41, 41-43, 43-45, 45-47, 47-49, 49-51, 51-53, 53-55, 55-57, 57-59, 59-61, 61-63, 63-65, 65-67, 67-69, 69-71, 71-73, 73-75, 75-77, 77-79, 79-81, 81-83, 83-85, 85-87, 87-89, 89-91, 91-93, 93-95, 95-97, 97-101, 101-103, 103-105, 105-107, 107-109, 109-111, 111-113, 113-115, 115-117, 117-119, 121-123, 123-125, 125-127, 127-129, 129-131, 131-133, 133-135, 135-137, 137-139, 139-141, 141-143, 143-145, 145-147, 147-149, 149-151, 151-153, 153-155, 155-157, 157-159, 159-161, 161-163, 163-165, 165-167, 167-169, 169-171, 171-173, 173-175, 175-177, 177-179, 179-181, 181-183, 183-185, 185-187, 187-189, 189-191, 191-193, 193-195, 195-197, 197-199, 199-201, 201-203, 203-205, 205-207, 207-209, 209-211, 211-213, 213-215, 215-217, 217-219, 219-221, 221-223, 223-225, 225-227, 227-229, 229-231, 231-233, 233-235, 235-237, 237-239, 239-241, 241-243, 243-245, 245-247, 247-249, 249-251, 251-253, 253-255, 255-257, 257-259, 259-261, 261-263, 263-265, 265-267, 267-269, 269-271, 271-273, 273-275, 275-277, 277-279, 279-281, 281-283, 283-285, 285-287, 287-289, 289-291, 291-293, 293-295, 295-297, 297-299, 299-301, 301-303, 303-305, 305-307, 307-309, 309-311, 311-313, 313-315, 315-317, 317-319, 319-321, 321-323, 323-325, 325-327, 327-329, 329-331, 331-333, 333-335, 335-337, 337-339, 339-341, 341-343, 343-345, 345-347, 347-349, 349-351, 351-353, 353-355, 355-357, 357-359, 359-361, 361-363, 363-365, 365-367, 367-369, 369-371, 371-373, 373-375, 375-377, 377-379, 379-381, 381-383, 383-385, 385-387, 387-389, 389-391, 391-393, 393-395, 395-397, 397-401, 401-403, 403-405, 405-407, 407-409, 409-411, 411-413, 413-415, 415-417, 417-419, 419-421, 421-423, 423-425, 425-427, 427-429, 429-431, 431-433, 433-435, 435-437, 437-439, 439-441, 441-443, 443-445, 445-447, 447-449, 449-451, 451-453, 453-455, 455-457, 457-459, 459-461, 461-463, 463-465, 465-467, 467-469, 469-471, 471-473, 473-475, 475-477, 477-479, 479-481, 481-483, 483-485, 485-487, 487-489, 489-491, 491-493, 493-495, 495-497, 497-501).

Design methods for achieving resolved mass spectra with multiplexed assays can include primer and oligonucleotide design methods and reaction design methods. See, for example, the multiplex schemes provided in Tables X and Y. For primer and oligonucleotide design in multiplexed assays, the same

general guidelines for primer design applies for unplexed reactions, such as avoiding false priming and primer dimers, only more primers are involved for multiplex reactions. For mass spectrometry applications, analyte peaks in the mass spectra for one assay are sufficiently resolved from a product of any assay with which that assay is multiplexed, including pausing peaks and any other by-product peaks. Also, analyte peaks optimally fall within a user-specified mass window, for example, within a range of 5,000-8,500 Da. In some embodiments multiplex analysis may be adapted to mass spectrometric detection of chromosome abnormalities, for example. In certain embodiments multiplex analysis may be adapted to various single nucleotide or nanopore based sequencing methods described herein. Commercially produced micro-reaction chambers or devices or arrays or chips may be used to facilitate multiplex analysis, and are commercially available.

Detection of Fetal Aneuploidy

For the detection of fetal aneuploidies, some methods rely on measuring the ratio between maternally and paternally inherited alleles. However, the ability to quantify chromosomal changes is impaired by the maternal contribution of cell free nucleic acids, which makes it necessary to deplete the sample from maternal DNA prior to measurement. Promising approaches take advantage of the different size distribution of fetal and maternal DNA or measure RNA that is exclusively expressed by the fetus (see for example, US Patent Application No. 11/384128, which published as US20060252071 and is hereby incorporated by reference). Assuming fetal DNA makes up only about 5% of all cell free DNA in the maternal plasma, there is a decrease of the ratio difference from 1.6% to only about 1.2% between a trisomy sample and a healthy control. Consequently, reliable detection of allele ratio changes requires enriching the fetal fraction of cell free DNA, for example, using the compositions and methods of the present invention.

Some methods rely on measuring the ratio of maternal to paternally inherited alleles to detect fetal chromosomal aneuploidies from maternal plasma. A diploid set yields a 1:1 ratio while trisomies can be detected as a 2:1 ratio. Detection of this difference is impaired by statistical sampling due to the low abundance of fetal DNA, presence of excess maternal DNA in the plasma sample and variability of the measurement technique. The latter is addressed by using methods with high measurement precision, like digital PCR or mass spectrometry. Enriching the fetal fraction of cell free DNA in a sample is currently achieved by either depleting maternal DNA through size exclusion or focusing on fetal-specific nucleic acids, like fetal-expressed RNA. Another differentiating feature of fetal DNA is its DNA methylation pattern. Thus, provided herein are novel compositions and methods for accurately quantifying fetal nucleic acid based on differential methylation between a fetus and mother. The methods rely on sensitive absolute copy number analysis to quantify the fetal nucleic acid portion of a maternal sample, thereby allowing for the prenatal detection of fetal traits. The methods of the invention have identified approximately 3000 CpG rich regions in the genome that are differentially methylated between maternal and fetal DNA. The selected regions showed highly conserved differential methylation across all measured samples. In addition the set of regions is enriched for genes important in developmental regulation, indicating that epigenetic regulation of these areas is a biologically relevant and consistent process (see Table 3). Enrichment of fetal DNA can now be achieved by using our MBD-FC protein to capture all cell free DNA and then elute the highly methylated DNA

fraction with high salt concentrations. Using the low salt eluate fractions, the MBD-FC is equally capable of enriching non-methylated fetal DNA.

The present invention provides 63 confirmed genomic regions on chromosomes 13, 18 and 21 with low maternal and high fetal methylation levels. After capturing these regions, SNPs can be used to determine the aforementioned allele ratios. When high frequency SNPs are used around 10 markers have to be measured to achieve a high confidence of finding at least one SNP where the parents have opposite homozygote genotypes and the child has a heterozygote genotype.

In an embodiment, a method for chromosomal abnormality detection is provided that utilizes absolute copy number quantification. A diploid chromosome set will show the same number of copies for differentially methylated regions across all chromosomes, but, for example, a trisomy 21 sample would show 1.5 times more copies for differentially methylated regions on chromosome 21. Normalization of the genomic DNA amounts for a diploid chromosome set can be achieved by using unaltered autosomes as reference (also provided herein – see Table 1B). Comparable to other approaches, a single marker is less likely to be sufficient for detection of this difference, because the overall copy numbers are low. Typically there are approximately 100 to 200 copies of fetal DNA from 1 ml of maternal plasma at 10 to 12 weeks of gestation. However, the methods of the present invention offer a redundancy of detectable markers that enables highly reliable discrimination of diploid versus aneuploid chromosome sets.

Data Processing and Identifying Presence or Absence of a Chromosome Abnormality

The term “detection” of a chromosome abnormality as used herein refers to identification of an imbalance of chromosomes by processing data arising from detecting sets of amplified nucleic acid species, nucleotide sequence species, or a detectable product generated from the foregoing (collectively “detectable product”). Any suitable detection device and method can be used to distinguish one or more sets of detectable products, as addressed herein. An outcome pertaining to the presence or absence of a chromosome abnormality can be expressed in any suitable form, including, without limitation, probability (e.g., odds ratio, p-value), likelihood, percentage, value over a threshold, or risk factor, associated with the presence of a chromosome abnormality for a subject or sample. An outcome may be provided with one or more of sensitivity, specificity, standard deviation, coefficient of variation (CV) and/or confidence level, or combinations of the foregoing, in certain embodiments.

Detection of a chromosome abnormality based on one or more sets of detectable products may be identified based on one or more calculated variables, including, but not limited to, sensitivity, specificity, standard deviation, coefficient of variation (CV), a threshold, confidence level, score, probability and/or a combination thereof. In some embodiments, (i) the number of sets selected for a diagnostic method, and/or (ii) the particular nucleotide sequence species of each set selected for a diagnostic method, is determined in part or in full according to one or more of such calculated variables.

In certain embodiments, one or more of sensitivity, specificity and/or confidence level are expressed as a percentage. In some embodiments, the percentage, independently for each variable, is greater than about 90% (e.g., about 90, 91, 92, 93, 94, 95, 96, 97, 98 or 99%, or greater than 99% (e.g., about 99.5%,

or greater, about 99.9% or greater, about 99.95% or greater, about 99.99% or greater)). Coefficient of variation (CV) in some embodiments is expressed as a percentage, and sometimes the percentage is about 10% or less (e.g., about 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1%, or less than 1% (e.g., about 0.5% or less, about 0.1% or less, about 0.05% or less, about 0.01% or less)). A probability (e.g., that a particular outcome determined by an algorithm is not due to chance) in certain embodiments is expressed as a p-value, and sometimes the p-value is about 0.05 or less (e.g., about 0.05, 0.04, 0.03, 0.02 or 0.01, or less than 0.01 (e.g., about 0.001 or less, about 0.0001 or less, about 0.00001 or less, about 0.000001 or less)).

For example, scoring or a score may refer to calculating the probability that a particular chromosome abnormality is actually present or absent in a subject/sample. The value of a score may be used to determine for example the variation, difference, or ratio of amplified nucleic detectable product that may correspond to the actual chromosome abnormality. For example, calculating a positive score from detectable products can lead to an identification of a chromosome abnormality, which is particularly relevant to analysis of single samples.

In certain embodiments, simulated (or simulation) data can aid data processing for example by training an algorithm or testing an algorithm. Simulated data may for instance involve hypothetical various samples of different concentrations of fetal and maternal nucleic acid in serum, plasma and the like. Simulated data may be based on what might be expected from a real population or may be skewed to test an algorithm and/or to assign a correct classification based on a simulated data set. Simulated data also is referred to herein as "virtual" data. Fetal/maternal contributions within a sample can be simulated as a table or array of numbers (for example, as a list of peaks corresponding to the mass signals of cleavage products of a reference biomolecule or amplified nucleic acid sequence), as a mass spectrum, as a pattern of bands on a gel, or as a representation of any technique that measures mass distribution. Simulations can be performed in most instances by a computer program. One possible step in using a simulated data set is to evaluate the confidence of the identified results, i.e. how well the selected positives/negatives match the sample and whether there are additional variations. A common approach is to calculate the probability value (p-value) which estimates the probability of a random sample having better score than the selected one. As p-value calculations can be prohibitive in certain circumstances, an empirical model may be assessed, in which it is assumed that at least one sample matches a reference sample (with or without resolved variations). Alternatively other distributions such as Poisson distribution can be used to describe the probability distribution.

In certain embodiments, an algorithm can assign a confidence value to the true positives, true negatives, false positives and false negatives calculated. The assignment of a likelihood of the occurrence of a chromosome abnormality can also be based on a certain probability model.

Simulated data often is generated in an *in silico* process. As used herein, the term "in silico" refers to research and experiments performed using a computer. In silico methods include, but are not limited to, molecular modeling studies, karyotyping, genetic calculations, biomolecular docking experiments, and virtual representations of molecular structures and/or processes, such as molecular interactions.

As used herein, a "data processing routine" refers to a process, that can be embodied in software, that determines the biological significance of acquired data (i.e., the ultimate results of an assay). For example, a data processing routine can determine the amount of each nucleotide sequence species based upon the data collected. A data processing routine also may control an instrument and/or a data collection routine based upon results determined. A data processing routine and a data collection routine often are integrated and provide feedback to operate data acquisition by the instrument, and hence provide assay-based judging methods provided herein.

As used herein, software refers to computer readable program instructions that, when executed by a computer, perform computer operations. Typically, software is provided on a program product containing program instructions recorded on a computer readable medium, including, but not limited to, magnetic media including floppy disks, hard disks, and magnetic tape; and optical media including CD-ROM discs, DVD discs, magneto-optical discs, and other such media on which the program instructions can be recorded.

Different methods of predicting abnormality or normality can produce different types of results. For any given prediction, there are four possible types of outcomes: true positive, true negative, false positive, or false negative. The term "true positive" as used herein refers to a subject correctly diagnosed as having a chromosome abnormality. The term "false positive" as used herein refers to a subject wrongly identified as having a chromosome abnormality. The term "true negative" as used herein refers to a subject correctly identified as not having a chromosome abnormality. The term "false negative" as used herein refers to a subject wrongly identified as not having a chromosome abnormality. Two measures of performance for any given method can be calculated based on the ratios of these occurrences: (i) a sensitivity value, the fraction of predicted positives that are correctly identified as being positives (e.g., the fraction of nucleotide sequence sets correctly identified by level comparison detection/determination as indicative of chromosome abnormality, relative to all nucleotide sequence sets identified as such, correctly or incorrectly), thereby reflecting the accuracy of the results in detecting the chromosome abnormality; and (ii) a specificity value, the fraction of predicted negatives correctly identified as being negative (the fraction of nucleotide sequence sets correctly identified by level comparison detection/determination as indicative of chromosomal normality, relative to all nucleotide sequence sets identified as such, correctly or incorrectly), thereby reflecting accuracy of the results in detecting the chromosome abnormality.

EXAMPLES

The following examples are provided by way of illustration only and not by way of limitation. Those of skill in the art will readily recognize a variety of non-critical parameters that could be changed or modified to yield essentially the same or similar results.

In Example 1 below, the Applicants used a new fusion protein that captures methylated DNA in combination with CpG Island array to identify genomic regions that are differentially methylated between fetal placenta tissue and maternal blood. A stringent statistical approach was used to only select regions which show little variation between the samples, and hence suggest an underlying

biological mechanism. Eighty-five differentially methylated genomic regions predominantly located on chromosomes 13, 18 and 21 were validated. For this validation, a quantitative mass spectrometry based approach was used that interrogated 261 PCR amplicons covering these 85 regions. The results are in very good concordance (95% confirmation), proving the feasibility of the approach.

Next, the Applicants provide an innovative approach for aneuploidy testing, which relies on the measurement of absolute copy numbers rather than allele ratios.

Example 1

In the below Example, ten paired maternal and placental DNA samples were used to identify differentially methylated regions. These results were validated using a mass spectrometry-based quantitative methylation assay. First, genomic DNA from maternal buffy coat and corresponding placental tissue was first extracted. Next the MBD-FC was used to capture the methylated fraction of each DNA sample. See Figures 1-3. The two tissue fractions were labeled with different fluorescent dyes and hybridized to an Agilent® CpG Island microarray. See Figure 4. This was done to identify differentially methylated regions that could be utilized for prenatal diagnoses. Therefore, two criteria were employed to select genomic regions as potential enrichment markers: the observed methylation difference had to be present in all tested sample pairs, and the region had to be more than 200 bp in length.

DNA preparation and fragmentation

Genomic DNA (gDNA) from maternal buffy coat and placental tissue was prepared using the QIAamp DNA Mini Kit™ and QIAamp DNA Blood Mini Kit™, respectively, from Qiagen® (Hilden, Germany). For MCIP, gDNA was quantified using the NanoDrop ND 1000™ spectrophotometer (Thermo Fisher®, Waltham, MA, USA). Ultrasonication of 2.5 µg DNA in 500 µl TE buffer to a mean fragment size of 300-500 bp was carried out with the Branson Digital Sonifier 450™ (Danbury, CT, USA) using the following settings: amplitude 20%, sonication time 110 seconds, pulse on/pulse off time 1.4/0.6 seconds. Fragment range was monitored using gel electrophoresis.

Methyl-CpG Immunoprecipitation

Per sample, 56 µg purified MBD-Fc protein and 150 µl of Protein A Sepharose 4 Fast Flow beads (Amersham Biosciences®, Piscataway, NJ, USA) were rotated in 15 ml TBS overnight at 4°C. Then, the MBD-Fc beads (150 µl/assay) were transferred and dispersed in to 2 ml Ultrafree-CL centrifugal filter devices (Millipore®, Billerica, MA, USA) and spin-washed three times with Buffer A (20 mM Tris-HCl, pH8.0, 2 mM MgCl₂, 0.5 mM EDTA 300 mM NaCl, 0.1% NP-40). Sonicated DNA (2 µg) was added to the washed MBD-Fc beads in 2 ml Buffer A and rotated for 3 hours at 4°C. Beads were centrifuged to recover unbound DNA fragments (300 mM fraction) and subsequently washed twice with 600 µl of buffers containing increasing NaCl concentrations (400, 500, 550, 600, and 1000 mM). The flow through of each wash step was collected in separate tubes and desalted using a MinElute PCR Purification Kit™

(Qiagen®). In parallel, 200 ng sonicated input DNA was processed as a control using the MinElute PCR Purification Kit™ (Qiagen®).

Microarray handling and analysis

To generate fluorescently labeled DNA for microarray hybridization, the 600 mM and 1M NaCl fractions (enriched methylated DNA) for each sample were combined and labeled with either Alexa Fluor 555–aha–dCTP (maternal) or Alexa Fluor 647–aha–dCTP (placental) using the BioPrime Total Genomic Labeling System™ (Invitrogen®, Carlsbad, CA, USA). The labeling reaction was carried out according to the manufacturer's manual. The differently labeled genomic DNA fragments of matched maternal/placental pairs were combined to a final volume of 80 µl, supplemented with 50 µg Cot-1 DNA (Invitrogen®), 52 µl of Agilent 10X blocking reagent (Agilent Technologies®, Santa Clara, CA, USA), 78 µl of deionized formamide, and 260 µl Agilent 2X hybridization buffer. The samples were heated to 95°C for 3 min, mixed, and subsequently incubated at 37°C for 30 min. Hybridization on Agilent CpG Island Microarray Kit™ was then carried out at 67°C for 40 hours using an Agilent SureHyb™ chamber and an Agilent hybridization oven. Slides were washed in Wash I (6X SSPE, 0.005% N-lauroylsarcosine) at room temperature for 5 min and in Wash II (0.06X SSPE) at 37°C for an additional 5 min. Next, the slides were submerged in acetonitrile and Agilent Ozone Protection Solution™, respectively, for 30 seconds. Images were scanned immediately and analyzed using an Agilent DNA Microarray Scanner™. Microarray images were processed using Feature Extraction Software v9.5 and the standard CGH protocol.

Bisulfite Treatment

Genomic DNA sodium bisulfite conversion was performed using EZ-96 DNA Methylation Kit™ (ZymoResearch, Orange County, CA). The manufacturer's protocol was followed using 1µg of genomic DNA and the alternative conversion protocol (a two temperature DNA denaturation).

Quantitative Methylation Analysis

Sequenom's MassARRAY® System was used to perform quantitative methylation analysis. This system utilizes matrix-assisted laser desorption ionization time-of-flight (MALDI-TOF) mass spectrometry in combination with RNA base specific cleavage (Sequenom® MassCLEAVE™). A detectable pattern is then analyzed for methylation status. PCR primers were designed using Sequenom® EpiDESIGNER™ (www.epidesigner.com). A total of 261 amplicons, covering 85 target regions, were used for validation (median amplification length = 367 bp, min = 108, max = 500; median number of CpG's per amplicon = 23, min = 4, max = 65). For each reverse primer, an additional T7 promoter tag for *in-vivo* transcription was added, as well as a 10mer tag on the forward primer to adjust for melting temperature differences. The MassCLEAVE(tm) biochemistry was performed as previously described (Ehrich M, et al. (2005) Quantitative high-throughput analysis of DNA methylation patterns by base specific cleavage and mass spectrometry. *Proc Natl Acad Sci U S A* 102:15785-15790). Mass spectra were acquired using a MassARRAY™ Compact MALDI-TOF (Sequenom®, San Diego) and methylation ratios were generated by the EpiTYPER™ software v1.0 (Sequenom®, San Diego).

Statistical analysis

All statistical calculations were performed using the R statistical software package (www.r-project.org). First, the array probes were grouped based on their genomic location. Subsequent probes that were less than 1000 bp apart were grouped together. To identify differentially methylated regions, a control sample was used as reference. In the control sample, the methylated fraction of a blood derived control DNA was hybridized against itself. Ideally this sample should show log ratios of the two color channels around 0. However because of the variability in hybridization behavior, the probes show a mean log ratio of 0.02 and a standard deviation of 0.18. Next the log ratios observed in our samples were compared to the control sample. A two way, paired t-test was used to test the NULL hypothesis that the groups are identical. Groups that contained less than 4 probes were excluded from the analysis. For groups including four or five probes, all probes were used in a paired t-test. For Groups with six or more probes, a sliding window test consisting of five probes at a time was used, whereby the window was moved by one probe increments. Each test sample was compared to the control sample and the p-values were recorded. Genomic regions were selected as being differentially methylated if eight out of ten samples showed a p value < 0.01, or if six out of ten samples showed a p value < 0.001. The genomic regions were classified as being not differentially methylated when the group showed less than eight samples with a p value < 0.01 and less than six samples with a p value < 0.001. Samples that didn't fall in either category were excluded from the analysis. For a subset of genomic regions that have been identified as differentially methylated, the results were confirmed using quantitative methylation analysis.

The Go analysis was performed using the online Gostat tool (<http://gostat.wehi.edu.au/cgi-bin/-gostat.pl>). P values were calculated using Fisher's exact test.

Microarray-based marker discovery results

To identify differentially methylated regions a standard sample was used, in which the methylated DNA fraction of monocytes was hybridized against itself. This standard provided a reference for the variability of fluorescent measurements in a genomic region. Differentially methylated regions were then identified by comparing the log ratios of each of the ten placental/maternal samples against this standard. Because the goal of this study was to identify markers that allow the reliable separation of maternal and fetal DNA, the target selection was limited to genes that showed a stable, consistent methylation difference over a contiguous stretch of genomic DNA. This focused the analysis on genomic regions where multiple probes indicated differential methylation. The selection was also limited to target regions where all samples showed differential methylation, excluding those with strong inter-individual differences. Two of the samples showed generally lower log ratios in the microarray analysis. Because a paired test was used for target selection, this did not negatively impact the results. Based on these selection criteria, 3043 genomic regions were identified that were differentially methylated between maternal and fetal DNA. 21778 regions did not show a methylation difference. No inter-chromosomal bias in the distribution of differentially methylated regions was observed. The

differentially methylated regions were located next to or within 2159 known genes. The majority of differentially methylated regions are located in the promoter area (18%) and inside the coding region (68%), while only few regions are located downstream of the gene (7%) or at the transition from promoter to coding region (7%). Regions that showed no differential methylation showed a similar distribution for promoter (13%) and downstream (5%) locations, but the fraction of regions located in the transition of promoter to coding region was higher (39%) and the fraction inside the coding region was lower (43%).

It has been shown in embryonic stem cells (ES) that genes targeted by the polycomb repressive complex2 (PRC2) are enriched for genes regulating development (Lee TI, et al. (2006) Control of developmental regulators by Polycomb in human embryonic stem cells. *Cell* 125:301-313). It has also been shown that differentially methylated genes are enriched for genes targeted by PRC2 in many cancer types (Ehrich M, et al. (2008) Cytosine methylation profiling of cancer cell lines. *Proc Natl Acad Sci U S A* 105:4844-48). The set of genes identified as differentially methylated in this study is also enriched for genes targeted by PRC2 (p-value < 0.001, odds ratio = 3.6, 95% CI for odds ratio= 3.1 – 4.2). A GO analysis of the set of differentially methylated genes reveals that this set is significantly enriched for functions important during development. Six out of the ten most enriched functions include developmental or morphogenic processes [anatomical structure morphogenesis (GO:0009653, p value = 0), developmental process (GO:0032502, p value = 0), multicellular organismal development (GO:0007275, p value = 0), developmental of an organ (GO:0048513, p value = 0), system development (GO:0048731, p value = 0) and development of an anatomical structure (GO:0048856, p value = 0)].

Validation using Sequenom® EpiTYPER™

To validate the microarray findings, 63 regions from chromosomes 13, 18 and 21 and an additional 26 regions from other autosomes were selected for confirmation by a different technology. Sequenom EpiTYPER™ technology was used to quantitatively measure DNA methylation in maternal and placental samples. For an explanation of the EpiTYPER™ methods, see Ehrich M, Nelson MR, Stanssens P, Zabeau M, Liloglou T, Xinarianos G, Cantor CR, Field JK, van den Boom D (2005) Quantitative high-throughput analysis of DNA methylation patterns by base specific cleavage and mass spectrometry. *Proc Natl Acad Sci U S A* 102:15785-15790). For each individual CpG site in a target region the average methylation value across all maternal DNA samples and across all placenta samples was calculated. The difference between average maternal and placenta methylation was then compared to the microarray results. The results from the two technologies were in good concordance (see Figure7). For 85 target regions the quantitative results confirm the microarray results (95% confirmation rate). For 4 target regions, all located on chromosome 18, the results could not be confirmed. The reason for this discrepancy is currently unclear.

In contrast to microarrays, which focus on identification of methylation differences, the quantitative measurement of DNA methylation allowed analysis of absolute methylation values. In the validation set of 85 confirmed differentially methylated regions, a subset of 26 regions is more methylated in the

maternal DNA sample and 59 regions are more methylated in the placental sample (see Table 1A). Interestingly, genes that are hypomethylated in the placental samples tend to show larger methylation differences than genes that are hypermethylated in the placental sample (median methylation difference for hypomethylated genes = 39%, for hypermethylated genes = 20%).

Example 2

Example 2 describes a non-invasive approach for detecting the amount of fetal nucleic acid present in a maternal sample (herein referred to as the “Fetal Quantifier Method”), which may be used to detect or confirm fetal traits (e.g., fetal sex or RhD compatibility), or diagnose chromosomal abnormalities such as Trisomy 21 (both of which are herein referred to as the “Methylation-Based Fetal Diagnostic Method”). Figure 10 shows one embodiment of the Fetal Quantifier Method, and Figure 11 shows one embodiment of the Methylation-Based Fetal Diagnostic Method. Both processes use fetal DNA obtained from a maternal sample. The sample comprises maternal and fetal nucleic acid that is differentially methylated. For example, the sample may be maternal plasma or serum. Fetal DNA comprises approximately 2-30% of the total DNA in maternal plasma. The actual amount of fetal contribution to the total nucleic acid present in a sample varies from pregnancy to pregnancy and can change based on a number of factors, including, but not limited to, gestational age, the mother’s health and the fetus’ health.

As described herein, the technical challenge posed by analysis of fetal DNA in maternal plasma lies in the need to be able to discriminate the fetal DNA from the co-existing background maternal DNA. The methods of the present invention exploit such differences, for example, the differential methylation that is observed between fetal and maternal DNA, as a means to enrich for the relatively small percentage of fetal DNA present in a sample from the mother. The non-invasive nature of the approach provides a major advantage over conventional methods of prenatal diagnosis such as, amniocentesis, chronic villus sampling and cordocentesis, which are associated with a small but finite risk of fetal loss. Also, because the method is not dependent on fetal cells being in any particular cell phase, the method provides a rapid detection means to determine the presence and also the nature of the chromosomal abnormality. Further, the approach is sex-independent (i.e., does not require the presence of a Y-chromosome) and polymorphic-independent (i.e., an allelic ratio is not determined). Thus, the compositions and methods of the invention represent improved universal, noninvasive approaches for accurately determining the amount of fetal nucleic acid present in a maternal sample.

Assay design and advantages

There is a need for accurate detection and quantification of fetal DNA isolated noninvasively from a maternal sample. The present invention takes advantage of the presence of circulating, cell free fetal nucleic acid (ccfDNA) in maternal plasma or serum. In order to be commercially and clinically practical, the methods of the invention should only consume a small portion of the limited available fetal DNA. For example, less than 50%, 40%, 30%, 25%, 20%, 15%, 10%, 5% or less of the sample. Further, the approach should preferably be developed in a multiplex assay format in which one or more (preferably all) of the following assays are included:

- Assays for the detection of total amount of genomic equivalents present in the sample, i.e., assays recognizing both maternal and fetal DNA species;
- Assays for the detection of fetal DNA isolated from a male pregnancy, i.e., sequences specific for chromosome Y;
- Assays specific for regions identified as differentially methylated between the fetus and mother; or
- Assays specific for regions known to be hypomethylated in all tissues to be investigated, which can serve as a control for restriction efficiency.

Other features of the assay may include one or more of the following:

- For each assay, a target-specific, competitor oligonucleotide that is identical, or substantially identical, to the target sequence apart from a distinguishable feature of the competitor, such as a difference in one or more nucleotides relative to the target sequence. This oligonucleotide when added into the PCR reaction will be co-amplified with the target and a ratio obtained between these two PCR amplicons will indicate the number of target specific DNA sequences (e.g., fetal DNA from a specific locus) present in the maternal sample.
- The amplicon lengths should preferably be of similar length in order not to skew the amplification towards the shorter fragments. However, as long as the amplification efficiency is about equal, different lengths may be used.
- Differentially methylated targets can be selected from Tables 1A-1C or from any other targets known to be differentially methylated between mother and fetus. These targets can be hypomethylated in DNA isolated from non-pregnant women and hypermethylated in samples obtained from fetal samples. These assays will serve as controls for the restriction efficiency.
- The results obtained from the different assays can be used to quantify one or more of the following:
 - Total number of amplifiable genomes present in the sample (total amount of genomic equivalents);
 - The fetal fraction of the amplifiable genomes (fetal concentration or percentage); or
 - Differences in copy number between fetally-derived DNA sequences (for example, between fetal chromosome 21 and a reference chromosome such as chromosome 3).

Examples of assays used in the test

Below is an outline of the reaction steps used to perform a method of the invention, for example, as provided in Figure 10. This outline is not intended to limit the scope of the invention. Rather it provides one embodiment of the invention using the Sequenom® MassARRAY® technology.

- 1) DNA isolation from plasma samples.
- 2) Digestion of the DNA targets using methylation sensitive restriction enzymes (for example, HhaI and HpaII).

For each reaction the available DNA was mixed with water to a final volume of 25 ul.

10 ul of a reaction mix consisting of 10 units HhaI, 10 units HpaII and a reaction buffer were added. The sample was incubated at an optimal temperature for the restriction enzymes. HhaI and HpaII digest non-methylated DNA (and will not digest hemi- or completely methylated DNA). Following digestion, the enzymes were denatured using a heating step.

- 3) Genomic Amplification- PCR was performed in a total volume of 50 ul by adding PCR reagents (Buffer, dNTPs, primers and polymerase). Exemplary PCR and extend primers are provided below. In addition, synthetic competitor oligonucleotide was added at known concentrations.
- 4) Replicates (optional) - Following PCR the 50 ul reaction was split into 5 ul parallel reactions (replicates) in order to minimize variation introduced during the post PCR steps of the test. Post PCR steps include SAP, primer extension (MassEXTEND® technology), resin treatment, dispensing of spectrochip and MassARRAY.
- 5) Quantification of the Amplifiable Genomes – Sequenom MassARRAY® technology was used to determine the amount of amplification product for each assay. Following PCR, a single base extension assay was used to interrogate the amplified regions (including the competitor oligonucleotides introduced in step 3). Specific extend primers designed to hybridize directly adjacent to the site of interest were introduced. See extend primers provided below. These DNA oligonucleotides are referred to as iPLEX® MassEXTEND® primers. In the extension reaction, the iPLEX primers were hybridized to the complementary DNA templates and extended with a DNA polymerase. Special termination mixtures that contain different combinations of deoxy- and dideoxynucleotide triphosphates along with enzyme and buffer, directed limited extension of the iPLEX primers. Primer extension occurs until a complementary dideoxynucleotide is incorporated.

The extension reaction generated primer products of varying length, each with a unique molecular weight. As a result, the primer extension products can be simultaneously separated and detected using Matrix Assisted Laser Desorption/Ionization, Time-Of-Flight (MALDI-TOF) mass spectrometry on the MassARRAY® Analyzer Compact. Following this separation and detection, SEQUENOM's proprietary software automatically analyzes the data.

- 6) Calculating the amount and concentration of fetal nucleic acid – Methods for calculating the total amount of genomic equivalents present in the sample, the amount (and concentration) of fetal nucleic acid isolated from a male pregnancy, and the amount (and concentration) of fetal nucleic acid based on differentially methylated targets are provided below and in Figures 18 and 19.

The above protocol can be used to perform one or more of the assays described below. In addition to the sequences provided immediately below, a multiplex scheme that interrogates multiple targets is provided in Table X below.

1) *Assay for the quantification of the total number of amplifiable genomic equivalents in the sample.*

Targets were selected in housekeeping genes not located on the chromosomes 13, 18, 21, X or Y. The targets should be in a single copy gene and not contain any recognition sites for the methylation sensitive restriction enzymes.

Underlined sequences are PCR primer sites, italic is the site for the single base extend primer and bold letter (C) is the nucleotide extended on human DNA

ApoE Chromosome 19:45409835-45409922 DNA target sequence with interrogated nucleotide C in bold. All of the chromosome positions provided in this section are from the February 2009 UCSC Genome Build.

GATTGACAGTTTCTCCTTCCCCAGACTGGCCAATCACAGGCAGGAAGATGAAGGTTCTGTGGGCTGCGTTGCT
GGTCACATTCCTGGC

ApoE Forward Primer: 5'-ACGTTGGATG-TTGACAGTTTCTCCTTCCCC (Primer contains a 5' 10 bp MassTag separated by a dash)

ApoE Reverse Primer: 5'-ACGTTGGATG-GAATGTGACCAGCAACGCAG (Primer contains a 5' 10 bp MassTag separated by a dash)

ApoE Extension Primer: 5'-GCAGGAAGATGAAGGTT [C/T] Primer extends C on human DNA targets and T on synthetic DNA targets

ApoE synthetic competitor oligonucleotide: 5'-
GATTGACAGTTTCTCCTTCCCCAGACTGGCCAATCACAGGCAGGAAGATGAAGGTTTTGTGGGCTGCGTTGCT
GGTCACATTCCTGGC (Bold T at position 57 is different from human DNA)

2) *Assay for the quantification of the total number of chromosome Y sequences in the sample.*

Targets specific for the Y-chromosome were selected, with no similar or paralog sequences elsewhere in the genome. The targets should preferably be in a single copy gene and not contain any recognition sites for the methylation sensitive restriction enzyme(s).

Underlined sequences are PCR primer sites, and italic nucleotide(s) is the site for the single-base extend primer and bold letter (C) is the nucleotide extended on human DNA.

SR Y on chrY:2655628-2655717 (reverse complement)
GAGTTTTGGATAGTAAATAAGTTTCGAACTCTGGCACCTTCAATTTGTCGCACTCTCCTTGTGTTTGGACAAT
GCAATCATATGCTTC

SRV Forward Primer: 5'-ACG-TGGATAGTAAAATAAGTTTCGAACTCTG (Primer contains a 5' 3 bp MassTag separated by a dash)

SRV Reverse Primer: 5'- GAAGCATATGATTGCATTGTCAAAAAC

SRV Extension Primer: 5'-aTTTCAATTTGTCGCACT [C/T] Primer extends C on human DNA targets and T on synthetic DNA targets. 5' Lower case "a" is a non-complementary nucleotide

SRV synthetic competitor oligonucleotide: 5'-
GAGTTTTGGATAGTAAAATAAGTTTCGAACTCTGGCACCTTTCAATTTGTCGCACTTTCCTTGTTTTGACAAT
GCAATCATATGCTTC

3) *Assay for the quantification of fetal methylated DNA sequences present in the sample.*
Targets were selected in regions known to be differentially methylated between maternal and fetal DNA. Sequences were selected to contain several restriction sites for methylation sensitive enzymes. For this study the HhaI (GCGC) and HpaII (CCGG) enzymes were used.

Underlined sequences are PCR primer sites, italic is the site for the single base extend primer and bold letter (C) is the nucleotide extended on human DNA, lower case letter are recognition sites for the methylation sensitive restriction enzymes.

TBX3 on chr12:115124905-115125001
GAACTCCTCTTTGTCTCTGCGTGCCcgcgCGCCCCCTCccggTGGGTGATAAACCCACTCTGgcgcccggCCATgcgc
TGGGTGATTAATTGCGA

TBX3 Forward Primer: 5'- ACGTTGGATG-TCTTTGTCTCTGCGTGCCC (Primer contains a 5' 10 bp MassTag separated by a dash)

TBX3 Reverse Primer: 5'- ACGTTGGATG-TTAATCACCCAGCGCATGGC (Primer contains a 5' 10 bp MassTag separated by a dash)

TBX3 Extension Primer: 5'- CCCCTCCCGGTGGGTGATAAA [C/T] Primer extends C on human DNA targets and T on synthetic DNA targets. 5' Lower case "a" is a non-complementary nucleotide

TBX3 synthetic competitor oligonucleotide: 5'-
GAACTCCTCTTTGTCTCTGCGTGCCCGCGCGCCCCCTCCCGGTGGGTGATAAATCCACTCTGGCGCCGGCC
ATGCGCTGGGTGATTAATTGCGA

4) *Control Assay for the enzyme restriction efficiency.*
Targets were selected in regions known not to be methylated in any tissue to be investigated. Sequences were selected to contain no more than one site for each restriction enzyme to be used.

Underlined sequences are PCR primer sites, italic nucleotide(s) represent the site for the single-base extend primer and bold letter (G) is the reverse nucleotide extended on human DNA, lower case letter are recognition sites for the methylation sensitive restriction enzymes.

CACNA1G chr17:48637892-48637977 (reverse complement)

CCATTGGCCGTCCGCCGTGGCAGTGCGGGCGGGAGcgcAGGGAGAGAAACCACAGCTGGAATCCGATTCCCAC
CCCCAAAACCCAGGA

HhaI Forward Primer: 5'- ACGTTGGATG-CCATTGGCCGTCCGCCGTG (Primer contains a 5' 10 bp
MassTag separated by a dash)

HhaI Reverse Primer: 5'- ACGTTGGATG-TCCTGGGTTTTGGGGTGGGAA (Primer contains a 5' 10 bp
MassTag separated by a dash)

HhaI Extension Primer: 5'- TTCCAGCTGTGGTTCTCTC

HhaI synthetic competitor oligonucleotide: 5'-

CCATTGGCCGTCCGCCGTGGCAGTGCGGGCGGGAGCGCAGAGAGAGAAACCACAGCTGGAATCCGATTCCCA
CCCCAAAACCCAGGA

Validation experiments

The sensitivity and accuracy of the present invention was measured using both a model system and clinical samples. In the different samples, a multiplex assay was run that contains 2 assays for total copy number quantification, 3 assays for methylation quantification, 1 assay specific for chromosome Y and 1 digestion control assay. See Table X. Another multiplex scheme with additional assays is provided in Table Y.

TABLE X: PCR Primers and Extend Primers

Gene ID	*	First Primer	Second Primer	Extend Primer
SOX14	M	ACGTTGGATGACATGGTCGGCCCCACGGAAT	ACGTTGGATGCTCCTTCCCTAGTGTGAGAACCG	CAGGTTCCGGGGCTTGGG
HhaI_CTRL	D	ACGTTGGATGACCCATTGGCCGTCGCCCGT	ACGTTGGATGTTTTGGGGTGGGAATCGGATT	CGCAGGGAGAGAACCCACAG
TBX3	M	ACGTTGGATGGAACCTCCTCTTTGTCTCTGCG	ACGTTGGATGTGGCATGGCCGGCGCCAGA	CCCCTCCCGGTGGTGATAAA
SRY	Y	ACGTTGGATGCGCAGCAACGGGACCGCTACA	ACGTTGGCATCTAGGTAGGTCCTTTGTAGCCAA	AAAGCTGTAGGACAATCGGGT
ALB	T	ACGTTGCGTAGCAACCTGTTACATATTAA	ACGTTGGATCTGAGCAAAAGGCAATCAACACCC	CATTTTCTACATCCTTTGTTT
EDG6	M	ACGTTGGATGCATAGAGGCCCATGATGGTGG	ACGTTGGATGACCTTCTGCCCTCTACTCCAA	agAAGATCACCAGGCGACAAGAGG
RNaseP	T	ACGTTGGATGGTGTGGTCAGCTCTTCCCTTCAT	ACGTTGGCCACATGTAATGTGTGAAAAAGCA	ACTTGGAGAACAAAGGACACCCGTTA

TABLE X: Competitor Oligonucleotide Sequence

Gene ID	*	Competitor Oligonucleotide Sequence
SOX14	M	GGTCGGCCCCACGGAATCCCGGCTCTGTGTGCGCCCAAGTTCGGGGCTTGGGTGTTGCCGGTCTCACACTAGGAAGGAG
HhaI_CTRL	D	CCATTGGCCCGTCCGCCGTGGCAGTGGCGGGGAGCGCAGAGAGAGAACACACAGCTGGAATCCGATTCCACCCCCAAAA
TBX3	M	GAACTCCTCTTTGTCTGTGCTGCCGGCGGCCCTCCCGTGGGTGATAAATCCACTCTGGCGCGGCCATGC
SRY	Y	GCAGCAACGGGACCGCTACAGCCACTGGACAAAGCCGTAGGACAATCGGGTAACATTGGCTACAAAGACCTACCTAGATGC
ALB	T	GCGTAGCAACCTGTTACATATTAAAGTTTATTATACATCTTTTCTACATCCTTTTGTTCAGAGTGTGATTGCCCTTGTGCTCAGTATCTTCAG
EDG6	M	CCTTCTGCCCTCTACTCCAAGCGCTACACCCCTCTTCTGCCTGGTGATCTTTGCCGGCGTCTGGCCACCATCATGGGCCCTCTATG
RNaseP	T	GTGTGGTCAAGCTCTCCCTTCATCACAATCTTGGAGAACAAAGGACACCCGTTATCCATGCTTTTCAACACATTACATGTGGG

TABLE Y: PCR Primers and Extend Primers

Gene ID	*	First Primer	Second Primer	Extend Primer
EDG6	M	ACGTTGGATGTTCTGCCCCCTCTACTCCAAG	ACGTTGGATGCATAGAGGCCCATGATGGTG	TTCTGCCTGGTGATCTT
RNaseP	T	ACGTTGGATGTCAGCTCTTCCCTTCATCAC	ACGTTGGATGCCCTACCTCCACACATGTAATGT	AACAAAGGACACCCGTTA
ApoE	T	ACGTTGGATGTTGACAGTTTCTCCCTTCCCC	ACGTTGGATGGAATGTGACCAGCAACGCAG	GCAGGAAGATGAAGTT
SOX14	M	ACGTTGGATGCGGTGCGGCCCCACGGAAT	ACGTTGGATGCTCCTTCCCTAGTGTGAGAACCCG	aAGGTTCCGGGGCTTGGG

SRY no2	Y	ACGTGGATAGTAAATAAGTTTCGAACTCTG	GAAGCATATGATTGCAATTGTCAAAAAC	aTTTCAATTTTGTGCGCACT
SRY no1	Y	ACGTTGGATGCACAGCTCACCGCAGCAACG	ACGTTGGATGCTAGGTAGGTCTTTGTAGCCAA	AGCTGTAGGACAATCGGGT
TBX3	M	ACGTTGGATGCTCTTGTCTCTCGTGCCC	ACGTTGGATGTTAATCACCCAGCGCATGGC	CCCTCCCGGTGGGTGATAAA
CACNA1G dig CTRL 1	D	ACGTTGGATGGACTGAGCCCCAGAACTCG	ACGTTGGATGGTGGGTTTGCTTTCCACG	AGGGCCGGGGTCTGCGCGTG
DAPK1 dig CTRL 2	D	ACGTTGGATGAAGCCAAAGTTCCCTCCGC	ACGTTGGATGCTTTTGTCTTCCAGCCAGG	GAGGCACTGCCCCGACAAACC
ALB	T	ACGTAGCGTAGCAACCTGTTACATATTAA	ACGTTGGATGCTGAGCAAGGCAATCAACA	CATTTTCTACATCCTTTGTTT

TABLE Y: Competitor Oligonucleotide Sequence

Gene ID	*	Competitor
EDG6	M	CCTTCTGCCCCCTCTACTCCAAAGCGCTACACCCCTCTTCTGCCTGGTGATCTTTGCCGGCTCCTGGCCACCATCATGGGCCTCTATG
RNAseP	T	GTGTGGTCAGCTCTTCCCTTCATCACATACCTGGAGAACAAAGGACACCGTTATCCATGCTTTTCAACACATTACATGTGGGAGGTAGG
ApoE	T	GATTGACAGTTTCTCCTTCCCCAGACTGGCCAATCACAGGCAGGAAGATGAAGTTTTGTGGGCTGCGTTGCTGGTCACATTCTCTGGC
SOX14	M	AAAACCAAGAGATTGCGGTCGGCCCCACGGAATCCCGGCTCTGTGTGCGCCACAGGTTCCGGGGCTTGGGTGTGCCGGTTCTCACACTAGGAAGG AGC
SRY no2	Y	GAGTTTGGATAGTAAATAAGTTTCGAACCTCTGGCACCTTTCAATTTTGCGCACCTTCTCTGTTTTTGACAATGCAATCATAIGCTTC
SRY no1	Y	GCAGCCAGCTCACCGCAGCAACCGGACCGCTACAGCCACTGGACAAAGCTGTAGGACAATCGGGTGACATTGGCTACAAAGACCTACCTAGATGC
TBX3	M	GAACCTCCTCTTTGTCTCTGCGTGCCCCGGCGCGCCCCCTCCCGGTGGGTGATAAATCCACTCTGGCGCCGGCCATGCGCTGGGTGATTAAATTTGCG A
CACNA1G dig CTRL 1	D	GTGGGTTTGTGCTTTCCACGCGTGCACACACACGCGCAGACCCCGGCCCTTGCCCCGCCCTACCTCCCCGAGTTCTGGGGCTCAGTC
DAPK1 dig CTRL 2	D	GCGCCAGCTTTTGCTTTCCAGCCAGGGCGCGGTGAGGTTGTCCGGGCAGTGCCTCGAGCAACTGGGAAGGCCAAGCGCGGAGGGAAAC
ALB	T	GCGTAGCAACCTGTTACATATTAAAGTTTTATTATACTACATTTTCTACATCCCTTTGTTTAGGGTGTGATTGCCCTTGTCTCAGTATCTTCAGC

T=Assay for Total Amount

M=Assay for Methylation quantification

Y= Y-Chromosome Specific Assay

D=Digestion control

Model system using genomic DNA

In order to determine the sensitivity and accuracy of the method when determining the total number of amplifiable genomic copies in a sample, a subset of different DNA samples isolated from the blood of non-pregnant women was tested. Each sample was diluted to contain approximately 2500, 1250, 625 or 313 copies per reaction. The total number of amplifiable genomic copies was obtained by taking the mean DNA/competitor ratio obtained from the three total copy number assays. The results from the four different samples are shown in Figure 12.

To optimize the reaction, a model system was developed to simulate DNA samples isolated from plasma. These samples contained a constant number of maternal non-methylated DNA and were spiked with different amounts of male placental methylated DNA. The samples were spiked with amounts ranging from approximately 0 to 25% relative to the maternal non-methylated DNA. The results are shown in Figures 13A and B. The fraction of placental DNA was calculated using the ratios obtained from the methylation assays (Figure 13A), the SRY markers (Figure 13B) and the total copy number assays. The primer sequences for the methylation assays (TBX), Y-chromosome assays (SRY) and total copy number (APOE) are provided above. The model system demonstrated that the methylation-based method performed equal to the Y-chromosome method (SRY markers), thus validating the methylation-based method as a sex-independent fetal quantifier.

Plasma samples

To investigate the sensitivity and accuracy of the methods in clinical samples, 33 plasma samples obtained from women pregnant with a male fetus were investigated using the multiplex scheme from Table X. For each reaction, a quarter of the DNA obtained from a 4ml extraction was used in order to meet the important requirement that only a portion of the total sample is used.

Total copy number quantification

The results from the total copy number quantification can be seen in Figures 14A and B. In Figure 14A, the copy number for each sample is shown. Two samples (nos. 25 and 26) have a significantly higher total copy number than all the other samples. In general, a mean of approximately 1300 amplifiable copies/ml plasma was obtained (range 766-2055). Figure 14B shows a box-and-whisker plot of the given values, summarizing the results.

Correlation between results obtained from the methylation markers and the Y-chromosome marker

In Figures 15A and B, the numbers of fetal copies for each sample are plotted. As all samples were from male pregnancies. The copy numbers obtained can be calculated using either the methylation or the Y-chromosome-specific markers. As can be seen in Figure 15B, the box-and-whisker plot of the given values indicated minimal difference between the two different measurements.

The results showing the correlation between results obtained from the methylation markers and the Y-chromosome marker (SRY) is shown in Figure 16. Again, the methylation-based method performed

equal to the Y-chromosome method (SRY markers), further validating the methylation-based method as a sex-independent and polymorphism-independent fetal quantifier. The multiplexed assays disclosed in Table X were used to determine the amount fetal nucleic.

Finally, the digestion efficiency was determined by using the ratio of digestion for the control versus the competitor and comparing this value to the mean total copy number assays. See Figure 17. Apart from sample 26 all reactions indicate the efficiency to be above 99%.

Data Analysis

Mass spectra analysis was done using Typer 4 (a Sequenom software product). The peak height (signal over noise) for each individual DNA analyte and competitor assay was determined and exported for further analysis.

The total number of molecules present for each amplicon was calculated by dividing the DNA specific peak by the competitor specific peak to give a ratio. (The "DNA" Peak in Figures 18 and 19 can be thought of as the analyte peak for a given assay). Since the number of competitor molecules added into the reaction is known, the total number of DNA molecules can be determined by multiplying the ratio by the number of added competitor molecules.

The fetal DNA fraction (or concentration) in each sample was calculated using the Y-chromosome-specific markers for male pregnancies and the mean of the methylated fraction for all pregnancies. In brief, for chromosome Y, the ratio was obtained by dividing the analyte (DNA) peak by the competitor peak and multiplying this ratio by the number of competitor molecules added into the reaction. This value was divided by a similar ratio obtained from the total number of amplifiable genome equivalents determination (using the Assay(s) for Total Amount). See Figure 18. Since the total amount of nucleic acid present in a sample is a sum of maternal and fetal nucleic acid, the fetal contribution can be considered to be a fraction of the larger, background maternal contribution. Therefore, translating this into the equation shown in Figure 18, the fetal fraction (k) of the total nucleic acid present in the sample is equal to the equation: $k = 2xR / (1 - 2R)$, where R is the ratio between the Y-chromosome amount and the total amount. Since the Y-chromosome is haploid and Assays for the Total Amount are determined using diploid targets, this calculation is limited to a fetal fraction smaller than 50% of the maternal fraction.

In Figure 19, a similar calculation for the fetal concentration is shown by using the methylation specific markers (see Assays for Methylation Quantification). In contrast to Y-chromosome specific markers, these markers are from diploid targets, therefore, the limitations stated for the Y-Chromosome Specific Assay can be omitted. Thus, the fetal fraction (k) can be determined using the equation: $k = R(1 - R)$, where R is the ratio between the methylation assay and the total assay.

Simulation

A first simple power calculation was performed that assumes a measurement system that uses 20 markers from chromosome 21, and 20 markers from one or more other autosomes. Starting with 100

copies of fetal DNA, a measurement standard deviation of 25 copies and the probability for a type I error to be lower than 0.001, it was found that the methods of the invention will be able to differentiate a diploid from a triploid chromosome set in 99.5% of all cases. The practical implementation of such an approach could for example be achieved using mass spectrometry, a system that uses a competitive PCR approach for absolute copy number measurements. The method can run 20 assays in a single reaction and has been shown to have a standard deviation in repeated measurements of around 3 to 5%. This method was used in combination with known methods for differentiating methylated and non-methylated nucleic acid, for example, using methyl-binding agents to separate nucleic acid or using methylation-sensitive enzymes to digest maternal nucleic acid. Figure 8 shows the effectiveness of MBD-FC protein (a methyl-binding agent) for capturing and thereby separating methylated DNA in the presence of an excess of unmethylated DNA (see Figure 8).

A second statistical power analysis was performed to assess the predictive power of an embodiment of the Methylation-Based Fetal Diagnostic Method described herein. The simulation was designed to demonstrate the likelihood of differentiating a group of trisomic chromosome 21 specific markers from a group of reference markers (for example, autosomes excluding chromosome 21). Many parameters influence the ability to discriminate the two populations of markers reliably. For the present simulation, values were chosen for each parameter that have been shown to be the most likely to occur based on experimentation. The following parameters and respective values were used:

Copy Numbers

Maternal copy numbers = 2000

Fetal copy numbers for chromosomes other than 21, X and Y = 200

Fetal copy numbers for chromosome 21 in case of euploid fetus = 200

Fetal copy numbers for chromosome 21 in case of aneuploid T21 fetus = 300

Percent fetal DNA (before methylation-based enrichment) = 10% (see above)

Methylation Frequency

Average methylation percentage in a target region for maternal DNA = 10%

Average methylation percentage in a target region for fetal DNA = 80%

Average percentage of non-methylated and non-digested maternal DNA (i.e., a function of restriction efficiency (among other things) = 5%

Number of assays targeting chromosome 21 = 10

Number of assays targeting chromosomes other than 21, X and Y = 10

The results are displayed in Figure 20. Shown is the relationship between the coefficient of variation (CV) on the x-axis and the power to discriminate the assay populations using a simple t-test (y-axis). The data indicates that in 99% of all cases, one can discriminate the two population (euploid vs. aneuploid) on a significance level of 0.001 provided a CV of 5% or less. Based on this simulation, the method represents a powerful noninvasive diagnostic method for the prenatal detection of fetal aneuploidy that is sex-independent and will work in all ethnicities (i.e., no allelic bias).

Example 3 – Additional Differentially-Methylated Targets

Differentially-methylated targets not located on chromosome 21

Additional differentially-methylated targets were selected for further analysis based upon previous microarray analysis. See Example 1 for a description of the microarray analysis. During the microarray screen, differentially methylated regions (DMRs) were defined between placenta tissue and PBMC. Regions were selected for EpiTYPER confirmation based upon being hypermethylated in placenta relative to PBMC. After directionality of the change was selected for, regions were chosen based upon statistical significance with regions designed beginning with the most significant and working downward in terms of significance. These studies were performed in eight paired samples of PBMC and placenta. Additional non-chromosome 21 targets are provided in Table 1B, along with a representative genomic sequence from each target in Table 4B.

Differentially-methylated targets located on chromosome 21

The microarray screen uncovered only a subset of DMRs located on chromosome 21. The coverage of chromosome 21 by the microarray, however, was insufficient. Therefore a further analysis was completed to examine all 356 CpG islands on chromosome 21 using the standard settings of the UCSC genome browser. As shown in Table 1C below, some of these targets overlapped with those already examined in Table 1A. More specifically, CpG sites located on chromosome 21 including ~1000bp upstream and downstream of each CpG was investigated using Sequenom's EpiTYPER® technology. See Example 1, "Validation using Sequenom® EpiTYPER™" for a description of Sequenom's EpiTYPER® technology. These studies were performed in eight paired samples of PBMC and placenta. In addition, since DMRs may also be located outside of defined CpG islands, data mining was performed on publicly available microarray data to identify potential candidate regions with the following characteristics: hypermethylated in placenta relative to maternal blood, not located in a defined CpG island, contained greater than 4 CpG dinucleotides, and contained a recognition sequence for methylation sensitive restriction enzymes. Regions that met these criteria were then examined using Sequenom's EpiTYPER® technology on eight paired PBMC and placenta samples. Additional chromosome 21 targets are provided in Table 1C, along with a representative genomic sequence from each target in Table 4C.

Tables 1B and 1C provide a description of the different targets, including their location and whether they were analyzed during the different phases of analysis, namely microarray analysis, EpiTYPER 8 analysis and EpiTYPER 73 analysis. A “YES” indicates it was analyzed and a “NO” indicates it was not analyzed. The definition of each column in Table 1B and 1C is listed below.

- **Region Name:** Each region is named by the gene(s) residing within the area defined or nearby. Regions where no gene name is listed but rather only contain a locus have no refseq genes in near proximity.
- **Gene Region:** For those regions contained either in close proximity to or within a gene, the gene region further explains the relationship of this region to the nearby gene.
- **Chrom:** The chromosome on which the DMR is located using the hg18 build of the UCSC genome browser.
- **Start:** The starting position of the DMR as designated by the hg18 build of the UCSC genome browser.
- **End:** The ending position of the DMR as designated by the hg18 build of the UCSC genome browser.
- **Microarray Analysis:** Describes whether this region was also/initially determined to be differentially methylated by microarray analysis. The methylated fraction of ten paired placenta and PBMC samples was isolated using the MBD-Fc protein. The two tissue fractions were then labeled with either Alexa Fluor 555–aha–dCTP (PBMC) or Alexa Fluor 647–aha–dCTP (placental) using the BioPrime Total Genomic Labeling System™ and hybridized to Agilent® CpG Island microarrays. Many regions examined in these studies were not contained on the initial microarray.
- **EpiTYPER 8 Samples:** Describes whether this region was analyzed and determined to be differentially methylated in eight paired samples of placenta and peripheral blood mononuclear cells (PBMC) using EpiTYPER technology. Regions that were chosen for examination were based on multiple criteria. First, regions were selected based on data from the Microarray Analysis. Secondly, a comprehensive examination of all CpG islands located on chromosome 21 was undertaken. Finally, selected regions on chromosome 21 which had lower CpG frequency than those located in CpG islands were examined.
- **EpiTYPER 73 Samples:** Describes whether this region was subsequently analyzed using EpiTYPER technology in a sample cohort consisting of 73 paired samples of placenta and PBMC. All regions selected for analysis in this second sample cohort were selected based on the results from the experimentation described in the EpiTYPER 8 column. More specifically, the regions in this additional cohort exhibited a methylation profile similar to that determined in the EpiTYPER 8 Samples analysis. For example, all of the regions listed in Tables 1B-1C exhibit different levels of DNA methylation in a significant portion of the examined CpG dinucleotides within the

defined region. Differential DNA methylation of CpG sites was determined using a paired T Test with those sites considered differentially methylated if the p-value (when comparing placental tissue to PBMC) is $p < 0.05$.

- Previously Validated EpiTYPER: Describes whether this region or a portion of this region was validated using EpiTYPER during previous experimentation. (See Examples 1 and 2).
- Relative Methylation Placenta to Maternal: Describes the direction of differential methylation. Regions labeled as “hypermethylation” are more methylated within the designated region in placenta samples relative to PBMC and “hypomethylation” are more methylated within the designated region in PBMC samples.

TABLE 1A

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPITYPE	MEAN PLACENTA METHYLATION EPITYPE	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
chr13 group00016	chr13	19773745	19774050	chr13:19773518-19774214	0.19	0.22	0.32	0.1	HYPERMETHYLATION
chr13 group00005	chr13	19290394	19290768	-	-0.89	0.94	0.35	-0.59	HYPOMETHYLATION
CRYL1	chr13	19887090	19887336	chr13:19887007-19887836	-0.63	0.74	0.21	-0.53	HYPOMETHYLATION
IL17D	chr13	20193675	20193897	chr13:20193611-20194438	-1.01	0.53	0.13	-0.39	HYPOMETHYLATION
CENPJ	chr13	24404023	24404359	-	0.57	0.17	0.49	0.32	HYPERMETHYLATION
ATP8A2	chr13	25484475	25484614	chr13:25484287-25484761	0.81	0.16	0.43	0.27	HYPERMETHYLATION
GSH1	chr13	27265542	27265834	chr13:27264549-27266505	0.57	0.13	0.19	0.05	HYPERMETHYLATION
PDX1	chr13	27393789	27393979	chr13:27392001-27394099	0.55	0.06	0.2	0.14	HYPERMETHYLATION
PDX1	chr13	27400459	27401165	chr13:27400362-27400744; chr13:27401057-27401374	0.73	0.12	0.26	0.14	HYPERMETHYLATION
MAB21L1	chr13	34947737	34948062	chr13:34947570-34948159	0.66	0.11	0.17	0.06	HYPERMETHYLATION
RB1	chr13	47790983	47791646	chr13:47790636-47791858	0.18	0.45	0.48	0.03	HYPERMETHYLATION
PCDH17	chr13	57104856	57106841	chr13:57104527-57106931	0.46	0.15	0.21	0.06	HYPERMETHYLATION
KLHL1	chr13	69579933	69580146	chr13:69579733-69580220	0.79	0.09	0.28	0.2	HYPERMETHYLATION
POU4F1	chr13	78079515	78081073	chr13:78079328-78079615; chr13:78080860-78081881	0.66	0.12	0.23	0.11	HYPERMETHYLATION
GPC6	chr13	92677402	92678666	chr13:92677246-92678878	0.66	0.06	0.19	0.13	HYPERMETHYLATION
SOX21	chr13	94152286	94153047	chr13:94152190-94153185	0.94	0.16	0.4	0.25	HYPERMETHYLATION

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPITYPE	MEAN PLACENTA METHYLATION EPITYPE	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
ZIC2	chr13	99439660	99440858	chr13:99439335-99440189; chr13:99440775-99441095	0.89	0.13	0.35	0.22	HYPERMETHYLATION
IRS2	chr13	109232856	109235065	chr13:109232467-109238181	-0.17	0.73	0.38	-0.35	HYPOMETHYLATION
chr13 group00350	chr13	109716455	109716604	chr13:109716325-109716726	-0.37	0.77	0.41	-0.36	HYPOMETHYLATION
chr13 group00385	chr13	111595578	111595955	chr13:111595459-111596131	0.87	0.06	0.2	0.14	HYPERMETHYLATION
chr13 group00390	chr13	111756337	111756593	chr13:111755805-111756697	0.71	0.12	0.34	0.22	HYPERMETHYLATION
chr13 group00391	chr13	111759856	111760045	chr13:111757885-111760666	0.86	0.11	0.36	0.25	HYPERMETHYLATION
chr13 group00395	chr13	111808255	111808962	chr13:111806599-111808492; chr13:111808866-111809114	0.96	0.13	0.35	0.22	HYPERMETHYLATION
chr13 group00399	chr13	112033503	112033685	chr13:112032967-112033734	0.38	0.26	0.43	0.18	HYPERMETHYLATION
MCF2L	chr13	112724910	112725742	chr13:112724782-112725121; chr13:112725628-112725837	-0.47	0.91	0.33	-0.58	HYPOMETHYLATION
F7	chr13	112799123	112799379	chr13:112798487-112799566	-0.05	0.97	0.55	-0.41	HYPOMETHYLATION
PROZ	chr13	112855566	112855745	chr13:112855289-112855866	0.29	0.15	0.3	0.16	HYPERMETHYLATION
chr18 group00039	chr18	6919797	6919981	chr18:6919450-6920088	-0.38	0.88	0.39	-0.49	HYPOMETHYLATION
CIDEA	chr18	12244327	12244696	chr18:12244147-12245089	0.23	0.14	0.23	0.1	HYPERMETHYLATION
chr18 group00091	chr18	12901467	12901643	chr18:12901024-12902704	0.16	0.15	0.43	0.29	HYPERMETHYLATION
chr18 group00094	chr18	13126819	13126986	chr18:13126596-13127564	0.41	0.07	0.34	0.27	HYPERMETHYLATION
C18orf1	chr18	13377536	13377654	chr18:13377385-	-0.12	0.95	0.69	-0.26	HYPOMETHYLATION

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPITYPER	MEAN PLACENTA METHYLATION EPITYPER	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
				13377686					
KLHL14	chr18	28603978	28605183	chr18:28603688-28606300	0.83	0.07	0.19	0.12	HYPERMETHYLATION
CD33L3	chr18	41671477	41673011	chr18:41671386-41673101	-0.34	0.49	0.44	-0.05	HYPOMETHYLATION
ST8SIA3	chr18	53171265	53171309	chr18:53170705-53172603	1.02	0.09	0.25	0.16	HYPERMETHYLATION
ONECUT2	chr18	53254808	53259810	chr18:53254152-53259851	0.74	0.09	0.23	0.14	HYPERMETHYLATION
RAX	chr18	55086286	55086436	chr18:55085813-55087807	0.88	0.11	0.26	0.16	HYPERMETHYLATION
chr18 group00277	chr18	57151972	57152311	chr18:57151663-57152672	0.58	0.08	0.21	0.13	HYPERMETHYLATION
TNFRSF11A	chr18	58203013	58203282	chr18:58202849-58203367	-0.33	0.88	0.28	-0.6	HYPOMETHYLATION
NETO1	chr18	68685099	68687060	chr18:68684945-68687851	0.65	0.09	0.22	0.13	HYPERMETHYLATION
chr18 group00304	chr18	70133945	70134397	chr18:70133732-70134724	0.12	0.93	0.92	-0.01	NOT CONFIRMED
TSHZ1	chr18	71128742	71128974	chr18:71128638-71129076	0.23	0.95	0.92	-0.03	NOT CONFIRMED
ZNF236	chr18	72664454	72664736	chr18:72662797-72664893	-0.62	0.17	0.1	-0.07	HYPOMETHYLATION
MBP	chr18	72953150	72953464	chr18:72953137-72953402	0.6	0.44	0.72	0.28	HYPERMETHYLATION
chr18 group00342	chr18	74170347	74170489	chr18:74170210-74170687	-0.2	0.78	0.48	-0.3	HYPOMETHYLATION
NFATC1	chr18	75385424	75386008	chr18:75385279-75386532	0.23	0.14	0.84	0.7	HYPERMETHYLATION
CTDP1	chr18	75596358	75596579	chr18:75596009-75596899	0.07	0.97	0.96	-0.01	NOT CONFIRMED
chr18 group00430	chr18	75653272	75653621	-	0.52	0.24	0.62	0.39	HYPERMETHYLATION
KCNG2	chr18	75760343	75760820	chr18:75759900-75760988	0.01	0.84	0.75	-0.09	NOT CONFIRMED
OLIG2	chr21	33317673	33321183	chr21:33316998-33322115	0.66	0.11	0.2	0.09	HYPERMETHYLATION

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPIPYPER	MEAN PLACENTA METHYLATION EPIPYPER	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
OLIG2	chr21	33327593	33328334	chr21:33327447-33328408	-0.75	0.77	0.28	-0.49	HYPOMETHYLATION
RUNX1	chr21	35180938	35185436	chr21:35180822-35181342; chr21:35182320-35185557	-0.68	0.14	0.07	-0.07	HYPOMETHYLATION
SIM2	chr21	36994965	36995298	chr21:36990063-36995761	0.83	0.08	0.26	0.18	HYPERMETHYLATION
SIM2	chr21	36999025	36999410	chr21:36998632-36999555	0.87	0.06	0.24	0.18	HYPERMETHYLATION
DSCR6	chr21	37300407	37300512	chr21:37299807-37301307	0.22	0.04	0.14	0.11	HYPERMETHYLATION
DSCAM	chr21	41135559	41135706	chr21:41135380-41135816	1.03	0.06	0.29	0.23	HYPERMETHYLATION
chr21 group00165	chr21	43643421	43643786	chr21:43643322-43643874	1.14	0.16	0.81	0.65	HYPERMETHYLATION
AIRE	chr21	44529935	44530388	chr21:44529856-44530472	-0.55	0.62	0.27	-0.35	HYPOMETHYLATION
SUMO3	chr21	45061293	45061853	chr21:45061154-45063386	-0.41	0.55	0.46	-0.09	HYPOMETHYLATION
C21orf70	chr21	45202815	45202972	chr21:45202706-45203073	-0.46	0.96	0.51	-0.46	HYPOMETHYLATION
C21orf123	chr21	45671984	45672098	chr21:45671933-45672201	-0.63	0.92	0.43	-0.49	HYPOMETHYLATION
COL18A1	chr21	45754383	45754487	chr21:45753653-45754639	-0.18	0.97	0.72	-0.25	HYPOMETHYLATION
PRMT2	chr21	46911967	46912385	chr21:46911628-46912534	1.08	0.04	0.25	0.21	HYPERMETHYLATION
SIX2	chr2	45081223	45082129	chr2:45081148-45082287	1.15	0.08	0.36	0.28	HYPERMETHYLATION
SIX2	chr2	45084851	45085711	chr2:45084715-45084986; chr2:45085285-45086054	1.21	0.07	0.35	0.28	HYPERMETHYLATION
SOX14	chr3	138971870	138972322	chr3:138971738-138972096; chr3:138972281-	1.35	0.08	0.33	0.25	HYPERMETHYLATION

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPIPYPER	MEAN PLACENTAL METHYLATION EPIPYPER	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
				138973691					
TLX3	chr5	170674439	170676431	chr5:170674208-170675356; chr5:170675783-170676712	0.91	0.11	0.35	0.24	HYPERMETHYLATION
FOXP4	chr6	41623666	41624114	chr6:41621630-41624167	1.1	0.07	0.27	0.2	HYPERMETHYLATION
FOXP4	chr6	41636384	41636779	chr6:41636244-41636878	1.32	0.04	0.33	0.29	HYPERMETHYLATION
chr7 group00267	chr7	12576755	12577246	chr7:12576690-12577359	0.94	0.08	0.26	0.17	HYPERMETHYLATION
NPY	chr7	24290224	24291508	chr7:24290083-24291605	0.93	0.09	0.3	0.21	HYPERMETHYLATION
SHH	chr7	155291537	155292091	chr7:155288453-155292175	0.98	0.19	0.52	0.33	HYPERMETHYLATION
OSR2	chr8	100029764	100030536	chr8:100029673-100030614	1.21	0.08	0.43	0.35	HYPERMETHYLATION
GLIS3	chr9	4288283	4289645	chr9:4287817-4290182	1.24	0.06	0.24	0.18	HYPERMETHYLATION
PRMT8	chr12	3472714	3473190	chr12:3470227-3473269	0.86	0.07	0.23	0.16	HYPERMETHYLATION
TBX3	chr12	113609153	113609453	chr12:113609112-113609535	1.45	0.09	0.56	0.48	HYPERMETHYLATION
chr12 group00801	chr12	118516189	118517435	chr12:118515877-118517595	1.1	0.06	0.25	0.19	HYPERMETHYLATION
PAX9	chr14	36201402	36202386	chr14:36200932-36202536	0.89	0.11	0.32	0.21	HYPERMETHYLATION
SIX1	chr14	60178801	60179346	chr14:60178707-60179539	0.95	0.1	0.33	0.22	HYPERMETHYLATION
ISL2	chr15	74420013	74421546	chr15:74419317-74422570	1.08	0.08	0.27	0.19	HYPERMETHYLATION
DLX4	chr17	45397228	45397930	chr17:45396281-45398063	1.25	0.1	0.32	0.22	HYPERMETHYLATION
CBX4	chr17	75428613	75431793	chr17:75427586-75433676	1	0.07	0.27	0.21	HYPERMETHYLATION

GENE NAME	CHROM	START	END	CpG ISLAND	MEAN LOG RATIO MICRO-ARRAY	MEAN MATERNAL METHYLATION EPI TYPER	MEAN PLACENTA METHYLATION EPI TYPER	METHYLATION DIFFERENCE PLACENTA-MATERNAL	RELATIVE METHYLATION PLACENTA TO MATERNAL
EDG6	chr19	3129836	3130874	chr19:3129741-3130986	1.35	0.04	0.87	0.83	HYPERMETHYLATION
PRRT3	chr3	9963364	9964023	chr3:9962895-9964619	-0.85	0.9	0.09	-0.81	HYPOMETHYLATION
MGC29506	chr5	138757911	138758724	chr5:138755609-138758810	-0.63	0.93	0.17	-0.76	HYPOMETHYLATION
TEAD3	chr6	35561812	35562252	chr6:35561754-35562413	-1.17	0.92	0.13	-0.8	HYPOMETHYLATION
chr12 group00022	chr12	1642456	1642708	chr12:1642195-1642774	-1.33	0.66	0.09	-0.57	HYPOMETHYLATION
CENTG1	chr12	56406249	56407788	chr12:56406176-56407818	-1.07	0.95	0.19	-0.77	HYPOMETHYLATION
CENTG1	chr12	56416146	56418794	chr12:56416095-56416628; chr12:56418745-56419001	-0.94	0.85	0.16	-0.69	HYPOMETHYLATION

Information in Table 1A based on the March 2006 human reference sequence (NCBI Build 36.1), which was produced by the International Human Genome Sequencing Consortium.

Table 1B: Non-Chromosome 21 differentially methylated regions

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
TFAP2E	Intron	chr1	35815000	35816200	YES	YES	NO	NO	Hypermethylation
LRR8D	Intron/Exon	chr1	90081350	90082250	YES	YES	NO	NO	Hypermethylation
TBX15	Promoter	chr1	119333500	119333700	YES	YES	NO	NO	Hypermethylation
C1orf51	Upstream	chr1	148520900	148521300	YES	YES	NO	NO	Hypermethylation
chr1:179553900-179554600	Intergenic	chr1	179553900	179554600	YES	YES	NO	NO	Hypermethylation
ZFP36L2	Exon	chr2	43304900	43305100	YES	YES	NO	NO	Hypermethylation
SIX2	Downstream	chr2	45081000	45086000	YES	YES	NO	YES	Hypermethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
chr2:137238500-137240000	Intergenic	chr2	137238500	137240000	YES	YES	NO	NO	Hypermethylation
MAP1D	Intron/Exon	chr2	172652800	172653600	YES	YES	NO	NO	Hypermethylation
WNT6	Intron	chr2	219444250	219444290	YES	YES	NO	NO	Hypermethylation
INPP5D	Promoter	chr2	233633200	233633700	YES	YES	YES	NO	Hypermethylation
chr2:241211100-241211600	Intergenic	chr2	241211100	241211600	YES	YES	YES	NO	Hypermethylation
WNT5A	Intron	chr3	55492550	55492850	YES	YES	NO	NO	Hypermethylation
chr3:138971600-138972200	Intergenic	chr3	138971600	138972200	YES	YES	YES	YES	Hypermethylation
ZIC4	Intron	chr3	148598200	148599000	YES	YES	NO	NO	Hypermethylation
FGF12	Intron/Exon	chr3	193608500	193610500	YES	YES	NO	NO	Hypermethylation
GP5	Exon	chr3	195598400	195599200	YES	YES	NO	NO	Hypermethylation
MSX1	Upstream	chr4	4910550	4911100	YES	YES	NO	NO	Hypermethylation
NKX3-2	Intron/Exon	chr4	13152500	13154500	YES	YES	NO	NO	Hypermethylation
chr4:111752000-111753000	Intergenic	chr4	111752000	111753000	YES	YES	YES	NO	Hypermethylation
SFRP2	Promoter	chr4	154928800	154930100	YES	YES	NO	NO	Hypermethylation
chr4:174664300-174664800	Intergenic	chr4	174664300	174664800	YES	YES	NO	NO	Hypermethylation
chr4:174676300-174676800	Intergenic	chr4	174676300	174676800	YES	YES	NO	NO	Hypermethylation
SORBS2	Intron	chr4	186796900	186797500	YES	YES	NO	NO	Hypermethylation
chr5:42986900-42988200	Intergenic	chr5	42986900	42988200	YES	YES	NO	NO	Hypermethylation
chr5:72712000-72714100	Intergenic	chr5	72712000	72714100	YES	YES	NO	NO	Hypermethylation
chr5:72767550-72767800	Intergenic	chr5	72767550	72767800	YES	YES	NO	NO	Hypermethylation
NR2F1	Intron/Exon	chr5	92955000	92955250	YES	YES	NO	NO	Hypermethylation
PCDHGA1	Intron	chr5	140850500	140852500	YES	YES	YES	NO	Hypermethylation
chr6:10489100-10490200	Intergenic	chr6	10489100	10490200	YES	YES	YES	NO	Hypermethylation
FOXP4	Intron	chr6	41636200	41637000	YES	YES	NO	YES	Hypermethylation
chr7:19118400-19118700	Intergenic	chr7	19118400	19118700	YES	YES	NO	NO	Hypermethylation
chr7:27258000-27258400	Intergenic	chr7	27258000	27258400	YES	YES	NO	NO	Hypermethylation
TBX20	Upstream	chr7	35267500	35268300	YES	YES	NO	NO	Hypermethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
AGBL3	Promoter	chr7	134321300	134322300	YES	YES	NO	NO	Hypermethylation
XPO7	Downstream	chr8	21924000	21924300	YES	YES	NO	NO	Hypermethylation
chr8:41543400-41544000	Intergenic	chr8	41543400	41544000	YES	YES	NO	NO	Hypermethylation
GDF6	Exon	chr8	97225400	97227100	YES	YES	NO	NO	Hypermethylation
OSR2	Intron/Exon	chr8	100029000	100031000	YES	YES	YES	YES	Hypermethylation
GLIS3	Intron/Exon	chr9	4288000	4290000	YES	YES	NO	YES	Hypermethylation
NOTCH1	Intron	chr9	138547600	138548400	YES	YES	YES	NO	Hypermethylation
EGFL7	Upstream	chr9	138672350	138672850	YES	YES	NO	NO	Hypermethylation
CELF2	Intron/Exon	chr10	11246700	11247900	YES	YES	NO	NO	Hypermethylation
HHEX	Intron	chr10	94441000	94441800	YES	YES	NO	NO	Hypermethylation
DOCK1/FAM196A	Intron/Exon	chr10	128883000	128883500	YES	YES	NO	NO	Hypermethylation
PAX6	Intron	chr11	31782400	31783500	YES	YES	NO	NO	Hypermethylation
FERMT3	Intron/Exon	chr11	63731200	63731700	YES	YES	YES	NO	Hypermethylation
PKNOX2	Intron	chr11	124541200	124541800	YES	YES	NO	NO	Hypermethylation
KIRREL3	Intron	chr11	126375150	126375300	YES	YES	NO	NO	Hypermethylation
BCAT1	Intron	chr12	24946700	24947600	YES	YES	NO	NO	Hypermethylation
HOXC13	Intron/Exon	chr12	52625000	52625600	YES	YES	NO	NO	Hypermethylation
TBX5	Promoter	chr12	113330500	113332000	YES	YES	NO	NO	Hypermethylation
TBX3	Upstream	chr12	113609000	113609500	YES	YES	NO	YES	Hypermethylation
chr12:113622100-113623000	Intergenic	chr12	113622100	113623000	YES	YES	YES	NO	Hypermethylation
chr12:113657800-113658300	Intergenic	chr12	113657800	113658300	YES	YES	NO	NO	Hypermethylation
THEM233	Promoter	chr12	118515500	118517500	YES	YES	NO	YES	Hypermethylation
NCOR2	Intron/Exon	chr12	123516200	123516800	YES	YES	YES	NO	Hypermethylation
THEM132C	Intron	chr12	127416300	127416700	YES	YES	NO	NO	Hypermethylation
PTGDR	Promoter	chr14	51804000	51805200	YES	YES	NO	NO	Hypermethylation
ISL2	Intron/Exon	chr15	74420000	74422000	YES	YES	NO	YES	Hypermethylation
chr15:87750000-87751000	Intergenic	chr15	87750000	87751000	YES	YES	NO	NO	Hypermethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
chr15:87753000-87754100	Intergenic	chr15	87753000	87754100	YES	YES	NO	NO	Hypermethylation
NR2F2	Upstream	chr15	94666000	94667500	YES	YES	YES	NO	Hypermethylation
chr16:11234300-11234900	Intergenic	chr16	11234300	11234900	YES	YES	NO	NO	Hypermethylation
SPN	Exon	chr16	29582800	29583500	YES	YES	YES	NO	Hypermethylation
chr16:85469900-85470200	Intergenic	chr16	85469900	85470200	YES	YES	NO	NO	Hypermethylation
SLFN11	Promoter	chr17	30725100	30725600	YES	YES	NO	NO	Hypermethylation
DLX4	Upstream	chr17	45396800	45397800	YES	YES	NO	YES	Hypermethylation
SLC38A10 (MGC15523)	Intron	chr17	76873800	76874300	YES	YES	YES	NO	Hypermethylation
S1PR4	Exon	chr19	3129900	3131100	YES	YES	YES	YES	Hypermethylation
MAP2K2	Intron	chr19	4059700	4060300	YES	YES	YES	NO	Hypermethylation
UHRF1	Intron	chr19	4867300	4867800	YES	YES	YES	NO	Hypermethylation
DEDD2	Exon	chr19	47395300	47395900	YES	YES	YES	NO	Hypermethylation
CDC42EP1	Exon	chr22	36292300	36292800	YES	YES	YES	NO	Hypermethylation

Table 1C: Chromosome 21 differentially methylated regions

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
chr21:9906600-9906800	Intergenic	chr21	9906600	9906800	NO	YES	NO	NO	Hypomethylation
chr21:9907000-9907400	Intergenic	chr21	9907000	9907400	NO	YES	NO	NO	Hypomethylation
chr21:9917800-9918450	Intergenic	chr21	9917800	9918450	NO	YES	NO	NO	Hypomethylation
TPTE	Promoter	chr21	10010000	10015000	NO	YES	NO	NO	Hypomethylation
chr21:13974500-13976000	Intergenic	chr21	13974500	13976000	NO	YES	NO	NO	Hypomethylation
chr21:13989500-13992000	Intergenic	chr21	13989500	13992000	NO	YES	NO	NO	Hypomethylation
chr21:13998500-14000100	Intergenic	chr21	13998500	14000100	NO	YES	NO	NO	Hypomethylation
chr21:14017000-14018500	Intergenic	chr21	14017000	14018500	NO	YES	NO	NO	Hypomethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
chr21:14056400-14058100	Intergenic	chr21	14056400	14058100	NO	YES	NO	NO	Hypomethylation
chr21:14070250-14070550	Intergenic	chr21	14070250	14070550	NO	YES	NO	NO	Hypomethylation
chr21:14119800-14120400	Intergenic	chr21	14119800	14120400	NO	YES	NO	NO	Hypomethylation
chr21:14304800-14306100	Intergenic	chr21	14304800	14306100	NO	YES	NO	NO	Hypomethylation
chr21:15649340-15649450	Intergenic	chr21	15649340	15649450	NO	YES	YES	NO	Hypermethylation
C21orf34	Intron	chr21	16881500	16883000	NO	YES	NO	NO	Hypomethylation
BTG3	Intron	chr21	17905300	17905500	NO	YES	NO	NO	Hypomethylation
CHODL	Promoter	chr21	18539000	18539800	NO	YES	YES	NO	Hypermethylation
NCAM2	Upstream	chr21	21291500	21292100	NO	YES	NO	NO	Hypermethylation
chr21:23574000-23574600	Intergenic	chr21	23574000	23574600	NO	YES	NO	NO	Hypomethylation
chr21:24366920-24367060	Intergenic	chr21	24366920	24367060	NO	YES	NO	NO	Hypomethylation
chr21:25656000-25656900	Intergenic	chr21	25656000	25656900	NO	YES	NO	NO	Hypomethylation
MIR155HG	Promoter	chr21	25855800	25857200	NO	YES	YES	NO	Hypermethylation
CYYR1	Intron	chr21	26830750	26830950	NO	YES	NO	NO	Hypomethylation
chr21:26938800-26939200	Intergenic	chr21	26938800	26939200	NO	YES	NO	NO	Hypomethylation
GRIK1	Intron	chr21	30176500	30176750	NO	YES	NO	NO	Hypomethylation
chr21:30741350-30741600	Intergenic	chr21	30741350	30741600	NO	YES	NO	NO	Hypermethylation
TIAM1	Intron	chr21	31426800	31427300	NO	YES	YES	NO	Hypermethylation
TIAM1	Intron	chr21	31475300	31475450	NO	YES	NO	NO	Hypermethylation
TIAM1	Intron	chr21	31621050	31621350	NO	YES	YES	NO	Hypermethylation
SOD1	Intron	chr21	31955000	31955300	NO	YES	NO	NO	Hypomethylation
HUNK	Intron/Exon	chr21	32268700	32269100	NO	YES	YES	NO	Hypermethylation
chr21:33272200-33273300	Intergenic	chr21	33272200	33273300	NO	YES	NO	NO	Hypomethylation
OLIG2	Promoter	chr21	33314000	33324000	YES	YES	NO	YES	Hypermethylation
OLIG2	Downstream	chr21	33328000	33328500	YES	YES	NO	NO	Hypomethylation
RUNX1	Intron	chr21	35185000	35186000	NO	YES	NO	NO	Hypomethylation
RUNX1	Intron	chr21	35320300	35320400	NO	YES	NO	NO	Hypermethylation
RUNX1	Intron	chr21	35321200	35321600	NO	YES	NO	NO	Hypermethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
RUNX1	Intron/Exon	chr21	35340000	35345000	NO	YES	YES	NO	Hypermethylation
chr21:35499200-35499700	Intergenic	chr21	35499200	35499700	NO	YES	YES	NO	Hypermethylation
chr21:35822800-35823500	Intergenic	chr21	35822800	35823500	NO	YES	YES	NO	Hypermethylation
CBR1	Promoter	chr21	36364000	36364500	NO	YES	NO	NO	Hypermethylation
DOPEY2	Downstream	chr21	36589000	36590500	NO	YES	NO	NO	Hypomethylation
SIM2	Promoter	chr21	36988000	37005000	YES	YES	YES	YES	Hypermethylation
HLCS	Intron	chr21	37274000	37275500	YES	YES	YES	NO	Hypermethylation
DSCR6	Upstream	chr21	37300200	37300400	YES	YES	NO	YES	Hypermethylation
DSCR3	Intron	chr21	37551000	37553000	YES	YES	YES	NO	Hypermethylation
chr21:37841100-37841800	Intergenic	chr21	37841100	37841800	NO	YES	YES	NO	Hypermethylation
ERG	Intron	chr21	38791400	38792000	NO	YES	YES	NO	Hypermethylation
chr21:39278700-39279800	Intergenic	chr21	39278700	39279800	NO	YES	YES	NO	Hypermethylation
C21orf129	Exon	chr21	42006000	42006250	NO	YES	YES	NO	Hypermethylation
C2CD2	Intron	chr21	42188900	42189500	NO	YES	YES	NO	Hypermethylation
UMODL1	Upstream	chr21	42355500	42357500	NO	YES	YES	NO	Hypermethylation
UMODL1/C21orf128	Intron	chr21	42399200	42399900	NO	YES	NO	NO	Hypomethylation
ABCG1	Intron	chr21	42528400	42528600	YES	YES	NO	NO	Hypomethylation
chr21:42598300-42599600	Intergenic	chr21	42598300	42599600	YES	YES	NO	NO	Hypomethylation
chr21:42910000-42911000	Intergenic	chr21	42910000	42911000	NO	YES	NO	NO	Hypomethylation
PDE9A	Upstream	chr21	42945500	42946000	NO	YES	NO	NO	Hypomethylation
PDE9A	Intron	chr21	42961400	42962700	NO	YES	NO	NO	Hypomethylation
PDE9A	Intron	chr21	42977400	42977600	NO	YES	NO	NO	Hypermethylation
PDE9A	Intron/Exon	chr21	42978200	42979800	YES	YES	NO	NO	Hypomethylation
PDE9A	Intron	chr21	43039800	43040200	NO	YES	YES	NO	Hypermethylation
chr21:43130800-43131500	Intergenic	chr21	43130800	43131500	NO	YES	NO	NO	Hypomethylation
U2AF1	Intron	chr21	43395500	43395800	NO	YES	NO	NO	Hypermethylation
U2AF1	Intron	chr21	43398000	43398450	NO	YES	YES	NO	Hypermethylation
chr21:43446600-43447600	Intergenic	chr21	43446600	43447600	NO	YES	NO	NO	Hypomethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
CRYAA	Intron/Exon	chr21	43463000	43466100	NO	YES	NO	NO	Hypomethylation
chr21:43545000-43546000	Intergenic	chr21	43545000	43546000	YES	YES	NO	NO	Hypomethylation
chr21:43606000-43606500	Intergenic	chr21	43606000	43606500	NO	YES	NO	NO	Hypomethylation
chr21:43643000-43644300	Intergenic	chr21	43643000	43644300	YES	YES	YES	YES	Hypermethylation
C21orf125	Upstream	chr21	43689100	43689300	NO	YES	NO	NO	Hypermethylation
C21orf125	Downstream	chr21	43700700	43701700	NO	YES	NO	NO	Hypermethylation
HSF2BP	Intron/Exon	chr21	43902500	43903800	YES	YES	NO	NO	Hypomethylation
AGPAT3	Intron	chr21	44161100	44161400	NO	YES	YES	NO	Hypermethylation
chr21:44446500-44447500	Intergenic	chr21	44446500	44447500	NO	YES	NO	NO	Hypomethylation
TRPM2	Intron	chr21	44614500	44615000	NO	YES	NO	NO	Hypomethylation
C21orf29	Intron	chr21	44750400	44751000	NO	YES	NO	NO	Hypomethylation
C21orf29	Intron	chr21	44950000	44955000	NO	YES	YES	NO	Hypermethylation
ITGB2	Intron/Exon	chr21	45145500	45146100	NO	YES	NO	NO	Hypomethylation
POFUT2	Downstream	chr21	45501000	45503000	NO	YES	NO	NO	Hypomethylation
chr21:45571500-45573700	Intergenic	chr21	45571500	45573700	NO	YES	NO	NO	Hypomethylation
chr21:45609000-45610600	Intergenic	chr21	45609000	45610600	NO	YES	NO	NO	Hypomethylation
COL18A1	Intron	chr21	45670000	45677000	YES	YES	NO	YES	Hypomethylation
COL18A1	Intron/Exon	chr21	45700500	45702000	NO	YES	NO	NO	Hypomethylation
COL18A1	Intron/Exon	chr21	45753000	45755000	YES	YES	NO	YES	Hypomethylation
chr21:45885000-45887000	Intergenic	chr21	45885000	45887000	NO	YES	NO	NO	Hypomethylation
PCBP3	Intron	chr21	46111000	46114000	NO	YES	NO	NO	Hypomethylation
PCBP3	Intron/Exon	chr21	46142000	46144500	NO	YES	NO	NO	Hypomethylation
COL6A1	Intron/Exon	chr21	46227000	46233000	NO	YES	NO	NO	Hypomethylation
COL6A1	Intron/Exon	chr21	46245000	46252000	NO	YES	NO	NO	Hypomethylation
chr21:46280500-46283000	Intergenic	chr21	46280500	46283000	NO	YES	NO	NO	Hypomethylation
COL6A2	Intron	chr21	46343500	46344200	NO	YES	NO	NO	Hypomethylation
COL6A2	Intron/Exon	chr21	46368000	46378000	NO	YES	NO	NO	Hypomethylation
C21orf56	Intron/Exon	chr21	46426700	46427500	NO	YES	NO	NO	Hypomethylation

Region Name	Gene Region	Chrom	Start	End	Microarray Analysis	EpiTYPER 8 Samples	EpiTYPER 73 Samples	Previously Validated EpiTYPER	Relative Methylation Placenta to Maternal
C21orf57	Intron	chr21	46541568	46541861	NO	YES	NO	NO	Hypermethylation
C21orf57	Exon	chr21	46541872	46542346	NO	YES	NO	NO	Hypermethylation
C21orf57	Downstream	chr21	46542319	46542665	NO	YES	NO	NO	Hypermethylation
C21orf58	Intron	chr21	46546914	46547404	NO	YES	NO	NO	Hypomethylation
PRMT2	Downstream	chr21	46911000	46913000	YES	YES	NO	YES	Hypermethylation
ITGB2	Intron	chr21	45170700	45171100	NO	YES	YES	NO	Hypermethylation

TABLE 2

GENE NAME	CHROM	START	END	SNPs
chr13 group00016	chr13	19773745	19774050	rs7996310; rs12870878
chr13 group00005	chr13	19290394	19290768	rs111304938
CENPJ	chr13	24404023	24404359	rs7326661
ATP8A2	chr13	25484475	25484614	rs61947088
PDX1	chr13	27400459	27401165	rs58173592; rs55836809; rs61944011
RB1	chr13	47790983	47791646	rs2804094; rs4151432; rs4151433; rs4151434; rs4151435
PCDH17	chr13	57104856	57106841	rs35287822; rs34642962; rs41292834; rs45500496; rs45571031; rs41292836; rs28374395; rs41292838
KLHL1	chr13	69579933	69580146	rs3751429
POU4F1	chr13	78079515	78081073	rs11620410; rs35794447; rs2765065
GPC6	chr13	92677402	92678666	rs35689696; rs11839555; rs55695812; rs35259892
SOX21	chr13	94152286	94153047	rs41277652; rs41277654; rs35276096; rs5805873; rs35109406
ZIC2	chr13	99439660	99440858	rs9585309; rs35501321; rs9585310; rs7991728; rs1368511
IRS2	chr13	109232856	109235065	rs61747993; rs1805097; rs9583424; rs35927012; rs1056077; rs1056078; rs34889228; rs1056080; rs1056081; rs12853546; rs4773092; rs35223808; rs35894564; rs3742210; rs34412495; rs61962699; rs45545638; rs61743905
chr13 group00395	chr13	111808255	111808962	rs930346
MCF2L	chr13	112724910	112725742	rs35661110; rs2993304; rs1320519; rs7320418; rs58416100
F7	chr13	112799123	112799379	rs2480951; rs2476320
CIDEA	chr18	12244327	12244696	rs60132277
chr18 group00091	chr18	12901467	12901643	rs34568924; rs8094284; rs8094285
C18orf1	chr18	13377536	13377654	rs9957861
KLHL14	chr18	28603978	28605183	rs61737323; rs61737324; rs12960414
CD33L3	chr18	41671477	41673011	rs62095363; rs2919643
ONECUT2	chr18	53254808	53259810	rs35685953; rs61735644; rs8084084; rs35937482; rs35427632; rs7232930; rs3786486; rs34286480; rs3786485; rs28655657; rs4940717; rs4940719; rs3786484; rs34040569; rs35542747; rs333946478; rs35848049; rs7231349; rs7231354; rs34481218; rs12962172;

GENE NAME	CHROM	START	END	SNPs
RAX	chr18	55086286	55086436	rs3911641
chr18 group00277	chr18	57151972	57152311	rs58797899; rs45501496
TNFRSF11A	chr18	58203013	58203282	rs17062547
NETO1	chr18	68685099	68687060	rs35114461
chr18 group00304	chr18	70133945	70134397	rs4433898; rs34497518; rs35135773; rs6566677; rs57425572; rs36026929; rs34666288; rs10627137; rs35943684; rs9964226; rs4892054; rs9964397; rs4606820; rs12966677; rs8095606
TSHZ1	chr18	71128742	71128974	rs8086706; rs8086587; rs8090367; rs999332; rs17806420; rs58811193
chr18 group00342	chr18	74170347	74170489	rs61732783; rs3744910; rs1802180
NFATC1	chr18	75385424	75386008	rs7226678
chr18 group00430	chr18	75653272	75653621	rs28446281; rs56384153; rs4531815; rs3894049
KCNG2	chr18	75760343	75760820	rs34967079; rs35465647
OLIG2	chr21	33317673	33321183	rs3744887; rs3744886
OLIG2	chr21	33327593	33328334	rs2236618; rs11908971; rs9975039; rs6517135; rs2009130; rs1005573; rs1122807; rs10653491; rs10653077; rs35086972; rs28588289; rs7509766; rs62216114; rs35561747; rs7509885; rs11547332
RUNX1	chr21	35180938	35185436	rs7276788; rs7275842; rs7275962; rs7276232; rs16990069; rs13051692; rs56231743; rs35931056
SIM2	chr21	36994965	36995298	rs2843956; rs55941652; rs56020428; rs56251824; rs13051109; rs13051111; rs3833348; rs7510136; rs743289; rs5843690; rs33915227; rs11402829; rs2843723; rs8128138; rs8131386; rs2843957; rs57537540; rs13048584; rs7281361; rs2843965; rs2843958
SIM2	chr21	36999025	36999410	rs2252821
DSCAM	chr21	41135559	41135706	rs58347144; rs737380
AIRE	chr21	44529935	44530388	rs35298822
SUMO3	chr21	45061293	45061853	rs35110251; rs751032; rs9978641
C21orf70	chr21	45202815	45202972	rs9979741; rs235337; rs7282882
COL18A1	chr21	45754383	45754487	rs61103857; rs9979028; rs881318; rs881317
PRMT2	chr21	46911967	46912385	rs35102708; rs9980939
SIX2	chr2	45081223	45082129	rs35481242; rs61743122; rs8131044; rs2839379
SIX2	chr2	45084851	45085711	rs62130902
				rs35417092; rs57340219

GENE NAME	CHROM	START	END	SNPs
SOX14	chr3	138971870	138972322	rs57343003
TLX3	chr5	170674439	170676431	rs11134682; rs35704956; rs2964533; rs35601828
FOXP4	chr6	41623666	41624114	rs12203107; rs1325690
FOXP4	chr6	41636384	41636779	rs56835416
chr7				
group00267	chr7	12576755	12577246	rs56752985; rs17149965; rs6948573; rs2240572
				rs2390965; rs2390966; rs2390967; rs2390968; rs3025123; rs16146; rs16145; rs16144; rs13235842; rs13235935; rs13235938; rs13235940; rs13235944; rs36083509; rs3025122; rs16143; rs16478; rs16142; rs16141; rs16140; rs16139; rs2229966; rs1042552; rs5571; rs5572
NPY	chr7	24290224	24291508	
SHH	chr7	155291537	155292091	rs9333622; rs1233554; rs9333620; rs1233555
GLIS3	chr9	4288283	4289645	rs56728573; rs12340657; rs12350099; rs35338539; rs10974444; rs7852293
PRMT8	chr12	3472714	3473190	rs12172776
TBX3	chr12	113609153	113609453	rs60114979
chr12				
group00801	chr12	118516189	118517435	rs966246; rs17407022; rs970095; rs2711748
PAX9	chr14	36201402	36202386	rs17104893; rs12883298; rs17104895; rs35510737; rs12882923; rs12883049; rs28933970; rs28933972; rs28933971; rs28933373; rs61734510
SIX1	chr14	60178801	60179346	rs761555
ISL2	chr15	74420013	74421546	rs34173230; rs11854453
DLX4	chr17	45397228	45397930	rs62059964; rs57481357; rs56888011; rs17638215; rs59056690; rs34601685; rs17551082
CBX4	chr17	75428613	75431793	rs1285243; rs35035500; rs12949177; rs3764374; rs62075212; rs62075213; rs3764373; rs3764372; rs55973291
EDG6	chr19	3129836	3130874	rs34728133; rs34573539; rs3826936; rs34914134; rs61731111; rs34205484
MGC29506	chr5	138757911	138758724	rs11748963; rs7447765; rs35262202
CENTG1	chr12	56406249	56407788	rs61935742; rs12318065; rs238519; rs238520; rs238521; rs808930; rs2640595; rs2640596; rs2640597; rs2640598; rs34772922
CENTG1	chr12	56416146	56418794	rs11830475; rs34482618; rs2650057; rs2518686; rs12829991

TABLE 3

GENE NAME	RELATIVE METHYLATION PLACENTA TO MATERNAL	PRC2 TARGET	CRYL1	HYPOMETHYLATION	TRUE
			IL17D	HYPOMETHYLATION	TRUE
			GSH1	HYPERMETHYLATION	TRUE
			MAB2L1L	HYPERMETHYLATION	TRUE

SIX2	HYPERMETHYLATION	TRUE
SIX2	HYPERMETHYLATION	TRUE
SOX14	HYPERMETHYLATION	TRUE
TLX3	HYPERMETHYLATION	TRUE
SHH	HYPERMETHYLATION	TRUE
OSR2	HYPERMETHYLATION	TRUE
TBX3	HYPERMETHYLATION	TRUE
PAX9	HYPERMETHYLATION	TRUE
SIX1	HYPERMETHYLATION	TRUE
ISL2	HYPERMETHYLATION	TRUE
DLX4	HYPERMETHYLATION	TRUE
CBX4	HYPERMETHYLATION	TRUE
CENTG1	HYPOMETHYLATION	TRUE
CENTG1	HYPOMETHYLATION	TRUE

PCDH17	HYPERMETHYLATION	TRUE
KLHL1	HYPERMETHYLATION	TRUE
POU4F1	HYPERMETHYLATION	TRUE
SOX21	HYPERMETHYLATION	TRUE
ZIC2	HYPERMETHYLATION	TRUE
CIDEA	HYPERMETHYLATION	TRUE
KLHL14	HYPERMETHYLATION	TRUE
ONECUT2	HYPERMETHYLATION	TRUE
RAX	HYPERMETHYLATION	TRUE
TNFRSF11A	HYPOMETHYLATION	TRUE
OLIG2	HYPERMETHYLATION	TRUE
OLIG2	HYPOMETHYLATION	TRUE
SIM2	HYPERMETHYLATION	TRUE
SIM2	HYPERMETHYLATION	TRUE

TABLE 4A

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
5	PDX1	TCACCAGCACGCACTGCTAGAGCTGGAGCGCAGATTGCGTTTCTAATATGTACCTGTCCCGCCTACGTCGCATCGAGATCGCGGA
		TGCCTGACACTGACCCAGCGCAGCCAGGAGGGCTTTGTGCGGAGAGGAGGGGACCCCAAGCTTGCCCTGGGTCCACGGGACTCTCTTCTTCTCTAGTTCACTTCTTCTAAGCGAAAGGTCTCTGAGGCAGGACGAGGGCTGAACCTGCGTGCATAATCGTCCCCACCTCCAGCGAAACCCAGTTGAC
6	PDX1	TCGGCGGAGAGACCTCGAGGAGATATGGGAAAGGAATGAATGCTGCGAGCGCCCTCTGTGGCTCCACCCAAAGCCTCGAGGCGGACGGTGGGCTCCGTCCCGACCCCTTAGGCAGCTGGACCGATACCTCTCTGGATCAGACCCACAGGAAGACTCGCGTGGGCCCGATATGTACTTCAAACCTCTGAGCGGCCACCCCTCAGCCAACTGGCCAGTGCGAATCGTGGGCCCTGAGGGGCGAGGGCGCTCGGAACATGCATGCCTGTGCACGGTCCCGGCTCTCCAGAGTGAGGGGCGCGTAAGGAGATCTCCAAGGAAGCCGAAAAAGCAGCAGATTGGGCTTCGGGAAAGACTTTTCTGCAAGGAAGTGATCTGGTCCCAAGAACTCCAGGGTTGACCCCAAGTACGTACTCTCCGGGAGCTGTCAAGCTCTCCCTGTCTTCGGGCTTCGGCGCTCTCTTTCATAATAGGACAGACACCAAGTGCCCTCAAAGAGTCTGCGGTGGGGAAAGTGCCCTTGGGTGACAGAGAAAGACAGAGACTCTCTGCCAAAGCTGAACGCAGTTAGCCCTACCCAAAGTGCGGCTGGCTCGGCATATGCGCTCCAAGCCGGCAGGACAGCCCGGCCCTGCTCACCCGAGGAGAAATCCAAACAGCGCAGCCTCTCTGCACCTCTTGTCCCCAGAGAC
		AGATCCCGGTGCACTTTAAAGGCCGGCTGATCTGCACCACTACCTATCTCGGATTTTCAGTTTTCATCTGCTGGTCTGCCACCATCTTTACCACATCCCCGGTAGCTACATTTGTCTACCGCTTGAGCCACCAAGCTGTGAACCTGGACCGGATTTTGCGCCCGAGAGGTAGCCGGAGCGGTAAATGAATTCACCCAGAGGGA
7	MAB21 L1	CATGCTCCTCTTGGCCCCGTGCTCAACTTCAGCACCCGCGCAGCCCGGAGTGAGCCATCGTCCACGAAGTTGAACACCCCACTTTGGTTGAGATAAAGCACCACTTCCGGT
		ACTATGCCCTTGAGGGTCAAAACGCTCTGGATTTCTGTGATCGATGCTGTGCTGCTGTCTCCACGGAGCTACTGTGCGCCGTCAAGCGGGAAAGCAACGCTTCAGGGAGTGAAGCGCTGGCTTGCAAAAGGACCTGTGCTGCCCTTACATGGGGGCCGCGCAGGTTAGTCTTGGAATATGCCCAAGATTGCTTCCGGCGCGTCAGTTCAAGCGGACGTGCTGCCCTGCAACAACTCGCTTACATAAGCCAGGACTTGGTAAAGTGGCGGCTCGCTGGAGCGCGAGCTTTGGTTTCCCTTCGGGAGCTTTGTGGGAAATGGTCAGCGCTTAGGCAACCCCGGCAAGGGTCTGTGGCCCTTGGTGCCACTGGGTTCCTCTAGCTGGGTGTTTCTGTGGGTCTCGCGCAAGGCACTTTTGTGTGGCGTGTGTGCTGTGCGGGTCAGGCGTCTCTCTCCCGCGCTGGGCCCTCTTGGGCAAGTTCGCCCTTCTTGGGTGTTTGCCTGAGCTAGTA
8	RB1	CACCTGGATGGCCTCCTCAGTGCCGTCGTTGCTGCTGGAGTCTGACGCCCTCGGGCGCCTGCGCCGCACTTGTGACTTTGCTTTCCCTCTCTCAGGGCGCCAGCGCTCCTCTTGACCCCGTTTATTCTGTGGTGCTTCTGAAG
		GCAAGTCGGGTAGCTACCGGGTGTGTGGAACTCCCGACCGCACCTGCTGGACGTGGACGCAGACAGCGGGCTCCTCTACACCAAGCAGCGCATCGACCCGCGAGTCCCTGTGCCGCGACAAATGCCAAGTGCCAGCTGTCCCTCGAGGTGTTTCGCCAACGACAAAGAGATCTGCATGATCAAGGTAGAGATCCAGGACATCAACGACAA
9	PCDH1 7	CGCGCCCTCCTTCTCCTCGGACCAAGATCGAAATGGACATCTCGGAGAACGCTGCTCCGGCAACCCGCTTCCCTCTCACCAGCGCATGACCCCGACGCGCGGAGAAATGGGCTCCGACCTACCTGCTACCGGACGATCAGCGCCTCTTTGGACTGGACGTAAAGTCCCGCGGACGGCACCAAGTTCCCAAGAACTGGTCAATCAGCGGACGACAGAAATCACCATAAGCTCGTGTGACTGCCCTGGACGGTGGCGAGCTCCACGTTCCGCCACCGTACAGATCAACGTTGAA
		GGTGATTGACTCCAACGACAAACAGCCCGCTCTTCGAGGCGCCATCCTACTTTGGTGGAACTGCCCGAGAAACGCTCCCGTGGGTACAGTGGTCAATCGATCTGAACGCCAGCCGATGAAGGTCCCAATGGTGAAGTGCTCTACTCTTTCAGACAGTACGTGCCCTGACCCGCTGCGGGAGCTCTTCTCCATCGACCCCAAGACCCGGCTAAATCCGTTGTGAAGGGCAATCTGGACTATGAGGAAACGGGATGCTGGAGATTGACGTGCAAGCCCGAGACCTGGGCCCTAACCTATATCCCAAGCCACTGCAAGTACACGGTCAAGCTACCGCAACGAAATGGCCGTCCAATCGGTTTCGTCCTCCGTGCCCAAGGGGCGCTGAGCGAGGCGCCCTTCCCGCACCCGTCAAGTACCGGTCAAGCTTGAGGAGAACTACGACAACTTCTACACGGTGGTGA

[illegible]

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
16	chr13 group-00390	GTTCGGTGGACAAAGGGGGCAGCGCCACAGCAAGCCGAAAGAGGAGGCGCGGGCCGCGCTTGGGGCCTGCCGTGCACGCCACGCCAGCCTGGGCAAAAGAGCTGCCACCTTCTGCGGGCGAAGCGGGTTCGGACGACGACGAGCGGACGCGGGGCTGAGGCGAGCTACGTGGGTCCACACCCCATGCCCTGCAAGGCTCCTTGGCCCTGCTTCTCCTCTGCTCGGGCGGAGAGGAGAGCGCTCGGTTTACAGAAATTTC
17	chr13 group-00391	TGTGCCATTTAGTGAGAGGTGTTTTGGGCAAAAGAAATCAATTTAACTGTGACTGACCGACGGGCTTGACTGTATTAAATTCGTACCGAAAAAATGCTACCGAAAAAATGCTC
18	chr13 group-00395	AGAGTCCCAAGTTCTCAGGCCGCTCCAGGGCTAGGGGTAGAGATGGTGGCAGGTGGTGCTCAACTCTCTAGGGAAGAGGAACCTTGCAATTACAAAGACTTTGTCTTTCTGAGCTGAAGTCAAAACGGGGGGTCAAGCGCGCTCCGTTTGGCGGGGTGGAGGGCCGCGCGCGCTGTCCAGCGGAGCTGCCCTGGTGA TTGGAGGTTAAACGTTACCGGAAATTCAGCGCTTCTGCAGCTCAGATTGCCGGCCAAAGGGCCCTCAGTTGCAACTTTTCAAAATGGTGTCTTGGAAAAATAACAAATTTCAGACTCAACTGGTGACAGCTTTTGGCTATAGAGAAATGAACTGCTTCCCTTTGGCGGTGGAACCTTAACTTCGAAGAGTGAAGAAATACAATGAAATAAATGCCATAAGATCACATGGATTTTCAGAAAAAGGAAGACCCCAATTACTCCCAAAATGAGGCTTTGTAAATCTTTTAAATCTTCGAATTTCCCCACACATCTGATGAGTGTCTTAAGAGCAAAACGAGCAAAATCCCACTCGAGAAATCAACAACCCCAAGCTCTCCCGCGGTTTCTTCTCTCGTACCTGGGGAATGTCCCGCCCCATCGCTCACCTGGCTCTGTCTCATCTCGCTCATCTGAAGTGACCCGTGGACAATGCTG
19	chr13 group-00399	AGCTGCCCTCTGTGGCCATGAGCGGGTGTCCAGCCCCCTCCAAAGGCTGACCCGGGAGAGCGCTGGTTTCTGCTCGCTGTGACCCGAACAAGCCCCCTAAGAGTCAAGTGGCGCGGAACAGAGAGCGCGACCCCGACGGCGCGAGTCCCAACGTGAGGCACCCCGCAGAGAAAAACACGTTTCACG
20	PROZ	CCTCGGCAGCACCCGGCATGGCTGGAGGCCAGTACGGCCAGGTGTGGCGGAGGGAGCGCGCTCTGGCTTGGGTGCTGCCATCTGTACAGGACGCTGCAAGGGCAGGAGCCCCCGCGTGTCTCGCGCCCCGCTCGAGGACAAAGCCCCAGCCCGGCTCCGCTGGGTTCCGACAG
21	CIDEA	CTTTAAGAGGCTGTGACAGGCAGACACCTCCAGGCCCGCTAGGGATCCGCGCCATGGAGGCCCGCCCGGACTATGACAGGAGCCCTCATCAGGCGAGTGCCCCCGGTCCCGTCCCGTGGCTTCCAATCGCCTTGCGTTCCGTGGGCTCATATTCCCTGTGCGCCTCTAGTACCGTACCCCGCTCCCTTCAGCCCCCTGCTCCCCGCAATCTCTTGCGCTCCCGGACCCCGGCACACACCCATCCGCCCCACTGGTGCCCAAGCCGTCCAGCCCGCCCGGGCAGAGCCCAATCCCGTCCCGCGCCTCTGCAGCTGGGCAACAGGTACCAAGGTGTGGCTCTTGCGAGGTG
22	chr18 group-00091	AGACTTGCAAGAACTCGGGCCCCCTGGAGGAGACCTAAACCGCCACGGTCTTTGGGAGGTTCCGGAGGGCTTCGGTTGCTGTGCACTCCCAACACCAAGAAACCCCTGAGACGCGAAGCTGCCAGCGTGTGCTCCCTCAGAGCAGGGCGACGCAAGCCAGCGGACCCCCGGGTGGCGGG
23	chr18 group-00094	TGTCGGCTGGGGGGCTCGCTCCGCACTTTTCGGTGCCAGAAAAATGCCACAGAGAGCGGGGGGCCCCCAGAGCCCTCTTCGGGGCGCGAGGGCCCCGGCGCTGTGTACGGAGTCCAGTCCCCCAGGGAGTGGGGTGCCCCGCACTTCCCCCTCCCGCTCCGGAGCCAC
24	KLHL14	TCTTGCACACCTGCTTGTAGTTCTGCACCCGAGATCTGGTCTGTGAGGAACTGCACGCAAGCTTGGTGACCTGGGGGATGTGCAGGATCTTGTGCTGACCCGACAGC

SEQ ID NO	GENE NAME	SEQUENCE
		ACCTCCTCCACCGTGTCCAGGGACAGGGTCACGTTTGGCCGTGTAGAGGTACTCGAGCACAGGCGCAGCCCGATGGACAGCAGCCCTGCAGCACCAGGTTGTT GATGGCCCCGGGGCTGGTCAGCAGCTTGTCTCGTGGGGAGGAAAGAGTCCCGGGCTCCTCTCGGGCGGGGTGCTGCTGCTGTGACGGCTGCTGCTGCG GGGCTGCTGCTGCTTGGGGCCCCCAGGCCGTCTTGGCCCGCAGCCCTCCCGCAGAGGGGGTGGCTGGAGAAAGAGCGATCGGAAGTACTGCGAGCAG GAGGCCAGCAGGCCCTTGTGGCAATGGAACCTGCTGGCCCTGGGCCGTACAGGTACAGTCGCAAAACAGCTGCTTCTCCACAGCAGGTTGAGGCCGTGCAGCAG GTTGTCGCTGTGGCTGGGTGGAAGTGGAGGTCTGTCTCCCGGATCTGGACATGGCAGCTGACTCGGTGCACCTGGCTTTAAACCTCTCCAACTCCGAG ACAGGGTGGGGATGGAGGGAGGGAGCAGGGTGGTGGAGCGGGTGGGTGTGGTCGGGGTGGGAAGGGTGTGGAGGGGAGGGGAGGGGAGGAAACAAAGAA TCAAGGCTCAGCTTACTCCCTCTGGCGCGTCCGGACCCGACCTTAGAGGAAAGTCCGAAGACGCTGGAATCCGTGAGCGCCACCCAGAGAGGGCCCTGTCTG GGTCCCGCGCGCGGTCTGCGCCCTGCGGCTCCTCTCGCCACCTCCACACACACTTTCCTAAACCAACACCTCAGCTCGGCTGTGGCAG CAACAGCTGGCAGCAGCAGGCAAGTGGCGGCTGAGGCCGAGCACCTCGTGGGCTGCTGTCCATGCCGGGCCAGATGAAGGGAAGGCCGGGGAAGTGGG GAGCCGGGGTGGCCCTGAAAGCTCAGAGGCGACCGACGGCGAAGGTTCCAGGTCACCTTGTGCCCCGAAGCTTTGCTTTTCGCACTTGGCCCCAGTTTGGGGGAGG GGTAGGAACAGGGGCCCGACCAAGCTGCGGGGTGTGCGAATCTTAGCTCTCCAAAAGCTG
25	ST8SIA 3	CCTCTGTGTAGTGCCCTCGGGAAATTGGTTGATGGGGTGTGTTG
26	ONECU T2	TGATGTGCGACCTGAACGGCTGCAACACCCGGGCCACACTCAGTCTCACGGCCGGTGTGGCACCCAGTCTGGAGCGGCCACCCCTCGTCTCATCGGGCTCG CAGGTGGCCACGTGGGGCCAGCTGGAAGAAATCAACACCAAGAGGTGGCCAGCGCATCACAGCGGAGCTGAAGCGCTACAGTATCCCCAGCGCATCTTTGC GCAGAGGGTGTGTGCGGGTCTCAGGGGACTCTCTCCGACCTGCTCCGGAATCCAAAACCGTGGAGTAAACTCAAACTCTGGCAGGAGACCTTCCGCAGGATGT GGAAGTGGCTTCAGGAGCCCGAGTTCAGCGCATGTCCGCCCTACGCCCTGGCAGGTAAAGGCCGGGGTAGCCAGGGCCAGGCTGCTGGGAAGAGGGCTCCGGG TCCGGTGTGTGGCCCCAAGTCTGGCGCCCGAGTCACTTCTCTGATTTCTTCCTTCTTCCATACACGCTCTCTTTCTTCGCTTTTATTTCTTCTTCC ATTTCTCTTCTCTTCCGCTCTTCCCTACTTTTCCCTTCTCCCTTTCTTTTCTTTCTTACTCTCTCCTTGTCCCTGAGCTTTCATTTGACCGACCCCCCCCC ATTTCAATTCGCCCCCTCCCTCAATGTGCCAACCTTTGCCCTATTCCGATCTTCCAGGTACTGGAGGGGGATGGGGTGTGCGTTTTCCTTAGGAGCCCCTG TCTTTCCAAACCCACAGAACCCAGGACTGCCCCATTTCAAAACCCCAAGAGCTCTCTACTCTCCACCCACCATATAGGCAAACTTAATTTGGTCAATGGCTGAAGC CCCTGTGCAGAGGCAGTTGAGAGGCTTGTCTCTGCAGAGGGGAAAGAGCTCTCTACTCTCCACCCACCATATAGGCAAACTTAATTTGGTCAATGGCTGAAGC ACAGCCTTGGCCCCCGGGAAACCGCGGCCAGGATACAAACAGCGCTCTTGAGCCCATCTTGCCCTTGGCGTGGCGCAGGACTTTCACCCGGCTTGAG GGGCTCGGGCCAGCTCCAATGTCTACTACTACAGCAGGGCAGGTGAAGGTGAGAGGTCACATTCACCCGCTTTGGAGGACCTGGGGAAGAGAGACTGAGG TGGAAGCGCTTTGCTTGTCTACCGCGCGTCTTGGCCCGTCCAGCGTTTGTGCGGATTTGCCAGGATTTGCGGGGGTCCGGGAGACCTTGAGCACTCGC AGGAAGAGGTGTGAGAAATTAATAATTCAGGTAGTTAATGATCCCTGCGCCGGGTGCAGGCTCCGCCCTTTGCAATTAAGCGGGCGCTGATTTGCGCGCCT GGGACCCGGGGAGGACTGGCGGCCCGGGAGGGGACGGGTAGAGCGCGGGTTACATGTTCTGGAGCCGGCTCGGCTCTTTGTGCCCTCTCTAGCGGCCA AGCTGCGAGGTACAGCCCTCTATTGTCTTAGGACACAGAAACCTCTGTGTGGCGGGGTGCGCGAGCTAGAGGAAAGATGCAGTAGTTACTGCGACTGG CAGCAGTTGCGCGCTTTGTGCGCAGGACCCCGCGGTGTGCGTGGCGACTGCGCTGCCCTAGGCAAGCAAGCCAGGGCCCAAGAGGGGCAAAATGTCCAGG TCCCCGCTGGGAAGGACACACTATACCTATAGCAAGCCAGGTGGCGACTTCCCATGATCGGTGAGGGGGTATCTTTTCCAGGATCGCGCGGGCTCTA GGGGAACAAATTCGTGTGGCGATGATTTGATAGCGCGGGTCTGGGATGCGCGGGTTCCGAGCCAGCTCGCAAGCTCGCTTCCGGAGCTGCGAGCTCAGG TTTCCACCCCGGATCCCCCGGGCTTCTCTCGACCCGCTGAGCCAGCTTGTGGGGTGCATCGAACCAACGCCCGCAGGGCTGGGGAATGTGACAGGCAGCAGG

SEQ ID NO	GENE NAME	SEQUENCE
		TTACCCCGGCTTGGGAGGGGGAGTTTCCGCTTTGACAGCATTTTCCCTTTGCGCTGCTGGTGGATTCCCTATTCCAGTCGGTAATCGCCCCCGCAGTGTGA TCTAAGAGGTAAAGAAAAC TAGGTTTCCCTGCAAGAGAGCCCTCCCCAAATCGGCGGACTCCGGATACCTTTGAGTGGATTAGAAATTTATGTAATCTTTCTCC TTTAGTTTATTTTTCATCCTCTCCACAGTTTCTCTGATTTTGGTTGGTTCCGGGGAAGATAAAGCAGCCAGTAGAGCGATAATAATAAGCGGGGGAAT GAATGGAGACTGGCTGACAGTTCTTAAACATTTTGTCATAGATCCCCCGAATGTCCAGGCTGTCTCTGGTGGTTTAGTACCCCGCGGCTCTTTGGGCACC GGGACCAAGAACTTGGCAGCTGGTCTTAGGGGTACAGTTAAAGGCAGGATGACAGCTATTCTCTGCTCATCTCAGAGCGTGGCGCCCCCTCATGCCGG TCGGCAAGAACACAGCTTTTAAACACAGTGCCTTCTGCCCATATAGGTCTGAAGTGTAGGAAAGTATGCTTCGCCCTATTAGCGAGTTTCAGCTTTT AAAAATGATCCCAAGCGTTGCTGAGATGAGAAAGCGTGGCAATCCCGGGGTCTTCAAGCCACCCGCGCCATGGTGAAGTCTGCAGGGACAGGCCCGGGACAG CACTGCCACCGCTGCTAGATTTTCCGACAGGATCGCTGAAGTGCCTTCGTGGAGACAGAAATGCCTCCTCCAGCAGTGGAAGGCCCTGCTGAGGACCCCG CTTTGCTCGAGCATTCAAATGTGTGTGTTTATTACCCCTGGGTTGAAAAGGACAGAGCTTTAGCCCTTTTATCTGGCCATTTTATCAGCAACTACAAGTG TGTTGAGTGGTTATTATTACATAGGAGGCTTTTCAGTTTGGGTTCAGTAGATCAGTCTCTTCAGACACTGATGCAAGACTGGGACTGTTAAGTAGGTATTATG TGCTCGGAGCGCTAGGGGACAGGAGCAAAATGGAGAAAGAAAGCGGAGGCTTTCTCCGCCCGGAGTATCGATCGGAATCCCCCGCGGTACGCCGACAGAGGCCCT CGCCGTTGGGCCCCGGGGTTTAAAGCCCAAGCCGCTCCGAGCGGCTCGGCGGAGTCTCAGACCGGTGCTTGAAGACACACCGTCCCTGCCCTCCCTCCCGC CAAACTGCTCTTCTTTCTCATAGGTTATAGGTTCCCTTCTCTCATTTTGGCCCCCGCCCGGTCCTGCAAGACAGCCAAAGCAGCGCGGGGTTTA GGGGCTCAGAAATGAAGAGTCTGATTTGGCCAGCGCGCGCAAGCTCACCTTAGCGAGGTCAACAAGAGGCAAGTCTCTTCCAGCCAGCTGCCGGTGA GTCACAGCCAAAGGTGGCACTTGAAAGGAAAGGGAGAAAACCTTCGGAGAAATTTAGATTGCCCCAACGTTAGATTTCAGAGAAATTGACTCCAATGCACGGA TTCTGTCGGAAGGGCGGCTAAGTGCAGGTGGTTGCAACCCCGCCGTCGGGCTTCGACAGGTTCCCCAAGCAGCCCTTGACGGCGGTTTTCAGCAA CCTGACAGAGCGGCGCAAGACAAATTTCTCGGGTTTCGAGACACACTCTCGGGCGTTGGGCCCCAGAGACCTCTAAACCAAGCACAACAGAGGAGTGA GAGAACCCAGGCTAGAACTTGACCGGCGATCCCACTGAGGAAAGCAGGCTCGGTGGCAGGCTGTTTCTTCGACGCCCCGAAAATCGAGCCGAGCGCCCG ACTACATTTACTGACAGGTTTCCGCTCCAGTGAGCCCGATCCCCAGCGGCTGCCGAGCTGGTCTCCAGTCCCCCGCTAGTCCGACGACGCGCCCTC TCCTGGCAGCAAGCTCCAGCGGCCAGTCTGAAGCCAAATTCGTTCAGCGGCCGAGGCGCTTAGCCAAACCCACCATGATGTCGCTGGGCCACCTGATGCCC GCAGCGCGGGACACGGCCCGGCGAGTGGCAGTGGCTCCTGCTAGGGGCAACCGGTGGTGTCTCTCCGCTGGCGCGGACGTCCTTGGGTGACACGGG CCGCTGGGACCTCCCAAGCCGAGGAAACGGACCCCTTCGACAGAGTCTCGGCCCCACCCCAACCTCCCACTCGTTCGCTGCTAGGGCTCCCGACTCA GCCCCCTCTCCTGGCGGTTTAGTTAGGGATCAGAGCTGGAGAGGCTGAACGCAACCCGTGCCAGTACGGAACAGACGATATGTTTGCCTGTAGTGTCTTGA TGAATAATTGAAAAGTTTCGTGCTGTGTGCTTCGTCAAGTCCCGGTGCGGGAGAACCTTCCCAACCGCATCAGGTTGGCGGAGCGGGCAGAGGAG GCGGACCCGAGGAGAGAGTGAACCCGAGCAGGAGAAAGCAGCCAGGCAAGCAGGCGGCTCGATGCGAGAGGTGGGCATTTATTTTATTCAGGCTTTTC CACTGTGTGTTATGTCACTTCTCAAAACAAATGTGTATATGAGGGAGATCGATGCTGATATAATGTTTAGAAGATTAAAGAGCATTAATGCTGGCAACAATAA CGTAAACGTGTGGACCCAGATTTCAFTGATCTGGAATTTGATCCGGCGCGTTTCCAGTAAAGCCGACGCGCTCTTCCAGCAGAGAGCGCTACACAGCGCCAC GGCCCCGCGGTTTTCAGCGGTGCGGCTTCGCCAGCTCTGCGGGGTTCTCCCGTGTGACCGCAGCTCTCTCCCGCGAGGCCCCAGCCCGCTTACTTCCCGG AGGTTTCTCCTCCTCTCGCGGGGCTCTCTGCCCTCTGCACCCCTCCCGGACCTCTGCACACCCGCTGTGCGCACACACCGCTACTTGGCTTCCGCTTCCGGC GATCCGCGCTG
27	RAX	AACCGGAGATCTGCTTGGTGAAC TAGAGAGCGGGGACGCCAGGGGCGGGGACACTTCGCTCTCGCCCTAGGGAAGGTGGTCTTTGACGC TTTCTATTGAAGTCAAACTTGAAAATATCAGCTGCCGCTGGACTAT

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
32	chr18 group-00430	CCCTGTCACTGTACCAATCACCCATCCTGTCTCCCTACGCGCTCCCCACATCCCATCTACTAC GAAGTAGAATCACAGTAAATGAGGAGTTAGGGAATTTAGGGTAGAGATTAAGTAATGAACAGAGGAGGAGGCTGAGACAGCTGCAGAGAGACCCCTGTGTTC CTGTGAGGTGAAGCGTCTGTGTCAAGCCGGTTTGGCGCTGAAGAGAGGTACCGGGGAGCACCCTCCCTCTGGAGAGGGATGGGCCCTGGGGCACCTTGGGG GAACCGCACGGACACAGACGACATATAAACC GCGGCGAGACATCAGGGACCGGGAACAGAAAGGACGCGCTTTCGAGCAGCTGCCCAAGTGGGCCCAACAAGCCC CGCCACGCCACAGCCTCTTCCCTCAGCACGCAGAGA TACTCCGGGACGGGAGGATGTTGAGGGAAGCCTGCCAGGTGAAGAAAGGGCCAGCAGCAGCACAGAGCTTCCGACTTTGCTTCCAGGCTCTAGACTCGCGCC ATGCCAAGACGGGCCCCCTCGACTTTCACCCCTGACTCCCACTCCAGCCACTGGACCGGAGCGCGCAAGAACCTGAGACCGCTTGTCTCTACCGCCGCAAGTCG GTGCGAGGACAGACACAGTGGCGAGCAACAAAAGAAACCGGTTCCGGGACACAGTCCCGGGCTGGACTAACCCTCAGCGCTGCAACCAAGGAGCGCGC ACGTTGCGCCTGCTGGTGTATTATAGCTACACTGGCAGGGCGCAACTCCGGCCCCGACTGGTGGCCCCACAGCGCGCACACACATGGCCCTGCTGCTGTG GCGGGGTAGCCCCGAAGGAGGCATCTACAAATGCCCGAGGCCCTTCTGATCCCCACCCCCCGCTCCCTGCGTCTGTCGAGTGACAGATTCTACTAATTGAACG GTTATGGGTCACTCTTGTAACTTGGACGACATAACACCCAGCTTCAGTTCTTCATGTTTAAATACATAATTTAACGGATGGCTGCAGAGCCAGCTGGGAAAC ACGCGGATTGAAAAATAATGCTCCAGAAAGCACAGACTGGGCGAAGCGGAGAGCGGGCTGGGCTTCTAGCGGAGACCCGAGGGAGACATATCTCAGAACT AGGGCAATAACGTGGTCTCTCTTTGTTATTTGTTAACTTTGCTACTTGAAGACCAATATTATTACIATGCTAATTTGTTGCTTTTAAACC GTAATTGCACAGTAAAGTTCCCCAACACGGAAGTAACCCGACGTTCTCACACTCCCTAGGAGACTGTGTGCGTGTGTGCCCGCGCTCACAGTGTCT AAGTGTAGCATCCGAGACTCTGCAGAAAACAAATGTCTGAATTCGAAATGATGGGTGAGAAAATTCAGCTCGGGGAAAGAGATTAGGACTGGGGGAGACAGGT GGTGCCTGTACTATAAGGAACCGCCACGCCAGCATCTGTAGTCCAGCAGGGCTGCTGTAAAGGCTTAGCAATTTTTCTGTAGGCTTGTGCACACGGT CTCTGGCTTTTCCCATCTGTAAATGGGTGAATGCATCCGTACCTCAGCTACCTCCGTGAGGTGCTTCTCCAGTTCCGGCTTAAATCTCATCTCAAGAGTTT TCAGGTTTCAGAGCCAGCCTGCAATCGGTAAAACATGTCCCAAGCGGTTCGAGTGGTTCCATCTCGCTGTCTGGCCCCACAGCGTGGAGAAAGCTTGCCCCAGG CCTGAACTTCTCTTTGCAGTTCCAGAAAGCAGGCGACTGGGACGGAAGGCTCTTTGCTAACTTTTACAGCGAGCCCTGCTTGGACTACAGATGCCAGCGTT GCCCCGCCCAAGGCGTGTGGTGAATCACAAGACGACACTGAAAATACTTACTATCATCCGGCTCCCCCTGCTAAATAAGAGGGGTGTTTAACTACAGGCAC GACCTGCCCTTGTGTAGCGCGGTTACCGTGCAGAAATAACTCGTCCCTGTACCCACACCATCTCAACCTAAAGAGAGTTGTGAATCTTTCAAAACACTC TTCTGGAGTCCGTCCCTCCCTCCCTGCGCCCTCTACCCCTCAAGTCCCTGCGCATCGTTTACATTTGGGGCGCCAAATGCCACAGTGTTCGAGCTGCAGCCACGGCCAT CTCCTAGACGCGGAGTAGAGCACCAAGATAGTGGGACTTTGTGCTGGCATCGTTTACATTTGGGGCGCCAAATGCCACAGTGTGATGAAAACAGTAGAGA TGGGAACAGGCGCGGGAACACAGACAGAGGAAGAGCTAGGAGGAGACCCAGCCCCGATCTGGTGCCTAGGGTTTCCGCGCGCATCCCAAAAGGTGCG GCTGCGTGGGCATCAGGTTAGTTTGTAGACTCTGCAGAGTCTCCAAACCATCCCATCCCCCAACCTGACTCTGTGGTGGCCGTAATTTTACAGAAATTTGA CCAGTTCCCTTCTCCCTTGGTCCCAAGCGCGCTCAGCCCTCCCTCATCCCCCTTGAGCCGCCCTTCTCCCTCCCTCGCCCTCCCTCGGGTCCCTCCCTCCAGT CCCTCCCCAAGAAATCTCCCGGCCACGGCGGCCATTTGGTTGTGCGCAGGAGGAGGCGTGGCCGGCTGCGGAGTTTCAATTGAGCGGAATTAGCCCCGATGA CATCAGCTTCCAGCCCCCGGGGCCAGCTCATTTGGCGAGGACGCCCTCCAGGACACGCACATTGTTCCCCCGCCCCCGCCCCCGCTGCCCCCGT CGCCGCTGCCACCGGCTATAAAACCGGCCGAGCCCCATAAGTTGCGGATGCTTATTATAGATCGACGCGACACAGCGCCCCGTTGCCAGGTTCTCCCTGAG GCTTTTCGAGCGAGCTCCTCAATTCGCATCCAGAGTAAGTTCCCCCGCCCCACAGCAGCGCGAGCCTAGATCCAGGGGACAGACTCTCCTCAACTCGGCTGTG ACCCAGAAATGCTCCGATACAGGGGTCTGGATCCCTACTCTGGGGCCATTTCTCCAGAGGACTTTGCTCTTCTGCTCTCCACACTCACCGCTGCATCTCC CTCACCAAAAGCGAGAGTCGGAGGCGACAACAGCTCTTTCTGCCCCAAGCCCCAGTCAAGTGGTGGTCTCCAGATGCAGCAGATGGACTCTGG
33	OLIG2	TCAGGTTTCAGAGCCAGCCTGCAATCGGTAAAACATGTCCCAAGCGGTTCGAGTGGTTCCATCTCGCTGTCTGGCCCCACAGCGTGGAGAAAGCTTGCCCCAGG CCTGAACTTCTCTTTGCAGTTCCAGAAAGCAGGCGACTGGGACGGAAGGCTCTTTGCTAACTTTTACAGCGAGCCCTGCTTGGACTACAGATGCCAGCGTT GCCCCGCCCAAGGCGTGTGGTGAATCACAAGACGACACTGAAAATACTTACTATCATCCGGCTCCCCCTGCTAAATAAGAGGGGTGTTTAACTACAGGCAC GACCTGCCCTTGTGTAGCGCGGTTACCGTGCAGAAATAACTCGTCCCTGTACCCACACCATCTCAACCTAAAGAGAGTTGTGAATCTTTCAAAACACTC TTCTGGAGTCCGTCCCTCCCTCCCTGCGCCCTCTACCCCTCAAGTCCCTGCGCATCGTTTACATTTGGGGCGCCAAATGCCACAGTGTTCGAGCTGCAGCCACGGCCAT CTCCTAGACGCGGAGTAGAGCACCAAGATAGTGGGACTTTGTGCTGGCATCGTTTACATTTGGGGCGCCAAATGCCACAGTGTGATGAAAACAGTAGAGA TGGGAACAGGCGCGGGAACACAGACAGAGGAAGAGCTAGGAGGAGACCCAGCCCCGATCTGGTGCCTAGGGTTTCCGCGCGCATCCCAAAAGGTGCG GCTGCGTGGGCATCAGGTTAGTTTGTAGACTCTGCAGAGTCTCCAAACCATCCCATCCCCCAACCTGACTCTGTGGTGGCCGTAATTTTACAGAAATTTGA CCAGTTCCCTTCTCCCTTGGTCCCAAGCGCGCTCAGCCCTCCCTCATCCCCCTTGAGCCGCCCTTCTCCCTCCCTCGCCCTCCCTCGGGTCCCTCCCTCCAGT CCCTCCCCAAGAAATCTCCCGGCCACGGCGGCCATTTGGTTGTGCGCAGGAGGAGGCGTGGCCGGCTGCGGAGTTTCAATTGAGCGGAATTAGCCCCGATGA CATCAGCTTCCAGCCCCCGGGGCCAGCTCATTTGGCGAGGACGCCCTCCAGGACACGCACATTGTTCCCCCGCCCCCGCCCCCGCTGCCCCCGT CGCCGCTGCCACCGGCTATAAAACCGGCCGAGCCCCATAAGTTGCGGATGCTTATTATAGATCGACGCGACACAGCGCCCCGTTGCCAGGTTCTCCCTGAG GCTTTTCGAGCGAGCTCCTCAATTCGCATCCAGAGTAAGTTCCCCCGCCCCACAGCAGCGCGAGCCTAGATCCAGGGGACAGACTCTCCTCAACTCGGCTGTG ACCCAGAAATGCTCCGATACAGGGGTCTGGATCCCTACTCTGGGGCCATTTCTCCAGAGGACTTTGCTCTTCTGCTCTCCACACTCACCGCTGCATCTCC CTCACCAAAAGCGAGAGTCGGAGGCGACAACAGCTCTTTCTGCCCCAAGCCCCAGTCAAGTGGTGGTCTCCAGATGCAGCAGATGGACTCTGG

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
41	SIX2	GGTGTAAACGGAGACTTTCCTCCACTGCAGGGCGGCCCTGGGGCGGGCATCTGCCAGGCGAGGGAGCTGCCCCCTGCCCGCAGATTGTGGGGAACGGCGTGGAAAGAC ACCCCATCGGAGGCAACCAATCTGCCTCTGCACCTCGATTCCATCTCTCAACCCAGGAGAAAACCATTTCCAGATTCCAGCCGACAGAGGCACCCCGCGAGTTGCC AAAAGAGACTCCCGGAGGTCCGTCGGAACTTGAACCTTGACACCTCGACGCGAGGTCTTTTCAGACCAAGTCTCGGCTCGGTAGCCTGGTCCCCGACCAACCGCG ACCAGGAGTTCCCTCTTCCTCTCCCTGCTACCAAGCCGCCGCCGAGCGGCTCCAGGAAGGACCAACCCCGCTGGGGCGGAGGTTTCAGGGCGGAGGAA TGGAGAGGCTGATCCCTCTCTAGCCCCGGCGCATTCACTTAGTTCGGGAGCCCTGAGGTTTCAGCTGACTTTTC CACTACGGATCTGCCTGGACTGGTTTCAGATGCGTCTGTTTAAAGGGGGGGCTGGCACTCCAGAGAGAGGGGGCGCTGCAGGTTAATTGATAGCCACGGAAAGCA CCTAGGCGCCCATGCGCGGAGCCGAGCCGACGCTCAGTCTGACCCCTGTCTTTTCTCTCTCTTCTCCCTCTCTCCACCCCTCACTCCGGGAAAAGCAGAGGCGCG AGGTAGGGGCAGATAGATCACCAAGACAGGGGAGAAGGACAGGAGTACAGATGGAGGACCAGGACACAGAATGCAAAAGACTGGCAGGTGAGAAGAAGGGAGAGA AACAGAGGGAGAGAGAAAGGGAGAAACAGAGACAGAGGCGGCCGCCGCCCGCTGAGTCCGATTTCCTCTCTCCCTGACCCCTTCAGTTTTCACCTGCAAAA TCCACAGAAAGCAGGTTTTCGAGCTCGAATACCTTTGCTCCACTGCCACACGCAGACACCGGACTGGCGCTGAGAGCTTAAGTCTGGGGGTCTGAGCCCTGGGAC CGGCAATCCGGCGCAGCGCATCGCGCCCCAGTCTCGGAGACTGCAACACCCGCCAAGGAGTACGCGCGGCAGGAAACTTCTGCGGCCCAATTTCTTCCCCAGCTT TGGCATCTCCGAAGGCACGTACCCCGCCCTCGGCACAAGCTCTCTCGTCTTCCACTTCGACCTCGAGGTGGAGAAAGAGGCTGGCAAGGCTGTGCGCGCTCGCTG GTGTGGGAGGGCAGCAGGCTGCCCTCCCCGCTTCTGCACGCGAGTTTCCCAGCCAGGAAAGGGAGGGAGCTGTTTCAGGAAATTTTCAGTGCCTTCACCTTAGC GACTGACACAAGTCGTGTATAGGAAG
42	SOX14	GGAGCCTGAAGTCAGAAAAGATGGGGCCCTCGTTACTCACTTTCTTAGCCACGCCCTTGGCCCTCCGCGCAGAGCCGTCATTCGCAGGCTCCTTGCCCAAGCCTCT GGGTCGGGTAGCAAGGTGTTCTCTTCGGAAAGCGGGAAGGCTCGGGTTCGGGACGTCCCTTGGCTGCCACCCCTGATTCGTGCATCCTTTTCGTCCGAATCC CTGCGCTAGGCACTCCCTCCGATCCCCCAAAAAGCCCCAAGCACTGGGTCGTGGGTTGAGGAAGGAACGGGTGCCCAGCCGGACAGAGGCTGAAAGGAGGCGCTCA AGGTTCCCTCTTTGGTACAAAAGTGGAGAAAGTTGCTCTACTCTTGAGGGCAGTGGCCCTTTTCCAAACTTTTCCACTTAGGTCCGTAAGAAAAGCAATTCATACACG ATCAGCGCTTTTCGGTCGAGGATGGAAGAAACTTC
43	TLX3	TTTTCTCTTTACAGAGCTGAGCCCACTCATGTGCTGCCAAGTAGCGACTATCTCTCGGCCACCTCCACCCAGAGCAATGTGGCGCCCGCCCGCAGCGGGTGGGAGCG ATTGCCGAGCGGCGCAAGGGCGTTTAACGCTAACCCCTCTCTCTGGTTGCCAAGCCGTAGTTCGCCGTTCACACGTGCTGCGCGGACTGAAGTCCGA CGACTCCTCGTCTCAGTAGGAGACACCTCCCACTGCCCCCAGCCACGCGAGCTATGGGCAGAAATCGGGGCAACGGTAATATCTGGATGGGGCAGGCTCCCC TGAGGCTGTGCTTAAGAAAAAGGAATCTGGAGTAGCTGAGGGGCCCCACGAGGGGCCCTCTTTGCGATCGTCTCCACGCTTAGGCCAAGGCTACGGAGGC AGCGGCCGAGTGTGGCGCCACGCCCGCCGAGGACTGGATGGAGGACAGAAAGCAGCCCTGCCCTCGGGCAGACGTGCGGACGCGACGCTCGCCGCTCGCCG CCTCAGCCTCGGTCCAGCGTCTTAAGCGCGGCCCATTTTACAGATGACGGCAGGAGAGACAAGAGGCATCTCCGGGGCCGAGTAGAATGATGGCGCGGGT TCTCCCGGGCCCTGATTTTCGAGGCTGGCCCGGGGCCCTACATGCAAGCGGGGAGGCTGGGCCGAAGGCGTCTGCAAGGAGGGGCGAGTCTGCCCGGTCCGG GCAGGAGTGAAGCCACAGTCAAGTCTCCCTAGGAGGCCCGCAGCGGGTAGGGTATGGGACTGGGGACGCAACGGGACCTGGCCGAAATCAGAGCCCTCAGC AGAGAAGCCGCAAACTCTGGGGCCGGCGCTCGCTTCCCGCTAGTGGGAATGGTTTCCGGTCAATCCGTTCCAGTCCAGCCCCGGGTAGGAGCTCTGATTTG CAATGCACAGCACTTCGAGGTTTCGAATGCCCCCGCAATTTTCAGATGGAATACTAAGCCTAGGCGGGCGTGGTGGCTCAAGCCTATCATCTCAGCCCTTTG GGAGGCCAAGCCGGAGGATTGTTTAGCCCAAGAATTCAAAACACGCTGAGCAACATAGCAGCCCGCTCTACAAAAATAAAATAAAATTAATCCGGC GTGGTGGCACGGCGCTGTGGTTCCAGCTACTCCGGAGGCTGAGGTGGAGGATCGCTTGAGTCCGGAGGTCGAGGCTACAGTGAGCCGTGATCGCACCACTGC ACTCCAGCCTGGGCGACAGAGTGAAGCTTGCTCAAAAAAGGAARAAAAGAAAAAGAAAGTAAGCTTCAAGAAAGCTCTGATAATAGTTCTGGGTCTGCAGC

SEQ ID NO	GENE NAME	SEQUENCE
		GGTGGCGGCCCCGCGCTCTCGCCCTTAAAGCAACGCGCTCTTTGTACTGGGTGGAGGAGCTTTGAGTAGTGAGGGTGGAGATGCAGCTTCGGGGTGGCGCAGCCA CCCTGACACTAGGCCCCGGGTGCGAGTGGGACAGAAAGATCTGCCGCTCTGACTTTGGGCTCTGAGTTCCAAGGGCGCCCGGCACATTCTAGCCCTCCAGGCTTGC GCGTGGCGGCTTTTGCCATCCGTGCCGAAGTGGGAGACCTAGCCCGGACCAACACGAGCGCAGCGGTGACACCCAGAGAGTCCACCCGCGGCTTGGGAGGGT AACCTTAGCCTGTCCGCTTCGGCAGCTTTGCGAAGAGTGGCGGCAGCTAGGGCTGAGGCTCTTTCGGACCTTTCGGTTCGAAAGAGCGGGCTGAGCCAGTTCGAT CGCCAAGGCTGGGCTGCCGACAGTGTGCGGCTCTGTTCCGCGCGGCGGCGGCTCTGGAATAGCATGGGGGACACGGGCTCCAACTTCTTGCA GAGACATCGGGCAGCTCCGGGCTTAAGCAGCGACCTCACCGAAGGTTCTTGGGAACCTTTGCCAAAATCCACGCTCTGCCTCGGTCCAGCTAAACCGTGTGT AAACAAGTGCACCAAG
44	FOXP4	ATAAAGACCGGTAAATTTCGCGGAATGCGGATTTTGAGACAGCCCCAGACGGCGGGGATTCCTGTGTCCCCCAACTGGGGCGATCTCTGTGAACACACCTTGC GTCCACCCCGATCCTAGGTTGGGGGAAAGGGTATGGGAACCTTGAGCCCCAGAGCGGCCCGCTCTTTCTCTTGTCTCCCGGCTTCCCTGGCCAGCCCCCTC CCGGTGGTTTCTCGCTCACTCGGCGCTTGGCGTTTCGGGGCTCTGGAGATCACCGGCTGTCTGGCACCCCAACGCTTAGTCTCCCGCAGGTTGACCGCGGC GCCTGGAGCGGGAAATAGGGGTGGGAGTCCGGAGAACCAACCCGAGCCTGAAGTTGCCATTCGGGTGACTCCCGAGAAAAGCCCGGAGCATTTTGGCCAAATG CGGGTTTACCTGAACCTCAGCATCTCACC
45	FOXP4	AATTGGAACCCCTGGTAATTGTGCCTGTTTGGGGGAAGAAAACGTCATAAATAAATAAATTAATTGATGAGTTGGCAGGGCGGGCGGTTCGGGTCGCGGAGGGCGCA GGGTGTCATGGCAAAATGTTACGGCTCAGATTAAGCGATTGTTAATTAAAPAGCAGCGTAATTAATACTCGCTACGCCATATGGGCCCGTGAATAAGGCACAAAA GGTTTCTCCGATGTGGGTTCCTCTCTTTCTCCTTCCACAAAAGCACCCAGCCCGTGGGTCCCCCTTTGGCCCCCAAGTAGGTGGAACCTCTGTCACTT CCGGCCAGGAGGGGATGGGGCGGTCTCCGGCGAGTTCCAAAGGGCGTCCCTCGTTGCGGACTCGCCCCCGCCAGGTTCTTTGAA
46	chr7 group- 00267	GGGAAGCATGCTCCTCTGTCACTCGCGCTGGGCCTTAGCCCTCCCGTTTCAGGGCGCGCTCCCGGATGGCAACACTATAAAGTGGCGGCGAAT AAGTTCTCTCTGCTGCTCTCGGTTAGTCCAAGATCAGCGATATCAGCGTCCCCGGAGCATCGCGTGCAAGGAGCATGGCGGGGAGCTATACCACGAAGA GTTCCCGCGGGCGGCAAGCAGGCGGGCTGCAGGTCTGGAGGATTGAGAAGCTGGAGTGGTGGCGGTGCCCGCAGAGCGCTCACGGCGACTTCTACGTCCGGG ATGCTACCTGGTGTGCACACGGCCAAAGCAGCGCGAGGCTTCACTACCACCTGCACTTCTGGCTCGGTAAAGGACGGCGGGCGGGACCCCCGACGCAC AAGCCCGCAGGGGAGGGCTAGGGTCTGAGATTTCAGGGCTGGGAGTAAAGGGACCGCAAACTGAGCTAG
47	NPY	CTCAGGGCGGGAAAGTGGCGGGTGGGAGTCAACCAAGCGTGACTGCCCGGCGGAGGAAGCTCCATAAAAAGCCCTGTCTGCGGACCCGCTC TCTGACCCCATCCGTGGCTCTACCCCTCGGAGACGCTCGCCCGACAGCATAGTACTTGC CGCCAGCCACGCCCGCGCGAGCTGCTGAGTGTACGA CCCGTCTGTCTAGGGGTGGAGCAACGGGGCGCCCGCAACTTGTCTAGAGACGCAAGCTCCCGCTCTGTGGAGCCCTGGGGCCCTGGGATGATCGCGCTCCAC TCCCCAGCGACTATGCCGGCTCCGGCGGCTCTCTGAGTTACCTTTTAGCAGATA TGGAGGGAGAACCCGGGACCGCTATCCCAAGGCAGCTGGCGGCTCTCCCTGCGG TCCCGGCGCTTGGGCGGTTCTCTGAGTTACCTTTTAGCAGATA TGGAGGGAGAACCCGGGACCGCTATCCCAAGGCAGCTGGCGGCTCTCCCTGCGG GTCCCGGCTTGGGCGGCAAGGAGCGGTGCGGGTAGGAAGGTTTCCCGGCAAGCGGCTGAGTGAAGTCCCTGGAGCTCTAGAGCCCGCGCGCTGCCAC CTCCCTGGATTCTTGGGCTCCAAATCTTTTGGAGCAATCTGGCGCAATCTGGCGGAGGAGCAATTTCTTTCCCTTCCCGCAGCGAGCTGTACCCCCAGGTGATCTGT CTGTACGCGTTGATCCCTGAAGCTAGGCAGACCAAGTAACAGAGAAGAACTTTTCTTCCAGACAAGAGTTTGGGCAAGAAAGGAGAAAAGTGAACCCAGC AGGAAGAACTTCCAAATTCGGTTTGAATGCTAACTGGCGGGGCCCCACCTTGCACCTCTGCCGCGCGCTTCTTGGTCCCTGAGACTTCGACGAAGTGTGGC GAAGTTTTCAGGTGAGCAGAGGGGAGGTCCCGACCGGACGGCGCCCGAGCCCGCAGGTGGTGTAGCCACTCTGGGTTCTCTCTGCGGACTGGGACGA GAGCGGATTGGGGGTCCGCTGTGGTAGCAGGAGGAGCGCGGGGGGCGAGGAGGGAGGTGCTGCGCGTGGGTGCTGAATCCCCAAGCCCGTCCGTTGAG

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
		ATTTTCTAAGAAAAAGTTTTTGGGTTCCCTTTTGCCCTCCTACCCCGCTGCCGCGGGGTCTGGGTGCAGACCCCTGCCAGGTTCCGCGAGTGTGCAGCGGCGGTGCTGCCAGCTCGCGGAGGGTTAAAGGCGTCCGAGCAGGAGAGCGCGCGCGCGAGTCTATTTTACTTGTCTTCCCCCGCGCTCCCGCGCTCCCCCTTCAGCAGTTGCACATGCCAGCTCTGTGAAGGCATCAATGAAACAGCAGTAG
52	TBX3	ATCGAAAATGTCGACATCTTGTGTAATGGTCTGCAAACTTCGGCAATTAAGACTGACCTCCAGACTCGGCCCCAGGAGGCTCGTATTAGGAGGGAGGCCGCCGTAATTCGGGATCAAAAGCGGGAAGGTGCGAACTCCTCTTTGTCTCTGCGTGCCCGGGCGCCCCCTCCCGGTGGGTGATAAACCCACTCTGGCGCCGGCCATGCGCTGGGTGATTAAATTGCGAACAACAAGCGGCTGTGGCCACTGCAATTCGGGTAAACAATTGGCCAGCGTGTTCGAAAGGCTTGT
53	chr12 group-00801	ATCAACATCGTGGCTTTGGTCTTTTCCATCATGTGTAGTGAATCACGGCCAGAGGACGCTGGGAGGAGAGACCCGGCGGCTTTTGAGCCCCCTGCAGGGGAGTCCGCGGCTCTCGGGCTCCCTTCCTCACGGCCCCGGCCGGTAGGTGTTCTTTGTCTCGCACTCCTCCTCACTTCTCGGGCTCTCAGAGCTCTCCCCCAATCATCAGCACCTCCTCTGCACTCCTCTGCTGACTCCTCTGACTCCTTAGGCACTTGCCCGGGGCTTCTCAACCCCTCTTTTCTAGAGCCCCAGTGCCTCTCCAAACCGGGGAAGTTCTTCCGTGGACTTTGCTGACTCCTCTGACTCCTTAGGCACTTGCCCGGGGCTTCTCAACCCCTCTTTTCTAGAGCCCCAGTGCCTGCCACCTAGCGAGCGCAGTAAGCTGATACCCCGAGCATGAGGCTCTACGTTCTTTCCTGCGCTCCGGGGGCTCCTGCTCTCCAGCGCCAGGACTGTCTCTATCTAGCTGCTCCTCTCTCTTTGCTGCGCCCAAGGGCACCGCTTCGCGGAGTCCCGAGGATCCCTGATGCCCTCCTCTGATGCCCTTTCGCGCTTTGGCACGGCACGCTCTGTCCAGGCAACAGTTCTCTCGCTTCTTCCACACCAACTTCTCTCCTCCCTCGGCGCCCCCTTTTAAACGCGCCGAGGCTGGCTCACACCCACTACCTCTTTAGGCCTTTCTTAGGCTCCCGGTGCCCCCTCACCAACAAGTGGGTGCGCTCTTACTCTTTCTACCCAGCGGCTGCTAGTTCTTCCCTCCCTTGTGTGCGCACTGGCCCCTAACCTCTCTTTGCTGTTGGTGTCCCCCAGAGCTCCCAAGCGCCCCCTCCACCGCTCTGTCTGCGCGGCTCTCCCCGGGAATGAACTAGGGGATTCACCGCAACGTGGGCTCCGCGCTCAGACCTCCCGAGCTGCCCGCTCTCTAGGCTGCGCGGCTCTCCCCGGGATGAGTCCGGAGCTCAGTCCCTCTTCAACCTGTTAGGAACACCCAGCGCAACCCACAGGAGGGCGACGAGCGCTGCTAGGGCTCGCTTATTGACTGCAGCAGCTGGCCCCGGGGTGGCGGGGTGAGGTTCTGTAACGGCACTGTCCCGGACAACCTTGCAAGTTGC
54	PAX9	ACAAATAAACAACCCCTTAGCTTCCCTTAGACTTTGTTTAACTGGCCGGGTCTCCAGAAAGAACGCTGGGATGGGTGGAGAGGAGGGGCTCAAGGACTTTAGTGAGGAGCAGCGAGAGAGCAGCTTCAGGCGTCAAGACCGATTCTCCCGCTGCTTCGGGAGACTTTTGAACGCTCGGAGAGCGCCGGCATCTCAACACTTTACTTGGCCGTAGGGCCCTCCGGCACGGCAGGAATGAGGAGGGGTCCGATTGGACAGTGACGGTTTGGGCGGTTTCGGCTATGTTCAGGGACCATATGGTTGGGACACGCCAGTAGTAGGGGACGGGTGCGTCCCGGATGCGTAGGGAGGCCAGTGTCCCAAGCAGCGGGTGCAGTCCCTGCGCGCTGTGTGTTCAATTTGCAGAGCCAGCCTTCGGGGAGGTGAACCACTGGGAGGAGTGTTCGTGAACGGGAGCGGCTGCCCAACGCCATCCGGCTTCGCATCTGTGGAACCTGGCCAACTGGGCATCCGACCTGTGACATCAGCCGCACTACGGGTCTCGACAGAAATCTTCGGCGGATACAAACGAGACGGGCTCGATCTTGCCAGGAGCCATCGGGGGCAGCAAGCCCCGGGTCACTACCCCCACCGTGTGTAACACACATCCGGACCTACAAGCAGAGAGACCCCGCATCTTCGCTGGAGATCCGGGACCGCTGCTGGCGACGGCGTGTGCGACAGTACAATGTGCCCTCCGTGAGCTCCATCAGCCGGATCTTCGCGAACAAGATCGGCAACTTGCCCCAGCAGGGTCAATTACGACTCATACAAGCAGCACCAAGCCGACCGCAGCGCTGCCCTACAACACATCTACTCGTACCCCCAGCCCTATCACGGCGGGCGGCCAAGGTGCCCCACGCCACCCCGGGTGC
55	SIX1	AGGAGGGCAACCGCTGCCAGGGGGCTTTATCTTCCCGCCACAGGGCGGGGACCAAGCCCGGAGCCGGGTGTCCAGCGCCGCTCACGTGCTCGCTGGAGCTTAGCTCTCAGACTCCGAAGAGGGGCACTGAGACTTGGGCCCTGGGAGTTGGCTTCGGGGTACCCCAAGGCACGACAGCTGAGTTGTACCAACAAGCTCAGGCCGAGGCCCTCCCTTGTCTGGCTTCGAATCCATACTGGCAGCTCTCTCTCAGGCACTCCGCGGGCGGGCCACTAGGCCCTTGTCTCTGGAGCTGCGCTATGATCCGGGTCTGAGATGCGCGCGGATTCTCTCTGAACCGGTGGAGAGGAGGCTCTGCCCCGCGGAGGAGGACAGCGGCGCCGAGCTTCCCCGGCTCTCC

SEQ ID NO	GENE NAME	SEQUENCE
		AGGGCCCAATGGCAAGAACAGCCCTCCGAAGTGC GCGGATGACAGGAAAAGAATCTTCAGTTCTTCTGCCGCTAGAGAAAGTCCGGGATACAAGCCTCTATTGGATC CACAACTGGAGTCTCGCTTCGGGA
56	ISL2	ATCTGCGTGGCCCTTTCTTGGGAGAGCCCTGGGAGATCCAGGGAGAACTGGGCGCTCCAGATGGTGTATGTCTGTACCTTCACAGCAAGGCTTCCCTTGGATTG AGGTTCCATATTTGTCTGGGATCGGGGTTTCTCCTTGTCCAGTGGCAGCCCCGGGTTCCGGGCGCTCCGGGCGCTCCAGGAGCCCAAGGCTGCATGGCAGTGT GCAGCGCCCGCAGTCCGGCTGGTGGGTTGTGCATCCGTCGGCAGCTGCAGAAAGGTGGAGTGCAGGTCTTGCCTTCCCTACCGGGCGGTTGGCTTCCAGC ACCGAGGCTGACCTATCGTGGCAAGTTTGGGCGCCCGCAGATCCCGCAGTGGAGAAAGAGGGCTCTTCCGATGGATCGAGTGTGCGCTCCCGCAAGCAAT GCAGACCTAAATCACTCAAGGCTGGAGCTCCAGTCTCAAAGGTGGCAGAAAAGGCCAGACCTAACTCGAGCACCTACTGCTCTTCTGCTTGCCTCCCGCAGAGCC TTCAGGGACTGACTGGACGCCCCCTGGTGGCGGGCAGTCCCATCCGCCATGAGAACGCCGTGCAGGGCAGCGCATGTGAGGTGCAGACGTACAGCCGCCCTGG AAGCGCTCAGCGAGTTTGCCCTCCAGAGCAGACCTTGACCCAAACCGCCCTTCCAACAGCTGGTGAAGCCCTGCCCTACCCGCCCGCCGACCTCGGGACTCTGCGGGT TGGGATTTAGCCACTTAGCCTGGCAGAGAGGGGAGGGGTTGGCTTGGGCTGAGGGCTGGGTACAGCCCTAGGCGGTGGGGGAGGGGGAACAGTGGCGGGCT CTGAAACCTCACTCGGCCCATTAAGCGCCCTAAACCAAGGTCTCCCTGGATTAAAGTGTCTACAAGAGAGGTTCGCAAGATTAACCAACCCGCTCCCGCCGCTA ATCCCCCTCGTGGGACCTGGGACCTGGCCCTCCTTCTCCGAGGGCTTGCCTCAGTGGCGGCGGTCCTCCCAAGGACACTTTCGACTCGGAGCACGCGGC CCTGGAGCACAGCTCGCGTCCCTTTCACCTGCCTCTTCCCGTGTTCCTCCGCGCCCGCAGGTCTCCTTCTCCGAGTCCGGCTCCCTAGGCAACTCCTCCCGCA GCGACGTGACCTCCCTGTCTCGCAGCTCCCGGACACCCCAACAGTATGTTGCCAGTCCCGTGGAGACGTGAGGGGACCCCTCCCTGCCAGCCCGCGGACC TCGCATGCTCCCTGCATGAGACTCACCCATGCTCAGGCCATTCCAGTTCGAAAGCTCTCTGCTCTCGTAAATTAATTTATTTATGAGAGAGTACCGA GAGACAGGCTTGGACAGCCCAAGGCGCCAGGATGCAACCTGCTTTCACAGACTGCAGACCCCTGCTCCGAGGACTCTTAGTTTTTCAAACCCAGAAATCTGGG ACTTACCAGGTTAGCTCTGCCCCCTCCTCTCTCTACGTGGCGCGCCCTCTGTCTCTCCACGCCCCACCTGTGT
57	DLX4	AGGTCTCTCAGACTGCCCCATTTCTCGGGCTCGCTGAATGCGGGGCTCTATCCACAGCGCGGGGCGGAGCTCAGGCAGGCTGGGGCGAAGATCTGTATTCT TTCTTCCCGCGCCCAACCGAATTAATCAGTTTCTTCAACCTGAGTTACTAAGAAAGAAAGGTCTCTCCAAATAAACTGAAAATCACTGCGAATGACAAATAC TATACTACAAGTTCTGTTTGGGCGCGTGGGTGGATGGAGAGAAAGGCCACGGATAATCCCGAGGGCCCGGAGTGAGGAGACTATGGTCGCGGTGGAAT CTCTGTTCCGCTGGCACATCCGCGCAGGTGCGGCTCTGAGTGTGGCTCGGGTTACAGACCTCGGCATCCGGCTGCAGGGGCAGACAGAGACCTCCTCTGCTA GGCGTGGGTAGGCATCGTATGGAGCCAGAGACTGCCAGAGCACTGCGCACTCACCAAGTGTAGGGGTGCCGTGATAGACCGCCAGGAAAGGGGCTGGT TCGGAGGGAATTCCTGCTACCGGGAAGGTTCGGAACTCGGGGTGTCAAAACAAGGAATGCATCTCACCTCCGTGGGTGCTGTGTCTGCGCAAGGAATATTACCG GAGCGTTGCGATGGCTTTTGCCCGCGCACCCCAAGAGAGTAAGCAAACTACCGTCCACCCAGCGGATCAGGTCCAAAT
58	CBX4	GATGTCTCTGTTCAGAGCCTCCAGAGCCAAAGCTAGGCGAGAGGCGTAGGAGGCAGAGAGCGGGCGCGGAGGCCAGGCTCCGCTCGGGGCTGAGGGGA CTTCGTGGGTCCCGGAGTGGCTAGAAACAGGAGAGCTGGGAGGGCCGGGAAGAGCTTAGAGGCTGAGCGGGGAGCAACGGCAGCGCAAGGGGAGATGAAC GGAATGGCGGAGGAGCCACGCAATTCGCTTGTTGTCGCGGACCTTGTTCCCGACAGGGACCAAGCCAAAGGCCCTCCGGACTGACGCGGCTGAGCAGCAGCG AGTGTGAAGTTTGGCACCTCCGGCGGCGAGACGGCGGCTTCTGGCGCGCGGCTCTTGGCTCCGGCTGGTGGAGCTGTGCGCCCTATGCGGCTGCGGAGGGCG CCGCGGAGGGCCCGGAGCTCCGTGGGTGGGGTGGGGGACCCCGGAGCGGACAGCGCGCCCGGAGGGGACGGGCGCGGCTGGCTGGGGTGTGT CTGGGCCCCGGCTCCGGGCTCTTGAAGGACCGCGAGCAGGAGGCTTGGCAATCCCTTGGCTGAGCGTCCACGGAGAAAGAAAAGAGCAAAACAGAGCGAGA GTGGAGCGAGGAGTGGGGCGGGCAAGAGCCATCCCGGCTTCCACCGCCCTGACACGCGACCGGCTGTCTGTGGGACCGCAGCGGGGCTCGGGCGAG CAGGGGAGGAGGAGCCTGCGCGGGGCTGCTGTTCGCCAGGAAATCCCGGAGAACTCCGAGAGGCTCGAGTGTGAACGCACACGTGGACTCCATTTCATTAC

SEQ ID NO	GENE NAME	SEQUENCE
59	EDG6	CACCTTGACGCTCTTGCGCCACGGAGGCTGCTGCTGCCCGCGGGCTGCTACCCACCGAGACCCACGTCGGCCCCCTCCCGAGGGGTGAGGGGTGACGGTTGCTTT CTGGTGACAGCAGAGGTGTTGGGTTTGGGACTGATCTCTAACGAGCTTGAGGCGCAACCTAGGATTCCTGAGTGTGGGTGCGCGGGGGGCAAGCAAGG TGGACGACGCTGCTGCTGGTTTCCCTGACTAGTTGCGGGGGTGGGGCCGGCTCTCAGGGGCCACAGAACTGAGTGGGTGGGTGACAGGAAATATTTTCTCC TGCCGTGTTTGGCTTTTCTCTGGCAATTTTGGCCAGGGCGAAGAACTGTGCGCGGGGAGCTCCACCGGAGGAGAGAGGGTCCGAGGCTGGCGCGGGAAG CGTGTAGGTGGCAGTCACTCCGTCCAGCCGACAGGCCGCTGCGCCGTGCGACCATCGGGAGGTCTGCAGCAACTTGTCCCGGCCAGTCCCTTGTCCGGG AAGGGCTAGCTTCCCGACACTTACCTTCCCTCTTTGAAATACTCCCTGGAAATCTGTTGCAATGGGTGTTCCGCGGGCTCCAGGTCTGGGCTGCCGGG GGAGCCGAGCGGCTGCTGCAGCTTCCCTGCTGCCAGGGGCTGGACTCCGCTTCGCTTCACTACGCCAGGCCCTCAGGGGCCACGCTCAGGACTTCGGGG CCACACAGGACCCGTTGCCGTCCCCGACGAGTTTGGCGAGAACCCGGCTGGGCCAGCCCGGAGCTGGGAGGAAGGGCGGGGTCCGTTCCAGCGGATCT TTTCTGTTGCTGCTGTGCGGCGGAGGAAGCGTCTTGAGGCTCCCCAAGACTACCTGAGGGGCCGCCCAAGCACTTCAGAAGCCCCAAGAGCCCCCGGCCACC CCCGCTCCTGGCCCTTTTGGCCAAACGACTTTGAAAGTGAAATGCAACAAGCACCCAGCAATTGACTTCCCTTCCGTGGTTATTTATTTTGTCTTGTGGATGGTGGG CAGATGGGAGAGAGGCCCCCTACCTTAACCTCGGTGGCTGGTCCCTAGACCACCCCTGCCAGCCGGTGTGGGAGGAGCTCAGGTCCGCGGAGAGCGAAATGGGC GCCAGGAGTGGGACAGAACTCCTGGGAAGGTACAGCGGACGCTGGAAGCTCCCTGATGCCCGCAGAGGGCCCTTCTGGGAAACCTCCCGGGGGGGTGCCTCC ATACCATCCACCCCGGCTGTCTTGGCCCCCTCCAGGGAGCGCGAGGAGAACTAGCCCTACACCTGGGATTCCTAGAGCCCTTCTGCTGGGGCTCTGCCCCCGA CTTCGGATAACAGCTCCGCACAGTCCCCGAGAGGGCCGCTGGCTGCTTATTTGATACTGCCCCCTCCAGACAGGGGCTGGTCGAGGCCCTGGTTCTGCT GCCAGACTGAAGCCCTTCCAGACGCCCTCCGTTTGGGCCCCAGGGCCCTCAGGGGCCCGAGGAGGAGAGCTGCTATCTAGCTCAGCCACAGGCTCGCTCC TGGTGGGGCCAGGCTGAAGGAGTGGACCTTGAGAGGTGCGGAACCTTTAACAGCCGTGGGTGGAGGTGGCTACTAAGTGTTCGGTCTGGGAAGAGGCAT GACCCGACCATCCCGGGAAATAACGACTTCTTAAGGGAATCTTCTCGCTAGCGGTGCTCTGGCCAGGAGTTCACCCAGCCCGACCCGACCCGAAACCCAGA TTTGGGCTCTGCTTGAGCGGGCCGCTGTGGCTTCCCGGGTCGCTCCCCGACTCAGAAAGCTCTCAAGTTGGTATCGTTTCCCGGCCCTCGGAGGTGGATT GCAGATCACCGAGAGGGGATTTACAGTAACCACTACAGAATCTACCCGGGCTTTAACAGCGCTCATTTCTCTCCCTTGCTCTTAGAAAACTTCGCGCTGGC GTTGATCATATCGTACTTGTAGCGGAGCTTAGGGGACGCGGAACCTGGTGGGTTGTGGGTGTCAGGGGGAGGCTGTAGGGGAGCCCTGCACCTCCGCCCCCTCCAC CCTTCTGGAGGAGTGGCTTTGTTTCTAAGGTTGCCCCCAACCCCGGGTCCCCACTTCAATGTTTCTGCTCTTGTCCCCACCCCGTGAAAGCTCGGCTTT CATTTGTCGGCGAAGCCTCCGACGCCCCAGTCCACCTAGCGGGCCGCGGGGACTGCAGCCCGGGGTTCCTGCGGACTGGCCCCGACAGGGTGGCGGGAC GGGACCGCGGGCCCCGAGCACCGGACGCCCAGGTCTTTGGAGGGCCCCAAGCACCCCT
59	EDG6	TGGCGGCGCGGGCACAGCCGGCTCATTTGTTCTGCACTACAAACACTCGGGCCGGCTGGCCGGGCGCGAGGATGGCGGCTGGGGGCCCTTGCGG GGGCTGTCGGTGGCCCGCAGCTGCCGTGGTGGTGTGGAGAACTTGTGTGGTGTGGGGGCAATCACCAGCCACATGCGGTTCGCGACGCTGGGTCTACTATTGCT GGTGAACATCACGCTGAGTGACCTGCTACGGGCGCGGCTTACCTTGGCCAAACGCTGCTGCTGGGGGCCCGCACCTTCGCTCTGGCGCCCGCCAGTGGTTCC TACGGGAGGGCTGCTCTTACCGCCCTGGCCGCTCCACCTTCAGCTTCTCTTCACTGCAGGGGAGCGCTTGGCACCATGTTGCGGCGGTGGCCGAGAGC GGGGCCACCAAGACACAGCCGCTACGGCTTCATCGGCTCTGCTGGCTGCTGGGATGCTGGGATGCTGCTGGGTGGAACCTGCTGTGCGC CTTTGACCGCTGCTCCAGCTTCTGCCCCCTACTCTCAAGCGCTACATCTCTTCTGCTGGTGTATCTTCCCGGGGCTCTGGCCACCATCATGCGGCTCTATG GGGCCATCTTCGGCTTGGTGCAGGGCAGCGGGGAGAGGGCCCCACGCCCCAGCGGCCCGCCGCTGCTGAAGACGGTGTGATGATCTGCTGCTG GCCTTCCGTGCTGGGGCCCACTCTTTCGGGCTGCTGCTGGCGAGCTCTTGGCTCAACCTCTGGGCCAGGAGTACCTGCGGGGCAAGGAGTGGATCCT GGCCCTGGCGGCTCCTCACTCGGGGTCAACCCCATCATCTACTCTCTCCGACGAGGAGGTGTGCAGAGCCGCTGCTCAGCTTCTCTGCTGGGTGCTCTCC

SEQ ID NO	GENE NAME	SEQUENCE
		GGCTGGGCATGCGAGGGCCCGGGGACTGCCCTGGCCCGGGCCGTCGAGGCTCACTCCGGAGCTTCCACCACCGACAGCTCTCTGAGGCCAAGGACAGCTTTC
60	chr13 group-00005	TAGTAAGGACCGAGGGGTGGCTCCCTCCCTGCAGCGGCTGTGCTTACCATCTGTAGACCGTGACCTCTCACACAGCGCCAGGACGAGGATCGCGGTGAGCCAGAGTGACTGCGATCTCTGGAGTGGTCGACAGAGGCCATCTCTGCACGCGTGGAGCGCCCCCTGCAGGCCGACGCGCATCCCCAGCTCTTGACGCACTGTAGCGGTTATGCAGCAGCAGCTCATATAGATGCCCGCAGGGTGCTATGCAGGCCACGTCCCCACAAAGCCCATGGCAGGCGCCCGGTGCCGGAGCACGCATTGGCCCCATGGATCTCTGTGCCAGGGCTCAGCCAGGCATCTGGCCGCTAAAGGTTT
61	CRYL1	TCTCATCTGAGCGCTGTCTTTACACAGAGCTCTGTAGGACTGAGGCAGTAGCGCTGGCCCGCTGCGAGAGCCCGACCGTGACGATGCGTCGCGCCCTTCCCA TCGCGGCTGGCGGGCCCGCTGCCCTCGGCTGAGCCCGGTTCCCTACCCCGGGCACCTCCCTCGCCCGACCCGCGCCAGTCCCTCCACAGGCTTGCGG GTAGAGCCTGTCTTTGCCCAGAAAGCCGCTCTCCAAGCT
62	IL17D	CAGTCCCCGAGGCCCTCCCCGGTGACTTAACAGGGATTTCAGCGCGCGGGGCTGCCCGCCAGGCGTGACCTCAACCCGCTCTCTCTCCCTGCAGAAATCT CCTACGACCCCGCGAGGTACCCCAAGTACCTGCCTGAAGCCTACTGCCTGTGCCGGGGCTGCCTGACCCGGGCTGTTCGGCAGGAGACGTGGCTTCCGCAGC GCCCTGTCTACAT
63	IRS2	AGAGAGACATTTCCACGGAGGCCGAGTTGTGGCGCTTGGGGTTGTGGCGGAAGACGGGGACACGGGGGTGACCGTCTGTGGTGGAGGAGGTTCTCGGAACT GTGGCGGGCGGGCCCCCTGGGGTCTGCGGGATGACCTTGGCGCCGCGGTGGGGTCCGGGGCTGGCTGGCTGCAGGAAGCCCTCGACTCCCGACACCT GCTCCATGAGGCTCAGCCTCTTTCAGCCCGACAGTCTGGGCTGGCCACGCGGGCAGCTTCTGGCTTCGGGGGGCCGCGATAGGTTCGGCGGGGTGGCGGCCACA CCAAAGCCATCTCGGTGTAGTACCATGTCCCGGTGTCCAGGACAAACGATAGGGCGCGCCCGGGCTTGGCGGTGGCAACGGCCGATACGGGGAGGAGCCCT GCGGTACAGTCCCCCGGGCGGGGTGGCGGGCTGCAGAGACGACACGGGACGCGGACGCGCGGGGCAACGGCGGATACGGGGAGGAGGCGCT CGGGGACAGGAGGCCGTCCAAGGAGCCACGGGTGGCGCTCGGGCGCCCCGGCTTAGAGACTTGGGGAGCTGAAGTTCAGGTTTCATGTAGTCGGAGAGC GGAGACCGCTGCCGGCTGTCTGCTGTGTGGTGGCCGGGTGCCCTAGACCCAGCGACAGGCCGGGCTGTGGCGGACAAAGAGCAGGAGACGAGGCCCGCCGACGC CAGCAGGGAGGCGGGCGGACAGGCGGGCCCGGGCTCGCAAAAGTTCGATTTGATGTACTCGCCGGGGCTCTTGGGCTCCGGTGGCAGTGGGTACTCGT GCATGCTGGCAGGCTGGGCAGCCCTCCAGGGACAGGCGGTGGGCTCACCCCGCGCGCGCTGGCCCAAGAGCCCTCCGGCGGGCGCTAGGCCG CCGGGCAAGGCACTACAGGTTAGGGGCTGCGTGGGGCGGGCCCGAAGGCGCTGGCCGCTGGCTGGCGTGGGCTGAGGCTCCAGACGCTCCTC CTCCAGGATGCGCCCCACGGGGAGCTCATGACACGTACTGTCTGCTGTCCCCGCTACAGGTGAGGGGCTTGTAGGAGCGGGCAAGGAGCTGTAGCAGC AGCCGGGAACGCCCTGAGCGGCTCCCCCGGGGTGCAGGGCTCGGAGAAGAAGTCCGGCGGGGTGCCCGTGGTGACCCGCTCGCTGGGGACACGTTGAGG TAGTCCCCGTGGGCAGCAGCTTGCATCTGCACTGCTCCATGACAGCTTGGAACCGCACCATGCGCATGTACCATGTCTTCGGGGAGCTCTCGCGGGG CGAGCTGGGCTTGTAGCCGCCCGCTCGCCGGGAATGTCTTCGCCCGCCGACAGGTGGGTGGTGGCCCCGACGGCCCCGAGAGCCAGGCGCGCGGGCGG CGCGGGCGGCCCTGGGTGCAAGATGTCTTGGGGCGGACACGCTGGCGGGCTCATGGGCATGTAGTCTGCTCGCTTCCTGACGCTGCCGCTCCACCTGCCCGG AGGGCCGCGCGGGCGTCAATGGGCATGTAGCCGTCTGTCTCCCCAGGTTGCTGTGGAGCTCCTGTGGAGCCGATCTCGATGTCTCCGTAGTCTCTGGTA GGGGTGGTAGGCCACCTTGGAGAGGACCGGGGCGAGGCGGGCGGGCTGCCGAGAAGGTGGCCCCGATCAGGGTGTATTATCCAGCGAGG CAGAGGAGGCTGGGGCACCGGCGCTGCCGGGTGGGTGGTACAGGAGTAGTCTTGGCAGCCCTCGGTTCAGGTCCTGGCGCGGCTCCCCGAGACC CGCGGTAGGAGCGGCCACAGTGGCTCAGGGGCTGTCCAATGGTCATGTACCCGTAGAACTACCGCCCGCGCGGCTCTCGGGCGGGGGCTCTCCCGCAT GGACTCGGGCGTGTGCTTCGGTGGCTGCAGAAGCGCGCAGTGGCTGGGCTGGAGCGCTACTCGTCCAGGGACATGAAGCCGGGGTTCGGGGAGCCCG AGGGCAGGCGCTGCCGTGGAGGGCGCTGGCCGGGGCCGTGGTGCAGCGGATGCGGGCGGGCGGGGTAGGAGCCCGAGCCG

SEQ ID NO	GENE NAME	SEQUENCE
		TGGCCGCTGCTGGACGACAGGGAGC
64	chr13 group-00350	TAACCTAAAGAAATGAAGTCA TGCCCGCGGCTGCACCCGGGAAACTGCACACAGCGAAAAGATCGCCACTGAGATAAAGAGCTGAAAAAGCTATTCCCCAAATTCAGCT GTTTCAGCCGTGGCGTCTACAATGGGCTACAGACGGCAGCATC
65	MCF2L	GTTTCCACAATCCACCTCGTAGCTGGGGCGGTGCGGCTTGCCCTCGGCTTGTCCTCCGGCAGAACACACTCTTACCTTTAAATGGCGACTGAAAAAGTTGCCACGAGTTCCCT GATCATTTGTGTTAGGTGCTGCGTGAAGCTGAGACGTGCGTGAGCCACATCCAGGGGCTTTTGAGCCCCCACC CGCGCGGGCTGAGGGGAGGCTTGCTGTAC TCGCACAGGAGACACAGGGCTGCAGTGTTCAC TCCAGGGCTCTTATCATTTGGGATCTGAGGAATTTCCGAGAGGAAGTGGGAATTAAACAATGATGAAGAGGT TTGTGAGTGAGTGACAGGCACGTTCTATTAGACACTGCATGGGGCATTATGTGCCACCAGAGACGGGGCAGAGGTC AAGAGGCCCTCGAGAGGACTGAGCTGTCCCCAG GGAGGATAGAAGTCA TCAGAGCACAA TGAAGCCAGACCTTCGAGCGGCTTCCCTTCGGGGGCTTCC TTAGAA TGCAGCATTCGCGGGACTGAGCTGTCCCCAG GTGAAGGGGGGCTCACGGTGTGTGGACGCCCTCGGCTCAGCCCTTAAGAGACTCGGCACAGGATGGCTCAAGGCATCAGCCCTCAAAGGAGGTTAGG AAGGAGCGAGGAGAAAGATATGCTTGTGTACGTCTTGCCGGAAGTGAGAACAAATGTATCAGATAATGAGTCATGTCCCATTTAGGGGTGCCGACAAAGGAC TCGGGAGGAGGCCACGGAGCCCTGTACTGAGGAGACGCCACAGGGAGGCTCGGGGGCCCCAGCGTCCCGGGATCACTGGATGGTAAAGCCGCCCTGCCTGGCGT TCCAGCTGCAGCGAGGGCGGCCAGGCCCTTCTCCGACCTGCAGGGGTAGCGGGCTCGGCGCCGGAGACCCGCGGCTGTCTGGGGCTGCGGTGGCGGTGGG GAGGGCGGGCCCCCGGACGCCCGAGGAAGGGGCACCTCACCGCCCCACCCAGAGCGCTTGGCCGTGCGGGCTGCAGAGGACCCCTCCGGGGCAGAGGCGAGG TTCCACGGAAGACCCCGGCCGCTGGGGCTTCCCGGAGACTCCAGAG
66	F7	ACTTACTGCTTCCAAAAGCGCTGGGCACAGCCTTATATGACTGACCCCGCCCCCGAGTCCCAGGCGCCCCCATGCAACCGCCCAACCGCCCACTCCA AAGGTACCAACCACTGCTCCAGGCCACGGGCTGCTCTCCCCACGGCTCTAGGGCCCTTCCCCCTCCACCGCAGGCTGAC
67	chr18 group-00039	
68	C18orf1	TGCCACACCCAGGTACCGCCCCGCGCGGAGAGCCGGGCAGGTGGGCGCGGGATGCTCCCCAGAGGCCCGGCCCCAGCAGAGAGCGATGGACTTGGACAGGCTAAGAT GGAAGTGACCTGAG
69	CD33L3	TCGCCAGCGCAGCGGTGGTCCATGCAAGTGGCACCCCGAGGTTAGCGCGGAGGCGAGCGCAGCGGGCAGTGTGCCCTGCACCTTCACGCACCCCGCACCGCCACTA CGACGGGCCGCTGACGGCCATCTGGCGCGGGCGAGCCCTATGCGGGCCCCGACAGGTGTTCCGCTGCGCTGCGGCGCGGGCAGCGAGCTCTGCCAGACGGCGC TGAGCCTGCACGGCGCTTCGGGTGCTGGGCAACCCGCGCCGCAACGACCTCTCGCTGCGGCTCGAGCGCCTCGCCCTGGCTGACGACCCGCGCTACTTCTGC CGGTCGAGTTCGCGGCGCAGTCCATGACCGTACGAGAGCCGCCACGCGCTCCGGCTGCACGTGACAGGCGGCTGGAGCGGGTCCCCCGGCCCTCCC TTCCCCGCCCTCCCCGCTGCCCCCAAGGCTACGTGGTGCCAGGCGCTGTGCTGAGCCAGGAAGGCAACGAGACCCAGCCCTCTCCTCTACCCCAAGGA TCTCACACCTGGGGTAGTTTAGGACCACCTGGGAGCTTGACACAATTCAGAAATCCAGATCCAGGTCGCCAGGAGGCTGAGGTGGGCCCCGGAA TAGGCATTTGCCGTG ACTCTCGTAGTGACTGTCCCCAGTGGCTCTCAGACGAAGAGGGCGAAAGACAAAGTGAATGGCAATCC TAAATATGCCAAGAGGTGCAATGTGGTGTGTGCT ACCAGCCGGAAAGACACTCGACGCCCTTACCCAGGGGTGCACAGACAGCCCCAACCAAGTAGTGCTAGCACITTTGCCAGACCTTGATACAAAAGATGCCCTG AACCAAGGTCCCCCTCCTAGAGCAGTGGCTCTCCACTCTAGCCCCCACCCTGCTCTGCGACAATAATGGCCACTTAGCATTTGCTAGGAGCCGGGACCTAGTC CAAGCACCCACAAGCATGAATTTGCCAAATCTTTTCAGCAACCTCTTAAGGCAACTGCTATCATGATCCTCACTTTACACATGGAAGAGCAGAGCATGA TAGAATCTTTGGCCCCAAGGCCACATCTGTATTTGGGACGGGGGAGCGCTGGCACCCCAAGTGCCCATTCCTTCCCTTCTGTGACCAAGCCCCCACCCCTCCGGCTCTGGC

SEQ ID NO	GENE NAME	SEQUENCE
70	TNFRSF11A	GTCCAAAGGGCTAAGGGAGGGGTGCCCTTGTGACAGTCAACCGCCTTCTCCCTGACGCGCGCGCGGATCGTCAACATCTCGGTGCTGCCAGTCCGGCTCACGCTTCGCGCGCTCTGCACTGCCGAAGGGAGCGCGCGCGCGCCTCGCCTGGTCCGCGCGCGCCTGGGCAACAGCTTGGCAGCCGTGGAGCGCGCGTGAGGGTACGGCCACCTAGTACCGCGCAACTGCCGCACTGACCCCATGACGGCGCTACACGTGACGGCGCGCAACAGCTTGGCGCTCCGAGGCCAGCGTCTACCTGTCCGCTTCCATGGCGCCACGCGGGCCTCGACGGTCGCGCCTCCTGCTCGGCGCTCTCGGCTTCAAGGCGCTATGAACTTCAAGGGCGACATCATCTGGTCTACGTACGCCAGACCTCGCAGGAGGGCGCGCGCGCTGCGGAGCCCATGGCGCGCGCGCGGAGGAGACCTGGCGCGCGCGAGACTCCTTCGCGGGGAACGGCGCGCTTCCCGACCCGTGCGGCGCGCGCGCGAGGGCTGCGGAGCCCGAGAGGCCCTCGAGGCCGTGCGAGCAAGCGCGGGCCAAAGGCTTAGCGCGCCCCCATGGCTGGGAGCCCCGAAGCTCGGAGCTCAGTGTATGTGGGAGCGCTAGATCGTGCACACAGTAGGGCTCAGGAAGTGTTCCTCCCAAGTAAATTTATTTCCCATGGTACTTTGCTAAAGTCATGAAATAA
71	ZNF236	CTCAGATTTTGTTCCTCAAGGAAGGAGAAAGGCCAGAAATTAAGAGCAGGCAGACACAAACCGGGCACCCCGACCCCTGGCCCTTCCAGCAGTCAAGAAATTGACTTGCCCTTCCAAAGCCCCAGCCCGGAGCTTGAGGAACGGACTTTCCTGCGCAGGGGATCGGGGCGCACTCGGTGAAACACAACCTTGCCCTTCCATTGTCTGCGCCTCCAAACACACCCCCCGCATCCGTGAAGCTGTGTGTTCTGTGTTACTACAGGGGCGCGCTGTGGAAATCCACAGCTCCAGACCGCGTGCCTGGCGCAGGCGCTCCAGACACACCGAGGGCCCTGCAGACACGCGAGCGGGCTTCAGTTTGCAACCTTGAAAGCGCGCGGTCCACCAGGACGATCTGGCAGGGCTCTGGGTGAGGAGGCGCGCTTATTTGGGTCTCTCGGCGAGCCACGTTGCAGCTCTGGGGAAGACTGCTTAAGGAACCCGCTGAACCTGGCGCTGGTGTCTCTCCGCGCTCGCTTCCCGACCCCGCACAGGCTACGGGAGACGCGCAGGCCACCCACCCGCTGGAGACCCCGGCACGGCCGCATCCCGCAGGATTGAAGCAGCTGGCTTGGACGCGCGGAGTTTCCTTTGGCGACATTCAGCGTCCGTGCGGCGCACAAATCCGTCCACTGGTTGTGGAA
72	chr18 group-00342	CGGTTGGAGTCCCCCAAGAAGGAGACACGAGCTCTCCAGAACCGCTACATGGCGATGGGCGCCAAACAGCTTCCCAAGGACCCCAAGGTCGCACC
73	OLIG2	CGAGCCCAAAATCACAGACCCGCTACGGGCTTTTGCAATCAGCTCCAAACACCTGAGTCCACGTCGACAGGCTCTCGCACAGGGGACTCACGACCTGAGTTCCGCTCACAGATCTGCGCTACAGATCTAGGAAAGGGTCGCCAACTGAAAGGCTTCAGGAACCAAGGATGATACCTGCGTCACTCCCGCGCTGCTGCGAGTGGCGCTCTCCAGGAGCTCAGACCCCTCCTTACAGCACACCGAGGGCCCTGCAGACACCAAGGATGATACCTGCGTCACTCCCGCGCTGCTGCGAGTGGCGCTCAGGACGATCTGGCAGGGCTCTGGGTGAGGAGGCGCGCTTATTTGGGTCTCTCGGCGAGCCACGTTGCAGCTCTGGGGAAGACTGCTTAAGGAACCCGCTCTGAACCTGGCGCTGGTGTCTCTCCGCGCTCGCTTCCCGACCCCGCACAGGCTACGGGAGACGCGCAGGCCACCCACCCGCTGGAGACCCCGGCACGGCCGCATCCCGCAGGATTGAAGCAGCTGGCTTGGACGCGCGGAGTTTCCTTTGGCGACATTCAGCGTCCGTGCGGCGCACAAATCCGTCCACTGGTTGTGGAA
74	RUNX1	CGGCTCACAGATCTGCCCCGGGATCTCCCCGGGCTCGCCGGCTCCGCCCTGCTCTCCACCCCTCTCCGGGCCAGTACCTTGAAAGCGATGGGCAGGGTCTTGTTCAGCGCCAGTGCGTAGGCAGCAGGAGCAGGAAAGTTGGGGCTGTGGTGCGCACACAGCTCGCGCGGGTGGTGGGCCAGCACCTCCACCATGCTGGGTCTGCCGTCCCTCAGCTTGCCGGCCAGGGCAGCGCCGGCTCCGGGGCGCCACGGCGCAACGCCCTCGCTCAATCTGCCTGGCTCAGCGCGTGAAGCGCGCGCTCCTGCTGGCATCTACGGGGATACGCATCACAAACAGCCGATGAGTTAGGACCCCTGCAACACAGCTCCTACCCAGCGCGCACAGGGCGCGGATCTTCAGCAA
74	RUNX1	GCAGCTCCCGGGAGACCAACATACAGTTACAGGGGCTTTATTTACTGCGGGGGTGGGGGGGGCGGGGTGGTTAGGGGAGGAGGAGACTAAAGTTACTTAACA
74	RUNX1	GTCCAGGAGGGGAAAACGTTCTGGTCTGCGGATCGGCCCTGACCCAGGATGGGTCTTAGCAACCGATTCGTAGTGCAATTAATAAAGTGGAGACTATCTTCCACGAATCTGCTTGCGAGAGGTTAAGTCTGTCTTTGGCTGTAGAAAAGTTCTTGAAGGCAAAATTCATACACTCCCTAAAAATATTTATGCGAAGAGATAAA
74	RUNX1	CGATCAGCAAAACACATTAATTTGGAAATCCAGTAGTTAATGCTGTGAGTTTTCCTGAGTGAGTTTGTCTAAAGTCCCAACAGACACAAATTAATCTCCCGTACAAGGCCACTTTTATCATGCAAACTGGCTTCAGTCCCGGAAAGCAAGAGCTGAGACTTCCAAAGGTAGTGTCTAAATGTATGTGCACGTATATAAATATATACATATGCTCTACTTTCATAAAATATTACAAATACAACTCTGGAGAAATTAACACACACAGAAATCCATTAATGTACGCTGCAGATTTTTTAAGTAGCCTT
74	RUNX1	GAAAAATCAGCTCAGTAGTTGGAGCAGTGCTGAGCTAGAAGTACTGTCTGTTCTCTCTCAATGAATTTCTGTCAAAACGCTCAGTGCAGAAAAATTCAG

SEQ ID NO	GENE NAME	SEQUENCE
		CGTTTCAGAGATCTTCAGCTAAATCTTAAACAACAATCATAGAAGGCCACGATCGATGACACTCAGGGTTCTACAGCTCTCCACATCTGTGAACTCGGGTTTG GGGATGTTGGTTAAGTTTGTGGCTGGTCTCTGGTTTGTGGAGTTGACGAGCCGAGAGTCACACACATGCAACACGCACTCTTCGGAAGGCAGCCACTGT CTACATCAGCTGGTGACTCAGCCCTGACTCGGGCAGCAGCAGACGATACTCTCCACCGTCGCCACGACCCGCCGTTAGCTGCCGAGGCACGAACACC CAGAGCGCCCGTAACCGCAGCAGGTGGAGCGGGCCCTTGAGGAGGGCTCCGGCGGCAGATCGAAAACAGATCGGGCGCTCGGTTCACACACGCACGCACAT CCTGCCACGCACATGCCACGCACACGCAACTTCAGGCTCGCTCGGACACACAGAGCACTTTCTCCCTCTGTGTAAAAGGAAAACAATTGGGGAAGATTTCG CAGCCAGGAAGAAGTTGAAAACAATCCAGCCAAAGAAGCCAGTTAATTCAAAAGGAAGAAAGGGGAAAACAACAAAAACAACAAAAAGGAAGTCCAACCGG AGCCAAAGGAGAACGACAGAGGTTGACTTCTCTGTGGCTCCCTAGGAGCCCCGGAAAGAAAGTGCTTGGCGGCAGAGGCCGGGACGCTGGTGCCCTGGCTG GGTCCGGCCCGGGGCCCCGTCCCGCCCGCCCCGTGGCTCTATGAATGAGAGTGCCGTGGAATGAACGTGCTTTTACTGTAAAGCCGGCCGAGGAATTCC ATTCCCTCAGCTCTGATAGGGCGGCGCGGCCAATCACAGGCTTTCCGGTATCAGCCAGGGCGCGGCTCGCCCGCCGCTCTTACTGAAATTGGCCCG CGGCCCCCGCGCGCGCGCGCTACTGTACGACAGCCCCGGGGGGAGTCGGAGGCCACCCCGCGCCCCGCATCCAAAGCCTGCATGTGCCCCGGGGCCC CGCCCGCTGCGGACCCCCCTTCCGCAAGCCACACGACAGGCTTGTGCGGCTCCGCGAGTGGCCACGCTCCGGAAGACAGCAGGCCCCCCGCCGCGCC GAGGAGAACCCGGCGCGCGCACCCGGAGAGGCCCGGCCCGCTGTGCGGCTCCGCGAGTGGCCAGCTGAGGAGGCTCCCGGAGGCTCCCGAAACCGGGCTGCAGCC CGGGACGGCCCCAGATCTGCGCGGCCCGCCAGGGCCAGGCTCCGCTTCCAGGGCGGGGTGCGAATTGGCCCGGGGCCAGGAGCCACTCCGCGCTCC TGACCGCTCCGGCTGGCAGCTGCGGGAAGCGCGCTGATTCTTGCATGAGCCCGGACGGGCTCCGGCGTGCCGCTTGTCTCAGCGTCTTCCCTTGGGTG GTTTCTGTAATGGTGTTTTTACCGCTGGCCCGGGCCGCGGCTCGATCCCTCCGCGGCTCACATTGCTGCGTGCATGAGCGGCACGGAAGATTTCCTAG TCAGGAAAGACCCCAAGACGCGGGCTGGAAGGAAGTTGAAAGCAGCCACGCGGCTTGTCCCGGCCCTGTAGCGCGGCACCCGACAGCAGCCGGACAGCC TGCCCGGGCCCCCGCTCCCCCTCCGGTCCCCCGAAGCGGCCCGCTCTCTCCCCCGCCGTCGAGCGGCCCGCAGCGGCCCGCAGGTGCGGAACCCACCCCGGCT TCGCGTGGGGGGCCGCTTCCCCCTGCGCGGTCCCCGCGGTGCTCGGGCATTTTCGCGAGCTCGAGGGCCCCCGCCCCCGGTCGCGCTCGCTGCCAAC TCCGACCCCGCGCGGGCTCCCTCCACGCGGAGGTGCTCCCGTACCATGAGTCCCTCCACGCTCTCCGCGGCCCTCAATTAAGTCCCCCGCGCGGGG TCCACCCCGGGGTGCAACCCAGTCCCCGGATCCGGCCCCGTTCACACCGGGGTGCTTTGTGTTCCCGCGGAGCCCTCAATTAAGTCCCCCGCGCGGGG GTCCCTCGCGGACTCAGGGGGCCCTGACGCCGCTCTCTCCCTCCCGCAGGGCTAGGTGCTGTGGCGCTGCCCGCAGGGACTGTCCCCGGCGCTTGGCCG GGCCCGGACGAGAGGGGGCCGGGTGACTGGCGTGGAGGCTTTCGCGGCGGGCCCGGACTGCGCGGAGCTGTGGGACGCGCGCGGGCTCTGGCGGA CGCCAGGGGACGACGCCGCCCTCCCTGGACCGCGCGCAGTCCCCGAGCTCCCGAAACGCCACGCGCGGGGCTGTGGGCGCGGCTCGTGGCGCTTC GGGTGCGCCCGGGAAGAACTAGCGTTTCGAGGATAAAGACAGGAAGCGGCCCGCCAGAGCCCACTTGAAGTGAACGGCCAAAGGCGGTTCCAGAGTTCCAAATATA GAGTCGACGCGGCCAGGTGGGACTCTCGGACACAGGCCCTCCCCGTGTGGCGCCCGGTGCGGGTCTCTCCGAAGCCCTGTCTCTGGGGCTTGACTCGGGC CGCTCTTGGCTATCTGTGCTTCAGGAGCCCGGGCTTCGGGGGGGTAAAGCGGGCGGCCCGCGGCTCAACCCCTCTCCGCTCCCGCTCCCGCTGGGCACTGCCA GCACCCGAGTTCAGTTTGTTTTAATGGAACCTGGGTCTCGGAAGAGAAAACCTACTACATTTTCTTTTAAAAAGATTTTTTTTAAAGCTAAATCCAGTTGTAAA TCCCCCCCCCCCCCAACGTCCTTCTAATCTGTCCCTGAGAAGAGTGATCGCGCGCGGCCCGCCCGCAGGGGCGCAGCGCTTTTGCCCTGC GGGTTCGGACGCGGCCCGCTCTAGAGGCAAGTTCTGGGCAAGGGAACCTTTTCGCTGGTCTCCAATGCAATTCGCCGAGATCCCAACCCAGGGCTCCCTGGGG CACCCCACTGATCCCCCGAACCCCGAGATCGGGAGGGAGCACGAGGGTGTGGCGGCTCCAAAAGTAGGCTTTTGAATCCAGGGGAATAGCAGACTCG GGTGATTTGCCCTCGGAAAGGTCAGGGAGGCTCCTCTGGGTCTCGGGCGGCTTGCTAAACCCCAACCCCGCAGCGGGGCTCGGAGTCGGAATCGGGCT GCGGTCTCCCAAGGAGGAGTCAAGTTCTTTATCGAGTAAGGAAAGTTGGTCCCCAGCCTTGCAATGCACCGAGTTTAGCCGTCAAGGACGCTCGTGGGAGCTG CTCAGCTAGGAGTTCAACCGATAAA

SEQ ID NO	GENE NAME	SEQUENCE
75	AIRE	TTCCGAAGTGAGAGTTCTCTGAGTCCCGCACAGAGCGAGTCTCTGTGTCCCCAGCCCCAAGGCAGCTGCCCTGGTGGGTGAGTCAGGCCAGGCCCGGAGACTTCCCGAGAGCGAGGAGGACAGCAGCGCTCCATCACAGGGAAGTGTCCCTGCGGAGAGCCCTGGCCCTGATTGGCGCCCGGGGCGGAGCGGCCCTTGCTCTTTGCGTGGTCCGGGGGTATAACAGCGGGCGCGTGGTCCGACACCGGGGAGACGGCGGGGCGCACAGCCGGCGGAGGCCCCACAGACCCCGCGGACCCGAGGC CAACGAGGGGCTGCCAGTGTCCCGGACCCACCGCGTCCGCCCCAGCCCCGGGTCCCGCGGCCACCCCCATGGCGACGGACGCGGGGCTACCGCCGGCTTCTGA GGCTGCAACCGACGGAGATCGCGGTGGCCGTGGACATC
76	SUMO 3	ACGCACACTGGGGGTGTGATGGAAGGGGACGCGATGGATAGGGGTGGCGCACACTGGGGGACGCGACGGGTGAGCACACACTGGGGGTGTGATGG AGAGGGCAGCGCAATAGGGAGGGGTGGCGCACACACAGGACGCGATGATGGGACGGGTGGCGCACACACAGGTGGCATGATGGGAGGAGTGGGTACACACC ATGGGGGGCGTGATGGGAGGGCGTGCGGTACACCGGGGGCGCATGGGAGGGGTGGCGCACACACCGGGGACGCGATGGAGCGGTGGGTGCACACACGGGGC GCGATGGGTGGGAGTAGGTGCACACTGAGGGCACGATGGGGGAGACACGAAGGAGAGGGGTGGCGCACACTGGGGGACGCGATGGCCGGGACACGATGCGGAG AAGTGGGTGAATACCGGGGTCCGATGGGCGCCCTGGAAGGACGGCAGTGTCTACAGGGGCCAGGCCCTCAGAGCGCGCCCTTGGGGGTAAACCCAGAC GCTTGTTCGCCAGCCGACTCCGTGCACTCGACACAGGATC
77	C21orf 70	CCACAGGGTGGGGTGGCCCACTGGCCCTGTCCATGTGGCCCTGGGCCCTGCGGGGAGAGGGAATCAGGACCCACAGGGCGAGCCCCCTCCCGTAGCCCCCGGGCA CCGACTGGATCTCAGTGAACACCCCGTCAGCCCCATCCAGAGGCTAGAAGGGGGA
78	C21orf 123	TTGAGGTCTCTGTGCAATGCTTGTGCGTACCCTGGACTTTTGCCGTGAGGGGTGGCCAGTGTCTTGGGTGCCCTTGGCCAGACAACTGGTCTGCCGGGCGGAGCAATT CATGCTGGTC
79	COL18 A1	TGACGGCGCCCTCTCCCCCGAGCTCCACCTGGTTGGGCTCAACAGCCCCCTGTCAAGGGCGCATGCGGGGCACTCCGGCGGGCCGACTTCCAGTGTCTCCAGCAGG AACACACTGTCTCGCACTAGGTGCTCGCGGAAGAGCGCGGCGTCGATGCTGCGGCTCAGGTTGATGGGCGATGGCGGCCCGCAGATCCAGCTCGCTCAGCGATGG CGCCGGTCCACACACCGTTGCGGGACAGTCCCGGGCCACCCCTGGGTCCGCGACCCCAACGACGACGAGCCGAGCCCCAGCCCTGAACCTGGGCGTGCCAGCTGCC CACTCTCCGCGGGTTGCGGATGAGGCTCTTGTGATGTCCAGTGCCTGCACCAACGTTGCTGGGCCCTGCATAGCAGTTATTGGGTGCTCCGGCACCTCG CTCTTTCTTGACGGCGCGGGCACGCCAGACGCATCAGCTTAGCCCCAGCAAGCGTGTCCGTGGGCGGCCCTGGGTCTCGCGGACGCCACCGCGGCCCAACGCCAG GCGAGCGCCCATGTCACTCCAGGAGGCGCAGCCAGAAGTGAACACCCCAACAGGCCCAAGAGAGCGGCCCAAGAGAGCGGCCCTGGGCCGGGTACAGCCAGAGCG CAGCCGCCAGCTGCAAGCCGCTAGCCAGCAGCCCCAGCGCGGCCCGCCACAGCCCAACAGCCGAGGGCCCCGGCTGGCATCCACAGCCCCCGTGGGCGCTCCAGCAGG CGGGACGGCACAGGCAGCGTGGCCAGAGCCAC
80	PRRT3	GTCTGACGAAGCCCCGGGGGCTGACAGGGGGCCACGCGACTCTGTCCAGGGAACCGGTGCGCAGGAGCAGCCGGGGCGCGGGCGCGGCCCGCCCTTGGGGG ACTCTGGGCGCGGGGCGCAGCTCGATCTGACGCTTGGGCACTGTCCGGGGCTTGGCGGCGCGGCCCTCTCCAGAGCCACCTCCACACACTCGAACTGCG CTGGGGCGCAGGACTTGGCCCCACGGGCGCGCAGCTCTAGGTAGGTGGCCCCAGCGGGAGCCACCATCGGGACCTGGGACTGGCGTGGGACCGCGCGGGAGAC GCTGGCCCCGGCGGCAAGGGGCTGATGAAGGCCGGCTCCGTGAATGTTGTTGCGCTCGCGATCGTCTGCGCCGAGCAGCCGAACAGGGGTCCGACCGCCGAA GATGACTTCCATCTCCCCCGACGGCAGCGTGCAGACTGGGGTGGGCGTGGCGGAACTTGGGCTCGCGGGAACCCGAGCCGGGCGCCGTGCCGCT GGCGGCTATTCTGGGCGCTGACGGACAGGCGAGGCTGCGCGCCCGCCCCCGCCAGGAGCCACCCAGGGCCAAATTCGCTGGGCTTTCGCGTCCGGGCCCCAAGG TCCGGGGGCTCCGGAGAACCTTGGAGCCGTGTAGTAGGAGCCTGACGAACCGAGGAGTCTCTGGCGCCGCGGGGGCGGTGGGCACTGCCCTGGGATCCCAAGG
81	MGC29 506	

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
86	chr18 group-00304	TTGCCCCAAATCCTTGACAGAGGGGTGAGCTTGGTTTCATCCGCCCCACCCAGAGAAAAGCTTCCC TAGTTTCTTGACCTCGCTCCTCCACCCCAAGCTGAGCAT
		TCCAGGTACCCCTCCCTGTTCTCAAGCCCTGACTCAACTCACTAGGGGAAGCGGGAGCTCGGGCCCAAGAGCTCCCTGGAACCCGCTGCCAGAAGACAG
		GCTGGGGGTCGGGAAGGGGCCCGAGCCAGAGGCCCTCCTGTGCTCTTGGTGAAGATGCCGCTATAAACTTGAGCATCTTTGGGTCACGAGTGGATGCTC
		GGCCCCCTCCCGGCCCTGTTTCAAGCCCGAGCTGGAGGCTCCAGAGTCAATTGAGGTGCAGGCCCGGGGGCTGCGGGAAGACGCGGTGACAGCAGTGGCT
		GGACTCGGAGTTGGTGGAGGGTTAGCGGAGGAGAGACCGGAGGGTCCCGATGCAAGTCACTGTGTCCAAGTCTTACTCTTGCCCTTTCCGAGGGGA
		CAACTTCCCTCGGGTCCAGCCCCAGCCCCACACAGAGTCAAGTCAAGTCCCGCGGCGGCGGCTGCGGCGGAGAGACCGAAG
		CTCCAGTCCCGGGCTGCTCTTTGACCCCTTGACCTTGGCTTGGCTTTCGGGCTTTCGGGCTTACCGGCTTTCGGCTTTCGGCTTTCGGCT
		CCACTCGTGTCAAGGTCTTGCAAGGTCTGGAGCCCGCGGAGAGGCGCACTTGAGCTTCCGGTTCGGGTGCCAGAGGATGAGCCAGGGAT
		GCCGCCGCCCGCCCTTCGGGCTCCGGGCCGCCCAAGCTCGGGTGTGCTGAGCAGGGGGCGCCGGAGAGGTGGGGCGCCCAAGGCTTGGGGTTCGGGGC
		TCAGTCCCCCGGAGAGCGGGGTCCCGAGGACGGCCCCAGAGGAGAGGCGCGCGGAGACTGGCGGGCGGAGCTGGCCGGAGCCCGGGAC
AGGGTGGGGGTCCGCGCCCCCGGTGCTCGTGTGATCCACAGCGCATCTGCCGTGGAAGAGACGTTCTGTCGGCTTCTTGCCCCGCTTCTTGCCCCGCTCCTC		
CGCGCTTCGGGGGTGCCAGGATCCCCAGTCTCGGAGCTCTGGACCCGCGCGCGCGCGCGAGAGCGGCGGCGGAGGACCGACTCGA		
GCTTAACCAAGGTCAGCGAGATGAGGTAGGTGCTTGTCCGGGCTGAAGCGCCCCGCGCGCGCTCATGGGCCCCGAGACCCCGAGCTGGGAGGGGAGG		
GGACTCCCCCGGACTGCCTCAGGGGGCCCCGGCCATGGGCGGCCCTGCTGCTGCCCCAGCCCCCGACCCCGCTGAGCCCCCGGCCCGGCTCCGCTGTGCG		
CGCGGCTCCGCGGCTCCGCTTGCGCCCCCTCCCATCACATGGGGCGCCCCCTCCCATGCTCCCCGCTGCGCCCCACCTCTTTGAGCCCCCGGGACCT		
TGGTGTGCTCCAGGAGGCGCGCGGACCTCACCCCCGCTGGTGGGGGCGCTGAGATGGTGGGGAGGGCGGGGAGGACAGTAGTGGGGGCAATGGG		
GGAGAGAGAGGAAAGGAGCAGAAAAGGACCCGAGGCTAGGGAAACGAACCTGTGCGGGGAGCGCAGGGCGGGAAATTGGGACTCAAGGGACAGGGGCC		
CGGGATGCGGTTCGAAAGAGGGTCTAGAGGAGGGTGGGAAGCTAGTGG		
87	TSHZ1	AGGAGCGCAAGGCTTGCAAGGGCATGCTGGGAGAGCGCAGGGAACGCTTGGAGAGCGCGGGGAAATACTCGGATTTGGTCCCGAGGGCTGTGAGGAGGGCACAGAGG
		GGACACTCCGATGAAGGCAGGGCACGCGGGGCGAGCCGGGAGCGTCTCTTGAGGGCAGCGAGGAGGAGCTGAGGCAACGGGGCTCTCAATCGACGCCCCACAG
88	CTDP1	AGACCAAGAGGCTTGGGGGCGAGCTGCTTGAAGGAGGCAGACGCGGAACGAGGAGACTGCTGGAGGCCCTGCCGCCACACCGGCCCTTTCTCTCCCCCT
		GAGGAGACGCCCTGACGCATCTGCAGTGCAGGAGGCCGTGGGCGTTAGAACTGTGCTTTTCCAGTTTGTAAAGACCATTTTCCCTGATCTCTTTCCCCACAGGTTGC
89	KCNG2	GGAGGAGCAGGTCAAGGCCGCCATGAGGGCAGGATC
		TCGACCGCTACTATATGAAACACAGCGACCGCCATTGACTTAACCAAGTCCAAGAACAGCCGCTGGTGTCTCCAGCGTGGCTGATTCGGTGGCATCACCTCTG
90	CTD11	CGGGAGAGCGCACTCATGGACATCTCCGACATGGTGAACCACTCACAGGCGGCTGACGCCCAAGTCTCCACGCCCTCCACAGTTTCAGAGAAGTCCGATGC
		TGATGGCAGCAGCTTTGAGGAGGC
91	CTD11	TGTGCCGTTCGCAACAGACGCCCTCAACGTCGAGAGCTGTGAGCGGGGCGGTGCTCTTTGGGATGGGAGCCCCCGGGAGAGCTGCCCGCCCAACACCACTCCGAC
		GTGATCCATGCTGGACATAAAGTGCTCTTCCCTCCGCTAGTCATCGGCCAGCGGGGCCCTCGCTCCTGGGTGAAGTTCTTTCTGTGGTCTCTTCTCCCATCT
92	CTD11	CCGTGCAGTTTCAG
		CCATGCGCGCTGCGCGCGCGGAGTTCCGGGTGCTGTGCTTCCCTCTGGGTGGCCATGGCGCTCTTCGGGCCACTGGTGCACCTTGGCCGAGCGCGAGCTGGGC
93	KCNG2	GCGCGCGCGACTTCTCCAGCGTGCCCGCAGCTATTGGTGGCGGTATCTCCATGACCAACCGTGGGTACGGCGACATGGTCCCGCGCAGCCCTGCCCGGGGA
		GGTGGTGGCGCTCAGCAGCATCCTCAGCGGGCATCTCTGCTCATGGCTTCCCGGTACCTCCATCTTCCACACCTTTTCGGGCTTCTTCCGAGCTCAAGGAGC

SEQ ID NO	GENE NAME	SEQUENCE
		AGCAGCAGCGCGGCCAGCCCCGAGCCGGCCCTGCAGGAGGACAGCAGCTCGGCCACAGCCACCGAGGACAGCTCGCAGGGCCCCGACAGCGCGGCCTG GCCGACGACTCCGCGGATGCGCTGTGGGTGCGGGCAGGGCGCTGACGCCTGGCGCCGCCAC

Table 4B

SEQ ID NO	GENE NAME	SEQUENCE
90	TFAP2E	GTCTTAACATCCCAGGTGGCGGCGCTGGCTCCCTGGAGCGGGCGGACGCGGCGCGCGGACTCAGTGCACAAACCGCGGGACGGGGCCACGGGACTC ACGTGGACAACCGCGGGACCCACGCGCCACGCGGACCCACGCGCCACGCGGACCCACGCGCCACGCGGACCCACGCGCCACGCGGAC CCCAGCGCCAGGGACCCACGCGCCAGCGGGTCTGTGCCCTAGTGGAGGAGTGGAGCGCTGGCGACTGAGCGGAGACTGCGCCCTGGACGCCCCAGCGCTAG ACGTCAAGTTACAGCCCGCAGCAGCAGCAAGGGGAAGGGCAGAGCCGGGCACAGTTGATCCGGAAGTGTGACCCAGGGGAAGCGTGGCGGCTCGAC CCAGGCGAGCTGCGCGCGCAGGAGGTGGGTCTCTGTCTCTCTGGAGCCGCCCTCCCCACACTGCCCTCGGCGCCCCAGCAGTTTCACTTGGCCCTCC GCGGTACTGTCGGGATTTCGGGCTTCCCGCCAGCCCAAGTGGGAGTGAATTAGCGCCCTCTTTCGTCTTCGGCCCTTCCGACGGCACGAGGAACCTCTGTCTGC CCCACAGACCTTCGCGCTCCGCGAGTTCGGTACTTGAGCTTCGCCCGCCAGGCGCCCTGGAATCAGAGAAAGTCTGCTCTTTTGGCCACCTGAAGCGTTCGGATCCCC TACAGTGCCTCCACAGCTGGCGGGAGCGCGGCTGCGTTCGCTGAAGGTTGGGTTCCTTGGTGCGAAGGAGGAGCAGCTGCAGCCTCAGCCCCACCCACAGAAAGC GGCCCTTCGCATCGCTGCGGTGGCGTCTCTGGGCTTCGACTTCGCCAGCGCCGCGGGCAGAGGCACCTTGSAGCTCGCAGGGGCCAGACCTGGGTTTGGAAAAGC TTCGCTGACTGCAGGCAAGCGTCCGGAGGGCGGCGAGCGAAGCCCCGGCGCTTACCACACACTTCGCGGTCCCCTGCGGTGTCATCCGCGGTATTGGGC AGGAATGGCAGGGCTAGGCCGACCCCTAGGAGTATAAGGAGAGCCCTCCATTTCCTGCCCCACATTTGTCACTCCAGTTTTCACCTTATCCACAGACACACAGA AAGCAAGCAGGACTGGTGGGAGACGGAGCTTAACAGGAATATTTTCCAGCAGTGA
91	LRR8D	CACCTTCCCCGAGGTAATTATTTCTGGGGGTAGGGGTGGGGTTGGGAGGTGAAGAAAGAAAGAGGCCGATCACACTGGGCACCCGGCGGGAGGAA GCGTGGAGTCCATTGATCTAGTACTTGTGGGAGGGAGAAACCCGAGCAGCTGCAACCGAAGGCTGTGACGAGCGGGCGGGCGGTGGCTGGCAGCG AGGCCACACAGAGGGGGCCCGGGCCAGGCCCGCCACCTCGGCACCAACCGGGCAGCCGTCGCGGGGGTCCCAACGCCACGGGAGCGCTGGGTGCCCA CCATGGCAGTTATGCAAGCGGTGACCCCTGGTCTTGCTCCCGCCGCTGCATCTCTCTCCCGCTGCCGACACTTGGATCTCTCTAGCTCTTTCTCTC CCTGTGTTTTCAACACAGGAAGTGCACGGCTGCTCTATAACGTCTGCCGGTCTCAGGATGGAGAGTGAAGTCTCCTGTCCCGTGGTTCAGCCTCCGAGC TCGCCCAAGCCGCTCCCCAGAGAGCGCCCTGAGAGAACAGGGTGGCGCTTGGTCCAGGTGCGGGGTTCGGGTCCAGGAGCGGGTCGGGAAGTCT GCGGACGAGACACTGCTAGTGTGGAATCTGCATCTCCAGCTCTGTGCTGAGTTTCACTTGCCCGCCCCACCACTGGCTTCTCAACCCGGGTCTCTGCGCAA ACTCTGCTGTGCCGCCCTGGGTCGGGCCGGGGAAGGCCCTGGCGTGGCTGCGGAGCGGCTCCACTAGGGCGCTTTCAGAGGCTGGACTG CCGGGGCTGCGCTGGAGTGCAGTGTCTCGGGAGTCTCTCTGGAGTCCCCAGTGGCCCTCTCCACC
92	TBX15	CTCCTCCCAAGTTACGCCACCGGTGAGGACGGCAGGAGACCCCCCGAGTGCAGAGAAAGCTCAACCGGCGAGCGGAAGTCGGTCTTAGCCAAAGCTGAAAAACGT CTCGGATTTTCGGGACAGCGGCTTAGACACAGCCCGAATCTTCAGTCCCTAGTGGCTGGTCGAGACGGTCTATCTCTTTGCAAGAAAGCCGGAAA

SEQ ID NO	GENE NAME	SEQUENCE
93	C1orf51	TCTCGGTTGCAATCCCCACCCCTCCTCACCCAGCAGGGCAGGAGGCCACCAACTTTGGAGGAGAAAGGGTGGGGAGGTGAACACAGAGACCGGAGAGTCACGAGG GCTGGGCCCGCAGAGAGAGAGAAATATACCGTGTACACACACCTCCATTCTCTCACACACGTTGCAGACACAAATCACTGACGTTTCCACGTCGTGCGCTCGTG AGCGGAGGTGTTCAAAGAGGGGCGAGTAGTTACTTCCCGAGACGGAACCGGGGTCCACGTCGCGCCCTTCAGTAGACACAACTCTCTGAACACTCAA ACCGCGCATCTCTGGCGCATCACCATCCATTAAAGGCCACGGGTCCGCCCCCTTTTCTCCCTCCCTCTTTTCCACTTTTTTCCA CTGCCAGAGATGTCTGTCTTGGCCCCCGCATGCATGCTGCGGGGTGCGCTGCATCTCCCGGGGGCCACACGGGTCTGGCCCCCGCGCTTCTACGTGTG GGGGATGCATGGACCTTGGAGATCCGTAGTTGGCCCTAACCTTCTCGGAATCTCCTCTGCACGCGCTGCCTGTTCCTCTCTGCACGCTCTGTCCGTTCCTTT GCAACTTCTGTGGAAATTGCTCTGGCGTGGAAACGCCCGCGCTCTTTGGCACTTAGGGTGTAGTGTTCGCCCCCTTCCCGCAGCGCTCAGGGCAGCATCC CGCTCGAGGATGACGGGTCTCACCAAGAGTAGAGGGGACTCACCGCCCCCGGGAGCGGAGCCAGGCTCCGAGAGGAGCAGGCTCGAGCCGCTGGGT TCGCAAGCCTTGGGGCTCTGGCCCCCTTCCATGCCCTCCGGCGCGGGCGGCTCAGCAGTCCCCGGCTTCGGGAAGTTTGTGCGCGGATCGCTGGTGGGGA GGCGCGCGGCGAGTGGCTGAGCTTGCAGCGAAGTTTCCGTGAAGAAACTGCATGTGCCCTTTGGAGCGCATCGGGACTGCTGTAGGGTGGACTGGGTGTCT ATGAGTTTGGGGTCAAGCGAGTAGGGTGGGTCTCTTCTTGGACAGGACTGGGAATTGGGGCTCGAAGTAGGGG
94	chr1:17 955390 0- 179554 600	AGGGGTGTCTCCAAACATCTCTGAACCGCTTCCCTTCTCTCTACTGGCGCCCTCTTTGCCCTCAGTCGTCGGAGATGGAGAGCGGCTGAAGATTGGCAGGCGG CGGCCAGGTCGAGGCTGGGAGACTCAGAGCGCTGAGGCTGCCGGAGCTCAGGGAGCGCTTAGGTAGCTGTGCGGTCCGACAGCGAGTCCGGG TCGTACTCTCGGGCTGGAGCAGCGGAGACAGCGCTCCCCAGCGGACTACAGAAATCCCGGGTGTGCGCTGGGGCCCCTGATTTGGCAGTGGTGGAGTCTTCTG AGCCTAACAGCTACTAGGAATGACAGAGTTGCAGATGGCTTTGTGCGCCCCGGGGCGGCTCAAGCTGCTCTGGTCCCAGGCTCTGTCTACGGCCAGGCGGCC GGCTCAACGGGCCGAAGGAAATCGGGCTGACAGTCTTAAGTCCACGCTCCCTGACCTCAGGGCCCCAGAGCTCGCATTAACCCGAGCAGTGCGTTGGTTA CTCTCCCTGGAAGCCCCCGGGGCAAGTGGAGTTGCTGACTGCGGTCTTTGGAGGCTTAGGTGCCCCAGATAGGCGGAGCCCCGTATCCCTCCCTG GAGCCGGCTGCGGTGAGTACCCAGTACTTAGGGAGGAGACGCGCTTGGTGTCTAGGGTAGGCTGGGCCGCTGTAGTCTTGTATTAGTCTCATGT CCGCTTTGTGCGGCCCTCTCCGATTTTGGGTCTCTTCCAAGAAAGATCTCTAGGGCAGTAGGTCGTCTTTGGGTCTGGCAGGCGGCGAGCCCTCTTTC GGACCTATCCCCAGAGGTGTACGGAGACTTCTCCACTGACGGGGCGCTGGGGCGGCACTGCCAGGCGAGGAGTCCCTGCCCGAGATTGTGGGGA AACGGCTGGAAGACACCCCATCGGAGGGACCCAAATCTGCCCTTGCATCCATCCGAAACCCAGGAGAAACCAATTCAGATTCCAGCCGAGAGGC ACCCCGGAGTTGCCAAAGAGACTCCCGGAGGTGCTCGGAACCTTGACCTGACACTGGACGCGAGGTCTTTCAAGACCACTCTGGCTCGGTAGCCTGG TCCCGACCAACCGGACAGGAGTTCCTTCTTCCCTTCTGCTACACGCGCGCGGCAAGCGGCTCCAGGAAGGAGCAACCAACCCGCGCTGGGGCGGAGG TTCAGGCGGCAGGAAATGGAGAGGCTGATCTCTCTCTAGCCCCGGGCAATTCATTAGGTGCGGAGGCCCTGAGGTTCAAGCTTCCCGACTCCGCCGGGC GCTTGGTGGGTCTTGGGTCAACCTTACACCTGTGTAACAGGGTGTACCTTCCCGAGGTGTACGTCCCGCGCTCGGCGCTCATCGGGGTG TTTTTTCACCCCTCTCGCGTGCACGCTTTTCTCTACGTCAGCTCAGCTCAGTCTGGGTCTCCCTGCGGCTCCAGCCTTCCCTAGGCAGC TTTGAAGGCGCCAGACGACTGAAGTCTTACTGCTAGGATGGAAACACGATGAAAGGAGGAGGCGCCAGTCAAGATCCCTCTCTTTCGGTTTTTCTTCAACTG TCCTTCACAAAAACATTTATTTCTGTCCAGCGCCCTGGCGGATTTCCGAGATGGGCCCTAGGGGTGTGGAGGCCAAATCCAGGATGCTGGTCTGCCIT TTTTTCAATGGCCAAAACGTATTTCTTACAACGACTAAAGATAACCAAGAACTGAGTAGACCCCTGTTCTCTACCAAGATCTCCCTGGCTCTGTTTAACTTTTC TGGTGCAATGCGATGCCACCAACAGCTCCCGAGGAGGACCACTCCCTCAAGATACCAATTTGGGTAGGGAATTTAGTCTCTGGAGAGGTCAGCGGGCGCGG GGGTGGGGGTGGGAAGGAGACTGACAGGGACACACCGGAGCTCCGATACTCTCTCTGCCCCCTGTAGCCCCGGGCTTTAATGACCCCAAGCAGATTTCCCTG TCCTGTGCTAGCCAGCTGCCCTAGGGCTGGATTTTATTTCTTCTATGGGTTCACCCCTAAGGGCCCCCTGGTCTATGGGACCTGGTTGGGAACAATGAAG ATGCTTTGTAGCAAAATGCTTTTCAGGGGAGCAGAAAGAAGATTGGGCACTTCCAGTCACTTTAGGTGGCTGGAACAAACTGGTGACTTTCACGAC
95	ZFP36L2	
96	SIX2	

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
98	MAP1D	TCTCTAGTAACACCGAACCCCTCTCGTGTCCCGGGAGCTGCAGAGGAACGCCAGACCATCCGACCTTGCGGGATGGCTCGGTGTGTGTGTTTTACTGTGTGTC GGAGTGTCCGGCATGTGTGGGTGTGGGGCGCGTTATCAACAGGGGCGCTAGGGCACCCCCACTCTTTCTTGGTCTCTTCCCCCATCACTTCATGGACCTCCGAG GCGAAAGCGCTCGACCTCTCCTTGGGCTCAGTGGCTTGGGTACTCCGGGCTGAGCTCAGCTGGGAGTCCCTTACCCAGCCGACCGGCACCCCGAAGCTT CAAAGTTCCGGCAACACAGTTGCGGGGAGCAGAGGAACCTGAGGTCCAGGCCAGCGGCCCGGCTCGCTCGCTTGGGAGCAGGCTGAGCCGAGGGTCTGTGCGG GTGCGCGCAGAGGCGGTAGGAGCGGAGGAGAGGGGGGAGAAAGAGGGGCGGTGGGGAACAGCTGCCGGGTAGGCGAGGCGCAAGGTGGCT'CCCCCGGGCC CCGGCCCGCGGCTCTCGGACGACACAGGACCAATGGCTGCGCAGAGGTGTACAGCAGATGGCGTCTGACTGCGCCGTTCCTTCTCCTCCTCTCCTCCTCCT CCTTCTCTTCTCCTCCTCCTCTCTCTCTCCTCTCCTCTCCTTCACTGAGTGCAGAGTGCGCCGGGTGCCAGACGCTGGAATGGGTGGTCTTCCGA CACACACCACTCTTTCTTGGCTCGGGAAGCTCGGGGCTCAGCGGCTCCAGAGGTTACGGCGGCGGCTCTGGCGAGACGGGTGAGTGC AAGCACACGCGGAGC GCGACAGCATCGTCCCGGCTTCTCCAGCCAGACGCGGGGAACTTGAAGCGGATCTTCTCGGACGCTCTGGGCTGCGGGGAGCGTGGGCTGCCCGG GCGCGAGTGTGCGGAGACCTCTAGCGGGCGGGAGCGCCAC
		GTTATTATCCACGGGTCTTAATTAAAGCTTGATTAAATGCCCTTCTTTCTCTAAAAAATTACGAAC TAGGCAACTTCATACATTTTGAATGGCGCAGTGTTT CCTCTTCCAACCTGT'TTAGTTGTAGTATACATATGTAAGCAACATCAATTATCAACCCCTTGCAAGATGACAACATGAGCCTGTGGGGAAGCACCTTGAGGGGAGG GAGGAGAACTTCTCTTTTAAATAATCAGCCGAAACAATGTTTAAACAAGATCTGATGAGGTCACTGCAGTAAATATTTTTCCTCTTACAGAGCCAATCATC ACGAGGGA'TCCCCCTGAATTTAAAGTCTTGAGGATGCA'TGGACTGTGGTCTCCCTAGACAATCAAAGGTGTTGCTTTCTGCTCTGTGCTTTTAAATTTGTA TGGAAAGGAAGATTGGTCCGACGCGCGCTGTGTGCCCGCGCGGAGCTTGCGTGCGGCTTGAGGCTGGGTGCTGTGTACAGGTGCGCGCAGTTTCGAGCAC ACGGTTCTGATCAGCTCGAGGGCGCGCAGATCCTGACCAAACTACCCCA'TGAGGCTTGAGGAGCCGCCGAAGGTGCGGTGACCTGGTGCTCTTTTAAATAA ATTGCTGAAATTTGGCTGGAGAACTTTTAGAAGAAACAGGGAATGACCGGTGGTGCGGTAACTGCGTGGCTCTGATAGCGTTTGGAAGAACGCGGGGAGAG CTGAAGAGCAACTGGGAACTCGGATCTGAAGCCCTGCTGGGTCGCGCGGCTTTGGAATAACAAATCCTGGC
99	WNT6	TCCCCTGCTGTGGACCCGAGGAGAGGAACCTGGTTGCT
100	INPP5D	TCTCTCTCTCTCTCTTGGTTTCTGTAATGAGGAAGTTCTCCGCAGCTCAGTTTCTCTTCCCTCACTGAGCGCCTGAAACAGGAAGTCAGTCAGTTAAGCT GGTGGCAGCAGCCGAGGCCACCAAGAGCAACGGGGCAGGTTGCAGTGGAGGGGCTCCGCTCCCTCGGTGGTGTGTGGTCTCTGGGGTGCCTGCCCGGCC CGGCCGAGAGGCCACGCCACCATGGTCCCTGCTGGAAACCATGGCAACATCACCCGCTCCAAGCGGAGGAGCTGCTTCCAGGACAGGCAAGGACGGGAG CTTCCTCTGTGCGTGCACGCGATCTCCCGGCATACCGCTCTGCGTGTGTGAGTACAACCTGCTCCTCCCGGCACAGATATGACAGAGGGGCTTA GAGGGGCCACAGCTTTGAGATGGGTGT'TTATGTACAGAACAGAGTGTATCTGACATGCACACTTCCCCGCCACCCCTGTCTAT
101	chr2:24 121110 0- 241211 600	TGTCCTCGAAGAGGGCTTGAGCAGCAGAGGAGGACCCAGCGACCGTGCCTGAGCCGGCGCGACGACGACTGAGCACCTGATATGTCCCCGGCACTCGCA GCCCCGGCGCGGAGTCGCTGTGGT'GAGCGGTCTGTCAGGTTTACAGAGGCCGGGTCTGTGCCAGGGCCCCGACAGGGCAGGAAGCAGATAGATCCCCACAA GCACAAGCCCCAGTGCGCAGAAAGGTTACTTAAAAATAAGTTCTGTGATAAAATCAACAGGGTGAAGGCTGGAACAGGTCTATGAGGGCGCAACAGGTCTG GAGGGCGCAACAGGTCTGAGGGCGCAACAGGTCTGAGGGCGCAACAGGTCTGAGGGCGCAACAGGTCTGAGGGCGCAACAGATCGTGAGGGCGC AAACAGGTCTGAGGGCGCAACAGGTCTGAGGGTGC AAACAGGTCTGAGGGCGCAACAGGTCTGAGGGTGC AAACAGGTCTGAGGGTGC AAACAGGT
102	WNT5A	AAATGAGACTCTGGGGAGACTGTCAACCCCGAGGGTAAACAAAAATTTCTGATCAGAAACTGAGTTTCCCAAGAAGGGGCTAAATGTTTCCAACTTTTCG GGGCTCAGGAAGATGACTCTGTAAAGAACACTGAGAACTCTCTCTCGGTGCCACGGGAGGAGGACTGGGGCGTTTGAGGGGCTCAGCGCACCCAGAGGAGTGA

SEQ ID NO	GENE NAME	SEQUENCE
103	chr3:1389720-200	GGTGGAGGAGGGCGTTCCCGCGTCCCTCTTCAATCCAGAGCAGCTCAACGACGTGGCTGCCCTTCTATGTATCCCTCAAAGCCTTCGCGGT TAGGCTCTAGTGGACCTTAGCAGTGGGAGAGCTACTTTGGGCTGGTTCTTTCTCTGACGCTGCAGGGATGGGCATCGGCTTGAACCCAGAAAGCGCAGGAGCTGGGC CACGGCAGAGTAATTAAGAAAAATAATGAAATGATGGCGGATGGGGCGCTAGAAATCCTGGGGCGTCTACTTAAAAACCAGAGATTCGCGGTGCGGCCACACGGA ATCCCGGCTCTGTGTGCGCCAGGTTCCGGGGCTTGGGCGTTTGGCGTTCTCACACTAGGAAGGAGCCTGAAGTCAGAAAAAGATGGGGCTCGTTACTTCACTTT CTAGCCCCAGCCCCGGCTGGGTCCGCAGAGCCGTCATCGCAGGCTCCTGCCAGCCTCTGGGGTCGGGTGAGCAAGGTGTTCTCTTCGGAAGCGGGAAGGG CTGCGGGTCGGGACGTCCTTGGCTGCCACCCCTGATTCTGCATCCTTTTCGCTCGAATCCTTCGCTAGGCATCCTCCCCGATCCCCCAAAAAGCCCCAAGCAC TGGGTCTGGGTGAGGAAGGGAACGGGTGCCAGGCCGACAGAGGCTGAAAGGAGGCCTCGAAGGTTCCCTCTTTGCTACA
		GAGGTTGCTGACTCAGGAGCCAGGAGCTGAGAAACTCCTAGGCTAGCAGCCGTTGAGCCTAATTTTATTTTCTGGCTTCTCCGAAATGTCGTTTCCCTCAT CTTTCTGGTCTCTCTCTTATTTTCCCCAAACGCTACCTCACTTCGTCCTTCTCTCTCCCTCCCCCTCTCTTTCTCTATACTCTCTTCTTCCCCA TTTAGCCTTGAGGCCCCCTCCTCCCCGGTGTGGAGAGCTCAAAGACGGCGGAAACTCAAGGATCTGGCCCTGACCAGGACGGGATTAGCGGGGAAGTGGTGA CGCCTGAAAAGCTGGGCTCGAACCCGTGCCCTTCTGTAAGGACTCTCCCCGCCACAAGTCAACCCACCGGAGGCTGCTGGCCAAAGAAAACAAGGAGTC GGCGTGGATCCAGGAGAAACAGGTTTTCGCTCTCGGATCTCCTCGGGCAAACTAGGATTCCTGAGCGCTATACCCGCGAGTCGTACGGAGCCTCTGGGAAAGG GGATTTAAGGTTGACTTCCACTTTCAGTTTCGGCTACTTGTGTGCTGCGGTCCAAGCCTTCTCTGCTTCCCTACTCTGCTCTTAGGCCCTCTGTAGAAAAGTGCA CGCCGCGTTTCCCCCTTCAGGCTCTGAGAGGGCCTGCAGGCCCTGGCCGCTCCGACAAGATGCCTTCCAGTGTAGGGGGGCCACTTTTGGCGGGATGGGGGT CGGTTGGTTAAAAAAAACTTAAGTTCTGGCTCAGTCGAGTCGCAAAAAGCCAGGGTTCGGGGG
104	ZIC4	TACTGACCTGGTCTCGCCTCACCGGCCCTTTGCGGCCGCTGCAAGAGCGCACTTTGCTGAACACCCCCGAGGACGTGCCTCTCGCACAGGAGCGCCCCGTCCTTT GCTGGGCTGGAGCGGGCGCTTGGAGGCGGACACTCGGTGCTGTGTGACTCCCTCGCCTGCGCTTCTGCCGATCAAGGAGCTGGCTATCGCCGCGAGCCATAG CTGCTCAGCGAGGGCCTCAGGCCCCAGCCTCTACTGGCCCTCCGGCTTGCGCTCCGCCGGGCGAGGGCAGGACCTGGCGGCCAGGGAAGGGCAGTCGCGG GGAGGCAGTGTAAAAATTGAGGAGGCTGCAGTATCGAAAAACCCGGCGCTCACAAGTTAGTCAAAAGTCTGGGCGAGTGGCGACAAAAATGTGTAATAATCCAGAT GTAAACTTCCCCAACCTCTGGCGGCCGGGGGGGGTCCAGGCCCTCTTCGGAAGTAGACGTTTGGACCCCAACTTGCACCCCAAGCGGATCG GCTTCAAAGGGCAGTGGGAGTTTAGTCACACTGCGTTTCGGGTACCAAGTGAAGGGGAAGAACGATGCCAAAAATAACAAGACGTGCCCTCTGTTGGAGAGG CGCAAGCGTTGTAAAGTGTCCAAAGTATACCTACACATACATACATAGAAAAACCGTTTACAAGCAGAGTCTGACCCAGCGGGGTAGCGGCGCCCCGGTAGA AAATACTAAAAGTGAATAAAACGTTCTTTAGAAAAACAAGCCACCAACCGCACGAGAGAAGGAGGAAGGACGAATTTAACTCCCTGGGCCCCCGGTTCT GAAGATTAGGAGTCCGTCCTCCAGCAGGTTAGGTCTACAGAAATGCATCGGCCGCTTCCAGGGCCCGGCCACCCGAGTTCTGGAAATTCGAGAGGC GCGAAGTGGAGCGGTTACCCGGAGTCTGGGTAGGGCGCGGGCGGGGGCAGCTGTTTTCAGTCTGCGGTGAGAGCAACTCCCGGCCAGCAGGACTGCAAAAG AGCGGAGGCGAGGAGGGGAGGGCGCAGGGAGGGAGAGATCTCTCAGGGCCAAAGCACCCCTCGGGGAGAAACCAGCAGAGGCGATCTGCGGGGTCCC AAGAGTGGCGGCTCTTTCTCTTTCCGCTTGCTTTTCCGGCACGAGACGGGCACAGTTGGTGATTTATTAGGGAATCCTAAAAATCTGGAATGACTCAGTAGTTTAAA TAAGCCCCCTCAAAAAGGCAGCGATGCCGAAGGTGCTCTCTCCAGCTCGGCGCCCAACAGCCTTTAACTGGAGCTCCCGGCCATGGTCCACCGGGCCCGCCGCA CCGAGCTGGTCTCCGCACAGGCTCAGAGGAGCGAGGGAAGGAGGGAAGGAGGGCGCCTGGCGGGCTCGGGATCAGGTCTATCGCCCGGCTGCTGCCCGTG CCCCCTAGGCTCGCGGCCCGGCAGTCAGCAGCTCACAGGCAGCAGATCAGATGGGATTAACCCCGGACGCAAGGCCGATCACTCAGTCCCCGCGCCGCCA TCCCGGCCGAGGAAGGAAGTGACCCCGCGCTGCGAATACCCCGCGCTCCGCTCGGGTGGGCGGGGGCTGGCTGCAAGCGATGTTGGCTCGCGCGCGGTGAGG CTCCTGGCCGAGCTGCCCCACCATGGTCTGGCGCCAGGGGCGAGCGGGGCCCTAGGCCCTCTTGGGCTACCTCCGAGGCAGCCGAGGCGCAACCCGGGC GCTTGGGGCCGAGCGGGAATCAGGGGCGCGGGCCAGGAGGCAGTGCAGCGGCTGCCAACTCGCCCCAACTTGTCTGCGCGGTTGGCCGCTCAGAGCCCGCGGC
105	FGF12	

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
109	chr4:11 175200 0- 111753 000	AGAGCTAGGTCACTGGCTACCTGAGGTCTCTGAACCCCTCACTTTTCCCGCTTCCCTGATTTTGGGATTTTGGGACAGACACGGCAGAAAGCACTGGCGACGAACTCAAAAACCTCCCGAACGCAAGGGGCAGCGGTTCCTCCCAACCCAGTCTAATGACATTTGGCCACAGGATGTCTCAGGCCCTACCCACAGGACGTAGGGCTCTGAGGAGCTACTCCGGTCTCTCGCGGGCT
		GAGAAGGGATGTGGCGGGGGCTCCTCCGGCCCTGGACTCCCTGGTGGACTAGAAAAGGGCAAGAAAGTGGTCACATCTGTGGCCACAGACTGGTGGCGGATCTTTGGAGGGCGACAGCAAGGCCCGCCAGGGCTGAGCCCCACAGAGAGGCCCGCCAGCCCGGAGCAGCGCGCGCTGCGGGGGCTGCCGAGCGCAAGGCTCTAGGGCCCTGCTTCGCCCCAGCTGGAACCCCGGGGGTGGTGCAGCTCGAGCGTGTGGGTGGCTGCGATGCCCTGCTGAGACTTCGGGTAGGGATGCGGGGGAAAGTGGGGTGGCGGGCAGCTGACAGATTAGATTCCCTTTTGGCCGGAGGGACGTGCAAACTTCTAGTCCCGGGCCAAAGAGGGCAGACCCCGGAGGGTGGCCCTTCCCATGTCAATTGGCCAAAAACTGAACATTAAAGATAAAGCAGCTGTTCAGTCAATGGAAGCGGTAGGGCAGAGTTGTACCCAAAAACCCGGTTTAGACGGCCAATGAAGTCTTAGAAAAAGCCCGCCCGGGGCACGTTTCAGGTGGAGCGGTGCACCTCCGGTCCGTTTAAGGGATGGGCTGGGTACCCACGGAATTTCATGGGTCCAAAAAGGTCCCTGGTACCTGTCCAAACAATCCATCCCTGGCGCATGGCGGTTTGACAAGATGGCCCGGCCACCCAGAGGAAGGAGGATCCGGGACGGGGAACTTCGCGCCGGGAAGCTGTAGCCCCAGAGCTGCAGCTCAGCATTCGCAAGAGATTTCATCTTTTTCCTCTCGTGTTCGGAGAAAAACAGATAAAACAAGACACCGCCCTCATCAGATAAGAAAGCTCTCTTCGATGTCACGGATTTCAGAGGTAGTGGAGAACTGACGTCA
110	SFRP2	CAGGTCAAGGCAGAACTTCTGCCCTTCCCGCTACTGGCACCCCCAAGCAGGGATGCATGGGATGCGTGGCAGGGCGGGATCTCCTGGGAGCGTCTCAGCCCCAGCAGGGAGTGGGGAAAGAGGGAAGGCTTACCTTCCCTCGGTGGTGGCAGGAGGTGGTCTGCTGCTAGCGAGGGGATGCAAAAGGTCTGTTCTCTGGGGGAAACGGTCTGCGCACTCAAGCATGTGGGGCAGGGGAAGCCGAAGCGGACATGACCGGGCGCAGCGGTCTTCACTGCACGACGACGAGTGGCATGSGCTGATGGTCTCGTCTAGGTCAATCGAGGCAGACGGGGCGCAGCAAGGAACTTCTGGTGTCCGGGTGGCACCTGCTTCATGACCAAGCGGATCCAAAGCGCCGGCTGCTCCAGCACCTCCTTCATGGTCTCGTGGCCACGACAGGTGGGCAGCCCGCATGTTCTGGTATTCCATGCCGTGGCACAGCTGCAGGTTGGCAGGGATGGGCTTGCAATTGCTGGCTTTGTAGGAGAACTCGGGCTGGCCAAAGAGGAAGAGCCCGCGCCGAGCCCAAGGGCAGAGTGCAGGGCAGGAAGAGCAGCAGCAGCGAGCCAGGGCCCTGCAGCATCTGGGCGCGACCCCGAGGGGGCAGAGGGAGCGGAGCCGGGAAGGGCAGGGCGCCGAGTTCGAGCTTGTCCCGGGCCCGCTCTCTTGGCTGGCACTCGGACTCGGGGCCCGGAAAAGCTGGCAGCCCGCGGTGGGGCGCGGAGAAGCGGGACACCGGGAGCAGCGCGGGCAGGGCGCTGCAAGCCCCGCGCGCAGCTCCGGGGGGCTCCGACCCCGGGGAGCAGAAATGAGCCGTTGCTGGGCAACAGCCAGAGTTTCTTGGCTTTTATGCAAACTGGAGGGTGGGGGA
		GCAAGGAGGAGCCAAATGAAGGTAAATCCGAGGAGGGCTGGTCACTACTTCTGGGTCTGGTTTGCGTTGAGAAATGCCCTCACGCGCTTGTGGAAAGGGAATCTTGGCTGGCCCCCTCCCTAGATGCCGCGCTCGCCCCCTAGGATTTCTTTAAACAACAACAGAGAAGCCTGGCGCTGCGCCCCACAGTGAGCGGAGCAGGGCGGGGTGGGGGACGCAAGGGCACCCCGGAGCGGCTTCGCAAGCGGGCCCGGGCTTGTTCGCCCAAGTCCGAAGTTTCTGCTGGGTGGCAAGGCAATGAGTG
111	chr4:17 466430 0- 174664 800	TGCGATCATTTAAATCAGTTCCCTTCCCTGCTGAGGGTAGGGCGGGCAGATTTTATTACTTCTCTTTTCTCTGATAGCAGAACTGAGGGCGGGTTGTGGAAGAGCGACGGAGGACCACTCACTTCCCTTCACTTCTCTGATTTGAAGCCTCAGGGCCACCGGCTCAGTCTGTTACGGTGGCGGACTCGCGAGGTTTTCAGCAGCTCATTCGGGACGGCGGTGTCTAGTCCAGTCCAGGGTAACCTGGGCTCTCTGAGAGTCCGACCTCCATCGGTCTGGAGCGAGTGGTTCGAGTTCAGATGCTGGGAACCGTCCCTTCTCCCCCGCGGGCTCGCTGTTTTCTCTCCCTCGCGCTCATCAAGCCCGGCTATGAGCAGSGCTTTAAATCCTCCCTCCCTCACC
		CGCAGGTTTACCGAGCAGCCCCGGAGCTTCAGACATGCTGCGCTGGCGGGCCAGAGGAGGGGTGGGGCATTTGCCCTCTGCA
112	chr4:17 467630	GGGCTTGGGGCCGAGGCTTCCCTGGACTTCCGAGTCCCGCTTCTCCCCATTCAGAACTCCAGAACTGCCGAGCCCCCTGCTGCTGCTGGGACCCGCCCTTCAAGTTTCCC
		AAATCCAGCGGTTAGCCCCCTGCGCCCCCTTTTGGTCTCCACTTTTGGCGTTTCGAAAATGCCATAGGTTGGTGGATCGAACCTCCGCGAGCAAAAGACGATGGCT

SEQ ID NO	GENE NAME	SEQUENCE
113	0-174676800	GGCAGGACAGGTTCAGGAGCTGGGCCAAGGTATTCTCTGGTTCCGCCCTTTGTGTCCGGCCCCCCCCCGCCCTTGTCCCGCCAGCATCTCTCCCTTTTCTGCTCAGGAGTGTTTGGCCCCGGGTCCACCCCGGCTTCCCGAGATACGCTAGAGTTGCCCTCCACGTTCTGTCGCGCGGCCCTTACCCACCGGGTTGCCCTTCGGCCCTTCGGTGTGTAGTCGGCGTGGCGCTGTAGCTAGCGCAACAGGAACCCCGAGGCCCGCCACGTCCTACGCTATTAA
	SORBS2	TTCTGGGGCTGGATGGGTGCGAGCGGACCCGGGGAGTGGGAGTCGCCAGGCTCTGAGCAAGCAAGGGCTGCACCTCTGACCTCTGCGGGCATGAAGAAAGGTAAGGAAGGAAGGAGCTACCCCGGTTGGGAGACAGAGCCGGGCGCGAGCTTGGTGTGGGGCGCCACTCTCGGGCGGAGGGGAGGGGTACCAGTGACTTCCTCGAGTCGGGAGCTAGAAAGAGGCTTCCTGGCCAGGTTCCTTGGAACAGGTGTGGAGTTGTGGGAGAGGGGCTGCAAGAAAGAGGGGTGCAGAAACTGGTTTCATTAGATGGAGGCTCTGGGCGGAACCGCAGAGCACCCCTGGCAGCGCTGTGCTTGGCTTGGCCGGGAGGAGAGGCTCCGGACGGCGAAGTGTCCCTAGGGACCAAGCGCTCGGAGCGATCCGGGGCGCTGCGAAGCCCTGCCACCAAGAGTGGATCCCCAGGATTCACTCTCCCGCTGCCCTGTGCTGTGAGCTGAGAAAGGGATCTGCTTCACAATACCGTGGATGGCGGGGAAGGGAGGAGCCTGGGGTAAATCCCATCTTGGTTTCCTCG
		TGTACAGAAACCCAGCAGCGCAGCACCGGACTGGGTTCTGGAGGCCGAGCCGAGTCCGTGCGGGCGGTGGGAAGAGAAGGGGCCCCGGCAGCTCCCCCTGCCACCGCCCCGAGAGCGGCTGGCTCCCCAGCCCCAGCGCCGCGCCGGTAACCTCAGGCGCAACTGGGCGAGCTGCGACACCGAATCCCTACATCTGCAACCTGGGTGCTGCGGCCACTGAGAAATGGAGGCGCAGACCAACGAGCGGTGCCGACCGAGAGACCTCGGCTGGCGAATAATGGTGGTGCCGGAGCCTGACGCCAGCCGGCGGGGTTGTCAAGGACAACATTCGTTTTGACGCAAGCCAATGGCGCGCTACCAAGAAACCATCGACTCTGAGAAAAAGAGAGGTTCCGCCACCGAGAAACTCCGTACGACAAGTGTGTGGCAGAAAAACCGCTACTCCGCGCCACAGGCAAAACAGCCAAATGGAAAAACCCAGGTGCTGCGACCGTGACACCGGCAC TAGAGGGTCTCGGATGGAGAAAGCGGCGCACGGAGACCAAGGAAACTATGTGTAGCACAACTAGCAGAAAAACCGTCTGGTCGGCCATCGGGAGAAAGCGCGGATCAGAAAAACAAAGCGACTTCGATGCAAGGAAACCGCGCAGCCACTGAAGAAAGTACCCACGTCGAGTGGTGCACGCAACACTGCAGTTGGACCGCAGCTGTGGGGATGCCACAGAGAAACATGCACTGCCACTGAAGTACATCCAGCTCCCGGAGCTAGTGTTCATATGATCAAGAAACCGCCAGTTGGCTCTGCTAGAAACTTTTAGTCTCCCTTAACGGCTATCTCTACCCACAACAGACAATGCTTTACCCAGCACTAGCGGTGCTGAGACCCGCTGGGCCAGCACAGCGCAGACAGTACGGGTACGGAGAAACCGCGGACTCAGTGAAACCAAGCCTTGCTCTCCAGGGATTCCCGGGCTTCGCGGACGCGCACAGGCAGAGTGGCGGGAAAACCTCTGGCTCCCTAAACCGATTAGATTGTGGAGTGGGGGGACACTACAAGTTGTGTGGAAGGAACCAAGCGCAATGGGACCCCGCGAGCACTTGCCCCGCAAGCAATGCCTGCGCTGTCAAAAAACAATTTTGGCGCAAGAATGTTGCGGCCAGAGAGCATCCGCTGTCTGCTGACAAAGGAGTAGCAATGGCAATGAGAAACCGCGCGCCACGGCGGCTCACGCTATGAT
114	chr5:42986900-42988200	CAAACGCTGAGAGACAAAAAGACACCAACCCACAGGACTGCTGCTCCAGCTCTTCACTCCGCTGACCTGACCTTCCACGCCCCCTAGTCTCTCGAGCGGACCTTGACCTGTGGGGGAGTACCGAACCGTCCCCATGAGGCCCTCCAAAGCGCCAGGTGGCCCTCGGCCACTCTCTCCACCCCCCACTCTCTCCACCCCCAGCCCCATCGTCCATCTTCGATCTGCAAAACACGCCCCGGTCAAGCAGCGATCGGTCCCAGGCTGTGACCACTCTCTTCTCTGTACTTGGGGAGCCAGGCCCAACCGCTCAGGATCACAGTGAGGAGAAAAAGBACAAACGCCAGGACAGGGCGGTGGGGAAGBAACTGCTAGGACCCGCTCATTTGTACGCTGGGTGTCCCAACGGATCGGAGGACCCGCTTGTGCTCTCTGGACCCGAATACTCTCTGGCCCTCTCGACCTCTCTCGACTCAGGGTCCGCGTCTCCGGTCACTACGGGAGACCAAATTGGTTTACAAATAGTGATGATAAACTGGGACCGACCTTGGGGCTGTGTAAGTCTACTGACAGATGTAATGGAGGGTTGTTAGAGAGTCACAAAGCCTGTGCGACCCGTAGATTAGTTCAAAGAGACTATTTTCGTGTGCGACCAAAAATTACTGCGCGTGTAAACCAATTTCCCCGACGGAAGAAATAACAGAGATTCTGTTGAAGCGGAGATGAAAACAGATGGGGTATCGCAAAACAGTTCCCCAAATAACAACAGACTTCTGGGCCAAATTACACGTGGTTAGCTCTGAATGGCAGAGGAAAAATAGTTTCTTTTGTGCTGTAAATGTACAAAAAGTCACTAACAGGCACAGAGGAGCGCGCTCTGTTTTTTCGAAAACTTGTCTGCTGGTGTAGCTGTGACAGAAATCTTTTGTGCTGCGTGGGCCACTTGGTGTCTCGAAGGCAGAACCCCTCCGCGCTCCAGCCGCGGGGTTCAGGCGTTTTGTGAAAGACAGAACCTTTGGGCTAGGGACCCCGGCACTGGTGTCTCGAAG
		TCCGAATCCGCGGCGGAGAAAAACGACAAGAGAAAAAGAAATCCAGCGGGCGCTCTCTCCAGCGCCAGGCCCGGTGTAGGAGGGCGCTGGGGCTCGGGCTCGCCACTCGGAGTCCGAGGAGAAAAAGAGAAAGTCAAGAGTCACTAACAGGCACAGAGGAGCGCGCTCTGTTTTTTCGAAAACTTGTCTGCTGGTGTAGCTGTGCTGCTGGGCCACTTGGGCTAGGGACCCCGGCACTGGTGTCTCGAAG
		TCCGAATCCGCGGCGGAGAAAAACGACAAGAGAAAAAGAAATCCAGCGGGCGCTCTCTCCAGCGCCAGGCCCGGTGTAGGAGGGCGCTGGGGCTCGGGCTCGCCACTCGGAGTCCGAGGAGAAAAAGAGAAAGTCAAGAGTCACTAACAGGCACAGAGGAGCGCGCTCTGTTTTTTCGAAAACTTGTCTGCTGGTGTAGCTGTGCTGCTGGGCCACTTGGGCTAGGGACCCCGGCACTGGTGTCTCGAAG
115	chr5:72712000-72714100	GGCAGGACAGGTTCAGGAGCTGGGCCAAGGTATTCTCTGGTTCCGCCCTTTGTGTCCGGCCCCCCCCCGCCCTTGTCCCGCCAGCATCTCTCCCTTTTCTGCTCAGGAGTGTTTGGCCCCGGGTCCACCCCGGCTTCCCGAGATACGCTAGAGTTGCCCTCCACGTTCTGTCGCGCGGCCCTTACCCACCGGGTTGCCCTTCGGCCCTTCGGTGTGTAGTCGGCGTGGCGCTGTAGCTAGCGCAACAGGAACCCCGAGGCCCGCCACGTCCTACGCTATTAA
		TTCTGGGGCTGGATGGGTGCGAGCGGACCCGGGGAGTGGGAGTCGCCAGGCTCTGAGCAAGCAAGGGCTGCACCTCTGACCTCTGCGGGCATGAAGAAAGGTAAGGAAGGAAGGAGCTACCCCGGTTGGGAGACAGAGCCGGGCGCGAGCTTGGTGTGGGGCGCCACTCTCGGGCGGAGGGGAGGGGTACCAGTGACTTCCTCGAGTCGGGAGCTAGAAAGAGGCTTCCTTGGAACAGGTGTGGAGTTGTGGGAGAGGGGCTGCAAGAAAGAGGGGTGCAGAAACTGGTTTCATTAGATGGAGGCTCTGGGCGGAACCGCAGAGCACCCCTGGCAGCGCTGTGCTTGGCTTGGCCGGGAGGAGAGGCTCCGGACGGCGAAGTGTCCCTAGGGACCAAGCGCTCGGAGCGATCCGGGGCGCTGCGAAGCCCTGCCACCAAGAGTGGATCCCCAGGATTCACTCTCCCGCTGCCCTGTGCTGTGAGCTGAGAAAGGGATCTGCTTCACAATACCGTGGATGGCGGGGAAGGGAGGAGCCTGGGGTAAATCCCATCTTGGTTTCCTCG
		TGTACAGAAACCCAGCAGCGCAGCACCGGACTGGGTTCTGGAGGCCGAGCCGAGTCCGTGCGGGCGGTGGGAAGAGAAGGGGCCCCGGCAGCTCCCCCTGCCACCGCCCCGAGAGCGGCTGGCTCCCCAGCCCCAGCGCCGCGCCGGTAACCTCAGGCGCAACTGGGCGAGCTGCGACACCGAATCCCTACATCTGCAACCTGGGTGCTGCGGCCACTGAGAAATGGAGGCGCAGACCAACGAGCGGTGCCGACCGAGAGACCTCGGCTGGCGAATAATGGTGGTGCCGGAGCCTGACGCCAGCCGGCGGGGTTGTCAAGGACAACATTCGTTTTGACGCAAGCCAATGGCGCGCTACCAAGAAACCATCGACTCTGAGAAAAAGAGAGGTTCCGCCACCGAGAAACTCCGTACGACAAGTGTGTGGCAGAAAAACCGCTACTCCGCGCCACAGGCAAAACAGCCAAATGGAAAAACCCAGGTGCTGCGACCGTGACACCGGCAC TAGAGGGTCTCGGATGGAGAAAGCGGCGCACGGAGACCAAGGAAACTATGTGTAGCACAACTAGCAGAAAAACCGTCTGGTCGGCCATCGGGAGAAAGCGCGGATCAGAAAAACAAAGCGACTTCGATGCAAGGAAACCGCGCAGCCACTGAAGAAAGTACCCACGTCGAGTGGTGCACGCAACACTGCAGTTGGACCGCAGCTGTGGGGATGCCACAGAGAAACATGCACTGCCACTGAAGTACATCCAGCTCCCGGAGCTAGTGTTCATATGATCAAGAAACCGCCAGTTGGCTCTGCTAGAAACTTTTAGTCTCCCTTAACGGCTATCTCTACCCACAACAGACAATGCTTTACCCAGCACTAGCGGTGCTGAGACCCGCTGGGCCAGCACAGCGCAGACAGTACGGGTACGGAGAAACCGCGGACTCAGTGAAACCAAGCCTTGCTCTCCAGGGATTCCCGGGCTTCGCGGACGCGCACAGGCAGAGTGGCGGGAAAACCTCTGGCTCCCTAAACCGATTAGATTGTGGAGTGGGGGGACACTACAAGTTGTGTGGAAGGAACCAAGCGCAATGGGACCCCGCGAGCACTTGCCCCGCAAGCAATGCCTGCGCTGTCAAAAAACAATTTTGGCGCAAGAATGTTGCGGCCAGAGAGCATCCGCTGTCTGCTGACAAAGGAGTAGCAATGGCAATGAGAAACCGCGCGCCACGGCGGCTCACGCTATGAT
		CAAACGCTGAGAGACAAAAAGACACCAACCCACAGGACTGCTGCTCCAGCTCTTCACTCCGCTGACCTGACCTTCCACGCCCCCTAGTCTCTCGAGCGGACCTTGACCTGTGGGGGAGTACCGAACCGTCCCCATGAGGCCCTCCAAAGCGCCAGGTGGCCCTCGGCCACTCTCTCCACCCCCCACTCTCTCCACCCCCAGCCCCATCGTCCATCTTCGATCTGCAAAACACGCCCCGGTCAAGCAGCGATCGGTCCCAGGCTGTGACCACTCTCTTCTCTGTACTTGGGGAGCCAGGCCCAACCGCTCAGGATCACAGTGAGGAGAAAAAGBACAAACGCCAGGACAGGGCGGTGGGGAAGBAACTGCTAGGACCCGCTCATTTGTACGCTGGGTGTCCCAACGGATCGGAGGACCCGCTTGTGCTCTCTGGACCCGAATACTCTCTGGCCCTCTCGACCTCTCTCGACTCAGGGTCCGCGTCTCCGGTCACTACGGGAGACCAAATTGGTTTACAAATAGTGATGATAAACTGGGACCGACCTTGGGGCTGTGTAAGTCTACTGACAGATGTAATGGAGGGTTGTTAGAGAGTCACAAAGCCTGTGCGACCCGTAGATTAGTTCAAAGAGACTATTTTCGTGTGCGACCAAAAATTACTGCGCGTGTAAACCAATTTCCCCGACGGAAGAAATAACAGAGATTCTGTTGAAGCGGAGATGAAAACAGATGGGGTATCGCAAAACAGTTCCCCAAATAACAACAGACTTCTGGGCCAAATTACACGTGGTTAGCTCTGAATGGCAGAGGAAAAATAGTTTCTTTTGTGCTGTAAATGTACAAAAAGTCACTAACAGGCACAGAGGAGCGCGCTCTGTTTTTTCGAAAACTTGTCTGCTGGTGTAGCTGTGCTGCTGGGCCACTTGGGCTAGGGACCCCGGCACTGGTGTCTCGAAG

SEQ ID NO	GENE NAME	SEQUENCE
		CCTACCCGACATTGGGAAGCAGCCCCCTGGCTCCCGCGGGCGCTCAGCCTCCGGTCCCGCCCGAGGTGCGGTTCTCTCCCGCATGCCCGTCTCGGGCCC CACGGAGCAAGAAGATAGACGATGACGAGGCGCGCCCATCCATCCGGCCGACGAGGTACGGCCCGGCCACAGGCCAAATAATTGCGCAAGCCCCGGCCGACAGGA TTTCGGGGCGCTGGGTCCAGGTGCGGGCCGAAATCCTCAGGGAAATCCGAGGGCCCAACGGTCTAGGCCACAGGGCTGCTGGGCCCGGGCTGGCTCA GAGCGCATTCGGSCGGGAGGCCGACGCCGACCCCGGCTCTCTCCGAGCCCGAGGACGACTGAGCTCCGGCCAGCCAGGTGCCCTCCCGGCTGGTCCG AGACCCGGGCTCTGGAGGGCTGGGCAAGGCGAGGCAAGGCTCAACCCACGACTGAATCTCGAAGGCAGGAGGCTCGGAGGTCAATCGGCCACAGCTCGC CTGAAACTGTCCCTGCTCGTCCAGGGCCGGCAGAGGAGAAAGACAGGGCGGAGCAAGCCACTGCAGAACTCGGTCGGTGGTCCGAAAGGTCGGGT ACCGCGTCCCGGACGCCGGAAGCCGCGTGGCGGGCCCGGGGAGGAGGTGGGTACCCGGGGCCGTCGGCCGGAGGAAGCGGCTCCGGCCGGCTGTCCG CGCTTGGGAGCCGCTGACAGGTTCAGCCGTGTTTCAGTTGCCCTTGACCTGACCCCGGGCGCACAAAGGCCCTCCCGGGTGGCCGCCATGGCCAGTCTTCC AGTCGCTGCCAAATTAATGAGCCCCAGTCAAGTTGGGTTTACAGCTCGGCCGGGAAGCAGCCGAGTGGAAAATGAGCTCGGGGCCGCTCCAGAGAGGCTCCCCGCAC AACTGCAGAGGCTGCCCCGC
116	chr5:72 767550- 727678 00	TTTCGAAGACAGAAGGAGGGAACTAGCGGCTTTTTCACCTCCGCTGACCCCCAACGCTCTGGGCTGTGCGTTGTAAACGCAAGTTGGCGGGCTTCAGCTTGGGA TGAGGGCGAAGGGGCTCGGGATGGGTGGGAAGCAAGGACCGGCAACAGGTGGGAGGTGGCGACTTTTGTCTCGGGGAAGGAAATCGGCTGTGCTGAAAGG GCGGAAGCAGTAGCGCACAGAACTAGTGCTGCGGGGTCCC
117	NR2F1	CCTCTCTGTGGCTGCTTGGGCAGACGCCCTGTGGCTGTTCGGATCGGGCCACATCGAGAGCCTGCAGGAGAAAGTCGCACTGGGCACCTGGAGGAGTACGTGAGGA GCCAGTACCCCAACAGCCAGCCGTTTTCGCAAACTGCTGCTGGACTGCCCTCGCTGGCACCGGTGTCTCTCCGTCACTCGAGCAGCTCTTCTTCGTCCGCT TTGGTAGGTAAACCCCCATCGAACTCTCATCCGCGATATG
118	PCDHG A1	TCCTCCTTTGTGTATGTCAACCCAGAGGATGGACGGATCTTTGCCACGCGTACCTTTTGACTATGAATTTGCTGCAGATGCTGCAGATTGTGGTGGGGTTTCGAGA CTCGGCTCTCCCCCATTTGCATGCCAACACATCTCTGCATGTGTTTCTCTAGACGAGAAATGATAATGCCCCAGCTGTGCTGCACCCACGGCCAGACTGGGAAC ACTACGCCCCAGCGTCTCCCTCGCTCTGCTCTCTCTGCTCTCTGCTACCAAGGTGACAGCGTGGATGCTGATGACAGGCCACAAATGCGTGGCTCTCCTTAC TCACTGTTGCCACAGTCCACAGCCCCAGGACTGTCTCTGCTGTCTACACACACTGGTGAAGTGGCAGCAGCCCGGGCTTACTGGAGGATGACTCTGACACCCCA GCAGGTGGTGGTCTGTTGAGGGACAAATGGTGAACCTTCACTCTCTCTCCACAGCCACAGTGTGCTGTTCTTGAGGATGAGGACCCCTGAGGAAAATGCCCAAAT CCAGTGACTTCCCTCATACACACCTCCTGAGCGTTACAGACCTTACCTTACCTCATTGTGGCTCTAGCGACCGTCACTCTCTATCCCTAGTCACTTACCTTT CTGTACGCGAAGTGCTTACGGGAAACGCAGACGGGACGGGGTGAGGGCAGTGTGTCAGGGCCAGGACTCACCTTCCCCGACTTCTATAAGCAGTCCAG CCCCACCTGCAGGTGAGTCCGACGGCACGCTCAAGTACATGGAGGTGACGCTCGGGCCACAGACTCGCAGAGCCACTGCTACAGGACGTGCTTTTACACCGG CCTCGGACGGCAGTGACTTCACTTTTCTAAGACCCCTCAGCGTTCAGACGCCACAGCTCTGGCGCTGGAGCCTGACGCCATCCGGTCCCGCTCTAATACGCTG CGGAGCGGAGCCAGGTGAGGGCTCGGGCCCGCCCGGGCGACCCCTGGGGCGGCACCTGGAGAAGCCCGCTCTCATAGGGAATTGAACCTTGCACTCCACT CCTCTCCGGCCGGCTTGGTCTGCTGCTGCCCTCCACCCGATTCTCGSGATCATTTGACCCGTTTTCGCGAAACCAAGAGTGGCCGATTAAAGGATGGGGCTCCGAG CACCGGGGTGTGGCGACTGTGGCGAGGGAGGTGGGACCGACCCCACTACACTCAAAAAGGCCGGGCTCTTCGAGCTTCCGGTGAATTTTCGGG CGATTTCCGGGGTGTCCGGGTCCCGGAGGAGGACGTACAGATCCACCCCTGCAGCCAGCTCTAGGCGCGGCTCCGGCACGCTTCGCCGGTCTGTAGA TTTCCTCTTCGATTTCTCCCCAGTCCACGATCTGTGACTTCACTGTGTACCTCCCTATCCCCGATACCCCAACCGGACCTGTCTGCGGACCTTAGGTGTGC GCGGGGGCTCATGGGTGTCTCCTGCTGGCCACCCCAAGTTGACGGGTGCGCCACGCCCGCCCAACAGCTGCGGGACGCGACGCAACGCA CTCCTCGCACGTGGGCTTACGGGAATACAGCTTTTCACTGCCACTTCGCTCGCGGCCAGATTTCAGAGGCCCTGTTCGGGTCCACTCGCAGCTCCCCCTCTGCCGCTC

SEQ ID NO	GENE NAME	SEQUENCE
119	chr6:10489100-10490200	CCTCCGCCGGGCTCAGGAGTACTCGTAGCTGATTGTGCGCGCTGAGGGTCCAGATCGCGCGCGCGCCAGGACACGCGGAGGACTCCGGAGCCTCTCTCAACCT CTCCCACTTGGCGCGGGCTGGCGCGGCTCGCCTGGGGGGCGGCTGAGCGAGCGCGGGCGCAGGAGCGCTGGAGGACTGCCGCTCTAAGTGGCGGGCGGG CAGGACTCTACGATCCTTGGGCCAGAGGTCGGATGGTCCCGGGACTCCGCTCAAGGGTCGGCGACCCCTCAACCCAGAAGCCTCGAGCAGGCGGACAGGCAG AGCTGCCACAGTGGCGGAGCGCGG ATTTGTCTGTGGCCATTGTGCCACTGTGTCTTGTCTCAGGGAAACACCGGTGGCCAAACCCAGATCGGATACAAATGGTGGGGCTCTGGACTGAGCCTCCAAC CACATTAGCCATGGGAGCATTTGTGTGCGCGCTGCTGTTATTTTAAATTATGATTGTACGTTAACACCAACCTTCTTCTCTCTGCTCTCTGCTCAATGA TGTATGTTACTTTTGGTAACCTGGATTTCATTAACATTTATGAACCTCTATAAAGTAGTAAAGAAAGCAATTTGTGTGGAAGAAATTTTCCACCTCATTAACAG TGTCTTTTGGGGTCAAGCTGATAATTTTGTGTGTAGATTTTATAGGTCCTTTTCTTAAGCCCTGGGGGATGAAAGGAGAGCGCTCCACC CAGCAGGGGCTGTGTGCCCTAGAGGGGCTGGGCGCGCTTCTTGGCTGTCCCGCGGCTTCCACCCCTCCCAAAGCCAGGTGCCACCGTGGG TCGCTGCGGCTTCTTCTTGGCCAAATCCGATTACTTCGAGCTGCAGATGGCATCGCGGCTTAAGGAGAGCCTCGCGGAGGTCCCCAGCCTGAGCAC TCCTCCTATCTGGGGCTGAGAGGACGCTGTGGGCTTTTCCAGGCGCAGGGTGCAGGCTGTAGCGCCTTTCGAGGACACAGTCCCAAGATAGGCTCTTGT CCTTCGACGCGCCCTTGGCACAAAGCGCACTGGCGCCCTCCGCTCAACCCACCTTGGCTTTGGGCGGGCTTCAACCCCTGGAAGACAGAGCCTGGGGAAAGCGAG AGGAGAGGCCCGAATAGAGGTTCCGGCTCAATCTTTCCAGACGGAGGCTGGTGTTCAGCTCAGTTGCATCTTCCAGCGCGGGCTCTCTGGCCCAAAACAGA ATGTGTTTGTCTTACACACCGGACGGCAAGCGGAGTCCGCTCAGTGAGCAGCGAGCTGCGAGTCCGACGGGTGTGCGCCCAAGAGACTCGCCAGCGCGCCCC CAGACACTCGCCAGCGCTCCCATCTCTAAATCCACCGTCCAGGCGCGGCTGGGAAGA
120	FOXP4	CCGTGTCTCCCTTAAGAACTGGGGCTCATCTCCACTCCAGCTGCGGTGCACGTGTGCTCCCGCAGGACGCGCGCCAGGAGCGCGCTGGGGGCTGCCCGCG CCTCTCTCCCTCCCGCGGGTAACTCCGGGCATCCATCAGTCTGTAAATTGCACATAATTAGAGATCGCAGAGGTGTTAAATTGAAACCCCTGGTATTGTGC CTGTTTGGGGAGAAACGTCATAAATAATTAATTGATGATTGGCAGGGCGGGCTGCGGGTTCGCGGAGGCGGAGGGGTGTCATGGCAAAATGTTACGGC TCAGATTAAAGCATTTAATTAAGGACGCGTAATAATCTCGCTACGCCATATGGGCGGTGAAAGGCACAAAGGTTTCTCCGCATGTGGGGTTCCTC CTCTCTTTTCTCTCCACAAAGCACCCAGCCCGTGGGTCCCGCTTTGGCCCCAAGTAGGTGGAACCTCGTCACCTCCGGCCAGGAGGGGATGGGGCGG TCTCCGGCGAGTTCCAAAGGCGTCCCTCGTTGGGCACTCGCCCGCCAGGTTCTTTGAAGAGCCAGGAGCCTCCGGGGAAGTGGGAGCCCCAGCGGCGCCGAG ACTGCCCTCAGAGCGGAAGAGGACCGCGGCTTTCACCCAGCTTCTTCCGACGGCATCTGAGGAGCCTCTAGGCTGACATAGGCTCCGAGGTGCCCTGGCT CCCCCAGGGGAATGCTGAGGGTTGGGCCACTAGGTCTCTGCCTAAGTGCAGGACCTGAGCCTCAGACAAATC
121	chr7:19118400-19118700	GGGATTGCCGGCTTTGAGAAAAATAGAGAAACCGATTCTCTCTCCACTTTCAGTGCACCTTCTTCCACTTTCAGTGGTGTGGGGCGGCGACTCTTT ACGACATATAAGCGGAAAAATCTGCAAAAGTGGCCCCCGGGATCCCGCGCCGACCCCTGTCTGTCGCTAATGTGGGCTGTCTCCGGAAATTCGAGGTTGGGC CTTTGCCCTGAATCTGTTGCTATTGCTCCCTTGCTACCGCTGACACTTGGCACCGCCGCTCTAGCAGCGGCCAGACGCGGGGCTGGGGGC
122	chr7:27258000-27258400	GTTGGCAGCGCGGCACAGGTTGCTGGTAGCTTCTGGACTCTGGAGGCTTGGCCTTCTTCTAAGCCGATGGCGGGAAAGAACCTCGTTTCCACAGCTTCCCCG ACCCGCGCGCTTGGCATTTGGGACGGGAAGCGCGCCCGGTGCGTTCAGTCCCTCTGGGCGGAGCCCTTTCATGGCTGGCTCTCTGGGGGCCCTTGGG CCTGTGAGCAGCGCTACTTCCCTCAGAGAAGAACTCTTCTCTCCCGCATCGAAGTGTCCCTTCTGTATCTCTGAATAAACCCCTCTCTGGGTGAGGCCAGTTT CCTCTGTGCGCCCTCTCTCCGCGAGGCTCGGGAGCCTCGTGAAGACCCCGTGCAGTTGAGTTCAGGCGACAGGTGCCCTCCCCAGGTG
123	TBX20	CAGTGCGCCCTTACCGGAGCACCCATGGCTTCCCGGTTTACCCCAAAATTTGTAGGACAGACTGTGAGAGTTTCGAAGCCAGCTGTGTCTCTGCGGGCCGTGTG ACCCTAGGCTATCTGGGCTGCTCGGAGCCTTAGTTTCCCTAGTTGTGAAGAGGAGGGTGTGACCATGGCCCGAGCTCTCCGAAAGGCTGTGCGGATGTGCTCG

[illegible]

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
		CAGGGCCAAGATTTCAGACACTTGTAGTACTTCCCGGTCCCGAGGTGACTTGTCAAGTCCAGTGAGTAACATTGGAACTGTGCGTCTGGGGCAAGGTGTGTGTC TAGGAGAGAGCCGGCGGTCACTCAGCGTTTCAGAGAGCGACCCGGCGGACTTCAAAATACACACAGGTCAATTTATAGGACTGGAGCCGCGCAGGACA ACGTCTCCGAGACTGAGACATTTTCCAAACAGTGTGACATTTTGTGCGGCCCATATAAAATGTAAACGCGAGGTGACGAACCCCGGGGAGGTTCGTGTC TGGCTGTCTGCGTCTTGGCGGTGGAGGTATAGTTCAGACCTTGGCGGTGCGGATCGCCGGCCGTAACCCGAGGAGTGTAGTACCTCAGCCCG ACCACCTCCCGCAATCATGGGACACCCGGTTGGATGAGACACAGCGGTGAAACACAGCCTTCGTGAAACTCCACAACACACGTGAACTTGAAAGACAACTAC AGCCCCGGTGTGCGGAGAGACCTCAGTCAACCCCATCAGTTCACACTTCGCCAAAGTTTCCCTTCAGTGGGACTCCAGAGTGGTCCGCCCATGCCCGTGC GTCCTGTAACGTGCCCTGATTGTGTACCCCTCTGCCCCCTCTACTGAAATGAAACACAAACACTGTTCCGAAATTAGCGCAACTTTAAAGCCCCGTATCTGT CTTCTACACTGGCGCTCTTAGGCCACTGACAGAAACATGGTTTGAACCCATAATTGTTGCTATCAGTCTCAGTCAGCGAGGTCTCTCAGTGACCTGTGACGCC GGAGTTGAGGTGCGGTATCCTTAAACCCGGCGAACGCCACCGGCTCAGCGTAGAAACTATTTGTAATCCCTAGTTTGGCTCTCTGAGCTTTAACTCCCCC ACACTCTAAGGCCCGGTTCCTCCTGCTCTCGCCTGCGAGAAAGTTCCATGGCATCCACTTACCAGTAACCGGATTCACAGGATTTCCACAACAAAGCCCGCGTG CGGTCCCTTCCCCCGCCGAGCGGAGTGACAGCGGCGCGCGCTGGCAGGAGTAACCTGGGGTCCAGCCTTCAGAGCGCTCCGCGGCTGTGC CTCCTTCGGAATCAAAACCCCATCCAAAGGGGGACAGGAGCGGAAACCCGGCCCAAGTGCCGTGTGTGCGCGCGCTTCGAGGGCAGCGCGCGCAGG GGAGAGGAGGAGAGCGGGGTGGCTGGACCTTCGGCATCAGCTCATTTCTCCCTGCTACACACATACACACAAATAATGTTTCTAAAAAGTTCAATTGC GACTTTGTGCTCGCTGTCTGTTCATCCTGCTGCTGGCGCGGGAATGCTTCTGGGGCGACCCCGGATGCTGGCTAATGCTGCCGCGGGTTCCGTG CCGTGTGACCTTGGACGCGCGGAGCGGTACAGGGGTCCCGGAGGGCAGTGGCCGCGACTCGCCGCGGTGCGCGCGCTCTGGGCTGC CCGGCGCGCGAGTGTGGACGCG
130	NOTCH 1	CTGAAAGCCGTGAGGAAACCAACATGTTCAACCCCTGGCGCTCCCGCAACCTCTCTCATTTCCAGTAACCTGTGTGTTTCCGCTCGTCAACAGCTGAAACCG AGCGGAACCTTGGGGCCCCCAACACGCGGCCCTGTGTGCGGACGSGGCTCATCTGTCCCGGCTGCGGGAGTCAGTCTCAACGCCACCTCTCCAG ATAGTCTCTGTGCCACTCGACGGCCCGGAAGCCAGCCCTGCCACGGCCACAGCGCTCAGAGAGTGCCTCTCTGGCCAGGTTCAGGGCTGAG CTGTGCCCTCCCGAGGGTTCGAGGGCAGGACACTGTCTGAGGCTTGGTGGGCAATGGCACCTCTCAGGGCTCAGCCCCCGGCGAGGCTCGGTGACCATG GGCCTACAGCAGGGAATAATCTGGGCAAAAGCTCCAGCCTCCTTACTAGGGCATCTGTCTGCAATGCACTTAACCTGACCGCTTGGCTGTGGGGAGCCTG TTTCAGGGAAGTGAGGACCGCCAGTTCTCTCTTGGACTTGATGAGGCACGAACGCTCTCTAATAAGCCAGGTCTCCCCCGCTGGCTCCCTGGGCGG GTGCCTGTGGCTCGGGCCATGAGTCACGCTGGGTAAACCCCACTACGGGAAGAGGGCAGGAGCTGGAGAGCCACCGCTCTGTGCCCCGTTGTCTATCTCGGCAC GAGGGCAGCCGTCCGTCTGCTGCCCTCATGGCTGAGGGCTTTTGGGATGTGGCGGGAGACGGGGGAGTC
131	EGF17	AAATCATCAGAAATGAAATGAAAGACAGACAACAGCAAGTGTGCAAGGTGTGGGGCGGCCAAATGCTCTCCTGACTGCTGGCAGGGGACTGAGAAC TGACAGGCAATTCCTTGGCTTCTTCCCTTCTTGGGACTTGGGACCCCGCAGGACAGCCTAAGGAACTGCAATTTATCTTACGTCTGCCAAAAAGATAAACACGA AGATGTTCAAAGCTAAGCCCCCAGGCTGGTAAGAGCTCCAAGGCACACAGCAGTGTGTGCAAGTGGGGGAGTCTGTCTTCCAGGGATGCTCCCATCACCTG CTGCCAGCAGTGGGCATGCCGTCCTTGGGTGTGGCCAAAGGGGTGTGTCTCTTCCCGGGCTGCCGGCCCTCTCAGGTTCACTTTCCCATCTCTAAGCC CACGTCCTCGCTGAGTTCAAGTTTGGCAGGCAACCAACGGGTGACACGCCCGGCGAGTGGGGACTTCGCACTTTTCTGGGCAC
132	CEL2	ACCCTTTGTGCTGGGTCCCATAAACAAATGCTTTTAAAGGGGAGCCCCCTCCAGCTCCGGCTTTTCTCCAGCGTGGGACGCCAAATCAGCTGCGCAGAG CTGCATAGCTGGACCGCTTTCATCTCTGAGTAGCAACAACGTAATAATTGATGCACACATGATGCTCGGCACCTCTGCAAAATTCATCACCCGCATCTTGCA TTAGTCATCTGACGGACTGCCAAGTGTTCATTTCTTTCCATGTGACTTTATTATTACCACCTCTCTCTCTCTTCCAAAAACCTCCCAAAAAGGCGGTGGG CGGGGGCGCGGAGGAGAGGAGAGAAATCCAGCAGACATCTAGCTCTGCTCTTTCTTTCCAGCCACAGCCAGGGTAGGGCTGATAAGGCGCTGATCGCTT

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
		TC TGGGTGTGTCAGGGCATCACAGAGCTCTTCTGCCCCAAACCCGGAGGCCCTACCAGGGCCCTGCCACCTTGCCCTCCCTCCACACTCTCTGTAGCAGACGCCG AGCCATGGCGGGGATGAAGACAGCCTCCGGGACTACATCGACTCGTCAATGGAGCTGCGGGGTGTTTGTGGAGAGGAGACCCAGAGGCCGAGTCGGTCACCCC TGCGGGTCACTGGGAGTCGCACATCGGCGGGGTGCTCTCTGAAGATGTGGAGCAGATCAGTGAAGTGTCCGCTGCCCGCTGCTGAACCTCGGCACCATGGGCGG CCGCCACGGGTGCTCTGGGCACCTCCGGGCCATCCCTGCTGCTCACTCCCGATAATGGTGTACCGGTGACTCAGGCATTAGC
137	PKNX2	TGTTACGGAATCGGGATCGAGGGCCGATAAGTAGTTTACACGCGCGCCACAGACAGAGGGCTGGAGTCCGAGTTGGGGCTGGAGAACCGGTGGCGTTT AGGATTCAGTAACAGGATCACAGCTTTTCTGTGTGGTGAAGCTATTGGAATTTGGGAGGGTAGCACAGGGGTCTCGAGCTCCGCGTGTGAAAAGCGTTT AGGTAGGCGATGAAAGTAGTTGATCTGAGCCATGGCAGGCGAGCCCGAAATTTTGTGCTTCCCTTAAAAGTGTTCCTTTAGGAGGAGAGGACTTTGGGCCAC ACAGGACCCCGTCTTAAGAGAGCGATTCCGGGAAGCGGACAGATCGAAGAGACCTTCTGGCGGAACGCGCAGGGCAGCTCGCGGGCTGGGAGTGGATCTGAG GTCCCGACCCAGCGGCTCGGAGTGTCTCAGGAGCCACCTGGGTCTGCGGGCGCAGCGCGGGGGCGGAGCGGTGGCCCGCAGGGGCGCGGCTGCGGATGA AGGCCGGGGGACGCTAGCAGCGAGGTGCCACAGTGGGCCGAGAGTCTGGGCTGTGGCCACGGGTAGGACCGGCTCA
138	KIRREL3	ACCTAAACCAAGCTCTCCCTCCCTGCCGTCCTCTCCCTGGCTGGGTCTGAAGGAGAGGAGGTGCCAGAAAGTTTCAGAGCGGCATAACCCACAGAGATACTACC TAATTAACATACAGAAAGCATAAAGAACTCATTTGCAITGGAGAGT
		ATAACTACGGGGTGGGGTGGGAAGGAAGAGATCCAAAGGAGGCAAGGCTGCGGTCAAAATATTTTGGGTGGCAGAGTCACGTAGGATGTGGCTGTGGGT TCTGGCAGCCCCAGAGATTCAGCTCCCGCTCTCCCTCAGAGCGAGTCCATAGCTACCTCACGTCCCCCGTGGCGGTCTCTGCCACGCTCCGGAGCGGGTTAC CCATGAGGGTGTGACCTGGGCAGCGGGAACCTCGAAGAGGTGGAGATTGCAGGCTGGGACTCCAGATTTCGGGCAGGGATGCGGGGAAGGAAAGACGCTCG CTGAGGGCGAATGGAGGGCAAGGCGAAGAGGATGTTGTCAGGAACCGCGCACAAAGCGCCCGCCAGGCTACCGAGACCCGGGTTCCTCAATCTCTCC CCCCCTCCGCAACCCCGGTTTCAGGTTACCTTGGCGGGCAAGGGCCGACGAGGAGCGAAGCGGGCTGCCATGGGAGGCTGCGGGGACGCGGGGTGCAGAG AGCGGCAGTGGCAGCGGCGCGGCTGGAAGCGAAAGCAGCGCGGTGTGGCCAAAGCCCCGGGACGCGCCCATAGGGGCTGGGTACCAAGCTCGTGGGGCGCG CGCCAGGGCCAGCGCAGGTACGACGCAACCCCTCCAGCATCCCTTGGGAGGAGCCCTCCAACCGTCTCGTCCCAAGTGTCTGCAGTCGCTAAACCCGAAGC GGTTGTCCCTGTACCCGGGTGCTTGGGAGGCCCCAGAAATGCGGCGCCACGAACGAGCGCTTCCCAAGCGCAGATATTTCCGCGAGCATCCCTTGTATTAAA CAACCTCTAGGTGAAATGGCCGGGAAGCGCCCTCGGTCAAGGCTAAGGAAACCTCGGAGAACTACAT
140	HOXC13	CAGTCCAGCCGCTTGCCCTCACTTCTTCCCGTTGCCCTTATCTCCCGCAGACGTGGTTCCCTGACGCCCGAGGTGAGGTGAGCAGCTACCGGCGGGCGCAAGAAAC GCGTGCCCTTACTAAGGTGCAGCTGAAGAGCTAGAGAAGGAATACCGGGCTAGCAAGTTCTACACCAAAGAGAGCGCGCGGCATCTCCGCCACCAAGAAC CTCTCTGAGCGCCAGGTAAACCATCTGGTTCCAGAACCGCGGGTCAAAAGAGAAGAGGTGGTCAAGCAAAATCGAAAGCGCTCATCTCCACTCCACCTGACCACCC CACCCGCTGCTTGCCCCATCTATTTATGTCCTCGCTTGTACCAATAACCCGAACCCACGGAAGACGCTGCGCGGTGCAAGAAAGATTTAAATGTTAAGGAAAG AGAAGAACCGCGCGCCGAGGAGAGAGGCTCCATGGCCGCTGCTGGGCCATCCCAACTCCCTATCCCATCCCCAGGCTCCACCCCCATCCAGATGGGA CTCACGTGGCTTCAACAGCTTTGGAATGGTCCCGAGTGGCGCTGCGAGGAAGGCTGTGCACTCTACTCCTCTTGC
141	TBX5	CAAGATCGACTTCTTAGGAAGGGGAGAGGAGGGAACCTCTTCAGAAAGGAGGTGGAGTCCACCTCAGACCTCTATTGGAAGGAAATCGAGTTGTTCGGGG GACTGAGGTCTCTTGCAATAAGGCATGGGATCCTTATTATTAATTAATTAATTTTAAATCCCCCGGAGGAGCTCTGGSCAAATGAATACCGAGGCGCGCTC TAGCTGGTTAGGCTTGGATCGGATAACTCAGTGCCCTCTTGACAGACTTGCAAGAAATTAATTAATGAGTGTCTGGAGGGGACACGAGACAGAGGAGTTCT CCGTAATGTGCCCTTGGGAGAGAAAGGTCCAAGATGCAATTCGTCCAGAGTGGCCCGGAGGGGCGGGTGCAGTGGGTGGTGGAGTAGGGGTGGGAGTGG AGAGAGGTGGTTCTGTAGAGAAATAATATTGTACAGGGCCCGGAGGACAGAGGCACTCTATTTGTTTTGTAATCAGCAGCACTATTATTTTAGTCTGA TCAATGGGCACAAATTTCTAAGCAGCGCAGTGGTGGATGCTCGCAAACTTTTGGCCACCGCTGGAAACCCACTAGGTTGAGTTGCAAAACGTACCCGCTAGACGC

[illegible]

SEQ ID NO	GENE NAME	SEQUENCE
146	NCOR2	GCCGCCGGCCTCGCCCATGTCTCAGTAGCCCTAGCCCGGACCTTCAAGAGGGCTTTGGACAGCAGTCCCAGAGGCCAACACTGAAGATGACAAGACCGAGGAGG ACGTGCCCCATGCCCCAAGAACTACCTGTGGCTACCATCGTCTCGTGTGTTTGGCCCTGCGTACCCCATCAACATCGTGGCTTTGGTCTTTTCCATCATGGTGA GAATCACGGCCAGAGGACGCTGGAGGAGAGACCCGGGGGCTTTAGGCCCTCGAGGGAGTCCGGCGCTCTCTCGGCTCCCTTCCACGGCCCGGCC GCGTAGGTGTTTGTCTCGCACCTCCTCCTACCTTCTCTCGGCTCTCAGAGCTCTCCCGCAATCATCAGCACCTCTCTGCACTCTCTCGTGGACTTGTGAC GAGCCCTGATCAAGCTTCCCCAGGCTAGTTCCTCTTCTTCCAGCTCCAGGGTGGTTCCTCTCCAAACCCGGGAAAGTTCCTCCGTGGACTTGTGAC TCCCTGACCTTCCTAGGCACTTGGCCGGGGCTTCTCAACCTCTTCTTAGAGCCCCAGTGGGGCCACCCCTAGCAGCGCAGTAAGCTCATACCCGAGCAT GCAGGCTCTACGTTCCTTTCCCTGGGCTCCGGGGCTCCTGCTCTCAGCGCCAGGACTGTCTATCTCAGCCTGTGCTCCCTTCTCTCTTTTGGTGGCCCC AAGGCAACGGCTTCGGCACTCTCCGGGGGTCCCGAGGATTCCTGATGCCCTTCCCTTGAATCCGCTTCCGGCTTTGGCAGCGCACGCTCTGTCCAGGCA ACAGTTCCCTCTCGCTTCTTCTACACCAACTTCTCTCTCTTGGCTCCCTCCGGGGCCCCCTTTTAACGGCCCCAGGCTGGCTCACACCCACTACCTCTTT AGGCTTTCTTAGGCTCCCGTGTGCCCTCACCAGCAAGTGGGTGGCTCTCTTACTCTTCTTACCCAGCGCTGTAGTTCTCTCCCCGTTTGTCTGCGC ACTGGCCCTAACCTCTCTTCTTGTGTCCCCCAGAGCTCCAGGGCCCCCTCCACCGCTGTCTCTGCGCCCCGGGCTCTCCCGGAAATGAACTAGGGGATT CCACGCAACGTGCGGCTCCGCCCGCCCTCTGGCTCAGACCTCCCGAGCTGCCCGCTCTCTAGAGTGGCCGCTGTAGTCCGCCCTTCGGGAGCTC AGTCCCTAGCCCTCTTCAACCCCTGGTAGGAACACCCAGAGCAACCCACAGGAGGGGACAGCGCTGTAGGCCCTCGCTTATTGACTGCAGCAGCTGG CCGGGGGTGGGGGGGTGAGGTTCTGTACCGGCACTGTCCCGGGACAACCTTGCAGTTGCGCTCCCTCCCGCACCGGCTACCTCGCCTGCAGCTGGGCGCA CGGAACCTCCCGGCCACAGACGCA
147	THEM1 32C	CTCTCTGGGCTTAGGAAAATGAAATGACACCTGTACCTGCCCCCTCCAGGACTGACAGGAGGGCTGTCTCCATGAAACCTCACTGCTGCGGTCATAATGTCA TAICTTTTGGCTTAAAGGGATTCTCTCTGACACAGACACCTAAAGTGCAGCCCCCTTACCTTGGCCATCAGCTGGACCTGGTGTCTCTCTGGAGCCCAAAACC TCGTGTTTGTGTGATCTCTGTGACAGCACAGTCCACACCCATCTGAGTGTCTGAGCAGAACAGCCCCAGAGGCCACACAGGATGGCTTTCACCCGCTCAC CTTCCCCACCCACTCATAAACCTTGGCTCTTGGGGAGAGGGTGGCGAGGTCCCCCTCCCCACATAGATGGAACACTGAGGCCGTGATTCTATGGTGGCCCCCTG TGAAGCCCTCATGGCCAGCACCCGGGGGGAGCAGGCCAGGGCGGGGACACATACCCGGTTCTGCTGTAGATGATCTGCAACCCAGGCTGCGGTGCTTCGACTCG ATGGGCGGGGTGACACGGGCTTCTCAGGCTCGGGCGGCTTGGCAGCTTCTCTCCAGCTGTGCTGTGGGAGAGGCA CTTGAAAACCTCCAGCCCCCTTTGTCCAGATGGGATGGAGGTGGCCAGGCTGCCCGTTGATTTGTGTGCCGAGAGCCCTCCCCGGGAAGGCTGTGATTTATA CGCGCAGGCTTGTACGGGGTGAAAGGAAGGGCCACTTTTTCATTTTGTATCCAAATGTTAGGTTTGAAGCCACCCACTGCTGTAAACTCAGCTGGATCCCGGGG CCGTGATTAACACATTTGCCCGCTTTGTTGCCGAGATGGTGTTCGGAAAGGCGCTGTGAATGCATTTCCCTTTGCGGGGCTCACACAGACAAGATGTGTGTTC AAGGATGAGGCGCTGCTCGGCTCCAGCCAGGGCCGGGAAGGGAAGGTTGCTGTGCGTCTGCTGCCTGTGTGCGCCCGGCTCTCC
148	PTGDR	CGCGTCAGGGCCGAGCTTCTCACTGGCTGTCTCCGCTCTTCAATGCGCAGCGCCAGGCGCTCACCTTCAGAGCGTCCCGCTCTCAAAGAGGGGTGTGACCC GCGAGTTTAGATAGGAGGTTCTCTGCGGTGGGAAACACCCCGCCGCTCGAGCTTTTCTGTGGCGAGCTTCTCCGCCGAGCCGCGCGGAGCTGCCGGG GGCTCCTTAGCACCCGGCGCGGGCCCTCGCCCTTCCGACGCTTCACTCCAGCCCTCTGTCTCCGCAAGGCTGAAAGTGGCTTCTACCGCTGCCAGAAC ACCACCTCTGTGGAAGAAAGGCAACTCGGCGGTGATGGCGGGGTGTCTTTCAGCACCGGCTTCTGGGCAACCTGCTGGCCCTGGGGCTGCTGGCGGCTCGGG GCTGGGGTGGTGTCTCGCGGCTCCACTGCGCCGCTGCCCTCGGCTTCTACATGCTGGTGTGGCTGACGGTCAACCGTGTGGCAAGTGGCTTCTTAA GCCCCGTGGTGGCTGCTACGCTCAGAACCGGAGTCTGCGGGTGTCTGCGCCGCACTGTGTGGCAAGCTTTCGCTTCTTCTCATGTCTCTTC TTTGGGCTCTCTCTCGACACTGCAACTCTCTGGCCATGGCACTGGAGTGTGGCTCTCCCTAGGCAACCTTCTTCTACCGACGGCACATCACCCCTGGCGCTGGG CGCACGTGGTGGCCCCGGTGGTGAAGGCTTCTTCTGCGGCTTCTTCTCATGGGCTTCGGGAGTTCGTGTGAGTACTGCCCGGCACCTGGTGTCT

SEQ ID NO	GENE NAME	SEQUENCE
149	ISL2	TTATCCAGATGGTCCACGAGGAGGCTCGCTGTGGTGCTGGGGTACTCTGTGCTCTACTCCAGCCTCATGGCGCTGCTGGTCTCGCCACCGTGTCTGTGCAACCTCGCGGCATGCGCAACCTCTATGCGATGCACCGCGGTGCAGCGGCACCCGGCTCTCTGCACACGGGACTGTGCCGAGCCGCGGACGGAGGAAGCTCCCCTCAGCCCCTGGAGGAGCTGATCACTCCTCTGCTGCTGGCGCTGATGACCGTGTCTTCACTATGTGTCTCTGCCCGTAATTGTGAGTCCCCGGGGCCCCCGAGGCAGAGGCACTGAGACTGTCCGGCCCGCGGATCGGGGGGGGAAGGGTGGG
		CTTCCGGCCGGGTATCTGGGTGCCCTTTTCTGGGGAGCCCTGGGAGATCCAGGAGAACTGGCGCTCCAGATGGTGATGTCTGTACTTTCACAGCAAGGCTTCCACAGCAAGGCTTCCCTTGGAATTGAGGCTTCCCTATTTGTCTGGGATCGGGTTTCTCCTTGTCCAGATGGCAGCCCCGGTTCGGGGTTCGGGCGCTGCGCGGAGCCCAAGGCTGCATGGACGCCAGCCGAGTCGCGGCTGGTGGTGTGCACCTCCGTCCGGAGCTGCAGAAAGGTGGAGTGCAGGTCTTGCCTTCCACCGGGCGGTGGCTTCCAGCACTCAAGGCCCTGGAAGTCCAGTCCAAAGGTGGCAGAAAAGGCCAGACCTAACTCGAGCACTACTTGCCTTCTGCTTCCCCCGCAGACCTTCAGGGACTTCAGGGACTTCAGGGACGCCCCCTGGTGGCGGGCAGTCCCAATCCGCCATGAGAACGCCCTGCAGGCAGCGCTGAGAGGTGCAGACGTAACAGCCGCGTGGAAAGGCGCTCAGCGAGTTTGGCCCTCCAGACGACCTTGACCACACCCGCCCTTCCAACAGCTGGTGAAGGCCCTGCCCTTACCCCGCCCCGACCTCGGGACTCTGCGGGTTGGGATTTAGCCACTTAGCCCTGGCAGAGAGGGGAGGGGTGGCTTGGGTGAGGGCTGGGTACAGCCCTAGGCGGTGGGGAGGGGGAACAGTGGGGCTCTGAAACCTCACTCGGCCCATTAACCCAGGTCTCCCTGGATTAAAGTGTCTACAAGAGAGGTTCGCAGGATTAAACCAACCCGCTCCCCCGCCCTAAATCCCCCCCCTCGTGGCCTGGGACCTGGCCTCCTTCTCCGCAGGGCTTGCTCTCAGCTGGCGCGCGGTCCCCAAGGACACACTTTCGCACTCGGACGCGGCCCTGGAGCACCTGGCTCGCAGCTGCCGTGCTCT

SEQ ID NO	GENE NAME	SEQUENCE	
151	chr15:8775300-87754100	TTCCAGGGAATCAATAATTATTTATCTATAATTATTCTAACCCCAAGGTTCCAGAAAAATCT ACATTCCCTCTAAAAATGTGGCTTTTCTGTGTACATGGCGCGCATTTCCAGGACTCGGTTCCCTGGGTGGAATTACCCAGGAATACAATCGATTTTCTGAACC TGCGTAAGGCCACAGGCAGCTCTGAAAAATGAAAGCGTTTGCTAAGTGGGGAGATCTCACCGATCGAAACGTTTAAAAATGGCTTTGTCTTCATTCAGCTCTCTCC GATTTATTTCTGTGTTTTACAAATAGAAGCTCAGAGCTTCTGTGCCCCAGTCTTTGCATGACTCATGTGGCGTGCCACACGGGTTTCAGGGATAACGGGATGTTT AGAAAAATCGCTGCATATCGGAGTTTCTTAGCACGTTCCATTATATACTGAACGACGCGGCCGCTGAAAAATCCAGCCTCGACTCTTGCTTAATGACTGGGTAGGAC CCTCGGGTCTCTGCACGGTCTGAGGGTGTTCCTCCGGCTCCGATGTGGGAGGGCTGCGCGGGGACTAGGTTCTCGAGAGGCGAGGGCGGCCAGAGAAC CGAGACTGTTGCGGGGCCGATCGGATCCCTGGGCTGGGTTCTACGCAGAAACGCCAATGGCCATGCCTCCCCAGTCTCTCCAGCCCCAGTCACTAGGCC GGCGCTGGCCCGGAGATCCTCCAGAGCCCTGGCGGTGCCATCATGCCGAGAGACAAAGCTCGCCCCGCTGGAATTGCTCCAAACACAGATGCTCATTTT TGGAATATTCTAGAAAAATAACAAAGATCTTGTGTCGTATGATTACCGGAGGTAACTGATGGGAGGGCATTACATGAGGGGAGACACTGTGGGGCGAAG GTGACTTCTGGACGTAGGCTTTTAAAGTAGGAACGGCTCCAAATTTCCAAATATCTCGGCCTTACCGGTTGCAAAATCGGAACCCCTGCGGGAAAAACAGACACTTC TGTTCGTGGCTTTCGGGCTGCCCTCCAGCCCCACGACAGGCTCGTTAGTCCCCGTGGAGTCAGCCCCGAGCCTTCCTAGTCTTGAAACAAGGGCTCCAGGTCTCGCG GCCGGGAAGCCGCCAAGAGGGCGGGAGTAGGGAATTCCTCCAGCTCCGACGGGCATC	
	152	NR2F2	TCCTCTCGGCTTCAGATGTCGTCCCACTGCCACAGAGCAGGGAACCTGGAACCCACTCTCCCGGCACTCCCCAGCGGGTTCCGCCACCCCGCGGCCCT GACACCGAGTGGGTGGAGGAAGAGCAGCTGGCGGGGATGGGCCATTGAGACCTCTTGAAAAATATTAAAGACAGGATGGGTAGAGATTTCTCCGGGAGAAA GTTTCGAGGCTGCATCGGTCGGCTGGGAGGAGTACCCGAAATGCCAGCAGGAGAAATGCAACCTGTTTAGGCCACACCTTCAATCCCCGAGGCTGTCTGGAG AGACTGCTCGGGGGACTTGCCGCGCTTCCACACCGCGCTGCAATCCACTCCCGCGCTGCCCTGCGCTTCGCCACTCGCGGCTTGAAGCCAGTGGCTCTCA AGCCTCGSCCCCGCGCAGCCTTCACCCGCGCGCGCACCAACGAGCTGGCCGCACTGCCGAGCTCGTGGGCCCTGGCGTCTCCC GTCGAGAGGGAGGACGAGGGCTGAGCCGGGAGTCCCCTGGCGGTGGTCGGGCCGCCCTTTGAGGCCCTGCTCCCCCTCTCGGCCCTCGCCAAATCCCTGA AAGCCAGTCCCCCTTCGTACACCCCGGGGCTTCTAATCATCTGGTATCGATTTCCCTAACTCTTTTCATCTCTGTTGAAGACACATCTTAAACACTCCAGCCC GGAGTGTCTGGGCTTTATCCACACTAATAAAATGATTACCTTCTCTCGCGGCTCTCTCACAGAGGAAAAATCGTTCGAGCCCCGGCTATTTGTGTGGA TCAGTAAATATTTAGTGGCTGACATCTCTTAGCTGGGCTTCGGATCGATTCCGGGCCACCGGGAGGTGCGACGGTCCGGGGGGCGCGCCGAGCTCGCGG AGGGGCTCTCCCGCCTCGCCGCGCGCGCTGATTTAGGCCCTCTGCAACCAAGTAAGGGGGCGAAAGCGGCCCTGGAATAATTGGCTTTTCAACCTTTTAC TTTTGACATTCAGCCACTTCCCAAGGCTCTAATTTCTCGCCCGCACTCTCTCCCTCCCGCTTACTAAGGGTTGGCTGTGCGCCTGCGAGCCCTTCCAGCAGCA ACGCGCGGCTCGCGCCCCCTCGGCCCGGGGACCACTATCACAGCCCTGAGCCGCGACGCGGGAGGCCCGGCCCTGCTGTATGGGGTCTGCTCTTCGAG GAGAGATGCTCTCGCCCGCCACACTCTGAGGGAGGAGAGGGGTTGAGAAGCCACAGAGCTGCATCTGTGTGATACGAGCCGCTCTCCCTGCTACCCCTTC TCCGACCCCTCGGCCCTTCTCTCTACTCTGTGAGACTGATCTCTGACGTCCAATCGGGCGGATGGCGTGGGTGGAAGCGTTACTTTCTTCGCAGAAAAACTCTCT CTCTTTCTTAAGATCAGAAAAAGCGCTTAGCTTGGAATTGTTAG
		chr16:1123430-11234900	CCTAGGCATCTCAGCCCGTTTGTGTGAGGGGGCATTTGAGGCCCTGGCCAGCTTAGCCAGCCTACAAGGAGTGTACTGGGGTGAAAAACAGCCAGCGGGGACC AGTCTGCTGTGGCCCGCCAGTGCTGGATGGGAAGCAGACAAATGCCACCTTCTTGCCCAACCCCTCTCTCCCTCTTCTCATGGGGGAACTGGGGGTGGCA GCGGCTGCCGGGTGCGAGCGGGCTCAGGCCCTGTGGCCCTGCTGACGTTGGTCCCCATCAAGCCATGTGACGAGACCCAGGCCACAAGAAAAGAGTTTCAACAAG CGTTATCGTTTCTTGAAACTCCAACTCGGCGACTTCCCCGAAGACCGGCTGTGCCTGGCGGGCGGGCTGCGCACAGCGGGGACAAGGCTGCCCCCTTCTCTCTC CGCTGCCCTCCGGGCGCGCTATCTCAGTCTGACTACTCTGGAAGCAGCACTCCAACCTCCAGCCCCAGCGGCCCTCGGCTCAGCTGCGCAGGTCACCGGCAACCC CGGAGCGGTGGGCGTGTCTCCGCCAGCCTCTGTGATGTTTTCAGCCCGGGCTGCACAGCCCGGACCCCTTAGGTG

SEQ ID NO	GENE NAME	SEQUENCE
154	SPN	GCAC TGGT TCCCTT TACCTG AGCAACAACCTACC AGGAAGTTTCCATCAAGATGT CATCAGTGC CCCAGGAACCCCTCATGCAACCATCATCCTGCTGTT CCCATAACAGCAAACTCTAGGATCCCAACCGTGACAGGTGGAACCATAAACAAGAACTCTCCAGAAACTCCAGTAGGACCAAGTGAGAGCCCCCTGTTACCCAC GGCAGTAGCTCTCTGGAGACCTCCAGAGGCACCTCTGGACCCCTCTTACCATGGCAACTGTCTCTCTGGAGACTTCCAAAGGCACCTCTGGACCCCCCTGTTA CCA TGGCAACTGACTCTCTGGAGACCTCCACTGGGACCACTGGACCCCTGTTACCATGACAAC TGGCTCTCTGGAGCCCTCCAGCGGGCCAGTGGAACCCACAG GTCTCTAGCGTAAAACTATCTACAAATGATGTCTCCAACGACCTCCACCAACGCAAGCACTGTGCCCTTCCGGAACCCAGATGAGAACTCACGAGGCATGCTGCC AGTGGCTGTGCTTGTGGCCCTGCTGGCGGTCATAGTCTCTGTGCTCTGTGGCGCCGCGGAGCAAGCGGCACTGGGGCCCTCGTGTCTGCTGAGCA GAGCGGCAAGCGTAACGGGGTGGTGGACGCTGGGCTGGGCGACGCCAGGTCCTTGAGGAGGGGCGCGGTGACAGT
155	chr16:8546990-85470200	TGTCGACAGGCACACAGAGCGCGCCAGGCACGGCCCTCATTTCTCACCCCGAGCTCCCGCAAGGTCCGCGAGGAGGCTGGAGCAGCGGGTAGGAAGCGGGCC GAGGCTCCCCGACGCTGGGCGCAACTGTCTATCGCAGATCCCTGAAAAACGAGCTCTGTAATCGTTGCCGTACGCGGTGTACAATTGCAGCCTTATGTTTCC TGCCGCTGTTTACCTTCTCTGAGCGGGCCCCAGAGATGCAACACGCTGCCCTGAAAGCGGGACGTGACCTCTGGGCACCTGTGAGGTCCTTGGG
156	SLFN11	GTGCGCTCCTGCGCTCCCAACGGGCTGGCCGTTTCCCTTCCCTCGCACCCCTCTTCTCTCCCGGTGCCCTGCGGTGCCAGATACCCCTCGGAGAGTCCAGC TGAGCTCTCGCCAGAGCTTTCCCTCTCCAAACCCGCTCGACTTGCCCAAGATCCCAAGCTGGGCTTCTCTCTCCATCGCCCCCAGAAAGTGCGTCTTGGAGACCGAG GCAAGAAATTTGGGCCCTCGGCTTCTGTTCCAGACCCCGGACCCCTTGCCAAAATGCGGCAGATGTGCAGATTTGGCCCGCGCTTGGTTCCCTGGCTGGGTTTATGGA GCCTGCGGTGAGGCAGGCTCCGAGACCCCGAGCCAGAGTGGGATTTAACGGCGGCGGTGCGCTGTGCTTGGTCAACCCCGTTAACCGTCACGCTACGCTGCTAGTG ATATGAAAAAACCTGCCAGCGTTCTGCTTTCTGCCCCGTGCAGTCTTTAGCACCCGCCAGGATTTCTGTCCGAGTGTTTGGA
157	DLX4	TTTAGTGTGCATAAAACATCCAGCTAAATCTCAAATAGACTTTTCTCTGACGAGGCTGAAATTTGCAAGTAATGCAAGAAGACTCCGGGAGAGAGCGTCGCC GATGGTGAGCGGAGACGGCGTGGGAGCCCCACTGCAGTGCTGGGATCGAAGTGGTGTGACCCCCAAGCTCTCCCCCTCTCTCCCCCGGGAGCTTCTC GAGGTTATTTGGGAAATGAGGGGAAC TCCAATCCCTGAGAAAGCGCTCAGGGCTTGCTGAGGTGAGCGCAAAATGGAAGCACAAAGCGCGGGCTGGCCGTGGG CTCAGTAAACAGTCCGCTGCCGCTTGCGCCAGCACTAAATGCTCGATCAGAAAGAAAAAGAGGCGCAATAATTTCCAAATTTTCAGAAAAGTCAAATCGGA GAGGGGAGCGCAGGTCTCTTCAGACTGCCCATTTCTCCGGGCTCGTGAATCGGGGCGCTCTATCCACAGCGCGGGGCCGAGCTCAGGCAGGCTGGGGCGA AGATCTGATTTCTTCTTCCCGCGCCAAACCGAAATTAATCAGTTTCTTCAACCTGAGTTACTAAGAAAAGAAAGGTCTTCCAAATAAAACTGAAAAATCACTGC GAATGACAATACTATACTACAAGTTGTTTTGGGCGCGTGGTGAGGAGAAAGGCAACGGATAATCCCGAGGGCCCGGAGTGAGGAGGACTATGG TCGCGGTGGAATCTCTGTTCCGCTGGCACATCCGCGCAGGTGCGGCTCTGAGTGTGGCTCGGGGTTACAGACCTCGGCATCCGGCTGCAGGGGCAGACAGAGA CCTCCTCTGCTAGGGCGTGGGTAGGCATCGTATGGAGCCACAGAGACTGCCAGAGCACTGCGCACTCACCAAGTTTAGGGGTGCCCGTGATAGACCCGCCAGG GAAGGGGCTGGTTCGGAGGGAATTTCCCGCTACCGGGAAGGTCGGAAC TCGGGGTGATCAACAA
158	SLC38A10	CATGTTGCTTCAGGAAGGAGGGACGAGAGCCCTGGGCTTGTGGTGTCCACGTGGACAGCTAAATGAGGAGCCTTGCCGATGAGGAGCATGCGTTCCCCGACGGG GCGGCCGAATGCGGAAGGAGCGGCAATTCTCTCCGCCCTGACCGCGGATTTCTCTGACAGCATGAGAAAACGGCGCTGACTCAGCAGGTTCCCTCCCCAGCCCC GAGCGGTCACTGTGTTGACCCCCCGGCTTCCCCACGGCCACGCCGGAGAGGGCAAGGGAAGTCCCGGCTCCAAGGCGCACCCAGAGATGCGGTGCATGTGGC AGGATGGCCAGCCCCGTGGCAGCCCCAGCTTCTGCCCCGTGGTTTCTTCTCCACGGGCTACAGGCCCTGTGATGAGCTTTTGAAAGCAGGAAACACACAG GCTAGTAAGTATGAATGGGTCCAAAAAACACTCTCTTAACTTTAAACTACTTTAGGAAGAAAGCACAGCGTTTGCCAAACGCCAGA

SEQ ID NO	GENE NAME	SEQUENCE
159	S1PR4	CGCGGGGGCCGAGGATGGCGGCTGGGGGGCTGTCGGTGGCCGCAGCTGCCCTGGTGGTCTGGAGAACTTGCTGGTGTGGCGGCCATCA CCAGCCACATGCGGTCCGACAGCTGGGTCTACTATTGGCTGGTGAACATCACGCTGAGTGACCTGCTCACGGGCGGGCTACCTGGGCCAACGTGCTGTGCG GGGGCCGACACTTCGTCTGGGCCCGCCCAAGTGGTTCTACGGGAGGGCTGCTCTTACCGCCCTGGCGGCTCCACCTTCAGCCTGCTCTTCACGTGCAGG GGAGCGCTTGCCACCAATGGTGGGCCGGTGGCCGAGAGCGGGGCCACCAAGACACCGCGCTACACGGCTCTGCTGGCTGCTGGCCGCGCTGC TGGGATGCTGCCCTTGCTGGGCTGGAACTGCCTGTGCGCTTGACCGCTGCTCCAGCCTTCTGCCCCCTTACTCCAAGCGCTACATCCCTCTTCTGCTGGTG ATCTTCGCGCGCTCTGGCCACCATCATGATGGCCCTCTATGGGGCCATCTTCCGCCCTGGTGACGGCCAGCGGGGAGAAAGGCCCCACGCCACAGCGGCCCGCCGCAA GGCCCGCGCTGCTGAAGACGGTGTGATGATCCTGCTGGCTTCCTGGTGTGCTGGGGCCCACTCTTTCGGGCTGCTGTCGGCGAGCTCTTTGGCTCCAAAC TCGGGGCCAGGAGTACCTGCGGGGCATGGACTGGATCCTGGCCCCTGCCGCTCAACTCGGCGGTCAACCCCATCATCTACTCTCTCCGACGACGAGGAGGTG TGCAGAGCGCTGCTCAGCTTCCTGCTGCTGCGGTGTCTCCGGCTGGGCATCGAGGGCCCCGGGACTGCCCTGGCCCCGGCGCTCGAGGCTCACTCCGGAGCTTC CACCACCGACAGCTCTCTGAGGCCAAGGACAGCTTTCCGGGCTCCCGCTCGCTCAGCTTTCGATGCGGGAGCCCCCTGTCCAGCATCTCCAGCGTGC GGAGCA TCCTGAAGTTGCAGTCTTGCGTGTGGATGGTGACGCCACCGGGTGCTGCCAGGACGGCCCCCTCTGGGGTACAGGAAGCTGTGTGCACGCGACCTCGCCTGTATG GGAGCAGGAACGGGACAGGCCCCCATGGTCTTCCCGGTGGCCTCTCGGGGCTTC
160	MAP2K2	GGCGGGTGTCCACACTGT'CCCCCTTCTTGCAATGGGAGGAAGGGGCTCGAGAACTGAGTCAGCTCAGCCACACAAAACGAGGATGGACAGAACTCCTGAGTAGCGAGGG TGCTGCCGGGCGGAGGAGGAGGGGAAGACAGAGGAAGACGAGGAGGAGGAATAGGAGACACCAATGACAGAGGGGTGCCCTCAGACACAAAAGCGCTTCCT CACTCTTCCTCGCCCCCTTGATGCCGCCGGCAACGTGACTCTGCGAGCAGCGGGGAGACGCCAGGTCTCCCTCGCAGGCGGGAAAGGGGCTCCAAAGCGGGTG CTGCCCTTGCTCGGGTCACATGGCTACGTGGGGCTTGCTCAAATTCACATTCTCGCTTCATTACAAAACCTGCAAAAGGGGATCGCACGTTTGACGGGTGTCA CCAAAGCATCTGGTTTTTGAAACGACGCTGTGCGGCAGGGGCTGTGATACCTGATGAGCTCGGTGTGGCGGGGTCCGCAGCATTTCTCCCGGGGTTTTGAGCTC TGGCCACTCTCCCTTTGTTCCACCCAAATCACCCACTCTGGGCTTCGAGGCCAGAGTGCTTAAACAGGGGGCACGT
161	UHRF1	GAGCGAGCTTTGTCTCAAAAAAANAANAACCAATAAATTGAAAGCTGAGAAATTCAGAGCACAAAGAGCAAGCGCCCCCTCTTTTAGCTGTCAACATG GCGAGCGTCCCTGGTGACGCGAGCTCCAAAGGCTCCCTGTGCCCTCTTGAGACCCGAAGAGGAAAGTGGCAGCGACAGTGATCGTGGTGTCTTTGTGGCG GTTGTGTTGACTCACTGACCCCCGAAGTGCCGCTTAGGTGTGCTCTCAGCGGTGACCCGGCGGGTCAAGGGCAGAGTCCCGTGTCACTAGCCCTCCAC CCGTCTGTGTGGATGCCCTCGCGGCGCGGTCCACGCCACCGCCCCCTTGTGGGTTCGTGTCTCCTCCGTGTAGGATCCCTCCTGCAATCCGCTTTT TCCTTCCTCCCTTCCTCCCTCCGTCGTCTTGCCCGCACTGAGGTTGTGCGCAGAGCGCTGAGACGGGCCAGCAGGAGCTGT
162	DEDD2	TGCTGTCCCGGTCTGTGCGAGTCCCAAAGATGCTAGAGTGACAGTCCCTCTAGGGTAGAGATGCTGCTCTCCAGGAGAAAGTGGCCCCGAGACTTGGAGG TGGGATCAATCTGCCAGTCTGGATCAGGAGGCTCTGTGCGGGCGCGCCCCCTCTCTCCATCAGCAACAGGCGCGCGGCCAGCTCATAGTCAAGCC TCATCCACACTGACCAAGCAGCGGAACAGCTCCCGGCCACAGCTCTCGCAGGGCTCAGTCAGGAACACGCCCCCGCAGGGCTGCACAGGGCGCCACTCAG GTAGTCGCCCCAGAGGGTCCAGATAGGAGAGCTCTGAGAACTTGATGTCAAAACACAGAGCCAGTCCCTTGAGCGCAGCACTGCGGTGGCTGCCCAA ACACGTCCAGTGC CGCGCCAGCGCTGGGGCCCGGGGATGCCACGCCCTGCTCCAAGGCTGGCCCATGCTCGCAGTACTCTGCTCGAAACCCGAGCCGGATG TCTGCAGGGGAAGAGGGAATTTGTAGGGAAGGGGCCAACACTAGACACACTTATGGGAACGCCACCTTCTCCCTCC
163	CDC42E P1	TGATGCCCGGGCCCCAGGGGGGACAGGCGCCGCCACCATGAGCCTGGGCAAGCTCTCGCCTGTGGGCTGGGTGTCCAGTTCACAGGGAAGAGGGCGCTGACT GCAGACATGATCAGCCACCCACTCGGGACTTCGGCCACACCATGCAATGTGGGCGCTGGCGGGATGTCTTCGGGACACAGTCTCTCCTCAGCAACCAACGGTGG CAGCTCCGGAGCACCCATCGCTACCCCCGAGCTTCTCTGGCCAAGAAGCTGCAAGTGGTGCAGAGGGTGGGGCGCCCCCGGAGGATGGCATCTCCCCCTG CACCTCCCGGCTCCACCGGCCATCTCCCCCATCATCAGAAACGCCATCTCCCTGGCCCCAGCTCAACACAGGCGCTACGACAGCCTCGTGGTTGGCAAGCTC

SEQ ID NO	GENE NAME	SEQUENCE
		AGCTTCGACAGCAGCCCCACCAGCTCCACGGACGGCCACTCCAGCTACGGTGAGGGCTTGGGCCATCTTGGCCCCACTTTTCAGA

Table 4C

SEQ ID NO	GENE NAME	SEQUENCE
164	chr21:9 906600- 990680 0	GGCCGGGCAAAAAGCCCGCGCAACAAAAAGCTGACGGGGCGGAAAAAGCCCGCGGGAGCCCAAAAAGCCCGGGCGGCAAAAAGCCCA CGCAACAGCCGCAAAAAGCCCGGTGGTGGGGGCAAAATCAGTGGGAGCAGGGGCAAAAACACAAAAAGCCCGGGCGGGGCAAAAAGCCCA
165	chr21:9 907000- 990740 0	TGGCTTTGCTGGAGTGTGATAGGAAATGTGCAGCCAAAGACAAAAAGAAAGATGTAAGTAGGTTGACTCATTTGCAGCTAAGAACCCAGATGTTACCTTG AGGGTATTAACTAATAAGCAGTTTAAATCAGAAATGGCACATTCTGATTGTTTGTATGTTTCACATTTGGCAGGCATAGATACATGTTTGAAGAGAGAAAAAG TCAGTACATAGAGGTAACAAGCTTAAATATGTGCCAAGTCTAGAAAACAGAGACTAGGGGGATAAGGACCTTTTCGAAATTAATGCAAGATTTTGAAGAACTGAT TGGCTGGGGATGAGGCAAAAGGCAGGTCTTTAAGGTCAATCCCTGTTTTCGTTTAAAGTTGTAGCGGTGGTTTATCATATATTTGTAGAA
166	chr21:9 917800- 991845 0	TTCTTGGGAATGTCAGCTAACCTGAGCCTAGGGCCTGAGCCCAAGGGCAGACTGAGGCTCCCCAGCACAGGGAGGTGCTGCTGTGACAAGGGGTAGTGCT GGCACAGTGCAGGCTACTCCCTAGAAAAGATCAGCTTGAATATGCAGGAAGAGCAGGACCCCTCGGGCTGAGGCAGAGGTGGAAATGGGAAGTGCAATGGTGGTAAT TTAGTTCTCCAGAGGCCAGAAAGTAGGAGGAGCGGTGGAAATGCTGATGGCCCAAGGGAAACCCCTGGACTACCCCTGGCTCCACAGGACTCTCATAGTAATTT CGGGCTCCCTGCAGTGGTGAGGCCAGAAAGGAGTGTGCCCAATGCTGTCTCATCTCAGTCCACCCCCACCCACCATCAACAGATGAGTATGGTCATGAGTGT GGTCACCTCATCAGTCAATTTGCTCAGTTGTGAAAAAGAAAATTTGTTTCAGAGAAGAGCAAAAGTGTTCATGAGCCAAAGGTGAGCCCAAGTTATGCTAAATGAG GAGGACTGGAGACAGCGTGTACAGACACCGAGAAGGAGCACTGGGCAAGGGCACTTCTCCAGGGCAGAGCCCCACAAGAGCGTCTTGGCACCAAGACTCA GGAACTGAAGGCTGGCAGGGGCCCCGCCAGT
167	TPTE	TCCCCCAGCTGGGTATAAGCAAACTTTCTCTGTCTATGGCCCGCAGAGACACACCATCTAGTTCCCCCGCCAAAACTTTACATGATTTTAATTTCTCCTGATGAA GATGAGAGGATAACAGCCAAACAGAGAGGGCAGAGGATGGGATGGGACTCCCTTGCTCAGAGACCTCACCTCTAGGTCTTTACCTCTCTATTGAGAAATAAGTCAG TTCTGTAGTAAGAACTCTGTGTCCACGGCAACCCCAACAGAAATCCTTAGCGCTCTTGTGATTTCTGTAGAAATGGGGAATAGAACGAGCTTGGCCCCAAGACTGC ACAGACTTAAAAAACATATATTTCTTTGAAAATGGCAATCATTAATAAGTCAGGAACCAACAGGTGCTGGAGAGGATGTGGAGAAAATAGGAACACTTTTACACT GTTGGTGGGACTGTAAACTAGTTTCAACCATGGTGAAGTCAGTGTGGGATTCCTCAGGATCTAGAACTAGAAAATACCAATTTGACCCAGCCATCCCCATTACT GGGTATATACCCCAAGGACTATAAAATCATGCTGCTATACAGACACATGCACACGATATGTTTACTGCAGCACATTTACAAATAGCAAAAGACTTGGAAACCAACCC AAATGTCCAACAATGATAGACTGGATTAAAGAAAATGTGGCACATATACACCATGGAATACTATGCAGCCCATAAAAATGATGAGTTCATGTCTTTTGTAGGGA CATGGATGAAATTGGAAATCATTTCTCAGTAACTATCGCAAGAACAAAAACCAACACTGCATATTTCTCACTCATAGGTGGGAACCTGAACAATGAGAACACG TGGACCCAGGAAGGGGAACATCACACTCTGGGGACTGTTGTGGGGTGGGGGAGGGGATAGCATTTGGGAGATATACCAAAATGCTAGATGAGGAGTTT

GTGGGTGACGGCACCATGTCAACAGTTTACATATGTAACTAAACCTTAAAGTATAATAAAAAAATACTGTTCTGCCATACAGATACTCATTAAGATGAGGGAGAAAGGCAATGGGTGGGGAGAAATGTACAAAACCAAAGACACAGGATAATAACCTCAGAGCAGAGACTATCTCTAGTTATTTTTCTTTTGTATGTAAATGGAGAGGATATATTTACTCTGTAGAAAGTTTACATCAAGTGTTCAGCTTCTCTTTGTGGGTACTAGAGAAATAACACAGAGGGCTCAGTTATGCTCTCTGAATAACTATGTTTGTCTTAGTGTTTTCTAAACAATAATAAAATTCACATAAAATAGACAAGTTGTATAGGACTTTGGGGGATAAATCATTTGACTCAAGCTATCATTTTATAGGAATTTGTAGAAAAACAAATAGATCAAACTATTAATAATTCGCTAGAAAAAGGTCACATTTGTAATCTTTACATCAAGACATGGTAAATGTTTAAAGCAATGAATATGCTAAATACCATGATTTGATCATTTATGCAATGTAAATGTACTGTAACATCACATTTGTACCTCATATAATATGTAACAAATTTTGAGTATAGAAAAAATAAACTTCAATTTGTAGAAAAACAACCCCAACTTTTAAAAAAACGGGAAAAATACGTGAACAGATACTTCACTAAATAGAGATTTGCAACTGGCAATAGCAAAATCTGGTCAATCATCTATCTATTAGAGAAATGCAGATTTAAATACATAAGAAACAATGTCTCCGCTCCAGACGCATTTTGAACCTTTCACAGCTTCCCGGGCATCGTGGGACCTTCCGCGAGCTCCCGCCGAGGCGGACTGGGCAAAATGGGAGACCCCGCCGGGGGACCAACTTTTCGGAACAGCACCCACCGCCCAACCCCGAGACCCCGGACCCCGCTCCCGCGGAGACTCAGGAAACCCCGCACCCCAAGCCCTTCTAAATCGTGCAGCTGAGTGTACGGCCAAAGAGCGGATGCAGAGCTGGGGGGGACAGACAACAGAGACCGGGCGCTCGGGGCGGCGGGAGCTCCGAGGACCGGGCGGGCGCCCGGTGGCGCGGGCGGGTACCTTACCTGGGCTCCGCTAGGCCATTTCTACGCGCGGGCGGGACTGAGCTAACACCACTCAGGCCGGCGGGTTTGAATGAGGAGGCGGGCGGAGAGGAGCGGGAGGGAGGGGTTCAGGAGTTCAGGCTTTTCTCGGCTTTTGTGGGACACCTCCCGGATTTCCGCGCGACCCGGCCCCCAAGACACGGGAGCCCGGGGAGGGGTTCAGCCTACCGCGAGGCGCTAGTGCTTCGGCTTCCAGACCCCCCCCCAAAGAGAGCTCCCCACCTTACCCCGCCCGGAGACTGTGGGTCAAGAACTGTTCAGGTAGAGTGTGTGCCCTCCCTTGGCCCCCGCGCTCGAGACGCCGCCAGCGAGTCCGGCGTCAAGAGCGAGTCCGGCGTGGGTAACTGTGGGTCAAGAACTGTTCAGGTAGAGTGTGTGCCCTCCCTTGGCCCCCGCGCTCGGAGACGCCGCCAGCGTGCCTTGAACGGCCCGCCCGCGCTAGCATAGCGCGCCCGCTTCGCCCCCGCGCGAGACTCCGCTCCGGGACCGGACGCTGACAGGTACCCGGCGGGCGGGGAGGGGTGGCCCGGAGGCTCCCGCCATCCCGGCTTCTGTCAAGGTGCTGTGCAAGGTGCTGTGGCGAGGGAGGGGCGCGGCTGGGTCACCCCCGAAATACAAAAACCAACCTTAACGGCAATTTGCTCGCGGTTAGAAGGAGCTGTGCTGTCAAGGAAGAACCCACGCAAGAGACCGCAGCGGCTGGATACAGTACACGAAACACCCCAAAATCTCTCTTTGAAAGGAAACACAGGACAGTGGCTCATGCTATATCCAGCACTTTTCGGGGCCAAAGCGCTCACTAAACCCGAGAGTTCAAGACCAAGCTGTGGCAATACACGAAACCTGTCTACAGAAATAATAAAATTAGTGGCATAGGCTGGGCACGGTGGCTCAGCTGTGTAATCCAGCATTTTGGAGGCGGAGGCGGGATCACAGGTCAGGATTCAGACCATCTGTGCTTACTAAAAATACAAAAAATAGCCGGCGTGGTGGCAGGTGCTTAGCTACTTTGGAGGTTGAGCAGGAGATGGCATGAATCAGGAGCGGAGGCTGCAGTGAAGTGGCCACTGCACCTCCAGCTGGGGACAGAGTGAGACTCCGTCTCAAAAAAAAATAATAATAGCTGGCATGGTGGCTGGCACACATGGTCCCACTACTCAGGAGGCTGAGGTGGAAAGGATCTCTTGATCCCGGGAGGTCAGGTGAGCCCAAGATGGCATCACCGCACTCCAGCTGGCCACAGACCTGTCTCAAAAAAAGAGAGAAATGGGGAGAGAAATGTAAATACAAATTAATACCAACAGCAATTAGTGAGTACTTTTCCATGGAGCTGGAGAGGAAATAAATGTTTGTAAAAATTTAAATGTTCTAGCTAGAGAAATCAACTTTCTCTTAGCTTTCTACTCACAAAATCCTATCCTCTGTGATCTCTCTGAAATGTATGTACCTTTCCCTCTATTTCTCACACCCATGTTCTTTGTGTTCTCTAGCTGTGTAAATACTCATATAATCGCACTGTACCTTCTTTCTAGTCAGAAATAGCTTTCTAAAATCCACCAATAACCATCTCTGCTACTGCTTTGTGAAAATCTCAAAAAAATTTTACTTTTCCAAAAATAAGTCAGGCTCCCTCTCTTAGATACAAAAACACACCATGGTCCCAAGCAATCTTTTAGCTTCTTCCCAAGCACTTGGCTTAGATTAATAATTAAGAGTGGGCACAAAAAATAATTTGATTTTTCACAGGAAGCACAGACATTAATAATAATTAACACACAAAAAATAGACAGGATATAATTACAGTATGTAATCTTAGAGAAATATCACTCATGCAAGGATACAGAGGATGCAAGTGTTCCTCAATAGCGAAAAAGCTAGAAAC

[illegible]

		CTGGGCTCTGTGAGCGCGCGAGATGGGGCTGAGCAGCGGATTTCCCTCCCTGCTGCAGCTGGAGGACGATTACCTGCACCTAGCCGCTGAGCGGCGCATCTGGCC CTGGGTTACTGCAGCTGGTGACGCGGGCAGGGTCAGGGTTGGTTGCAGGTGGCAGCTGCTGCTAAACCCATTGCGAGCCTCAGGGTCACCAAGTTTCAACGCTCC TTTCATCATAGTATCTGATCTTTGGCCCGCGCCAGAGTGCAGCTGGCTGCGCTGGGACTGCGATAGCTTCTTGGGGCCGGTFCAGCGCCAGTTTCACTGCC TCCCTGAGCTGCGTGGCTTAAGGTCTTAGGCGCGCGCGCTATCTGGCCCTGCTGTCAGCGCTGCTGGTGGTGAGGACAGGGTCAAGGGTTGCCACTGCTGC TCCCGTGCGCCATCGGCAGGTGGCAGTTGCAGATGAGCCACAAATTGAGGCTGCTGGGCTGCTCCAGGTTGTIAGAGGTCGCCGAGTTCAACGACATGCC ACCCTAGGTTACGCTCTGGCCCGCACCCAGAGCGCGGTTACGGGTCCTGGGCCCTGTGCAGCCACGGGATGTTGCTGAGTGCAGGTTTCCCGCTCTCCCTG AGATCGGGGGACCACTGGAATTAGCCTCTGTGGTGTATCTGACCCTAGGGTCGAGCTGCTGGTGGCTGGCGGGTGGAAGTCGCTCTGTGTGGTGG CGGTGCCATTTGCACCGTCTCTGGTAC
170	chr21:1 399850 0- 140001 00	AAATACCTCTACTGAAAAACAGAAATAGTAATGAATACAGTAAAGTTTATAGAAATACAAAATACAAAATCAGTCGCATTTCTATACCCCAACAGCAT ACCATCTGAAAAAGGAATCAAGAAACCAATCCCATTTAAATAGCTATAAAAAATGCCCTGGGAATAAACTAAGCCAAATAAATAATGCTAAAAATGAAAACTA TAAACATTTGATAAAAAATCAATTGAAAAAGATACAAAATAAAGGAAAGTATCCCATTTTATGAATTAGAAGTATTAATACTGTIAAAATGACCATCATACT CAAAATCAGTCTATAGGTCCAAATCAATCTCTAACAAATTTCCAAATGTAAATTTTCAGAGATGTTAAAAAAGGTTTAAAAATCGTTCGCGATGTTAAAAAGG ATTTTAAACCGCTTTTTCGTTCTGCAGGGGAAGGTGTGGCCGTGCTCCCGCGCCCGCCAGTGTCCAGCAGCAGCGCATTTGCCCTGCTCCACGCCITCGCTC CAGCCCGCAGGGCGAGCCCCCGGGAATCAGACTGAGCCGTTCCCGCGCCCGCCAGTGTCCGAGCAGCAGCGCATTTGCCGGGAGCCGATCGCCACGGCATTT GGAGAGGGCGACGAGCCTTCCGCCAGAGGAGTACCAGAAAGCAGCCGGCTCTTCCGCTCCACGCTGGCCCGCTGGCGAGCCCGACCCGGGTCACTGC CTGAGGCTGGGAAACGCGCTGGCCCGCGCCACCGCTTCCGGTGGCCCTGGCGCGCTCTGTGTGCTCCCTGCGGCTCGAGGCGCTGCGGCCGGAGGAGTGG GAGAGCTGGCAGAGCTGGCGGGCGGCTGGTGTGCCCCCGGCTGCGCGAACGGCCACTGTTCAAGGGGAAGCCGGCGGAGCTTGAGGCGCCAGGCTAGGG AGGGCCGGCCCTGGAGCCCGCGCGCCCGGAGCTGCTCGGCTGCCCCGGCTGCTGCACAAAGCGGTGACACTGCCCTGCGGGCTCACGGTCTGCAAGCGC TGCGTGAGCCCGGGCGAGCGCCACAGCGGCTGCGCGTGAACGTGGTGTGAGCCCGCAAGCTGAGCAGAGTGTCTCCCGGCCAAAGTGCCTCGCTGCACGGCT GGAGGCTCAGGCGCGGAGCCTGCAGCGCCAGCAGCAGCCCGCGGCTGCTCAGGTGCGACAGGCGCTGTAGCTGTGAGCTGTGGGTGTGGGCTGCGCCCG CCTCCCTGACCCCTGTACGGCGGAGCAGCTGGAGCTGACCCACGGGCTGGGCTTTCGAGCGCTTGTCCAGGCGCTAATGATGGGAAGGTGAAAAGGTGGGGG TGGCCACACCCCTGCAGTCAGGGTGGCAGGTGTACAGAGGCCACATGCAACCCACTGGTTTGTCTTTTCCAGGATGCTGATAAGTTTCCCGCGGCCCGGAGC AGCTCTGTAAGGCCCTGTAATTGCCCTTTCGTTCCCTTCTGCTCTATTGAGAGTGGGAAGTACAAAAGTGTTTTGTCTCAACCCGAAGAAATGCACATGG GAGGACACACCGGGTTACTATTGTAGTAGCCCAACAGGAGAGCAGCGGCTGCT
171	chr21:1 401700 0- 140185 00	TGGGTGGAATTGCTTGAGCCAGGAGTTTCGAGACCGCTGGACAAAATGGCAGAAACTCCATGTCTACAAAAATACAAAAATTAGCCGGGCATGATGTTCTG CGCCTGAGTCCCGAGCTACTCAGGAGGCTGAGGTGGGAGGATCGCTTGAGCCCGAGGCGGAGTTTGAGTGAGCTGAGATGTCACGTGCATTCACGCTGGG AGACAGAGCCAGACTGTCTCAAAAGAAAAAGAAAAAGAAAAAGAAAAAGAAAAACGAAATGTATTCTGAATACATCTTCTAAACACATACATTTACT TGCATATATTAACTGGTTTATCCTGACCACAATTGCAGGTGAAAGATACCACCTGTTGTTCTATTTTCTGGTAAGTAGAGTGAGCCATGTCTTCCCCAGG GAAAGACGCTCCTAAAAAATTGTAGGACCACTTTGGTTTCTTCCAGATATTTTGTGTCATCGCTTTTCCITGGGCCAAATTCCTCATCTGTCTAGCCCTT CTGCCCTCCGCTGGTCTTTTCGAGCCTCTCCAGCGCCAGGTATTCGCTTGGGTGCAGCCCTCCCATCTCCTGGGGGTGACCACTGTCTCCAGGCCCT GCCCCGTCCAAACCGCGGAGACCCGCCCTTCCCGGACACCGGGTTTCAGCGCCGAGCGTGGAGCGCGTCCCCGTGTCGCCCGGCTCGGCCGTGGGA GCGCGCTCTGTGTGTCGCTGCTGCACTGTTGTGTGGCTGTGAGAAAGCGCGCGCGCGGAGCAGCAGCCGGAACAGTCTCCCTAGTAGCTCAGGCGCT GCCCTGCGCCCGCCCTGGCAGGGAGCCTGGTGAGATGGTGAGGAGGAGGTGTGCCGTGGCTGGCTGTGTGTCTGCTGCTGGCTGGTTAGAACCCCATTCCT CGTCCCCCGCTCTCCTCCGGGGGTGAGGAGGAGTGAAGAGGGGCCGCTGTGTCCGGCCCGCCAGGCGGAGTACCCCTCTGAGGAGGAGCAGCGCCCGG GAGGGGCTCTCCAGCGGCCCGCCCGCCAGGGGAGGCGCTGGGAGTGGAGTGGAGCGGAGCTCAGCTGCCAAGCTCGGCCCGGAGCCCTAGGTGCGGGG GAGCGGGGTCCCCGGGCTCGGGCTGCCCTGCCCGGACCTGGCGGGGATGGGCCGTGCGGCTCCCGGTGGGACGTACCCCTCAGAGCGCCCCGGGTTATTCCT

		ACTGACTCCAGGAGGTGAGTGTGCGCCCTTCGCTCCCTGCGGCTGCTGTGAGGGTCCATCGTTGCCGGAGACTGGAGGTGCGGGGCCCATGGAGCCCGGGG CGAACGGTGGGACATGGGCCCTTGTGGAAGAGGAGTGAACCGCTGAGCGCTGAGCGTGCAGCAGGACATCTTCTGTACCTGGTAATAATAGGTGAGAAGGATGCTTG GGGCGGTGCGCGTAACTCAGGGAACACTGGTCAAGGCTGCTCCCCAAACGATTACGGT
172	chr21:1 405640 0- 140581 00	GTCTCTAGGACACCTTAAGATGGCGGCGAGGAGACGGTGAAGGTTGGCTCCCGCTGTCTTGGGCTCTGATCCTCTGTCTCCCGCTCCCGCTGCGGCCGGCTC ATGGCCTGGCGGAGGCCGGAACAAAGACCTCCGCAACCGCCGTGTACACCGCCCGCTGTACAGCGCCCGCTGACGGCAAGGGGGCAGCTGCTCCAGAAGCTGCTCAGCAGCCGGA GCCGGAGGAAC TGGACGAGCTGACTGGCTAGTGGTGGCGGGGGGACGCGCTGCTCATCGCCGCTGTCTACGGCCACCTGGACGCTGGTGGAGTACCTGCT GGACCCGTGCGGCGGAGCGTGGAGGCGGCTGGTGCACCTTCGATGGCGAGACCATGGAGGCTGCCCGCGCTGTTCGAGGGCCCTCCTGGAGGTGCTGG TGGAGACCTGCTGCGCGCGGGGCTCGGTGAATGACACCGCGCAACCTGACGCTCATGATCTCGTGTACAAAGGGCCACCTGAGATCGCCCGC CTACCTGCTGGCGAGCACAGGCCAACCTGGAGGTGGCAACCGGCAAGGCAACGCGCTGACGCTCATGATCTCGTGTACAAAGGGCCACCTGAGATCGCCCGC TACCTGCTGGAGCAGGCGGCCAGGTGAACCTGGCGCAGCGCCAAAGGCAACGCGCTGACGCTGACAACTGTGCCGAGACCGAGCCCTGGAGATCCTGCAGCTGC TGCTGGGTGCAAGGCCAGCATGGAACGTGATAGCTACGGCATGACCCGTTGCTCCCGCCAGGCTGACGGGCCACACCAACATCGTGGAGTACCTCATCCA GGAGAGCCCGCCAGGACAGCTCATAGGGGTAGAGGCTCAGCTTAGGTGCCCCAAGAGGCTCTCCACAGCCAGGGGTGTGCGCAGCCCTCAGGGGGCT CCGTGCTGCATCTTCTCCCTGAGGTACTGAACGGGAACTTACCAAAGCTGTGTCCACAGCCGGAAGCTGCCATGGAAGCTTGGAAATTGCTGGGAT CTACCTATGTGGATAAGAAACGAGATCTGCTTGGGGCCCTTAAACACTGGAGCGGGCCATGGAGTGGCTCACCAGGGGGTGAAGTACCTGCCAAAATGGA GCCCCACAGCTGGTCTGGCCATGACTATTCCAGGGAGGTCAACACACCGAGGAGTGCAGGCGCTGATCACCGACGCGCATGAGATGCGTATGCGAGGCC TTGTTGATCCGGGAGCGCATCTCAGTCCCTCGACATGAACAGAGCAACCTGGAGCTCTGAGCCCATGAGCGCCAGAGCTTCCTCTCCCTTCGCCGAACTCTCTC ACATCCGCTTGTGGAAGTACGCCCTGGACATGAACAGAGCAACCTGGAGCTCTGAGCCCATGAGCGCCAGAGCTTCCTCTCCCTTCGCCGAACTCTCTC CTACGTGCTGCAGGACCGGCTGCCAAAGGAGCTGGGACCCAGATCGGCTTTGCAGACCTCATGGGGGTCTCACCAAAGGGGTCCGGGAAGTGGAAATGG GCCCCTGACGTGCTCAGGAGCCCTAGAGACTCGGCCAGTTCAACAAGGCGCTGGCCATCATCTCCCTGCTTACCTGCTGGAGAAAGTGGAGTGCACCC CCAGCCAGGACACCTGAAGCACACAGACCACTATCTGCTGCTCAAGTGGCG
173	chr21:1 407025 0- 140705 50	TAAAAATAAATTGTATAAATAATGCCCCGGATGCTAGAGATGCCAGACCTTACCAGGAGCAGATGGCAGAAACAGAGAGAAACAGCAGGAGCAGTTCCGAAT GCCAGGAACGGCTCAAGTGCCAGGTGCAGGTGGGGGCCCCCAGGAGGAGGAGGAGACCGCGGCTGGTGGCCAAAGCCGAGGCGCTGGCTGCAGGCTGGAT GCTCGATTTCTCCGCTTCTCTCTTTGCGGAGCTTTCGCGACGGCCGCTCGGAGGACTTCTGACGGATCCGCAACAGGGGACAGGGCTATTATT
174	chr21:1 411980 0- 141204 00	CGCCACACGTGCGGGTAGCGCCGCATCGCCCGCAGCCGTGTTCCCTTGGTCTCCGCTCTCCGCGCGCCCGCTGGTGAACCTGGAGCACAGGGACCATAGTTCTG GAAATTTATCCTTTTCTCTCATGGAATTCAGCAGCAGTGTCTAAAAGAAAAAATTCATCAATCATTTATGTATAATTTTATAATAAAGGTAAAAACACTGCCGA ACCAGTGAACCCGATAGAAAAGTAATTCAGTTTACAGAACACAACTGTTTTTTCAGGCTCTTTTATTAATAATAAAGAGCCATAIATATTTCTGTGGAATTC CCCTTTTACTTAAGAAATTCATATCAGCGAAATAGTTTAAAGGAGCTGTTTTGTAGAGGCTGTGTTGCATTTCAAAAATTGGAATAGGAACAATGACTGTGA AAAAATCAACATTTTATTTTATTTTGTAGATGGAGTCTCGCTCTGTCGCCAGGCTGTAGTGCAGTGGCGCATCTCGGCTCACTGCAACCTCAGCCCTCCCGG GTTTAAGGAAATCTCTGCTTCAGCCCTCTGATAGTGGGATTAACAGGCGCATGCCACCAAGCCAGCTAATTTTTTTTGTATTT
175	chr21:1 430480 0- 143061 00	CCCTGAACAGTCAGAGTTTACTGCCCACTTTTGGTGGAGGAGAAAGCTCTGAACAACTAGAGAGACTGTGGTTCCCAAAGACAGCCCTGTAGCCCTGAGGACT GCTCTATGACCGGCTCAGTCCCTGCCCTCCCTCCCTCCCTTCTCTCCCTCCCTTCTGACTACAGATCCAGCAGATCAGCGGCA CTTTGTGGATCAGTTTGGCTTCAATGATGAGGAGTTTGCAGACCATGCAACAACATCAAGTGAAGTCCACTTGGATGCCCCCTGCACGAGGACGACTCCCC TCCTCGCTGCTGAAGTCCCATGGGGCAGCTCCCTTAGTCTCTGCGGGGAGATAACAGGTGTTTCCAGTTGCATGAGGGTGTGAGGCCCCCAGTGAGAACCA GGGAGGAGCACTGAGGCTCAGATGAGCACCGGGGGAGGAGCCCTGAGGCCCCCAGATGAGCACCGGGGAGGACATGAGCCCCCAGATGAGCACCGGGGG

[illegible]

[illegible]

185	CYR1	CAGTGGTGTGCGCTCGCCCTCGCCGGGACACAGAGATTGGCGTGGATGCCGGGCGACAGGCGGGGAGAGGGGTGTCGAAACCTAATACTTTGAGCTTCTTTGCAAAAGTTTCCCTTGAGTGGGTGGGACGTAACCTGTATAATGGCCCTGGACCAGCTTCCCTGTTGGAGTGGCCAGAGAAAGTGTGTAACACACACTAGAGGGCAGGGTGGAAAAAGAGACTGCCCTTCAAAACCTTGTATCTTTTCGATTCTATTTTGAAAAATAACTACAAATCTATTTTAATTTTACAAAAGTTAGACTCATAGCATTTTAGATATCAATGTCTTCATTTAACAGAAAGTGAAGATGGAGCAACGGCTCAATCAGCGTCTGTATTTATTCGCTCCTGTGTGTCAGGGTGCCTTTTGCCGAGCGGTTGCGCTTTCTTACTCACAAAACCCCTTGATGTCTGTCTCCAGTTTACGAGGGAGAGCCGGATCTTTTGAAGTTGTATCATCTAAAAGCAGGTATATTGGGATGACTATGGATAGAAATTTAACCTGAAAAACACTGAAGTTGACAGCTGACAAAAGCATAACAGAGTCAATCTAATGTGATTATATAAGGACCCGAAAGCTTTTGCTTTTAAAAATTTCAATACITTAGGTAGAAAAGAAAAATGATAACCTTTTCCCTTTTGATTTTATTTACATAATTTTATAACACTAGCAGCCCTGAGACACCGGATTGGAAATATCTATGCCCTCTTGATGTTTACCTGGGCACCACTGCATCACAGTCCT
186	chr21:2 693880 0- 269392 00	AATAGTAATTGCCAACAGTCAAGATATGTACTACCACCAAATTCGGTGTATTTGTGATCAAAAAGATATACACAGATACCTTGAAAACTGATTTCTACGTTGCAATAGGGAAAAATACCTCATTTTCTCAGCTGTCCATTTATTTTGAGATATTATGTGCAGTATATGTGCAGTATAGTAGTAAGAACAGCAGATTTGGAACACATCAGCAATAATTTTCAATCAGAGTCCCGCAAAATGAAAGAAATTGACAGTATCCGGCACCTGTACTCATGCTTGGCTTCTGTAGAAAACCTGTGGCTTGCAAAAAGGGCAGCTGGTACTGTGTTTTGGTACCTCATTTCTTTAAACGTATAATGGGAACTGTGGTTGGTTTCAGGAAAAACCCCTGGCCTACTTATTTATTACTCTGTGTTTT
187	GRIK1	GGCCCATACTTAATGTATTTTAAACGTTTTTAAACGTTTTTAAACATTTACTAATATAGAACCTTCTATTGCCCTATTTCCTTCTGGTTTTATTCCCTTTTCCCTTCTGTCAATTGAAGAAATGGTTCTAGTGGTAGAAAATACTCCACGATTGAGAAAGAAATGTGGGAAAGAAAGGAGGCTGGTGGTAAAGAAATIGCTCATGATGTCCTCCTCTGAAATCTGTGCTCACAAATGACACTCCAATGTGTGTTTTGACGCTTGAAGA
188	chr21:3 074135 0- 307416 00	TGCTTCAACCGGAAATGTGGTTGAATTAACCTTACAGTGAACCTGATCAGTGGTAACAGGAGATGCTAGAACAGGAAAAAGACAAGTTTCCCTTTTCCCTCCCTATCCCCATCAATTAACCTTACAGTGAACCTGATCAGTGGTAACAGGAGATGCTAGAACAGGAAAAAGACAAGTTTCCCTTTTCCCTCCCTATGCCATCAATTAACCTTACAGTGGTATTTTTTCTTTGCAACCCCTCCAGAGAAAGTCGGCAATGTTTAAACGAGCATGCCCTGCCAAGTGGCTTATATACCTCATTATGAAGTGATACTCAGGGCCACTAACACATCGCACAGCATTTGC
189	TIAM1	TATGATTCCCTCGATTTCCTTCAATCTTAACCATGTGTGGATCACAGCAGGAGGGGCCAGAAAAGTGAAGTTAGCCTTGCCACCGGACCTCAGCCTCTCCCTTAAACTTTCCCTAATCCTCGGAGCTAGTGTTAACCAAGTGACTCCACAGTGTGCCGATCCCTTCAGACATGGCCTTGATGATCTCCAAAACCTCATGCTACCTTTGCCAGCCTAAAGCATCCACTCTGTGCCCCCAAACGTGAATGTCAAAATACCTTCAAGGCAGAGGCTATTTCTAATTTTTTGTGTTTCTGTGTTTAAGGCAACAA TCACCAACATTTGGTACACATGAGCCATCCTGTGAAACATCAAGGGCTTCGTGGCAGCAAGTCAACTCGGTTTCAGAAAGAAAGCTGCATATTTCCCTGAGGTTAGAGGTTTAAACCAAAACAAGACAACCAATTTTAACCCCAATCTGCCGACTGAGGGTAACCATGATCCTTCCCTTCACAGCACC
190	TIAM1	TACTAAATCAACCCAAACCCGAGAACCCGGTCAATGGAGAAATAAATGATAGTAATCTATGCTGTTTCACTGTTCATCTGTTCCATCAGCTCAGCTCTCTTGTCTGAACAA GAAAGGCCACCCATGTAGCAAAACCACATGTAAAAGAGCCGGGAAGAC
191	TIAM1	TATTAATTTTGTTCAAAGTAGACGGGTATACAAACATCTGTGGGCAAGTTTACCACACGCCACTTAAACACAGGCTAACAGGGTCAATATGCCAAAACGTTACAGGT TTGCAATTTTGAAAAGCTCAGAGATCTGACAGATGTGTTCGGCCCGGATTTAACATGCGGCTCCAGTGAGAGGAAGCAGATATGACAAAATGGTTCACTTAT TTCAGAACTAAACCCAGAGGAGCAGCCTGAGCCAAAAGGGAAGTGAATCAATGGAAAAGACGGTCAATCTGCTCAAGGCAAGGCAAGGGG
192	SOD1	AAGACCTGGAGTTTCCATTACACCGAATTTGGCACTTAATAACTGTTGTGGAGCATTTTCTTAAGCCACATTTTTCGTAAGTGGCTTTAAAAATTTGCTCTGCCAG TAGGCAGGTTTGCTAAGATGGTCAGAGACAAACTTCTGAACGACTCTTGAAAAATATACAGAAAATTTTTCAGAACTTTTATCAGTAAAAATTACAAAACGTTGT GCAAGGAAGGTGCTTGTGATAAACACTGTCCCGAGAAACCTTAGTGAAGTTACCAACTGGTGGAAAAATTTTCTCTTGCACCTCGGCTTAAAAATCAT
193	HUNK	GCAGGGGTGACTGGTCCCTCTCTCTCTGCACTCCGAGGATTTCTCTGGAAGATCTGAGCCCGAGGCTGCTGCTGCACATGACCGAGAGCTGGGTTTACAGAA

		CAGCAGCGTGATCAACACTGTGCTCTCCAACCGCGCTGCCACATCCTGGCCATCTACTTCTCTTAAACAAGAAAATGGAGCGCTATTGTGACGGGTAAAGT GCGACCCCTAGAGGGCATCGTCTCTGCTGTCTGTGGAAAAAAGAGCTCCTACACCCAAAGTGTCTCTCAGTTGCTGACACTGTATCCAAGCTGCTAAATTAAATC TAAATGTAGGCTGAGTTTCTGAAATGTGGGATAAAGTCGTAGCTAAACCTGCTTCTCAGGGAGTGCCTTTATCTGCAATGTTTTTCAAAT
		AAGTAACGGGATCAAAATTAATTATTTTGGTGGCGCCTCTCTTCTCCACCCCAAGCCAGCAAGACTCACCTTCGSCCCTGCCCCCGCCCGCATTTCAA TGGAATACCTAGGTGGCCCCAGGGGACCCCTGACCCCTATATCCTGTTTCTTTCTGCTGCTTTGTCTACTTTTCTCTCTGTATATAAAGAGAGAGATGAGAGATA ATTAACAAAAACAATGGCCCCAGGACAATGAACAACACTGGCCCTGGCCGGCCAGAAAATGTATCTCTGTTTCTAGTGAAACTTTCTCCCATCAATCTTCCCTT TAACCTCTCTGTGTAGTGAAGCAATAGGAACACCCCTCCCTCCCTTGAGCAAAATGCTTTCTTTGACTGGAACAACAAACAGGGGCTCGGGGAAGGCTGAGGT GAAATCTGGTGGCATGGGCGCCGACAAATGGGGCCGCTGTTCCCGCCCGCCGGCTTGTGTTTACAACAGGGAGGGCGGGCGTGAATGGTCTGATGATTG GAACAATCCCCCGATTCAGGCCCTACAAACGATCTCTGT"TTCCACACCGAGGGGACAGAAAAGAGAAAAAGT"GACAAAAGAACGCGGGCGGGGGGAAAT"AAAA CAAAAATGCGCTCGACTAAAAAATCTCTCAATATCTCTGATATTCAGAAAAGCGCTCTATGGAGAGAGCCCTTCAGGAGGCTTCAGCCATATCTGAAATGGCTTTTC TCTGGCCTCTGATTTATGATGAAGCTGAAGCGACTTGTGTGAGAAAAGGCCCTGGAGCCTCTTCTTGCTCCGAGATGAAGTACAATAGGCCACACAGGCGGAGAT CTCTTGATGCTCTCGGCTCCTGCTTCTCTTGCCCTCTCTCTCCCTGCAAAATACCAGCAGCGGTGACAAACGATTTGTTGCTGGGAGAGCCCGGTGA CAAGACTGGGCCACTTGAGGTCCTTTAAGAGGGTATTATGGCCAGGCGACGTTTGTGCTGTGAAGATGGCACACTCACTTTTGTCAATGGCTCTCATCGGC CCAGATAATCGCCCCCTGCCTGCCTGTCAAGSGCGCAGCCCGCCGATTCATGGCGCCCTCGGAGAAAGTA
		GTCTTTCCCGCCCCCTGTCTAAACTCAAACCGAGTCCGGGCGCGCTTGACAGGGCGCCGAGCTCTGCAGCGGGCTTGGGGCTGAACCCATCCGGCACAA ACTGCGGGCCACTGGCCCCCTACACCTGGGAGTTTGGGCGCTGGCTGCAGCCCCGGGCCACAGTGGCGGAAGCTTTCCCGGGCGCGGCTGGCGAGACCCCCG CGGGCCGGGAGACACCGCTCGGGAGTCTCCGCTCGGCTCGAGAACTTTATCAGCTGCATTTACCAGACCCCTGGCTAGGACGCTAGGCGGTGGAGCGC CCTATCCAGGTGCGCGCCGACCA"TGGA"TCACCGCGCCCGT"CCGCGAGT"CCGCCATGGCTTGGGAGGCCCGAAGCCCGGGGACAGTGGCCGCGCCCATCT CCGGCTCCCGGACCCCCGGCTCAGCGCGGAGGGCAGCGGGTCCCTGACGGCCCCCAGGGAGCCCCGGAGCCCTCTCTGTGGCGTCAATTCAGTCCCGGGGCAA CCTGAAGCGCGGTAGATATTGGAGAGGGGGCGCTGTGTTGGGGGACCTGGCGTCAATTACTGATGGCTAGCAGGGAGGAGGAAACGGGTTGTCACTCGGCCTC ATAAGGCCGTGAGTGAGTAGTCCAGGGCCTCTTCAGGCATTTT"TGAAACTGGATTAAC"TAGGGGGAAATTTGAGCTGAAGCCACCGTGACTGTCTTTTGC GCTGTGTGAAACTCCGGTAAAACTCTTTGGGCAACAGTCTTATCACAGCTCTTCAACGTTGCAGCCCTCTCTGGTCTGTCCCTGTTCTGGGCCCCAGGAA TGCAAGCAGGTCACGGCACGTGAAGACCTTGGCGTGGAGGAAGAGCTTCCCGCTGTGGAGGAAGCCAGACCCCTACAACACAAGACGAACACAGACC TGCGTGGGGAGCTCTGGATGCTACAGGGGCTCAAGGAGGGTGGAGGGGCTTCCCAGGCCAACCCCTGAACGGCTTGGACAAAGATGCTCAGATGGACGGGA GGAACGGCGTGTGGATGGGGAGCTGGAGCGGGTGGTGGGGGGGGAGGATGGGGAAGCGCTGGCCACCCAGTGTGGAGGGGTAGAGAAAAAGCCCCG CAGGGCCAGGTTGGGACCCGTAGGCCGGTTAGAGGGCTTGGACTTGATCTCTGACAGGCGACGGGAGACATATTCGTACTTATATGTGCACAGTGGCCA GATCTCTAAGAAAAACACCATCCCCCACCCCCCATATAGTAAACCAGGTGTC"CCGCCAGTGT"CCCGCCAGTGTCCCGAGGAGGTGATGGGAAATCCCATCTCCATAC CCTGCGGTGAGGGTTCATGCCCTCCACGTGTGCAACTACTCCGGGCCCCAGGAAACACTGGGCCCCCATCCGGTAAACCCCGGCCAGTCCGGGTTTCCCAAT TCACATTATAACCAACGGTCTTGCCAGCTAGACAGACAGACACCCCTGACCTGTTT"TACCC"TGATCTCTGTCTCAGGATTAATCACAACATTTGTGGAAGGGG GTGGCTTCCAGTGGGTGGACCGCTCTGTCAATGCCAGCGTGTGTCTAGCATCTCCTGGGGTGGGGGTGTGGGGAAGGAGGTTAGGATGAAGCCCTTAGAAG CCTCAGGCAATTTGATCCCGTGGCTGGATACTGAAGCCCCACCCCTGCCTTGACCTCAATTTTCAGTATCTTTCATCTGTAAAAATGGGAACAACCTGCTCTCC TCCTAGCCCTAAAGGGCTGCTGTCAAGATTGGCTGAGATAGCTGTGTGCAAGCTGAGCTCAATGAAGAGTTTCAATGTTGCCCTCAGTCTCTATCCCAATATC GTCTCACTGCAAAAGTGGGGGCAGCTTA"CTCAAGGGCAC"TTCAAGGATAGCCAGGTGGCTGT"CAAGCC"AGCTTTCAGGATGGGAGCAGGATCTTGACAG AAGGTTGACTGGGAGGGGCAGTTGCTGGTTTGGCTTCGTTAGGTTGCATTTT"TGTTTGTGTCCTTTCATTTCCCTGGGCGAGCACCCCTTCTCTGCAAGCT CCAGGCCCTTCCCTCTGGAATGCTCCTAGAGCCCCAACCTCTGCTGGTGCTGAGCTTAAGCCAGGCCAGCTAAGGGGATCTTGAGATTCACACGGCCCTCACAGTCA CTCAGATTGTTAGCAGAAGACAAAAATTACAAGGGGAGGGCGT"CATGTGAT"TTCTTACACACCTCCAAAATCCAGCAGACACCTTCCAAAGCCACAGGTAGCTTC
chr21:3 327220 0- 332733 00	194	
	195	OLIG2

AAGAAACCCATTTTACGGATGAGAACCTGAGATGGAGAAAAGGACAACTGGAGATCTCTGAGTCTCTGAGCCCCACACTCCCCTACCTCCCCTGCACCTCCAGCAC TCTGCTGGCAGGATCTTGGGCAAAATGCCCCACAGCTCTCTGAGAGTCAGTTTCTGTCTGTAAATGGGAGTCAATACCTTCTCTCTATGGCCGGTGAGAGACT AAATTAACACTATGCTGTCAAGACACACTGAAACTCCTGGCACAAATTTAGTTGCCCTTCAAGTGGTACAGTTGTCTATTAGTTGGAAGTCAACACCCCCAATCAT TGTAAGGTTGCCATATACCCCAAGATCCAGATTACAGCTCTCACAGTTTATATATACAGCGAAAAACACATAACACACCTTTGCCACATTTACATGTAT TTTACGGACCATGTTTACATCAGTCCGCAIGGCACATCTGCACGTGTGTGCATTTCGACAGTATTTACCAAGCACCTGCCAAGTGGCAGGGCCTGTCTCCGCA CCCCGCTGAACGTCTGACAGTCCCGGAGCCCGGTTCTGACAGCCGTCTGACCTGGACGACTCCAAGCTGTGTTGTGAGAAAGACACAGCCAT TTGTTTGCAGAGTTCTGAGGTTCTGAGGGTCAITGTAGCACATGTTTGTGAGCCAAACGCTGTCAATACAGCACAGGAGCATGGCTGCAATGCCTTTTCTTT GCTTTGCTTTCCGGTCCCGGAGCCTTGCTCCCGCCGCCACCCCTGGTCAGCTCTGCGCAAGAACGTCGTTCTGTTTGGCAGCCAGGCCGAGACGCGCTG AATGTAGCAGGAACCTCGAGAAAGGAAGGAGAGAAATCAGAAAGAGCCCGGAGGACCCCGGAGGAGTGGAGGTCTGCGCCCTGGAGCCCCGCGAGA GCCCCGGTTTGGCACGGCTCTCCCGGCGCCCGGCGTCCAAAGAGCCCGCCGACACGACCCCGGCTCTTTTGGGAGAGAAACACAAAGAAGA GGGAAACACACGGAGAGGCCAACAGCACACGACCGCGGGGGCCAAACAGGAACCTCCGGAGCCGGGGCCCATTAGCCTCTGCAATGAGCACTCCATTCCTCC AGGAAGGGCCCCAGCTGCGCGCTGGTGGAAACCGCAGTCCCTGGACCCCGCCAGGTCCGCCACCCCGGGCCGGGAGGATAGGACACACCAAGTCTGG GGACGCTCCAGGACGACACAGGCAAGCTTGGGACCCGGATCTAATTTCTAGTTATTTCTGGACGGGTGGGAGGATAGGACACACCCGAGAGGTAC TCAGATCCGATTGGACACAGGGCCAAAGGAGCCAGGGGCGACACAGACCTCCCGACCTCCCAAGCTACTCCGGCAGCGGAGGATGTTGAGGAAAGCTG CCAGTGAAGAAAGGGCCAGCAGCAGAGCTTCCGACTTTGCCCTTCCAGGCTCTAGACTCGCGCCCATGCCAAGACGGGGCCCTCGACTTTCACCCCTGA CTCCCAACTCCAGCCTGACCGGACGAGCGGCAAGAACCTGAGACCGCTTGCTCTCACCGCCGAAAGTCGGTCGAGGACAGACACCAAGTGGCAGCAACAAA AAAAGAAACCGGTTCCGGACACGTCGCCGGCTGGACTAACCTCAGCGCTGCAACCAAGAGCGCGCACGTTGCCCTGCTGTTGTTATTAGCTACAC TGGCAGGCGCACAACTCCGCGCCCCGACTGGTGGCCCCACACACATGGCTCGCTGTTGGCGGGTAGGCCCGAAGGAGCATCTACAAA TGCCCCAGCCCTTTCTGATCCCCACCCCCCGTCCCTGCTGCTCGTCCGAGTACAGATTTCTACTAATTGAACGGTTATGGGTATCTCTTGAACCGTTGGACG ACATAACACACGCTTCTGATTTTAAATACATATTTAACGGATGGCTGCAGAGCCAGTGGGAAACACCGGATGAAAAATAATGCTCCAGAAAG GCACGAGACTGGGGCAAGGCGAGAGCGGGCTGGGCTTTAGCGGAGACCGCAGAGGGAGACATACTCAGAACTAGGGCAATAAACGTGGGTTTCTCTTTGT ATTTGTTTATTTTGTAACTTTGCTACTTTGAAGACCAATATTTACTATGCTAATTTGTTTGTGTTTAAACCCGTACTTGACACAGTAAAAAGTTCCCCAAAC AACGGAAGTAACCCGACGTTCTCACACTCCCTAGGAGACTGTGTGCTGTGTGCCCCGCGTGGCTCACAGTGTCAAGTGTAGCATCCGAGATCTGCAGA AACAAATGCTGAAATTCGAAATGATGGGTGTGAGAAATTCAGCTCGGGGAGAGATTAGGACTGGGGGAGACAGGTGGCTGCCGTACTATAAGGAACCGC CAACGCCAGCATCTGTAGTCCAAAGCAGGGCTGCTCTGTAAAGGCTTAGCAATTTTCTGTAGGCTGCTGCACACGCTCTGCGCTTTTCCCATCTGTAAAA TGGGTGAATGCATCCGTACCTCAGCTACCTCCGTGAGGTGCTTCTCCAGTTCGGCTTAATTCCTCATCTGTCAGAGTTTTCAGGTTTCAGAGCCAGCCTGCA ATCGGTAAACATGTCCCAACGCGTCCGAGTGGTTCCATCTCGCTGTGCCCCACAGCGTGGAGAACCTTGCCCCAGGCTGAAACTTCTCTTTGGAGTT CCAGAAAGCAGCGGACTGGGACGGAAGGCTCTTTGCTAACCTTTACAGCGGAGCCCTGCTTGGACTACAGATGCCAGCGTTGCCCTGCCCAAGGCGTGTG GTGATCACAAGACGACACTGAAAATACCTTACTATCATCCGGCTCCCTGCTAAATAAATGGAGGGTGTAACTACAGGACGACCCCTGCCCTTGTGTAGC GCGGTTACCGTGGGAAAATAACTCGTCCCTGACCCACACCATCTCTCAACTAAAGGAGATTGTGAATTTCTTCAAAACACTCTTCTGGATCCGTCCCCCTC CCTCTTGCCCCGCTTACCCCTCAAGTCCCTGCCCCAGCTGGGGGCGTACCGGCTGCCGTGGAGCTGCACCGCCATCTCTAGACGCGGAGTA GAGACCAAGATAGTGGGACTTTGTGCTGGGATCTGTTTACATTTGGGGGCGCAAAATGCCACGCTGTGTGATGAAACCATGAGATGGAAACAGCGCGGGG AAACAGACAGAGGAAGACTAGGAGGAGACCCAGCCCCGATCTCTGGTCCCGGATCTTCCCGCGCATCCCAAAAGTGGCGGCTCGGTGGGCGATCA GGTAGTTTGTAGACTCTGCAGAGTCTCCAAACCATCCCATCCCCCACTGACTCTGTGTGGTGGCGGTATTTTACAGAAATTTGACCACGTTCCCTTTCT CCCTTGGTCCCAAGCGGCTCAGCCCTCCCTCCATCCCCCTTTGAGCGGCGCTTCTCTCCCCCTGCGCTCCCTCCAGTCCCTCCCCAAGAAAT CTCCCCGCCACGGGCGCCCATTTGGTTGTGGCAGGAGGAGGCGGTGTGCCCGGCTTGCGAGTTTCTATTGAGCGGAATTAGCCCCGATGACATCAGCTTCCCCA	

[illegible]

		GTCTGGGCTCTCAGGAGTCTCTACTGCTCGATTCTTTAGATTCTTTTATTTCTCTTCTGCTCAGAGGGGTCTCCCGTCACCACTTCCCCCTGCGGGTTTCCTT GGCTTCACTGCGGACCTGGATTCTGCGGAGCGTAGCGTTCCAGCAAGCGCTTGGGAGTGTCTGGGAGTGTCTTCCATTTCCATTTCCATTTCCATTTCCAG CCATCTCCACTACCTTCCCCCAGCGGCCACCCCGCCCTTGAGCTGCAAGGATCAGGTGCTCCGCACTCTGGAGGAGCACTGGCAGCGCTTTGGCCCTCTGTG CTCTTTCTCT
196	OLIG2	CCGGCACGGCCCGCATCCGCCAGGATTGAAGCAGCTGGCTTGGACGCGCGAGTCTTCTCTTTGGGACATTTGCAGCGTGGTGGGGCCACAATCCCGTCCACTG GTTGTGGGAACGGTTGGAGGTCCCCCAAGAAAGGAGACACGACAGCTCTCAGAAACCGCTTACATGCGCATGGGCCCCAAACAGCCTCCCCAAGGAGCACCCAG GTCCATGCACCCGAGCCCAAAATCACAGACCCGTACGGCTTTTGCACATCAGCTCCAACACACCTGAGTCCACGTGCACAGGTCTCGCACAGGGGACTCAC GCACCTGAGTTCGGGCTCACAGATCCACGACACCGGTGCTTGACACGCAAGGGCTAGAACTGCAAAAGCAGCGGCTCTCTGACCGCTTCCCTCCCGCCCC TCTTGAGCCCTACTTGAGCCCTGCTGAGTCTTGAGGCGCTGTGACCCGGTGTCTTGACCCGCAAGCATCTTGTTACCATCCCTIAC
197	RUNX1	GGACGGCCCGCTCTAGAGCAAGTTCTGGCAAGGAAACCTTTTCGCTGGTCTCCAATGCATTTCCCCGAGATCCCCACCCAGGCTCCTGGGGCCACCC CCAGTGCTATCCCCCGAAACCCCGAGATGGGGAGGAGCACAGGGTGTGGCGGCTCCAAAAGTAGGCTTTTGACTCCAGGGGAAATAGCAGACTCGGGTG ATTGCCCCCTCGGAAAGGTCCAGGAGGCTCTCTGGGTCTCGGGCCGTTCCTTAAACCCCTAAACCCCGGACGGGGCTGGAGTCCGACTCGGGCTGCG GTC'TCCAGGAGGTCAAGTTCCTTTATCGAGTAAGGAAAGTTGGTCCAGCTTGCAATGCACCGAGTTTAGCCGTCAAGGACAGCTCGTGGGAGCTGCT CAGTAGGAGTTTCAACCGATAAACCCCGAGTTTGAAGCCCGACAAAAGCTGATAGCAATCACAGCTTTTGTCTCTGATCGATGGATCGCGGGACATTT GGGTTTCCCCGAGCGCGCAGGCTGTAACTGCGCAGCGGCTGCTTGAAGAAAGAAAGACAGCAACCTCTGCCCTTCTTACTGAGGATCTAAAAAT GAATGAAAGAGGCAGGGCTCCGGGAAAGGAAACCCCTTAGTCGGCCGGGCAATTTACGGAGCTGCAC'TTCAAGGACAGCCACAGCGTGTACGAAAGTGA GGAATTCCTTTCCACCAAGAGCGCTCATTTTAGCGACAATACAGAAATTCCTTTGCTTAAGGAGAAAGAAAGGAAACAT'TACCAGGTTCAATCCCCA GTGTTTCCCTGGAGTAATGCTAGAAATTTACTTTTGTCTATAATGCAAAATTAATAAAAAAATAAACGAAGCGATACGTTGGCGGATGCTACGTGACAG ATTTTCCAAATTTTGTGCGGGGAGAGGGAGGAGGAGAAATTAAGAAACGGCTCACAAACAGGAATGAAATGTA
198	RUNX1	TTTTTAATGCTCAGAGAAGTTCGTATTACTGATTCGGGAACACATGAGTCTCTGTAACATATTTTCAGGTTTATTTTCAAGTACATTTCTTTA
199	RUNX1	CACCTTAGAGGCAAGGACGGGTCTGTGTCAAGAGGCTTCCCAGAGAAGTGAACACTCTGCAGGTGCAGCCGCTGGGAGAGGATCAAGAAGGCGAGGTGGAG GGCAGGGGGCGAAGGAGGGGTGAAGCCCGACCTACCCCCACATGAACATGATTCACACTACCCCATCTCTGCAAGCTCCAGAGGACAGAGGGCCAA TTTCGGGGACAGCTTGAGGCGGGAGATTAGGCGGGCTCCTTAACTTTTATGTGCAATGAATAATCAGGCCAAATCACGGGGCTCTTGAGCAAAATGGGGACGA TGATTACAGAGGCTGGGCTGAGGCTCAGATTCTGCACCTTCTAACAGTCCCAGGTGGTAGTGTGCCAGTCCAAAGACCACTG
200	RUNX1	TGCTTCAGTGGGTAACCTTGAACCGCTGAGAAGACAAAGCAGGAGTGGTCTCGCTGAGATTTTACCTGTGGTTCTAGGAACGACAGAGGCATGTGAGTGT CAGGCTTTTGCTATAGACCACTAAGCCACTTCTAAGAAACAAGGCTACCTGAGCCATTTTGCAAAAATATGTACGTGCCGAGGCTTTCTTCCCCACACCTACCTC AACTCTTTCTGCCGACACACTGCACCTTTTCAAGGGAACCCCAAGTTTGGGTTCGGCAAGAAATTTGACGTTCACACCCGTGTGTATAAATCCAGGGAATTTCAA TCGCATCTTGCTTCTCTTAAGCAAAATTCGGTGGGAACCTGGTGTGGTGTGATAGAAAAGCCCGGAGTTCTCTGTGTGAGACCAACATCAATTTTCATGTGC CAGTCTCTCAGACTCCGGCTTGCTCTCAAGGAAGGAAACAATGGTTGCTTGCTTGCCTTCACTCTCTCTTTTCCCCCAATTTCCACATGGGTATCTGGCTAA AAATGAGTTACAGGTTCTCTGTGAGAAATGTCATGGACTGATAAAGTACCATCCAGGAAGAAAACAAAGATGCTGTCTTCCCTTTCGGCTCACAGTTGCC GTTGGGAGGGAACACACGCTGTAATATATAGCAGCCAGAAAGTACCCGATTGACCACCTGCGAGTGGCCAGCTATGGCAACAGGCTGAGAACTCTGGGGGA GAGCCATTTGTGGCAGGATGGTGTATCTTCTAGCATCAAGCTCAAGATGATGACCAACCGGTATCAAGAAATGATATTTTGTACTACCTCTCCGGTTGG GTGAATGATGTGGACAGTTAACCTGGACAATTTAAACCTTTATGTTGATGGATCACTTGGATGAATTAACAGGAAATTTGCCAAGATTTTCACTTGGCCCTCT GACATCAAAATCTCAATATATATTACCAATTAGAGATTTCTAAAGAACCTTGAGTTCTTTTCACTGAAAGGAGGATGGAAAAACCTTTCCAGATGATCCCT TTTGAGTCTTGGTGGAGCTCAGGCCCTCCCTACACTGCCTCCGTGAAAGCTAACCGACCTTGTCTTCTTAACCTAGCGCAGGTCAGTGAATGTCATCGGGC ACAGGAGCCCTGGGCTTGTCGGGAGATAGCCAGACTCCTGCTATTTTCTGTAGTCTGCATAGCTCAGCGGTGTCCTTCCCTACCATCTTTGCGGTTGGCCAGTAAG

[illegible]

		TGAAACTCAACAGACCGCTTCTCTTACACTTGTGAGAAGTTAGCTGGCCACATGT
201	chr21:3 549920 0- 354997 00	AGGGAAAAGAGATAACGAAAGAAAGAAAAGGGCCGGCAATTTCACTGTACATTTTGTTTGGCATTCGCTGAATTCAGAGATGAAAAACAATCTC CTGCTTTTAAATTCAGTCCACGTGCAACAAAGTTGTACGTTGGGAGATCGGCTTTTAAAGAACGATTAACAAGCGTTTGTGATCAGAGAAAGTTGAGAAGA GTCGCTGCTTCTAAGAAATACAATAAACATTTGACTAGCAGTTAGACGGTCCATCTTCTCTATCAGCCGTTTAGCAGCCTCTACTTTGATTTGGGGCAATGCG AGATGGGACACAGGAGAGAGCTCCCCACACCCACCACACGTCGTTGGCAGTGGTCTGTCTCCAGAGCGCTTCTTCTCTGTCAGGAGGACGAGCTGCTGAGGC CGTTTCTGGGCAAGAGGCCATTGTCTGGGAATTTTGTCTTTAGATAGCTTCGAGCTGGCTGAGTGGGTGTTTCTATTCAGACTCAACACA
202	chr21:3 582280 0- 358235 00	AGCCTGGCGCACCCGCCCTAAATTTAGTCAAGGACCCCTAGGCGCCTGCACTCCGGTTCCGGTTGAGTGCCTCTCTGTCAAGATGTGAAGCTGCTGTCCCCCCC GGGGCCCTCCAGCACTGCTGAGGACTCAGCAGTCAAGCCTCTCTCCCACTTGGGCTCATTTACAGAGAGCATCTCCAGGAATCAGTCAATGGGAAAGGGAAAA CGCGAGTGAACAACAACACAGTAGAAAGTTCTCTGCCGCTTGGTCAAGCTTGTCAAGCCTCAAGCCTCATCTGCTCTGCGGAGGAAAAAGTGAAGCAAAAC TCAGCCCGGAGATGAGCCGACAGCCGCGCAGCCCTGCTCTGCCCTGTGTGTGACTGCAATGCAAGGCTCTCTGTAGTGGGGGGATTCGGGTAAATG GGTCTCCAGTGGTCCAGGCTCCACAGCAAGGCGGACCAAGAAATAGCGGGCTAGTTATTTACATTAACCATATACAAAACCAACAGCATCAGCGTCCCT CAAAATACATCCGAGACGCTGTATATCTCTTTATTAAGCCTGTCAAGGTTTGTATTGACAGCTGGCCTTGAACCCCACTAAACACAGGCTGCTTGAGCAA AGAACCAGCAATGCAAGCATTCAGGCAGGACCATTAACCTGAGGCCAAAGGCAGAAAGCAGGAGAGAGACGTC'TTCC
203	CBR1	AGACAGCCTCGGTCTCGGCCCTGCGGTTCTGCAAGTCAGGCTAGTGGCTCTCCGCTCTCCGACCCCGCGAGGTTCCGGTGGGAGGGGTAGGGAT GGTTACGCCCCCGCTAGGGCGGGCCCTGGCCCTGCGCGCTCAGCGGCCGGCGGTGTAAACCCACGGGTGCGGCCACGACCGCCAGACTCGAGCAGTCT CTGAAACACGCTGCGGGCTCCCGGCCCTGAGCCAGGTCTGTCTCCACGAGGTGTTCGCGGCCCGCTTCAGCCATGCTGTCGGCATCCATGTAGCGCT GGTGACTGGAGCAACAGGCACTCGGTTGGCCATCTGTGCGGACCTGTGCGGGCTGTCTCGGGGGACGTGGTGTCTACGGCGGGGACGTGACGCGGGGGC CAGCGGCCGTACGACGTGACGCGGAGGGCTGAGCCCGGCTTCACACAGTGGACATCGACGATCTGCAGAGCATCCGCGCCC
204	DOPEV2	AAACGTTTAAAAATATATTTCTAAACAGAAATGGGCCAATTCAGTCACAGTAACTGTTGATCTCTCATAGCAGAGCAACCCACAAAGACAGAACTGATTTTTTCTCC CATAATCAGGGTGAAAAATATACAACCTTGTCTGAAACCAAAACCAATTTCTGCAGTTTAAAAATGTTTCTACGTCTAAATATGAGCCCTGGTAGAAAAATATGT AGTTTCTTTCTTTTAAAAAAAATAAAAAATTTCTTAAGACACTAAATGCTCCATCTGGAATGTAGATTCGATCACAAGACAGCTCAGTTAA CCTAAAAAATAAAAAATTTCCCATCACCCTGCTCAAGTAGGGCCTGAGAGTAGTGTGGGAACCCCAAGCTTTGGTATGGAGAGTCATGGCCCTTTGAACCAAGATA GAGACCTTGAATAGCCATAGCTGGTGTCTCTCAGGATAAACTCTGATGAGGAAGTATCACCCCTCATGAGAGTGAATTTGGTCAATCCAGTTGACGCAAGG CATATTCCATGTCTTCTTTCTGAGACACCCCAACCATCCCACTCCATCCTTCTGCACATCCGTGTAAACAGGCAICCCCAAGCTTCTCGCGTGTGATCCTTCAG GTCCCTGCCAGCTGCCGTGATGGAAGAAAGTCCATTTCTTCATAAATAGCATCCCTCTGCATCTCGAGGGTCTCTGAAGCGCACGAGGGCGAAGGGCACAAAGGCCG TACCGGCTCTTGAGCTCGATCTCGCGGATGGGCTGTACTTGTAGAACAAGTCTCTGCGGCTCTCTCTCGCGCACGTGGTGGGAGAGGTTTCCCCACGTAAGT CACCGTCCGCTCCAGCCGCGCTCGTGTCCGCCCAGCCGGACAACCGCACCCGCGACGCTGCTGGCCAGCCGACGCGCGCATCCGCGGTATCGCCGCGC CTGCGGCTCAGCACGCTGCCCCGCGAGCGTCTGTTTGTATTTCTTAACAGGCTCTCTCTCTGTCGCCCAGGCTGGAGTGCAGTGGCGTGATCTTGGCTC CCTGCAACCTCTGCTCCCGGTTCAAGCGATTACCTGCTCAGCTCCCAAGTAGTGGCATATATAGTGCCAGCTAACCATGGCCGGCTAAATTTTTTTTT TTTTTTTTTTTTTTTGTAGACAGAGTCTTGTCTGTCAACCCAGGCTGGAGTGCAGTGGCGGATCTCGGCTCCCTGCAACCTCCGCTCCCTGGGTCAAGC GATTCTCCTGCCCTCAGCTCCTGAGTAGCTGGGATTAACAGCTATGTACCGGATGTCTGCAAGATAGGGATTTAACAGCACTCATATCTTCAATGTTTCAATAA AAAGTCTACACGCGTGTACGTCTAGATCTTCTCTTTGTGCACAGATATAGCACGGTAGTACGGATATAGTCTCCGGAGTGCCTGGGTTTGACTCAGC TTCCCCACGTACTGTCTGCGCATATTTTTGTGTCTCAGTTTCTCTCATCTTTAAGGTAG
205	SIM2	CACGCGCCCGGCTGGCTGGAGGGGCCAACCAAGGGGGCCGCTTCTGTAACTTTCTCTCTTTAAACTTTCCAAATGAATGAACCTGGC TCTTCTTACGGATTGTGTTAGATTAGGGAATAGATTCTCTCGCTGATAGCTTGTCTTTGCAAAATAACACTCTCTATATTTCAAAACCAACGAGTTTGTGTCT TTAAAGGACTATAGCAGCCCCATTCTATGTTAAGGTTGGCTATTACAAATATATATATGCTTAGGGAAAAAATGTAAGCCCCGTAAGTTTGTGTCTTCTGTGAT

[illegible]

[illegible]

GCGGGCGGGGGCGCTCTCCTCTCGGGCGCAGCGGCTCTTTCAGCCCAAGGCAGGTTCTCTCCCTTCTCTACTCGGAACGTGGCAAAAGATACCCCAAGTCCCAAG
 CCCCCTCAGCTGAGAGCTGTGCCCCAAGTCTGCTCGCTACTTGTCCGCTCAATGGTGAACCCCTTGGCAGAGAACTAGGGATGATTCCTCACTCCGGTTGATGTTT
 AGGGGAAATTAAGAACAATTCGGTTTCTGAGTCTCTTCCGGGAGGGCTGGTGGTAACACTGGTTGCTGGGAAGAGCCGTTCCTTAACCCGATGCAACAAA
 GCAGGTGTGGAAATCCGGACGAGAGGGCACCTACTGCTCTCTGCCCTTCTGAAATAGAAAAAGCCTCGAAGCAGCAATCCAAAGATCAAAATGATTTGCGGT
 CAATGATTTCAATTAACACAGAAATTAGTAAGGAGGGCCGAGAAGACACGGCTGCTCAGAAGCTGTTGCGTGTGTTGAGGGATTTCCCGGAGAGCCCTGTAAA
 AGATCGGAAGTGGTGGGTACCGCTCAGCCACCTTAACACCGCTCTGTGCTTCTGGCTCTGGAAGCAAGTCTCCAGGCATTTGGGCTCAGAAATGCTGG
 GCGCGAGTTTGGGCGGGGTGGTCTCTCTGGGGTCAGGCCCTTGAGCAGCTGCACTGGTGGCAGGTTTGGGAGCAGTTGAGGGCTTCCCTGTGTCTTTT
 GGAGGGGTGACCCCTGGAAGTTGGCACCTCTGGAAGGAGCTGTTTGGCCCTAGAGTTTGGAAAGGCCCTGAACCTGTTCCGTCCTCCCTCGGAAAGGGAAGG
 GAGCAGTGGCTTAGTCCCTCCCTCCATTCGTGCAATGCCCTGGGTAGGGTAGACCTGGAGCCGTGGACTCATATCCTTGGAAATTCGTAGGACAGCTG
 CTCCGGGGCTTGGCCCTCAGTCAGTCTGGGCTGAGGAGTAGGGAAGCTGGGAACCTGGGGCAGAGGAAGATGCGTTTAGAAAGACCTCCATTATGCAA
 ACTGGAGTCCATTTATGCAAACTGGTCACTCCCTCCAGTAGCTCCAAAGAGTGGCAGTGGATGATTTGATTTAACTCTTCTCAGGGGACCTGGGT
 CTGCGAGGAGGATATGGCTCGGGGTGGATAGGATCTGTCTGAGCTGCCAGGTCAGGGTGGTGGCCCTAGGGAGTTTAGGGCCAGGGTGGTCCCGG
 CTGTGGCAGGGCTCTAGATCGCTCGGGCTCTCAGCTGCAAGGTGAAAAATACCATGAGGAATGATCTGCCAAGGGCGGTCTGTCTCAAAGCAAGTGGA
 TTGCTGGGTAAAGATCTAGAGACCAGCTTAGGACTCTGGGAGGAAGAAAAAAGAAATAGCATAGTCTTAAGGAATGCAAGGATCACCAGATTAA
 CCCCCTACCTGGGGAATTAAGCCAGACATGACACAGGCCCTTCCCAAGCTCTGTAGCAAGGCAATAGCAGGCCAGTTGCTGCCACTCGGCTCTGTG
 GGGCATGTTCTACTCCACTGACCCAGGAGCTGCCAGCTCTGTCTTAAACATAGATCTCTCAGTTGTTAAGACAGAAAGAGAACTCAGAGGGGTCT
 CCTGTGTCAAGGCAGAGGAGACCACAGAACAGGGTAAGCACCCACTGGTAGCCAGTTCAAGGACTTGGGATGTTTCAACATTTACAGCGAGTTT
 GAGGCCCATTTGCTATGCAGCGCTACTCGGCCCTGGTCTCTTATCTGTAAAAATGGGCCCATTAGCAATGCACAGGGTTGCTGTGATGAAGGGTGAAGTCCCA
 CAAGCAAAAGCTGTGCAGTGAGGGGGAATCCTAAGCATTTGTTCTATGCGATTCACCCCTTCCCTGTGAGCTCCCCATATTCCTGGCTCAAAGGAGTCTTGA
 ATGGCAGGGAIGGAGGACTCACTGCCTGGACTTTGAAGACCCCTGCTTTCTGGGTGACCACTTCTTCCCTTGACAGTGAACATAATACATTTGGAGGTAGA
 TAGTGTGGGAAGAGGACAGGAGACCACGGCTCACTTTGGACAIGGGTCGAAATGATAACTTGATGAGTCTTGAGGGTGGTTAAGATAAAGCTCGGGGCTG
 GGGCAGCGCTGAGGTCTGATGGTCAGCCAGCCCTCCCCAAAGTGTGGCCCTCCGTTCTGGAGATAGGGGCTTTGGAACCTGCAAAAGCGTCTCTGGCAGGGCCAG
 CTCCTGGTTGCTCCCTGGCCATAGCTGCTCTGACTACAGGCAGCAGGACGAGGTCGGCTCTGCCCATCGGAGGTCAGAGGAGGGCTCCAGCACCCAGACTC
 AGCAGTGCCACTGCATAACCTGGCACACAGGCTGGTCCAGGACTCAGCTCAGCAGTGAAGTTGGAACCAAGGTTGAGTCTCCCCATCTCCCTTTCCCAAC
 CCGAAAGACCCCAAGATGGGTGAAGAGGGAGAAAGAAATGCTACTCCAGAACTGTCAATTTGCCACACGAAACGAGGTGGGGTTCAAGGTCGAAAC
 TCTTCCAGTGCCCTGGGTGCCCTTTGGGTTTAAATTCAGCTGCAGGTGCCCTCATACCACTTCCACCTGAGCACACACGAGAGGCCAGGTTATCTTAGAACT
 GTTTCCTGGAAATCAAGCGACTTGATTTGGAGAGTTGGGTGAGGAGAACTCACCCCTATACCCCTCAGGGCTCAGAGATGTGAGGCAATTCCTCTACTCCG
 CTGGAAAAAATGCAGATTTATAAGGTCGACTGTATTAGCAGAACAACTAGATTTTTCACACGTTTCCCCGCTCTCTGCTTTGAAGCTGCCAGGCTGCAG
 CTGGGATCCAGGAGGGAAGCCCGCAGGCGCAGAGGGGACAAATCCGGAAAGTGTAAAGGGACACCCGGGCACAGGGCTTGTCTTTGTTGCGGCGAGG
 AAGTGAGCGCGCTGCAGATTCAGCGCGGGCTAGAGAGGGACCTGGATCCCTGAACCCCGGGCGGAAGGAGGCTCCGGGCGGTGTGGGTGCCGC
 GCTCTCGGAGCCAGCAGCTGTGGGGCGGCTCCGAACCTCCCAAGTGTGCGACGGCAATGGGGCACCCGGGCTTCTGTCTGTCTCAGAATACGTAGGA
 TACCCGCGGGGACAAAGCCGGCCAGGCTAGGAGCTCTCTCCCTGCCCCCTGCGCGGGGAGGCTTCTTGGGGCTCCCCACGACCCCTCTTC
 TCACCCGGTCCCCAGTTTGGAAAAAGGCGCAAGACGGGCTTTTACGGACCCCGGGGAGAACACGAGGCTCCGACCGGGGAGAGGATTAAGAGCGTGCAG
 AGGCGCCCCAAATTTGCGACAAATTTACTGGGATCCTTTTGTGGGAAAGAGGCTTAGAGGCTCAAGCTATAGGCTGTCTTAGAGCAACTAGGCGAGAACCTGG
 CCCCCAACTCCCTCTTACGCCCTTGCGACAGGTTCCCGGCGACTGTTGTTCCTCAAGGAGGCCCTTAGGCTTACCGCCCTTGACGGGGGTCTGTGTGGGCTT
 CTGGGTCTATAAACGCCGAGGTCGGGGTGGCGAGCTGTAGAGGCTGCCCGCGCAGAAAGCTCCAGGATCCCAATATGTGCTGTGCTGGAGCAGGAGGCGGAA

[illegible]

[illegible]

208	DSCR3	CTGATAATAAAGTTTACCATTTTATAAATTTAAAAATGTAATATGGAGTTGGGCATGTTGGTGGGAGGCTGAGACACAGAAAGATCGCTTGAGCCAGGGGTTT TGAGACCAGCCTGGGCAACATGCAGAAACCCCTGTCTCTACAAATAAAAAATTAGCCAAAGCGTGGTAGCACGCACCTGTAATCCAGCTACTCGGGAGGCTGAG GCAGGAGAAATCGCTTGAGCCTGGGAGGTGGAGCTGCAGTGAGCTGAGACTGTACCACCTGCACCTCCAGCCTGGGTGACAGAGTGAGGCTCTGTCTCAAAAAA CAAAACACAAAAAACAACAAAAAGCAAAATATATGTAAAAATAGGAAGTGCCTTTCCAAAAATGAGGTCTGTAACAACACTGATCTAGAAAAATGTTCTTG GAAAAAGTAAAAAAGGATCAGGATCTGAGGTCAACTGACCTCTCCCTGCGCTCTGGACAGGCAAAACAGGCAAGGTCCCTCTGAGGCCGTAGCGCTTCTCGT GGGCGAGTCCCTGTTCGCAGGTGACGTGTGGACCAACGCTCTTCCGAAAGCTGTGCGCTGTGCTCTCGGGAGGGGACGACAGGTCAAGCCCACTAGCCGATG GCTAACAAAGTCAGTTGTTTCTGAACGGAAGCTTAAACCTAGAAAAATACTGGGTGGGTGGGGGTGAGCCACATGCAGTAAAGCACTGCCTGTCTGT ATAACAACGACCTGATAAAAAAGGAACCGGTGAAAATGGGGAGTTAGGGCGTCAAAACTCCAGTGTGGTTGAAATGAAAGCAGAAAGAAATGGCAAGCT GGCTTCCCTTCCAGCTTTTACAACCCCTTGTCTCATGGTACGCCCCAAGCACGGGCGGAAAGAAAGACTGGAGGGGAGGAAAGGGTGGGAGCGGAGG GTACCAGAGCGGTGGGAGGACGGGACAAAGGGCGACGAAGGACCGCGGAAAGAAAGTTCGGCTGTAGCTGGATTGGAATGGAACACAGTCCAGACAGAACTGAGTGG CTCTGCTGCCCTCCGGTGGGGCAACAAAGCGGGAGCGGGCCACAGAGCAGGGGACAGTGAAGCACCATGCAGCGCCACACAGCCGCGCAGCGCCACACAGCT GCGTGTGCGCTGCACATGGTACCCGCGGCCCAAGCTGGCCAGTGTGTGGCGGAGATGAGACCTCGTGAAGAGACTAAGCGGCCACAGCAGAGGGGGAAGGGTTGC TCACATAACCCCACTACTGCTCACACTACGAGGTTAACTGCCCCGTGAGATCTGCCCTGACGCCAGCAAAACCCGTTCTTAGGAAAAACGTTTCCCCAGTACTTCAGT GAGTGGCCACTGACCCGGGGCGCTCCGCCCCGCGTCCGGCAGCAGCACCCGATTGCGCAGGAGGACCTTGCAAAACAACCTTCTCTGATCCGCGCTGCAGTTCC CAGGCCGGTTTGCAGCGCTTTCACAGAGACTCGGCACACAAAGCGTCTCCGTGCCCTGCCATTCACTCTTTCGACACAGCCCAACCCCTCTTTTTCAGTGTAAAA ACCTGGCGCCAAAGGAACATGCGATGTGACGTGTACCTCTGCGCATGCGCCGGGCAATCCAGCGCCCCGAAACCTGATGAACGCGCGGTGGGAGACCCCAAG CTTCCGTGCTTTTCGTTTCTCGAAGCTACGTGTCTCAGTCTACATATTGTTACCTGGAATAAAGTTTTCTCCTTTTCTCTTCTTAAACAGGCAGA AGGTGTAGGCTGCAGGTTTCGGGCTTAAGAGAGGGCATGGCTGGCGACACGGAGTAGACTCTTAGATGACATAACGGAGGCGAGTCTGCACCCGGGACTCGGC ATTAGGAGGAGGACAGGAAAGCCCAACCCGTGGCCGAGGGAGATCTAGCAAGCAGCTTGCAAGGGGTGAAGTGTGTGCAAGCAGGCTGAGACCTGTGTCCA GTATCGAAACACGCGCGGTGGTCAAGCAGGCTTTACCATGCT
209	chr21:3 784110 0- 378418 00	TGAGGCTCAAAACAGTGTCTGTGAGCTTTCACAGGCGGTAAAGCCGTGTCTACATGGCCGGGACATGCATCCCGGGGTGCCCCCTGCCCCGTGTCGCCGAGTGC ACGGGGGATGAGGACCTGACAAGGCCATTGATCTTTCGGGGAGCTTCCCTGAACCTACTCCAGCTGAAAAATCTTCCAGAAAGATTTCTCCACAGGGCAATGAGGCA AGAAAATTTACAGCTTAGCCTGATTAATGGGCGAGGCAGTTAAAGAGTTCTTTTGCCAAAGCTATGASCATAAATTTATAGTCATCACGGCAGGAGAAAGGCCACACAT AACTCACATCCTTAAAGGGCCCTTAGAACAAAGAGACACGCCGGATCATGTAAAAACGCTCTCCACTCTGGCGCCAAAAGAGATCGGCACGTTTCTGGGTATTTCT GGTCAAAAGAACAGGGAGTCTGGATTAAATATACACGGCAGAAAAAAGCGAAGAAAGACACACAGGTTCATATATTTCTGACTGATATTTCCGTTTTGTGTTTTTCG GAGGGACTTGGTATTATTATTAACCCACATTTCTCACTTGACACGCCCCCTCCCAACCTTGTAAATGCCCTTCTCTTTAGCCGAGTCAATTTTTCATCACATAGA ATTGAAAATGTTGCCAGGAAGCGGTTTATGAGATTGTAGAAATGGCACTAGAGAAAGCAGTGTGAAAAGAGGCCCTAGAACGT
210	ERG	TCTCTACATGCTATCTATAAAACCTTAGGCAAGGAAATGCATCAGACCAACACCCCAACAGCAGACAGAACCGACCGGCCATTGCTTTCCCAATCTCCGCAAA CCTAACCAATTGCTGGAAAGAAATCTTACTCACAGTGCACAGACAGTAGGTATTTTATTGAAGATAAACATATAGTGGAAACAAACCAAAATTACCCCAATTGAGT TAGGTGAGCACTCAGTCTCAGCGTGGATGTCCACAAATCAAGTCAACATTTGCGTCCCATACCAGCAGCCACTTGCCCGAGTATCTCTTCGTTCCACTGG GACTGCCCTGGCATCCCTGATGCTAAGGAGCCACTGAAGAGCCCTCCAAATGTCTGACATTCACAAACGCACTCTTTTGTCTTGACCCGACCCCTTCACACTCTCCG AGTCTGCTGCCCTTTCTCAGACACACATCCAGGCACCGTTAGGGATAGTTAGAGAACTGAAAAATTCAGAAGCGCTCCGAAAAAGCCCTTTCCAAAAGTAATCCA CAGCACTCAACAGTGAATTTAGAAAACCCCAATTTTCTGAGTTTGAAAGTTTAAAGCCTTGCGGATGGTTGGAGTAGGAAAAA
211	chr21:3 927870 0-	TCAGACAAGCTCTGTGCAGTCGGAAATTTTAAAGATGCACGTCTACTTGAGGAAGACAGGTGATCTCTCTGCGGCACAAATAGAAAGCAAAAGAGATTTCTCTT CTTCTCTGTAGAGCAACACAAATTGATAAATGCCCGATAATCTCCACCAAAATGGCAGCAGTAGCTGCCCGAAGGCAGCAGGCATATTCTGCTTTGTGAATTG TTTTACTATGATGCTGTCACATTTCCAGGAATAAGACGGTTAAAAATGATATATATTGTTGTGGTTTGGCATTTGCAAGCTTTGCTCTGACTTCCCTGGTAAGTCCG

[illegible]

215	UMODL 1/C21or f128	AAAAAGACAAAAGGGCTGCCCCCTTCCCCGAGGAGAGAGAAC CACATTTCAGAGCTGAGGTGCTGGTGGGGCAGGTCTCCTGAGCTGGGGGTTCAGCTGTGTGGCCAGTGATGGTGACGCCCTCAGGCCGTGCATGGCCGGGGAG GGGGCCCTGCCTCTGCACCTCTTTTGACTCCATGACTACTGGTGTCTTCGGACGCCAGAGTCGGGGGAGCAACCATGGGGCACCGCCCTGCCTGGGGAGGCAG CAGAGGCCCTGAGCCCCAGCTTACAGGGGACATCCACCCCGCTGAGAGCCCCACCTTCACGGCGAGGATCTGTAGAAGAAGACATTTGATATTTACTCGGCAA AAAAACAAGAAACGAAACACAAAAAGAGCTCCTCTGAAGAAAGAAAGGTATTTGCGCTGTGGTCCACCTAGAAATAATGTTGTTGGACAACACTAGAGCATTT CCTCAGTCAATTCAGGAGCACTCCCTGCCGCTGCGTCCACATGTCACACCCCGATAGATCAGGCCTGTGTCGCCGTGGAGGGGTTCAGGTTGTCGTGACCTTA TCTTTACCCCTTAGGCCGTCCATCCCGGGCCTGGGGTTTCTTGCGCCAGTCAACGTTGGGTGTGTAGGTGGCCATGTGTTCGGTCTTTCCCCAGGAGGTACGT ACCATGTGCTGGAGGGCCTGGAGGCTGAGCCGCCCCCCCGGCTATGAGTTGCACCCCTCACAGCGCGGCCAAAACCTCCTCTGC
216	ABCG1	CAGGCTTGAGCGGTGACTGGGAGACCCCGGAAATGAAATGGCGTCAAATGCTGGTGTCCGACAGGGGAACGGCCCGGGGTGTGTGGAGTCTTGCGCC CCTGTGGCTTCAGCTGCGTGGGGGACTGCGGGAATCTTCCAGACTCCAGTTTAAATCAGAGAGGTGTGTCCACAAAAGAGTCAAACATAAAACATT
217	chr21:4 259830 0- 425996 00	AACGAGACAGTGCAAAAGCCGCTGCCGTGGTGACCTGGCATGAGACTCGGCCCTCCCACTTGACCGTGATCCACTGAAGACAACACAGCTGCGCTCTGTACTCA CGTCCCCACACTCCCCCTCCTTCCCTGCCCTGGTTTCTCCATCCCTAGATGCCATCCATGCCCCAAACCATCCGCGAAGCACATAAACCTCGCCCCCACCCCA CCCCATGAGGTCACTCGAGTTGACACACAGATAACAGTTTTTGTGTTTGTGTTTGTGTTTGTGAGACGGGTCTCGCTCTGTGTGCCCCA GGCTGGAGTGCAAATGACGTTATCTCGGCTCACCAACACTCCGGCTCCCGGTTCAAGAGATTCTTCTGCCCTCAGCTGCCCTGAGTAGCTGGGACTACAGCGC GTGCCACCATCTCAGCTAACTTTTGATTTTGTAGTAGAGACAGGTTTCATTATATTGGCCAGGCTGGTCTCGAACTCCTGACCTCTTGATTCGCCCCACCTC AGCCTCTCAAAGTGCAGGGATTACAGGCGTGAAGCCACCGCGCCAAATAGCAATTTGATGACCCATCCCCCTCCACTGCTGGGAAAAGGCTGGGCAACCGCCCCACA CTCCATGCAGCTCTCTTTCCCTGGCTCGAAATCGCTGCAGGGGCAACAGACCAGACGCGGACTGTTTCCCCACTCTCTGCTTATCGGCCCGGCGCATCCCCCTTG TCGCAGCACTCCAGCATCCATGCAGCGCGCGGCACCCCGTCTCGGAGCACTCCAGAAATCCATGCAGAGCGCAACCCACATCCAGAGCGCTCCAGAATC CATGAAGCACGGGCACCCCCCTCGTCAAGTGTCTCAGAAATCCATGAAGTGCAGACACCCCTTAATCGGAGCGCTTAGAACCCCTGCAGCGAGCAGCACCC CACACCGGAGCGCTCCAGAAATCCATGAAGCCAGCAGCACCCACACCCGGAGTGTCCAGAAATCCACGCAGCAGCTGGCATCTCCTCGTCATAGCGTTCTAG AATCCATGCAGCAGCAGTACCCCAACACCGGGAGCGCTCCAGAAATCCACGCAGCGTCTGGCACATCTTTATCAGAGCGCTCCAGAGTCCCATGCAGCCACAGTC CTCCAACGGACCTGAGATTGTTTCTGCAAAAGGCCATGCCITTCATAAATCTGAAAATTTGAAAACATCCTTCTACTTATATCCTTTACAACCCACCATTTCAA GCTGTAGAAGCCTTCTTGAAACCCCAAGCAGAAGGATATCCAAAAATGTAAAAACGGTGGGGCCT
218	chr21:4 291000 0- 429110 00	ATAGTCGACATGTTCCGAAGTCTTTATCACAGTTACTGGTGATGCTTTTTCAGATGTCCTCGACGTGCACCAATGAAGGGCTCCACCTGAGAGTGCCAGGG TCTCCTCGTGGATGGGGCTGGAGGGGTGCTCTTGCCGTCTGGGCTCCCAAGCAGCCATAGGAACAAATAGGTTGATGGGGTCCCAGAGATAGAGGCCAGTGA CAGACGCGCTTTGAACCCCTCACACGGGCACGGGCCCTCTGGCAGGGATGGGCGTCCCGTTCACCGGATGAGGAGTGGGGGCTGCTGCTGCCCTGCAAGGTAGAGGAAG GGACGTGTTTGGCAGTCTGTGACCCCTGGGCACCTCGCCTCCCCCACGGCCGGCTCTGCTGTGTAACACAGACAAGTGCACAAGCGCAGCCCGGTGAAGGCACA GCGGTCCCAGGAGGCATCTGGGCTGCACCCACAGCAGCGCGCCCATACACGTGGAGATGCGGCAAGGCCCTGCAGCACACGGCAGAGGAAGGCGCGATGGGA GCCATGCTGGGCCCGGAAGGTGCGCCGCCCGGAGCTGTAGCCATCACTCCAGCTCTTCTTTTAAGTGTTCACGAAATTTGTACCCACCAAAATCTGAGAGC ACCCGACAGTAAGCCAGAGGAACCTTGATGTGAGATCCACAGCAGGTGTGGGGCGGACTGTGGTGGTGTCTGTCGGCCCCCACCCCTTCCACAGGTCGGTG TGCACATCCCACGGCGCTGCTAAGCTGCAGTCTTCTCCAAAGSGGTCACTCTCCGTGGGAAGGAGCCACCCCGCCCCGGGTGATGTCCCCAGTCAGTGACT GACGACAGTCCCCAGCCGAGGTGAGGACACAGTCTCTGCAATCCCTCACTCCGGGGCTTGCCTGTGGGCCAGGGTGGGGGCGAGCCTCAGCAGAGACCCGCTCC CCCTTGCCCTGCTGCCCTGCCCTCCCCCGGCCCTCTGCTGAGCACGCCACAGGGAGCTGCTTG
219	PDE9A	CACTTGAAAAGCACAACCTCATGGTGCCAAAGCTCTGACACGGACTCCACTGGAGCTGTGGGCAAGGGGTGCCAAGTACCGAGTTCCAAGCGGTTGTTATTTG AGAGCGTGCCCCCGCCATGAGAGCAGGTGGGGGACATAAAGTGACACAGGATGGACTGGCCAAAAGGCTGAGGACGATCACTTACCTCACAGGATGATGCCA CCCCACGACAGCAAGGAGCTCTCACTTCCCCAGGACCCAGCTGCCACCAGAGCTCCAGATGGCCCTGGGGTGTCTGTAAAGCCCTGTGACCCGTCCACC

		AGGTGGAGACCAGGCTGGCCAGGGAGGGAGGAGGAAGTGAACCACTGGCCCTGGCACTGGCTGGCCGGCTCCAGCAGGCCCGAAAGGGAGGGAGGACGCTGGGTGCACAGACTCTCTCAATAAGCAGCACCAGACACACTTAACAGATGGAAAAGCGTGGCTTGGAACTCACTTCCACGAAAAACAATAGCACAGCACCTCCTACCCACCCCTCCCCATTTCTGCCATCCCAAGGTCACAGGAGCCAGATTCCAGGGAAGGTTGCATTAGCTCCCACTCGGAGTCCCTGATGCAACAGAGACAGACAGAGGCCCTGGGAGAAGTGAGCATGAATTAATAAGACAAGACAAGGGTGAGGCCCCAGAGAGGGGTGGCGGAAGGGTCATGTTTCATCGAGCTTGAACCGCGTATCCAGGAGTCAAGCAGATTGCAACTGGCGAGAGCCCTTCAGAAATGCCCGTGAGAGTCCCTGTGTGCAGAGCTCATCTCAGCACACTCTCTGTTCTTTTGGTTCGTGATTTTTCAGTCCCTGTGATCCATTATTATATAACAGTGGAGATTGGCCTCAGACACTAGCATGTAGGAAAAACAAGAAGCAAGCTACGCAGAAAAATGACAAGATGATGAGCACAGCAGTCATGACAAATGAGCCCTGTGCGGAGGCCCGGATCCGCGCAGATGCCGCGGGGGAATGGGCCCTGAATCCCAACCGTCAGGCCAGGCAGCTCTGAGCGTGACCTGGAGGGCTGTTCAGACGGTCTGGGTAGCTGTCTGCCCATGAACATCTCCGTGCGGAGAGGAATCCCCACGGATTATCAGAGCTGCTCCCTCCACCCCGCCACGTCCACCGGGCCACATCAACTCCCTCTGCAGCCTTGCCACGCGCTGAGCCCTCCCTCGTTAAATGCTCTCTTACCATCCCTCTCTGAAGTTTCCCTCCATTCGATACATACACGGCTGAGGCCACCCTGATCAAGGATCCCATTTGCTTGGCAAAAAGATTCCACCCCTTTAGAACAGAGACAGGCGCGCTGTAGCAAAATGGCCATAAAATGCCACAGCTTAAACAACAAAAACGGATTATCTCGCAGCTCTGGAGGATGGAGTCCAAAATCTGAATCGCTGGGCTGAAAATCCAGGTGTGGGACAGGCGCGCTCCCTCTAGAGGCTCCACCGAGATTCCCTTTCAGCTCTCCAGCTGCTGGTGCTGCACAGATTGGGAATTTGGGCGCGCATCACACCACCTTTCTGTTTGTGTGACATCCCCGCCTCCCTGCGGGGTCTTAGATGTCCTCTCTCTCTCCCTTCCCACTGAGTTTCACTCCCAATTGGAATTGGAATTAACTCATGCCATGTTAGGAAACAGTGTGCCCCTCAAAATCCTTCCACTTAACAGACATTTATTAAGGTTTCCTGTGTGGGGGCCCCAAGAGAGGGA
220	PDE9A	GAATGTTCAAAGAAAGAGCCCTCCTTGGCTTCCCTCTCTTCCACCCCTGCCCTCTGCACTGGGGTTCTGTAGACCCCCAAAAGTAAGTCGCGCCACACCGGAA GGAAAGTAGTTACAGAGGGGCCACATGGGAACCGCTTTTGTGCTGTCTTGGTGGGAAAATGGCCACGACCCAGCCAGGCTCTGCCACGCCACA CCATCTTCTTAGGCTGCTTTCCCCACACACCGGGGACTTGTGCTGGAAGAAAAGTGGCTTGGCAGCCAGGAGCGGGGAAACTGTCCAGGGAGGCATCCT CTGCGATGAAGGCGGGCTCGGCGTGGCCGTTCGCGCTCTGTGCAAGCCCTGGAGAAAGCCCCACCCCTACCGAGCTCGAAAATACCCCTCCCTGAGAGCGG AGACTCATGGCCGGACCCCTTGGACAGAGAATGCGGATGCTAACCCGGCGCTTCCACACAGCCCCGGCGCACTGGGAGAGCGAGCGGGCCATCCCGCGG TAGGTGTTCTCTGACGGCGCCAGTTCAACGGCGCGCCAGGATCCTCAACGGTTCTGTGTGATGTGATTCCTCTTTCGACTTCGTCTTTCAGCCT CAGTCCCTCAGTCCCAAAATACGAAAGGCAGTCTTTTTTTTTTTTTTTTTTTTTTTGAGACGGAGTTTCACCTCTTGTGCCCAGGCTGGAGTGCATATGGTGCATCTCG GTTCACTGCAACCTCCGTCTCCCTGGCTCAAGCGATTCTCCCGCTCAGCCTCCCGAGTAGCTGGGATTACAGGACCTGCCACACGCGCCGGCTAAATTTTT GTATTTTAGTAGACGGGTTCACCATGTTGGCCAGGATGGTCTGAACTCCTGATCTCAGGTGATCCACCCGCTCTGCCCTCCCAAAAGTCTGGGATTA CAGGCGTGAGCCACCGCGCCCTTTTTTCTTTTTTCTTTTGAAGTTAATGAACCTGAAATTTATTTTATTTACAGAAATAGCCCCCATGAGATACTTGAA GACCCGTTGCCAAGCGACAGTGTGACCCAGGTGGTCAGTCTGCTGGCCCTTCCGAGGGATGCGCTTCACATAACCATGTACGACAGCAGCGGTGTGG GCAAGGGGCTATTTTTTCACAACTTTTCCACTGAACAGCAATGACATTTTTTCAACCCGTATGATGATCAACCAATGAATAAGATGAGCCTGTG ACATTTCCGTGCTAGAGTTACAGCTTTTCTTTCAAACGAACCTTCAGTTTGGAGCCGAAGCGGAAGCAGCTGGCGCTGACGTCTCCAGGGAGACCCGCC GCCCTCGTCCCGCTCACCGCGCTCTGTTTTGCAAGTAATCTTCAGCAAGTACTGCAACTCCAGCGACATCATGGAACCTGTTCTGATCGCCACCGGCTG CCTCGTGAGTGGCGCTGCGGGCTCTGCCCGGTGACGCCACCGGCCCTCTCGCCTTTTCGGGATGGCTGGGAGGGGCGGAAGAGCGCTGAAGGGCCCGA GGCACCGGCTTCTAAGGGGCTCTTCGAAATCAATCAATGCGGAGAAATCCCGAGGAGGCTCAGCCGCCCTCTCTGCTCCACAGGTGATGGC TGTGTCCACAAGAGGAACCGTCGGGCTGAATTAACAGAACCGCCCTCTTAAGAGTGTGGTTTTTCTGCGGGCGGTGTGTCTCACACCTGTAAATCCCCA CACTTGAGAGGCGAGGTGGGCAGATCACTGAGGTGAGGATTCGAGACCCAG
221	PDE9A	AGGACAGAGGTTAGGACTTCAACATACAACTTTTGGGGGAGATGTACTTTCAGCCCAATAACACACCACGCTGGGAGGATAACACCCGATTTTCAGAGCTTGCAGA GGAAGCCGCCAGGAACCTCCAGTGAGACATCAGCCCCCAAGGTGCTGTTCAGGCAACCGCGGCTGTGGGGGCACTTCGGGCCCATCTGAGTAACGGAGGCGCATC CGCACTTCCCCAGAGTACATTTTATAGAACCCACACGCGCCATAAACCAAAAGACAAGAGACTTCTGTTGCCCTCAGCTTCTGGAGGCGACGTTCTCGGC
222	PDE9A	
223	PDE9A	

		TGACAGCTCTGGCAGCCTCCCTGTAGGTGAGACAGGTAAATGGGACTCTTGCTTCCAAAACGGAACAGGGTAAAAATTCTCAAGCGTT
224	chr21:4 313080 0- 431315 00	TGCTGACACCCCGCTGCCCTCCCTCCCGCTGGCGGAGACACCTTCTCCACCCGGGCCCTCTGCTCACAGCGCTCCCGGCCCTCTCCCGAGGGGCGGG GAGCCAGGACATGGCCCTGAAAGCCTAGCCCTGGCCCTGACCTCCCGAGCGCCCTCCCGACCCCTCCCGCTCTGCCAAACCTGGCCCCCTGCCCTGGCCCCG TCCTTGCTCTCTGCTGGCTGGCTGGGCTGGCGCCCGCAGACTGGGTGCTGGGGTCTGCGGGCTGTGCCGTCCACGCCCTACGGGATGGCGAG GTCTTCTTGGGCTTCTTACCCACTCTCCAGTACCTGAGGGCGTGTTCCTGCGGCCACCCAGGTTTCTGTGACGCCGAAGCCTCTGCCCTCTCGCG CCGGTGATCCCAAGACCCCGGGTCCAGGAGGCACGGATCTGCTCCCCGGTCCCAAATGCAACCGGCTGCGCTTAGAGGGACGGCTCCACCCCATGGC GCTGGCGCCAGGGCGCTCTCGGACTACGACTTGTCTGTCGCCCTGGCGCTGTTAGTTCATCATCACCAGCCTGGACTAGGGCCCTGGTCTCTC TGGCTCTCTCCACAGCCCGCTGCACATCTACCCACTTCCCGAGGTGTCTATTGTTAGCTGGGCCCTCAGCCTCCG
225	U2AF1	TTAAAGGGAGTGGTTGTATGAAGATTCTCAGTCAAGGTGTGAGTGGGAAGCCCCACCCACTAAGAGGGAGGTCTGACAAAAGTGTCCACACTGAAC ACTCAGACCTGCATCAGGGCCCCGTTTCTTCCATAAAGCCGCCAAGTACAGCCCTGAGTCAACTGAAGTCAAGGCTGGAGGCTTCCCAAAGCTGACTGACTC AGCTTTGAACGTGAATGACCGTACCATGACAAACCTGATGAAAAGCTAACTGAGCCCAAATTATTCAACAGTAAAAATTCAATTGGTCTCACTCA
226	U2AF1	TGCTACCAGCTGCTTGGCTTGGCAAGTCAACCTAGCTCTCAGATGTCTGTAAATGATGACAATGCCAATGTGGCACTGTTCTTGAGAGTCAAGACAAAC GTATGTGTCTTCAATATGTTGCTCATGAAGTGTATCATTAATCTAAGGAAAACAGAAAACGAAAGTTCAGAGTCTCTCTAAACGCATGACACCGACCAACA GGAGTTTCAAAAAATAGGTCTGAAGTAAATCAATCTCTGTGCTCAATACACTGAAAACAAACTATTAGGGGACTGACCGAACCACCTTAGGAAACCACT TACGTACCTTCTGTCTCTACTGCAAAACCTCCCTTAATACTGTTCAATAACGCTGACAATCCAGATCCATATCCAATGGAACCAAGCAATCATGCTCTGTG CCAGCAATGTCAGGGAGGGAAGCCGATCTCTGATGAAT
227	chr21:4 344660 0- 434476 00	CAGGTGCCGGCCACACACCCGGCTAAATTTTGTGTTTTAGTGGAGACAGGGTTTCGCCATGTTGGCCGGGCTGGTCTCAAACTCCTGACCTCATGTGATCC ACCCGCTCGGCTTCCAAAGTCTGGGATTACAAGTGAAGCCACTGCGCCCGCCCAAGAGTGAAGTTCGATAGCTGGGGTAAGAAAGGCCGTGGGAACAG CCGGTTTCAGACACGCTGGGTCTAAGACGCTGGTCTGGCGTCTCGGCTCCAAATGGGAGCCGTGAGAAAGCCAGGCGAGTGGTAGGGCGGAGCCAGCGC ACAGGAAATAGGACGTGATGAGTCAACCCGCTGGTCCAAAGTGTGGACCGAAGTAGAGTAGCAACACCGAGCCCGGGGCCCTCCAGCATTTGGCGGGAGGA GCTCGGGTGGGGAGAACAGGGGACCGCGATCTTGAGACCAAGTGGAGCCAGTGCGCCGGAAGGGGCGTGGCCGCTGACAGCCGCCAGGAGGCGCGG GGAGGCCCTGGAGCCGAGGCGCGCTGGCAATGTGGAGAGACATTTTGGTGGAGTCAATGGGGCCACAGCCTGATTGGTGAGAACAGGAAGGAATTGCAG ATGGGCTTGGGCCCCCTGGCTCCCGCATCTCCAGGACAGGGCTGAGTCACTGTTCAACGCTGTGACCCAGGGCCCCGTGGCCGGCTGTCACTCGGTATC CAGTTACCTGGGCAGACCACTGGCGGCACCCCGCAGCCAGAGCCCGCAGCAACACACAGCCTGACGGCGACAGGCCGGACTGCATGCCCGTGGGGGAAC TGAGGGCGTTTCAGTAAACAGAGTGTAGGGGACACGGGTGGGTGGCTTGGAAAGGGCCTAAGGTGGGGTTTGTTTTAGATTGGGGTGGTGAGGGCGCAGGGG CCCGGTAGGATTCTCTAACAGGGCAGCAGCCACTCATTTAGCAACAGGAGGCGTCCAGCGTTTCGTGGGCT
228	CRYAA	ACCCAAACCACAGGCTCCCTCTGTAGCCACCGGTGAGCGGTGCAGGTTCTGCTGTTCTGGAGGGCTGAGTCCCACCCAGCACCTCATATAAACAGGGTCCCTCC CAGGGCTGCTGCAGTAGGCATCAACGCCAGGGTGCAAAATGCCCTCAGGAGCCCAAGGCTGAGCCAGGGAGTGAGAAGGAGCATGTGAAGTGCCTTTGGAG AGGCAGCTGCGCAGGCTGTCAGCAGGCTCCGGCGCTTCTATAGACAGCATGACACCAAGGCGAGTGACCTCATTCACAGGCTGAGTCCAGCCAGCCAGCCA AGCATCACAGCCAGCAGATTGACCTTAACGGCAACCAACCCGTAACGACCCCTCTTACCATAACAGTAGCCAGCCAGCCATAACAGCCAACATATCT ATAACCAAGCCACCTGACCATAGCCAAACAACAGCCCGGCCACCAAGTAGATTACAGCCCTCAGCTGGCCCTGAGGGTTTGGAGACAGGTCGAGGGTCTATGCC TGTCTGTCCAGGAGACAGTACAGGCCCGCCAAAGCTCTGCCCACTTGTGTGTGGGAGAAGAGCCCGCAGGTGACCGAAGCACTCTGTTCTGTATAAACCG GGACCCGCCCTGTCTGTCCAAACCCAGCAGGACCGCACCTCTGGGAGCTCCACATGGCACGTTTGGATTTCAGGTTTCATCCGACCGGGACAGTTCGT CATCTTCTCGATGTGAAGCACTTCTCCCGGAGGACCTCACCGTGAAGTGCAGGACGACTTTGTGGAGATCCACGGAAAGCACACAGCGCCAGGTGAGC CCAGGCACTGAGAGTGGGAGAGGGGGGAGTTGGGCGCAGGACAAAGGGGTACGGCGGGCAGCAGCCGGCTGCACACCTGCACCATGCCTTCAACCT GGGAGAGGACGCTCTCCAGGGGACCCCGAATCAGGCTGGCTTTTCCCAAGGGAGGGCGGTGCCACCTGAGCACAGCCAGCCCTCCCGGTGACAGAGG

[illegible]

231	chr21:4 364300 0- 436443 00	CAAGCCTGTGGTAGGACACAGGTCAGAGTAAACAGAAAGACAGCTTTCCGCCAGGCGGTGCACCTCGGTGCCGTGAGTGTGAGCGGTGTGTGCGTGTGCACGCTGTGACAGATGTGTGGACGCTCCCTTCTCCGACAGAGTCTCTGACCCCTGACAGGTGACCCCTAGCACAGCCCAAGGCTGCCCACTCTCCCTGTGGACACCTACCTCAATTGGGGTAAAGTGGGGGACTGGGGTGTGAGGGGTGCTTTGGGGGGACACACTTCGACCCCTCTCTCTGACGGCAAGTCTCTGAGGCTCAGTTTCCTCTGTGCCCGGCGACGTGGTGCAGGCCCTCGCGAGTTCGCGAGTTCATGACCCAGGTGTGGGCAGCCAGCCCTTCACGGGAGGCCACCCACCTGGCCACACAGTGCCTGGGAATTAGGTTCGGGCACATGCCGATATGTCCCTTCCACAAGGCGGCGCCGGGCTCTGCTGACCCGTGCACCCGTCTGGGGTGGGTAATTCTGCAGCAGCAGCGCAGCCCATCCCGGGAAATTGCGGGCAGAGGAGACAGTACGCCCCGCTTCTCTCAGAGTCCCTTTCGCTGCGGAGGAGCTGCCAGGCTGCACCCCGCGGTGGGGATCGGGAGAGGGGACAGTGTGCCCATCCCGGAAGGCTAGCCTGGTGACAGCAGGAGTGAAGGGGCGGGAAGCCGGGTGCTGCCCTGAGGTGCCCGGACACGCTCTCTGGGGCCCTGAGCGGCTGCCACGTGCTCCAGGTTCTGGCCACAGGTGGGCAGGGGCCCTGTGCTCTCACTGGAGGCCTTAGGCTCTGGAACTGAGACCATCCACCCCGCGCCCTCTCGCGGCTCCGGCACCCCTGCTGACTTCTTCCCTCCCGGACTGCTCTGCTGAGGCAAAACCACTTCCCTCTGGGTTTTCACTTCCCTCTTTCCCAAGTGGGAAAGAACCACTTCCCCGACCCAGAAAGGGCCCCCTGCCCGAGGGGACGACGTGCCAGGCTGTGAGGCTTGGGGCAGGCCCGCCCCCAGAGGCACAGGGCGATGCTCTGTGGGACGCTGTGTCTTAAGTACAAGGTCAAGGAGCCCCCTGACCCCCGAGGGAGGACAGGACAGGAAACCCGCCACCATCTCAGCCCCA
232	C21orf1 25	GCCCCACTGTGGGTGTGGCTGTGGCTGTGAGGCGTGAGTGCAGGCGTGAAGTGTCTGGGAGTGGGAGCGGGCATGAGTGTGTGCCACGGGCCCTGCTGTGGGTCTTGGAGCCACGGTTGCCCTGAAGGACTGCAAGCTCTTTTGTGATTTGTAGTTATTGAGAAGTCTATACAGGAAGAAAAATTAAACCG
233	C21orf1 25	AGCGCCACAGCGCAGGCGCGGACCCAGAGTGGACTCTACCGTGGGGTGGCTCAAAGAAATCTCAGCAAAACACAGGAAGCCAGCCCTGTCAGCCATGGG GCCAGGAAGCCCCGCCCTTACCAAGTCAATTTGGGCATTTTCTCTGTGTAACAGCCCCAGATGGAGCCATAGCCCTCAACCTCTGTGTTCTGTATAACACCAAG CTGGGACGCCGGAGCCATGACAGGGGACAGTCCCGGCTGAGGCTGAGGCTGAGGCTGGGTCTGATGCTTCTTAATTACAGGCTCTCTCATGGCTGTGTTCCATAA ATGGTCAAAATGCAGCCTGACAGCGCAGCCTCTATATCAGCGCTGGGCTCCGTACCGCCACACAGCCACATACCCCGTTCCCGAGGAGACGCCCGCAGGTGGGC AGCGTCACTCCCAACCGCCGAGCACACGCTGTCCCCGTCTCGTGTCCCGAGGAGCGGGAAGCAGCTGCTCTCCAGCCTGAAAGCTGCACCTCGGGGTGCA CTCGGCTCCCCGAACCCCGCTCCGCTCCGCTGCAATTCGCCAAGGAGTACCCCTCCCATATAAAAAATTTCACTCCATTTCTGTAGAGAAGAAACATTTCTGACAGCAAGGAAGATTCTAAATTTGAAAGGAAGTATTCTATCTCCCGTGCCAAACACAGCAGACGCGAGGCTTACCAGTCTGGGTGGGGCCCGGAGCTGG GGACCTGGGGTCCCTCTGGGAGGGGCAAGAAGGACGCGATGCTGGCCCCCGCTCCATCTGCCCATCCCATCTGCTTCCACACACCCGCCCTGCCGTAGCTGCTT GCAGCCCTTCTCTGTACAGTTTCTCCATCTTTTGGTTTGGTGATAAATGAGAGTTCCCATCGGGTGTGCCACCCCTCTGTGTGACGGGGAGCAGAGAAGACCCCTG CGTCCAAAGTCTCTGGGGAAAGCGAAGATGCTGGGACCAGCCCCAGCTGTACGGGGTCTCCAAATCCCAAG
234	H5F2BP	GGAACGGAGAGCGCCAGGCCAAACCTCCAGAAATTTGGCAGTATTCTGGCCCTAGAGAGCGAGGAGTGGCCCTTGGCGAGGTCCCTCTTTGGCTCTTCTGG CTTAGCCCGGGGTTTAAACTTGTATTCTGCAAAAGCAGAGGAAGTACAGCCCTGATGTAAGTGTCAAGTAAATAAATCGGATGGGTCCCTTTCCCTGTTTGGC GAGGAATGCTACACTAAGGGGACTGCGTTCAAATGGGCACTCTTTGCTGGAACCTCGCCTCCGCGGCCCTTCCCTCGCTCGGATTCAGGCGCTTTTACGTT AAGGGTTGAAATTTTGTGTCAACAGGCACCTCGGAGGTCGCTTAGCAACTGAGCGGAGCAACTGAGATAACCCCGCTACGTGTGGAGTGACCTAGTCCAT TAACTTGCCCCAGCACGCCCTGAGTCCGCAAAATATAGGATGGCTTCGGGTTTTAGATGAACCCAAAGCTAAGATTCTTTCCTCTCTGGAATTAGCAAGC AGCCCGCCCTGCCCAACTCCCTTGAAAGCGCGGTGCTCGCCAGGCCCTCGGACGCCTGCGCGGGCGCCCTTGCACGTGCAACAGGGCTCCGGGGTAGGGCGG CACCCGATCTGCCCAAGCCTCTGCAGGCACGTGGGAAGGCGAGCCCTCCACCCGCTCAACAGGCCCTAGTGCAGGCTTCCCTTCCAGTCTCAACTCCACCCG GGGGCCCGGGGCTCCACAGTTAAAACTCCACGCCACGGAGATCGCAGGTAAGCTGTGGCTCAACGAGGTGTGCTAAATGGGATTAAGATCTTGAACCTCGGACGT GGGCAGGCGCGGGCTCAAGCCTGTAATCCCGAGCGATCAGGAGGCGCGCGGGAGGATTGCTTGAGCCCGAGGAGTTTGAGACCAAGCTTGGGCAACATAGC GAGACACCGTCTCTACAAAAAATAACAAATAGTGGGGCGTGTAGTCTCAGTACTTGGCGGTTCGAGATGGGAGGATCGATCGAGTCT GGGAGGTGAGGCTGAGGTGAGCCAGGATCACCCGCAAGATCGCGCCACTGCATTCAGCCTGGGCGACAGAGGAGACCCCTGTCTCAAAAAACAAACAAAAA

		TCCTAGACCGCTTTACAAACAGCCTTCCGTCCTCTCCTGGTCAAGTCTTAACCCCTGGCTAACCTCGCCGCTTACAGCCTGAATTTGGCAACCGAAAGCGAGCG CCGGCGCCACGTGCACACGGGCTGGCGCGCTCGCCAGCTGCCAGGCGACTGCCCGCTCACT
235	AGPAT3	CGCACACACAGCACAGACGCCCTGCATCTTCCCATGCGTGGTTTCTGCTCTCTGGGTTTGTGTTTACCTTCGGTCGAGTTTGTGGTGGTGTGAGCGG GATAGCCGGGGAAGTTGGAGTCTTGTGTTGGCGGCTCGTGCCTGATCTAAGATCTCAGGCTGCTCCTTTTGGTAAAGTCTGTTGCTTCTCT AGGAACAGTGACGGTGGCAGAGCCCGTGGCCCTCTCTCTGTCAGAGCAAGCTGTTTCTCTCCCACTCCCGGCACTCCCGGCAAGCTGCGGGCAAG
236	chr21.4 444650 0- 444475 00	CACAGCCAGCTTCAAGCCTGGCCGACCAAGGGTTTGGCATGAAGACCCCGCAGGGCTGGGGCTGCTGGAATCCACCCGGAAGTTTCTGCCCCCTTGGGC TGCCCCACAGGTCCTCTGCTGATCAAGCTGGACAAACAGTCGTGGGCCACAGCACAGGGGGCCAAACGCAAGCTGGGATCGTCAGACGTTAGGAAAT CCCAAGGAAGAAAGAGAGGGGACACATTCCGGAGACGTCGGCACACGCTCGAAGCAGCGGACAGCACCCTCTCTGTGGACACAGGACAGCTGGCGGCGCGGAGA TTCCGCATAGATGCCCTTCTCCACGACCTCCACGTGTGGCTGGCCAGTCCCGGTCCTCCCTACCTCTCTGTCTGTCTTGGTGGCTCACGCCCCGTGGGC TGTGATCCCGGCTACGCTGTGGTGGCCAAAGGTCTGAGCTGCAAGACGCCACAGCTGGGTCTCTCCGAGCTCTCCACGCTCTGTCTCTCTCTCCG AGTCCCCGGTTGACTCTCAGACTGCACAGCCTCTCCCCAGGAAGGCTGGAACAACCTCTCTCTCCAGGCCGCTGCTGCTCTCTCTCAAGGCAA ATCCGTTCTCCAGGAGATGATGAACACATCTCTGAGCCCCAGAGAGTGGGATGACGCCCGGGCTCTTTCTTTCTCTAGAACCTCTGCTGGAGTGG CTTCCCTGAACTAAGGACAGAGACTTTGTCTTCTGTTGCCCTCTCGGCCCTGTGGGCACTGAGCATAGAGTAGGTGCTCAGTAAATGCTTGCAGGCCGGAIGCCCCAG AGCCATTAGCCCTCATGTGAGCTCGGCAGCCGGTGTGGGGCTGGGCTGGGCTAGGTGTGGGTGGGGGGTGTGGTGTCTGCTTTGCTGGGAGGCCATG GACACCGAGGAACAGGCCCCATCAGTGGGTCAGAGTGCAAACTCGGAGCGTCTCTCTGGAACAGCAAT
237	TRPM2	GGGAGGGGGCTGGCCAGCAGCAGCTGGGTGGGGCTGAGCCAGGGCGATGCCACCCCGAAACCCGAGCTTTTAGCACCTTTGAGTCCCTGTACTCAGAGGTCTC CTGCAGCCGGGAATCCCACTGTGTGTGTCCTGGCAGCCAGCACCCACCCCACTCTCCGTCAAGGTTGAGGACGGAGCACTCTGCTCTGATTAACCT GGACGACAGGAGAGCAGTGTCTTAATCCGGAGCCTTGAGTTGGACAGATAATAGTCAATCAACACAGATTTTCCAAAGGACACACTAACTTTGGTATGATGC GTGTGTCCCCCTGAATCCACGTGGTCAGGAAGCCAGGGAACACTGGCCCTGTGACTCACTGAGCAGGTTCCCTTGTACCCCGAGGGGTGATTTACTCCTCT GACAGTGACACGGACACTGTGCTCCATTTCCCGGGGGGGCAGAGGACACTCCAGATGCCACGAGGGGCCAGCAAGCACTGGCCA
238	C21orf2 9	CTGCAGGACCTGCTCGTTACAGATGTTCTCTAGAAGCAGAAAGCTGTCTTGTGCAACAAATTTGCTGTCTGTCTTAGGAGTCTCACCTGAATTA CCAAAGATGCATCTGTGCTTGGGATGGCTCGGTTTGAAGGGTCTGAGAGCGGCTCCCTGGATCCTTTCTCCCCAGGAGCCCCACCTGCCGAGCTGTACG GTCAGCCCCACATCTCAAGATGAGGAAATGGAGTCAAGCCATGCACACGACGGCTCCTGCTGACATGACGGCCAGGGGTGCCCTCTGTATTTCAGGAGCC TCAGGGCTGTGGCCAGTTCAGGCAGCAGAGGGGCTCATCCCGTGTCTTCCCTGACGGCAGTTGTGGGGCCGGCTGCAGCAGGGGCTCAGACAGGGGCTTGG GAGAGGAGGGATCACAGAGGTGTCCAGTGACAGGCAGGGCGGGCAGAGCCCATGGGGCTTGGGCTCTCACTCTTCCGTCAGTCAGGGTGACATCTGGAG CCACCTCCATTAAATGGTGGGTTATGATTTGGTTCCCATGCAGCCCGTGCAGCTCGCTGGGAGGAGCAGGACGCCCTGTGATC
239	C21orf2 9	AAGAGGAAATTCACACCTAAATAATTTTGGTCAGACCGGTTGATCTCAAAACCCCTGTCTCCTGATAAGATGTTATCAATGACAAATGGTGCCCGAAACTTCATT AGCAATTTTAAATTCGCTTGGAGCTGTGGTCTGTGATCTCGCCCTGCCCTCCACTGGCTTGTGATATTTCTATTACCTGTTAAGTACTTGTCTGTCTCAC CCACACCTATTTCGCACACTCTTCCCTTTTGAACCTCCCTAAIAAAACTTGTCTGTGTTTGTGGGCTTGTGGGCACTACAGATCTTACCAACGTGTGATGT CTCCCCCGGACGCCAGCTTAAATAATTTCTCTCTTTTGTACTCTGTCTCTTATTTCTCAAGCCAGTCGATGCTTAGGAAAATAGAAAAAGAACCTACGTGATT ATCGGGGACAGGTCCCGGATAAACCCCGCAGCTGCAGATCGAGGCTAGTGGAGCAGCAGGTCCCGCAGACCTTCCAGTGGCCCAACCCGGCGGCTTAGGC CAGGTAGAACTGGCAGCGCTCCCTGTGTCAACACACAGGCTCTGGTAGAAACTTCAGAAAACATGCACCCGGCAAAACCAAGGAAGGGTGGCTGCTGCCGGG TTCTTCCGCGCAGCTGTGTGTACACGATGACACACACACCCACAGTCACACCCCATGTCACACGCCACTTGCACGCCCATGCAACGAC ACAGCGCGCTGCACCCATGCGCAGCACCCTATGCACACACACCGCGGCACACCCACGTGCGGACCCCATGTACACACCCACGTGCACACACCCACCGGTA CACACCCACGGGCACACACCGCTGTCCCCAGCCGTGCAGAACGATCTCTCTGTAGTCCCGGCTCCGACCCACACGACGACTCGCTTAAACGCTTCCCAACGCA GTCGTTTGTGCTGGGTTGCGCTTACCCACTTCTCAGAGGGGGCGGCGGAGCAGAGGTGTCCGGGGCTCAGAGGCTCCCGGGCTCGCCCCGCCACC

240	ITGB2	GGGCAGGCACGTTTATGACCCCCACCCCCACCCCGGAGTACGACGTTCCATACCTCGGGTGATCGTGCTCATCCCTGGTCAATGTCATCGGG ATCTGAGTGCCATCCGAGCAGAGAGCTGTGGCCCGGTGCCGGGGTGAGTTCATCTATTCCAGGGAACCAAGGATGCAATGATTGCAAAACAAACAGAAC GCAAGCCATCTCCTCGCCTCCCTGATAGCCGTGCTGCGAGCCTGAGTGGTGAG
241	ITGB2	CAGGAACACGGGACCTGCTGCCTAGCGGCCCTGTTCACCCCTTGGCCGCTCGCAAAATGTTTAGGCTTCATAAGGTTTGCCACAGGGTCACAAATTTAACTCA CAGCAAAACAATGAAATCAGCGCATGATTTTCGAGCCCTCGTGCTACCCCTCCCTTCCTCTGCTGCTTCCTGCAIIGGCAGCAGCAGGGTGAGGAGCTGCTCT CCCCAGGCCAGGCTGGAGTCCCTCAGACGACCTGCGGCCAGGGTACCCCTGCCCCACACAGAGCCCTGACAGAGCCCCACACACTGGGGAAACGTTGGG ACCCAAGCAGGGGCAGCGCCCTACCGGGCAGCGGGGACCTGCATCATGCGCTCCAGCCACCTCGGGTGCAITCCAGGTTTCCGGAATCAGCTGCTTCCC GACCTCGGCTGAAACTGGTTGGAGTTGTTGGTCAGCTTCAGCACGTGCTGAAGGCAACCGGGGCTGGCACTCTTTCTCCTTGTGGGGCATGGGTTTCGC AGCTTATCAGGGTGGTGTTCACGAACGGCAGCACGGTCTTGTCCACGAGGACCCGAAGCTTCGAGGGGCACATGGAGGGGCTGG
242	POFUT2	TGCGTTAGTGTAAAAATATCAGGTGTGGCTGCACGGAGTGAATAATCACAGGCTCCACGGAGCCGGGAGGCTGCTGCCCTGCCCTCTTGCTTTGATGAGGA AATGGCGACCGCAGAAAGGAAATGTAGCAGCACCGGCAACCGGCATCCGTGGGCCACGCCGGCTGCTTCCAGGGCCCTCCAGCCAAGCAGCAGCAAGAAAG AGTAGATGTTGATCCCAAGCTAGGACTGAGGAGTCCGTCCCTAAGAGCCGAGGGAGTCAGGTGGCGGAAACTGGCCGCATGCTGGGTACAACTGCTCAGGGT TTCTCATCTGCTGAATCACCAAGCTAGGTTCTGAAGCCAGGCGTGAGTGAGCAGGACTGGAGCAGGATTTCTGGGAACAATTTTCCCTCC
243	chr21:4 557150 0-	GCTGGGGAACCTGAAGAAAGGCTGTGGAGCCCTGAAGCCCTGGGCCCTGGCCTGTGCTGCGCCGACCGCTGGGTGATGACAGGACCACTCCACCTCCCTGGCAC CCCAGCCTCAICCGGCAACCTGGGAGCGTGGGCTCCTGCCCCCTCCAGGAGGCCCTGGCCGTGCTCTCATGGGCCCTCCAGGTCTCTTGTTGGCTCCAGGTC GGGACAGTGGCTGTGAGATCTGACCCCTCCCGTTCCCTCCACCAAGTAGAGAAACCCCGGAGCATGAGCCCTCGTCTCTACCCGTCCCGGGACAGGGGGA CCCCCAGATGCTGCACGGCTGACAGGCCAACGTGGCAGAAAGTCCAGCTTCACAGGAAGCCAGTAGCAGTGTGTAGCTGTAAACGAAGCCACAGAGCT GTGGCTTTCTTTCCCTTCAGCTCTAGGAAAGGTTATCTGCCCTGCACAGATCTCCGAGGCCCTGGCTGGGCTCTGAGAGCATCAGACTGATTATCGTAAGAA AATAATCTCTGCAGACACATCTTGTGTAGAGAGGGGACAAAGCCAGCTTCAAAAGCAATTCACACACAGCCCTCCCTGCCCCGTCACAGCTGCCCTGGCGG GTGGGAGCAGAGCCCTGCAGCCGGGCTCAGGGGCCCTGGCAGGGACAGCGTGTGGCAGGGGACAGCTGAGACAGGAGCTCAAAAGCGACACCAACCCGACG TGAAGCTACAGTTAGGAGACACAGCTGCCCCATTCGGGCCCTCATCTCCACAGTGAGACGTGGACTCTCTCCCTGACCCACCTCTCTTAGAACCTCCC CTCCATCCGGAGCAGTTCGGCAGCCCCAGGGCAGCCAGGGGAACCTCGCAGTGCCTCTGGGCCCCACAGACCGCAGAGCCCGGGAGCCCTTGCTCACAC AGCCTCAGGTCCACTGTGGTCTTGGGGGAAAGCCCTGTCTCTGGACAGGGGAGCCGGGGTCTTGCCCTTGACCCCATCTGGGGACCACTTGTCAGCCCT GCAAAGCTCCCTGCCCAACCCCATGTGCCGGTGGTGTGACACCTTTGTAGAGTGGGAACCTGCTCCGACCCCAAGCTGAGCCACAGGGCAGGGTATAG ACCAGGTGAGAGGGCCGCCCCAGAACCAAGGAGCACAAGTCCGCAAGTGCCTCATGATCCTCATGCTGGCCGGCGCAGGAGCCATCCTCGGCCCTGCGAG GTCTCTGTGGAAACCGCGGGGCAAGTGGGGGGCTGCAGGTTCCGCAAAAGCCGGCTGTTTGGAAAGGGCGAGCTCCACCTTGAACAGCCGAGGCCGCCCCA CGCGTTCCCGGGATCAGACAGCCCTCCACGGCTGTGTCTCAGGACCAACGGGATGCCCTTCTGCTTCAATAGCTGTGGAAAGCCCTCAATCGGTCTCT GAAAGAACCCAGATGTGCAGCAATGACAAGGCTTCTGTAGACTCTAGAACCTTCTGCCATCTCAGACAGGAGGGAGCCGTGAGGAGCCGGGAGATTGCA GTCAGCAAGGACGGGAGGTGGGCAAGTGCACACCCAGGGCCCTCTCAGCGTCTTCCCGGCCACCCCTCCCGGGTCTCTGGGTCTATCCACCTGCTGGC CTCACTCTGCCCCACGCGGCCAGGTCCCAACCGGCCCTGAGCTCAACAGACCAAGCTGGCCCGACCCCAACCCCAAGAAAGAAATGAAACAATTTTTTTTACCT CTTGACAGAAAAGTAAAGATCATTTATTCATCTGTCTTAGTAGCAAACTAAGTGTCAAAAGCACCTTCTGCACACAGTCTGCACACACTGGCCCGGTGGT CCTGTTCCCGCAAGGTTGAGCTGTGTTCCAGAGACATGGGTCTCTCCGGGTGATGAGGAGCCCGCTGGAGGGCCCTGAGCTGCACTGCTTAATGATTAAACGCCCC GTCCGTGCTGGCCGGTTTCTCAAATGCCTCCTGACGATTGCGC

	455737 00	AAATGTCCCAGAGGTGAGGTGGAGTTGCGGGGAAGGAGGAGGTGCGCGGCAGAGGCGCAGAGAGCTTTGCAGAGTGTGGCAGAGACACAGCAGGCCCTGCGCAGG CCTGGGGTGTGTCCCTAGCTGGAGGGCCATAGAAGGATCTGGGCTTGAGATGCTGGTGCAGACTGGAGGCCCTGGGGTGTGAGAGTCCAGGGGGGCTCCTG CCAACACCCAGGGAGTGGGCCCTGGGCCAGGTGGACCGGAGCTGGCACGGTGGTTCAGGTGCTTGAGAGCTGCGTGCCACGCTGGGGACCTGGAGGTGTGTGA GGAGGTGTCTGTGTCTCTGGGGCTGCCGCCCTGCAGGGCTGGGTGTGCAGAGTGCGGGGCAAATGAAGTGGGCGGGTCTCTGGATGGTGAGACGTTCCCTTTGT TGGGAACGTGTGGTGCCAAAGCTGCCAATTTAGTTTGGCTCTGAGGGGTCTGGGCAGGGGACACACAGGGAATCACACAGGATGGAGTGAGTTCCCAAGGACC CAGGGTGGCTTGGCCTGAGAACAGCTCCCACTCCACATCCAGATGTGTGGAAAGCCCTGGCACCAAGCCCTCAGCCCTCTCCATCTGTGAAAATGGAGACAACGTCAC TGAAGCTGTCCATGAGGGTGATGCGATCAGAAAAGGTGGAGTTCCCTGAACGCCCGGGGTCTCAGAGCAGGAGCTTAGCTGGTGTGGCATC TCCTGGACCCCGTCCCTCAGTCCGAGCGCCAGTCCCTGCCACCTGTGTCCAAGTCTGCACCTGTGCCACGAGGCCCTCAAGGCCGACAGACGCCCCACACTCT CCGACGCCGCCCCAGCACGGTCTTGTGTGAGGTGGACACTCCTTCTGAGACGCCGCCCCAGCACGGTCTTGTGTGAGGTGGACACTCCTTCTTGACACGGCC C CAGTACGGTCTCTGTGTGAGGTGGACACTCCTCTTAGGGAAGGAGTAGTAACCTTTGGGTGGTGGTAGTTGCCATGGAAAGGGGCAAGTAATGCCCAGGTA TTGCCGTGGCAACCCGTAAACTGACATGGCGCACTGGAGGGCGTGCCTCATGGAAGCTACCTGTGCCCCCTGCCCTGTGTAGTAGGCCCTCAATGTGTGCCAG TATCTGAGCACCCGCTCCTGCCTCAGATGTTCCCGTCTGTCAACCCCATTACCAGGGCGGCACCTTCGGGTCTCTTCCAGCCATCATGTCTCTGGCATTTGCCACA GTGGACACTGCCACACAGGCTTGTGTCTTGGCTTGGCGGTACCCAGGTCTCCTCTCTGGGATAAACACAGGCACGTGGCGGCCGCCCTATTTCCACCCCGCAGC GGTGAGGAGTTGCCAGGCTTGCAAGAAACAGCTCTCATGCCAGCAGCGGAGCATCTTATCAAGTTTCTCAGGGCTGCCAGCACAAATGCTGCATGCCG GCGGCTTCTCAGCAGACCGTGTCTTCTCTGGCTCTGGAGGCTGGACGTCCTCAGGTCCCGGTGGCAGGCCCGGTTCCTCCCGCAGCCTCTCCTTGGCTT GTGGCGGCGCTCTCCTCCCTGGGTCTCTCGAGGGCCACCCCTCCGTGTCTGTCTCCTCCCTTATAAGAACCCAGCAGACTGGATCAGGGCCTGC CCTAAGGACTGAATTTTACCTTAATCACTCTTTAAAGCTGTCTCCAATAACAGTCACTTCTGGGTCTCTGGCTGTAGTGCATGGATTTGGG GGACACCGCTCAGCCCTAACAGCCCCCATCCTCTGCCTGCCTTTACCATGGGGCTGAGCCCCAGCCCTGCAGGAGTCCCCCTGGTTTGTGTCTGTCTGTGGCCA CGCGACCTCAGGCTGCTCCAGCCGCACTTGTCTT
244	chr21.4 560900 0- 456106 00	GGGGAGTCTCCAGGGGTGGGGCTGGAGCCGATCAGAGAGGAAAGGGGTGTTTGA AAAAGGGGAGGGCCCTGGGACCCAGGAAACTGTTCTTCTCCAGACAC CCGTGAAGCTGAGCTTTGCTCTCAGGGAAGCTGTGACCCCAACGGGTGCTGCC CAGAGAGATCGGGCCAGGTGGAGCCAGATGGACTGGAATTTCCCGACGG GGACAAGGGGCCGACGAGGCTGACTTGCCCTCTGTGATGAATGGTTCAGGTTGCTTTTCTCCTGAAAACACGAGGCAGTGATCCCGGCCAGCTAATCCAG CAGACTGGAGACGGGATGGTGAGAAATGAGGCTGTGGCGGGAAGAGCAGATGGGACTCGCCAGCATCTCAGGCGAGGCCCGGCTATTGCCCTCCCTCCCC TCCTACTCTCTGGGGTCCCAGGAGCCCCAGATACGCAATGCTGCCAGGCGATTTCTGGGCCCCGAGACCCCTGCCCTGGAGTGGGCCAGGTCCCCGGCTG GAGCAAAAGGGGCTCCTTCAAGCCCCGTCTCTCCCTGTCAAACCCGAGGAGCCTGACAGGCGCAGCTACCCAGCGTCAACCGGCCATAGTGAGCGGCCAAGGCC AGCGTCAACCGGCCATAGTGAGCGGCCAAGCCAGCAGCTCACCGGCCATAGTGAGCCGCCAAGCCAGCGTCAACCGGCCATAGTGAGCGGCCAAGGCCAGTG TCA CCGGCCATAGTGAGCGGCCAAGCCTTGGTCTGCCAGAGCCGGCCGACCAAGAGGATTTCTGGGTCCCCAGTCTTGGAGGAGCACACGGTTTACACAGGCC TTGGGAGGGGAAGAGCAAGCGTGGGCCAGCCCTCACTCCCCAGGAAACCCCTGTTTGGCGGCAGAGGAGACTGGAGACACCCAGGGCGGGGATCCCT GAGAGGAGAGAAACCCCGAATTATCCACGGAGCGGTTTACCCAGAGGAGACCCCGAGCTTCTCCAGGAGAGGCTGGATTGCTCAACAGGGGCCCTGAGGAG CTGATGGCAAGAGCGGAAGGACAGCTCTGACTCTGTGCGTCTGACTCCAGGTGTGGCGCTTGGGGCTACAGTGGGACAGCCCTGTGTCTACTGAACCCACAAGT GCCTCCGAGCGCGGTGGAGAGGGGACCTTCCACCCGTCTGTGGCTTGAATCTTGAATCTTGAATTTCCCGTCTGTGCTTGTGTTGATGGGAGAGGCACTGGGAGC GGGCGGCTTTTCAGTCTCTTTATCTTGAATGGCCCTTTGGGGGATTTTCAAGATTTCTGAGTTCAAAGCCCCAGGAGGTGTGGGAACGTTGACATTCCTCACC GCATTCCTCACCGCATTCCTCTGTAAACAGGGCGGTGTGGCAACCATGAGCCCTGTGTCTTCTATGACATCAGGAGTTTATCCCTCAGCTCAGAAATCAGGG TTCCAGGCGCCTTGGTTTCTTGGCGCCAGCGGCTTGGCTATAGAAGAAAACGTGAAGGGGCCAGGTGCGGTGGCTCACACTGTAAATCCCAGCACCTTTGGA AGGCCAAGGCGGTTGGATCACGAGGTACGGGTTCGAGACCAGCCAACTATGGCAA
245	COL18A	GCTCCTCAGGGGGAGGTTCCGGGGCTTTGGTCTCTGGACTTGGGCAGCAGAAAAGGAAACATCCCTTGGGGGCTGTGGTGACCCCCCATCTCTCCCCAGGGTGGTC

1	TGGCAGGGGACACTGTTTTTCCAAAGCAAAAGCCAGAGCGCCAAAGGGTCTCGGGATTACAGAGATCCACATTTATCCCAAAGTTAGAACAGCACATCTGTGCGGTG CAAACCTTCAATCTTGACTTCGGCCGGCTGTCTCTTTGCCCAAAGCACCGTGAGGCCCTCATCCCTGCATCCCTGTGTGCTCTTTCAITGTGGGATGAGAAACCCAG GAAGGGCTGAGTGTGACTCCTCTGGTTTTAGAGAGACATGCCCGCCGCCCGCCCTCTGCTCTGTGCGCCAGGGTGGACTGCAGTGGTGTAAATCT GAAATTGACAGCAATTAGTTTTGAGTGACTTTCGAGTTACTTTTTTTTTTTTTTTTTTTTGTAGACAGAGTCTCGCTCTGTGCGCCAGGGTGGACTGCAGTGGTGTAAATCT TGGCTCACTGCAACCTTACCITCCCGGGTTCAAGCGATTCTACATCTCAGCCTCTGGAGTAGCTGGAATTACAGGCGCCCGCCACACACACTGGCTAAATTT TGTGTTTTTGTAGAGATGGGTTTTACCATGTTGGCCAGGCTGCTCTGAACTCTGACCTCAGGTGATCGGCCCTGCCTTGGCTTGGCCCTCCCAAAGTCTGGGATT ACAGGTGTAGCCACCGAGCCTGGCCTGGAGTTATTTTTGGAGAGGCGAGCCCCGTGTTACGCTGGCAGAGGTGCGCTTGCCTCTCCCGGGCGGGCGTCCACA CCCTCCTCGCGAGATGGAGAACCCCAAACCCCTGCAGCGCTCCCCCATCACGTCCGGCCTGGAAGCCCCCGGAAACCCCTGCCACGCCCTGAGTGGGAGAGC GCAGGTCCCTTTCCGGCCCTGGAAGCCCCCAGAAACCCCTTGGGTGCCAGGCCCTGGCCGGGACAGCAGCAGACACTGCATGCTCAGCCCTTGCCTGAGACCAACGG GAGTGTCCGCCCTCTGCACGTGCTGATTTGCCCACTTCTGTCACAGAGTTTGGGAGCTTGTGGTGCATCTCTCTGCAGACACTTGCCCATTTCTGGGGCT CCTCTGTCTTTCTCTCTGTTGAGGGGTCTGGAGGGAGGCTTGGAGGTACCCATGCTGCTGGACTGATGCTCCCGCGGTGGAAGGAGCTGCCCTCT TGAACAGCAGGGGGCTGAGCAGAGGGAGGGGATGCGGGGTGCCGTGCACACAGGTGCTTCAGGACGCGAGGGGCTTCTCAGCCCTGCTGCCAGGCTGC ACTCCAGCAGGGGACACTCCTGAGGTGCAGACACCCAGCTTCAGCCTCACACTTCTGGAAGCGATGTCTGTGGTGTGCTTCTGTCTGCTGCTCCGT CGGGCTCTCTCGGAGCGTGTAGGGCTTGGTCACTGGAATATCTGGACTCAGTTTAATGGCAGCCACCGTGGGGGCTGGGCCAGCTTTCTGTCTCCGT GTGGGTGCCAATATCCACCTCCATCGCAGCCCTTTCTCTCTCGACCTTTTAAATCACAGTGTACACTCCCCCTGCTGCTGCCAGTGGCCCCCTGGAGGCTTCT CCCCACCCCTTTCTTGGGGCAATTTCTTAAGGCTGGCAATTGAATCAGGAGGCCAGATGTGGCCCCCTAGTAACTCACAGCAGTCCCTGAGGCTTCTGGCTCC CCTGGCCCCACAGCCTCCCATGTCTGCTCAGGCCCTCTTTGACCCGCCCTGGCACTGACCAGACTGTGTGCCCGGGTGCCGTGCCCATGGGCTCCGCCCTCCCCCA GGCAGGCCCTCTTGTCTCCGGGCCACCCCTGCTCTTTGACCTCACACCTCTCTCGGTGTGTCTGGACACACAGCAGCAGCGGGCGGGAGCGGAAATTTCT CAGGTGGGTGGCAGGCCCGCGGTGTGTAGGTCTCTGTGCAITGTTGTGCTACCTTGAAGTTTGGCGTGGGGGTGGCCAGTGTCTCTGGTGTCTTTGCC AGACAACTGGTGTCCCGGGCCGAGCAATTCATGCTGTGTGCGCATCAGTGACTCCCATGCGCCCTGGCCCTGGGTTGGTCTGCAGGACTGAGAAACCAAGCGGA AGGGGGCGGAGGCTCGGGAAATCGCCCGGCAACTGGCGATGAGTCAAGCCCTGACTAATGAGCCCAAGGTGACTCATACACCCGGGGCTTGGATGAGTCTGACT GGGTCAAGGACTTCCCTGCTTGTCTGTCTGGGAGATGTTGTCTCCCTGGCCCTGCAGAGCCGGGAGGACACAGAGGCCCTCTGGGTACAGCCAAACGACGCTTAC TCTTGCCCACTGCTCGCGCCGGCCAAAGGCCCGTGGCAACCACTCTCCATGAAGCTTCTCTGACTGCCCCCATCCCTCTGTGGCAGCTCAGATGTGCATCT TGAGTGTGTGAGGTGGGGTCCGGCGCTCTGCAGGCAGCGCGCTCTGGCCCTGGGGCTCTCAGAGTTTGAAGAGCGTGTGTGAGGCTGGCCCTCGGGC CTCAAAGACGCGCTGTGGGAACCGGGAGACTGGCTGAGCCCGCTCTGAGGAAGGTGGGCCAGGGGACCCCTCAGCTGACCCGGCGTGAGGGGTGAACCA GCCAGCGTGGCCAAAGGATGGGTCTCTGGGATCAGGAGACTTCAGTAGCAGCCAGGACCCAGTTCACCCCTGGCAATTTTCCATCTTTTGAAGG ACTGGAACAGATGGATTCTTTAACTTTTAAGTTGAGGTGAAATTCACACGCATAAAATTAACCATCTTAAAGCGAACAAATTCGGTGACATTTAGTACAG CCAGAAGGTGTGCAGCCATCACCACTGCCCAACTCTAGAACATTCACACGCCGAGAGAGGGAGCCCTGGGCCATCAGCAGCCACCCCGCGGCCCAAGAA CCTGCGAGTCCACTTCCACCTCTGGATCGCGGTCTTGACGTTTCATGAGGTGGTTCGCCAGTGCAGAGGCTTTGTTCGGGCTCCTCTCAAGAGCCTC ACGTTTCCAGGTACGCTGTGTGTGCGAGACCCCAAAATTCATCCCTTTTTCATGGGTGTAAATAGTCCACCAATAGATTTCTCTACGTTTTTAAAGCATGTTTT ATGTGCTGAAATGTCTCTGCACCTCGAGACTATAGCTTGTCTTTCTTTTCTTTTAAATTTGAGACGGAGTCTTGTCTGTGTTTCAGGCTGGA GTGAGTGGTGGGATCTCGGCTCACATATAACCTCTGCTGCCCTCCAGGTTCAACTGATTTCTTTGGCTCAGCCTCCCGAGTAGCTGGGACTATAGGCGCGCCACCC CACCCGGCCAAATTTTTTGTATTTTTTGTAGATGAGATGGGTTTTCTATCTATGTTGGCCAGGATGGTCTCGATCTTCCCACTTGTGATCTGCCCGCTCGGCCCTCC CAAAATGTTGGGATTAAGGCGTGAAGCACCGCGCCCAAGCCGAGACTACAGCTTTCTTTAACTGCATCCCTGGAGGATCTGAGAGTCTCTTTCCCTGTCTCC TTTCTTTTGAAAAACATTTTACGCCAGGCTCCCCAAGATGAAGGCCAGAGTCCCAAGGATGGGCTTGCAGGTGCACAGTTGCCACGGGAGCTGTGGGTGA TGGTCTGCTGACGATGGCTGCTGCAAGTTCCTGTGAGGAAGGGGAGTGGCCACAGCAGGAGGAGAGGGAGTCAAGCGGACGTTGATTTGCCAGTGTCCCGCCCA

[illegible]

[illegible]

[illegible]

		GCTCACGAGACTCACTTCTTCCCATTTGGAATTCACATAAGAACAAATTCAGACGCCCCAGCTGGAGGTTATTTTATGGATTTTACCTGTGCGGTA TTTAGGGTTGTGTTATGAATAAAGGTGTGGGTTCTGGCAAGTAGAAAATACAGAGCTTGTCTTTCACCCAAAGTATCTGTAACCTTTCTCCAATGCAGACACTAA AATGCAATAAAAAACAAACCAACCCATTAAACATGAATTAGATGAGGCAGGCTGATGGGAGGTGTGGGATTAAACAGGCCGTGACGGGATTAAGAGCTGCGCAC ATCGCTGGGATGCTGCTGCGGAGGATTGGTCTAAATCCGGGAGCATCTGGCTGGGCAGTGGGCAGCGTCTGCACTGCTGGCTGCTTGAAGGTATGAAGGTTG TGGCCTTTGCTTCCCCCATCAGGCTGCCCAACCTGGACCCCAACAGACCCCTCGGGACCCCTGGGTCATCTTCAGCTCCCCCTCTCTTCTTCTTCTTCTTCT CTTCGGCCTGGGCCCTACTGTGACCCGAGGTCAGCAGAGGACCTGGCAGGTGGCTGCTCCCTGGGACTCGACTGTGACGTTGAGGCTTGGGTGACCGCTG CTCCTGCTCCTCTCTCGCCGTCCCCACCTCTCTCCATCATGTGTCAACATGCAATGTGGGCTGCAGCCCTCAGCCTGCAGGACGCTGCAGTGCAGCTC CTCAGTGGCCAGG
		ATCTTGTCTTCTTGTCTCCAGTCTTGGAAACCAGCCACTGCCCCAGCAGCTCTCTGTGTGGTGGCATGTTCTTGGAAACCAGGATGCATGGTGTCTCTGGGCTG CTGTGGGTCTCTGGGCTCTGGGTCCCGAGTGTCTGTGGGTCTCTGGGCTGCACCCCTCGAACAACACTTCTCTTCAATGTTTCACTTCCCTATATGGAACCCACG TTCCAGCCCCACAGACAGGTCCTCCAGTTCTTCTGCTGCCCTCAGGTGTGCACCACGAGGAATCCAACCTGCCAGTATCTGTGCGTGGCCTCCCGCCGGGAGGAG GCTGCCGGAGGCTCTGAGCTCTAGCCCCACAGCACTGGCACATCTAGATTTCGGGGAAGACACGGCCCTCTCCCCAGGGAAGGTGGTGGTGGCCCCACACCCA GAGCATTCATTCTTCAGTGGAGACAGAGGACCTGCCCTCTCCAACTGTGGGTGTGAGGACCAAGCGCATGGTAAATGGGGCTCTCTGTGAGGCCACAGTGC ACGGCCCCATCTCCAGCAGCAGCGGCCATGCCACCCAGCTGCACTGTGTGGGGAGGTGCCATGATTGACGGGGGCCCTCCCTGTGTCCAGTGTCTCTCTCT CTCCACGGGCCCTCTGCACACCGTCTCTACAGTCTCCCTCTGCACACCGTCTCTCACAGCTCCCTCTGCACACCATCTCATGGTCTCCCTCTCTCTCCAC CCTCACAGCCTCCCTCTGCACACCGTCTCTCACAGCCTCCCTCTCACAGCTCCCTCTCACAGCTCCCTCTCACAGCTCCCTCTCACAGCTCCCTCTCACAGCTCCCT AGACCCCTCTGTCTGCCATCTCTGACGGCTCCCTCTCTCCCTCCACGAGCCCTCTTACACATGTCTCTCCAGCTCCCTCTACAGCTCCCTCTCACAGCTCCCTCTCACAGCTCCCT TCTCCCTCCACGGGGCCCTCTTACACACCGTCTCTCACGGCTCCCTCTCTCCCTCCACGGGCCCTCTGCACACCGTCTCTCACAGCTCCCTCTCCCTCTCCAGCTCCCT CCCTCTGCACGGCTCTCACGGCTCCCTCTGTGCTTCCCTCCACGGGCCCTCTGCACACCGTCTCTCACAGCTCCCTCTCCCTCTCCAGGGCCCTCTGCATGCGCT CCTCACGGCTCCCTCTCTCTCCACGGGCCCTCTGCACACCGTCTCTCACGGCTCCCTCTCTCTCCACGGGCCCTCTGCACGGGCCCTCTGCACGGGCCCTCTCACAGCTCCCT CTTTTTCACAGACCCCTCTGCACGGCTCCCTCTCACGGCTCCCTCTCCCTCCACGGGCCCTCTGCATGCGCTCTCTCACAGCTCCCTCACAGCTCCCTCACAGCTCCCT GGCCCCGTCTCAGGTGACAGGCCACAGTAGACCTGTGAGCTCTGTCCCGCTGTGGACAGGGAGATACTGGGCCACTCAGCCCCAGCGGGAAACGTTGTGTCC GAAACTGCCTTGGGCTCGCCATCAGAACTGTGGCAGCATCTTCCAGCGTTCTCTTTAACAGCTGCCGTGGAAATAGGAGTCAACGGAGCAATTGCAGTGTCTAA GTTTCTTTAAGTACACAAATTGAAGGAGCTTTATTTTTCACATTTCTTCCAGAGTTCTTGGTAGCTGAGTGCATGGTGTGATGCCCTCTGAGTTATTT ATCAGGGGCAGCCAGCTGCCCTCCCCGGGACCTTACAGTACGCCCATCTGTCTGCTGTCAGGTGGGGCCCAAGGAAGACCCGGCTCAGGGCTCTGTATG GGCAGCTGGCTGTACACACACCCCTCCCCACAGCAGATTCTGAATTTCTCCCTCTCTTCATGCACACCGGGAGGTCCCTTCTGCATCATACCGGGAAAGT AGGCAGGTTTCGGTAGTGTCTGCCCTCCAGTGTCTATGACATCATCTTCTGTGATTTTCTTCTTCTGCAGGAAGTTGGAAGCATCAT CGGGAAGGTAATTATTGATTGAATCTCTGCCCTCTCTCTGGGTCTCTGTAAGGGATGGTAGGATGGCAGCTCCCTGGGTACTAGGTGGCAGCCAGTAGGTG CGCCTTTCCAGTGTGGTGGTCTGTGTTCATGAACACAGGACCCCAAGAGTGTGCGCTTTATGCTGTATGACATTTAAGCTGGTCTCTGGCTCTGCGTG GCCGTAGGGGAAGGGTTCACTCCAGCTGGTCACTCGCTGCCCTCTGCCGTGGCTGGTGGCCAGTCTCTTCTTCCCGGTTGAAGACCCCAAGAAATG ATTTCTCAGCCCTTCTCAGCCGGCTGTGTAGTCTGGGTGGTCTCCAGGAGTGCCAGTGAGGACGACGCCCCCAGACAAATTCCTTTTCCAAATCAGGGCTGGC CCGGGGGAAGTAGGCCCAAGTTTGAAGCCTGTCTGCCCCGGGAGGCCGAGCAGTGAAGGCCACCTCCCTGTCTTTCATCATCATATTTTCAACCGCTTCCCGGGGGTCC TTCCCTCTCAGTCCCACCATGGGGGGCC
251	COL6A1	GCTGGACACCTCTGAGAGCGTGGCCCTGAGCGTGAAGCCCTACGGGGCCCTCTCGTGGACAAAGTCAAGTCTCTTCAACAGCGCTTCTCATCGACAACCTGTAGGGAC AGGTAGGAGGACGCCCGCTGACCTTCTCTCTGTGTCTTCTGGGCCCTCTTGGAGGAGGGGTGGGGGCCCAAGGGGAACACGGGTGCGACGGCTCAACCTCTCTA AGGTTGGCGAGCGTTGCCCTGACCCGGGGCCCTCTCCGGCGCCCTCCAGAGTGAAGCCGGGCCCTTTCGGGGCCCTCCAGAGGAGCTGGTGTGAGCCTCT

CCCAGCGCCTTCCAGAGTGAGCTGGTTTGTAGAACCTTGCTCGCGGGGGTGGACACCTGTTCAGCAGGCGCGAGGTGACAGTGAGCTGAGATGTAGGGAAGAGAG
 GCTCCCGCAGGCTACCGAGAGGGCTCAGCGCACTGGCCCCAGACACGCACTGCTGCCTGGTGGCGGGAGGCCCTCCTACTAACACCTGGACCCCTGGTTTGTTC
 CGTGGGCAGTGAGAGCCTTACCTGGGTCTTGATCCACAGTTCTGAAGTCCCAGACTCGGGAGCCAGGAGGGGTGTGCTCTGACGCCCCAGGCGCCCCAG
 GCTTGTTCTTGCGCTTGGGACACGGCACCCCTGCTGCTCCATCTGTGCGTGTGGCTGAGGAACAGACCCGGGGGAGAGGGGAGTCCGTCTCTGTGGG
 TGCACAGGCGCGCTGAGGGGGGGCATGTAGAACGGGGCTCCCCACATGACACGGGTCTTGCGAGTGGGGACACAGCTTAGCGCGCTAGGAACCCCGCTCCT
 CCTTGACCTGCTGACTGGCCGCTGGCGCGGAGCTCCCGCCACAGAGGGGCACAGTACAGAGGTCCCGTAAACAGCAGGTGACCTTCCAGCCCAACACC
 GTGCCCAGCAGGAGCCATTGTTACAGGAACCCCTGAGCTTAGTGACATGGCCAGGCCCGTGGCGGAGTGTGGGGGGGGTCTGGCTGTGGATGGCACCCGG
 GGAGGGCGCGCGTGGCCAGCGTCCCCGAGTCCCGCTTGTGCTTACTCAGTCTCCCATGACTCAGTTTCCCACTCTGTAATGGGGGGGGAGTGGGGGGGGAGTCA
 CCCCATGTGCTGCCACTGGATTCTTGACGGCCCGTGGTCACCTGCTGAATGATGGAGGGTGGTGGGCGAGAGTGGGCCCAACCCAGGCTGGGSCAG
 AGCAGACCCCTGAGAGCCTCAGGCTCAGGTGCTCAGAGGGCAGCGAGGGGCTGCTCAGATCCCCGGGTGCCCTCTTCCCCACATGCTATGCTGCCCACTG
 CAGGCCAAGGACCCACCCAGCAGGGCCACACTCAGGGCTCCTGGTCTGAGGGCTGAGGGATCGGGCGCAGGTGCTGCTGCCCACACCCCGCTGC
 ACAGCCTTCCAGGAGGGCGGCCCTCAGGGCCACAGGGCAAGTCCAGCTGTGTACGCCACGGCCAGGGTGGGCGAGCCTGTCCAICTGGGTGACGTCGGCC
 CTGGACGGGTAGCGATGGCGCCAGGGGCCCGCCCTCACGCCCGCTGCTTCTGTCAGCCACGGCCAGGGTGGGCGAGCCTGTGACCCGAAACCTGGTGTGGAACCGAG
 GCGGCTGCACCTACAGTACGAGGTGGAGTCACTCAAGGCTCACGGCGATGCCCTGGCGCGCGGACGCACTCAAAGCAGCGTGGACCGGTCAAGTACTT
 TGGGAAGGGCACCTACCCGACTGCGCTATCAAGAGGGGCTGGAGCTCTCTGTTGGGTGAGTGGCCCCCAGCCTCTTGGCCACGCCAGTTCTCAGCGGT
 GGTACCCAGCCTGGGCTGGGCTGGCTGGGCTGGCTGGGCTTCAAGTGCAGCCTCCCTGTTCTTGTGAGGCTGCACGGCTCTCCCTGACCCACTTGTG
 GGCAGAAAGAGACGGGACACAGACAGAGACAGAGAAACAGAAACAGGAGAAACAGACACAGAGAGAGACAGAGACAGAGAGATAGAGACAGAGACAGA
 GAGACAGAGACAAAGAGTGACAGAGGGACCAAGACAGGCAGACAGACAAACAGACACAGAGACAGAGACACAGAGAGACACAGAGAGACAGAGACGG
 GAAACAGACAGGCAGACAGAGACAGAGAGACAGAGACAGAAACAGACAGAGGGGACAGAGACAGAGAGAGAGACAGAGACAGAGAGACAGAGAGACAGA
 CAAACAGAGACAGAGACAGAAACAGGGACAGAGACAGAAAGAGAGACAGAGGGAAACAGAGAGAGACAGAGACAGATAGAAAAAGACAGAGGACAGAG
 AGAAGCAGAGACAGAGAAACAAAGACAGTCAAGACACAGACAGAGACAGAGAAACAGAGACAGAGACAGAGAGACAGAGGGGCGAGAGACAGAGGCGACAGAG
 GAGACAGAGACAGAGACAGGAAACAGAGACAGAGACATACAGAGACAGAGAGACAGAGAGAAAGCAGAGACAGACAGAGGCGAGAGACAGAGAGAAAGCAGAG
 ACAGGGACAGAGACAGAGACAGAAATAGAGAGATAGAGACAGAGGACAGAGACAGAGAGATAGAGACAGAGAGGGAGACAGAGAGATAGAAAGCAGAGAGAGA
 GAGACAAAGACAGAGGCGAGAGACAGAGAGAGAAAGCAGACAGACAGAGACAGAGACAGAGGACAGAGACAGAGACAGAGACAGAGGCGAGAGACAGAGGCGACAGAG
 GACTGAGAGACTGAGAGACGGGGTGGTTTCCCCACAGCATCAACACCAAGCAGGGCTAGGATCACTGAAACAGACTCATCAGACCCCGAAGCATGCGCTTT
 CTCGGGGTTTTTCTGGACTGAGGGTTTTCTCTCATCCAGTGTCCAGCTGTGGGACGCGAGGGGCCCAAGCCCCGGAGTGTCCAGAGGGGAACGTGGCCTC
 CCCACACCCAGCCCTCAGAGGCCCTCAGGATCCAGTGGGGTACCCAGGGCTGCCCTGTCCAGCCAGCGGTGCGGGGGGTTTGGGGAGAGCCTCTCCCCG
 AGGTGGGTCTCAGAGGGCCACATGGCCGGTGTGGGCCGGACATTCCCTTTCCAAATGGTTGTGCCACTTCCCTCCAGAGTTGGTGCCAAAGTGGGACCTGGGG
 GACTTGGAGTCTCAGGAAGTCTCCGTGTCTGAGAGGGGTGCATGGGGGATGTGGCCACACACGTCAGAGTCCGGCCCCCTGTGGAAGCCACACAGACACAG
 GACTCCCCATAATGAGCTCGCCCTTCTGGCCGAGATGCTCAGCGTCCCGAGAGGTGCCCCACTGCCGATCTGCACTGCCCCCTCTCTCTCTGCTGCTCCACTT
 TCCCTTTCGGGGGTTGGATTGGGGCATTCAGGGATCGCCCTGTTGTTTGTCTATCACACCCATTCTCTGCAAGGCCACGGTGACCCGAGCAGCCTTGAGTT
 GAGGACGCTTGTGGGTAGACGCGGGGGCATCTCGGAGGGGACAGCTCCCTGCCACCTCAGCCTCACTGCTCAGGGGCTTGGCGCCCGAGGGGACCC
 CAGGAACCGAGCCTCTTGGGGTCACTGGGTGCTTCCCTGGAGGGCGTGGATTTCCTCAAGCAGCTTAGAGAAATGAGACCCACAGCGCTTATTTCCCATG
 GTGAGGTTCTTTTCAAGTAAACCCCAACCGTATAGCAGGATCAGCAAGAGAGGGCGCTCTCTCCGGTGAGACAGGGACCAAGCCTCCCGGACAGGCTTGGGT
 CTCCCCACCTAGTCTCGAGGTCTCAGCTGCCCCCTCTCTGTCTCAGGGCTCCCCACTGAAAGGAGAAATAGTACCTGATTTGTGTTGAGCCGACG
 GGCACCCCTGGAGGGCTACAAGGAACCCCTGTGGGGGGCTGGAGGATGCTGTGAACGAGGCCAAGCAGCCTGGGCGTCAAAAGTCTTCTCGGTGGCCATCACACC

	CGACCACCTGGTAGGCACCGGCCCCCGCCGCGCAGATGCCCCCAACACACAGGGAGTGGCGGTGCAAGGCCCCCGCAGCTGGACCCGTCCTTTTGGTCTCTCGGG AGGGTGTGGGTCTCCAGCCGGCCACCGCTTGCCCTGAGAGGCGAGCCCTCCTGCTGAGAGAGCCTGGAGCGCCCGCAGCCAGCCTCCCCCTCTGGCCCTGTGG GAAGCGGCCCGCGCGTCAAGGGTCCAGGCCCTGCTCAGCCACCGCTGAACACTGCCCGCAGGAGCCGCGTCTGAGCATCATCGCCACGGACACACAGTACCG GCGCAACTTCACGGCGGTGACTGGGGCCAGAGCCGCGACGCGAGAGGAGGCCATCAGCCAGACCATCAGACCATCGTGGACATGATCGTGAAGGCCCTCGCC AGGAGACGGGAGGCCCGCGCGCGCGAGGTGGAAGTAATCTGCGTTTCCATTCTCCAGAAAAATAACGTGGAGCAAGTGGTAAGAGCCCTCCCC ACCACCCCGAGCGGTAGTCTGCACACCTCACCCACACACAGTCCACCTGTGTGTTCAAGACCGCATGTCCCTATGCAATATCCGCCCATGTGCCCGGGACACATGT CCCCTGGGTGTGCCCCGTGTGCCCCGGGATGTGTCCCCCTGCGTGTCCACCTGTGTGCTTGCCCCATGTGCCCTGGACATGTGTCCGCCCTGTGCGTCCCATCC GTGTGCCGTGCCCATGTGCCCTGGGTGCGATGTACCCCTGTGTCCACCGCTATGTCCCGTGGCTTTCCCACTGACTCGTCTCCATGCTTTTCCCCCCACAGT GCTGCTCCTTCGAATGCCAGGTGAGTGTGCCCCCGACCCCTGACCCCGCCCTGCACCTTGGAACTTCTGCTGCTGGGTCTGGGTGCTGGGTGCTGGGTCTGGGT CTTGACCTTGAAGAGGACCTCCGGGGTCCCGGGGACCCCGGCTTTGAGGTGAGTGGTACTCTGCTCTCCCATGTGTTGTGGGGCTGGAGTGGGGTGGG GTGGCAGGACCAAGCCTCCTGGGACCCCAAGTCCACCATGAGGATCCAGAGGGACGGCGGGGTCCAGATGAGAGGGGACGGCGGGGTCCAGATGGAGGG ACGGCGGAGTCCAGATGGAGGGATGGCGGGGTCCAGATGAGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGATGGCGGGT CCAGATGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGTGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAG GGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGTGGGGTCCAGATGGAGGGGACGGCG GGATCCAGATGGAGGGGACGGCGTGGTCCAGATGGAGGGGACCGCGGGGTCCAGATGGAGGGGACGTGGGGTCCAGATGGAGGGGACCGCGGGGTCCAG ATGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGAC GGCGGGTCCAGATGGAGGGGACGGCGGGAGTCCAGATGGAGGGGACGGCGTGGTCCAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGACGTGGGGGTCC CAGATGGAGGGGACGGCGGGGTCCAGATGGAGGGGATGTGGGGTCCAGATGGAAGGACGGCGGGGTCCAGAGGACAGGTCCGGCCGTGCGAGGGGTGTGGAC TGTCCCGGGGCGCTGGGGGTCTGTAGGGGTGTCTGTGCCCGCTGCCCTCAGCCGCACTCTGTTTCAGAAAGGACCTTCTTGAGGTAGGAGGTGAGAAATGT GGGTCCCTGCTCTGTGTGGTCCAC	GGCCGGGAGGGGGAGGCTGCCCCAAGAGTAAAGCCTTTCTGACGTGCGCAGGACGGGCCCTGACTGGTCTAACTGACTCTTTTCTCTTCTCTCTCAGCTT GCTGTGTAGACCCAGGCTCTAGCTCCTGAGAGAA TGGA TCCCGGGGTGCGGGAGCAGGCTGGTCCCACACATGTACAGGACAGCACATGGCACCTCT GGTCCCGCCCGCAGCTCCCTGCACCTGCCCGCCCTCTGCGGCTGTCTCAAGCCAGAGGTTCCCGGGTGTGGGTGGGCCCGCCCTCTTTTCAACCCA TAACTGAATAACAGGACAGGCTTGGGGGGTCCCTGCTCCATCATTTCTGCCCCACAGCCCCCACCTAGCTGGCTGAGCAACGCCAGCCCTGACCAGCC GCCGCACAGAGAGCCTTTACGGGGCATGGAGGGGTGGGCTTTTCTGGGGCTGAGACGGGGGACCCCACTGTGAGGTGAGGATGGCAGGCCAAGGA GGGGCAGGGCGGTGGAGGGGAGGGGCCAGGGCAGTGGAGGGGAGGGGCGTGTCTGTGTACACCGCCCGCCCTGCAGAAATGCAAGTGGGCCCCCATCGACC TCTGTTCGTGTGACAGCTCAGAGAGCATTTGGCTGCAGAACTTCGAGATTGCCAAGGACTTCGTCTGTACACCGCTGCAGAAATGCAAGTGGGCCCCCATCGACC GGTCAAGGTGAGGCTCGCCCCCGCGGTCTCAAGCCAGGTGCACCCGACCCCTGCGGGCGCCCTGCCCGGCCAGACCTCAGCTTCCCGAGGCCAC CGTGCATCCCTGTGACTTCCCTACTCATGACAAGGATGCCAGGACGCGCCAGCCCTCAGGCTCCAGCTTCACTGCGGAGGTGGGCCCATTTGTACACA GGCGCCAGATGAGGGAGGTTCCCCCTCTCTCTTGAAGGGCGGTAGTCTGGGGTCTGTAGTGTGGGTGTGGGTGTGGGTGTGGGTGTGGGTGTGGGTGTGGGT GGCTTCA TCCACCAAGGAAGATTGCTTTGCAGGGTACCCAGGTCCCGGGGTGTGCCACCTCTGGGACCCCGAGGCCAATCGCAGGGTACCCAGGTCCCGG GGGTGTGCCACCTCTGTGCACCCAGAGCCAA"TCGAGGGGACCCAGGTCTTGAGTCTGGGGGCCATGCCACCTCTGGGACCCCGCAGCCAAATAGAGTCT ACCTTGGGAAGCTTATGCGGACCTGGGCGAGCACTCGCGTCTGTACCCCGGTGCCGTGCCAGTTCGAGCCAGGGCAGTCTGACGGGTGTGGTGTGGTGTGGT ACAGCCACAGCCAGATGCAGGAGCAGTGAAGCTTCGCGAGCCCGCAGCATCCGGAACGTGCAGGAGCTCAAGGATGAGTGTGCCCTGCGACAGAACCCAGGAG ACCCCTCGCCCGGACCGTGTTCACAGGCGAGGTTCGGCCCTGACCCCTGATCCCAAGTGGGCTCGGCCCGCGGCGAGGCTTGGCCCCCAACCGGCCCTTCTCTGC CCTTTGCTATGCAGAGCCATCAAGAGCCTGAGTGGATGGCGGCGGCACCTTCACGGGGGAGGCCCTTCAGTACACGCGGGACCACTGCTGCGCGCCAGCC
252	COL6A1	

CGAACAAACCGCATCGCCCTGGTTCATCATCTGACGGGGCGCTCAGACACTCAGAGGGACACACACCGCTAACGTGCTCTGACGCCCGGCATCCAGGTGGGGTG GCCACCCCCAGGCTGACCTGCCCGCCTAGGGCGCCCCGCGCAGCCAGGTGGCCCTTGTCGCCAGAAAGACAGAGGCAGAGAGGCTGCGCCACACCGATACT GTCTGTCCCCACAGGTGGTCTCCGTGGGCATCAAGACAGTGTGTGACTTCATCCAGGCTCAGACAGCTCAATGTCTATTTCTTGCCAAAGGCTGGCACCATC CCAGGGCCCGCCCGGCTCTCGTGGTCAAGGAGAACTATGCAGAGCTGCTGGAGGATGCCCTTCTTGAAGAAATGTACCGCCACAGATCTGCATAGGTGCGCAT GGGGCCACCCCGGGCAGTCCACAGATCTGCGTAGGTGCGCGGGGCCCGCCGGGCAGTCCCAGATCTGCGTAGGTGCACGCGGGGCCCGCCGGGCAGTCCACAGA TCTGCGTAGGTGCACGGGGGCCCGCCAGGGCCCTCCAGATCTGTGTAGTGGCGCAGGGCCCGCCAGGGCTGTCCCAGAGGCTTCCCGGGGACACGGCCAC CCTCAGGGGCACGGCCACCCCTGTAGGTGCGACGGGGCCCGCTGGGGCTGTCCCACAGGCATCCTCCTCCCGGCTCGCTGAGCTTCCCGAGCTCACTGTTA CCCTGTGCTCGGCCGGAGGTCTCTGTGACATCTCCTTGGGGGTATATAGTGGAGCAGTGGGTCTCACCTGCACGGCTTTTCTCTTTTACAGACAAGAGTGT CCAGATTACACCTGCCCCAGTGAGTACCTCGGGCGCCGGGACACGTTGGGAGGAGGGCACCGTGGTGGGCGAGGGCTCTGAGAGGACGGGCTCTGGGAGG AGGGCTGGCGGTACGAGAGTAGGTGATGGTCACTCCGGTGCTGACACCAACCGTCCGTGGCTCTCTGGGAGCTTAGACGCTCTCTGGCCGGGCCA CTGGGCTGCATCACAGGGCTCATGTCTAACGGCTGCCACCCCGCCCGCAGTCACTTCTCCTCCCGGCTGACATCACCATCTCTGTGGACGGCTCCGC CAGCGTGGGCAGCCCAACTTTGACACCCCAAGGCTTCGCCAAGCGCTGGCCGAGCGCTTCTTCAAGCGGGCAGGACGGACCCCGCCACGACGTGGG GTGGCGGTGGTGAGTACAGCGGCACGGGCCAGCAGCGCCACAGAGCGGGCGTGGTGCAGTTCCTGCAGAACTACACGGCCCTGGCCAGTCCCGTCGATGCCA TGGACTTTTATCAACGACGCCACCGACGTCAACGATGCCCTGGGCTATGTACCCGCTTCTACCGGAGGGCTCGTCCGGCGGTGCCAAGAGGGCTGGTGTCT CTTCTCAGATGGCAACTCGCAGGGCGCCACGGCCGCTGCCATCGAGAAGCGCGTGCAAGAACCGAGCGGGCAGGCATCGAGATCTTCGTGGTGGTCTGGGC CGCCAGGTGAATGAGCCCCACATCCGGTCTCTGTCACCGCAAGACGGCGAGTACGACGTGGCTACGCCACCTGCACGCCCGGCACCAACCCCTGTCTCCCCACCCCTCC AGGCCCTGTCCGGGTGTCTTCCACAGACAGTCTCCAGGAAGTGGCGTGGGTAGCCACCTGCACGCCCGGCACCAACCCCTGTCTCTCCCCACCCCTCC CCACTCATCACTAAACAGAGTAAATGTGATGCGAAATTTTCCGACCAACCTGATTCGCTAGATTTTAAAGAAAAGCTTGAAGAACCCAGGACACAAGC TGCTGCCCTGCTTTGTGAGGGTCTCTCCGGGCTCAGCCCTGAGTTGGCATCACCCTGCGCAGGGCCCTCTGGGGCTCAGCCCTCAGCTTAGCTACCTGACACAG GGCCCTCTGAGGCTCAGCCCTGAGCTGGCGTCACCTGTGACGGGCCCTCTGGGGCTCAGCCCTGAGCTGGCCCTCAGCTGGGTTCCCCACCCCGGGCTCTCCTG CCCTGCCCTCTGCCCGCCCTCCCTCTCCTGCCGACGTCTCTCCCTAGGCACTCTGTGCTGCATCCACAGCCCTGAGCAAGACGCCCCCTCTCGGGGGCTG TGCCGCACTAGCCTCCCTCTCCTGTGCCCATFAGTGGTTTTTCCCAACCAATCTCACCTAACAGTTACTTTACAAATTAACCTCAAAGCAAGCTCTTCTCCT CAGCTTGGGGCAGCCATGGCCCTCTGTCTCGTTTTGGGAAACCAAGTACAGAGGGCCGTTGACAGACATAAAATCTCGGGACCTCGGCCCTCTCTCTGAGGCTC CTGCTGGTGACCGGCCCTGGACCTTGGCCCTACAGCCCTGGAGGCCGCTGCTGACCAAGCACGTGACCCCGACCTCAGAGAGTACTCGCAGGGGCGCTGGCTGCAC TCAAGACCCCTCGAGATTAAACGGTGCTAACCCCGCTGCTCTCCTCCCGCAGAGACTGGGCCCTGGACTGGACATGAGAGCCCCCTTGGTGCCACAGAGGCT GTGCTTACTAGAAACACGCAACCTCTCCTTCTCTCAGAAATAGTATGTGTCGACGTTTTATCAAGGGCCCCCTTTCTATGTTCATGTTAGTTTTTGTCTCT TCTGTGTTTTTTTCTGAACCATATCCATGTTGTGACTTTTCCAAATAAGGTTTTTCACTCCTCTCCTCTGGTTATCTTCCCCACAAAGTAAATCCTGCCG TGTGCCCCAAAGGAGCAGTACAGGAGGTTGGGGGGCGTGTGCGTGCCTGCTCACTCCCAACCCCATCACCACAGTCCAGGCCAGAACACAGGGCTGCCCT TGGCTACAGCTGTCCATCCATGCCCCTTATCTGCGTCTGCGTGGTGACATGGAGACCATGCTGCACCTGTGGACAGAGAGAGGAGTGAAGGCAACACCCCTG GGCTTTGGGGTCGGGAGCAGATCAGGCCCTCAGTGGGTGGGGCCGGCCACATCCACCGAGGTCAACACAGAGCCCGGCCACAGGTTCTAGGCTTGGTACTGA AATACCCCTGGGAGCTCGAAGGGAGTTGAGATACTGCAGGGCCCATAGGAAGAGTCTTGGGAGGCTCCACCTTTGGGGCAGAGGAAGAGTCTTGGGAGG CTCCACCTTTGGGGCAGACAAAGAGGGCGGAGGCGCAGAGGCTCATCTCAAAGAAAGAGTTAGTGGCCCCCTGAATCCCAGAAATCCGGGG TGCACGGCTGTTCTGGGGCCCGCTAGGGGACTAAGAGGATCGGCCGAGGGCTGGGCTGGAGGAGGCGACAGGGATGGGGCGGCGAGGTTGAGGTTGGGGCTTC CTGAAGGCCCTTCACCTGCGGGGACCCCGGCGAGCCCTCAGGTGCCACAGGAGGACACGCCCTGCTGATGCGTCAACCATGTGGCCACACAGAGCTGCGG GAAAAATGCTGGGACCCCTGCATTTCCGTTCAGTGGCGAAACAAGGCCCTTCACAGAACTGCAGGTAGAGACGGGCCCGGGCAGACGAGTGAGGCGGTGGG CGGGGCCCGGGCAGATGACGTGAGCGGTTGGCGGGGCCCGGGGCGAGAGCGGTTGGCGGGGCCCGGGGCGACGCGAGTGAGGCGGTGGGCGGTGGGCGGG		

		chr21:4 628050 0- 462830 00	GGCCGGGGCAGAGGCAGCGGGTGGTGGCCGGGGCCCCGGGGCAGACGCAGTAGGCGGTGGCGGGGCCCGGGGTAGTCGCAGTAGGTGGTGGCGGGCCCCGGG GGCAGACGCAGTGAGGTGGTGGCGGGGCCCGGGGCAGACGCAGTGAGCGGTGGAGGGGCCCGGGGCAGACGCAGTAGGCGGTGGCGGGGCCCGGGGTAGGCGCGGTGGCGGGGCCCGGGGTCA GAGCAACGGGTGGTGGCGGGGCCCGGGGCAGACGCAGTAGAGCGGTGGCGGGGCCCGGGGCAGATGCGAGTAGGCGGTGGCGGGGCCCGGGGCAGACGCAGATGC AGTGAGGCGGTGGAGGGGCCCGGGGCAGACGCAGTAGAGCGGTGGCGGGGCCCGGGGCAGACGCAGTAGGCGGTGGCGGGGCCCGGGGCAGACGCAGTGC AGGCAGTTGCCAGCCTCTCTCAGCTGCCTCATGGGATTGCGACTGCGAGCTGCGGCCCTGGCGCGACAAAGGCTGGACTTGGCCAGCGGGACGGTCCCTTCACGG CGCTGAGGCCCAACACTGCGTGGAGCCTCCCGTGCCAGGTAACCTGCAAGGTCTCGAGAGGCTTCTCTCAGCCCCAGCCCCACACAGCTCCGGGCC AGGCCCGCTCTCCCCATCCCACTCCAGTTGCTTTGCGCTGTATACGGCCAGGTGACCCCGAGCGGCCCTGAGCCCTCTCTCCCGCTTCTCTCCCTGTAAGCTGGGT GAAGGACTCCATGGCACCCACCTGAGAGGGTTGTGGCGAGGCCACAGCCCCCTCTGTGCCACACGCCCGCGGCCCATGCTTGGCAGGGCTGGGAGGAGGCTG GGCGACAGAGGGGAGCGGCTGTCTTGGAGAGGCCACAGGACCTTGGTGAGAGGTTCTCCCAAGTCTCTATGGGACCCCTTCTCTGCGCCCGT CCTTCACGGACTCTCCGGGTCAACCTTGGGTGCACACTGGGTTCAGGGGGCTTGAGGTGGGGCCCTGTGCCAAGTCCCGGGCGGGTTCTCTGAAC CTCAACCCATCTCACTCGGGCATTTCCCATCCCCAACGCCITGGGTCAACAGGATTCAGGACAGGAGGGCGGTGGGGTTACCAAGGCCCGGGTTGCCAT GCAGAACCCACGCCACACAGACCCACAGGGGCCACAGGAAAGTCTCTGTTCTACACTGCACCTCACACTTCTGTGGGGCAGACTCCAAGGTCCCGG CCTCTCATCTTTAGAAACTGAGGCAACAGAGGGACACACTCCACGGCCGGTCAACGTGGCCCCACACTCCACTTGACTGCACCTTGGCCAGGCTCC GGACACCGTGGCAACAGCCTCAGCCCCCTGCGGCCCTCTGTCGTGGCCCCCAGGCCCGAGTCCCATGTGCACGTCTTGCCTCAGGCCCTGGAGGCCCTCTCGG CCCAATATACAGACAAATTCAACAGCAAAACTACTTTTTCAGGCTGGCAGGACTCTGGGCAACCCCTTGCAACAGCCCCCTGCCCTATCACAGCCACCCCTTG CCTCCCAGGCACGGAGACCCCACTCAGGTTCCAGCCTTGGTTTCATCCCCAAGCACCCCTGTGTGTGGGATGGCGATGCTGGCTGAGCCCTGCATCC
		253	AGGGCGTTTGGGAACACCCCTCCCGGAGGGGTGAGGCGGCCACGCTGCGGTGCCAGGACACACAGGTTCTGCTGCGGAACCTGCAGCATGGCCATAAACAG GCCACAGTGTCTGGGCCACACAGCCTGGACCCACATGGCCCTGTGTCACTCTCAGGGGCAGGCTTCAGGGCTCGACCCCTAGAGGCTGCCCCCTCGGTTCT GCTCCATGGACGGCGCAGGCAGGCCAGGCCCTGTGACGAGTTACGGAAAGTCCAGGATGACCCCCCGCTCTGCGCCCTCTCCAGCATTCAGACACCAAAACC ACTCTGGGCTAAACAGAGGCATCGCCAGAGCATCCCACATTCTTCGGAAAGTGTGGGTCTGGGACGCGTCTTGGCCCTGAAGAGGCTCCAGATGGCTCCCCATC AGGCCCTCCGGCTACGTGCGGCCGACATGGAGTGACAGAGCGTCGGGGACACAGAAATCAGAGCTGGGCTGGGCTGCTTTGAGATACTGATGGCTGCCAG GGGGCACAGAGACCCCGTCTGCAGACAGGCTGTGAGGGCCACAGGGGGCTCGGGGAGAGGCAGTGGAGGGAGGACAGTGGGGCCCTCCAGCTGGGTGAGC AGCTGAGCGAGGGGGCCCGGGCTTGTATGTTGTCTGCCGACCTAGAGGTGCCGGCCCCACAGATGGAGAGCACGTAGTGTCCCCCGGGAGTCAAGAGGCC GGGCTGACCTCGGGGGCTGCAGCCAGGGAGGCCGGCACCCACAGATAACCCCCAAAGAACTGCAGGCCCTGAGCGAGGCCACAGAGTGGGGCGGGGGCAGGT CCCAGCCGAGGAGGTGCTCCGTGCTGCTCAGCAGAACCCCATGATGGGTGGCCCCAAGGCTCTGAAGGTGGAAGGCCCTCACACATTTCTGCCCCCGCTGACGC CTTCTTGAAATGTAGTCCAAGTTTCTGTGGTGGGAAATGGCCAGGCCAGACCTCCGTGGGTGGTCTTCTGTTCCACGTACGCGCCCTACATCCACACTG TGGGCAACCATGACCTCACATCGGAGCGGAGCAGGGCCCGGCGGAGACCCAGGCTGGTCAGAACGAGGCCTAGAGGGCTCAGGGCCCCAAGCACTCAC AGGCTTCTCTCTGTCTCGGGCCCTCAGACACCTGCATGGCCCGATTTCAGCCACCCGGCGGCCGATTCCCCCTGGCCATGGGTTTCCAAAGTGTGTGCT CAGAGGACAGTTTCTCTCCAGGATGACCCTGCTCAGTGGCTCTCTGTGCCGGGACGTGCGGTGCTGGGTCCCGGTCTGAAATGCTTCTTAACGATTTACCCAGTTT CTTTCTCCACTCAGAGGCGTTTGTCTGAGAGGCACAGGCTGAGCCCCCGTGTGTATGCCACGACCCAGGGAACGGGTCTCCCTGTGCGCGTGAACCTGACCCG GCCAGGCTCCACTGCCACTCGGACTCGCTCCCCAGGCAAGTGGCGCCCAACAGGGGAGAAACAGCCCTCCACACAGCGGGCTTCGGGCAAGAACACGAGGGCC CTCCACACACGCGGCTTCGGGCTTGTCTATGAAAAAAGCTGAAATGCTGGGGTGCAGTTTCACCAACAGAAATCCCGTTTGAAGGGACGCGGTGAGACATGA TCCACCCCTAAGTTGTATCTCTGGGTGAGCGCCCGTCCACACCCCTGCTGAGGTTCCCTTACCCACTTTATTTCTCAAAAAACCCCTGCCCATCAGGGCTGAGTC CCACGCCTTCCCTCTCCGTCCAGGCCCTGGCTTTGACCTCTGGGGTCGTGGGGCACAGGGGACACCCCTATCCAGCAGAGGCCCTACGGCTATCTGGAGGAA GTGGTGGGAGCTGGGCTTCTGCTGGAGATGCACCCAGAGGGGTACAGTCCACACAGAGACACACGGGTGCTTCAGATGGCTGAGCCAGTCCAGGCCAG

[illegible]

CTACTCCATCGCCTCGGACAAGCCACAGACAGTGGCGCAACATGACGCTGTTCTCCGACCTGGTCGCTGAGAAAGTTTCATCGATGACATGGAGGACGTCCTCTCTGG
CCGGGTGAGCGTGTGGCGCGGGGCGAGTCGGCGGAGGAGCAGAGGCCCGCAGCCGCTGTCTAGCGTGAGCCCCAGGGACACCCCTCACTGAGGGATGAATGT
GCAGCCCCAGGATCTTTGGGCTGTGGGTGGAAAGGGGTTCGGCCCCCTCTCGGGGCTGCAGGCGAGAGGCCAGCTGCACCCCTGAGCCTGTCTAGGCAGATCACTGAA
CGCCCGCTGAGGTTTCGTAGGACTGACCTTGGCCTGGCCCGGCCCTCTCTCTCTCTCCAGACCTTCAGATCGTGTGCCAGACCTTCCCTGCCAAACAGG
TAAATGAGGGACCCCTGAGCCACCACCCACAGATAGCAAAAGCAGCCCCGTTGGTGTCTCTCTCTCCAGGGCCGGGCTGGGGAGGGGCGCTGCAGGGACCCCGG
GGGGCGCGGAGCCACTGCGGAGGCTGCTCTCTTAGGGAGATGGCCCCAGATGGCAGCACAGGGAGAGAGGGCTTGGGGAAGCAGGCTCCCGAGGAACGCGAG
AAACAGCATCACAGGCCATGAGGTGGTGTGCTAGCCTTGGCGCTGTGCTCGGCATGTGGCCACTGGTCTTTGAAGGCCCAACCATCCCGGGGTGGAAGCACATGACACCCCC
AGCTGCCGCCAGCTCCCATGGCTGGCGTGATGTGCCACTCGGAGGAAGCCCTGGATTCAGTGAAGTGAACCACTCCCGGGGTGGAAGCACATGACACCCCC
CAGCACACGACGCTTGTCTCAACCCCTGGCCTCGGAGCTGACGCTCGGCTCTCACATCTCTGGAGTGGGGAGCCCCATCTCCCGGATGTGGCCCCAC
GTGGGTGAAGCTGGAGCTGGGGTGCCGTCAGGCTCTGCTGGACGTGGTCTGCCCCCATGGTGACATGCTGCACCGTACCTGGGCCACACAGGAGTCTCC
CGGGGGCGTTAGGAGCTGAGTCCCCCTCAGTGAGCCGTCCTCCCTCAGGAGTGTAGGGTAGGGATGCCATGGAGACAGGTTGGAGGCTCCGACCTTGGAGGAC
CACAGGGAGGAAACCTCAGGCTCTGCGGTACGAAGTCAGCGCTTCTCTCAGCACGCGGGTCTCGGCTTCCATGGGAGCTTCCATGGGAGCTCCCGGTGGGTG
AGCTGGGCCACTGAGCACATTCACAGGCCCTGAGGCTGCCCCAGGGGAGAGCCGTGGACTCAGAGCCGAGGTTCCCCATACGTGCTGCACAGAGAACCTTAG
GGCTTGACCTTGGCTTGGCTGCCCTCAGAGGCGGGCAGCCCTTGCCCCACACAGTGGGCTGTCTTCCCGCCAAAGTGAAGGCTTCCCTCCCCCAGG
GTCCACATCAGACGACGAGGGCACCTGGACCTTGAGGGCAGGAACACAGACTTGGCTCTCTCCACCCACCCCTCGTTCTCTGATGGGCGAGGAAGTCTCGGGAC
CCCATGATGGCGACATGGCGATGGTCACCTGTGGGTGCTTTGCTATCAGGTGGGGGCTTCTCTCTCCACTCTGGTCCAGTGTGAGTGGCCGCTATGGCTTC
CCCTCCACTCAGGTTCTATCGTGAAGTGGGTGCTGCTCTGTGGATGTACAGTGACCTTTCTCTTTAGCCTATCATTTGTAGTTGGAGTTAGTTAGCC
CGTTGAGCGCTCATTTGAATTTCCAGTTTGAAGCCAGCCCTGCGTGCCCCGGGATAAACCCACCTGGCCGTGGTGTGTGGCCCTGTTTATGCACGTGGGCCCTGAT
TCGCTGATGCCCTGCCCTGAGGGTTTGGCTTATTCGGCGACATCAGCCTGGACTTTTCTTTCTCGTGATCTCTCTGGTTCTGGCCTCAGGTTGACGTGGGCCCTC
GTAGGTTCTGTGGTGCTCTCCCGCAGACGGTGACATGGATGAGCCCATCTCTCCCTCCTGGAGTGGGTCACTCAGGCCACACAGACCCACAGGAAAGC
AGCCAGGGAGGACACGGAGGCCCTTGAAGCTCTTGGCTCTTCTGAGGCCCTCAGGACCTGACAGTGAAGTGGGAGAGCCCTGGCAGAACCCCTCCCTCTCTCT
CGGCCGCCCTGACACCTCACTCCCGACACTCAGAGCTCATCTCTCTTCCAGCTGTTTCCAAATTTCAAAGTGAACCTCGACCTTGTGGCTCCAGGAGATGCAGC
AGGACAGTGTAAATTCGGCTTTCAACAGCCACACAGGCCAGGCACTCTCTCGGCCCTCTCTGGGCACTGGGTGGACACCACTGGCTGTGGCCCTGGCCCTGGC
CTTCTCCAGACAGCCCTGTCCACCCCAAAGCCAGCCACCCCTGGGCTGCAGCAGGCCCTGTGGAGTTCTCAGTTTCGTTGGGACACAGAGGTTGCTGGAGAAAC
AAACCCAGACGAGCTGAAGGCGAGTCAAGGCGAGGCGCAATCAGCGATAAGAGCTGCATAGGGGCCACAGCGTTAACTCAGCTCCAGTCCAGTTCGTTGAAAGAAAAAG
CAGAGACGTTGCAGAGGCCAGGCTCTGCTCAGGGGAAGACAGATTCTGGGTGTAAGGACTCACATCCAGAGAGGCTGAGGAAGGGTTTACCACCCGCAAGCTTT
CTCAGGCGGGCTCTTGAAGGGTGGCTGGGGTCTCTCTGGCGACGGGCTGCGGCCTGGAAGCCCTACTGGAGTTTGGCCCTGTCTCCGGCACAGGTTTGGAGC
GAGCTGTTTGTGCTGAAGGTTTCTCGGGTTCGTGGTGTCCCCCAAAGTGCCACCGTGGGGTCTCTTAGCTCCCTGCCAGTTCTCTGTCCCTGTGCTCTC
ACTGCCCCACCGCTCTGCCAAGGCGGAGCCACACACCCGCTCCACCTGCATTTCTCTACCGACTCGCCAGCCCAAAATGCCGCTCTTCACTCTGGCCCTCGC
TGAGCGGCTGCCGAGGAGGAGCTCTAGGCCGACGCCACCCGAGGCCCTACAGTCTTCTCTGACGCTCTCTTGAGATGCACCCGTGGCTTGGCGGCGAGCC
CCCCGTCACTTCTCCCGACGGAAGAGGGCCGAGCGCCACTTCCCCAGGACCACTTCCCCCTGATCCAAACAGTTGCTAAACGCCACCGAGCTCACGCGAGGAC
CCGGCCGCTACTCCAGCTGTTGGCCGTGCTGCTTACACCGCCGAGCGGCCAAGTTGCCACCGGGGTAGAGCGGACAGGACTGGATGGAGCTGTTCTATTG
ACACCTTTAAGCTGGTGACAGGGACATCTGTTGGGGACCCCGAGACCCGCTTGGCCCTCTGCTAAAGCCCGGGCACCCCGCCAGCCGGGCTGGGCCCTCCCTCTG
CCACACTAGCTTCCAGGGCTGCCCGGACAGGCTGGCTCTCAGTGGAGCCAGAGATCTGGAATCGGGGTACAGCGGGCTACAGTCTTCCAGGGGCTCTGG
GGCAGCTCCAGGCTCTTCCCATGCTGTTGGCCACCGTGTCCCTTGTCTGGGTGATCTTCCAGTCTCTCCCTGCTCTCTGTTGGCCGCTCTCTTTATAAG
AACCTTGGTCAATTGAATTTAAGGCCACCCCAAGTCCAGAAATGACCTTCGAAGACCCCTTAACCTCACTCCCGTCTGCAGAGTCCCTTCTTGTGTCATCAGGTCA

CCTCACAGGCTCCAGGGTTTGGGTGTGGAAGTCTTTGGAGGGCCCTTAAGTACGGGGCCCAAGCTGGGCTGCCGTGCGTCTGGATGGGGCTGAGGAGGGTGCT GCCCAGGTGCTGGAGGATGTTCCAGCACACAGGTTCCAGCGGAGCCTCGGAAACAGGCCCCAGAGGCTGGTGAGCCTCGCTGGGTGTGGGCACTAAATCCCGTGC ATGGTGACTCGTGGGCGCTCACGGCCCACTGGTGGCAGGTGAAGGCTTCGGGTGGGACAGATAGTCTTGGGGAAAGCTGGCAGTCTCTGGCACCATGACG TATCTGGGCTGGTGTATGACACAGTAGGGCGAATGGCCACAGCTGCCAGCAGCCCTGATCCCGGGGTGTCTGCACCTTCCAGCCCAACCTCTGGGTCT CCAAAAGCACAGTCGGGGAGCATCCACCAGGCACAACCTCTGCGGTCTCAGAGGACTGAGCAGAGAAATCCAGGGTCCACAATGTTGGGAGCGGCAGGGA TCACCATCCAAAGGAGGGGGCCCCACGGGAGGTACCCCGACGTTCTGACTGCAGGAGCCCTATCCAGGCTGGGCTCCTGCCGGGCACGGCTGTGACCAT TTCTCAGGGCCAGGTCTCGTCCCCACACCCACTGCACAGGGCAGGCCAGGCTGGTCTTCCCACTGTGGGATGAAGGATCCTCCACAGGAGGAGGAGACAG AGTCCACAGACATCCCAACAGCCTCAGCCTCCCTGTGCTGCCGGCCCCACAGCTTCCCGTCTCCTCCAGGCCCCACAGACACTGATGAATGGACAGAGA CCCCCAAACACAGCTGCCCTTGCACTGTCTGCTCCATATGTTTGGTGACAGCAGTGAATGTTATAGTATTGAGGGGTTTGGAAAGCCAGCGGTACCT GAGGATTTCTGGACATTTAAGCCGTTCCTAGGTGTGGCTTAACAGGGAGGCTGCCCTTCCCTTCACTGAATGAGCTGCGTCACTCATAGCTCACTGAGG GAACCCCATCTGCCAGCTCGTGCCTCAGACGGCGTCCATGCTCAAGCTTCTGTGAAGCTGCGGTGCAGCGTGAGGTCACCCCTGCTGTGTTCAAGCT TTGCTCACTGCCCTGGGGCTGACCGTTGCACCTCCAGGGCCCCAGAAACCGAGTTTCGGGTACGGGTCTCTGTTGTGATTCCTGGGGTCCATGTACCA GCTGTACGACGCTCCAGGGGTGGGCTGAGAACGACACACCTTGGGGAACTGGCTCTGTCCCTCCCTCCCCATCCCAGGAGCTGAGGTCTTGGGTAGGC CACAGGGCCAGGTCACGCAAGGACTGTCCTGTCTTGGCCCCACGTGACACCCACACAGTGTGGTAGGACGCTGGCCCTGGGTTGTGGC TATGGCCAGGGCCCAAGCTGTCCCGATGCCAGGGCTGGTACCAACAGGAGGTGGGGCCCCACTTGGTAACAGATCATAGGCGAAGCCACCTGG GCTGCCACAGAAAGTCTGGCTGCCCTGTGCCACTGTCCCCACCATGGCCAATCAGAAAGTACAGGGCTCTCTGGTCTTCCGGGAGGAGCTGGCCCCAGC CAGCTCTAGGTGTTCTGACAGCTCTGGGACCCAGCGATTGAGGGGTACGCTGGGGTGTACAGCAGGGTCTCTCTTAAATACCTCCCACACTACACAGA CAGTGGCCCTTTTGTGGCAGCAAAATCTTGAGCCATGAAGGATGCTTGGGCCCTTCCCTCCAGGAGGCGAGCCTGTGCAGGGATGGTGTCTCAGCAGGT GGACAGGGCTGGGGCTGTGTAGGGTCTAGGGTCTAGGGTGGAGCACACAGAGAGAGATGGGGTCCCAGCAGTGCAGCTGAGGCTGAAAAGTGTCTTGGGCTAAGGAC CCACACCCAGGGTGCCCTGCAGAAACGCCCGCAGAGCCAGTGGTGTGTAGGTTGCAGGCAAGGTGCGAATGGAAGGACAGGTCGCGGGCTGGCACC TGCCCGGTCTTGCCCACTCCCTCCGCCCCAGCCCGCACCTGCGTCTCCACAGAGCTGTCCGTGGCACAGTGCACGAGCGGCCCTGGACATCGTCTTCC TGTGGACGGCTCCGAGCGGCTGGGTGAGCAGAACTTCCACAGGCCCGGCGCTTCGTGGAGCAGTGGCGCGGGCTGACGCTGGCCCGGAGGGACGACGA CCCCTCAACGCACGGTGGGCTGTCTGCAAGTTGGTGGCCCCGGGAGCAGGCTGGCTTCCCGCTGAGCCACAACCTCACGGCCATCCACGAGGGCGT GAGACACACAATACCTGAATCCTTCTCGCACTGGGCGCAGGCGTGTGACAGCCATCAATGCCATCGTGCAGAGCCCGGTGGCGGGCCCCGAGGACG CAGAGCTGCTCTCACGGACGGCTCACGGGCAACGACAGTCTCAGAGTGGCGACTCCATGCGCAAGCAGACGTGTTACCCACAGGCTGCGGCCCCCTGACATCCACCTGT GGCTTGGGCAGCGTGACATGGACGTGCTACACAGCTCAGCTGGGTACCGCGCCCGGAGTCGAGGCTGTGAGCCACCCCGTCCATGGTGTAAAGCGGGCCCCG GGCTTCTTCGACCGCTTCACTCGTAGCGCCCGCCCGGCGCCCGAGTCGAGGCTGTGAGCCACCCCGTCCATGGTGTAAAGCGGGCCCCG GGTCCACACGGCCAGCACCGCTGTCACTCGAGCAGCGCTGGGCTGACCTCTCCAGTCTCTCCACGGGTCCCCGTAGCCCCCGCCCCAGCC CCAGGTCTCCCCAGGGCTCCGAGGCTGCCCGGCTCCCTCCCCCTGAGCCATCCCAAGGCTCTGACCTACCTGGCCCCGTAGCTCTGGAGCAAGCCCTG ACCCAATAAAGGCTTTGAACCCATTGGTGGCTGTTCGAGCTTCTGTGGCAGAGAGACCTCAAAGGTGTCTTGTGGCCAGGAGGAAACACTGACGTG TCGCTGCCCCACAGGGTCAATGGTCCCCGGGCCCCAGCCCTGACCTCTAGGACATCAACTGAGGTGTGGTGAACCCCGCTGTGCAGACCCCAAGCC TTGATCAGCAAACTCTCTCCAGCCCCAGCCAGGCCAAAGTGTCTTAAGAGTGTCAACCTGGGTGAGGGTCTTCTGTGGGTGGACGATGATTAACACTA GACGGGAGACAGAGGTCTGAGCCTGTTGTGTTCTGTGTGAGATCTCAGTGAATTTTGTGTGTTACAGCCCCAGGGTCTTCAAGGCTCAGCTCAGGAGCC CCACAGTGAAACAGAGGCTCCACAGGCAAGGTGTGACAGGAGTGGGCTGGTGGCCATCAAGGGCACACAGACAGCTTGAACAACACTACAGTAT CGGCCACAGGCTGGAGGATCAGCCGGGCCATGCTTCTCTGAGGGGTAGAGAGGACTAGAGAAAGGGCTGCCCCGGCTCTCCCCAGCATCCCCAGGGTT CCTGATCTCTGGATAAGGATACAAGTCAACACTGGACTGGGCTCAGCCTGCTCTAGAAATACCTACCTTAAGTCAAGTGGACAGGCTCAGCCTGCTCT		

256	C21orf5 6	AAGGTGAGCTTACCCGAGACACTGGACCAGAGATCAGCCTATCCTGGGATAAGCTCACCCGAGTCACTGGACCAGGGCTCAGCCTATTCCGGGATGAGCTC ACCCGAGTC GACACTTCCATGACTGCAGCTGACCAGTCCACCTGCCAGCGGTTGACCACTCCCACTTCGCCAGGACCCGAAGGGAGGGAGGGGCCCTCACCTGAGGGCAAC AGCAGAACCCACCACTGGTCTTGTCTTACTCAGACCTGAGGGTGTGAAGGTGCCCGTGACCTCCCGCATCAGGGAGCTGGCCGCCACCCCTCGACTCCCGG GAGCAGGCGTCCCGGACCCCTCATCTACAGGCCATCTGAGCTGGCGGCCCTCACCTCCGCTCCCGGGGAGCCGGCTCAGGGTAGGCATGCGGCCCTG GGTGGAGCAGGTCGTGGCCCGCCCTCCTGGCAGCTCTGGCTGAGCAGCCCGCGCAGCATCTGATTCTCTTACAGGAGGCGACCTGCTTCTTCAGGTCCG CGTTCGCTCAGGAGCCGGCTCATCAGCTCGCCGCTTCAGCCATGGCGGTGCGTCCCTCCCTTCCCTGATGTCACTGCCCTAGTATGAGGTGCCCA CCAGAGCCCGCAGGACACAGAAACAGCCAGCCAGCAGGAGTCCGTAGCCACCAACCGCTTCCACGCTTGTGATGTCACTGCCCTAGTATGAGGTGCCCA GCACCTGCTGCCCGCGATGGTCTATGGCCCGTGTAGGCAGTGAAGTGGAGGCCGTGGCGTGCACAGGACCCACTTCCACATTATGACCAGGGCCCC GAGAA TGCCAAAGGACATTAGGCAGCTACGGGATGTAGCGACTGTACTCCAAGAGGGCGTCCAAGCCACTCCCCATTGA
257	C21orf5 7	AGGTGAGGTTGCAGTGAGCCCTCCTCCCTCCTCCCTTCCCTTCCAGCTCCCATGCCCCCTTCTTCTTCTCCACTCCCTTCCCGAGGGCCCCGCTATT CTCCCGGCTGTGGCGGTTCTGTGCACTCGTGCACTCAGGTTCTGGTGAAGGTGCCCGAGCCGGGTCCCGCTTCGGCTGAGCTAGAGCCGCGCGGGCGGC CGGCTTCCCCCAAACCTGTGGAGGGGCA TCCGAGGAGGCCACCCAGAGAGTGGGGCGGACACTTCCCTGGGAGGGCCAG
258	C21orf5 7	CCTTCCAGATGTTCCAGAAAGGAGAAAGCGGTGCTGGACGAGCTGGGCCACGACGGGACCCGGGTGCAGCCCTTGACCCGGGGCTCTTCCGAGGGAGCTG AGGGCCGCGTTCCCTTCTGAAAGCGGACGCGGAGGGGTGAGGCTGCGGGAGCCGGGTGCGACACGAAATAAATAACGAAATGAACGTACGAGGGAACTC CTCTATTCTCTACGTTGCACTCGGTTATTTTCGTTATTGTAATAAAGCGTTCCGAGCCGTGGCATCGAGAGGCGTCTGGAGTTTCAGGGAACGCGTGG CCCCGCCCGGAGACCGCGCAGCGCTCGCCCTTCAAGGGGTCCCTTCCCGGAGCCCTGCGCCCCCGGAGAGGAAGGGGCTCGAGGGGCTTGGGT GCCGACGCGCTCTCCGTAGAAAAGGCTTGGCTCAGTATTTCTCTGCTTTTACCTCCTGAG
259	C21orf5 7	CAGTATTTCTGCTTTTACCTCTCTGATATTGGAATATTGAGTAAACCCCTGGAGTTTCAGGCCACGCGCACGCTCTTCTATCAGGGCAGCGCTCGCGAGCG CGCTGTTTCCCCGGGGCTTCCGGCCACGGACACCGCTCTAGCCAGGGCCACGGCAGGCGCGCGAGCAGCACCTCAGAGACCTGCGTGAGTTCTAAAGCCTG GGGCTACTACAAATTCTGCTCATCTGTTGTCTGTGAAATGATTACGGGACATGAAAA TGCTTCCACTGACTTGGCTCTCTTAGCCTGGACTTGTCCC CTTGGGAACACCGGGCAGGCCCTCTGTTCTCTGAAGT
260	C21orf5 8	ATGCTGCAGGGAAGAGCAGGGGACCCCTGAATAAAGTTTCCGTTTTTCTTCTTAAAGTATAGAGCATTATAGGACCAGAGAACAGGTGTGTGTGTA CACTGTGCAGGTCCTCCGGGAGGCTCTGAGTCCGCTGACACCGGTGGGTCCCGGGCGGCCCTGAGCCCGTCTGCACACGGTGGGTCCCGGGTCCCGGGT GCGCCTGAGCCCTGTCACACGGTGGGTCCCGGGCGGCCCTGAGCCCGTCTGCACACGGTGGGTCCCGGGGCGGCCCTGAGCCCGTCTGACAC ACGGTGGGTCCCGGGCGGCCCTGAGCCCGTCTGCACACGGTGGGTCCCGGGCGGCCCTGAGCCCGTCTGTACACGGTGGGTCCCGGGGCTCCCGGGGCGG CGCCTGAGTCTCTACTAAAAATACAAAAATTAGCCAGGCGTGGTGGTTCAAGCCTGTAA TCCCACTCTCTTGGGAGG
261	PRMT2	CATACATGGTTATTAGAAAAGGCATCTCATCCAAATGTGGTGGCTCGTGGTTGTAATCCCACTGCTCAGGAGGCCAAAGGAGGAGGATTACTTTAGCCTAAG AGTTTGAGACCAAGCTGGGCAACACAAAGACCTTGCTCTACAAAAAATTAATAAATACTAGTGGTATGATGGTGCACACCTGTAGTCCCAGCTACTTGGG AGGCGAGGCGGCGAGATCGCTGAGGTACAGGATTCGAGACCAGCCTGGCCAAACATGATGAACCCCGTCTCTACTAAAAATACAAAAATAGCCGAGTGTG GTGGTGATGCCCTGTAATCCAGCTACTCAGGAGCTGAGGCAGGAGATCACTTGAACCCGGGAGGCGGAGGTTGCCATGAGCCGAGATCACGTCACTGCAC TCCAGCCTGGGTGACAGAGCACAAAAGACAGGATGACTTTTGTACTTAACTGCTCAGCTTTGTAATCACTGGGGGCCAGATGCTCACTTGGAATTTCTAATTT GTTGGCATCTGGGCCATAAAGCCGTGATGCAAGTGAAGCAATGATGCAAGAGGCTCTGTGCGCTGGCGGCTCTGTTTGGCTGCTGGGCTCTGTGGCCCTGCT GGGCTCTGTGGCCCGGGAAGGTGCGGCCACCTCAGCGGAAGGGCGCAGCGGATCCCGGTGCGCGCAGCTCCAGCGCTGGGTTCAGAGCCCGCCGCTC TTCCCTATAGCAACCAAGCGGACCTGCCGTCCCGGGGCAACCCGAGGGGTCTGCGCCGCTTCTTCCGAAACGGGAAGGGGCTGGGGGCTCGGCAGCCAGA GGGACGGGTTTCAGGGAGCGTCCGGTGAGCCTAAGACGCGCCTTTTGCCGGGTGCGCGGTGTCTGCTCTCACTTAGGTATTAGGAACCGTGGCAACAATCTG

		TAGGTTTTCCTCTGGGGTGGGCGGAGGCTCCAAACCGGACGGTTTTCCTCTGGAGGACTGTGTTTCAGACAGATACTGGTTTCCTTATCCGCAGGTGTGCGCG GCGCTCGCAAGTGGTCAGCATAAACGCCGGGGCGAATTTCGAAAGCCCCGTGGCTCCGTGGACGACCCACTTGGAGAGGAGTTGGAGAGAGTCCCTGTGCCACGCG CGGACGCTTCCCCTCCGTGTCTTCGAGCCACAAAAGCCCCAGACCCCTAACCCGCTCCCTTCTCCCGCCCGCTCCATGCAGAACTCCGCCGTTCCCTGGGAGG GGAAGCCCCGCGAGGCTCGGGAGAGGCACGTCTCCGTGAGCAAAAGAGCTCCCTCCGAGCGCGCGGGGGACGCTGGGCCCGACAGGGGACCGCGGGGCGAGGG CGGAGAGGACCCCGCTCGAGTCGGCCCCAGCCCTAACACACTCAGGACCCGCTCCAGCCGGAGGTCTGCGCCCCCTTCTGAGGACCCCTGCGGTGGGGAGCTTATG GGTCTTTTGCAAAATACCCGCTGCGCTTGGACGGAGGAAGCGCCACGCGTCGACCCCGGAAACGGAAGGCCCTCCCTGATGGGAACGCATGCGTCCAGGAGCCT TTATTTACTCTTTAATCTGCCCGATGCTTGTACGTGTGAAATGCTTCAGATGCTTTTGGGAGCGAGGTGTTACATAAAATCATGGAATGCGTCCCTGCTGCTC ACCACACCCAGGGTGACAGCTGAGATGCGGCTTCTCCAGGGTGGAGCCCTCCTCGTTTTTCCAGAGCTGCTTGTGAACTCTCCAGGGCCCCCTGACTTGCACT GGAAACTGCTCACCTTGGCATCGGATGTGGAGCAAGAAATGCTTTTGTGTTTCATTTCATCCCTAGTTTCATAAAATGGAAAACAAATAAGGACATACAAAAAC ATTAATAAAATAAATAATGGAACCTAGATTTTTCAGAAAGCACAAACACAAAAATCCCAAGTATTGCCATGTCAGCAACACATTCCTACTTTTAAGTTTATG AAGTTAATTGGAGTAGTGGAGAACAAAAAGTGGATGTGGGGCAG

* * *

The entirety of each patent, patent application, publication and document referenced herein hereby is incorporated by reference. Citation of the above patents, patent applications, publications and documents is not an admission that any of the foregoing is pertinent prior art, nor does it constitute any admission as to the contents or date of these publications or documents.

Modifications may be made to the foregoing without departing from the basic aspects of the technology. Although the technology has been described in substantial detail with reference to one or more specific embodiments, those of ordinary skill in the art will recognize that changes may be made to the embodiments specifically disclosed in this application, yet these modifications and improvements are within the scope and spirit of the technology.

The technology illustratively described herein suitably may be practiced in the absence of any element(s) not specifically disclosed herein. Thus, for example, in each instance herein any of the terms "comprising," "consisting essentially of," and "consisting of" may be replaced with either of the other two terms. The terms and expressions which have been employed are used as terms of description and not of limitation, and use of such terms and expressions do not exclude any equivalents of the features shown and described or portions thereof, and various modifications are possible within the scope of the technology claimed. The term "a" or "an" can refer to one of or a plurality of the elements it modifies (e.g., "a reagent" can mean one or more reagents) unless it is contextually clear either one of the elements or more than one of the elements is described. The term "about" as used herein refers to a value within 10% of the underlying parameter (i.e., plus or minus 10%), and use of the term "about" at the beginning of a string of values modifies each of the values (i.e., "about 1, 2 and 3" refers to about 1, about 2 and about 3). For example, a weight of "about 100 grams" can include weights between 90 grams and 110 grams. Further, when a listing of values is described herein (e.g., about 50%, 60%, 70%, 80%, 85% or 86%) the listing includes all intermediate and fractional values thereof (e.g., 54%, 85.4%). Thus, it should be understood that although the present technology has been specifically disclosed by representative embodiments and optional features, modification and variation of the concepts herein disclosed may be resorted to by those skilled in the art, and such modifications and variations are considered within the scope of this technology.

Certain embodiments of the technology are set forth in the claims that follow.

Any discussion of documents, acts, materials, devices, articles or the like which has been included in the present specification is not to be taken as an admission that any or all of these matters form part of the prior art base or were common general knowledge in the field relevant to the present disclosure as it existed before the priority date of each claim of this application.

Throughout this specification the word "comprise", or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps.


THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A method for determining the amount of fetal nucleic acid in a sample comprising:
 - a) contacting nucleic acid present in a sample from a pregnant female, which sample comprises differentially methylated fetal nucleic acid and maternal nucleic acid, the combination of the fetal nucleic acid and the maternal nucleic acid comprising total nucleic acid in the sample, with a reagent that specifically digests non-methylated nucleic acid, thereby enriching the fetal nucleic acid; and
 - b) determining the amount of fetal nucleic acid in the sample in a multiplex reaction by (i) analyzing the amount of fetal nucleic acid at a plurality of loci selected from loci of SEQ ID NOs: SEQ ID Nos:90-163, 176, 179, 180, 184, 188, 189, 190, 191, 193, 195, 198, 199, 200, 201, 202, 203, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 221, 223, 225, 226, 231, 232, 233, 235, 239, 241, 257, 258, 259, and 261, (ii) determining the amount of total nucleic acid, (iii) determining the amount of y-chromosome nucleic acid if present and (iv) determining the digestion efficiency of the reagent.
2. The method of claim 1, wherein the plurality of loci comprises one or more loci selected from loci of SEQ ID NO:154, SEQ ID NO:158 and SEQ ID NO:163.
3. The method of claim 1, wherein the plurality of loci comprises loci of SEQ ID NO:154, SEQ ID NO:158 and SEQ ID NO:163.
4. The method of claim 1, 2 or 3, wherein the agent that specifically digests non-methylated maternal nucleic acid is a methylation-sensitive restriction enzyme.
5. The method of any one of claims 1 to 4, wherein determining the amount of fetal nucleic acid in the sample comprises comparing the amount of fetal nucleic acid in (b) to the total amount of nucleic acid.
6. The method of any one of claims 1 to 4, wherein the amount of fetal nucleic acid is compared to the amount of Y-chromosome nucleic acid.
7. The method of any one of claims 1 to 6, comprising after (a) introducing one or more competitors at known concentrations.

8. The method of claim 7, comprising determining the absolute amount of fetal nucleic acid in the sample.
9. The method of any one of claims 1 to 8, wherein determining the amount of fetal nucleic acid comprises use of one or more processes selected from mass spectrometry methods, RT-PCR, digital PCR, array-based methods, sequencing methods, nanopore-based methods, nucleic acid-bound bead-based counting methods, competitor-based methods and methods for separating nucleic acid using agents that bind nucleic acid based on methylation status.
10. The method of claim 9, wherein determining the amount of fetal nucleic acid comprises use of a mass spectrometry method.
11. The method of claim 10, comprising analyzing one or more mass peaks on a spectrum.
12. The method of claim 9, wherein determining the amount of fetal nucleic acid comprises use of a sequencing method.
13. The method of claim 12, wherein the sequencing method comprises sequencing by synthesis.
14. The method of any one of claims 1 to 13, wherein the amount of fetal nucleic acid at 3 or more loci is determined.
15. The method of any one of claims 1 to 14, wherein the amount of fetal nucleic acid at 10 or more loci is determined.
16. The method of any one of claims 1 to 15, wherein the amount of fetal nucleic acid is used in conjunction with a diagnostic method to determine a fetal trait.
17. The method of claim 16, wherein the fetal trait is a fetal aneuploidy.
18. The method of any one of claims 1 to 17, substantially as described herein with reference to the Figures and/or Examples.

FIGURE 1

Design of the recombinant MBD-Fc protein



Methyl-CpG-binding domain of human MBD2

- binds double-stranded mCpG (only when methylated on both strands!)
- strongest affinity of known MBDs
- affinity depends on salt concentration

Fc-tail of human IgG1

- easy purification procedure
- relatively strong binding to protein A/G

FIGURE 2




FIGURE 3

Fractionating DNA
Based on Methylation




FIGURE 4




FIGURE 5

EpiTYPER Validation Method




FIGURE 6

EpiTYPER Results

Quantitation of Methylation Ratios




FIGURE 7




FIGURE 8




FIGURE 9A





FIGURE 9B

FIGURE 9C




FIGURE 9D





FIGURE 9E

FIGURE 9F




FIGURE 9G




FIGURE 9H




FIGURE 9I




FIGURE 9J




FIGURE 9K




FIGURE 9L






FIGURE 10


1. Assay Design




2. CCF DNA isolation




3. DNA digestion



4. Addition of primers and known amount of competitor oligonucleotide Followed by PCR



5. Primer extension



6. Analyte separation






FIGURE 11


1. Selection of differentially methylated targets for specific DNA sequence capture



2. Distribution of CCF DNA after capture



3. Distribution of CCF DNA after digestion



4. Quantification of non-digested DNA molecules




FIGURE 12




FIGURE 13A




FIGURE 13B




FIGURE 14A-B




Figure 14A

Figure 14B

FIGURE 15A-B




Figure 15A

Figure 15B

FIGURE 16




FIGURE 17





FIGURE 18



FIGURE 19

FIGURE 20



P030366Seq.TXT
SEQUENCE LISTING

<110> SEQUENOM, INC.
SEQUENOM CENTER FOR MOLECULAR MEDICINE

<120> PROCESSES AND COMPOSITIONS FOR METHYLATION-BASED ENRICHMENT OF
FETAL NUCLEIC ACID FROM A MATERNAL SAMPLE USEFUL FOR NON-INVASIVE
PRENATAL DIAGNOSES

<130> SEQ-6022-PC2

<140> PCT/US2010/027879
<141> 2010-03-18

<150> 12/561,241
<151> 2009-09-16

<150> 61/192,264
<151> 2008-09-16

<160> 351

<170> PatentIn version 3.5

<210> 1
<211> 305
<212> DNA
<213> Homo sapiens

<400> 1
cagcaggcgc gctcccggcg aatctgcctg aatcgccgtg aatgcggtgg ggtgcagggc 60
aggggctggg tttctcagcc ggtcttggct tttctctttc tctcctgctc caccagcagc 120
ccctccgcgg gtcccatggg ctccgcgctc agaacagccc ggaaccaggc gccgctcgcc 180
gctcgctggg ggccaccgc ctctccccgg aacagcctcc cgcgggcctc ttggcctcgc 240
actggcgccc tcaccacac atcgtccctt tatccgctca gacgctgcaa agggccttct 300
gtctc 305

<210> 2
<211> 336
<212> DNA
<213> Homo sapiens

<400> 2
gctttggatt tatcctcatt ggctaaatcc ctctgaaac atgaaactga aacaaagccc 60
tgaacccct caggctgaaa agacaaaccc cgctgaggc cgggtcccgc tccccacctg 120
gagggacca attctgggcg cttcttggcg acggtccctg ctagggacgc tgcgctctcc 180
gagtgcgagt tttcgccaaa ctgataaagc acgcagaacc gcaatcccca aactaacact 240
gaacccggac ccgcatccc caaactgaca agggacccgg aacagcgacc cccaaaccga 300
cacgggactc gggaaccgct atctccaaag ggcagc 336

<210> 3
<211> 139
<212> DNA
<213> Homo sapiens

<400> 3

P030366Seq.TXT

tttccacaac aggggagccag cattgagggc cccagatggc atctgctgga aatcacgggc	60
cgctggtgaa gcaccacgcc ttacccgacg tggggaggtg atccccacc tcatcccacc	120
cccttctgtc tgtctcctt	139

<210> 4
 <211> 292
 <212> DNA
 <213> Homo sapiens

<400> 4 gctggacaag gagcgctcac tgtagctctg ctgtggattg tgttggggcg aagagatggg	60
taagaggtca aagtcgtagg attctggcga ccgcctacca agggattggg tccacagcac	120
agaggtctga tcgcttcctt ctctgctctg ccacctccag acagcagctc taaccagctg	180
cccagcagca agaggatgcg cacggctttc accagcacgc agctgctaga gctggagcgc	240
gagttcgctt ctaatatgta cctgtccgc ctacgtcgca tcgagatcgc ga	292

<210> 5
 <211> 190
 <212> DNA
 <213> Homo sapiens

<400> 5 tgcctgacac tgaccccagg cgcagccagg aggggctttg tgcgggagag ggagggggac	60
cccagcttgc ctgggggtcca cgggactctc ttcttcttag ttacttttct tgctaaggcg	120
aaggtcctga ggcaggacga gggctgaact gcgctgcaat cgtccccacc tccagcgaaa	180
cccagttgac	190

<210> 6
 <211> 706
 <212> DNA
 <213> Homo sapiens

<400> 6 tcggcgagga gacctcgagg agagtatggg gaaaggaatg aatgctgcgg agcgccccctc	60
tgggctccac ccaagcctcg gaggcgggac ggtgggctcc gtcccgaccc cttaggcagc	120
tggaccgata cctcctggat cagacccac aggaagactc gcgtggggcc cgatatgtgt	180
acttcaaact ctgagcggcc accctcagcc aactggccag tggatgcgaa tcgtggggcc	240
tgaggggcca gggcgctcgg aactgcatgc ctgtgcacgg tgccgggctc tccagagtga	300
ggggggccgta aggagatctc caaggaagcc gaaaaaagca gccagttggg cttcgggaaa	360
gacttttctg caaaggaagt gatctggtcc cagaactcca gggttgaccc cagtacctga	420
cttctccggg agctgtcagc tctcctctgt tcttcgggct tggcgcgctc ctttcataat	480
ggacagacac cagtggcctt caaaaggtct ggggtggggg aacggaggaa gtggccttgg	540
gtgcagagga agagcagagc tcctgcaaaa gctgaacgca gttagcccta cccaagtgcg	600
cgctggctcg gcatatgcgc tccagagccg gcaggacagc ccggccctgc tcaccccgag	660
gagaaatcca acagcgcagc ctctgcacc tccttgcccc agagac	706

P030366Seq.TXT

<210> 7
 <211> 325
 <212> DNA
 <213> Homo sapiens

<400> 7
 agatcccggg gcatttaaag gccggcgtga tctgcaccac gtacctatct cggatttctca 60
 gtttcacttc gctgggtgtct gccaccatct ttaccacatc ccggtagcta catttgctcta 120
 ccgcttgagc caccagcgtc tgaaacctgg accggatttt gcgcgccgag aggtagccgg 180
 aggcggtaat gaattccacc cagagggaca tgctcctctt gcgcccgtcg ctcaacttca 240
 gcaccgcgca gccgggcagt gagccatcgt ccacgaagtt gaacaccccc atttggttga 300
 gataaagcac cacttcaaatt tcggt 325

<210> 8
 <211> 663
 <212> DNA
 <213> Homo sapiens

<400> 8
 actatgcctt gagggcctaa acgtctggat ttcctgatcg atgctgtcgt cgctgtccac 60
 ggagctactg tcgccgtcag agcgggaagg cacgttcagg gagtagaagc gtgggcttgc 120
 agaaagggac ctgttgctgc cttacatggg ggccggcagg gtagtcttgg aaatgcccaa 180
 gattgcttcc gcgcgcgtca gttcagcggg cgtgtctgcc tggcacgagg accgttctac 240
 aaactcgttc ctggaagccg ggctcgtctg aggcggagct ttggtttctt tcgggagctt 300
 gtggggaatg gtcagcgtct aggcaccccc ggcaagggtc tgtggccttg gtggccactg 360
 gcttcctcta gctgggtgtt ttcctgtggg tctcgcgcaa ggcacttttt tgtggcgctg 420
 cttgtgctgt gtgcggggtc aggcgtcctc tctcctccc gcgctgggccc ctctggggca 480
 ggtccccgtt ggctccttg cgtgtttgcc gcagctagta cacctggatg gcctcctcag 540
 tgccgtcgtt gctgctggag tctgacgcct cgggcgcctg cgccgcactt gtgacttgct 600
 ttcccccttct cagggcgcca gcgtcctct tgaccccgtt tttattctgt ggtgcttctg 660
 aag 663

<210> 9
 <211> 1985
 <212> DNA
 <213> Homo sapiens

<400> 9
 gcaagtcggg tagctaccgg gtgctggaga actccgcacc gcacctgctg gacgtggacg 60
 cagacagcgg gtcctctac accaagcagc gcatcgaccg cgagtccctg tgccgccaca 120
 atgccaagtg ccagctgtcc ctcgaggtgt tcgccaacga caaggagatc tgcgatgatca 180
 aggtagagat ccaggacatc aacgacaacg cgccctcctt ctctcggac cagatcgaaa 240
 tggacatctc ggagaacgct gctccgggca cccgttccc cctcaccagc gcacatgacc 300

P030366Seq.TXT

ccgacgccgg	cgagaatggg	ctccgcacct	acctgctcac	gcgcgacgat	cacggcctct	360
ttggactgga	cgtaagtcc	cgcggcgacg	gcaccaagtt	cccagaactg	gtcatccaga	420
aggctctgga	ccgcgagcaa	cagaatcacc	atacgctcgt	gctgactgcc	ctggacgggtg	480
gcgagcctcc	acgttccgcc	accgtacaga	tcaacgtgaa	ggtgattgac	tccaacgaca	540
acagcccggg	cttcgaggcg	ccatcctact	tggtggaact	gcccgagaac	gctccgctgg	600
gtacagtggg	catcgatctg	aacgccaccg	acgccgatga	aggtcccaat	ggtgaagtgc	660
tctactcttt	cagcagctac	gtgcctgacc	gcgtgcggga	gctcttctcc	atcgacccca	720
agaccggcct	aatccgtgtg	aagggcaatc	tggactatga	ggaaaacggg	atgctggaga	780
ttgacgtgca	ggcccagac	ctggggccta	accctatccc	agcccactgc	aaagtccacgg	840
tcaagctcat	cgaccgcaac	gacaatgcgc	cgtccatcgg	tttcgtctcc	gtgcgccagg	900
gggcgctgag	cgaggccgcc	cctcccggca	ccgtcatcgc	cctggtgcgg	gtcactgacc	960
gggactctgg	caagaacgga	cagctgcagt	gtcgggtcct	aggcggagga	gggacgggcg	1020
gcggcggggg	cctgggcggg	cccgggggtt	ccgtcccctt	caagcttgag	gagaactacg	1080
acaacttcta	cacggtgggtg	actgaccgcc	cgctggaccg	cgagacacaa	gacgagtaca	1140
acgtgaccat	cgtggcgcg	gacgggggct	ctcctcccct	caactccacc	aagtcgttcg	1200
cgatcaagat	tctagacgag	aacgacaacc	cgctcgggtt	caccaaagg	ctctacgtgc	1260
ttcaggtgca	cgagaacaac	atcccgggag	agtacctggg	ctctgtgctc	gccaggatc	1320
ccgacctggg	ccagaacggc	accgtatcct	actctatcct	gccctcgcac	atcggcgacg	1380
tgtctatcta	cacctatgtg	tctgtgaatc	ccacgaacgg	ggccatctac	gccctgcgct	1440
cctttaactt	cgagcagacc	aaggcttttg	agttcaagg	gcttgctaag	gactcggggg	1500
cgcccgcgca	cttgagagc	aacgccacgg	tgagggtgac	agtgctagac	gtgaatgaca	1560
acgcgccagt	gatcgtgctc	cccacgctgc	agaacgacac	cgcgagagctg	caggtgccgc	1620
gcaacgctgg	cctgggctat	ctggtgagca	ctgtgcgcgc	cctagacagc	gacttcggcg	1680
agagcgggcg	tctcacctac	gagatcgtgg	acggcaacga	cgaccacctg	tttgagatcg	1740
acccgtccag	cggcgagatc	cgcacgctgc	accctttctg	ggaggacgtg	acgcccgtgg	1800
tggagctggg	ggtgaagggtg	accgaccacg	gcaagcctac	cctgtccgca	gtggccaagc	1860
tcatcatccg	ctcggtgagc	ggatcccttc	ccgagggggg	accacgggtg	aatggcgagc	1920
agcaccactg	ggacatgtcg	ctgccgctca	tcgtgactct	gagcactatc	tccatcatcc	1980
tccta						1985

<210> 10

<211> 213

<212> DNA

<213> Homo sapiens

<400> 10

atgcgccctc	tgcacccta	gagccagaag	acgctaggtg	ggctgcgcgc	tctgccaggc	60

gaaggctgga	gcgcagacgg	caaagccgcg	cgtttcagcc	gtggtcgggt	ccgcaggacc	120

P030366Seq.TXT

tgggcgtggg gacaccacca ggcaggagca gaggcaggac tgggacgcca aaagctgaga	180
atcctcgatg cccgcgcgag agccccgtgt tat	213

<210> 11
 <211> 1558
 <212> DNA
 <213> Homo sapiens

<400> 11 ttctggaaac cgggccccac ttgcaggccc ggccaccttg ggttctggtg gccgaagccg	60
gagctgtgtt tctcgcacac tcggggagct acattgtgcg taggcaattg tttagtttga	120
aaggaggcac atttcaccac gcagccagcg ccctgcatgc aggagaagcc cccagggccc	180
agggtcggct ggcttttagag gccacttagg ttgttttaag cacatgtgaa agggcagaca	240
gcaggggagc aggatatggg taagatcttc gggcttcaga acaggggctg cccttgggct	300
gtcccggcgc cctgggctct gacactgaag ggtggaatgg aggaaggaat ggagaaagga	360
cggtggaact ttcgcttccc ctctgggccg ctttcccagg gtcatgcctg agctgctttg	420
atcccagtggt cgcgcatctt ggtccgctac ctcccaggcg atagctactg ggctcctcgc	480
tggcctcact gggggccatc ccgggcagtg gcctgccctc cgaggcccgc gggacccagc	540
ccagagctga ggttgagatt ctccgggcca cgttccgggt cgcttaggct cggagatttc	600
ccggagaccg tcgtcctccc tttctgcttg gcactgcgga gctccctcgg cctctctcct	660
cctctggtcc ctaaggcccc gagtggttgg cggtagtggg gcccgtcgtc atctctgctt	720
ctaaggcatt cagactgggc tccagctggg accggcagag gaggttctca aggaaactgg	780
tgggaaatat agttttcttt cgtctggtcg ttttaatttaa atgcaacttc ctttggggac	840
attttcctgg acgttaacca gaccaccttg agatgtcggt gatgacctag agaccagat	900
gatgctccc aggaaagtgc actgctgact attgtcactc ttggcgttat atctatagat	960
atagacctat gtacatatct ccacctgat ctctccgtgg acatgaaacc cacctacctt	1020
gtgaaagccc tacgggtgac acatgactac tacgtctctg tcccaacagg ggctgggcct	1080
cccctgccta atagttgcca ggagtttcgc agcccaagtg aataatgtct tatggctgaa	1140
cgtggccaag gactcctgtg atttaggtcc caggaggagc agagacgtcc ccgccccgcc	1200
tggggcctgc cgcattcaaa gctggaagaa ggcgctgata agagaagggg cttccaggctc	1260
ctggggttaga acaacaacaa aaaaacgaaa ctccacaaca gacacgcctg cccatgaccc	1320
cacgcaagga cataggaagt tctgtcgcct tcctgtctcg cggatagccg cctgccgtct	1380
gctgccacca gaacgcacgg acgctcgggg tggaggtagt caatgggcag caggggaccc	1440
ccagcccca caagcgcggc tccgaggacc tggaagcggg tgccgtgcgc tctccgcagg	1500
ctccgctctg cctccaggag caagatcccc aaaaggtctt ggaagctgtg gagaaaac	1558

<210> 12
 <211> 1264
 <212> DNA

<213> Homo sapiens

<400> 12

```

ttttttaaac acttcttttc cttctcttcc tcgttttgat tgcaccgttt ccatctgggg      60
gctagaggag caaggcagca gccttcccag ccagcccttg ttggcttgcc atcgtccatc      120
tggcttataa aagtttgctg agcgcagtcc agagggctgc gctgctcgtc ccctcggctg      180
gcagaagggg gtgacgctgg gcagcggcga ggagcgcgcc gctgcctctg gcgggctttc      240
ggcttgaggg gcaaggtgaa gagcgcaccg gccgtggggg ttaccgagct ggatttgat      300
gttgaccat gccttcttgg atcggggctg tgattcttcc cctcttgggg ctgctgctct      360
ccctccccgc cggggcggtat gtgaaggctc ggagctgcgg agaggtccgc caggcgtacg      420
gtgccaaggg attcagcctg gcggacatcc cctaccagga gatcgcaggt aagcgcgggc      480
gcgctgcagg ggcaggctgc agccctcggc tgccgcacgt cccactggcc gcccggcgtc      540
cccttccttc cccctgttgc tgagttggtg ctacttttct gccaccgcta tgggactccg      600
cgtctccgtg ttgggcggcg gatgctcctg cggcttcttc ggcgggggaa ggtgtgcgtc      660
tccgccgcct cattgtgtgc acacgcggga gcaccctggc tccgcctcc cgctgctctc      720
gcgcccttct accccttagt tgatggctca ggcccggctg gccagggagc ccgggtcact      780
ccggggcggc tgcaaggcgc agacggagag ccgagccggg cgctcactcc gcgttctggt      840
tcgggcaaac ttggaagaac tgcgaccgca gtttgcccag cgccacagtc tgagtggcgc      900
cttctccact cccgcccttg cgccggcagg ggcggtggag agacgcggag ggctcccca      960
gccccctctt cccctatccg tccttcgggc gacagagcgc ccggcgctcg ggccgggggc     1020
gggcaaggct gggagggacc ctgcccgggg acctggcctc tggacgccgg cgtttcaagg     1080
ctggtttggg gacttcacgg gctgcctgtt tcagatgtgg ggcgggcttt cccgttaggg     1140
ttcctcagtg cttccccagt tgctgttggc cactcagggc ccggggacac cctgccaccc     1200
ggtctggagc cggcctcgtc tgccagcgaa cagccaactt tagcggtggg ctgagctggg     1260
gatt                                           1264

```

<210> 13

<211> 761

<212> DNA

<213> Homo sapiens

<400> 13

```

cactcagtgt gtgcatatga gagcggagag acagcgacct ggaggccatg ggtgggggcg      60
ggtggtgaag ctgccgaagc ctacacatac acttagcttt gacacttctc gtaggttcca     120
aagacgaaga cacggtggct tcaggagagc aagtcgcaag ggcgactttt ccaagcggga     180
gatggtgaag tctttggacg tgtagtgggt aggtgatgat ccccgagcc gcctgtaggc     240
ccgcagactt cagaaaacaa gggccttctg tgagcgtgtg gtcctccccg gaatccgcgg     300
cttaacacat tctttccagc tgcggggcca ggatctccac cccgcgcata cgtggacaca     360
cttagggctg cttttgtttt gcgcagtgat tcaagttggg taacccttgc tcaacacttg     420

```

P030366Seq.TXT

ggaaatgggg	agaatctccc	ccacccgcaa	cctcccgcac	cccaggttcc	caaaatctga	480
atctgtatcc	tagagtggag	gcagcgtcta	gaaagcaaag	aaacggtgtc	caaagacccc	540
ggagagttga	gtgagcgag	atccgtgacg	cctgcggtac	gctagggcat	ccaggctagg	600
gtgtgtgtgt	gcgggtcggg	gggcgcacag	agaccgcgct	ggtttaggtg	gacccgcagt	660
cccgcccgca	tctggaacga	gctgcttcgc	agttccggct	cccggcgccc	cagagaagtt	720
cggggagcgg	tgagcctagc	cgccgcgcgc	tcatgtttat	t		761

<210> 14
 <211> 1198
 <212> DNA
 <213> Homo sapiens

<400> 14	
agtcactcca	ggatcagagg ccgcgtcggg tctgcttggg gcatgggcag agggaggctg 60
ctggggccaa	gccccggctg gacgcgaggg aagaaactcg tcccaggacc cgcacgcccc 120
tacctggctg	tcccagagct cttccctagg ccggcacctt cgctcttcct cttccccacc 180
ccctagccct	tttgtctctt tttcagacgg atgttttcag tctcaagtgg ttttattttc 240
cgcacaaaac	cctgagatca agggcagatc acagactgta ccggaggctc gggtttcctt 300
ggactctgtg	ctgttctgcg tcccaggggt ggctaggaag gaaggcctgg gccggcgagg 360
tgacgggtct	cccgccagg tcggcaggac ggggggaggt gtgtcccggg aggtccctgg 420
tgagctcacc	cgtaggcacg gggacccgcg ggaaccaccc gggcgccac tagagactcg 480
ggtcctacct	tccccacac tactccaccg aaatgatcgg aagggcgcgc taggcctgct 540
tccaagggtg	cagtgataaa ggcctcaaaa tcacactcca tcaagacttg gttgaagctt 600
tgggtaggtt	tggtgtgtgt gttgtgtgtt tttgtttgtt tgtttttagca gacacgtcct 660
ggaaagaggt	cctcagaacc caaaggttca ataatgattt gtggatggat tgattatagt 720
ctgatatcgc	tctggttcca cagaaacccg gagctccttg gccactggt accccagcag 780
acctaaatgg	acggtttctg tttttactg gcagctcaga actggaccgg aagaagttcc 840
cctccacttc	ccccctccc acaccagatc attgctgggt ttttattttc gggggaaaaa 900
caacaacaac	aacaacaaaa aaaacactag gtccttcag actggatcag gtgatcgggc 960
aaaaaccctc	aggctagtcc ggctgggtgc ccgagcatga aaaggcctcc gtggccgttt 1020
gaacaggggtg	ttgcaaatga gaacttttgt aagccataac cagggcatcc tgaggggtctg 1080
agttcacggg	caaggctgtg ggctactagg tccagcgagt ccaggcctcg ccccgcccc 1140
gagctgccac	agccaagatc ttcggcaggg aattcgagac cagggtcctc ccactcct 1198

<210> 15
 <211> 377
 <212> DNA
 <213> Homo sapiens

<400> 15	
tttcgtgccg	ctgttttcaa tgcgctaacg aggcacgtta ttcttagccg cgtccgggag 60

P030366Seq.TXT

gggatcacat tcctgcgag ttgctgtgt	ggcggaagtg acttgttttc taacgacct	120
cgtgacagcc agagaatgtc cgtttctcgg	agcgcagcac agcctgtccc atcgagaagc	180
ctcgggtgag gggcccggtg ggcgcccga	ggccgctgga gggctgtggg agggacggtg	240
gctccccact cccgtggcga agggcaggca	aaccagaagc ctcttttgag agccgtttgg	300
gattgagacg agtaagccac agcgagtgg	tagaagtagg ttaggaagaa ggggaggtaa	360
gaaagccgag tagggtt		377

<210> 16
 <211> 256
 <212> DNA
 <213> Homo sapiens

<400> 16		
gttcggtgga caagggggca ggcgccacag	caagccggaa agagggaggc gcggggccgc	60
gcttggggcc tgccgtgca cgccagcctg	ggcaaagagc tgccaccttc tgcgggcgaa	120
gcgggtcggg acgcaggacg gcagcggggc	tggaggcagc tacgtgggtc cacaccccca	180
tgccctgcaa ggctccttgg ccctgcttct	cctctgtctc ggcgggagag gagcagcctc	240
ggttttacag aatttc		256

<210> 17
 <211> 189
 <212> DNA
 <213> Homo sapiens

<400> 17		
tgtgccattt agtgagaggt gttttgggca	aagaatcaat ttaactgtga ctgaccgacg	60
ggcttgactg tattaattct gctaccgaaa	aaaaaaaaaa aaaaaaagca atgagccgca	120
agccttggac tcgcagagct gccggtgccc	gtccgagagc cccaccagcg cggctcacgc	180
ctcagtctc		189

<210> 18
 <211> 707
 <212> DNA
 <213> Homo sapiens

<400> 18		
agagtccag ttctgcaggc cgctccagg	ctaggggtag agatggtggc aggtggtgcg	60
tcaactctct agggaagagg aacttgcatt	acaagactt gtctttctga gctgaagtca	120
aaacgggggc gtcaagcgcg ctccgtttg	ggcggtgga ggggccgcgc gcccgcgctg	180
tccagccgg agctgccctg gctggtgatt	ggaggtttaa cgtccggaat tcaggcgctt	240
ctgcagctca gatttgccgg ccaaggggcc	tcagttgcaa cttttcaaaa tgggtgtttct	300
ggaaaataac aaattcagac tcaactggtg	acagcttttg gctatagaga atgaaactgc	360
ttccctttgg cggtggaact cttaaacttc	gaagagtgaa agaatacaat gaaataaaat	420
gccataagat cactggattt ttcagaaaaa	ggaagacccc aaattactcc caaaatgagg	480
ctttgtaaat tcttgtaaa aatcttttaa	tctcgaattt cccctacaa catctgatga	540

P030366Seq.TXT

gtgctttaag agcaaacgag caaatccac ctcgagaatc aacaaacca agctctggcc	600
aaggctctcc ccgcgttttc ttctcgtgac ctggggaatg tcccgccca tcgctcacct	660
ggctcttgtc atctcgctca tcttgaagtg acccgtggac aatgctg	707

<210> 19
 <211> 182
 <212> DNA
 <213> Homo sapiens

<400> 19 agctgccctc tgtggccatg agcgggtgtc cagccccttc caaggctgca ccggggagac	60
gctggttttc tgctcgctgt gaccgaacaa agcccctaag agtcagtgcg cggaacagaa	120
gagccggacc ccgacgggcc gagtcccaac gtgaggcacc cggcagagaa aacacgttca	180
cg	182

<210> 20
 <211> 179
 <212> DNA
 <213> Homo sapiens

<400> 20 cctcggcagc accggcatgg ctggaggcca gtacggccag gtgtggcggg agggagcgcc	60
gtctggcttg ggtcgtccat cctgacagga cgctgcaagg gcaggagccc cgcgccccgt	120
gtcctgcgcc cccgctcgag gacaagcccc agccgcccgt ctccgctggg ttccgacag	179

<210> 21
 <211> 369
 <212> DNA
 <213> Homo sapiens

<400> 21 cttaagagg ctgtgcaggc agacagacct ccaggcccg ctaggggatcc gcgccatgga	60
ggccgcccgg gactatgcag gagccctcat caggcgagtg ccccgcgctc ccctgattgc	120
cgtgcgcttc caatcgcctt gcgttcggtg gcctcatatt cccctgtgcg cctctagtac	180
cgtaccccg ctccttcagc cccctgctcc ccgcattctc ttgcgctccg cgaccccgcg	240
cacacacca tccgccccac tgggtgcccc gccgtccagc cgcgcccgcg ggcagagccc	300
aatcccgtcc cgcgctcct caccctcttg cagctgggca caggtaccag gtgtggctct	360
tgcgaggtg	369

<210> 22
 <211> 176
 <212> DNA
 <213> Homo sapiens

<400> 22 agacttgacg aactcgggcc ccctggagga gacctaaccg ccacggtctt ggggaggttc	60
cggagggcct cggttgtctg cactcccaac accaagaaac ccctgagacg cgaagctgcc	120
agcgtgctgc cctcagagca gggcgacgca aagccagcgg accccggggg ggcggg	176

P030366Seq.TXT

<210> 23
 <211> 167
 <212> DNA
 <213> Homo sapiens

<400> 23
 tgctcggctg gggggctcgc tccgcacttt cggtgccaga aaatgcccag aggagcgggg 60
 cggccccaga gcctcctttc ggggcgcgag gcccggcgag tgtgtacgga gtccagtccc 120
 cccagggagt ggggtgcccc caccttcccc tccgcgctcg gagccac 167

<210> 24
 <211> 1205
 <212> DNA
 <213> Homo sapiens

<400> 24
 tcttgacac ctgctttag ttctgcaccg agatctgggc gttgaggaac tgcacgcaga 60
 gcttggtgac ctgggggatg tgcaggatct tgctgaccga cagcacctcc tccaccgtgt 120
 ccaggacag ggtcacgttg gccgtgtaga ggtactcgag caccaggcgc agcccgatgg 180
 acgagcagcc ctgcagcacc aggttgttga tggcccgagg gctggtcagc agcttgtcgt 240
 cgggggagga agaaggagtc ccgggctcct cctgcggcgg cggctgctgc tgctgtgacg 300
 gctgctgctg cggcggctgc tgctggctct tgggggcccc caggccgtcc tggccgccga 360
 cccctcccc gagagggggg tggctggaga agagcgatcg gaagtactgc gagcaggagg 420
 ccagcacggc cttgtggcaa tggaaactgct ggccctgggc cgtcagggtc acgtcgcaaa 480
 acagctgctt cctccacagc aggttgaggc cgtgcagcag gttgtcgtg tggctggggg 540
 cgaaggtgga ggtcctgtcc ccgatctgg acatggcgag ctgactcggg gcacctggct 600
 ttaaaccctc ctccaacctg gcagacaggg gtgggggatg ggaggaggag gagcagggtg 660
 gtggagcggg tgggggtgtg tcgggggtgg gaagggtgtg gaggggaggg gagggcgaag 720
 aacaagaatc aaggctcagc ttgactccct cctggcgcgc tccggacccc gaccctagga 780
 ggaaagtccg aagacgttg atccgtgagc gccaccagaa gggccctgtc tgggggtccc 840
 gcgccgggtc tgcgccctgc ggctcctctc gccacctccc acacacttcg tccctcactt 900
 tcctaaaacc aaccacctca gctcggctgt tggcagcaac agcagtggca gcagcgacgg 960
 caaagtggcg gctgaggccg aggcacctcg tgggctcgtg tccatgccgg gccagatgaa 1020
 gggaaaggcc gggaagtggg gagccggggg tgccctgaaa gctcagaggc gaccgacggc 1080
 gaaggttcca ggtcaacttg tgcccgaagc tttgcttttc gcagttggcc cagtttgagg 1140
 gagggggtag gaacaggggc ccgaccagcg tgcggggtgt gcgaatctta gctctccaaa 1200
 agctg 1205

<210> 25
 <211> 44
 <212> DNA
 <213> Homo sapiens

P030366Seq.TXT

<400> 25
cctctgtgtt agtgcctcgc ggaatttggt tgatggggtg ttgtg 44

<210> 26
<211> 5002
<212> DNA
<213> Homo sapiens

<400> 26
tgatgtcgca cctgaacggc ctgcaccacc cgggccacac tcagtctcac gggccggtgc 60
tggcaccag tcgcgagcgg ccaccctcgt cctcatcggg ctcgcaggtg gccacgtcgg 120
gccagctgga agaaatcaac accaaagagg tggcccagcg catcacagcg gagctgaagc 180
gctacagtat cccccaggcg atctttgctc agaggggtgct gtgccggtct caggggactc 240
tctccgacct gctccggaat ccaaaaccgt ggagtaaact caaatctggc agggagacct 300
tccgcaggat gtggaagtgg cttcaggagc ccgagttcca gcgcagtgtc gccttacgcc 360
tggcaggtaa ggccggggct agccaggggc caggctgctg ggaagagggc tccgggtccg 420
gtgcttgtgg cccaagtctg cgcgccgagt cacttctctt gattctttcc ttctctttcc 480
tatacacgtc ctctttcttc tcgtttttat ttcttcttcc attttctctt tctcttccgc 540
tcttccccctt ctttcccttc tcccttttct ttttctttct tactctctcc ttgtccctga 600
gctttcattg accgaccccc cccatttca ttgcacctcc cctcaatgtg ccaacctttg 660
ccctatttcc gatcttccca ggtactggga ggcgggatgg ggggtgtgctg tttctcttag 720
gagccctgtc tttccaagac ccacagaaac caggacctgc ccttattcaa aaccccatgc 780
acttcaagtc tcttttagac aacacatttc aattttccgg gctgactagt ctccctgtgc 840
agaggcagtt gagaggcttt gctctgcaga gggaaaagag ctctctactc tcccacccac 900
catataggca aacttatttg gtcattggct gaaggcacag ccttgcccc gcggggaacc 960
ggcggccagg atacaacagc gtcctggag cccatctctg gccttggcgt tggcgcaggg 1020
actttctgac cgggcttgag gggctcgggc cagctccaat gtcactacct acagcgaggg 1080
caggggtgaa ggttgagaag gtcacattca ccgctttggg aggacgtggg agaagagact 1140
gaggtggaag gcgctttgcc ttgctcaccg gccgtccttg ccccggtccc agcgtttgct 1200
gggatttgcc aggatttgcc ggggctccgg gagacctga gactcgcag gaagaggtgc 1260
tgagaaatta aaaattcagg ttagttaatg catccctgcc gccggctgca ggctccgcct 1320
ttgcattaag cgggcgctga ttgtgcgcgc ctggcgaccg cggggaggac tggcggcccg 1380
cgggagggga cgggtagagg cgcgggttac attgttctgg agccggctcg gctctttgtg 1440
cctcctctag cggccaagct gcgaggtaca gccctctatt gttctaggag cacagaaacc 1500
tcctgtgtgg gcggcgggtg cgcgagctag agggaaagat gcagtagtta ctgcgactgg 1560
cacgcagttg cgcgcttttg tgcgcacgga cccgcgcggg tgtgcgtggc gactgcgctg 1620
cccctaggag caagccacgg gccagaggg gcaaaatgtc cagggtcccc gctgggaagg 1680
acacactata ccctatggca agccaggggtg ggcgacttcc catggatcgg gtggaggggg 1740

P030366Seq.TXT

gtatctttca	ggatcggcgg	gcggtctagg	ggaacaattc	gtggtggcga	tgatttgc	1800
agcgcggggtc	ttgggatg	cgcggttccg	agccagcctc	gcacagctcg	cttccggagc	1860
tgcgagctca	ggtttccacc	cccgatcccc	cgggctttcc	tcgcaccgct	gagcccagct	1920
tgtgggggtgc	actcgaccaa	cggccgacag	ggctggggaa	tgtgacaggc	agcaggttca	1980
cccgggcttg	gggaggggga	gtttccgctt	tgacagcatt	ttcctttgcc	gtctgctggt	2040
ggattcctat	tcccagtcgg	taatcgcccc	gcagtgttga	tctaagaagg	taaagaaaac	2100
taggtttccc	tgcaaagagc	ctccccaaa	tcggcggact	ccggatactt	tgagtggatt	2160
tagaaattta	tgtaatcttt	ctcctttagt	ttatttttca	tcctctccta	cagttttctc	2220
tgatttgctg	ttgggtcggg	gcaagataaa	gcagccagta	gagagcgata	ataatagcgg	2280
cgggaaatga	actggagact	ggctgacagt	tcttaacatt	ttgtcataga	tcccccgaa	2340
tgtcccaggc	tgtctctggt	gggttttagt	accgcgggc	ttcttgggca	ccggggacca	2400
gaaggaactt	ggcagctggt	cttaggggta	cagttaaagg	caggatgaca	gctattctcc	2460
tgctcatctc	agagcgctgc	cggccctca	tgccggtcgc	gcaaagaaca	cagcttttaa	2520
aaaacacgtg	ccttctgccc	atataggtct	gaaagtgatg	aggaaagtaa	tgcttcgcct	2580
attagcgagt	ttcagctttt	aaaatgatcc	caagcgttgc	tgagatgaga	aagcgtggca	2640
tcccggggggt	cctcagcccc	accgcgccc	atggtgcaag	tctgcaggga	caggcccggg	2700
acagcactgc	ccacgtgct	agattttccg	cagaggatcg	ctgaagctgc	cttcgtggga	2760
gacagaatgc	ctcctccagc	gagtggaaaa	ggcctgctga	ggaccccgct	ttgctcgagc	2820
attcaaatgt	gtgtctgttt	tattaccctg	ggttgaaaag	ggacaagagc	tttagccttt	2880
ttatctggcc	attttatcag	caactacaag	tgtgttgagt	ggttattatt	acataggagg	2940
cttttcagtt	tggggtcagt	agatcagtct	cttcagacac	tgatgcagaa	gctgggactg	3000
gtaagtaggt	attatgtgct	cggagcgcta	ggggacagga	gcaaattggag	aagaaaagcg	3060
gaggctttct	ccgcccggag	tatcgatcgg	aatccccgcc	ggtacgccgc	agagggccct	3120
cgccgttggg	ccccgggggt	ttaacaagcc	cagccgctcc	gcaggcggct	cggccggact	3180
ctcagaccgg	tgcttgaag	acaccgtccc	tgccccctc	ccgccaaacc	tgctctttct	3240
ctttctctca	taggttatag	gttccctttc	tctctcattt	tggccccgcc	cccgggtcct	3300
gccaaacagc	caagcaggcc	ggggtttagg	gggctcagaa	tgaagaggtc	tgatttggcc	3360
agcgccggca	aagctcacc	ttaggcgagg	tcacaacaga	ggcaggtcct	tcctgcccag	3420
cctgccggtg	tagtcacagc	caagggtggc	acttgaaagg	aaaagggaga	aaacttcgga	3480
gaaatttaga	ttgccccaac	gttagatttc	agagaaattg	actccaaatg	cacggattcg	3540
ttcggaaagg	gcggctaagt	ggcagggtgg	tgcaaccccg	cccggtcggg	ccttcgcaga	3600
ggttcccaa	gaccagccct	tgcagggcgg	ttttcagcaa	cctgacaaga	ggcggccaag	3660
acaaatttct	gcgggttcga	gcacacactc	tcgggcgttg	ggccccagag	acctctaaac	3720
caagcacaaa	caagaaggga	gtgagagaac	ccaggctaga	acttgcacgg	gcattcccact	3780

P030366Seq.TXT

gaggaaaagc gaggcctcgg tggcaggcat gttttcttcc gacgcccga aatcgagccg	3840
agcgcccgac tacatttact gcagaggttt ccgcctccag tgagcccgga tccccagcg	3900
gcctgcccgg agctgggtctc cagtccccgc cgtagtccga cgcacggccc tctcctggca	3960
gcaagctccc agcggccagt ctgaagccaa ttctgttcag gcggccgagg gcccttagcc	4020
aaccacccat gatgtcgcct gggccacctg atgcccgag cggcgggaca cggcccgggc	4080
agtgcgcagt ggctcctgct aggggcaccg cgtgcgtgct tgtctcccgc tgcgccgggg	4140
acgtccttgg gtgacacggg ccgctgggca cctcccaagc cgaggaaacg gacccccctt	4200
gcagagtctc gcgcccaccc cccaacctcc cacctcgttt ctgctgcta gggctcccga	4260
ctcagcccac ctctcctggc ggtttagtta gggatcagag ctggagaggc tgaacgcaac	4320
ccgtgccagt acggaacaga cgatatgttt gcctgctagc tgcttgatg aataattgaa	4380
aagttcgtg cagtctgtgc ttcgtcaagt cccgggtgcc gggagaacac cttcccaaca	4440
cgcatacagg tgggcgggag cgggcagagg aggcgggacc cgaggaggga gagtgaaccc	4500
gagcaggaga agcagcccag gcagccaggc gccctcgatg cgagaggctg ggcatttatt	4560
tttattccag gctttccact gtgtggttat gtcactttct caaacaatatg tgtatatgga	4620
gggagatcga tgctgataat gtttagaaga ttaaagagc attaatgctg gcaacaataa	4680
cgtaaactg tggaccaga tttcattgat ctggaacttg atccggcgcg tttccagtaa	4740
gcccgcggc gcgctcttc cagcagagcg ctcaccagcg ccacggcccc gcggttttcc	4800
agcggtgccg cttcgccagc tctgcgcggg ttctcccgtc tgaccgcagc tcctcccccg	4860
cgaggcccca gcccgcctta cttccccgag gttttctcct cctctcgcgg ggctctctgc	4920
cctctgcacc cctcccccg acctctgcac caccgcccc tgtgcgcaca caccgctact	4980
tgcgcttccg gcgatccgcc tg	5002

<210> 27
 <211> 150
 <212> DNA
 <213> Homo sapiens

<400> 27	
aaccggagat ctgcttggtg aactgagagg agtccttagg agagcgggga cgccaggggc	60
cgggggacac ttcgctctcg ccctagggaa ggtgggtcttg acgctttcta ttgaagtcaa	120
acttgaaaat atcagctgcc gctggactat	150

<210> 28
 <211> 339
 <212> DNA
 <213> Homo sapiens

<400> 28	
ctgtagcaga acgcccggc tggagcagtt aggaccgaag gtctccggag agtcgccggc	60
ggtgccaggt aacgcagagg gctcgggtcg ggccccgctt ctggggcttg ggactccggg	120
cgcgcgaggc cagccctctg gggcgaaatc cccgggcggc gtgcgcggtc cctctccgcg	180

P030366Seq.TXT

ctgtgctctc ccagcaactc cctgccacct cgacgagcct accggccgct ccgagttcga	240
cttcctcgga cttagtggga gaaggggttg gaaatgggct gccgggactg ggggagctgc	300
tctctggaag cagggaagct ggggcgacc ggggcaggt	339

<210> 29
 <211> 1961
 <212> DNA
 <213> Homo sapiens

<400> 29 tagaagagga agactcctct ggccccacta ggtatcatcc gcgctctccc gctttccacc	60
tgcgccctcg cttgggccaa tctctgccgc acgtgtccat ccctgaactg cacgctatcc	120
tccacccccg gggggttcct gcgcactgaa agaccgttct ccggcaggtt ttgggatccg	180
gcgacggctg accgcgcgcc gccccacgc ccggttccac gatgctgcaa tacagaaagt	240
ttacgtcggc cccgaccgc gcgggactgc agggctccgc ggagcgcggc gcagaggctt	300
ttcctgcgcg ttcgggcccc ggaaaggggc gggagggctg gctccgggag cgcacgggcg	360
cggcggggag ggtactcact gtgaagcacg ctgcgcccat ggatcatgtc tgtgcgttac	420
accagaggct ccgggctcca ctaattccat ttagagacgg gaagacttcc agtggcgggg	480
ggaggacagg gtcgagaggt gttaaagacg caaagcaaga aggaaataaa ggggggccga	540
gagggagacc gagaggaagg gggagctccg agcccacgct gcagccagat ccggatgagt	600
ccgtcctccg ccccgggcgg gctctcgtc tcgctggccc tcagcgccgc gcagccagca	660
gcatccccac cgtgacgtc gcatcacacc cgggcgccgg ccgccaccat ccgcgccgcc	720
gccgtcagga ccctcctccc gggcatcgtc gccgccgcgg ggtcgggagg acgcggcgcg	780
cgggaggcgg cggtcgcagg gcgagccccg ggacgccccg agccggggcc ggggccgggg	840
agagggcgca gcgaggtggg ggccagtcca gaccgacggc agcgacggag cgggcggcgg	900
cggcggcgcc ggcgggcggc ggggtggctca gtccccagtc tcagacgcgc cgcgcagcag	960
gtcggagcag cctccccggg aggatgtcca gcggcagcgc tcctcgctcc agcccttggg	1020
gatcttccgc tgaggcattg aaggcaggaa gaaggggtcc gtcacggct cgccgggctg	1080
cgcgccacct ctgctatctt gcggaaagag gagcgggtgg gtgggcgtct gggaggcggg	1140
ctggagggcg gtgcagggga gcggggcggc cggggggggg gccggggggc ggggaaggga	1200
gggaggagaa aggagccgga agagggcaga gttaccaaataa gggctcctta gtcattgctt	1260
ggggctccac gaccctcctg gaagcccgga gcctgggtgg gatagcgagg ctgcgcgcgg	1320
ccggcgcccc ggggctggtg cgcggcagaa tggggccgcg gcggcggcag caaggacatc	1380
ccagccgcgc ggatctgggg gaggggcggg gaggggggtga ggaccggct gggatccgcg	1440
gctcggcccc ccagggcgca gagagaggat gcagccgcaa atcccagacc ggatcctcgt	1500
gccggacgga aggcgtggaa gcgggagggg ccttcgtgtg aaaatccctt gtggggtttg	1560
gtgtttcact ttttaaaggt tagaccttgc gggctctctg cctcccaccc cttcttttcc	1620

P030366Seq.TXT

atccgcgtaa aggaactggg cgccccctct ccctccctcc ctggggcgca ggtttcgccg	1680
cggactccgc gctcagcttg ggagacacgg caggggcgcg ccccagggaa aggcggccgt	1740
aaaagtttcg cggttgagca ctgggcctga tgtccagtc cccacacaaa ttactcctgc	1800
aaagacgcgg gcttcttgca attgagcccc ccacctcgag gtatttataa ccacccaag	1860
gcacacacgg acccccgttc ccccgcgcca cttcctccta caggctcgcg cggcgcgcta	1920
aagtctggga gacacgagtt gcggggaaac agcaccggaa g	1961

<210> 30
 <211> 314
 <212> DNA
 <213> Homo sapiens

<400> 30	
aagaaacagc tcatttcgga gctgaggaca aggcgtggga agaagacgcg tttggtttca	60
cccaggcggg tggcggaaca gctgtgggat gcgcgctgca cactccttcc gtcatcccgt	120
tcccaccttc cacacacacc tgcgggaggt cggacatgtc ctgattgcgt gttcatcacg	180
atggcaaacc gaacatgagg agaacgccac tgacgctggg tgcgccggct tcccagccc	240
tcgtgcataa cggggaggga gatgcagaag ttttttccaa catcggtgca aaggggaagc	300
tgaggttttc ctat	314

<210> 31
 <211> 584
 <212> DNA
 <213> Homo sapiens

<400> 31	
tctgtcagct gctgccatgg ggcagcggga aggccctgga ggggtgcctgg gctgtgtctg	60
gtcccgcca cgctccctg cagcgtctga gaccttgtgg aacacacttg acccggcgt	120
gggacggggg cggccacac gcaccgccag cccgcaggag tgagggtgcag gctgccgctg	180
gctccttagg cctcgacagc tctcttgagg tcggccctcc tcccctcccg agagctcagc	240
agccgcagac ccaggcagag agagcaaagg aggctgtggt ggccccgac gggaacctgg	300
gtggccgggg gacacaccga ggaactttcc gcccccgac gggctctccc accgaggctc	360
agggtgtcgt gggcagcaag gggaagcccc atggccatgc cgcttccctt tcaccctcag	420
cgacgcgccc tcctgtgccc gcggggaaca agacggctct cggcggccat gcaggcggcc	480
tgtccacga acacgatgga gacctcagac gccgtcccca ccctgtcact gtcaccatca	540
cccatcctgt cccctcacgc ctccccacat cccatcata ctac	584

<210> 32
 <211> 349
 <212> DNA
 <213> Homo sapiens

<400> 32	
gaagtagaat cacagtaaat gaggagttag ggaatttagg gtagagatta aagtaatgaa	60
cagaggagga ggcctgagac agctgcagag agaccctgtg ttccctgtga ggtgaagcgt	120

P030366Seq.TXT

ctgctgtcaa agccggttgg cgctgagaag aggtaccggg ggcagcaccc gcctcctggg	180
agaggggatgg gcctgcgggc acctggggga accgcacgga cacagacgac actataaacg	240
cgggcgagac atcagggacc gggaaacaga aggacgcgcg tttcgagcag ctgcccagtg	300
ggccacaagc cccgccacgc cacagcctct tcccctcagc acgcagaga	349

<210> 33
 <211> 3510
 <212> DNA
 <213> Homo sapiens

<400> 33 tactccggcg acgggaggat gttgagggaa gcctgccagg tgaagaaggg gccagcagca	60
gcacagagct tccgactttg ccttccaggc tctagactcg cgccatgcca agacgggccc	120
ctcgactttc acccctgact cccaactcca gccactggac cgagcgcgca aagaacctga	180
gaccgcttgc tctaccgcc gcaagtcggt cgcaggacag acaccagtgg gcagcaacaa	240
aaaaagaaac cgggttccgg gacacgtgcc ggcggttga ctaacctcag cggctgcaac	300
caaggagcgc gcacgttgcg cctgctggtg tttattagct aactggcag gcgcacaact	360
ccgcgccccg actggtggcc ccacagcgcg caccacacat ggcctcgctg ctgttggcgg	420
ggtaggcccc aaggaggcat ctacaaatgc ccgagccctt tctgatcccc accccccgc	480
tccctgcgtc gtccgagtga cagattctac taattgaacg gttatgggtc atccttgtaa	540
ccgttggacg acataacacc acgcttcagt tcttcatgtt ttaaatacat atttaacgga	600
tggctgcaga gccagctggg aaacacgcgg attgaaaaat aatgctccag aaggcacgag	660
actggggcga aggcgagagc gggctgggct tctagcggag accgcagagg gagacatatc	720
tcagaactag gggcaataac gtgggtttct ctttgtattt gtttattttg taactttgct	780
acttgaagac caattattta ctatgctaatt ttgtttgctt gtttttaaaa ccgtacttgc	840
acagtaaaag ttccccaaca acggaagtaa cccgacgttc ctcacactcc ctaggagact	900
gtgtgcgtgt gtgcccgcgc gtgcgctcac agtgtcaagt gctagcatcc gagatctgca	960
gaaacaaatg tctgaattcg aaatgtatgg gtgtgagaaa ttcagctcgg ggaagagatt	1020
agggactggg ggagacaggt ggctgcctgt actataagga accgccaacg ccagcatctg	1080
tagtccaagc agggctgctc tgtaaaggct tagcaatttt ttctgtaggc ttgctgcaca	1140
cggctctctg cttttcccat ctgtaaaatg ggtgaatgca tccgtacctc agctacctcc	1200
gtgaggtgct tctccagttc gggcttaatt cctcatcgtc aagagttttc aggtttcaga	1260
gccagcctgc aatcggtaaa acatgtccca acgcggctgc gagtggttcc atctcgctgt	1320
ctggcccaca gcgtggagaa gccttgccca ggcctgaaac ttctctttgc agttccagaa	1380
agcaggcgac tgggacggaa ggctctttgc taacctttta cagcggagcc ctgcttggac	1440
tacagatgcc agcgttgccc ctgcccgaag gcgtgtggtg atcacaaga cgacactgaa	1500
aatacttact atcatccggc tcccctgcta ataaatggag ggggtgttta ctacaggcac	1560

P030366Seq.TXT

gaccctgccc	ttgtgctagc	gcggttacccg	tgcggaaata	actcgtccct	gtacccacac	1620
catcctcaac	ctaaaggaga	gttgtgaatt	ctttcaaaac	actcttctgg	agtccgtccc	1680
ctccctcctt	gcccgcctc	taccctcaa	gtccctgccc	ccagctgggg	gcgctaccgg	1740
ctgccgtcgg	agctgcagcc	acggccatct	cctagacgcg	cgagtagagc	accaagatag	1800
tggggacttt	gtgcctgggc	atcgtttaca	tttggggcgc	caaatgccca	cgtgttgatg	1860
aaaccagtga	gatgggaaca	ggcggcgggga	aaccagacag	aggaagagct	agggaggaga	1920
ccccagcccc	ggatcctggg	tcgccagggt	tttccgcgcg	catcccaaaa	ggtgcggctg	1980
cgtggggcat	caggttagtt	tgtagactc	tgcagagtct	ccaaaccatc	ccatccccc	2040
acctgactct	gtgggtggccg	tatTTTTTtac	agaaatttga	ccacgttccc	tttctccctt	2100
ggtcccaagc	gcgctcagcc	ctccctccat	cccccttgag	ccgccccttct	cctccccctc	2160
gcctcctcgg	gtccctcctc	cagtccctcc	ccaagaatct	cccggccacg	ggcgcccatt	2220
ggttgtgctg	agggaggagg	cgtgtgccccg	gcctggcgag	tttcattgag	cggaattagc	2280
ccggatgaca	tcagcttccc	agcccccccg	cgggcccagc	tcattggcga	ggcagcccct	2340
ccaggacacg	cacattgttc	cccgcccccg	cccccgccac	cgtcgccgcc	gtcgccgctg	2400
ccaccgggct	ataaaaaccg	gccgagcccc	taaagggtgcg	gatgcttatt	atagatcgac	2460
gcgacaccag	cgcccgtg	caggttctcc	cctgaggctt	ttcggagcga	gtcctcaaa	2520
tcgcatccag	agtaagtgtc	cccgccccac	agcagccgca	gcctagatcc	cagggacaga	2580
ctctcctcaa	ctcggctgtg	accagaatg	ctccgataca	gggggtctgg	atccctactc	2640
tgcgggccat	ttctccagag	cgactttgct	cttctgtcct	ccccacactc	accgctgcat	2700
ctccctcacc	aaaagcgaga	agtcggagcg	acaacagctc	tttctgcca	agccccagtc	2760
agctggtgag	ctccccgtgg	tctccagatg	cagcacatgg	actctgggcc	ccgcgccggc	2820
tctgggtgca	tgtgctgtg	cgtgtgtttg	ctgcgtggtg	tcgatggaga	taaggaggat	2880
ccgtttgagg	aaccaaata	ttagttctct	atctagatct	ccattctccc	caaagaaagg	2940
ccctcacttc	ccactcgttt	attccagccc	gggggctcag	ttttcccaca	cctaactgaa	3000
agcccgaagc	ctctagaatg	ccaccgcac	cccgagggtc	accaacgctc	cctgaaataa	3060
cctgttgcat	gagagcagag	gggagataga	gagagcttaa	ttataggtag	ccgcgtgcag	3120
ctaaaaggag	ggccagagat	agtagcgagg	gggacgagga	gccacgggcc	acctgtgccg	3180
ggaccccgcg	ctgtggtact	gcggtgcagg	cgggagcagc	ttttctgtct	ctcactgact	3240
cactctctct	ctctctccct	ctctctctct	ctcattctct	ctcttttctc	ctcctctcct	3300
ggaagttttc	gggtccgagg	gaaggaggac	cctgcgaaag	ctgcgacgac	tatcttcccc	3360
tggggccatg	gactcggacg	ccagcctgg	gtccagccgc	ccgtcgtcgc	cagagcccga	3420
tgaccttttt	ctgccggccc	ggagtaaggg	cagcagcggc	agcgccttca	ctgggggcac	3480
cgtgtcctcg	tccacccga	gtgactgccc				3510

P030366Seq.TXT

<211> 333
<212> DNA
<213> Homo sapiens

<400> 34
ttaattcga aatggcagac agagctgagc gctgccgttc ttttcaggat tgaaaatgtg 60
ccagtgggcc aggggcgctg ggacccgcgg tgcggaagac tcggaacagg aagaaatagt 120
ggcgcgctgg gtgggctgcc ccgccgccca cgccggttgc cgctggtgac agtggctgcc 180
cggccaggca cctccgagca gcaggtctga gcgttttttg cgccccagc gttccggggc 240
gcgctttcca gagcctctgc tcccagcggg gtcgctgcgg cctggcccga aggatttgac 300
tctttgctgg gaggcgcgct gctcagggtt ctg 333

<210> 35
<211> 385
<212> DNA
<213> Homo sapiens

<400> 35
ccggtcccca gtttgaaaa aggcgcaaga agcgggcttt tcagggaccc cggggagAAC 60
acgagggctc cgacgcggga gaaggattga agcgtgcaga ggccgccccaa attgcgacaa 120
tttactggga tccttttgtg gggaaaggag gcttagaggc tcaagctata ggctgtccta 180
gagcaactag gcgagaacct ggccccaaac tccctcctta cgccctggca caggttcccg 240
gcgactggtg ttcccaaggg agccccctga gcctaccgcc cttgcagggg gtcgtgctgc 300
ggcttctggg tcataaacgc cgaggtcggg ggtggcggag ctgtagaggc tgcccgcgca 360
gaaagctcca ggatcccaat atgtg 385

<210> 36
<211> 105
<212> DNA
<213> Homo sapiens

<400> 36
gcgcaggctc cccagctccc cgagggagtg cgcggcagcg aaacgcccct agcccgcggg 60
cctcgctttc ctctcccggg ttcttggttc acttcccgtg gtctc 105

<210> 37
<211> 147
<212> DNA
<213> Homo sapiens

<400> 37
ttccctcgcg gctttgaaa gggggtgcaa atgcaccctt ctgcgggccc gctaccgct 60
gcaacacctg tgtttctttt ctgggcacct tctaggtttc tagatattgc tgtgaatacg 120
gtcctccgct gtacagttga aaacaaa 147

<210> 38
<211> 365
<212> DNA
<213> Homo sapiens

P030366Seq.TXT

<400> 38
 tgggaattta ggtcgggcac tgccgatatg tcgccttcca caaggcgggc ccgggcctct 60
 gctgaccgtg caccggctct ggggctgggt aattctgcag cagcagcgca gcccatgccg 120
 ggggaatttg gggcagagga gacagtgagg cccgcgttct gtgcgggaac tcccagagctc 180
 acagagccca agaccacacg gctgcatctg cttggctgac tgggccaggc ccacgcgtag 240
 taacccggac gtctctctct cacagtcccc ttgcgtctgg ccagggagct gccaggctgc 300
 accccgcggt ggggatcggg agaggggcag tgtcgcccac ccccggaagg ctgagcctgg 360
 tgca 365

<210> 39
 <211> 418
 <212> DNA
 <213> Homo sapiens

<400> 39
 cggttttctc ctggaggact gtgttcagac agatactggt ttccttatcc gcaggtgtgc 60
 gcggcgctcg caagtgtca gcataacgcc gggcgaattc ggaaagcccg tgcgtccgtg 120
 gacgaccac ttggaaggag ttgggagaag tccttgttcc cacgcgcgga cgcttccctc 180
 cgtgtgtcct tcgagccaca aaaagcccag accctaacc gctcctttct cccgccgcgt 240
 ccatgcagaa ctccgccgtt cctgggaggg gaagcccgcg aggcgtcggg agaggcacgt 300
 cctccgtgag caaagagctc ctccgagcgc gcggcgggga cgctggggccg acaggggacc 360
 gcgggggcag ggcggagagg acccgccctc gagtgcggcc agccctaaca ctcaggac 418

<210> 40
 <211> 906
 <212> DNA
 <213> Homo sapiens

<400> 40
 agggaatcgg gctgaccagt cctaagggtc cacgctcccc tgacctcagg gccagagacc 60
 tcgcattacc ccgagcagtg cgttgggttac tctccctgga aagccgcccc cgccggggca 120
 agtgggagtt gctgcactgc ggtctttgga ggcctaggtc gccagagta ggcggagccc 180
 tgtatccctc ctggagccgg cctgcggtga ggtcgggtacc cagtacttag ggagggagga 240
 cgcgcttggt gctcagggtg ggctgggccg ctgctagctc ttgatttagt ctcatgtccg 300
 cctttgtgcc ggcctctccg atttgtgggt cttccaaga aagagtcctc tagggcagct 360
 agggtcgtct cttgggtctg gcgaggcggc aggccttctt cggacctatc cccagagggtg 420
 taacggagac tttctccact gcagggcggc ctggggcggg catctgccag gcgagggagc 480
 tgccctgccg ccgagattgt ggggaaacgg cgtggaagac acccatcgg agggcaccca 540
 atctgcctct gactcgatt ccactctgca acccaggaga aaccatttcc gagttccagc 600
 cgagaggca cccgcggagt tgccaaaaga gactcccgcg aggtcgctcg gaaccttgac 660
 cctgacacct ggacgcgagg tctttcagga ccagtctcgg ctcggtagcc tgggtccccga 720
 ccaccgcgac caggagttcc ttcttcctt cctgctcacc agccggccgc cggcagcggc 780

P030366Seq.TXT

tccaggaagg agcaccaacc cgcgctgggg gcggaggttc aggcggcagg aatggagagg	840
ctgatcctcc tctagccccg gcgcattcac ttaggtgcgg gagccctgag gttcagcctg	900
actttc	906

<210> 41
 <211> 860
 <212> DNA
 <213> Homo sapiens

<400> 41 cactacggat ctgcctggac tggttcagat gcgtcgttta aagggggggg ctggcactcc	60
agagaggagg gggcgctgca ggttaattga tagccacgga agcacctagg cgccccatgc	120
gcggagccgg agccgccagc tcagtctgac ccctgtcttt tctctcctct tccctctccc	180
acccctcact ccgggaaagc gagggccgag gtaggggcag atagatcacc agacaggcgg	240
agaaggacag gtagtacagat ggagggacca ggacacagaa tgcaaaagac tggcagggtga	300
gaagaaggga gaaacagagg gagagagaaa gggagaaaca gagcagaggc ggccgccggc	360
ccggccgccc tgagtccgat ttccctcctt ccctgaccct tcagtttcac tgcaaatacca	420
cagaagcagg tttgcgagct cgaatacctt tgctccactg ccacacgcag caccgggact	480
gggcgtctgg agcttaagtc tgggggtctg agcctgggac cggcaaatacc gcgcagcgca	540
tcgcgcccag tctcggagac tgcaaccacc gccaaaggagt acgcgcggca ggaaacttct	600
gcggcccaat ttcttcccca gctttggcat ctccgaaggc acgtacccgc cctcggcaca	660
agctctctcg tcttccactt cgacctcgag gtggagaaag aggctggcaa gggctgtgcg	720
cgctcgctgg gtggggaggg cagcaggctg cccctccccg cttctgcagc gagttttccc	780
agccaggaaa agggaggagg ctgtttcagg aatttcagtg ccttcaccta gcgactgaca	840
caagtcgtgt gtataggaag	860

<210> 42
 <211> 452
 <212> DNA
 <213> Homo sapiens

<400> 42 ggagcctgaa gtcagaaaag atggggcctc gttactcact ttctagccca gcccctggcc	60
ctgggtcccc cagagccgtc atcgcaggct cctgcccagc ctctgggggtc gggtagagcaa	120
ggtgttctct tcggaagcgg gaagggtctg gggtcgggga cgtcccttgg ctgccacccc	180
tgattctgca tccttttcgc tcgaatccct gcgctaggca tcctccccga tccccaaaaa	240
gccaagcac tgggtctggg ttgaggaagg gaacgggtgc ccaggccgga cagaggctga	300
aaggaggcct caaggttcct ctttgctaca aagtggagaa gttgctctac tctggagggc	360
agtggccttt tccaaacttt tccacttagg tccgtaagaa aagcaattca tacacgatca	420
gcgctttcgg tgcgaggatg gaaagaaact tc	452

P030366Seq.TXT

<210> 43
 <211> 1992
 <212> DNA
 <213> Homo sapiens

<400> 43
 ttttcctgtt acagagctga gcccactcat gtggtgccaa gtagcgacta tctctcggcc 60
 acctccaccc agagcaatgt gggcgccccc agcgggtggg agcgattgcc gagcggcgca 120
 agggcgttta acgcctaacc cctcctcctt gggttgccaa gccgctaggt cgccgtttcc 180
 aacgtggctg cgcgggactg aagtccgacg actcctcgtc ctcagtagga gacacacctc 240
 ccaactgcccc cagccacgcg agctatgggc agaatcgggg caacggtaat atctggatgg 300
 ggcaggctcc cctgaggctg tgcttaagaa aaaaggaatc tggagtagcc tgagggggccc 360
 cacgaggggg cctcctttgc gatcgtctcc cagccttagg ccaaggctac ggaggcaggc 420
 ggccgagtgt tggcgcccg cccggccgag gactggatgg aggacgagaa gcagcctgcc 480
 tctgggcgac agctgcggac gcagcctcgc cgcctcgccg cctcagcctc ggtcccagcg 540
 tctctaaagc cgcgccatt ttacagatgc agggcagggg gacaagaggc atctccgggg 600
 gccgagtaga atgatggcgc gggttctccc ggcgccctga tttcgaggct gcgcccgggg 660
 ccctacatgc aggcggggag gcctgggccc aaggcgtctg caaggagggg cgagtctgcc 720
 cgggccgggc agggagttag gccacagtca gttctcccta ggaggccgcg cagcgggtag 780
 ggtatgggac tgggggacgc aacggggacc tggccgaatc agagccctca gcagagaacg 840
 ccgaaaactc tggggccggc cgctcgcttc ccgctagtgg gaatggtttc cggatcatccg 900
 ttcccagtcc agccccgggt agggagctct gatttgcaat gcacagcact tgcgaggttc 960
 gaatgcccc gcaatttgca gatggaaata ctaagcctag gccgggctg gtggctcaag 1020
 cctatcatct cagccctttg ggaggccaag ccgggaggat tgtttgagcc caagaattca 1080
 aaaccagcct gagcaacata gcgaccccgct ctctacaaaa taaaataaaa taaattatcc 1140
 gggcggtgtg gcacgcgcct gtggttccag ctactccgga ggctgagggt ggaggatcgc 1200
 ttgagtccgg gaggtcgagg ctacagttag ccgtgatcgc accactgcac tccagcctgg 1260
 gcgacagagt gagaccttgt ctcaaaaaag gaaaaaaga aaaagaaagt aagcttcaaa 1320
 gaagctctga taatagttct gggctcgtgca gcggtggcgg ccccgcgctc tcgcccctaa 1380
 agcaagcgct ctttgtagtg ggtggaggag ctttgagtag tgagggtgga gatgcagctt 1440
 cgggggtggc cagccaccct gacactaggc ccggggtcgc agtgggacag aagagtctgc 1500
 cgctctgact tgggctctga gttccaaggg cgcccgccac ttctagcctc ccaggcttgc 1560
 gcgctggcgc ctttgccatc cgtgccgaag tggggagacc tagccgagac caccacgagc 1620
 gcagcggtag caccagagg tcccaccggg cccctgggca gggtaacctt agcctgtccg 1680
 cttcggcagc tttgcgaaga gtggcgcgca gctagggctg aggtctttgc ggacctgcgg 1740
 tcgaagcagg cggctgagcc agttcgatcg ccaaggcctg ggctgccgac agtgggtgcgc 1800
 gctctgttcc gcccgggccg ggccaggcgc tctggaatag cgatgggggg acacggcctc 1860

P030366Seq.TXT

caacttttctg cagagaccat cgggcagctc cgggcctaag cagcgacctc accgaaggtt	1920
cctgggaacc tttgcaaaa tcccagcctc tgcctcggtc cagctaaacc gtgtgtaaac	1980
aagtgcacca ag	1992

<210> 44
 <211> 448
 <212> DNA
 <213> Homo sapiens

<400> 44	
ataaaggacc gggtaatttc gcggaatgcg gatTTTtGaga caggcccaga cggcggcgga	60
tTccctgtgt cccccaactg gggcgatctc gtgaacacac ctgcgtccca ccccgatcct	120
aggTtggggg gaaagggTat gggaaccctg agcccagagc gcgccccgct ctttcctttg	180
ctccccggct tccctggcca gccccctccc ggctggTttc ctcgctcact cggcgcctgg	240
cgTttcgggc gtctggagat caccgcgtgt ctggcacccc aacgtctagt ctccccgcag	300
gttgaccgcg gcgcctggag cggggaatag gggTggggag tccggagaac caaaccgcag	360
cctgaagttg ccattcgggt gactcccgag aaagcccggg agcatttttg ccaatgcggg	420
tttttacctg aacttcagca tcttcacc	448

<210> 45
 <211> 395
 <212> DNA
 <213> Homo sapiens

<400> 45	
aattggaaaa ccctggTatt gtgcctgttt gggggaagaa aacgtcaata aaaattaatt	60
gatgagTtg cagggcgggc ggtgcgggtt cgcggcgagg cgcagggTgt catggcaaat	120
gttacggctc agattaagcg attgttaatt aaaaagcgac ggtaattaat actcgctacg	180
ccatatgggc ccgtgaaaag gcacaaaagg tttctccgca tgtggggTtc ccTtctctt	240
tTctcttcc acaaaagcac cccagcccgt gggTcccccc tttggcccca aggtaggtgg	300
aactcgTcac ttccggccag ggaggggatg gggcggtctc cggcgagTtc caagggcgTc	360
cctcgTtgcg cactcgcccg cccaggtTct ttgaa	395

<210> 46
 <211> 491
 <212> DNA
 <213> Homo sapiens

<400> 46	
gggaagcgat cgtctctctt gtcaactcgc gcctgggcac ttagcccctc ccgtttcagg	60
gcgcccctc cccggatggc aaacactata aagtggcggc gaataaggtt cctcctgctg	120
ctctcggttt agtccaagat cagcgatatc acgcgtcccc cggagcatcg cgtgcaggag	180
ccatggcgcg ggagctatac cacgaagagt tcgcccgggc gggcaagcag gcggggctgc	240
aggTctggag gattgagaag ctggagctgg tgcccgtgcc ccagagcgct cacggcgact	300
tctacgtcgg ggatgcctac ctggtgctgc acacggccaa gacgagccga ggcttcacct	360

P030366Seq.TXT

accacctgca cttctggctc ggtaagggac ggcgggaggc gggaccccga cgcaccaagg	420
ccggcgaggg gagggcgtag gggctctgaga tttgcaggcg tgggagtaaa ggggaccgca	480
aactgagcta g	491

<210> 47
 <211> 1284
 <212> DNA
 <213> Homo sapiens

<400> 47	
ctcaggggagc ggaagtggcg ggtgggagtc acccaagcgt gactgcccga ggccccctct	60
gccgcggcga ggaagctcca taaaagccct gtcgcgaccc gctctctgca ccccatccgc	120
tggctctcac ccctcggaga cgctcgcccg acagcatagt acttgccgcc cagccacgcc	180
cgcgcgccag ccaccgtgag tgctacgacc cgtctgtcta ggggtgggag cgaacggggc	240
gcccgcgaac ttgctagaga cgcagcctcc cgctctgttg agccctgggg ccctgggatg	300
atcgcgctcc actccccagc ggactatgcc ggctccgcgc cccgacgcgg accagccctc	360
ttggcggcta aattccactt gttcctctgc tcccctctga ttgtccacgg cccttctccc	420
gggcccttcc cgctgggagc ttcttctgag ttacctttta gcagatatgg agggagaacc	480
cgggaccgct atcccaaggc agctggcggg ctccctgcgg gtcgccgcct tgaggcccag	540
gaagcgggtgc gcggtaggaa ggtttccccg gcagcgccat cgagttagga atccctggag	600
ctctagagcc ccgcgccctg ccacctccct ggattcttgg gctccaaatc tctttggagc	660
aattctggcc caggagcaa ttctctttcc ctttccccac cgcagtcgtc accccgaggt	720
gatctctgct gtcagcgttg atccctgaa gctaggcaga ccagaagtaa cagagaagaa	780
acttttcttc ccagacaaga gtttgggcaa gaaggagaa aagtgacca gcaggaagaa	840
cttccaattc ggttttgaat gctaaactgg cggggccccc accttgact ctgcgcgcgc	900
gcttcttggg ccctgagact tcgaacgaag ttgcgcgaag ttttcagggtg gagcagaggg	960
gcaggtcccg accggacggc gcccggagcc cgcaagggtg tgctagccac tcctgggttc	1020
tctctgcggg actgggacga gagcggattg ggggtcgcgt gtggtagcag gaggaggagc	1080
gcgggggggca gaggagggag gtgctgcgcg tgggtgctct gaatcccaa gcccgccgt	1140
tgagccttct gtgcctgcag atgctaggta acaagcgact ggggctgtcc ggactgaccc	1200
tcgccctgtc cctgctcgtg tgcctgggtg cgctggccga ggcgtacccc tccaagccgg	1260
acaacccggg cgaggacgca ccag	1284

<210> 48
 <211> 554
 <212> DNA
 <213> Homo sapiens

<400> 48	
tggagaacct tgggctctgt ggcctcaaag gtaggggtga tttcgagggg ccggcacctc	60
acagggcagg ttccaccgag gaaacgcagt catgccccag cgaccctgct cctggccctc	120

P030366Seq.TXT

agcctcccc	caggtttctt	tttctcttga	atcaagccga	ggtgcgccaa	tggccttcct	180
tgggtcggat	ccggggggcc	agggccagct	tacctgcttt	caccgagcag	tggatatgtg	240
ccttggactc	gtagtacacc	cagtcgaagc	cggcctccac	cgccaggcgg	gccagcatgc	300
cgtacttgct	gcggtcgcgg	tcagacgtgg	tgatgtccac	tgcgcgggcc	tcgtagtgca	360
gagactcctc	tgagtgggtg	ccatcttcgt	cccagccctc	ggtcacccgc	agtttctactc	420
ctggccactg	gttcatcacc	gagatggcca	aagcgttcaa	cttgtcctta	cacctctgcg	480
aagacaagg	gacccccacc	gacggacacg	ttagcctggg	caaccgccac	ccctcccggc	540
ccctccatca	gcct					554

<210> 49
 <211> 772
 <212> DNA
 <213> Homo sapiens

<400> 49						
tctcacgacc	catccgttaa	cccaccgttc	ccaggagctc	cgaggcgag	cggcgacaga	60
ggttcgcccc	ggcctgctag	cattggcatt	gcggttgact	gagcttcgcc	taacaggctt	120
ggggagggtg	ggctgggctg	ggctgggctg	ggctgggtgc	tgcccggctg	tccgcctttc	180
gttttcctgg	gaccgaggag	tcttccgctc	cgtatctgcc	tagagtctga	atccgacttt	240
ctttcctttg	ggcacgcgct	cgccagtggg	gcacttcttg	ttctggcccc	gggctgatct	300
gcacgcggac	ttgagcaggt	gccaagggtg	cacgcagtcc	cctcacggct	ttcggggggg	360
cttggagtcg	ggtggggagg	gagacttagg	tgtggttaacc	tgcgaggtg	ccaaagggca	420
gaaggagcag	ccttggatta	tagtcacggg	ctctccctct	cttccctgcc	atttttaggg	480
ctttctctac	gtgctgttgt	ctcactgggt	ttttgtcgga	gccccacgcc	ctccggcctc	540
tgattcctgg	aagaaagggt	tgggtccctc	agcaccacca	gcatcccgga	aaatggggag	600
caaggctctg	ccagcgccca	tcccgtcca	cccgctcgctg	cagctcacca	attactcctt	660
cctgcaggcc	gtgaacacct	tcccggccac	ggtggaccac	ctgcagggcc	tgtacggtct	720
cagcgcggtg	cagaccatgc	acatgaacca	ctggacgctg	gggtatccca	at	772

<210> 50
 <211> 1362
 <212> DNA
 <213> Homo sapiens

<400> 50						
tggtttcctt	tcgcttctcg	cctcccaaac	acctccagca	agtcggaggg	cgcgaaacgcg	60
gagccagaaa	cccttcccca	aagtttctcc	cgccaggtag	ctaattgaat	catccatagg	120
atgacaaatc	agccagggcc	aagatttcca	gacacttgag	tgacttcccg	gtccccgagg	180
tgacttgta	gctccagtga	gtaacttgga	actgtcgctc	ggggcaagg	gtgtgtctag	240
gagagagccg	gcggctcact	cacgctttcc	agagagcgac	ccgggcccgc	ttcaaaatac	300
acacaggggtc	atttatagg	actggagccg	cgcgagggac	aacgtctccg	agactgagac	360

P030366Seq.TXT

attttccaaa cagtgtctgac attttgtcgg gccccataaa aaatgtaaac gcgaggtgac	420
gaacccggcg gggaggggttc gtgtctggct gtgtctgcgt cctggcggcg tgggaggtta	480
tagttccaga cctggcggct gcggatcgcc gggccggtac ccgcgaggag tgtaggtacc	540
ctcagcccga ccacctccc caatcatggg gacaccggct tggatgagac acaggcgtgg	600
aaaacagcct tcgtgaaact ccacaaacac gtggaacttg aaaagacaac tacagccccg	660
cgtgtgcgcg agagacctca cgtcacccca tcagttccca cttcgccaaa gtttcccttc	720
agtggggact ccagagtggg gcgccccatg cccgtgcgtc ctgtaacgtg ccctgattgt	780
gtacccctct gcccgctcta cttgaaatga aaacacaaaa actgttccga attagcgcaa	840
ctttaaagcc ccgttatctg tcttctacac tgggcgctct tagggcactg acagaaacat	900
ggtttgaacc ctaattgttg ctatcagtct cagtcagcgc aggtctctca gtgacctgtg	960
acgccgggag ttgaggtgcg cgtatcctta aaccgcgcgc aacgccaccg gtcagcgta	1020
gaaaactatt tgtaatccct agtttgcgtc tctgagcttt aactccccca cactctcaag	1080
cgcccggttt ctctcgtct ctcgcctgcg agcaaagttc ctatggcatc cacttaccag	1140
gtaaccggga tttccacaac aaagcccggc gtgcgggtcc cttcccccg cgggccagcg	1200
cgagtgcag cgggcggccg gcgctggcga ggagtaactt ggggctccag cccttcagag	1260
cgctccgcgg gctgtgcctc cttcggaat gaaaaccccc atccaaacgg ggggacggag	1320
cgcggaacc cggcccaagt gccgtgtgtg cgcgcgcgtc tg	1362

<210> 51
 <211> 476
 <212> DNA
 <213> Homo sapiens

<400> 51 gaaagccatc cttaccattc ccctcacct ccgccctctg atcgcccacc cgccgaaagg	60
gtttctaaaa atagcccagg gcttcaaggc cgcgcttctg tgaagtgtgg agcgagcggg	120
cacgtagcgg tctctgccag gtggctggag ccctggaagc gagaaggcgc ttcctccctg	180
catttccacc tcaccccacc cccggctcat ttttctaaga aaaagttttt gcggttcctt	240
ttgcctccta cccccgctgc cgcgcggggt ctgggtgcag acccctgcca ggttcgcgag	300
tgtgcagcgg cggctgctgc gctctcccag cctcggcgag ggttaaaggc gtccggagca	360
ggcagagcgc cgcgcgccag tctattttta cttgcttccc ccgccgctcc gcgctcccc	420
ttctcagcag ttgcacatgc cagctctgct gaaggcatca atgaaaacag cagtag	476

<210> 52
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 52 atcgaaaatg tcgacatctt gctaattggtc tgcaaacttc cgccaattat gactgacctc	60
ccagactcgg ccccaggagg ctcgtattag gcagggaggc cgccgtaatt ctgggatcaa	120

P030366Seq.TXT

aagcgggaag	gtgcgaactc	ctctttgtct	ctgcgtgccc	ggcgcgcccc	cctccccggtg	180
ggtgataaac	ccactctggc	gccggccatg	cgctgggtga	ttaatttgcg	aacaaacaaa	240
agcggcctgg	tggccactgc	attcgggtta	aacattggcc	agcgtgttcc	gaaggcttgt	300

<210> 53
 <211> 1246
 <212> DNA
 <213> Homo sapiens

<400> 53	
atcaacatcg	60
tgggaggaga	120
ctcccttcct	180
ctttctcggg	240
gtactcagag	300
gggtgcgttt	360
cttcctaggc	420
ccctagcgag	480
cgctccgggg	540
ttctctcttt	600
attcctgatg	660
gcaacagttt	720
cccccttttt	780
gctccccgtg	840
gcgcgtcgta	900
ccccagagc	960
atgaactagg	1020
gagctgcccc	1080
gctccctagc	1140
cgagcgcctg	1200
ggtgagggtt	1246

<210> 54
 <211> 984
 <212> DNA
 <213> Homo sapiens

<400> 54	
acaaataaaa	60
gaacgctggg	120
ggcgagaagg	180

P030366Seq.TXT

tgaacgctcg	gagaggcccc	gcattctacc	actttacttg	gccgtagggg	cctccggcac	240
ggcaggaatg	agggaggggg	tccgattgga	cagtgcggt	ttggggccgt	tcggctatgt	300
tcagggacca	tatggttttg	ggacagcccc	agtagttagt	aggggacggg	tgcgttcgcc	360
cagtccccg	atgcgtaggg	aggcccagtg	gcaggcagct	gtcccaagca	gcgggtgcgc	420
gtccctgcgc	gctgtgtgtt	cattttgcag	agccagcctt	cggggaggtg	aaccagctgg	480
gaggagtgtt	cgtgaacggg	aggccgctgc	ccaacgccat	ccggcttcgc	atcgtggaac	540
tggcccaact	gggcatccga	ccgtgtgaca	tcagccgcca	gctacgggtc	tcgcacggct	600
gcgtcagcaa	gatcctggcg	cgatacaacg	agacgggctc	gatcttgcca	ggagccatcg	660
ggggcagcaa	gccccgggtc	actaccccc	ccgtggtgaa	acacatccgg	acctacaagc	720
agagagacc	cggcatcttc	gcctgggaga	tccgggaccg	cctgctggcg	gacggcgtgt	780
gcgacaagta	caatgtgccc	tccgtgagct	ccatcagccg	cattctgcgc	aacaagatcg	840
gcaacttggc	ccagcagggt	cattacgact	catacaagca	gcaccagccg	acgccgcagc	900
cagcgtgcc	ctacaaccac	atctactcgt	accccagccc	tatcacggcg	gcggccgcca	960
aggtgcccac	gccacccggg	gtgc				984

<210> 55
 <211> 545
 <212> DNA
 <213> Homo sapiens

<400> 55	
aggaggcgca	acgcgctgcc
agggcggctt	tatcctgccg
ccacagggcg	gggaccagcc
60	
cggcagccgg	gtgtccagcg
ccgctcacgt	gcctcgcttg
gagcttagct	ctcagactcc
120	
gaagagggcg	actgagactt
gggcctggga	gttggttctg
gggtacccaa	ggcgacgaca
180	
gctgagttgt	accacgaagc
tcaggccgag	gcctcctccc
ttgtctggcc	ttcgaatcca
240	
tactggcagc	ctctcctctc
aggcactccg	cgggccgggc
cactaggccc	cctgctcctg
300	
gagctgcgct	atgatccggg
tcttgagatg	cgcgcgattc
tctctgaacc	ggtggagagg
360	
aggctctgcc	ccgcgcggag
cgaggacagc	ggcgcccagag
cttcccgcgc	ctctccaggg
420	
cccaatggca	agaacagcct
ccgaagtgcg	cggatgacag
gaaaagatct	tcagttcttc
480	
tgccgctaga	gaagtgcggg
atacaagcct	ctattggatc
cacaacctgg	agtcctgcct
540	
tcgga	
545	

<210> 56
 <211> 1533
 <212> DNA
 <213> Homo sapiens

<400> 56	
atctgcgtgc	ccttttctgg
gcgagccctg	ggagatccag
ggagaactgg	gcgctccaga
60	
tgggtgatgt	ctgtaccttc
acagcaaggc	ttcccttgga
tttgaggctt	cctattttgt
120	
ctgggatcgg	ggtttctcct
tgtcccagtg	gcagccccgc
gttgcggggt	ccgggcgctg
180	

P030366Seq.TXT

cgcgaggagccc aaggctgcat ggcagtgtgc agcgcccgcc agtcgggctg gtgggttgtg	240
cactccgtcg gcagctgcag aaagggtggga gtgcaggtct tgcctttcct caccgggcgg	300
ttggcttcca gcaccgaggc tgacctatcg tggcaagttt gcggcccccg cagatcccca	360
gtggagaaaag agggctcttc cgatgcgatc gagtgtgcgc ctccccgcaa agcaatgcag	420
accctaaatc actcaaggcc tggagctcca gtctcaaagg tggcagaaaa ggccagacct	480
aactcgagca cctactgcct tctgcttgcc ccgcagagcc ttcagggact gactgggacg	540
cccctggtgg cgggcagtcc catccgccat gagaacgccg tgcagggcag cgcagtggag	600
gtgcagacgt accagccgcc gtggaaggcg ctacgcgagt ttgccctcca gagcgacctg	660
gaccaacccg cttccaaca gctggtgagg ccctgcccta cccgccccga cctcgggact	720
ctgcggttg gggatttagc cacttagcct ggcagagagg ggagggggtg gccttgggct	780
gaggggctgg gtacagccct aggcggtggg ggagggggaa cagtggcggg ctctgaaacc	840
tcacctcggc ccattacgcg ccctaaacca ggtctccctg gattaaagtg ctcaaacag	900
aggtcgcagg attaaccaac ccgctcccc gccctaattc cccctcgtg cgcttgggga	960
cctggcctcc ttctccgcag ggcttgcctc cagctggcgg ccggtcccca agggacactt	1020
tccgactcgg agcacgcggc cctggagcac cagctcgcgt gcctcttcac ctgcctcttc	1080
ccggtgtttc cgccgcccc ggtctccttc tccgagtccg gctccctagg caactcctcc	1140
ggcagcgacg tgacctcctt gtctcgcag ctcccgaca cccccaacag tatggtgccg	1200
agtcccgtgg agacgtgagg gggaccctc cctgccagcc cgcgacctc gcatgctccc	1260
tgcatgagac tcacccatgc tcaggccatt ccagttccga aagctctctc gccttcgtaa	1320
ttattctatt gttatttatg agagagtacc gagagacacg gtctggacag cccaaggcgc	1380
caggatgcaa cctgctttca ccagactgca gaccctgct ccgaggactc ttagtttttc	1440
aaaaccagaa tctgggactt accagggtta gctctgcct ctctctcct ctctacgtgg	1500
ccgccgtct gtctctccac gccccacctg tgt	1533

<210> 57

<211> 702

<212> DNA

<213> Homo sapiens

<400> 57

aggtctcttc agactgcccc ttctccgggc ctgcgtgaat gcgggggctc tatccacagc	60
gcgcggggcc gagctcaggc aggctggggc gaagatctga ttctttcctt cccgccgcca	120
aaccgaatta atcagtttct tcaacctgag ttactaagaa agaaagggtc ttccaaataa	180
aactgaaaat cactgcgaat gacaatacta tactacaagt tcgttttggg gccggtgggt	240
gggatggagg agaaagggca cggataatcc cggagggccg cggagtgagg aggactatgg	300
tcgcggtgga atctctgttc cgctggcaca tccgcgcagg tcgggtctg agtgctggct	360
cggggttaca gacctcggca tccggctgca ggggcagaca gagacctcct ctgctagggc	420

P030366Seq.TXT

gtgcggtagg	catcgtatgg	agcccagaga	ctgccgagag	cactgcgcac	tcaccaagtg	480
ttaggggtgc	ccgtgataga	ccgccaggga	aggggctggt	tcggaggga	ttcccgtac	540
cggaaggtc	ggaactcggg	gtgatcaa	aaggaatgca	tctcacctcc	gtgggtgctt	600
gtgctgcgca	aggaattatt	accggagcgg	ttgcgatggc	ctttgcccgg	cgaccaaga	660
agagtaagca	aactaccgtc	caccagcgg	atcaggtcca	at		702

<210> 58
 <211> 3180
 <212> DNA
 <213> Homo sapiens

gatgtcctgt	ttctagcagc	ctccagagcc	aagctaggcg	agaggcgtag	gaggcagaga	60
gagcgggcgc	gggaggccag	ggtccgcctg	ggggcctgag	gggacttcgt	gggggtcccgg	120
gagtggccta	gaaacagga	gctgggaggg	ccgggaagag	cttgaggctg	agcgggggac	180
gaacgggcag	cgcaaagggg	agatgaacgg	aatggccgag	gagccacgca	ttcgccttgt	240
gtccgcggac	ccttgttccc	gacaggcgac	caagccaagg	ccctccggac	tgacgcggcc	300
tgagcagcag	cgagtgtgaa	gtttggcacc	tccggcggcg	agacggcgcg	ttctggcgcg	360
cggctcctgc	gtccggctgg	tggagctgct	gcgccctatg	cggcctgccg	agggcgccgc	420
cgagggcccg	cgagctccgt	ggggtcgggg	tggggggacc	cgggagcgga	cagcgcggcc	480
cgaggggcag	gggcaggggc	gcgcctggcc	tggggtgtgt	ctgggccccg	gctccgggct	540
cttgaaggac	cgcgagcagg	aggcttgccg	aatcccttgg	ctgagcgctc	acggagaaag	600
aaaaagagca	aaagcagagc	gagagtggag	cgagggatgg	gggcgggcaa	agagccatcc	660
gggtctccac	caccgccctg	acacgcgacc	cggctgtctg	ttggggaccg	cacgggggct	720
cgggcgagca	ggggagggag	gagcctgcgc	ggggctcgtg	ttcggcccag	aatcccggag	780
aagctcgaag	acggctctgg	gttgaacgca	cacgtggact	ccatttcatt	accaccttgc	840
agctcttgcg	ccacggaggc	tgctgctgcc	cggcggtgc	taccaccga	gaccacgtg	900
gccccctccc	aggggtgtag	gggtgacgg	tgtcttctgg	tgacagcaga	ggtgttgggt	960
ttgcgactga	tctctaacga	gcttgaggcg	caaacctagg	attccctgag	tggtgggggtg	1020
cggcgggggg	gcaagcaagg	tgggacgacg	cctgcctggt	ttccctgact	agttgcgggg	1080
ggtggggggc	ggctctcagg	ggccaccaga	agctgggtgg	gtgtacagga	aaatattttt	1140
ctcctgccgt	gtttggcttt	ttcctggcat	ttttgccag	ggcgaagaac	tgctgcgcgg	1200
ggcagctcca	ccgcggaggg	agaggggtcg	cgaggctggc	gcgggaagcg	ctgtaggtgg	1260
cagtcacccg	tccacgccgc	acaggccgtc	tgccgcgtcg	gaccatcggg	aggtctgcag	1320
caactttgtc	ccggccagtc	cccttgctcg	ggaaggggct	gagcttcccg	acactctacc	1380
ctccccctct	tgaaaatccc	ctggaaaatc	tgtttgcaat	gggtgtttcc	gcggcgctcca	1440
ggtctgggct	gccgggggag	gccgagcggc	tgctgcagcc	tccctgctgc	caggggcgtc	1500
ggactccgct	tcgctcacta	cgcccaggcc	cctcaggggc	ccacgctcag	gacttcgggg	1560

P030366Seq.TXT

ccacacagca	ggacccggtg	ccccgacgac	gagtttgcg	aggacccggg	ctgggccagc	1620
cgcgaggctg	gggaggaagg	ggcggggggtc	ggtgcagcgg	atcttttctg	ttgctgcctg	1680
tgcggcggca	ggaagcgtct	tgaggctccc	caagactacc	tgaggggccg	cccaagcact	1740
tcagaagccc	aaggagcccc	cggccacccc	cgctcctggc	ctttttgcca	acgactttga	1800
aagtgaaatg	cacaagcacc	agcaattgac	ttcccttccg	tggttattta	ttttgtcttt	1860
gtggatggtg	ggcagatggg	gagagaggcc	cctacctaac	ctcgggtggct	ggtccctaga	1920
ccaccctgc	cagccggtgt	ggggaggagc	tcaggtccgc	gggagagcga	atgggcgcca	1980
ggaggtggga	cagaatcctg	ggaaggtaca	gcggacgccc	tggaagctcc	cctgatgccc	2040
cagagggccc	ttcctgggaa	acctcccggg	ggggtgcccc	ataccatccc	acccggctgt	2100
cttggcccct	cccagggagc	cgcaggagaa	actagcccta	cacctgggat	tcccagagcc	2160
ttctgctggg	gtcctgccc	ccgacttcgg	ataaccagct	ccgcacaggt	ccccgagaag	2220
ggccgctggc	ctgcttattt	gatactgccc	cctcccagac	aggggctggt	cgagcccctg	2280
gttctgctgc	cagactgaag	ccttccagac	gccacctcgg	tttgggcccc	cagggccctc	2340
aggggccccca	ggagaggaga	gctgctatct	agctcagcca	caggctcgct	cctggtgggg	2400
gccaggctga	aggagtggac	cctggagagg	tcgggaacct	tttaacagcc	gtgggctgga	2460
gggtggctac	taagtgttcg	gtctgggaag	aggcatgacc	cgcaccatcc	cggggaaata	2520
aacgacttct	taagggaatc	ttctcgctga	gcgggtgctc	tgggccagga	gattgccacc	2580
gccagcccac	ggaaccaga	tttgggctct	gccttgagcg	ggccgcctgt	ggcttcccgg	2640
gtcgtcccc	cgactcagaa	agctctcaag	ttggtatcgt	tttcccggcc	ctcggagggtg	2700
gattgcagat	caccgagagg	ggatttacca	gtaaccacta	cagaatctac	ccgggcttta	2760
acaagcgctc	atttctctcc	cttgtcctta	gaaaaacttc	gcgctggcgt	tgatcatatc	2820
gtacttgtag	cggcagctta	ggggcagcgg	aactggtggg	gttgtgcgtg	cagggggagg	2880
ctgtgaggga	gccctgcact	ccgcccctcc	acccttctgg	aggagtggct	ttgtttctaa	2940
gggtgcccc	ccaacccccg	ggtccccact	tcaatgtttc	tgctctttgt	cccaccgccc	3000
gtgaaagctc	ggctttcatt	tggtcggcga	agcctccgac	gcccccgagt	cccaccctag	3060
cgggcccgcg	ggcactgcag	ccgggggttc	ctgcggactg	gcccgcagag	gtgcgcggac	3120
ggggacgcgg	gccccgagca	ccgcgacgcc	agggtccttt	ggcagggccc	aagcaccctt	3180

<210> 59

<211> 1038

<212> DNA

<213> Homo sapiens

<400> 59

tggcgccgg	cgggcacagc	cggctcattg	ttctgacta	caaccactcg	ggccggctgg	60
ccgggcgcgg	ggggccggag	gatggcggcc	tgggggccct	gcgggggctg	tcggtggccg	120
ccagctgcct	ggtggtgctg	gagaacttgc	tgggtgctggc	ggccatcacc	agccacatgc	180

P030366Seq.TXT

ggtcgcgacg ctgggtctac tattgcctgg tgaacatcac gctgagtgac ctgctcacgg	240
gcgcggccta cctggccaac gtgctgctgt cgggggcccc caccttccgt ctggcgcccc	300
cccagtggtt cctacgggag ggcctgctct tcaccgccct ggccgcctcc accttcagcc	360
tgctcttcac tgcaggggag cgctttgccca ccatggtgcg gccggtggcc gagagcgggg	420
ccaccaagac cagccgcgtc tacggcttca tcggcctctg ctggctgctg gccgcgctgc	480
tggggatgct gcctttgctg ggctggaact gcctgtgcgc ctttgaccgc tgctccagcc	540
ttctgccccct ctactccaag cgctacatcc tcttctgcct ggtgatcttc gccggcgctcc	600
tggccaccat catgggcctc tatggggcca tcttccgcct ggtgcaggcc agcgggcaga	660
aggccccacg cccagcggcc cgccgcaagg cccgccgcct gctgaagacg gtgctgatga	720
tcctgctggc cttcctgggtg tgctggggcc cactcttcgg gctgctgctg gccgacgtct	780
ttggctccaa cctctggggc caggagtacc tgcggggcat ggactggatc ctggccctgg	840
ccgtcctcaa ctcggcgggtc aaccccatca tctactcctt ccgcagcagg gaggtgtgca	900
gagccgtgct cagcttcctc tgctgcgggt gtctccggct gggcatgcga gggcccgggg	960
actgcctggc ccggggccgtc gaggtcact ccggagcttc caccaccgac agctctctga	1020
ggccaaggga cagctttc	1038

<210> 60
 <211> 374
 <212> DNA
 <213> Homo sapiens

<400> 60	
tagtaaggca ccgaggggtg gtcctctctc ctgcagcggc tgtcgcttac catcctgtag	60
accgtgacct cctcacacag cgccaggacg aggatcgcg tgagccagca ggtgactgcg	120
atcctggagc tggtcgcagc aggccatcct gcacgcgggtg gaggcgcccc ctgcaggccg	180
cagcgcaccc ccagcttctg gacgcactgt gagcggttat gcagcagcac gtcatatga	240
gatgccccgc aggggtgctat gcaggccac gtccccacaa agcccatggc aggcgcccgg	300
gtgccggagc acgcacttgg ccccatggat ctctgtgccc agggctcagc caggcatctg	360
gccgctaaag gttt	374

<210> 61
 <211> 246
 <212> DNA
 <213> Homo sapiens

<400> 61	
tctcatctga gcgctgtctt tcaccagagc tctgtaggac tgaggcagta gcgctggccc	60
gcctgcgaga gcccgaccgt ggacgatgcg tcgcgccctt cccatcgcgg cctgggcggg	120
ccgcctgcc ctcggtgtag cccggtttcc ctaccccggg gcacctcccc tcgcccgcac	180
ccggccccag tcctccag gcttgccgggt agagcctgtc tttgccaga aggcgtctc	240
caagct	246

P030366Seq.TXT

<210> 62
 <211> 222
 <212> DNA
 <213> Homo sapiens

<400> 62
 cagtccccga ggccctcccc ggtgactcta accagggatt tcagcgcgcg gcgcggggct 60
 gcccccaggc gtgacctcac ccgtgctctc tccctgcaga atctcctacg acccggcgag 120
 gtaccccagg tacctgcctg aagcctactg cctgtgccgg ggctgcctga ccgggctgtt 180
 cggcgaggag gacgtgcgct tccgcagcgc ccctgtctac at 222

<210> 63
 <211> 2209
 <212> DNA
 <213> Homo sapiens

<400> 63
 agagagacat tttccacgga ggccgagttg tggcgcttgg ggttgtgggc gaaggacggg 60
 gacacggggg tgaccgtcgt ggtggaggag aaggtctcgg aactgtggcg gcggcgggcc 120
 ccctgcgggt ctgcgcggat gaccttggcg ccgcgggtggg ggtccggggg ctggctggcc 180
 tgcaggaagg cctcgactcc cgacacctgc tccatgaggc tcagcctctt cacgcccagc 240
 gtcgggctgg ccacgcgggc agcttctggc ttcggggggg ccgcgatagg ttgcggcggg 300
 gtggcgggcca cacaaaagc catctcggtg tagtcacat tgtccccggg gtccgaggac 360
 aacgatgagg cggcgcccgg gccctgggcg gtggcaacgg ccgaggcggg gggcaggcgg 420
 tacagctccc ccggggccgg cggcggtggc ggcggtgca gagacgacga cggggacgcg 480
 gacggacgcg ggggcaacgg cggatacggg gaggaggcct cgggggacag gaggccgtcc 540
 aaggagccca cggggtggcc gctcggggcg cccggcttag gagacttggg ggagctgaag 600
 tcgaggttca tgtagtcgga gagcggagac cgctgccggc tgtcgtgct ggtgcccggg 660
 gtgcctgagc ccagcgacga ggccgggctg ctggcggaaca agagcgagga ggacgaggcc 720
 gccgacgcca gcaggggagg cgcgggcggc gacaggcggg ccccgggctc gccaaagtcg 780
 atgttgatgt actcgccggg gctcttgggc tccggtggca gtgggtactc gtgcatgctg 840
 ggcaggctgg gcagcccctc cagggacagg cgcgtgggccc tcaccgcccg gccgcgctgg 900
 cccaagaagc cctccggggc gccgccgcta ggccgcacgg gcgaaggcac tacagggtga 960
 gggggctgcg tggggccggc cccgaaggcg ctggccgcct ggctggggcc tggcgtggcc 1020
 tgaggctcca gacgtcctc ctccaggatg cgccccacgg gggagctcat gaggacgtac 1080
 tggtcgctgt ccccgccaca ggtgtagggg gcctttagtag agcggggcaa ggagctgtag 1140
 cagcagccgg gaacgcccct gagcggctcc ccgccggggt gcagggctgc ggagaagaag 1200
 tcgggccccg tgcccgtggt gaccgcgtcg ctgggggaca cgttgaggta gtccccgttg 1260
 ggcagcagct tgccatctgc atgctccatg gacagcttgg aaccgcacca catgcgcatg 1320
 taccactgt cctcggggga gctctcggcg ggcgagctgg cctttagacc gccccgctc 1380

P030366Seq.TXT

gccgggaatg	tcctgcccgc	cgcagaggtg	ggtgctggcc	ccgcaggccc	cgcagaaggc	1440
acggcggcgg	cggcggcggc	ggcggccctg	ggctgcaaga	tctgcttggg	ggcggacacg	1500
ctggcggggc	tcattgggcat	gtagtcgtcg	ctcctgcagc	tgccgctccc	actgcccgcg	1560
agggccgcgc	cgggcgtcat	gggcatgtag	ccgtcgtctg	ccccagggtt	gctgctggag	1620
ctcctgtggg	agccgatctc	gatgtctccg	tagtcctctg	ggtaggggtg	gtaggccacc	1680
ttgggagagg	acgcggggca	ggacgggcag	aggcggcccc	cgtgcccga	gaagggtggc	1740
cgcattcagg	tgtattcatc	cagcgaggca	gaggagggtc	ggggcaccgg	ccgtgcccgg	1800
gctggcgtgg	tcaggaggta	ggtcctcttg	cgcagccctc	ggtccaggtc	ctgggccgcg	1860
tccccgaga	ccgggcggta	ggagcggcca	cagtggctca	ggggcctgtc	catggtcatg	1920
taccctaga	actcaccgcc	gccgccgccg	tctcggggccg	ggggcgtctc	cgcgatggac	1980
tcgggcgtgt	tgcttcgggtg	gctgcagaag	gcgcgcagggt	cgcctgggct	ggagccgtac	2040
tcgtccagg	acatgaagcc	ggggtcgtg	ggggagcccc	aggcggaggc	gctgccgctg	2100
gagggccgct	ggccggggcc	gtggtgcagc	ggatgcggca	gaggcgggtg	cgggccgggc	2160
ggcggcgggt	aggagcccga	gccgtggccg	ctgctggacg	acagggagc		2209

<210> 64
 <211> 149
 <212> DNA
 <213> Homo sapiens

<400> 64	
taacctaaag	aatgaagtca tgccccggcc tgcacccggg aaactgcaca cagcgaaaga 60
tcgccactga	gataaagagc tgaaagctat tcccgaattc agctgtttca gccgtgcggt 120
ctcacaatgg	gctcacagac ggcagcatc 149

<210> 65
 <211> 832
 <212> DNA
 <213> Homo sapiens

<400> 65	
gtttccacaa	tccacctcgt agctggggcg tgccgcttgc ctcggcttgt cccggcagaa 60
cactcttacc	tttaattggcg actgaaaagt tgccacgagt tcctgatcat tgtggtagggt 120
gctgcgtgaa	gctgagacgt gcgtgagcca catcccaggg ggctttgagc ccccaccgcg 180
gcggcgggtg	aggggaggct tgtcgtactc gcacaggagg acacagggct gcagtgttca 240
ctccaggggc	tcttatcatt gggatctgag gaattttccg agaggaagtg cgaattaaca 300
atgatgaaag	gtttgtgagt gagtgacagg cacgttctat tgagcactgc atggggcatt 360
atgtgccacc	agagacgggg gcagaggcca agagccctcg agggctggga gagttcggag 420
gatagaagtc	atcagagcac aatgaagcca gaccctgcag ccgccttccc cttcgggggc 480
ttccttagaa	tgcagcattg cggggactga gctgtcccag gtgaaggggg gccgtcacgg 540
tgtgtggacg	cccctcggct cagccctcta agagactcgg cagccaggat gggctcaagg 600

P030366Seq.TXT

catgagccct	caaaggaggt	taggaaggag	cgagggagaa	aagatatgct	tgtgtgacgt	660
cctggccgaa	gtgagaacaa	ttgtatcaga	taatgagtca	tgtcccattg	aggggtgccg	720
acaaggactc	gggaggaggc	cacggagccc	tgtactgagg	agacgcccac	agggagcctc	780
gggggcccag	cgtcccggga	tcactggatg	gtaaagccgc	cctgcctggc	gt	832

<210> 66
 <211> 256
 <212> DNA
 <213> Homo sapiens

<400> 66	
tccagctgca	gcgagggcgg ccaggccccc ttctccgacc tgcaggggta gcgcggcctc 60
ggcgccggag	acccgcgcgc tgtctggggc tgcggtggcg tggggagggc gcggcccccg 120
gacgccccga	ggaaggggca cctcaccgcc cccaccaga gcgcctggcc gtgcgggctg 180
cagaggaccc	ctccggggca gaggcaggtt ccacggaaga ccccgggccg ctggggcttc 240
cccggagact	ccagag 256

<210> 67
 <211> 184
 <212> DNA
 <213> Homo sapiens

<400> 67	
acttactgct	tcctaaagcg ctgggcacag ctttatatga ctgaccccgcc ccccgagtcc 60
caggccgccc	catgcaaccg cccaaccgcc caaccgccac tcctaaaggct accaaccact 120
gctccaggcc	acgggctgcc tctccccacg gctctagggc ctttccctc caccgcaggc 180
tgac	184

<210> 68
 <211> 118
 <212> DNA
 <213> Homo sapiens

<400> 68	
tgccacaccc	aggtaccgcc cgccgcgcg agagccgggc aggtggggcg cggatgctcc 60
cagaggccgg	cccagcagag cgatggactt ggacaggcta agatggaagt gacctgag 118

<210> 69
 <211> 1534
 <212> DNA
 <213> Homo sapiens

<400> 69	
tcgccagcgc	agcgtgggtc catgcaggtg ccacccgagg tgagcgcgga ggcaggcgac 60
gcggcagtg	tgccctgcac cttcacgcac ccgcaccgcc actacgacgg gccgctgacg 120
gccatctggc	gcgcggggca gccctatgcg ggcccgcagg tgttccgctg cgctgcggcg 180
cggggcagcg	agctctgcca gacggcgctg agcctgcacg gccgcttccg gctgctgggc 240
aaccgcgcgc	gcaacgacct ctcgctgcgc gtcgagcgcc tcgccctggc tgacgaccgc 300

P030366Seq.TXT

cgctacttct gccgcgtcga gttcgccggc gacgtccatg accgctacga gagccgccac	360
ggcgtccggc tgcacgtgac aggcgagggc gcgtgggagc ggggtccccg cctcccttcc	420
cgccctcccg cctgccccgc cccaagggct acgtgggtgc caggcgctgt gctgagccag	480
gaagggcaac gagaccagc cctctcctct accccagga tctcacacct gggggtagtt	540
taggaccacc tgggagcttg acacaaatgc agaatccagg tcccaggaag ggctgaggtg	600
ggcccgggaa taggcattgc cgtgactctc gtagagtgc tgtccccagt ggctctcaga	660
cgaagaggcg agaaagacaa gtgaatggca atcctaaata tgccaagagg tgcaatgtgg	720
tgtgtgctac cagcccggaa agacactcgc agcccctcta cccaggggtg cacagacagc	780
ccaccaagta gtgcctagca ctttgccaga ccctgatata caaagatgcc tgaaccaggg	840
tcccgctccct agagcagtgg ctctccactc tagccccac cctgctctgc gacaataatg	900
gccacttagc atttgctagg gagccgggac ctagtccaag caccacaag catgaatttg	960
ccaaatcttt tcagcaacct cttaaggcaa ctgctatcat gatcctcact ttacacatgg	1020
agaagcagaa gcagagatga tagaatcttt cgcccaaggc cacatctgta ttgggacggg	1080
ggcagcctgg cacccaagtg cccattcctc ctttctgacc agccccacc cctccggctc	1140
tggcgtcaa agggctaagg ggaggggtgc ctttgtgaca gtcaccgcc ttctcccctg	1200
cagccgcgcc gcggatcgtc aacatctcgg tgctgccag tccggctcac gccttcgcg	1260
cgctctgcac tgccgaaggg gagccgccgc ccgccctcgc ctgggtccggc ccggccctgg	1320
gcaacagctt ggagccgtg cggagcccgc gtgaggggtca cggccaccta gtgaccgccg	1380
aactgcccgc actgaccat gacggccgct acacgtgtac ggccgccaac agcctgggcc	1440
gctccgaggc cagcgtctac ctgttcgct tccatggcgc cagcggggcc tcgacggctg	1500
ccctcctgct cggcgctctc ggcttcaagg cgct	1534

<210> 70
 <211> 269
 <212> DNA
 <213> Homo sapiens

<400> 70	
atgaacttca agggcgacat catcgtggtc tacgtcagcc agacctcga ggagggcgcg	60
gcggcggtg cggagcccat gggccgccc gtgcaggagg agaccctggc gcgccgagac	120
tccttcgcgg ggaacggccc gcgcttccc gaccgtgctg gcggccccga ggggtgcgg	180
gagccggaga aggcctcag gccggtgcag gagcaaggcg gggccaaggc ttgagcgccc	240
cccatggctg ggagcccga gctcggagc	269

<210> 71
 <211> 282
 <212> DNA
 <213> Homo sapiens

<400> 71	
tcagtgttat gtggggagcg ctagatcgtg cacacagtag gcgtcaggaa gtgttttccc	60

P030366Seq.TXT

cagtaattta ttctccatgg tacttttgcta aagtcatgaa ataactcaga ttttgttttc	120
caaggaagga gaaaggccca gaatttaaga gcaggcagac acacaaccgg gcacccccag	180
accctggccc ttccagcagt caggaattga cttgccttcc aaagccccag cccggagctt	240
gaggaacgga ctttcctgcg cagggggatc ggggcgcact cg	282

<210> 72
 <211> 142
 <212> DNA
 <213> Homo sapiens

<400> 72 gtggaaacac aacctgcctt ccattgtctg cgcttccaaa acacaccccc cgcgcatccg	60
tgaagctgtg tgtttctgtg ttactacagg ggccggctgt ggaaatccca cgctccagac	120
cgctgcccgg gcaggcccag cc	142

<210> 73
 <211> 741
 <212> DNA
 <213> Homo sapiens

<400> 73 tccacacctc gggcagtcac taggaaaagg gtcgccaact gaaaggcctg caggaaccag	60
gatgatacct gcgtcagtcg cgccggctgct gcgagtgcgc gctctcctgc cagggggacc	120
tcagaccctc ctttacagca caccgagggc cctgcagaca cgcgagcggg ctttcagttt	180
gcaaaccctg aaagcgggcg cgggtccacca ggacgatctg gcagggtctt ggggtgaggag	240
gccgctctt tatttggggt cctcgggcag ccacgttgca gctctggggg aagactgctt	300
aaggaacccg ctctgaactg cgcgctggtg tcctctccgg ccctcgttcc cccgaccccc	360
cacaggctaa cgggagacgc gcaggcccac cccaccggct ggagaccccc gcacggcccc	420
catccgccag gattgaagca gctggcttgg acgcgcgcag ttttcctttg gcgacattgc	480
agcgtcgggt cggccacaat ccgtccactg gttgtgggaa cggttggagg tcccccaaga	540
aggagacacg cagagctctc cagaaccgcc tacatgcgca tggggcccaa acagcctccc	600
aaggagcacc caggtccatg caccgagcc caaaatcaca gaccgctac gggcttttgc	660
acatcagctc caaacacctg agtcacgtg cacaggctct cgcacagggg actcacgcac	720
ctgagttcgc gctcacagat c	741

<210> 74
 <211> 4498
 <212> DNA
 <213> Homo sapiens

<400> 74 ctgccctcgc ggatctcccc cggcctcgcc ggcctccgcc tgtcctccca ccaccctctc	60
cgggccagta cttgaaagc gatgggcagg gtcttggtgc agcgccagtg cgtaggcagc	120
acggagcaga ggaagtggg gctgtcgggt cgcaccagct cgcccggtg gtcggccagc	180
acctccacca tgctgcggtc gccgctctc agcttgccgg ccagggcagc gccggcgctc	240

P030366Seq.TXT

ggggcgccca	gcggcaacgc	ctcgctcatc	ttgcctgggc	tcagcgcggt	ggaaggcggc	300
gtgaagcggc	ggctcgtgct	ggcatctacg	gggatacgca	tcacaacaag	ccgattgagt	360
taggaccctg	caaacagctc	ctaccagacg	gcgacagggg	cgcggatctt	cagcaagcag	420
ctcccgggag	accaacatac	acgttcaggg	gcctttatta	ctgcgggggg	tggggggggg	480
cgggggtggt	taggggagga	gggagactaa	gttactaaca	gtccaggagg	ggaaaacggt	540
ctggttctgc	ggatcggcct	ctgaccaggg	atgggctcct	agcaaccgat	tgcttagtgc	600
attaaaaagt	ggagactatc	ttccacgaat	cttgcttgca	gagggttaagt	tctgtctttg	660
gctgttagaa	aagtctctga	aggcaaaatt	ctcatacact	tcctaaaata	tttatgcgaa	720
gagtaaaacg	atcagcaaac	acattatttg	gaagttccag	tagttaatgc	ctgtcagttt	780
tttgagggtg	agttttgtct	aaagtcccaa	cagaacacaa	ttatctcccg	taacaaggcc	840
acttttatca	tgcaaaactg	gcttcagtcc	cgaaaagcaa	gagctgagac	ttccaaagggt	900
agtgtacta	atgtatgtgc	acgtatatat	aaatatatac	atatgctcta	cttcataaaa	960
tatttacaat	acaatctgtg	gagaatttaa	acacaacaga	aatccattaa	tgtacgctgc	1020
agattttttt	aagtagcctt	gaaaatcagc	ttcagtagtt	ggagcagtg	tgagctagaa	1080
gtacttgtca	tgttctctgt	tctctcaatg	aattctgtca	aaacgctcag	tgcaaaaaat	1140
tcagcgtttc	agagatcttc	agctaatctt	aaaacaacaa	tcataagaag	gcccagtcga	1200
tgacactcag	ggttctacag	ctctcccaca	tctgtgaact	cgggtttggg	gatgttgggt	1260
aagtttgtgg	ctggctctct	ggtttgttgg	gagttgagca	gccgcagagt	cacacacatg	1320
caaacacgca	ctcttcggaa	ggcagccact	gtctacatca	gctgggtgac	tcagccctga	1380
ctcgggcagc	agcgagacga	tactcctcca	ccgtcgccca	gcacccgccg	gttagctgct	1440
ccgaggcacg	aacaccacg	agcgccgcgt	aaccgcagca	ggtggagcgg	gccttgaggg	1500
agggctccgc	ggcgagatc	gaaacagatc	gggcggctcg	ggttacacac	gcacgcacat	1560
cctgccacgc	acactgccac	gcacacgcaa	cttcacggct	cgcctcggac	cacagagcac	1620
tttctcccc	tgttgtaaaa	ggaaaacaat	tggggaaaag	ttcgcagcca	ggaaagaagt	1680
tgaaaacatc	cagccaagaa	gccagttaat	tcaaaaggaa	gaaaggggaa	aaacaaaaaa	1740
aaacaacaaa	aaaaggaagg	tccaacgcag	gccaaggaga	agcagcagag	gttgacttcc	1800
ttctggcgtc	cctaggagcc	ccggaaagaa	gtgcctggcg	gcgcagggcc	gggcagcgtg	1860
gtgccctggc	tgggtccggc	cgcggggcgc	ccgtcccgc	cgcgcccgt	ggctctatga	1920
atgagagtgc	ctggaaatga	acgtgctttt	actgtaagcc	cggccggagg	aattccattc	1980
cctcagctcg	tttgcatagg	ggcggccggc	ggccaatcac	aggcctttcc	ggtatcagcc	2040
agggcgcggc	tcgccgccgc	cggctcctgg	aattggcccc	cgcgcccccg	ccgccgcgcc	2100
gcgcgctact	gtacgcagcc	cgggcgggga	gtcggaggcc	acccccgcgc	cccgcattcca	2160
agcctgcatg	ctggcccggg	gccccgcccc	cgtgcggacc	cctttccgca	gccacacgca	2220
ggcttgtg	gctccgcgag	tggccacggg	ccggagacct	ggaaaaagaa	agcaggcccc	2280

P030366Seq.TXT

gccggccccga	ggaggacccg	gccggcgcg	cgaccccgga	gaggcccggc	cccgcgagcc	2340
gctgcaggca	ggcgagtg	ccgccacgag	gctcccgaac	cgggctgcag	cccgcggacg	2400
gccccagatc	ctgcgcggcc	gcccagggcc	aggcctccgc	ttccagggcg	ggggtgcgat	2460
ttggccgcgg	ggcccggggg	agccactccg	cgctcctgca	ccgtccggct	ggcagctgcg	2520
gcgaagcggc	gctgattcct	tgcattgaggc	cggacggcgt	ccgcgcgtgc	cgtttgctct	2580
cagcgtcttc	ccttgggtcg	gtttctgtaa	tgggtgtttt	ttaccgctgc	gcccgggccc	2640
cggctcgatc	cctccgcgcg	tctacttg	tgcgtgcgtc	agcggccagc	gaagagtttc	2700
ctagtcagga	aagaccccaa	gaacgcgcgg	ctggaaggaa	agttgaaagc	agccacgcgg	2760
cttgctcccc	ggcctttag	cgccggcacc	cgacgcagcc	ggacagcctg	cccgggcccc	2820
gcgtctcccc	tccggctccc	cgaagcggc	ccccgctcct	ctccccgccc	ccgtgcgctc	2880
gagcggcccc	aggtgcggaa	cccaccccg	cttcgcgtgc	gggcggccgc	ttccccctgc	2940
gccggtcccc	gcggtgctgc	gggcattttc	gcggagctcg	gagggccccg	ccccgggtcc	3000
ggcgtgcgtc	gccaactccg	accccgcccc	gcggggctcc	ctcccagcgg	aggctgctcc	3060
cgtcaccatg	agtcctcca	cgccctccct	gccgggccct	gcacctcccg	gggcctctca	3120
tccaccccg	ggctgcaacc	cagtccccg	atcccgcccc	cgttccaccg	cgggctgctt	3180
tgtggtcccc	gcggagcccc	tcaattaagc	tccccggcgc	gggggtccct	cgccgacctc	3240
acggggcccc	tgacgcccgc	tcctccctcc	cccagggcta	gggtgctgtg	gccgctgccg	3300
cgcagggact	gtccccgggc	gttgccgcgg	gcccggacgc	aggagggggc	cggggttgac	3360
tggcgtggag	gcctttcccc	ggcggggccc	gactgcgcgg	agctgtcggg	acgcgccgcg	3420
ggctctggcg	gacgccagg	ggcagcagcc	gcctccctg	gacgccgcgc	gcagtccccg	3480
gagctccccg	aacgcccccg	acggcgcggg	gctgtgcggc	ccgcctcgtg	gccttcgggt	3540
cggccgggaa	gaactagcgt	tcgaggataa	aagacaggaa	gccgccccag	agcccacttg	3600
agctggaacg	gccaaggcgc	gtttccgagg	ttccaatata	gagtcgcagc	cggccagggtg	3660
gggactctcg	gaccaggcct	ccccgctgtg	cggcccggtc	ggggtctctt	cccgaagccc	3720
ctgttcctgg	ggcttgactc	gggccgctct	tggctatctg	tgcttcagga	gcccgggctt	3780
ccgggggggct	aaggcggg	gcccgcggcc	tcaaccctct	ccgcctccgc	tccccctggg	3840
cactgccagc	acccgagttc	agttttgttt	taatggacct	ggggtctcgg	aaagaaaact	3900
tactacattt	ttcttttaaa	atgatttttt	taagcctaata	tccagttgta	aatccccccc	3960
tccccccgcc	caaacgtcca	ctttctaact	ctgtccctga	gaagagtgc	tcgcgcgcgc	4020
ccgccccgcc	gcaggggccc	cagcgccttt	gcctgcgggt	tcggacgcgg	cccgtcttag	4080
aggcaagttc	tgggcaagg	aaaccttttc	gcctgggtctc	caatgcattt	ccccgagatc	4140
ccaccagg	ctctggggc	cacccccacg	tgcattcccc	ggaacccccg	agatgcggga	4200
gggagcacga	gggtgtggcg	gctccaaaag	taggcttttg	actccagggg	aaatagcaga	4260
ctcgggtgat	ttgcccctcg	gaaagggtcca	gggaggctcc	tctgggtctc	gggccgcttg	4320

P030366Seq.TXT

cctaaaaccc	taaacccccgc	gacgggggct	gcgagtcgga	ctcgggctgc	ggtctcccag	4380
gagggagtca	agttccttta	tcgagtaagg	aaagttggtc	ccagccttgc	atgcaccgag	4440
tttagccgtc	agaggcagcg	tcgtggggagc	tgctcagcta	ggagtttcaa	ccgataaa	4498

<210> 75
 <211> 453
 <212> DNA
 <213> Homo sapiens

<400> 75	
ttcgggaagtg	agagttctct
gagctgccc	tggtgggtga
acagcagcgc	ctccatcaca
ccggggcgga	gcggcctttg
gctcgagac	cggggagacg
gggacccgag	gccaagcgag
cccgggtccc	cgcgcccacc
gcaccgcacg	gagatcgcg
	tggccgtgga
	cag
	60
	120
	180
	240
	300
	360
	420
	453

<210> 76
 <211> 560
 <212> DNA
 <213> Homo sapiens

<400> 76	
acgcacactg	ggggtgtgat
gggacgcgac	ggggaggggt
gggaggggtg	ggcgcacacc
gcatgatggg	gaggagtggg
accggggggc	gcgatgggga
tgcacacggg	gcgcgatggg
gaaggagagg	ggtgggcgca
gggtgaatac	cggggtcgcg
caggcccctc	agagcgcgcc
cgtgcactcg	acacaggatc
	60
	120
	180
	240
	300
	360
	420
	480
	540
	560

<210> 77
 <211> 157
 <212> DNA
 <213> Homo sapiens

<400> 77	
ccacaggggtg	gggtgcgccc
ggaatcagga	cccacagggc
	60
	120

P030366Seq.TXT
gaacacccgt cagcccatcc agaggctaga aggggga 157

<210> 78
<211> 114
<212> DNA
<213> Homo sapiens

<400> 78
ttgaggtctc tgtgcatgct tgtgcgtacc ctggactttg ccgtgagggg tggccagtgc 60
tctgggtgcc tttgccagac aactgggtctg ccgggccgag cattcatgct ggtc 114

<210> 79
<211> 104
<212> DNA
<213> Homo sapiens

<400> 79
tgacgcgccc ctctccccgc agctccacct ggttgcgctc aacagcccc tgtcaggcgg 60
catgcggggc atccgcgggg ccgacttcca gtgcttcag cagg 104

<210> 80
<211> 659
<212> DNA
<213> Homo sapiens

<400> 80
aacacactgt ctgcactag gtgctcgcg aagagcgcg cgtcgatgct gcggctcagg 60
ttgatgggcg atggcgggcg cagatccagc tcgctcagcg atggcgccgg tcccacaccg 120
ttgcgggaca gtcccgggccc accctgggggt ccgcgaccca acgacgcagc cgagccccag 180
gcgcctgaac tgggcgtggc cagctgcccc ctctccgccg ggttgcggat gaggctcttg 240
ctgatgtcca agctgcctgc accaacgttg ctggggcctg catagcagtt attgggtcgc 300
tccggcacct cgctctttcc tgacggcgcc gggcacgcca gacgcatcag cttagcccag 360
caagcgtgct ccgtgggcg cctgggtctc gcggcagcca ccgcggccaa cgccaggggcg 420
agcggccatg tcagctccag gaggcgcagc cagaagtgga caccaccca ggcccacgag 480
aagcggccca cgcggcctgg gcccgggtac agccagagcg cagccgccag ctgcaagccg 540
ctagccagca gcccagcgc gcccgccaca gccaacagcc gagggcccgg gctggcatcc 600
cagccccgtg ggccgtccag caggcggcga cggcacaggc agagcgtgcc cagagccac 659

<210> 81
<211> 813
<212> DNA
<213> Homo sapiens

<400> 81
gtctgcacga agcccgcggc ggcctgcagg gggcccagcg actcgtccag ggaaccggtg 60
cgcaggagca gccggggggcg cggcgcgccg gccgcccttg ggggactctg gggccggggg 120
cgcagctcga tctgacgctt gggcactgtc cggggccttg cgggcgcggc gccctcctcc 180
agagccacct ccacacactc gaactgcgct ggggcggcag gacttgcccc acggggccgc 240

P030366Seq.TXT

agctctaggt aggtggccca gcgggagcca ccatcgggga cctgggactg gcgtgggacc	300
gcggcgggag acgctggccc cggcggcaag gggctgatga aggccggctc cgtgaactgt	360
tgttgcgctt cgcatcgctc tgcgccggag cagccgaaca ggggtccgac gccgaagatg	420
acttccatct cccccgacgg cagcgtgctc agctggggct ggggtggccg tgggccggaa	480
cctgggcctc gcgggaaacc cgagccgggc ccgtgccgct ggcggctatt ctgggcgctg	540
acggacaggc gaggtgctc gcccgcccc cgcccaggag ccaccaggg ccaattcgct	600
gggcctttcg cgtccggccc aacgtccggg ggctccggag aacctggagc cgtgtagtag	660
gagcctgacg aaccggagga gtcctggcgc cgcgcggggg ccgtgggcag ctgcctcggg	720
atcccaggca gggctggcgg ggcgagcgcg gtcagcatgg tggggccgga cgccgtgcac	780
tatctccctc gcattcgctt ccgctggtgg cgc	813

<210> 82
 <211> 440
 <212> DNA
 <213> Homo sapiens

<400> 82 ctggagagaa ctatacgggc tgtgggagtc accgggagac tatcaccggg cctcctttcc	60
acatcctcct ccgggaaggg accccgttcc gggcctcgac cggcgcagac tgggctgacc	120
cactttcttg ggccactga gtcacctga aacctccagg ccggtagcgg ggaggagagg	180
aggagcaggc ggggtgcca aggtgtgggc tgcgccttg ttagggggcg agcccggtt	240
gtttatgagg aggagcgcg aggaggatcc agacacacag gcttgcgctc ccagactcgc	300
ccggccagcg gctggcgcc tccgacgtca ccaaaccggt tgggtgagag ggcagagagc	360
agggggaagg gccgcagtcc cgcccgcgcc ccccggcacg caccgtacat cttgccctcg	420
tctgacagga tgatcttccg	440

<210> 83
 <211> 252
 <212> DNA
 <213> Homo sapiens

<400> 83 gagtgcggag tgaaggggtg cactgggcac tcagcgcggc ccttgggagg cagggccgcc	60
ccagcctgcc ctctgtctg ggaaggccgt ccagaagcag gagccccggg gaaaacaact	120
ggctggacgg ggcggcctt agtgtctctc ccagcctgag agtcgcttcc caccacctgg	180
gcacgaacct gctctgcgat ctccggcaag ttctgctgcc tcctgtcggt aaaatgcaga	240
tcgtggcgtc tt	252

<210> 84
 <211> 1539
 <212> DNA
 <213> Homo sapiens

<400> 84 tcttctttcc gccctaggg ggcacaagcg ggcattgtcca agcgcctagg agcccgtacc	60

P030366Seq.TXT

gctggggacc	tccccctccg	cgaacccccga	gcgggtagac	ccagagcaat	ccgagtgtgg	120
aaacaatgga	gagggggcgt	gttgagctgg	ggctctccatg	cctcgttggg	gagagggagg	180
tgagtttgtg	tcttctggaa	ggcgtggggg	ctgtgccctc	gtgggggtag	gaagtgtctc	240
cgtggggcgg	ggtgcggatc	ggagaggtga	gtgggtgcgt	ctgtccagcg	gtccgcccgg	300
tgtggctctg	cccgccccgc	gtggggatgg	gggtgtctct	cccgtgggc	aactatacca	360
gcgcaaccgg	ggcgtcggcg	cggccccacgc	tagcggcgct	gctccggcgg	cgggggctgg	420
gcgtggcgg	gatgtctggc	gtggtggccg	cgttggcgct	ggtggccgcg	ctgccgccct	480
cacccgggca	gccgtgctgg	agaaggatgt	cggcgacacg	ctggcttcca	gcctggcggg	540
cgtagaacag	cgccgtgcgg	ccctgggcgt	cacgggccgc	cacgtccgcg	ccgtactaga	600
gggcggaaac	ggccgcgtga	ccgcgcgtcc	ccagggcgcc	cacacccggc	gccgcctccc	660
ccacatggcc	aagcctactt	ccgggggtccc	tctgggaatt	tcgggctttc	ccgcgccagg	720
cgttttccga	gatgaagcct	caaagacccc	ctttcctccc	cccagctcac	gtaccacacg	780
cagcagttgc	gtgatgacga	cgtgggcgag	ctcggccgcc	aggtggagtg	gggagcgcag	840
ctgtgggtcc	tctacgttgg	tgtcgagcgg	cccgtgtcgc	gcatgggcca	aaagcaggag	900
aacggtagcc	acgtcctggg	cctgcacggc	ggccccacagc	tggcggccca	gcggctcctc	960
cgagggtgctc	agcggcgcca	ggaacagtag	ctgctcgtac	ttggcgcgaa	tccacgactc	1020
gcgctcctcc	ctgcaagacc	agggatcaac	ggaaaaggct	ctagggaccc	ccagccagga	1080
cttctgcccc	taccacggg	accgtctcag	gttcgcacac	cctcagcaac	cctccccccg	1140
ctctgttccc	tcacgcttac	cgcgaagagt	cccgcgaggg	cttggcacgg	cctcgcgtgt	1200
cgctttccca	cacgcggttg	gccgtgtcgt	tgccaatagc	cgtcagcacc	agggtcagct	1260
cccgtggcca	gtcgtccaag	tccagcgagc	gaacgcggga	caggtgtgtg	cccaggttgc	1320
ggtggatgcc	agaacactcg	atgcagatga	gggcgcccag	gttcaagctg	gccacgtgg	1380
ggtctgcgga	aggagcgtag	aggtcggctc	ccagccgggc	agcacaggca	ccccggcatt	1440
cactacactc	cctagcccct	ccgtgcctc	ctggcactca	ctggggggccc	cgcagtccac	1500
gcagattgaa	ttccccttgg	cgttccggat	cgcctggat			1539

<210> 85

<211> 2648

<212> DNA

<213> Homo sapiens

<400> 85

agccagggtcc	agcccccgcg	cctgacaccg	gccggacgtt	cccggggcgc	cgcagctgcg	60
gcgggaactc	tgggatccgg	agccatctgc	tcccacccgc	tccggagcca	aacccccggg	120
gccgcctccg	ctccccgacc	cgcctcctct	cccgggagtg	tgagccgaac	caagagtctc	180
ctgcctatct	cctccagtag	gaaaatagta	ataataatag	acaccctgcc	cccgtaaaaa	240
acactacctt	ccccgtaccg	cctcccaagt	ctcccgggg	acggattgcc	tttgcagcag	300

P030366Seq.TXT

ttccgccccca	cctgactcac	tccaggggtca	gccccgggtg	ggtttcaatg	cggctctggg	360
gaggggggtgg	gcagtggggg	aagtgaggct	tcctatccgc	cccctctcac	ttcacattta	420
aatattctgc	acgttccagc	ccccgcggac	tcgcgtaccg	cccaatccgc	cttcaccgca	480
cgaaaaacat	cactagcctg	ctctcagccc	aggggacgac	tagtccctgg	cgagaagctg	540
cctgcaagggt	cactgtcatg	ccacctgccc	caagtgtca	ggggaaactg	aggcttcctc	600
atcccccttca	ccttcaacgt	cgctctaaac	acggcaaagc	cccgtttcca	tgctcccaga	660
gttcagctga	ggctggaagt	ggggtcctgg	gcttctctgg	gagcaatttt	ctagtcactc	720
tgatcaagga	cgttactttc	ccagaaagct	ctgaggctga	gtccctctga	aatcaagtcc	780
tttctcctgt	cgcacaatgt	agctactcgc	cccgtttcag	gactcctatt	ctttgccccca	840
atccttgaca	gaggggtgag	cttggttcat	ccgcccaccc	cagagaaaag	cttccttagt	900
ttcctggacc	tcgctcctcc	acccaagct	gagcattcca	ggtacccttc	cctccctggt	960
ctcaagccct	gactcaactc	actaggggaa	gcgcggagct	cggcgcccag	cagctccctg	1020
gacccgctgc	cagaagacag	gctggggggg	ccgggaaggg	gcccggagcc	aggaggccct	1080
cctgtgctct	tggtgaagat	gccgctgata	aacttgagca	tcttgcggtc	acgagtggat	1140
gctcggcccc	cctcccggcc	ccgtttcagc	cccggagctg	gaggctccag	agtgattgga	1200
ggtgcaggcc	cggggggctg	cgcggaagca	gcggtgacag	cagtggctgg	actcggagtt	1260
ggtgggaggg	ttagcggagg	aggagagccg	gcaggcggtc	ccggatgcaa	gtcactgttg	1320
tccaaggctct	tactcttgcc	tttccgaggg	gacaacttcc	ctcgggctcc	agccccagcc	1380
ccgacccac	cagaggctga	agctgtagag	ccccctcccc	cggcggcggc	ggcggtggcg	1440
gcggcagaga	ccgaagctcc	agtcccggcg	ctgctctttg	accccttgac	cctgggcttg	1500
ccctcgcttt	cgggccatga	caggcggcta	cccgcgccct	tgcccccgcc	ggctttggct	1560
ccactcgtgg	tcacggtctt	gcaaggcttg	ggagccggcg	gaggaggcgc	caccttgagc	1620
ctccggctgc	cggtgccagg	gtgcggagag	gatgagccag	ggatgccgcc	gcccggccgg	1680
ccttcgggct	ccgggcccgc	ccagctcggg	ctgctgagca	gggggcccgc	ggaggagggtg	1740
ggggcgcccc	caggcttggg	gtcggggctc	agtcccccg	agagcggggg	tcccggaggg	1800
acggcccaga	gggagaggcg	gcggccggga	gcgggggaga	ctgggggggc	cggactggcc	1860
ggagccgggg	acagggctgg	gggctccgcg	ccccgggtgc	ccgcgctgct	cgtgctgata	1920
cacagcgc	cctgccggtg	gaagagacgt	tcgtgccgct	tcttgcccgg	ctcctccgcg	1980
cctcgggggc	tgccaggatc	cccagtctcg	gagcctctgg	caccggcggc	gccggccgcg	2040
gccgcagacg	gagaaggcgg	cggcggaggc	accgactcga	gcttaaccag	ggtcagcgag	2100
atgaggtagg	tcgttgtccg	gcgctgaagc	gcgcccgcgc	cccggctcat	ggggcccggg	2160
gacccccgag	ctggggaggg	gaggggactc	ccccggactg	cctcaggggg	gcccggccat	2220
ggggccgccc	tgctcgtgc	ccccagcccc	cggaccccg	tgagcccccg	gcccggctcc	2280
gctgtcgccg	ccgcctccgc	cgcctccgct	tgcgcccccc	tcccatcaca	tggggcgccc	2340

P030366Seq.TXT

cctccccc	atg	ctcccc	gccc	tcgccccca	ccctctt	gga	gccccggg	ac	cttggtg	ctg	2400	
ctccaggg	gag	gcgcg	ccgga	ccgtccaccc	cggcctg	gggt	gggggcg	ctg	agatggg	tgg	2460	
gggaggg	cgg	ggagg	acagt	agtggggg	ca	aatggggg	agagagg	aaa	agggag	caga	2520	
aaagggg	acc	ggagg	ctagg	ggaaacga	ac	ctgtgcggg	gaggcagg	ggg	cgggga	attg	2580	
ggactca	agg	gacagg	ggcc	gcggatg	cgg	tcggaaag	agg	tctag	agg	agggtggg	aa	2640
gctagt	gg										2648	

<210> 86
 <211> 452
 <212> DNA
 <213> Homo sapiens

<400> 86												
aggagcg	caa	ggcttgc	cagg	gcatgct	ggg	agagcgc	cagg	gaacgct	ggg	agagcgc	ggg	60
aaatact	ggg	attggct	ccc	gagggct	gtg	aggaggg	cac	gagggg	acac	tccgat	gaag	120
gcagggc	acg	cggggcg	agc	cgggagc	gtc	tcctgag	ggc	agcgagg	agg	gagctg	aggc	180
acgcggg	ctc	tcaatcg	acg	ccccac	agag	accaag	aggc	ctggcct	tgg	ggggcag	ctg	240
cttgaag	gag	gcagagc	gga	agcgagg	gag	actgctg	gag	gccctgc	cgc	ccacccg	ccc	300
tttcctc	ccc	ctgagg	agac	gcctgac	gca	tctgcag	tgc	aggaggc	cgt	gggcgtt	aga	360
agtgttg	ctt	ttccagt	ttt	taagacc	att	ttcctga	ttc	tcttccc	ac	ggttgcg	gag	420
gagcagg	tca	gggccgc	cat	gagggc	agga	tc						452

<210> 87
 <211> 232
 <212> DNA
 <213> Homo sapiens

<400> 87												
tcgaccg	cta	ctattat	gaa	aacagcg	acc	agcccatt	tga	cttaacca	ag	tccaaga	aaca	60
agccgct	ggt	gtccagc	gtg	gctgatt	cgg	tggcatc	acc	tctgcggg	ag	agcgact	tca	120
tggacat	ctc	cgacatg	gtg	aaaaac	ctca	caggccg	cct	gacgccc	aag	tcctcc	acgc	180
cctccac	agt	ttcagag	aag	tccgatg	ctg	atggcag	cag	ctttgag	gag	gc		232

<210> 88
 <211> 221
 <212> DNA
 <213> Homo sapiens

<400> 88												
tgtgccg	tcg	cacacag	acg	ccctca	acgt	cggagag	ctg	tgagcggg	gc	cgtgctc	ttg	60
ggatggg	agc	ccccggg	aga	gctgccc	gcc	aacacc	actc	cgacgtg	atc	catgctg	ggac	120
ataaagt	gct	cttccct	ccg	ctagtc	atcg	gccgag	cggg	cccctc	gctc	ctgggtg	taaa	180
gttcttt	ctg	tgcgtc	cttc	tccatct	ccc	gtgcagt	tca	g				221

<210> 89
 <211> 477

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 89

ccatgcgccg	ctgcgcgcgc	gagttcgggc	tgctgctgct	gttcctctgc	gtggccatgg	60
cgctcttcgc	gccactgggtg	cacctggccg	agcgcgagct	gggcgcgcgc	cgcgacttct	120
ccagcgtgcc	cgccagctat	tgggtgggccc	tcctctccat	gaccaccgtg	ggctacggcg	180
acatgggtccc	gcgcagcctg	cccggggcagg	tgggtggcgct	cagcagcatc	ctcagcggca	240
tcctgctcat	ggccttcccc	gtcacctcca	tcttccacac	cttttcgcgc	tcctactccg	300
agctcaagga	gcagcagcag	cgcgcgggcca	gccccgagcc	ggccctgcag	gaggacagca	360
cgcactcggc	cacagccacc	gaggacagct	cgcagggccc	cgacagcgcg	ggcctggccc	420
acgactccgc	ggatgcgctg	tgggtgcggg	cagggcgctg	acgcctgcgc	cgccccac	477

<210> 90

<211> 1200

<212> DNA

<213> Homo sapiens

<400> 90

gtcctaacat	cccaggtggc	ggcgcgctgg	ctccctggag	cggggcgggga	cgcgggccgcg	60
cggactcacg	tgcacaaccg	cgcgggacgg	ggccacgcgg	actcacgtgc	acaaccgcgg	120
gaccccagcg	ccagcgggac	cccagcgcca	gcgggacccc	agcgccagcg	ggaccccagc	180
gccagcggga	ccccagcgcc	agcgggaccc	cagcgccagc	gggaccccag	cgccagcggg	240
tctgtggccc	agtggagcga	gtggagcgct	ggcgacctga	gcggagactg	cgccctggac	300
gccccagcct	agacgtcaag	ttacagcccc	cgcagcagca	gcaaagggga	aggggcagga	360
gccgggcaca	gttgatccg	gaggtcgtga	cccaggggaa	agcgtgggcg	gtcgacccag	420
ggcagctcg	gcggcgaggc	aggtgggctc	cttgctccct	ggagccgccc	ctccccacac	480
ctgccctcgg	cgccccagc	agttttcacc	ttggccctcc	gcggtcactg	cgggattcgg	540
cgttgccgcc	agcccagtgg	ggagtgaatt	agcgccctcc	ttcgtcctcg	gcccttcgga	600
cggcacgagg	aactcctgtc	ctgccccaca	gaccttcggc	ctccgccgag	tgcgggtactg	660
gagcctgccc	cgccagggcc	ctggaatcag	agaaagtcgc	tctttggcca	cctgaagcgt	720
cggatcccta	cagtgcctcc	cagcctgggc	gggagcggcg	gctgcgtcgc	tgaaggttgg	780
ggtccttggt	gcgaaagggg	ggcagctgca	gcctcagccc	caccccagaa	gcggccttcg	840
catcgctcg	gtgggcgttc	tcgggcttcg	acttcgccag	cgccgcgggg	cagaggcacc	900
tggagctcgc	aggggccaga	cctgggttgg	aaaagcttcg	ctgactgcag	gcaagcgtcc	960
gggagggggcg	gccaggcgaa	gccccggcgc	tttaccacac	acttcggggt	cccatgccag	1020
ttgcatccgc	ggtattgggc	aggaaatggc	agggctgagg	ccgaccctag	gagtataagg	1080
gagccctcca	tttctgccc	acatttgctca	cctccagttt	tgcaacctat	cccagacaca	1140
cagaaagcaa	gcaggactgg	tggggagacg	gagcttaaca	ggaatatattt	ccagcagtga	1200

P030366Seq.TXT

<210> 91
<211> 900
<212> DNA
<213> Homo sapiens

```
<400> 91
caccttcccc gagtaatta ttttctgggg ggtaggggtg ggggttggga gggagaagaa      60
aggaagaaaa agaaggccga tcacactggg caccggcgga ggaagcgtgg agtccattga      120
tctaggtact tgtggggagg ggagaacccg agcagcagct gcaaacggaa gggctgtgag      180
cgagcgggag ggcgggtggc tggcagcgag gccaccagca gggggggccc gggccgaggg      240
cgcgccacct cggcaccacg cgggcagccg gtgcggcggg gtcgccacgg ccaggggagc      300
gctgggtgcc caccatggca gttatgcaag cggtgacccc ctggtcttgc ctccccgccg      360
ccctgcactc cttcctcccc gctgccgaca cttggatctc tctagctctt tctctccctt      420
gtgttttcaa acaggaagtg cacggctgtc tataacgtgc tgccgggtct caggatggag      480
gagtgaagtc tcctgtcgcc gtggttccag cctccggagc tcgcccagc cgcgctccca      540
gagagcgccc tgagagaaca ggggtggccg ttggtccagg tgcgcggggt cgggtctggg      600
tccagggagc gggtcgggaa gtctgcggca cggagcactg ctagtgtcgg atctgcatct      660
ccagctctgt gctgcagctt cacttgcccc cccccacca ctggcttctc acccggggtc      720
tctgcaaac tctggctgct gccgccctgg gttcgggccc gcggaaggcc ctgggcgtgc      780
gctgcggagc cgctgcgag gactccacta gggcgctttc caggctggac tgccccgggc      840
tgcgctggag ctgccagtgc tcggggagtc ttcttgaggt cccagctgc cctctccacc      900
```

<210> 92
<211> 200
<212> DNA
<213> Homo sapiens

```
<400> 92
ctcttcccaa gttacgccac cggtcgagga cggcaggaga ccccgagtg cagagaaagc      60
tcaaaccggc agcgaagtcg gtcctagcca agctgaaaaa acgtctcgga tttcgcgagc      120
agcggcctag acacagcccc atcttccagt cctagtgcgc ttggtcgagc ggttctatcc      180
ttttgcaaag aagccggaag                                     200
```

<210> 93
<211> 400
<212> DNA
<213> Homo sapiens

```
<400> 93
tctcggttgc aatccccacc ctctcacc agcagggcag gaggcacca acttgaggga      60
gaaaggggtg ggggaggtga aacagagacc ggagagtcac gagggtctgg ccgccgagag      120
caggagaata taccgtgtca cacacctca ttctctcaca cacgttgagc acacaaatca      180
ctgacggttt ccacgtgctg cgctcgtgag cggaggtgtt caaagagggg gcagatgagt      240
tacttcccga gacggaaccg ggggtcccac gtccgccgcc ttcagtagca caaccaatct      300
```

P030366Seq.TXT

ctgaacactc aaaccgcgca tctctggcgc atcaccatcc tattaaggc cacgggctcc 360
gcccttttcc tcccctccct tcttttccac tctttttcca 400

<210> 94
<211> 700
<212> DNA
<213> Homo sapiens

<400> 94
ctgccagaga tgtgtctgtc ttgcgccccg catgcactgc ctgcggggct gcgctgact 60
ccccggcggc gccacgggtc tggccccgc gcttctacgt gttgggggga tgcattgacc 120
ttggagatcc gtagttggcc ctaaccttct cggaatctcc tctgcacgcg ctgcctgttc 180
ctcctctgca cgctctgtcc gttcctttgc aacttctgtg ggaattgtcc tggcgtggga 240
aacgccccg cgctctttgg cacttagggg gtgagtgttg cggcccttgc cgcagcgctc 300
agggcagcat cccgctcgag gatgcagggt tctaccaag cagtgagggg gactcacgcg 360
ccgccgggga gcggagccag gctccgagaa gggagcaggc tcgagccgct gggttttcgc 420
aagccttggg gcctctggcc gcccttccat gcctccgggc gcgggcggct cagcaggctc 480
ccggccttcg gaagttttgt gcgcggatcg ctgggtggga gggcgcgcg gccagtggct 540
gagcttgagc cgaagtttcc gtgaaggaaa ctgcatgtgc ctttggaggc gactcgggac 600
tgctgtaggg tggactgggt gtctatggag ttgcgggtca gagcgagtag ggtgggtcct 660
ttcctgggac aggactggga attggggctc gaagtagggg 700

<210> 95
<211> 200
<212> DNA
<213> Homo sapiens

<400> 95
aggggtgtcc tccaacatct ctgaaccgcc ttcccttctt cctcactggc gccctcttgc 60
ctcagtcgtc ggagatggag aggcggctga agattggcag gcggcgcca gggtcgaggc 120
tgggagactc agagccgctg aggctgccgg agctcaggga gccgcttagg tagctgtcgc 180
ggtccgacag cgagtccggg 200

<210> 96
<211> 5000
<212> DNA
<213> Homo sapiens

<400> 96
tctgactctc gggctggagc agccgagaca gcgctcccca gcgggactac agaatcccgg 60
gtgtcggcct gggggccctg gattggcagt ggtggagtct tctgagccta acagctacta 120
ggaatgacag agttgcagat ggctttgtcg cccgcggggc ggctcaagcg tcctgggtcc 180
caggcctctg tcctacggcc aggccgccgg ctcaacgggc cgaagggaat cgggctgacc 240
agtcctaagg tcccacgctc ccctgacctc agggcccaga gcctcgcatt accccgagca 300
gtgcgttggg tactctccct ggaaagccgc cccgcgggg gcaagtggga gttgctgcac 360

P030366Seq.TXT

tgcggtcttt	ggaggcctag	gtcgcccaga	gtaggcggag	ccctgtatcc	ctcctggagc	420
cggcctgcgg	tgaggctcgg	acccagtact	tagggagggg	ggacgcgctt	ggtgctcagg	480
gtaggctggg	ccgctgctag	ctcttgattt	agtctcatgt	ccgcctttgt	gccggcctct	540
ccgatttggt	ggtccttcca	agaaagagtc	ctctagggca	gctagggtcg	tctcttgggt	600
ctggcgaggc	ggcaggcctt	cttcggacct	atccccagag	gtgtaacgga	gactttctcc	660
actgcagggc	ggcctggggc	gggcatctgc	caggcgaggg	agctgccctg	ccgccgagat	720
tgtggggaaa	cggcgtggaa	gacaccccat	cggagggcac	ccaatctgcc	tctgcactcg	780
attccatcct	gcaaccagg	agaaaccatt	tccgagttcc	agccgcagag	gcacccgcgg	840
agttgccaaa	agagactccc	gcgaggctgc	tcggaacctt	gaccctgaca	cctggacgcg	900
aggtctttca	ggaccagtct	cggctcggtg	gcctggctcc	cgaccaccgc	gaccaggagt	960
tccttcttcc	cttctgctc	accagccggc	cgccggcagc	ggctccagga	aggagcacca	1020
acccgcgctg	ggggcggagg	ttcaggcggc	aggaatggag	aggctgatcc	tcctctagcc	1080
ccggcgcatc	cacttaggtg	cgggagccct	gaggttcagc	ctgactttcc	cgactccgcc	1140
gggcgcttgg	tgggctcctg	ggcttctggg	ctcaccctta	cacctgtgta	ctaaagggtc	1200
gctaccctcc	cgagggtgtac	gtccgccgcc	tcggcgctca	tcgggggtgt	ttttcacctc	1260
ctcgcggtgc	acgctttttc	tctcacgtca	gtcacatct	ttcagtacac	agccactggg	1320
tctccctgcc	cctccagcct	ttcctaggca	gctttgaggg	cccagacgac	tgaagtctta	1380
ctgctaggat	gggaacacga	tgaaaaagga	aggggcccag	tcaaaagtcc	tctcctcttc	1440
ggtttttctt	caactgtcct	tcacaaaaac	atttatttct	gtcccagcgc	cctggcggat	1500
ttcggcagat	gggccctagg	gggttggtga	ggccaaattc	ccaggatgct	ggtcctgcct	1560
ttttcattgg	ccaaaactgt	atttcttaca	acgactaaag	ataaccaaga	actgagtaga	1620
ccctgtttct	tcaccagatc	tccctggctc	tgtttaactt	ttcctggtgc	aatgcgatgg	1680
caccaccagc	tccccaggca	ggcaccactc	cctcaagata	ccattttggg	tagggatttg	1740
agtcctggag	agggtcagcg	gggcgccggg	gtgggggtgg	gaaggagact	gacagggaca	1800
caccgcgagc	tccgcatact	ctcctctgcc	ccctgtagcc	cggggcttta	atgaccccaa	1860
gcagatttcc	tgtctctggt	ctagccagct	gcccctaggg	ctggatttta	tttcttcatg	1920
gggtttcacc	ctaaagggcc	ccctggtcat	gggacctggt	tgggaacaaa	tgaaagatgt	1980
ctttagtaga	atgctttcag	gggagcagaa	aagaagattg	ggcacttcca	gtcacttggt	2040
cactttaggt	ggctggaaca	aaactggtga	ctttcacgac	tgctacaggg	tgaggggggtg	2100
aaggggtggc	gagaggtgac	aagccactgg	gaatcctatt	cagtggggat	gccgacaggg	2160
agtggctgta	atcaactgag	caacatctgt	gtgaatgtta	ttcacaggtc	aggacagcag	2220
cttggctctc	ccaggtaggg	aactgaggac	tggcctgcat	agatttgtgc	agtaggtgag	2280
tagcttccaa	atttattttc	agaacttcca	tgtagtacct	gcctctccat	ttaaataattt	2340
tttaaaattt	tatttattta	aatattttct	tggttagctt	tccaagaggg	aggaaaagag	2400

P030366Seq.TXT

gggagttgca	acaagtagtg	cccctatgct	gggattcatt	ttccagagta	aagcctggga	2460
ctggcaccct	gaccctacc	ggcaggtgaa	aactccaggc	aaactgctga	gatcccacct	2520
gggctggctg	agatagtgcc	tgggggtgcat	ccctcagcag	ctgccacctg	ggccctgggg	2580
ccatctcttt	ctctggcatc	aagcagccag	gtgtcaaggc	cttcccagca	atccatgctg	2640
catggctggg	tcttgttcta	gcaggtcgat	gggcagggac	tggtagctta	gccagggcac	2700
cagtgcgtgg	ctgtgggttt	gtgtgcttct	gtggagaagc	atgatgtgta	tgtgtgtgtg	2760
tgggcacagg	catgaggaag	ggttcatttg	tgcaggtatc	tcccatgtat	atcagtgtgg	2820
gagagtgcct	gaggatgtgt	ttgtgtgtct	gaaaatgggc	ggaggggtctg	ttgtgctaata	2880
gtgtgcaggg	gtgaacatgt	gtgtgacagt	ctgtgtgttt	ccctgagtgg	tggctgcgtg	2940
agagggtgag	gggatttggt	gttgtctacc	atgcccggca	catagcaggc	tcttaataat	3000
cttgaattta	attaatgtta	aatgtgtatg	ttcccatcct	tgtggaagtt	ggtatagagc	3060
ctgttttcct	gtgatttgta	gactggaaaa	tgggggacgg	gcaggggcca	gacaggatac	3120
agaggctact	gttttcttcc	tccctagaag	taagtacata	gaagagtggg	ctctggcacc	3180
tcacgggaca	tcaccaagtc	ctgtgtggct	ggctaggctg	tcccaagggtg	gcttcaggca	3240
tcacttgaat	cttttgagac	cttcaggcag	tagcctgccca	ttcacctgt	cagtcagcag	3300
aagttgggcc	cacacaggcc	atagaaacac	agagcagttc	ccgggaggac	ctgagctgtc	3360
cctgagagca	gagcttccag	gagaggccgc	aggaactgcc	ttgaccggaa	ttcctcttgg	3420
ggtgcaaagg	tggagggaca	catggtgcga	ccccaggcag	aggactgcag	ccactccgtg	3480
cagtcccagc	ctctggggta	gccccttgac	ctccaggcct	gcacagatcc	aaggccgagg	3540
tccaggctcc	agcgccaaat	tagctggcct	agcagcctgc	agccgctcta	atctcaacta	3600
ggaaggaatc	cttgcgctta	gaaagtccaa	gcgaaagggg	attctgattt	tatcccgggt	3660
ttaccagaaa	atgctgaaag	gaaaagcccc	gagaggacac	agtgtcttag	gaactcgggg	3720
cgccacgagc	gcctcatccc	ctcccttccg	cccggccgcg	gtgccctggg	cgctgagggga	3780
cgcggtcagt	acctaccgcc	actgcgaccc	gagaagggaa	agcctcaact	tcttctcttc	3840
ggagtcctgc	ccactacgga	tctgcctgga	ctggttcaga	tgcgtcgttt	aaaggggggg	3900
gctggcactc	cagagaggag	ggggcgctgc	aggttaattg	atagccacgg	aagcacctag	3960
gcgccccatg	cgcgagccg	gagccgccag	ctcagtctga	cccctgtctt	ttctctcttc	4020
ttccctctcc	caccctcac	tccgggaaag	cgagggccga	ggtaggggca	gatagatcac	4080
cagacaggcg	gagaaggaca	ggagtacaga	tggagggacc	aggacacaga	atgcaaaaga	4140
ctggcaggtg	agaagaagg	agaaacagag	ggagagagaa	agggagaaac	agagcagagg	4200
cggccgccgg	cccggccgcc	ctgagtccga	tttccctcct	tccctgaccc	ttcagtttca	4260
ctgcaaatac	acagaagcag	gtttgcgagc	tcgaatacct	ttgctccact	gccacacgca	4320
gcaccgggac	tgggcgtctg	gagcttaagt	ctgggggtct	gagcctggga	ccggcaaatac	4380
cgcgagcgc	atcgcgccca	gtctcggaga	ctgcaaccac	cgccaaggag	tacgcgcggc	4440

P030366Seq.TXT

aggaaacttc	tgcggcccaa	tttcttcccc	agctttggca	tctccgaagg	cacgtacccg	4500
ccctcggcac	aagctctctc	gtcttccact	tcgacctcga	ggtggagaaa	gaggctggca	4560
agggctgtgc	gcgtcgctgg	tgtggggagg	gcagcaggct	gcccctcccc	gcttctgcag	4620
cgagttttcc	cagccaggaa	aaggaggga	gctgtttcag	gaatttcagt	gccttcacct	4680
agcgactgac	acaagtcgtg	tgtataggaa	ggcgtctggc	tgtttcggga	ctcaccagag	4740
agcatcgcca	accagaacgg	cccacccggg	gtgtcgagtc	ttggtaggga	aatcagacac	4800
agctgcactc	ccggcccgcg	ggccttgtgg	catataacca	tttatatatt	tatgatttct	4860
aattttatta	taaaataaaa	gcagaaatat	ttcccgaaga	acattcacat	gagggcatta	4920
cggggagacg	gcaagtcggc	ggctcggggg	gcgcgctcag	ccgggagcgc	tgtagtcaca	4980
gtcccgggag	gaagagcgcg					5000

<210> 97

<211> 1500

<212> DNA

<213> Homo sapiens

<400> 97

tggaacaagt	gtcagagagt	aagcaaacga	ctttctgagc	tgtgactctg	ctcctcgact	60
gcccacgtgc	tctccgctgt	ctgcactcct	gcctcacctg	ggctgactcg	gactctccac	120
ctcctttgct	gcttccggca	tgagctaccc	aggagcctaa	ggcgctcctt	cccgaactc	180
cgggtcccg	gccccgggac	tgcaaatcct	ttaaacagag	gccccagagc	taggggtttt	240
cccaggctct	ggtgggcgtg	ggctgacagt	cgctgggagc	cccgcaacag	gggggatgtc	300
caggcaggta	tgcaccacgc	tcccggcggt	tcccggagtc	accacaatgt	ttccctttct	360
ctctcccca	cgatgctgc	taggggtact	ccccagatag	gattttcttt	gtcttttctc	420
ctagtaacac	cgaagccctc	tcgtgcccgg	ggactgcaga	ggaacgccag	accatccgga	480
ccttgccggga	tggctcgggtg	tgtgtgtttt	actgtgtgtc	ggagtgtcgc	gcatgtgtgc	540
gtgttggggc	gcgttatcaa	caggggccta	gggcaccccc	actctttctt	gctctcttcc	600
cccatcactt	catggacctc	cgaggcgcaa	agcgctcgac	cctctcctgg	gctcagtggc	660
ttgggtactc	cgggctgagc	tcagctgggg	agtcccttta	cccagcccgc	accggcaccc	720
cgaagcttca	aagttgcggc	aaacagttgc	ggggagcaga	ggaactgagg	tccaggccag	780
cgcgcccgcg	gtcgtcgcc	ttggggagca	ggctgagccg	agggtcgtgc	gggtgcgcgg	840
cagaggcggg	aggaggcgga	ggagaggggg	gagaaagagg	gggcggtggg	gaacagctgc	900
cggggtaggc	gaggcgcaag	gtggctcccc	gcggccccgc	gccccgcggc	tctcggacgc	960
accaggcagc	caatggctgc	gcagaggtgt	acagcagatg	gcgtctgact	gcgccgttcc	1020
ttcctcctcc	tcctcctcct	ccttctcttc	ctcctcctcc	ttctcttctc	cctcctcctc	1080
cttcagtgtc	gaggagccag	agtcgccgcc	gggttgccag	acgctggaat	gggtggtctt	1140
ccgacacaca	ccaccatctt	tcttgcgctc	gggaagctcg	gggctcagcg	gctcccagag	1200

P030366Seq.TXT

gttacggcgg	cggctctggc	gagacgggtg	agtgcaagca	cgcgagagccc	cgagtcgggg	1260
atgccggggc	ccctggccgg	ccgactgggg	cgcggggtgg	cagcgccggg	gaagggggcg	1320
cgctgccggc	gcagactttg	ctctttcctc	gccggacagc	catcgtcgcc	ccttctccca	1380
gccagacgcg	ggaacttgga	agcggatctt	ctcggacgcc	tctggcttgg	ggctgcggga	1440
agcgtgggct	gcccggggcg	cagtgtgcgg	agaccctcta	ggcgggaggg	gacgccccac	1500

<210> 98
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 98	
gttattatcc	acgggggtcct aattaaagct tgattaaaat gcccttcttt ctctaaaaaa 60
ttacgaacta	ggcaacttca tacattttga atggcgcagt gtttcctctt ccaactgttt 120
agtttgtagt	atactatgta agcaacatca attatcaacc cttgcaagat gacaacatga 180
gcctgtgggg	gaagcacttg aggggagggg ggagaaactt ctctttttta ataatcagcc 240
ggaaacaatg	tttaacaaga atctgatgag gtcactgcag taaatatattt tcctcttaca 300
gagccaatca	tcacggaggg atcccctgaa tttaaagtcc tggaggatgc atggactgtg 360
gtctccctag	acaatcaaag gtgtttgctt tctgctctgt tgctttttaa ttgtatggga 420
aaggaagatt	ggtccgacgg cgcgcttgtg gcccggccgg agcttgcggt cgcgttctga 480
cggctgggtg	ctgtgttaca ggtcggcgca gttcgagcac acggttctga tcacgtcgag 540
gggcgcgcag	atcctgacca aactaccca tgaggcctga ggagccgccc gaaggtcgcg 600
gtgacctggt	gcctttttta ataaattgct gaaatttggc tggagaactt ttagaagaaa 660
cagggaaatg	accggtggtg cggtaacctg cgtggctcct gatagcgttt ggaagaacgc 720
gggggagact	gaagagcaac tgggaactcg gatctgaagc cctgctgggg tcgcgcggct 780
ttggaaaaac	aatcctgggc 800

<210> 99
 <211> 40
 <212> DNA
 <213> Homo sapiens

<400> 99	
tccctgctgt	gggacccgag gagaggagaa ctggttcgct 40

<210> 100
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 100	
tctctctctc	tctcttgctt ggtttctgta atgaggaagt tctccgcagc tcagtttctt 60
ttccctcact	gagcgcctga aacaggaagt cagtcagtta agctggtggc agcagccgag 120
gccaccaaga	ggcaacgggc ggcagggtgc agtggagggg cctccgctcc cctcgggtggt 180
gtgtgggtcc	tgggggtgcc tgccggcccg gccgaggagg cccacgcca ccatgggtccc 240

P030366Seq.TXT

ctgctggaac catggcaaca tcacccgctc caaggcggag gagctgcttt ccaggacagg	300
caaggacggg agcttcctcg tgcgtgccag cgagtccatc tcccgggcat acgcgctctg	360
cgtgctgtga gtacaacctg ctccctcccc gggcacagat atgacagagg ggcttagagg	420
gggcccagct ttgagatggg ttgttcttat gtcacaggac agagtgatct gacatgcaca	480
cttccccgcc accctgtcat	500

<210> 101
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 101 tgtcctcgaa gaagggcctg agcagcagca gaggaccca ggcgaccgtg cctgagccgg	60
gcgccgacga cgactgagca cctgatatgt ccccggcact cgcagccccg cggccggagt	120
cgctgtgggt gagcggctgt cgagcttcac agaggccggg ctctgtgcca gggccccgac	180
agggcaggaa gcagatagag tcccacaagc acaagcccag tgcgcagaaa gggttactta	240
aaaaataagt tctgtgataa aatcaaacag ggtgaagggc tggaaacagg tcatgagggc	300
gcaaacaggt cgtgagggcg caaacaggtc gtgagggcg c aaacaggtcg tgagggcgca	360
aacaggctgt gagggcgcaa acaggctgtg agggcgcaaa cagatcgtga gggcgcaaac	420
aggtcgtgag ggcgcaaaca ggtcgtgagg gtgcaaacag gtcgtgaggg cgcaaacagg	480
tcgtgaggggt gcaaacaggt	500

<210> 102
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 102 aaatgagacc tctggggaga ctgtcaaccc caggggtaaa acaaaaattc tgatcagaaa	60
ctgagtttcc caaagaagg gctaaatgtt ttccaacact ttcggggctc aggggaagatg	120
actctgtaag gacactgaga atcttcctcg cgtgccacgg ggaggaggac tgggggcgtt	180
tgaggggctc agcgcaccag aggagtgagg tggaggaggg cgttcccgcg tcctcctctt	240
caatccagag cagctcaacg acgtggctcc ctttctatgt atccctcaaa gccttcgcgt	300

<210> 103
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 103 taggctctag tggacctagc agtgggagag ctacttgggc tggtttcttt cctgacgctg	60
cagggatggg catcggcctg gaaccagaag cgcaggagct gggccacggc agagtaatta	120
agaaaataat gaaattgatg gcggatgggg gcgctagaaa tcctggggcg tctacttaaa	180
accagagatt cgcggtcggc cccacggaat cccggctctg tgtgcgcca gggtccgggg	240

P030366Seq.TXT

cttgggcggtt gccgggttctc acactaggaa ggagcctgaa gtcagaaaag atggggcctc	300
gttactcact ttctagccca gcccctggcc ctgggtcccg cagagccgtc atcgcaggct	360
cctgcccagc ctctgggggtc ggggtgagcaa ggtgttctct tccggaagcgg gaagggctgc	420
gggtcgggga cgtcccttgg ctgccacccc tgattctgca tccttttcgc tcgaatccct	480
gcgctaggca tcctccccga tcccccaaaa gcccaagcac tgggtctggg ttgaggaagg	540
gaacgggtgc ccaggccgga cagaggctga aaggaggcct caaggttcct ctttgctaca	600

<210> 104
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 104 gaggttgctg actcaggagc caggagctga gaaactccta ggctagcagc cgttgagcct	60
aattttatatt tctggctttc tccgaaatgt ctcgtttccc tcatttttct ggtccttttc	120
gtctctctta ttttcccaa aacgtctacc tcacttcgtc ttcctttctc ctcccctccc	180
cctctctttc ctctatactc tcttccatt tagccttgca ggccccctct ccccggtggt	240
ggagagctca aagacgcgcg aaactcaagg atctggccct gaccaggac gggattaggc	300
gggaagtggg gacggcctga aaaggctggg ctccaacccg tgccttcctg aaaggactct	360
ccccgccaca agtcacacc acccgaggc ctgctggcca aagaaacaaa ggagtcgggc	420
gtggatccag gagaaacagg ttttcgctct cggatctccc tgggcaaata agggatcctg	480
agcgctatac cccgcagtcg tacggagcct ctgggaaagg ggatttaagg gtgacttcca	540
ctttcagctt cggctacttg ttgcctgcgg tccaagcctt ctctgcttcc tcctacctcg	600
tcttaggcct ctgtagaaag tgcacgccgc gtttcccctt ccaggctctg agagggcctg	660
caggccccgtg gccgcctccg acaagatgcc ttccagtgt aggggggcca ctttggcggg	720
atgggggtcg gttggttaaa aaaaacttaa gttctggctc agtcgagtgt ggcaaaagcc	780
gagggtcggg ggttgggggg	800

<210> 105
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 105 tactgacctg gtctccgcct caccggcctc ttgcggccgc tgcagaagcg cactttgctg	60
aacacccccga ggacgtgcct ctgcacagg gagcgccgt ctttgctggg gctggagcgg	120
cgcttgagg cgcacactcg gtcgctgttg gactccctcg cctgccgctt ctgccggatc	180
aaggagctgg ctatcgccgc agccatagct gctcagcgag ggcctcaggc cccagcctct	240
actgcgccct ccggcttgcg ctccgccggg gcgagggcag gacctgggcg gccagggaaa	300
gggcagtcgc ggggaggcag tgctaaaatt tgaggaggct gcagtatcga aaacccggcg	360
ctcacaaggt tagtcaaagt ctgggcagtg gcgacaaaat gtgtgaaaat ccagatgtaa	420

P030366Seq.TXT

acttcccca	cctctggcgg	ccggggggcg	gggcggggcg	gtcccaggcc	ctcttgcgaa	480
gtagacgttt	gcaccccaa	cttgaccccc	aaggcgatcg	gcgtccaagg	ggcagtgggg	540
agtttagtca	cactgcgttc	ggggtacca	gtggaagggg	aagaacgatg	cccaaaataa	600
caagacgtgc	ctctgttgga	gaggcgcaag	cgttgtaagg	tgtccaaagt	atacctacac	660
atacatacat	agaaaacccg	tttacaagc	agagtctgga	cccaggcggg	tagcgcgccc	720
ccggtagaaa	atactaaaa	gtgaataaaa	cgttccttta	gaaaacaagc	caccaaccgc	780
acgagagaag	gagaggaagg	cagcaattta	actccctgcg	gcccgcgggt	ctgaagatta	840
ggaggtccgt	cccagcaggg	tgaggtctac	agaatgcata	gcgccgggtg	cggctttcca	900
ggggccggcc	acccgagttc	tgggaattccg	agaggcgcg	agtgggagcg	gttaccggga	960
gtctgggtag	gggcgcgggg	cgggggcagc	tgtttccagc	tgcggtgaga	gcaactcccg	1020
gccagcagca	ctgcaaagag	agcgggaggg	gagggagggg	ggagggcgcg	agggagggag	1080
ggagatcctc	gagggccaag	caccctcgg	ggagaaacca	gcgagaggcg	atctgcgggg	1140
tccaagagt	gggcgctctt	tctctttccg	cttgctttcc	ggcacgagac	gggcacagtt	1200
ggtgattatt	tagggaatcc	taaatctgga	atgactcagt	agtttaaata	agccccctca	1260
aaaggcagcg	atgccgaagg	tgtcctctcc	agctcggcgc	ccacacgcct	ttaactggag	1320
ctccccgcca	tgggtccacc	ggggccgccc	caccgagctg	gtctccgcac	aggctcagag	1380
ggagcgaggg	aagggagggg	aggaaggggc	gccctggcgg	gctcgggatc	aggatcatcg	1440
cgcgctgctg	cccgtgcccc	ctaggctcgc	gcgccccggc	agtcagcagc	tcacaggcag	1500
cagatcagat	ggggattacc	cgccggacgc	aaggccgatc	actcagtccc	gcgccgcccc	1560
tccgggccga	ggaaggaagt	gaccgcgcgc	ctgcgaatac	ccgcgcgtcc	gctcgggtgg	1620
ggcgggggct	ggctgcaggc	gatgttggtc	cgcggcggct	gaggctcctg	gccggagctg	1680
cccaccatgg	tctggcgcca	ggggcgcagg	cggggccctt	aggcctcctg	gggctacctc	1740
gcgaggcagc	cgagggcgca	acccgggcgc	ttggggccgg	aggcggaatc	aggggcccgg	1800
gccaggaggc	aggtgcaggc	ggctgccaac	tcgcccaact	tgctgcgcgg	gtggccgctc	1860
agagccgcgg	gcttgcgggg	cgcccccg	cgccgcgccg	ccgcctcccc	aggcccggga	1920
gggggcgctc	aggggtggagt	cccattcatg	ggctgaggct	ctgggcgcgc	ggagccgccc	1980
ccgccccctc	ggctggctca					2000

<210> 106
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 106	gggggacaca	gagaggaggg	gttgcgggcc	tgtgagaatg	aagagcacag	agcggagagg	60
	gggaggagga	gggaaaggaa	ggcgtggcag	tgagagagaa	gaggaagaag	agaggaggag	120
	tggggagggg	agggagagca	agacagcagc	gggtctggat	tcccctccga	gccacatctg	180
	gtcaggttct	aagtaattag	aagattttcc	cattggttta	cccaagggct	ctctctctga	240

P030366Seq.TXT

ttaatttttcg aaagagttgg ccaatttttaa tcatagcaaa cacgatgatc acggtgatca	300
tggcctgaac agctaaaagc agaaaataaa acccccagaa cggactatga tcttgacctt	360
tgcccgtggt caccggctgg gcccacaccc agggttctga gctgttgga gccaaaggctg	420
ggtggacagg ggcttccgag gagctgtccg cagcggggcg gggaggcggg ccccgggggc	480
ccgggcactc cgcgtcaccc cccggcaggg cccagagcgg caggccggcg tgcgccccag	540
ggcctgcgca ccgtgggggc tcttccccgc ccacgaggcc taggtgctgc cgcagccacc	600
ccaggaaggg cccagggcca cagtcgcagc gccaggagtt gtgccccaac aggacctccg	660
tcagccgggg cagagcccca aacacgtcgc caggcagggt ctccagctgg ttgtggctga	720
gctggacgct ctccaggctg ctgagattgc ggaagagggc acggggcagg gcgcgcagcc	780
tgttgcggcg cagggaaccc	800

<210> 107
 <211> 550
 <212> DNA
 <213> Homo sapiens

<400> 107 gccccggtgc accgcgcgtc cagccggccc aactcgagct agaagcccca accactgccc	60
agtgcctgag ttgcagtctt gggtccttta gaaacctgga gatgtgcgta aaattcagat	120
gccggtattc ccgaacttcc ccaggcctca gcatatctcg gcggcctgtg gacagatggg	180
aggctaccaa tcgctccggc gtccgcagcc cgaccctgc cgccagaccc cggacgtctt	240
ccggataata aagttcccg ctaattcat tttcccta ctggacgccc ctaatctaca	300
gcttttattg cgcccagtta aaagtcgagg gaattcgctg tccctccg cgctggataat	360
taccctaaa tggccacggc agccccttgt gtttcctgga gattagaacc ccgagtcac	420
caatggcagg gccgagtgag ccgccaatca cctccgctca ctccctgaga gccgctggcc	480
tgggccgcag gaggagaggc cataaagcga caggcgcaga aaatggccaa gccccgaccc	540
cgcttcaggc	550

<210> 108
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 108 aggtgcctc tgttcaaatt agaaaaaggc gccccctcag ggcagactca gccagctgc	60
caggggacaa gtcttggtta acgggagctg gagctgggtt tcacctccag gtgcctcctt	120
ggcggggcgc cccgtgcagg ctacagccta cagctgtcag cgccggtccg gagccggagc	180
gcgggaatca ctgcgtgcct cagcccaagc gggttcactg ggtgcctgcg gcagctgcgc	240
aggtggagag cgccagcct gggaggcagt agtacgggta atagtaggag ggctgcagtg	300
gcagaagcga gggtgccgc agcattcgc cgggcaggta ttgtctctgg tcgtcgcgca	360
ccagcacctt tacggccacc ttcttggcgg cgggcgccga ggccagcagg tcggctgcca	420

P030366Seq.TXT

tctgccggcg	ctttgtcttg	tagcgacggt	tctggaacca	gattttcacc	tgcgtctcgg	480
tgagcttcag	cgacgcggcc	aggtctgcgc	gctcggggccc	ggacaggtag	cgctgggtgg	540
taaagcggcg	ctccagctcg	aagacctgcg	cgtgggagaa	agcggccccgc	gagcgcttct	600
tgcgtggctt	gggcgcccgc	ggctcctcct	cctcctccgc	gacgcctgcc	ggcccgtgc	660
cgcccccgcc	gccggccccg	ctgcacagcg	cggacacgtg	tgcacctctg	gggccaacac	720
cgtcgtcctc	ggtccttggg	ctgcggtcgc	ctgcggaccc	cgggtgggaac	agaaacaaga	780
gactgtcagc	gccacagacg	aggtgaggcc	gggcctcaac	tgcaggggtc	acgggagtg	840
ggcggaaata	cactttgatc	ccactcaagc	ggagcggagg	tctgggaggc	cctgggccccg	900
ggagaccagt	cttagactct	tgccccactg	ggtatcccat	ctaggcctct	tctggggagg	960
gcggcagact	cagccgctgt	gtcaacgctg	tgttgtcgag	accagctccc	caccctctct	1020
gggccccagg	ctccccctag	taacttgggg	cactcgaccc	gagcatccgc	gaaagccctc	1080
ccggctctca	gcgttgagca	ttgggattct	agactgcatt	tccgtctctc	tgcttggggt	1140
cacgcgcctc	tccacactta	gttcacacgc	acacacgcgc	gcgtcctcgc	agcacacact	1200
tgtctgggtg	aggttaagga	aggtggaggc	ggatcctggg	gccaaaggta	tttagaatct	1260
ttcacctca	gccgcctggg	attgctgtga	gagacatgga	aacaggctga	gccgaggcct	1320
tagatgagag	gatggactgg	agagtaaaga	gggaggggtg	cccctgcata	gagtttttgg	1380
accctgatcc	cacaccagct	tctcgggtct	gtaccgcgcc	ttccgaagaa	ctccagcaga	1440
aaggtccagc	ggtccctgt	gcttgaggcc	tacagaagct	tgtacccaac	tagggcaggc	1500
acccgggtct	tccagaccac	aggacaggac	aggccacggc	tgaggaggcc	tctctcctgc	1560
ctccaggatg	aactaaagac	ccaatccggg	atcttcggcc	tagggctgct	ctcccagacc	1620
tggggctctga	gaaagccaaa	ccagcccttt	ccccaaagct	ctagtctctg	agattctcag	1680
ctctggccca	ctcggagggt	ttcttcacca	cctatccacc	tactgtgggg	cccggccctg	1740
ggaccttgaa	ctggcaggct	tctgggtccag	agctagggtca	ctggctacct	gaggtctctg	1800
aaccctcac	ttttccgctt	ccctgatttt	ggggatttgg	ggacagacac	ggcagaaagc	1860
actggcgacg	aactcaaaaa	ctcccgaacg	caaggggcag	cggttctccc	aaccagctct	1920
aatgcacatt	ggcccaggat	gtctcaggcc	tcaccccagg	acgtaggggt	ctgaggagct	1980
actccggtct	ctcgcgggct					2000

<210> 109
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 109						
gagaagggat	gtggcggggg	gctcctccgg	ccctggactc	cctgggtgga	ctagaaaagg	60
gcaaagaagt	ggtcacatct	gtgggccaga	ctggtgcgcg	atctttggag	gcgcagcagc	120
aaggccgcgc	cagggtctgag	cccagaccgc	ccacgaggag	gcccgccagg	cccggagcag	180

P030366Seq.TXT

cggcgcgtgc	gggggcgtgc	cgagcgcagg	ctctagggcc	cctgcttcgc	cccagctgga	240
ccccgcgggc	ggtcggtgca	gctcagcgt	gtgggctgcg	atgccctgcc	tgagacttcg	300
ggctagggat	gcgggcggga	agtgggggtg	cggcggcagc	tgcagattag	attccttttt	360
tttttggccg	gagggacgtg	caaacttcta	gtgcccgggc	caagagggcg	accccgagg	420
tgcgtaggtg	gccctccggg	ttcccgttc	tcctagtgcc	tctgaaaata	ccgtcaggg	480
aaaggagac	aggcagtaag	tcttaccacc	accgcccttt	ccccatgtca	ttggccaaaa	540
actgaacatt	aagataaagc	agctgtttca	gtcaatggaa	agcggtaggg	cgaggttgta	600
cccaaaaccc	ggtttagacg	gccaatgaag	tcctaggaaa	agccgccccg	ggggcacgtt	660
caggtggagc	ggctgcacct	cgggtcgttc	taagggatgg	gctgcgtgg	acccacggaa	720
ttcatgggtc	caaaaggtcc	tggtcacctg	tccaaacatc	catcccctgg	cgcatggcgg	780
ttgacaagat	ggcccggcca	cccagaggaa	ggaggatccg	ggacggggaa	cttcgcgccg	840
ggaagctgta	gcccagagct	gcagctcagc	attcgcaaga	gattcatctt	ttttttctct	900
cgtgttcgga	gaaacagata	aacaagacac	cgctcatca	gataagaacg	tctccttcga	960
tgtcacggat	ttcaagaggt	agctggagaa	actgacgtca			1000

<210> 110
 <211> 1300
 <212> DNA
 <213> Homo sapiens

<400> 110						
caggtcaggc	agaacttctg	cccttcccgc	tactggcacc	ccaagcaggg	atgcactggg	60
atgcgtggca	ggggcgggat	ctcctgggag	cgtctcagcc	cagcagggag	tggggaagca	120
agagggaagg	cttaccttcc	tcggtggctg	gcaggaggtg	gtcgtctgta	gcgaggggga	180
tgcaaaggtc	gttgtcctgg	gggaaacggt	cgcactcaag	catgtcgggc	caggggaagc	240
cgaaggcgga	catgaccggg	gcgcagcgg	ccttcacctg	cacgcagagc	gagtggcatg	300
gctggatgg	ctcgtctagg	tcatcgaggc	agacgggggc	gaagagcgag	cacaggaact	360
tcttgggtgc	cgggtggcac	tgcttcatga	ccagcgggat	ccaagcgccg	gcctgctcca	420
gcacctcctt	catggtctcg	tggcccagca	ggttgggcag	ccgcatgttc	tggtattcga	480
tgccgtggca	cagctgcagg	ttggcaggga	tgggcttgca	attgctgcgc	ttgtaggaga	540
agtcgggctg	gccaaagagg	aagagcccgc	gcgccgagcc	caggcagcag	tgcgaggcga	600
ggaagagcag	cagcagcgag	ccagggccct	gcagcatcgt	gggcgcgcga	ccccgagggg	660
gcagagggag	cggagccggg	gaagggcgag	gcggccggag	ttcgagcttg	tcccggggcc	720
gctctcttcg	ctgggtgcga	ctcggggccc	cgaaaagctg	gcagccggcg	gctggggcgc	780
ggagaagcgg	gacaccggga	ggacagcgcg	ggcgaggcgc	tgcaagcccc	cgcgcagctc	840
cggggggctc	cgacccgggg	gagcagaatg	agccgttgct	ggggcacagc	cagagttttc	900
ttggcctttt	ttatgcaa	ctggaggggtg	gggggagcaa	gggaggagcc	aatgaagggt	960
aatccgagga	gggctgggtca	ctactttctg	ggtctggttt	tgcgttgaga	atgccctca	1020

P030366Seq.TXT

cgcgcttgct ggaaggaat tctggctgcg cccctcccc tagatgccgc cgctcgccc	1080
ccctaggatt tctttaaca acaaacagag aagcctggcc gctgcgccc cacagtgagc	1140
gagcagggcg cgggctgcg gagtggggg cagcagggc accccgcgag cggcctcgcg	1200
accaggtact ggcgggaacg cgcctagccc cgcgtgccgc cggggcccgg gcttgtttg	1260
ccccagtcgg aagtttctgc tgggttgcca ggcattgagt	1300

<210> 111
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 111 tgcgatcatt aaaatcagtt cttccctcc tgtcctgagg gtaggggagg gcagatttta	60
ttacttctct tttctgata gcagaactga ggcgggggtg tggaggagcg acggaggacc	120
acctctaact tcccttact tcctggattt gaagcctcag ggccaccggc ctcagtcctg	180
ttacgggtggc ggactcgca ggttttccag cagctcattc cgggacggcg gtgtctagtc	240
cagtccaggg taactgggct ctctgagagt ccgacctcca tcgggtctggg agcgagtggg	300
tcgagttcag atgctgggaa ccgtcgcttc tccccggccg ggctcgctgt tttctcctcc	360
gctcgccgtc atcaagccc gctatgagca gggctttaaa tctccctcc ctcaccgca	420
ggtttaccga gcagccccg agctctcaga catgctgcgc tgcggcgcc agaggagggg	480
tgggggcatt gccctctgca	500

<210> 112
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 112 gggcttgggc cgcaggcttc cctggacttc cgcagtcctc cttctcccca ttccagaacc	60
tgccgagccc ctgctgcatc tgggacccgc cttaccggtt tcccaatccc agcggttagc	120
ccctgcgccc ctttttggg ctccactttg ccgttcgaaa atgcctaggt tgggtggatcg	180
accctccgcg gagcaaagac ggatggctgg caggagcagg ttcaggagct gggccaaggt	240
attctctgct tccgcctttg tgtccgcccc cccgccccct gctccccgct tcccgccagc	300
atctctcctt ttctgctcag gagtgtttgg cccggcggtc caccggggt tcccgagata	360
cgctagagtt gccccacgt cctgtccgcc gcgcccctac ccaccgggtt gccttcgggg	420
cccttcggtg ctgtgtagtc ggcgtggcgc tgtgagctag gcgaacagga acccccaggc	480
ccgccacgtc tacgctatta	500

<210> 113
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 113

P030366Seq.TXT

ttctggggcc	tggatgggtg	cgagcgggac	ccgggggagt	gggagtcgcc	aggctctgag	60
caagcaaggg	ctgcacctgc	acctctgccg	ggcatgaaga	aaggtaagga	aggaaggagc	120
tcacccgggt	gggagacaga	gccggggcgc	gcgagcttgg	tgtgggggcg	ccactccggg	180
gcggagggga	ggggctacca	gtgacttctc	cgagtcggga	gctagaaaga	ggcttccggc	240
caggttccct	tggaacaggt	gtcggagttg	ttgggagagg	gggctgcaag	aaagaggggt	300
gcagaaactg	gttcattaga	tggaggctct	gggcggaacc	gcgaggacac	cctggcagcg	360
cgctgtgcct	gcgttaggcc	gggaggggag	aggcctccgg	acggcgaagt	gtccctaggg	420
acccagacgc	ctcgggagcg	atccggggcg	ctgcgaagcc	ctgcccacca	ggagtggatc	480
cccaggattc	acctcccgcc	tgcctgctct	gagctgagaa	ggggatctgg	ttcttcacaa	540
taccgtggat	ggcggggaag	gggaggggagc	ctggggtaaa	atcccatctt	ggtttcctcg	600

<210> 114
 <211> 1300
 <212> DNA
 <213> Homo sapiens

<400> 114						
tgtcacagaa	accccagcag	cgcagccacc	ggactggggt	ctggaggccg	agccgcagtc	60
cgtgcggcgg	cgctgggaag	agaaggcgcc	ccggcagctc	ccctgccacc	ggccccgagg	120
agcggctggc	tccccagcc	cagcgccgcc	gccgcccggc	aactccaggc	gcaactgggc	180
gcaactgggg	cagctgcgac	accgaatccc	tcacatctgc	aacctgggtg	ctgcggccac	240
tgagaaaatg	gaggcgcaga	ccaacgagcg	gtgccgcgac	cgagagacct	cggctggcga	300
aatggtggtg	ccgggagcct	gcgagtgacg	ccagccggcg	gggttgtaa	ggacaacatt	360
cgttttgacg	cagccaatgg	cgccgtcacc	aagaaacat	cgactctgag	aaaaaagaga	420
ggttcggcca	ccgagaaact	ccgtacgaca	agtgtgtgtg	cagaaaaacc	gcctactccg	480
cgccacaggc	aaaacagcca	atggaaaccc	cagggtgtgc	gaccgtgaca	ccggcactag	540
agggctctcg	atggagaaag	cggcgcacgg	agaccaggaa	actatgtgta	gcacaactag	600
cagaaaaccg	tctggtcggc	catccgggag	aaagcgcgga	tcagaaacaa	gcgacttcga	660
tgcagggaac	cgcgagcca	ctgaagaaag	tgaccacgt	ggcagtggtg	ccagcgaaac	720
actgcagttt	ggacggcagc	tgtggggatg	ccacagagaa	acatgcactg	ccactgaagt	780
acatccagct	ccgcggagct	agtgttcata	tgatcaagaa	accgccagtt	gggctctgct	840
agaaactttt	agtcctccct	taacggctat	cctaccaca	acagacaatg	cctttaccca	900
gcacctagcg	gtgctgagac	ccgcctgggc	cagcacagag	cgcagagcag	tacgggtacg	960
gagaaacgcc	ggactcagtg	aaaccagcct	tgcttcagc	ggattccccg	gcttcgccgg	1020
acgccacagg	cagagtgccg	cggggaaacc	tctggctccc	taaaccgatt	agattgtggg	1080
agtggggggg	acactcacia	gttgtgtgga	agggaaaccag	cggcaatggg	acccggcgag	1140
cacttgcccc	cagcaaatgc	ctgcgctgct	gcaaaaaaaaa	caacttttgg	cgcaaagaat	1200
gttgcgggcca	gagagcatcc	gctgtcgtg	acaaaggagt	agcaatggca	atgagaaacc	1260

P030366Seq.TXT

gccggcgcca cggccgaccg cggcggtca cgcctatgat 1300

<210> 115
<211> 2100
<212> DNA
<213> Homo sapiens

<400> 115
caaacgctga gagacaaaaa gacaccaaca cccaccagga ctgcgtcctg ccagctcttc 60
actccgctga cctgaccttc cacgccccta gtccctgagc ggacttgacc tgtgggggag 120
taccgaaccg tccccatgag gccctccaag cggccaggtg gcctccgcca ctctctccac 180
ccccacctcc tccaccccc agcccatcgg tccatcttcg atctgcaaaa cacgccgggt 240
cagcgacgca tcggtcccag gcttgtgacc acctctttct ctgttacttg gggagccagg 300
cccaccgctc aggatcacag tgaggagaaa aaagacacaa acgccaggac agggcggctg 360
gggaaggaaa ctgctagga cgcgtcattg tcagcctggc gtgtccacg gatcgagga 420
cccgtcgagg ctttgctctc tgcgaccga atactcctgg gcctctcgac ctctctctcg 480
gactcaggcg tccgctctc cggtcatcac gggagaccaa ttggtttaca aatagtgatg 540
ataaacctgg gaccgacctt ggggctgtgt aaaagtctac tgacagatgt aatggagggt 600
tgtagcagt cacaaagcct gtcggaccg tagcattagt tcaagagact attttcgtgt 660
cgcacaaaaa ttactgctcg tgtaaacca tttccccgac ggaagaataa acagagattc 720
gtttgaagcg cgagatgaaa acagatgggg tatcgcaaac agttcccaa aatacaacag 780
acttctgggc caattacacg tggttagctc tgaatggcag aggaaatagt tttctttgct 840
gctaaatgtc acaaaagtca cctaaaggca cagaggaggc cgctctgttt ttgcgaaact 900
tgctaaaatt aatctgctg gggccacttg cagaaagcag aaccacctcc cgccccacc 960
tcgcctccag ccgccgggt tcaggcgttt gtgaaagaca gaacctttgg gctagggacc 1020
cgggcactgg tgcttcgaag tccgaatccg ccggccgaga aaacgacaag agaaagaaaa 1080
tccagcgggc gctctctcca gcgccaggcc ggtgtaggag ggcgctgggg ctcggcctgc 1140
caccctacc cgacattggg aagcagcccc tgcgtcccc cggcgcctca gcctccggtc 1200
ccgccccga ggtgcgcgtt cctctctccg catgccgctc tcgggcccc cggagcaaga 1260
agatagacga tgacgaggcg cgcccatcca tccgggccga cgaggtcagg cccgcgccac 1320
aggcaaaaat tgcgaagcc cggccgcagg gatttcgcgg gcgcctgggt ccaggtgctg 1380
cggccgaaat cctcagggaa aatcccagg ggccaacggt ctaggccaca gggctgctgg 1440
gcccgggcct ggctcagagc gcattcgggc ggggaggccg cacgccgcac ccgggcctct 1500
cctccgagcc cgaggcaggc actgagctcc gggccagcca ggtgcctccc ggctggtgctg 1560
agaccccggg cctgctggga ggcgtgggca gggcagggca gggctgaacc ccagcgactg 1620
aatctcgaag gcaggaggcc tcggagggtc tcggcccagc tcgcctgaaa ctgtccctgc 1680
tcgtgccagg gcgcgggcag aggagaaagg acagggcgga gcaagcccac tgcagaactg 1740

P030366Seq.TXT

cggtcgggtgg	ctgcgaaggg	tccgggtcac	cgcgctccc	gacgccggaa	gccgcgctgg	1800
cggggcccgcg	gggagggagg	ctgggtaccg	gggccgtccg	gccggaggaa	gcggctccgg	1860
ccgcgctgtc	cgcgcttggg	agccgcgtgc	agggttcagc	cgtgtttcag	ttgccctctg	1920
acctgacccc	gggcgcacaa	aggcctccc	ggtgcgccgc	catggcccag	tcttccagtc	1980
gctgccaaat	taatgagccc	acgtcagggt	gggtttacag	ctcggccggg	aagcagccga	2040
gtggaaaatg	agctcggggc	cgctccagag	gctcccgcac	aactgcagag	gctgcccgcg	2100

<210> 116
 <211> 250
 <212> DNA
 <213> Homo sapiens

<400> 116						
tttccaagac	agaaggaggg	aactaggcgc	cttttttcca	ctccgctgac	cccaacgtct	60
gggctgtgcg	ttgtaacga	gttggcgggg	ccttcagctt	gggatgaggg	cgaaggggct	120
cgggatgggt	gggaaagcaa	ggaccgggca	acaggtgggg	agggtggcga	cttttgtctc	180
ggggaaggaa	atcggtgtg	ctgaaagggc	ggaaagcagt	agcgcacaga	actagtgtct	240
gcgggggtccc						250

<210> 117
 <211> 250
 <212> DNA
 <213> Homo sapiens

<400> 117						
ccctcctgtg	gctgcttggg	cagacgcctg	tggcctgtcg	gatgcggccc	acatcgagag	60
cctgcaggag	aagtcgcagt	gcgcactgga	ggagtacgtg	aggagccagt	accccaacca	120
gcccagccgt	tttggcaaac	tgctgctgcg	actgccctcg	ctgcgcaccg	tgctctcctc	180
cgtcatcgag	cagctcttct	tcgtccgttt	ggtaggtaaa	acccccatcg	aaactctcat	240
ccgcgatatg						250

<210> 118
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 118						
tcctcctttg	tgtatgtcaa	cccagaggat	ggacggatct	ttgccagcg	tacctttgac	60
tatgaattgc	tgcagatgct	gcagattgtg	gtgggggttc	gagactccgg	ctctccccc	120
ttgcatgcca	acacatctct	gcatgtgttt	gtcctagacg	agaatgataa	tgccccagct	180
gtgctgcacc	cacggccaga	ctgggaacac	tcagcccccc	agcgtctccc	tcgtctgtct	240
cctcctggct	ccttggtcac	caaggtgaca	gccgtggatg	ctgatgcagg	ccacaatgcg	300
tggctctcct	actcactgtt	gccacagtcc	acagccccag	gactgttcct	cgtgtctaca	360
cacactgggtg	aggtgcgcac	agccccggcc	ttactggagg	atgactctga	caccagcag	420
gtggtggtcc	tgggtgagga	caatggtgac	ccttcactct	cctccacagc	cacagtgtctg	480

P030366Seq.TXT

ctggttctgg	aggatgagga	ccctgaggaa	atgccc aaat	ccagt gactt	cctcatacac	540
cctcctgagc	gttcagacct	taccctttac	ctcattgtgg	ctctagcgac	cgtcagtcctc	600
ttatccctag	tcaccttcac	ctttctgtca	gcgaagtgcc	ttcagggaaa	cgcagacggg	660
gacgggggtg	gagggcagtg	ctgcaggcgc	caggactcac	cctccccgga	cttctataag	720
cagtccagcc	ccaacctgca	ggtgagctcg	gacggcacgc	tcaagtacat	ggaggtgacg	780
ctgcggccca	cagactcgca	gagccactgc	tacaggacgt	gcttttcacc	ggcctcggac	840
ggcagtgact	tcacttttct	aagaccctc	agcgttcagc	agcccacagc	tctggcgctg	900
gagcctgacg	ccatccggtc	ccgctcta	acgctgcggg	agcggagcca	ggtgaggggc	960
tcggcgccgc	cccgggcgac	ccctgggggc	ggcactggag	aagccgccc	tcctcataag	1020
ggattgaact	tgcatccact	cctctccggc	cggcttggtc	gctggctgcg	ctccaccga	1080
ttctcgggat	cattggaccg	tttgcgcaa	accagagtgg	ccgattaagg	gatggggctc	1140
cgagcaccgg	gggtggtggc	gactgtgggc	gaggggaggt	gggaccgacc	cccacccta	1200
cactcaaaaa	aggccggggc	ctccttcgag	cttccggtga	atttcggg	atttcgcgg	1260
gtgtcggggg	tcccgggagg	aggcagtcac	agatccacc	ctgcagccag	cctcctaggc	1320
gccggctccg	gcacgcttcg	ccggtctgta	gatttctct	tcgatttctc	cccagctccc	1380
agcatctgtg	acttactgt	taccctccct	atccccgat	caccaaccg	cacctgtctg	1440
cgggacttag	gtgtgcgcgc	ggggctcatg	cgtgtcctcc	ctgctggcca	ccccacggc	1500
ccacacaagt	tgacggggt	cgccacgcc	cgccaacacg	tgcgcgagc	cacgcacgca	1560
ctcctcgac	gtgggcttac	gcgaatacca	gctttcactg	ccactcgctc	gcggccagat	1620
tcacaggcct	gttccgggtc	actcgcagct	cccctctgcc	gctccctccg	ccgggctcag	1680
gagtactcgt	agctgattgt	gcgcgcctga	gggtcccaga	tcgcgccgc	ccaggaccag	1740
gcgaggactc	cggagcctcc	tctcacctct	cccacctgcg	ccccgggctg	ggccgggctc	1800
cctggggggc	ggcctgagcg	aggcgcgggg	ccaggagcgc	tggagcgact	gccgctctaa	1860
gtgccggggc	ggcaggactc	tacgatcctt	gggccagagg	tccggatggt	cccgggactc	1920
cgtctcaagg	gtcggcgacc	cctcaacca	gaagcctcga	gcaggcgga	aggcagagct	1980
gccagtggtg	cgaggcgcg					2000

<210> 119
 <211> 1100
 <212> DNA
 <213> Homo sapiens

<400> 119						
atttgtcgtt	gtgccattgc	tgccactgtt	gttcttgtcc	agggaaacac	cggtggccaa	60
cccagatcgg	atacaatggt	gcggctctgg	actgagcctc	caaccacatt	agccatgggc	120
agcattgttg	ctgccgctgc	tgttatttta	attatgattg	tacgttaacc	accaccttcc	180
ttcctctgcc	tcccttcagc	tgcaatgatg	tatgttactt	tttggttaact	ggatttcatt	240

P030366Seq.TXT

aacatttatg aactctcata aagtagtaga aaaagcaatt tgtgtggaag aattttccac	300
ctcattaaac agtgttcttt tgggggtcaa gctgatattt tttttgttgt tagatttttt	360
ttataggtcc tttgtccttc cctaagccct gggggatgaa aggagagccg tccaccacgc	420
gaggggcttg tgtgccctag agggcgctgg gccccgcgcg ctttcctggc tgtccccgcc	480
ggctttccac cctcccaaaa gcccaggtgc ccaccgtggg tcgctgcggc ctttcccctt	540
cttggtcaaaa tccgattact tcgcagcctg cagatggcat cgccggctaa gggcagcctg	600
cggcaggtcc ccgagcctga gcactcctcc tatctggggc ctgagaggac gctctgggct	660
ttttcccagg cccagggtgc gcggcctgct agcgcctttc gaggcacagt cccaagatag	720
gctcttgctc ttcgacgccc ccttggcaca agcgcactgg cgccctccgc tcaaccacc	780
ttgcctttgg ggcggtctc aaccctggga agacaggcct gggggaagcg agaggagagg	840
cccgaataga ggttccggct caatctttcc cagacggagg cctggtgttt ccagctcagt	900
tgcattctcc agccgcgggc tcctggccca aacagaatgt gtttgctttc acaccgggac	960
ggcaagcggg gtccgcctca gtgagcagcg agctgcgcag tccggacggg tgctgcccc	1020
agagactcgc cagccgcccc cagacactcg ccagccgtcc ccattctctaa tccaccgtcc	1080
aggcccgggc cctgggaaga	1100

<210> 120
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 120	
ccgtgtctcc cttagaact ggggcctcat ctccactcca gctgcgcgtg cacgtgtgct	60
cccggcagga cgcgcgccca ggagcgcgct gggggctgcc ccgccccctc ctccctcccc	120
cgcgggtaaa ctccgggcat ccatcagtct gttaattgca ctaattagag atcgcagagg	180
tgtaattgg aaaaccctgg tattgtgcct gtttggggga agaaaacgtc aataaaaatt	240
aattgatgag ttggcagggc gggcggtgcg gggtcgcggc gaggcgcagg gtgtcatggc	300
aatgtttacg gctcagatta agcgattgtt aattaaaaag cgacggtaat taatactcgc	360
tacgccatat gggcccgtga aaaggcacia aaggtttctc cgcatgtggg gttccccctc	420
tcttttctcc ttccacaaaa gcacccacgc ccgtgggtcc cccctttggc cccaaggtag	480
gtggaactcg tcaattccgg ccaggaggag gatggggcgg tctccggcga gttccaaggg	540
cgtccctcgt tgcgcactcg cccgcccagg ttctttgaag agccaggagc ctccggggaa	600
gtgggagccc ccagcgggcc gcagactgcc tcagagcgga agaggcagcc gcggctttga	660
cccagcttcc ttccgacggc atctgcagga gcctctaggc ctgacatagg ctccgaggtg	720
ccctggctcc cccacgggga atgctgaggg ttggggcact aggtcctgcc taagtgcagg	780
acctgagcct cagacaaatc	800

<210> 121
 <211> 300

P030366Seq.TXT

<212> DNA
<213> Homo sapiens

<400> 121
gggattgccg gctttgagaa aatatgaaga aaccgatttc tccttcact ttgccagtgc 60
actttccttc cactttcact ggtgctgggg gcggcgact ctttacgaca tataagcgga 120
aaattctgca aaagtggccc ccggggatcc ccgcccgacc cctgtctgtc gctaattgtg 180
gcctgtctcc ggaaattcga ggttgggcct ttgcctgaat ctgttgctat tgctcccctt 240
gctaccgctg acacttgga cgcgcctc ctagcagcgg ccagacgcgg ggctgggggc 300

<210> 122
<211> 400
<212> DNA
<213> Homo sapiens

<400> 122
gttgcgagcg cggcacaggt tgctggtagc ttctggactc tggaggcttg gccttccttc 60
taagccgatg gcggggaaag aacctcggtt ccacagcttc cccgaccccc gccgcttgcc 120
atttggggac gggaagcgcg cccgggtcgc ttcacgtccc tctgggcccgg agccctttcc 180
atggctggct cctctggggg cccttggggc tgtgagcagc gtctacttcc ctcagagaag 240
aatcctttcc ttccccatc gaagtgtccc tttctgtatc ctgaaataac ccctcctggg 300
tgaggccagt tcccctctgt cgccctctc ccgcaggcgt ccgggagcct cgtgaggacc 360
ccgtgcagtt gagtccaggc gacaggtgcc tcccaggtg 400

<210> 123
<211> 800
<212> DNA
<213> Homo sapiens

<400> 123
cagtgcgccc cttaccggag caccatggc ctcccgcgtt accccaaatt ttgtaggcag 60
actgtcagag ttgaagcca gctgtgtcct ctgcggggccg tgtgacccta ggctatctgg 120
gctgctcgga gccttagttt ccctagttgt gaagagggag ggtgtgacca tggcccggag 180
ctctccgaaa ggctgtgcgg attgctcggg ggccggatgt ggagcgcgtc ttctatgatg 240
ccagggtgctg gccaaagcgt cgatgcaggc tgctccagtt aggtcgatgc gatggcggga 300
agcactttcc tctgcaatgg agagacgccg acaccccag cccgaaggct tgcaaggcgc 360
gctctcgcca ctggggtcgg ggatccgtgg gttctctatc ccgcttacc actccatcct 420
tagcagctgt cgtcgggtcc agacctctac cttggagaga ccaaggcggc ccagagccca 480
ggagactact gcgcggtacg ccaggatcca gaagtggatt ctgacttcta aagaccctc 540
ccaagccaac gctatcaggg tccctgcaag cggttgactg tggcggaggc agaaccaaaa 600
cctttgtctt gcccgcggcg ctccagctc taccagga cagtgtctg ggctccagcc 660
gctgcagtgg ggtcgggaca cagacgccga gttagaagcc ccgccgctgc aggtccctgc 720
ttggtcggcg cggtgacggt gtcgctggcg gcggcggggg ccttcctttg gctgccggc 780

catttaatca gagctattat

800

<210> 124
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 124
 ttttagtattt aaggagaaaa gcctcatttt ccagaatcga ataagcgaat taatcgcaca 60
 attgtgtaga atggaactca gtctgtaaaa aatcaagacc aacgtacttt ttaatatctt 120
 aacatctcca agtagtagtt acaagtattg taccatgaa gtccaggtaa ttaatttggt 180
 caatgtcaca ctgttaaaag tcagggtggc tccaaagcac agtcctaacc agcatgctct 240
 actgcctcct ctgaggcaac agccgaagtg cagaccactg ggaataaata gctgcccggg 300
 cttccccact cctaaattct cccgacagac cccaaagcct ctctgagagc ctctctgacc 360
 gccctgcggc ccaccccagag ttcccggcat cctctgggat ccctcttcct ggagccaaaa 420
 cctacgcagg ctcttttcct ccgagctggg tgctaggtga tctccgaagg ctgtccgaag 480
 tctcgcgagg gcggaccgtg tgcctgatga cgagagttgg gagtgtggct ggggctgcgg 540
 atctccagca gtggcggtac ttctagcggc tggataccgg gttctccgag agatcgcgag 600
 atcccagagat attctccccg cacggaagcg acgactggcc tggccagagg actcgcgtgg 660
 gagcgagggtg ccggccccga caggacggtg aggtatgcag aagtaaggcg gggcgcccc 720
 tgcgggaagc gagcgcgccc cggaatatga gcgcctcccc acaccaaggt gtccaggagt 780
 gagtgcggga aggaactcgg ccgcccggag ttgtggcctc atcgtgcttc ccgcaaaaa 840
 cgcttggtg ctgtcgggac gcggctaagc gtggacgcgc ccgcatctgc ccctcctccg 900
 cagtgtgga agacaccgcg ggagcgccgg tggataaggg ccgtttcctg agaccagagc 960
 tgtatccgca gcaggtcagc acttcgtgcg ccctgtgtgc 1000

<210> 125
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 125
 agcggcgctg ttcccgggct ggggtgcagct gctaaggaca agggccctgc tccgaagaac 60
 gcggtggctc ggggataccc tgaaaggac ggccatggcg cacatgggat gccctagggg 120
 tcgtgggagg gcatgcaggc gcagcccccg caggggttgg cctgccagag aaggcagggg 180
 agagcactcg gggctgcaca aatggtgtgg ccggagggaa ggtgcagcct tgtgtgtgtc 240
 tggatgaggg ctgggcatag gagcttggtg tttgatcctg aaagctctgc gtttccaaag 300

<210> 126
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 126
 gagtcatact tgtagtcaca tccttttcct ttctccaacc cactgggttaa tcatgaaagg 60

P030366Seq.TXT

ctcttctgat	tggctgcctc	ctggcagtag	tgcttcagcg	cgacggttcg	ggagcaaata	120
aataattccc	gctgggaagc	tgtttctcag	acaggagcag	cgacaccct	gccacgcctg	180
ccgcctggag	ttgagtgggg	taagcacgcc	ggcctccagg	aatcgacggt	gccacgtggt	240
tcttcttgca	cttctcttct	tctccagttt	caggggacac	cgtgggggtgt	gcgagcccgg	300
gggagcgcag	ggaagggcgg	gttgggctgc	aggtgggaat	gtgcggctct	tctgcgcctt	360
caacagagct	tccttccttt	ttgccaaggt	ccccgtgccg	ccttcagcgc	gcctccttat	420
gcacctctac	ctctgctgca	gcgtacctct	tccgcagccc	tagcggcctc	cccgaggggc	480
gccgcggcct	cggctgtccc	tcccctgcct	ggcacgacca	cctgaccccc	agcgacccaa	540
gaagcaagtt	gtgtttgcag	acgcaaaggg	gctgtcgttg	gtatcggtgc	actggtttga	600

<210> 127

<211> 1700

<212> DNA

<213> Homo sapiens

<400> 127

acactttctg	tgtgggaggg	cacaagacat	gggctatgac	atggccagag	acccacctt	60
ctttacacat	gtaaaaacca	accaaataca	gatgcgtcaa	cgggtgattct	tcctcccaca	120
ttgtttccct	ttttaaaactg	ttattttttc	aatccatgga	gcagttgaga	aacgggtatg	180
catctctcct	cccctcccct	tctatcaaag	cctgtaagac	acataaggaa	atccaaagcc	240
acagtaatag	agagagagag	agagagagag	agagagagag	agagagagag	agagaaaaca	300
gaacaaaaga	aatcctcctt	ggcttggttt	tccaggggtg	ccaggcaagg	tgtgaaaatc	360
catatttccc	tctgggctgg	caggtagaag	ttactgggaa	ggctgcgctc	ccttctctcc	420
caccggctct	cacatccagg	ctgttccttc	accctcagcc	tccccagcg	ccagcttcct	480
cctccgcctc	tctgcagcca	ggcctcccct	gcaaggcgga	ccttgggcca	ccttggttcc	540
gggccaaggc	ggcgggaaag	gcaccgctac	ctgcagccgc	acgactccac	caccatgtcc	600
tcgtactgct	tgtagaccac	attattgccc	gcgtcgatgt	atagaatgct	gatgggagtc	660
aatttggtgg	gcacgcagca	gctgggcggg	gtggagccgg	ggtccatgga	gttcatcagc	720
gtctggatga	tggcgtggtt	ggtgggctcc	aggtgcgagc	gcagcgggaa	gtcgcataca	780
ccctcgcagt	gataggcctc	gtactccagg	ggcgcgataa	tccagtcgtc	ccagcccagc	840
tccttgaagt	tcacgtgcag	gggcttcttg	ctgcagcgta	gcctggactt	cttgccgtgc	900
cgcttgccat	ggcgactggc	gaaggccgtg	cgccgccgcc	ggcggccggg	cgagggcagc	960
caaggcctgg	catccggggc	gcccagcggc	ggcggccacg	acccctcggc	gcccgcgccc	1020
gggcccgcag	cctcggccga	gcccagctgc	tcgcgcattct	ctgcgaacag	gttcttgcg	1080
tgggatctgg	tgaataccac	cagcagggcc	cgctcctggg	gaggccgcac	cctccggccg	1140
aagcccagac	tccgcaggtc	cgggggcggc	ggttgctggg	gtccccgcgc	gcgcgcctcg	1200
gcctccccgg	cgtccagctc	gccccatgcg	gcccgcagct	ccaagcacag	ctgcttcag	1260

P030366Seq.TXT

ggctggtggc	gcaggccctg	ccacacgtcg	aagacttccc	agccggccgg	cggcgcccc	1320
tgcggtcca	gggtccgcgc	gtccagcagt	aggggcgaaa	ggcaagggaa	gagctgcacg	1380
tggagcggcc	cggctggtgg	ccccagggc	gctgagggcg	cctggcgaaa	gagccgcagc	1440
tccgcgcca	ccagctcttc	tttgtctgag	agcatggaca	catcaaaca	atacttctgt	1500
ctccggagag	gagtgtgcga	gagatcgtct	gcgagataaa	aaataattac	agtcagtttc	1560
acttaagggg	gagatcagcc	cgggtgctct	cggccgcccc	gggagggaaa	gggcggggag	1620
tgggggcagg	tcggccgggc	agtccagctt	gcccggccca	gggcctgacc	accccggctc	1680
cccatctggc	tggtgcatgg					1700

<210> 128

<211> 2000

<212> DNA

<213> Homo sapiens

<400> 128

gcccgcgtgtg	aatgtaggtg	aggtgatccc	gggaacctgg	gtctgaaatc	agacctgtgt	60
tgccattggg	agcacggaga	gaggggaagc	gccctgctta	ggcccaggcc	gggcgtcctg	120
gtggtgggac	cgcagccgca	ctcacctcca	ggccaacgga	caaggttcct	gcaagccagc	180
agggccactc	tgtgcttggc	ctactgcagc	tcccctgcag	ctcctttcct	ctccctcccc	240
ggagcgtctt	cctctctcct	ctcccccttc	ttctctctcc	tctctcgtct	cctggggcat	300
cccgggtgga	gggatgtagg	ggtcgctcct	cggtgccagg	ccgggaagca	gctcaggcct	360
cccaagagct	tggcgctcag	tctgggaaaa	ggggttcctc	tggcctcagg	gacgtttctc	420
gccccaccc	caccccctgg	gagcctgaac	catctggaag	ggatcttagt	cgggggttgg	480
gaggagagcc	cgtggatagg	aggagggggc	gattctaggc	cgaatccagc	ccctgaggtg	540
tcacttttct	ttcctgcggc	ccgtcaccgc	tgatagatgg	ggctgagggc	agaggaagga	600
aaaagaaaac	ctccgaggtc	agtgcggggc	gaggtgagcc	cctcccaggg	ccctctggcc	660
caggaggatg	aagcgcgccg	gcttcgctct	tgcacgccgg	cttgccatcc	gggtaagcgc	720
gggaaaggcg	gccacagggc	gcggcggcag	cgcagcgcgt	gggatctcac	gacccatccg	780
ttaaccacc	gttcccagga	gctccgaggc	gcagcggcga	cagaggttcg	ccccggcctg	840
ctagcattgg	cattgcggtt	gactgagctt	cgcctaacag	gcttggggag	ggtgggctgg	900
gctgggctgg	gctgggctgg	gtgctgcccg	gctgtccgcc	tttcgttttc	ctgggaccga	960
ggagtcttcc	gctccgtatc	tgcctagagt	ctgaatccga	ctttctttcc	tttgggcacg	1020
cgctcgccag	tggagcactt	cttggttctg	ccccgggctg	atctgcacgc	ggacttgagc	1080
aggtgccaag	gtgccacgca	gtccccctac	ggctttcggg	gggtcttgga	gtcgggtggg	1140
gagggagact	taggtgtggt	aacctgcgca	ggtgccaaag	ggcagaagga	gcagccttgg	1200
attatagtca	cggctctctc	ctctcttccc	tgccatTTTT	agggctttct	ctacgtgctg	1260
ttgtctcact	gggtttttgt	cggagcccca	cgccctccgg	cctctgattc	ctggaagaaa	1320
gggttggtcc	cctcagcacc	cccagcatcc	cggaaaatgg	ggagcaaggc	tctgccagcg	1380

P030366Seq.TXT

cccatcccg	tccacccgtc	gctgcagctc	accaattact	ccttcctgca	ggccgtgaac	1440
accttcccg	ccacggtgga	ccacctgcag	ggcctgtacg	gtctcagcgc	ggtacagacc	1500
atgcacatga	accactggac	gctgggggtat	cccaatgtgc	acgagatcac	ccgctccacc	1560
atcacggaga	tggcggcggc	gcagggcctc	gtggacgcgc	gcttccccctt	cccggccctg	1620
cctttttacca	cccacctatt	ccaccccaag	cagggggcca	ttgcccacgt	cctcccagcc	1680
ctgcacaagg	accggccccg	ttttgacttt	gccaatTTtg	cggtggctgc	cacgcaagag	1740
gatccgccta	agatgggaga	cctgagcaag	ctgagcccag	gactgggtag	ccccatctcg	1800
ggcctcagta	aattgactcc	ggacagaaag	ccctctcgag	gaaggTTgcc	ctccaaaacg	1860
aaaaaagagt	ttatctgcaa	gttttgcggc	agacacttta	ccaaatccta	caatttgctc	1920
atccatgaga	ggaccacac	ggacgagagg	ccgtacacgt	gtgacatctg	ccacaaggcc	1980
ttccggaggc	aagatcacct					2000

<210> 129

<211> 2000

<212> DNA

<213> Homo sapiens

<400> 129

cactcccccg	ccgcctccgc	ccctaaccct	cggccccgtg	cgcgagcgag	cgagggagcg	60
aacgcagcgc	aacaaaacaa	actagtgccg	gcttcctggt	gtgcaactcg	ctcctgagtg	120
agtcgggggc	cgaaagggtg	ctgcggctgg	gaagcccggg	cgccggggac	ctgcgcgcgc	180
tgcccgccct	ggccggagcc	tgtagcccgg	gggcgccacg	gccgggctcg	cagtcccccc	240
acgccggccc	cccgtcccc	gccgagccag	tgtcctcacc	ctgtggtttc	ctttcgcttc	300
tcgcctccca	aacacctcca	gcaagtcgga	gggcgcgaac	gcggagccag	aaacccttcc	360
ccaaagtttc	tcccgccagg	tacctaatg	aatcatccat	aggatgacaa	atcagccagg	420
gccaagattt	ccagacactt	gagtgacttc	ccggtccccg	aggtgacttg	tcagctccag	480
tgagtaactt	ggaactgtcg	ctcggggcaa	ggtgtgtgtc	taggagagag	ccggcggctc	540
actcacgctt	tccagagagc	gacccgggcc	gacttcaaaa	tacacacagg	gtcatttata	600
gggactggag	ccgcgcgcag	gacaacgtct	ccgagactga	gacattttcc	aaacagtgtc	660
gacattttgt	cgggccccat	aaaaaatgta	aacgcgaggt	gacgaaccgc	gcggggaggg	720
ttcgtgtctg	gctgtgtctg	cgtcctggcg	gcgtgggagg	ttatagtTcc	agacctggcg	780
gctgcggatc	gccgggccgg	taccgcgag	gagtgtaggt	accctcagcc	cgaccacctc	840
ccgcaatcat	ggggacaccg	gcttgatga	gacacaggcg	tggaaaacag	ccttcgtgaa	900
actccacaaa	cacgtggaac	ttgaaaagac	aactacagcc	ccgcgtgtgc	gcgagagacc	960
tcacgtcacc	ccatcagttc	ccacttcgcc	aaagtTtccc	ttcagtgggg	actccagagt	1020
ggtgcgcccc	atgcccgTgc	gtcctgtaac	gtgccctgat	tgtgtacccc	tctgcccgcT	1080
ctacttgaaa	tgaaaacaca	aaaactgttc	cgaattagcg	caactTttaa	gccccgttat	1140

P030366Seq.TXT

ctgtcttcta	cactggg	cgctcttagg	ccca	ctgacagaaa	catgggtttga	accctaattg	1200
ttgctatcag	tctcagtcag	cgaggtctc	tcagtgacct	gtgacgccgg	gagttgaggt		1260
gcgcgatcc	ttaaaccgc	gcgaaccca	ccggctcagc	gtagaaaact	atttgtaatc		1320
cctagtttgc	gtctctgagc	tttaactccc	ccacactctc	aagcgcccgg	tttctcctcg		1380
tctctcgcct	gcgagcaaag	ttcctatggc	atccacttac	caggtaaccg	ggattttccac		1440
aacaaagccc	ggcgtgcggg	tcccttcccc	cgcccgccca	gcgcgagtga	cagcgggcgg		1500
ccggcgctgg	cgaggagtaa	cttggggctc	cagcccttca	gagcgctccg	cgggctgtgc		1560
ctccttcgga	aatgaaaacc	cccatccaaa	cggggggacg	gagcgcgga	acccggccca		1620
agtgccgtgt	gtgcgcgcgc	gtctgcgagg	gcagcgccgg	cagggggagg	aggaggcaga		1680
ggcgggggtg	ctggaccctc	ggcatcagct	cattctcccc	tgctacacac	atacacacac		1740
aaataatgtt	tctaaaaagt	tcagttgcga	ctttgtgcct	cgctgtcct	gttcacctc		1800
gtcctgggcc	ggggaatgct	tctgggggcc	gaccccgga	tgctggctaa	ttgctgccgg		1860
cgggttccgt	cgccggtgtg	accctggacg	gcgcggacgg	cgtacagggg	gtcccgggag		1920
gggcagtggc	cgcggcactc	gccgccggtg	cccgtgcgcg	ccgcgctctg	ggctgcccgg		1980
gcggcgcagt	gtggacgcgg						2000

<210> 130
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 130	
ctgaaaagcc	gtcagggaaa ccacacatgt tcaaccctg gcggctcccc caaacctctc 60
atttccagta	actgtgtgtt tccgctcgtc aacagctgaa accgagcggg acttgggggg 120
ccccaccacg	cgccctgct gtgcggcacg gggctcatct gtccccggc tgcggggagt 180
cagctctcac	cgccacctc cttcccagat agtctctgtg cccactcgac ggcccggcaa 240
gccagcccc	tgctgccac ggccacagca gcctcagaga gctgccctct ctggccaggg 300
tcagggcctg	agctgtgcc tcccgcaggg tcgagggcag gacacttgct tgaggcttgg 360
gtggggcaat	ggcacctcct cagggcctca gccccgggc aggtcgggtg accatgggcc 420
tacagcaggg	aaaattctgg gccaaaagct ccagcctcct actagggcct ctgtctgcaa 480
atgcacctta	acctgaccgc ttgggctgtg ggggagcctg tttcagggaa agtgaggggac 540
gcgccagttt	cctcctttgg acttgatgag gcacgaacgc atctctaata aagccaggctc 600
tccccgccgt	ggctccctgg gcgggtgcct gtggctcggg ccatgagtca cgctgggtaa 660
ccccactacg	gggaagaggg caggaagctg ggagccaccg cctctgtgcc cggttgtcat 720
ctcggcacga	ggcgaccgt cggcttcgtc ctgccctcat ggctgagggc ttttgggatg 780
tggcgggaga	cgggggagtc 800

<210> 131
 <211> 500

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 131

aaatcatcag aatggctaaa atgaaaaaga cagacaacag caagtgctga caaggggtgtg	60
gggaggccaa atgctcctgc actgctggca ggggacctga gaactgcagg gcattccctg	120
gcttcctgcc cctcctggga ctggggaccc cccagggaca gcctaaggga actgcattta	180
tcttcacgtc tgccaaaaga taacacgaag atgttcaaag ctaagccccc aggctggtaa	240
gagctccaag gcaccagcag tgtgtgcaga actgggggga gtctgttctc ccagggatgc	300
tcccatcacc tgctgccagc agtggggcat gccggtcccc tggggtgtgg ccaaggggct	360
gtgtctcctg cccgggctgc cgccccctct caggttactt tcccatctc taagcccacg	420
tctcgctgca gttcaagttt gccaggccac caacgggtga cacgcccggc gcagtggggg	480
actccgcact ttctgcgcac	500

<210> 132

<211> 1200

<212> DNA

<213> Homo sapiens

<400> 132

accctttgtg cctgggtccc ataaacaatg tgctttttta aggggagccc cctcccagct	60
ccggcctttt tctccagcgt gggcagccaa tcagctgcgc agagctgcat agctggaccg	120
ctttccattc tgagtagcaa caacgtacta atttgatgca cacatggatg cctcgcgcac	180
tctgcaaatt catcacccgc atcttgcatt agtcatctga cggactgcca agtgtttcat	240
tttctttcca tgtgacttta ttattaccac ctctctctc tcttccaaaa acctcccaaa	300
aagggcgggtg gggcgggggg cggggcaggg agaggagag aaatccagca gacatctagc	360
tctgcctttc tttcccagcc acagccaggg tagggctgat aaggcgtga tgcgttgatg	420
gcagccttgc agagctagac ctgcacttaa cttgcagctg cctcccagac ctccaagatg	480
tccacgccct gggtgacagg cggcagggcg ctgccccgtg ctccccggc tctgctcgac	540
agcagcacgc agtgagagcc tcgccgccgc cgaggagcaa ctcatggtgc ctccgctttg	600
ttttagttca tcaaatttct acgactcatt aggcactttg cactgtctt tcttcctcct	660
ccttcgcct ccccgctccc ccacccccac tattttttct tctgtccct catcgtgccg	720
ccctaactct ggctcccgtt tccgtttttg acagtaacgg cacagccaac aagatgaacg	780
gagctttgga tcaactgac caaccagacc cagatgcat taagatgttt gtcggacaga	840
tccccgggtc atggctcgaa aaggagctga aagaactttt tgagccttac ggagccgtct	900
accagatcaa cgtcctccgg gaccggagtc agaaccctcc gcagagtaaa ggtacagagc	960
gcggggcggg ggtcgccagg cgtccagggt ggcgtcgcg ggcactgggg ctgtccgagc	1020
ccccagcctg caggaggaag ggcgggtagg caggagggtt ggaagcagcc ggtgctggcg	1080
gccctgtgc tccaggggtt gctccccact cctccccgca ccccgcccg cctgcccgcc	1140
gggacagggt ggaggcggga gagagggacc gaggcagggc gggagcgcag aggctcggtc	1200

P030366Seq.TXT

<210> 133
 <211> 800
 <212> DNA
 <213> Homo sapiens

<400> 133
 taacaaataa gccgcccgtg gtccgcgctg tgggtgacct ttggcgctt cgaggtcttg 60
 agccctaggg taaataagga aacggggcgc ctctagagtt ttaaataaac tctgttattg 120
 gaagcttcag tagggaccct gaaaacaatt aacgtcttaa ttagcatttt aatgtctcca 180
 ttattacggc gcgggctcta gctcagccct ttaccttacc ttctcaccgt taacagggga 240
 gggggattgt attttttagtt catcttttta tgtttttgag ttgttatcct gtctgtctga 300
 ttccagcctc gagggtttga tgatgcggcc cgagcctggc tgtggtcgcc tgtcggggct 360
 ggagcgggac cctcagccgg gccgggcctg ggggctaacg ttttcacagt gcgccctgag 420
 tttccttggg ttactgctgg gaccgcgcag gaggaagcaa agagtttttc gagctagacc 480
 aacaggaaac acattgacgg aaatgttgcc atagcccatg ggggtggcttt aactggccgc 540
 ccccgcgggc tgggtgtgaa atcagaggag gccgcggctc ccccggccag gattggaggc 600
 tcctcgcgca acctaattgc ggtgtccggg ccgagcgcct tcccgcgcag ccaggccttg 660
 tcggtgcagc agccccgctc ctccccaaca cgcacacacc cgggtgttcgc aagtgcggct 720
 caccaaggga gatccaaggg ggcaaaaagt tatgtataaa tccgagagcc actggggaaa 780
 gagggtcgtg gtattgtaag 800

<210> 134
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 134
 ctaccctgtg ctatcctgag ctgtagtctt ctgaaatgat cgtttggctt cccagccaag 60
 gcagggtctc cccaaagttc attcccactc ttgcagtttc acctcgggat gcttccgcag 120
 aatttcagcg cctaagcaga caaggtcaaa gtaaaccgct tcaccgctgc ttctggcgca 180
 ggggcccaga gcgctgcag ctccccagca cagaccaaca gcaggagagg ggtccgggag 240
 ggagccctgg gctgtagata agcaaaacgc acccattttc tctcctatct actccagagg 300
 cacctctcct cccccactcc tggcatctct ttatcactgg ctccctctcc ctgtggcata 360
 tttttgggta gtagaatgct gaggtcacag ggagcggctc tttatccaag cagtggggag 420
 atcagcctgg agccctgagc atgaaccagc aagatgcaga ctctcgctct tgactttggg 480
 ctccaggagc tgccccgacc 500

<210> 135
 <211> 1100
 <212> DNA
 <213> Homo sapiens

<400> 135

P030366Seq.TXT

cagtgtctccg	ctccgggaaa	ttgcatcgtc	acgacaaacg	ggaccgtgat	aaaacgaccc	60
tttccgtcct	tattttgtaga	tcactcagac	gagattgaac	tgcacttggt	ttcccttcga	120
ggggagccgc	gttttcaggg	tagccgaagg	cttggggctg	agggggggcc	ctcaccaagg	180
cgcggttggg	ggccggagcc	tcaactcgat	gagaagtgc	aggcgtttgg	gggatctggg	240
ctccggccgg	gaccagcgca	agcagggact	ttgcggggac	accgcttctc	caacagagca	300
aggcctggcc	cacgtttccg	gtttctccta	acttcctttt	attgccttcc	tttgcttcgc	360
aagtcccatc	taccctcca	gctacagagc	cccacctcta	ggcacaggaa	gcttcccgga	420
aaaagaaagg	ctgtcccaga	aagagaccga	gagagacttt	ccaaacttcg	ggcatagcca	480
cggcaattcc	cagtctgcta	atgccaaggc	gggcgcgtaa	ggccgcctaa	atctagacct	540
ccctcctcac	tcatttcaaa	aaataacaac	gtgccagcca	cctccgcaga	taccgccggc	600
tgggtgcttg	ccaggagacg	ccaggggccag	agcgccactc	ccagcatcga	aatggcagag	660
agaaagcgca	gctccaaatt	ccccttcaga	ggttaagcct	caatcattgt	gtcccttccc	720
tagggactgc	tggcgctctc	gcccactggc	gatgattatg	cgcttagaac	tcgaccgcga	780
agcaactaat	aggaaaacat	atggtgtcaa	tttggtatgt	ccgcgcctcg	cgcacacccg	840
ggaacgagcg	gcacaaagcc	ctgccggccg	gcccgcgacc	ccgcgcccct	cggggcctgc	900
cagccggggc	gcagcgacaa	acgtcaggg	ctgcgcgccc	tggctggggc	ccgcccgaga	960
gacagcctgc	ggctggggag	tctgagctcc	aaggggagag	cccagccgcc	gaaggcgagc	1020
ctaccggcca	agccctgggg	tccggcaggt	tctgcacaac	tactcccgca	aagctcgcca	1080
cctttgtgcc	ctttcctcag					1100

<210> 136
 <211> 500
 <212> DNA
 <213> Homo sapiens

gggccctcgc	ggctcaagcg	ccagcgctgg	agagagagtc	tgagggtacc	acgggcgtgc	60
tggcctgggt	gctcactccc	gccctccttc	atgagcggct	ttcctctggg	tgtgtccagg	120
gcatcacaga	gctcttctgc	ccaaacccgg	aggcctacca	gggcctgccc	accttgccctc	180
cttcacact	ctctgtagca	gcagccgcag	ccatggcggg	gatgaagaca	gcctccgggg	240
actacatcga	ctcgatcatg	gagctgcggg	tgtttgtggg	agaggaggac	ccagaggccg	300
agtcggtcac	cctgcgggtc	actggggagt	cgcacatcgg	cggggtgctc	ctgaagattg	360
tggagcagat	cagtgagtgt	ccgctgcccc	cttgcgtgaac	tcggcaccat	gggcggccgc	420
cacgggtgtc	tctgggcact	tccgggccat	ccctgctgct	cagctcccga	taatggtgtc	480
acggtgactc	aggcattagc					500

<210> 137
 <211> 600
 <212> DNA
 <213> Homo sapiens

P030366Seq.TXT

<400> 137
 tgtttacgga atcgggatcg aggggcccgat aagtagttta cacgccggcc agagcagagg 60
 gctggaggtc ggagttgggg gctggaggaa cgggtggcgt ttttaggatt cagtaacagg 120
 atcacagctt tttcttgttg tggaagctat tggaatttgg ggagggtagc acgaggggtc 180
 ctgcagctcc gcgtgtgaaa aagcgtttag gtaggcgatg aaagtagttg atctgagcca 240
 tggcaggcga gccccgaatt tttgctgctt cccctgaaa gtgtttcttt aggaggagag 300
 gacttggggc acacaggacc cggtcctaag agagcgattc cgggaagcgg acagatcgaa 360
 gagaccttct gggcgaagcg gcagggcagc ctgcgggggc tgggagtgga tctgaggtcc 420
 cgaccaggc ggctcggagt gctccaggag ccacctgggt ctgcgggcgc agcgcggcgg 480
 ggcgggagcg gtggcccgca ggggccgcgg cctgcgatga aggccggggg gcagcgctag 540
 cagcgagggtg ccacagtggg ccgaggagtc tgggctgtgg cccagggtag gaccggctca 600

<210> 138
 <211> 150
 <212> DNA
 <213> Homo sapiens

<400> 138
 acctaaacca agctctccct ccctgccgtc tccttccctg gcctgggtct gaaggagagg 60
 aggtgcccag aagttcagag cggcataacc acagagatac tacctaatta acataccaga 120
 agcataaaga actcatttgc attggagagt 150

<210> 139
 <211> 900
 <212> DNA
 <213> Homo sapiens

<400> 139
 ataactacgg ggggtgggggt ggggaaggaa gagatccaag gaggcagaag gctgcggtca 60
 aaatattttt ggggtggcaga gtcacgtagg atgtggctgt gggttcttggc agcccagaga 120
 ttcagctccc gcctcctccc tcagagcgag tccatagcta ccctcacgtc ccccgtagcg 180
 gtcctcgcca cgctccggag cgggttacct atgagggtgc tagacctggg cagcgggaac 240
 ctgcaagagg tggagattgc aggttgggac tccagatttc gggcagggat gcggggaagg 300
 gaagacgcct cgctggaggc ggaatggagg gcaaggcgaa ggaggatggt gcaggaaacg 360
 gcgacaaggc gcccggccag gcccgcgagc taccgagacc cgggttccaa tcctcccccc 420
 ttccgcaaac gcccgggttc gaggtacctg gcgggcaagg gccgcagcgg agcgaagcgg 480
 gctggccatg gggaggctgc ggggacgcgg ggctgcagag agcggcagtg gcacggagcg 540
 cgcggttga agcgaaagca ggcggtgttg ccaagccccg gcgcacggcc catagggcgc 600
 tgggtaccac gacctggggc cgcgcgccag ggccaggcgc aggttacgac gcaaccctc 660
 cagcatccct tggggaggag cctccaaccg tctcgtccca gtctgtctgc agtcgctaaa 720
 accgaagcgg ttgtccctgt caccggggtc gcttgcggag gcccgagaat gcgcgccacg 780

P030366Seq.TXT
aacgagcgcc tttccaagcg cagatatattc gcgagcatcc ttgtttatta aacaacctct 840
aggtgaatgg ccgggaagcg cccctcggtc aaggctaagg aaacctcgga gaaactacat 900

<210> 140
<211> 600
<212> DNA
<213> Homo sapiens

<400> 140
cagtccagcc gcttgccctca cttcttcccg cttgccttat ctccccgcag acgtggttcc 60
cctgcagccc gaggtgagca gctaccggcg cgggcgcaag aaacgcgtgc cctacactaa 120
ggtgcagctg aaggagctag agaaggaata cgcggttagc aagttcatca ccaaagagaa 180
gcgccggcgc atctccgccca ccacgaacct ctctgagcgc caggtaacca tctggttcca 240
gaaccggcgg gtcaaagaga agaaggtggt cagcaaatcg aaagcgctc atctccactc 300
cacctgacca cccaccgct gcttgcccca tctatttatg tctccgcttt gtaccataac 360
cgaaccacg gaaagacgct gcgcgggtgc agaagagtat ttaatgttaa ggaaagagaa 420
gaaccgcgcc gcccgaggc agagaggctc catggccgtg ctgctgggcc atccccaaact 480
ccctatccca tccccagcct ccacccccat ccagatggga ctcacgtggc ttcaacagct 540
ttggaaatgg gtcccagtg ggccgtgcga ggaaggctgt cgacctctac tcctccttgc 600

<210> 141
<211> 1500
<212> DNA
<213> Homo sapiens

<400> 141
caagatcgac tttcttagga agggggagag gagggaactc ttcacgaagg gaggtgggag 60
tccacctcag acctctattg gaaggaaatc gagttgttcc gggggactga ggtctcttgc 120
ataaggcatg ggatccttat tattattatt attattttta aatccccgcg ggaggagctc 180
tgggcaaatg aataccgagg cgccgctcta gctggttagg cttgggatgc gataactcag 240
tgccctcttg cagacttgca tagaaataat tactgggttg tcgtggaggg gacacgagac 300
agagggagtt ctccgtaatg tgccttgccg agagaaaggt ccaagaatgc aattcgtccc 360
agagtggccc ggcagggcg ggggtgcgagt ggggtggtgga gtaggggtgg gagtggagag 420
aggtggtttc tgtagagaat aattattgta ccagggcccc ccgaggcacg aggcactcta 480
ttttgttttg taatcacgac gactattatt tttagtctga tcaatgggca caatttctaa 540
gcagcgcagt ggtggatgct cgcaaacttt tgcgcaccgc tggaaacca ctaggttgag 600
ttgcaaaacg taccgcgtag acgcccctgg tggcgccgag agaagagcta ggcctgcccc 660
gcacagagcc ggagagcgtc gggccttccg gaagggtaag ttctccgcc aagggtcccg 720
agggagctgg acgtctgaat ctggacttgc cccagcttc ggggttcgat tctgggtttt 780
gcgcgtcccc aacccccagg gctttccgaa gcatggcctg gctccaggcc cggtcctgta 840
aggactggaa cggcagcaaa atgtgcaggg aggcagtcgg ccggcagagc tgcggcggga 900

P030366Seq.TXT

gccaaggtca	ggccccg	gagagcg	agcttccagc	gccggccaca	agctcccagg	960
ccagctgggc	cgcagacccc	tttgcttcca	gagagcacaa	cccgcgtcct	ttctctcagc	1020
caggctgcag	tggtcgcccc	gagcttcgct	ttcgtttccc	aagctgttaa	taacgatatg	1080
tccccaaatc	cgaggctcgt	gtttgctccc	agatgccaa	aacgcaaccc	gaaatccttc	1140
tccccaaacc	taggtcgacg	agatgagttc	ctacttgacc	tctgagccga	ggtgggccc	1200
aaaccgaggc	ctaggccccg	ccggggctgc	aaggaaaagg	ggaaactccg	agcgtagcgt	1260
cttttccttg	tggttccttt	ctccggcatc	ccggactgcg	ggccctgcag	ccacctggac	1320
cggcattcaa	aggattctgc	aagtccagct	tcacagactg	gctttcccag	acgctccgaa	1380
gcccgcacca	cgaacagaat	aaaggagaga	cgagagatcg	caactagatt	tgagaatcct	1440
cgttcttttc	cccaatcggt	cgggcagtaa	actccggagc	cggctacagc	gcgcatactc	1500

<210> 142
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 142	
actgtcctcc	60
acccccagatc	120
gcagagaacg	180
gtctgcaaac	240
taggcagggg	300
tctctgcgtg	360
atgcgctggg	420
ttaaacattg	480
cgaggccagc	500

<210> 143
 <211> 900
 <212> DNA
 <213> Homo sapiens

<400> 143	
ctcagggaat	60
gggtcgctgg	120
ctagtatttc	180
ctccgcccc	240
ttgaggtcag	300
cttgatctg	360
aatctgtctc	420
ttgaggttca	480

P030366Seq.TXT

ccaacccgtg	tttttatttt	ctttttcctt	tgcccgcctg	accaactttg	gtttctttca	540
gggcccggag	gtgcctgcgc	cgcgcttggc	tttgctttcc	gccgccccag	gagacccggg	600
actgtggttt	ccgctcgcca	catcccagcc	tggtgcgcac	acaagagcct	ggcgagcttc	660
cctcgcgcg	ttacagtcaa	ctactttggg	cctcggtttc	cctgctcctt	gtagatcaga	720
gaagggacgg	gcgaaatgcc	tgcgagggag	ggttggcgaa	tgggttggtt	ggtggcaaga	780
ctgcagttct	tgtacatgga	cggggggttg	ggggctcaaca	ctggaagaac	tcctgcctga	840
cgccaagagc	cacccgcctt	ccagctcgtc	ccactccgcg	gatgtttacc	caccttcatg	900

<210> 144
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 144	tttggggcac	ccaacccttc	ccaagcctcg	gttttccga	tcttggtgga	tccttgccgc	60
	gcgaatgggg	ttggaagcac	cttggaagct	acagagtacc	gggtcgggac	aatttccggc	120
	actgccccag	ttcagtgggt	tatagaaaat	ttctttctct	ctctcaggtc	cactaagacc	180
	gagagagaga	gagaagtcga	ctctggcaca	cccgggcgag	gggctgccgg	gattcgggag	240
	ctggcgcggt	tgatTTTTTc	cgagaatcct	ccacttgggg	tgacgtccgg	cagcgcgcg	300
	gggccgtgag	gttaatgccc	aggcttttct	ctaaagcgtc	cgggaatgat	ccggcgaata	360
	aaacgggtgt	ctgcaaagtt	aatgaattgt	acaaggaggc	tgagggtggg	gacttcgacc	420
	cggggagcca	gaggcggttc	tggtggacgc	ttccccgtgc	gcctaggggt	gcgctgggct	480
	ttcccagccg	aggtctgcag					500

<210> 145
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 145	ccagacagtt	aaggtaaaac	gttgaagtca	agaggaagta	gtgagtctgt	tgccaactgg	60
	atagggttgg	tcctgtccca	tctaaatgta	ttagaattaa	gtggctttta	aaaatgagct	120
	ggtcattctt	agcccacggg	ctggccaatt	tggaacttaa	tgggcctttg	cgctctcctt	180
	ccctgagcct	cTTTTtattc	cagacttctc	agtgtgagtc	tgtgcgtccc	tccgacgata	240
	tcaggagtg	gggtgccttc	atctgcctgt	tccctgttcc	tcaggctgac	gctcccgtg	300
	tcctccccgc	ctccccctac	tccttttctc	cctcccttcc	tccttggtgg	gaggctcttg	360
	gccaggggtc	ctgagcccg	gcgggtgctg	gcagaggacg	cagaaggggt	gaggtcacgt	420
	ctcccttgag	ccccgagccg	ctggcttttc	agagcctcgc	cacaagccgg	cggccagagc	480
	cccagaccac	acagaccgtg	cgctcctccg	ccctcccggc	gccgccggcc	tcgcccattg	540
	ctcagtacgc	ccctagcccg	gacttcaaga	gggctttgga	cagcagtcct	gaggccaaca	600
	ctgaagatga	caagaccgag	gaggacgtgc	ccatgcccaa	gaactacctg	tggctcacca	660

P030366Seq.TXT

tcgtctcgtg	tttttgccct	gcgtacccca	tcaacatcgt	ggcttttggtc	ttttccatca	720
tggtgagtga	atcacggcca	gaggcagcct	gggaggagag	acccgggagg	ctttgagccc	780
ctgcagggga	gtccgcgcgc	tctctgcggc	tcccttcctc	acggcccggc	ccgcgctagg	840
tgttctttgt	cctcgcacct	cctcctcacc	tttctcgggc	tctcagagct	ctccccgcaa	900
tcatcagcac	ctcctctgca	ctcctcgtgg	tactcagagc	cctgatcaag	cttccccag	960
gctagctttc	ctcttctttc	cagctcccag	ggtgcgtttc	ctctccaacc	cggggaagtt	1020
cttccgtgga	ctttgctgac	tcctctgacc	ttcctaggca	cttgcccggg	gcttctcaac	1080
cctcttttct	agagccccag	tgcgcgccac	cctagcgagc	gcagtaagct	cataccccga	1140
gcatgcaggc	tctacgttcc	tttcctgcc	gctccggggg	ctcctgctct	ccagcgccca	1200
ggactgtctc	tatctcagcc	tgtgctccct	tctctctttg	ctgcgcccga	gggcaccgct	1260
tccgccactc	tccggggggg	ccccaggcga	ttcctgatgc	cccctccttg	atcccgtttc	1320
cgcgctttgg	cacggcacgc	tctgtccagg	caacagtttc	ctctcgcttc	ttcctacacc	1380
caacttcctc	tccttgccct	cctccggcgc	ccccttttta	acgcgcccga	ggctggctca	1440
caccactac	ctcttttagg	ctttcttagg	ctccccgtgt	gccccctca	ccagcaaagt	1500
gggtgcgcct	ctcttactct	ttctaccag	cgcgtcgtag	ttcctccccg	tttgctgcgc	1560
actggcccta	acctctcttc	tcttggtgtc	ccccagagct	cccaggcgcc	cctccaccgc	1620
tctgtcctgc	gcccgggggt	ctcccgggaa	tgaactaggg	gattccacgc	aacgtgcggc	1680
tccgcccgcc	ctctgcgctc	agacctcccg	agctgcccgc	ctctctagga	gtggccgctg	1740
gggcctctag	tccgcccttc	cggagctcag	ctccctagcc	ctcttcaacc	ctggtaggaa	1800
cacccgagcg	aacccaccca	ggagggcgac	gagcgccctg	taggccctcg	ccttattgac	1860
tgacgagct	ggcccggggg	tggcgggcgg	gtgaggttcg	taccggcact	gtcccgggac	1920
aacccttgca	gttgcgctcc	ctccccacc	ggctcacctc	gcctgcagct	gggccacgga	1980
actccccggc	cacagacgca					2000

<210> 146

<211> 600

<212> DNA

<213> Homo sapiens

<400> 146

ctctctgggc	cttaggaaaa	tggaaatgac	acctgtacct	gcccttccag	gactgacagg	60
aggggctgct	ccatgaaacc	tactgctgc	ggtcataatg	tcattatctt	ttgccttaaa	120
gggatttctt	ctgcaccagc	acctaaagtg	gcagcccctt	acccttggcc	atcagctgga	180
ccctggtgct	ctcctggagc	ccaaaacctc	tgttttgtgt	tgcatcctgc	tgaccagcca	240
cagtccacac	ccatctgagt	gtctgagcag	aacagcccag	aggccacacc	aggatggctt	300
tccaccgggc	accttcccc	accactcat	aaaccctgcg	tctctggggg	agagggtggc	360
gaggtcccct	ccccacatag	atggaaacac	tgaggcctga	ttcatggtgc	cccctgtgaa	420
gcgcctcatg	gccagcaccg	gggggcagca	ggccaggggc	gggacacata	cccggttctc	480

P030366Seq.TXT

gtcgtagatg atctgcacca ggctgcggtg cttcgactcg atgggcggcg gtgacacggg	540
cttctcaggc tcgggcgggt tggcagcctc ctctccagc tgttgctgtg gggagaggca	600

<210> 147
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 147 cttgaaaact cccagcccc tttgtccaga tggggatgga ggtggccagg ctgccccgtt	60
gatttgtgtgc cgaggagccc tccccgggaa ggctgtgatt tatacgcgca ggcttgtcac	120
ggggtgaaag gaagggccac tttttcattt tgatccaatg ttaggtttga aagccaccca	180
ctgctgtaaa ctcagctgga tccgcgggcc gtgattaaac acattgcccg ctttgttgcc	240
gagatggtgt ttcggaaggc gctgtgaatg cacttccctt tgcggggctc acacagacaa	300
gatgtgtgtt gcaaggatga ggcgcctgct cggcctccag cccagggccg ggaagggaga	360
aggtgctgtg cgtcgtgcc tgtgtcgccc gcggctctcc	400

<210> 148
 <211> 1200
 <212> DNA
 <213> Homo sapiens

<400> 148 cgcgtcaggg ccgagctctt cactggcctg ctccgcgctc ttcaatgcca gcgccaggcg	60
ctcacctgc agagcgtccc gcctctcaaa gaggggtgtg acccgcgagt ttagatagga	120
ggttcctgcc gtggggaaca ccccgccgcc ctcgagctt tttctgtggc gcagcttctc	180
cgcccgagcc gcgcgcggag ctgccggggg ctcttagca cccgggcgcc ggggccctcg	240
cccttccgca gccttactc cagccctctg ctccgcacg ccatgaagtc gccgttctac	300
cgctgccaga acaccacctc tgtggaaaaa ggcaactcgg cggatgatggg cggggtgctc	360
ttcagcaccg gcctcctggg caacctgctg gccctggggc tgctggcgcg ctcggggctg	420
gggtggtgct cgggcgctcc actgcgcccg ctgccctcgg tcttctacat gctggtgtgt	480
ggcctgacgg tcaccgactt gctgggcaag tgctcctaa gcccggtggt gctggctgcc	540
tacgtcaga accggagtct gcgggtgctt gcgcccgcac tggacaactc gttgtgcaa	600
gccttcgcct tcttcattgc cttctttggg ctctcctcga cactgcaact cctggccatg	660
gactggagt gctggctctc cctagggcac ctttcttct accgacggca catcacctg	720
cgcctgggag cactggtggc cccggtggtg agcgccttct ccctggcttt ctgcgcgcta	780
cctttcatgg gcttcgggaa gttcgtgcag tactgccccg gcacctggtg ctttatccag	840
atggtccacg aggagggctc gctgtcgggt ctgggggtact ctgtgctcta ctccagcctc	900
atggcgctgc tggctcctgc caccgtgctg tgcaacctcg gcgccatgcg caacctctat	960
gcgatgcacc ggcggtgca gcggcaccg cgctcctgca ccagggactg tgccgagccg	1020
cgcgcgagac ggaggggaag gtcccctcag cccctggagg agctggatca cctcctgctg	1080

P030366Seq.TXT

ctggcgctga	tgaccgtgct	cttcactatg	tgttctctgc	ccgtaattgt	gagtccccgg	1140
gccccgaggg	agcagggcac	tgagactgtc	cggccgcgga	tgcggggagg	gaaggggtgga	1200
<210> 149						
<211> 2000						
<212> DNA						
<213> Homo sapiens						
<400> 149						
cttccgccc	ggtatctgcg	tgcccttttc	tgggcgagcc	ctgggagatc	cagggagaac	60
tgggcgctcc	agatggtgta	tgtctgtacc	ttcacagcaa	ggcttccctt	ggatttgagg	120
cttcctat	tgtctgggat	cggggtttct	ccttgtccca	gtggcagccc	cgcgttgagg	180
gttccgggg	ctgcgcggag	cccaaggctg	catggcagtg	tgcagcggcc	gccagtcggg	240
ctggtgggtt	gtgactccg	tcggcagctg	cagaaagggtg	ggagtgcagg	tcttgccttt	300
cctcaccggg	cgggttggtt	ccagcaccga	ggctgacctt	tcgtggcaag	tttgcggccc	360
ccgcagatcc	ccagtggaga	aagagggttc	ttccgatgag	atcgagtgtg	cgcctccccg	420
caaagcaatg	cagaccctaa	atcactcaag	gcctggagct	ccagtctcaa	aggtggcaga	480
aaaggccaga	cctaactcga	gcacctactg	ccttctgctt	gccccgcaga	gccttcaggg	540
actgactggg	acgcccctgg	tggcgggcag	tcccatccgc	catgagaacg	ccgtgcaggg	600
cagcgcagtg	gaggtgcaga	cgtaccagcc	gccgtggaag	gcgctcagcg	agtttgcctt	660
ccagagcgac	ctggaccaac	ccgccttcca	acagctgggtg	aggccctgcc	ctaccgccc	720
cgacctcggg	actctgcggg	ttggggattt	agccacttag	cctggcagag	aggggagggg	780
gtggccttgg	gctgaggggc	tgggtacagc	cctaggcggt	gggggagggg	gaacagtggc	840
gggctctgaa	acctcacctc	ggccattac	gcgccctaaa	ccaggtctcc	ctggattaaa	900
gtgctcacia	gagaggtcgc	aggattaacc	aaccgcctcc	ccgcctctaa	tccccctc	960
gtgcgcctgg	ggacctggcc	tccttctccg	cagggccttg	tctcagctgg	cggccggtcc	1020
ccaagggaca	ctttccgact	cggagcacgc	ggccctggag	caccagctcg	cgtgcctctt	1080
cacctgcctc	ttcccgggtg	ttccgcccgc	ccaggtctcc	ttctccgagt	ccggctccct	1140
aggcaactcc	tccggcagcg	acgtgacctc	cctgtcctcg	cagctcccgg	acacccccaa	1200
cagtatggtg	ccgagtcccg	tggagacgtg	agggggaccc	ctccctgcca	gcccgcggac	1260
ctcgccttgc	ccctgcatga	gactcaccca	tgctcaggcc	attccagttc	cgaaagctct	1320
ctcgccttgc	taattattct	attgttattt	atgagagagt	accgagagac	acgggtctgga	1380
cagcccaagg	cgccaggatg	caacctgctt	tcaccagact	gcagaccctt	gctccgagga	1440
ctcttagttt	ttcaaaacca	gaatctggga	cttaccaggg	ttagctctgc	cctctcctct	1500
cctctctacg	tggccgccc	tctgtctctc	cacgccccac	ctgtgtcccc	atctcggccg	1560
gcccggagct	cgcccacgcg	gacccccgcc	ctgccccagc	tcagcgtctc	ctggcggtct	1620
cgcccgggct	cctagcgggg	aaaaggaagg	ggataactca	gaggaacaga	cactcaaact	1680

P030366Seq.TXT

cccaaagcgc atgattgctg ggaaacagta gaaaccagac ttgccttgaa agtgtttaag	1740
ttattcgacg gaggacagag tatgtgagcc tttgccgaac aaacaaacgt aagttattgt	1800
tattttattgt gagaacagcc agttcatagt gggacttgta ttttgatctt aataaaaaat	1860
aataacccgg ggcgacgcca ctctctgtg ctgttggcgc ggcgggaggg ccggcggagg	1920
ccagttcagg ggtcaggctg gcgtcggctg ccggggctcc gcgtgctgcg ggcggggcgg	1980
gcccggtggg gattgggcgc	2000

<210> 150
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 150 agtttgggga gccttttctc catttgagaa aaaacaaact tacagcgagg ggtgaggggt	60
tagggtttgg gattggggaa aatgtgggtg gggagcccc ccaaggaagt gaggaggggg	120
ctgcaaggat tacacctggg catacgtttc cctagaaatc acattcattg tatttttata	180
atttattcta aatctttcat gcgaagaaag tcagtagtga gtgttagtac tgggtggccct	240
cctgatcaca cttgcatctc ttgagtgtgc cttaaaggctc ttgggaatgg aaaatataaa	300
aactgcttcg tgatgcgtca tctttatccc ccactcccc acccattcca atatattttc	360
tacttccagc ctaaattcgg ggccccctac cgaggccggc catgatcttg agggcggcat	420
aggggaggcc gcgctctgtc caccagcc tggtgatgcc gttcgcttct tgtgcccggt	480
attgtgggct acatgccttt ccggcgtagc gagctgagcg tccaggccag tgcccctcaa	540
cctctcagta atgtttacc gaggccgtcg tgcaatgaga ctattcgcgcat ggcattgtca	600
acgcgggcggc gcgcgcgtct cgccctccg cggcttgcca gactgtcctg caaaccacct	660
caccgctctc tttggcgag gagactcagg ctgtaaccgg agaaaacact tcaccctgga	720
accctaactc aggtcctggc aaaagatgcg agaggaagac ttgctctctt aataaatctc	780
ggccgcccgc acatctggcc cctagacctg ctcggtagag gactggctgg tggatgcgcg	840
gtccaggccg tgggcactcg acccacctct attttccttc ccgaggcgcc cctggattac	900
cactttcggg ttgcgcttac atccgggatg tcgaatttcc cagggaatca taattatttt	960
atctataatt tattctaacc ccaaggttcc aagaaaatct	1000

<210> 151
 <211> 1100
 <212> DNA
 <213> Homo sapiens

<400> 151 acattccttc taaaatgtgg gctttctgtg tacatgggcg cgcatccca ggactcggtt	60
ccctgggtgg aattcaccca ggaatacaat cgattttctg aacctgcgta aggccacagg	120
cagctctgaa aatgaaagcg tttgctaagt gggggagatc tcaccgatcg aacgtttaaa	180
aatggctttg tcttcattca gctctcccga tttattctgt gttttacaaa tagaagctca	240

P030366Seq.TXT

gagcttctgt	cgcccagtc	ttgcatgact	catggcgggtg	gccacacggg	tttcagggat	300
aacgggatgt	ttagaaaatc	gctgcatatc	ggagtttcct	agcacgttcc	atttatactg	360
aacgcaggcg	gccgctgaaa	atccagcctc	gactcttgct	aatgactggg	taggaccctc	420
ggggtcctgc	gacggtgctg	gaggggtgtt	ccggctccga	tgtggggagg	cctgcgcggg	480
gactagggtt	tcgagaggcg	agcgggcgcg	ccagagaacc	cgagactgct	gcggggccgg	540
atgcgggatc	cctgggctgc	ggttctacgc	agaaacgcca	atggccatgc	ctccccagct	600
cctccccagc	ccagtcacta	ggccggcgcc	tggcccggag	atcctcccag	agccctggcg	660
gtgccatcat	gccggagaag	acaagctcgg	ccccgctgga	attcgctcca	aacacagatg	720
ctcatttttg	gaatattcta	gaaaaataac	aagatcttgt	ttgtcgttat	gattcacggg	780
aggtaactga	tgggagggcc	atttacatga	gggcagacac	tgtggggcga	aggtgacttc	840
tggacgtagg	ctttaagta	ggaacggctc	caaattccca	atatctccgg	ccttaccggt	900
tgcaaatcgg	accctgcgg	gaaaaccaga	cacttctgtt	tcgtggcttt	cgggctgcct	960
ccagcccacg	caggctcggt	tagtccccgt	ggagtcagcc	ccgagccttc	ctagtcctgg	1020
aacaagggct	ccaggtcgcg	gccgcgggaa	gccgccaaga	gggcggggag	tagggattcc	1080
ctccagctcc	gcagggcac					1100

<210> 152

<211> 1500

<212> DNA

<213> Homo sapiens

<400> 152

tcctcctcgg	cctcagatgt	cgtcccacct	gcccacgagc	agggaaacctg	gaaccacttc	60
tcccggcagt	ccccagcggg	ttccgccacc	cggcggccgc	ccctgacacc	gagtgggtgg	120
gaggaagagg	cagctggcgg	ggatgggcca	ttgagacctc	ttgaaaaata	ttaaaagaca	180
ggatgggtag	agatttctcc	gggagaaagt	tcgagggtgc	atcgggtcgc	ggctgggagg	240
agtacccgaa	atgccagcag	gagaaatgca	acctgtttag	gccacacctt	caatccccga	300
ggctgtctgg	agagactgcg	tgcgggggac	ttgccggcgt	tcccacaccg	cgcctgcaat	360
ccactcccg	ggctgcctgg	cctctgccac	tcgcggcttg	aagccagtgg	ctctcaagcc	420
ctcggccccg	cggcgccccg	cgcagccttc	acccggcgcc	ggcaccacga	agcctggccg	480
cagtggactc	cccgagctc	gctgcgccct	ggcgtctccc	gtcgaggagg	gagggacgga	540
ggcctgagcc	gggagctccc	tggcgggtgg	cgggccgccc	cccttgaggc	ctgctcccc	600
ctctcggcct	cgccaaatcc	ctgaaagccc	agtccccctt	cgtcaccccg	ggggcttcta	660
atcactcgg	atcgatttcc	ctaactcttt	tcattctgtt	gaagacacat	cttaaaacac	720
tccagcccgg	agtgtgctct	gggctttatc	cacactaata	aaatgattta	cccttctctc	780
cgcgctctcc	tcacagagga	aaatcgttcg	agccccggct	atttgtgtgt	gatcagtaaa	840
tatttagtgc	gctgacatcc	ttagctgggc	ttcggatcga	ttcggggccc	accgggaggt	900
gcgcacggtc	cgggcggggc	cgcgccgagc	tcgccgagg	ggctcctccc	gccctcgccg	960

P030366Seq.TXT

ccggccgctg	atttacggcc	cctgcaacca	gctaaggggg	gcgaaagcgc	gcctggaaaa	1020
ttggcttttc	aaccttttac	ttttgacatt	cagccacttc	cccaggctct	aattctcgcc	1080
cgcactcctc	cctcccgccc	tactaagggt	tgccctgtgc	gccctgagag	cccttccagc	1140
agcaacgcgc	ggcgctcgcg	ccccctcggc	ccggggacca	cctatcacag	ccctgagccg	1200
cgacgcgggg	aggccccggc	ccctgctatg	ggggtcgcct	ccttcgagga	gagatgctct	1260
ccgcccggcc	acacctctga	gggaggagag	gggggtggaga	agcccagagc	tgcatctgct	1320
ggatgacgag	ccgctctccc	tgctaccctt	tctccgaccc	gtcggccttt	ctcctactct	1380
ggagactgat	cctcgacgtc	catcggggcg	gatggcgctc	ggtggaagcg	ttactttcct	1440
cgcagaaaaa	ctcctcctct	ttcctaagat	cagaaaaagc	gcttagcttg	gaattgttag	1500

<210> 153
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 153	
cctaggcatt	ctcagcccgt tttgctggag ggggcatttg aggcctggcc agcttagcca 60
gcctacaagg	agtgttactg ggggtgaaaac agccagcggg gaccagtctg cttgtggccc 120
gccaggtgcc	tgggatgggg aagcagcaaa tgcccacctt cctgcccac cccctcctcc 180
ctcttcatgg	gggggaactgg ggggtggcagc ggctgccggg tgcgagcggg ctcaggcctg 240
tggccctgcc	tgacgttggg ccccatcaag ccatgtgacg agaccaggcc acaagaaaga 300
ggtttcaaca	agcgttatcg tttcctggaa ctccaactcg gcgacttccc cgaagaccgg 360
ctgtgcctgg	cgggcgggct gcgcacagcg gggacaaggc tgcccccttc ctctccgct 420
gcctccgagg	ccgcgtctat ctcagtctga ctacctggaa gcagcactcc accctccagc 480
ccagcggccc	tcggctcagc tgccaggcca ccggcaaccc cgggagcggg ggggcagggg 540
ctgctccgcc	agcctctgtg atgttcaggc cgggctgcac cagcccggga cccctagggtg 600

<210> 154
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 154	
gcactgggtc	ccctttacct gagccaacaa cctaccagga agtttccatc aagatgtcat 60
cagtgcccc	ggaaaccctt catgcaacca gtcactctgc tgttcccata acagcaaact 120
ctctaggatc	ccacaccgtg acagggtgaa ccataacaac gaactctcca gaaacctcca 180
gtaggaccag	tggagcccct gttaccacgg cagctagctc tctggagacc tccagaggca 240
cctctggacc	ccctcttacc atggcaactg tctctctgga gacttccaaa ggcacctctg 300
gacccctgt	taccatggca actgactctc tggagacctc cactgggacc actggacccc 360
ctgttaccat	gacaactggc tctctggagc cctccagcgg ggccagtgga cccaggtct 420
ctagcgtaaa	actatctaca atgatgtctc caacgacctc caccaacgca agcactgtgc 480

P030366Seq.TXT

ccttccggaa	cccagatgag	aactcacgag	gcatgctgcc	agtggctgtg	cttgtggccc	540
tgctggcggg	catagtcctc	gtggctctgc	tcctgctgtg	gcgccggcgg	cagaagcggc	600
ggactggggc	cctcgtgctg	agcagaggcg	gcaagcgtaa	cgggggtggtg	gacgcctggg	660
ctgggccagc	ccaggtccct	gaggaggggg	ccgtgacagt			700

<210> 155
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 155						
tgtccgacag	gcacacagag	cgccgccagg	cacggccctc	attcttcacc	ccgagctccc	60
gcaaggtcgg	cgaggaggct	ggagcagcgg	gtaggaagcg	ggccgaggct	ccccgcacgc	120
tgggccgcaa	ctgtcatcgc	agatccctga	aaaacgagct	ctgtaatcgt	tgccgtcagc	180
gggtgtacaa	ttgcagcctt	atgtttcctg	ccgctgttta	ccttcctgag	cggcgcccag	240
agatgcacac	acgctgcctt	gaagcgggac	gtgacctctg	ggcacctgtg	aggtcctggg	300

<210> 156
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 156						
gtcggctcct	gcgctcccaa	cgggggtggc	gtttccttcc	tcgcaccctc	ttctctccc	60
gtgcctgcgg	tcccaccttc	cagatacccc	tcggagagtc	cagctgagct	ctcgccagag	120
ctttcccctt	ccaacccgct	cgacttgccc	agatcccaag	ctgggcttct	ctctccatcg	180
ccccagaaag	tgggtcttgg	agaccgaggc	aagaatttgg	gcctccgctt	ctgttccaga	240
ccccggaccc	cttgccaaaa	tgccgcagat	gtgcagattg	ggccgcgctt	ggttcctggc	300
tgggtttatg	gagcctgcgg	ctgaggcagg	ctccgcagac	cccgagccag	agtgggattt	360
aacggcggcc	ggtgcgctgt	gcttggtcaa	ccccggtaac	cgtcacgctg	ctagtgatat	420
gaaaaaaacc	tgccagcggt	ctgcttttct	gccccgctgc	agtcttttagc	acccgccagg	480
attctgtccg	agtgtttgga					500

<210> 157
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 157						
tttagtgtgt	gcataaaaca	tcccagctaa	tctcaaatag	acttttctctg	agcagaggct	60
gaaatttgca	agtaatgcaa	agaagactcc	gggagagcgt	cgccgatggt	ggagcgggag	120
acgggctg	ggagccccac	tgcagtgtg	ggatcgaagt	ggtgctgacc	ccaagacctc	180
tccccctctc	ctccccggg	agcttctcca	gggttatttg	ggaaatgagg	gggaactcca	240
atccctgaga	aagcgctcag	gggcttgctg	aggtgagcgc	aaatggaagc	acaaggccgg	300

P030366Seq.TXT

gctggccgtg	ggctcagtaa	ccagtcgggt	gcccggcttg	cgccagcact	aaatgctcga	360
tcagaaagag	aaaaagaggc	gcaataattc	caaatttcag	gaaaagtcaa	atcggagagg	420
ggggacgcag	gtctcttcag	actgcccatt	ctccgggcct	cgctgaatgc	gggggctcta	480
tccacagcgc	gcggggccga	gctcaggcag	gctggggcga	agatctgatt	ctttccttcc	540
cgccgcaaaa	ccgaattaat	cagtttcttc	aacctgagtt	actaagaaag	aaaggtcctt	600
ccaaataaaa	ctgaaaatca	ctgcgaatga	caatactata	ctacaagttc	gttttggggc	660
cggtgggtgg	gatggaggag	aaagggcacg	gataatcccg	gagggccgcg	gagtgaggag	720
gactatggtc	gcggtggaat	ctctgttccg	ctggcacatc	cgcgaggtg	cggtctctgag	780
tgctggctcg	gggttacaga	cctcggcatc	cggtgcagg	ggcagacaga	gacctcctct	840
gctagggcgt	gcggtaggca	tcgtatggag	cccagagact	gccgagagca	ctgcgcactc	900
accaagtgtt	aggggtgccc	gtgatagacc	gccaggggaag	gggctgggttc	ggaggggaatt	960
cccgtaccg	ggaaggctcg	aactcggggt	gatcaaaaa			1000

<210> 158
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 158	
catggtgctt	caggaaggga
ggggacgaga	gccctgggct
tgtggtgtcc	acgtggacag
ctaagtagga	gccttgccga
tgaggagcat	gcgttcccgga
cggggcggcc	gaatgcggaa
ggagccgcca	ttctctccgc
cctgaccgcg	ggattctctg
cagcagatga	gaaacggcgc
tgactcagca	gggtccctcc
caggccccga	gcggtcatct
ggtgaccccc	gcgcttcccc
cacggcccag	ccggagaagg
gcaaaggga	gtcccggctc
caaggcgcac	ccagagatgc
ggtgcatgtg	gcaggatggc
ccagccccgt	cggcagcccc
agcttcctgc	ccctgggttc
cttcctccca	cgggctacag
gcctctgatg	agctttggaa
agcaggaaac	acacaggcta
gtaactatga	atgggtccaa
aaaacactcc	ttattacttt
aaactactta	ggaagaagca
cagcgttgcc	aaacgccaga
	500

<210> 159
 <211> 1200
 <212> DNA
 <213> Homo sapiens

<400> 159	
gcgcgggggg	ccggaggatg
gcggcctggg	ggccctgcgg
gggctgtcgg	tggccgccag
ctgcctgggtg	gtgctggaga
acttgctggg	gctggcggcc
atcaccagcc	acatgcggtc
gcgacgctgg	gtctactatt
gcctggtgaa	catcacgctg
agtgacctgc	tcacgggcgc
ggcctacctg	gccaacgtgc
tgctgtcggg	ggcccgccac
ttccgtctgg	cgccccccca
gtggttccta	cgggagggcc
tgctcttcac	cgccctggcc
gcctccacct	tcagcctgct
cttcactgca	ggggagcgct
ttgccaccat	ggtgcggccg
gtggccgaga	gcggggccac
	360

P030366Seq.TXT

caagaccagc	cgcgtctacg	gcttcatcgg	cctctgctgg	ctgctggccg	cgctgctggg	420
gatgctgcct	ttgctgggct	ggaactgcct	gtgcgccctt	gaccgctgct	ccagccttct	480
gcccctctac	tccaagcgt	acatcctctt	ctgcctgggt	atcttcgccg	gcgtcctggc	540
caccatcatg	ggcctctatg	gggccatctt	ccgcctgggt	caggccagcg	ggcagaaggc	600
cccacgcca	gcggcccgc	gcaaggccc	ccgcctgctg	aagacgggtg	tgatgatcct	660
gctggccttc	ctgggtgtgt	ggggcccact	cttcgggctg	ctgctggccg	acgtcttttg	720
ctccaacctc	tgggcccagg	agtacctg	gggcatggac	tggatcctgg	ccctggccgt	780
cctcaactcg	gcggtcaacc	ccatcatcta	ctccttcgc	agcaggagg	tgtgcagagc	840
cgtgctcagc	ttcctctgct	gcgggtgtct	ccggctgggc	atgcgagggc	ccggggactg	900
cctggcccgg	gccgtcgagg	ctcactccgg	agcttcacc	accgacagct	ctctgaggcc	960
aagggacagc	tttcgaggct	cccgtctgct	cagctttcgg	atgcgggagc	ccctgtccag	1020
catctccagc	gtgcggagca	tctgaagttg	cagtcttg	tgtggatggt	gcagccaccg	1080
ggtgcgtgcc	aggcaggccc	tcctggggta	caggaagctg	tgtgcacgca	gcctcgctg	1140
tatggggagc	agggaacggg	acaggccccc	atggtcttcc	cggtggcctc	tcggggcttc	1200

<210> 160

<211> 600

<212> DNA

<213> Homo sapiens

<400> 160

gggagggttg	ccacactgtc	ccctttctgc	atgggaggaa	gggggctcga	gaactgagtc	60
agccacacaa	aacgaggatg	gacagaactc	ctgagtagcg	aggggtgcctg	ccgggcgcga	120
ggaggagggg	gaagacgagg	aagacgagga	ggaggaatag	ggagcaccac	atgacagagg	180
ggctgcctca	gaccacaaag	cgcttcctca	tcctttcctc	gccctttgat	gccgccggca	240
acgtgactct	gcgagcagcg	gggcagacgc	caggctctcc	tcgcaggcgg	gaaaggggct	300
ccaaggcggg	tgctgccttg	ctcgggtcac	atggctacgt	gggggccttg	ctcaaattca	360
cttcctgcct	tcattacaaa	actgtcaaag	gggatcgac	gtttgcaggg	tgtcacccaa	420
gcattctggt	tttgcaaacg	acgtgtg	gcaggcggtc	tgatacctga	tgagctcggt	480
gtggcggggg	cggcagcatt	tcctccggg	ttttgagctc	tggccacttc	tccttttgtt	540
ccaccaatc	tcaccactt	ctgggcttcg	aggccagagt	gtcttaacaa	gggggcacgt	600

<210> 161

<211> 500

<212> DNA

<213> Homo sapiens

<400> 161

gagcgagact	ttgtctcaaa	aaaaaaaaa	accaaataaa	ttgaaagctg	agaaattcag	60
agcacaagaa	gacaagcg	ccccctctt	tagctgtcaa	catggcggag	ccgtccctgg	120
tgacgcagcc	tcaaaggcc	tccctgtgcc	ctcctgagac	cgcaagagg	aaagtggcag	180

P030366Seq.TXT

cgacagtgat	cgtggtgtct	ttgtggcggg	tgtgttgacc	tcactgaccc	ccgaagtgcc	240
gctctagggg	ctgtcctcag	cggtgacccg	gccgggtcga	agggcagagt	tccgctgtca	300
ctagccctcc	acccgtcctg	tgtgctggga	tgccctcgcg	gcgccgtcca	cgccaccgcc	360
gccccctctt	gtgggttctg	tctcctccgt	gtctaggatc	ctcctgcata	cgtttttctt	420
tcctcccttc	tctccctccg	tctgtcttgc	ccgcacctga	ggttgctcga	gaggcgctga	480
gacgggccag	caggagctgt					500

<210> 162
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 162	
tgctgtcccc	gtcctgtcgc agtcctcaaa gatgctagag tgacagtcct ctaggggtag 60
agatggctcg	cctcccagga gaaggtggcc cggagacttg gaggtgggat caatcctgcc 120
agtcctggat	caggaggcct ctgtcgggcg ccgccccctt tcctcctcca tcagcaacag 180
gcggcgccgg	ccagcctcat agtcagcctc atccacactg accagcaggc gaacagcctc 240
ccggcccaca	gcctctcgca gggcctcagt caggaacacg ccccgagggg cctgcagcag 300
ggcgccactc	aggtagtcgc cccagaaggc gtccagatag gagagctctg agaacttgat 360
gtcaciaaac	acagagccca ggtcccttga gcgcagcact gcgggtggcct gcccaaacac 420
gtccagctgc	cgcgccagcg cctggggccg ccgggatgcc acgccctgct ccaaggctgg 480
cccatgctcg	cagtactctg ctcgaacctg gagccggatg tctgcagggg aaggagggat 540
ttgtcaggga	gggggccaac actagacaca cttatgggga acgccaccct tcctccctcc 600

<210> 163
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 163		
tgatgccccg	ccccaggggg ggcagaggcg ccgccaccat gagcctgggc aagctctcgc 60	
ctgtgggctg	ggtgtccagt tcacagggaa agaggcggct gactgcagac atgatcagcc 120	
accactcgg	ggacttccgc cacaccatgc atgtggggcg tggcggggat gtcttcgggg 180	
acacgtcctt	cctcagcaac cacgggtggca gctccgggag caccatcgc tcaccccga 240	
gcttcttggc	caagaagctg cagctggtgc ggagggtggg ggcgcccccc cggaggatgg 300	
catctcccc	tgcacctcc ccggctccac cggccatctc ccccatcatc aagaacgcc 360	
tctccctgcc	ccagctcaac caggccgcct acgacagcct cgtgggttggc aagctcagct 420	
tcgacagcag	ccccaccagc tccacggacg gccactccag ctacggtgag ggcctgggcc 480	
atcttgcccc	acttttcaga	500

<210> 164
 <211> 200
 <212> DNA

<213> Homo sapiens

<400> 164

```

ggccgggcaa aaagccgccg caacaaaaag ctgcgctgac gggcgga aaa agccgcggcg      60
gcgagccaa aaagccgggg cggaaaaaag ccacggtggc gggcgcaaac agccgcaaaa      120
agccgcggtg gtgggggcaa aatcagtggg agcaggggca aaaaaacaca aaaagccgcg      180
gcggcggggg caaaaagcca                                     200

```

<210> 165

<211> 400

<212> DNA

<213> Homo sapiens

<400> 165

```

tggctttgct ggagtgtgat gtgataggaa atgtgcagcc aaagacaaaa gaagatgtaa      60
gtaggcttga ctattgcag ctaagaaccc agatgttacc ttgagggtat taactaataa      120
gcagtttaaa tcagaatggc acattctgat ttgttttttg tatgttcaca tttggcaggc      180
atagatactg tttgaaaaga gaaaagtcag tacatagagg taacaagctt aaatatgtgc      240
caagtctaga aacaagagac taggggggata aggacctttc gaaattaaat gcaagatttg      300
aaaactgatt ggctggggga tgaggcaaag gcaggtcttt aaggtcaatc cctgttttgc      360
tttaagttgt tagcgggtgg ttttatcata tattgtagaa                                     400

```

<210> 166

<211> 650

<212> DNA

<213> Homo sapiens

<400> 166

```

ttcctgggaa tgtcagctaa cctgagccta ggggcctgag cccaagggca gactgaggct      60
ccccagcac agggaggtgc tgcctgtgac aaggggtagt gctggcacag tgcaggctac      120
tccctagaaa gatcagcttg aatatgcagg aagagcagga ccctcgggct gaggcagagg      180
tggaatggga agtgcatggt ggtaatttag ttctccagag gccagaagta ggaggagcgg      240
ttggaatgct gatggcccaa agggaaaccc tggactaccc tggcctccca caggactctc      300
atagtaattg cggctccctg cagtgggtgag gccagaagga gtgttgccca atgctgtcat      360
catccagtcc accccccacc caccatcaac agatgagtat ggtcatgagt gtggtcacct      420
catcagtcac ttgctcagtt gtgaaaaaga aattgttcag agaagagcaa agtggttttc      480
catgagccaa aggtcagcca agttatgcta atgaggagga ctggagacag cgtgtcacag      540
acaccgagaa ggagcactgg gcaagggcac ttctcccagg gcagagccca caagaagcgt      600
cctggcacca gacactcagg gaactgaagg ctggcagggg cccgcccagt                                     650

```

<210> 167

<211> 5000

<212> DNA

<213> Homo sapiens

<400> 167

P030366Seq.TXT						
tccccccagc	tgggtataag	caaactttcc	tgtctatggg	ccgcagagac	caccatctag	60
ttcccccgcc	aaaactttac	atgattttta	ttctcctgat	gaagatgaga	ggataacagc	120
caacagagag	ggcagaggat	gggatgggac	tcccttgctc	agagacctca	cctctagggtc	180
tttacctcct	attgagaata	agtcagttct	gtagtaagaa	ctctgtgtcc	acggcaaccc	240
caaacagaat	cctagcgctc	ttgtgattct	tgtagaatgg	ggaatagaac	gagcttggcc	300
caagactgca	cagacttaaa	aacatactat	tctttgaaaa	tggcaatcat	taaaaagtca	360
ggaaacaaca	ggtgctggag	aggatgtgga	gaaataggaa	cactttttaca	ctgttggtgg	420
gactgtaaac	tagttcaacc	atggtggaag	tcagtgtggc	gattcctcag	ggatctagaa	480
ctagaaatac	catttgacct	agccatccca	ttactgggta	tatacccaaa	ggactataaa	540
tcattgctgct	atacagacac	atgcacacgt	atgtttactg	cagcactatt	cacaatagca	600
aagacttggg	accaacccaa	atgtccaaca	atgatagact	ggattaagaa	aatgtggcac	660
atatacacca	tggaatacta	tgcagccata	aaaaatgatg	agttcatgtc	ctttgtaggg	720
acattggatga	aatttgaaat	cattctcagt	aaactatcgc	aagaacaaaa	aaccaaacac	780
tgcattttct	cattcatagg	tgggaactga	acaatgagaa	cacgtggacc	caggaagggg	840
aacatcacac	tctggggact	gttgtggggg	ggggggaggg	gggagggata	gcattgggag	900
atataccaaa	tgctagatga	ggagtttgtg	ggtgcagcgc	accagcatgt	cacacgttta	960
catatgtaac	taacctgcac	attgtgcaca	tgtaccctaa	aacttaagat	ataataaaaa	1020
aaatactgtt	ctgccataca	tacagatact	cattaaagat	gagggagaag	ggcatggggg	1080
ggggggagaat	gtacccaaac	caaagaccac	aggataataa	cctcagagca	gagactatct	1140
ctctagttat	tttttctttt	gtatgtaatg	gagaggatta	ttattttactc	tgatgaagaa	1200
gtttacatca	agtgttcagc	ttcctttgtg	ggttacagag	aataaccaga	gggctcagtt	1260
atgctctctg	aataactatg	tttgcttagt	gttttctaaa	caatattaaa	tttactaaa	1320
atagacaagg	ttgataggac	ttgggggcat	aactcattga	ctcaagctat	cattttatag	1380
gattgtgaga	aaacaaatag	atgaacattt	aaaatacact	catatttctcg	ctagaaaaga	1440
ggattttgaa	tattcttaca	tcaaagacat	ggtaaattgt	taaggcaatg	aatatgctaa	1500
ttaccatgat	ttgatcatta	tgcaatgtaa	aatgtactga	aacatcacat	tgtacctcat	1560
aaatatgtac	aattttattat	gtgcgaatta	aaattttgag	tataagaaaa	aataaacttc	1620
aattgtaaga	aaacaacca	acttttaaaa	aacgggcaaa	atacgtgaac	agatacttca	1680
ctaatagaga	tttgcaactg	gcaaataagc	aaatgaaaaa	ctggtcatca	tcactatcta	1740
ttagagaaat	gcagattaaa	actacaataa	gaaacaatgc	tgcccgcca	gacgcattgt	1800
tttgaccgtt	tccaacttgt	cccagccctt	cccggggcat	cgctggggac	cctacgccga	1860
cgccccccct	ccgcccgcgc	ccaaggggcc	gactgggcaa	attgggagac	ccgcccgcgc	1920
gggcgacca	acttttcgga	acagcaccac	accgcccacc	cccgagacc	ccgggacccc	1980
cgctcccggc	ggagactcag	ggaacccgc	acccaagcc	cttctaaatc	gtgcagcgtg	2040

P030366Seq.TXT

agtgtgacgg	ccaagagcgg	atgcagcccc	ggatcgcccc	caccttcccc	tgggcggaag	2100
cgcaggagcc	agctggggag	ggggcgccct	agaggagcgg	ctagaaagca	gacacgggga	2160
actcaggtca	tcctgggggg	ggacaagaca	acgagagccg	ggcgcctcgg	gggcggcgcg	2220
ggagcctccg	caggaccggg	cgggcgcccc	ggctggcgcg	ggcggggggc	gcgccccctt	2280
tacctgcggc	tccggctcct	aggccatttc	ctcacgcggc	ggcggccggg	actgagctaa	2340
caccactcag	gccggccggg	tttgaatgag	gaggagcggg	cgcggagagg	aggggacggg	2400
gagggcggag	ggagggaggg	aggcgtcgcg	gagtttttct	cggccttttg	tgcggacacc	2460
tcccggattc	cgcgcccgca	cccggccccc	caaaagacac	ggggagccgc	gggcgagggg	2520
ttcagccatc	cgccgaggcg	cctagtgcct	tcgcgcctcc	aagaccccc	cccaacaaaa	2580
aggagcgtcc	cccaccccta	ccccgcccc	gaggacttag	ggcctgggct	cacctcgggc	2640
gcggagctaa	gtgtaggcgc	cgggggtccc	tagagccgcc	ggggcgcagc	gagtccggcg	2700
ctgggtaact	gttgggtcag	aaactgttca	ggtagcagct	gttgtgccct	cccttgcccc	2760
cgccgctcgg	agacgcccc	ccccctgcct	tgaacggccg	cccggcccc	ccccagcgcc	2820
cacgtgacta	gcataggcgc	gccccgttc	cgcccgcgc	cgcagactcc	gcctccggga	2880
cgcgagcgag	cggcgagcgc	gcgcactacc	agttcttgct	cggcgactcc	cgcgcacgcg	2940
cgcgccgtgc	caccctcccc	gcaccctcc	tcccgccatc	cggcttaacg	tggcgggcgc	3000
gcgccgcggc	agtagccgtg	acaggtaccc	ggcggggcgg	ggggggaggg	ggttgccccg	3060
cgagggtgtg	cgcaggcaca	gacccggtc	ctgtccccgc	cgccccctcc	tctgcaaggt	3120
gtgcctgggc	gaggggaggg	gcccgcggcc	cgaaccctg	ggtcaccccc	gaattacaaa	3180
caaaaacctt	aacgccattg	ctcgcgggtt	agaaggcagc	tgtgcgtgct	caggaaaaga	3240
agccacgcac	aagagaccgc	acgcggcggtg	gatacagtga	cacgaaacac	ccaaaatctc	3300
ttttgaaagg	gaaaccaggc	acagtggctc	atgcctataa	tcccagcact	ttcgggggcc	3360
aaggcgctca	cctaaacccg	agagttcaag	accagcctgg	gcaatacagc	gaaaccctgt	3420
ctctacgaaa	aatataaaaa	ttagctgggc	atagggtggg	gcacggtggc	tcacgcctgt	3480
aatcccagca	ttttggaggc	cgaggcgggc	ggatcacgag	gtcaggagtt	ccagaccatc	3540
ctggctaaca	cagtgaacc	ttctctctac	taaaaatata	aaaaaaatta	gccgggcgtg	3600
gtggcagggtg	cctgtagtcc	tagctacttg	ggaggttgag	gcaggagaat	ggcatgaatc	3660
agggagcggg	ggctgcagtg	agctgagatt	gcgccactgc	actccagcct	gggggacaga	3720
gtgagactcc	gtctcaaaaa	aaaaaataat	aattagctgg	gcatggtggc	tggcacacat	3780
ggtcccagct	actcaggagg	ctgaggtgga	aggatctctt	gatccccggg	aggtcaaggc	3840
tgcagtgagc	caagatggca	tcaccgcact	ccagcctggg	ccacagaccc	tgtctcaaaa	3900
aaaaaagaga	aagtggggaa	gaaaatgtaa	tacaaattaa	tataccaaca	gcaattagtg	3960
agtacttttt	ccatggagct	gggagaggga	ataaatgttt	gtaaaattaa	aatgttctac	4020
gctagaaatc	aactttcctt	ctatgctttc	tttacttcac	cccttatagc	tacttagtaa	4080

P030366Seq.TXT

atctcacaaa	tcctatcctt	ctgatctctc	tgaaatgtat	gtaccctttc	ccttctattc	4140
tcaccaccca	tgtttctttg	tttccttcta	gcctgtgtaa	taatctcata	atcgcacctc	4200
ctgtacctgc	cttctttcta	gtccagaata	cgttttccta	aattccacca	ataaccatcc	4260
tgctactgct	ttgtgtgaaa	ttctccaaaa	aaaattttac	ttttccaaaa	taagtcaggc	4320
tccctctctt	aggatacaaa	accacaccat	gggtcccagcc	aatctttcag	cctgattcac	4380
tcagtatata	tttattgacc	tctcctttct	cccaagcact	tggctagata	ataattaaag	4440
agtgcggcac	aaaacaaatt	ggattcctcc	cctcatggag	cttgtatttt	cacaggaagc	4500
acagacatta	aataaattaa	aacacaaaaa	aatagacaag	catataatta	cagtatgtat	4560
cctagagaaa	tatcactcat	gcagaaagca	tacacaagga	tgcagcactg	tttccaatag	4620
cgaaaagcta	gaaacaacct	acatgttcac	caaaagaaaa	tggccacata	aactatacca	4680
tatccaaatt	atccaaattt	tagaatatag	acaacagggt	gggcgcggtg	gtcacacct	4740
gtaatcccag	cactttggga	agccgaggcg	ggtggatcac	aaggtcagga	gttcaagacc	4800
agcctggcca	acatggtgaa	accccgctct	ctctaaaaaa	acaaaaaaat	cagctgggca	4860
ctgtggcagg	agcctgtaat	cccagctact	gaggagactg	aggcaggaga	atcgcttgaa	4920
ccctggaggc	agaggttgca	gtgagccaag	atcgcgccac	tgcactctag	cctgggtgac	4980
agagcaagac	tccatctcag					5000

<210> 168
 <211> 1500
 <212> DNA
 <213> Homo sapiens

<400> 168	
tgtaggagtc	ctccggtgct ggagtcacaga gcacagttag gctgggtcct cccgtgccat 60
agtgtagggc	atggcgggac agggatcctg ccctgcgata gtccagtgtc tgagtccgca 120
gtaaggcaat	ggtcctccaa tgctggagtt cacggcgttg tggggtcggg gtcctttggt 180
gacttagtcc	agggcgtagc agggcggggg tccacagttag ccatagttag gatcttggag 240
gaagggtggt	cctgccttgc tgtagtccgg ggagcagggg gcaggggtcc tctcttgta 300
gagtctctgg	cgcggggtgg ggggtgaggt gggggttttc ctatgcgata gccacgggt 360
cggtagaagc	gggtcctccc gtgcctttgt ccagggcgca ggggggagag ggtcttcggt 420
ggtggagtcc	gcggagcggc aggacggggg tcctccagtg ccatattcca gggcgcggcg 480
gagtggggga	cctgtcctgc agtgggtccag ggcagtgtgg agtgggtggc ctgctgtgcc 540
tcagtccagt	gcgcggtggg acggcggtcc tgctgtgctg tagtgcagga cgcggtggcg 600
caggggtagt	ccagagagcg ccgtggcagg gggtcctcca gtgctggaat ccagtgaag 660
gcgggtcagg	ggtcttaccg tgccgaagtc ggtggcaagg gtcctcccgt gccatagtct 720
agggggcgac	ggggcagggt tctctagtgc aggtgtccag ggtgtggcag ggcaggagtc 780
ctcttgta	ggagtccagg acgtagccga ggagtcctcc aatgtcagag tccagggtct 840
tgcggggccg	ggttccccca tgccagagtg tagggcgctg tcaggtgagg gtcttggcgt 900

P030366Seq.TXT

gcagtaatcc	agggtgcggt	ggggcagggg	tagtccagac	ctccatggcg	ggcgtccctc	960
tgtgcaggag	cccagtgctt	ggcggatcgg	gggtccttct	gtgctgtagt	ccagggcacc	1020
gcaaggtgtg	ggtcctctgg	tgccctagtc	cagggggcgg	cgagtcagag	gttctcccgt	1080
gtctcagtct	agggcctggt	aggactgggg	tcctggagtc	cacgtggtag	cccaagttgc	1140
cgcaggacca	ggtactctgg	aaccacagtc	cagggcgctg	aggggcagga	gtagttcagg	1200
gcgagccggg	gcccaggtcc	tcgggagcca	gagtccaggg	tgtggagggg	tgggggttct	1260
gcagtggcac	agtccaggac	accgcggggc	gggacagggc	ggggatcctc	ccgtgcctta	1320
gtccagggct	gagccgcggg	agaggtcctt	cagtagcaca	gtctagcgca	cggcgttgca	1380
ggtgtcctcc	agtgcctgag	gccacggcag	gtcgcgggtc	ccactgtgct	ctagttcagg	1440
gcggagtggg	tctgaggtct	tctcctgcct	cagtctaggg	cgctggagag	cggggatcct	1500

<210> 169

<211> 2500

<212> DNA

<213> Homo sapiens

<400> 169

gggttggtcc	tagaaagcgt	gaggatcgcc	gagtgcactg	ccctcccagc	ctaggggtcca	60
ctcttccttg	gcccagagccc	agagctcggg	gtttcaggcg	ctgggccctg	tgcagctgcc	120
cagaataggc	tgagcggcag	gttcccgcgc	tggcaaggga	tccagcagtg	gaatcctcac	180
tgctgttggc	tgcgggcaag	gtcagcgggg	tttccatcgc	tgctgggtggg	agccacctgg	240
cgggtgtagc	tgcaagttag	cgctggcag	agactggcag	ggctgggtccc	agacaccctg	300
agggtctctg	ggtgcatcgc	cctaccaccc	taggggtctgc	tcttccttag	cctgctccca	360
ggacgcggtg	tacgagggct	agactctgag	cagcctccag	gatggggctg	agcagcggat	420
tcctgccctg	ctgcagctac	agtctgaatt	aggcgccacc	gcagtatctg	gccctggggg	480
acgtgctact	gggtggcatg	gacagagatg	ggggctgcc	cagctgctat	ggggctgagc	540
agccgattct	cgccctgctg	cagcgggcga	ccgctgcaat	ccccagcgct	atgggaccga	600
ccacctgact	tagatgcctt	ggaggcatcc	ggtcctgggg	tcttgctgct	ggtgtctgcg	660
ggcaggggtca	cggctgccac	tactactgct	gtgcgccatg	ggcaggtgcc	agctgcagct	720
gagtccgagg	cagatgctgt	cagggctggg	ctgaggttgc	ctaagggtgg	ctgagtgcac	780
cacgcttcca	ccccaggggtc	cgttattcct	aggccggctc	ccagattgca	gggttggtggg	840
cgttggacac	tgtgcagcca	tgaggatctg	gttgggtgca	gattcccgcc	ctcctgcagc	900
tgagaagcca	atctcataac	aggcgctgca	gtgacctctg	gctctgcggg	ccgcgctgct	960
gctggagctg	gcagagaaca	gagctgccac	cgctgctgct	tccaggagtg	tgcagctggc	1020
agctgcagct	gagcccgtgg	cggaggctgg	aaggccttat	tccagaagcc	ttgaggggtcc	1080
ccgaatgcac	cgccctccca	ccctaagggtc	cagtcttcct	tgcccgcgcc	cagagagttg	1140
gattgcaggc	gctgagcaca	gtgcaggtgc	tgggatgggg	ctaagctgaa	agtttccgcc	1200

P030366Seq.TXT

ctctggctgc	tgccggggccg	acagcctgag	ttatgcgccg	cggcggccttt	tggtcatggg	1260
atccgcactg	ccggtggcctt	gcacaggggtc	gggggctgcc	acagctgcta	tagttcacccg	1320
tgtgcacgtg	gcagccgccc	ctgagccccc	cgctgaggct	gcagggctgg	tccggtccca	1380
gacggcctga	gggccatttg	cccgcgccc	gatccgggtg	gctgcgctgg	gactgtgca	1440
gcctcccga	atccgctgaa	gggcacgttc	ccgctctcct	acagctgtgg	gccgactgcc	1500
tgattttggc	cactaggtgg	agtctggctc	tagggtttcg	aggccgctgg	tggttggtggg	1560
cggagtccgg	gtttgccacc	gctgcgctcc	atgagcaggt	agcagctgca	gcggagcttt	1620
agaccgaggc	tggcagggtc	ggccccagac	ggcctgaggg	tcagggagtg	cagggtcctc	1680
ccaccctagg	tccgctcttc	ctttccctt	accagagcg	ggttggtgcg	gctctgggct	1740
ctgtgccggc	gctgggctct	gtgcagccgc	cgagatgggg	ctgagcagcg	gatttcctcc	1800
ctgctgcagc	tggaggacga	ttacctgcac	tagccgctga	ggcggcatct	ggccctgggt	1860
tactgcagct	ggtgacgcg	gcagggtcag	ggttggttgc	aggtggcagc	tgctgctaaa	1920
cccattgcga	gcctcagggt	caccaagttc	accgtccttt	catcatagta	tctgatcttt	1980
ggcccgcgcc	cagagtgcgg	actggcctgc	gctggggact	gcatagcttc	tgggggcccgg	2040
tcagcgccag	tttcacgtcc	tcctgcagct	gcgtggccta	aggtcttagg	cgccgcggcg	2100
ctatctggcc	ctgctgtcga	cgctgctggt	ggtggggaca	gggtcaaggg	ttgccactgc	2160
tgctcccgtg	cgccatcggc	aggtggcagt	tgcagatgag	cccacaattg	aggctgtttg	2220
ggctgctccc	aggttggttag	agggctgcgg	agttcaccca	catgccaccc	taggttacgc	2280
tcttggcccc	caccagagc	gccgggttac	gggtcctggg	ccctgtgcag	ccacggggat	2340
ggtgctgagt	gcaggttccc	gtcttcctga	gatgcggggc	gaccactgga	attagcctct	2400
gtggtggtat	ctgaccctag	ggtccgagct	gctggtggcg	tgggcggggg	cgaagtcgcc	2460
tctgttgctg	cggcgtgcca	tttgaccgt	cctctggtac			2500

<210> 170

<211> 1600

<212> DNA

<213> Homo sapiens

<400> 170

aaatactcta	ctgaaaaaac	agaaatagta	aatgaataca	gtaaagtttt	agaatacaaa	60
atcagcatag	aaaaatcagt	cgcatttcta	tacccaacag	cataccatct	gaaaaaggaa	120
tcaagaaacc	aatcccat	aaaatagcta	taaaaaatg	cctgggaata	aactaagcca	180
aataaatatg	tctaaaatga	aaactataaa	acattgataa	aatcaattg	aaaaagatac	240
aaataaagg	aaagttatcc	catttttatg	aattagaagt	attaatactg	ttaaaatgac	300
catcatactc	aatcagtct	ataggtccaa	tacaatctct	aacaaatttc	caatgtaatt	360
cttcagagat	gttaaaaaag	gttttaaaaa	tcgttctgcg	gatgttaaaa	ggatttttaa	420
aacgcttttt	tcgttctgca	ggcgaaggct	gtggccgtgc	tcccgccggc	cagttcccag	480
cagcagcgca	ttgccctgc	tccacgcctt	cgctccaggc	ccgcaggggc	gcagccccgc	540

P030366Seq.TXT

gggaatcagc	actgagccgg	tccccgccgc	gccccagtg	ccgggctgcg	actgccccga	600
gccgatcgcc	cagcgattgg	aggagggcga	cgaggccttc	cgccagagcg	agtaccagaa	660
agcagccggg	ctcttccgct	ccacgctggc	ccggctggcg	cagccccgacc	gcgggtcagtg	720
cctgaggctg	gggaacgcgc	tggccccgcg	cgaccgcctc	ccggtggccc	tgggcgcgtt	780
ctgtgtcgcc	ctgcggctcg	aggcgctgcg	gccggaggag	ctgggagagc	tggcagagct	840
ggcgggcggc	ctggtgtgcc	ccggcctgcg	cgaacggcca	ctgttcacgg	ggaagccggg	900
cggcgagctt	gaggcgccag	gctagggagg	gccggccctg	gagccccggcg	cgccccgcga	960
cctgctcggc	tgccccgggc	tgctgcacaa	gccggtgaca	ctgccctgcg	ggctcacggt	1020
ctgcaagcgc	tgcgtggagc	cggggccgag	cggccacagg	cgctgcgcgt	gaacgtggtg	1080
ctgagccgca	agctggagag	gtgcttcccc	gccaaagtgc	cgctgctcag	gctggagggt	1140
caggcgcgga	gcctgcagcg	ccagcagcag	cccagggccg	cgctgctcag	gtgcgaccag	1200
gccctgtagc	tgtgacttgg	ctgtggggct	ggccccgcctc	cctgaccctt	gtcaggcgga	1260
gcagctggag	ctgaccacg	ggcctgggct	ttcgagcgct	ttgtccaggc	gctaattgatg	1320
ggaaggtgaa	aggtgggggt	ggccacaccc	tgcagtcagg	gtggcagggtg	tcagaggcca	1380
catgcaaccc	actggttttg	tcttttccag	gatgctgata	agtttcccg	ggcccccgga	1440
gcagctctgt	aaggccctgt	aattgccttt	cgttcccttc	tgctctattg	aggagtggga	1500
agatgacaaa	gtgtttttgc	tcaacccgaa	ggaaaatgca	catgggagga	cacaccgggt	1560
tactatttga	gtagcccaga	caggagagca	gcggtctgct			1600

<210> 171
 <211> 1500
 <212> DNA
 <213> Homo sapiens

<400> 171						
tgggtggatt	gcttgagccc	aggagttcga	gaccagcctg	gacaaaatgg	cagaaactcc	60
atgtctacaa	aaaatacaaa	aattagccgg	gcatgatgtt	ctgcgcctgt	agtcccagct	120
actcaggagg	ctgagggtgg	aggatcgctt	gagcccagga	ggcggagttt	gcagtgaact	180
gagatgtcac	tgcattccag	cctgggagac	agagccagac	tctgtctcaa	aagaaaaaaa	240
gaaaaaaaaa	aaagaaaaga	aaaaacgaaa	ttgtattctg	aatacatctt	ctaaaacact	300
acatttactt	gcactatatt	aaactgggtt	tatcctgacc	acaattgcag	gtgaaagata	360
ccactgttgt	tctatttttc	tggttaagtag	agtgaagcat	gtcttcccca	gggaaagacg	420
cctcctaaaa	attttagtag	ccacctttgg	ttttcttcca	gatatttttt	ttgtcatcgc	480
ttttcctgcg	ccaattccc	atctgtctag	cccttctgcc	tccgctggtc	tttttcgcga	540
gcctctcccc	agccgcaggt	attcgtctgg	gctgcagccc	ctcccatctc	ctggggcggtg	600
accacctgtc	caggccccgc	ccccgtccaa	cccgcggaga	cccgccccct	tccccggaca	660
ccgggttcag	cgcccagcg	tgcgagcgcg	tccccgctcg	tcgcccggct	cggcgctcggg	720

P030366Seq.TXT

agcgcgctct	gtgtggctcg	tgctgcagtg	ttgtttgtggc	tgtgagaagg	cggcggcggc	780
ggcggagcag	cagccggacc	agactcccta	gtagctcagg	cgctgccctg	cgccggccct	840
ggcagggagc	ctgggtgagat	ggtggaggag	gaggctgtgc	cgtggctggc	cttgcctgtg	900
cctgctgcct	ggttagaacc	ccatccccgt	ccccgtctc	ctccgggggg	tgaggaggag	960
ctggaagagg	ggccggcctc	tgtccggccc	ggccaggcgg	cagtcaccct	ctgaggaggc	1020
agcggccggg	gaggggcctc	ccaggcggcc	gccgccgcca	gggggaggcg	ctgggagtgg	1080
gagtgggagc	gggacctcag	ctgccaagct	cggcccggac	cctaggtgcg	ggggaggcgg	1140
ggtcccgggc	tcgggctgcc	tgcccggacc	tggcggggat	gggcccgtgc	ggctccgggt	1200
gtgggacgta	ccctcagagc	gcccgggggt	attccactg	actccaggga	ggtgagtgtg	1260
cgcccttcgc	tccttgccgt	gtctgtgagg	gtccatcggt	gccggagact	ggaggtcggg	1320
ggccatggga	gccccggggc	gaacggtgcg	gacatgggcc	ttgtggaaag	gaggagtgc	1380
cgcctgagcg	tgcagcagga	catcttcctg	acctggtaat	aattaggtga	gaaggatggt	1440
tgggggcggg	cggcgtaact	cagggaacac	tggtcaggct	gctccccaaa	cgattacggt	1500

<210> 172

<211> 1700

<212> DNA

<213> Homo sapiens

<400> 172

gtctctagga	caccctaaga	tggcggcgag	ggagacgggtg	aaggttggct	cccgcctgtc	60
tgggctctga	tcctctgtct	ccccctcccc	ctgcggccgg	ctcatggcct	ggcggaggcc	120
cgaaccaaag	acctccgcac	cgccgtgtac	aacgccgccc	gtgacggcaa	gggggcagct	180
gctccagaag	ctgctcagca	gccggagccg	ggaggaactg	gacgagctga	ctggctaggt	240
ggccggcggg	gggacgccgc	tgctcatcgc	cgctgtctac	ggccacctgg	acgtggtgga	300
gtacctgggtg	gacctgtgcg	gcgcgagcgt	ggaggccgggt	ggctcgggtgc	acttcgatgg	360
cgagaccatg	gaggggtgcg	cgccgctgtg	ggcgccggacc	acctggacgt	ggtgcggagc	420
ctgctgcgcc	gcggggcctc	ggtgaactgc	accacgcgca	ccaactccac	gccccctccgc	480
gccgcctgct	tcgagggcct	cctggagggtg	gtgcgctacc	tggtcggcga	gcaccaggcc	540
aacctggagg	tggccaaccg	gcacggccac	atgtgcctca	tgatctcgtg	ctacaagggc	600
caccgtgaga	tcgcccgcta	cctgctggag	cagggcgccc	aggtgaactg	gcgcagcgcc	660
aagggcaaca	cggccctgca	caactgtgcc	gagaccagca	gcctggagat	cctgcagctg	720
ctgctgggggt	gcaaggccag	catggaacgt	gatagctacg	gcatgacccc	gttgcctccc	780
gccagcgtga	cgggccacac	caacatcggt	gagtacctca	tccaggagca	gcccggccag	840
gagcagctca	taggggtaga	ggctcagctt	aggctgcccc	aagaaggctc	ctccaccagc	900
caggggtgtg	cgcagcctca	gggggctccg	tgctgcatct	tctcccctga	ggtactgaac	960
ggggaatctt	accaaagctg	ctgtcccacc	agccgggaag	ctgccatgga	agccttgga	1020
ttgctgggat	ctacctatgt	ggataagaaa	cgagatctgc	ttggggccct	taaacactgg	1080

P030366Seq.TXT

aggcgggcca	tggagctgcg	tcaccagggg	ggtgagtacc	tgcccaaact	ggagccccc	1140
cagctgggtcc	tggcctatga	ctattccagg	gaggtcaaca	ccaccgagga	gctggaggcg	1200
ctgatcaccg	acgccgatga	gatgcgtatg	caggccttgt	tgatccggga	gcgcatacctc	1260
agtccctcgc	accccgacac	ttcctattgt	atccgttaca	ggggcgagct	gtacgccgac	1320
tcgggggaata	tcgagtgcta	catccgcttg	tggaagtacg	ccctggacat	gcaacagagc	1380
aacctggagc	ctctgagccc	catgagcgcc	agcagcttcc	tctccttcgc	cgaactcttc	1440
tcctacgtgc	tgcaggaccc	ggctgccaaa	ggcagcctgg	gcaccagat	cggctttgca	1500
gacctcatgg	gggtcctcac	caaaggggtc	cgggaagtgg	aatggggcct	gcagctgctc	1560
agggagccta	gagactcggc	ccagttcaac	aaggcgctgg	ccatcatcct	ccacctgctc	1620
tacctgctgg	agaaagtgga	gtgcaccccc	agccaggagc	acctgaagca	ccagaccatc	1680
tatcgctgc	tcaagtgcgc					1700

<210> 173
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 173	
taaaaataaa	ttgtaataaa
tatgccggcg	gatggtagag
atgccgaccc	taccgaggag
	60
cagatggcag	aaacagagag
aaacgacgag	gagcagttcg
aatgccagga	acggctcaag
	120
tgccaggtgc	aggtgggggc
ccccgaggag	gaggaggagg
acgcgggcct	ggtggccaag
	180
gccgaggccg	tggctgcagg
ctggatgctc	gatttctctc
gcttctctct	ttgccgagct
	240
ttccgcgacg	gccgctcgga
ggacttctgc	aggatccgca
acagggcaga	ggctattatt
	300

<210> 174
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 174	
cgccaccacg	tgcgggtagc
gccgcatcgc	cccagccgtg
ttccttggtc	tccgtctccg
	60
ccgcgcccgc	ctggtgaact
ggagcacagg	gaccatagtt
ctggaaattt	atcctttttc
	120
tctccatgga	ttcagcagca
gtgtctaaaa	gaaaaaaatt
catcaatcat	ttatgtatat
	180
tttaatatata	aggtaaaaca
ctgcgaacca	gtggaaccgg
atagaaagta	attcagtttt
	240
acagaacaca	actgtttttc
aggctctttt	attaaatata
aaagagccat	atatattttc
	300
gtggaattcc	ccttttactt
aagaattcat	tatcagcgaa
ttagtttaag	gaggctgttt
	360
tgtagaggc	tgtggttgca
ttcaaaaatt	ggaataggaa
caatgacttg	taaaaattca
	420
acattttatt	ttatttttga
gatggagtct	cgctctgtcg
cccaggctgt	agtgcagtgg
	480
cgcgatctcg	gctcactgca
acctcagcct	cccgggttta
aggaattctc	tgcttcagcc
	540
tcctgaatag	ctgggattac
aggcgcatgc	caccaagccc
agctaatttt	ttttgtattt
	600

P030366Seq.TXT

<210> 175
<211> 1300
<212> DNA
<213> Homo sapiens

<400> 175
ccctgaacag tcagagttta ctgcccactt ttgctggagg agaagctcct gaacaactag 60
agagactgtg gttcccaaag agcagcctgt aggcctgagg actgctctat gaccggcgctc 120
agtccctgcc tccctccctc cgtccctcct tccctccttc cttcccaggc cttctctgac 180
taccagatcc agcagatgac ggccaacttt gtggatcagt ttggcttcaa tgatgaggag 240
tttgcagacc atgacaacaa catcaagtga gtccacttgg atgccccctg cacgaggcac 300
gactccccct cctcgctgct gaagtcccat gggggcagct cccttagtcc ttgccgggag 360
ataacaggtg tttccagttg catgaggggtg ctgaggcccc cagtgagaac caggggagga 420
gcactgaggc ctgagatgag caccggggga ggagccctga ggccccagat gagcaccagg 480
ggaggagcac tgaggcccca gatgagcacc gggggaggag cgttgaagcc ccagatgagc 540
accagaggag gagagctgag gccccagatg agccccgggg gaggagctct gaggccccag 600
acgagcaccg ggggaggagc gccgaggccc cagatgagca cggggggagg agcgccgagg 660
ccccagatga gcagtggggg aggagccccg agggccccag atgagcagtg ggcggggcag 720
ggagcgccga ggccatcccc cttgctcttg cagcgcccca tttgacagga tcgcgagat 780
caacttcaac atcgacactg acgaggacag tgtgagcgag cggggctgtg cggggtcagt 840
caggcaccct gttcccaggc agctcaggcc gcgcccattg ctcgggtctgt ggtgggcctg 900
tgcggtgggg ctgggagagg cccctctgtg gagctaggaa cagtcgcttt tcttgaccct 960
ccccatcatg ccctccagcc catggcgccc acatcctgaa ctaagcccct ctgggagccc 1020
tgtggggaga gcgcctcctg tctccccag accctctgga aactgacctt ggcgttttac 1080
tctgcagccc agcgcggtc tgaggcctgc tgcagcgacc gcatccagca ctttgatgag 1140
aacgaggaca tctcgagga cagcgacact tgctgtgctg ccaggtgaa ggccagagcc 1200
aggtgcgggg cctgcccatt ccccaaagc ctctgccgag gaggtgcagc cccagaaca 1260
cccgtcagat gccagacgc cctgctgttt gttatgccgg 1300

<210> 176
<211> 110
<212> DNA
<213> Homo sapiens

<400> 176
tttgggccac gaggcaagtt caaagcggga gacttttgtt ttataaaatg atggtgagca 60
gctccggttt tatgtcaaac atcagggttt cgtgcaggat ataaacattt 110

<210> 177
<211> 1500
<212> DNA
<213> Homo sapiens

<400> 177

P030366Seq.TXT

attgccgtac	tttgcttccc	tttgtatgta	tttcttgtat	gctgccgagt	cactgatggc	60
tagctctgtc	tggaagtaa	ttcaaaaatg	ctgtttatgt	agaaaggaaa	ggtagggact	120
ttaccacact	ctgtcattaa	agggagcaat	tgaagaacaa	aggaactgag	taaataccta	180
tatattgcct	tttgtgttgc	gaaacactgt	agcacaaaca	catttgtgtt	cagccaaatg	240
ttttacttcc	ttttgtaata	acgcatatag	taggttgtct	ccacatatgt	acaagaatcc	300
atattttatt	taaacgtata	tagtcaattg	ttcatattta	taggctgcaa	acattttctca	360
atctcaaaga	cttttacata	tccactccca	cacagctatt	tgttattatt	ttaaaagttc	420
ttaaattaaa	aaaaaaaaata	aatataacta	atatctctgt	tggttgattt	tattaagcaa	480
cttaggattt	caacacagtt	taaatcatat	tgatgactca	gatcctggca	ggctttacaa	540
ttcctgtgaa	atgagagcac	agctaataaa	aatattaagc	aattactttt	attaaaatca	600
tagggttttt	ttcattatca	catagaaatg	attgatctat	acagattggg	ctcactcatg	660
tgtcttttgg	gctgcttggg	agcttcatgt	agaagtggaa	agtccccttt	gctcttcctt	720
cgaccaaggt	ggggaaaatg	aaggcataga	atacaatcta	gggctattaa	agaattgctg	780
gcattacttc	tctctatcac	gtgtgagcct	ggctgcctgc	ttcctgaggt	aggggatcca	840
ggatgagact	gtgccggagc	ctgtttccac	aactgcattt	ggagatccgt	cttattgatt	900
agcgggggaa	aggggtgggg	atcaggagtg	tgaggtgagg	ggaggaccaa	ctgacgactg	960
gctcaatgaa	gcacaagaca	ttttcttccg	gaaagatgtc	aaacaactga	gaaacagcca	1020
gagaggaagt	agaaagggtg	aaaaatgagg	agaccctgga	agaaatgaag	gcatttccta	1080
tgagacagcc	ttggggcttt	tttcttttct	ttcttttttt	ttgcttccat	catctgacct	1140
gcaaaggcta	gagtgacagc	gtcatgcaaa	tgctgcagtc	cagcagggtct	gggagagggg	1200
ggatgctaga	ctgtgagtta	atgttaatga	tgagcgcagt	gaaaatacca	gccgctgcca	1260
ccccctgctc	acagaagcgc	tctgagtcag	catcagatgc	tttgccctgc	ctctcgtgtg	1320
gtatctgtat	gcctgtgtgc	gcgcgcgtgc	tcgctcgggc	atccgtgtct	agccgagggg	1380
aggggggtggc	gtgtgagtgc	gtggagggta	aaagccagtc	agtcagttag	aagcaaagggt	1440
acgttggaga	gcaactaaaa	tctgactgat	ttccatcttt	ggagcatcag	atgtattccc	1500

<210> 178
 <211> 200
 <212> DNA
 <213> Homo sapiens

<400> 178	gcagcctcct	cctgaaaaat	gtaagccatt	tccactttgt	aaagctacgt	ttatattcca	60
	ccacgatacg	atggaaaaga	aaacccaagg	caatttaata	tacgggttgg	gaagaaagtt	120
	ttgctgatgg	aactacatta	gcctccactc	cagcaaagca	aacaaggaac	cacactaaag	180
	aaatgtactg	aatcttttaa					200

<210> 179
 <211> 800

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 179

tgcctgagcg	cagagcggct	gctgctgctg	tgatccagga	ccagggcgca	ccggctcagc	60
ctctcacttg	tcagaggccg	gggaagagaa	gcaaagcgca	acgggtgtgt	ccaagccggg	120
gcttctgctt	cgcctctagg	acatacacgg	gaccccctaa	cttcagtccc	ccaaacgcgc	180
accctcgaag	tcttgaactc	cagccccgca	catccacgcg	cggcacaggc	gcggcaggcg	240
gcaggtcccc	gccgaaggcg	atgcgcgcag	ggggtcgggc	agctgggctc	gggcggcggg	300
agtagggccc	ggcagggagg	cagggaggct	gcagagtcag	agtcgcgggc	tgcgccctgg	360
gcagaggccg	ccctcgctcc	acgcaacacc	tgctgctgcc	accgcgccgc	gatgagccgc	420
gtggtctcgc	tgctgctggg	cgccgcgctg	ctctgcggcc	acggagcctt	ctgccgccgc	480
gtggtcagcg	gtgagtcagg	ggccgtctcc	ccgaagaacg	agcggggaga	ggggaccacg	540
gggcgcggcg	ggcagcctgt	tctcgggcgg	aggctctccg	gggcgttgga	aacctgcatg	600
gtgtaaggac	ccgggaggag	gcggggagaa	attgattgtg	ctgttctcct	ccctctcttc	660
tctaacacac	acgcagaaaa	gtttaaattt	ttgtgaagcg	cttgcttacg	tagctgcgga	720
gcgagcctct	gcttcattac	gagcggcata	gcctttttca	ggagtgattt	ccactttctt	780
tgtgagagag	ttgaccacac					800

<210> 180

<211> 600

<212> DNA

<213> Homo sapiens

<400> 180

ttcaatttac	actcgcacac	gcgggtacgt	gggtgttcgg	ggtagggcac	tgatctgggg	60
aaggtctccc	ccccgcgacc	caactcatct	ttgcacattt	gcagtcctcc	ctcgggtgcac	120
tcctggcggg	gatctggcca	gtgcagcgca	ctgggaccga	gggcagagcc	cgcggaagtga	180
ggccaggaga	gacttcaggc	ctctaaggac	acagctgagg	ctaaggctga	gttgaacgca	240
gccccctccc	cggctcgtcc	cctctccagt	gtctctcccc	taagggtgcc	ctcccaacag	300
caatgggtcg	agatgtagag	gaaacactct	gtacgttatt	tttccgcccc	cccttttagcg	360
cctgaggaga	cagacagtgt	agacttttag	gtacaattgc	ttccccctct	tcgcggcggg	420
gtggggagcg	tgggaagggg	acagccgcgc	aaggggccag	cctgctccag	gtttgagcga	480
gagagggaga	aggaggtcca	cggagagaca	agaatctccc	tcctcccacg	cccaaaaggga	540
ataagctgcg	gggcacaccg	cccgctcca	gatcccccat	tcacgttgag	ccggggcgcg	600

<210> 181

<211> 600

<212> DNA

<213> Homo sapiens

<400> 181

tcattatccc	attgattttc	ctggtatcac	atcacttaag	tttaagtagc	tcttatgtta	60

P030366Seq.TXT

cttagtaatg actgcaaaac acgagttgtg atgcggggcaa tttggataca acaaaaagaa	120
gccattaagt ttgttcgtta gttaacaggt gaaagctctc aagttattaa ggataaaaat	180
gctagtatat atatatatgg tttggaacta tactgcggat tttggatcat atccgccatg	240
gataagggag gaatactata atcaggtttg ttttaaattc catgtctaata gacttcgtta	300
tctagatcac ctgtagagct gtttttattg taggagtttt ccttggtttt aatcttttga	360
tttgtttttc atgttaatac tgaaattttt aaaaattgca tattgtactt cctatatgaa	420
aattttacta tgtattttta tttttatttt ctttttcctt taggaagaat tagtttgttc	480
cctgacagag ttagagtaag ggcaaattac ttgtctctat aaacaactca gatgttttga	540
gccggtgttg taggggttat ctttttctgg ttttgcattt tattatagga catagtgcct	600

<210> 182
 <211> 140
 <212> DNA
 <213> Homo sapiens

<400> 182	
agaaagaaga aatccggtta aaggatgtgt tattgagttt gcagttggtg tttgatcttg	60
cacagatttt ctcaggggcc ttaagaccgg tgccttgga ctgccatctg ggcatagaca	120
gaaggagca tttatacgcc	140

<210> 183
 <211> 900
 <212> DNA
 <213> Homo sapiens

<400> 183	
cgaagatggc ggaggtgcag gtcctggtgc tcgatggtcg aggccatctc ctggtccgcc	60
tggcggccat cgtggctaaa caggactgc tgggccgga agtggtggtc gtacgctgcg	120
aaggcatcaa catttctggc aatttctaca gaaacaagtt gaagtacctg ggtttctctc	180
gcaagcggat gaacaccac ctttcccgag gtccctacca cttccgggcc cccagccgc	240
atcttctggc ggaccgtgcg aggtatgccg cccacaaga ccaagcgagg ccaggcttct	300
ctggaccgcc tcaaggtgtt tgaccgcac ccaccgcct acgacaagaa aaagcggatg	360
gtgttcctgc tccctcaagg ttgtgctct gaagcctaca agaaagtttg cctatctggg	420
gcgctggct cagcaggttg gctggaagta ccaggcagtg acagccacc tggaggagaa	480
gaggaaagag aaagccaaga tccactaccg gaagaagaaa cagctcatga ggctacggaa	540
acaggccgag aagaacatgg agaagaaaat tgacaaatac acagaggtcc tcaagaccca	600
cagactcctg gtctgagccc aataaagact gttaattcct catgcgtggc ctgcccttcc	660
tccatcgtcg ccctggaatg tacgggaccc aggggcagca gcagtccagg cgccacaggc	720
agcctcggac acaggaagct gggagcaagg aaagggtctt agtcaactgcc tcccgaagtt	780
gcttgaaagc actcggagaa ctgtgcaggt gtcatttatc tatgaccaat aggaagagca	840
accagttact attagtgaag gggagccaga agactgattg gagggcccta tcttgtgagc	900

P030366Seq.TXT

<210> 184
 <211> 1400
 <212> DNA
 <213> Homo sapiens

```

<400> 184
gcctgaagac catttcttcc tctcttaggg acctgctggc ctccagctga ttcgggtccag      60
gaggaacaaac ctcccacttg ctccctctcg gctccctgca aggagagagt agagacactc      120
ctgccacca gttgcaagaa gtcgccactt cccctccag ccgactgaaa gttcgggcca      180
cgtctgggcc gtcatgtgaa ggcgtttcct tttctttaag aacaaagggt ggagcccaag      240
ccttgccggcg cgggtgcagga aagtacacgg cgtgtgttga gagaaaaaaa atacacacac      300
gcaatgaccc acgagaaagg gaaaggggaa aacaccaact acccgggcgc tgggcttttt      360
cgacttttcc tttaaaaaga aaaaagtttt tcaagctgta gggtccaaga acaggcagga      420
gggggggagaa gggggggggg gttgcagaaa aggcgcctgg tcggttatga gtcacaagtg      480
agttataaaa gggtcgcacg ttcgcaggcg cgggcttcct gtgcgcggcc gagcccgggc      540
ccagcgcgcg ctgcagcctc ggaagggag cggatagcgg agccccgagc cgcgcgcaga      600
gcaagcgcgg ggaaccaagg agacgtcct ggcactgcag gtacgccgac ttcagtctcg      660
cgctcccgcc cgcctttcct ctcttgaacg tggcagggac gccgggggac ttcgggtgcga      720
gggtcaccgc cgggttaact ggcgaggcaa ggcgggggca gcgcgcacgt ggccgtggag      780
cccggcctgg tccgcgcgcg gcctgcgggt gcccctggg gactcagtgg tgcgcctcg      840
cccgggacca gagattgcgc tggatggatt cccgcgggca gaggcagggg gaaggagggg      900
tggtcgaac ctaatacttg agcttctttg caaagtttcc ttggatgggt ggggacgtac      960
ctgtataatg gccctggacc agcttccttg ttggagtggc cagagaagtg tgtaaacac      1020
actagagggg cagggtggaa aaagagactg ctttcaaac ttgtatcttt tcgatttcat      1080
tttgaaaaat aactacaaat ctattttaat tttaaaagt tagactcata gcattttaga      1140
tatcaatgtc ttcatttaac agaagtgaag atggagcaaa cgctcaatca gcgtctgtat      1200
ttattcgctc ctgttgtgcc aggggtgcgtt tttgccgagc gggtgccttt ctttactcac      1260
aaaacccct tgatgtctgt cctccacgtt ttacgaggga gagccggatc ttttgaagtt      1320
tgtatcatct aaagcagga tattgggatg actatggata gaatttaacc tgaaaacact      1380
gaagttgaca gctgacaaag                                     1400
    
```

<210> 185
 <211> 200
 <212> DNA
 <213> Homo sapiens

```

<400> 185
cataacaaga gtcattctaa tgtgattata aaggaccgga agctttgctt ttaaaattca      60
atacttaggt agaaagaaaa tgataacttt ttccctttga tttttattca ctatttttat      120
aacactagca gccctgagac accggattgg aaatatctat gcctcttgat gttacctggg      180
    
```

caccactgca tcacagtcct

200

<210> 186
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 186
 aatagtaatt gccaacagtc aagatatgta ctaccaccaa attccgtggt atttgtgatc 60
 aaaagatata cacagatact tgaaaactga tttctacgtt gcatatggga aaaatacctc 120
 atttttctca gctgtccatt atttttgaga tattatgtgc agtgatagta agaacaagca 180
 gatttggaac acatcagcaa taattttttc aatcagagtc ctgccaaaat gaaagaattt 240
 gacagtatcc ggcaccctgt actcatgctt ggcttctgta gaaactgtgg cttgcaaaag 300
 ggagctggg tactgtgttt tggtagctca ttctttaaac gtataatggg aatctggttg 360
 gttcaggaaa acccttgctt acttattatt actctgtttt 400

<210> 187
 <211> 250
 <212> DNA
 <213> Homo sapiens

<400> 187
 ggccatact taatgtattt ttaaactgtt taacatttac taatatagaa ctttctattg 60
 cctatttcct tctggtttat tccctttcct tctgtcattg aagaaatggg tctagtggta 120
 gaaatactcc acgattgaga agaattgtggg aagaaaggag ggctgggtggg taagaattgc 180
 tcatgatgtc tccctctgaa ttctgtgctc tcacaatgac actccaatgt gtggtttgac 240
 gcctggaaga 250

<210> 188
 <211> 250
 <212> DNA
 <213> Homo sapiens

<400> 188
 tgcttcaacc ggaaatgtgg ttgaattacc cttacagtga acctgatcag tggtaacagg 60
 agatgctaga acaggaaaag acaagtttcc ctttctctcc ctatcccatc aattactttg 120
 aggtgtattt tttctttgca acccctccag agaagtggg aatgtttaac gagcatgcct 180
 gccaaagtggc ttgccttata cctcattatg aagtgatact cagggccact aacacatcgc 240
 acagcattgc 250

<210> 189
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 189
 tatgattccc tcgatttccc tcaatcttaa ccattgtgga tcacagcagg agggccagaa 60
 agtgagcttc agcctggcac cgggacctca gcctctcct taaactttcc ctaatcctcg 120

P030366Seq.TXT

gagctagtgt tactcaagtg actccacagt gttgcccgat cccttcagac atggccttga	180
tgatctccaa aactcatgct acctttgccg gcctaaagca tccactctgt gccccaaaac	240
gtgaatgtca aataacccttc aaggcagaag gctattttcta tttttgtttg tttctgttta	300
aggcaacaat caccaacatt tgggtacacat gagccatcct gtgaaacatc aaggcgcttc	360
gttggcagca agtcaacttc ggtttcagaa gaaagctgca ctatttcctg aggttagagg	420
tttaaaccac aacaagacaa ccacatttta accccaaatc tgccgactga gggtaaccat	480
gatccttcct tcacagcacc	500

<210> 190
 <211> 150
 <212> DNA
 <213> Homo sapiens

<400> 190	
tactaaatca acccaaaccg gagaaccggg tcatggagaa ataaatgata gtaatctatg	60
ctgttcatct gttccatcac tcttcactc tcttgctgaa caagaaaggg ccacccatgt	120
agcaaaccac atgtaaagag ccgggaagac	150

<210> 191
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 191	
tattattttg ttcaaagtag acgggtatac taacatctgt gggcaagttt accacacgcc	60
acttaaaaca ggctaacagg gtcatatgcc aaaacgttca ggtttgcatt tttgaaaagc	120
tcagagatct gacagatgtg ttccggccgc gatttaacat gcggtccag tgagaaggaa	180
gcagatatga caaatggttc acttatttca gaactaaaac cccagaggag cagcctgagc	240
caaaaaggga agtgatcaat ggaaaagacg gtcgaatctg ctcacaggca aggcaagggg	300

<210> 192
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 192	
aagacctgga gtttccatta caccgaattg gcacttaata actgttgctg gagcatttct	60
taagccacat tttcgtaaag tggctttaaa attgctctgc cagtaggcag gttgctaaga	120
tggtcagaga caaacttctg aacgactctt gtaaaatata cagaaatatt ttcagaactt	180
ttatcagtaa aattacaaaa cgtgttgcaa ggaaggtgct tgtgataaca ctgtccccag	240
aaccttagtg aagttaccaa ctggtggaaa attttctctt gcactcggct taaaaatcat	300

<210> 193
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 193

P030366Seq.TXT

gcaggggtga ctggctctct ctctctgcac ctcgcaggat ttctctggaa gatctgagcc	60
cgagcgtcgt gctgcacatg accgagaagc tgggttacaa gaacagcgac gtgatcaaca	120
ctgtgctctc caaccgcgc tgccacatcc tggccatcta cttcctctta aacaagaaac	180
tggagcgcta tttgtcaggg gtaagtgcga ccctagaggc gatcgtctct gctgtctgtg	240
gaaaaaagag ctcctacacc caaagtgcct ctcagttgct gacacttgat ccaagctgct	300
aatttaatat aatgtgaggc tgagttttct gaatgtggga taaagtcgta gctaaacctg	360
cttctcaggg agtgcctttt atctgcaatg tttttcaaat	400

<210> 194
 <211> 1100
 <212> DNA
 <213> Homo sapiens

<400> 194 aagtaacggg atcaaattaa ttattatttt ggtggccgcc tctcttctcc accccaagcc	60
aggcaagact caccctcggc cctgcccgcc ccagcatttc aaatggaata cctaggtggc	120
ccagggggac ccctgacccc tatatcctgt ttctttctgc ctgctttgct acttttctcc	180
ttgataaaaag gagagagtga gagataatta acaaaaaaca tggccccagg acaatgaaac	240
aactggcctt ggccggccag aaatgtatcc tggttttcta ggtgaacttt ctcccatcaa	300
tctttccttt aacctctctg ttagtggaag caataggaac acccctcccc tcccctgagc	360
aaatgctttc ttttgactgg aaacaaaaca ggggctcggc gaaggctgag gtgaaatctg	420
ggtggcatgg gcgccgcaca atggggccgc tgttccccgg cccgggcttg tgttttacia	480
caggggaggg gcgggcgtga atgggtctgat gattggaaca atcccccca ttcaggccta	540
caaacgcata ttctgttcca caccgagggg acagaaagga gaaaagtgac aaagaacgcg	600
gggcgggggg aattaaaaca aaatgcgctc gactaaaaaa tctctcatat cctgcatatt	660
ccagaaagcg gctctatgga gagagccttc aggaggcctc agccatatct gaatggcttt	720
ctctggcctc tgatttattg atgaagctga agcgacttgc tggagaaagg cctggagcct	780
tctttgtctc cgagatgaag tacaataggc cacagggcgg agatctcttg tgatgctctc	840
gggtcctgcc tttctcttgc cctctcctcc ctgcaaatac cagcagcggg gacaaacgat	900
tgggtggtgtg cctgggagag ccggtgacaa gactgggcca cttgaggtct ccttaagagg	960
gtattatggc cagggcgacg tttgtgctgt gaagatggca cactccattt tgtcaatggc	1020
tctcatcggc ccagataatc gccccctgcc tgctgtcag gggcgcagcc ggccgattca	1080
tggcgccctc ggagaaagta	1100

<210> 195
 <211> 10000
 <212> DNA
 <213> Homo sapiens

<400> 195 gtctttcccc ccccttgtc taaactcaaa accgagtccg ggcgcgcctt gcagggcgcc	60

P030366Seq.TXT

cgagctctgc agcggcggtt	cgggctgaac ccatccggca	caaactgcgg gccactggcc	120
cctcacacct gggagtttgc	ggcgctggcc tgcagcccgg	ggcccacgtg gcggaagctt	180
tcccgggcg	gcgctgcga gccccgcggg	gccggggaga caccgctcgg	240
ctcggctgca gaatctttat	cagctgcact ttaccgcagc	cctggctagg acgctaggcg	300
gtggagcgcc ctatccaggt	gcgccgccgc accatggatc	accgcgcccg gtcccgcagt	360
cccgccatgg cctggggagg	cccgaagccc ggggacagt	gccgggccc	420
ctccggctcc	gcggaccccc ggctcaggcg	ggagggcagg cgggtccctg	480
caggcccca	gggagcccgg	gagcctctct ctggcgctcat	540
tcagtcccgg	ggcaacctga agcgcggtag	atattggaga	600
ggggg	ggtct	gttggggga cctggcgctca	660
ttactgatgg	ctagcaggga	ggaggggaacg	720
ggttgtcacc	tcggcctcat aaggccgtga	gtgagtagtc cagggcctct	780
tcaggcattt	ttgaaactgg attaaactagg	ggggaaattg tagcactgaa	840
gccaccgtga	ctgtcttttg	cgctgtgtgg aaactccggt	900
aaaactcttt	gggcaacagt cttatcacca	gctcttcaac	960
gtgtgcagcc cttctggtcc	tgtccctgtt ctgggcccc	ggaatgcaaa gcagggtccag	1020
gcactgtgaa gaccctggcg	gtggaggaag aggcttccc	gctgtggagg aagccagacc	1080
cttacaacac aagacgagaa	ccagacctgc gtgggggagc	tctggatgct acaggggctc	1140
aaggaggggt ggaggggcct	tcccaggcca acccctgaac	ggcttgga	1200
agatgctcag	atggacggga ggaacggcgt	gtgggatggg ggagctggag	1260
gcgggtgggt	ggggggggga	ggatggggaa agcgcgtggcc	1320
cacccagtgt	gggaggggta	gaggaaaagc ccgcaggggc	1380
caggttggga ccccgtaggc	cgggttagag ggcttggact	tgatcctgac aggcgacagg	1440
gagacatatt gctacttatt	atgtgcacag tggccagatc	tctaaagaaa acaccatccc	1500
ccacccccac ccccatata	gtaaaccagg tgggccgccc	agtgtctcca gggaggtgat	1560
gggaaatccc actccatacc	ctgcggtgag gggttccatg	ccctccacgt gtgcaactac	1620
tccggggcca gggaaacact	gggccccatc cggtaacccc	cggcccagtc gggtttcca	1680
gttcacatta taaccaaagc	gtcttgccag ctagacagac	agacaccct gacctgttta	1740
ccctgatcct ctgctctcag	gattaatcac aacttgtcga	aggggggtggc ttccagtggg	1800
gtggaccgct ctgtcaatgc	cagcgtgtgt ctagcatctc	ctgggggtggg ggtgtgggga	1860
agggaggtgt aggatgaagc	cctagaagcc tcaggcaatt	gtgatccggt gggctggata	1920
ctgaagcca cccctgcctt	gacctcaatt ttcagtatct	tcctctgtaa aatgggaaca	1980
acctgccttc ctccatagccc	taaaggggct gctgtcaaga	ttggctgaga tagctgtttg	2040
caagctgagc tcaatgaaag	ttcattgtgt cccctcagt	cctatcccaa tatcgtctca	2100
ctgcaaagg	gttgcattt	ttgtttgttg	
tgctggtttg	ggcttcgtta	gggttgcattt	
agcaccctt	cctgcaagct	ccaggccttc	
ctctggaatg	ctcctagagc	ccaacctctg	

P030366Seq.TXT

ctggtgcctg	agcttaagcc	aggccagcta	aggggatcct	ggattcacac	ggcctcacag	2160
tcactcagat	tgtagcaga	agacaaaaat	tacaagggga	gggcgtcatg	tgattcttac	2220
acaccctcca	aatccagcag	acaccttgga	agccacaggt	agcttcaaga	aacccatttt	2280
acggatgaga	acctgagatg	gagaaaggac	aactggagat	ctctgagtct	ctgagcccac	2340
actccctacc	tccctgcacc	tccaggcact	ctgctggcag	gatcttgggc	aaatgcccac	2400
agctctctga	gagtcagttt	tcctgtctgt	aaaatgggag	tcataccttc	ctcctatggc	2460
cggtgagaga	ctaaattaaa	ctatgtctgt	caagacacct	gaaactcctg	gcacaattta	2520
ggttgccttc	aagtggtcac	agttgtcatt	aggtggaagt	caacacccca	atcattgtaa	2580
aggtgcccac	ataccccaag	atccagatta	cagctctcac	agtttattat	atacagcgaa	2640
aaaacacata	acacaccttt	gccacatttt	acatgtattt	tacggaccat	gtttcacatc	2700
agtccgcatg	cacatctgca	cgtgtgtgca	ttcggcagta	tttaccaagc	acctgccaa	2760
tgccagggcc	tgtcctccgc	acccggcgtg	aactgtcctg	gaccagtccc	gggagccgcg	2820
gttctgacca	gccgtgctga	ccctggacga	ctccatgagc	tgttttgtga	gaaagacacg	2880
ccatttgttt	gcagagtctt	gacttctgag	gggtcatgta	gcacatgttt	ggtagccaaa	2940
cgtgtcatt	cacgaccagg	agcgatggct	gcaatgcctt	tttctttgct	ttgctttccg	3000
gtgccgggag	ccttgccctc	cgccgccacc	cctggtcagc	tctgcgcaag	aacgtcgttc	3060
tgtttggcag	ccaggccgag	acgcagcctg	aatgtgagca	ggaactcgga	gaagggaagg	3120
gagagaatca	gaaagaaggc	ccgggagggg	cccgggaagc	agtgggaggt	ctgcgccctg	3180
gagccccgcg	agagccccgc	ggtttggcac	gggtcctctc	cgggccgccc	ggcggtccaa	3240
caaaggccgg	ccccgacacg	caccgggtct	tttgtgggag	agaaacacaa	agaagagggg	3300
aaaacacgga	ggaggccaac	agcaccagga	cgcgggggcc	aaccaggaac	tcccgagacc	3360
ggggccatt	agcctctgca	aatgagcact	ccattcccca	ggaagggggc	ccagctgcgc	3420
gcgctggtgg	gaaccgcagt	gcctgggacc	cggccaggtc	gcccaccccg	ggcgccgggc	3480
gcaggacccg	gacaagtcct	ggggacgcct	ccaggacgca	ccagggcaag	cttgggcacc	3540
gggatcta	ttctagttat	tcctgggacg	gggtggggag	gcataggaga	cacaccgaga	3600
ggtactcagc	atccgattgg	caccagggcc	aaggagagcc	aggggagaca	cagacctccc	3660
cgacctcca	agctactccg	gcgacgggag	gatgttgagg	gaagcctgcc	aggtgaagaa	3720
ggggccagca	gcagcacaga	gcttccgact	ttgccttcca	ggctctagac	tcgcgccatg	3780
ccaagacggg	cccctcgact	ttcacccttg	actcccaact	ccagccactg	gaccgagcgc	3840
gcaaagaacc	tgagaccgct	tgctctcacc	gccgcaagtc	ggtcgcagga	cagacaccag	3900
tgggcagcaa	caaaaaaaga	aaccgggttc	cgggacacgt	gccggcggct	ggactaacct	3960
cagcggctgc	aaccaaggag	cgcgcacgtt	gcgcctgctg	gtgtttatta	gctacactgg	4020
caggcgcaca	actccgcgcc	ccgactggtg	gccccacagc	gcgcaccaca	catggcctcg	4080
ctgctgttgg	cggggtaggc	ccgaaggagg	catctacaaa	tgcccagacc	ctttctgatc	4140

P030366Seq.TXT

ccccccccc	cgctccctgc	gtcgtccgag	tgacagattc	tactaattga	acggttatgg	4200
gtcatccttg	taaccgttgg	acgacataac	accacgcttc	agttcttcat	gttttaaata	4260
catatttaac	ggatggctgc	agagccagct	gggaaacacg	cggattgaaa	aataatgctc	4320
cagaaggcac	gagactgggg	cgaaggcgag	agcgggctgg	gcttctagcg	gagaccgcag	4380
agggagacat	atctcagaac	taggggcaat	aacgtgggtt	tctctttgta	tttgtttatt	4440
ttgtaacttt	gctacttgaa	gaccaattat	ttactatgct	aatttgtttg	cttgttttta	4500
aaaccgtact	tgcacagtaa	aagttcccca	acaacggaag	taaccgcagc	ttcctcacac	4560
tccctaggag	actgtgtgcg	tgtgtgcccc	cgcgtgcgct	cacagtgtca	agtgtagca	4620
tccgagatct	gcagaaacaa	atgtctgaat	tcgaaatgta	tgggtgtgag	aaattcagct	4680
cggggaagag	attagggact	gggggagaca	ggtggctgcc	tgtactataa	ggaaccgcca	4740
acgccagcat	ctgtagtcca	agcagggtcg	ctctgtaaag	gcttagcaat	tttttctgta	4800
ggcttgctgc	acacggctct	tggcttttcc	catctgtaaa	atgggtgaat	gcatccgtac	4860
ctcagctacc	tccgtgaggt	gcttctccag	ttcgggctta	attcctcatc	gtcaagagtt	4920
ttcaggtttc	agagccagcc	tgcaatcggg	aaaacatgtc	ccaacgcggg	cgcgagtggg	4980
tccatctcgc	tgtctggccc	acagcgtgga	gaagccttgc	ccaggcctga	aacttctctt	5040
tgcaattcca	gaaagcaggc	gactgggacg	gaaggctctt	tgctaacctt	ttacagcgga	5100
gccctgcttg	gactacagat	gccagcgttg	cccctgcccc	aaggcgtgtg	gtgatcacia	5160
agacgacact	gaaaataact	actatcatcc	ggctcccctg	ctaataaatg	gaggggtggt	5220
taactacagg	cacgaccctg	cccttggtgt	agcgcgggta	ccgtgcggaa	ataactcgtc	5280
cctgtacca	caccatcctc	aacctaaagg	agagttgtga	attctttcaa	aacactcttc	5340
tggagtccgt	cccctccctc	cttgcccgcc	ctctaccctt	caagtccctg	ccccagctg	5400
ggggcgctac	cggctgccgt	cggagctgca	gccacggcca	tctcctagac	gcgcgagtag	5460
agcaccaaga	tagtggggac	tttgtgcctg	ggcatcgttt	acatttgggg	cgccaaatgc	5520
ccacgtgttg	atgaaaccag	tgagatggga	acaggcggcg	ggaaaccaga	cagaggaaga	5580
gctagggagg	agaccccagc	cccggatcct	gggtcgccag	ggttttccgc	gcgcacccca	5640
aaagggtcgg	ctgctggggg	catcagggtta	gtttgttaga	ctctgcagag	tctccaaacc	5700
atcccatccc	ccaacctgac	tctgtgggtg	ccgtatTTTT	tacagaaatt	tgaccacggt	5760
ccctttctcc	cttggtccca	agcgcgtca	gccctccctc	catccccctt	gagccgcctt	5820
tctcctcccc	ctcgctcctt	cgggtccctc	ctccagtccc	tccccaaaga	tctcccggcc	5880
acgggcgccc	attggttggtg	cgcagggagg	aggcgtgtgc	cgggcctggc	gagtttcatt	5940
gagcgggaatt	agcccggatg	acatcagctt	cccagcccc	cggcgggccc	agctcattgg	6000
cgaggcagcc	cctccaggac	acgcacattg	ttccccgccc	ccgccccgcg	caccgctgcc	6060
gccgtcgccg	ctgccaccgg	gctataaaaa	ccggccgagc	ccctaaaggt	gcggatgctt	6120
attatagatc	gacgcgacac	cagcgccccg	tgccaggttc	tcccctgagg	cttttcggag	6180

P030366Seq.TXT

cgagctcctc	aaatcgcac	cagagtaagt	gtccccgccc	cacagcagcc	gcagcctaga	6240
tcccagggac	agactctcct	caactcggct	gtgaccacga	atgctccgat	acaggggggtc	6300
tggatcccta	ctctgcgggc	catttctcca	gagcgacttt	gctctttctgt	cctccccaca	6360
ctcaccgctg	catctccctc	accaaagcg	agaagtcgga	gcgacaacag	ctctttctgc	6420
ccaagcccca	gtcagctggg	gagctccccg	tggctctccag	atgcagcaca	tggactctgg	6480
gccccgcgcc	ggctctgggt	gcatgtgcgt	gtgcgtgtgt	ttgctgcgtg	gtgtcgatgg	6540
agataaggtg	gatccgtttg	aggaaccaa	tcattagtct	tctatctaga	tctccattct	6600
ccccaaagaa	aggccctcac	ttccactcgc	tttattccag	cccggggggt	cagttttccc	6660
acacctaact	gaaagccga	agcctctaga	atgccacccg	caccccgagg	gtcaccaacg	6720
ctccctgaaa	taacctgttg	catgagagca	gaggggagat	agagagagct	taattatagg	6780
taccgcgctg	cagctaaaag	gagggccaga	gatagtagcg	agggggacga	ggagccacgg	6840
gccacctgtg	ccgggacccc	gcgctgtggg	actgcggtgc	aggcgggagc	agcttttctg	6900
tctctcactg	actcactctc	tctctctctc	cctctctctc	tctctcattc	tctctctttt	6960
ctcctcctct	cctggaagtt	ttcgggtccg	aggggaaggag	gaccctgcga	aagctgcgac	7020
gactatcttc	ccctggggcc	atggactcgg	acgccagcct	ggtgtccagc	cgcccgtcgt	7080
cgccagagcc	cgatgacctt	tttctgccgg	cccggagtaa	gggcagcagc	ggcagcgctt	7140
tactgggggg	caccgtgtcc	tcgtccaccc	cgagtgcactg	cccgccggag	ctgagcgccg	7200
agctgcgcgg	cgctatgggc	tctgcggggc	cgcatcctgg	ggacaagcta	ggaggcagtg	7260
gcttcaagtc	atcctcgtcc	agcacctcgt	cgtctacgtc	gtcggcgggt	gcgtcgtcca	7320
ccaagaagga	caagaagcaa	atgacagagc	cggagctgca	gcagctgcgt	ctcaagatca	7380
acagccgcga	gcgcaagcgc	atgcacgacc	tcaacatcgc	catggatggc	ctccgcgagg	7440
tcatgccgta	cgcacacggc	ccttcgggtgc	gcaagctttc	caagatcgcc	acgctgctgc	7500
tggcgcgcaa	ctacatcctc	atgctcacca	actcgtctga	ggagatgaag	cgactggtga	7560
gcgagatcta	cggggggccac	cacgctgggt	tccacccgtc	ggcctgcggc	ggcctggcgc	7620
actccgcgcc	cctgccccgc	gccaccgcgc	acccggcagc	agcagcgcac	gccgcacatc	7680
accccgcggt	gcaccacccc	atcctgccgc	ccgccgccgc	agcggctgct	gccgccgctg	7740
cagccgcggc	tgtgtccagc	gcctctctgc	ccggatccgg	gctgccgtcg	gtcggctcca	7800
tccgtccacc	gcacggccta	ctcaagtctc	cgtctgctgc	cgcgccgcc	ccgctggggg	7860
gcggggggcg	cggcagtggt	gcgagcgggg	gcttccagca	ctggggcggc	atgccctgcc	7920
cctgcagcat	gtgccaggtg	ccgccgccgc	accaccacgt	gtcggctatg	ggcgccggca	7980
gcctgccgcg	cctcacctcc	gacgccaagt	gagccgactg	gcgccggcgc	gttctggcga	8040
caggggagcc	agggggccgc	gggaagcgag	gactggcctg	cgctgggctc	gggagctctg	8100
tcgcgaggag	gggcgcagga	ccatggactg	gggggtggggc	atgggtgggga	ttccagcatc	8160
tgcaacca	agcaatgggg	gcgcccacag	agcagtgggg	agtgagggga	tgttctctcc	8220

P030366Seq.TXT

gggacctgat cgagcgctgt ctggcttttaa cctgagctgg tccagtagac atcgttttat	8280
gaaaagggtac cgctgtgtgc attcctcact agaactcatc cgacccccga ccccccacctc	8340
cgggaaaaga ttctaaaaac ttctttccct gagagcgtag cctgacttgc agactcggct	8400
tgggcagcac ttcggggggg gaggggggtgt tatgggaggg ggacacattg gggccttgct	8460
cctcttcctc ctttcttggc ggggtgggaga ctccgggtag ccgcactgca gaagcaacag	8520
cccgaccgcg ccctccaggg tcgtccctgg cccaaggcca gggggccaca gttagttgga	8580
agccggcggt cggtatcaga agcgctgatg gtcatatcca atctcaatat ctgggtcaat	8640
ccacaccctc ttagaactgt ggccgttcct ccctgtctct cgttgatttg ggagaatatg	8700
gttttctaataaatctgtgg atgttccttc ttcaacagta tgagcaagtt tatagacatt	8760
cagagtagaa ccacttgtag attggaataa cccaaaactg ccgatttcag gggcgggtgc	8820
attgtagtta ttattttaaa atagaaacta cccaccgac tcattctttcc ttctctaagc	8880
acaaagtgat ttggttatatt tggtagctga gaacgtaaca gaattaaaag gcagttgctg	8940
tggaaacagt ttgggttatt tgggggttct gttggctttt taaaattttc ttttttgat	9000
gtgtaaattt atcaatgatg aggtaagtgc gcaatgctaa gctgtttgct cacgtgactg	9060
ccagcccat cgaggtctaa gccggctttc ctctattttg gtttattttt gccacgttta	9120
acacaaatgg taaactcctc cacgtgcttc ctgcgttcg tgcaagccgc ctcggcgctg	9180
cctgcgttgc aaactgggct ttgtagcgtc tgccgtgtaa cacccttcct ctgatcgac	9240
cgccctcgc agagagtgt tcatctgttt ttttttgta aaaacaaagt gctaaataat	9300
atttattact tgtttggttg caaaaacgga ataatgact gagtggtgag attttaaata	9360
aaatttaaag taaagtcggg ggatttccat ccgtgtgcca ccccgaaaag gggttcagga	9420
cgcgatacct tgggaccgga tttggggatc gttccccag tttggcacta gagacacaca	9480
tgcatatct ttcaaactg ttccgggcaa atcctccggg tctttttcac aacttgcttg	9540
tccttatttt tattttctga cgcctaacc ggaactgcct ttctcttcag ttgagtattg	9600
agtccttta taagcagaca tttccttccc ggagcatcgg actttgggac ttgcagggtg	9660
agggctgcg ctttggttg gggctctggg tctcaggagt cctctactgc tcgattttta	9720
gatttttatt tcctttctgc tcagaggcgg tctcccgta ccaccttccc cctgcgggtt	9780
tccttggtt cagctgcgga cctggattct gcggagccgt agcgttccca gcaaagcgct	9840
tggggagtgc ttggtgcaga atctactaac cttccattc cttttcagcc atctccacta	9900
ccctcccca gcggccacc ccgccttgag ctgcaaagga tcaggtgctc cgcacctctg	9960
gaggagcact ggcagcgctt tggcctctgt gctctttcct	10000

<210> 196

<211> 500

<212> DNA

<213> Homo sapiens

<400> 196

ccggcacggc ccgcatccgc caggattgaa gcagctggct tggacgcgcg cagttttcct	60

P030366Seq.TXT

ttggcgacat tgcagcgtcg gtgcggccac aatccgtcca ctggttgtgg gaacggttgg	120
aggtcccccaga agaaggagac acgcagagct ctccagaacc gcctacatgc gcatggggcc	180
caaacagcct cccaaggagc acccaggtcc atgcacccga gccc aaaatc acagaccgc	240
tacgggcttt tgcacatcag ctccaaacac ctgagtccac gtgcacaggc tctcgcacag	300
gggactcacg cacctgagtt cgcgctcaca gatccacgca caccggtgct tgcacacgca	360
agggcctaga actgcaaagc agcggcctct ctggaccgcc tccctccggc cctcctgagc	420
cctactgagc cctgctgagt cctggaggcc ctgtgaccgc gtgtccttgg accgcaagca	480
tcctggttta ccatccctac	500

<210> 197
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 197 ggacgcggcc cgctctagag gcaagttctg ggcaaggga accttttcgc ctggtctcca	60
atgcatttcc ccgagatccc acccagggtc cctggggcca ccccccagtg catcccccg	120
aacccccgag atgcgggagg gagcacgagg gtgtggcggc tccaaaagta ggcttttgac	180
tccaggggaa atagcagact cgggtgattt gccctcggga aaggtccagg gaggtcctc	240
tgggtctcgg gccgcttgcc taaaacccta aacccgcga cgggggctgc gagtcggact	300
cgggctgcgg tctcccagga gggagtcaag ttcctttatc gagtaaggaa agttgggtccc	360
agccttgcac gcaccgagtt tagccgtcag aggcagcgtc gtgggagctg ctcagctagg	420
agtttcaacc gataaacccc gagtttgaag cccgacaaaa agctgatagc aatcacagct	480
tttgctcctt gactcgatgg gatcgcgga catttggtt tccccggagc ggcgcaggct	540
gttaactgcg cagcgcggtg ccctcttgaa aagaagaaac agaccaacct ctgcccttcc	600
ttactgagga tctaaaatga atggaaagag gcaggggctc cggggaaagg gaaccctta	660
gtcggccggg cattttacgg agcctgcact ttcaaggaca gccacagcgt gtacgaagtg	720
aggaattcct ttccaccaag agcgtcatt ttagcgacaa tacagaattc cccttccttt	780
gcctaaggga gaaaggaaag gaaacattac caggttcatt cccagtgttt ccctggagta	840
atgctagaat ttacttttgt cataatgcaa aattaaaaaa aaaaaaata caacgaagcg	900
atacgttggg cggatgctac gtgacagatt tttccaaatt ttgttgctgg gagagggagg	960
gaggagaatt gaaaacggct cacaacagga atgaaatgta	1000

<210> 198
 <211> 100
 <212> DNA
 <213> Homo sapiens

<400> 198 tttttaatgc tcagagaagt tcgtattact gattcgggaa cactgagttt ttcagctcct	60
gtaaaactat tttcaggttt attttcaagt acattcttta	100

P030366Seq.TXT

<210> 199
<211> 400
<212> DNA
<213> Homo sapiens

<400> 199
caccctagag gcaaggacgg ggtctgtgtc aagaggcttc ccagagaagt gaaaactctg 60
caggtgcagc cgctgggaga gcatcaagaa gggcagggtg gaggggcagg gggcgaaggg 120
agggggtgaa gcccgcaccc tacccccaca tgaaactgat tccactaccc catctctgca 180
agcgtccaga ggcagagagg ccaacatttc ggggacagct tggaggcggg agatttaggc 240
agggctcctt aaacttttat gtgcatgaaa atcaggccaa tcacggggct cttgagcaaa 300
tggggacgat gattcagcag gtctgggctg aggcctcaga ttctgcactt ctaacaagtt 360
cccagggtgg agtgatgctg ccagtccaaa gaccacactg 400

<210> 200
<211> 5000
<212> DNA
<213> Homo sapiens

<400> 200
tgcttcagt gggtaaactt gaaccgctga gaagacaagc agggagtcgg tctcgctgag 60
atttttacct gtggttctag gaacgcagag gcatgtgagt gttcaggctt tgcataagacc 120
actaagccac ttctaagaac aaggctacct gagccatttt gcaaaaatat gtacgtgccg 180
aggcttttcc tccccacacc tacctcaact ctttctgccg acacactgca cttttcaagg 240
gaaccaagt ttgggttcgg caagaattgt acgttgacac ccgtgtgtga taattccagg 300
gaatttcaat cgcactttgt cttccttcct aagcaaattc ggtgggaacc tgggtgtggtg 360
tgatagaaaa agccccgagt tctctgtggt agaccacatc aatttcatgt gccagtctct 420
cagactccgg cttgcctctc tcaaggaagg gaacaatggt ttgcttggct tcaactcctct 480
ctttcccccc aatttcacac tgggtatctg gctaaaaatg agttacaggt ttccttctgt 540
gagaattgca tggactgata aagtaccatc ccaggaagaa aacaaagatg ctgtcttccc 600
tttcgggtca cagttgccgt tggggaggga acacacgctg taaattatag gcagccagaa 660
gtgaccgcat tgaccactgc gactggccca gctatggcaa caggctgaga actctggggg 720
agagccattt gttggcaggg atggtgattc ttctagcatc aagctctaag atgatgacca 780
aacggtatca aaagaaatga ttttttgcta cctctccggc ttgggtgaat gatgtggaca 840
gttaacctgg acaatttaaa cttttatggt gatggatcac ttggatgaaa ttaaccagga 900
aattgccaag atttcacttg gccctctgac atcaaattc aatattatat taccaaatta 960
gagattctaa agaaccctga gttcctttca ctgaaaggaa ggagtggaaa aacctttcca 1020
gatgatccct tttgagtctt ggtgcgagct caggccctcc ctacactgcc tccgtgaaag 1080
ctaaccgacc cttgttccta acctagcgca ggtcagctga gtgtccatcg ggcacaggag 1140
ccctgggctt gtccgggaga tagccagact cctgctatatt cctgatgtct gcatagctca 1200

P030366Seq.TXT

gcgtgtccct	caccatcttt	gccgttggcc	agtaaggaga	gccccagggg	ccagcactgc	1260
acactgaaac	ccaacctatt	gctcaatgga	atgcttaaaa	atttcctgaa	tctgccttcc	1320
tgagttgata	aaataggaaa	caatacacgt	tctgaggggg	tactgaaagc	agagtaaagc	1380
caggaagatc	ttttttttct	gttattctat	acaaatattg	cttcctctgc	ttgttagcag	1440
cccagaggaa	atgcagccag	ggagccgttt	gcagcttttc	accagtggcc	ggtgtctctg	1500
tgttaccaac	caaacgacgc	tgcaagacta	gtgactaacg	cacgtctgca	tgattcaact	1560
tcactaaaat	tccctctgct	gccagtaaag	aagcacttga	aaactcttta	atttgaaact	1620
tgagcttggg	taatgacttg	ttttcttctc	tttctcttta	acttctctct	tgccatctcc	1680
aacacacaca	cacacacaca	cacacacaca	cacacacaca	cacacacact	ctctctctct	1740
ctctctctct	ctctctctct	ctctcatcaa	gttttttaat	ttcagggacc	cggaacata	1800
cagccccgtg	cattcacaat	agcatttgct	gtgataaagt	ggccggcaag	ccctctgcat	1860
tcccctgctc	acttagctgt	atgaataaat	aatgagtcac	agatacaatt	tgggtgctca	1920
agagagtttg	tagccagaaa	attaattatt	ctcccatccc	agccactcc	atctcagctt	1980
tgccaaacca	tcaagataca	ctttgcaggc	actggtcaga	gtgcgtgccc	cgacgcacac	2040
ggcaatgcct	ttgagacatt	ttatgttatt	atTTTTgttt	gtttaagcac	agccctcttt	2100
taccacgaaa	gatacacaag	acgcacatgc	acacacatac	tcacacactc	acagctcaac	2160
cacagctttg	tccatttcaa	gaggctgggt	tcaaaaatgg	agacaggttt	tccaccctgg	2220
ctgttcctat	tcataagcct	gtaatctaac	gacttaagct	gcgagaatgc	ttaaactcggg	2280
aaacttctct	attgcccttt	tccagagaga	cctcggtatg	ccacaatttg	cttcctttct	2340
ctcttgaaag	atgctgggtg	tctctttgca	ttgaggctac	aaggaaaaac	acagcacagc	2400
cccatgctga	tgattttaac	ctaaccaagt	ctgtcagtct	cctgtactct	ctgccttata	2460
gagacagctg	ccttgccact	ttggccctga	agtccccagg	ctggtgcaag	gctatctgag	2520
agcctccgcc	tcctgcccc	cactggcacc	agccctcctg	gctggctctg	tgcatgtgcc	2580
tgctaagccc	cagggcaggc	tgcatctctg	gccacacagc	atgccgagtt	aaggataact	2640
cagacacagg	cattccgggc	aagggacagc	aaaataaaac	ccagggagct	tcgtgcaagc	2700
ttcataatct	ctaagccttt	aaacaagacc	agcacaactt	actcgcactt	gacaaagttc	2760
tcacgcaccg	actgaacact	ccaacagcat	aactaagtat	ttattaaaac	atttctgaag	2820
agcttccatc	tgattagtaa	gtaatccaat	agacttgtaa	tcatatgcct	cagtttgaat	2880
tcctctcaca	aacaagacag	ggaactggca	ggcaccgagg	catctctgca	ccgaggtgaa	2940
acaagctgcc	atttcattac	aggcaaagct	gagcaaaagt	agatattaca	agaccagcat	3000
gtactcacct	ctcatgaagc	actgtgggta	cgaaggaaat	gactcaaata	tgctgtctga	3060
agccatcgct	tcctcctgaa	aatgcaccct	cttctgaagg	cgggggactc	aatgatttct	3120
tttaccttcg	gagcgaaaac	caagacaggt	cactgtttca	gcctcaccct	tctagcccta	3180
catctctctt	tcttctcccc	tctgctggat	acctctggga	ctccccaagc	cctattaaaa	3240

P030366Seq.TXT

aatgcacctt	tgtaaaaaca	aatattcaaa	ttgttaaaga	ttaaaaaaaa	aaaaaaagcc	3300
agcgccgcct	tggtgtggg	ttggtgatgc	tcaccacgct	gcgaaaccct	gtggttttga	3360
ttcagtgtga	ttcgtcctgc	ctgctgacca	ctatgctggg	ttcagacttc	tgacactgcc	3420
aggctacca	acttgtggtt	ctgtggttgt	ttatgaggcc	caaagaagtt	ttcacacaac	3480
ccaaattaca	aatttaactg	ttcccctttc	cacagcccat	ctcaattggg	tcttgccaat	3540
catgtgactt	aagtgatgtc	aatTTTTTTT	tttcttttct	gagcaatgcc	cttccttccc	3600
tccacctgcc	ctccccagg	ctgtgcaaga	aaatagccga	gtagactttg	caagaggggg	3660
ggatgtagaa	aaaagtgact	cagtcactta	ttatatctca	atggtctttg	ctgatttagt	3720
acaactcggc	tcctgttggt	atTTTgtggt	tttggaaacta	ctgattatTT	tgataaagat	3780
ttcattgctg	cttattcaat	agtaattcaa	cgctggcatc	aagccgctgc	tccgacagga	3840
tgtggatccc	atcatttaaa	atgctaggca	tcagctccgg	gagagttaag	tccttggtaa	3900
cgtctatcat	ggcataagtg	aaactataaa	agggaaaaat	aaataaaaag	aaatgttttg	3960
gtgagagtct	gaccctaca	acgggctggc	aactcacagg	tatttttaaag	cctgggaaag	4020
ggaaagaatt	ttacttttga	aataaaaagga	ctgttttaat	gaaaccaaaa	ttatgtggtt	4080
ttattcccc	taaatggaca	acttttagtat	gtatctcttt	cagtaaagag	ataaaatcat	4140
agtacagtct	taacacacac	acacacacac	acacacacac	acacacacac	acaaattagg	4200
aagctaaagg	aaaacaaagc	agagagaatt	tctgtatttg	ggacaaagca	gtggttactc	4260
tgcatagtgt	tatttgattt	gtcacttggg	aaagctccct	gtattgcctt	tctctagttc	4320
aattcaaata	aataggctaa	tttacacctg	taggtaaaac	tacactttga	gcacatgagg	4380
atgccacaat	agaaggggaa	ccaggaggag	acacttctcc	tggggctgac	taatgaatat	4440
tatatagcgc	gtcctctacc	ttagaaagac	atgcctgttt	gaagatgcta	aaaacaggat	4500
aattttgtaa	gtgggcaaac	cactgtggtc	acacgtatTT	cattttccgg	ccccactggc	4560
tttacctgct	gacaactaaa	acgtcatttt	gttttgtagt	tccaagatga	agaaaggctt	4620
attttcctga	tttactacct	tattcatttg	gctctgctct	gcctacatcc	gccatagcac	4680
tctgcgcacg	tgaaatttcg	acacataggg	tcaagagaac	ctgtgtgatg	atgggttgta	4740
aatgccagtc	ctggattcta	agctgcagta	gccagcacag	gcacttcaga	aaggctgaac	4800
tcccacaaca	ctccctcggt	tttccctcat	ccacttaatt	tcacacacac	aaagaccac	4860
aacgatagta	gcttccatgg	cacaagtctt	tcaaaaggaa	cagacacaat	ttttacttac	4920
tcctgttttg	actaaagcag	gaattgaaac	tcaacagacc	gctttctctt	acacttgtga	4980
gaagttagct	ggccacatgt					5000

<210> 201
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 201

P030366Seq.TXT

agggaaaaga gataacgaaa gaaagaaaga	aaaaaaaaag ggccggcaat ttcattgtaca	60
tttgtttttg cattcgctga attctagaga	tgaaaacaat ctccctgcttt taattcagtc	120
cacgtgcaac aaagtgtgtac gttgggagat	ctggcttttta ataagaacga ttaacaagcg	180
tttttgatca caggaagttg agaagagtcg	ctgcttctaa gaatacaata aacattgact	240
agcagttaga cgggtccatct ttctctatca	gccgttttagc agcctctact ttgatttggg	300
gcaaattgca gatgggacca ggagagagct	ccccacaccc ccaccaccac gtgggcagtg	360
gttctgttcc agagcgcctt ccttcctgtc	cagggaggca ggctgctgag gccgtttctg	420
ggcaagaggc cattgtcggg atatttgctt	tagatagctt gcagctgggc tgagtgggtg	480
tttcattcag actcaacaca		500

<210> 202
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 202		
agcctggcgc acccgcccta atttgagtca	gggaccctag gcgcctgcag ctccggttcg	60
ggttgagtgc ctctgtcag gatgtgaagc	tgctgtcccc ccggggggccc tccagcactg	120
ctgaggactc agcagtcagc ctctcctccc	acttgggctc atttacagag agcatctcca	180
ggaatcagtc atgggggaaag gggaaacgcg	gagtgacaac acaacacgta gaaagttctc	240
tgccgccttg gtcaggcttg tcagcctcac	agcccattct gctcctgcgg gagggaaaagt	300
gagcagaact cagcccggag atgagccgca	ggccggcagc ccctgcctct gccctgcttg	360
ttgtgactgc aatgcaaggc tctctgtagg	tgcggggggat tcgggttaaa tgggtctcca	420
gtgggtccagc gtcctccagca aaggccgacc	acaagaatta gcgggctagt tattttaccat	480
aaccatatac aaaaccacaa gcatcagcgt	tccctcaaat acatccgaga cgctgtatat	540
ctctttatta aagcctgtca gggtttggtt	ttgcacagct tggccttgaa ccccaactaa	600
accaggctgc ttgagcaaag aaccaagcaa	tgcaagcatt caggcaggac cattataacc	660
ctgaggccaa aggcagaagc agggagagga	gacgtcttcc	700

<210> 203
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 203		
agaccagcct cggctcttcgg cctgcggggt	ctgcaaagtc aggctagctg gctctccgcc	60
tgctccgcac cccggcgagg ttccgggtggg	gaggggtagg gatgggttcag ccccgccccg	120
ctagggcggg gcctgcgcct gcgcgctcag	cggccgggcg tgtaaccac ggggtgcgcgc	180
ccacgaccgc cagactcgag cagtctctgg	aacacgctgc ggggctccc ggcctgagcc	240
aggtctgttc tccacgcagg tgttccgcgc	gccccgttca gccatgtcgt ccggcatcca	300
tgtagcgctg gtgactggag gcaacaaggg	catcggcttg gccatcgtgc gcgacctgtg	360

P030366Seq.TXT

ccggctgttc	tcgggggacg	tggtgctcac	ggcgcgggac	gtgacgcggg	gccaggcggc	420
cgtacagcag	ctgcaggcgg	agggcctgag	cccgcgcttc	caccagctgg	acatcgacga	480
tctgcagagc	atccgcgccc					500

<210> 204
 <211> 1500
 <212> DNA
 <213> Homo sapiens

<400> 204						
aaacgtttaa	aatatatttc	taaacagaat	gggccaatc	agtcacagta	actgttgatc	60
tccatagcag	agcaaccac	aaagacagaa	ctgatttttt	tcccataatc	aggggtgaaa	120
aatatacaac	ttgtttctga	acaaaaacca	caattttctgc	agttttaaata	gtttcactgc	180
taatatggcc	ctggtagaaa	ttatgtagtt	tcttttcttc	tttaaaaaaa	aaaaaaatta	240
aaaaaatctc	ctaagacact	aaatgctcca	tctggaatgt	agattctgat	cacaaagcag	300
ctcagttaac	ctaaaaaata	aaaaattccc	atcacctgtc	tcagtagggc	ctgagagtag	360
tgtggggaac	cccagctttg	gtatggagag	tcatggcccc	ttgaaccaga	tagagacctt	420
gaatagccat	agctggtgct	tctctcagga	taaactctga	tgtaggaagt	atcacctca	480
tgagagtggg	atttggatc	ccagttgacg	cagggcatat	tccatgtctt	cttttctgag	540
acaccaacc	atccccactc	catccttctg	cacatccgtg	taacaggcat	ccccagcttc	600
tcgcgtgtga	tccttcaggt	cctgccagct	gcctgatgga	agaagtccat	ttcttccata	660
aatagcatcc	tctgcatctc	gagggctctc	gaagcgcacg	gaggcgaagg	gcacaaggcc	720
gtaccggctc	ttgagctcga	tctcgcggat	gcggctgtac	ttgtagaaca	ggcctgcgg	780
ctccttctcg	cgcacgtggg	tcggaagggt	tccccacgta	gatgcacccg	tcgccctccc	840
agccgcgctc	gtgtccgccc	agccggacaa	ccgcaccgcc	cgacgctgct	ggccagccgc	900
agcccgcatc	cgcccgtatc	gccgccgctg	ccgcctcagc	acggctgccc	ccgcagcgctc	960
tgttttgttt	tattctaaca	gggtctctct	ctgtcgccca	ggctggagtg	cagtggcggtg	1020
atcttggtc	cctgcaacct	ctgcctcccc	ggttcaagcg	attcacctgc	ctcagcctcc	1080
caagtagtgg	gcattatagg	tgccagctaa	ccatggccgg	ctaatttttt	tttttttttt	1140
tttttttttt	tgagacagag	tcttgctctg	tcaccaggc	tggagtgcag	tggcgcgatc	1200
tcggctccct	gcaacctccg	cctcctgggt	tcaagcgatt	ctcctgcctc	agcctcctga	1260
gtagctggga	ttacagctat	gtacagcgat	gtctgcaaag	atagggattt	aacagcactc	1320
atatcttcat	gttcataaaa	aagtcctaca	cgcgtgatgt	acgtctagat	ctttcctttt	1380
gtcacaggat	atagcacggg	agttacggat	atagtctccg	cagtgcctgg	gtttgactca	1440
gcttccccac	gtactgtcct	gcgcatatct	tgtgtctcag	tttcctcatc	tttaaggtag	1500

<210> 205
 <211> 17000
 <212> DNA
 <213> Homo sapiens

P030366Seq.TXT

<400> 205

cacgcgcccc ggcctggctg gaggggccaa cccagcgggg cccgcctgcc cgccggcctt	60
tctgtaactt tctctcttta aacttccaat gaatgaacgt gcctcttctt acggatttgt	120
ttagattagg gaatagattc ctcgctgata gcgttgcttt gcaaataaga cctcctatat	180
tattcaaacc aaacgagttt gtgtctttaa aggactatag cagccccatt ctatgttaag	240
ggttggctat tacaattatt atatgcttag ggaaaaaatg taagccccgt agtttgtgct	300
tttcttgatg tacagaaagg tttatcttag gtggataggt tttgttttgt ttcttaaagt	360
ggattttttt ggttcgtgtc tttgaagggc tgtttcgca cgtcattaat gaactaatcg	420
gttttcagat ttcaagacgg tgtgtaattg atgtaaccac tgaggaattt cagtgcacac	480
cagactaaga ctcttcagc gcaggggatt ccagatgctt cttggggcct ctggaagcca	540
tggggatgtt tccagaccga aaggagggct ttgctgggga gcagatgtgc tgcctctccc	600
cgaccagga ttttgaggcc atgtttccgt taatctggac cgagagccct ctgggagagg	660
gaggcaggtc gtagggggcg ggggtgaggg ggagcgagat gaggtcgtcg ctggacgctg	720
ggctcccctg tcgttgctct tttccccaga atccatggtc aggcctaggg agccaccct	780
gggtgctcga gatgagctcc caccctcact gaaggtcggc cactggatgt ttgtgtgcat	840
cgtaaggggc ccaccgaagt cccgaagcct tctcaggac cagcgagaaa gaggagcagg	900
cttgggagac aggggaaggaa aatgcagggg aaagggctca cccctcgacc ccaggtaaaa	960
ttagaaggaa cgtgtggcaa cccaggtgca gctttggtcg ctcgctcaag gactttgcta	1020
gtcactacca ttaattaatt aatcactatc attactacc aaggacaccg tttttattcc	1080
cctaaaagcg tcaccttgag gggaatggag aattgggcag cagctatgca aatcctggga	1140
caggagacac tgcctgagga ccctctctca ctcccaatcc cagaaccga agttatcccc	1200
gacaaccaag tccaagcaca tgaaccaaga cgatcagctt caggcagctc cttaccccc	1260
caagcggccc aggaggtggg cattatcccc caccctggg atttctccat ccctccctct	1320
tctctcctgc gggagagaga gctgtggtca cccagttggg cgcgatggct ctggactaat	1380
ggggtctcta gaccagggc acaaaggcca atctgccagg ggttactgca tgtaatgaga	1440
taatcagaca tgttgaccaa cctaaaagaa aagactctcc caggagtaga ctcccagtga	1500
aataatttat taaaaaaagc aaaaaagaga cataaatttc tctctactac ttgaggaaac	1560
agcaaacaga acgaattagg gtcttggcct ctgcaggaat aaattatttc cgacttggtc	1620
tggatacctg taattatttg taagctgtgg gtagtaatac tgtaattgtc ccccggtcct	1680
ttctggaagt agcaatgacc ccaaggacaa ttggtgacgt ctccacaggg ttacacatg	1740
gaaaggagtg aaaaatcgag gaattctttc agatagccca gacaaaaat cctctcagcc	1800
atgaaaaggt catatatgtg atgctgggcc aagcggactt ttctggagta accatatcat	1860
aactgattgc ggatgtagac aagagcgtat aaaccaaata ggcttgaatc aacgcagtcc	1920
tggattttct gttgcctctg cttgctgggg cagtggaagt tcttaaactc cacttcagag	1980

P030366Seq.TXT

gttggaaatt	cttccccctc	ccccacctcc	ttagtgacaa	ggtctctgat	ctcctgctgc	2040
cactgcaata	gcctctccca	tcccgcgggg	aacggccgga	gttcttccct	tgatctctcc	2100
cgagtcggct	tccgctgggg	atggatcgca	ggtaggcgcc	ggcgcggcct	ggggaagaac	2160
agttgctggag	catctgaagc	ggaaaatcca	agcagatgtg	aggcgatccg	ggccccctc	2220
gttcctcttg	gggcctgaat	ttcttccaga	taagtttcct	aatggaacat	ttctaagagg	2280
tggggtacga	ggcggcttgc	tcgcacgcgc	agtgggacag	actgcgggtg	gggacgtact	2340
gagaggtccg	gacctcaatg	cgtccgaccc	gtctccacac	cgcctttttc	cagccccag	2400
tctcctttca	ttccctactc	ttcaggctcc	tttggggcca	gtgggtgaac	cgccatttag	2460
aacggtgcct	cggactcggg	ggtcgtgcgc	tccatctctg	cctccccct	ggggcccgcg	2520
aggctggtcc	gggctttctg	agctgggcgt	tcggcttttag	gccaataacc	tggaccagga	2580
atttcttctc	cccgcgccag	aagggaaga	cataggaggt	gtcccaatct	gcggtcaccg	2640
ccgatgctcc	tgaccactct	agtgagcacc	tgcccgttac	ttttccattc	caacagagct	2700
tccagcttca	tactaactat	cccacatacg	gcctgtgggt	attagctcta	agtgtccttt	2760
tccgagggcc	cgaggctccc	cctccagcag	ggagagctcc	gggacggccc	ccaccaaggg	2820
ttgggtttct	tccttcacaa	ttccacagag	gcatccctgt	ccttcctacc	tgggaaacct	2880
cgaggtgcgg	tgcccgtgta	cttctggtac	tttgcgtggt	gccatcaggg	accccagagc	2940
cacagctgcg	tgtgtgtgtg	gatgtgtgtg	tgtgtgtgcg	cgcgcgcgcg	tgtacggcga	3000
aaggatgtgc	ttgggggagc	cgagtacaca	acgtctgctt	gggcagctgc	tgggcaggcg	3060
ttgggcctgg	aggtatctca	caccacgta	tcttccagtc	ttcaaacacg	gcattgctct	3120
gcctccccgta	gcgcgcttcg	aacctgcctc	gcggacacgt	gaacagaggc	tgtccctggg	3180
aagataagtg	cgctttcccg	taaaatccgg	gaaatttgcc	ttgaggaaag	tttccgttct	3240
tgttacttgt	cgggtttctc	ccacttccac	ttagccatgt	ttctgcgata	tgggtaatcc	3300
ctttcaagcc	caggaggaat	tctcccggtt	ccataattga	gggtcgggaag	ccgtgggggt	3360
gagaaacgca	ttaaatacctc	ccgaagccca	ggaggtgcca	gagcgggctc	agggggccgc	3420
ctgcggaagc	tgccgcaggg	gctgggtccg	tagcctctaa	ccccttgag	ctccttctcc	3480
cagaggcccg	gagccggcag	ctgtcagcgc	agccaggagc	gggatcctgg	gcgcggagggt	3540
gggtccgact	cgccaggctt	gggcattgga	gacccgcgcc	gctagcccat	ggccctctgc	3600
tcaagccgct	gcaacaggaa	agcgtcctg	gatccgaaac	cccaaaggaa	agcgtgttta	3660
ctctgtgcgt	ccggctcgcg	tggcgtcgcg	gtttcggagc	accaagcctg	cgagccctgg	3720
ccacgatgtg	gactccgcaa	ggggctaggg	acaggcaggg	ggagagcccg	ggtttgcgca	3780
caccttccag	cccctggagg	gagcctgctc	ggcttcgaac	gccttcgaac	ttttgacctt	3840
caaaggagtc	cctggaaaag	gtcaggagcg	cctgctgcag	gcacggttgc	cgaaggccag	3900
gccttcctgg	cgcaggggag	ggccagggga	gggaagcgga	tactcagtcg	ctgtccgacg	3960
gcgagttttc	ggagcagcag	gctcatgata	ccgggccagt	ggcgagagca	gtgacaccga	4020

P030366Seq.TXT						
gaacccaaat	ctccgcgccc	ccatccgcgg	cccgggtgtcc	tcccggcccc	tgctgacctc	4080
caggtcacgc	acccactgc	tccacggctc	tgcagcctgt	ggcacacggc	cgagagtccc	4140
cacatgatct	cgacgccaag	gtaaggaatt	gccctgcgtc	ctctgagcct	gtctctggcc	4200
tggggggccg	ggaaagctgc	actcctggaa	gaggtggggg	tatgtgaccg	ccgctgcagg	4260
ggtgcgcgga	ggactcctgg	gccgcacacc	catttccagg	ctgcgggagc	cggacagggg	4320
agggcagagg	ggggacaaaa	ggactcttta	ggtccaaaat	gaccctgaag	gagagtccag	4380
aatgcccagt	ggccgcgtct	gcaacggagt	cttctttctc	caattgcctt	ctgccccatc	4440
accatggggc	ccacctgcgc	cacctgcgcc	caccctgtga	ccctgggtca	gcgaccttgg	4500
cccttaatcg	cccaacgccg	attcctcaaa	attccggctg	cgctgaatcg	ggctgctttt	4560
gccgccgccc	cggcagttgg	gccctgtttc	cgccggcgcc	ctgggagagg	cctcaccact	4620
cggctgggct	ccctggcccc	tcccttcccc	tggcctgagc	gcccctgcgg	cctcccgtc	4680
ctcctgagaa	ggcgacaatc	tctttgcacc	ttagtgtttc	gaggacagaa	agggcagaag	4740
ggtcacttcg	gagccactcg	cgccgttttc	acgtgtgtgt	gtaatggggg	gaggggggct	4800
cccggctttc	cccttttcag	ctcttgacc	tgcaacaccg	ggagggcgag	gacgcgggac	4860
cagcgcaccc	tcggaaggct	cgatcctccc	cggcagggcg	cctggccaac	gagtcgcgcc	4920
gcctcctctc	ggccgcgcct	gctggtgacc	ttcccagag	ccacaggggc	ggcctcggca	4980
cccctccttc	cctcgccctc	cctgccgccc	atcctagctc	cgggggtccg	cgaccggcgc	5040
tcaggagcgg	gtccccgcgg	cgcgccgtgt	gcactcaccg	cgacttcccc	gaacccgga	5100
gcgcgcgggt	ctctcccggg	agagtccctg	gaggcagcga	cgcgaggcg	cgctgtgac	5160
tccagggccg	cggcggggtc	ggaggcaaga	ttcgccgccc	ccgccccgc	cgcggtccct	5220
ccccctccc	gtccccct	ccgggaccca	ggcggccagt	gctccgccc	aaggcgggtc	5280
tgccataaac	aaacgcggct	cggccgcacg	tggacagcgg	aggtgctgcg	cctagccaca	5340
catcgcgggc	tccggcgctg	cgtctccagg	cacagggagc	cgccaggaag	ggcaggagag	5400
cgcgcccggg	ccagggcccc	gccccagccg	cctgcgactc	gctccccctc	gctgggctcc	5460
cgctccatgg	ctccgcggcc	accgccgccc	ctgtcgccct	ccggtccgga	ggggccttgc	5520
cgcagccggg	tcgagcactc	gacgaaggag	taagcagcgc	ctccgcctcc	gcgccggccg	5580
ccccacccc	ccaggaaggc	cgaggcagga	gaggcaggag	ggaggaaaca	ggagcgagca	5640
ggaacggggc	tccggttgct	gcaggacggg	ccagcccgga	ggaggctgcg	ctccgggcag	5700
cggcggggcg	cgccgcggg	ttgctcggag	ctcaggcccc	gcggctgcgg	ggaggcgtct	5760
cggaaccccc	ggaggcccc	cgcacctgcc	cgcgccccac	tccgcggact	cacctggctc	5820
ccggctcccc	cttccccatc	cccgccgccc	cagcccagac	ggggctccgc	gggcctggag	5880
cacggccggg	tctaatatgc	ccggagccga	ggcgcgatga	aggagaagtc	caagaatgcg	5940
gccaagacca	ggaggggagaa	ggaaaatggc	gagtttttac	agcttgccaa	gctgctcccc	6000
ctgccgtcgg	ccatcacttc	gcagctggac	aaagcgtcca	tcacccgcct	caccacgagc	6060

P030366Seq.TXT

tacctgaaga	tgcgcgccgt	cttccccgaa	ggtgaggcct	caggtgggcg	gccggggacg	6120
ctggggagcc	cggcgcccc	ggcccaggcg	ggaagcgcaa	gccagcccgc	ccagaggggt	6180
tgccgcggcc	tggcgtccag	agctggggcg	tctgagggag	gttgcgtgag	ggtcttcggc	6240
ttcggcgctg	gcttggggcg	aggggccagg	gccttggcgg	cccaggcgac	caaaccctct	6300
cctggtccag	ggctgggtga	gggcgaatta	cgaattgttc	caggggcagg	cagtccccca	6360
gcccgcacgg	ccagcgagtt	ctttctgggt	ttgttctttc	tccctttcct	ccttccttcc	6420
ttcgccagtg	cattctgggt	tggtttgat	tttttctct	ctttctttcc	tttctttctt	6480
tctttctctt	tctttttctt	tctttcttcc	tctttctttc	attctcccct	tccttccttc	6540
cttggtcccc	tctctccctc	cctccttcct	tccttccttt	gccaatgcat	tggtttgttt	6600
tctttccttt	tctgctttcc	ttcctttctt	tggaagtcca	ctctggtttt	gctttctttc	6660
tttccccatc	ccttcctttc	tttatccctc	cttcccttcc	tccttttctt	tctacgattc	6720
cctttatatt	tccttcattc	ctccctcttt	ttgtctcttc	tggaggaggt	gaaggagggg	6780
cagcttcagg	cgctgcgagt	cagcggggat	cacggtgagg	ccaagcact	gcaggctgag	6840
gccacagagc	gaacacttgt	gctgagccgg	gccctctcgt	gaggctgggg	tgcggaagt	6900
ccgggcagga	gagaccgc	cccgccgttg	ctgagctgag	acccggctga	aagagagggg	6960
tccgattaat	tcgaaaatgg	cagacagagc	tgagcgctgc	cgttcttttc	aggattgaaa	7020
atgtgccagt	gggccagggg	cgctgggacc	cgcggtgcgg	aagactcgga	acaggaagaa	7080
atagtggcgc	gctgggtggg	ctgccccgcc	gccacgccg	gttgccgctg	gtgacagtgg	7140
ctgcccggcc	aggcacctcc	gagcagcagg	tctgagcggt	tttggcgctc	caagcggtcc	7200
gggccgcgtc	ttccagagcc	tctgctccca	gcggggctgc	tgcggcctgg	cccgaaggat	7260
ttgactcttt	gctgggaggc	gcgctgctca	gggttctggt	gggtcctctg	ggcccaggag	7320
ctgggagggc	tgcgccggcc	tctggagccc	cgggagccag	tgccgaggta	gggagacaac	7380
ttccgccgca	gggcgccgga	cggtcggggc	agagcaggcg	acaggtgtcc	ctaggccgca	7440
gggcgcttcc	atagcgccat	ccccaccagg	cactctactc	gaaatcgga	agctcgacct	7500
tttgcgttcg	cctctgcaa	gcctgttatt	tgtgctggcc	gctgggtctg	gagctgcgct	7560
tctcggcccc	tccccggtgg	agcgagagg	gctggtctgc	aagcgcggcc	tccagccccg	7620
cggctccccg	gcccaggagc	caggcgcggg	ctgacccggg	agcaccggc	agcggagggg	7680
gctggaagcg	gaccctaggc	ctctcctgtg	ccaccggcc	ctaccgcgcg	gccgcggggc	7740
gctctcctct	cgggcgcagc	ggtccttcag	cccagggcag	gttctctcct	ttcctactcg	7800
gaacgtggca	aagatacccc	agtcccagcc	cctccagctg	agagctgttg	cccaaggctg	7860
tcgctacttg	tccgctcaat	ggtgaccct	tggcagagaa	ctagggatga	ttccactccg	7920
gttgatgttt	taggggaaat	taaaagaaca	ttcggttttc	tgagtctcct	tccggggagg	7980
cgtggtggta	actggtttgc	tgggaagagc	cgttccttaa	ccgcatgcaa	caaagcaggt	8040
gtggaatccg	gacgagaggg	cactcactgc	cttctgcccc	ctttggaaat	agaaaaagcc	8100

P030366Seq.TXT						
ttcgaagcag	caatccaaag	atcaaattgat	ttgcgggtcaa	tgattttcaat	taaaccagaa	8160
attagtaagg	gagggccgag	aagacacggc	tgctcagaag	ctgttcgctg	tttgagggat	8220
ttcccggaga	gcctgttaaa	agatgcgaag	tggtgggtgt	accgctcagc	cacctttaaa	8280
ccggctctgt	gcgttctggc	tctggaaagc	aagtctccag	gcatttgggc	tcagaattgc	8340
tgggccccga	gtttgggcgg	gggtggtcct	tctgggggtc	aggccttgag	cagcttgcac	8400
tggtggcagg	tttgggagca	gttgaggggc	ttcctgtgtg	tcttttggag	ggggtgaccc	8460
tggaagttag	cactctggaa	gggagctgtt	tggccctaga	gttttggaaa	gggccctgaa	8520
cctgttcggt	ccccctcgga	aagggaaggg	agcagtggct	tagtccctcc	ctcctccatt	8580
cgtgcaatgc	ctggggtagg	ggtagacctg	gagccggtgg	actcatatcc	ttggaattcg	8640
tcaggacagc	tgctccgggg	ccttggccct	cagtcagtct	ggggctgagg	agtagggaag	8700
ctgggaactt	ggggcagagg	aagaagatgc	gtttagaaag	acctccatta	tgcaaactgg	8760
agtccattta	tgcaaactgg	tcacccttcc	agtagctcca	aagagtggca	gtggagtggc	8820
atcttgattg	atttaacctc	ttctcagggg	acctgggtct	gcgagggagg	atatggctgc	8880
ggggttggaa	taggatctgt	ctgagctgcc	agggtcaggg	tggtggccct	agggaggttt	8940
tagggccagg	gtgggtcccg	gctgtggcag	gggctctcag	atcgccctcg	gctctcagct	9000
gcaaggtgaa	aaataccatg	aggaattgat	ctgccaaagg	cggctctgtc	tcaaagcaag	9060
tggattgctg	gggtaaagaa	tctagagacc	agcttaggac	tctgggagga	agaaaaaaaa	9120
aaaaagaata	gcatagtcct	aaggaactgc	aaggatcacc	agattaaccc	ttcatacctg	9180
gggaaattaa	ggccagacat	gacacaggcc	tttcccaagg	ctctgtagca	agggcaatag	9240
caggccagtt	gctgccactg	cggctcctgtg	gggcatgttc	tcactccact	gcaccagga	9300
ggctgccagc	ctctgttcct	tttaacatag	atctcctcag	ttgttaagac	agaaagagga	9360
actcagaggg	gtccctgtgt	gcaaggcaga	gggagaccac	cagaaccagg	gtaagcacc	9420
cacttggtag	ccagttcaag	gacttgggga	tgttttcaac	atttacagcg	aggtttgagg	9480
ccccattgtc	atgcagcgct	actcggcctt	ggtctcctta	tctgtaaaat	ggggccatta	9540
gcaatgcaca	gggttgctgt	gatgaagggt	gaggtcccac	aagcaaaagc	tgtgcagtga	9600
gggggggaatc	ctaagcattg	ttcctatgcc	attcaccctt	tcctgtgagc	tccccatatt	9660
ccctgggtca	aaggagtctt	gaatggcagg	gatggaggac	tcactgcctg	gactttgaag	9720
acccttgctt	tctgggtgac	caccttttct	tccctttgac	agtgaactaa	tacattggag	9780
gtagatagtg	ctgggaagag	gacaggagac	cacggctgac	tttggacatg	ggctcgaaat	9840
tgataacttg	atgagtcttg	gagggtggtt	aagataagct	cggggctggg	gcagcgctga	9900
ggtctgatgg	tcagccagcc	ctccccaaag	tgtggccctc	cgttctggag	ataggggctt	9960
tggaaactgc	aaaagcgtcc	tggcaggcca	gctctggttg	ctccctggcc	atagctgctc	10020
tgactacagg	cagcaggacg	caggtcggcc	tctgcccatac	ggaggtcaga	ggcagggcct	10080
ccagcaccag	actcagcagt	gccactgcaa	acctggcaca	acaggctggt	cccaggactc	10140

P030366Seq.TXT						
agctcagcag	tgaagttgga	aaccaaggtt	gagtctcccc	atctcccttt	ccccaacccg	10200
aaagacccaa	gatgggtgtg	ggtgaaagag	ggagaaagaa	ttgctactcc	agaaactgtc	10260
atttgcccac	acgaaacgag	gtgggggttca	aggtctgaac	tcttccagtg	cctgggtgcc	10320
tttgggttta	aattcagctg	caggtgcccc	catcaccact	tccacctgag	cacaccacga	10380
gaagccaggt	tatcttagaa	actgtttccc	ggaatcaaag	cgacttgatt	tggagagttg	10440
ggtgaggaga	aactaccccc	tatacccctc	agggcgctcag	agatgtgagg	caattctcta	10500
cctccgctgg	aaaaaatgca	gatttattaa	aggtcgactg	tttagcagaa	caacgtagat	10560
tttttacaac	gctttccccg	tctctgcttt	gaagcctgcc	aggctgcagc	tggggatcca	10620
ggagggaaaag	cccgcaggcg	cagaggggac	aatccgggaa	gtggtaaagg	ggacacccgg	10680
gcacagggcc	tgtgctttcg	ttgcaggcga	ggaagtggag	cgcgcgctgc	agattcagcg	10740
cggggctaga	ggaggggacc	tggatccctg	aaccccgggg	cggaaaggga	gcctccgggc	10800
ggctgtgggt	gccgcgtcc	tcggagccag	cagctgctgg	ggcggcgctc	gaactcccca	10860
ggtctgcgca	cggcaatggg	ggcaccgggc	cttctgtctg	tcctcagaat	acgtaggata	10920
cccgcgggcg	acaagccggg	ccaggctagg	agcctccttc	cctgcccctc	cccacgggc	10980
gcgggaggct	ttcttggggc	gtccccacga	ccaccccctt	ctcacccggt	ccccagtttg	11040
gaaaaaggcg	caagaagcgg	gcttttcagg	gaccccgggg	agaacacgag	ggctccgacg	11100
cgggagaagg	attgaagcgt	gcagaggcgc	cccaaattgc	gacaatttac	tgggatcctt	11160
ttgtggggaa	aggaggctta	gaggctcaag	ctataggctg	tcctagagca	actaggcgag	11220
aacctggccc	caaactccct	ccttacgccc	tggcacaggt	tcccggcgac	tgggtgttccc	11280
aaggggagccc	cctgagccta	ccgcccttgc	agggggctgt	gctgcggctt	ctgggtcata	11340
aacgccgagg	tcgggggtgg	cggagctgta	gaggctgccc	gcgcagaaag	ctccaggatc	11400
ccaatatgtg	cttgcggtga	gcagggagcg	gaagaggcag	ccggtcctca	ccctcctctc	11460
ccgccacgca	catatccttc	ttgacttcga	agtggtttgc	aatccgaaag	tgagaccttg	11520
agtcctcaga	tggccggcaa	cgcgccgagg	tcacgctccc	cagaaacacc	cctctcccct	11580
cccctacccc	agctccccct	ggggcggggtg	gtaattgggg	gaggagaggc	cgcaggcagg	11640
gaaggggtgg	gaaagccaga	gagggaggca	caaagtgatg	gcagcccggc	aaacactggg	11700
gcttcgggct	gggccgcgct	cgtttaatcc	cacaaaaatc	ccatttttga	ggtgagaaat	11760
agaggttaga	ggtcggggcc	ttctggagat	cagaccgagg	agacggggcc	agctggcgctc	11820
ttaaagcaag	gagggggagt	cgggaggagg	tgagaccctt	gcacccaggt	ggggctccca	11880
aaccgttctg	gatttaccac	actcccaggt	ccgattttcc	atggagggct	gggggttaggg	11940
actggcacct	tcttgttggt	aaccgcattt	gatattcaca	agaaccctgt	gaggagactt	12000
tgtcaccgtt	tttagatgcc	tgaggttgcc	ggaggggcag	tgagagaatc	gtctaacctg	12060
gtgttcctac	cacagtccag	gccctgtgtc	ctgggctgga	cccacagccc	ctgccaccac	12120
ccagaggaag	gcgcgaagct	ggctgcctcc	tttacgggtc	tcccttaggt	gccctcatga	12180

P030366Seq.TXT						
aggggggacgg	ccacctcaca	gtgcaggaac	tatctccccg	tttgctccca	aatagtcttc	12240
ttggtgtggt	gctgtctatg	gtctgtgacc	tgcattctgga	gttaccacca	ggaccagctt	12300
cggaagagga	gggatcgctt	ggaggccgtg	cagtgtgagg	aacggcaggc	aggggtgtggg	12360
accaacatgc	acacactcgc	aggtgctggg	gccagggagg	aatgaggcgc	tggctccctt	12420
tccctccatt	tctccctggg	ggtcccagca	acctggccat	ccctgacttc	caacagcaca	12480
gcgtccccac	aggtcctgca	gtgctctgca	ggggtgcagg	gagctcccct	ccccccagcc	12540
gcaacctcac	cttcctcacc	cccacccctc	cggcaggaaa	ccacaggctg	ggttggggac	12600
ccctggtgct	ccaagagagc	agtgagtgtg	gggagccgct	aaccccagg	cgcctagcac	12660
agactcttct	caccccttat	ttctgaaata	aagcccttcc	ttaggtccag	atgaggacca	12720
cgtgctcagt	gcctcacttt	cgtgggagt	tatatcactt	tacagtatca	agacaatttt	12780
ctttcgttac	aaatctttat	ttagtctctg	cgttttagacc	aaagtagatt	tttatgggct	12840
gagtgaaaaa	acctcgcccc	cattggtttc	tgatggaaca	gctggcagcg	ccacggcccc	12900
gggtggggtg	gcctagaggc	aggggtgctt	gggaggaaca	tctagcacc	gaccacctcc	12960
accaggtggg	aaagggacgt	ttgcaccaa	tctccgccgg	caaagcagag	gctttgggga	13020
attacagaaa	aactataatg	atctaaaaga	gaacaagtta	tcttgaactg	tgcggggtatt	13080
tgaatcatat	agaaaattgt	cctgtgtgcc	caatgcactt	ttgcatgtag	agccagggcc	13140
ttcgaggaag	ctttcaggag	atcccgggca	gcggagtctg	gtctggagtt	tcattttcgt	13200
aggtgcagat	ttctcccaa	gtcttcccgc	catgggcttt	gcaagaagcc	agggcccaga	13260
ggccacgctc	accgttaaca	ctgcacagg	caaagggtgc	tccaggacaa	ctgccaacc	13320
ccaggaacga	cccagcagca	gagaaaagga	cagctgccag	ggtgcctttg	tcgctttttg	13380
gaaatcagaa	ttcctgggtc	cttagttaag	tcttacttca	ccaaatccca	ggaccttcac	13440
attttggttc	ttgccattgc	taacagttgt	aaatgctgcc	gccacgaggc	ctgggaggaa	13500
ggacccgctg	gtgagagcac	agggagtgtg	gctgtgatca	cgggtggtgat	gcgggggtgag	13560
cgcgatttcc	cgggattaaa	aagccaccgc	tgcccccgctg	gtggaggctg	ggggcccccg	13620
aataatgagc	tgtgattgta	ttcccgggat	cgtgtatgtg	gaaattagcc	acctcctcag	13680
ccaggataag	cccctaattc	cttgagccca	ggaggagaaa	ttaaagggtca	tcccttttta	13740
aattgaggaa	tagtggtttt	ttttaacttt	ttttttttta	ggtttttagt	tgccgaatag	13800
ggaagggttt	gcgaagccgc	tgccctgggc	cgagggtcat	tttacgcttc	cagaggctga	13860
ggcctccaga	gaccgcgatg	cccagggcgt	ttccggggag	gctgagagac	ccagggtgct	13920
ctgggtgact	gcacggcgac	tcctcgggaa	cccactcgtg	gctgcccgtg	tggaagggtc	13980
ttgcggcccc	gggaacgatc	tccaggatct	ccacggctgg	tcaggttccc	cgtccctcgt	14040
atcccgcgct	gcccgggggc	tcctgccttt	ggttcagtgc	tcgcggcacc	accgcactca	14100
ggacggcagt	ggggggctgg	ggctggggct	gggcctggcc	cagcgtgggt	tggggcgggg	14160
gacgcgccag	cagcggccgc	agctcgctcc	gcaggggtcg	cagccagggg	tcgggagcta	14220

P030366Seq.TXT

ggctcgtggg	ccgggagacg	ccgggcgcg	tgctctccgg	ggaggttggg	gtgcaggcgg	14280
tgcaccgacc	ctcgccatct	ggcgctgcag	ccaccagcca	cggcgcttag	tggagggctct	14340
gcggccaggc	ttccggcgga	aagattccgg	ggagggctcg	gggggttgtcc	cagcccgcgc	14400
taagcgccgc	agcctcgccc	ggctttcctg	cttcctcgga	ctgtgcaggg	gaagcctggg	14460
gtctcgcggg	gcgcagcagt	caggctcgagg	gtgcagcagg	aggggagtc	tgacgggcag	14520
gtccctcttt	cccctgggtg	gcaacactgg	ttggtagctt	ttgcggagg	ggtgaagaag	14580
ggcaggaggc	ctgttgagcg	gaggagtccg	gggatcccta	attatgtgac	aggagaccct	14640
ttccagttcg	gcctgtggcc	catccctctc	tcaccgccgg	cagattggag	tctgtctctg	14700
gggagcccc	aggtaaaccc	ctcacaggga	gaaggtttcg	gattggaagg	aggaccgcgc	14760
tcgtggggcg	cctgtgagag	ctgggaagcc	caaggggtag	cgtgtagggg	gttttttatg	14820
cgggaggagc	tgctctctgg	gcggcgggga	ctttctgtct	cagcctgtct	gcctttggga	14880
aaacaaggag	ttgccggaga	agcagggaaa	gaaaggagg	aggggaagg	ggtccttggg	14940
ggaatatttg	cgggtcaaat	cgatatcccc	gtttggccac	gagaatggcg	atttcaaagc	15000
agattagatt	actttgtggc	atttcaaata	aaacggcaat	ttcagggcc	tgagcacgtg	15060
ggcgaccgcg	gggagctgtg	ggcctggcag	gctcgcacag	gcgcccgggc	tgccggccgc	15120
tgcggggatt	tctccccag	ccttttcttt	ttaacagagg	gcaaaggggc	gacggcgaga	15180
gcacagatgg	cggctgcgga	gccggggagg	cggcggggag	acgcgcggga	ctcgtgggga	15240
gggctggcag	ggtgcagggg	ttccgcgtga	cctgcccggc	tcccaggcat	cgggctgggc	15300
gctgcagttt	accgatttgc	tttcgtccct	cgtccagggt	taggagacgc	gtggggacag	15360
ccgagccgcg	ccggggccct	ggacggcgtc	gccaaaggag	tgggatcgca	cttgctgcag	15420
gtagagcggc	ctcgccgggg	gaggagcgca	gccgccgcag	gctcccttcc	caccccgcca	15480
ccccagcctc	caggcgtccc	ttccccagga	gcgccaggca	gatccagagg	ctgccggggg	15540
ctggggatgg	ggtggtcccc	actgcggagg	gatggacgct	tagcatgtcg	gatgcggcct	15600
gcggccaacc	ctaccctaac	cctacgtctg	ccccacacc	ccgccgaagg	ccccaggact	15660
ccccaggcca	cctgagacct	acgccagggg	cgctcccgga	gcgtggtcaa	gtgctttcca	15720
atctcacttc	cctcagcagg	ttccaccag	cgcttgctct	gtgccaggcg	ccagggctgg	15780
agcagcagaa	atgattgggc	tgctctgagc	tctgaagcat	tcggccgctg	tgtgtgtgca	15840
aggggcgcaa	ggacggagag	acagcatcaa	taatacaata	ttaacaggag	cacttgtcca	15900
gagcttactg	caagccacat	tcagttccgg	accttattga	cttccccctc	ccatctagag	15960
tggattctgg	tttttcaatt	tgttttgttt	tgttttttgt	ttgtttgttt	gtttttgaga	16020
cggagtctca	ctctgtggcc	caggctagag	tgcaatggcg	cgatctcggc	tactccaac	16080
ctccgcctcc	cgggttcaag	cgattctccc	gcttcagcct	cccagtagc	caggattgca	16140
ggcaccgcgc	atcatgcctg	gctaattttt	gtagagacag	ggtttcaccc	aggctggtct	16200
cgatctcctg	acctccgatg	atccgcccac	ctcagccttc	caaagtgttg	ggattacagg	16260

P030366Seq.TXT

cgtgagccaa	cgcgctcctgc	cttgattctg	tttttaactc	catttttttag	aggaggaaat	16320
tgaggcacag	agagggttaaa	taacatgtct	aagggtcacac	agcaaggggt	ggagcggagt	16380
tagcccactg	gcctagctct	agagcccacc	cggataacca	gaacttggtg	aggcctccgg	16440
gctcttgctt	ggtttgagc	caggtgctta	gcgccccgag	cccggggcca	ttcacctgc	16500
aggagctgca	cgcgcccctg	acctcggctt	ttccctggca	gcagaggggc	tttgcgggtc	16560
ggcgggtag	ccctgagcac	agctcgccac	ttccaggtgg	gctgttggcg	ctggctgggg	16620
acacatcccc	atctttcaaa	tgccctttac	agagcctcat	caacgaccg	attcattccc	16680
ccctcctgtc	atttgtctct	gccatcga	aatgcctacc	gagagctgct	ctgcatttcc	16740
gccctctatt	ttgtgtttta	ctttaaaata	ataataaaaa	aaatgttggc	tgcaggacgc	16800
catgacttag	gtcagcgagt	cagccgctag	ctctgcattt	ccaaaaagca	gatcttttca	16860
caactctctt	gcccgaagt	ccctggtgtg	gtttatTTTT	taaaatgcat	gcctgcggaa	16920
gagaagacc	ggggaatatt	cgaaccccc	agctttttaca	acataaagcg	catggtgtgg	16980
ccgcggcgag	taatggcgct					17000

<210> 206
 <211> 1500
 <212> DNA
 <213> Homo sapiens

caaatacatt	gaactcaagt	tcaagaccag	cctgggcaac	atggtgaaac	cacatctcta	60
caaaagtaaa	gaaaattagc	caggcatggg	gctgtgtgcc	tgtagtcca	gctactcctg	120
gggaggtcga	ggctgcagt	agccgcaatc	acgccacttg	tactccagcc	tgggcgacag	180
agcaagtccc	catctcaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaggctgg	gtgtgggtgg	240
cccagatact	cagaggctga	aaaggaggga	ttgcttgagc	ccaggagtcc	aaggctgcag	300
tgagctgcga	tcacatcaat	gcactccatc	cagcctgagc	aatggagtga	gaccctgact	360
atatttaaaa	aaaaaaaaaa	taggaagaaa	caactcaacc	acagggttag	tatgttactc	420
ggttataaaa	tgataaagcc	ctaaacagag	aattagcccc	tttccagaag	aggccaagaa	480
cagatgatac	agctgaactg	aactcctgcc	tgtacagctc	gttttctaca	agattccaga	540
cctggaagat	gatggcatcc	agccccatt	gaagcacctc	gaacaagaaa	aacgccgagt	600
ccgaagagcc	aggccttgaa	cacacgattc	ctgtctataa	ataactcccc	ctggggaata	660
aaaagcagga	tccaaggcag	gaaacccgag	ccgtggaatc	tggtaagtcc	ttaggaaacc	720
cactcacggg	cctgagtccc	ccgtggaagc	ggcgacttcg	gcacctggac	acccgagtcc	780
ccagagcccc	gggcggccgc	gcgtccctac	ctgcaggcct	gataccggcc	gcggagcgct	840
cctggccccg	ctcccggcag	gctccgggac	cgctgaaacg	caccaggggg	ggtgaaggcg	900
tagtcgccaa	ggacagcgca	gatggcagcg	gaggcatggg	agccggaacc	taccgtggca	960
aagggccagg	tcgggacgcc	cctcggcgca	gccccaaatc	ctgcccgcgc	cccagccccg	1020
ctcaggccgc	gcccctgcca	cctctggcca	cacgggctga	gacgtctggc	tcctgcacag	1080

P030366Seq.TXT

cgcaattccc	gctgcccttc	tccactggct	gctcaggccc	tgccctcgcca	gcacggcatc	1140
cgcggggggat	ccctacctgt	ccttttagggc	ttgcctcata	ggtcaaactgt	cacctcccag	1200
ggaggtatgg	cctgccccct	ggccaggtgg	gccccttcca	cgctcgctg	caacaccacc	1260
caccacctt	gataactgct	tgtaaagggt	gtactgcttt	cccccttgag	actgcaaacc	1320
ttcaagggca	ggaaatgggt	ctgttttcct	ggcaaaataa	tgaagttggc	ttaaggtttt	1380
gctgaataaa	atgagtgaca	gacaaaagta	gccaaatttg	gcactcctga	tgggttattt	1440
gatgaaggag	gtgcaatgta	tgggcttaac	tagttattct	ggatttcctt	ccccatgtta	1500

<210> 207
 <211> 200
 <212> DNA
 <213> Homo sapiens

<400> 207	caaggccggt	gcacgcggac	ccgaggattc	ggtagatgtc	cccgaagacc	cgctgccgct	60
	ctaaggcggg	ggaagcgaga	ttctccggaa	acccagggaa	tccgatgctc	gcacaggacc	120
	aaagcccag	gccgcgggga	ccacagaggg	acggagaagc	cgggactcct	cacatcccac	180
	atccggcagg	ggaagcccag					200

<210> 208
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 208	ctgataataa	agttttacca	ttttataatt	taaaaatgta	aatatggagt	tgggcatggt	60
	ggttgggagg	ctgagaccag	aagatcgctt	gagcccaggg	gtttgagacc	agcctgggca	120
	acatgcagaa	accctgtctc	tacaaataaa	aaattagcca	agcgtggtag	cacgcacctg	180
	taatcccagc	tactcgggag	gctgaggcag	gagaatcgct	tgagcctggg	aggtggaggc	240
	tgcatgtgac	tgagactgta	ccactgcact	ccagcctggg	tgacagagtg	aggctctgtc	300
	tcaaaaaaac	aaaacacaaa	aaaacaaaca	aaaaaaagca	aatatatgta	aaaataggaa	360
	gtgcggtttc	ccaaaatgag	gtctgtaaac	aactgatcta	gaaaatgttc	tggaaaaagt	420
	aaaaaaggat	caggatctga	ggtcaactga	cctctccctg	cgctctggac	aggcaaacag	480
	gcaaggttcc	ctctgaggcc	gtagcggctt	ctcgtgggcg	agtcctgtt	cgcaggtgac	540
	gtgtggacca	cgctcttccg	aagcgtctgg	cctgtgtgct	ctcggggagg	ggacgcaggt	600
	cagcccacct	agccgatggc	taacaagtca	gtttgttttc	tgaacggaag	cttaaacccta	660
	gaaaagtaac	tgggttgggg	tgggggtgta	gccacatgca	gtaaaagcac	tgctgtctg	720
	tataacaacg	acctgatgaa	aaaaggaacg	cgtgaaatgg	ggagtgttag	ggcgtcacia	780
	actccagtgt	ggttgaaatg	aaagcagaaa	gcaaatggca	agctggcttc	cccttccagc	840
	ttttcacaac	cctgccttgc	tcatggtcag	ccccaaagcac	gggcggaaga	aaggactgga	900
	ggggaggggaa	aggggtgggg	agcgagggta	ccagaggcgt	gggaggacgg	ggacaaaggg	960

P030366Seq.TXT

gcagcaaggg accggcggaaggaaagtcg gcgttagctg gattggaaac agtccagaca	1020
gaacgatggg ctctgctgcc tccgggtggg gcaccaagcg gggagcgggg ccacgaggca	1080
ggggacagtg aagcaccatg cagcgcccac cagccggcag cggccaccag cctgcgctgc	1140
gctgcacatg gtacccgcgg ccccagctgg ccagtgtgtg gcggagatga gaccctcgtg	1200
aagagactaa gcggccacag cagggggaag ggttgctcac ataaccctat actgctcaca	1260
ctacgagggt aactgccgtg agatctgcct gcagccagca gaaaccctgt ctaggaaaac	1320
gttgcccagt gacttcagtg agtgccactg acccgggcgc ctccgccccg gcgtccggca	1380
gcagcaccga ttgcgagga ggcacctgac aaacaacctt tcctgatccg cgctgcagtt	1440
cccaggccgg ttgcagccgt ttcacagaga ctgcgcacac aaagcgtctc cgtgccctgc	1500
cattcacctt tcgacacagc cgcaaccctt cttttcagtg ttaaaacctg gcgccaaaag	1560
gaacatgcga tgtgacgtgt tacctctgcg catgcgccgg gcattcccag cggcccgaa	1620
ctgatgaacg cgcggtgggg accccaggct tccgtgcttt cgttttcctg gaagctacgt	1680
gtcctcagtc tacatattgt tacctgaaa ataaagtttt ctctttttt cttcctttgt	1740
taacaggcag aaggtgtagg ctgcaggttt cgggcctaag agagggcatg gctggcgaca	1800
cggagtagac tcctagatga cataacggag gcgagctctg accggggact cggcattagg	1860
aggaggcaga ggaaaagccc accaccgtgg ccgagggaga tctagcaagc agcttgacag	1920
gggtgaagtg tgtgcaaagc aggtgagac ctgtccagta tcgaaacacg ccgcgggtgt	1980
caagcaggct ttaccatgct	2000

<210> 209
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 209	
tgaggctcaa aacaggtgtc tgtgagcttc acaggcggta aggccgtgtc tacatggccg	60
ggacatgcat cccggggctg cccctgccgt gctgcccag tgcacggggg atgaggacct	120
gacaaggcca ttgatcttgc gggagcttcc tgaactactc cagcgtgaaa atcttccaga	180
aggattctcc acagggaat gaggcaagaa atttacagct tagcctgatt aatgggcccag	240
gcagttaaga gttctttgcc aagctatgag cataatttat agtcatcacg gcaggaggaa	300
aggccacata actcacatcc ttaaagggcc cttagaacia gagacacgcc ggatcattga	360
aaacgtctcc actcctggcg ccaaaagaga tcggcacgtt tctgggtatt ctgggtcaaag	420
aacaggaggat ctggattaat atacacggca gaaaaagcg aagaaaagac acacagggtca	480
tatatttctg actgatattc cgtttggtgt tttcggaggg acttggtatt tatttaacca	540
cattctcact tgacacgccc cctccccaca cttgtaaat gccttcctct ttagccgagt	600
catttttcat cacatagaat tgaaatgttg ccaggaaggc ggtttatgag attgtagaaa	660
tggcactaga gaaagcagtg tgaaaagagg cctagaacgt	700

P030366Seq.TXT

<210> 210
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 210
 tctctacatg ctatctacta aaaacttagg caaggaaatg catcagacca aacaccccac 60
 agcacagaga accgaccggc cattgctttc caatctccgc aaacctaacc attgctggaa 120
 gaaatcttac tcacagtgcg cagacagtag gtatatttatt gaagataaac atatagtggg 180
 acaaaccaaa ttacccccat ttgagttacg tgagcactca gttctcagcg tggatgtccc 240
 acaaatcaag tcaacatttg cgtcccatta ccagcagcca cttgccgagt atctcttcgc 300
 ttccactggg actgcctggc atccctgatg ctaaggagcc actgaagagc ctccaaatgt 360
 ctgacattca caaacgcac ttttgctttg acccgaccct tcaacctctc cgagtctgct 420
 gcctttttctc agacacacat ccaggcaccg ttagggatag ttagagaatc tgaaaattca 480
 gaagcgctcc gaaaagcctt tccaaaagta atccacagca ctcaacagtg aatttagaaa 540
 cccaattttt tttctgagtt tgaagttttt aagccttgcg gatggttgga gtaggaaaaa 600

<210> 211
 <211> 1100
 <212> DNA
 <213> Homo sapiens

<400> 211
 tcagacaagc tctgtgcagt cggaattttt taaagatgca ctgtcacttg aggaagacag 60
 gtgatcttcc tgcggcacia atagaagcaa agagatttct cttcttctct gtagagcaac 120
 acaattgata aatggccgat aatctccacc aaattggcag cagtaggctg cccgaaggca 180
 gcaggcatat tcgtctttgt gaattgtttt actatgatgc tgtcacattt ccaggaataa 240
 gacgggtaaa atgatatatt gttgtggttt ggcatttgca gctttgctct gacttccttg 300
 gtaactgcca acatctgcaa attattatgt gcttaaaaaa aaaatcaacc gccaccgcag 360
 gctgccccca cggtccttg ctgggccagg cctcctgcca ggccacaggg cagagttctt 420
 ggaccaggag gcagcagggt caaaaccag gttgcctagg aagccccaa agacagttat 480
 ggatagagct gggagccga aacacatgcg gcagtctctc agtttccagg taccggttct 540
 cacatcatcc atgcatgtgt ttgaggaaaa aaaaaaaaaa attgatgggt gccaaaaaca 600
 aaaatgcttc catatcaaag tttatcagtg tcaatgtcaa gagacttctg gttcgtagac 660
 tcattttggc ttgaggccac cagaagtga ctctggtttc taaatgcaga agcagaggca 720
 ctggccgatc atggaagatg cagggaactg ttcaagaggc ccaagcctgg tgctcagaaa 780
 cttggcagga tcaagcatct cggccaggaa ttcacccct gcttgcttaa gccggctggc 840
 tctcgtgact gactcggaac aacagagcag atgtttgcgt gggaggcaag cctcacccaa 900
 catctgtcct gcggcgggaa ggcctgggtg ttcacagata gagctggagt tccccggtgg 960
 gtggcacaga caattagctg gggctgcctc acatgtaatc taattacagg ggaaacaggc 1020

P030366Seq.TXT

tcaaacaccg ggtgataagc agcgcaactg tttcgggtga ctctgtaatt tttcctccat	1080
taatttttctc cataacgcac	1100

<210> 212
 <211> 250
 <212> DNA
 <213> Homo sapiens

<400> 212 gttgcctggg atatgcttat atcaaaaact tacgtgtcac ttacctagca tttgcatttc	60
actgggcctc ctaaattctg tgtggtaacc gactgccacc ggacatgctg tttacttctc	120
tatcctcagc cagccagttg ccacattcaa cataacactg caaatattgc cgggtggatcc	180
tgacttcctc gtggacccta ctgtgtcggg aaaaacaaac aaacgaaccc tggaaggaaa	240
caccatgagt	250

<210> 213
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 213 tcataaatat ttccaaatgt attcctatct gtctctacag agtctaacag acataaatag	60
cgaattgaag gttctgtctt aaaaccagc agaaagaaaa acaatgacca gaaaaaaaaa	120
acaattgtct ttggcttccc aagaacagca tcggatttca actggaacca cagatgggtcc	180
gttgatagaa gcgactactt tttagctctg gaggacgaca aaaggaacca gcttcttcct	240
gtgggtgtca cagcgaggtc gcctggccac atcaggtacc agagcgagcg ccctcacctg	300
ataggccctg tacaacctca gccacagcac tgtcaggagg aacacgcgga actagcaacc	360
taggagggta aaggcggagt tgggagggaa cacgaggcag gcaggtcggc tggctgctga	420
gctacaggct gcactcctag gacgtctacg tgtaattgag aaaaataaga caaaaataac	480
ttactgtgca ggcaattaat tctggttggc atagcgatcc tcttaagtta aagggaatga	540
gcatgagatg aagagaagta agaggcagaa agaattatgc aagagcaaca tcagagtgga	600

<210> 214
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 214 acgccgagcc gcctctgcag gggaaaccga agcagatgtg gtgagataat acatccaacc	60
ctgagtgtca cttaacctg ccagaggcgg agggttctca gtgagatgaa agcattacag	120
atgcgttaga tctaaggag gggcctgcag atgcgcagct ggcagagaaa ccaggaggag	180
gctgaactgt cagtcgcgac caccagggat ctgaatcagt tcaccgacag ccttggggag	240
attcaccttg ggctccacaa cctgtcagaa atgccccaa gcccaaaggc gtcgagagaa	300
tggccagggt gtttcagatt gacacatatc ctaatgtaca agtcagccca cacacccac	360
gtgcactgag cgtctcttgt tgttcacccc aaataaactc tgccggaact ggggcgggac	420

P030366Seq.TXT

tcgcaggggc	ggagaagggg	ggagacgggc	agagggcaga	agtggatggt	gagaagagcc	480
aatggagggg	ccccgtgaga	gtgagcaagg	ctgcacccct	aaccgacgtc	ctggggctac	540
tgtacaaaca	aagaaccaca	ggctgggagg	ctgaacaaca	gacctgcact	ctctcgcagc	600
tcggaggctg	caggtctgaa	atcgaggggc	tgacagcgct	ggtttcctct	ggaggctgcg	660
agggagaaac	cgtcccctgc	ctctcccagg	ctctgggggtg	agcccttcct	ggcatcccgg	720
gctcattgta	gatggatcac	tccaatctcc	atggcttctc	agggcttccc	tccatgcacc	780
tcaaattctct	ctctccttcc	ttttgtaagg	atgccagtca	ttggatttag	gttcacctta	840
aatccaggat	gatctcatct	aaattacatc	tgcaaaaaga	ccctttttcc	aagtaagttg	900
acattcacag	gtacctgggg	ttaggattgg	acatatcttt	tgcaggggtg	cagggggctg	960
ccactgagcc	cgctgcacag	ggtgacctgg	gccaaaggcc	cttcactttc	acttcctcat	1020
tggcaagctg	ccctgtgttt	ggactgggtc	gaggctgtca	accttgctgc	ccctcggagt	1080
ccccctgggt	gtccccaaa	cagattctaa	gctgctttcc	tggggctgga	ggccaggcat	1140
tgggattttt	taaagagctt	cccagcaggt	gagcagcctt	tcatgggtat	caggagacct	1200
tcctggcaaa	tgtggtgaag	gtccttcctc	ctgagcgatg	ccttagaccc	aggagcccag	1260
ggaggctgct	cacctgatcg	ttaggacagg	agcagtggaa	acctctggcc	tcagaccccc	1320
tggaggaatc	cctccctcta	agactctggg	actggtgcac	gcaaggagct	atcgtgaaca	1380
ttgctcccaa	ctggccgctt	gcttgctccc	cggctccctt	tggccccagt	ggcggctttg	1440
cctgaattag	agggcgtgag	agccacctgt	gtctcagcac	tgcaattaaa	gcaggaagcc	1500
ctttcggaag	cagccgtgtg	caccagcctc	ccatgggtgg	agcagagcaa	accaccact	1560
tctgccctct	gcccttcttc	ccttttctcg	acaccctgcg	gccccccagt	ttcagcagag	1620
tttatttggg	gtgaaaaaca	agagatgctc	agcgcctgtg	ggatgtgtgg	gctgactcgt	1680
acattaggat	gtgtgtcaat	ctgaaataac	ctggccgtta	tatggatgcc	ttggggcttg	1740
gggggtttct	ggcagtctgt	cgagccccag	gtgaatgtcc	ccaaggctgc	tgggtgaatca	1800
gatccctggc	gttctccgtt	ggcagttcag	cccaacagtt	tctctgccgg	ccgtgcctct	1860
gcaggtcctt	cctctgatct	gattggatta	atatttgaat	caatagactg	agtcaagcag	1920
aatgtgggtg	ggcctcatgc	aatcagctga	agccctgaaa	agagcaaaag	ggctgcccct	1980
tcccccgagg	aggagagaac					2000

<210> 215

<211> 700

<212> DNA

<213> Homo sapiens

<400> 215

cacatttcag	agctgaggtg	ctggtgcggg	caggtctcct	gagctggggg	gtcagctgtg	60
tggccagtga	tggtgacgcc	tcaggccgtg	catggccggg	gaggcggccc	tgccctctgca	120
ctcttttgac	tccatgacta	ctggtgtctt	cggacgccag	agtcggggga	gcaaccatgg	180

P030366Seq.TXT

ggcaccgccc	ctgcctgggg	aggcagcacg	aggcctgagc	ccagcttaca	gggggacatc	240
cacccccgct	gagagcccca	ccttcacggc	gaggatctgt	agaagaagac	atttgatatt	300
actcggcaaa	aaaaacaaga	aacgaaaaca	caaaaagagc	tcctctgaag	aagaaaaggt	360
atttgcgctg	tggtccacct	agaaataatg	ttgttggcac	aactagagca	ttcctcagtc	420
attcaggagc	actccctgcc	ggtgcgtcca	catgtcccaa	ccccgataga	tgaggcgctg	480
ttcgcccgtg	gaggggtcag	gttgtcgtga	ccttatcttt	acccttaggc	cgtccatccc	540
ggggcctggg	gtttcctgcg	ccagtcacgg	tgggctgtgt	aggtggccat	gtgttcggtc	600
tttccccagg	aggtacgtac	catgtgctgg	gaggcctgga	ggctgagccg	ccccccgcgc	660
ctatgagttg	caccctcaca	gcggcggccca	aacctcctgc			700

<210> 216

<211> 200

<212> DNA

<213> Homo sapiens

<400> 216

caggcttgag	cggtgactgg	gagaccccgg	gaatggaaat	ggcgtcaaaa	tgctggtgtg	60
gtgtccgcag	gggaacggcc	cgcggtgtg	tggagtctgc	gccctgtgg	cttcagctgc	120
gtcgggggac	tgcggaatc	ttccagactc	cagtttaaat	cagagaggtg	tgtccacgaa	180
aagagtcaaa	ctaaaacatt					200

<210> 217

<211> 1300

<212> DNA

<213> Homo sapiens

<400> 217

aacgagacag	tgcaaaaagc	cgctgcctgg	tgacctggca	tgacagactcg	gccctccac	60
ttgcacggtg	atccactgaa	gacaacagct	gcctctgtac	tcacgctccc	ccacactccc	120
ctccttcctg	ccctggtttc	tccatcccta	gatgccatcc	catgccccaa	accatccgcc	180
aagcacaata	acctcgcccc	cacccacccc	atgaggtcac	tcgagttgac	aaccagataa	240
cagtttttgt	tttgtttgt	tttgtttgt	tttgtttgt	tttgagacgg	ggtctcgctc	300
tgttgcccag	gctggagtgc	aatgacgtta	tctcggtca	ccacaacctc	cgcctcccg	360
gttcaagaga	ttcttctgcc	tcagctgcct	gagtagctgg	gactacaggc	gcgtgccacc	420
attctcagct	aacttttgta	tttttagtag	agacagggtt	tcattatatt	ggccaggctg	480
gtctcgaact	cctgacctct	tgatccgccc	acctcagcct	ctcaaagtgc	agggattaca	540
ggcgtgagcc	accgcgcccc	atagcaattt	gatgacccat	cccctccact	gctgggaaaa	600
ggctgggcac	cgccacact	ccatgcagct	ctctttccct	ggctcggaat	cgctgcaggc	660
gccacagacc	agacgcgcac	tgttccccac	tcctgcttat	cggccgcgcg	gcatcccctt	720
gtcgcagcac	tccagcatcc	atgcagccgc	gcggcacccc	gtcttcggag	cactccagaa	780
tccatgcaga	gcgcagcacc	ccacatccag	agcgtccag	aatccatgaa	gcacgcggca	840

P030366Seq.TXT

ccccctcgtc agagtgtctc agaatccatg aagtgcgcag cacccttaa tcggagcgtc	900
ctagaacccg tgcagcgagc agcaccacac acccgagcgc ctccagaatc catgaagcca	960
gcagcaccac acaccggag tgctccagaa tccacgcagc acgtggcatc tcctcgtcat	1020
agcgttctag aatccatgca gcgagcagta cccacaccg ggagcgtctc agaatccacg	1080
cagcgtctgg cacatcttta tcagagcgtc ccagagtcca tgcagccaca gtcctccaac	1140
ggaccctgag attgtttctg caaaaggcca tgccttcata aatctgaaaa tttggaaaac	1200
atccttctac ttatatcctt acaaccacac attcaagctg tagaagcctt tctggaaccc	1260
caagcagaag gatattccaa atgtaaaaac ggtggggcct	1300

<210> 218
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 218 atagtgcgac tgttccgaag tctttatcac agttactggt gatgcttttt tccagatgtc	60
ctcgacgtgc acccatgaag ggctccacct gagagtgccg gggctcctcg tgggatgggg	120
ctggaggggg tgctcttgcc gtcctgggct cccaagcagc cataggaaca atagggtgat	180
ggggtcccag agatagaggc cagtgcagc agcgttttga acccctcaca cgggcacggg	240
ccctctggca gggatgggag tcccggtcac acggagatgg gggctgctgc tgcctgcagg	300
tagaggaagg gacgtgtttg gcagtcctgt gacccttggg cacctgcct cccacacggc	360
cggctctgct tgtaaacaga caagtgcaca agcgcagccc ggtgaaggca cagcgggtccc	420
aggaggcatc tgggctgcac cccagcagc cgccataca cgtggagatg ccggccaagg	480
ccctgcagca cacggcagag gaaggcgcga tgggagccat gctggggccg gaagggtgccg	540
ccgcccggag ctgtagccat cactccagct cttcttttaa gtgttcccag aaattgtgac	600
ccacaaaaat ctgagagcac ccgacagtaa gccagaggac cttgatgtga gatcccagca	660
cgggtgtggg gcggactgtg gtgggtgctg tctcgcccc cacccttcc acaggctcgt	720
gtgcacatcc cacggcgcct gctaagctgc agtcttctcc aaaggggtca ctctccgtgg	780
gaaggagacc acccgcccc gggatgatgc cccagtcagt gactgacgac agtccccagc	840
cgaggtagg gaccagctcc tgcacccctc actccggggc ttgcctgtgg gccagggtgg	900
gggcgagcct cagcagagac cgcgtcccc ttgcctgtcc tgcctgcct cccctgcctc	960
ccccgcgcct ctgctgagca cgccagagg gagctgcttg	1000

<210> 219
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 219 cacttgaaaa gcacaactca tgggtgcaaa gctctgacac ggactccact ggagctgtgg	60
gcagggggtg ccaaggtagc gagttccaag ccgttggtat ttgagagcgt gcccccgcc	120

P030366Seq.TXT

atgagagcag	gtggggggac	ataaagtgac	acaggatgga	ctggccaaag	gctgaggacg	180
atcacttacc	tcacaggatg	atgccacccc	cacggacagg	caaggagctc	tcaccttccc	240
caggaccca	gctgccacca	gagctccaga	tggccctggg	ggtgtctgta	aagcctgtga	300
ccgtccacca	ggtggagacc	aggctggcca	ggggagggag	aggaagtgac	cactggccct	360
ggcactggct	ggccggctcc	agcaggcccg	aaggggaggg	aggagcctgg	gtgcaccaga	420
ctctctcaat	aagcagcacc	cagacactta	acagatggaa	agcgggtggct	tggaactcac	480
ttccaacgaa	acaatagcac					500

<210> 220
 <211> 1300
 <212> DNA
 <213> Homo sapiens

<400> 220						
agcacctcct	acccaccct	ccccattcct	gccatcccca	gggtccaggg	agcccagatt	60
ccagggaagg	gttgcattag	ctcccactcg	gagtcctgat	gcagcagaga	cagacagagg	120
ccctgggaga	agtgagcatg	aattattaag	acaagacaag	ggtgaggccc	cagagagggg	180
gtggcggaag	ggcatgttc	atgcagcgag	agttgcttcg	agcttgaacc	gcgtatccag	240
gagtcaagca	gattgcaact	ggcgagaggc	cttcagaaat	gccccgtgag	agtcctgtgt	300
gcagagctcc	atctcagcac	acttcctgtt	cttttggttc	gtcgattttt	gcattttcag	360
tcccctgtga	tccattattt	ataacagtgg	agattggcct	cagacactag	cagtgaggaa	420
aacaaaagcg	aagctacgca	gaaaaatgac	aagagtgatg	agcacagcag	tcattgacaaa	480
tgagccctgt	gcggaggccc	gggatccgcg	cagatgccgg	cgcgggggaa	atgggcccctg	540
aaatcccacc	gtcaggccag	gcagctctga	gcgtgacctg	gagggctgtt	cagacggtct	600
gggtagccgt	gtcctgcgca	tgaacatcct	ccgtcgggag	aggaattccc	cacggattat	660
cagagctgct	ccctccaccc	cccgccacgt	cccacgcggg	ccacatcaac	tccctctgca	720
gcctctggcc	agcggctgag	ccctccgtgt	ctcccctcgt	taatgcctcc	ttcaccatcc	780
cctcctgaag	tttcccccat	tgcatacacg	cgctgaggcc	cacccggtat	caaggactcc	840
cattgcttgc	gaaaaagatt	ccaccctctt	tagaacagag	accagggccg	ctgtagcaaa	900
tggccataaa	tgccacagct	taaaacaaca	gaaacggatt	atctcgcagc	tctggaggat	960
ggagtccaaa	atctgaatcg	ctgggctgaa	atccaggtgt	gggcagggcc	gcgctccctc	1020
tagaggctcc	cccggagatt	cccttccttg	cctcttccag	ctgctggtgg	ctgccagcag	1080
tttggaatt	gcggccgcat	cacaccacct	ttctgtttgt	tgttgacatc	cccgcctccc	1140
ctgcctgcgg	ggtcttagat	gtctctctcc	ttcccactga	gtttcactcc	acatttgaat	1200
tggattaact	catgccatgt	taggcaaacg	tgcccctcaa	atccttccac	ttaacagaca	1260
tttattgaag	gttcctgtgt	gcggggccca	agagaaggga			1300

<210> 221
 <211> 200

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 221

gaatgttcaa	agaaagagcc	ctccttgcct	tcctcttctt	ccaccctgc	cctctgcaga	60
ctggggttct	gtagaccccc	aaagtaagtc	cgccacaccg	gaaggaagtg	agttacacag	120
gggcccacat	gggaaccgct	ttttgtcctg	tcttggtggg	aaaatggcca	cgaccccagc	180
ccaggctctg	ccacgccaca					200

<210> 222

<211> 1600

<212> DNA

<213> Homo sapiens

<400> 222

ccatcttcct	aggcctgcgt	ttccccaca	ccggggactt	gtgctggaaa	gaaaagctgc	60
gttggcagcc	aggagccggg	gaaactgtcc	agggaggcat	cctctgcgat	gaaggcgggg	120
cctcggcgtg	gcccgttccg	cgctctgtcc	agccctggag	aagccccacc	ctcaccgagc	180
tcgaaatacc	ccctccctga	gagccgagac	tcattggccg	gacccttg	acagaagatg	240
cggatgctaa	cccggcgctt	ccaccacagc	cccggcgcca	ctggggagcg	agcgcggcc	300
tcccgcgcgt	aggtggtgtt	tctctgcagg	cgccagtttc	accgcggg	cccaggatcc	360
tcaacggttc	tgttgtgatg	tgattcccct	cttcgacttc	gtcattcagc	ctcagtcctt	420
cagtcccca	ataccgaaag	gcagtctttt	tttttttttt	ttgagacgga	gtttcactct	480
tgttgcccag	gctggagtgc	aatggtgcga	tctcggttca	ctgcaacctc	cgtctccctg	540
gctcaagcga	ttctcccggc	tcagcctccc	gagtagctgg	gattacaggc	acctgccacc	600
acgcccggct	aattttttgt	atttttagta	gagacggggt	ttcaccatgt	tggccaggat	660
ggtctggaac	tcctgatctc	aggtgatcca	ccgcctctg	cctcccaaag	tgctgggatt	720
acaggcgtga	gccaccgcgc	ccggcctttt	tttctttttt	cttttgaagt	taatgaactt	780
gaattttatt	ttatttacag	aatagcccc	atgagatact	tgaagacctg	gtgccaaagc	840
acagtgttga	ccccagggtg	tcagtcctgc	ctggccccct	ccgagggatg	cgccttcacc	900
ataaccatgt	cacggacagg	cgtgtgggca	agggggcatc	gctgtatttt	tcacaactct	960
ttccactgaa	cacgacaatg	acatttttca	ccaccgatat	gcatcaacca	aatgaaaaga	1020
tgagcctgtg	acattcccgt	gcgtagagtt	acagcttttc	ttttcaaaac	gaaccttcag	1080
tttgagccg	aagcggaagc	acgtggcgtc	tgacgtctcc	agggagacct	gccgccctcg	1140
ctgccgcctc	accgcgcttc	tgttttgcag	gtaatcttca	gcaagtactg	caactccagc	1200
gacatcatgg	acctgttctg	catcgccacc	ggcctgcctc	ggtgagtgcg	cgctgcgggc	1260
tctgcccggg	gacgccacgc	ggcctcctcg	ccttttcggg	atggctggga	ggggcgggaa	1320
gaggcgctga	agggcccag	gcaccggcct	tctacaagg	gctcttcgaa	atcaatcaat	1380
gcgcagaatc	ccgagggagg	ctcagccgcc	ctccgggcct	ctctgcctcc	acaggtgatg	1440
gctgtgtcca	caaggaggaa	accgtcgggc	tgaattaaac	agaaccgcc	tcctaagagt	1500

P030366Seq.TXT

gtgggttttt	ctgccggg	cg	tggtgtctca	cacctgtaat	cccaacactt	tgagaggccg	1560
aggtgggcag	atcacctgag	gtcaggagtt	cgagaccagc				1600

<210> 223
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 223							
aggcagcagg	gttaggactt	caacatacaa	cttttggggg	gagatgtact	tcagcccata		60
acacaccacg	tgaggagata	acaccgattt	cagagcttgc	agaggaagcc	gccaggaact		120
ccagtgagac	atcagcccc	aggtgcctgt	caggcacgcc	gggctgtggg	gggcacctgg		180
gcccattctga	gtaacggagg	cgcattccgca	cttccccag	gagtacattt	ttagaaccaca		240
cagcgccata	aaccaaagac	aaggagactt	cctgggtgcc	cgtcagcttc	tgagggcgac		300
gttctcggct	gacagctctg	gcagcctccc	ctgtaggtga	gagacaggta	aatgggactc		360
ttgcttccaa	aacggaacag	ggtaaaaatt	ctcaagcgtt				400

<210> 224
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 224							
tgctgcaccc	ccgctgccct	ccctcccgt	ggccggcagc	acctttctcca	cccgggcccc		60
tctgtcacca	gcgtccccc	ccccgtctc	cccagggggc	ggggagccag	gacatggccc		120
tgaaagccta	gccctggcct	tgacctcccc	agagcgccct	ccccaccctc	cgccctctgc		180
caaccctggc	ccctgccctg	gccccgtcct	tgctctctgc	tgctggcctt	ggggtcgcgc		240
cccgcagact	gggctgtgcg	tgggggtcct	ggcggcctgt	gccgtcccac	gcctacgggg		300
atgggagcagg	tccttcttgg	ggcttctctt	accactctc	cagtcacctg	agggcgctgc		360
ttccctgcgg	ccaccccagg	tttctgtgca	gccgaagcct	ctgcctctgc	ggccgggtga		420
tccaagacc	ccgggggtcca	gggaggcacg	ggatctgctc	ccccgggtccc	aaatgcaccg		480
gctgcgcctt	aggagggagc	gcctccaccc	atggcgctgg	cggccagggg	ccgctcctcg		540
gactacagca	cttgctcgtc	gccctgcgcc	ctgttttagtt	ctcatcacca	gcagcctgga		600
ctagggccct	ggtccttctg	gcctccttcc	acagcccgt	gcacatctca	cccacttccc		660
cgaggtgctg	tcattgttta	gctgggcccc	tcagcctccg				700

<210> 225
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 225							
ttaaagggga	gtggttgtat	gaagagttcc	tcagtcaaag	gtgtgcagct	gggaagccca		60
ccccacctaa	gagggaggtc	tgacaaactg	tccacactga	accactcaga	cctgcatcag		120

P030366Seq.TXT

ggccccgttt	cttcataag	ccgccaagta	cagccctgag	tcaactgaac	tcaggcctgg	180
gaggcttccc	aaagctgact	tgactcagct	ttgaactgaa	atgaccgtac	catgacaacc	240
ctgatgaaaa	gctaaactga	gcccaattat	tcaacagtaa	aattcagttg	gtctcactca	300

<210> 226
 <211> 450
 <212> DNA
 <213> Homo sapiens

<400> 226						
tgctaccagc	tgcttgggct	tgggcaagtc	accctagctc	tcagatgtca	tctgtaaatg	60
atgacaatgc	caatgtggca	ctgttctgag	agtcagacag	aacgtatgtg	tgcttcacat	120
atggtgctca	tgaagtgcta	tcattatcta	aggaaaacag	aaaacgaagt	tcagagtctc	180
tctaaacgca	tgacaccaga	ccaacaggga	gtttcaaaaa	ataggtctga	agtaaataca	240
ttctcctggg	ctcaatacac	tgaaaacaaa	ctattagggg	actgaccgaa	cccaccttag	300
gaaccacctt	acgtcacctt	ctgtctctac	tgcaaaaccc	tcccttaata	ctgttcaaat	360
acgctgacaa	tccagatcca	tatccaatgg	aaccagcaat	catgcctgtg	tgccagcaat	420
gtcagggagg	gaagccgatc	tctgatgaat				450

<210> 227
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 227						
caggtgccgg	ccaccacacc	cggctaattt	ttgtgttttt	agtggagaca	gggtttcgcc	60
atgttgcccg	ggctgggtctc	aaactcctga	cctcatgtga	tccacccgcc	tcggccttcc	120
aaagtgctgg	gattacaagt	gtaagccact	gcgcccggcc	aagagtgaag	ttctgatagc	180
tggggtaaga	aaggccgtgg	gaacagccgg	tttcagacac	gctgggtcta	agacgctgcg	240
tctggcgctg	ctcggcatcc	aatgggagcc	gtggagaagc	caggcgagtg	cgtagggcgg	300
agccagcgca	caggaaatag	gacgtgatga	ggtcaaccgg	ctggtccaag	tgtggacgga	360
agtagaggat	gcaagcaccg	agccccgggg	ccccagcat	tggcggggag	gagctcgcg	420
tgcgggagaa	gcaggggacc	gcgcatcctg	gagaccaggt	ggagccagtg	cgcccgggaag	480
gggcgtggcc	cgctgacagc	cgcccaggag	gccgggggag	gcctggagcc	gagggccgcg	540
cgtggcaatg	tggagagaca	ttttggtgga	gtcatggggc	cacagcctga	ttggtgagaa	600
caggaagggg	aattgcagat	gggcctgggc	cccctggctc	ccgcatactc	caggaccagg	660
gctgagtcac	cgttcacctg	gtgtgaccag	ggccccgtgt	ggccggctgt	cactcggtat	720
ccagttaccc	tgggcagacc	actggcggca	ccccccagcc	agaggccgca	gcaacacaca	780
cgctgcagg	cgaccaggcc	ggactgcatg	ccccgtgggg	gaactgaggg	cgtttcagta	840
acagagtgtt	aggggacacg	ggttggggtg	cttggaaggg	gcctaaggtg	gggtttgttt	900
tagattgggg	tggtgagggc	gcagggggcc	ggtaggattc	tctaacaggg	cagcagccac	960

P030366Seq.TXT
 tcatttagca acaggagagg cgtccagcgt ttcgtgggct 1000

<210> 228
 <211> 3100
 <212> DNA
 <213> Homo sapiens

<400> 228
 acccaaccac aggcctcctc tctgagccac gggtagcggt tgcaggttct gctgttcttg 60
 agggcctgag tcccaccag cacctcataa acagggtcct cccagggct gctgcagtag 120
 gcatcaacgc cagggtgcaa aatgcctcag ggagccaagg ctgagccagg ggagtgagaa 180
 ggagcatgtg gaagtgcgtt ttggagaggc agctgcgcag gctgtcagca ggctccggcc 240
 gtttctatag acagcatgac accaagggca gtgacctcat tccacaggct gagtccagcc 300
 agccagccaa gcatcaccag ccagacgatt gaccctaacg gaccaacca cccgtaacga 360
 cccctcctac cataaccagt agccagccag ccataacca gccaaacttat ctataaccag 420
 ccacctgacc atagccaaac aaccagccgg cccaccagta gcattcagcc cctcagctgg 480
 ccctgagggt ttggagacag gtcgagggtc atgcctgtct gtccaggaga cagtcacagg 540
 cccccgaaag ctctgcccc cttggtgtgt gggagaagag gccggcagggt gaccgaagca 600
 tctctgttct gataaccggg acccgccctg tctctgcaa cccagcagg gacggcaccc 660
 tctgggcagc tccacatggc acgtttggat ttcagggttcg atccgaccgg gacaagttcg 720
 tcattcttct cgatgtgaag cacttctccc cggaggacct caccgtgaag gtgcaggacg 780
 actttgtgga gatccacgga aagcacaacg agcgccagggt gagcccaggc actgagaggt 840
 gggagagggg ggcgagttgg gcgcgaggac aaggggggtca cggcgggcac gaccgggcct 900
 gcacacctgc accatgcctt caaccctggg agaggggacgc tctccagggg acccgaatc 960
 aggcctggct tttccccaag ggagggggccg tgcccacctg agcacagcca gcccctcccg 1020
 gtgacagagg tcaccattcc cgagctaattg tggctcaggg atccagggtta gggtccttc 1080
 ccgggctgca cccagccgtc gccagctcca tccctgtcac ctggatgcca ggggtggtctt 1140
 agaaagaacc ccaggaagtg ggagtgtccc ggggtggccgc ctcttagcca gtgtacatct 1200
 tcacatgaac cctacctgag gaagccagtc cccgacggca tagctgcatc cgcttggaat 1260
 gctttacagg cattgacacc ttgcctcac agcagcactt tggaaccagt gtctcatta 1320
 ttccagggca cggctgggga acaaggggggt cctcagcctg ctgggtccca cagctagtac 1380
 cgggcagggtg gacgggagct tctccccaca gtcaccctga tgccccgctc ttgctcggct 1440
 ggaggcctcg gatctccgtg gtgttgaggg agccggggca ctggagccct ggtgacctgc 1500
 atctcctggc ggagccggga agagctcatg gactgtcaca gatggacagt gccccgcggg 1560
 ggctggagag cagagtgggg ctggaagggt gaactcttag ccaaagtctt ggtttctttt 1620
 ggccagggtc ctctttcaat ggctggagaa ggtggtgctg ggggggtgaac gctgacctcc 1680
 tcatgtgctg cccctccctc gcctggggcc ggtaaagccc ccacgtagcc ccagccagcc 1740
 tggaacatgc ttcttgagct cccagctctt ggtctttgca cccagtgagg gaggagggtca 1800

P030366Seq.TXT

gcccagggag	ctgagtctgc	ggtttagggc	gtccagggga	cgtggaagca	tgtgggtcgt	1860
ctggccacat	taggtagggc	tgcagagacc	tggttagtag	cagtcctgcg	gggtctggaa	1920
ggggaagact	ggctgaggtg	cggggcctgg	tctggaatga	tcctgcgatt	ttggagtga	1980
gcatggagc	gggaagagac	aacccccgc	ggggaatagc	ccggcaagtg	gccacgaggc	2040
caggctgagg	tccagagaag	caggggcatg	aatccataaa	tcccaggggg	cctggccatg	2100
ggatgtgctg	gctgcacccg	gcccctgtga	gagccccgc	aggctggccc	ccttctgcag	2160
tcagtggggc	tggggcagct	tctctggcat	ggggcgaggc	agccgcctgc	acagtggccc	2220
ccctgactgt	gcgccccac	cctctccagg	acgaccacgg	ctacatttcc	cgtgagttcc	2280
accgccgcta	ccgcctgccg	tccaacgtgg	accagtcggc	cctctcttgc	tccctgtctg	2340
ccgatggcat	gctgaccttc	tgtggcccca	agatccagac	tggcctggat	gccaccacag	2400
ccgagcgagc	catccccgtg	tcgcgggagg	agaagccac	ctcggtccc	tcgtcctaag	2460
caggcattgc	ctcggctggc	tcccctgcag	ccctggccca	tcattggggg	agcacctga	2520
gggcggggtg	tctgtcttcc	tttgcttccc	tttttctctt	tccaccttct	cacatggaat	2580
gagggtttga	gagagcagcc	aggagagctt	agggtctcag	ggtgtcccag	accccgacac	2640
cggccagtgg	cggaagtgc	cgcacctcac	actcctttag	atagcagcct	ggctcccctg	2700
gggtgcaggc	gcctcaactc	tgctgagggg	ccagaaggag	ggggtgacct	ccggccaggt	2760
gcctcctgac	acacctgcag	cctccctccg	cggcgggccc	tggccacacc	tcctggggcg	2820
cgtgaggccc	gtggggccgg	ggcttctgtg	cacctgggct	ctcgcggcct	cttctctcag	2880
accgtcttcc	tccaaccctt	ctatgtagtg	ccgtctttgg	ggacatgggt	cgcccatgag	2940
agcgagccc	gcggcaatca	ataaacagca	ggtgatacaa	gcaacccgcc	gtctgctggt	3000
gctgtctcca	tcaggggcgc	gaggggcagg	agggcggcgc	cgggagggag	gacagcgggg	3060
tctcctgctc	gcgttgacc	cgggtgcctc	ggaacgatgg			3100

<210> 229
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 229	tttttggtt	tttagtagag	atgggatttc	accatgttgg	ccaggctggt	ctcaaactcc	60
	tggcctcatg	caatcctcct	gcctcagtag	tagtagttgg	gattacaggt	gtgagctgcc	120
	atgccagct	gcaggtgcgg	aagctggggg	cctcagagac	tgtggactcc	tggccggtga	180
	ggagcggcat	gggccgggag	agctgactct	tcagcgggac	tgaggtggct	ggagcgtgac	240
	cctttcctga	gggcaaacag	ggagggcctt	ggagcccggc	gctcaggaca	ggcccctgct	300
	ggcccggcag	cctgagcttc	cacacttttc	cagggcgtct	cgagttcgcc	cacagagctg	360
	ttgtttcagg	ataaaaaatg	cccttgtatt	ccacgttcca	gttcagaggc	ccgtctgttc	420
	ccaagagcgg	aggcgtcagc	cgcattgagtc	ccaccggaag	ccgggttgcc	gggtccccgt	480

P030366Seq.TXT

ccctgccctg	cagacgacgc	attccggagc	ccccttggga	agctgcctgg	ctctcccagg	540
cctggctgcc	ttcgcacgag	ggctccgagg	catgctcatc	ctacgtgact	gcccgagtgt	600
gcacacgcct	ggccgtgtgt	gggcgtgtgc	ctggggcccc	agctcaggag	caaggcctgc	660
gtggacctgt	tgtctgaaac	aagccagtag	acagctgcgt	caatgcaggc	aagctgaaca	720
gggctgcttt	ttcagcctga	caacccccagg	ggctgaacag	gagctggggg	aggagcaagg	780
ggccgttccc	ctgccccaca	gcacagcaca	cgacccccgc	ttggaacctg	ggggccgggg	840
tgaatcgagg	gtcctggagc	aagaggggct	gctccacagg	agagcctgtc	ccgccacccc	900
tcagccacca	gattcggggc	tgctggactt	gttctcaaac	ctgcacagtg	agtgacagct	960
gctgagacgg	aggtctcagg	cagtgcaggt	gaatcagcat			1000

<210> 230
 <211> 500
 <212> DNA
 <213> Homo sapiens

<400> 230						
tccttatttt	ttagtctca	agccctgtag	ggtgttttcg	gtcgcagttg	tttgggctgt	60
ggtcctgacc	ctcctgagtt	ccagtggctc	tggtcaggag	agctgcctgg	ggccgggact	120
tctgaaacac	acactgagcc	acaggccggc	ccggcggcct	gggttcaccg	ccgcctcttt	180
gtgtgtgatg	tcctgggata	ggcccgtgca	cgttcagatg	acactgtaca	tataaataac	240
ttgtagccga	gaacaggatg	gggcggggag	gaggggaggg	cagaacgtac	cacagcagca	300
gaagtcactg	tggatgcctt	cgtaagttgc	atggaagggt	tttaaacctt	gccctgccga	360
gcagccctct	cctggtccgg	gagaacgatg	gggagagagc	tggcgttcag	ctttcatcac	420
tgagaccgtt	ccttcttccg	gccccccgag	ggcctgtcca	tgatcacact	ttgtcttggt	480
tcgggggtgg	cccctgtgac					500

<210> 231
 <211> 1300
 <212> DNA
 <213> Homo sapiens

<400> 231						
caagcctgtg	gtagggacca	ggtcagagta	aacaggaaga	cagctttcgg	ccaggcgggtg	60
cacctcgggtg	ccggtgagtg	tgagcgtgtg	tgctgttgca	cgtgtgcaga	tgtgtgtgga	120
cgctcccttc	tccgcagcag	ctcctgacct	cctgcagggtg	accctcagcc	agccccaggg	180
ctgccccccac	tctcccctgt	ggacacctac	ctcatttggg	gtgaagtggg	gggactgggg	240
tgtgaggggt	gctttggggg	gcacacttcg	acccctctct	ctgcaggcca	agtcctgagg	300
ctcagtttcc	tcctctgtgc	cccggcgacg	tggtgcaggc	ctcgcgagtg	acgtgaggggt	360
tcatgaccca	ggtgtgggca	gccagccctt	cacgggaggc	caccacactg	gccacagtgc	420
ctgggaattt	aggtcgggca	ctgccgatat	gtcgccttcc	acaaggcggg	cccgggcctc	480
tgctgaccgt	gcaccggtcc	tggggctggg	taattctgca	gcagcagcgc	agcccatgcc	540

P030366Seq.TXT

ggggaatttg	cgggcagagg	agacagtgag	gcccgcgttc	tgtgcgggaa	ctcccagact	600
cacagagccc	aagaccacac	ggctgcatct	gcttggtga	ctgggccagg	cccacgcgta	660
gtaaccgga	cgtctctctc	tcacagtccc	cttgctctg	gccagggagc	tgccaggctg	720
caccccgcg	tggggatcgg	gagaggggca	gtgtcgccca	tccccggaag	gctgagcctg	780
gtgcagccag	ggagtgagg	ggcgggaagc	cggggtgctg	ccctgagggt	gccccgacac	840
gctctcctg	ggccctgagc	ggctgccacg	tgcgtccagg	gttctggcca	cagggtgggc	900
aggggccctg	tgctcctcac	tggaggcccc	tgaggctctg	gaactgagac	catccacccg	960
ccggccccct	ctcgccgggt	ccggcacccc	tgctactgt	gacttcctgc	cccggactcg	1020
ctctgccagc	ttggggcaaa	ccacttcct	ctggggtttt	cacttcctc	tttcccaagt	1080
ggggaaagac	cacctgtccc	cgaccagaa	agggccccctg	cccgagggca	gcagcagtgc	1140
caggctggca	tgtgaggctt	ggggcaggcc	cggccccag	aggcacagg	cgatgctctg	1200
tgggacgctg	tgctgtttct	aagtacaagg	tcaggagagg	agccccctga	ccccggagg	1260
gaggagaggc	agggcaggaa	accgccacca	tctcagccca			1300

<210> 232
 <211> 200
 <212> DNA
 <213> Homo sapiens

<400> 232	
gccactgtg	ggtgtgccc
tgtgtgtggc	tgtgaggcgt
gagtgcaggc	gtgaagtgtc
60	
tgggagtggg	agcgggcatg
agtgtgtgcc	acgggcctgc
tggtgggtcc	ttggaggcca
120	
cggttgccc	tgaagggact
gcaagctctt	ttttgatttg
tagttatttg	agaagtctat
180	
acaggaagaa	aattaaaccg
200	

<210> 233
 <211> 1000
 <212> DNA
 <213> Homo sapiens

<400> 233	
agcggccagc	gcagggccgg
gacccagagt	ggactctacc
gtggggctgc	ctcaaagaaa
60	
tctcagcaaa	cacaggaagc
cagcccaccc	gtgcagccat
ggggccagga	agccccccct
120	
ttaccaagtc	atttgggcat
tttttctctg	tgctaacagc
ccagatggag	ccatagcctc
180	
aacctctgtg	ttctgataac
accaagctgg	gacgccggag
ccatgcagg	gacagtgc
240	
ggcctgaggc	tgacgcctgg
gtctggatgc	ctttctaatt
cagggcctcc	tcatggcctg
300	
gttcataaaa	tgggtcaaag
cagcctgaca	gcgcagcctc
ctatcagcgc	tgggctccgt
360	
accgccacac	agccacata
ccccgttccc	caggagacgc
ccgcagggtg	gcagcgtcac
420	
tcccaccgc	cgagcacacg
ctgtccccgt	ctcgtgtccc
gaggagccgg	aagcagctgc
480	
ttcctcccag	cctgaaagct
gcacctcggg	ctgcactcgg
ctccccgaac	ccgccctccg
540	
ctgccctgca	attcgccaag
ggagctaccc	ttcccatata
aaaatttcac	ctccatttcc
600	

P030366Seq.TXT

ttgtagagaa gaaacatttc tgacagcaag gaagattcta atttgaaaag caagtgattc	660
atctcccggg gccaaacagc agacgcaggc gttaccagtc tgggtggggc gcccgagctg	720
gggacctggg gtcctctggg aggggcaaga aggcagcgat gctggccccc gcctccatct	780
gccccatcca tctgcttcca cacaccgccc tgccgtagct gcttgcagcc cttctctgtc	840
agtttctcca tcttttggtt tggtagataaa tgagagttcc catcgggtgt gccaccctct	900
gtgtgacggg gagcagagaa gaccctgcgt ccaagtcctc ctgggggaag agcgaagatg	960
ctgggaccag ccccgactgt caggggggtct ccaatcccag	1000

<210> 234
 <211> 1300
 <212> DNA
 <213> Homo sapiens

<400> 234	
ggaacggaga gccgccaggc ccaaacctcc cagaatttgc gcagtattct cggcctagag	60
agcgaggagt ggccttggcg aggtccctct ttggctcttc tggcttagcc ggggttttaa	120
acttggtatc tgcaaagcag aaggaaagtc agcccctgat gtaagtgtca agtaaaataa	180
atcggatggg tcctttcctg tttggcgagg aatgctacac taagggggac tgcgttcaaa	240
tgggcagtct ttgctggaaa cctcgcctcc gcgcgccttc cctcgcctcg attcaggcgc	300
ttttacgtta agggttgaat ttttgtgtca acaggcacct cgggaggtcg cctagacaac	360
tgagcggagc aactgagata acccccgcta cgtgtggagt gacctagtcc attaacttgc	420
cccagcacgc ccgctgagtc cgcaaaatat aggatggcct cgggttttag atgaacccaa	480
agctaagatt tcttcctct ctggaattag caagcagccc gccctgcca actcccctgg	540
aagcgcgctg gctcgccagg cctcgggacg cctgcgcggg cgcccttgca ctggcaccag	600
ggctccgggg taggggcgca ccgatctgcc caagcctctg caggcactgg aggaaggcga	660
gccctccacc cgctcaacag gccccagtgc cggcctttcc ttccagtctc aactccaccc	720
gggggcccgg gggctccaca gttaaaaact ccacgccacg gagatcgag gtaagctgct	780
ggctcaacga ggtgtgctaa atgggattaa agatcctgga ccgtggccag gcgcggcggc	840
tcaagcctgt aatcccagcg atcaggaggg ccgccgcggg aggattgctt gagcccagga	900
gtttgagacc agcttgggca acatagcgag acaccgtctc tacaaaaaaa taacaaatag	960
tggggcgtga tggcgcgcgc ctgtagtctc agctacttgg gcggtcgaga tgggaggatc	1020
gatcgagtct gggaggctga ggctgcagtg agccaggatc accgccaaga tcgcgccact	1080
gcattccagc ctgggcgaca gagggagacc ctgtctcaaa aacaaacaaa aaatcctaga	1140
ccgtttacaa acagccttcc gtctcttctt ggtcaagtcc taaccctggc taacctcgcc	1200
gtctacagcc tgaatttttg caaccgaaag gcagcgccgg cgccacgtgc acacgggctg	1260
ggccgctccg ccagctgcca gggccactgc cgcgctcact	1300

<210> 235
 <211> 300

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 235

cgcacacaca	gcacagacgc	ctgcatcttc	ccatgcgtgg	tttctgctct	tgcctctctg	60
ggtttttgtt	tcacttcggt	cgagtttttg	gtggtgttga	gcggatagcc	ggggaagttg	120
gagtcttgtt	tgtggccgcc	tcgtgctcgt	gtctgtatct	aagatcctca	ggctgctcct	180
ttttgggtaa	ggtctgttgc	ttctctagga	acagtgcagg	tggcagagcc	cgtggcccct	240
ctctcctgtc	ccagagccaa	gctgtttcct	ctccccactc	ccgggcaccc	tgcgggcaag	300

<210> 236

<211> 1000

<212> DNA

<213> Homo sapiens

<400> 236

cacagcccag	cttcaagcct	ggccgaccag	gggtttggca	tgaagacccc	ggcagggctg	60
gggctgtgct	ggaatccacc	cggaagtttc	ctgccccttg	ggctgcccac	caggtcccct	120
ttctgctctg	atcaagctgg	acaaaacgtc	gtggggccac	agcacagggg	gccaacgcaa	180
gctgggatcg	tcagacgtta	ggaaatccca	aggaagaaga	gaaaggggac	acattcggga	240
gacgtcggca	cacgctcgaa	gcagcggaca	ggcacctctc	tgtggacaag	gcagactggg	300
cggccgagat	tccgcataga	tgcctgcttc	ctccacgacc	tccacgtgtg	gctggcccag	360
tccgggtccc	cctcacctcc	tctgtctgtc	ttggtggcct	cacgccgtgg	gctgtgatgc	420
cggctacgct	gcttgggtgg	ccaagggctc	gagctgcaag	acgcccagcc	tgggtctctc	480
ccgagctctc	ccacgtcctg	tctgctcctc	ctccgagctc	ccggttgact	ctcacgactg	540
caccagcctc	tccccagga	aggcgtggaa	acaacctcct	tctcccaggc	ccgctctgcc	600
tcctgcgttt	caaggcaaat	ccgttcctcc	aggagatgat	gcaaccacat	cctgttggag	660
cccagagaag	tgcggatgca	gcccggggct	ctttctttcc	tagaaccctg	cctgggagtg	720
gcttccctga	actaaggaca	gagactttgt	cttcgttgcc	tctcggcctg	tgggcaactga	780
gcatacagta	ggtgctcagt	aatgcttgc	aggccgatgc	ccagagccat	tagccctcat	840
catggtgagc	tcggcagccg	gtgttggggc	tgggctgggc	ctaggtgtgc	gtgggggcgg	900
tgctggtctg	ctttgctggg	agccatggac	accggaggaa	cagggcccca	tcagtgcggt	960
cagagtgcaa	actcggagcg	tccttctctg	gaaaacgaat			1000

<210> 237

<211> 500

<212> DNA

<213> Homo sapiens

<400> 237

gggagggggc	gtggccagca	ggcagctggg	tggggctgag	ccagggcgat	ccgaccccga	60
accggagctt	ttagcacttt	gagtccttgt	actcagaggt	ctcctgcagc	cgggaatccc	120
actgtgctgt	ggtccctggc	agccagcacc	cacccccagc	ttctccgtca	aggttgagga	180

P030366Seq.TXT

cggagcactc	ctgcctctga	ttaaactggac	gcaggagaag	cagttgcttt	aatccggagc	240
cttgagttgg	gacagataat	gagtcattca	accagatttt	ccaaggacac	actaactttg	300
gtatgatgcg	tgtgtgcccc	tgaatccacg	tggtcaggaa	agcccaggga	acactggcct	360
gtgactcact	gagcaggttc	ccttgttacc	ccgaggggtg	atttactcct	ctgacagtga	420
cacggacact	gtgctgcat	tccccgggcg	ggcagaggac	actcccagat	gcccacgagg	480
ggcccagcaa	gcactggcca					500

<210> 238
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 238						
ctgcaggacc	tgctcgttca	cagatgttct	cctagaagca	gaagctgttt	cttgttgcaa	60
acaaatttgc	tgtgtcctgt	cttaggagtc	tcacctgaat	ttaccaagga	tgcattctgtg	120
cttgggggatg	gctcggtttg	aggggtctga	ggagcggctc	ccctggatcc	tttcctcccc	180
aggagccac	ctgccgagct	gtcagcgtca	gccccacatc	tcaagatgag	gaaatggagg	240
tcgaagccat	gcacacgcag	gcgtcctgct	gacatgcagg	ccaggcgggt	gcctctgtat	300
tcagcagcct	cagggctgtg	gccagttcag	gcagcagagg	ggcctcatcc	cgggtgcttcc	360
ctgcaggcag	ttgtggggcc	ggcctgcagc	aggggctcag	acagggcctt	gggagagggga	420
gggatcacag	aggtgtccag	tgacaggcag	ggcgggcaga	gcccattggg	ccttgggctc	480
ctcactcctt	cggtcagtca	gggtgacatc	tggagccacc	tccattaatg	gtgggttatg	540
atttggttcc	catgcagccc	gtgccagctc	gctgggagga	ggacgaggac	gcctgtgatc	600

<210> 239
 <211> 5000
 <212> DNA
 <213> Homo sapiens

<400> 239						
aagaggaaat	tcccacctaa	taaatttttg	tcagaccggt	tgatctcaaa	accctgtctc	60
ctgataagat	gttatcaatg	acaatggtgc	ccgaaacttc	attagcaatt	ttaatttcgc	120
cttgaggctg	tggtcctgtg	atctcgccct	gcctccactg	gccttgtgat	attctattac	180
cctgttaagt	acttgctgtc	tgtcaccac	acctattcgc	acactccttc	cccttttgaa	240
actcccta	aaaaacttgc	tggtttttgc	ggcttgtggg	gcatcacaga	tcctaccaac	300
gtgtgatgtc	tccccgggac	gcccagcttt	aaaattttctc	tcttttgtac	tctgtccctt	360
tattttctca	gccagtcgat	gcttaggaaa	atagaaaaga	acctacgtga	ttatcggggc	420
agggtccccg	ataaccccc	gctgcagatc	gaggcctagt	gagagcacag	gtccccccag	480
acccttcccc	gtgcccacca	accggcggcc	taggccaggt	agaactggca	gcgcctcccc	540
tgctgcaaca	ccaggctctg	gtagaaactt	cagaaaacat	gcaccggcaa	aaccaaggaa	600
gggtggctgc	gtcccgggtt	cttccgcgca	gctgtgtgta	cacgcatgca	cacaccaca	660

P030366Seq.TXT

cgcacacacc	cacgtgcaca	cccccatgca	cacgcaccca	cttgacagcc	catgcacgca	720
cacacgcgcg	tgcacccatg	cgcacgcacc	catgcacaca	cacgcgcgca	cacacccacg	780
tgcgcaccca	catgtacaca	cccacgtgca	cacacccacg	cgtacacacc	cacgcgcaca	840
caccgctgtc	cccagccgtg	cagaacgatc	ctccctgagt	ccccggctcc	gacccacacg	900
cagcactcgc	taaacgcttc	ccacgcagtc	gttttgctgg	gttgcgcttc	accactttct	960
cagagggggc	ggccgaggca	gaggtgtcgg	ggatcgagca	gctccggggc	tcaggggtcg	1020
ccccgccacc	gttttccttt	cccagatgct	gggacggggg	cagggagggg	ctccccaggc	1080
tgaacccgac	taggtcaccc	tagaagcgag	gcgagcttct	cttctgtttt	tcttcggcgc	1140
ccctgagccc	ctgacagtgc	ccaagctgcc	catgggattg	gattcgccag	agcctcctac	1200
gcagacccca	cccagggcca	aagccaaccc	caagccccac	caccttggtg	gtgtgggatg	1260
aaaagtggagc	catcgagaga	tggggctccc	ccacccccaa	cccctccaag	gacaaaggcg	1320
ggctgggaag	cacccgcttt	cacgtccgcc	cctgcccggc	tttcctagcg	gaattggcgc	1380
cggcatcagt	tgggggttgt	gggatcagt	aggaatccc	tggggctgcc	tccatttatc	1440
agttgtgtgg	ggttgggcga	gcacccctag	ccccagccca	ggcgatcagg	gcgcgaagcc	1500
acttggacgc	ggatttggga	ttaggacggg	ggtgacagcc	aggaggaccg	cacctgccct	1560
ccccactcct	gccgtccac	ccctgcccc	accgcaacac	caaggtctcc	accaggaaga	1620
tgggggtggg	gaaaggacgc	gggggtgggg	gggggtgcgg	gagagaggac	acagggctcg	1680
aagggtagag	ggtagtggca	gaggcgagg	ccgaggccac	gcagctgcgg	ggcgcaggga	1740
ggggcagagg	aggggcgttc	agatgggaac	ctagtccaga	cccgtcgggg	ccctcgtgtg	1800
cggctcgtaa	tcctggaacc	agagaggctg	gagacccttg	gcttgtctgg	agcggaaccg	1860
tagtgtccaa	tagagtgtgt	ggggctcagc	cctaaagcta	aacattcttt	atttcctgat	1920
gaccatgggg	gcggagcggg	ggaaaagccc	tggccttata	gtttagaatt	ttataaaagg	1980
aaaggcgtgg	ccactgacaa	tttgcgcttc	aggagtccca	gagtgaccgc	ctggctcgga	2040
gcagggaatg	agggggctct	taactctgag	atttgttttc	tgagagacaa	aggtgatggg	2100
tgaggcggct	aagcctctga	ttctctatag	gtggcgggtc	ttcatttcag	aacatgaatg	2160
gattcagtaa	ataaacatga	tagaaaaatg	ccacaagccc	tagggccatt	ggagtggact	2220
ggacagtctg	ttcccagtgt	gtccctcagc	ctcgggtccc	cacccttccc	ggagccctgg	2280
gggtcacaca	catccctcct	ggctgcctag	cctgtgcccc	ccgattcccc	ccctccccgc	2340
cccgcgctg	cacacacaca	cacacacaca	cacacacaca	cacacacacc	acacagcacg	2400
aggcgacaga	gatatgagag	agagcgagcg	agagaggacg	ggagagagag	ggagtgaag	2460
tgtgcgctgg	gggtaacccg	tgcatgcatg	cattgggggt	aacaggctgg	agctcagatc	2520
cctccccag	ccccagcag	gggggactgc	aggctcctgg	tctgagtggg	gagctgggcc	2580
ccctggacag	aggactgggc	tgcggggtca	ggaatgggca	cacttcctaa	ctgcaggaca	2640
ctctaagggc	tttggatcatg	cacacgcagc	caagagaagg	tgtcgctggc	acacagcctt	2700

P030366Seq.TXT

ccaggagcgg	acttggagac	ctcgccaagg	accaggactc	cccagcactc	acactccctt	2760
aggcgctgaa	gtccagagga	cagaggttga	gggcagagct	cctgggagca	ccagtggaag	2820
taggaggggt	gggctggaaa	acctcccca	acctcctatt	gcaaagaggc	tccagccagc	2880
agcctccaca	ccccagtgat	cttttaagat	gcaaactctgc	gccatcattt	atttcctcag	2940
tgccttctcc	agctcctggg	atgcacactg	cccgtcccca	ggcccagaga	cctgaccacc	3000
ctcattcctc	cctcagccca	ccctgggggtc	tctccaccag	ctgacagcct	tcctgcagtc	3060
ccctccccga	atgctgctcc	ctgaggccct	cctggacacc	tgcagggcag	gcacagcccg	3120
cgggacctca	cagcacttgc	tccgggcaga	gctgcagttt	ggccaagttg	ccagctccgt	3180
gtgggcaggg	gccctggcct	gtggctgcca	catcccgggt	gggggcacgg	cctttcctgg	3240
cgtggatgct	gagcaaactg	agggggaagg	ggagtgaatg	aggagagcca	ggtagctcag	3300
gggctgaggc	ctactgagc	aggggtccgc	gtgaccgggtc	cccaccgctg	acggttcctg	3360
gggtaacact	caggacaggg	agaggcaatg	gaaagagacg	tggccgccct	cgcattcctgc	3420
agctccccga	ctcccagcct	cccagcctcc	caccagccc	cccagagccc	accagtgacc	3480
ccgcccactg	ggctctcaga	tggctcccac	gggatctcct	gccttgatct	cctgtccaca	3540
tggaggtgaa	gtgggttgct	ctgaatgagg	gggtccgagc	ctagggcgca	gccactctc	3600
ctgggtccgc	agcatcacgc	agcccggacc	acaggctcct	tacaagaatc	ggaaggggcc	3660
ctgcaatcgc	ccttcgact	gaggcttcct	actgtgtggt	gtaaaaacac	aggcttgctc	3720
tcccttgctg	cccacggggc	tggagccgcc	tgaaaatccc	agcccacaac	ttccccaaag	3780
cctggcagtc	acttgaatag	ccaaatgagt	cctagaaagc	gagagacgag	aggggaatga	3840
gcgccgaaaa	tcaaagcagg	ttcccctcct	gacaactcca	gagaaggcgc	atgggccccg	3900
tggcagaccc	gaacccccag	cctcgcgacc	gcctgtgacc	tgcgggtcaa	ccaccgcgcg	3960
cggctccacg	ccgtgggcac	agactcaggg	agcaggatga	gaaagctgag	acggcgcagc	4020
cacggccccg	tgccttcacg	cgcacagcga	cacagcccca	gccagcgggg	cccacgctaa	4080
ggcggaatcc	cacagaagcc	tacagagcga	gcgcgcgcct	gtgcttccca	aaacggaatg	4140
gaaccaaggt	gacttctaca	gaacgatctg	aagccctggc	tggcccttat	gctagtctct	4200
tgggagcggt	ccaaatgcag	ctcaatatta	cttacttgac	ttttatcttt	cctccctggt	4260
tcgtggtatt	tataactggg	tcattctttta	actatttgca	acgtagcttc	aggggagagg	4320
gggagggtt	tataaataac	ctgtattatt	attatgcagg	ttgattctgt	tccttgagct	4380
aaagggaaca	tgaaaataca	tgtctgtgac	tcatgcccc	ccacccccac	tccagggtgt	4440
gctgaggagt	ctctcagctg	ccccgggggtc	ctcgagcagg	ggagggagaa	aggctggcgc	4500
tgcgccctcc	atcgcgtgaa	gccaggggat	tttgctctgc	gacaagctga	cttggctctc	4560
gtattgtttg	cagaatcacc	cagttccaag	gcagtccttg	cgggcaggtg	cagctgtgcg	4620
ggagcttcag	tcctgtcccc	aacaccaggg	cagtaatggt	tccagcacgg	aaggctctacc	4680
tacctccac	tgcacagccc	gagggtgtgc	ctggaggcac	agccatccgt	ccctgggtgg	4740

P030366Seq.TXT

gcaggcacgt ttatgacccc cccccccacc cccaccccc acgcgagtcg gcacgttcca	4800
tactcgggtg atcgtgctca tcccctgggc atgtcatcgg gatctgagtg ccatccgagc	4860
agagagctgt ggccccgtgc cgggggtgga cttcatctat tccagggaac caaggatgca	4920
tgatttgcaa acaaaaccag aagcgcaagc catctcctcg cctccccctga tagccgtgct	4980
gcggagcctg agtgctggag	5000

<210> 240
 <211> 600
 <212> DNA
 <213> Homo sapiens

<400> 240	
caggaaccac gggacctgct gcctagcggc cctgttccac ccttggccgc tcgcaaaatg	60
tttaggcttc ataaggtttg cccagggtca caaatttaac tcacagcaaa caatgaaatc	120
agcgcatgat tttcgagccc tcgtggtcac cctcccttcc tcttgccctt tctgcatgg	180
gcagcagcag ggtgaggagc tgctctcccc aggcccaggc tggagtcctt cagacgacct	240
gccggccagg gtacccccct gccccacac agcgccctgac agagcccccc aactggggg	300
aacgtgggga cccaagcagg ggcagcggcc tcaccgggca ggcggcgacc tgcattcatgg	360
cgtccagccc accctcgggt gcatccaggt ttccggaaat cagctgcttc ccgacctcgg	420
tctgaaactg gttggagtgt ttggtcagct tcagcacgtg cctgaaggca aacgggggct	480
ggcactcttt ctcttgttg gggcatgggt ttcgcagctt atcagggtgc gtgttcacga	540
acggcagcac ggtcttgtcc acgaaggacc cgaagcctgc agggcacatg gaggggctgg	600

<210> 241
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 241	
tgcgtttagt gtaaaaatat caggtgtggc tgcacggagt gaaaaatcac aggtccacg	60
gagccgggag gcctgctgcc ctgccctctt gctttgatga ggaaatggcg accgcagaag	120
gaaatgtagc agcaccggca accggcatcc gtggggccac gccgggctgc tttccagggc	180
cctccagcca agcagccaca ggaaagagta gatgttgatc ccaagctagg actgaggagt	240
ccgtccctaa gagccgaggg agtcagggtg gcgaaactgg ccgcatgtct ggggtacaact	300
gctcagggtt tctcatctgc tgaatcacca agctagggtc tgaagccagg cgtgagttag	360
caggactgga gcaggattct gggaacaatc ttttcctcc	400

<210> 242
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 242	
gctggggaac tgaaggaagg gctgtggagc ctgaagcctg ggccctggcct gtgctgcggc	60
cgcaccgctg ggtgatgcag gagccactcc acctccttgg caccacagcc tcatccggca	120

P030366Seq.TXT

acctgggagc	gtgggcctcc	tgccccctcca	gggaggccct	ggccgtgtcc	tcatggggcc	180
cctccaggtc	cttgtggctc	caggtcggga	cagtggctgt	gagatctgac	cctcccgttc	240
ccccctccacc	aagtaggaga	aacccccggag	catgagccct	cgtccttcac	cgtcccgggg	300
acagggggac	ccccagatgc	tgcacggctg	acaggccaac	gtggcagaag	ctccagcttc	360
acaggaagcc	agtgaccatg	agagtctgta	gctgtaacga	agccacagag	ctgtggcttt	420
ctttccccctt	cagctctagg	aaaggttatc	tgccctgcac	agatctccgg	aggcctggct	480
gggctctgag	agcatcagac	tgattatcgt	aagaaaataa	tctctgcaga	cacattcctt	540
gctagaagca	ggggacaaag	cccagcttca	aagacaattc	cacacacgcc	ctccctgccc	600
tgcacagctg	cctgccgggt	gggagcagag	cccttgacgc	cgggctcagg	ggcctgggca	660
gggacagcgt	gtggcagggg	cacagctgag	acaggagcct	caaagcgaca	ccaacccgac	720
gtgaagctac	agttgaggag	acacagctgc	ccccattccc	gggcctcatc	tccacagtga	780
gacgctggac	tctctccctg	accacacgtc	tcttagaacc	tcccctccat	ccggagcagt	840
tcggcagccc	cagggcagcc	aggggaaccc	tgccgagtgc	ctctggggccg	ccacagaccg	900
cagagcccgc	gggagccttg	ctcacacagc	ctcagggtcca	ctgtggtctt	gggggaaagc	960
cctgtcctgg	gacaggggag	ccgggggtcc	tggccctgga	ccaccatctg	gggaccacgt	1020
tgtcacgcct	gcaaagctcc	ctgccccacc	cccatgtgcc	ggctggtggt	gacacctttg	1080
tagagtggga	acctgcctcc	gaccccagcc	tgcagccaca	gggcagggtta	tagaccaggt	1140
gagagggcgc	cgcgcccaga	accaaggagc	acaagtccgc	agtgcccatg	agatcctcat	1200
gctggccggc	gcaggagcca	tcctcggcct	ctgcagggtcc	tcgtgggaaa	ccgcgggggc	1260
acgtggggcg	gctgcagggt	ccgcaaagcc	ggctgtttgc	gaagggcgca	gctccacctg	1320
gaacagccga	ggccgcccac	gcgcttcccg	cgggatcaga	gcagcctcca	cggctgttgt	1380
ctcaggcacc	acgggatgcc	tttcttcggt	tcaatagctg	tgggaaagcc	tcaatcggtc	1440
ctgaaagaac	ccagatgtgc	agcaatgaca	aggccttctc	tgagactcta	gaaccttctg	1500
ccatctcaga	caggagggag	ccgtgaggca	ggcgggagat	ttgcagtcag	caaaggacgg	1560
gcagggtggg	cagctgcaca	cccaggggccc	tctccacggt	cttcccgggc	ccacccctcc	1620
cgcggtcctg	ggcatccac	ctgctggcct	cactctgccc	acgcggccag	gtcccaccgg	1680
cccctgagct	caacagacca	aagctggccc	gacccacccc	ccaagaagaa	tgaaacaatt	1740
tttttttacc	tcttgcaaaa	aagtaaaaga	tcattttattc	attctgtttc	tagatagcaa	1800
aactaagtgt	caaaagcacc	ttctgcacac	agtctgcaca	cactggccgg	tggtcctggt	1860
cccgcaagg	tgagctgtgt	tccagagaca	tgggtcctcc	gggtgatgag	gagccgctgg	1920
agggccctga	gctgcacgtg	ctaattgatta	acgccccgtc	cgtgctggcc	ggtttctcaa	1980
atgcctcctg	acgattgcgc					2000

<210> 243
<211> 2200

P030366Seq.TXT

<212> DNA

<213> Homo sapiens

<400> 243

ggcctgagga	gtcaaacggt	gcaaaccctg	ccccactctg	tttgggaagc	acctgctgtg	60
tggcaggcgc	tgcgcttggg	gctggggata	gaccatgggg	aagaaacaca	cagaacctgc	120
cctgctctca	aggaacaggc	cctggggggc	gccaggggca	gagaccaag	gcagacaccc	180
acacagtggc	gtaatgacag	tgcttatggg	ggggacctgg	ctgcacagca	ggtcagcaag	240
gggatgttca	ggtgacactg	ggggcacgga	gacctagggg	agagtggatt	gacagagggg	300
acgctgggca	aatgtcccga	ggctgaggtg	gagttgcggg	aaggaggagg	ctgccgggca	360
gaggcgcaga	gagctttgca	ggtgttgcca	gagaccagca	ggccctgcga	ggcctggggg	420
gtgtcctcag	ctgggagggc	catagaagga	tctgggcttg	cagatgctgg	tgcagactgg	480
aggcctgggg	tgtgagagtc	caggcggggc	tcctgccaac	accaggggga	gtgggcctgg	540
gccagggtga	ccgggagctg	gcacggtggg	cagggtgctg	gaggctgcgt	gccacgctgg	600
ggacctggag	gtgtgtgagg	aggtgtctgt	tgctcctggg	gctgccgcct	gcagggctgg	660
gtgtgcagca	gtgcggggca	atgaagtggg	cgggttcttg	gatggtggac	gttccctttg	720
ttgggaacgt	gttggtgcc	agctgccatt	tgagtttgcc	tctgaggggt	ctgggcaggg	780
gacacacagg	gaatcacaca	ggatggagtg	agttcccagg	gacctagggt	ggcttggcct	840
gagaacagct	cccactccca	gatgtgtggg	aagccctcgg	caccaagcct	cagcctctcc	900
atctgtgaaa	tggagacaac	gtcactggac	ttgcaggctg	tccatgaggg	tgatgcgata	960
agaaaggggtg	gagttcctga	acgccccggg	gtcgggggtc	cacagcagga	gcttagctgg	1020
tgtcggcatc	tcctggacct	gtcctcagct	ccgagcgccc	agtcctgcca	cctgtgtcca	1080
agtctgcact	gtgcccacga	ggccctcaag	gccgcagaca	gccccacact	tctcggacgc	1140
cgccccagca	cggctccttg	gtgaggtgga	cactccttct	ggacgccgcc	ccagcacggg	1200
ccttgtgtga	ggtggacact	ccttctggac	gccgccccag	tacggctcct	gtgtgaggtg	1260
gacactcctt	ctaggggaagg	agtagtaact	cttgggtggg	cgggtagttg	ccatggaaag	1320
gggcagtaat	gcccaggtat	tgccgtggca	accgtaaact	gacatggcgc	actggagggc	1380
gtgcctcatg	gaaagctacc	tgtgcccctg	ccctgtgtta	gctaggcctc	aatgtggtcc	1440
agtatctgag	caccgcctcc	tgccctcagat	gttcccgtct	gtcaccccat	taccaggggc	1500
gcacttcggg	tcctttccag	ccatcattgt	cctggcattg	ccacagtgga	cactgccaca	1560
caggcttgtg	tgcttgccgc	taccaggtc	ctcacctctc	tgggataaac	caggcacgtg	1620
gcggccgccc	cattttccac	ccgccagcgg	tggaggagtt	gcccagcctt	gcaggaaaac	1680
agctctcatg	ccagcagcgg	agcatcctat	tcaagttttc	tcagggtctg	cagcacaat	1740
gctgcatgcc	gggcggcttc	ctcagcagac	cgttgtttct	ctgcgtcctg	gaggctggac	1800
gtcccaggtc	cccgtgtggc	aggcccgggt	cctcccgcag	cctctccttg	gcttgtgggc	1860
ggcgtctcct	ccctgggtcc	tcgcagggcc	accctccgt	gtgtctgtgt	cctccctccc	1920

P030366Seq.TXT

cttataagga	ccccaggcag	actggatcag	ggcctgccct	aaggactgaa	ttttacctta	1980
atcacctctt	taaaagctgt	ctccaaatac	agtcaccttc	tggggtcctg	gctgttaggg	2040
ctttgatgca	tggatttggg	ggacaccgct	cagccccata	cagcccccat	cctctgcctg	2100
cctttaccat	ggggctgagc	ccagccctgc	aggagtcccc	tggtttgatg	tctgctgtgg	2160
ccacggcgac	cctcaggctg	ctccagccgc	acttgtgctt			2200

<210> 244
 <211> 1600
 <212> DNA
 <213> Homo sapiens

<400> 244						
ggggagtctc	caggggctgg	ggctggagcc	gcatcagaga	ggaaaggggt	gtttgaaaaa	60
ggggcagggc	ctgggacca	ggaaactgtt	cttccagaga	caccctgtaa	gctgagcttt	120
gcctctcagg	gaagctgtga	ccccacgggt	gctgcccaga	gagatcgggc	caggtggagc	180
caagatggac	tggaattccc	cgacggggac	aaggggccgg	acgaggctga	cttgccctgt	240
ctgatgaatg	gtcaggtttg	ctttttctcc	tgaaaacacg	aggcagtgat	cccggccagc	300
taattccagc	agactggaga	cgggatgggt	gagaatgagg	ctgtggggcg	gaagagcaga	360
tgggactcgc	cagcatcctc	acggcagggc	cgcgctattg	ccctccctcc	cctcctactc	420
tctggggctc	caggagcccc	agatacgcaa	tgctgccagg	cgatttctgg	cgccccgcag	480
acccctgccc	ctggagttgg	gccagggtccc	ggctggagca	aagggggctc	cttcaagccc	540
gctcctccct	gtcaaaccgc	aggagcctga	caggcgcagc	gtcaccagcg	tcaccggggc	600
atagtgagcg	gccaagccag	cgtcaccggg	ccatagttag	cggccaagcc	agcgtcaccg	660
ggccatagtg	agccgccaag	ccagcgtcac	cgggccatag	tgagccgcca	agccagtgtc	720
accggggccat	agttagcggc	caagccttgg	tctgccagag	ccggccgcac	cagaaggatt	780
tctgggtccc	cagtcctgga	ggagcacacg	gtttacacca	ggccttggga	ggggaagagg	840
caaggcgtgg	gcccagccct	cactccccag	gagaaaccct	gtttgagcgg	cagaggagac	900
tggagagacc	ccagggcggg	gatccctgag	aggagagaaa	cccgggaattc	atccacggag	960
gcgttcaccc	agaggagacc	cggagcttct	ccaggagagg	ctggattgct	ccaacagggg	1020
ccctgaggag	ctgatggcaa	gagcggaagg	cagctctgac	tcgtgcgtct	gactccaggt	1080
gtggccgttg	gggctacagt	gggaccagcc	tgttgtcact	gaaccacaaa	agtgccctccg	1140
agcgcgggtg	gagagagggg	gacctccac	cgtctgctgg	ccttgaatct	tgaatctaata	1200
tcccgtctgt	gctttgatgg	gagaggcact	gggagcgggc	ggctttttca	gttccttttta	1260
tcttgaatgg	cctttggggg	attttcacag	attctgagtt	caaagcccag	ggaggtgtgg	1320
gaacgtgaca	ttcctcaccg	cattcctcac	cgcattcctc	tgtaaaccag	gcggtgtttg	1380
cacccatgag	cctgtgtctt	ctatgacatc	aggagtttta	tccctcacgt	cagaaatcag	1440
ggttccaggc	gccttggttt	ttcttggcgc	cagcggcttg	gctatagaag	aaaaactgaa	1500
ggggccagggt	gcggtggctc	acacctgtaa	tcccagcact	ttggaaggcc	aaggcgggtg	1560

P030366Seq.TXT

gatcacgagg tcaggggttc gagaccagcc aacatggcaa 1600

<210> 245

<211> 7000

<212> DNA

<213> Homo sapiens

<400> 245

gctcctcagg gggaggttcg gggccttttg tctctggact tgggcagcag aaaggaaaca 60
 tccctggggg cctgtggtga cccccatcct ccccagggtg gtctggcagg ggacactgtt 120
 ttccaaagca aagccagagc gccaagggtc ctcgggattc acgagatcca catttatccc 180
 aagttagaac agcacatctg tgcgtgcaaa cttcattctg acttcggccg gctgtccttc 240
 ttgcccagg caccgtgagg cctcatccct gcatccctgt tgcttctttc atgtgggatg 300
 agaaccagg aaggggtga gtgtgactcc tctggttttt agagagcact gccccgccc 360
 cgccccctcc tgcttcccca ccttttcaca gttgcctggc tggggcgtaa gtgaattgac 420
 agcatttagt ttgagtgact ttcgagttac ttttttctt tttttgagac agagtctcgc 480
 tctgtcggcc aggggtggact gcagtgggtg aatccttggt cactgcaacc tctacctccc 540
 gggttcaagc gattctcaca tctcagcctc tggagtagct ggaattacag gcgcccggca 600
 ccacacctgg ctaatttttg tgtttttagt agagatgggg tttcaccatg ttggccaggc 660
 tgggtctcga ctctgacct caggtgatcc gcctgccttg gcctcccaa gtgctgggat 720
 tacagggtg agccaccgag cctggcctgg agttattttg ggagagggca gcccctggtt 780
 cagcgtggcg aggtgcgct tgctctccc ggcgggcgct cacaccctcc tcgccgagat 840
 ggagaagccc aaaccctgc agcgtcccc catcacgtcc ggccctggaa gccccggaa 900
 accctgccac gccctgagt ggagagcgca ggtccctttc cgccctgga agccccaga 960
 aacccttggg tgccaggcct ggccgggaca gcagcgacac tgcattgctca gcccttgctg 1020
 gagaccagg gagtgtccgc cctctgcacg tgctgctgat tgccacttc gtccagcagg 1080
 tttgggagct tgtggctgca tcctcctgca gacacttgcc cattctgggg ctcctctct 1140
 gtcttttctc ctctgttgag gggctctggga gggaggcctt ggaggggtacc catgctgctg 1200
 ggactgatgc tccccgcggt ggaaggagct gcctcttgaa cagcaggggg ctgagcagag 1260
 gggaggggat gcgggggtgc cgtgcacaca ggtgctctca ggacgcagg gcttctcagc 1320
 cctgctgtcc cagggtgca ctccagcagg gcagactcct gaggtgcaga cccccagct 1380
 tcacgtcac acttctggaa ggcgatgtct gtgcgtttgc tttctgctgc agtttaaaaa 1440
 gccgggctct ctccggagcg tgtgtagggc ctggctactg gaatatctgg actcagtgtt 1500
 aatggcagcc acgctggggg ctgggcccag ctttctgttc tccgtgtggg tgccatatcc 1560
 acctccatcg cagccctttc tctctcgacc ttttaaatca cagtgtcacc tccccctgct 1620
 gtcctgccag tggcccctgg aggttctcc ccaccccttt cttctggggc aattcttaag 1680
 gctggcattg aatcaggagg ccagatgtgg ccctagtaa ctcaccagca gtccctgagg 1740

P030366Seq.TXT						
cttctggctc	ccctggccca	ccagcctccc	atgtctgcct	caggcctctt	gacccgcctg	1800
gcactgacca	gactgtgtgc	ccgggtgccc	tgcccatggg	ctccgcctcc	cccaggcagg	1860
ccccctcttg	ctccgcggcc	acccctgctc	ttgacctcac	acctctgcgg	tgtgtctgga	1920
cacaccagca	ccacggcggg	cggggagcgg	aattctccag	gtgggggtggg	caggccggcg	1980
ggtgttgagg	tctctgtgca	tgcttgtgcg	taccctggac	tttgccgtga	ggggtggcca	2040
gtgctctggg	tgcttttgcc	agacaactgg	tctgccgggc	cgagcattca	tgctggctgc	2100
catcacgtga	ctcccatgcg	ccctggccct	ggggttgggt	ctgcaggact	gagaaccagc	2160
ggaagggggg	cgaggcctcg	ggaatgcgcc	ggcaactggc	gatgagctca	ggcctgacta	2220
atgagcccag	gtgactcata	cacccggggc	ctggatgagt	ctgactgggt	caggacttcc	2280
ctgcttgttc	tgtcctggga	gatgttgctc	ctggccctgc	agagccggga	ggacacgagg	2340
cctcctgggt	cacagccaac	gcagcctact	cctgcccact	gctcgcgccg	gccaaggccc	2400
gtcggcacca	cctcctccat	gaagccttcc	tgactgcccc	catccctctg	tgggcagctc	2460
gagtgtgcat	cttgagtgct	gtgcaggttg	gggtccggcg	ctcctgcagg	caggcggcgt	2520
ctgggcctgg	gggctctcag	agtttgagga	gcgtgtggtg	aggggtggcct	cgggcctcaa	2580
agacgcagcg	ctgtgggaac	cgggagactg	gctgagcccc	ctctgaggaa	ggtggggcca	2640
ggggcacctc	cagctgacct	ggcgtgcagg	ggtgaccagc	caggcgtggc	caaggatggg	2700
gtctctggga	tcaggagact	tcagtagcag	ccaggaccga	ggccaccagt	ttccaccctg	2760
gcattttcca	tcttttgaag	gactggaaac	gatttgattc	tttaactttt	ttaagttgag	2820
gtgaaattca	caacgcataa	aattaaccat	cttaaagcga	acaattcggt	gacatttagt	2880
acagccagaa	ggctgtgcag	ccatcaccac	tgcccaactc	tagaacattc	acacgccgga	2940
gagagggagc	cctggggccat	cacgcagcca	ccgcccggcc	ccaagaacct	gcgagtccac	3000
tttccacctc	tggatcggcg	gttctggacg	ttcatgcagg	tggttcccgc	agtgcgaggc	3060
cttttgtttc	gggctcctct	cacaagcctc	acgtttccag	gtacgtcgtg	gtgttggtga	3120
gaccacaaat	tcattccctt	tcattgggtg	gtaatagtcc	accatagatt	ctctacgttt	3180
taaagcatgt	tttatgtgcc	tgaaatgtct	ctgcactcga	gactatagct	tgctttcttt	3240
cttttctttt	ttttttttta	atttgagacg	gagtcttgct	ctgttttcag	gctggagtgc	3300
agtgggtgca	tctcggctca	ctataacctc	tgccctccag	gttcaactga	ttcttttgcc	3360
tcagcctccc	gagtagctgg	gactataggc	gcgccacccc	acccggccaa	tttttttgta	3420
tttttagtag	agatgggggt	tcattcatgt	ggccaggatg	gtctcgatct	tccgaccttg	3480
tgatctgccc	gcctcggcct	cccaaattgt	tgggattaca	ggcgtgagcc	accgcgcccc	3540
gccgagacta	cagctttctt	taactgcata	cctggaggga	tctgagagtc	tctttccctg	3600
tctcctttcc	tttggaatac	atttcagcca	gggctcccca	agatgaaagg	ccagagtccc	3660
aggcatgggc	gttgacgggt	cacagttgcc	acggggagct	gtgggtgatg	gtcgtgtgca	3720
gcgatggctg	ctgcaggctc	ctgtgaggaa	ggggcagtg	cacagcagga	ggagagggag	3780

P030366Seq.TXT						
tcagcggacg	ttgattggca	gtgcccgc	attccatcat	tcagtcaccc	actgtgcacc	3840
cagcaccag	gctcggctgc	atagaacatg	gccaggaag	gctccacttc	ctgtctcctc	3900
ttctcccctc	tccagtctca	tgatggggct	ggaggcatct	tctagttttg	agttctgagc	3960
taatgaacat	gctcatgagc	aggcggcagg	atcccaggac	ggtggagctg	ggagcctgac	4020
tgcggtgac	ggacaggctc	tggcagcccc	tgtcagcatc	ctctccaggg	catgtgaaag	4080
ccagtgtgtc	ctcagctgcc	agtgcacctc	ccccacctcc	tctggggcca	tgtgcacggg	4140
acctgggctc	ccccaaccaa	gcctgcccgc	cttggttcag	cagaacggct	cctgtctcta	4200
cagcggtgcc	aggccaggag	tgctgtgtct	gtgaagcggg	gtcatggttt	tggggccctc	4260
atctccctcg	cgccctctca	ttggggaccc	cccgtctccc	tagcgccctc	tcgtcctctc	4320
ctgcatgtgc	tgtgtctgtg	aagcggggtc	atggtttttg	ggcccccg	ctccctagcg	4380
ttctctcgcc	ctctccagca	tgtgaagtgg	ggtcatgggt	tgggggcccc	catctcccta	4440
gcgccctctc	gttggggacc	ccccgtctcc	ctagcgccct	ctcgccctcg	cctgcatgtg	4500
ctgtgtccat	gaagtggggt	catggtttg	gggcccccta	tctttctagc	accctctcgc	4560
cctctcctgt	atgtgaagtg	gggtcatggt	ttgggggccc	ccatctttct	agcgccctct	4620
cgcttctctc	tgagcgtgtg	gaactctgtg	gtggctcagag	ctaaggttct	gaataggctg	4680
aagcacctcc	ccggtgcctc	tcacctgaa	tgctctggga	ggacacagcc	ttttcatagg	4740
ctacgactga	catggcagga	ggggcctgcc	tgccaccgg	gtcctctgct	gcctgctgct	4800
tgctggggag	ggggctcag	actgggatcc	tgggcttctg	ctccagctgt	gccaaggga	4860
gctgctgagg	agggaccggg	tggggcatcc	actctgggca	ggttcagggt	cattcttgg	4920
gacccgggt	ccggttacaa	aggctgatgg	agcgctggg	tggctgccta	agtctctgga	4980
agcccaagaa	tgtggagatg	gcgcgtctcg	gcccggggtc	tcgtggctgg	tctgggagaa	5040
cttgccctta	tttctaggca	ggaggctgca	ctgcaaggga	gcgtcagtgg	cccggctggc	5100
tttccccggc	cctcagcccc	cactcgtcca	ccaaagcaag	ctcctttgtg	gggctgcct	5160
gggaagccgg	gatcacgagg	ctctgccggc	cgtggtcacc	ccatgaggca	gggtcagctc	5220
gggagcaagg	cggatcagat	ggaacagaac	acgtagacca	cctcgcccgc	ccttagtcag	5280
ctggggcatt	gaaaatcaag	tccgtagaaa	gacctagaaa	taagtcccgg	ggtgcccttg	5340
cctgttgacg	ggcgggcca	gcaggactgt	tctcaggcag	gactgggtct	cttggcttcc	5400
aggtggtttg	tttgctgggt	tgaggctggg	ggtgacgctc	ctgtgcggga	ggaggtcgca	5460
ttccattcat	agcggcttat	ctgggctgtc	aggcaggcct	gggaggagc	ctgcctctgt	5520
gctctccaag	ggtgggcgac	ggacagacag	ggtgtcccac	cccttctggg	ccaaggacag	5580
agggtcagtg	tttgacagaga	cctggggagg	cccagggtgac	ctccaccgag	cacctgctgt	5640
gtgcagggcc	agtgtggct	gcagagacag	cggagcgtgt	gtggaccgg	cggcccagg	5700
gaggggggca	ggcaggaccc	ggcggcccag	gggagggggg	caggcaggac	ccggcggccc	5760
aggggagggtg	ggcaggcagg	acccggcggc	ccaggggagg	ggggcaggca	ggaccggcg	5820

P030366Seq.TXT

gcccagggga	gggggcaggc	aggacccggc	ggcccagggg	aggggggcag	gcaggactcg	5880
gcggcccagg	ggaggggggc	aggcaggacc	aggcggccct	gggggtcagg	ggtggaggcc	5940
aggcctagac	ggcccacagg	agggtggact	cattctgacc	gattcctgga	agcccccgga	6000
aagtggatgat	gttctggagg	gcccagcaga	ccccaaggcc	cccaagacaa	tcccagctgg	6060
ctctctgcgg	ctctcgggtg	ctgccatttg	agacaatttg	ggcacaggca	gggcaggccg	6120
tcgcggaagg	tctaagccgc	gcgcattggg	gggggcagca	gagccccctgc	tctcagctcc	6180
tcgggggtaca	gcgggggtac	caggcggggtg	agtgggtggg	tgggtactgc	tcctgccaaag	6240
ggcagccctg	gtttggtttg	cacttgctgc	cctgggtgacg	gctgctctca	ttcctgcccc	6300
attgctaaca	agggtgtcat	aagctacttt	cccgcccccac	atcctattaa	gcccattggag	6360
accctcccac	agctgagcct	gctgtgggct	gcaggccctg	ggcgggtgcc	acctcggctcc	6420
ccactggcct	ccttcagca	ctttagagca	gacacagggt	ggagataagg	aaagtccag	6480
agcacagact	ggaacaagcc	ccaggcctct	ccctgccccca	gcagggcctc	cctggatttg	6540
ggggacaggt	gccctcatgg	ggggtcctga	aggtcagagc	tggggctggg	gctgggctgg	6600
cggaggtggc	cttggcggag	gccacattcc	agggtctcag	tgagagtctg	tggcaggcag	6660
ccttgagat	gccgctgagg	gacccccccac	ttcatgttgt	gggtgatgtg	gtccattgat	6720
tgctccagg	tttaaactcag	gtggatattt	acctagcggc	ctcctctccc	tctgcacagg	6780
gcctggagtg	ggatggactg	gggtgctcag	ctggaggctc	tgacagacaca	gccccctggg	6840
ctatgcaggc	cctgctggga	gccacattgc	catttttcat	caccactttt	ttgggtgaga	6900
acccccctga	gtcctaacat	ctgccgcac	tcagagcctg	tggctccagt	cagagcatct	6960
ggaccatact	gctgggggtca	gagcgcgga	ggacaatggc			7000

<210> 246
 <211> 1500
 <212> DNA
 <213> Homo sapiens

<400> 246	
tgccaccacc	atcttcaggt agagcttctc tctcctcctt gctgggcggg gccccctcct 60
ggggaagcct	gcaggaccca gacagccaag gactctcgcc cgccgcagcc gctcccagcc 120
agcagctcca	acgccctgac gtccgcctgc gcacgccact tctgcacccc ctggtgatgg 180
gctccctggg	caagcacgcg gccccctccg ctttctctc tgggctccc ggcgcactgt 240
ctcaggtcgc	agtcaccact ttaaccaggg acagcgggtgc ttgggtctcc cacgtggcta 300
actctgtggg	gccgggtctt gctaataact ctgccctgct cggggctgac ccgaggccc 360
ccgccggtcg	ctgcctgccc ctgccaccct ccctgccagt ctgcggccac ctgggcatct 420
cacgcttctg	gctgcccac cacctccacc acgagagcgg cgagcagggtg cgggccgggg 480
cacgggcgtg	ggggggcctg ctgcagacgc actgccaccc cttcctcgcc tggttcttct 540
gcctgctgct	ggtcccccca tgcggcagcg tcccgccgcc cgccccgcca ccctgctgcc 600
agttctgcga	ggccctgcag gatgcgtgtt ggagccgcct gggcgggggc cggctgccc 660

P030366Seq.TXT

tcgcctgtgc	ctcgctcccc	acccaggagg	atgggtactg	tgtgctcatt	gggccggctg	720
caggtaaactg	gccggccccc	atctccccac	cctttccttt	ttgccttgcc	aggtaagtgt	780
gggcggggct	gacgtgagcc	tggtacaggt	tccccccaca	tcgaatctct	acgttcaggg	840
gcccgtggcc	ctcgggaggt	gggagagctg	ggagtgaggc	ctcctgtgtg	gggaggaggc	900
cggcgtctgg	acaggaagag	ggctggatga	accgcagccg	atgtgtccag	gtgccacctg	960
ggcctggagc	tccctgagca	ttttagcgca	tttagtcctc	agcacgggtcc	cgagataccc	1020
tgccatgccc	cgagtcacag	aggggaaact	gaggcgtggg	gcagtggcgt	gactcacccc	1080
agggagccga	gattccccgt	caggtgtggc	tgcctcgacc	ttgctccggt	cactaagctg	1140
cacggttcga	tgcgcttcct	gggagcccca	gcgtgctcgg	gccaagggtg	ctgccgcgtg	1200
ggcagtgcag	agaccctacc	agcgtgggga	ccaggagaggt	ctgcagggcc	cgctctgaga	1260
gggagccttt	catgtccccc	tccccatcct	gaagcacaca	gcctccctgc	cacagtgggg	1320
gccgcttctg	ggcccagggg	acgttgcccc	atcacctgtg	ggcctggcct	tgttgctggc	1380
tggacagttg	ggggcaggaa	gaggagggaa	agggggactc	tttaacctcc	tgggggcagg	1440
ggcagcccag	aaaggacccc	agcagatccc	tcctctgtgt	ccgggagtag	acggggcccc	1500

<210> 247
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 247						
gggctccaca	gcggcctgtc	tcctcacagg	gttcagccca	gtctgtctctc	actcatttgc	60
tgattcattc	tttcattcag	ccagtcaata	gtcatggccc	ctcctgtgtg	ccgggtggcc	120
atggatattg	ccctgggtaa	cacacagcct	ggccctgtgg	agcagacagt	ggggacagcc	180
atgtggacag	ggtgcaggtg	gatggcaatg	gcagctgggt	caggaggggc	tgagggccgt	240
ggggaaaggt	gcagaatcaa	taggggcatc	cggactgggg	tgcaggcctg	ggggctggga	300
tttctagggt	ggaggtcacc	tctgaggggag	acagagcaag	gccctgggag	attagaaggt	360
cgaaggctgc	cggtgtgagg	tcaggggccc	tgaattggag	ccgcggcaaa	ggagagggca	420
ggtcagggca	cggtgtgagt	gattgctgcg	gcttctgagc	acggctgggt	ctgtggggcc	480
tgagcagagg	tgaccgcga	tccggcgcca	cggcaggcag	gactccccac	ccttgctgct	540
gcctacaccc	ccagggcagc	cccagagtcg	ggggcgcagc	tccctgcttg	ccagttcaga	600
gcccagcccc	tctcacccag	cccagaggag	gacacagatg	gaggaggggc	acccggaggg	660
tccccccgcc	gacaggcccc	acgtctccca	cctgcaggac	aatgaagtgg	ccgccttgca	720
gccccccgtg	gtgcagctgc	acgacagcaa	cccctacccg	cggcgggagc	acccccaccc	780
caccgcgcgg	ccctggcggg	cagatgacat	cctggccagc	ccccctcgcc	tgcccagacc	840
ccagccctac	cccggagccc	cgcaccacag	ctcctacgtg	cacctgcggc	cggcgcgacc	900
cacaagccca	cccgccaca	gccaccgcga	cttcagccg	gtggtgagtg	ccccccaaa	960

P030366Seq.TXT

gtgggcttgg	ctccatctag	cccctcggct	ctcggcagca	gaagagggcc	cagccccctgc	1020
agagctgctg	gggggtcccag	gcttcggcca	tgggtggggg	tctggcggct	cagggccact	1080
cagggcggct	tggctggccc	tgggacttgc	cctctggtgg	ccaagcagtg	gtcatgaaag	1140
tccagccgct	gtcacatcct	tgaggaaccg	gcgtacctcc	gcctacagcg	gcagctgggg	1200
gcacccacgt	ggcccggggc	tgctctgacc	tggcagcgta	tgggggctgc	tgcttgggcc	1260
cctcagtgtg	tcacttgccg	gcctcccgt	cagcgccctt	cggccgtgcc	tgtccacaca	1320
ggtgcggggc	cggggtggtg	cggccggggc	ctgggtgcag	ggggcagcgt	gggacacagc	1380
ccgtgacgcg	cccctctccc	cgcagctcca	cctggttgcg	ctcaacagcc	ccctgtcagg	1440
cggcatgcgg	ggcatccgcg	gggccgactt	ccagtgtctt	cagcaggcgc	gggccgtggg	1500
gctggcgggc	accttccgcg	ccttctgttc	ctcgcgcctg	caggacctgt	acagcatcgt	1560
gcgccgtgcc	gaccgcgcag	ccgtgccccat	cgtcaacctc	aagggtgggtc	agtccagtcc	1620
tgagggcgcg	ggctcctcgg	ccccacttg	acctctgggg	tgaactcca	gcggggagct	1680
cccctctagg	gcctctggag	gccaccatgt	tacagacact	ggcgcctagg	ctggcgactt	1740
cagggcaggc	tccgggtggg	tcacaccctt	ccaggctcag	gccaggcctc	tgcatccctg	1800
ggcactgcca	cgtccccag	ggcatcccat	gaggcccccc	cgtggcccccc	tgaccccccg	1860
ctccccggc	agtgccctc	agaggggtccc	atgctgctgg	accaagtgtc	cacacaggtg	1920
ataggggtca	catacaagcc	tggaatcagg	aaccgtcctt	tgggcctcta	gtgccatgcg	1980
ggctgggtggc	ccctctgcca					2000

<210> 248
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 248	
gcctggagtg	tagtcctgct gaaggccaga gaccacacac tccaccaga ctccggatct 60
ccctccccag	caggggggatg gaggccctgc cgctgggagt gctggtgtta tgtggaaggg 120
ctgggcttct	ccagggtctc tgggaggcct aaacatcttg caaggttttg acgttaatta 180
ctattatgat	tgctttctgt gtgttactgt tttccccaca ctttagccag ctaatgtgga 240
gctacagaag	gccctcgccc ctaccctctc agatgtccca gcccatgaca agcaggaagg 300
ccgggtgctg	ggagacttcc tggggctgga tctgacatca ttccaagcag atgataacct 360
gccttccccg	tttccaaacc cacagcaaga caccctggag ttattttataa atgcgagccc 420
ctgggtgcac	ttctgacggg accagcaccc tgacggccat gagaggggtg agacagcgca 480
ccccgagctc	agggaggcag gaaactctgg acctggaggc cgggcaccat gagggacacg 540
ctgcaggccc	agctgctgcc gcctggggcg gggctgccct gcaggctccg ggaaaaccca 600
gaaccaggcc	ggatcagcgt gtgtcaagag gcggggcgctg agagatgagc tgcttttttt 660
cttcacaggg	ttggcaggaa ctgcaaataa tagaaagtct ttagggctta acacgctgcc 720
ctgaaaacac	tatcattact ttcctaataa ctaactgtgt ctttcagccg gcggggcagg 780

P030366Seq.TXT

cagctgaggc	cgcaggctcc	cgcagaggac	cgggggaggc	tggcagcctg	taatctgggg	840
gcgctgacag	tgctctgccc	agaccctcgc	gccagctcca	gctccagcac	agcagccctg	900
ggtccctctg	gccccctgcc	cgcagagtcc	aggtgtggca	gaggccgccc	agtatccctt	960
ctcctcctcc	ttttctaaaa	acagagtctc	acgatgtttc	ccatgcgggt	ctccaacgcc	1020
tgggctcaag	cgatccttct	gcctcggcct	cccaaagcgt	tgggattaag	gggcgagcca	1080
ccgcgcccgg	cccaccttcc	cttctgggtc	atttccagta	aggtcctgtc	cacagcgtcc	1140
ttcccagcat	tcccaccagg	ctgcaggcct	tggcctccct	cccctccatt	ctcattctcc	1200
ccgaaaccgc	caagcgcgtc	caaagcacgg	gttcgccaaag	cgcgcgcgcg	gccccactcc	1260
acattccctt	ccccgccgac	tcagcctccg	tagctcgcgg	acggccccctc	ctcacgccag	1320
cccaggcttt	tttttttttt	ttttcttcta	ttttaagggt	gtcttttaat	gacacaagcg	1380
acatttgag	acaaaaggac	acatctcttc	ctgaccacc	tccaaccca	gctgacggcc	1440
gccctgagcc	tggcgtagac	ggcccggaac	gttccttgcg	tgggttcctg	ccatcccga	1500
cccctgtccc	cgcgccggct	ccgggggtgc	tcggggggcc	gcgtggggtc	tgtgacgtcg	1560
cctcgaggct	gcaccccggt	gacccggcag	cccctggcgc	tcgcgggagg	cgggcgggcg	1620
cggaccccag	gctttagggc	gcgattcctg	cagctggctg	cgggcccag	gttctgggg	1680
gtctgaggtc	tcgggcgggg	caggacggtt	tctccggctc	agcccccca	cctcctgccc	1740
tgccgcccc	cacaccagc	tccccacgga	cgccaagagg	cgcctccac	cccggcgagg	1800
acccgcgggg	aaacggggcc	caggcgcggc	gactgcggag	gacgcgcctc	ggccccagcg	1860
ccctggtcct	cggggcgctc	ggctgccctt	gcccagggcc	ggggcgggcg	ctcagcgccg	1920
cggaagaaac	gcccgggagg	ggacgcacag	cagggcgggc	tccgcgggaa	gtaccgggaa	1980
aacggcgcg	agcgggaacag					2000

<210> 249
 <211> 3000
 <212> DNA
 <213> Homo sapiens

<400> 249	
tggagcaatc	ccagagaggc
tgaggtgttc	aggctggccc
cagatgcaca	cgagcgtgaa
60	
gcctgttcag	aagccagctc
ctcacaccct	ctcccctgcc
agaggctcca	gcaccccctc
120	
ccctctcctc	tcccctccct
tccctgtggt	cctcctgccc
acccacccc	cgtctgcatg
180	
tgcaccgtca	cggagatgcg
tgtactaggg	cggaggtcgg
ggacagtcgt	cagaaggaca
240	
caggaaagaa	gggaacagga
atcccataac	agaacattat
ccggcaggag	taattaacac
300	
aggcaggact	ggaggctttg
ttttgttttg	cttaaaaaac
agtggatatt	aaattaatgg
360	
gcatgggaag	actattcagt
gaaagacatc	ggtcattgag
gtatctattc	aaaaacacgg
420	
tttagtactc	tgccacacac
cgaacgcaac	gccacagcag
ccatagaagc	gtgtgtggct
480	
gtttaacgtg	gtcttttttg
ggagggcatc	ctaggcagag
caggcgtgga	agggaaggcg
540	

P030366Seq.TXT

gcggacggaa	caaaacgcgg	gcacgcaacg	gctgctgcgc	cggatctgag	gcagggccag	600
cctgtgggag	cagcaacatc	gctcgcagga	cagcgatgga	gccccacga	atccgcgtga	660
aagcagcaac	cacctagaaa	tgaacgtaca	gctgcttaga	aacagaatac	ggatgacccg	720
aaagacttcc	cgatggtagt	caccagcata	caggacctga	cacgggcgtg	cgggcagggg	780
gtgccgctac	gggggtccctg	gcgcacctgc	taccctctgt	acccgcattc	accgcacgcg	840
gaggggtgcg	gccgtgaagg	ttatacatgc	aaatatcctt	ccaccagcca	gttctccttc	900
caggaatctg	ccacccgacc	cttgtgttgt	gcacagacat	ggtccagggtg	tttgcgacgt	960
gattgtttat	cagagagaga	gaagggaaat	ctccaggctc	gctgtagctg	caggagctct	1020
gggggctgcg	cccatcgtgg	agacggatag	ctgtctctca	tgaacacagg	acagcaagtc	1080
cggctgcggc	cacagaagac	tcgccctcct	ggacgcagcg	tcttccttcc	tcagccccac	1140
actggagggtg	gccagtgcc	tccacagcag	aagggggccag	cggggaccag	gctcacgccg	1200
tgggaattctg	ctctgtggta	agaggaagag	cgatagctgg	aaccacgcgc	cgtcgcacac	1260
acagcgggga	agagtctcag	aaatgttact	ttgagtcaaa	aagctggaca	aaaaaaggcg	1320
caagccagat	ggtgctgaag	aggccacagg	aggctggcag	ccaggggggtc	tggcacctca	1380
ctcggaggcg	cagtggggcc	gtccggaatt	agtggccata	cggcaagtgc	cgagtggaca	1440
tcaaaccgtc	acttcagact	cctgcgcttc	actgcctgtc	ggttatgcct	gggttttgaa	1500
atcaagtcac	agaacacctg	gaatgtggtg	tttacgcaga	acaaagcggg	tgcttcggag	1560
gagagagcct	agggacaggg	gcacctcccg	gtgtgggtgc	ccaggggtgc	agggtggctt	1620
cctctgtctg	cgcggttttc	agagccccag	ggctctgcct	gcccggctgc	ctggaggcgg	1680
cccacatcct	gctctgcgcc	gccgaatctc	agcctgaaca	gcttcgctgg	tgtttgtgtt	1740
gacttatttg	ttcttttttt	tttttttttt	ttttaataaa	aggattccga	tgctgttaca	1800
gtcaataaaa	gccacaggtc	tgggtgacct	acaaatgtgt	gtgtctgact	ttctgcagtt	1860
taaatcgcca	ctgagcctta	aggcgtctgg	cccgcgcatt	gaggaatcca	cgtgggtctc	1920
ggggtcccca	tgcttgccca	gctccctgct	tcagcctggg	cgggtctggc	gggcatttct	1980
gcgagcctgt	ccctggggcc	gcctcctggc	cagacttcca	gaaacattgt	ccacatcccc	2040
gttgcacgtc	cccccgctac	cggaaactgc	agcccacagc	actgggaaga	accggggagg	2100
caggcgttag	gacgggggtg	ccgagacagg	gaaggagacc	atggcgagcg	tcctcaccca	2160
agccagggtc	tcctgcccct	gtggtactga	caggagcccc	gcaggacgtg	gggttggtct	2220
tgggcagctc	ggtggacact	tctctttcag	atcctgccac	agcaaagctc	acgagactca	2280
cttcttccca	ttggaattca	ctaagaacaa	attcaacaat	tcagacgccc	cagctggagg	2340
tttatattat	ggattttacc	tgtgcggtat	ttagggttgt	gtttatgaat	aaagggtgtc	2400
gttctggcaa	gtagaaatac	agagcttgct	tttcacccaa	gtatctgtaa	ctttctccaa	2460
tgacagacact	aaaatgcaat	aaaaacaaac	caaaccatt	aaacatgaat	tagatgaggg	2520
aggctgatgg	gaggttgtgg	gattaacagg	ccgtcagcgg	attgaagctg	cgcacatcgc	2580

P030366Seq.TXT

tgggatgctg	ctgcgggagg	attcgggtcta	atccgggagc	atctgggtgg	gcagtgggca	2640
gcgtctgcag	tcgtgggtgc	ttgaaggtat	gaaggttgtg	gcctttgctt	cccccatca	2700
ggctgcccc	ccctggaccc	caccagacc	cctcgggcac	cctgggggtca	tcttcagctc	2760
cccccttctt	tccttccttc	tcttcgcct	gggcccctac	tgtgaccga	ggtcagcaga	2820
ggaccctggc	aggtgggtgc	tccctgggac	tcgactgtgc	aggtgaggct	tggggtgacc	2880
gctgtcctg	ctcctgtcc	tctcgccgtc	cccacctcc	tccatcatgc	tgtcaacatg	2940
catgtgggct	gcagccctca	gcctgcagga	cgctgtcagt	gcagctcctc	agtggccagg	3000

<210> 250

<211> 2500

<212> DNA

<213> Homo sapiens

<400> 250

atcttgtctt	ccttgtccca	gtcctggaac	cagccactgc	cccagcagct	cctgtgtgtg	60
gtggcatgtt	ctggaagcca	ggatgcatgg	tgctcctggg	ctgctgtggg	tcctgggctg	120
ctgtgggtcc	cgagctgctg	tgggtcctgg	gctgcacccc	tgagaaacac	ttccttccat	180
gttcagctcc	ctatatggaa	ccccagttcc	agccccacag	cacaggggtcc	cccagttctt	240
cctgcctcag	gtgtgcacca	cgaggaatcc	aactgccagt	atctgtgcgt	ggcctcccgc	300
cgggaggagg	ctgccggagg	ctctgagctc	tagccccaca	gcactggcac	atcctagatt	360
tccgggaaga	cacggcctcc	tccccagggg	aagggtggtg	tgccacacc	cagagcattc	420
attcctgcag	tggagacaga	gggacctgcc	tctccaactg	tgggtgtcag	gagccaaggc	480
gcatggtaaa	tggggctctc	tgtgaggcca	ggtgcacggc	cccatctcca	gcagcagcgg	540
ccatgccacc	cagctgcact	ctgtggggga	ggtgccatga	ttgacggggg	cccctccctg	600
tgtccagtgt	cctcctccct	ccacggggcc	ctctgcacac	cgctctcaca	gtctccctct	660
gcacaccgtc	ctcacagcct	ccctctgcac	accatcctca	tgggtctcct	ctgcacaccg	720
tcctcacagc	ctccctctgc	acaccgtcct	cacagcctcc	ctctgcacac	cgctctcaca	780
gcctccctct	gcacaccatc	ctcatggtct	ccctctcctt	ccacagaccc	ctctgctcgc	840
catcctgacg	gcctccctct	ccctccacgg	accctcttac	acactgtcct	cccagcctcc	900
ctctacacgc	catcctcaca	gcctccctct	ccctccacgg	gcccccttac	acaccgtcct	960
cacggcctcc	ctctccctcc	acggggccct	ctgcacaccg	tcctcacagc	ctccctctcc	1020
ctccacgggc	ccctctgcac	gccgtcctca	gggcctccct	ctgcctccac	gggcccctct	1080
gcacgccgtc	ctcacggcct	ccctctgcct	ccacggggcc	ctctgcatgc	cgctctcacg	1140
gcctccctct	ctctccacgg	gccccctctgc	acgccgtcct	cacggcctcc	ctctctctcc	1200
acggggccct	ctgcacgccg	tcctcacagc	cttctctttt	ttccacagac	ccctctgcac	1260
gccgtcctca	cggcctccct	ctccctccac	gggcccctct	gcatgccgtc	ctcacagcct	1320
caccgacgtc	accattgctg	gccccgttcc	aggtgacagg	ccacagtagc	acctgtcagc	1380
tctgtcccgc	tgctggacag	ggagatactg	ggccactcag	cccagcgggg	aacgtgtgtc	1440

P030366Seq.TXT

ccgaaactgc	cttgggctcg	ccatcagaac	tgtggcagca	tcttccagcg	ttccttttaa	1500
caggctgccg	ttggaatagg	agtcacggag	caattgcagt	gctaagtttt	ctttaagtca	1560
cacaattgaa	ggaggcttta	tttttcacac	atttcttcca	gagtttcctg	gtagcctgag	1620
tgcatgggtg	atgccccctg	agttatttat	caggggcagc	cagctgccct	ccccggggc	1680
acttacagtc	agcccatctc	tgtcctggtc	aggtgggcgc	caaggaagac	ccggctcagg	1740
gcctctgtat	gggcagcctg	gcttgtagac	acaccctcc	ccaccagcag	attctgaatt	1800
ctcccttctt	catgcacacc	gggaagggtc	cttctgcact	cataccggga	aggtaggcag	1860
gtttcggtag	tgtctgcctc	cagtgttttc	ctcctcctgc	tctatgacat	catctttctg	1920
tgattttttt	tttcttgtag	gaagttggaa	gcatactcgg	gaaggtaatt	attgattgaa	1980
tctctgcctc	tcctggggtc	tctgtaaggg	gatggtgagg	atggcagcct	ccctgggtac	2040
taggtggcac	ccagtaggtg	cgcctttccc	agttggtggg	tggctctgtg	tccatgaaga	2100
caggaccca	gaggtgtcgc	ctttatgctg	tatgacattg	aagctgggtc	ctggctctgc	2160
gtggcctgag	gggaaggggt	tcactccagc	tggtcacctc	gctgccccct	gcccggtggc	2220
ttggtggcca	gtccttcttt	cccggttgaa	gacccacga	agaatgattt	ctcacgcctt	2280
cttcagccgg	ctgtgtagtc	tgggtggtct	ccaggagtgc	cagtggaggc	agcagcccc	2340
agacaattcc	tttccaaatc	agggttggtc	cgggggaagt	aaggcccagt	ttggaagcct	2400
gctgccccgg	gaggccgagc	agtgagggcc	acctccctgt	cttcatacaca	ttttcaccgc	2460
ttccgggggt	ccttcccctc	agtcccacca	tgggggcgc			2500

<210> 251
 <211> 6000
 <212> DNA
 <213> Homo sapiens

<400> 251						
gctggacacc	tctgagagcg	tggccctgag	gctgaagccc	tacggggccc	tcgtggacaa	60
agtcaagtcc	ttaccaagc	gcttcacga	caacctgagg	gacaggtagg	agggacgccc	120
cgtgaccttc	ctcctgtgct	tctgggcctc	ttggagggag	gggtgggggc	ccaggggaac	180
acgggtgcca	cggcctcaac	ctcctaaggt	tgggcgagcg	ttgccctgac	cgggggccct	240
cccggcgccc	tccagagtga	ggccggggcc	ctttccggcg	ccctccagag	tgagctggtc	300
tgagcctctc	ccagcgcttc	ccagagttag	ctggtttgag	accctgctcg	cgggggtggc	360
acctgttcag	cagggccgag	gtgacagtga	ggctgagatg	tagggaagag	aggctcccgc	420
aggctgaccg	agagggtca	gcgcactggc	ccagacacgc	agtcctgcct	ggtgcgcggg	480
agcccctcac	taaccacctg	gaccctggtt	tgttccgtgg	gcagtgagag	cctctacctg	540
ggtcctggat	cccacgttct	gaaggtcccc	gactcgggag	ccaggagggg	tgctcgtctg	600
cagccccagg	gccccaggc	ttggttctgg	gcttgggaca	cggcaccctc	tgctccacgt	660
tcctccatct	gtgcgtgtgg	ctgaggacag	accgggggga	gaggggagtc	ggtcctgtgg	720

P030366Seq.TXT						
gtgcacaggg	ccgctgaggg	gggggcatgt	agaacggggc	tccccactg	agacgggtcc	780
tggcagtggg	gacacagctt	agccggcgta	ggaacccccg	tcctccttga	ccctgctgac	840
tggccgctgg	gccggagcct	cccgccacca	gaagggggcac	agtcagaggc	tgccggtaac	900
agcaggggtg	accttccagc	ccacaccgtg	cccagcagga	gccattggta	ccaggaaccc	960
tgagcttagt	ggacatggcc	aggcccgtgc	ggcagtgttt	gggggggggt	ctggctgtgg	1020
atggcaccgg	ggagggggcg	ccgcgtggcc	cagcgtcccc	cgagtcgccc	ttgttgccct	1080
tactcagtct	ccccatgact	cagtttccca	cctgtgaaat	ggggcgagg	catccccatg	1140
tcgctgccac	tggattcctg	caggcgccgt	ggctactctg	ctgaatggat	gggaggggtg	1200
gtggggcaga	ggtgggcccc	ccccaggctg	gggcagagca	gacccctgag	agcctcaggc	1260
tcaggtgctc	agagggcagc	gagggggctg	ctcagatccc	cggggtgcct	ccttccccca	1320
ctgtcatgct	gccccactgc	aggcccaagg	acccacccc	agcagggcca	cacactcagg	1380
gctcctggtc	tgagggcctg	agggatcggg	gcgcaggtcg	cttgctggcc	acacccgcct	1440
gcacagcctt	ccaggagggc	cggcctcagg	gccacagggc	aagtccagct	gtgtgtcagc	1500
cacggccagg	gtggggcagc	ctgtccatct	gggtgacgtc	gcgccctggg	acgggtagcg	1560
atggcgccag	gggccgcccc	cctcacgccc	gccgtgcctg	ttcctggcag	gtactaccgc	1620
tgtgaccgaa	acctggtgtg	gaacgcaggc	gcgctgcact	acagtgacga	ggtggagatc	1680
atccaaggcc	tcacgcgcat	gcctggcggc	cgcgacgcac	tcaaaagcag	cgtggacgcg	1740
gtcaagtact	ttgggaaggg	cacctacacc	gactgcgcta	tcaagaaggg	gctggagcag	1800
ctcctcgtgg	ggtgagtggc	ccccagcctc	ctgcccacgc	cagttctcac	gcgtggtacc	1860
cagcctgggc	tggggttggc	ctggggtccc	tgtgcggtt	cagctgcagc	ctcctgttcc	1920
tcttgagggc	tgcacggcct	ccctgaccca	ctttgtgggc	aggaaagaga	cggagacaga	1980
cagagacaga	gagaaacaga	aacagggaga	aacagacaca	gagagagaca	gagacagaga	2040
gagatagaga	cagagacaga	gagagacaga	gacaaagagt	gacagagggg	ccaagacagg	2100
cagacagaga	caaacagaga	cagagacaga	gacacagaga	gagacacaga	gagacagaga	2160
cgggaacaga	gacaggcaga	cagagacaga	gagagacaga	gacagaaa	gagacagagg	2220
gacagagaca	ggcagagaga	gacagagaga	cagagacaga	gacagacaaa	cagagacaga	2280
gagacagaaa	caggggacaga	gacagaaa	gagagagaca	gagggaaa	gagagagaca	2340
gagacagata	gaaaaagaca	gaggcagaga	gaagcagaga	cagagaaa	aagacagtca	2400
gagacagaca	gagacagaga	cagaaacaga	gacagagaga	cagagacaga	ggggcagaga	2460
caggcagaca	gagagacaga	gacagagaca	gcgaaacaga	gacagaaa	tacagagaca	2520
gagagacaga	gagaagcaga	gacagacaga	ggcagagaga	cagagagaag	cagagacagg	2580
gacagagaca	gagacagaaa	tagagagata	gagacagagg	gacagagaca	gagagataga	2640
gacagagagg	gagacagaga	gatagaagca	gagagagaga	gacaaagaca	gaggcagaga	2700
gacagagaga	gaagcacaga	cagagacaga	cagagagaca	gggacagaca	gagacagaga	2760

P030366Seq.TXT						
gaccggaaac	agaggcagag	agactgagag	actgagagag	acgggggtggt	tttccccaca	2820
gcatcaacac	caagcagggc	taggatcact	gaaacagact	catcagaccc	gaagcatgcg	2880
ctttctcggg	gtttttctgg	actgaggggt	ttcctctcat	cccagtgtcc	agctgtgggg	2940
acgcaggggc	cgcaagcccc	ggagtgtcca	gaggggaacg	tggcctcccc	acaccagacc	3000
cttcacgagg	cctcaggatc	ccagtggggg	tacccgaggc	tgccctgtcc	agccaggcgg	3060
tgcggggggg	ttggggagag	cctctccccg	aggtcggtct	cagagggcca	catggccggt	3120
gtgggccgga	cattcccttt	ccaatggttg	tgcccacttc	cctccagagt	tggtgccaa	3180
ctgggacctg	ggggacttgg	agtctcagga	agtcgtccgc	tgtctgcagg	gggtgcatgg	3240
gggatgtggc	cacacacgtc	agagtgcggc	cccctgtgga	agccacagac	agacacgact	3300
cccctaaatg	agctcgccct	tctggccgag	atgctcagcg	tccccagcag	gctgcccgc	3360
tgccctgcga	tactgccctc	cttcctgctg	ctcccacttt	ccctttcggg	gggttggttt	3420
tggggcattc	agggatcgcc	ctgttggttt	ctcatcacac	ccatttcctg	caagagccac	3480
ggtgaccgag	cagccttgag	ttgaggcagc	ttgtgggtag	acgcggcggg	catctcggag	3540
gggcacgctc	cctgccaccc	tcagcctcca	ctcactggtc	aggggctttg	cgccccaggg	3600
caccccagga	accgagcctc	ctttggggtc	atgggtgcct	ctcctgggag	ggcgtggatt	3660
ttccaaagca	gtttagagaa	atgagacca	caggcggtat	ttcccatggt	gaggttcttt	3720
tcagtaaccc	ccaccgtata	gccaggatca	gcaaagagag	gcgggtcctc	ccggtgagac	3780
agggaccagc	acctcccgga	caggcttggg	tctccctcca	gttcccccc	ctagtctcga	3840
ggtctcacgc	tgccctctcc	tgtccagggg	ctcccacctg	aaggagaata	agtacctgat	3900
tgtggtgacc	gacgggcacc	ccctggaggg	ctacaaggaa	ccctgtgggg	ggctggagga	3960
tgctgtgaac	gaggccaagc	acctgggcgt	caaagtcttc	tcggtggcca	tcacaccgga	4020
ccacctggta	ggcaccggcc	ccccccggca	gatgccccca	accacaggga	gtggcggctg	4080
caaggccccc	ggcagctggg	accgtctttt	ggtcctcggg	aggggtgtggg	ttctccagcc	4140
ggccaccctt	gcccctgaga	ggccagcccc	tcctgctgag	gagcctggag	cgccccagcc	4200
cagcctcccc	tctggccctg	tgggaagcgg	ccccggccgt	caggggtccc	agccctgctc	4260
agcccaccct	gaacactgcc	cccaggagcc	gcgtctgagc	atcatcgcca	cggaccacac	4320
gtaccggcgc	aacttcacgg	cggctgactg	gggccagagc	cgcgacgcag	aggaggccat	4380
cagccagacc	atcgacacca	tcgtggacat	gatcgtgagg	cccctgcccc	ggagacgggg	4440
aggcccgcgg	cggccgcagg	tggaaagtaa	ttctgcgttt	ccatttctct	ttccagaaaa	4500
ataacgtgga	gcaagtggta	agagccctcc	ccaccacccc	cagccgtgag	tctgcacacg	4560
tccaccaca	cgtccacctg	tgtgttcagg	acgcatgtcc	ctatgcatat	ccgcccattgt	4620
gcccgggaca	catgtcccct	gcgtgtctgc	ccgtgtgccc	gggatgtgtg	tccccctgcg	4680
tgtccacctg	tgtgtctgcc	catgtgcctg	ggacatgtgt	ccgcctgtgc	gtccatccgt	4740
gtgtccgtct	gcccattgtgc	ctgggtcgca	tgtcacctg	tgtcccagcc	gtatgtccgt	4800

P030366Seq.TXT

ggctttccca	ctgactcgtc	tccatgcttt	ccccccacag	tgctgctcct	tcgaatgccca	4860
ggtgagtgtg	ccccccgacc	cctgacccccg	cgccctgcac	cctgggaacc	tgagtctggg	4920
gtcctggctg	accgtccctt	ctgccttgca	gcctgcaaga	ggacctccgg	ggctccgggg	4980
cgacccccgc	tttgaggtga	gtggtgactc	ctgctcctcc	catgtgttgt	ggggcctggg	5040
agtgggggtg	gcaggaccaa	agcctcctgg	gcaccaagt	ccaccatgag	gatccagagg	5100
ggacggcggg	ggtccagatg	gaggggacgg	cggggggtcca	gatggagggg	acggcgggag	5160
tccagatgga	ggggatggcg	gggtccagat	ggaggggacg	gcgggggtcca	gatggagggg	5220
acggcggggg	ccagatggag	gggatggcgg	ggtccagatg	gaggggacgg	cggggtccag	5280
atggagggga	cggcggggtc	cagatggagg	ggacgtcggg	gctccagatg	gaggggacgg	5340
cgggagtcca	gatggagggg	acggcggggg	ccagatggag	gggacggcgg	ggtccagatg	5400
gaggggacgg	cggggtccag	atggagggga	cgtcgggggt	ccagatggag	gggacggcgg	5460
gagtccagat	ggaggggacg	gcgtggtcca	gatggagggg	acggcggggg	ccagatggag	5520
gggacgtcgg	ggctccagat	ggaggggacg	gcgggggtcc	agatggaggg	gacggcgggg	5580
tccagatgga	ggggacggcg	gggtccagat	ggaggggacg	gcgggggtcca	gatggagggg	5640
acggcggggg	ccagatggag	gggacggcgg	ggtccagatg	gaggggacgg	cgggagtcca	5700
gatggagggg	acggcgtggt	ccagatggag	gggacggcgg	ggtccagatg	gaggggacgt	5760
cgggggtcca	gatggagggg	acggcggggg	ccagatggag	gggatgtcgg	ggtccagatg	5820
gaagggacgg	cggggtccag	caggcaggct	ccggccgtgc	aggggtgtgga	ctgtcccggg	5880
ggcgctgggg	gcttctgagg	gtgtctctgt	ccgccctgcc	ctcagccgca	ctctgttcag	5940
aaggaccttt	ctggaggtag	gaggggtgaga	atgtgggtcc	cctgcttctg	tgtggctcac	6000

<210> 252
 <211> 7000
 <212> DNA
 <213> Homo sapiens

<400> 252						
ggccgggggag	gcggggaggc	tgcccccaaga	gtaaaagcct	ttctgacgtg	cgcaggacgc	60
ggccctgact	ggtctaactg	actctttctc	ttctcctcag	cttgctgtgg	tgagaccacag	120
gctctagctc	ctgagagaat	ggatccccggg	ggtcgggggag	cgaggccttg	gtccccacaca	180
tgtcacagga	cagcacatgg	cactctggtc	cccggccgca	gctccctgca	cctgccccgcc	240
ccctctgggg	cctgctccaa	gccagcaggg	ttcccgggtg	ttgggctggg	ccccgccctc	300
tttaccat	aactgaaata	accaggagca	ggcttggggg	ggtccctgct	ccatcattct	360
ggccacagg	ccccacccta	gcctggctga	gcaacgccag	ccctgaccag	ccgccggaca	420
gagcagcctt	tacggggcca	tgggaggggg	tgggcttttc	tggggctgag	acggggggac	480
cccaacgtgt	caggtgagga	tgtggcagcc	aaggaggggc	cagggcggtg	gaggggaggg	540
gccagggcac	tggaggggag	gggcgtgctc	tgctgacacc	gccccgcct	gcagaatgca	600
agtgcggccc	catcgacctc	ctgttcgtgc	tggacagctc	agagagcatt	ggcctgcaga	660

P030366Seq.TXT

acttcgagat	tgccaaggac	ttcgtcgtca	aggatcatcga	ccggctgagc	cgggacgagc	720
tgggtcaaggt	gaggcctcgc	cccgcccggc	tttctcaagc	ccaggtgcac	cccgaccctg	780
ccggccgccc	ctgcccgcgc	cagacctcag	cctcccagg	ccaccgctgc	atccctgtga	840
cttccctact	catgacaagg	atgccaggca	cgcgccagcc	cgtccaggcc	tccagctcca	900
cctggcgagg	ctggcccatt	gtacacaggc	gccccagatg	agggagggtc	tccccctctc	960
cttgaagggc	ggtagtctgg	ggtcctgagt	gctgggtgtg	ggcttgtccc	tcgtggacag	1020
aaccaggag	ggcttcatcc	accaaggaag	attgctttgc	agggtagcca	ggccccgggg	1080
gctgtgccac	cctctgggca	cccggagcca	atcgcagggt	accagggtcc	cgggggctgt	1140
gccaccctct	gtgcaccag	agccaatcgc	aggggaccca	ggtcctgagg	tcctgggggc	1200
catgccaccc	tctgggcacc	cgcagccaat	agagtcaccc	ttgggaagct	tatgcggacc	1260
tggggcagca	ctcgcgtcct	gaccccggtg	ccgggtccac	agttcgagcc	agggcagtcg	1320
tacgcgggtg	tggtgcagta	cagccacagc	cagatgcagg	agcacgtgag	cctgcgcagc	1380
cccagcatcc	ggaacgtgca	ggagctcaag	gagtgcgtgc	cccacgcggc	caggaccctc	1440
ccacccctcg	ccccgaccgc	tggtccacg	gcaggctggc	cctgaccctt	gatcccagg	1500
gggctcggcc	ccgcggcagg	cctggcccca	accggccctt	cctgcccttt	gctatgcaga	1560
gcatcaaga	gcctgcagt	gatggcgggc	ggcaccttca	cgggggaggc	cctgcagtac	1620
acgcgggacc	agctgctgcc	gcccagcccc	aacaaccgca	tcgccctggt	catcactgac	1680
gggcgctcag	acactcagag	ggacaccaca	ccgctcaacg	tgctctgcag	ccccggcatc	1740
cagggtgggt	ggccaccccc	aggctgcacc	tgccccgcct	agggcgcccc	gccagccagg	1800
gtggccttgt	ccccagaaag	acgagggcag	agcaggctgc	gccacaccga	tactgtctgt	1860
ccccacagg	ggtctccgtg	ggcatcaaag	acgtgtttga	cttcatccca	ggctcagacc	1920
agctcaatgt	catttcttgc	caaggcctgg	caccatccca	gggccggccc	ggcctctcgc	1980
tgggtcaagga	gaactatgca	gagctgctgg	aggatgcctt	cctgaagaat	gtcaccgccc	2040
agatctgcat	agggtgcgcat	ggggccaccc	gggcagtccc	agatctgcgt	agggtgcgcgc	2100
ggggccgccc	gggcagtccc	agatctgcgt	agggtgcacgc	ggggccgccc	gggcagtccc	2160
agatctgcgt	agggtgcacgc	ggggccgccc	agggccgtcc	cagatctgtg	taggtgcgcg	2220
caggcgccca	gggctgtccc	agaggcctcc	tcccagctca	ctgttacctc	caggggcacg	2280
gccaccctgt	agggtgcgcac	ggggccgcct	ggggctgtcc	cacaggcatc	ctcctcccgg	2340
ctcgtgtga	cttccggggg	cacggccacc	cctgtgctcg	gccgggaggt	cctgtgacat	2400
ctccttgccg	ggttataggt	ggagcagtgg	gctcactg	cacggctttt	ctcttttaca	2460
gacaagaagt	gtccagatta	cacctgcccc	agtgcgtacc	tcggcgggccg	ggacacgtgg	2520
ggaggagggc	accgtggttg	gggcgagggc	tctgagagga	cggggctctg	ggaggagggc	2580
ctggcggtca	cgagagtagg	tgcatggctc	actccggtgg	ctgagcacca	ccgtgccgtg	2640
ccctctctgg	ggagcttaga	cgctctctgg	ccggcccact	gcggctgcat	caccaggggc	2700

P030366Seq.TXT

tcatgctaac	ggctgcccac	cccgccccgc	agtcacgttc	tcctccccgg	ctgacatcac	2760
catcctgctg	gacgggtccg	ccagcgtggg	cagccacaac	tttgacacca	ccaagcgctt	2820
cgccaagcgc	ctggccgagc	gcttcctcac	agcgggcagg	acggaccccc	cccacgacgt	2880
gcgggtggcg	gtggtgcagt	acagcggcac	gggccagcag	cgcccagagc	gggcgtcgct	2940
gcagttcctg	cagaactaca	cggccctggc	cagtgccgtc	gatgccatgg	actttatcaa	3000
cgacgccacc	gacgtcaacg	atgccctggg	ctatgtgacc	cgcttctacc	gcgaggcctc	3060
gtccggcgct	gccaagaaga	ggctgctgct	cttctcagat	ggcaactcgc	agggcgccac	3120
gcccgtgcc	atcgagaagg	ccgtgcagga	agcccagcgg	gcaggcatcg	agatcttcgt	3180
ggtggtcgctg	ggccgccagg	tgaatgagcc	ccacatccgc	gtcctgggtca	ccggcaagac	3240
ggccgagtac	gacgtggcct	acggcgagag	ccacctgttc	cgtgtcccca	gctaccaggc	3300
cctgtctccgc	ggtgtcttcc	accagacagt	ctccaggaag	gtggcgctgg	gctagccac	3360
cctgcacgcc	ggcaccaaac	cctgtcctcc	caccctccc	cactcatcac	taaacagagt	3420
aaaatgtgat	gcgaattttc	ccgaccaacc	tgattcgcta	gatttttttt	aaggaaaagc	3480
ttggaaagcc	aggacacaac	gctgctgcct	gctttgtgca	gggtcctccg	gggctcagcc	3540
ctgagttggc	atcacctgcg	cagggccctc	tggggctcag	ccctgagcta	gtgtcacctg	3600
cacagggccc	tctgaggctc	agccctgagc	tggcgtcacc	tgtgcagggc	cctctggggc	3660
tcagccctga	gctggcctca	cctgggttcc	ccaccccg	ctctcctgcc	ctgccctcct	3720
gcccgccctc	cctcctgcct	gcgcagctcc	ttccctaggc	acctctgtgc	tgcatccac	3780
cagcctgagc	aagacgccct	ctcggggcct	gtgccgcact	agcctccctc	tcctctgtcc	3840
ccatagctgg	tttttccac	caatcctcac	ctaacagtta	ctttacaatt	aaactcaaag	3900
caagctcttc	tcctcagctt	ggggcagcca	ttggcctctg	tctcgttttg	ggaaaccaag	3960
gtcaggaggc	cgttgagac	ataaatctcg	gcgactcggc	cccgtctcct	gagggctcctg	4020
ctggtgaccg	gcctggacct	tggccctaca	gccctggagg	ccgctgctga	ccagcactga	4080
ccccgacctc	agagagtact	cgcagggg	ctggctgcac	tcaagaccct	cgagattaac	4140
ggtgctaacc	ccgtctgctc	ctccctcccg	cagagactgg	ggcctggact	ggacatgaga	4200
gccccttggg	gccacagagg	gctgtgtctt	actagaaaca	acgcaaacct	ctccttcctc	4260
agaatagtga	tgtgttcgac	gttttatcaa	aggccccctt	tctatgttca	tgttagtttt	4320
gctccttctg	tgtttttttc	tgaaccatat	ccatgttgct	gactttttcca	aataaagggt	4380
ttcactcctc	tcctgtgggt	tatcttcccc	acaaagtaaa	atcctgccgt	gtgccccaaa	4440
ggagcagtca	caggagggtg	gggggcgtgt	gcgtgcgtgc	tactcccaa	ccccatcac	4500
caccagtccc	aggccagaac	cagggtgcc	cttggttaca	gctgtccatc	catgcccctt	4560
atctgcgtct	gcgtcggtag	catggagacc	atgctgcacc	tgtggacaga	gaggagctga	4620
gaaggcaaca	ccctgggctt	tggggtcggg	agcagatcag	gcctcagtgg	gctggggccg	4680
gccacatcca	ccgagggtcaa	ccacagaggc	cggccacagg	ttctaggctt	ggtactgaaa	4740

P030366Seq.TXT

taccctggg	agctcggaag	gggagttgag	atactgcagg	gcccatagga	agaagtcttg	4800
ggaggctcca	cctttggggc	agaggaagaa	gtcttgggag	gctccacctt	tggggcagag	4860
caagaagagg	gcggagggca	gaggcagcga	gggctcatcc	tcaaaagaaa	gaagttagtg	4920
gcccctgaat	cccagaatcc	ggggtgcacg	gctgttcttg	gggccgctag	gggactaaga	4980
ggatcgggcg	agggctgggc	tggaggaggg	cagcagggat	gggcggcgag	ggtgagggtg	5040
gggcttcctg	aaggccttca	cctgcgggga	ccccggcgag	cccctcaggt	gccacaggca	5100
gggacacgcc	tcgctcgatg	cgtcacacca	tgtggccacc	agagctgcgg	gaaaatgctg	5160
gggacctg	atttccgttt	caggtggcga	acaagcgccc	ctcacagaac	tgcaggtaga	5220
gacggggccg	gggcagacgc	agtgaggcgg	tgggcggggc	ccggggcaga	tgcagtgagg	5280
cggtgggcgg	ggcccggggc	agaggcagcg	agcggtgggc	ggggcccggg	gcagacgcag	5340
tgaggcggtg	ggcggggccc	ggggcagagg	cagcgggttg	tggccggggc	ccggggcaga	5400
cgcagtgagg	cggtgggcgg	ggcccggggg	agtcgcagta	ggtggtgggc	ggggcccggg	5460
gcagacgcag	tgaggtggtg	ggcggggccc	ggggcagacg	cagtgaggcg	gtgggagggg	5520
cccggggcag	acgcagttag	gcggtgggcg	ggggccgggt	cagaggcaac	gggtggtggg	5580
cggggcccgg	ggcagacgca	gtgaggcggg	gggcggggcc	cggggcagat	gcagtgaggc	5640
ggtgggcggg	ggccggggca	gatgcagtga	ggcgggtggga	ggggcccggg	gcagacgcag	5700
tgaggcggtg	ggcggggccc	ggggcagacg	cagtgaggcg	gtgggcgggg	cccggggcag	5760
acgcagttag	gcagttgcc	gcctctctca	gctgcctcat	gggattcgca	ctgcagctgc	5820
ggccctggcg	cgacaagggc	tggacttggc	cagcgggacg	gtccctcacg	gcgctgaggc	5880
ccacactctg	cgtaggagcct	ccccgtgccc	aggctaccct	gcaaggctcct	cggagaggct	5940
tcctccagcc	ccagccccc	cacagctccg	gcccaggccc	gctcttcccc	atcccagttg	6000
ctttgcgctg	tatacggcca	ggtgacccc	agccggccct	gagccctcgt	cccggcttcc	6060
tcccctgtaa	gctgggtgaa	ggactccatg	gcacccacct	gagaggggtt	tggcgaggcc	6120
caggccctc	gtgcccacac	ggccggcggc	ccatgcctgg	caggggctgg	gaggaggctg	6180
gggcgaccag	aggggagcgg	cctgtcctgg	aggaggccca	gggaccctgg	tgagagggtc	6240
tctcccaagt	gctctctatg	ggacccccct	cctctgcgcc	cgctcttcac	ggacctctcc	6300
gggtcacccc	tgggctgcac	actgggttca	ggggggcctt	gaggtggggc	ccctgttccc	6360
aagtcccggc	ggggtttctc	ctgaacctca	acccatcctc	acctgcgggc	attcccatcc	6420
cccaacgcct	gggtcaccag	gattccaggc	aggagggg	gtgggggtta	ccaaggccc	6480
ggttgccatg	cagaaccccc	agccaccacg	cagaccccca	cggggcccag	ggaagctcct	6540
ggtctcacac	tgcacctcac	acttctctgt	ggggcagact	ccaagggtccc	ggcctctcat	6600
ctttagataa	ctgaggcaca	ggagggacac	acactcccac	ggccggtcac	cgtggccccc	6660
acacctccca	ctggactgac	acctggccag	gctccggaca	cccgtggcac	agcctcagcc	6720
cctgcggccc	ctgctccgtg	gccccaggc	cccagctccc	atgtgcacgt	cctgcctcag	6780

P030366Seq.TXT

gcctggaggc	ccctcggccc	caaataatca	gacaattcaa	cagcaaaact	acttttttca	6840
ggctggcagg	actctgggca	accccctgca	acagccccct	gccctatcac	agccaccctt	6900
gcctcccagg	cacggagacc	ccaccatcag	gtcccagcct	tggttcatcc	ccaagcaccc	6960
tgtgtgttgg	gatggcgatg	ctggctgagc	ccctgcatcc			7000

<210> 253
 <211> 2500
 <212> DNA
 <213> Homo sapiens

<400> 253	
agggcgtttg	ggaacacccc tcccggaggg gtgaggcggc ccagcctgcg gctgccagag 60
gacacagggtt	ctgctgcgga acctgcagac atggccataa caggccacag tgctcggggc 120
cacacagcct	ggaccacat ggccctgtgt cacctcctca ggggcaggct tcagggcctc 180
gaccctagag	gctgccccctc ggttctgtct catggacggc gcaggcaggc ccaggcctgt 240
gacgagttca	cggaagctcc aggatgacct ccgctctgcg cctcctcca gcattccaga 300
ccacaaacca	ctctgggcta aaacgaggca tcgccagagc atcccacttc ctcggaaagc 360
tgcggtctgg	ggacgcgtct tggccctgaa gaggctccag atggctcca tcaggcctct 420
ccgcctacgt	gcggccgaca tggagtgaca gagcgtcggg gacacagaat tcagagctgg 480
gcctgggggct	gctttgagat actgatggct gccagggggc acagagacct gtcctgcaga 540
cagggtctgt	agggccacag ggggcctcgg ggagaggcag tgggaggag gacagtgggg 600
gcctccagct	gggtgagcag ctggagcgag gggggcccgg ggcttgtgat ggtgctgccg 660
accctagagg	tgccggcccc acgatggaga gcacgtagtg ccccccggga gtcaggaggc 720
cgggcctgac	ctcggggggct gcagccaggg gaggcgggca cccagataa ccccaaaga 780
actgcaggcc	ctgaggcgag gccagagtgg gggcgggggc aggtcccagc cgaggagggtg 840
ctccgtgctg	cctcagcaga acccatgatg ggctggccca aggtcttgaa ggtggaaagg 900
cctcacacat	tctgccccgg ctgacgcctt ccttgggcca gtgctcgggg gtgtgtaaca 960
aacgccaaga	cgattgttaa agaaggaagc ctgcgtttcc atcaccggct taatatcaaa 1020
caaaagtgca	attttgaaaa tgtagtccaa ggttttctgt ggtgcggaaa tggccaggcc 1080
agacctccgt	gggtggtcct tcgtgtccac gtcagcgccc tacatccaca ctgtgggcac 1140
catgacctca	catgcggagc ggagcagggc cggcgcccgg agagccaggc tggtcacgaa 1200
cgaggcctag	agggcgctcag gccccaaagc actcacaggc ttctcctctg tcctcggggc 1260
cttcagacac	ctgcatgcgc cgattcagcc acccgcgcg cccgattccc ctggccatgg 1320
ggtttccaaa	gtgtgtgctc agaggacagt ttctccagg atgacctgtc agtggctctc 1380
tgtgccgggg	acgtcgcgtg ctgggtcccg gtctgaatgc ttctaacga tttaccagt 1440
tccttttctc	cactcaggag gcgtttgctg agaggcacag gctgagcccc cgtgctgatg 1500
ccacgaccga	gggaacgggt ctccctgtcg gcgtgaactg acccggccag gcgtccactg 1560

P030366Seq.TXT

ccactcggac	tgtctcccag	gcacgtggcg	cccacacggg	cagaacacgc	cctccacaca	1620
cgcggttcg	ggcagaacac	gaggcgccct	ccacacacgc	ggcttcgggg	cttgtcatga	1680
aaaaagctga	atgctggggg	tgcagctttc	accaacagaa	tcccgttttg	aagggacgcg	1740
gtgagacatg	atccacccta	agttgtgatc	ctgggtgagc	cgccgtccac	accctgctga	1800
gggtcccttc	accacttta	ttctccagaa	aaccctgccc	atcagggtg	agtcccacgc	1860
cttcctctc	cgtccaggcc	tggttttgac	ctctgggggc	gtgtggggca	caggggacac	1920
cctatccagg	cagaggccct	acggctatct	ggaggaagtg	gtgggagctg	ggcttctgcc	1980
tggaggatgc	accagagggg	gtcacagtcc	acacagagac	acacgggtgc	cttcagatg	2040
gctgagccag	tccagcccag	aagggcctgg	gggttggggg	ctgcacctgg	cctgtcccca	2100
ccagcagggc	tcagggttc	ccaaggtgtg	tgggggacgg	ggcagcacct	ctcaaccagg	2160
tcacctgaaa	cccgaactga	aaggcatcct	aagttaagac	attaactccc	attgtcaagg	2220
tgccatcgtc	aattctgtct	ccaaatcctt	ctttgttatt	tcatgtattc	acagagtgc	2280
gctccgtgtt	tcgttcagcc	tgcaggcctg	cagaagctgc	atctcgggat	ggccaagagc	2340
ccggccaggc	cccacggctg	caccaggagc	gggattcatg	ccccatgcct	ggcttctcac	2400
gaccacagag	tgcctttccc	gggactggat	ggaggcagag	tgagagaaga	gcctggagca	2460
agtgttttg	accacagtga	tcaaacacgg	agcccgtggg			2500

<210> 254
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 254	aagaaaggcc	agaccgggca	cggtggctca	cgctgtaat	cccaacactt	ggggaggccg	60
	aggcgggcag	atcacctgag	gtcaggagtt	cgagaccagc	ctggccaaca	gggtgaaacc	120
	ccgtctctac	taaaaataca	aaaaaaaaatt	agccgggcgt	ggtggcaggc	acctgtaatc	180
	ccagctaatc	gggaggctga	ggcaggagaa	aatcacttga	acctgggagg	cggaggctgc	240
	agtgagctga	gatcgcgcca	ctgcactcca	gcctgggtga	gggagcgaga	ctgtctcaaa	300
	aaaaaaaaaa	aaaaaaaaaa	aaaaggaaag	aaaggcccgg	tgagatgctt	tctcttaaac	360
	acggccctgc	acgttgagtt	gctgcctcct	gtggcctatt	tcacgtttat	gcaaagtcgg	420
	gcgctgatg	cggggctcac	ccgccacaag	caggggtcct	ggtgctgctc	atggaagggg	480
	ccctaccag	cccgcggggc	actggctggg	acggggctgc	ccagggtccgc	ccaggatcca	540
	aacaccagc	cccgccagc	ggcccttcct	ggcctgcagt	ggaggctgta	atgggcaggg	600
	gtggtgggaa	tcccagctca	cagggcgcct	gctcttagaa	gggcggcatc	tgggtccaga	660
	ggtcagaaac	gtcagatgcc	catcccagaa	gtggcgggga			700

<210> 255
 <211> 10000
 <212> DNA
 <213> Homo sapiens

P030366Seq.TXT

```

<400> 255
gggtgaatga gtagatgtat gggtagtag gtgggtaggt gggtagatgg atgggtgggt      60
gggcgagtgt gtgggtagat gatggatggc tgaatggatg agtgggggga tggatgggtg      120
agtgggtgta tgtatggatg ggtagtggg tgggtggatg aatggatggg tgcataaagg      180
atggatggat gaatgagtta gtgggttggc agatggatgg atgggtgagt cagtggatag      240
atggatgggt gggtagatag aggatggatg gttgggtagg tgatgggtgg atgagtggat      300
agatgggtat gtgagtgagt ggggggatgg gtaggtgggt ggatggatgg ttaggtgaat      360
gagtggatgg acagacggac agtgggtgga tggatgagtg aacggatgga ccgatggatg      420
aatgggtggg tgggtagagg atggacggac aggtgagtgg gtgggtggat ggatagatgg      480
gtaagtgagt ggatagatag atgggtgggt ggacagagga tgggtggatg aatggatggg      540
ttagtgggtg gctgggtgga tggatgatgg atgggtgact gggtagatgg atggatgggt      600
tagtgggtgg ctgggtggat agatggatgg gtgattgggc gaatgggcga atgggtggat      660
gggtgggcgt ggagttggtg ggtacatgat aatgggtggg aatacccatg gattggaatg      720
agctgttttg gctgctattt ctgggacacc cagctctgcc agggccctac ccctctggtg      780
ggccaggctc tgacggtggc cactcatggc ctttctagct ctggtgccag catagggaag      840
gaggaggcac agccttgtct tactccttgc acctgttagc ccccccccc gccaaaggag      900
gacccgtggt tggggacagc acagggggcc ctgctgtgtg cagggactgt ccctggggcc      960
actgaagccc acctgttctt gttccttctc aggcggatcc tgggtccccct ggtgagccag     1020
gccctcgggg gccaaagagg gtcccaggac ccgaggtagg ttggtggcca gtccccatgc     1080
cctcccccca acctgccagg ccaacacaca cccaagcctc gtggttctgc ccacggtgga     1140
cccacgtatc agtgggcagt ggcctgggag agactcagcc acccagcctt ggccccagag     1200
tctcagcctc atccttcctt ccccagggtg agcccggccc ccctggagac cccggtctca     1260
cggtaggtgt cacatggggc agaaccagtg tccttctcct gccaaaacta gacaccaaga     1320
gcagcagggg tgggggaagg tcagctggca cggtcagaga gcaagatcag tggaggaggt     1380
cagagggcaa ggtcagagag caagcttggg tggggaaggt cacagggcaa ggttgggtggg     1440
gggaggaggg tggcagcgag gttggtaggg acaggaccgc ccagcctccc cgcattggtg     1500
cctccacacg tgggctggaa tgtcccggga ccccaggcc aggccttgc tgtggaaact     1560
cttctggggc cccgggggga ctaccctgcc tgccgtgtgc attgcaggag tgtgacgtca     1620
tgacctacgt gagggagacc tgcgggtgct gcggtgaggc actgcccacg gcagggtcgg     1680
ggcccatgca ccgggtggag ggcgggagtg cagcagggtc gggtcatcgc tgggtcctgc     1740
atgtgcacgt gaccctaggg tctgaggtct ccccggtacc ccccgatgac cctgccaccc     1800
ccccagactg tgagaagcgc tgtggcgccc tggacgtggt cttcgtcatc gacagctccg     1860
agagcattgg gtacaccaac ttcacactgg agaagaactt cgtcatcaac gtggtcaaca     1920
ggctgggtgc catcgctaag gacccaagt ccgagacagg tcagcggggc aggggcgggt     1980

```

P030366Seq.TXT

gcagcattgc	ggggggccgg	gcggggctgt	ggaggcgatg	agatgggaga	agtccagacg	2040
cgtccctcca	acgagggcct	ctgcatggct	ggggatgccc	cagaccccga	ggcctctggc	2100
aacgacctca	cgcggtgcggc	ttgcagggac	gcgtgtgggc	gtggtgcagt	acagccacga	2160
gggcaccttt	gaggccatcc	agctggacga	cgaacgtatc	gactccctgt	cgagcttcaa	2220
ggaggctgtc	aagaacctcg	agtggattgc	gggcggcacc	tggacaccct	cagccctcaa	2280
gtttgcctac	gaccgcctca	tcaaggagag	ccggcgccag	aagacacgtg	tgtttgcggt	2340
ggtcatcacg	gacgggccc	acgaccctcg	ggacgatgac	ctcaacttgc	gggcgctgtg	2400
cgaccgcgac	gtcacagtga	cggccatcgg	catcggggac	atgttccacg	agaagcacga	2460
gagtgaaaac	ctctactcca	tcgcctgcga	caagccacag	caggtgcgca	acatgacgct	2520
gttctccgac	ctggtcgctg	agaagttcat	cgatgacatg	gaggacgtcc	tctgcccggg	2580
tgagcgtgtg	ggcgcggggc	agtcggccga	ggagcagcag	gccccagccg	ctgtctagcg	2640
tgagccccag	ggacaccctt	cacctgaggg	atgaatgtgc	agcccaggat	cttgggctgt	2700
gggtgggaag	gggtcgggcc	ctctcggggc	tgcagggcag	aggccagctg	caccctgagc	2760
ctgtctaggc	agatcagtga	acggccgctg	agggttcgtc	agggactgac	cctggcctgg	2820
cccggcctct	ctcctctctt	ccagaccctc	agatcgtgtg	cccagacctt	ccctgccaaa	2880
caggtaatgc	agggcaccct	gagccaccac	cccagactag	caaagcagcc	ctggtgtcct	2940
tcctcctcga	gggccgggct	gggggagggg	ccgtgcaggg	acccgggggg	cggcggaacc	3000
actgcggagg	ctgctcctta	gggagatggc	cccaggatgg	cagcacaggg	gaggaggggc	3060
ttggggaagg	caggctccca	ggaacgcagg	aacagcatca	cgaggccatg	aggtgggtgc	3120
tgctagcctg	gcgctgtgct	cggcatgtgg	ccactggtct	tgaaggccca	ccatgggcct	3180
tgcagtctcc	ctcagctgcc	gcccagctcc	catgggctgg	ccgtgcatgt	gccactcgga	3240
ggaagccctg	gattcagtga	gtgaaaccat	cccgggggtg	aagcactgac	acccccagc	3300
accagcaggt	cttgtctcaa	ccctggcctg	cctcggagct	gcagctgcgg	ctctcacatc	3360
tctgggagtg	ggggagccca	tgtcccggat	gtggcccacg	tgggtgtgaa	gctggagctg	3420
ggggtgccgt	ccaggctctg	ctggacgtgg	tgctgcccc	atggtgcact	gctgcaccgt	3480
acctggggcc	acaggaggct	cccggggggc	ttaggagctg	agtccccctc	agtgagccgt	3540
cccctccagg	agtgtgaggg	tagggatgcc	atggagacag	ggtgggaggg	tccgacctgg	3600
aggaccacag	ggaggaaacc	tcagggtctg	cggtacgaag	tcagcgcttc	ctcagcacgc	3660
gggtcgcggt	gtgcgttcgg	gcgttccatg	gggagctccc	ggtgggtgag	ctggggccact	3720
gagcacattc	acaggccctg	aggctgcccc	aggggaggag	ccgtggactc	agagccgagg	3780
ttccccatac	gtgctgcgac	agagaacctc	gggcttgac	ctgggtctgg	ctgcccttca	3840
gcaggcgggc	agcctctggc	cccacaacag	tgggctgtgc	ttctgccgcc	aaggtgcagg	3900
cgtcctcccc	cagggtccac	atcagcagca	ggggcacctg	gaccctgagg	gcaggaacca	3960
gaccttggct	cctccacca	ccccctcggt	cctgatgggg	cagggaagtc	tcgggacccc	4020

P030366Seq.TXT

atgatggg	cg	acatggcg	gat	gg	t	c	a	c	t	g	t	g	t	g	g	g	c	c	t	t	c	c	4080
t	c	t	c	c	a	c	t	c	t	g	g	g	t	c	c	a	g	t	g	g	c	c	4140
c	g	t	g	a	g	t	g	g	g	g	g	g	t	g	c	t	a	t	g	g	c	c	4200
t	t	g	t	a	g	t	t	g	g	a	g	t	t	a	g	c	c	c	g	t	t	a	4260
c	t	g	c	g	t	g	c	c	c	g	g	a	a	a	c	c	a	c	t	g	g	c	4320
c	c	t	g	a	t	t	c	g	c	t	g	c	t	g	c	t	g	c	c	t	t	t	4380
t	c	t	t	t	t	c	t	c	g	t	g	g	c	c	c	t	t	c	c	t	c	t	4440
t	g	g	t	g	g	c	t	c	c	c	a	g	a	c	g	t	g	a	c	c	c	c	4500
c	a	c	t	c	a	g	g	c	c	a	c	a	c	a	c	a	c	a	c	a	c	a	4560
g	c	t	c	t	g	g	c	c	t	c	t	g	a	g	g	c	c	t	g	a	g	c	4620
c	c	c	c	t	c	c	c	c	c	t	c	t	c	g	g	c	c	a	c	c	c	c	4680
t	t	c	c	c	a	g	c	t	g	t	t	c	a	a	a	a	a	c	a	a	a	c	4740
g	g	a	c	a	g	t	g	t	t	a	a	a	t	c	g	g	c	c	t	c	c	c	4800
g	g	g	c	a	c	t	g	g	g	g	g	g	g	t	g	g	c	c	t	t	c	c	4860
c	c	a	c	c	c	c	a	a	a	a	a	a	a	c	c	c	a	c	c	c	c	c	4920
g	g	g	a	c	c	a	g	a	g	g	g	g	g	g	g	g	g	g	g	g	g	4980	
c	a	a	t	c	a	g	c	g	a	c	a	a	a	a	c	a	a	a	a	a	a	5040	
g	a	a	a	a	a	g	g	c	a	g	t	g	c	a	g	a	a	a	a	a	a	5100	
a	g	g	a	c	t	c	a	c	a	t	c	a	a	a	a	a	a	a	a	a	a	5160	
c	t	c	t	t	g	a	g	g	g	g	g	g	g	g	g	g	g	g	g	g	g	5220	
g	a	g	t	t	t	g	g	c	c	g	c	c	g	c	c	g	c	c	g	c	c	5280	
c	g	g	g	g	t	c	c	g	t	c	c	c	c	c	c	c	c	c	c	c	c	5340	
t	c	c	t	g	t	c	c	c	t	g	t	c	a	c	t	g	c	a	a	a	a	5400	
c	a	c	t	g	c	a	t	t	c	t	a	c	c	g	c	a	c	c	c	c	c	5460	
g	a	g	c	g	g	c	t	g	c	c	c	c	c	c	c	c	c	c	c	c	c	5520	
t	g	g	a	c	g	c	t	c	c	c	c	c	c	c	c	c	c	c	c	c	c	5580	
c	a	c	g	g	a	a	g	a	g	g	g	g	g	g	g	g	g	g	g	g	g	5640	
a	a	a	c	g	c	c	a	c	g	c	c	c	c	c	c	c	c	c	c	c	c	5700	
c	t	a	c	a	c	c	c	c	c	c	c	c	c	c	c	c	c	c	c	c	c	5760	
g	t	t	c	a	t	t	g	a	c	c	c	c	c	c	c	c	c	c	c	c	c	5820	
g	g	c	c	c	t	c	t	g	c	c	c	c	c	c	c	c	c	c	c	c	c	5880	
c	t	t	c	c	c	a	g	g	g	g	g	g	g	g	g	g	g	g	g	g	g	5940	
g	t	c	a	g	c	g	g	g	g	g	g	g	g	g	g	g	g	g	g	g	g	6000	
g	g	t	g	g	c	c	a	c	c	c	c	c	c	c	c	c	c	c	c	c	c	6060	

P030366Seq.TXT						
gccgctctct	ttataagaac	cctggtcatt	gaatttaagg	cccaccccaa	gtccagaatg	6120
acctcgcaag	acccttaact	cactcccgtc	tgcagagtcc	ttctttgctg	catcagggtca	6180
ccctcacagg	ctccagggtt	tgggtgtgga	agtcttttga	ggcccttact	tagcggccca	6240
gctgggctgc	cgtgctctg	ggatggggct	gagggagggg	gctgcccagg	tgttgaggga	6300
tgttccagca	ccaggttcca	gcggagcctc	ggaaacaggc	cccagagggt	ggtgagcctc	6360
gctgggtgtg	ggcactaatc	ccgtgcatgg	tgactcgtgg	gcgctcacgg	cccacctggt	6420
ggcagggtgaa	ggcttccggt	tgggcagcag	atagtcctgg	gggaagctgg	cagtcctggc	6480
accatgacgt	atctgggctg	gtgtcatgca	cagtagggcg	aatggccaca	gctgcctgcc	6540
agcagccctg	atccccgggt	gtctgcaccc	ttccagccca	acctctgggt	ctccaaaagc	6600
acagtgcggg	gagcatccac	caggcacaac	ctctgcggtc	ctcagaggac	tgagcagaga	6660
atcccagggt	ccacaatgtt	ggggagcggc	agggatcacc	atccaaaggg	agcggccccc	6720
acggcgagct	gaccccgacg	ttctgactgc	aggagccctc	atccaggctg	ggctcctgcc	6780
gggcacggct	gtgaccattt	ctcagggcca	ggttctcgtc	cccacacca	ctgcacaggg	6840
caggccaggc	tggctttccc	actgtgggga	tgaaggatcc	tccacaggag	gaggagagca	6900
gagtccacag	acatcccaac	agcctcagcc	tccctgtgcc	tggccggccc	ccacagcttc	6960
cccgtctcct	ccaggcccca	cagacactga	tgaatggaca	gagaccccca	aaaccagctg	7020
ccccttgcat	gtctgtctcc	atatgttttg	tgacagcagt	gaaaatgtta	ttagttttga	7080
gggggttttg	gaagcccagc	ggtacctgag	gagtttctgg	acatttaagc	cggttcctag	7140
gtgtggcctt	aacagggagg	ctgcccttcc	tttactgaa	tgagctgcgt	cactcataag	7200
ctcactgagg	gaaccccatc	tgccagctcg	tgcgtgtca	gacggcgtcc	atgtctcaag	7260
cgttctgtga	aggctgcggt	gcagcgtgag	gtcacctgc	tgtgttcaga	gctttgtcga	7320
ctgcctgcgg	ggctggaccg	ttgcacctcc	agggcccca	gaaaccgagt	ttcgggtcag	7380
ggtcctctgt	gtgcattcct	gggggtccat	gtaccagctg	tgacgacgtc	caggggttgg	7440
gctgagaagc	agacaccctt	ggggaaactg	gctctgtccc	tcccctcccc	catcccagga	7500
gctgaggctt	tgggtaggcc	acagggccag	gtccacgcaa	ggactgtccg	tgtcctgtcc	7560
tgtggtctct	ggccccacgt	gacaccaca	cgtgtggtag	gcagcctggc	ctgggttgtg	7620
gctatggcca	ggcccccaag	ctgtccccga	tgcccagggc	tggtgaccac	ccaggcagggt	7680
gggggccccca	cttggttaaca	gagtcataag	gcagaaccca	cctgggctgc	cacagaagggt	7740
ctggctgccc	ctgtgcccac	tgctccccac	catggccaat	cagaagagtc	aggggctcct	7800
ggtctttccg	ggagggacgt	ggcccagcca	gctctaggtg	ttctgagcag	ctctgggacc	7860
cagcgattga	ggggtcaggc	tgggggtgtc	agagccaggg	tcctccttaa	gtacctccca	7920
cactacacag	acagtggccc	ttttgtgggc	agcaaattct	tgagccatga	aaggatgctt	7980
tgggccccctt	ccctcccagg	agggcagcct	gtgcagggat	ggtgctcagc	aggtggacag	8040
ggcctggggc	ctgtgtcagg	gtctcaggcc	tgggagcacc	agcagaggag	atggcggctc	8100

P030366Seq.TXT

ccagcagtgc	cgcctgaaag	tgtcttgggc	taaggaccca	cacccagggc	tgccctgcag	8160
aaacgcccc	gcagagccca	gtggtctgtg	aggttgcagg	caggggtgcga	atggaagggc	8220
acaggtgcgg	ggctggcacc	tgcccgggtc	tgcccacctc	ccctccgccc	agcccgcacc	8280
tgctgtctcc	cacagagctg	tccgtggcac	agtgcacgca	gcgggccgtg	gacatcgtct	8340
tcctgctgga	cggctccgag	cggctgggtg	agcagaactt	ccacaaggcc	cggcgcttcg	8400
tggagcaggt	ggcgcgggcg	ctgacgctgg	cccggaggga	cgacgaccct	ctcaacgcac	8460
gctgtggcgct	gctgcagttt	ggtggccccg	gcgagcagca	ggtggccttc	ccgctgagcc	8520
acaacctcac	ggccatccac	gaggcgctgg	agaccacaca	atacctgaac	tcctttctcg	8580
acgtggggcg	aggcgtgggt	cacgccatca	atgccatcgt	gcgcagcccc	cgtggcgggg	8640
cccggaggca	cgcagagctg	tccttcgtgt	tcctcacgga	cggcgtcacg	ggcaacgaca	8700
gtctgcacga	gtcggcgcac	tccatgcgca	agcagaacgt	ggtaccacc	gtgctggcct	8760
tgggcagcga	cgtggacatg	gacgtgctca	ccacgctcag	cctgggtgac	cgcgccgccc	8820
tgttccacga	gaaggactat	gacagcctgg	cgcaaccggg	cttcttcgac	cgcttcatcc	8880
gctggatctg	ctagcgccgc	cgcccggggc	ccgcagtcga	gggtcgtgag	cccaccccgt	8940
ccatggtgct	aagcggggcc	gggtccca	cggccagcac	cgctgctcac	tcggacgacg	9000
ccctgggcct	gcacctctcc	agctcctccc	acgggggtccc	cgtagccccg	gccccgccc	9060
agccccaggt	ctccccaggc	cctccgcagg	ctgcccggcc	tccttcccc	tgacgccatc	9120
ccaaggctcc	tgacctacct	ggccccctgag	ctctggagca	agccctgacc	caataaaggc	9180
tttgaaccca	ttgcgtgcct	gcttgcgagc	ttctgtgcgc	aggagagacc	tcaaagggtg	9240
cttgtggcca	ggagggaaac	actgcagctg	tcgctcgccc	accaggggtca	atggctcccc	9300
cgggcccagc	cctgacctcc	taggacatca	actgcaggtg	ctggctgacc	ccgcctgtgc	9360
agaccccaca	gccttgatca	gcaaactctc	cctccagccc	cagccaggcc	caaagtgtct	9420
taagaagtgt	caccatggct	gagggctctc	tgtgggtgga	cgcattgatta	acactagacg	9480
gggagacagc	aggtgctgag	cctgttgtgt	tctgtgtgga	gatctcagtg	agtttttgc	9540
gttcagaccc	cagggctcct	caggctcagc	tcaggagccc	cacagtgaac	cagaggctcc	9600
acaggcaggt	gctgacctga	caggagtggg	cttgggtggc	atcacagggc	accacagaca	9660
cagcttgaac	aactaccagt	atcgccaca	ggcctggagg	catcagccgg	gccatgcttc	9720
ctctggaggg	ctagaggagg	actagagaag	ggcctgcccc	ggcctctccc	cagcatccca	9780
gggttcctga	tctcctggat	aaggatacaa	gtcaccacac	tggactgggg	ctcagcctgc	9840
tctagaatac	ctcacctaag	tcacagtgga	ccaggctcag	cctgctctaa	ggtgagctta	9900
cccgagacac	tggaccagag	atcagcctat	cctgggataa	gctcaccgga	gtcacactgg	9960
accagggtc	agcctattcc	gggatgagct	cacccgagtc			10000

<210> 256

<211> 800

<212> DNA

<213> Homo sapiens

<400> 256

gacacttcca	tgactgcagc	tgaccagtcc	acctgccagc	ggttgaccac	tcccacttcg	60
ccagcgaccg	aaggggaggg	gaggggcctc	acctgagggc	aacagcagaa	cccaccacct	120
ggtcttgctt	tactcagacc	tgaggggtgtg	aaaggtgccc	gtgacctccc	gcatcagggg	180
gctggccgcc	accctcgact	cccggggagc	aggcgtcccc	cgacccccctc	atctaccagg	240
ccatctgagc	tgggcggcgc	ctcacctccg	ctcccggggg	agccggcctc	agggtaggca	300
tgcgccctgg	gtgggagcag	gtcgtggccg	ccgccctcct	ggcagctctg	gctgagcagc	360
cgccgcagca	tctgattctc	cttcaggagg	cgcacctgct	tcttcagggtc	cgcgttctcg	420
ctcaggagcc	ggctcatcag	ctcgccgcct	tcagccatgg	cgggtgcgtc	cctccttgtc	480
cctcacggct	cctgcagccc	catggagggtg	ggagcccaga	gcccgcaggc	accacagaaa	540
cagcccaggc	acggagttcc	gtagccacca	ccgccttcca	cgcttctgtga	tgctactgcc	600
ctagtgatga	ggtgcccagc	accctgcctg	ccccgcgat	ggctcatggc	cccgttgagg	660
cagtgaagct	ggaggcccg	ggcgtgcaca	ggcagccact	cccacattat	gaccagggcc	720
cgagaatgcc	aaggacatta	ggcagctacg	ggatgtagcg	actgtactcc	aagaggggcg	780
tccaagccac	tccccattga					800

<210> 257

<211> 293

<212> DNA

<213> Homo sapiens

<400> 257

aggtggaggt	tgcagtgagc	cctcctcccc	tcctccccct	tcccttccca	cctcccatgc	60
ccccctttct	tcctcccact	cccctcccga	ggccccgctt	attctcccgg	cctgtggcgg	120
ttcgtgcact	cgctgagctc	aggttctggt	gaaggtgccc	ggagccgggt	ccgccttcg	180
gcctgagcta	gagccgcgcg	ggcggccggc	ttccccaaa	ccctgtggga	ggggcatccc	240
gaggaggcga	ccccagagag	tggggcgcgg	acaccttccc	tggggagggc	cag	293

<210> 258

<211> 474

<212> DNA

<213> Homo sapiens

<400> 258

ccttccagat	gttccagaag	gagaaggcgg	tgctggacga	gctgggcccga	cgcacgggga	60
cccggctgca	gcccctgacc	cggggcctct	tcggagggag	ctgagggccg	cgttccttct	120
gaaagcggga	cgcgggaggg	gtggaggctg	cggggagccg	gggtcgcaca	cgaataaata	180
acgaatgaac	gtacgagggg	aacctcctct	tatttccttc	acgttgcata	gggtattttt	240
cgttattgta	aataaaacgg	ttccgagccg	tggcatcgag	agggcgctctg	gagttcaggg	300
aacgcgtggc	ccccgcccgg	gagcaccgcg	cagcgtctgc	ctctcgccct	tcaagggggg	360
ccctgcccgg	agcctgcgcc	cccggagagg	aaggggctcg	aggggcttgg	gtgccgcagc	420

P030366Seq.TXT

gcgtccttcc gtagaaaagg cttgcgtcag tatttcctgc ttttacctcc tgag 474

<210> 259
<211> 346
<212> DNA
<213> Homo sapiens

<400> 259
cagtatttcc tgcttttacc tcctgagtat tggaatatcc gagtaaacc tggagtttca 60
gcgccagcgc acgcctcttc atcagggcag cgcgtcgcga gcgcgtggt tccccggggc 120
ctccccggcca cggacaccgc tctagccagg gccacggcga ggccgccgag cagcacctca 180
gagacctgcg tgagttctaa agcctggggc tactacaatt ctgctcatct gtttgtcctg 240
tgaaatgatt cagggacatg aaaatgcctt cccactgact tgcgtcctgt cttagcctgg 300
acttgtcccc ttgggaacac gggccaggcc cctctgttcc tgaagt 346

<210> 260
<211> 490
<212> DNA
<213> Homo sapiens

<400> 260
atgtctgcag ggaagaagca gggggaccct gaataaagtt tccgtttttc ctatttgтта 60
aagtgataga gcattatagg accagagaac aggtgtgtct gtacactgtg caggtccccg 120
gggcaggctc tgagtccgtc tgcacacggg gcgggtcccc ggggcgcgcc ctgagcccgt 180
ctgcacacgg tgcgggtccc cggggcgcgc cctgagcccc tctgcacacg gtgcgggtcc 240
ccggggcgcg ccctgagccc gtctgcacac ggtgcgggtc cccggggcgc gccctgagcc 300
cgtctgcaca cgggtgcgggt cccccggggc cgccctgagc ccgtctgcac acggtgcggg 360
tccccggggc gcgccctgag cccgtctgta cacggtgcgg gtccccgggg cgcgccctga 420
gtctctacta aaaatacaaa aattagccag gcgtggtggt tcaagcctgt aatcccagct 480
ccttgggagg 490

<210> 261
<211> 2000
<212> DNA
<213> Homo sapiens

<400> 261
catacatggt tattagaaaa ggcattctcat ccaaattgtg tggtcgtgc ttgtaatccc 60
agtgtctcag gaggccaagg gaggaggatt acttgagcct aagagtttga gaccagcctg 120
ggcaacacaa caagacctg cctctacaaa aaacttaaaa actagctggg tatgatggtg 180
cacacctgta gtcccagcta cttgggaggc ggaggcgggc agatcgccctg aggtcaggag 240
ttcgagacca gcctggccaa catgatgaaa cccgtctct actaaaaata caaaaattag 300
ccgagtgtgg tgggtgcatgc ctgtaatccc agctactcag gaggctgagg caggagaatc 360
acttgaaccc gggaggcgga ggttgccatg agccgagatc acgtcactgc actccagcct 420

P030366Seq.TXT

gggtgacaga	gcacaaaaga	caggcatgac	tttgtactta	actgctcagc	tttghtaatca	480
ctggggggccc	agatgctcac	ttggattcta	actttgttgg	catctggggc	taaaagccgt	540
gatgcagggtg	agcaatgatg	cagagggctc	tgtgcgcttg	gcgggctctg	tttgctctgt	600
gggctctgtg	cgctgctgg	gctctgtgcg	cccgggaagg	tgcgccacc	ctcacgcgga	660
aggcggccag	cggatcccgg	tgcgcgcagc	tcccagcgct	ggggttccag	cgccccgcct	720
cttcctatag	caaccagcgg	gacctgccgt	ccccggggc	accccgaggg	gtctgcgccc	780
gcttctttcc	gaaacgggaa	ggcgctgggg	gctcggcagc	cagagggacg	ggttcagggg	840
gcgtccgggtg	agcctaagac	gcgcctttgc	cggggttgcc	gggtgtctgc	ctctcactta	900
ggtattagga	accgtggcac	aaatctgtag	gttttcctct	gggggtgggc	ggaggctcca	960
aaccggacgg	ttttctcctg	gaggactgtg	ttcagacaga	tactggtttc	cttatccgca	1020
ggtgtgcgcg	gcgctcgcaa	gtggtcagca	taacgccggg	cgaattcgga	aagcccgtgc	1080
gtccgtggac	gaccacttg	gaaggagttg	ggagaagtcc	ttgttcccac	gcgcggacgc	1140
ttccctccgt	gtgtccttcg	agccacaaaa	agcccagacc	ctaaccgct	cctttctccc	1200
gccgcgtcca	tgcagaactc	cgccgttcct	gggaggggaa	gcccgcgagg	cgtcgggaga	1260
ggcacgtcct	ccgtgagcaa	agagctcctc	cgagcgcgcg	gcggggacgc	tgggcccaga	1320
ggggaccgcg	ggggcagggc	ggagaggacc	cgccctcgag	tcggcccagc	cctaacactc	1380
aggaccgcct	ccagccggag	gtctgcgccc	ttctgaggac	cctgcctggg	ggagcttatt	1440
gcggttcttt	tgcaaatacc	cgctgcgctt	ggacggagga	agcgcccacg	cgtcgacccc	1500
ggaaacgaag	gcctccctga	tgggaacgca	tgcgtccagg	agcctttatt	tactcttaat	1560
tctgcccgat	gcttgtagct	gtgtgaaatg	cttcagatgc	ttttgggagc	gaggtgttac	1620
ataaatcatg	gaaatgcctc	ctggtctcac	cacaccaggg	gtgacagctg	agatgcggct	1680
tctccagggt	ggagcctcct	cgttttccag	agctgcttgt	tgaagtcttc	ccaggggccc	1740
tgacttgac	tggaaactgc	tcaccttggc	atcgggatgt	ggagcaagaa	atgcttttgt	1800
tttcattcat	cctagtgttc	ataaaatgga	aaacaaataa	ggacatacaa	aaacattaat	1860
aaaataaatt	aatggaacta	gatttttcag	aaagcacaac	aaacacaaaa	tccaagtatt	1920
gccatgtcag	caacacattc	ctactttaag	ttttatgaag	ttaattggag	tagtggagaa	1980
caaaagtgga	tgtggggcag					2000

<210> 262

<211> 88

<212> DNA

<213> Homo sapiens

<400> 262

gattgacagt	ttctccttcc	ccagactggc	caatcacagg	caggaagatg	aaggttctgt	60

gggctgcgtt	gctggtcaca	ttcctggc				88

<210> 263

<211> 30

<212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 263
 acgttgatg ttgacagttt ctccttcccc 30

<210> 264
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 264
 acgttgatg gaatgtgacc agcaacgcag 30

<210> 265
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 265
 gcaggaagat gaaggtty 18

<210> 266
 <211> 88
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic oligonucleotide
 <400> 266
 gattgacagt ttctccttcc ccagactggc caatcacagg caggaagatg aaggttttgt 60
 gggctgcgtt gctggtcaca ttcttggc 88

<210> 267
 <211> 90
 <212> DNA
 <213> Homo sapiens
 <400> 267
 gagtttttga tagtaaaata agtttcgaac tctggcacct ttcaattttg tcgcactctc 60
 cttgtttttg acaatgcaat catatgcttc 90

<210> 268
 <211> 31
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 268
 acgtggatag taaaataagt ttcgaactct g 31

<210> 269
 <211> 27
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 269
 gaagcatatg attgcattgt caaaaac 27

<210> 270
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 270
 atttcaattt tgtcgacty 20

<210> 271
 <211> 90
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic oligonucleotide

 <400> 271
 gagttttgga tagtaaaata agtttcgaac tctggcacct ttcaattttg tcgcactttc 60
 cttgtttttg acaatgcaat catatgcttc 90

<210> 272
 <211> 97
 <212> DNA
 <213> Homo sapiens

 <400> 272
 gaactcctct ttgtctctgc gtgcccggcg cgccccctc ccggtgggtg ataaaccac 60
 tctggcgccg gccatgcgct gggtgattaa tttgcga 97

<210> 273
 <211> 29
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

<400> 273
acgttgatg tctttgtctc tgcgtgccc 29

<210> 274
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 274
acgttgatg ttaatcacc agcgcattggc 30

<210> 275
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 275
cccctcccgg tgggtgataa ay 22

<210> 276
<211> 97
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 276
gaactcctct ttgtctctgc gtgcccggcg cgccccctc ccggtgggtg ataaatccac 60

tctggcgccg gccatgcgct ggggtgattaa tttgcga 97

<210> 277
<211> 86
<212> DNA
<213> Homo sapiens

<400> 277
ccattggccg tccgccgtgg cagtgcgggc gggagcgcag ggagagaacc acagctggaa 60

tccgattccc accccaaaac ccagga 86

<210> 278
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 278
acgttgatg ccattggccg tccgccgtg 29

<210> 279
 <211> 31
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 279
 acgttgatg tcctgggttt tggggtggga a 31

<210> 280
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 280
 ttccagctgt ggttcttc 19

<210> 281
 <211> 86
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic oligonucleotide

 <400> 281
 ccattggccg tccgccgtgg cagtgcgggc gggagcgcag agagagaacc acagctggaa 60
 tccgattccc accccaaaac ccagga 86

<210> 282
 <211> 31
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 282
 acgttgatg acatggtcgg cccacggaa t 31

<210> 283
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 283
 acgttgatg acccattggc cgtccgccgt 30

<210> 284
 <211> 31
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer

 <400> 284
 acgttgatg gaactcctct ttgtctctgc g 31

 <210> 285
 <211> 31
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer

 <400> 285
 acgttgatg cgagcaacg ggaccgctac a 31

 <210> 286
 <211> 29
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer

 <400> 286
 acgttgcgta gcaacctgtt acatattaa 29

 <210> 287
 <211> 31
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer

 <400> 287
 acgttgatg catagaggcc catgatggtg g 31

 <210> 288
 <211> 33
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer

 <400> 288
 acgttgatg gtgtggtcag ctcttcctt cat 33

 <210> 289
 <211> 32

<212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 289
 acgttgatg ctccttccta gtgtgagaac cg 32

<210> 290
 <211> 31
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 290
 acgttgatg ttttggggtg ggaatcggat t 31

<210> 291
 <211> 29
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 291
 acgttgatg tggcatggcc ggcgccaga 29

<210> 292
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 292
 acgttgcat ctaggtaggt cttttagacc aa 32

<210> 293
 <211> 32
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic primer
 <400> 293
 acgttgatc tgagcaaagg caatcaacac cc 32

<210> 294
 <211> 32
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 294
 acgttgatg accttctgcc cctctactcc aa 32

 <210> 295
 <211> 33
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 295
 acgttgccc acatgtaatg tggtgaaaaa gca 33

 <210> 296
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 296
 caggttccgg ggcttggg 18

 <210> 297
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 297
 cgcagggaga gaaccacag 19

 <210> 298
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

 <400> 298
 cccctccgg tggtgataa a 21

 <210> 299
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic primer

<400> 299
 aaagctgtag gacaatcggg t 21

<210> 300
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic primer

<400> 300
 catttttcta catcctttgt tt 22

<210> 301
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic primer

<400> 301
 agaagatcac caggcagaag agg 23

<210> 302
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic primer

<400> 302
 acttgagaa caaaggacac cgta 25

<210> 303
 <211> 81
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic oligonucleotide

<400> 303
 ggtcggcccc acggaatccc ggctctgtgt gcgcccaggt tccggggctt gggtgttgcc 60
 ggttctcaca ctaggaagga g 81

<210> 304
 <211> 79
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic oligonucleotide

<400> 304
ccattggccg tccgccgtgg cagtgcgggc gggagcgcag agagagaacc acagctggaa 60
tccgattccc accccaaaa 79

<210> 305
<211> 77
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 305
gaactcctct ttgtctctgc gtgcccggcg cgccccctc ccggtgggtg ataaatccac 60
tctggcgccg gccatgc 77

<210> 306
<211> 81
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 306
gcagcaacgg gaccgctaca gccactggac aaagccgtag gacaatcggg taacattggc 60
tacaaagacc tacctagatg c 81

<210> 307
<211> 95
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 307
gcgtagcaac ctgttacata ttaaagtttt attatactac atttttctac atcctttgtt 60
tcagagtgtt gattgccttt gctcagtatc ttcag 95

<210> 308
<211> 86
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 308
ccttctgccc ctctactcca agcgctacac cctcttctgc ctggtgatct ttgccggcgt 60
cctggccacc atcatgggcc tctatg 86

<210> 309
<211> 83

<212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
 oligonucleotide
 <400> 309
 gtgtggtcag ctcttcctt catcacatac ttggagaaca aaggacaccg ttatccatgc 60
 tttttcaaca cattacatgt ggg 83
 <210> 310
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer
 <400> 310
 acgttgatg ttctgccct ctactccaag 30
 <210> 311
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer
 <400> 311
 acgttgatg tcagctcttc cttcatcac 30
 <210> 312
 <211> 30
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer
 <400> 312
 acgttgatg ttgacagttt ctccttcccc 30
 <210> 313
 <211> 28
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic
 primer
 <400> 313
 acgttgatg cggtcgccc cacggaat 28
 <210> 314
 <211> 31
 <212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 314

acgtggatag taaaataagt ttcgaactct g

31

<210> 315

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 315

acgttgatg cacagctcac cgcagcaacg

30

<210> 316

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 316

acgttgatg tctttgtctc tgcgtgccc

29

<210> 317

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 317

acgttgatg gactgagccc cagaactcg

29

<210> 318

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 318

acgttgatg aagccaagtt tccctccgc

29

<210> 319

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic primer

<400> 319
acgttagcgt agcaacctgt tacatattaa 30

<210> 320
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic primer

<400> 320
acgttgatg catagaggcc catgatggtg 30

<210> 321
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic primer

<400> 321
acgttgatg cctacctccc acatgtaatg t 31

<210> 322
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic primer

<400> 322
acgttgatg gaatgtgacc agcaacgcag 30

<210> 323
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic primer

<400> 323
acgttgatg ctcttccta gtgtgagaac cg 32

<210> 324
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic primer

<400> 324
gaagcatatg attgcattgt caaaaac 27

<210> 325
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 325
acgttggatg ctaggtaggt cttttagacc aa 32

<210> 326
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 326
acgttggatg ttaatcaccc agcgcattggc 30

<210> 327
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 327
acgttggatg gtgggtttgt gctttccacg 30

<210> 328
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 328
acgttggatg cttttgcttt cccagccagg 30

<210> 329
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 329
acgttggatg ctgagcaaag gcaatcaaca 30

<210> 330
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic
 primer

<400> 330
 ttctgcctgg tgatctt 17

<210> 331
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic
 primer

<400> 331
 aacaaaggac accgtta 17

<210> 332
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic
 primer

<400> 332
 gcaggaagat gaaggtt 17

<210> 333
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic
 primer

<400> 333
 aaggttccgg ggcttggg 18

<210> 334
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic
 primer

<400> 334
 atttcaattt tgtcgact 19

<210> 335
 <211> 19

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 335
agctgtagga caatcgggt 19

<210> 336
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 336
ccctcccggg gggtgataaa 20

<210> 337
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 337
agggccgggg tctgcgcgtg 20

<210> 338
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 338
gaggcactgc ccggacaaac c 21

<210> 339
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic
primer

<400> 339
catttttcta catcctttgt tt 22

<210> 340
<211> 86
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 340

ccttctgccc ctctactcca agcgctacac cctcttctgc ctggtgatct ttgccggcgt 60

cctggccacc atcatgggcc tctatg

86

<210> 341

<211> 90

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 341

gtgtggtcag ctcttcctt catcacatac ttggagaaca aaggacaccg ttatccatgc 60

tttttcaaca cattacatgt gggaggtagg

90

<210> 342

<211> 88

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 342

gattgacagt ttctccttcc ccagactggc caatcacagg caggaagatg aagggtttgt 60

gggctgctt gctggtcaca ttcctggc

88

<210> 343

<211> 98

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 343

aaaaccagag attcgcggtc ggccccacgg aatcccggt ctgtgtgctc ccagggttccg 60

gggcttgggt gttgccgggt ctcacactag gaaggagc

98

<210> 344

<211> 90

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 344

gagttttgga tagtaaaata agtttcgaac tctggcacct ttcaattttg tcgcactttc 60

cttgtttttg acaatgcaat catatgcttc

90

<210> 345
 <211> 95
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 oligonucleotide

 <400> 345
 gcagccagct caccgcagca acgggaccgc tacagccact ggacaaagct gtaggacaat 60
 cgggtgacat tggctacaaa gacctaccta gatgc 95

 <210> 346
 <211> 97
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 oligonucleotide

 <400> 346
 gaactcctct ttgtctctgc gtgcccggcg cgccccctc ccggtgggtg ataaatccac 60
 tctggcgccg gccatgcgct gggtgattaa tttgcga 97

 <210> 347
 <211> 86
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 oligonucleotide

 <400> 347
 gtgggtttgt gctttccacg cgtgcacaca cagcgcaga ccccggccct tgccccgcct 60
 acctccccga gttctggggc tcagtc 86

 <210> 348
 <211> 89
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic
 oligonucleotide

 <400> 348
 gcgccagctt ttgctttccc agccagggcg cggtgaggtt tgtccgggca gtgcctcgag 60
 caactgggaa ggccaaggcg gagggaaac 89

 <210> 349
 <211> 96
 <212> DNA
 <213> Artificial Sequence

 <220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 349

gcgtagcaac ctgttacata ttaaagtttt attatactac atttttctac atcctttgtt 60

ttaggggtgtt gattgccttt gctcagtatc ttcagc 96

<210> 350

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 350

cgcaaccact 10

<210> 351

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
oligonucleotide

<400> 351

cgcgaccact 10