



US00D766191S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,191 S**
Ringer (45) **Date of Patent:** **** *Sep. 13, 2016**

(54) **POWER SUPPLY FEED IN PLUG**
(71) Applicant: **SIEMENS**
AKTIENGESELLSCHAFT, Munich
(DE)
(72) Inventor: **Ulrich Ringer**, Amberg (DE)
(73) Assignee: **Siemens Aktiengesellschaft**, Munich
(DE)
(*) Notice: This patent is subject to a terminal disclaimer.
(**) Term: **14 Years**

D302,972 S * 8/1989 Boucher D13/162.1
D307,263 S * 4/1990 Ishida D13/162.1
4,920,453 A * 4/1990 Onose et al. 361/736
D309,446 S * 7/1990 Russell D13/162.1
D309,600 S * 7/1990 Backes D13/162.1
5,065,141 A * 11/1991 Whitsitt 340/635
5,253,140 A * 10/1993 Inoue et al. 361/728
5,791,916 A * 8/1998 Schirbl et al. 439/76.1
5,802,389 A * 9/1998 McNutt 710/1
5,984,734 A * 11/1999 Piper et al. 439/717
6,008,985 A * 12/1999 Lake et al. 361/679.32
6,172,875 B1 * 1/2001 Suzuki et al. 361/729

(Continued)

Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Cozen O'Connor

(21) Appl. No.: **29/501,995**

(57) **CLAIM**

(22) Filed: **Sep. 10, 2014**

The ornamental design for a power supply feed in plug, as shown and described.

Related U.S. Application Data

(62) Division of application No. 29/424,798, filed on Jun. 15, 2012, now Pat. No. Des. 733,665.

DESCRIPTION

(30) **Foreign Application Priority Data**

Dec. 16, 2011 (EM) 001306500

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/162; D13/162.1**

(58) **Field of Classification Search**

USPC D13/162, 162.1; D14/301, 439
CPC ... G05B 19/05; G06F 3/147; G06F 11/3636;
H05K 7/1432; H05K 7/1467; H05K 7/1468;
H05K 7/1471; H05K 7/1474; H05K 7/1478;
H05K 7/1481

See application file for complete search history.

FIG. 1 is a front elevational view of a power supply feed in plug for a programmable logic controller (PLC) showing my new design;
FIG. 2 is a rear elevational view of the power supply feed in plug;
FIG. 3 is a top plan view of the power supply feed in plug;
FIG. 4 is a bottom plan view of the power supply feed in plug;
FIG. 5 is a right-side elevation view of the power supply feed in plug;
FIG. 6 is left-side elevation view of the power supply feed in plug; and,
FIG. 7 is a perspective view of the power supply feed in plug.

The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D269,605 S * 7/1983 Provanzano et al. D13/162.1
D281,493 S * 11/1985 Prager et al. D13/162.1

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,456,495 B1 * 9/2002 Wieloch et al. 361/729
 6,686,672 B2 * 2/2004 Brown et al. 307/125
 D488,133 S * 4/2004 Droulin et al. D13/162.1
 6,904,471 B2 * 6/2005 Boggs et al. 710/8
 7,027,296 B2 * 4/2006 Bock 361/622
 D520,992 S * 5/2006 Lee D14/301
 7,066,677 B2 * 6/2006 Ruter 403/231
 D524,760 S * 7/2006 Ohlwine et al. D13/162.1
 D527,349 S * 8/2006 Lee D13/162.1

D563,903 S * 3/2008 Radau et al. D13/162
 D588,552 S * 3/2009 Radau et al. D13/162
 D598,867 S * 8/2009 Nada et al. D13/162.1
 D692,397 S * 10/2013 Liu et al. D13/162.1
 8,602,816 B2 * 12/2013 Donhauser et al. 439/532
 D702,647 S * 4/2014 Liu et al. D13/162.1
 D733,665 S * 7/2015 Ringer D13/162.1
 2002/0072256 A1 * 6/2002 Lostoski et al. 439/76.1
 2012/0043378 A1 * 2/2012 Vazach et al. 235/375
 2012/0129368 A1 * 5/2012 Donhauser et al. 439/137
 2014/0118958 A1 * 5/2014 Hamada et al. 361/728
 2014/0156029 A1 * 6/2014 Godau et al. 700/19

* cited by examiner

FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7

