



(51) International Patent Classification:
H04N 7/173 (2006.01) *H04N 5/00* (2006.01)

(21) International Application Number:
PCT/EP2009/006931

(22) International Filing Date:
18 September 2009 (18.09.2009)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
08290899.7 24 September 2008 (24.09.2008) EP

(71) Applicant (for all designated States except US): **ALCATEL LUCENT** [FR/FR]; 54, rue La Boétie, F-75008 Paris (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HUYSEGEMS, Rafaël** [BE/BE]; Weverstraat 11 bis, B-2800 Walem (Mechelen) (BE). **VERZIJP, Nico, Victor** [BE/BE]; Rembrandtstraat 20 B4, B-2018 Antwerp (BE).

(74) Agents: **NARMON, Gisèle** et al.; Alcatel-Lucent Bell NV, Intellectual Property Department, Copernicuslaan 50, B-2018 Antwerp (BE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: IMPROVED DEVICE FOR IP TV CHANNEL SELECTION




Fig.2

(57) Abstract: The present invention is related to a device (1) for assisted channel selection in an IPTV system comprising a selection engine (2) arranged for outputting a channel change command corresponding to a selected channel. The device comprises means for receiving a plurality of channel change requests from a group of users of the IPTV system. The selection engine (2) is arranged for determining the selected channel from a plurality of IPTV channels based on at least one selection criterion derived from at least a part of the plurality of channel change requests of the group of users.

IMPROVED DEVICE FOR IP TV CHANNEL SELECTION

Field of the Invention

[0001] The present invention generally relates to the field of Internet Protocol (IP) television and more in particular to a device for channel selection in an IP television system.

Background of the Invention

[0002] Devices for channel selection are well known in the art from current Internet protocol television systems, further referred to as IPTV systems, wherein a user is able to manually select a channel from a plurality of IPTV channels. The classical IPTV solution is shown in Fig.1. The IPTV server infrastructure is basically composed of a multicast part and a fast channel change part. Both parts can be collocated or not. The IPTV client issues a Channel Change Request (CCR) for channel x and receives the channel data (CD) a short time later. The channel selection may be dealt with by just sequentially zapping through each of the channels till a channel is found with content that is interesting for the user. In closed IPTV systems, viewer satisfaction levels are decreasing. As the number of available channels grows, viewers end up in endless zapping loops, looking for better content and still missing the interesting content. On system level the high zapping rates lead to higher bandwidth (BW) requirements for the network and additional BW and processing power in "fast channel change" devices and operations.

[0003] At the same time the distribution of video streams is rapidly evolving from multicast to unicast. Content is more and more consumed on demand or delayed in time. Instead of having only a few video flows, consumed by many people and efficiently distributed using multicast techniques, operators are more and more facing video streams that serve only one household or even one single user. This puts an enormous burden on the network in terms of BW requirements.

[0004] An improvement in terms of bandwidth requirements was proposed in the reduction of the number of zaps probably obtainable through the use of channel-mosaic that provides a quick overview by combining a number of individual channels with corresponding content into one picture. Using the mosaic, the user can decide with less zaps in comparison to the sequential zapping through the plurality of channels, which channel has his preference. However, the use of channel-mosaic

still has disadvantages. A single screen of the mosaic may only contain about 25 channels which renders the solution not scalable with 200 or more IPTV channels. Moreover, its use is not widely adopted under TV-spectators because it offers only a limited added value for the user. The user must stop watching while searching for a better channel. Hence, only a small amount of unnecessary zaps can be prevented through the provisioning of a channel mosaic. The reduction of the zapping-load on the network components is still minor.

[0005] Another way to deal with the increasing BW requirements caused by unicast streaming, is adding caching devices and replica servers to the network. These devices replicate and store the content closer to the customer in an attempt to reduce the BW requirements in the network. These techniques all look for a new optimum between the cost of BW and the cost of storage. Since storage cost is decreasing more rapidly than BW cost, this is feasible.

[0006] To improve viewer satisfaction and to reduce the need for zap-bound resources, IPTV components such as set top boxes or access nodes can be equipped with a "learning device", with the intention to avoid unnecessary zaps. This solution was proposed in European patent application EP 07291510. This document discloses an Internet protocol TV channel selection device wherein the number of zaps, required for finding content that is interesting for the user, is reduced significantly by using at least one user-related selection criterion (i.e. a user preference) together the information on the various channels extracted from the electronic program guide (EPG). In other words, based on a user-profile and the meta-information on the various channels, the device becomes a personal zapping assistant. In this way the viewer can be triggered when (more) interesting content is currently being broadcasted or becomes available in the Video-on-Demand (VoD) database. To get the preferred content to the user, the IPTV system can create one or more artificial, personal channels, composed of already available broadcast and VoD content. Further, based on the viewer's profile, advertisings can be made more personal and effective because they are based on the profile.

[0007] Nevertheless, purely profile based systems have a number of drawbacks. First, they are not able to react on massive channel-zapping of other viewers. The purely profile-based system is unable to trigger the viewer in case there are massive zapping movements in the network towards content that is not 100 % matching the user's interest. Example: when the normal programming is interrupted

for a news flash on some disaster that has happened, a massive zap movement may take place. People may be calling friends and family to watch. From all channels, viewers are zapping to a same channel. If a pure profile based viewer did not specify news as a preference, he would miss this broadcasting. Secondly, also social aspects are missing. Some examples are :

- It may be that in general, a viewer is not interested in news (i.e; news is not in his profile), except when something is broadcasted that has a link to his life, his family, his friends or the neighbourhood.
- If 70 % of the family zapped to a travel program, this program is maybe filmed at a location that you actually visited with your family. You probably want to watch the program, even if travel-programs are not your favourite type of content.
- If a large percentage of your friends and colleagues zap to a certain movie that is being broadcasted, this film might be interesting to watch, even if the director and actors are missing in your personal profile.

A third disadvantage of purely profile based systems is its static behaviour : a profile system tends to lock the viewer in a limited set of predefined types of content. In that way, the system actually prevents users to discover new, but related types of content. Further there is also the bandwidth problem, as the profile-based system does not offer any solution for the increasing number of unicast flows in the network.

[0008] Consequently, there is a strong need for improvement in the field of channel selection devices for IPTV systems.

Aims of the invention

[0009] The present invention aims to provide an improved device for channel selection in an IPTV system wherein the above-mentioned problems are avoided or overcome.

Summary

[0010] The present invention relates to a device for assisted channel selection in an IPTV system. The device comprises a selection engine arranged for outputting a channel change command corresponding to a selected channel. The device is characterised in that it comprises means for receiving a plurality of channel change requests from a group of users of the IPTV system and in that the selection engine is

arranged for determining the selected channel from a plurality of IPTV channels based on at least one selection criterion derived from (at least a part of) the plurality of channel change requests of the group of users.

[0011] In a preferred embodiment the selection engine is arranged for determining the selected channel from the plurality of channels based on said at least one selection criterion in combination with meta-information on the plurality of IPTV channels. The device for assisted channel selection may be provided with means for receiving said meta-information.

[0012] In another preferred embodiment the selection engine is arranged for determining the selected channel based also on at least one user-related selection criterion. In this way the channel change directions can be further limited to directions that are relevant for the user. The at least one user-related selection criterion is advantageously a set of user preferences of a user of the IPTV system. The channel selection preferably further comprises storage means for storing said set of user preferences.

[0013] Storage means is preferably also provided for storing information related to the plurality of channel change requests. Optionally, this storage means is integrated with the storage means for storing the user preferences, such that a single storage means is needed.

[0014] The device for assisted channel selection according to the invention further advantageously comprises means for performing an authorisation check on a received channel change request. This can prevent unauthorised users not belonging to the group from influencing the system with their zapping behaviour.

[0015] In one embodiment the group of users belong to same access node or to the same edge router. Alternatively, they are actual subscribers to a group of people sharing a same interest or background or so.

[0016] Advantageously the channel change command corresponding to the selected channel change is operable in a dedicated channel.

[0017] The invention also relates to an access node comprising the device for assisted channel selection as above described.

[0018] In another aspect the invention relates to a remote control device for use in an IPTV system. The remote control device is arranged for transmitting to the device for channel selection as previously explained a signal indicating that channel

selection is to be based on at least one selection criterion derived from at least a part of a plurality of channel change requests of a group of users.

[0019] In an advantageous embodiment the remote control device further comprises means for transmitting to another user of the IPTV system a message related to content of an IPTV channel. In this way viewers can be given the possibility to actively recommend the content they are watching to their groups. This may lead to a more Internet-like form of communities that brings people together with a similar interest.

10 **Brief Description of the Drawings**

[0020] Fig. 1 illustrates the classical IPTV configuration.

[0021] Fig. 2 illustrates a preferred embodiment of the device for channel selection in an IPTV system according to the present invention.

15 **Detailed Description of Embodiment(s)**

[0022] The present invention proposes to employ for the IPTV channel selection at least one criterion related to a group of users of the IPTV system. More specifically the invention proposes to use the zapping behaviour of a group of IPTV users to assist the individual viewer in making a better choice. Preferably this is done in combination with the use of meta-information on the plurality of available IPTV channels. The meta-information may be extracted e.g. from an electronic program guide (EPG). Preferably, this is further done in combination with at least one user-related criterion, e.g. derived from a user profile system. Taking into account the zapping triggers of a group of people allows overcoming the disadvantages of purely profile-based zap assistance systems as set out below.

[0023] The device for assisted channel selection according to this invention is based on 'group induced zapping assistance' and uses in an embodiment all or at least a part of the channel change commands that arrive in the same network element (e.g. a DSL Access Multiplexer (DSLAM) or an edge router) as a trigger and selection criteria for its viewers. In this embodiment of the invention the group is formed by subscribers connected to a same network element.

[0024] In another embodiment several groups of viewers can be defined. Each group combines a number of viewers that share a certain interest or background. One group of related viewers can be the neighbourhood (e.g. based on the fact that

they share the same access node, edge router, ... as already mentioned). Other groups such as friends, family, colleagues, interest groups, etc. have to rely on subscription. The area of interest that a viewer shares with its groups may be quite different. Neighbours share (breaking) news about some event/accident/... in their local town or village. Friends may share travel programs, soaps, movies, ... A family may share health topics and short trips. Colleagues may share company news, sector innovations, fairs and exhibitions. Interest-groups may share hobbies such as photography, cooking, movies, ...

[0025] Viewers can be given the possibility to actively recommend the content that they are watching to their groups by pressing a button on the remote control. This option can be the start of a more Internet-like form of communities that brings people together with a similar interest.

[0026] Fig.2 shows a preferred embodiment of the channel selection device with group-induced zap assistance (GIZA) functionality. The regular IPTV system in the node already contains a multicast part and a fast channel change part, as was already illustrated in Fig.1. Both parts receive the channel change commands from the set top box (STB).

[0027] A GIZA system (1) is added to the node. For the viewer the functionality may appear as an additional channel, e.g. called "my personal channel". If tuned to this channel, the 'zapping assistant' chooses the best matching program according to the ongoing user zaps in your group(s). If not tuned to the personal channel, the generated zap is used as input for the GIZA system, such that the ongoing user zaps per group can be evaluated.

[0028] The GIZA system ingests all available zap commands in the node or at least a part thereof. In a first step, individual zap commands are combined into a number of main zap directions per group. Before applying these main zap directions to the automatic channel selection engine per viewer, they must pass via the "shared interest filters", where they are combined with user-specific criteria. For example, when a lot of neighbours of a given user zap to a movie, said given user is not much interested. Only when the neighbours are switching to some news about their village, he is interested. So the purpose of the group-filters per viewer is to limit the main zap directions to zap directions that are relevant for that user. In other words, only the areas of interest shared with the group have an effect on the behaviour of the zap

assistant. The group filter overweighs the content shared with the group and underweighs the content different from the group.

[0029] In general, the channel selection device with 'group induced zapping assistant' functionality can be implemented as a separate system or as part of an access node. Preferred content can be offered via a dedicated personal TV channel, but can also be recommended to the viewer via a banner or as a PIP or any other suitable means.

[0030] A channel selection device based on group induced channel selection has a number of advantages over a purely profile based zapping assistance, both for an operator and for the user.

[0031] In common with all zap assistance systems; the reduction of the amount of unnecessary zaps reduces the load on the Instant Channel Change system and the IGMP system. Because the typical video bursts of fast channel change systems can be reduced in quantity, the available bandwidth in the network is used more efficiently. On top of that, zaps performed by a zap assistant do not need fast channel change support at all because they are not triggered by the user. In this case, the system can just wait for the next I-frame (i.e. a frame encoded as a single image without any reference to past or future frames) and show meanwhile the previous stream.

[0032] An additional advantage over a pure profile-based assistance is that a mixed GIZA solution, wherein the channel selection is both group induced and profile based, acts as a positive feedback mechanism to popular content. The advantage for the operator is a content watching convergence, i.e. user profiles can be used to make predictions about the popularity of a new movie or other content. The operator can e.g. pre-download certain content at time intervals when the network is not heavily loaded. This allows thus transporting the video streams in a more efficient way over the network, making better use of techniques such as caching or multicast transport.

[0033] Also, the user behaviour becomes more predictable, which facilitates pre-caching techniques that make use of available cache or recording space at the customer premises or in the network.

[0034] From the user point of view an advantage is that in common with all zap assistance systems; the zap-time required to find the most interesting content is significantly reduced. The user can be informed about massive channel zapping that

takes place in his groups such as neighbours, friends, family, ... that could indicate interesting content. Interesting content that is applicable to you/your family/your friends/... is not missed because it is not explicitly mentioned in the profile.

[0035] The invention breaks the static watching behaviour that is introduced with typical profile based assistance and introduces a social aspect to watching TV. If you get the questions "Did you know that your sports club was at the regional TV yesterday?" the probability is high that you indeed saw it.

[0036] Further the invention gives the possibility to users to form real TV communities (grouping people with a similar interest/background) in the same way as on the Internet today where one uses forums, chat communities or dedicated websites (e.g. FlickrR, MySpace, Facebook, youTube, ...) This could add a different dimension to watching TV, with respect to the leanback character of this medium.

[0037] Care should be taken not to disclose the privacy of the group-members when watching TV. This could happen with very small groups. These effects can be avoided by enlarging the groups or by provide the possibility to the user to watch in "stealth" mode. In this mode, the IPTV system does not use that user's zaps as input for the GIZA system to select interesting content for other users.

[0038] Although the present invention has been illustrated by reference to specific embodiments, it will be apparent to those skilled in the art that the invention is not limited to the details of the foregoing illustrative embodiments, and that the present invention may be embodied with various changes and modifications without departing from the spirit and scope thereof. The present embodiments are therefore to be considered in all respects as illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein. In other words, it is contemplated to cover any and all modifications, variations or equivalents that fall within the spirit and scope of the basic underlying principles and whose essential attributes are claimed in this patent application. It will furthermore be understood by the reader of this patent application that the words "comprising" or "comprise" do not exclude other elements or steps, that the words "a" or "an" do not exclude a plurality, and that a single element, such as a computer system, a processor, or another integrated unit may fulfil the functions of several means recited

in the claims. Any reference signs in the claims shall not be construed as limiting the respective claims concerned. The terms "first", "second", "third", "a", "b", "c", and the like, when used in the description or in the claims are introduced to distinguish between similar elements or steps and are not necessarily describing a sequential or
5 chronological order. Similarly, the terms "top", "bottom", "over", "under", and the like are introduced for descriptive purposes and not necessarily to denote relative positions. It is to be understood that the terms so used are interchangeable under appropriate circumstances and embodiments of the invention are capable of operating according to the present invention in other sequences, or in orientations
10 different from the one(s) described or illustrated above.

CLAIMS

1. Device (1) for assisted channel selection in an IPTV system comprising a selection engine (2) arranged for outputting a channel change command
5 corresponding to a selected channel, characterised in that said device comprises means for receiving a plurality of channel change requests from a group of users of said IPTV system and in that said selection engine is arranged for determining said selected channel from a plurality of IPTV channels based on at least one selection criterion derived from at least a part
10 of said plurality of channel change requests of said group of users.
2. Device for assisted channel selection as in claim 1, wherein said selection engine (2) is arranged for determining said selected channel from said plurality of channels based on said at least one selection criterion in combination with meta-information on said plurality of IPTV channels.
- 15 3. Device for assisted channel selection as in claim 1 or 2, wherein said selection engine (2) is arranged for determining said selected channel also based on at least one user-related selection criterion.
4. Device for assisted channel selection as in claim 3, wherein said at least one user-related selection criterion is a set of user preferences of a user of said
20 IPTV system.
5. Device for assisted channel selection as in claim 4, further comprising first storage means for storing said set of user preferences.
6. Device for assisted channel selection as in any of claims 1 to 5, further second comprising storage means for storing information related to said plurality of
25 channel change requests.
7. Device for assisted channel selection as in claim 6, whereby said second storage means is integrated with said first storage means.
8. Device for assisted channel selection as in claim 4 or 5, further comprising means for performing an authorisation check on at least one of said received
30 channel change requests.
9. Device for assisted channel selection as in any of claims 1 to 8, wherein said group of users belong to same access node or to the same edge router.


10. Device for assisted channel selection as in any of the previous claims, whereby said channel change command corresponding to said selected channel change operable in a dedicated channel.

11. Access node (10) comprising the device for assisted channel selection as in any of claims 1 to 10.


12. Remote control device for use in an IPTV system, said remote control device being arranged for transmitting to the device for channel selection as in any of claims 1 to 10 a signal indicating that channel selection is to be based on at least one selection criterion derived from at least a part of a plurality of channel change requests of a group of users.

13. Remote control device for use in an IPTV system as in claim 12, further comprising means for transmitting to another user of said IPTV system a message related to content of an IPTV channel.

1/2

**Fig.1**

2/2

**Fig.2**

INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2009/006931

A. CLASSIFICATION OF SUBJECT MATTER
 INV. H04N7/173 H04N5/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2007/169148 A1 (ODDO ANTHONY S [US] ET AL) 19 July 2007 (2007-07-19)	1-7,9-12
Y	paragraphs [0020], [0021], [0039] - [0074], [0110] - [0125], [0147] - [0159]	8,13
X	WO 2005/029859 A (KONINKL PHILIPS ELECTRONICS NV [NL]; SIMONS DAVID P L [NL]; NIKOLOVA M) 31 March 2005 (2005-03-31)	1-7,9-12
Y	page 1, line 25 - page 4, line 26 page 5, line 4 - page 10, line 34	8,13
Y	US 2008/005769 A1 (SUNAKAWA SHINICHI [JP]) 3 January 2008 (2008-01-03)	8
A	paragraphs [0032] - [0039], [0049] - [0056], [0078]	1
	----- -/-	

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

8 December 2009

Date of mailing of the international search report

21/12/2009

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040,
 Fax: (+31-70) 340-3016

Authorized officer

Güttlich, Jürgen

INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2009/006931

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 1 954 006 A (KONINKL KPN NV [NL]) 6 August 2008 (2008-08-06)	13
A	paragraphs [0004] - [0008], [0011] - [0022]	1
A	----- US 2003/101451 A1 (BENTOLILA ISAAC [US] ET AL) 29 May 2003 (2003-05-29) paragraphs [0025], [0033], [0048], [0122] - [0133], [0254] - [0260] -----	1-13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2009/006931

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 2007169148	A1	19-07-2007	NONE	
WO 2005029859	A	31-03-2005	CN 1856998 A JP 2007506339 T KR 20060095978 A US 2007136744 A1	01-11-2006 15-03-2007 05-09-2006 14-06-2007
US 2008005769	A1	03-01-2008	JP 2007336094 A	27-12-2007
EP 1954006	A	06-08-2008	EP 2116016 A1 WO 2008092629 A1	11-11-2009 07-08-2008
US 2003101451	A1	29-05-2003	NONE	