

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 October 2008 (02.10.2008)

PCT

(10) International Publication Number
WO 2008/118693 A1

(51) International Patent Classification:
H04B 1/66 (2006.01)

(21) International Application Number:

PCT/US2008/057373

(22) International Filing Date: 18 March 2008 (18.03.2008)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/689,982 22 March 2007 (22.03.2007) US

(71) Applicant (for all designated States except US): **Sony Computer Entertainment America Inc.** [US/US]; 919 East Hillsdale Blvd, Second Floor, Foster City, California 94404 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **ZALEWSKI, Gary, M.** [US/US]; c/o Sony Computer Entertainment America Inc., 919 East Hillsdale Blvd, Second Floor, Foster City, California 94404 (US).

(74) Agents: **WAWRZY尼亚K, Richard, E.** et al.; Fitch Even Tabin & Flannery, 120 South La Salle Street, Suite 1600, Chicago, Illinois 60603 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL,

[Continued on next page]

(54) Title: SCHEME FOR DETERMINING THE LOCATIONS AND TIMING OF ADVERTISEMENTS AND OTHER INSERTIONS IN MEDIA




FIG. 1

(57) Abstract: A method for use with content includes analyzing a sequence of frames of the content (102), determining whether an area exists in a scene depicted by the sequence of frames where additional content such as advertising can be inserted without obstructing activity in the scene (104), for any such area, determining an amount of time that the area is available when the sequence of frames is being played (106), and for any such area, determining a size of the area (108). A storage medium storing a computer program for causing a processor based system (400) to execute these steps and an apparatus for use with content are also disclosed.

WO 2008/118693 A1



NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG,
CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report*

SCHEME FOR DETERMINING THE LOCATIONS AND TIMING OF ADVERTISEMENTS AND OTHER INSERTIONS IN MEDIA

CROSS-REFERENCE TO RELATED APPLICATIONS

5 This application is a continuation of United States Patent Application No. 11/689,982, filed March 22, 2007, entitled "SCHEME FOR DETERMINING THE LOCATIONS AND TIMING OF ADVERTISEMENTS AND OTHER INSERTIONS IN MEDIA," the entire disclosure of which is hereby fully incorporated herein by reference in its entirety.

10

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to digital video processing, and more specifically to digital insertion of images and video in program content.

15

2. Discussion of the Related Art

One traditional form of advertising is the television commercial. Such television commercials typically consist of brief advertising spots that range in length from a few seconds to several minutes. The commercials appear between shows and interrupt the shows at regular intervals. The goal of advertisers is to keep the viewer's attention focused on the commercial, but often times the viewer will change the channel during the commercial to avoid watching the commercial.

20

Another way that viewers have avoided television commercials is by using digital video recorders (DVRs). With a DVR a person can record a show and then fast forward through the commercials during playback. Other media players are expected to provide viewers with even greater ability to track and skip commercials.

25

It is with respect to these and other background information factors, including the growth and popularity of user-created video services such as YouTube®, and the need to insert advertising in such media, that the present invention has evolved.

30

SUMMARY OF THE INVENTION

One embodiment provides a method for use with content, comprising:

analyzing a sequence of frames of the content; determining whether an area exists in a scene depicted by the sequence of frames where additional content can be inserted without obstructing activity in the scene; for any such area, determining an amount of time that the area is available when the sequence of frames is being played; and for
5 any such area, determining a size of the area.

Another embodiment provides a storage medium storing a computer program executable by a processor based system, the computer program causing the processor based system to execute steps comprising: analyzing a sequence of frames of content; determining whether an area exists in a scene depicted by the sequence of
10 frames where additional content can be inserted without obstructing activity in the scene; for any such area, determining an amount of time that the area is available when the sequence of frames is being played; and for any such area, determining a size of the area.

Another embodiment provides an apparatus for use with content,
15 comprising: a processor based system that is configured to analyze a sequence of frames of the content and determine whether an area exists in a scene depicted by the sequence of frames where additional content can be inserted without obstructing activity in the scene; wherein for any such area, the processor based system is further configured to determine an amount of time that the area is available when the
20 sequence of frames is being played and determine a size of the area.

A better understanding of the features and advantages of various embodiments of the present invention will be obtained by reference to the following detailed description and accompanying drawings which set forth an illustrative embodiment in which principles of embodiments of the invention are utilized.

25

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other aspects, features and advantages of embodiments of the present invention will be more apparent from the following more particular description thereof, presented in conjunction with the following drawings wherein:

30 FIG. 1 is a flow diagram illustrating a method for use with content in accordance with an embodiment of the present invention;

FIGS. 2A and 2B are screen shots illustrating an example application of the method of FIG. 1 in accordance with an embodiment of the present invention;

FIGS. 3A and 3B are screen shots illustrating another example application of the method of FIG. 1 in accordance with an embodiment of the present invention; and

FIG. 4 is a block diagram illustrating a processor based system that may be used to run, implement and/or execute the methods and/or techniques shown and described herein in accordance with embodiments of the present invention.

DETAILED DESCRIPTION

When viewers avoid traditional television commercials as described above, the advertisers' messages are not received by the viewers, which is disadvantageous. Because of such disadvantages, embodiments of the present invention relate to the insertion of advertisements or other content into the television show or other program itself.

Some of the embodiments of the present invention involve an automated method for determining the timing and position of advertisements or other insertions to be placed in content. Such content may include any type of content, such as for example television shows, movies, videos, web pages, games, etc. In some embodiments, the method may operate by analyzing a sequence of video frames over time to determine clean, uncluttered, or other areas or regions in the media where the activity in the scene is not obstructed by a zone occupied by an advertisement overlay.

For example, referring to FIG. 1 there is illustrated a method 100 that operates in accordance with an embodiment of the present invention. The method 100, which may be used with any type of content, begins in step 102 in which a sequence of frames of the content is analyzed. By way of example, video analysis of the sequence of video frames may be used to determine appropriate locations to deposit advertisements or other graphics into the media. In some embodiments, such analysis may be automatically conducted on a frame-by-frame basis.

In step 104, it is determined whether an area exists in a scene depicted by the sequence of frames where additional content can be inserted without obstructing activity in the scene. In some embodiments this may be done by going through the video frame-by-frame to identify where movement is happening or regions of voids. For example, there may be people and action happening on one side of the screen, but no movement on the other side of screen. The area of no movement may be an

appropriate place to insert an advertisement or other additional content.

In step 106, for any area identified as appropriate for receiving additional content, the amount of time that the area is available when the sequence of frames is being played is determined. And in step 108, the size of any identified area is
5 determined. As such, a system implementing this method may determine whether or not the region of no activity is large enough to fit an advertisement.

The method 100 may be performed automatically by any type of computer or processor based system. Such a system may conduct a frame-by-frame analysis over time to track the action in the scenes and mark the blocks of video that are
10 appropriate for the insertion of advertisements or other images or content. In some embodiments, the frame-by-frame analysis may be conducted by image analysis software.

Thus, in some embodiments a system looks at the frames in the video and identifies the locations in the video where there is activity and where there is no
15 activity. In a simple scenario the camera is fixed and the actors are moving. That is, the sequence of frames comprises a representation of video shot by a fixed camera. In a more complex scenario, the camera is moving or panning across the scene, which includes fixed objects, as well as moving objects. That is, the sequence of frames comprises a representation of video shot by a moving camera.

FIG. 2A illustrates an example of the fixed camera scenario. In this
20 example the frame boarder 202 represents each frame in the sequence of frames because the camera is fixed. If two children 204, 206 are playing with a soccer ball 208 on the right side of the screen, an advertisement may be placed on the other side of the screen so as not to obstruct the view of the children playing with the soccer
25 ball. This way, an advertisement may be deposited in the scene so as not to obstruct a view of the moving objects or activity, i.e. the children 204, 206 playing with the ball 208.

FIG. 2B illustrates an advertisement 212 for "Best Soda" that has been inserted into the scene. Because the two children 204, 206 are playing with the soccer
30 ball 208 are still visible, the activity in connection with the focus of the video has not be obstructed by the advertisement 212. That is, the primary or target or moving objects in the scene are not obstructed by the advertisement 212.

In some embodiments, in analyzing the frames the system may mark a

frame or part of a frame as not able to receive an advertisement because there is too much movement. Such frames or portions of frames may be referred to herein as too “dirty.” Thus, in the present example the system may block out the portions of the frames associated with the children 204, 206 playing with the soccer ball 208 so that
5 those spaces are not used for the placement of advertisements or other insertions.

As another example, all of the actors and movement in a certain scene may be located on the left side of the screen. As such, the system may block out the portions of the frames corresponding to the actors on the left side of the screen and may indicate that advertisements cannot be placed there. That is, advertisements
10 cannot be placed on the left side of the screen because there are people moving and things are happening on the left side of the screen. Meanwhile, however, the right side of the screen may be clean, and it may have been clean for a certain period of time that may be sufficient for the placing of an advertisement.

In some embodiments, scenes may contain metadata that characterize
15 information about the frames and including the history and momentum of objects moving in the frames, and some embodiments of the present invention may utilize such metadata to determine the potential regions in which content, including advertisements, may be placed in the scene.

In some embodiments, the step of determining if a frame is “dirty” or if a
20 frame region is “dirty” may be performed by analyzing the frame data across one or more frames. Fixed or variable thresholds may be used in the determination of objects of interest and regions of interest. In some embodiments the system may also encode or create metadata as mentioned above for enabling playback system insertion of content.

25 FIG. 3A illustrates an example of the moving camera scenario. In this example the frame borders 302, 304, 306 represent three of the frames in the sequence of frames as the camera moves. Because the camera is moving or panning across the scene, a fixed object such as a trash can 308 will appear to be slowly sliding over the background of the scene. The trash can 308 has this appearance
30 because it is positioned toward the right side of frame 302, near the center of frame 304, and then towards the left side of frame 306. With the camera slowly panning across the set, and the objects in the scene are fixed on the set, each frame looks dirty because there is constant movement.

However, by reviewing the frames of the video, the system may determine that the camera is moving, the people within the scene are moving, but that the trash can 308 is fixed. As such, a space on the trash can 308 may be free to use for an advertisement or other image or graphics because the trash can itself is largely fixed.

5 FIG. 3B illustrates an advertisement 312 for "Town Realty" that has been inserted into the scene on the trash can 308. In this example, the trash can 308 comprises an area in the scene where additional content can be inserted without obstructing activity in the scene. Thus, in some embodiments in the scenario where the camera is moving or panning, the system may identify the fixed objects, and then
10 identify how an advertisement may be overlaid onto the fixed objects. In some embodiments, this may be done by moving a fulcrum along the frame to filter out the fixed objects from the moving objects. Namely, the system may slide the point of perspective as to where the reference elements are located within a frame so that the camera movements can be filtered out from the actual actors moving in the scene.

15 As mentioned above, the method 100 (FIG. 1) includes step 106 for determining the amount of time that the area is available when the sequence of frames is being played, and step 108 for determining the size of the area. For example, a system may determine that the right side of the screen may be free for a certain amount of time, and it may be free to a certain dimension for that amount time. This
20 information may be important for choosing an advertisement because that dimension may be capable of taking an advertisement with a certain maximum size. And furthermore, that dimension may only be available for a certain amount of time, such as for example 2, 5, 15, 20, etc. seconds.

 In some embodiments, the system may search the frames in the sequence
25 of frames for a large enough region or space to hold an advertisement of a certain size. The system may also search for a long enough length of time in the video to place a certain advertisement. For example, a certain advertisement may need 15 seconds of free and clear region for placement of the advertisement. The system may do this by determining how long each empty region in the video will last.

30 In some embodiments, the system may use the determined time and size information to look across a database of advertisements and select an advertisement that is appropriate for the available dimensions and available amount of time. Thus, in some embodiments there is a profiling of video sequences, and then there is a

database look-up for an advertisement based on how much time and space is available for the advertisement. For example, in some embodiments a system may determine how much time is available in the video for an occlusion free zone. Then, the database look-up determines whether or not the size of occlusion free zone and the time available meet the requirements for any advertisements that are in the database.

Other factors may or may not be used in choosing the specific advertisement. For example, in some embodiments, the system may simply choose the next advertisement that meets the maximum time available and maximum size available.

Or, in some embodiments the system may choose an advertisement that maximizes the revenue that can be generated from selling the advertisement space. Various different sizes and types of advertisements may maximize the dollar return for the available advertisement space. For example, maximum revenue may be generated by filling the space with several smaller advertisements, or filling the space with one large advertisement. In some embodiments, the system may analyze the space and time available to maximize the dollar revenue based upon those specifications.

In some embodiments, the system may use methods for ordering the selection of the advertisements to meet economic business models. For example, the system may use a priority scheme for selecting the advertisements. As another example, several small advertisements may be used to optimize the available space, which may generate more revenue than one large advertisement. With any such scenario the system may still determine whether or not the next chosen advertisement meets the determined time and size specifications.

Therefore, embodiments of the present invention provide methods for determining the location and timing of advertisements and other content placed in media. Embodiments of the present invention may be used to automatically find blank spaces or voids in video into which advertisements or other content may be inserted. That is, a video may be run through a process according to an embodiment of the present intention to automatically find the blank spaces or voids in the video into which advertisements may be inserted. For example, a ten second clip of video may include two seconds of blank or black screen. In this example, the whole screen may be available for an advertisement for two seconds. Thus, twenty-percent of the

ten second video may be populated with advertisements or other content.

It should be well understood that other types of content and not just advertisements may be inserted into the blank spaces or voids. For example, other type of graphics, images, pictures, etc. may comprise the additional content that may
5 be inserted into the areas where additional content can be inserted without obstructing activity in the scene.

The methods and techniques described herein may be utilized, implemented and/or run on many different types of systems, computers, graphics workstations, televisions, entertainment systems, video game systems, DVD players,
10 DVRs, media players, home servers, video game consoles, and the like. Referring to FIG. 4, there is illustrated a system 400 that may be used for any such implementations. One or more components of the system 400 may be used for implementing any system mentioned above. However, the use of the system 400 or any portion thereof is certainly not required.

By way of example, the system 400 may include, but is not required to include, a central processing unit (CPU) 402, a graphics processing unit (GPU) 404, digital differential analysis (DDA) hardware 406, a random access memory (RAM) 408, and a mass storage unit 410, such as a disk drive. The system 400 may be
15 coupled to, or integrated with, a display 412, such as for example any type of display, including any of the types of displays mentioned herein. The system 400 comprises an example of a processor based system.

The CPU 402 and/or GPU 404 may be used to execute or assist in executing the steps of the methods and techniques described herein, and various program content and images may be rendered on the display 412. Removable storage
25 media 414 may optionally be used with the mass storage unit 410, which may be used for storing code that implements the methods and techniques described herein. However, any of the storage devices, such as the RAM 408 or mass storage unit 410, may be used for storing such code. Furthermore, any of the storage devices, such as the RAM 408 or mass storage unit 410, may be used for storing the database
30 described above. Either all or a portion of the system 400 may be embodied in any type of device, such as for example a computer, workstation, television, video game console or system, or any other type of device, including any type of device mentioned herein.

While the invention herein disclosed has been described by means of specific embodiments and applications thereof, numerous modifications and variations could be made thereto by those skilled in the art without departing from the scope of the invention set forth in the claims.

CLAIMS

What is claimed is:

1. A method for use with content, comprising:
analyzing a sequence of frames of the content;
determining whether an area exists in a scene depicted by the sequence of frames where additional content can be inserted without obstructing activity in the scene;
for any such area, determining an amount of time that the area is available when the sequence of frames is being played; and
for any such area, determining a size of the area.
2. A method in accordance with claim 1, wherein the step of determining whether an area exists comprises:
identifying areas in the scene having no activity.
3. A method in accordance with claim 1, wherein the step of determining whether an area exists comprises:
identifying areas in the scene having activity.
4. A method in accordance with claim 1, wherein the area comprises a fixed object in the scene.
5. A method in accordance with claim 1, wherein the sequence of frames comprises a representation of video shot by a fixed camera.
6. A method in accordance with claim 1, wherein the sequence of frames comprises a representation of video shot by a moving camera.
7. A method in accordance with claim 1, further comprising:
inserting the additional content into the area.
8. A method in accordance with claim 1, further comprising:

selecting the additional content from a database based at least in part on the determined amount of time that the area is available.

9. A method in accordance with claim 1, further comprising:

selecting the additional content from a database based at least in part on the determined size of the area.

10. A method in accordance with claim 1, wherein the additional content comprises an advertisement.

11. A storage medium storing a computer program executable by a processor based system, the computer program causing the processor based system to execute steps comprising:

analyzing a sequence of frames of content;

determining whether an area exists in a scene depicted by the sequence of frames where additional content can be inserted without obstructing activity in the scene;

for any such area, determining an amount of time that the area is available when the sequence of frames is being played; and

for any such area, determining a size of the area.

12. A storage medium in accordance with claim 11, wherein the step of determining whether an area exists comprises:

identifying areas in the scene having no activity.

13. A storage medium in accordance with claim 11, wherein the step of determining whether an area exists comprises:

identifying areas in the scene having activity.

14. A storage medium in accordance with claim 11, wherein the area comprises a fixed object in the scene.

15. A storage medium in accordance with claim 11, wherein the sequence

of frames comprises a representation of video shot by a fixed camera.

16. A storage medium in accordance with claim 11, wherein the sequence of frames comprises a representation of video shot by a moving camera.

17. A storage medium in accordance with claim 11, further comprising:
inserting the additional content into the area.

18. A storage medium in accordance with claim 11, further comprising:
selecting the additional content from a database based at least in part on
the determined amount of time that the area is available.

19. A storage medium in accordance with claim 11, further comprising:
selecting the additional content from a database based at least in part on
the determined size of the area.

20. A storage medium in accordance with claim 11, wherein the additional
content comprises an advertisement.

21. An apparatus for use with content, comprising:
a processor based system that is configured to analyze a sequence of
frames of the content and determine whether an area exists in a scene depicted by the
sequence of frames where additional content can be inserted without obstructing
activity in the scene;

wherein for any such area, the processor based system is further
configured to determine an amount of time that the area is available when the
sequence of frames is being played and determine a size of the area.

22. An apparatus in accordance with claim 21, wherein the processor based
system is further configured to identify areas in the scene having no activity.

23. An apparatus in accordance with claim 21, wherein the processor based
system is further configured to identify areas in the scene having activity.

24. An apparatus in accordance with claim 21, wherein the area comprises a fixed object in the scene.

25. An apparatus in accordance with claim 21, wherein the sequence of frames comprises a representation of video shot by a fixed camera.

26. An apparatus in accordance with claim 21, wherein the sequence of frames comprises a representation of video shot by a moving camera.


27. An apparatus in accordance with claim 21, wherein the processor based system is further configured to insert the additional content into the area.

28. An apparatus in accordance with claim 21, wherein the processor based system is further configured to select the additional content from a database based at least in part on the determined amount of time that the area is available.

29. An apparatus in accordance with claim 21, wherein the processor based system is further configured to select the additional content from a database based at least in part on the determined size of the area.

30. An apparatus in accordance with claim 21, wherein the additional content comprises an advertisement.

1/4

**FIG. 1**

2/4




FIG. 2A




FIG. 2B

3/4




FIG. 3A




FIG. 3B

4/4




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US2008/057373

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - H04B 1/66 (2008.04)

USPC - 375/240.260

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8) - H04B 1/66 (2008.04)

USPC - 375/240.260

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MicroPatent, IP.com, DialogPro

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 7,020,381 B1 (KATO et al) 28 March 2006 (28.03.2006) entire document	1-30
Y	US 6,954,498 B1 (LIPTON) 11 October 2005 (11.10.2005) entire document	1-30



Further documents are listed in the continuation of Box C.



* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

26 May 2008

Date of mailing of the international search report

01 JUL 2008

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-3201

Authorized officer:

Blaine R. Copenheaver

PCT Helpdesk: 571-272-4300

PCT OSP: 571-272-7774