US00D334736S

United States Patent [19]

Sawada et al.

[11] Patent Number: Des. 334,736

[45] Date of Patent: ** Apr. 13, 1993

[54] DATA INPUT AND OUTPUT TERMINAL

[75] Inventors: **Masaji Sawada; Koji Nishida,** both of Osaka, Japan

[73] Assignee: **Sharp Corporation,** Osaka, Japan

[*] Notice: The portion of the term of this patent subsequent to Jun. 11, 2005 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **524,177**

[22] Filed: **May 15, 1990**

[30] **Foreign Application Priority Data**

Nov. 15, 1989 [JP] Japan 1-41528

[52] **U.S. Cl.** **D14/100;** D18/7

[58] **Field of Search** ..... D14/100, 105, 106, 107; D18/1, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 235/145 A, 145 R; 400/493.1, 494, 472; 364/706-709.09, 900

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 305,535 1/1990 Sakaguchi et al. D14/100
D. 308,049 5/1990 Dennett D14/100
D. 309,601 7/1990 Sawada et al. D14/100
D. 317,440 6/1991 Sawada et al. D14/100

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert

[57] **CLAIM**

The ornamental design for a data input and output terminal, as shown and described.

DESCRIPTION

FIG. **1** is a top plan view of a data input and output terminal showing our new design in the opened position;
FIG. **2** is a right side elevational view thereof;
FIG. **3** is a rear elevational view therfeof;
FIG. **4** is a perspective view thereof in the closed position;
FIG. **5** is a top plan view thereof;
FIG. **6** l **is a bottom plan view thereof;**
FIG. **7** is a front elevational view thereof;
FIG. **8** is a rear elevational view thereof;
FIG. **9** is a right side elevational view thereof; and,
FIG. **10** is a left side elevational view thereof.





FIG_1



FIG_2



FIG_3



FIG_4



FIG_5



FIG_7



FIG_9



FIG_6



FIG_8



FIG_10