

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 2013345072 B2

(54) Title
Anti-hemagglutinin antibodies and methods of use

(51) International Patent Classification(s)
C07K 16/10 (2006.01) **A61P 31/16** (2006.01)
A61K 39/42 (2006.01)

(21) Application No: **2013345072** (22) Date of Filing: **2013.11.12**

(87) WIPO No: **WO14/078268**

(30) Priority Data

(31) Number (32) Date (33) Country
61/725,859 **2012.11.13** **US**

(43) Publication Date: **2014.05.22**
(44) Accepted Journal Date: **2017.12.07**

(71) Applicant(s)
Genentech, Inc.

(72) Inventor(s)
Xu, Min;Balazs, Mercedesz;Chai, Ning;Chiang, Nancy;Chiu, Henry;Jin, Zhaoyu;Lin, Zhonghua;Lupardus, Patrick J.;Nakamura, Gerald R.;Park, Hyunjoo;Swem, Lee R.

(74) Agent / Attorney
Griffith Hack, GPO Box 1285, Melbourne, VIC, 3001, AU

(56) Related Art
US 2011/0274702 A1

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
22 May 2014 (22.05.2014)

(10) International Publication Number
WO 2014/078268 A8

(51) International Patent Classification:
A61K 39/42 (2006.01) *A61P 31/16* (2006.01)
C07K 16/10 (2006.01)

(72) Inventors: **XU, Min**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **BALAZS, Mercedesz**; 1529 Magnolia Blvd. W, Seattle, WA 98199 (US). **CHAI, Ning**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **CHIANG, Nancy**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **CHIU, Henry**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **JIN, Zhaoyu**; 972 De Soto Lane, Foster City, CA 94404 (US). **LIN, Zhonghua**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **LUPARDUS, Patrick, J.**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **NAKAMURA, Gerald, R.**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **PARK, Hyunjoo**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US). **SWEM, Lee, R.**; c/o Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080 (US).

(21) International Application Number:
PCT/US2013/069567

(22) International Filing Date:
12 November 2013 (12.11.2013)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/725,859 13 November 2012 (13.11.2012) US

(71) Applicant (for all designated States except AL, AT, BE, BG, CH, CN, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IN, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR): **GENENTECH, INC.** [US/US]; 1 DNA Way, South San Francisco, CA 94080 (US).

(71) Applicant (for AL, AT, BA, BE, BG, CH, CN, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IN, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR only): **F. HOFFMANN-LA ROCHE AG** [CH/CH]; Grenzacherstrasse 124, CH-4070 Basel (CH).

(74) Agents: **NESBITT, James E.** et al.; Genentech, Inc., 1 DNA Way, MS-49, South San Francisco, CA 94080 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,

[Continued on next page]

(54) Title: ANTI-HEMAGGLUTININ ANTIBODIES AND METHODS OF USE




FIG. 15

(57) Abstract: The present invention provides anti-hemagglutinin antibodies, compositions comprising anti- hemagglutinin antibodies, and methods of using the same.



KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- with sequence listing part of description (Rule 5.2(a))

(88) Date of publication of the international search report:
27 November 2014

(48) Date of publication of this corrected version:
22 January 2015

(15) Information about Correction:
see Notice of 22 January 2015

ANTI-HEMAGGLUTININ ANTIBODIES AND METHODS OF USE

RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 61/725,859, filed on 13 November 2012, which is incorporated by reference herein in its entirety.

SEQUENCE LISTING

The instant application contains a Sequence Listing.

FIELD OF THE INVENTION

The present invention provides anti-hemagglutinin antibodies, compositions comprising anti-hemagglutinin antibodies, and methods of using the same.

BACKGROUND

Influenza virus infection causes between three and five million cases of severe illness and between 250,000 and 500,000 deaths every year around the world. In the United States alone, 5% to 20% of the population becomes infected with influenza virus each year, with the majority of these infections caused by the influenza A virus. (See, e.g., Dushoff *et al.*, (2006) Am J Epidemiology 163:181-187; Thompson *et al.*, (2004) JAMA 292:1333-1340; Thompson *et al.*, (2003) JAMA 289:179-186.) Approximately 200,000 people in the United States become hospitalized with influenza-related complications every year, resulting in 7,000 to 30,000 deaths annually. The burden associated with influenza virus infection on health care costs and lost productivity is extensive. Hospitalization and deaths mainly occur in high-risk groups, such as the elderly, children, and chronically ill.

Influenza viruses are segmented membrane-enveloped negative-strand RNA viruses belonging to the *Orthomyxoviridae* family. Influenza A virus consists of 9 structural proteins and 1 non-structural protein, which include three virus surface proteins: hemagglutinin (HA or H), neuraminidase (NA or N), and matrix protein 2 (M2). The segmented nature of the influenza viral genome allows the mechanism of genetic reassortment (*i.e.*, exchange of genome

segments) to take place during mixed infection of a cell with different influenza viral strains. Annual epidemics of influenza occur when the antigenic properties of the viral surface proteins hemagglutinin and neuraminidase are altered. The mechanism of altered antigenicity is twofold: antigenic shift, caused by genetic rearrangement between human and animal viruses 5 after co- infection of host cells with at least two viral subtypes, which can cause a pandemic; and antigenic drift, caused by small changes in the hemagglutinin and neuraminidase proteins on the virus surface, which can cause influenza epidemics.

Influenza A viruses may be further classified into various subtypes depending on the different 10 hemagglutinin and neuraminidase viral proteins displayed on their surface. Each influenza A virus subtype is identified by the combination of its hemagglutinin and neuraminidase proteins. There are 16 known HA subtypes (H1 – H16) and 9 known NA subtypes (N1 – N9). The 16 hemagglutinin subtypes are further classified into two phylogenetic groups: Group1 includes 15 hemagglutinin H1, H2, H5, H6, H8, H9, H11, H12, H13, and H16 subtypes; Group2 includes hemagglutinin H3, H4, H7, H10, H14, and H15 subtypes.

Hemagglutinin promotes viral attachment and entry into the host cell; neuraminidase is required for viral budding from the infected cell. The hemagglutinin of influenza A virus comprises two structurally distinct regions - a globular head region and a stalk or stem region. 20 The globular head region contains a receptor binding site which is responsible for virus attachment to a target cell. The stalk (or stem) region of hemagglutinin contains a fusion peptide which is necessary for membrane fusion between the viral envelope and an endosomal membrane of the infected cell. (See, e.g., Bouvier and Palese (2008) Vaccine 26 Suppl 4: D49-53; Wiley *et al.*, (1987) Ann Rev Biochem 556:365-394.)

25 Current treatment for influenza virus infection includes neuraminidase inhibitors, such as oseltamivir and zanamivir. Oseltamivir is a widely used prophylactic and early therapeutic treatment option for influenza A virus infection. (See, e.g., Kandel and Hartshorn (2001) BioDrugs: Clinical Immunotherapy, Biopharmaceuticals and Gene Therapy 15:303-323; Nicholson *et al.*, (2000) Lancet 355:1845-1850; Treanor *et al.*, (2000) JAMA 283:1016-1024; and Welliver *et al.*, (2001) JAMA 285:748-754.) However, oseltamivir treatment must begin within 48 hours of symptom onset to provide a significant clinical benefit. (See, e.g., Aoki et al (2003) J Antimicrobial Chemotherapy 51:123-129.) This liability compromises oseltamivir's ability to treat severely ill patients, who are typically beyond the optimal 48-hour

treatment window at the time of seeking treatment. Therefore, significant focus has recently been placed on identifying influenza virus therapeutics to treat hospitalized influenza virus infected patients. One strategy has focused on development of human monoclonal antibodies (mAbs) that target a highly conserved epitope on the stalk of influenza A virus hemagglutinin. (See, *e.g.*, Corti *et al.*, (2011) *Science* 333:850-856; Ekiert *et al.*, (2009) *Science* 324:246-251; Ekiert *et al.*, (2011) *Science* 333:843-850; Sui *et al.*, (2009) *Nature Structural & Molecular Biology* 16:265-273; Dreyfus *et al.*, (2012) *Science* 337:1343-1348; Wu *et al.*, (2012) *J Virology* 2012.09.034; Clementi *et al.*, (2011) *PLoS One* 6:1-10. See also International Patent Application Publication Nos: WO2009/115972, WO2011/117848, WO2008/110937, WO2010/010466, WO2008/028946, WO2010/130636, WO2012/021786, WO2010/073647, WO2011/160083, WO2011/111966, WO2002/46235, and WO2009/053604; U.S. Patent Nos: 5,631,350 and 5,589,174.)

Several reports have described monoclonal antibodies (mAb) that bind hemagglutinin and broadly neutralize influenza A virus. For example, Corti *et al.* (*supra*) described antibody FI6v3, which was cloned from a human plasma cell and shown to neutralize human influenza A viruses belonging to both Group1 and Group2 hemagglutinin subtypes. The FI6v3 mAb was discovered as a result of a heroic effort of analyzing approximately 104,000 human plasma cells. Additionally, Dreyfus *et al.* (*supra*) recently described the identification of antibody CR9114 by phage display panning; antibody CR9114 was shown to bind to a highly conserved stalk epitope shared between influenza A virus and influenza B virus hemagglutinin.

Despite these reports, a need still exists in the art for novel influenza A virus therapies effective against Group1 and Group2 influenza A virus subtypes. The present invention meets this need and provides other benefits for the treatment of influenza A virus infection.

It is to be understood that if any prior art publication is referred to herein, such reference does not constitute an admission that the publication forms a part of the common general knowledge in the art in Australia or any other country.

SUMMARY OF THE INVENTION

Disclosed herein are anti-hemagglutinin antibodies, compositions comprising anti-hemagglutinin antibodies, and methods of using the same.

A first aspect provides an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192;
- (b) HVR-H2 comprises amino acid sequence SEQ ID NO:193;
- (c) HVR-H3 comprises amino acid sequence SEQ ID NO:194;
- (d) HVR-L1 comprises amino acid sequence SEQ ID NO:195;
- (e) HVR-L2 comprises amino acid sequence SEQ ID NO:196; and
- (f) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.

A second aspect provides a composition comprising the antibody of the first aspect.

A third aspect provides a pharmaceutical composition comprising the antibody of the first aspect and a pharmaceutically acceptable carrier.

A fourth aspect provides an isolated nucleic acid encoding the antibody of the first aspect.

A fifth aspect provides a host cell comprising the nucleic acid of the fourth aspect.

25

A sixth aspect provides a method of producing an antibody comprising culturing the host cell of the fifth aspect so that the antibody is produced.

A seventh aspect provides an antibody when produced by the method of the sixth aspect.

30

An eighth aspect provides a method for treating, inhibiting, or preventing influenza A virus infection in an individual in need thereof, the method comprising administering to the

individual an effective amount of a composition comprising the anti-hemagglutinin antibody of the first or seventh aspect, thereby treating, inhibiting, or preventing influenza A virus infection

A ninth aspect provides use of the anti-hemagglutinin antibody of any one of the first or seventh aspect in the manufacture of a medicament for treating, inhibiting, or preventing influenza A virus infection in an individual in need thereof.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:178;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:179;
- (c) HVR-H3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181;
- (d) HVR-L1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:187; and
- (f) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:178;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:179;
- (c) HVR-H3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181;
- (d) HVR-L1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:187; and
- (f) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:187; and
- (c) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:178;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:179; and
- (c) HVR-H3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:187; and
- (c) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

25 Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:178;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:179; and
- (c) HVR-H3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:111 and 115, and the light chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:113, 117, 119, 122, 124, 126, 128, 130, and 132.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:113, 117, 119, 122, 124, 126, 128, 130, and 132.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:111 and 115.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:110, 114, and 120, and the light chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:112, 116, 118, 121, 123, 125, 127, 129, and 131.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:112, 116, 118, 121, 123, 125, 127, 129, and 131.

25 Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:110, 114, and 120.

30 Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

(a) HVR-H1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192;

- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:193;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:194;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:195;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:196; and
- (f) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:195;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:196; and
- (c) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:193; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:194.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:195;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:196; and
- (c) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192;

- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:193; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:194.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:134, 138, 142, 148, and 234, and the light chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:136, 140, 144, 146, 150, 152, and 235.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 136, 140, 144, 146, 150, 152, and 235.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 134, 138, 142, 148, and 234.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:133, 137, 141, and 147, and the light chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:135, 139, 143, 145, 149, and 151.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 135, 139, 143, 145, 149, and 151.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 133, 137, 141, and 147.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:200;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:201;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:202;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:203;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:204; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:205.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:200;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:201;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:202;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:203;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:204; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:205.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:203;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:204; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:205.

25

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:200;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:201; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:202.

30

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:203;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:204; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:205.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:200;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:201; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:202.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:154 and 158, and the light chain variable region comprises the amino acid sequence of SEQ ID NO:156.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:156.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 154 and 158.

25

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:153 and 157, and the light chain comprises the amino acid sequence of SEQ ID NO:155.

30

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:155.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:153 and 157.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:206;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:207;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:208;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:209;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:210; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:211.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:206;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:207;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:208;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:209;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:210; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:211.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:209;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:210; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:211.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:206;

- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:207; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:208.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:209;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:210; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:211.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:206;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:207; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:208.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises the amino acid sequence of SEQ ID NO:160, and the light chain variable region comprises the amino acid sequence of SEQ ID NO:162.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:162.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 160.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises the amino acid sequence of SEQ ID NO:159, and the light chain comprises the amino acid sequence of SEQ ID NO:161.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:161.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:159.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:212;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:213;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:214;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:215;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:216; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:217.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:212;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:213;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:214;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:215;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:216; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:217.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:215;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:216; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:217.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:212;

- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:213; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:214.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:215;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:216; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:217.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:212;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:213; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:214.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises the amino acid sequence of SEQ ID NO:164, and the light chain variable region comprises the amino acid sequence of SEQ ID NO:166.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:166.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 164.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises the amino acid sequence of SEQ ID NO:163, and the light chain comprises the amino acid sequence of SEQ ID NO:165.

30

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:165.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:163.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:218;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:219;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:220;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:221;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:222; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:223.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, three, four, five and/or six hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:218;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:219;
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:220;
- (d) HVR-L1 comprises the amino acid sequence of SEQ ID NO:221;
- (e) HVR-L2 comprises the amino acid sequence of SEQ ID NO:222; and
- (f) HVR-L3 comprises the amino acid sequence of SEQ ID NO:223.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three light chain hypervariable regions (HVR-L1, HVR-L2, and LVR-L3), wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:221;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:222; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:223.

Also disclosed is an isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3), wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:218;

- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:219; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:220.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three light chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-L1 comprises the amino acid sequence of SEQ ID NO:221;
- (b) HVR-L2 comprises the amino acid sequence of SEQ ID NO:222; and
- (c) HVR-L3 comprises the amino acid sequence of SEQ ID NO:223.

Also disclosed is an isolated anti-hemagglutinin antibody comprising: at least one, two, and/or three heavy chain hypervariable region (HVR) sequences, wherein:

- (a) HVR-H1 comprises the amino acid sequence of SEQ ID NO:218;
- (b) HVR-H2 comprises the amino acid sequence of SEQ ID NO:219; and
- (c) HVR-H3 comprises the amino acid sequence of SEQ ID NO:220.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises the amino acid sequence of SEQ ID NO:168, and the light chain variable region comprises the amino acid sequence of SEQ ID NO:170.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:170.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 168.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain and a light chain, wherein the heavy chain comprises the amino acid sequence of SEQ ID NO:167, and the light chain comprises the amino acid sequence of SEQ ID NO:169.

30

Also disclosed is an isolated anti-hemagglutinin antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:169.

Also disclosed is an isolated anti-hemagglutinin antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:167.

Also disclosed are isolated nucleic acids encoding an anti-hemagglutinin antibody of the present invention. Also disclosed are vectors comprising a nucleic acid encoding an anti-hemagglutinin antibody of the present disclosure. Also disclosed are host cells comprising a nucleic acid or a vector of the present disclosure. A vector can be of any type, for example, a recombinant vector such as an expression vector. Any of a variety of host cells can be used. In one embodiment, a host cell is a prokaryotic cell, for example, *E. coli*. In another embodiment, a host cell is a eukaryotic cell, for example, a mammalian cell, such as a Chinese Hamster Ovary (CHO) cell.

Also disclosed is a method of producing an anti-hemagglutinin antibody of the present disclosure. For example, a method for making an anti-hemagglutinin antibody (which, as defined herein, includes full length antibody and fragments thereof) is disclosed, the method comprising expressing in a suitable host cell a recombinant vector of the disclosure encoding the anti-hemagglutinin antibody or fragments thereof so that the antibody or fragments thereof are produced. In some embodiments, the method comprises culturing a host cell comprising nucleic acid encoding an anti-hemagglutinin antibody of the present disclosure (or fragments thereof) so that the nucleic acid is expressed. The method may further comprise recovering the anti-hemagglutinin antibody or fragments thereof from the host cell culture or the host cell culture medium.

25 Also disclosed is a pharmaceutical formulation comprising an anti-hemagglutinin antibody of the present disclosure and a pharmaceutically acceptable carrier. The pharmaceutical formulation may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

30 Also disclosed is a composition comprising an anti-hemagglutinin antibody of the present disclosure. The composition may further comprise an additional therapeutic agent (e.g., a

neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is a composition comprising an anti-hemagglutinin antibody of the present disclosure for use in preventing influenza A virus infection. Also disclosed is a pharmaceutical composition comprising an anti-hemagglutinin antibody of the present disclosure for use in preventing influenza A virus infection. Also disclosed is a composition comprising an anti-hemagglutinin antibody of the present disclosure for use in treating influenza A virus infection. Also disclosed is a pharmaceutical composition comprising an anti-hemagglutinin antibody of the present disclosure for use in treating influenza A virus infection. Also disclosed is a composition comprising an anti-hemagglutinin antibody of the present disclosure for use in inhibiting influenza A virus infection. Also disclosed is a pharmaceutical composition comprising an anti-hemagglutinin antibody of the present disclosure for use in inhibiting influenza A virus infection.

Compositions comprising an anti-hemagglutinin antibody of the present disclosure may also be used in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is a method for inhibiting influenza A virus infection, the method comprising administering to a patient in need thereof an effective amount of a composition comprising an anti-hemagglutinin antibody of the present disclosure, thereby inhibiting influenza A virus infection. Also disclosed is a method for treating influenza A virus infection, the method comprising administering to a patient in need thereof an effective amount of a composition comprising an anti-hemagglutinin antibody of the present disclosure, thereby treating influenza A virus infection. Also disclosed is a method for preventing influenza A virus infection, the method comprising administering to a patient in need thereof an effective amount of a composition comprising an anti-hemagglutinin antibody of the present disclosure, thereby preventing influenza A virus infection.

Also disclosed is a method for inhibiting, treating, or preventing influenza A virus infection, the method comprising administering to a patient in need thereof an effective amount of a composition comprising an anti-hemagglutinin antibody of the present disclosure, and administering to the patient an effective amount of an additional therapeutic agent, thereby inhibiting, treating, or preventing influenza A virus infection. In some embodiments, the additional therapeutic agent is a neuraminidase inhibitor, such as oseltamivir or zanamivir. In other embodiments, the additional therapeutic agent is another anti-hemagglutinin antibody. In yet other embodiments, the additional therapeutic agent is an anti-M2 antibody. In various embodiments of such combination treatments, the therapeutic agents are administered at about the same time, are administered together, or are administered sequentially or consecutively. In particular embodiments, an anti-neuraminidase inhibitor is administered prior to the administration of an anti-hemagglutinin antibody of the present disclosure.

Also disclosed is use of an anti-hemagglutinin antibody of the present disclosure in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is use of a nucleic acid of the disclosure in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is use of an expression vector of the disclosure in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or

zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is use of a host cell of the disclosure in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is use of an article of manufacture of the disclosure in the manufacture of a medicament. The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

Also disclosed is use of a kit of the disclosure in the manufacture of a medicament.

The medicament may be for use in the inhibition, treatment, or prevention of influenza A virus infection. In certain embodiments, the medicament may further comprise an additional therapeutic agent (e.g., a neuraminidase inhibitor, such as oseltamivir or zanamivir; another antibody, such as another anti-hemagglutinin antibody or an anti-M2 antibody; etc).

In various embodiments, an anti-hemagglutinin antibody of the present disclosure binds hemagglutinin. In some embodiments, an anti-hemagglutinin antibody of the present invention binds Group1 hemagglutinin, binds Group2 hemagglutinin, or binds Group1 and Group2 hemagglutinin. In other embodiments, an anti-hemagglutinin antibody of the present disclosure binds hemagglutinin and neutralizes influenza A virus. In some embodiments, an anti-hemagglutinin antibody of the present disclosure neutralizes influenza A virus *in vitro*, *in vivo*, or *in vitro* and *in vivo*.

BRIEF DESCRIPTION OF THE FIGURES

Figures 1A and 1B sets forth data showing FACS analysis of anti-hemagglutinin-positive (hemagglutinin H3⁺ and hemagglutinin H1⁺) plasmablasts from day 7 post-vaccinated human peripheral blood mononuclear cells (PBMCs) prior to SCID/beige mouse enrichment (Figure 1A) and day 8 post-intrasplenic implantation after SCID/beige mouse enrichment with and without antigen premix (Figure 1B) in the upper and lower panels, respectively.

Figure 2 sets forth data showing analysis of splenocytes obtained from day 8 post-intrasplenic implantation of PBMCs from individual SCID/beige mice with no PBMC/antigen premix (circles) and with PBMC/antigen premix (squares), as percent hemagglutinin (H1)⁺/CD38^{high} plasmablasts. The rectangle indicates mice that presented hemagglutinin H1⁺ plasmablasts.

Figure 3 sets forth data showing *in vitro* neutralization of various influenza A Group1 and Group2 virus strains by anti-hemagglutinin antibodies of the present invention.

Figures 4A and 4B set forth data showing *in vitro* neutralization of various influenza A Group1 (Figure 4A) and Group2 (Figure 4B) virus strains by monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177).

Figures 5A and 5B set forth data showing *in vitro* neutralization of various influenza A Group1 (Figure 5A) and Group2 (Figure 5B) virus strains by monoclonal antibody 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171).

Figure 6 sets forth data showing *in vitro* neutralization of various influenza A Group1 virus strains by monoclonal antibody 39.18 B11.

Figure 7 sets forth data showing *in vitro* neutralization of various influenza A Group1 and 5 Group2 virus strains by monoclonal antibody 36.89.

Figure 8 sets forth data showing *in vitro* neutralization of various influenza A Group1 and Group2 virus strains by monoclonal antibody mAb9 01F3.

10 Figure 9 sets forth data showing *in vitro* neutralization of various influenza A Group 1 and Group2 virus strains by monoclonal antibody mAb23 06C2.

Figure 10 sets forth data showing *in vitro* neutralization of an hemagglutinin H5-expressing 15 pseudovirus by monoclonal antibody 39.29 NCv1.

Figure 11 sets forth data showing *in vitro* neutralization of an H7N7 equine influenza virus by monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177).

Figures 12A, 12B, 12C, and 12D set forth data showing percent survival of mice infected with 20 various influenza A virus strains (A/PR/8/1934 (PR8), Figure 12A; A/Port Chalmers/1/1973 (PC73), Figure 12B; A/Hong Kong/1/1968 (HK68), Figure 12C); and A/Aichi/2/1968 (Aichi68), Figure 12D) and administered various amounts of monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177).

25 Figure 13 sets forth data showing percent survival of mice infected with A/PR/8/1934 influenza A virus and administered various amounts of monoclonal antibody 39.29 NCv1.

Figure 14 sets forth data showing percent survival of mice infected with A/Hong Kong/1/1968 30 influenza A virus (an influenza A virus having a high IC50) and administered various amounts of monoclonal antibody 39.29 NCv1.

Figure 15 sets forth data showing percent survival of mice infected with A/Port Chalmers/1/1973 influenza A virus and administered various amounts of monoclonal antibody 39.29 NCv1.

Figure 16 sets forth data showing percent survival of mice infected with A/Aichi/2/1968 influenza A virus and administered various amounts of monoclonal antibody 39.29 NCv1.

5 Figure 17 sets forth data comparing percent survival of mice infected with influenza A virus strain A/PR/8/1934 and administered a 50:50 mixture of monoclonal antibody 39.29 D8C2 and monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) or oseltamivir (Tamiflu®).

10 Figure 18 sets forth data showing comparing percent survival of mice infected with influenza A virus strain A/PR/8/1934 and administered monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177), oseltamivir (Tamiflu®), or a combination of monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) and oseltamivir.

15 Figures 19A and 19B set for data comparing percent survival of ferrets infected with influenza A virus strain A/Vietnam/1203/04 (H5N1) and administered monoclonal antibody 39.29 D8C2 (Figure 19A), monoclonal antibody 81.39 B1C1 (Figure 19B), or oseltamivir (Tamiflu®) at 48 hours or 72 hours post-infection.

20 Figure 20 shows an amino acid sequence alignment of hemagglutinin amino acid sequences from hemagglutinin H1, H2, H3, H5 and H7, showing hemagglutinin contact residues (shaded) of monoclonal antibody 39.29NCv1 and the hemagglutinin binding epitope.

Figures 21A and 21B set forth data from competition ELISA experiments of various
25 monoclonal antibodies of the present invention competing with binding of biotin-labeled monoclonal antibody 39.29 to hemagglutinin H1 from A/NWS/1933 (Figure 21A) and hemagglutinin H3 from A/HK/8/1968 (Figure 21B).

Figures 22A and 22B show an amino acid sequence alignment of the light chain variable region
30 and the heavy chain variable region of monoclonal antibody 81.39 B1C1 (SEQ ID NOs:113 and 111, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

Figures 23A and 23B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171) (SEQ ID NOS:117 and 115, respectively) with immunoglobulin

5 kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOS:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

10 Figures 24A and 24B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 B1F1 (SEQ ID NOS:119 and 111, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOS:236 and 237, respectively). The amino acids are numbers according to Kabat numbering.

15 The Kabat, Chothia, and Contact CDRs are indicated.

Figures 25A and 25B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVDS ("SVDS" disclosed as SEQ ID NO: 172) (SEQ ID NOS:113 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOS:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

25 Figures 26A and 26B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVSS ("SVSS" disclosed as SEQ ID NO: 173) (SEQ ID NOS:122 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOS:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

Figures 27A and 27B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVDH ("SVDH" disclosed

as SEQ ID NO: 174) (SEQ ID NOs:124 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

5 Figures 28A and 28B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of mAb 81.39 SVSH ("SVSH" disclosed as SEQ ID NO: 171) (SEQ ID NOs:126 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

10 Figures 29A and 29B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVSH.NFP ("SVSH" disclosed as SEQ ID NO: 171) (SEQ ID NOs:128 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

15 Figures 30A and 30B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVDS.F ("SVDS" disclosed as SEQ ID NO: 172) (SEQ ID NOs:130 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

20 Figures 31A and 31B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 81.39 SVDS.Y ("SVDS" disclosed as SEQ ID NO: 172) (SEQ ID NOs:132 and 115, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 237, respectively). The amino acids

are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

5 Figures 32A and 32B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 D2C4 (SEQ ID NOs:136 and 134, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

10

Figures 33A and 33B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 D8C2 (SEQ ID NOs:140 and 138, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

15 Figures 34A and 34B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 NCv1 (SEQ ID NOs:144 and 142, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

20 Figures 35A and 35B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 D8E7 (SEQ ID NOs:146 and 138, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

25 Figures 36A and 36B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 NFPP ("NFPP" disclosed as SEQ ID NO: 175) (SEQ ID NOs:150 and 148, respectively) with the immunoglobulin kappa

variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

5

Figures 37A and 37B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 NYPP ("NYPP" disclosed as SEQ ID NO: 176) (SEQ ID NOs:152 and 148, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

10

Figures 38A and 38B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) (SEQ ID NOs:235 and 234, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 3-30*01 germ-line (IGHV3-30*01) (SEQ ID NOs:236 and 245, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

15

Figures 39A and 39B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.18 B11 (SEQ ID NOs:156 and 154, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 1-69*01 germ-line (IGHV1-69*01) (SEQ ID NOs:236 and 238, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

20

Figures 40A and 40B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 39.18 E12 (SEQ ID NOs:156 and 158, respectively) with the immunoglobulin kappa variable 3-15*01 germ-line (IGKV3-15*01) and the immunoglobulin heavy chain variable 1-69*01 germ-line (IGHV1-69*01) (SEQ ID NOs:236 and 238, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

25

Figures 41A and 41B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 36.89 (SEQ ID NOs:162 and 160, respectively) with the immunoglobulin kappa variable 1-5*03 germ-line (IGKV1-5*03) and the 5 immunoglobulin heavy chain variable 1-18*01 germ-line (IGHV1-18*01) (SEQ ID NOs:239 and 240, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

Figures 42A and 42B show an amino acid sequence alignment of the light chain variable region 10 and the heavy chain variable region of monoclonal antibody 9.01F3 (SEQ ID NOs:166 and 164, respectively) with the immunoglobulin light variable 1-44*01 germ-line (IGKV1-44*01) and the immunoglobulin heavy chain variable 1-2*02*01 germ-line (IGHV1-2*02) (SEQ ID NOs:241 and 242, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

15

Figures 43A and 43B show an amino acid sequence alignment of the light chain variable region and the heavy chain variable region of monoclonal antibody 23.06C2 (SEQ ID NOs:170 and 168, respectively) with the immunoglobulin kappa variable 2-30*01 germ-line (IGKV2-30*01) and the immunoglobulin heavy chain variable 4-39*01 germ-line (IGHV4-39*01) (SEQ ID NOs:243 and 244, respectively). The amino acids are numbers according to Kabat numbering. The Kabat, Chothia, and Contact CDRs are indicated.

DETAILED DESCRIPTION OF EMBODIMENTS OF THE INVENTION

I. DEFINITIONS

An “acceptor human framework” for the purposes herein is a framework comprising the amino acid sequence of a light chain variable domain (VL) framework or a heavy chain variable domain (VH) framework derived from a human immunoglobulin framework or a human consensus framework, as defined below. An acceptor human framework “derived from” a human immunoglobulin framework or a human consensus framework may comprise the same amino acid sequence thereof, or it may contain amino acid sequence changes. In some 25 embodiments, the number of amino acid changes are 10 or less, 9 or less, 8 or less, 7 or less, 6 or less, 5 or less, 4 or less, 3 or less, or 2 or less. In some embodiments, the VL acceptor human framework is identical in sequence to the VL human immunoglobulin framework sequence or human consensus framework sequence.

“Affinity” refers to the strength of the sum total of noncovalent interactions between a single binding site of a molecule (e.g., an antibody) and its binding partner (e.g., an antigen). Unless indicated otherwise, as used herein, “binding affinity” refers to intrinsic binding affinity which 5 reflects a 1:1 interaction between members of a binding pair (e.g., antibody and antigen). The affinity of a molecule X for its partner Y can generally be represented by the dissociation constant (Kd). Affinity can be measured by common methods known in the art, including those described herein. Specific illustrative and exemplary embodiments for measuring binding affinity are described in the following.

10

An “affinity matured” antibody refers to an antibody with one or more alterations in one or more hypervariable regions (HVRs), compared to a parent antibody which does not possess such alterations, such alterations resulting in an improvement in the affinity of the antibody for antigen.

15

The terms “anti-hemagglutinin antibody” and “an antibody that binds to hemagglutinin” refer to an antibody that binds hemagglutinin with sufficient affinity such that the antibody is useful as a diagnostic and/or therapeutic agent in targeting hemagglutinin, including targeting hemagglutinin of influenza virus. In one embodiment, the extent of binding of an anti-20 hemagglutinin antibody to an unrelated, non-hemagglutinin protein is less than about 10% of the binding of the antibody to hemagglutinin as measured, e.g., by a radioimmunoassay (RIA). In certain embodiments, an antibody that binds to hemagglutinin has a dissociation constant (Kd) of $\leq 1\mu\text{M}$, $\leq 100\text{ nM}$, $\leq 10\text{ nM}$, $\leq 1\text{ nM}$, $\leq 0.1\text{ nM}$, $\leq 0.01\text{ nM}$, or $\leq 0.001\text{ nM}$ (e.g., 10^{-8} M or less, e.g., from 10^{-8} M to 10^{-13} M, e.g., from 10^{-9} M to 10^{-13} M). In certain embodiments, 25 an anti-hemagglutinin antibody binds to an epitope of hemagglutinin that is conserved among hemagglutinin from different strains, subtypes, and isolates of influenza A viruses.

The term "antibody" herein is used in the broadest sense and encompasses various antibody structures, including but not limited to monoclonal antibodies, polyclonal antibodies, 30 multispecific antibodies (e.g., bispecific antibodies), and antibody fragments so long as they exhibit the desired antigen-binding activity.

An "antibody fragment" refers to a molecule other than an intact antibody that comprises a portion of an intact antibody that binds the antigen to which the intact antibody binds. An

antibody fragment also refers to a molecule other than an intact antibody that comprises a portion of an intact antibody that binds hemagglutinin and neutralizes influenza A virus. Examples of antibody fragments include but are not limited to Fv, Fab, Fab', Fab'-SH, F(ab')₂; diabodies; linear antibodies; single-chain antibody molecules (e.g., scFv); and multispecific 5 antibodies formed from antibody fragments.

An "antibody that binds to the same epitope" as a reference antibody refers to an antibody that blocks binding of the reference antibody to its antigen in a competition assay by 50% or more, and conversely, the reference antibody blocks binding of the antibody to its antigen in a 10 competition assay by 50% or more. An exemplary competition assay is provided herein.

The term "chimeric" antibody refers to an antibody in which a portion of the heavy and/or light chain is derived from a particular source or species, while the remainder of the heavy and/or light chain is derived from a different source or species.

15 The "class" of an antibody refers to the type of constant domain or constant region possessed by its heavy chain. There are five major classes of antibodies: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG₁, IgG₂, IgG₃, IgG₄, IgA₁, and IgA₂. The heavy chain constant domains that correspond to the different 20 classes of immunoglobulins are called α , δ , ϵ , γ , and μ , respectively.

The term "cytotoxic agent" as used herein refers to a substance that inhibits or prevents a cellular function and/or causes cell death or destruction. Cytotoxic agents include, but are not limited to, radioactive isotopes (e.g., At²¹¹, I¹³¹, I¹²⁵, Y⁹⁰, Re¹⁸⁶, Re¹⁸⁸, Sm¹⁵³, Bi²¹², P³², 25 Pb²¹² and radioactive isotopes of Lu); chemotherapeutic agents or drugs (e.g., methotrexate, adriamicin, vinca alkaloids (vincristine, vinblastine, etoposide), doxorubicin, melphalan, mitomycin C, chlorambucil, daunorubicin or other intercalating agents); growth inhibitory agents; enzymes and fragments thereof such as nucleolytic enzymes; antibiotics; toxins such as small molecule toxins or enzymatically active toxins of bacterial, fungal, plant or animal 30 origin, including fragments and/or variants thereof; and the various antitumor or anticancer agents disclosed below.

“Effector functions” refer to those biological activities attributable to the Fc region of an antibody, which vary with the antibody isotype. Examples of antibody effector functions include: C1q binding and complement dependent cytotoxicity (CDC); Fc receptor binding; antibody-dependent cell-mediated cytotoxicity (ADCC); phagocytosis; down regulation of cell surface receptors (e.g., B cell receptor); and B cell activation.

5 An "effective amount" of an agent, e.g., a pharmaceutical formulation, refers to an amount effective, at dosages and for periods of time necessary, to achieve the desired therapeutic or prophylactic result.

10

The term “Fc region” herein is used to define a C-terminal region of an immunoglobulin heavy chain that contains at least a portion of the constant region. The term includes native sequence Fc regions and variant Fc regions. In one embodiment, a human IgG heavy chain Fc region extends from Cys226, or from Pro230, to the carboxyl-terminus of the heavy chain. However, 15 the C-terminal lysine (Lys447) of the Fc region may or may not be present. Unless otherwise specified herein, numbering of amino acid residues in the Fc region or constant region is according to the EU numbering system, also called the EU index, as described in Kabat et al., *Sequences of Proteins of Immunological Interest*, 5th Ed. Public Health Service, National Institutes of Health, Bethesda, MD, 1991.

20

"Framework" or "FR" refers to variable domain residues other than hypervariable region (HVR) residues. The FR of a variable domain generally consists of four FR domains: FR1, FR2, FR3, and FR4. Accordingly, the HVR and FR sequences generally appear in the following sequence in VH (or VL): FR1-H1(L1)-FR2-H2(L2)-FR3-H3(L3)-FR4.

25

The terms “full length antibody,” “intact antibody,” and “whole antibody” are used herein interchangeably to refer to an antibody having a structure substantially similar to a native antibody structure or having heavy chains that contain an Fc region as defined herein.

30

The terms "host cell," "host cell line," and "host cell culture" are used interchangeably and refer to cells into which exogenous nucleic acid has been introduced, including the progeny of such cells. Host cells include "transformants" and "transformed cells," which include the primary transformed cell and progeny derived therefrom without regard to the number of passages. Progeny may not be completely identical in nucleic acid content to a parent cell, but may

contain mutations. Mutant progeny that have the same function or biological activity as screened or selected for in the originally transformed cell are included herein.

A “human antibody” is an antibody which possesses an amino acid sequence which corresponds to that of an antibody produced by a human or a human cell or derived from a non-human source that utilizes human antibody repertoires or other human antibody-encoding sequences. This definition of a human antibody specifically excludes a humanized antibody comprising non-human antigen-binding residues.

10 A “human consensus framework” is a framework which represents the most commonly occurring amino acid residues in a selection of human immunoglobulin VL or VH framework sequences. Generally, the selection of human immunoglobulin VL or VH sequences is from a subgroup of variable domain sequences. Generally, the subgroup of sequences is a subgroup as in Kabat *et al.*, *Sequences of Proteins of Immunological Interest*, Fifth Edition, NIH Publication 91-3242, Bethesda MD (1991), vols. 1-3. In one embodiment, for the VL, the subgroup is subgroup kappa I as in Kabat *et al.*, *supra*. In one embodiment, for the VH, the subgroup is subgroup III as in Kabat *et al.*, *supra*.

15

A “humanized” antibody refers to a chimeric antibody comprising amino acid residues from non-human HVRs and amino acid residues from human FRs. In certain embodiments, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the HVRs (e.g., CDRs) correspond to those of a non-human antibody, and all or substantially all of the FRs correspond to those of a human antibody. A humanized antibody optionally may comprise at least a portion of an antibody constant region derived from a human antibody. A “humanized form” of an antibody, e.g., a non-human antibody, refers to an antibody that has undergone humanization.

30 The term “hypervariable region” or “HVR” as used herein refers to each of the regions of an antibody variable domain which are hypervariable in sequence (“complementarity determining regions” or “CDRs”) and/or form structurally defined loops (“hypervariable loops”) and/or contain the antigen-contacting residues (“antigen contacts”). Generally, antibodies comprise six HVRs: three in the VH (H1, H2, H3), and three in the VL (L1, L2, L3). Exemplary HVRs herein include:

(a) hypervariable loops occurring at amino acid residues 26-32 (L1), 50-52 (L2), 91-96 (L3), 26-32 (H1), 53-55 (H2), and 96-101 (H3) (Chothia and Lesk, *J. Mol. Biol.* 196:901-917 (1987));

5 (b) CDRs occurring at amino acid residues 24-34 (L1), 50-56 (L2), 89-97 (L3), 31-35b (H1), 50-65 (H2), and 95-102 (H3) (Kabat et al., *Sequences of Proteins of Immunological Interest*, 5th Ed. Public Health Service, National Institutes of Health, Bethesda, MD (1991));

(c) antigen contacts occurring at amino acid residues 27c-36 (L1), 46-55 (L2), 89-96 (L3), 30-35b (H1), 47-58 (H2), and 93-101 (H3) (MacCallum et al. *J. Mol. Biol.* 262: 732-745 (1996)); and

10 (d) combinations of (a), (b), and/or (c), including HVR amino acid residues 46-56 (L2), 47-56 (L2), 48-56 (L2), 49-56 (L2), 26-35 (H1), 26-35b (H1), 49-65 (H2), 93-102 (H3), and 94-102 (H3).

15 Unless otherwise indicated, HVR residues and other residues in the variable domain (e.g., FR residues) are numbered herein according to Kabat *et al., supra*.

An "immunoconjugate" is an antibody conjugated to one or more heterologous molecule(s), including but not limited to a cytotoxic agent.

20 An "individual" or "subject" is a mammal. Mammals include, but are not limited to, domesticated animals (e.g., cows, sheep, cats, dogs, and horses), primates (e.g., humans and non-human primates such as monkeys), rabbits, and rodents (e.g., mice and rats). In certain embodiments, the individual or subject is a human.

25 An "isolated" antibody is one which has been separated from a component of its natural environment. In some embodiments, an antibody is purified to greater than 95% or 99% purity as determined by, for example, electrophoretic (e.g., SDS-PAGE, isoelectric focusing (IEF), capillary electrophoresis) or chromatographic (e.g., ion exchange or reverse phase HPLC). For review of methods for assessment of antibody purity, see, e.g., Flatman et al., *J. Chromatogr. B* 848:79-87 (2007).

An "isolated" nucleic acid refers to a nucleic acid molecule that has been separated from a component of its natural environment. An isolated nucleic acid includes a nucleic acid molecule contained in cells that ordinarily contain the nucleic acid molecule, but the nucleic

acid molecule is present extrachromosomally or at a chromosomal location that is different from its natural chromosomal location.

“Isolated nucleic acid encoding an anti-hemagglutinin antibody” refers to one or more nucleic acid molecules encoding antibody heavy and light chains (or fragments thereof), including such nucleic acid molecule(s) in a single vector or separate vectors, and such nucleic acid molecule(s) present at one or more locations in a host cell.

The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, *i.e.*, the individual antibodies comprising the population are identical and/or bind the same epitope, except for possible variant antibodies, *e.g.*, containing naturally occurring mutations or arising during production of a monoclonal antibody preparation, such variants generally being present in minor amounts. In contrast to polyclonal antibody preparations, which typically include different antibodies directed against different determinants (epitopes), each monoclonal antibody of a monoclonal antibody preparation is directed against a single determinant on an antigen. Thus, the modifier “monoclonal” indicates the character of the antibody as being obtained from a substantially homogeneous population of antibodies, and is not to be construed as requiring production of the antibody by any particular method. For example, the monoclonal antibodies to be used in accordance with the present invention may be made by a variety of techniques, including but not limited to the hybridoma method, recombinant DNA methods, phage-display methods, and methods utilizing transgenic animals containing all or part of the human immunoglobulin loci, such methods and other exemplary methods for making monoclonal antibodies being described herein.

A “naked antibody” refers to an antibody that is not conjugated to a heterologous moiety (*e.g.*, a cytotoxic moiety) or radiolabel. The naked antibody may be present in a pharmaceutical formulation.

“Native antibodies” refer to naturally occurring immunoglobulin molecules with varying structures. For example, native IgG antibodies are heterotetrameric glycoproteins of about 150,000 daltons, composed of two identical light chains and two identical heavy chains that are disulfide-bonded. From N- to C-terminus, each heavy chain has a variable region (VH), also called a variable heavy domain or a heavy chain variable domain, followed by three constant

domains (CH1, CH2, and CH3). Similarly, from N- to C-terminus, each light chain has a variable region (VL), also called a variable light domain or a light chain variable domain, followed by a constant light (CL) domain. The light chain of an antibody may be assigned to one of two types, called kappa (κ) and lambda (λ), based on the amino acid sequence of its 5 constant domain.

The term "package insert" is used to refer to instructions customarily included in commercial packages of therapeutic products, that contain information about the indications, usage, dosage, administration, combination therapy, contraindications and/or warnings concerning the use of 10 such therapeutic products.

"Percent (%) amino acid sequence identity" with respect to a reference polypeptide sequence is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the reference polypeptide sequence, after aligning the sequences and 15 introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art 20 can determine appropriate parameters for aligning sequences, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc., and the source code has been filed with 25 user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available from Genentech, Inc., South San Francisco, California, or may be compiled from the source code. The ALIGN-2 program should be compiled for use on a UNIX operating system, including digital UNIX V4.0D. All sequence comparison parameters are set by the 30 ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or

comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

5 where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program.

10

15 The term "pharmaceutical formulation" refers to a preparation which is in such form as to permit the biological activity of an active ingredient contained therein to be effective, and which contains no additional components which are unacceptably toxic to a subject to which the formulation would be administered.

20 A "pharmaceutically acceptable carrier" refers to an ingredient in a pharmaceutical formulation, other than an active ingredient, which is nontoxic to a subject., A pharmaceutically acceptable carrier includes, but is not limited to, a buffer, excipient, stabilizer, or preservative.

25 The term "hemagglutinin," as used herein, refers to any native hemagglutinin from any influenza virus source, unless otherwise indicated. The term encompasses "full-length," unprocessed hemagglutinin as well as any form of hemagglutinin that results from processing in an influenza virus or an influenza virus-infected cell. The term also encompasses naturally occurring variants of hemagglutinin, *e.g.*, splice variants or allelic variants. The amino acid sequences of exemplary hemagglutinin proteins from various influenza A virus strains are shown in SEQ ID NOs:225 (H2 from A/Japan/305/1957), 226 (H3 from A/Perth/16/2009), 227 (H5 from A/Vietnam/1203/2004), 228 (H7 from A/chicken/NSW/1/1997), 229 (H1 from A/California/07/2009), 230 (H1 from A/NSW/1933), 231 (H3 from A/Hong Kong/8/1968), 232 (H7 from A/Netherlands/219/2003), and 233 (A/South Carolina/1918).

30

As used herein, "treatment" (and grammatical variations thereof such as "treat" or "treating") refers to clinical intervention in an attempt to alter the natural course of the individual being treated, and can be performed either for prophylaxis or during the course of clinical pathology. Desirable effects of treatment include, but are not limited to, preventing occurrence or 5 recurrence of disease (e.g., preventing occurrence or recurrence of influenza A virus infection), reduction (e.g., reducing) or alleviation of symptoms, diminishment of any direct or indirect pathological consequences of the disease, decreasing the rate of disease progression, amelioration or palliation of the disease state, and remission or improved prognosis. In some embodiments, antibodies of the invention are used to delay development of a disease or to slow 10 the progression of a disease.

The term "variable region" or "variable domain" refers to the domain of an antibody heavy or light chain that is involved in binding the antibody to antigen. The variable domains of the heavy chain and light chain (VH and VL, respectively) of a native antibody generally have 15 similar structures, with each domain comprising four conserved framework regions (FRs) and three hypervariable regions (HVRs). (See, e.g., Kindt et al. *Kuby Immunology*, 6th ed., W.H. Freeman and Co., page 91 (2007).) A single VH or VL domain may be sufficient to confer antigen-binding specificity. Furthermore, antibodies that bind a particular antigen may be isolated using a VH or VL domain from an antibody that binds the antigen to screen a library of 20 complementary VL or VH domains, respectively. See, e.g., Portolano et al., *J. Immunol.* 150:880-887 (1993); Clarkson et al., *Nature* 352:624-628 (1991).

The term "vector," as used herein, refers to a nucleic acid molecule capable of propagating another nucleic acid to which it is linked. The term includes the vector as a self-replicating 25 nucleic acid structure as well as the vector incorporated into the genome of a host cell into which it has been introduced. Certain vectors are capable of directing the expression of nucleic acids to which they are operatively linked. Such vectors are referred to herein as "expression vectors."

30 II. COMPOSITIONS AND METHODS

In one aspect, the invention is based, in part, on anti-hemagglutinin antibodies and uses thereof. In certain embodiments, antibodies that bind to hemagglutinin are provided. Antibodies of the

invention are useful, *e.g.*, for the diagnosis, treatment, or prevention of influenza A virus infection.

A. Exemplary Anti-Hemagglutinin Antibodies

In one aspect, the invention provides isolated antibodies that bind to hemagglutinin. In certain 5 embodiments, an anti-hemagglutinin antibody of the present invention binds hemagglutinin, binds Group1 hemagglutinins, binds Group2 hemagglutinins, or binds Group1 and Group2 hemagglutinins. In other embodiments, an anti-hemagglutinin antibody of the present invention neutralizes influenza A virus *in vitro*. In other embodiments, an anti-hemagglutinin antibody of the present invention neutralizes influenza A virus *in vivo*. In yet other 10 embodiments, an anti-hemagglutinin antibody of the present invention reduces influenza A virus infection, prevents influenza A virus infection, inhibits influenza A virus infection, or treats influenza A virus infection. In some embodiments, an anti-hemagglutinin antibody of the present invention prevents, inhibits, or reduces hemagglutinin-mediated fusion between influenza virus membrane and infected cell endosomal membranes (thus preventing, inhibiting, or 15 reducing viral RNA entry into the infected cell cytoplasm, thus preventing, inhibiting, or reducing further propagation of influenza virus infection.)

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid 20 sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:180; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:188.

25

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:189.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:188.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:184; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:188.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:185; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:188.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:188.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid

sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:190.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:190.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:186; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:189.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181; (d) HVR-L1 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

In one aspect, the invention provides an antibody comprising at least one, at least two, or all three VH HVR sequences selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; and

(c) HVR-H3 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:180 and 181.

In another aspect, the invention provides an antibody comprising at least one, at least two, or 5 all three VL HVR sequences selected from (a) HVR-L1 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:182, 183, 184, 185, and 186; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (c) HVR-L3 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:188, 189, and 190.

10 In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:180; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence 15 selected from SEQ ID NO:188.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) 20 HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:189.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the 25 amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:188.

30 In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:184; (e) HVR-L2 comprising the

amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:188.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the 5 amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:185; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:188.

10

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the 15 amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:188.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the 20 amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:183; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:190.

25

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:182; (e) HVR-L2 comprising the 30 amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:190.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:178; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:179; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:181; (d)

HVR-L1 comprising the amino acid sequence of SEQ ID NO:186; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:187; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:189.

5 In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:111 and 115.

10 In another aspect, the invention provides an antibody comprising a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:113, 117, 119, 122, 124, 126, 128, 130, and 132.

15 In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:111 and 115 and a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:113, 117, 119, 122, 124, 126, 128, 130, and 132.

20 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:111 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:113.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:117.

25 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:111 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:119.

30 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:113.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:122.

5 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:124.

10 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:126.

15 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:128.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:130.

20 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:115 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:132.

25 In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:110, 114, and 120.

30 In another aspect, the invention provides an antibody comprising a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:112, 116, 118, 121, 123, 125, 127, 129, and 131.

In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:110, 114, and 120,

and a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:112, 116, 118, 121, 123, 125, 127, 129, and 131.

5 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:110, and a light chain comprising the amino acid sequence of SEQ ID NO:112.

10 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:116.

15 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:110, and a light chain comprising the amino acid sequence of SEQ ID NO:118.

20 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:112.

25 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:120, and a light chain comprising the amino acid sequence of SEQ ID NO:121.

30 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:123.

35 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:125.

40 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:127.

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:129.

5

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:114, and a light chain comprising the amino acid sequence of SEQ ID NO:131.

10 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:197.

15

20 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:192; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:197.

25

30 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:198.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:199.

10 In one aspect, the invention provides an antibody comprising at least one, at least two, or all three VH HVR sequences selected from (a) HVR-H1 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; and (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194.

15 In another aspect, the invention provides an antibody comprising at least one, at least two, or all three VL HVR sequences selected from (a) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (c) HVR-L3 comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.

20 In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:197.

25 In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:192; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:197.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the 5 amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:198.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:191; (b) HVR-H2 comprising the amino acid sequence of 10 SEQ ID NO:193; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:194; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:195; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:196; and (f) HVR-L3 comprising an amino acid sequence selected from SEQ ID NO:199.

15 In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:134, 138, 142, 148, and 234.

20 In another aspect, the invention provides an antibody comprising a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:136, 140, 144, 146, 150, 152, and 235.

25 In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:134, 138, 142, 148, and 234, and a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:136, 140, 144, 146, 150, 152, and 235.

30 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:134 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:136.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:138 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:140.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:142 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:144.

5

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:138 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:146.

10 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:148 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:150.

15 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:148 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:152.

20 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:148 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:140.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:234 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:235.

25

In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:133, 137, 141, and 147.

30 In another aspect, the invention provides an antibody comprising a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:135, 139, 143, 145, 149, and 151.

In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOS:133, 137, 141, and 147, and a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOS:135, 139, 143, 145, 149, and 151.

5

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:133, and a light chain comprising the amino acid sequence of SEQ ID NO:135.

10 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:137, and a light chain comprising the amino acid sequence of SEQ ID NO:139.

15 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:141, and a light chain comprising the amino acid sequence of SEQ ID NO:143.

20 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:137, and a light chain comprising the amino acid sequence of SEQ ID NO:145.

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:147, and a light chain comprising the amino acid sequence of SEQ ID NO:149.

25

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:147, and a light chain comprising the amino acid sequence of SEQ ID NO:151.

30 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:147, and a light chain comprising the amino acid sequence of SEQ ID NO:139.

In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:200; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:201; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:202; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:203; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:204; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:205.

10 In one aspect, the invention provides an antibody comprising at least one, at least two, or all three VH HVR sequences selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:200; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:201; and (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:202.

15 In another aspect, the invention provides an antibody comprising at least one, at least two, or all three VL HVR sequences selected from (a) HVR-L1 comprising the amino acid sequence of SEQ ID NO:203; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:204; and (c) HVR-L3 comprising the amino acid sequence of SEQ ID NO:205.

20 In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:200; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:201; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:202; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:203; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:204; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:205.

25

In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:154 and 158.

30 In another aspect, the invention provides an antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:156.

In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:154

and 158, and a light chain variable region comprising the amino acid sequence of SEQ ID NO:156.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:154 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:156.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:158 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:156.

In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:153 and 157.

15 In another aspect, the invention provides an antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:155.

In another aspect, the invention provides an antibody comprising a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs:153 and 157, and a light chain comprising the amino acid sequence of SEQ ID NO:155.

In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:153, and a light chain comprising the amino acid sequence of SEQ ID NO:155.

25 In one embodiment, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:157, and a light chain comprising the amino acid sequence of SEQ ID NO:155.

30 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:206; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:207; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:208; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:209; (e) HVR-L2 comprising the amino

acid sequence of SEQ ID NO:210; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:211.

In one aspect, the invention provides an antibody comprising at least one, at least two, or all 5 three VH HVR sequences selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:206; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:207; and (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:208.

In another aspect, the invention provides an antibody comprising at least one, at least two, or 10 all three VL HVR sequences selected from (a) HVR-L1 comprising the amino acid sequence of SEQ ID NO:209; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:210; and (c) HVR-L3 comprising the amino acid sequence of SEQ ID NO:211.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the 15 amino acid sequence of SEQ ID NO:206; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:207; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:208; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:209; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:210; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:211.

20 In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:160.

25 In another aspect, the invention provides an antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:162.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:160 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:162.

30 In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:159.

In another aspect, the invention provides an antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:161.

5 In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:159, and a light chain comprising the amino acid sequence of SEQ ID NO:161.

10 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:212; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:213; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:214; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:215; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:216; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:217.

15

In one aspect, the invention provides an antibody comprising at least one, at least two, or all three VH HVR sequences selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:212; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:213; and (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:214.

20

In another aspect, the invention provides an antibody comprising at least one, at least two, or all three VL HVR sequences selected from (a) HVR-L1 comprising the amino acid sequence of SEQ ID NO:215; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:216; and (c) HVR-L3 comprising the amino acid sequence of SEQ ID NO:217.

25

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:212; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:213; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:214; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:215; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:216; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:217.

In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:164.

In another aspect, the invention provides an antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:166.

5 In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:164 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:166.

10 In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:163.

In another aspect, the invention provides an antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:165.

15 In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:163, and a light chain comprising the amino acid sequence of SEQ ID NO:165.

20 In one aspect, the invention provides an anti-hemagglutinin antibody comprising at least one, two, three, four, five, or six HVRs selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:218; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:219; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:220; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:221; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:222; and (f) HVR-L3 comprising the amino acid sequence of

25 SEQ ID NO:223.

30 In one aspect, the invention provides an antibody comprising at least one, at least two, or all three VH HVR sequences selected from (a) HVR-H1 comprising the amino acid sequence of SEQ ID NO:218; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:219; and (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:220.

In another aspect, the invention provides an antibody comprising at least one, at least two, or all three VL HVR sequences selected from (a) HVR-L1 comprising the amino acid sequence of

SEQ ID NO:221; (b) HVR-L2 comprising the amino acid sequence of SEQ ID NO:222; and (c) HVR-L3 comprising the amino acid sequence of SEQ ID NO:223.

In another aspect, the invention provides an antibody comprising (a) HVR-H1 comprising the 5 amino acid sequence of SEQ ID NO:218; (b) HVR-H2 comprising the amino acid sequence of SEQ ID NO:219; (c) HVR-H3 comprising the amino acid sequence of SEQ ID NO:220; (d) HVR-L1 comprising the amino acid sequence of SEQ ID NO:221; (e) HVR-L2 comprising the amino acid sequence of SEQ ID NO:222; and (f) HVR-L3 comprising the amino acid sequence of SEQ ID NO:223.

10

In another aspect, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:168.

15

In another aspect, the invention provides an antibody comprising a light chain variable region comprising the amino acid sequence of SEQ ID NO:170.

In one embodiment, the invention provides an antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO:168 and a light chain variable region comprising the amino acid sequence of SEQ ID NO:170.

20

In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:167.

25

In another aspect, the invention provides an antibody comprising a light chain comprising the amino acid sequence of SEQ ID NO:169.

In another aspect, the invention provides an antibody comprising a heavy chain comprising the amino acid sequence of SEQ ID NO:167, and a light chain comprising the amino acid sequence of SEQ ID NO:169.

30

In any of the above embodiments, an anti-hemagglutinin antibody of the present invention is humanized. In one embodiment, an anti-hemagglutinin antibody comprises HVRs as in any of the above embodiments, and further comprises an acceptor human framework, *e.g.*, a human immunoglobulin framework or a human consensus framework.

In another aspect, an anti-hemagglutinin antibody of the present comprises a heavy chain variable domain (VH) sequence having at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to an amino acid sequence selected from the group 5 consisting of SEQ ID NOs:111, 115, 134, 138, 142, 148, 154, 158, 160, 164, 168, and 234. In certain embodiments, a VH sequence having at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% identity contains substitutions (*e.g.*, conservative substitutions), insertions, or deletions relative to the reference sequence, but an anti-hemagglutinin antibody comprising that sequence retains the ability to bind to hemagglutinin. In certain embodiments, a total of 1 10 to 10 amino acids have been substituted, inserted and/or deleted in SEQ ID NOs: 111, 115, 134, 138, 142, 148, 154, 158, 160, 164, 168, or 234. In certain embodiments, substitutions, insertions, or deletions occur in regions outside the HVRs (*i.e.*, in the FRs). Optionally, the anti hemagglutinin antibody comprises the VH sequence in SEQ ID NO: 111, 115, 134, 138, 142, 148, 154, 158, 160, 164, 168, or 234, including post-translational modifications of that 15 sequence.

In another aspect, an anti-hemagglutinin antibody is provided, wherein the antibody comprises a light chain variable domain (VL) having at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to an amino acid sequence selected from the group 20 consisting of SEQ ID NOs:113, 117, 119, 122, 124, 126, 128, 130, 132, 136, 140, 144, 146, 150, 152, 156, 162, 166, 170, and 235. In certain embodiments, a VL sequence having at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% identity contains substitutions (*e.g.*, conservative substitutions), insertions, or deletions relative to the reference sequence, but an anti-hemagglutinin antibody comprising that sequence retains the ability to bind to 25 hemagglutinin. In certain embodiments, a total of 1 to 10 amino acids have been substituted, inserted and/or deleted in SEQ ID NOs: 113, 117, 119, 122, 124, 126, 128, 130, 132, 136, 140, 144, 146, 150, 152, 156, 162, 166, 170, or 235. In certain embodiments, the substitutions, insertions, or deletions occur in regions outside the HVRs (*i.e.*, in the FRs). Optionally, the anti-hemagglutinin antibody comprises the VL sequence in SEQ ID NOs: 113, 117, 119, 122, 30 124, 126, 128, 130, 132, 136, 140, 144, 146, 150, 152, 156, 162, 166, 170, or 235, including post-translational modifications of that sequence.

In another aspect, an anti-hemagglutinin antibody is provided, wherein the antibody comprises a VH as in any of the embodiments provided above, and a VL as in any of the embodiments

provided above. In one embodiment, the antibody comprises the VH and VL sequences in SEQ ID NOs: 111, 115, 134, 138, 142, 148, 154, 158, 160, 164, 168, or 234, and SEQ ID NOs: 113, 117, 119, 122, 124, 126, 128, 130, 132, 136, 140, 144, 146, 150, 152, 156, 162, 166, 170, or 235, respectively, including post-translational modifications of those sequences.

5

In a further aspect, the invention provides an antibody that binds to the same epitope as an anti-hemagglutinin antibody provided herein. For example, in certain embodiments, an antibody is provided that binds to the same epitope as an anti-hemagglutinin antibody comprising a VH sequence of SEQ ID NO:111 and a VL sequence of SEQ ID NO:113; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:117; a VH sequence of SEQ ID NO:111 and a VL sequence of SEQ ID NO:119; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:113; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:122; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:124; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:126; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:128; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:130; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:132; a VH sequence of SEQ ID NO:134 and a VL sequence of SEQ ID NO:136; a VH sequence of SEQ ID NO:138 and a VL sequence of SEQ ID NO:140; a VH sequence of SEQ ID NO:142 and a VL sequence of SEQ ID NO:144; a VH sequence of SEQ ID NO:138 and a VL sequence of SEQ ID NO:146; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:150; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:152; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:140; a VH sequence of SEQ ID NO:234 and a VL sequence of SEQ ID NO:235; a VH sequence of SEQ ID NO:154 and a VL sequence of SEQ ID NO:156; a VH sequence of SEQ ID NO:158 and a VL sequence of SEQ ID NO:156; a VH sequence of SEQ ID NO:160 and a VL sequence of SEQ ID NO:162; a VH sequence of SEQ ID NO:164 and a VL sequence of SEQ ID NO:166; or a VH sequence of SEQ ID NO:168 and a VL sequence of SEQ ID NO:170.

In a further aspect of the invention, an anti-hemagglutinin antibody according to any of the above embodiments is a monoclonal antibody, including a chimeric, humanized, or human antibody. In one embodiment, an anti-hemagglutinin antibody is an antibody fragment, *e.g.*, a Fv, Fab, Fab', scFv, diabody, or F(ab')₂ fragment. In another embodiment, the antibody is a full length antibody, *e.g.*, an intact, *e.g.*, IgG1 antibody or other antibody class or isotype as defined herein.

In a further aspect, an anti-hemagglutinin antibody according to any of the above embodiments may incorporate any of the features, singly or in combination, as described in Sections 1-7 below:

5 **1. Antibody Affinity**

In certain embodiments, an antibody provided herein has a dissociation constant (Kd) of $\leq 1\mu\text{M}$, $\leq 100\text{ nM}$, $\leq 10\text{ nM}$, $\leq 1\text{ nM}$, $\leq 0.1\text{ nM}$, $\leq 0.01\text{ nM}$, or $\leq 0.001\text{ nM}$ (e.g., 10^{-8} M or less, e.g., from 10^{-8} M to 10^{-13} M , e.g., from 10^{-9} M to 10^{-13} M).

10 In one embodiment, Kd is measured by a radiolabeled antigen binding assay (RIA). In one embodiment, an RIA is performed with the Fab version of an antibody of interest and its antigen. For example, solution binding affinity of Fabs for antigen is measured by equilibrating Fab with a minimal concentration of (^{125}I)-labeled antigen in the presence of a titration series of unlabeled antigen, then capturing bound antigen with an anti-Fab antibody-coated plate (see, e.g., Chen et al., *J. Mol. Biol.* 293:865-881(1999)). To establish conditions for the assay, MICROTITER[®] multi-well plates (Thermo Scientific) are coated overnight with 5 $\mu\text{g}/\text{ml}$ of a capturing anti-Fab antibody (Cappel Labs) in 50 mM sodium carbonate (pH 9.6), and subsequently blocked with 2% (w/v) bovine serum albumin in PBS for two to five hours at room temperature (approximately 23°C). In a non-adsorbent plate (Nunc #269620), 100 pM or 20 26 pM [^{125}I]-antigen are mixed with serial dilutions of a Fab of interest (e.g., consistent with assessment of the anti-VEGF antibody, Fab-12, in Presta et al., *Cancer Res.* 57:4593-4599 (1997)). The Fab of interest is then incubated overnight; however, the incubation may continue for a longer period (e.g., about 65 hours) to ensure that equilibrium is reached. Thereafter, the mixtures are transferred to the capture plate for incubation at room temperature (e.g., for one 25 hour). The solution is then removed and the plate washed eight times with 0.1% polysorbate 20 (TWEEN-20[®]) in PBS. When the plates have dried, 150 $\mu\text{l}/\text{well}$ of scintillant (MICROSCINT-20[™]; Packard) is added, and the plates are counted on a TOPCOUNT[™] gamma counter (Packard) for ten minutes. Concentrations of each Fab that give less than or equal to 20% of maximal binding are chosen for use in competitive binding assays.

30

According to another embodiment, Kd is measured using a BIACORE[®] surface plasmon resonance assay. For example, an assay using a BIACORE[®]-2000 or a BIACORE[®]-3000 (BIAcore, Inc., Piscataway, NJ) is performed at 25°C with immobilized antigen CM5 chips at

~10 response units (RU). In one embodiment, carboxymethylated dextran biosensor chips (CM5, BIACORE, Inc.) are activated with *N*-ethyl-*N*'-(3-dimethylaminopropyl)-carbodiimide hydrochloride (EDC) and *N*-hydroxysuccinimide (NHS) according to the supplier's instructions. Antigen is diluted with 10 mM sodium acetate, pH 4.8, to 5 μ g/ml (~0.2 μ M) before injection at a flow rate of 5 μ l/minute to achieve approximately 10 response units (RU) of coupled protein. Following the injection of antigen, 1 M ethanolamine is injected to block unreacted groups. For kinetics measurements, two-fold serial dilutions of Fab (0.78 nM to 500 nM) are injected in PBS with 0.05% polysorbate 20 (TWEEN-20TM) surfactant (PBST) at 25°C at a flow rate of approximately 25 μ l/min. Association rates (k_{on}) and dissociation rates (k_{off}) are calculated using a simple one-to-one Langmuir binding model (BIACORE[®] Evaluation Software version 3.2) by simultaneously fitting the association and dissociation sensorgrams. The equilibrium dissociation constant (Kd) is calculated as the ratio k_{off}/k_{on} . See, *e.g.*, Chen et al., *J. Mol. Biol.* 293:865-881 (1999). If the on-rate exceeds 10⁶ M⁻¹ s⁻¹ by the surface plasmon resonance assay above, then the on-rate can be determined by using a fluorescent quenching technique that measures the increase or decrease in fluorescence emission intensity (excitation = 295 nm; emission = 340 nm, 16 nm band-pass) at 25°C of a 20 nM anti-antigen antibody (Fab form) in PBS, pH 7.2, in the presence of increasing concentrations of antigen as measured in a spectrometer, such as a stop-flow equipped spectrophotometer (Aviv Instruments) or a 8000-series SLM-AMINCOTM spectrophotometer (ThermoSpectronic) with a stirred cuvette.

2. *Antibody Fragments*

In certain embodiments, an antibody provided herein is an antibody fragment. Antibody fragments include, but are not limited to, Fab, Fab', Fab'-SH, F(ab')₂, Fv, and scFv fragments, and other fragments described below. For a review of certain antibody fragments, see Hudson et al., *Nat. Med.* 9:129-134 (2003). For a review of scFv fragments, see, *e.g.*, Pluckthün, in *The Pharmacology of Monoclonal Antibodies*, vol. 113, Rosenberg and Moore eds., (Springer-Verlag, New York), pp. 269-315 (1994); see also WO 93/16185; and U.S. Patent Nos. 5,571,894 and 5,587,458. For discussion of Fab and F(ab')₂ fragments comprising salvage receptor binding epitope residues and having increased *in vivo* half-life, see U.S. Patent No. 5,869,046.

Diabodies are antibody fragments with two antigen-binding sites that may be bivalent or bispecific. See, for example, EP 404,097; WO 1993/01161; Hudson et al., *Nat. Med.* 9:129-

134 (2003); and Hollinger *et al.*, *Proc. Natl. Acad. Sci. USA* 90: 6444-6448 (1993). Triabodies and tetrabodies are also described in Hudson *et al.*, *Nat. Med.* 9:129-134 (2003).

5 Single-domain antibodies are antibody fragments comprising all or a portion of the heavy chain variable domain or all or a portion of the light chain variable domain of an antibody. In certain embodiments, a single-domain antibody is a human single-domain antibody (Domantis, Inc., Waltham, MA; *see, e.g.*, U.S. Patent No. 6,248,516 B1).

10 Antibody fragments can be made by various techniques, including but not limited to proteolytic digestion of an intact antibody as well as production by recombinant host cells (*e.g.*, *E. coli* or phage), as described herein.

3. Chimeric and Humanized Antibodies

15 In certain embodiments, an antibody provided herein is a chimeric antibody. Certain chimeric antibodies are described, *e.g.*, in U.S. Patent No. 4,816,567; and Morrison *et al.*, *Proc. Natl. Acad. Sci. USA*, 81:6851-6855 (1984)). In one example, a chimeric antibody comprises a non-human variable region (*e.g.*, a variable region derived from a mouse, rat, hamster, rabbit, or non-human primate, such as a monkey) and a human constant region. In a further example, a chimeric antibody is a “class switched” antibody in which the class or subclass has been changed from that of the parent antibody. Chimeric antibodies include antigen-binding 20 fragments thereof.

25 In certain embodiments, a chimeric antibody is a humanized antibody. Typically, a non-human antibody is humanized to reduce immunogenicity to humans, while retaining the specificity and affinity of the parental non-human antibody. Generally, a humanized antibody comprises one or more variable domains in which HVRs, *e.g.*, CDRs, (or portions thereof) are derived from a non-human antibody, and FRs (or portions thereof) are derived from human antibody sequences. A humanized antibody optionally will also comprise at least a portion of a human constant region. In some embodiments, some FR residues in a humanized antibody are substituted with corresponding residues from a non-human antibody (*e.g.*, the antibody from 30 which the HVR residues are derived), *e.g.*, to restore or improve antibody specificity or affinity.

Humanized antibodies and methods of making them are reviewed, *e.g.*, in Almagro and Fransson, *Front. Biosci.* 13:1619-1633 (2008), and are further described, *e.g.*, in Riechmann et al., *Nature* 332:323-329 (1988); Queen et al., *Proc. Nat'l Acad. Sci. USA* 86:10029-10033 (1989); US Patent Nos. 5, 821,337, 7,527,791, 6,982,321, and 7,087,409; Kashmiri et al., 5 *Methods* 36:25-34 (2005) (describing specificity determining region (SDR) grafting); Padlan, *Mol. Immunol.* 28:489-498 (1991) (describing "resurfacing"); Dall'Acqua et al., *Methods* 36:43-60 (2005) (describing "FR shuffling"); and Osbourn et al., *Methods* 36:61-68 (2005) and Klimka et al., *Br. J. Cancer*, 83:252-260 (2000) (describing the "guided selection" approach to FR shuffling).

10

Human framework regions that may be used for humanization include but are not limited to: framework regions selected using the "best-fit" method (see, *e.g.*, Sims et al. *J. Immunol.* 151:2296 (1993)); framework regions derived from the consensus sequence of human antibodies of a particular subgroup of light or heavy chain variable regions (see, *e.g.*, Carter et al. *Proc. Natl. Acad. Sci. USA*, 89:4285 (1992); and Presta et al. *J. Immunol.*, 151:2623 (1993)); human mature (somatically mutated) framework regions or human germline framework regions (see, *e.g.*, Almagro and Fransson, *Front. Biosci.* 13:1619-1633 (2008)); and framework regions derived from screening FR libraries (see, *e.g.*, Baca et al., *J. Biol. Chem.* 272:10678-10684 (1997) and Rosok et al., *J. Biol. Chem.* 271:22611-22618 (1996)).

20

4. Human Antibodies

In certain embodiments, an antibody provided herein is a human antibody. Human antibodies can be produced using various techniques known in the art or using techniques described herein. Human antibodies are described generally in van Dijk and van de Winkel, *Curr. Opin. Pharmacol.* 5: 368-74 (2001) and Lonberg, *Curr. Opin. Immunol.* 20:450-459 (2008).

25

Human antibodies may be prepared by administering an immunogen to a transgenic animal that has been modified to produce intact human antibodies or intact antibodies with human variable regions in response to antigenic challenge. Such animals typically contain all or a portion of the human immunoglobulin loci, which replace the endogenous immunoglobulin loci, or which are present extrachromosomally or integrated randomly into the animal's chromosomes. In 30 such transgenic mice, the endogenous immunoglobulin loci have generally been inactivated. For review of methods for obtaining human antibodies from transgenic animals, see Lonberg, *Nat. Biotech.* 23:1117-1125 (2005). See also, *e.g.*, U.S. Patent Nos. 6,075,181 and 6,150,584

describing XENOMOUSE™ technology; U.S. Patent No. 5,770,429 describing HUMAB® technology; U.S. Patent No. 7,041,870 describing K-M MOUSE® technology, and U.S. Patent Application Publication No. US 2007/0061900, describing VELOCIMOUSE® technology). Human variable regions from intact antibodies generated by such animals may be further modified, *e.g.*, by combining with a different human constant region.

5 Human antibodies can also be made by hybridoma-based methods. Human myeloma and mouse-human heteromyeloma cell lines for the production of human monoclonal antibodies have been described. (See, *e.g.*, Kozbor *J. Immunol.*, 133: 3001 (1984); Brodeur *et al.*,
10 *Monoclonal Antibody Production Techniques and Applications*, pp. 51-63 (Marcel Dekker, Inc., New York, 1987); and Boerner *et al.*, *J. Immunol.*, 147: 86 (1991).) Human antibodies generated via human B-cell hybridoma technology are also described in Li *et al.*, *Proc. Natl. Acad. Sci. USA*, 103:3557-3562 (2006). Additional methods include those described, for example, in U.S. Patent No. 7,189,826 (describing production of monoclonal human IgM
15 antibodies from hybridoma cell lines) and Ni, *Xiandai Mianyixue*, 26(4):265-268 (2006) (describing human-human hybridomas). Human hybridoma technology (Trioma technology) is also described in Vollmers and Brandlein, *Histology and Histopathology*, 20(3):927-937 (2005) and Vollmers and Brandlein, *Methods and Findings in Experimental and Clinical Pharmacology*, 27(3):185-91 (2005).

20

Human antibodies may also be generated by isolating Fv clone variable domain sequences selected from human-derived phage display libraries. Such variable domain sequences may then be combined with a desired human constant domain. Techniques for selecting human antibodies from antibody libraries are described below.

25

5. Library-Derived Antibodies

Antibodies of the invention may be isolated by screening combinatorial libraries for antibodies with the desired activity or activities. For example, a variety of methods are known in the art for generating phage display libraries and screening such libraries for antibodies possessing the desired binding characteristics. Such methods are reviewed, *e.g.*, in Hoogenboom *et al.* in
30 *Methods in Molecular Biology* 178:1-37 (O'Brien *et al.*, ed., Human Press, Totowa, NJ, 2001) and further described, *e.g.*, in the McCafferty *et al.*, *Nature* 348:552-554; Clackson *et al.*, *Nature* 352: 624-628 (1991); Marks *et al.*, *J. Mol. Biol.* 222: 581-597 (1992); Marks and Bradbury, in *Methods in Molecular Biology* 248:161-175 (Lo, ed., Human Press, Totowa, NJ,

2003); Sidhu *et al.*, *J. Mol. Biol.* 338(2): 299-310 (2004); Lee *et al.*, *J. Mol. Biol.* 340(5): 1073-1093 (2004); Fellouse, *Proc. Natl. Acad. Sci. USA* 101(34): 12467-12472 (2004); and Lee *et al.*, *J. Immunol. Methods* 284(1-2): 119-132(2004).

5 In certain phage display methods, repertoires of VH and VL genes are separately cloned by polymerase chain reaction (PCR) and recombined randomly in phage libraries, which can then be screened for antigen-binding phage as described in Winter *et al.*, *Ann. Rev. Immunol.*, 12: 433-455 (1994). Phage typically display antibody fragments, either as single-chain Fv (scFv) fragments or as Fab fragments. Libraries from immunized sources provide high-affinity 10 antibodies to the immunogen without the requirement of constructing hybridomas.

15 Alternatively, the naive repertoire can be cloned (e.g., from human) to provide a single source of antibodies to a wide range of non-self and also self antigens without any immunization as described by Griffiths *et al.*, *EMBO J.*, 12: 725-734 (1993). Finally, naive libraries can also be made synthetically by cloning unarranged V-gene segments from stem cells, and using PCR primers containing random sequence to encode the highly variable CDR3 regions and to accomplish rearrangement *in vitro*, as described by Hoogenboom and Winter, *J. Mol. Biol.*, 227: 381-388 (1992). Patent publications describing human antibody phage libraries include, for example: US Patent No. 5,750,373, and US Patent Publication Nos. 2005/0079574, 2005/0119455, 2005/0266000, 2007/0117126, 2007/0160598, 2007/0237764, 2007/0292936, 20 and 2009/0002360.

Antibodies or antibody fragments isolated from human antibody libraries are considered human antibodies or human antibody fragments herein.

6. Multispecific Antibodies

25 In certain embodiments, an antibody provided herein is a multispecific antibody, e.g., a bispecific antibody. Multispecific antibodies are monoclonal antibodies that have binding specificities for at least two different sites. In certain embodiments, one of the binding specificities is for hemagglutinin and the other is for any other antigen. In certain embodiments, bispecific antibodies may bind to two different epitopes of hemagglutinin.

30 Bispecific antibodies may also be used to localize cytotoxic agents to cells which express hemagglutinin. Bispecific antibodies can be prepared as full length antibodies or antibody fragments.

Techniques for making multispecific antibodies include, but are not limited to, recombinant co-expression of two immunoglobulin heavy chain-light chain pairs having different specificities (see Milstein and Cuello, *Nature* 305: 537 (1983)), WO 93/08829, and Traunecker *et al.*, *EMBO J.* 10: 3655 (1991)), and “knob-in-hole” engineering (see, *e.g.*, U.S. Patent No. 5,731,168). Multi-specific antibodies may also be made by engineering electrostatic steering effects for making antibody Fc-heterodimeric molecules (WO 2009/089004A1); cross-linking two or more antibodies or fragments (see, *e.g.*, US Patent No. 4,676,980, and Brennan *et al.*, *Science*, 229: 81 (1985)); using leucine zippers to produce bi-specific antibodies (see, *e.g.*, Kostelny *et al.*, *J. Immunol.*, 148(5):1547-1553 (1992)); using “diabody” technology for 10 making bispecific antibody fragments (see, *e.g.*, Hollinger *et al.*, *Proc. Natl. Acad. Sci. USA*, 90:6444-6448 (1993)); and using single-chain Fv (sFv) dimers (see, *e.g.* Gruber *et al.*, *J. Immunol.*, 152:5368 (1994)); and preparing trispecific antibodies as described, *e.g.*, in Tutt *et al.* *J. Immunol.* 147: 60 (1991).

15 Engineered antibodies with three or more functional antigen binding sites, including “Octopus antibodies,” are also included herein (see, *e.g.*, US 2006/0025576A1).

The antibody or fragment herein also includes a “Dual Acting FAb” or “DAF” comprising an antigen binding site that binds to hemagglutinin as well as another, different antigen (see, 20 US 2008/0069820, for example).

7. *Antibody Variants*

In certain embodiments, amino acid sequence variants of the antibodies provided herein are contemplated. For example, it may be desirable to improve the binding affinity and/or other biological properties of the antibody. Amino acid sequence variants of an antibody may be 25 prepared by introducing appropriate modifications into the nucleotide sequence encoding the antibody, or by peptide synthesis. Such modifications include, for example, deletions from, and/or insertions into and/or substitutions of residues within the amino acid sequences of the antibody. Any combination of deletion, insertion, and substitution can be made to arrive at the final construct, provided that the final construct possesses the desired characteristics, *e.g.*, 30 antigen-binding.

a) Substitution, Insertion, and Deletion Variants

In certain embodiments, antibody variants having one or more amino acid substitutions are provided. Sites of interest for substitutional mutagenesis include the HVRs and FRs.

Conservative substitutions are shown in Table 1 under the heading of "preferred substitutions." More substantial changes are provided in Table 1 under the heading of "exemplary substitutions," and as further described below in reference to amino acid side chain classes. Amino acid substitutions may be introduced into an antibody of interest and the products 5 screened for a desired activity, *e.g.*, retained/improved antigen binding, decreased immunogenicity, or improved ADCC or CDC.

TABLE 1

Original Residue	Exemplary Substitutions	Preferred Substitutions
Ala (A)	Val; Leu; Ile	Val
Arg (R)	Lys; Gln; Asn	Lys
Asn (N)	Gln; His; Asp, Lys; Arg	Gln
Asp (D)	Glu; Asn	Glu
Cys (C)	Ser; Ala	Ser
Gln (Q)	Asn; Glu	Asn
Glu (E)	Asp; Gln	Asp
Gly (G)	Ala	Ala
His (H)	Asn; Gln; Lys; Arg	Arg
Ile (I)	Leu; Val; Met; Ala; Phe; Norleucine	Leu
Leu (L)	Norleucine; Ile; Val; Met; Ala; Phe	Ile
Lys (K)	Arg; Gln; Asn	Arg
Met (M)	Leu; Phe; Ile	Leu
Phe (F)	Trp; Leu; Val; Ile; Ala; Tyr	Tyr
Pro (P)	Ala	Ala
Ser (S)	Thr	Thr
Thr (T)	Val; Ser	Ser
Trp (W)	Tyr; Phe	Tyr
Tyr (Y)	Trp; Phe; Thr; Ser	Phe
Val (V)	Ile; Leu; Met; Phe; Ala; Norleucine	Leu

Amino acids may be grouped according to common side-chain properties:

10 (1) hydrophobic: Norleucine, Met, Ala, Val, Leu, Ile;
 (2) neutral hydrophilic: Cys, Ser, Thr, Asn, Gln;
 (3) acidic: Asp, Glu;
 (4) basic: His, Lys, Arg;

- (5) residues that influence chain orientation: Gly, Pro;
- (6) aromatic: Trp, Tyr, Phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class.

5

One type of substitutional variant involves substituting one or more hypervariable region residues of a parent antibody (*e.g.* a humanized or human antibody). Generally, the resulting variant(s) selected for further study will have modifications (*e.g.*, improvements) in certain biological properties (*e.g.*, increased affinity, reduced immunogenicity) relative to the parent antibody and/or will have substantially retained certain biological properties of the parent antibody. An exemplary substitutional variant is an affinity matured antibody, which may be conveniently generated, *e.g.*, using phage display-based affinity maturation techniques such as those described herein. Briefly, one or more HVR residues are mutated and the variant antibodies displayed on phage and screened for a particular biological activity (*e.g.*, binding affinity).

Alterations (*e.g.*, substitutions) may be made in HVRs, *e.g.*, to improve antibody affinity. Such alterations may be made in HVR “hotspots,” *i.e.*, residues encoded by codons that undergo mutation at high frequency during the somatic maturation process (see, *e.g.*, Chowdhury, 20 *Methods Mol. Biol.* 207:179-196 (2008)), and/or residues that contact antigen, with the resulting variant VH or VL being tested for binding affinity. Affinity maturation by constructing and reselecting from secondary libraries has been described, *e.g.*, in Hoogenboom *et al.*, in *Methods in Molecular Biology* 178:1-37 (O’Brien *et al.*, ed., Human Press, Totowa, NJ, (2001).) In some embodiments of affinity maturation, diversity is introduced into the 25 variable genes chosen for maturation by any of a variety of methods (*e.g.*, error-prone PCR, chain shuffling, or oligonucleotide-directed mutagenesis). A secondary library is then created. The library is then screened to identify any antibody variants with the desired affinity. Another method to introduce diversity involves HVR-directed approaches, in which several HVR residues (*e.g.*, 4-6 residues at a time) are randomized. HVR residues involved in antigen 30 binding may be specifically identified, *e.g.*, using alanine scanning mutagenesis or modeling. CDR-H3 and CDR-L3 in particular are often targeted.

In certain embodiments, substitutions, insertions, or deletions may occur within one or more HVRs so long as such alterations do not substantially reduce the ability of the antibody to bind

antigen. For example, conservative alterations (e.g., conservative substitutions as provided herein) that do not substantially reduce binding affinity may be made in HVRs. Such alterations may, for example, be outside of antigen contacting residues in the HVRs. In certain embodiments of the variant VH and VL sequences provided above, each HVR either is 5 unaltered, or contains no more than one, two or three amino acid substitutions.

A useful method for identification of residues or regions of an antibody that may be targeted for mutagenesis is called "alanine scanning mutagenesis" as described by Cunningham and Wells (1989) *Science*, 244:1081-1085. In this method, a residue or group of target residues 10 (e.g., charged residues such as arg, asp, his, lys, and glu) are identified and replaced by a neutral or negatively charged amino acid (e.g., alanine or polyalanine) to determine whether the interaction of the antibody with antigen is affected. Further substitutions may be introduced at the amino acid locations demonstrating functional sensitivity to the initial substitutions. Alternatively, or additionally, a crystal structure of an antigen-antibody complex to identify 15 contact points between the antibody and antigen. Such contact residues and neighboring residues may be targeted or eliminated as candidates for substitution. Variants may be screened to determine whether they contain the desired properties.

Amino acid sequence insertions include amino- and/or carboxyl-terminal fusions ranging in 20 length from one residue to polypeptides containing a hundred or more residues, as well as intrasequence insertions of single or multiple amino acid residues. Examples of terminal insertions include an antibody with an N-terminal methionyl residue. Other insertional variants of the antibody molecule include the fusion to the N- or C-terminus of the antibody to an enzyme (e.g., for ADEPT) or a polypeptide which increases the serum half-life of the antibody.

25 **b) Glycosylation variants**

In certain embodiments, an antibody provided herein is altered to increase or decrease the extent to which the antibody is glycosylated. Addition or deletion of glycosylation sites to an antibody may be conveniently accomplished by altering the amino acid sequence such that one or more glycosylation sites is created or removed.

30

Where the antibody comprises an Fc region, the carbohydrate attached thereto may be altered. Native antibodies produced by mammalian cells typically comprise a branched, biantennary oligosaccharide that is generally attached by an N-linkage to Asn297 of the CH2 domain of the

Fc region. See, *e.g.*, Wright *et al.*, *TIBTECH* 15:26-32 (1997). The oligosaccharide may include various carbohydrates, *e.g.*, mannose, N-acetyl glucosamine (GlcNAc), galactose, and sialic acid, as well as a fucose attached to a GlcNAc in the “stem” of the biantennary oligosaccharide structure. In some embodiments, modifications of the oligosaccharide in an antibody of the invention may be made in order to create antibody variants with certain improved properties.

In one embodiment, antibody variants are provided having a carbohydrate structure that lacks fucose attached (directly or indirectly) to an Fc region. For example, the amount of fucose in such antibody may be from 1% to 80%, from 1% to 65%, from 5% to 65% or from 20% to 40%. The amount of fucose is determined by calculating the average amount of fucose within the sugar chain at Asn297, relative to the sum of all glycostructures attached to Asn 297 (*e.g.*, complex, hybrid and high mannose structures) as measured by MALDI-TOF mass spectrometry, as described in WO 2008/077546, for example. Asn297 refers to the asparagine residue located at about position 297 in the Fc region (Eu numbering of Fc region residues); however, Asn297 may also be located about \pm 3 amino acids upstream or downstream of position 297, *i.e.*, between positions 294 and 300, due to minor sequence variations in antibodies. Such fucosylation variants may have improved ADCC function. See, *e.g.*, US Patent Publication Nos. US 2003/0157108 (Presta, L.); US 2004/0093621 (Kyowa Hakko Kogyo Co., Ltd). Examples of publications related to “defucosylated” or “fucose-deficient” antibody variants include: US 2003/0157108; WO 2000/61739; WO 2001/29246; US 2003/0115614; US 2002/0164328; US 2004/0093621; US 2004/0132140; US 2004/0110704; US 2004/0110282; US 2004/0109865; WO 2003/085119; WO 2003/084570; WO 2005/035586; WO 2005/035778; WO2005/053742; WO2002/031140; Okazaki *et al.*, *J. Mol. Biol.* 336:1239-1249 (2004); Yamane-Ohnuki *et al.*, *Biotech. Bioeng.* 87: 614 (2004). Examples of cell lines capable of producing defucosylated antibodies include Lec13 CHO cells deficient in protein fucosylation (Ripka *et al.*, *Arch. Biochem. Biophys.* 249:533-545 (1986); US Pat Appl No US 2003/0157108 A1, Presta, L; and WO 2004/056312 A1, Adams *et al.*, especially at Example 11), and knockout cell lines, such as alpha-1,6-fucosyltransferase gene, *FUT8*, knockout CHO cells (see, *e.g.*, Yamane-Ohnuki *et al.*, *Biotech. Bioeng.* 87: 614 (2004); Kanda, Y. *et al.*, *Biotechnol. Bioeng.*, 94(4):680-688 (2006); and WO2003/085107).

Antibodies variants are further provided with bisected oligosaccharides, *e.g.*, in which a biantennary oligosaccharide attached to the Fc region of the antibody is bisected by GlcNAc.

Such antibody variants may have reduced fucosylation and/or improved ADCC function.

Examples of such antibody variants are described, *e.g.*, in WO 2003/011878 (Jean-Mairet *et al.*); US Patent No. 6,602,684 (Umana *et al.*); and US 2005/0123546 (Umana *et al.*). Antibody variants with at least one galactose residue in the oligosaccharide attached to the Fc region are 5 also provided. Such antibody variants may have improved CDC function. Such antibody variants are described, *e.g.*, in WO 1997/30087 (Patel *et al.*); WO 1998/58964 (Raju, S.); and WO 1999/22764 (Raju, S.).

c) **Fc region variants**

10 In certain embodiments, one or more amino acid modifications may be introduced into the Fc region of an antibody provided herein, thereby generating an Fc region variant. The Fc region variant may comprise a human Fc region sequence (e.g., a human IgG1, IgG2, IgG3 or IgG4 Fc region) comprising an amino acid modification (e.g. a substitution) at one or more amino acid positions.

15 In certain embodiments, the invention contemplates an antibody variant that possesses some but not all effector functions, which make it a desirable candidate for applications in which the half life of the antibody *in vivo* is important yet certain effector functions (such as complement and ADCC) are unnecessary or deleterious. *In vitro* and/or *in vivo* cytotoxicity assays can be conducted to confirm the reduction/depletion of CDC and/or ADCC activities. For example,

20 Fc receptor (FcR) binding assays can be conducted to ensure that the antibody lacks Fc γ R binding (hence likely lacking ADCC activity), but retains FcRn binding ability. The primary cells for mediating ADCC, NK cells, express Fc γ RIII only, whereas monocytes express Fc γ RI, Fc γ RII and Fc γ RIII. FcR expression on hematopoietic cells is summarized in Table 3 on page 464 of Ravetch and Kinet, *Annu. Rev. Immunol.* 9:457-492 (1991). Non-limiting examples of

25 *in vitro* assays to assess ADCC activity of a molecule of interest is described in U.S. Patent No. 5,500,362 (see, *e.g.* Hellstrom, I. *et al.* *Proc. Nat'l Acad. Sci. USA* 83:7059-7063 (1986)) and Hellstrom, I *et al.*, *Proc. Nat'l Acad. Sci. USA* 82:1499-1502 (1985); 5,821,337 (see Bruggemann, M. *et al.*, *J. Exp. Med.* 166:1351-1361 (1987)). Alternatively, non-radioactive assays methods may be employed (see, for example, ACTITTM non-radioactive cytotoxicity

30 assay for flow cytometry (CellTechnology, Inc. Mountain View, CA; and CytoTox 96[®] non-radioactive cytotoxicity assay (Promega, Madison, WI). Useful effector cells for such assays include peripheral blood mononuclear cells (PBMC) and Natural Killer (NK) cells.

Alternatively, or additionally, ADCC activity of the molecule of interest may be assessed *in*

vivo, e.g., in a animal model such as that disclosed in Clynes *et al.* *Proc. Nat'l Acad. Sci. USA* 95:652-656 (1998). C1q binding assays may also be carried out to confirm that the antibody is unable to bind C1q and hence lacks CDC activity. See, e.g., C1q and C3c binding ELISA in WO 2006/029879 and WO 2005/100402. To assess complement activation, a CDC assay may 5 be performed (see, for example, Gazzano-Santoro *et al.*, *J. Immunol. Methods* 202:163 (1996); Cragg, M.S. *et al.*, *Blood* 101:1045-1052 (2003); and Cragg, M.S. and M.J. Glennie, *Blood* 103:2738-2743 (2004)). FcRn binding and *in vivo* clearance/half life determinations can also be performed using methods known in the art (see, e.g., Petkova, S.B. *et al.*, *Int'l. Immunol.* 18(12):1759-1769 (2006)).

10

Antibodies with reduced effector function include those with substitution of one or more of Fc region residues 238, 265, 269, 270, 297, 327 and 329 (U.S. Patent No. 6,737,056). Such Fc mutants include Fc mutants with substitutions at two or more of amino acid positions 265, 269, 270, 297 and 327, including the so-called “DANA” Fc mutant with substitution of residues 265 15 and 297 to alanine (US Patent No. 7,332,581).

20 Certain antibody variants with improved or diminished binding to FcRs are described. (See, e.g., U.S. Patent No. 6,737,056; WO 2004/056312, and Shields *et al.*, *J. Biol. Chem.* 9(2):

6591-6604 (2001).)

25

In certain embodiments, an antibody variant comprises an Fc region with one or more amino acid substitutions which improve ADCC, e.g., substitutions at positions 298, 333, and/or 334 of the Fc region (EU numbering of residues).

30

In some embodiments, alterations are made in the Fc region that result in altered (i.e., either improved or diminished) C1q binding and/or Complement Dependent Cytotoxicity (CDC), e.g., as described in US Patent No. 6,194,551, WO 99/51642, and Idusogie *et al.* *J. Immunol.* 164: 4178-4184 (2000).

35

Antibodies with increased half lives and improved binding to the neonatal Fc receptor (FcRn), which is responsible for the transfer of maternal IgGs to the fetus (Guyer *et al.*, *J. Immunol.* 117:587 (1976) and Kim *et al.*, *J. Immunol.* 24:249 (1994)), are described in US2005/0014934A1 (Hinton et al.). Those antibodies comprise an Fc region with one or more substitutions therein which improve binding of the Fc region to FcRn. Such Fc variants

include those with substitutions at one or more of Fc region residues: 238, 256, 265, 272, 286, 303, 305, 307, 311, 312, 317, 340, 356, 360, 362, 376, 378, 380, 382, 413, 424 or 434, e.g., substitution of Fc region residue 434 (US Patent No. 7,371,826).

5 See also Duncan & Winter, *Nature* 322:738-40 (1988); U.S. Patent No. 5,648,260; U.S. Patent No. 5,624,821; and WO 94/29351 concerning other examples of Fc region variants.

d) Cysteine engineered antibody variants

In certain embodiments, it may be desirable to create cysteine engineered antibodies, e.g., “thioMAbs,” in which one or more residues of an antibody are substituted with cysteine residues. In particular embodiments, the substituted residues occur at accessible sites of the antibody. By substituting those residues with cysteine, reactive thiol groups are thereby positioned at accessible sites of the antibody and may be used to conjugate the antibody to other moieties, such as drug moieties or linker-drug moieties, to create an immunoconjugate, as described further herein. In certain embodiments, any one or more of the following residues may be substituted with cysteine: V205 (Kabat numbering) of the light chain; A118 (EU numbering) of the heavy chain; and S400 (EU numbering) of the heavy chain Fc region.

Cysteine engineered antibodies may be generated as described, e.g., in U.S. Patent No. 7,521,541.

e) Antibody Derivatives

20 In certain embodiments, an antibody provided herein may be further modified to contain additional nonproteinaceous moieties that are known in the art and readily available. The moieties suitable for derivatization of the antibody include but are not limited to water soluble polymers. Non-limiting examples of water soluble polymers include, but are not limited to, polyethylene glycol (PEG), copolymers of ethylene glycol/propylene glycol, carboxymethylcellulose, dextran, polyvinyl alcohol, polyvinyl pyrrolidone, poly-1, 3-dioxolane, poly-1,3,6-trioxane, ethylene/maleic anhydride copolymer, polyaminoacids (either homopolymers or random copolymers), and dextran or poly(n-vinyl pyrrolidone)polyethylene glycol, propylene glycol homopolymers, prolypropylene oxide/ethylene oxide co-polymers, polyoxyethylated polyols (e.g., glycerol), polyvinyl alcohol, and mixtures thereof.

25 Polyethylene glycol propionaldehyde may have advantages in manufacturing due to its stability in water. The polymer may be of any molecular weight, and may be branched or unbranched. The number of polymers attached to the antibody may vary, and if more than one polymer are attached, they can be the same or different molecules. In general, the number and/or type of

polymers used for derivatization can be determined based on considerations including, but not limited to, the particular properties or functions of the antibody to be improved, whether the antibody derivative will be used in a therapy under defined conditions, etc.

5 In another embodiment, conjugates of an antibody and nonproteinaceous moiety that may be selectively heated by exposure to radiation are provided. In one embodiment, the nonproteinaceous moiety is a carbon nanotube (Kam *et al.*, *Proc. Natl. Acad. Sci. USA* 102: 11600-11605 (2005)). The radiation may be of any wavelength, and includes, but is not limited to, wavelengths that do not harm ordinary cells, but which heat the nonproteinaceous 10 moiety to a temperature at which cells proximal to the antibody-nonproteinaceous moiety are killed.

B. Recombinant Methods and Compositions

Antibodies may be produced using recombinant methods and compositions, *e.g.*, as described in U.S. Patent No. 4,816,567. In one embodiment, isolated nucleic acid encoding an anti-hemagglutinin antibody described herein is provided. Such nucleic acid may encode an amino acid sequence comprising the VL and/or an amino acid sequence comprising the VH of the antibody (*e.g.*, the light and/or heavy chains of the antibody). In a further embodiment, one or more vectors (*e.g.*, expression vectors) comprising such nucleic acid are provided. In a further embodiment, a host cell comprising such nucleic acid is provided. In one such embodiment, a 20 host cell comprises (*e.g.*, has been transformed with): (1) a vector comprising a nucleic acid that encodes an amino acid sequence comprising the VL of the antibody and an amino acid sequence comprising the VH of the antibody, or (2) a first vector comprising a nucleic acid that encodes an amino acid sequence comprising the VL of the antibody and a second vector comprising a nucleic acid that encodes an amino acid sequence comprising the VH of the antibody. In one embodiment, the host cell is eukaryotic, *e.g.* a Chinese Hamster Ovary (CHO) 25 cell or lymphoid cell (*e.g.*, Y0, NS0, Sp20 cell). In one embodiment, a method of making an anti-hemagglutinin antibody is provided, wherein the method comprises culturing a host cell comprising a nucleic acid encoding the antibody, as provided above, under conditions suitable for expression of the antibody, and optionally recovering the antibody from the host cell (or 30 host cell culture medium).

For recombinant production of an anti-hemagglutinin antibody, nucleic acid encoding an antibody, *e.g.*, as described above, is isolated and inserted into one or more vectors for further

cloning and/or expression in a host cell. Such nucleic acid may be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of the antibody).

5 Suitable host cells for cloning or expression of antibody-encoding vectors include prokaryotic or eukaryotic cells described herein. For example, antibodies may be produced in bacteria, in particular when glycosylation and Fc effector function are not needed. For expression of antibody fragments and polypeptides in bacteria, see, e.g., U.S. Patent Nos. 5,648,237, 5,789,199, and 5,840,523. (See also Charlton, *Methods in Molecular Biology*, Vol. 248
10 (B.K.C. Lo, ed., Humana Press, Totowa, NJ, 2003), pp. 245-254, describing expression of antibody fragments in *E. coli*.) After expression, the antibody may be isolated from the bacterial cell paste in a soluble fraction and can be further purified.

In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable
15 cloning or expression hosts for antibody-encoding vectors, including fungi and yeast strains whose glycosylation pathways have been “humanized,” resulting in the production of an antibody with a partially or fully human glycosylation pattern. See Gerngross, *Nat. Biotech.* 22:1409-1414 (2004), and Li *et al.*, *Nat. Biotech.* 24:210-215 (2006).

20 Suitable host cells for the expression of glycosylated antibody are also derived from multicellular organisms (invertebrates and vertebrates). Examples of invertebrate cells include plant and insect cells. Numerous baculoviral strains have been identified which may be used in conjunction with insect cells, particularly for transfection of *Spodoptera frugiperda* cells.

25 Plant cell cultures can also be utilized as hosts. See, e.g., US Patent Nos. 5,959,177, 6,040,498, 6,420,548, 7,125,978, and 6,417,429 (describing PLANTIBODIES™ technology for producing antibodies in transgenic plants).

Vertebrate cells may also be used as hosts. For example, mammalian cell lines that are adapted
30 to grow in suspension may be useful. Other examples of useful mammalian host cell lines are monkey kidney CV1 line transformed by SV40 (COS-7); human embryonic kidney line (293 or 293 cells as described, e.g., in Graham *et al.*, *J. Gen Virol.* 36:59 (1977)); baby hamster kidney cells (BHK); mouse sertoli cells (TM4 cells as described, e.g., in Mather, *Biol. Reprod.* 23:243-251 (1980)); monkey kidney cells (CV1); African green monkey kidney cells (VERO-76);

human cervical carcinoma cells (HELA); canine kidney cells (MDCK; buffalo rat liver cells (BRL 3A); human lung cells (W138); human liver cells (Hep G2); mouse mammary tumor (MMT 060562); TRI cells, as described, *e.g.*, in Mather *et al.*, *Annals N.Y. Acad. Sci.* 383:44-68 (1982); MRC 5 cells; and FS4 cells. Other useful mammalian host cell lines include
5 Chinese hamster ovary (CHO) cells, including DHFR⁻ CHO cells (Urlaub *et al.*, *Proc. Natl. Acad. Sci. USA* 77:4216 (1980)); and myeloma cell lines such as Y0, NS0 and Sp2/0. For a review of certain mammalian host cell lines suitable for antibody production, see, *e.g.*, Yazaki and Wu, *Methods in Molecular Biology*, Vol. 248 (B.K.C. Lo, ed., Humana Press, Totowa, NJ), pp. 255-268 (2003).

10 **C. Assays**

Anti-hemagglutinin antibodies provided herein may be identified, screened for, or characterized for their physical/chemical properties and/or biological activities by various assays known in the art.

1. Binding assays and other assays

15 In one aspect, an antibody of the invention is tested for its antigen binding activity, *e.g.*, by known methods such as ELISA, Western blot, etc.

In another aspect, competition assays may be used to identify an antibody that competes for binding of hemagglutinin with any anti-hemagglutinin antibody described herein. In certain
20 embodiments, such a competing antibody binds to the same epitope (*e.g.*, a linear or a conformational epitope) that is bound by an anti-hemagglutinin antibody described here (*e.g.*, an anti-hemagglutinin antibody comprising a VH sequence of SEQ ID NO:111 and a VL sequence of SEQ ID NO:113; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:117; a VH sequence of SEQ ID NO:111 and a VL sequence of SEQ ID NO:119; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:113; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:122; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:124; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:126; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:128; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:130; a VH sequence of SEQ ID NO:115 and a VL sequence of SEQ ID NO:132; a VH sequence of SEQ ID NO:134 and a VL sequence of SEQ ID NO:136; a VH sequence of SEQ ID NO:138 and a VL sequence of SEQ ID NO:140; a VH sequence of SEQ ID NO:142 and a VL sequence of SEQ ID

NO:144; a VH sequence of SEQ ID NO:138 and a VL sequence of SEQ ID NO:146; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:150; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:152; a VH sequence of SEQ ID NO:148 and a VL sequence of SEQ ID NO:140; a VH sequence of SEQ ID NO:234 and a VL sequence of SEQ ID NO:235; a VH sequence of SEQ ID NO:154 and a VL sequence of SEQ ID NO:156; a VH sequence of SEQ ID NO:158 and a VL sequence of SEQ ID NO:156; a VH sequence of SEQ ID NO:160 and a VL sequence of SEQ ID NO:162; a VH sequence of SEQ ID NO:164 and a VL sequence of SEQ ID NO:166; or a VH sequence of SEQ ID NO:168 and a VL sequence of SEQ ID NO:170. Detailed exemplary methods for mapping an epitope to which an antibody binds are provided in Morris (1996) "Epitope Mapping Protocols," in *Methods in Molecular Biology* vol. 66 (Humana Press, Totowa, NJ).

In an exemplary competition assay, immobilized hemagglutinin is incubated in a solution comprising a first labeled antibody that binds to hemagglutinin and a second unlabeled antibody that is being tested for its ability to compete with the first antibody for binding to hemagglutinin. The second antibody may be present in a hybridoma supernatant. As a control, immobilized hemagglutinin is incubated in a solution comprising the first labeled antibody but not the second unlabeled antibody. After incubation under conditions permissive for binding of the first antibody to hemagglutinin, excess unbound antibody is removed, and the amount of label associated with immobilized hemagglutinin is measured. If the amount of label associated with immobilized hemagglutinin is substantially reduced in the test sample relative to the control sample, then that indicates that the second antibody is competing with the first antibody for binding to hemagglutinin. See Harlow and Lane (1988) *Antibodies: A Laboratory Manual* ch.14 (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY).

25 2. *Activity assays*

In one aspect, assays are provided for identifying anti-hemagglutinin antibodies and fragments thereof having biological activity. Biological activity may include, e.g., specifically binding to influenza A virus hemagglutinin, neutralizing influenza A virus, etc. Antibodies and compositions comprising antibodies or fragments thereof having such biological activity *in vivo* and/or *in vitro* are also provided.

In certain embodiments, an antibody of the invention is tested for such biological activity. See Examples 4, 5, 6, 7, 8, 9, 10, and 13 for exemplary descriptions of such assays.

D. Immunoconjugates

The invention also provides immunoconjugates comprising an anti-hemagglutinin antibody herein conjugated to one or more cytotoxic agents, such as chemotherapeutic agents or drugs, growth inhibitory agents, toxins (*e.g.*, protein toxins, enzymatically active toxins of bacterial, 5 fungal, plant, or animal origin, or fragments thereof), or radioactive isotopes.

In one embodiment, an immunoconjugate is an antibody-drug conjugate (ADC) in which an antibody is conjugated to one or more drugs, including but not limited to a maytansinoid (see U.S. Patent Nos. 5,208,020, 5,416,064 and European Patent EP 0 425 235 B1); an auristatin 10 such as monomethylauristatin drug moieties DE and DF (MMAE and MMAF) (see U.S. Patent Nos. 5,635,483 and 5,780,588, and 7,498,298); a dolastatin; a calicheamicin or derivative thereof (see U.S. Patent Nos. 5,712,374, 5,714,586, 5,739,116, 5,767,285, 5,770,701, 5,770,710, 5,773,001, and 5,877,296; Hinman *et al.*, *Cancer Res.* 53:3336-3342 (1993); and Lode *et al.*, *Cancer Res.* 58:2925-2928 (1998)); an anthracycline such as daunomycin or 15 doxorubicin (see Kratz *et al.*, *Current Med. Chem.* 13:477-523 (2006); Jeffrey *et al.*, *Bioorganic & Med. Chem. Letters* 16:358-362 (2006); Torgov *et al.*, *Bioconj. Chem.* 16:717-721 (2005); Nagy *et al.*, *Proc. Natl. Acad. Sci. USA* 97:829-834 (2000); Dubowchik *et al.*, *Bioorg. & Med. Chem. Letters* 12:1529-1532 (2002); King *et al.*, *J. Med. Chem.* 45:4336-4343 (2002); and U.S. Patent No. 6,630,579); methotrexate; vindesine; a taxane such as docetaxel, 20 paclitaxel, larotaxel, tesetaxel, and ortataxel; a trichothecene; and CC1065.

In another embodiment, an immunoconjugate comprises an antibody as described herein conjugated to an enzymatically active toxin or fragment thereof, including but not limited to diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from 25 *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, Aleurites fordii proteins, dianthin proteins, Phytolaca americana proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the trichothecenes.

30 In another embodiment, an immunonconjugate comprises an antibody as described herein conjugated to a radioactive atom to form a radioconjugate. A variety of radioactive isotopes are available for the production of radioconjugates. Examples include At²¹¹, I¹³¹, I¹²⁵, Y⁹⁰, Re¹⁸⁶, Re¹⁸⁸, Sm¹⁵³, Bi²¹², P³², Pb²¹² and radioactive isotopes of Lu. When the radioconjugate

is used for detection, it may comprise a radioactive atom for scintigraphic studies, for example $\text{tc}99\text{m}$ or $\text{I}123$, or a spin label for nuclear magnetic resonance (NMR) imaging (also known as magnetic resonance imaging, mri), such as iodine-123 again, iodine-131, indium-111, fluorine-19, carbon-13, nitrogen-15, oxygen-17, gadolinium, manganese or iron.

5

Conjugates of an antibody and cytotoxic agent may be made using a variety of bifunctional protein coupling agents such as N-succinimidyl-3-(2-pyridyldithio) propionate (SPDP), succinimidyl-4-(N-maleimidomethyl) cyclohexane-1-carboxylate (SMCC), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCl), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as toluene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, *Science* 238:1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026. The linker may be a “cleavable linker” facilitating release of a cytotoxic drug in the cell. For example, an acid-labile linker, peptidase-sensitive linker, photolabile linker, dimethyl linker or disulfide-containing linker (Chari *et al.*, *Cancer Res.* 52:127-131 (1992); U.S. Patent No. 5,208,020) may be used.

The immunoconjugates or ADCs herein expressly contemplate, but are not limited to such conjugates prepared with cross-linker reagents including, but not limited to, BMPS, EMCS, GMBS, HBVS, LC-SMCC, MBS, MPBH, SBAP, SIA, SIAB, SMCC, SMPB, SMPH, sulfo-EMCS, sulfo-GMBS, sulfo-KMUS, sulfo-MBS, sulfo-SIAB, sulfo-SMCC, and sulfo-SMPB, and SVSB (succinimidyl-(4-vinylsulfone)benzoate) which are commercially available (e.g., from Pierce Biotechnology, Inc., Rockford, IL., U.S.A).

E. Methods and Compositions for Diagnostics and Detection

In certain embodiments, any of the anti-hemagglutinin antibodies provided herein is useful for detecting the presence of hemagglutinin or influenza A virus in a biological sample. The term “detecting” as used herein encompasses quantitative or qualitative detection. In certain embodiments, a biological sample comprises a cell or tissue, such as, for example, lung, upper

respiratory tract, nasal canal, blood, sputum, or comprises a biological sample obtained by nasal or throat swab.

In one embodiment, an anti-hemagglutinin antibody for use in a method of diagnosis or 5 detection is provided. In a further aspect, a method of detecting the presence of hemagglutinin or influenza A virus in a biological sample is provided. In certain embodiments, the method comprises contacting the biological sample with an anti-hemagglutinin antibody as described herein under conditions permissive for binding of the anti-hemagglutinin antibody to hemagglutinin, and detecting whether a complex is formed between the anti-hemagglutinin 10 antibody and hemagglutinin. Such method may be an *in vitro* or *in vivo* method. In one embodiment, an anti-hemagglutinin antibody is used to select subjects eligible for therapy with an anti-hemagglutinin antibody, *e.g.*, where hemagglutinin is a biomarker for selection of patients.

15 Exemplary disorders that may be diagnosed using an antibody of the invention include influenza A virus infection, including influenza A virus infection in children, infants, adults, and the elderly.

In certain embodiments, labeled anti-hemagglutinin antibodies are provided. Labels include, 20 but are not limited to, labels or moieties that are detected directly (such as fluorescent, chromophoric, electron-dense, chemiluminescent, and radioactive labels), as well as moieties, such as enzymes or ligands, that are detected indirectly, *e.g.*, through an enzymatic reaction or molecular interaction. Exemplary labels include, but are not limited to, the radioisotopes ³²P, ¹⁴C, ¹²⁵I, ³H, and ¹³¹I, fluorophores such as rare earth chelates or fluorescein and its derivatives, 25 rhodamine and its derivatives, dansyl, umbelliferone, luciferases, *e.g.*, firefly luciferase and bacterial luciferase (U.S. Patent No. 4,737,456), luciferin, 2,3-dihydrophthalazinediones, horseradish peroxidase (HRP), alkaline phosphatase, β -galactosidase, glucoamylase, lysozyme, saccharide oxidases, *e.g.*, glucose oxidase, galactose oxidase, and glucose-6-phosphate dehydrogenase, heterocyclic oxidases such as uricase and xanthine oxidase, coupled with an 30 enzyme that employs hydrogen peroxide to oxidize a dye precursor such as HRP, lactoperoxidase, or microperoxidase, biotin/avidin, spin labels, bacteriophage labels, stable free radicals, and the like.

F. Pharmaceutical Formulations

Pharmaceutical formulations of an anti-hemagglutinin antibody as described herein are prepared by mixing such antibody having the desired degree of purity with one or more optional pharmaceutically acceptable carriers (*Remington's Pharmaceutical Sciences* 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Pharmaceutically acceptable carriers are generally nontoxic to recipients at the dosages and concentrations employed, and include, but are not limited to: buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid and methionine; preservatives (such as octadecyldimethylbenzyl ammonium chloride; hexamethonium chloride; benzalkonium chloride; benzethonium chloride; phenol, butyl or benzyl alcohol; alkyl parabens such as methyl or propyl paraben; catechol; resorcinol; cyclohexanol; 3-pentanol; and m-cresol); low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, histidine, arginine, or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugars such as sucrose, mannitol, trehalose or sorbitol; salt-forming counter-ions such as sodium; metal complexes (e.g. Zn-protein complexes); and/or non-ionic surfactants such as polyethylene glycol (PEG).

Exemplary pharmaceutically acceptable carriers herein further include interstitial drug dispersion agents such as soluble neutral-active hyaluronidase glycoproteins (sHASEGP), for example, human soluble PH-20 hyaluronidase glycoproteins, such as rHuPH20 (HYLENEX[®], Baxter International, Inc.). Certain exemplary sHASEGPs and methods of use, including rHuPH20, are described in US Patent Application Publication Nos. 2005/0260186 and 2006/0104968. In one aspect, a sHASEGP is combined with one or more additional glycosaminoglycanases such as chondroitinases.

Exemplary lyophilized antibody formulations are described in US Patent No. 6,267,958.

Aqueous antibody formulations include those described in US Patent No. 6,171,586 and WO2006/044908, the latter formulations including a histidine-acetate buffer.

The formulation herein may also contain more than one active ingredients as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. For example, it may be desirable to further provide a

neuraminidase inhibitor, an anti-hemagglutinin antibody, an anti-M2 antibody, etc. Such active ingredients are suitably present in combination in amounts that are effective for the purpose intended.

5 Active ingredients may be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nanoparticles and nanocapsules) or in macroemulsions. Such techniques are disclosed in
10 *Remington's Pharmaceutical Sciences* 16th edition, Osol, A. Ed. (1980).

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.* films, or microcapsules.

15 The formulations to be used for *in vivo* administration are generally sterile. Sterility may be readily accomplished, *e.g.*, by filtration through sterile filtration membranes.

G. Therapeutic Methods and Compositions

Any of the anti-hemagglutinin antibodies provided herein may be used in therapeutic methods.

20 In one aspect, an anti-hemagglutinin antibody for use as a medicament is provided. In further aspects, an anti-hemagglutinin antibody for use in treating, preventing, or inhibiting influenza A virus infection is provided. In certain embodiments, an anti-hemagglutinin antibody for use in a method of treatment is provided. In certain embodiments, the invention provides an anti-
25 hemagglutinin antibody for use in a method of treating an individual having influenza A virus infection comprising administering to the individual an effective amount of the anti-hemagglutinin antibody. In one such embodiment, the method further comprises administering to the individual an effective amount of at least one additional therapeutic agent, *e.g.*, as described below. In further embodiments, the invention provides an anti-hemagglutinin antibody for use in preventing, inhibiting, or reducing hemagglutinin-mediated fusion between influenza A virus viral membrane and infected cell endosomal membranes, thus preventing viral RNA entry into the infected cell cytoplasm and preventing further propagation of infection. In certain embodiments, the invention provides an anti-hemagglutinin antibody for
30

use in a method of preventing, inhibiting, or treating influenza A virus infection in an individual comprising administering to the individual an effective amount of the anti-hemagglutinin antibody to prevent, inhibit, or treat influenza A virus infection. An “individual” according to any of the above embodiments is preferably a human.

5

In a further aspect, the invention provides for the use of an anti-hemagglutinin antibody in the manufacture or preparation of a medicament. In one embodiment, the medicament is for treatment of influenza A virus infection. In a further embodiment, the medicament is for use in a method of treating influenza A virus infection comprising administering to an individual having influenza A virus infection an effective amount of the medicament. In one such embodiment, the method further comprises administering to the individual an effective amount of at least one additional therapeutic agent, *e.g.*, as described below. In a further embodiment, the medicament is for preventing, inhibiting, or reducing hemagglutinin-mediated fusion between influenza A virus viral membrane and infected cell endosomal membranes, thus preventing viral RNA entry into the infected cell cytoplasm and preventing further propagation of infection. In a further embodiment, the medicament is for use in a method of preventing, inhibiting, or treating influenza A virus infection in an individual comprising administering to the individual an amount effective of the medicament to prevent, inhibit, or reduce, influenza A virus infection. An “individual” according to any of the above embodiments may be a human.

10

In a further aspect, the invention provides a method for treating influenza A virus infection. In one embodiment, the method comprises administering to an individual having such influenza A virus infection an effective amount of an anti-hemagglutinin antibody. In one such embodiment, the method further comprises administering to the individual an effective amount of at least one additional therapeutic agent, as described herein. An “individual” according to any of the above embodiments may be a human.

15

The present invention provides anti-hemagglutinin antibodies effective at inhibiting, preventing, or treating influenza A virus infection in an individual (*e.g.*, a subject or a patient).

20

In some aspects, an anti-hemagglutinin antibody of the present invention is effective at prophylactically treating an individual in order to prevent influenza A virus infection of the individual.

In some aspects, an individual suitable for treatment with an anti-hemagglutinin antibody of the present invention is an individual having or suspected having influenza A virus infection. In some embodiments, such individuals include infants, children, adults, and the elderly. In some embodiments, the individual is hospitalized with influenza A virus infection. In other 5 embodiments, the individual having influenza A virus infection has one or more co-morbidities, such as, for example, immunodeficiency, pregnancy, lung disease, heart disease, renal disease, or co-infection (e.g., a bacterial infection or a viral infection, such as bacterial or viral pneumonia).

10 In some aspects, treatment of an individual with an anti-hemagglutinin antibody of the present invention reduces influenza A virus infection severity, reduces the length of influenza A virus infection, or reduces influenza A virus infectivity. In other aspects, treatment of influenza A virus infection with an anti-hemagglutinin antibody of the present invention provides additional benefit, including a reduction in the length of hospital stay, reduction or prevention 15 of the need for intensive care unit (ICU) use, reduction or prevention of the need for assisted or mechanical ventilation, reduction or prevention of the need for supplemental oxygen use, and reduction of mortality. In some aspects, the reduction in the length of hospital stay is 1 day, 2 days, 3 days, 4 days, 5 days, or longer than 5 days. In some aspects, the reduction in the need for intensive care unit use is 1 day, 2 days, 3 days, 4 days, 5 days, or longer than 5 days. In 20 some aspects, the reduction in need for assisted or mechanical ventilation is 1 day, 2 days, 3 days, 4 days, 5 days, or longer than 5 days. In some aspects, the reduction in the need for supplemental oxygen is 1 day, 2 days, 3 days, 4 days, 5 days, or longer than 5 days. In some aspects, treatment of an individual with an anti-hemagglutinin antibody of the present invention reduces influenza A virus infection disease symptoms, such as, for example, fever, 25 coryza, chills, sore throat, muscle pain, body aches, headache, cough, nasal congestion, weakness or fatigue, irritated or watering eyes, and general discomfort.

30 In some aspects, treatment of an individual with an anti-hemagglutinin antibody of the present invention reduces the time to normalization of respiratory function, such as a reduction of time to normalization of respiratory rate, or a reduction of time to normalization of oxygen saturation. In some aspects, treatment of an individual with an anti-hemagglutinin antibody of the present invention reduces the time to return to normal oxygen saturation, e.g., to an oxygen saturation of about 92% or greater, as measured over a 24 hour period without supplemental oxygen administration. In other aspects, treatment of an individual with an anti-hemagglutinin

antibody of the present invention reduces the time to normalization of vital signs, such as heart rate, blood pressure, respiratory rate, and temperature.

In some aspects, treatment of an individual with an anti-hemagglutinin antibody of the present invention improves virologic endpoints, such as, for example, influenza virus titer. Virus titer can be measured by various ways known to one of skill in the art, such as, for example, viral area under the curve (AUC), as measured by, for example, qPCR or tissue culture infective does (TCID50). In some aspects, the treatment results in greater than or equal to 50% reduction in viral AUC as measured by qPCR or TCID50.

10

In various aspects of the present invention, an anti-hemagglutinin antibody provided herein is effective at treating influenza A virus infection when administered at about 12 hours, at about 24 hours, at about 36 hours, at about 48 hours, at about 60 hours, at about 72 hours, at about 84 hours, and at about 96 hours after onset of symptoms (e.g., onset of illness). In other aspects, an anti-hemagglutinin antibody provided herein is effective at treating influenza A virus infection when administered between about 24 hours and 48 hours after onset of symptoms (e.g., the individual has been symptomatic for between 24 and 48 hours), when administered between about 48 hours and 72 hours after onset of symptoms, or when administered between about 72 hours and 96 hours after onset of symptoms. In certain embodiments of the present invention, an anti-hemagglutinin antibody of the present invention is effective at treating or reducing influenza A virus infection and extends the treatment window of current standard of care (e.g., oseltamivir) beyond 48 hours after onset of symptoms.

25

In a further aspect, the invention provides pharmaceutical formulations comprising any of the anti-hemagglutinin antibodies provided herein, e.g., for use in any of the above therapeutic methods. In one embodiment, a pharmaceutical formulation comprises any of the anti-hemagglutinin antibodies provided herein and a pharmaceutically acceptable carrier. In another embodiment, a pharmaceutical formulation comprises any of the anti-hemagglutinin antibodies provided herein and at least one additional therapeutic agent, e.g., as described below.

Antibodies of the invention can be used either alone or in combination with other agents in a therapy. For instance, an antibody of the invention may be co-administered with at least one

additional therapeutic agent. In certain embodiments, an additional therapeutic agent is a neuraminidase inhibitor (*e.g.*, zanamivir, oseltamivir phosphate, amantadine, rimantadine), an anti-M2 antibody, an anti-hemagglutinin antibody, etc. In some aspects, treatment of an individual having influenza A virus infection with an anti-hemagglutinin antibody of the present invention co-administered with a neuraminidase inhibitor provides a synergistic therapeutic effect compared to treatment with either agent alone.

Such combination therapies noted above encompass combined administration (where two or more therapeutic agents are included in the same or separate formulations), and separate administration, in which case, administration of the antibody of the invention can occur prior to, simultaneously, and/or following, administration of the additional therapeutic agent or agents. In one embodiment, administration of the anti-hemagglutinin antibody and administration of an additional therapeutic agent occur within about one month, or within about one, two, or three weeks, within about one, two, three, four, five, or six days, or within about one, two, three, four, five, six, eight, ten, twelve, sixteen, twenty, or twenty-four hours of each other.

An antibody of the invention (and any additional therapeutic agent) can be administered by any suitable means, including parenteral, intrapulmonary, and intranasal, and, if desired for local treatment, intralesional administration. Parenteral infusions include intramuscular, intravenous, intraarterial, intraperitoneal, or subcutaneous administration. Dosing can be by any suitable route, *e.g.* by injections, such as intravenous or subcutaneous injections, depending in part on whether the administration is brief or chronic. Various dosing schedules including but not limited to single or multiple administrations over various time-points, bolus administration, and pulse infusion are contemplated herein.

Antibodies of the invention would be formulated, dosed, and administered in a fashion consistent with good medical practice. Factors for consideration in this context include the particular disorder being treated, the particular mammal being treated, the clinical condition of the individual patient, the cause of the disorder, the site of delivery of the agent, the method of administration, the scheduling of administration, and other factors known to medical practitioners. The antibody need not be, but is optionally formulated with one or more agents currently used to prevent or treat the disorder in question. The effective amount of such other agents depends on the amount of antibody present in the formulation, the type of disorder or

treatment, and other factors discussed above. These are generally used in the same dosages and with administration routes as described herein, or about from 1 to 99% of the dosages described herein, or in any dosage and by any route that is empirically/clinically determined to be appropriate.

5

For the prevention or treatment of disease, the appropriate dosage of an antibody of the invention (when used alone or in combination with one or more other additional therapeutic agents) will depend on the type of disease to be treated, the type of antibody, the severity and course of the disease, whether the antibody is administered for preventive or therapeutic purposes, previous therapy, the patient's clinical history and response to the antibody, and the discretion of the attending physician. The antibody is suitably administered to the patient at one time or over a series of treatments. Depending on the type and severity of the disease, about 1 μ g/kg to about 45 mg/kg (e.g., about 1.0 mg/kg to about 15 mg/kg) of antibody can be an initial candidate dosage for administration to the patient, whether, for example, by one or more separate administrations, or by continuous infusion. One typical daily dosage might range from about 1 μ g/kg to 100 mg/kg or more, depending on the factors mentioned above. For repeated administrations over several days or longer, depending on the condition, the treatment would generally be sustained until a desired suppression of disease symptoms occurs. Exemplary dosages of the antibody would be in the range from about 1.0 mg/kg to about 45 mg/kg, from about 1.0 mg/kg to about 30 mg/kg, from about 1.0 mg/kg to about 15 mg/kg, from about 1.0 mg/kg to about 10 mg/kg, or from about 1.0 mg/kg to about 5 mg/kg. Thus, one or more doses of about 1.0 mg/kg, 2.5 mg/kg, 5.0 mg/kg, 10 mg/kg, 15 mg/kg, 30 mg/kg, or 45 mg/kg (or any combination thereof) may be administered to the patient. Such doses may be administered intermittently, e.g., every day, every two days, every three days, etc. An initial higher loading dose, followed by one or more lower doses may be administered. Dosing can also be at a fixed dose, such as, for example, 200 mg, 400 mg, 600 mg, 800 mg, 1000 mg, 1200 mg, 1400 mg, 1500 mg, 1600 mg, 1800 mg, 2000 mg, 2200 mg, 2400 mg, 2500 mg, 2600 mg, 2800 mg, 3000 mg, 3200 mg, 3400 mg, 3600 mg, etc. The progress of this therapy is easily monitored by conventional techniques and assays.

20
25
30

It is understood that any of the above formulations or therapeutic methods may be carried out using an immunoconjugate of the invention in place of or in addition to an anti-hemagglutinin antibody.

H. Articles of Manufacture

In another aspect of the invention, an article of manufacture containing materials useful for the treatment, prevention and/or diagnosis of the disorders described above is provided. The article of manufacture comprises a container and a label or package insert on or associated with the container. Suitable containers include, for example, bottles, vials, syringes, IV solution bags, etc. The containers may be formed from a variety of materials such as glass or plastic. The container holds a composition which is by itself or combined with another composition effective for treating, preventing and/or diagnosing the condition and may have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). At least one active agent in the composition is an antibody of the invention. The label or package insert indicates that the composition is used for treating the condition of choice. Moreover, the article of manufacture may comprise (a) a first container with a composition contained therein, wherein the composition comprises an antibody of the invention; and (b) a second container with a composition contained therein, wherein the composition comprises a further cytotoxic or otherwise therapeutic agent. The article of manufacture in this embodiment of the invention may further comprise a package insert indicating that the compositions can be used to treat a particular condition.

Alternatively, or additionally, the article of manufacture may further comprise a second (or third) container comprising a pharmaceutically-acceptable buffer, such as bacteriostatic water for injection (BWFI), phosphate-buffered saline, Ringer's solution and dextrose solution. It may further include other materials desirable from a commercial and user standpoint, including other buffers, diluents, filters, needles, and syringes.

It is understood that any of the above articles of manufacture may include an immunoconjugate of the invention in place of or in addition to an anti-hemagglutinin antibody.

III. EXAMPLES

The following are examples of methods and compositions of the invention. It is understood that various other embodiments may be practiced, given the general description provided above.

Example 1. Identification of anti-hemagglutinin antibodies by phage display

Construction of phage libraries from influenza virus vaccinated human donors

Antibodies directed against influenza A virus hemagglutinin were identified using a phage display library constructed from peripheral blood mononuclear cells (PBMCs) isolated from 5 human donors vaccinated with the seasonal influenza virus vaccine as follows.

Leukopacs from normal human donors that received the seasonal influenza Fluvirin® vaccine (Novartis Lot #111796P1) 7 days prior to their blood donation were obtained from Blood Centers of the Pacific (San Francisco, CA). PBMCs were isolated from the leukopacs using 10 standard methodologies. The PBMCs were sorted for CD19⁺/CD20⁻ plasmablast cells by FACS. RNA from the CD19⁺/CD20⁻ sorted plasmablasts was extracted using RNeasy purification kit (Qiagen, USA) and cDNA was generated from the isolated RNA by reverse transcription using SuperScript® III Reverse Transcriptase (Invitrogen, USA). Human variable heavy (VH), variable kappa (VK), and variable light (VL) genes were PCR amplified from the 15 cDNA using the following back and forward DNA primer mixtures.

VH Back

BssHII.HuVH1: ATCGTTTCATAAGCGCGCCAGGTGCAGCTGGTCAGTC (SEQ ID NO: 1)

BssHII.HuVH2: ATCGTTTCATAAGCGCGCCAGTCACCTGAAGGAGTC (SEQ ID NO: 2)

BssHII.HuVH3.1: ATCGTTTCATAAGCGCGCGAGGTGCAGCTGGTGGAGTC (SEQ ID NO: 3)

BssHII.HuVH3.2: ATCGTTTCATAAGCGCGCCAGGTGCAGCTGGTGGAGTC (SEQ ID NO: 4)

BssHII.HuVH3.3: ATCGTTTCATAAGCGCGCGAAGTGCAGCTGGTGGAGTC (SEQ ID NO: 5)

BssHII.HuVH4.1: ATCGTTTCATAAGCGCGCCAGGTGCAGCTGCAGGGAGTC (SEQ ID NO: 6)

BssHII.HuVH4.2: ATCGTTTCATAAGCGCGCCAGCTGCAGCTGCAGGGAGTC (SEQ ID NO: 7)

BssHII.HuVH5: ATCGTTTCATAAGCGCGCGARGTGCAGCTGGTGCAGTC (SEQ ID NO: 8)

BssHII.HuVH6: ATCGTTTCATAAGCGCGCCAGGTACAGCTGCAGCAGTC (SEQ ID NO: 9)

BssHII.HuVH7: ATCGTTTCATAAGCGCGCCAGGTGCAGCTGGTGCAGTC (SEQ ID NO: 10)

BssHII.HuVH1.A: ATCGTTTCATAAGCGCGCCAGGTCCAGCTGTGCAGTC (SEQ ID NO: 11)

BssHII.HuVH1.B: ATCGTTTCATAAGCGCGCCAGGTTCAGCTGGTGCAGTC (SEQ ID NO: 12)

BssHII.HuVH1.C: ATCGTTTCATAAGCGCGCCAGGTCCAGCTGGTACAGTC (SEQ ID NO: 13)

BssHII.HuVH1.D: ATCGTTTCATAAGCGCGCCAGATGCAGCTGGTGCAGTC (SEQ ID NO: 14)

BssHII.HuVH1.E: ATCGTTTCATAAGCGCGCCAAATCCAGCTGGTGCAGTC (SEQ ID NO: 15)

BssHII.HuVH1.F: ATCGTTTCATAAGCGCGCGAGGTCCAGCTGGTGCAGTC (SEQ ID NO: 16)

35 BssHII.HuVH3.A: ATCGTTTCATAAGCGCGCGAGGTGCAGCTGGTGGAGTC (SEQ ID NO: 17)

BssHII.HuVH3.B: ATCGTTTCATAAGCGCGCGAGGTGCAGCTGGTGGAGAC (SEQ ID NO: 18)

BssHII.HuVH4.A: ATCGTTTCATAAGCGCGCCAGGTGCAGCTACAGCAGTG (SEQ ID NO: 19)

VH Forward

40 NheI.JH 2: GACATTCTACGAGCTAGCTGAGGAGACAGTGACCAGGGT (SEQ ID NO: 20)

NheI.JH1/4/5: GACATTCTACGAGCTAGCTGAGGAGACGGTGACCAGGGT (SEQ ID NO: 21)

NheI.JH3: GACATTCTACGAGCTAGCTGAAGAGAGACGGTGACCATTGTC (SEQ ID NO: 22)

NheI.JH6: GACATTCTACGAGCTAGCTGAGGAGACGGTGACCGTG (SEQ ID NO: 23)

45 VK Back

NheI.OL.HuVK 1:

TCTCCTCAGCTAGCGGTGGCGCGGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGC

GACATCCAGWTGACCCAGTC (SEQ ID NO: 24)

NheI.OL.HuVK2:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGTGGCAGC
5 GATGTTGTGATGACTCAGTC (SEQ ID NO: 25)

NheI.OL.HuVK3:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGTGGCAGC
10 GAAATTGTGWTGACRCAGTC (SEQ ID NO: 26)

NheI.OL.HuVK4:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGTGGCAGC
GATATTGTGATGACCCACAC (SEQ ID NO: 27)

NheI.OL.HuVK5:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGTGGCAGC
GAAACGACACTCACGCAGTC (SEQ ID NO: 28)

NheI.OL.HuVK6:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGTGGCAGC
20 GAAATTGTGCTGACTCAGTC (SEQ ID NO: 29)

VK Forward

25 NeoI.JK1-: AGTCATGCCATGGTTTGATTCCACCTTGGTCCCTT (SEQ ID NO: 30)

NeoI.JK2-: AGTCATGCCATGGTTTGATCTCCACCTTGGTCCC (SEQ ID NO: 31)

NeoI.JK3-: AGTCATGCCATGGTTTGATATCCACTTGGTCCCAG (SEQ ID NO: 32)

NeoI.JK4-: AGTCATGCCATGGTTTGATCTCCAGCTTGGTCCCCT (SEQ ID NO: 33)

NeoI.JK5-: AGTCATGCCATGGTTTAATCTCCAGTCGTGTCCCTT (SEQ ID NO: 34)

VL Back

NheI.OL.HuVL1.1:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGTCTGT
G CTGACTCAGCC (SEQ ID NO: 35)

NheI.OL.HuVL1.2:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGTCTGT
G YTGACGCAGCC (SEQ ID NO: 36)

NheI.OL.HuVL1.3:

40 TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGTCTGT
C GTGACGCAGCC (SEQ ID NO: 37)

NheI.OL.HuVL2:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGTCTGC
45 C CTGACTCAGCC (SEQ ID NO: 38)

NheI.OL.HuVL3.1:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCTCCTATGW
50 G CTGACTCAGCC (SEQ ID NO: 39)

NheI.OL.HuVL3.2:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCTCTTCTGA
G CTGACTCAGGA (SEQ ID NO: 40)

NheI.OL.HuVL4:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCACGTTAT
55 A CTGACTCAACC (SEQ ID NO: 41)

NheI.OL.HuVL5:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGGCTGT
G CTGACTCAGCC (SEQ ID NO: 42)

5 NheI.OL.HuVL6:

TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCAATTTAT
G CTGACTCAGCC (SEQ ID NO: 43)

NheI.OL.HuVL7/8:

10 TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCAGRCTGT
G GTGACYCAGGA (SEQ ID NO: 44)

NheI.OL.HuVL9:

15 TCTCCTCAGCTAGCGGTGGCGGCGGTCCGGAGGTGGTGGTCTGGCGGTGGCAGCCWGCCTG
TG CTGACTCAGCC (SEQ ID NO: 45)VL Forward

NeoI.JL1-: AGTCATGCCATGGTTAGGACGGTGACCTTGGTCC (SEQ ID NO: 46)

NeoI.JL2/3-: AGTCATGCCATGGTTAGGACGGTCAGCTTGGTCC (SEQ ID NO: 47)

20 NeoI.JL7-: AGTCATGCCATGGTGAGGACGGTCAGCTGGGTG (SEQ ID NO: 48)

The resulting amplified cDNA products were assembled to scFv using overlap PCR with the following overlap primers.

25 BssHII.VH.OL+: ATCGTTCATAGCGCGCSA (SEQ ID NO: 49)
 NotI.JK.OL-: AGTCATGCCATGGTTTGAT (SEQ ID NO: 50)
 NotI.JL.OL-: AGTCATGCCATGGTKAGGAC (SEQ ID NO: 51)

Purified scFv cDNA fragments (1 μ g) and phagemid vector p2056BNN (2 μ g) were digested 30 with BssHII and NcoI restriction endonuclease (New England Biolabs, USA). Phagemid vector p2056BNN is a modified version of pS2025e (Sidhu *et al.*, (2004) J Mol Biol 338:299-310), engineered to contain BssHII, NheI, and NcoI restriction sites. The scFv cDNA fragments were then ligated into the p2056BNN vector (6:1 M ratio) using T4 DNA ligase 35 enzyme (New England Biolabs). The resulting cDNA/phage ligation products were purified using a PCR purification kit (Qiagen, USA) and transformed into electro-competent SS320 *E. coli* cells. The size of the phage library was estimated by plating 10 μ l of 1:10 diluted library culture onto LB/Carbenicillin plates. The library culture was then further amplified and propagated in a total volume of 60 ml 2YT medium, and phage-scFv expression was induced 40 by co-infection with M13KO7 helper phage. Kanamycin was later added to the library culture, and incubated with shaking for 30 hours at 30 °C. The library culture was then centrifuged to pellet the cells. The phage-scFv-containing supernatant was precipitated with 5 \times PEG/2.5 M NaCl and resuspended in PBS.

Phage library sorting and screening to identify anti-hemagglutinin antibodies

Influenza A virus hemagglutinin H1 and H3 proteins (produced as described below in Example 2) were used as antigens for phage library sorting. Hemagglutinin H1 and H3 antigens were coated onto a high-binding 96-well maxisorp plate. The plates and phage libraries were pre-blocked with phage blocking buffer (phosphate-buffered saline (PBS), 1% (w/v) bovine serum albumin (BSA), and 0.05% (v/v) tween-20 (PBS-T)) and incubated for 2 hours at room temperature. The blocked phage library (100 μ L) was added to the hemagglutinin-coated wells and incubated for 3 hours. The unbound phage were washed off the plates using 0.05% PBS-Tween, and bound phage were eluted with 100 μ L 50 mM HCl and 500 mM NaCl for 30 minutes followed by neutralization with 100 μ L of 1 M Tris base (pH 7.5). Recovered phage were amplified in *E. coli* XL-1 Blue cells. The resulting phage were precipitated and subjected another round of panning/selection against the hemagglutinin proteins. During subsequent panning/selection rounds, antibody phages were incubated with same or different hemagglutinin antigens. The stringency of plate washing was gradually increased from washing 15x to washing 40x.

After 2-3 rounds of panning and selection, significant enrichment of hemagglutinin-specific phage was observed. 96 phage clones were picked from the library sorting to determine whether they specifically bound to hemagglutinin H1 and/or H3. The variable regions of the phage clones displaying specific binding to the hemagglutinin proteins were sequenced to identify phage clones containing unique immunoglobulin nucleic acid sequences. Unique phage antibodies that bound hemagglutinin H1 and/or H3 with at least 5x above background were further characterized. Phage-derived clones of interest were reformatted into IgGs by cloning V_L and V_H regions of individual clones into the LPG3 and LPG4 expression vectors, respectively, transiently expressed in mammalian 293 cells, and purified using a protein A column. Two antibodies (mAb9 and mAb23) were identified for further analysis. (See Example 5 below.)

Example 2. Plasmablast enrichment and expansion

To discover and identify rare antibodies against influenza A virus hemagglutinin, the following plasmablast enrichment and expansion technique was developed. (See co-pending patent application U.S. patent application serial number 61/725,764, which is incorporated by reference herein in its entirety.)

Leukopacs from normal human donors that received the seasonal influenza Fluvirin® vaccine (Novartis Lot #111796P1) 7 days prior to their blood donation were obtained from Blood Centers of the Pacific (San Francisco, CA). Peripheral blood mononuclear cells (PBMCs) 5 were isolated from the leukopacs using standard methodologies. Six- to eight-week old female SCID/beige mice were purchased from Charles River Laboratories (Hollister, CA) and housed and maintained at Genentech in accordance with American Association of Laboratory Animal Care guidelines. All experimental studies were conducted under the approval of the Institutional Animal Care and Use Committees of Genentech Lab Animal Research in an 10 AAALACi-accredited facility in accordance with the Guide for the Care and Use of Laboratory Animals and applicable laws and regulations. Leukopac or blood from healthy human donors was obtained after written informed consent was provided and ethical approval granted from the Western Institutional Review Board.

15 *In vivo* antigen-driven plasmablast enrichment and expansion was performed using intraspenic transplantation of PBMCs as follows. Isolated PBMCs were resuspended with hemagglutinin antigens (0.1-2 µg for each one million B cells) and incubated for 30 minutes at 37°C (PBMC/antigen pre-mix). Following this incubation, the PBMCs were washed to remove 20 unbound antigens. To enrich for plasmablasts that produced cross-reactive hemagglutinin antibodies, the hemagglutinin antigen variants used for PBMC/antigen pre-mix and single cell sorting were specifically chosen to differ from the hemagglutinin antigen variants contained within the influenza Fluvirin® vaccine. Hemagglutinin antigens used in this study, therefore, included H1 hemagglutinin from influenza A virus isolate A/NWS/1933 (a Group1 influenza A virus hemagglutinin), H3 hemagglutinin from influenza A virus isolate A/Hong Kong/8/1968

25 (a Group2 influenza A virus hemagglutinin), and H7 hemagglutinin from influenza A virus isolate A/Netherlands/219/2003 (a Group2 influenza A virus hemagglutinin). The hemagglutinin antigens were produced at Genentech using standard molecular biology techniques.

30 6-8 week old female SCID/beige mice (Charles River Laboratories, Hollister, CA) were sub-lethally irradiated with 350 rads using a Cesium-137 source. Polymyxin B (110 mg/L) and neomycin (1.1 g/L) were added to the drinking water for 7 days following irradiation. Four hours after irradiation, the left flank of each mouse was shaved and prepped with Betadine® (Purdue Pharma, Stamford, CT) and 70% alcohol. Surgical procedures were performed under

anesthesia using aseptic surgical procedures. A 1-cm skin incision was made just below the costal border of each mouse, followed by an incision of the abdominal wall and the peritoneum. The spleen of each mouse was carefully exposed and injected with 50×10^6 human PBMCs resuspended in 30 μ L PBS. The incisions were closed in the muscular layer and in the skin using 5-O Vicryl® sutures (Ethicon, Somerville, NJ) and surgical staples, respectively. For antigen-specific cell sorting experiments, mice were sacrificed at 8 days post-transplantation, and their spleens harvested.

Single cell suspensions of spleen cells obtained from the mice were stained with a cocktail of anti-human monoclonal antibodies CD38 PE/Cy7 (BD Biosciences, San Jose, CA) and IgG Dylight (Jackson ImmunoResearch Laboratories, Inc., West Grove, PA) which define human IgG+ plasmablasts as CD38^{high}/IgG+ expression. To identify hemagglutinin cross-reactive plasmablasts within the suspension of isolated spleen cells, the cells were stained with hemagglutinin H1 from influenza virus A isolate A/NWS/1933 and hemagglutinin H3 from influenza virus A isolate A/Hong Kong/8/1968, which were previously conjugated with FITC or PE, respectively, using Lightning-Link® labeling kits (Innova Biosciences, Cambridge, UK).

Figure 1A shows representative FACS data analysis of anti-hemagglutinin-positive plasmablasts from day 7 post-vaccinated PBMCs prior to SCID/beige mice enrichment (*i.e.*, prior to PBMC/antigen pre-mix). Figure 1B shows representative FACS data analysis of hemagglutinin-positive plasmablasts from day 8 post-transplant after SCID/beige mice enrichment, comparing no pre-mix and antigen pre-mix in the upper and lower panels, respectively. As shown in Figures 1A and 1B, PBMC/antigen pre-mix prior to intrasplenic injection resulted in higher frequency of H3⁺/H1⁺ anti-hemagglutinin plasmablasts.

Table 2 below shows a comparison of anti-H1⁺/anti-H3⁺ plasmablast frequencies before and after SCID enrichment as described herein. As shown in Table 2, the frequency of anti-H1⁺/anti-H3⁺ plasmablasts was greatly increased using the SCID/beige mouse enrichment methods of the present invention compared to that observed without SCID/beige mouse enrichment.

Table 2

Condition	Anti-H1 ⁺ /Anti-H3 ⁺ Plasmablast Frequency (%)
Vaccinated PBMC	0.00028±0.00008
SCID + Antigen Premix	0.011±0.007

Samples were then analyzed in the presence of propidium iodide dead cell exclusion on Aria high-speed cell sorter (BD Biosciences, San Jose, CA) and anti-hemagglutinin-specific plasmablasts were sorted in a single cell manner into 96-well tissue culture plates containing 50 μ l RPMI cell culture media supplemented with 5% Low IgG fetal bovine serum. (Gibco, Grand Island, NY). Five million live cells were recorded for all analysis profiles. Profiles were analyzed by Flowjo version 9.4.11 software.

10 Figure 2 shows analysis of splenocytes obtained from day-8 post-transplant from individual SCID/beige mice showing stochastic response, comparing no pre-mix (circles) and antigen-pre-mix (squares). Data is presented as percent anti-H1⁺/CD38^{high} plasmablasts. The rectangle indicates mice that presented anti-H1⁺ plasmablasts.

15 These results showed that broad hemagglutinin cross-reactive plasmablasts were detected if influenza virus A Group1 (e.g., hemagglutinin H1) and Group2 (e.g., hemagglutinin H3, hemagglutinin H7) hemagglutinin antigens were incubated with PBMCs prior to intrasplenic transplant. These results further indicated that *in vitro* stimulation of hemagglutinin antigen-primed PBMCs from influenza-vaccinated donors promoted hemagglutinin antigen-specific enrichment of plasmablasts within the SCID/beige mouse recipients.

20

Example 3. IgG cloning from single plasmablasts

Hemagglutinin H1 and H3 cross-reactive human plasmablasts (described above) were single-cell sorted, resulting in approximately 950 plasmablasts. Single plasmablasts were sorted directly into U-bottom 96-well micro-well plates containing 50 μ l RPMI containing 5% Low IgG fetal bovine serum. The plates were centrifuged for 5 minutes at 600 x g (Beckman Coulter, Brea, CA) and the media was carefully removed by aspiration. The cells were re-suspended and washed twice in 90 μ l of PBS following the same procedure.

30 To generate cDNA encoding the variable heavy chains and light chains, each cell was re-suspended in 6 μ l of Reverse Transcriptase (RT) reaction mixture containing 2 units RNaseout

(Invitrogen, Grand Island, NY), 0.5 mM 4dNTP (Perkin Elmer, Waltham, MA), 1.5 mM MgCl₂, 37.5 mM KCl, 10 mM DTT (dithiothreitol), 0.25% Nonidet P40 (US Biological, Marblehead, MA), 0.1 mg/ml bovine serum albumin (Sigma-Aldrich), 25 mM Tris pH 8.3, 0.25 pmol of IgG_{1,4} constant, kappa chain constant, and lambda chain constant region specific 5 oligonucleotides (shown below) and 40 U Superscript III (Invitrogen, Grand Island, NY).

IgG_{1,4} constant: GAAGTAGTCCTTGACCAGGCAG (SEQ ID NO: 52)
 Kappa constant: CTCAGCGTCAGGGTGYTGCTGAG (SEQ ID NO: 53)
 Lambda constant: GGGTKTGGTSGTCTCCAC (SEQ ID NO: 54)

10

The reaction was incubated for 3 x 30-minute intervals at 45°C, 50°C, and 55°C each.

Following the incubation, the reaction mixture was diluted to 15 µl with TE buffer (10 mM Tris HCl, 1 mM EDTA). Initial polymerase chain reactions (PCR) were performed to amplify IgG heavy chains, kappa chains, and lambda chains using 2 µl of the diluted RT cocktail from 15 above and Advantage-GC 2 Polymerase Mix (Clontech, Mountain View, CA), following protocols provided by the manufacturers. The PCR amplifications were performed using degenerate oligonucleotides based on variable heavy chain and light chain germline and constant region sequences shown below.

IGVH1a	CAGGTGCAGCTGGTGCAGTCTGGGGC	(SEQ ID NO: 55)
20 IGVH1b	CAGGTCCAGCTGGTGCAGTCTGGGGC	(SEQ ID NO: 56)
IGVH2	CAGGTCACCTTGAAGGAGTCTGGTCC	(SEQ ID NO: 57)
IGVH3	GAGGTGCAGCTGGTGGAGTCTGGGGG	(SEQ ID NO: 58)
IGVH4	CAGGTGCAGCTGCAGGAGTCGGGCC	(SEQ ID NO: 59)
IGVH5	GAGGTGCAGCTGGTGCAGTCTGG	(SEQ ID NO: 60)
25 IGVH6	CAGGTACAGCTGCAGCAGTCAGGTCC	(SEQ ID NO: 61)
IGVH7	CAGGTGCAGCTGGTGCAATCTGG	(SEQ ID NO: 62)
IGKV1	GHCATCCRGWTGACCCAGTCTC	(SEQ ID NO: 63)
IGKV2	GATRTTGTGATGACYCAGWCTC	(SEQ ID NO: 64)
IGKV3	GAAATWGTRWTGACRCAGTCTC	(SEQ ID NO: 65)
30 IGKV4	GACATCGTGTGACCCAGTCTCC	(SEQ ID NO: 66)
IGKV5	GAAACGACACTCACCGCAGTCTC	(SEQ ID NO: 67)
IGKV6	GAWRTTGTGMTGACWCAGTCTC	(SEQ ID NO: 68)
IGLV1	CAGTCTGTGYTGACKCAGCCRCCTC	(SEQ ID NO: 69)
IGLV2	CAGTCTGCCCTGACTCAGCCT	(SEQ ID NO: 70)
35 IGLV3	TCCTATGAGCTGACWCAGSHVCCCKC	(SEQ ID NO: 71)
IGLV4	CAGCCTGTGCTGACTCARTCVCCCTC	(SEQ ID NO: 72)
IGLV5	CAGCCTGTGCTGACTCAGCCAATTC	(SEQ ID NO: 73)

IGLV6	AATTTATGCTGACTCAGCCCCAC	(SEQ ID NO: 74)
IGLV7	CAGGCTGTGGTGACTCAGGAGCCC	(SEQ ID NO: 75)
IGLV8	CAGACTGTGGTGACCCAGGAGCC	(SEQ ID NO: 76)
IGLV9	CAGCCTGTGCTGACTCAGCCACC	(SEQ ID NO: 77)
5 HC301.5constant	GCAGCCCAGGGCSGCTGTGC	(SEQ ID NO: 78)
Kappa102constant	GCACACAAACAGAGGCAGTCCAG	(SEQ ID NO: 79)
Lambda202constant	CTTGRAGCTCCTCAGAGGAG	(SEQ ID NO: 80)

Heavy chain and light chain PCR amplification reactions were each divided into two reactions
10 as follows: heavy chain families VH.1,2,3 (primers IGVH1a, IGVH1b, IGVH2, IGVH3) and
VH.4,5,6,7 (primers IGVH4, IGVH5, IGVH6, and IGVH7); kappa chain families VK.1,2,3
(primers IGKV1, IGKV2, and IGKV3) and VK.4,5,6 (primers IGVK4, IGVK5, and IGVK6);
and lambda chain families VL.1,2,3,4,5 (IGLV1, IGLV2, IGLV3, IGLV4, and IGLV5) and
VL.6,7,8,9 (primers IGLV6, IGLV7, IGLV8, and IGLV9). A touchdown PCR amplification
15 protocol was used for temperature cycling.

Following the reaction, PCR amplification products were treated with Exonuclease1 (Exo) and
Shrimp Alkaline Phosphatase (SAP) to remove excess nucleotides and primers from each of
the PCR amplification reactions (U.S. Biologicals, Marblehead, MA). Initial PCR
20 amplification products were directly sequenced to determine the variable sequences of both the
heavy chains and light chains using Sanger sequencing. Second nested PCR amplifications
were performed using germline-matched heavy chain and light chain variable oligonucleotides
in order to insert a mammalian signal and constant region cloning sequences using the
following oligonucleotide primers.

25 SVH1a:
CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGG
(SEQ ID NO: 81)

30 SVH2:
CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGATC
ACCT (SEQ ID NO: 82)

35 SVH3vv:
CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAG
(SEQ ID NO: 83)

40 SVH3gl:
CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGG
(SEQ ID NO: 84)

SVH4:
CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGGT
GCAGCTGCAGG (SEQ ID NO: 85)

5 sVH5:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTAGGTCAGA
GCA (SEQ ID NO: 86)

10 sVH6:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGGTCAG
ACAGC (SEQ ID NO: 87)

15 sVH7:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGGTCAG
GCA (SEQ ID NO: 88)

20 sVK1:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGACATC
CAGATGACCCAGTCTCCATCCTCCCTG (SEQ ID NO: 89)

25 sVK2:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGATATT
GTGATGACTCAGTCTCACTCTCCCTGC (SEQ ID NO: 90)

30 sVK3:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGAAATT
GTGTTGACACAGTCTCCAGCCACCCCTGTCTTG (SEQ ID NO: 91)

35 sVK4:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGACATC
GTGATGACCCAGTCTCCAGACTCCCTGGCTGTG (SEQ ID NO: 92)

40 sVK5:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGAAAC
GACACTCACGCAGTCTCCAGC (SEQ ID NO: 93)

45 sVK6:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGAAATT
GTGCTGACTCAGTCTCCAGACTTCG (SEQ ID NO: 94)

50 sVL1:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGTCT
GTGTYGACKCAGCCRCCTC (SEQ ID NO: 95)

55 sVL2:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGTCT
GCCCTGACTCAGCCT (SEQ ID NO: 96)

60 sVL3:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACCTAT
GAGCTGACWCAGSHVCCCKC (SEQ ID NO: 97)

65 sVL4:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGCCT
GTGCTGACTCARTCVCCCTC (SEQ ID NO: 98)

70 sVL5:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGCCT
GTGCTGACTCAGCCAACCTTC (SEQ ID NO: 99)

75 sVL6:
CCACCATGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTCAAATT
ATGCTGACTCAGCCCCAC (SEQ ID NO: 100)

80 sVL7:

CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGGCT
GTGGTGACTCAGGAGCCC (SEQ ID NO: 101)

sVL8:

5 CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGACT
GTGGTGACCCAGGAGCC (SEQ ID NO: 102)

wVL9:

10 CCACCATGGGATGGTCATGTATCATCCTTTCTAGTAGCAACTGCAACTGGAGTACATTACAGCCT
GTGCTGACTCAGCCACC (SEQ ID NO: 103)

Heavy constant: GCCAGGGGAAAGACCGATG (SEQ ID NO: 104)

15 Kappa constant:
CTGGGATAGAAGTTATTCAGCAGGCACACAACAGAAGCAGTCCAGATTCACTGCTC (SEQ ID
NO: 105)

20 Lambda constant: CTTGRAGCTCCTCAGAGGAG (SEQ ID NO: 80)

PCR amplification reactions were set up using PrimeStar HS DNA Polymerase with GC
(Takara Bio, Shiga, Japan) according to the manufacturer's recommendation. Following the
PCR amplification reactions, the amplification products were treated with Exo/SAP as
described above. Heavy variable chain and light variable chain encoding PCR amplification
25 products were inserted into a mammalian expression vector using restriction endonuclease free
procedures. 20 µl of the PCR amplification products were annealed onto single stranded DNA
human templates for IgG₁, kappa, and lambda chain using the Kunkel mutagenesis protocol.
(See Kunkel (1985) PNAS 82:488-492.) Correctly inserted constructs were confirmed by
DNA sequencing. Plasmids containing nucleic acids encoding heavy chains and light chains
30 were co-transfected into 293T human embryonic kidney cells using Fugene transfection reagent
(Roche Diagnostic, Indianapolis, IN) for transient expression, and analyzed for expression and
binding as described below in Example 4.

Example 4. Hemagglutinin ELISA screening assay

35 The ability of each monoclonal anti-hemagglutinin antibody obtained as described above to
bind various hemagglutinin subtypes was examined by ELISA as follows. Various
hemagglutinin-expressing plasmids were transfected into 293T cells as described above. These
included hemagglutinin H1 from H1N1/South Carolina/1918, hemagglutinin H3 from
H3N2/Perth/2009, hemagglutinin H5 from H5N1/Viet/2004, and hemagglutinin H7 from
40 H7N7/Netherlands/2003 influenza A viruses. After two days, cells were lysed in 50 mM Tris,
pH 8, 5 mM EDTA, 150 mM NaCl, 1% Triton X-100 plus protease inhibitor cocktail (Roche).
Nuclei were cleared by centrifugation and the resulting lysates were stored at -80°C.

For ELISA screening, 384-well plates (Nunc MaxiSorp) were coated with 5 µg/ml Galanthus nivalis lectin (Sigma) in PBS. The plates were washed and then coated with dilutions of the cell lysates containing various expressed hemagglutinins. The plates were washed and 5 incubated with various dilutions of the anti-hemagglutinin antibodies and subsequently with a goat-anti-human-HRP secondary antibody (Jackson). Plates were washed and processed for TMB (3,3',5,5'-tetramethylbenzidine) substrate detection.

Approximately 950 plasmablasts were obtained from single-cell sorting described above in 10 Example 2. Of this, 840 monoclonal antibodies were transiently expressed in 293T cells and screened by ELISA for binding to hemagglutinin subtypes H1, H3, H5, and H7, resulting in 82 monoclonal antibodies that bound influenza A virus Group1 or Group2 hemagglutinin, and 20 monoclonal antibodies that bound both influenza A virus Group1 and Group2 hemagglutinins.

15

Example 5. *In vitro* influenza A virus neutralization

The ability of the anti-hemagglutinin antibodies of the present invention to elicit broad hemagglutinin subtype binding and neutralization of a panel of influenza A Group1 and Group2 virus isolates *in vitro* was examined as follows.

20

MDCK cells were grown in DMEM media supplemented with 10% FBS as a single 25% confluent monolayer in 96-well black with clear bottom imaging plates (Costar 3904). Each influenza A virus subtype/strain was diluted in influenza media (DMEM + 0.2%BSA, 2 µg/ml TPCK treated Trypsin) to an MOI of 1 and incubated for 1 hour at 37°C with varying 25 concentrations (ranging from 0.02 nM to 1,600 nM) of each antibody. Each antibody/influenza virus mixture was allowed to infect MDCK cells for 16 hours at 37°C in a 5% CO₂ incubator prior to fixation of the cells with cold 100% ethanol. The fixed cells were then stained with Hoechst 33342 (Invitrogen, Cat# H3570) to visualize cell nuclei and determine total cell number. The cells were also stained with a broadly reactive monoclonal antibody (Millipore 30 Cat# MAB8258) specific for influenza A virus nucleoprotein in order to determine the number of infected cells.

Cells were imaged using the Image Express Micro (Molecular Devices) and data images were analyzed using MetaXpress 3.1 software. The percentage of infected cells was determined and

plotted on the Y-axis versus the Log 10 antibody concentration on the X-axis. All neutralization assays were completed in triplicate. Data were fit using a nonlinear regression dose-response curve and are presented in Figure 3 as IC₅₀ values in nM with 95% confidence intervals (95% CI).

5 The hemagglutinin (HA) subtype of each influenza A virus strain is provided in the table shown in Figure 3.

10 *In vitro* neutralization dose-response curves were generated using various concentrations of the monoclonal antibodies described herein against a broad panel of influenza A Group1 and Group2 virus strains. Figures 4A and 4B show neutralization curves of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) against a panel of influenza A Group1 and Group2 virus strains, respectively. As shown in Figures 4A and 4B, mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) was effective at *in vitro* neutralization of all influenza A virus strains tested. (See also Figure 3.) Additionally, Figures 5A and 5B show neutralization curves 15 of mAb 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171) against a panel of influenza A Group1 and Group2 virus strains, respectively. As shown in Figures 5A and 5B, mAb 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171) was effective at the *in vitro* neutralization of all influenza A virus strains tested. (See also Figure 3.)

20 Four anti-hemagglutinin antibodies of the present invention (specifically mAb 39.18 B11, mAb 36.89, mAb9.01F3, and mAb23.06C2) were effective *in vitro* at neutralization of either Group1 or Group2 influenza A virus strains, but not both. Specifically, mAb 39.18 B11 was effective at *in vitro* neutralization of the entire Group1 influenza A virus panel examined, but was not able to neutralize Group2 influenza A virus strains. (See Figure 6 and Figure 3.)

25 Conversely, mAb 36.89, mAb9.01F3, and mAb23.06C2 were able to neutralize the entire Group2 influenza A virus panel examined, but were not able to neutralize any Group1 influenza A virus isolate tested. (See Figures 7, 8, and 9, showing *in vitro* neutralization curves for mAb 36.89, mAb9.01F3, and mAb23.06C2, respectively; also see Figure 3.)

30 Taken together, these results showed that monoclonal antibodies of the present invention were able to neutralize in a dose-dependent manner various influenza A virus isolates/strains *in vitro*. Additionally, these results showed that the plasmablast enrichment methodology described herein resulted in the identification of monoclonal antibodies capable of neutralizing both Group1 and Group2 influenza A virus strains from only 950 isolated plasmablasts.

In vitro neutralization studies were also performed using a pseudotype virus engineered to express hemagglutinin H5 to test the efficacy of an antibody of the present invention at neutralizing H5N1 influenza A virus. In particular, an HIV psueudotype virus bearing the H5 5 hemaggutinin surface protein was tested for neutralization with mAb 39.29 NCv1 on 293T cells as follows. The H5 pseudotype virus was produced by co-transfection of 293T cells with three plasmids: Δ8.9, FCMV-GFP, and a plasmid expressing hemagglutinin H5 from influenza A virus isolate H5N1/Vietnam/1203/2004. Virus was purified by ultra-centrifugation through 20% sucrose. For infection, pseudotype virus was incubated with various amounts of mAb 10 39.29 NCv1 before adding to target 293T cells cultured in 96-well plates. After two days, the number of infected cells was determined by counting GFP positive cells. Infection was normalized to the number of infected cells at the lowest antibody concentration used. The results are presented in Figure 10. As shown in Figure 10, mAb 39.29 NCv1 displayed a dose-dependent *in vitro* neutralization against the pseudotype virus expressing hemaggutinin H5 15 surface protein. These data suggested that antibodies of the present invention would be effective at treatment and prevention of H5N1 influenza A virus strains.

An equine influenza virus was also tested for the ability of antibodies of the present invention to exhibit *in vitro* neutralization activity as follows. H7N7 A/Equine/1/Prague/56 influenza A 20 virus was passed on MDCK cells until it achieved a high degree of infectivity. The resulting H7N7 A/Equine/1/Prague/56 influenza A virus was used in neutralization assays (using methods as described above for mAb 39.29 NCv1) on MDCK cells. The results of these experiments are presented in Figure 11. As shown in Figure 11, mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) displayed a dose-dependent *in vitro* neutralization against the 25 H7N7 A/Equine/1/Prague/56 influenza virus expressing hemagglutinin H7 surface protein.

Taken together, these results showed that anti-hemagglutinin antibodies of the present invention exhibited dose-dependent neutralization activity against a variety of influenza A virus strains. Specifically, two anti-hemagglutinin antibodies (mAb 39.29 NWPP ("NWPP" 30 disclosed as SEQ ID NO: 177) and mAb 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171)) were effective at neutralizing all influenza A virus strains examined, including neutralization of both Group1 influenza A virus strains (A/CA/7/2009, A/Brisbane/59/2007, A/Solomon/3/2006, A/New Caledonia/20/1999, A/PR/8/1934, and A/Japan/305/1957) and Group2 influenza A virus strains (A/Victoria/361/2011, A/Perth/16/2009, A/Brisbane/10/2007,

A/Wisconsin/67/2005, A/Victoria/3/1975, A/Port Chalmers/1/1973, A/HK/8/1968, and A/Aichi/2/1968).

Additionally, these results showed that anti-hemagglutinin antibodies of the present invention 5 (e.g., mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) (Figures 4A and 4B) and mAb 81.39 SVSH-NYP ("SVSH" disclosed as SEQ ID NO: 171) (Figures 5A and 5B)) were effective at neutralization of a variety of different seasonal H1N1 influenza A virus strains, H3N2 influenza A virus strains, a H2N2 influenza A virus strain, and the influenza A virus strain associated with the 1957 Japan pandemic (A/Japan/305/1957). These results indicated 10 that antibodies of the present invention are effective in the treatment and prevention of seasonal influenza A virus infection and influenza A virus strains associated with influenza pandemics.

Example 6. *In vivo* efficacy of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) in mice

15 The *in vivo* efficacy of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) to influenza A virus infection in mice was performed as follows. DBA/2J mice (Jackson Lab, Bar Harbor, ME) were infected intranasally with 50 μ l of various influenza A virus strains diluted in influenza media (DMEM, 0.2% BSA, 2 μ g/mL TPCK-treated trypsin) at the minimum LD₁₀₀ dose. Four different influenza A virus strains exhibiting a range of *in vitro* IC₅₀ values were 20 used in this series of experiments, including: H1N1 A/PR/8/1934 (Genentech; IC₅₀ 2.0 nM), used at 40 PFU per mouse; H3N2 A/Hong Kong/1/1968 (ViraPur, San Diego, CA; IC₅₀ 45.1 nM), used at 3 PFU per mouse; H3N2 A/Port Chalmers/1/1973 (ViraPur, San Diego, CA; IC₅₀ 2.2 nM), used at 1.5 \times 10⁴ PFU per mouse; and H3N2 A/Aichi/2/1968 (ViraPur, San Diego, CA; IC₅₀ 35 nM), used at 2 \times 10² PFU per mouse. Influenza virus infection was allowed to progress 25 for 72 hours prior to the intravenous administration of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177).

After 72 hours post influenza virus A infection, various amounts of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) were administered intravenously to the mice at a dose 30 of 900 μ g/mouse (approximately 45 mg/kg), 300 μ g/mouse (approximately 15 mg/kg), and 100 μ g/mouse (approximately 5 mg/kg) in 200 μ l PBS. Control treated animals were administered mAb gD5237 (a monoclonal antibody specific for glycoprotein D of herpes simplex virus (HSV)) at the highest tested equivalent dose of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) (*i.e.*, approximately 45 mg/kg). Mice were monitored daily for body conditioning

and survival, and also weighed daily, until 21 days after infection. All mAb39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) doses vs. control in all four influenza A virus strain infections gave a Log-rank test of P<0.01.

5 Figures 12A, 12B, 12C, and 12D show percent survival (over time, in days) of mice administered various amounts of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) 72 hours after infection with influenza A virus A/PR/8/1934, A/Port Chalmers/1/1973, A/Hong Kong/1/1968, and A/Aichi/2/1968, respectively. As shown in Figures 12A, 12B, 12C, and 12D, 100% mortality was observed by day 14 in infected mice administered control antibody.

10 However, infected mice administered monoclonal antibody of the present invention showed increased survival. In particular, 100% survival was observed in mice infected with influenza virus A/Port Chalmers/1/1973 or influenza virus A/Aichi/2/1968 at all doses of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) tested. (See Figures 12B and 12D.)

15 These results showed that monoclonal antibodies of the present invention are effective at treating various influenza A virus infections. Additionally, these data showed that monoclonal antibodies of the present invention were effective at treating influenza A virus infection when administered up to at least 72 hours post influenza A virus infection.

20 **Example 7. *In vivo* efficacy of mAb 39.29 NCv1 in mice**

To test the *in vivo* efficacy of mAb 39.29 NCv1 in mice, the antibody was administered i.v. to mice infected with four different influenza A virus isolates that exhibited a range of *in vitro* IC₅₀ values. DBA/2J mice (Jackson Lab, Bar Harbor, ME) were infected intranasally with 50 µl of different influenza A virus strains diluted into influenza media (DMEM, 0.2% BSA, 2

25 ug/mL TPCK treated trypsin) at the minimum LD100 dose.

In one set of experiments, influenza A virus isolate H1N1 A/PR/8/1934 was used at 40 PFU per mouse. At 72 hours post infection, anti-hemagglutinin mAb 39.29 NCv1 was administered intravenously at approximately 15 mg/kg, approximately 5 mg/kg, approximately 1.7 mg/kg, or 30 approximately 0.56 mg/kg in 200 µl PBS intravenously. Control treated animals were given mAb gD5237, which is specific for glycoprotein D of HSV at the highest tested equivalent dose of mAb 39.29 NCv1. Mice were monitored for body conditioning and survival, and weighed until 21 days after infection.

For the H1N1 A/PR/8/1934 infected mice, a single i.v. dose of mAb 39.29 NCv1 at 15 mg/kg per mouse was efficacious compared to that observed with control IgG antibody. (See Figure 13.) Specifically, 100% mortality was observed in the control treatment group by day 12, while a single dose of 15 mg/kg of mAb 39.29 NCv1 saved 87.5% of the infected mice. A threefold lower dose of 100 μ g per mouse (approximately 5 mg/kg) of mAb 39.29 NCv1 exhibited some efficacy, being able to protect 25% of animals from the lethal challenge, while doses of approximately 1.7 mg/kg or approximately 0.56 mg/kg showed minimal efficacy beyond that observed in the control treatment group. (See Figure 13.)

10 In another set of experiments, *in vivo* efficacy of mAb 39.29 NCv1 was further examined against mouse-adapted H3N2 Hong Kong influenza A virus strain (H3N2 A/Hong Kong/1/1968), which has a tenfold higher *in vitro* IC₅₀ than A/PR8/1934. As observed in previous experiments described above, mice treated with control antibody following influenza A virus infection showed 100% mortality by day 12. (See Figure 14.) However, a single dose 15 of mAb 39.29 NCv1 at approximately 45 mg/kg or approximately 15 mg/kg was able to protect 87.5% and 75% of the mice, respectively. The minimum efficacious dose of 15 mg/kg *in vivo* of mAb 39.29 NCv1 in both the A/PR8/1934 and the A/Hong Kong/1/1968 influenza A virus infection models is very similar despite the observed contrast in mAb 39.29 NCv1 *in vitro* IC₅₀ values between these two strains. (See Figures 3 and 14.)

20 To further explore the *in vivo* efficacy of mAb 39.29 NCv1, a dose titration of mAb 39.29 NCv1 was tested against two additional influenza A virus strains, Port Chalmers (H3N2 A/Port Chalmers/1/1973) and Aichi (H3N2 A/Aichi/2/1968). mAb 39.29 NCv1 has an *in vitro* IC₅₀ against Port Chalmers of 2.9 nM, which is very similar to that of A/PR8/1934, while Aichi has 25 an *in vitro* IC₅₀ of 35.0 nM, a value closer to that of A/Hong Kong/1/1968. As shown in Figure 15 and Figure 16, 100% mortality was observed in the control treated animals by day 12 and day 10 for the Port Chalmers and Aichi models, respectively. Monoclonal antibody 39.29 NCv1 exhibited very efficacious against both influenza A virus strains at all tested doses (e.g., 45 mg/kg, 15 mg/kg, 5 mg/kg, and 1.7 mg/kg).

30 These data indicated, in part, that little correlation existed between the *in vitro* IC₅₀ of mAb 39.29 NCv1 and the *in vivo* minimum efficacious dose. None-the-less, a single dose of 15 mg/kg administered i.v. 72 hours post infection was efficacious in all four influenza A virus mouse models despite the range of *in vitro* IC₅₀ values for these influenza A virus strains.

Example 8. *In vivo* efficacy of mAb 39.29 and oseltamivir in severe influenza A virus infection in mice

To compare the efficacy of anti-hemagglutinin antibodies of the present invention to that of oseltamivir phosphate (Tamiflu®) in mice, the following studies were performed. Balb/c mice (Charles River Laboratories, Hollister, CA) at 6-weeks old were infected intranasally with 50 µl H1N1 A/PR/8/1934 at 100x the lethal dose (5×10^4 PFU/mouse). At 48 hours post infection, anti-hemagglutinin antibody 39.29 (a 50:50 mixture of mAb 39.29 D8C2 and mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177)) was administered as a single dose of approximately 15 mg/kg or control IgG in 200 µl PBS intravenously. In these experiments, an oseltamivir dosing regimen consisting of 2 mg dosed twice daily (BID) for five days was compared with a single 300 µg i.v. dose (~15 mg/kg) of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177). A Log-rank test of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) or oseltamivir vs. control gave $p < 0.01$ and a maximum likelihood test of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) vs. oseltamivir gave $p < 0.05$. (Oseltamivir (i.e., Tamiflu®) was obtained from Toronto Research Chemicals, Cat. No. 0701000.)

As shown in Figure 17, 100% mortality was observed by day 9 in control-IgG (mAb gD5237) treated animals. BID treatment of oseltamivir for 5 days only protected 37.5% of mice from lethality. However, a single 15 mg/kg dose of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) mixture protected 87.5% of the infected animals from the lethal influenza A virus challenge. (See Figure 17.) The fully efficacious 15 mg/kg dose of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) mixture performed better than oseltamivir in mice severely infected with influenza A virus.

Example 9. *In vivo* efficacy of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) in mice with and without co-administration of oseltamivir

Administration of oseltamivir is effective at reducing human influenza A virus infection if given within 48 hours after symptom onset. Unfortunately, oseltamivir shows minimal efficacy in patients who have been symptomatic for more than 48 hours. Therefore, the following experiments were performed to test if co-administration of a monoclonal antibody of the

present invention and oseltamivir showed improved efficacy over either treatment alone. These experiments were performed using the severe mouse influenza infection model described above in Example 8. Briefly, female Balb/C mice (Charles River Laboratories) were infected with 100x the lethal dose (5×10^4 pfu) of A/PR/8/1934 72-hours prior to i.v. 5 administration of a single dose of 100 μ g mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) (approximately 6 mg/kg, a previously-determined sub-efficacious dose), control IgG, 2 mg BID oseltamivir, or a combination of a single dose of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) and oseltamivir treatment for 5 days. A Log-rank test of the combination treatment vs. mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177) or 10 oseltamivir gives $p < 0.01$.

As expected, control IgG treated animals exhibited 100% mortality 9 days post infection. (See Figure 18.) The mortality observed for control-treated animals was very similar to the groups receiving only oseltamivir or a sub-efficacious dose of mAb 39.29 NWPP ("NWPP" disclosed as SEQ ID NO: 177). However, co-administration of a sub-efficacious dose of mAb 39.29 15 NWPP ("NWPP" disclosed as SEQ ID NO: 177) plus oseltamivir significantly improved survival compared to that observed in either treatment alone, resulting in 87.5% survival. (See Figure 18.)

20 These results showed that a synergistic effect on the treatment of influenza A virus infection occurred during combination therapy using a monoclonal antibody of the present invention used in combination with oseltamivir, a neuraminidase inhibitor.

Example 10. Anti-hemagglutinin antibodies of the present invention perform better than 25 oseltamivir in a ferret H5N1 influenza A virus infection model

Ferret influenza A virus infection models are often used to examine prophylactic and therapeutic efficacy of anti-influenza therapeutics. Ferrets are considered a clinically relevant animal model for human influenza A virus infection. (See Matsuoka *et al.*, (2009) *Current Protocols in Microbiology*, Chapter 15, Unit 15G 12.)

30 To examine the *in vivo* efficacy of mAb 39.29 D8C2 and mAb 81.39 B1C1 against a human isolate of H5N1 influenza A virus in ferrets, the following studies were performed. The ferret H5N1 study was completed under contract at the Lovelace Respiratory Research Institute (Albuquerque, NM). Male ferrets (*Mustela putorius furo*) were challenged with an intranasal

dose of 1×10^3 pfu of the highly virulent H5N1 A/Vietnam/1203/04 influenza A virus strain (LD90 dose). Animals were infected 48 or 72 hours prior to receiving antibody by i.v. or oseltamivir (Tamiflu®) by oral gavage. The control treated animals received a 25 mg/kg i.v. dose of mAb gD5237, a monoclonal antibody specific for glycoprotein D of HSV. The anti-influenza treated animals received a single 25 mg/kg i.v. dose of either mAb 39.29 D8C2 or mAb 81.39 B1C1 at 48 or 72 hours post influenza virus infection. Each antibody treatment group included 10 ferrets. The oseltamivir treated animals received a twice-daily oral dose of 25 mg/kg for 5 days. Animals were monitored daily for weight loss, fever, and, body conditioning.

10

Consistent with an H5N1 infection, the majority of infected ferrets showed early signs of upper respiratory disease by 48 hours post infection. As expected with a lethal dose of H5N1, the negative control antibody treatment group exhibited 90% mortality by 14 days post inoculation. (See Figures 19A and 19B.)

15

In contrast, ferrets that received a single dose of mAb 39.29 D8C2 at either 48 or 72 hours post influenza virus infection showed 80% and 90% survival (20% and 10% mortality), respectively. (See Figure 19A.) Likewise, ferrets that received a single dose of mAb 81.39 B1C1 at either 48 or 72 hours post infection showed 100% and 80% survival (0% and 20% mortality), respectively. (See Figure 19B.) Irrespective of treatment initiation time, the oseltamivir treated groups showed 50% mortality.

20 These results showed that broadly neutralizing anti-hemagglutinin antibodies of the present invention were highly protective in the treatment of severe influenza A virus H5N1 infection in ferrets and performed better than oseltamivir when administered at either 48 and 72 hours post influenza A virus infection.

Example 11. Crystallization and data collection

25 In order to examine the structural basis for hemagglutinin cross-reactivity of the antibodies of the present invention, mAb 39.29 NCv1 Fab fragment was co-cystallized with recombinant hemagglutinin H3 from the human influenza A virus strain A/Perth/16/2009 as follows.

Protein expression and purification

To better understand the structural basis for hemagglutinin neutralization, the crystal structure of mAb 39.29 NCv1 Fab fragment in complex with hemagglutinin was determined as follows. Nucleic acid encoding the extracellular domain of Perth H3 hemagglutinin (H3HA,

5 A/Perth/16/2009, amino acid residues 25-520 (SEQ ID NO: 226 for full-length hemagglutinin H3 (H3HA) amino acid sequence) was cloned into pACGP67 vector (BD Biosciences) in-frame with a thrombin cleavage site (LVPRGS, SEQ ID NO: 106), trimerization “foldon” sequence (PGSGYIPEAPRDGQAYVRKDGEVLLSTFLG, SEQ ID NO:107), and a C-terminal 6xHis tag (SEQ ID NO: 108). Recombinant baculovirus was generated by co-
10 transfection of *Sf9* cells with the H3HA-pACGP67 vector and linearized baculovirus DNA (Pharmingen).

To generate recombinant H3HA protein, *Trichoplusia ni* PRO cells were infected with the recombinant baculovirus using an MOI of 1 and grown for 72 hours at 27°C. Cell
15 supernatants were treated with 50 mM Tris-HCl, pH 7.5, 5 mM CaCl₂, and 1 mM NiCl₂ followed by centrifugation and filtering. Media was then concentrated and buffer exchanged into 10 mM Tris, pH 8.0, and 150 mM NaCl (TBS) containing 20 mM imidazole by tangential flow filtration, and protein captured with Ni-agarose and eluted into TBS containing 200 mM imidazole. The foldon tag was cleaved overnight with thrombin, and H3HA was concentrated
20 and further purified on a Superdex 200 16/60 size exclusion column equilibrated in TBS.

To generate the hemagglutinin-Fab complex, the mAb 39.29 NCv1 Fab (under control of the PhoA promoter) was expressed in *E. coli* overnight at 30°C. The cells were pelleted by centrifugation at 6,000 rpm for 15 minutes and lysed by micro-fluidization in PBS
25 supplemented with 25 mM EDTA and 1 mM PMSF. Cell debris was removed by centrifugation at 10,000 rpm for 1 hour at 4°C. The resulting supernatant was passed through a Protein G column and Fab eluted with 0.58% acetic acid. Further purification of mAb 39.29 NCv1 Fab was achieved by SP sepharose chromatography using a gradient from 0 to 1 M NaCl in 20 mM MES, pH 5.5. To generate the HA/39.29 complex, H3HA was incubated overnight
30 with excess mAb 39.29 NCv1 Fab, followed by concentration and S200 size exclusion chromatography in TBS to isolate the complex. The complex was concentrated to 10 mg/ml for crystallization trials.

Crystallization

Crystal generation for the H3HA/39.29 NCv1 Fab complex were found in 0.1M Phosphate/Citrate buffer, pH 4.2, using 40% PEG 300 as precipitant (condition C6, the JCSG+ sparse matrix screen, Qiagen). Diffraction quality crystals were ultimately grown at 5 19°C in sitting drops containing 0.1 μ l protein and 0.1 μ l 0.1M Phosphate/Citrate, pH 4.2, 40% PEG 300, and 0.7% 1-butanol. Crystals were cryoprotected in mother liquor followed by flash freezing and storage in liquid nitrogen. Data was collected under cryo-cooled conditions at the Canadian Light Source beamline CMCF-08ID and processed using MOSFLM and SCALA. The crystal belonged to the I213 space group, with unit cell dimensions of $a=b=c=204.4$ and 10 $\alpha=\beta=\gamma=90^\circ$.

Structure determination

Initial phases were obtained by molecular replacement with PHASER using the structure of a H3HA (PDB 3SDY) as a search model. Subsequently the Fc and Fv portions of the Fab were 15 placed separately using PHASER, and underwent initial rounds of rigid body refinement with Phenix. The model went through several iterative rounds of adjustment with COOT and simulated annealing, coordinate, and b-factor refinement with Phenix. Sugar molecules found at Asn-linked glycosylation sites were added using the Carboload package from Phenix, and final rounds of refinement were carried out using REFMAC5. The final model was refined at 20 3.1 \AA with R/Rfree values of 19.9 and 25.9%, respectively. Ramachandran statistics calculated by Molprobity indicate 89.7% of the residues lie in favored regions with 1.1% outliers. Contacts were analyzed using the Protein Interfaces, Surfaces, and Assemblies (PISA) software and structural figures were prepared with PYMOL.

25 Example 12. Structural characterization of the 39.29 epitope on H3 hemagglutinin

As described above in Example 11, mAb 39.29 NCv1 Fab fragment was co-cystallized with 30 recombinant H3 hemagglutinin from the human influenza A virus strain A/Perth/16/2009. The crystal structure of the antibody/hemagglutinin complex was determined at a resolution of 3.1 \AA . The overall structure of A/Perth/16/2009 H3 hemagglutinin was similar to previously determined hemagglutinin structures with the exception of slight rearrangements and disorder in the HA2 helix 1/helix 2 linker. Disorder at these locations has been seen previously under low pH crystallization conditions, which is consistent with this complex being crystallized at pH 4.2 (Ekiert *et al.*, (2011) Science 333:843-850). The crystal structure of the antibody/HA complex showed a single mAb 39.29 Fab molecule bound to each monomer of the uncleaved

H3 HA trimer. Both the light chain and heavy chain fragments of mAb 39.29 NCv1 Fab fragments were well resolved throughout, allowing close examination of the Fv interaction with HA.

5 The epitope for mAb 39.29 NCv1 was determined to be on the stalk region of H3 hemagglutinin, roughly on top of the HA2 helix A. This region of the hemagglutinin stalk was first identified as a broadly neutralizing epitope for influenza A viruses expressing Group1 hemagglutinin subtypes (Ekiert *et al.*, (2009) *Science* 324:246-251; Sui *et al.*, (2009) *Nature Structural & Molecular Biology* 16:265-273)), and more recently as a neutralizing epitope for 10 influenza A virus strains carrying Group1 and Group2 hemagglutinin subtypes (Corti *et al.*, (2011) *Science* 333:850-856). mAb 39.29 NCv1 antibody uses extensive heavy and light chain contacts to bury approximately 1175 \AA^2 of the hemagglutinin stalk surface area. The heavy chain of mAb 39.29 NCv1 contributes to binding largely through an extended hydrophobic CDRH3 loop that inserts into a shallow nonpolar groove adjacent to HA2 helix A and 15 underneath a conserved Group2 hemagglutinin glycosylation site at Asn54. This CDRH3 loop extends Phe99 side-chain out to interact with H3 hemagglutinin Thr334, Ile390, and Ile393, while making main chain polar contacts with the GlcNAc attached to H3 hemagglutinin Asn54. The CDRH3 loop of mAb 39.29 NCv1 also makes a β -turn at Gly100, which is likely 20 stabilized by inter-loop main chain contacts between Val98 and Ile100A. Ile100A faces downward to interact with a conserved H3 hemagglutinin Trp366, while Val98 and Pro100C also make van der Waals contacts with the H3 hemagglutinin stalk. Residing at the heavy/light chain interface, Pro100D and Trp100E terminate the long CDRH3 loop and act to anchor the loop in place.

25 The light chain of mAb 39.29 NCv1 also contributes significantly to the interaction with the H3 hemagglutinin stalk, making contacts with the H3 hemagglutinin stalk with all three light chain CDR loops as well as framework residues. Of the approximately 1100 \AA^2 hemagglutinin buried surface area, ~60% is contributed by the light chain (640 \AA^2 vs 480 \AA^2 for light chain and heavy chain, respectively). The CDRL1 Asn32 makes hydrogen bond with H3 HA2 helix A 30 residues Asp391 and Asn394, while CDRL1 His31 stacks against the H3 hemagglutinin Asn376 sidechain. Ser52 in the CDRL2 loop also makes a polar contact with Asn398. Within the CDRL3 loop, the backbone of Asn93 contacts Asp391 while Trp94 makes a cation- π interaction with Lys384 in the HA2 helix A. Interestingly, mAb 39.29 also makes a number of framework contacts with hemagglutinin, primarily through backbone interactions of the

SGSGSG repeat (SEQ ID NO: 109) in beta-strand 6 of the IgKV3 with amino acid residues 403 to 405 in the H3 hemagglutinin polypeptide. Ser67 of mAb 39.29 NCv1 also makes polar interactions with Asp48 and Thr404 of H3 hemagglutinin.

5 All three mAb 39.89 NCv1 light chain CDR loops contribute to binding of the H3 HA stalk epitope, accounting for approximately 60% of the total buried surface area. This large dependence of light chain contacts is unique among known hemagglutinin Group1 and Group2 binding and neutralizing antibodies, with antibody F16v3 light chain contributing to only 20% to the buried surface area and antibody CR9114 light chain not making contact with the

10 epitope.

Although structurally conserved, Group1 and Group2 hemagglutinin subtypes diverge significantly at the primary amino acid sequence level. To compare mAb 39.29 NCv1 H3HA contact residues with other hemagglutinin subtypes, we aligned the amino acid sequence of H3 hemagglutinin from influenza virus A/Perth/16/2009 with representative hemagglutinin amino acid sequences from other influenza virus strains: H1HA from A/California/07/2009; H2HA from A/Japan/305/1957; H5HA from A/Vietnam/1203/2004; and H7HA from A/chicken/NSW/1/1997. The amino acid numbering of H3 hemagglutinin from A/Perth/16/2009 in the crystal structure matches the hemagglutinin H3 sequence used in the alignment. The hemagglutinin sequence alignment was generated using clustalW and the amino acid sequences corresponding to hemagglutinin H1 from A/California/07/2009, hemagglutinin H2 from A/Japan/305/1957, hemagglutinin H3 from A/Perth/19/2009, hemagglutinin H5 from A/Vietnam/1203/2004, and hemagglutinin H7 from A/chicken/NSW/1/1997. The crystal structure was used to determine the contact residues between the 39.29 NCv1 Fab fragment and the stalk of hemagglutinin H3.

30 The alignment is presented in Figure 20. Hemagglutinin contact residues (shaded in grey) are defined as residues within 4.5Å of mAb 39.29 NCv1. Each amino acid residue that had greater than 50% of its available surface area buried by mAb 39.29 NCv1 Fab is marked with an asterisk.

A high degree of sequence conservation is observed among the contact residues that contribute significantly to the binding of mAb 39.29 NCv1 to this epitope. (See Figure 20.) This observation suggests that mAb 39.29 NCv1 binds Group1 and Group2 hemagglutinin

molecules via the same stalk epitope seen in the crystal structure described above. This epitope is similar to a hemagglutinin epitope identified for FI6v3 anti-hemagglutinin antibody (Corti *et al.*, (2011), *supra*). However, mAb 39.29 NCv1 binds in a different orientation with respect to the hemagglutinin stalk than does FI6v3. Comparison of the 39.29 NCv1, FI6v3, and CR9114 structures in complex with HA revealed that all three antibodies bind an epitope that includes the HA2 helix A and adjacent non-polar groups. However, each of the three antibodies has a unique binding orientation, with each heavy chain bound to a similar topographical position on HA but with light chain positioning rotated by ~60° (FI6v3) or ~120° (CR9114) when compared to 39.29 NCv1. Also unique to mAb 39.29 NCv1, the IgKV3 light chain SGSGSG repeat (SEQ ID NO: 109) in beta-strand 6 frame-work makes contact with H3 HA. Therefore, the 39.29 structure represents a third solution to the binding of this highly conserved epitope and solidifies the importance of engaging the HA2 helix A for broad neutralization of influenza A virus.

The crystallography data of mAb 39.29 in complex with H3 hemagglutinin from the human influenza A virus strain A/Perth/16/2009 revealed the following contact positions: 34, 36, 54, 70, 292, 294, 305, 307, 334, 363, 364, 365, 366, 379, 380, 382, 383, 384, 386, 387, 390, 391, 393, 394, 395, 397, 398, 401, 403, 404, and 405. Antibody FI6v3 showed the following contact positions: 334, 352, 356, 363, 364, 365, 366, 381, 383, 384, 386, 387, 388, 390, 391, 393, 394, 397, 398, 401, and 402. Amino acid residue positions correspond to H3 hemagglutinin from influenza A virus strain A/Perth/16/2009 (SEQ ID NO:226). (See International Application Publication Nos: WO 2010/010466 and WO 2013/011347; Corti *et al.* (2011) *Science* 333:850-856.) While some overlap is observed, mAb 39.29 showed a greater number of contact positions within hemagglutinin than FI6v3.

The fact that mAb 39.29 NCv1 and FI6v3 antibody CDRs have no sequence homology and that both antibodies engage a similar but not identical stalk epitope in different ways suggests that there are various ways for antibodies to bind the conserved stalk epitope and broadly neutralize influenza A viruses.

Example 13. Competition ELISA

Competition ELISA assays were developed using hemagglutinin H1 from influenza virus A/WSN/1933 and hemagglutinin H3 from influenza virus A/Hong Kong/8/1968.

Hemagglutinin-coated ELISA plates were allowed to bind test antibody at various

concentrations (X-axis) prior to the addition of saturating concentrations of biotin labeled mAb 39.29. If the test antibody competed for the hemagglutinin epitope of mAb 39.29, the biotin ELISA signal (Y-axis) was decreased as a function of increasing test antibody concentration. The binding data were fit with a non-linear dose response curve to determine the EC₅₀ value 5 given in nM.

mAb 39.29 IgG was biotinylated through amine coupling according to the manufacturer's recommended protocol (Sulfo-NHS-LC-LC, Pierce, Rockford, IL). Final stock concentration of the biotinylated mAb was 13.2 mM. To determine the optimal concentration for usage, the 10 biotinylated 39.29 was serially titrated against immobilized H1 hemagglutinin from influenza A virus A/WSN/1933 and H3 hemagglutinin from influenza A virus A/Hong Kong/8/1968. Recombinant hemagglutinin H1 and H3 proteins were diluted to 2 µg/ml in phosphate buffered saline (PBS) and dispensed (100 µl) onto 96-well Nunc Maxisorp plates (Nunc, Rochester, NY). The plates were coated overnight at 4°C, rinsed in PBS, and then blocked for 1-hour at 15 room temperature with PBS containing 1% bovine serum albumin (BSA, Sigma-Aldrich, St. Louis, MO).

Each plate then received 100 µl of serially diluted biotinylated mAb 39.29 starting at an initial concentration of 88 nM with 1/3 dilutions in PBS containing 1.0% BSA and 0.05% 20 Polysorbate 20 (Sigma-Aldrich). After one hour incubation, the plates were washed and then incubated with 100 µl of a 1:5000 dilution of streptavidin-conjugated horseradish peroxidase (Caltag Laboratories, Carlsbad, CA) for 30 minutes at room temperature. Following the incubation, the plates were washed and developed with 100 µl of TMB substrate (Kirkegaard and Perry Laboratories, Inc. Gaithersburg, MD). Plates were read on a SpectraMax plate reader 25 (Molecular Devices, Sunnyvale, CA.) at O.D. 450 nM. The optimal concentration of biotinylated mAb was determined to be 1 nM.

Various concentration (x-axis) of monoclonal antibodies 39.18, 36.89, 81.39 39.29, mAb 9 , 30 mAb 23 of the present invention and control IgG were incubated with the hemagglutinin-coated plates for 30 minutes at room temperature. Initial concentration was 200 nM followed by 3 fold serial dilutions. Biotinylated mAb 39.29 was added to a final sub-saturating concentration of 1 nM. Following one hour incubation, the plates were washed and incubated with 100 µl of a 1:5000 dilution of Streptavidin-conjugated horseradish peroxidase for 45-

minutes. Plates were washed and then develop with TMB solution. If the test antibody competed for the HA epitope of mAb 39.29, the biotin ELISA signal (Y-axis) was decreased as a function of increasing test antibody concentration. The binding data were fit with a non-linear dose response curve to determine the EC₅₀ value given in nM.

5

Figures 21A and 21B show results of competition ELISA analysis of the mAbs for binding to H1HA from A/NWS/1933 (Figure 21A) or H3HA from A/HK/8/1968 (Figure 21B). The results showed that mAb 39.29, mAb 81.39, mAb 39.18, and mAb 36.89 all bind to an overlapping hemagglutinin stalk epitope (Figures 21A and 21B). Specifically, mAb 81.39 and mAb 39.18 compete for binding of mAb 39.29 on the stalk of hemagglutinin H1 (Figure 21A), while mAb 81.39 and mAb 36.89 compete for binding with mAb 39.29 for the identified stalk epitope on hemagglutinin H3 (Figure 21B).

By using competition ELISA assays it was established that monoclonal antibodies 81.39, 39.18, 36.89, mAb 9, and mAb 23 bind to the highly conserved stalk epitope of hemagglutinin identified by the structural analysis. Specifically, the mAb 81.39 and mAb 39.18 compete for binding of mAb 39.29 on the stalk of the Group1 H1 hemagglutinin. Additionally, mAb 81.39, mAb 36.89, mAb 9, and mAb 23 compete for binding with mAb 39.29 for the identified stalk epitope on the Group2 H3 hemagglutinin. As predicted, since mAb 39.18 neutralizes only Group1 Influenza A isolates, it does not compete for binding of the mAb 39.29 epitope on Group2 hemagglutinin. Likewise, mAb 36.89, mAb 9, and mAb 23 only neutralize Group2 Influenza A isolates and therefore do not compete for binding of mAb 39.29 on Group1 H1 hemagglutinin. The data from these experiments is further summarized in Table 3 below.

25

Table 3

Influenza Isolate	HA Subtype	mAb 39.18	mAb 39.29	mAb 81.39	mAb 36.89	mAb 9	mAb 23
A/NWS/1933	Grp1/H1	0.88	2.8	2.15	-	-	-
A/HK/8/1968	Grp2/H3	-	2.54	4.21	1.32	8.42	1.84

EC₅₀ given in nM

- Indicates EC50 >200 nM

Example 14: Safety and pharmacokinetics of anti-influenza A virus antibody in healthy volunteers

A phase 1 single-ascending dose study of mAb 39.29-NWPP in healthy human male and female subjects 18 years of age or older was performed. Initial dosing to investigate the safety,

tolerability, and pharmacokinetics in healthy adult subjects was performed by i.v. administration of a single dose (1.5 mg/kg, 5 mg/kg, 15 mg/kg, or 45 mg/kg) of mAb39.29. mAb39.29 was safe and well-tolerated at all dose levels after a follow-up period of at least 58 days for the 45 mg/kg dose level and 120 days for the 1.5 mg/kg dose level. No serious 5 adverse events related to study drug were reported.

Serum concentrations of mAb 39.29 exhibited a biphasic disposition with an initial rapid distribution phase followed by a slow elimination phase. mAb39.29 demonstrated linear pharmacokinetics (PK). The mean C_{max} increased in a dose-proportional manner of 33.5 μ g/mL for the 1.5 mg/kg dose group and 1180 μ g/mL for the 45 mg/kg dose group. Similarly, the 10 group mean $AUC_{0-\infty}$ was 518 and 5530 μ g /mL*day for the 1.5 mg/kg and 15 mg/kg dose groups, respectively, and is approximately dose proportional. On the basis of the available PK data in healthy male and female subjects, mAb 39.29 appeared to have a PK profile consistent with that of a typical IgG1 human antibody with a mean half-life of approximately 20 days (Mean Range 19.3-22.2).

15

Example 15. Phase 2 study of anti-influenza A virus hemagglutinin antibody

A phase 2 clinical study of an anti-influenza A virus hemagglutinin antibody of the present invention is performed as follows. Hospitalized individuals having influenza A virus infection are administered an anti-influenza A virus hemagglutinin antibody of the present invention by 20 intravenous administration, at a dose of 1.5 mg/kg, 5 mg/kg, 15 mg/kg, or 45 mg/kg.

Alternatively, individuals are administered antibody at a fixed dose of 120 mg, 400 mg, 1200 mg, or 3600 mg. Individuals may also be administered oseltamivir (Tamiflu®) (current standard of care) prior to, at the time of, or subsequent to administration of the anti-influenza A virus hemagglutinin antibody. Generally, a one-time dosing regimen of the antibody is used, 25 although subsequent doses are contemplated.

Administration of an anti-influenza A virus hemagglutinin antibody of the present invention shows efficacy at treating influenza A virus infection, including reduction of influenza A virus infectivity, reduction in the length of hospital stay, reduction or prevention of the need for intensive care unit use, reduction or prevention of the need for assisted or mechanical 30 ventilation, or reduction or prevention of the need for supplemental oxygen use.

Administration of an anti-influenza A virus hemagglutinin antibody of the present invention results shows efficacy at treating influenza A virus infection by reduction of time to normalization of respiratory function (such as a reduction of time to normalization of

respiratory rate, or a reduction of time to normalization of oxygen saturation), reduction of time to return to normal oxygen saturation, *e.g.*, to an oxygen saturation of about 92% or greater, as measured over a 24 hour period without supplemental oxygen administration, or reduction of time to normalization of vital signs, such as heart rate, blood pressure, respiratory rate, and
5 temperature.

Statistical analyses

Statistics were calculated using JMP version 9.0.2 software (SAS Institute). Survival experiments were compared using log-rank test. *P* values<0.05 were considered significant.
10 IC_{50} curves and values were plotted and calculated using Graphpad Prism version 5.0 software.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, the descriptions and examples should not be construed as limiting the scope of the invention. The disclosures of all patent and scientific
15 literature cited herein are expressly incorporated in their entirety by reference.



WHAT IS CLAIMED IS:

1. An isolated anti-hemagglutinin antibody comprising three heavy chain hypervariable regions (HVR-H1, HVR-H2, and HVR-H3) and three light chain hypervariable regions (HVR-L1, HVR-L2, and HVR-L3), wherein:
 - (a) HVR-H1 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:191 and 192;
 - (b) HVR-H2 comprises amino acid sequence SEQ ID NO:193;
 - (c) HVR-H3 comprises amino acid sequence SEQ ID NO:194;
 - (d) HVR-L1 comprises amino acid sequence SEQ ID NO:195;
 - (e) HVR-L2 comprises amino acid sequence SEQ ID NO:196; and
 - (f) HVR-L3 comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:197, 198, and 199.
2. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 136, 140, 144, 146, 150, 152, and 235.
3. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 134, 138, 142, 148, and 234.
4. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:134, 138, 142, 148, and 234, and the light chain variable region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs:136, 140, 144, 146, 150, 152, and 235.
5. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 135, 139, 143, 145, 149, and 151.


6. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 133, 137, 141, and 147.
7. The isolated anti-hemagglutinin antibody of claim 1, wherein the antibody comprises a heavy chain and a light chain, wherein the heavy chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 133, 137, 141, and 147, and the light chain comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 135, 139, 143, 145, 149, and 151.
8. A composition comprising the antibody of any one of claims 1 to 7.
9. A pharmaceutical composition comprising the antibody of any one of claims 1 to 7 and a pharmaceutically acceptable carrier.
10. An isolated nucleic acid encoding the antibody of any one of claims 1 to 7.
11. A host cell comprising the nucleic acid of claim 10.
12. A method of producing an antibody comprising culturing the host cell of claim 11 so that the antibody is produced.
13. An antibody when produced by the method of claim 12.
14. A method for treating, inhibiting, or preventing influenza A virus infection in an individual in need thereof, the method comprising administering to the individual an effective amount of a composition comprising the anti-hemagglutinin antibody of any one of claims 1 to 7 or 13, thereby treating, inhibiting, or preventing influenza A virus infection.

15. Use of the anti-hemagglutinin antibody of any one of claims 1 to 7 or 13 in the manufacture of a medicament for treating, inhibiting, or preventing influenza A virus infection in an individual in need thereof.
16. The method of claim 14 or use of claim 15, wherein treating, inhibiting, or preventing further comprises administering to the individual an additional therapeutic agent.
17. The method of claim 16, wherein the additional therapeutic agent is a neuraminidase inhibitor, an anti-hemagglutinin antibody, or an anti-M2 antibody.

1 / 57

**FIG. 1A****FIG. 1B**

2 / 57



**FIG. 2**

3 / 57



Influenza Strain	HA Subtype	37.18			39.29			81.39			36.89			mAb 9			mAb 23		
		IC50 (nM)	95% CI(nM)																
A/CA/7/2009	H1	1.1	0.75 - 1.6	2.5	2.0 - 3.1	2.1	1.1 - 3.8	NA	NA										
A/Brisbane/59/2007	H1	2.3	1.8 - 3.0	1.9	1.2 - 2.9	0.65	0.46 - 0.94	NA	NA										
A/Solomon/3/2006	H1	8.0	3.9 - 16.6	25.1	20.1 - 31.4	14.6a	12.3 - 17.4	NA	NA										
A/New Caledonia/20/1999	H1	3.1	1.3 - 7.4	9.2	5.7 - 15.0	6.1	4.7 - 7.9	NA	NA										
A/PR/8/1934	H1	1.2	0.81 - 1.9	2.0	1.3 - 3.3	1.9	1.2 - 3.2	NA	NA										
A/Japan/305/1957	H2	2.4	1.4 - 4.1	6.0	4.4 - 8.1	3.7	2.4 - 5.6	NA	NA										
A/Victoria/361/2011	H3	NA	NA	3.4	2.4 - 4.8	3.6	2.4 - 5.3	9.7	8.0 - 11.9	41.0	26.3 - 64.1	12.0	7.2 - 20.2						
A/Perth/16/2009	H3	NA	NA	3.0	2.4 - 3.8	1.6	1.2 - 2.0	1.1	0.86 - 1.5	13.5	10.4 - 17.5	4.2	3.3 - 5.4						
A/Brisbane/10/2007	H3	NA	NA	2.3	2.0 - 2.7	1.9	1.7 - 2.2	1.9	1.5 - 2.4	26.1	18.2 - 37.4	6.3	4.6 - 8.0						
A/Wisconsin/67/2005	H3	NA	NA	1.3	0.88 - 1.8	0.81	0.64 - 1.0	1.6	0.81 - 3.3	7.3	4.5 - 11.9	0.85	0.58 - 1.3						
A/Victoria/3/1975	H3	NA	NA	2.5	1.9 - 3.4	2.8	2.2 - 3.7	2.2	0.94 - 5.0	17.2	9.3 - 31.9	3.7	2.3 - 6.0						
A/Port Chalmers/1/1973	H3	NA	NA	2.2	1.6 - 3.1	1.5	1.1 - 1.9	1.9	0.75 - 4.6	18.4	12.5 - 26.9	2.4	1.5 - 3.8						
A/HK/8/1968	H3	NA	NA	45.1	25.7 - 79.2	26.3	14.5 - 47.8	34.7	19.8 - 60.7	843	295 - 2406	336	240 - 470						
A/Aichi/2/1968	H3	NA	NA	35.0	21.1 - 58.0	7.3	3.7 - 14.1	13.9	8.2 - 23.4	1172	589 - 2330	271	176 - 419						

FIG. 3



4 / 57

**FIG. 4A****FIG. 4B**



5 / 57

**FIG. 5A****FIG. 5B**



6 / 57

**FIG. 6****FIG. 7**

7 / 57

**FIG. 8****FIG. 9**

8 / 57

**FIG. 10****FIG. 11**




FIG. 12B




FIG. 12D




FIG. 12A




FIG. 12C




FIG. 13




FIG. 14




FIG. 15




FIG. 16

11 / 57




FIG. 18




FIG. 19B




FIG. 17






FIG. 19A

* * *

H1N1	-----MKAILVVVLLYTFATAN---ADTLCIGYHANNSTDVTVDVLEKNVTVTHSVNLLE	51
H2N2	-----MAILYLILLFTAVR---GDQICIGYHANNSTEMVTILERNVTVTHAKDILE	49
H3N2	MKTIIIALSYILCLVFAQKILPQNDSNSTATLCLGHHAVPNGTIVKTITNDQIEVNTATELVQ	60
H5N1	-----MEKIVLLLFAIVSLVK---SDQICIGYHANNSTEQVDTIMEKNVTVTHAQDILE	50
H7N4	MN-----TRILILTLTAVIHTN---ADKICLGHHAWSNGTKVNTLTERGVEVVNATETVE	52
H1N1	DKHNGKLCKLRLGVAPLHLGKCNIAWGWLGNPECESLSTASSWSYIVETPSSDNGTCYPGD	111
H2N2	KTHNGKLCKLNGIPPLELGDCSIAGWLLGNPECDRLLSVPWEWSYIMEKENPRDGLCYPGS	109
H3N2	SSSTGEICDS-PHQILDGKNTLIDALLGDPQCDGFQNQ-KWDLFVERSKA-YSNCPYD	117
H5N1	KKHNGKLCDLDGVKPLILRDCSVAGWLLGNPMCDEFINVPEWSYIVEKANPVNDLCYPGD	110
H7N4	QMNIPRICK-GKKAIDLQCGLLGIVTGPQCDQFLEF-TADLIIERREG-NDVCYPGK	109
H1N1	FIDYEELREQLSSVSSFERFEIFPKTSSWPNHDSNKVTAAACPAGAKSFYKNLIWLVK-	170
H2N2	FNDYEELKHLSSVVKHFEKVILPK-DRWTQHTTGG-SRACAVSGNPSFFRNVMWLTK-	166
H3N2	VPDYASLRSLSVASSGTLEFNNESFNWTGVTQN----GTSSACIRRSKNSFFSRLNWLT-	172
H5N1	FNDYEELKHLLSRINHFEKIQIIPK-SSWSSHEASLGVSSACPYQGKSSFFRNVVWLK-	168
H7N4	FVNEEALRQILRGSGGINKETTGFTYSGIRTN----GVT SACRR-SESSFYAEWKWLSN	164
H1N1	-KGNSYPKLSKSYINDKGKEVLVLIWGIHHPSADQQLYQNADAYVFVGSSRYSKKFKP	229
H2N2	-KGSDYPVAKGSYNNNTSGEQMLIWIWGVHHPNDETEQRTLYQNVGTYVSGTSTLNKRSTP	225
H3N2	-LNFKYPALNVTMPNNEQFDKLYIWGVHHPGTDKDQIFLYAQASGRITVSTKRSQQTVSP	231
H5N1	-KNSTYPTIKRSYNNNTQEDLLVLWGIHHPNDAEQTLYQNPPTYISVGTSTLNQRLVP	227
H7N4	TDNAAPQMTKSYKNTRNEPALIVWGIHHSGSTTEQTKLYGSGSKLITVGSSNYQQSFVP	224
H1N1	EIAIRPKVXXEGRMNYYWTLVEPGDKITFEATGNLIVVPRYAFAMERNAGSGIIISDTPV	289
H2N2	EIAATRLKVNGQGGRMEFSWTLDMWDTINFESTGNLIAPEYGFKISKRGSSGIMKTEGL	285
H3N2	NIGSRPRVRNIPSRISIYWTIVKPGDILLINSTGNLIAPRGYFKIRS-GKSSIMRSDAPI	290
H5N1	RIATRSKVNGQSGRMEFFWTILKPNDAINFESNGNFIAPPEYAYKIVKKGDSTIMKSELEY	287
H7N4	SPGARPOVNGQSGRIDFHWLILNPNDTFTSFNGAFVAP-DRVSEFFK-GESTGIQSEVPV	282
* * *		
H1N1	H-----DCNTCQTPKGAINTSLPFQNIHPITIGKCPKYVKSTKLRLATGLRNIPSIQ----SR	344
H2N2	E-NCETKCQTPLGAINTILPFHNVHPLTIGECPKYVKSEKLVLAIGLRNVPQIE----SR	340
H3N2	G-KCNSECITPNNGSIPNDKPFQNVNRITYGACPRYVKQNTLKLATGMRNPVE----KQTR	345
H5N1	G-NCNTKCQTPMGAINSSMPFHNIHPLTIGECPKYVKSNRLVLAIGLRNSPQRERRKKR	346
H7N4	DANCEGECYHSGGTITSNLPFQNVNSRAVGKCPKYVKQKSLLAIGMKNVP EIPR-KRKR	341
* * * * *		
H1N1	GLFGAIAGFIEGGWTGMVDGWYGYHHQNEQGSCGYAADLKSTONAIIDEITNKVNSVIEKMN	404
H2N2	GLFGAIAGFIEGGWQGMVDGWYGYHSNDQGSCGYAADKESTOKAFDGTNKVNSVIEKMN	400
H3N2	GIFGAIAGFIENGWEGMVDGWYGYFRHQNSEGRQOAADLKSTOAAIDQINGNLNRITGKTN	405
H5N1	GLFGAIAGFIEGGWQGMVDGWYGYHSNEQGSCGYAADKESTOKAIDGVTNKVNSVIEKMN	406
H7N4	GLFGAIAGFIENGWEGLVDGWYGYFRHQNSQGETAADYKSTOSAIDQITGKLNRIIEKTN	401
H1N1	TOFTAVGKEFHNLKRIENLNKKVDDGFLDIWTYNAELLVLLENERTLDYHDSNVKNLYE	464
H2N2	TOFEAVGKEFSNLERRLENLNKKMEDGFLDVWTYNAELLVLLENERTLDHFHDSNVKNLYD	460
H3N2	EKFHQIEKEFSEVEGRIQDLEKYVEDTKIDLWSYNAELLVALENQHTIDLTSEMNKLFE	465
H5N1	TOFEAVGREFNNLERRRIENLNKKMEDGFLDVWTYNAELLVLLENERTLDHFHDSNVKNLYD	466
H7N4	QOFELIDNEFNEVEKQIGNVINWTRDSITEVWSYNAELLVAMENQHTIDLTSEMNKLFE	461
H1N1	KVRSQLKNNAKEIGNGCFEFYHKCDNTCMESVRNGTYDYPKYSEEAKLNREIEDGVKLES	524
H2N2	KVRMQLRDNVKELGNGCFEFYHKCDDECMSNSVIRGTYDYPKYEEESKLNRNEIKGVKLSS	520
H3N2	KTKKQLRENAEDMGNGCFKIHVKCDNACIGSIRNGTYDHDVYRDEALNNRFQIKGVELKS	525
H5N1	KVRLQLRDNNAKELGNGCFEFYHKCDNECMESVRNGTYDYPQYSEEARLKREEISGVKLES	526
H7N4	RVRRQLRENAEEDGTGCFEIFHKCDDDCMASIRNNNTYDHSTYREEAMQNRKIDPVKLSS	521
H1N1	TRIYQILAIYSTVASSLVLVSLGAISFWMCNSNGSLQCRICI 566 (SEQ ID NO: 224)	
H2N2	MGVYQILAIYATVAGSLSLAIMMAGISFWMCNSNGSLQCRICI 562 (SEQ ID NO: 225)	
H3N2	-GYKDWLWISFAISCFLLCVALLGFIWACOKGNIRCNICI 566 (SEQ ID NO: 226)	
H5N1	IGIYQILSIYSTVASSLALAIMVAGLSLWMCNSNGSLQCRICI 568 (SEQ ID NO: 227)	
H7N4	-GYKDVLWFSFGASCFLLLAIAMGLFICVKNGNMRCICI 562 (SEQ ID NO: 228)	

13 / 57

**FIG. 21A****FIG. 21B**

14 / 57

Light Chain, Kappa

Light Chain, Kappa	Kabat - CDR L1	Chothia - CDR L1	Contact - CDR L1
IGKV3-15*01	E I V M T Q S P A P I S V S P G E R A P L S C R A S Q	E I V M T Q S P A P I S V S P G E R A P L S C R A S Q	S V S S N L A W Y
81.39.81C1	E I V M T Q S P A P I S V S P G E R A P L S C R A S Q	E I V M T Q S P A P I S V S P G E R A P L S C R A S Q	S V D S N L A W Y

FIG. 22A

Heavy Chain

		Kabat - CDR H2											
		Chothia - CDR H2											
		Contact - CDR H2											
W	V	A	V	T	S	Y	.	D	G	S	N	K	Y
W	V	A	<u>T</u>	<u>I</u>	<u>S</u>	<u>Y</u>	.	D	G	S	<u>I</u>	<u>X</u>	<u>Q</u>
W	V	A	<u>T</u>	<u>I</u>	<u>S</u>	<u>Y</u>	.	D	G	S	<u>I</u>	<u>X</u>	<u>Q</u>

Kabat number	IGHV3-30*01	IGHV3-30*01	IGHV3-30*01	IGHV3-30*01
83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100	A B C D E F G H I J K	101.102.103.104.105.106.107.108.109.110.111.112.113	T V T V S S	IGHJ1*01
81.39.B1C1	R [RE] E D T A V Y Y C A [V] P G P I F G I F P D W S Y R	. [D] H . W	;	

FIG. 22B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

81.39 SVSH-NYP E I V [E] T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F

81.39 SVSH-NYP Q Q K P G Q A P R L I Y [S] A S T R A T G I P A R F S G S G S G T E F

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKV3-15*01 T L T I S S E D F A V Y Y C O [H] Y [T] N [Y] P [P] R I L T F G G G [S] K V E I K

81.39 SVSH-NYP T L I S S E D F A V Y Y C O [H] Y [T] N [Y] P [P] R I L T F G G G [S] K V E I K

FIG. 23A

Heavy Chain

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

FIG. 23B

18 / 57

Light Chain, kappa

Light Chain, Kappa		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

	Kabat - CDR L3	Chothia - CDR L3	Contact - CDR L3
IGKV3-15*01	T L T I S S L 0 S E D F A V Y V C	T L T I S S L 0 S E D F A V Y V C	T L T I S S L 0 S E D F A V Y V C
81,398B1F1	72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 A B C D E F 96 97 98 99 100 101 102 103 104 105 106 107	72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 A B C D E F 96 97 98 99 100 101 102 103 104 105 106 107	72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 A B C D E F 96 97 98 99 100 101 102 103 104 105 106 107

FIG. 24A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	Q	V	E	S	G	G
81.39 B1F1	Q	V	L	V	G	G
	9	10	11	12	13	14
	15	16	17	18	19	20
	21	22	23	24	25	26
	27	28	29	30	31	32
	33	34	35	A	B	36
	37	38	39	40	41	42
	43					

IGHV3-30*01	Q	V	E	S	G	G
81.39 B1F1	Q	V	L	V	G	G

Kabat - CDR H2

Chothia - CDR H2

Contact - CDR H2

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	G	L	E	W	V	A
81.39 B1F1	G	L	E	W	V	V
	50	51	52	A	B	C
	53	54	55	S	N	K
	56	57	58	K	Y	A
	59	60	61	D	S	V
	62	63	64	G	K	K
	65	66	67	R	F	T
	68	69	70	D	N	S
	71	72	73	I	K	N
	74	75	76	S	R	T
	77	78	79	T	L	Q
	80	81	82	A	B	C

IGHV3-30*01	Q	V	E	S	G	G
81.39 B1F1	Q	V	L	V	G	G

Kabat - CDR H3

Chothia - CDR H3

Contact - CDR H3

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	R	A	E	D	T	A
81.39 B1F1	R	E	D	T	A	V
	89	90	91	92	93	94
	95	96	97	98	99	100
	A	B	C	D	E	F
	C	A	R	D	E	F
	A	V	Y	V	G	H
	V	Y	C	A	T	I
	Y	C	A	V	A	F
	101	102	103	104	105	106
	107	108	109	110	111	112
	113					

FIG. 24B

20 / 57

Light Chain, kappa

Light Chain, Kappa		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

FIG. 25A

Heavy Chain

Heavy Chain	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
	1	2	3	4	5	6
Kabat number	1	2	3	4	5	6
IGHV3-30*01	Q	V	Q	L	V	E
8139 SVDS	[E]	V	Q	R	S	G
	10	11	12	13	14	15
	17	18	19	20	21	22
	23	24	25	26	27	28
	29	30	31	32	33	34
	35	A	B			

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

Fig. 25B

Light Chain, Kappa

		Kabat - CDR L1			Chothia - CDR L1			Contact - CDR L1																																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	A	B	C	D	E	F	28	29	30	31	32	33	34	35	36		
IGKV3-15*01	E	I	V	M	T	Q	S	P	A	P	I	S	V	S	P	G	E	R	A	F	L	S	C	R	A	S	Q	S	V	S	S	N	I	A	W	Y		
81.39 SVSS	E	I	V	[E]	I	V	[E]	I	Q	S	P	A	P	I	S	V	S	P	G	E	R	A	F	L	S	C	R	A	S	Q	S	V	S	S	N	I	A	W	Y

		Kabat - CDR L2			Chothia - CDR L2			Contact - CDR L2																															
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	A	B	C	D	E	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
IGKV3-15*01	Q	Q	K	P	G	Q	A	P	R	L	I	Y	G	A	S	T	R	A	T	G	I	P	A	R	F	S	G	S	G	T	E	F		
81.39 SVSS	Q	Q	K	P	G	Q	A	P	R	L	I	Y	[S]	A	S	T	R	A	T	G	I	P	A	R	F	S	G	S	G	T	E	F		

		Kabat - CDR L3			Chothia - CDR L3			Contact - CDR L3																																
72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	97	98	99	100	101	102	103	104	105	106	107
IGKV3-15*01	T	L	T	I	S	S	E	D	F	A	V	Y	C	O	O	Y	N	N	P	L	T	F	G	G	G	T	K	V	E	I	K	IGKV4				
81.39 SVSS	T	L	[A]	I	S	S	L	Q	S	E	D	F	A	V	Y	C	O	[H]	Y	[T]	N	N	P	P	R	.	.	L	T	F	G	G	G	[S]	K	V	E	I	K	IGKV4

FIG. 26A

Heavy Chain

Heavy Chain	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
	1	2	3	4	5	6
Kabat number	1	2	3	4	5	6
IGHV3-30*01	Q	V	Q	L	V	E
8139 SVSS	[E]	V	Q	L	V	R
	10	11	12	13	14	15
	17	18	19	20	21	22
	23	24	25	26	27	28
	29	30	31	32	33	34
	35	A	B			

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabal - CDR H3	
	Chothia - CDR H3	
	Contact - CDR H3	
A B C D E F G H I J K	99 100 A B C D E F G H I J K 101 102	A B C D E F G H I J K 101 102

	Kabat - CDR H3	Chothia - CDR H3	Contact - CDR H3
Kabat number	83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	A B C D E F G H I J K	101 102 103 104 105 106 107 108 109 110 111 112 113
IGHV3-30*01	R A E D T A V Y C A R	W G Q G T L V T V S S	W G Q G T L V T V S S
81 39 SVSS	R [E] E D T A V Y Y C A V D P G P T F G I F P W S Y	W G Q G T L V T V S S	W G Q G T L V T V S S

FIG. 26B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

81.39 SVDH E I V [E] T Q S P A P I S V S P G E R A F L S C R A S Q S V [D] H N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F

81.39 SVDH Q Q K P G Q A P R L I Y [S] A S T R A T G I P A R F S G S G S G T E F

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKV3

81.39 SVDH T L [A] I S S L Q S E D F A V Y Y C O [H] Y [T] N N P P P R I L T F G G G [S] K V E I K

FIG. 27A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	7	8	9	10	11	12
81.39 SVDH	13	14	15	16	17	18
	19	20	21	22	23	24
IGHV3-30*01	25	26	27	28	29	30
81.39 SVDH	31	32	33	34	35	36
	37	38	39	40	41	42
IGHV3-30*01	43					
81.39 SVDH						

A	V	I	S	Y	.	D	G	S	N	K	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	L	Y	L	Q	M	N	S	L	57						
G	L	E	W	V	A	[E]	I	[Y]	R	.	D	G	S	[X]	Q	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	[V]	F	L	Q	M	N	S	L	
G	L	E	W	V	A	[E]	I	[Y]	R	.	D	G	S	[X]	Q	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	[V]	F	L	Q	M	N	S	L	

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	50	51	52	A	B	C
81.39 SVDH	53	54	55	56	57	58
	59	60	61	62	63	64
IGHV3-30*01	65	66	67	68	69	70
81.39 SVDH	71	72	73	74	75	76
	77	78	79	80	81	82
IGHV3-30*01	A	B	C	D	E	F
81.39 SVDH	G	H	I	J	K	L

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	89	90	91	92	93	94
81.39 SVDH	95	96	97	98	99	100
	A	B	C	D	E	F
IGHV3-30*01	G	H	I	J	K	L
81.39 SVDH	R	S	T	A	V	Y
	C	A	R	I	P	V
IGHV3-30*01	A	V	V	V	P	P
81.39 SVDH	G	G	G	G	W	W
	A	V	V	V	T	T
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S
IGHV3-30*01	T	T	T	T	V	S
81.39 SVDH	G	G	G	G	T	S
	A	V	V	V	V	S

Light Chain, Kappa

		Kabat - CDR L1			Chothia - CDR L1			Contact - CDR L1		
1	2	3	4	5	6	7	8	9	10	11
14	15	16	17	18	19	20	21	22	23	24
IGKV3-15*01	E	I	V	M	T	Q	S	P	A	F
81.39 SV/SH	E	I	V	[E]	I	Q	S	P	A	F
37	38	39	40	41	42	43	44	45	46	47
IGKV3-15*01	Q	Q	K	P	G	Q	A	P	R	L
81.39 SV/SH	Q	Q	K	P	G	Q	A	P	R	L
72	73	74	75	76	77	78	79	80	81	82
IGKV3-15*01	T	L	T	I	S	S	E	D	F	A
81.39 SV/SH	T	L	[A]	I	S	S	E	D	F	A

		Kabat - CDR L2			Chothia - CDR L2			Contact - CDR L2		
19	20	21	22	23	24	25	26	27	A	B
IGKV3-15*01	S	P	G	E	R	A	F	L	S	C
81.39 SV/SH	S	P	G	E	R	A	F	L	S	C
58	59	60	61	62	63	64	65	66	67	68
IGKV3-15*01	G	I	P	A	R	F	S	G	S	G
81.39 SV/SH	[S]	I	P	A	R	F	S	G	S	G
69	70	71								
IGKV3-15*01	A	T	G	I	P	A	R	F	S	G
81.39 SV/SH	A	T	G	I	P	A	R	F	S	G

		Kabat - CDR L3			Chothia - CDR L3			Contact - CDR L3		
98	99	100	101	102	103	104	105	106	107	
IGKV3-15*01	T	L	T	E	F	F	I	G	G	
81.39 SV/SH	T	L	[A]	I	S	S	E	T	K	
94	95	A	B	C	D	E	F	G	G	
IGKV3-15*01	Y	N	N	P	*	*	L	T	F	
81.39 SV/SH	Y	[T]	N	W	P	P	E	G	G	

FIG. 28A

Heavy Chain

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

FIG. 28B

28 / 57

Light Chain, Kappa

	Kabat - CDR L2	Chothia - CDR L2	Contact - CDR L2
IGKV3-15*01	0 0 X P G 0 A 2 R L I Y G A S T R	0 0 X P G 0 A 2 R L I Y [S] A S T R	0 0 X P G 0 A 2 R L I Y G I P A R F S G S G T E F
81.39 SVSHNFP	37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 A B C D E 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71	37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 A B C D E 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71	37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 A B C D E 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71

	IGKV3-15*01	81.39 SVSHNFP	72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 A B C D E F	96 97 98 99 100 101 102 103 104 105 106 107
Kabat - CDR L3	IGKV3-15*01	IGKV3-15*01	IGKV3-15*01	IGKV3-15*01
Chothia - CDR L3	81.39 SVSHNFP	81.39 SVSHNFP	81.39 SVSHNFP	81.39 SVSHNFP
Contact - CDR L3				

FIG. 29A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-3001	7	8	9	10	11	12
81.39 SVSH.NFP	13	14	15	16	17	18

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-3001	49	50	51	52	A	B
81.39 SVSH.NFP	C	53	54	55	56	57

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-3001	89	90	91	92	93	94
81.39 SVSH.NFP	95	96	97	98	99	100

29
 Kabat number 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 A B 36 37 38 39 40 41 42 43
 IGHV3-3001 0 V Q E V E S G G G V V Q P G R S L R I S C A A S G F T F G S Y A W H . . W V R Q A P G X
 81.39 SVSH.NFP {E} V Q L V E S G G G V V Q P G R S L R I S C A A S G F {A} F {H N R} A W H . . W V R Q A P G X

29 / 57
 Kabat number 44 45 46 47 48 49 50 51 52 A B C 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 A B C
 IGHV3-3001 G L E W V A V I S Y . . D G S N K Y Y A D S V K G R F T I S R D N S K N T L Y L Q M N S L 57
 81.39 SVSH.NFP G L E W V A {E} I {Y R} . . D G S {K Q} Y Y A D S V K G R F T I S R D N S K N T {V F} L Q M N S L

Kabat - CDR H3
 Chothia - CDR H3
 Contact - CDR H3

Kabat number 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 A B C D E F G H I J K 101 102 103 104 105 106 107 108 109 110 111 112 113
 IGHV3-3001 R A E D T A V Y Y C A R {P} F Q H W G Q G T L V T V S S IGHV3-01
 81.39 SVSH.NFP R {P} E D T A V Y Y C A V I P G P I F G I F P P W S Y J . . . F {D} H W G Q G T L V T V S S

FIG. 29B

30 / 57

Light Chain, kappa

Light Chain, Kappa		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 0 0 X P G Q A P R L I Y G A S T R A T G I P A R F S G S G T E F
81.39 SVDS.F 0 0 X P G Q A P R L I Y G A S T R A T G I P A R F S G S G T E F

	Kabat - CDR L3	Chothia - CDR L3	Contact - CDR L3	
89	Y	Y	Y	Y
90	N	N	N	N
91	Y	Y	Y	Y
92	N	N	N	N
93	Y	Y	Y	Y
94	N	N	N	N
95	Y	Y	Y	Y
A	Y	Y	Y	Y
B	Y	Y	Y	Y
C	Y	Y	Y	Y
D	Y	Y	Y	Y
E	Y	Y	Y	Y
F	Y	Y	Y	Y
G	Y	Y	Y	Y
H	Y	Y	Y	Y
I	Y	Y	Y	Y
J	Y	Y	Y	Y
K	Y	Y	Y	Y
L	Y	Y	Y	Y
M	Y	Y	Y	Y
N	Y	Y	Y	Y
O	Y	Y	Y	Y
P	Y	Y	Y	Y
Q	Y	Y	Y	Y
R	Y	Y	Y	Y
S	Y	Y	Y	Y
T	Y	Y	Y	Y
U	Y	Y	Y	Y
V	Y	Y	Y	Y
W	Y	Y	Y	Y
X	Y	Y	Y	Y
Y	Y	Y	Y	Y
Z	Y	Y	Y	Y

FIG. 30A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	7	8	9	10	11	12
81.39 SVDS.F	13	14	15	16	17	18
	19	20	21	22	23	24
IGHV3-30*01	25	26	27	28	29	30
81.39 SVDS.F	31	32	33	34	35	36
	37	38	39	40	41	42
IGHV3-30*01	43					
81.39 SVDS.F						

Kabat - CDR H2

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	G	L	E	W	V	A
81.39 SVDS.F	G	L	E	W	V	V
	A	V	I	S	Y	.
IGHV3-30*01	A	V	I	S	Y	.
81.39 SVDS.F	A	E	I	[Y,F]	Y	.
	[E]	[I]	[Y,F]	[Y,F]	Y	.
IGHV3-30*01	52	53	54	55	56	57
81.39 SVDS.F	59	60	61	62	63	64
	65	66	67	68	69	70
IGHV3-30*01	67	68	69	70	71	72
81.39 SVDS.F	73	74	75	76	77	78
	79	80	81	82	83	84
IGHV3-30*01	85	86	87	88	89	90
81.39 SVDS.F	91	92	93	94	95	96
	97	98	99	100	A	B
IGHV3-30*01	101	102	103	104	105	106
81.39 SVDS.F	107	108	109	110	111	112
	113					

Kabat - CDR H3

Chothia - CDR H3

Contact - CDR H3

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	R	A	E	D	T	A
81.39 SVDS.F	R	[E]	[P]	[D]	[T]	A
	A	V	Y	Y	Y	V
IGHV3-30*01	C	A	R	.	.	C
81.39 SVDS.F	C	A	V	V	V	V
	A	V	P	G	P	V
IGHV3-30*01	95	96	97	98	99	100
81.39 SVDS.F	101	102	103	104	105	106
	107	108	109	110	111	112
IGHV3-30*01	113					

FIG. 30B

Light Chain, Kappa

Kabat - CDR L1	
Chothia - CDR L1	
Contact - CDR L1	
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	A
B	C
C	D
D	E
F	F
28	29
30	31
32	33
34	35
36	

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y
81.39 SVDS.Y E I V [E] T Q S P A P I S V S P G E R A F L S C R A S Q S V [D] S N I A W Y

Kabat - CDR L2	
Chothia - CDR L2	
Contact - CDR L2	
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
A	B
C	D
D	E
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G T E F
81.39 SVDS.Y Q Q K P G Q A P R L I Y [S] A S T R A T G I P A R F S G S G T E F

Kabat - CDR L3	
Chothia - CDR L3	
Contact - CDR L3	
72	73
74	75
76	77
78	79
80	81
82	83
84	85
86	87
88	89
90	91
92	93
94	95
A B C D E F	96 97 98 99 100 101 102 103 104 105 106 107

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKV3-15*01 T L T I S S E D F A V Y Y C O [H] Y [T] N [Y] P [P R] I L T F G G G [S] K V E I K

FIG. 31A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	0	V	E	S	G	G
81.39 SVDS.Y	{E}	v	L	V	S	G
	9	10	11	12	13	14
	15	16	17	18	19	20
	21	22	23	24	25	26
	27	28	29	30	31	32
	33	34	35	A	B	36
	37	38	39	40	41	42
	43					

IGHV3-30*01	G	L	E	W	V	A	V	I	S	Y	.	D	G	S	N	K	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	L	Y	L	Q	M	N	S	L	57
81.39 SVDS.Y	G	L	E	W	V	V	{E}	I	[Y,F]	.	D	G	S	[X,Q]	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	[V,F]	L	Q	M	N	S	L	33		

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	G	L	E	W	V	A
81.39 SVDS.Y	G	L	E	W	V	V
	50	51	52	A	B	C
	53	54	55	56	57	59
	60	61	62	63	64	65
	66	67	68	69	70	71
	72	73	74	75	76	77
	78	79	80	81	82	A
	B	C		B	C	C

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	R	A	E	D	T	A
81.39 SVDS.Y	R	{E}	D	T	A	V
	90	91	92	93	94	95
	96	97	98	99	100	A
	B	C	D	E	F	G
	I	J	K	L	M	N

Kabat number	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101	102	103	104	105	106	107	108	109	110	111	112	113
IGHV3-30*01	R	A	E	D	T	A	V	Y	Y	C	A	R	F	Q	H	W	G	O	G	T	L	V	T	V	S	S	IGHV1*01									
81.39 SVDS.Y	R	{E}	D	T	A	V	Y	Y	C	A	V	P	G	P	I	F	G	I	F	P	W	S	Y	.	.	F	I	D	H	W	G	Q	G	T	L	V	T	V	S	S	IGHV1*01	

FIG. 31B

Light Chain, Kappa

	Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36						

	Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43
44	45	46	47	48	49	50
51	52	53	54	A	B	C
D				E		

	Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78
79	80	81	82	83	84	85
86	87	88	89	90	91	92
93	94	95	A	B	C	D
E	F	G	H	I	J	K

IGKV3-15*01 E I V M T Q S P A P L I S V S P G E R A F L S C R A S Q S V S S N I A W Y
 39.29D2C4 E [T,T,E] T Q S P A P L I S V S P G E R A F L S C R A S Q [V,I] S [H] N I A W Y

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F
 39.29D2C4 Q Q K P G Q A P R L I Y G A S T R A [S] G I P A R F S G S G T [D,Y]

37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 A B C D E 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKJ4
 39.29D2C4 T L T I [S] S L Q S E D F A V Y Y C O [H] Y [S] N W P [P,R] I L T F G G G T K V E I K

FIG. 32A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	7	8	9	10	11	12
IGHV3-30*01	13	14	15	16	17	18
39.29D2C4	19	20	21	22	23	24
39.29D2C4	25	26	27	28	29	30
39.29D2C4	31	32	33	34	35	36
39.29D2C4	37	38	39	40	41	42
39.29D2C4	43					

IGHV3-30*01	G	L	E	W	V	A	V	I	S	Y	.	D	G	S	N	K	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	L	Y	L	Q	M	N	S	L	57
39.29D2C4	G	L	E	W	V	A	V	I	S	Y	.	D	G	[A]	N	[Q]	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	[V]	Y	L	Q	M	N	S	L	35

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	50	51	52	A	B	C
IGHV3-30*01	53	54	55	56	57	58
39.29D2C4	59	60	61	62	63	64
39.29D2C4	65	66	67	68	69	70
39.29D2C4	71	72	73	74	75	76
39.29D2C4	77	78	79	80	81	82
39.29D2C4	A	B	C	D	E	F

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	89	90	91	92	93	94
IGHV3-30*01	95	96	97	98	99	100
39.29D2C4	A	B	C	D	E	F
39.29D2C4	V	Y	Y	F	G	H
39.29D2C4	D	T	A	T	L	I
39.29D2C4	E	D	T	V	T	V
39.29D2C4	R	[P]	A	V	T	S

FIG. 32B

Light Chain, Kappa

	Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	A	B
55	56	57	58	59	60	61
62	63	64	65	66	67	68
69	70	71				

IGKV3-15*01	E	I	V	M	T	Q	S	P	A	P	I	S	V	S	P	G	E	R	A	F	L	S	C
39.29D8C2	E	I	V	[E]	I	V	[E]	I	Q	S	P	A	P	I	S	V	S	P	G	E	R	A	F

	Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43
44	45	46	47	48	49	
50	51	52	53	54	A	B
55	56	57	58	59	60	61
62	63	64	65	66	67	68
69	70	71				

IGKV3-15*01	Q	Q	K	P	G	Q	A	P	R	L	L	I	Y	G	A	S	T	R	.	.	.	A	T
39.29D8C2	Q	Q	K	P	G	Q	A	P	R	L	L	I	Y	G	A	S	T	R	.	.	.	A	[S]

	Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78
79	80	81	82	83	84	85
86	87	88	89	90	91	92
93	94	95	A	B	C	D
96	97	98	99	100	101	102
103	104	105	106	107		

IGKV3-15*01	T	L	T	I	S	S	E	D	F	A	V	Y	C	O	O	Y	N	N	P	.	.	L	T
39.29D8C2	T	L	T	I	[S]	S	E	D	F	A	V	Y	C	O	O	[Y]	[S]	N	P	[P]	.	L	T

FIG. 33A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	Q	V	E	S	G	G
39.29D8C2	V	Q	L	V	G	G

Kabat number	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	A	B	36	37	38	39	40	41	42	43
IGHV3-30*01	P	G	R	S	L	R	I	S	C	A	A	S	G	F	T	F	S	S	Y	A	W	H	.	.	W	V	R	Q	A	P	G	X							
39.29D8C2	P	G	[K]	S	L	R	I	S	C	A	A	S	G	[L]	T	F	S	S	Y	A	[V]	H	.	.	W	V	R	Q	A	P	G	X							

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2																																									
Kabat number	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	A	B	C	
IGHV3-30*01	G	L	E	W	V	A	V	I	S	Y	.	.	D	G	S	N	K	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	L	Y	L	Q	M	N	S	L	57
39.29D8C2	G	L	E	W	V	[T]	I	S	Y	.	.	D	G	[A]	N	[Q]	Y	Y	A	D	S	V	K	G	R	F	T	I	S	R	D	N	S	K	N	T	[V]	Y	L	Q	M	N	S	L		

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3																																					
Kabat number	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101	102	103	104	105	106	107	108	109	110	111	112	113
IGHV3-30*01	R	A	E	D	T	A	V	Y	Y	C	A	R	F	D	Y	W	G	Q	G	T	L	V	T	V	S	S	IGH44									
39.29D8C2	R	[P]	E	D	T	A	V	Y	Y	C	A	V	P	G	P	V	F	G	I	F	P	W	S	Y	.	.	F	D	[N]	W	G	Q	G	T	L	V	T	V	S	S		

FIG. 33B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

39.29NCv1 E I V [E] T Q S P A P I S V S P G E R A F L S C R A S Q [V] I S I H N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F

39.29NCv1 Q Q K P G Q A P R L I Y G A S T R A S G I P A R F S G S G T D Y

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C Q Q Y N N W P I L T F G G G T K V E I K IGKV3-14

39.29NCv1 T L T I [E] S L Q [P] E D F A V Y Y C Q [H] Y [S] N N W P F P R I L T F G G G T K V E I K

FIG. 34A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	Q	V	E	S	G	G
39.29NCv1	Q	V	E	V	G	G
Kabat number	7	8	9	10	11	12
IGHV3-30*01	G	L	E	W	V	A
39.29NCv1	G	L	E	W	V	A
Kabat number	13	14	15	16	17	18
IGHV3-30*01	G	G	G	V	Q	P
39.29NCv1	G	G	G	V	Q	P
Kabat number	19	20	21	22	23	24
IGHV3-30*01	A	P	G	R	S	C
39.29NCv1	A	P	G	[K]	S	C
Kabat number	25	26	27	28	29	30
IGHV3-30*01	G	F	T	F	S	S
39.29NCv1	G	[P]	T	F	S	S
Kabat number	32	33	34	35	A	B
IGHV3-30*01	S	R	I	S	C	A
39.29NCv1	S	[P]	R	L	S	C
Kabat number	36	37	38	39	40	41
IGHV3-30*01	G	F	T	S	Y	A
39.29NCv1	G	[P]	T	F	S	Y
Kabat number	42	43				
IGHV3-30*01						
39.29NCv1						

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	G	L	E	W	V	A
39.29NCv1	G	L	E	W	V	A
Kabat number	50	51	52	A	B	C
IGHV3-30*01	A	V	I	S	Y	.
39.29NCv1	A	[T]	I	S	Y	.
Kabat number	53	54	55	56	57	58
IGHV3-30*01	G	G	S	N	K	Y
39.29NCv1	G	G	[A]	N	[Q]	Y
Kabat number	59	60	61	62	63	64
IGHV3-30*01	A	D	S	V	K	G
39.29NCv1	A	D	S	V	K	G
Kabat number	65	66	67	68	69	70
IGHV3-30*01	R	F	T	I	S	R
39.29NCv1	R	F	T	I	S	R
Kabat number	71	72	73	74	75	76
IGHV3-30*01	T	Y	L	Q	M	N
39.29NCv1	T	Y	L	Q	M	N
Kabat number	77	78	79	80	81	82
IGHV3-30*01	A	B	C	C	/	57
39.29NCv1	A	B	C	C		

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV3-30*01	R	A	E	D	T	A
39.29NCv1	R	[P]	E	D	T	A
Kabat number	89	90	91	92	93	94
IGHV3-30*01	G	95	96	97	98	99
39.29NCv1	G	[A]	V	Y	C	A
Kabat number	100	101	102	103	104	105
IGHV3-30*01	A	B	C	D	E	F
39.29NCv1	A	[N]	[N]	[N]	[N]	[N]
Kabat number	106	107	108	109	110	111
IGHV3-30*01	T	V	S	S	S	IGH4
39.29NCv1	T	V	S	S	S	
Kabat number	112	113				
IGHV3-30*01						
39.29NCv1						

FIG. 34B

Light Chain, Kappa

	Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
19	20	21	22	23	24	25
26	27	A	B	C	D	F
28	29	30	31	32	33	34
35	36					

	Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43
44	45	46	47	48	49	50
51	52	53	54	A	B	C
D	E	55	56	57	58	59
60	61	62	63	64	65	66
67	68	69	70	71		

	Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78
79	80	81	82	83	84	85
86	87	88	89	90	91	92
93	94	95	A	B	C	D
E	F	F	96	97	98	99
100	101	102	103	104	105	107

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F
 39.29D8E7 Q Q K P G Q A P R L I Y G A S T R A S G I P A R F S G S G S G T D Y

IGKV3-15*01 T L T I S S E D F A V Y Y C Q Q Y N N W P I L T F G G G T K V E I K IGKJ4
 39.29D8E7 T L T I S S E D F A V Y Y C Q Q Y S N N W P P R I L T F G G G T K V E I K

FIG. 35A

Heavy Chain

Heavy Chain	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
	IGHV3-30*01	39.29D8E7	IGHV3-30*01	39.29D8E7	IGHV3-30*01	39.29D8E7
Kabat number	1	2	3	4	5	6
1	7	8	9	10	11	12
2	13	14	15	16	17	18
3	19	20	21	22	23	24
4	25	26	27	28	29	30
5	31	32	33	34	35	A
6						B
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
A						
B						
.						

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabai - CDR H3	
	Choithia - CDR H3	
	Contact - CDR H3	
193 94 95 96 97 98 99 100	A B C D E F G H I J K	101 102

FIG. 35B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

39.29.NFPP E I V I I I T Q S P A P I S V S P G E R A F L S C R A S Q V I I S I I I N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G T E F

39.29.NFPP Q Q K P G Q A P R L I Y G A S T R A S G I P A R F S G S G T D Y

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	I	I	I	I	I	I
96	97	98	99	100	101	102	103
104	105	106	107				

IGKV3-15*01 T L T I S S E D F A V Y Y C Q Q Y N N W P I L T F G G G T K V E I K IGKV3

39.29.NFPP T L T I I S L Q S E D F A V Y Y C Q H Y S N F P P R I L T F G G G T K V E I K

FIG. 36A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	0	V	E	S	G	G
39.29.NFPP	[E]	V	L	V	S	G
Kabat number	7	8	9	10	11	12
IGHV3-30*01	9	10	11	12	13	14
39.29.NFPP	15	16	17	18	19	20
Kabat number	21	22	23	24	25	26
IGHV3-30*01	25	26	27	28	29	30
39.29.NFPP	P	G	R	S	L	R
Kabat number	31	32	33	34	35	36
IGHV3-30*01	31	32	33	34	35	37
39.29.NFPP	G	[K]	S	C	A	A
Kabat number	37	38	39	40	41	42
IGHV3-30*01	W	V	R	Q	A	P
39.29.NFPP	T	F	S	S	V	G
Kabat number	43	44	45	46	47	48
IGHV3-30*01	G	L	E	W	V	A
39.29.NFPP	G	L	E	W	V	V
Kabat number	49	50	51	52	A	B
IGHV3-30*01	A	V	I	S	Y	.
39.29.NFPP	T	[I]	I	S	Y	.
Kabat number	53	54	55	56	57	58
IGHV3-30*01	S	54	55	56	57	59
39.29.NFPP	54	55	56	57	58	59
Kabat number	60	61	62	63	64	65
IGHV3-30*01	60	61	62	63	64	66
39.29.NFPP	60	61	62	63	64	67
Kabat number	66	67	68	69	70	71
IGHV3-30*01	66	67	68	69	70	71
39.29.NFPP	66	67	68	69	70	71
Kabat number	72	73	74	75	76	77
IGHV3-30*01	72	73	74	75	76	77
39.29.NFPP	72	73	74	75	76	77
Kabat number	78	79	80	81	82	A
IGHV3-30*01	78	79	80	81	82	B
39.29.NFPP	78	79	80	81	82	C

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	59	60	61	62	63	64
IGHV3-30*01	59	60	61	62	63	65
39.29.NFPP	59	60	61	62	63	66
Kabat number	65	66	67	68	69	70
IGHV3-30*01	65	66	67	68	69	70
39.29.NFPP	65	66	67	68	69	70
Kabat number	73	74	75	76	77	78
IGHV3-30*01	73	74	75	76	77	78
39.29.NFPP	73	74	75	76	77	78
Kabat number	79	80	81	82	A	B
IGHV3-30*01	79	80	81	82	A	B
39.29.NFPP	79	80	81	82	A	C

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	101	102	103	104	105	106
IGHV3-30*01	101	102	103	104	105	107
39.29.NFPP	101	102	103	104	105	108
Kabat number	107	108	109	110	111	112
IGHV3-30*01	107	108	109	110	111	113
39.29.NFPP	107	108	109	110	111	114

FIG. 36B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

39.29.NYPP E I V I I I T Q S P A P I S V S P G E R A F L S C R A S Q V I I S I I I N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G S G T E F

39.29.NYPP Q Q K P G Q A P R L I Y G A S T R A S G I P A R F S G S G S G T D Y

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	I	I	I	I	I	I
96	97	98	99	100	101	102	103
104	105	106	107				

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKV3

39.29.NYPP T L T I I S L Q S E D F A V Y Y C O O Y S N Y P P R I L T F G G G T K V E I K

FIG. 37A

Heavy Chain

Heavy Chain	Kabat - CDR H1	Chothia - CDR H1	Contact - CDR H1
Kabat number	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 A B		
IGHV3-30*01	Q V Q L V E S C G C V V Q P C R S L R L S C A A S C G F T F S S V A M H . .		
3929 NYPP	[E] V Q L V Q S G G C V V Q P C [X] S I R L S C A A S C G I T F S S V A V H . .		

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabal - CDR H3	
	Chothisia - CDR H3	
	Contact - CDR H3	
A R	• • • • •	• • • • •
A V V P G P V F	• • • • •	• • • • •
A V V P G P V F G I F P P W S Y	• • • • •	• • • • •
2 9 3 9 4 9 5 9 6 9 7 9 8 9 9 10 0 A B C D E F G H I J K	10 1 10 2	D V

Contact - CDK4/63		Kabat number											
IGHV3-30*01	R	A	E	D	T	A	V	Y	C	A	R	.	.
39.29.NYPP	R	[E]	[E]	D	T	A	V	Y	C	A	V	[P]	[P]

FIG. 37B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N I A W Y

39.29.NWPP E I V I I I T Q S P A P I S V S P G E R A F L S C R A S Q V I I S I I I N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L I Y G A S T R A T G I P A R F S G S G T E F

39.29.NWPP Q Q K P G Q A P R L I Y G A S T R A S G I P A R F S G S G T D Y

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P I L T F G G G T K V E I K IGKV3-14

39.29.NWPP T L T I I S L Q S E D F A V Y Y C O O Y S I N N W P P R I L T F G G G T K V E I K

FIG. 38A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV3-30*01	0	V	E	S	G	G
39.29.NWPP	[E]	V	L	V	S	G
Kabat number	7	8	9	10	11	12
IGHV3-30*01	9	10	11	12	13	14
39.29.NWPP	15	16	17	18	19	20
Kabat number	21	22	23	24	25	26
IGHV3-30*01	25	26	27	28	29	30
39.29.NWPP	31	32	33	34	35	36
Kabat number	37	38	39	40	41	42
IGHV3-30*01	37	38	39	40	41	43
39.29.NWPP	42	43				

47 / 57

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV3-30*01	G	L	E	W	V	A
39.29.NWPP	L	E	W	V	V	[T]
Kabat number	50	51	52	A	B	C
IGHV3-30*01	A	V	I	S	Y	.
39.29.NWPP	[T]	I	S	Y	.	.
Kabat number	53	54	55	56	57	59
IGHV3-30*01	S	Y	.	D	G	S
39.29.NWPP	Y	.	D	G	[A]	N
Kabat number	60	61	62	63	64	65
IGHV3-30*01	60	61	62	63	64	65
39.29.NWPP	66	67	68	69	70	71
Kabat number	72	73	74	75	76	77
IGHV3-30*01	72	73	74	75	76	77
39.29.NWPP	78	79	80	81	82	A
						B
Kabat number	81	82	83	84	85	86
IGHV3-30*01	A	B	C	D	E	F
39.29.NWPP	[E]	[F]	[G]	[H]	[I]	[J]
Kabat number	87	88	89	90	91	92
IGHV3-30*01	R	S	A	E	D	T
39.29.NWPP	[P]	[E]	[D]	[T]	[A]	V
Kabat number	93	94	95	96	97	98
IGHV3-30*01	93	94	95	96	97	98
39.29.NWPP	99	100	A	B	C	D
Kabat number	101	102	103	104	105	106
IGHV3-30*01	101	102	103	104	105	107
39.29.NWPP	108	109	110	111	112	113

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	114	115	116	117	118	119
IGHV3-30*01	R	S	T	Y	W	G
39.29.NWPP	[P]	[E]	[D]	[F]	[W]	[G]
Kabat number	120	121	122	123	124	125
IGHV3-30*01	120	121	122	123	124	125
39.29.NWPP	126	127	128	129	130	131
Kabat number	132	133	134	135	136	137
IGHV3-30*01	132	133	134	135	136	137
39.29.NWPP	138	139	140	141	142	143
Kabat number	144	145	146	147	148	149
IGHV3-30*01	144	145	146	147	148	149
39.29.NWPP	150	151	152	153	154	155
Kabat number	156	157	158	159	160	161
IGHV3-30*01	156	157	158	159	160	161
39.29.NWPP	162	163	164	165	166	167
Kabat number	168	169	170	171	172	173
IGHV3-30*01	168	169	170	171	172	173
39.29.NWPP	174	175	176	177	178	179
Kabat number	180	181	182	183	184	185
IGHV3-30*01	180	181	182	183	184	185
39.29.NWPP	186	187	188	189	190	191
Kabat number	192	193	194	195	196	197
IGHV3-30*01	192	193	194	195	196	197
39.29.NWPP	198	199	200	201	202	203
Kabat number	204	205	206	207	208	209
IGHV3-30*01	204	205	206	207	208	209
39.29.NWPP	210	211	212	213	214	215
Kabat number	216	217	218	219	220	221
IGHV3-30*01	216	217	218	219	220	221
39.29.NWPP	222	223	224	225	226	227
Kabat number	228	229	230	231	232	233
IGHV3-30*01	228	229	230	231	232	233
39.29.NWPP	234	235	236	237	238	239
Kabat number	240	241	242	243	244	245
IGHV3-30*01	240	241	242	243	244	245
39.29.NWPP	246	247	248	249	250	251
Kabat number	252	253	254	255	256	257
IGHV3-30*01	252	253	254	255	256	257
39.29.NWPP	258	259	260	261	262	263
Kabat number	264	265	266	267	268	269
IGHV3-30*01	264	265	266	267	268	269
39.29.NWPP	270	271	272	273	274	275
Kabat number	276	277	278	279	280	281
IGHV3-30*01	276	277	278	279	280	281
39.29.NWPP	282	283	284	285	286	287
Kabat number	288	289	290	291	292	293
IGHV3-30*01	288	289	290	291	292	293
39.29.NWPP	294	295	296	297	298	299
Kabat number	300	301	302	303	304	305
IGHV3-30*01	300	301	302	303	304	305
39.29.NWPP	306	307	308	309	310	311
Kabat number	312	313	314	315	316	317
IGHV3-30*01	312	313	314	315	316	317
39.29.NWPP	318	319	320	321	322	323
Kabat number	324	325	326	327	328	329
IGHV3-30*01	324	325	326	327	328	329
39.29.NWPP	330	331	332	333	334	335
Kabat number	336	337	338	339	340	341
IGHV3-30*01	336	337	338	339	340	341
39.29.NWPP	342	343	344	345	346	347
Kabat number	348	349	350	351	352	353
IGHV3-30*01	348	349	350	351	352	353
39.29.NWPP	354	355	356	357	358	359
Kabat number	360	361	362	363	364	365
IGHV3-30*01	360	361	362	363	364	365
39.29.NWPP	366	367	368	369	370	371
Kabat number	372	373	374	375	376	377
IGHV3-30*01	372	373	374	375	376	377
39.29.NWPP	378	379	380	381	382	383
Kabat number	384	385	386	387	388	389
IGHV3-30*01	384	385	386	387	388	389
39.29.NWPP	390	391	392	393	394	395
Kabat number	396	397	398	399	400	401
IGHV3-30*01	396	397	398	399	400	401
39.29.NWPP	402	403	404	405	406	407
Kabat number	408	409	410	411	412	413
IGHV3-30*01	408	409	410	411	412	413
39.29.NWPP	414	415	416	417	418	419
Kabat number	420	421	422	423	424	425
IGHV3-30*01	420	421	422	423	424	425
39.29.NWPP	426	427	428	429	430	431
Kabat number	432	433	434	435	436	437
IGHV3-30*01	432	433	434	435	436	437
39.29.NWPP	438	439	440	441	442	443
Kabat number	444	445	446	447	448	449
IGHV3-30*01	444	445	446	447	448	449
39.29.NWPP	450	451	452	453	454	455
Kabat number	456	457	458	459	460	461
IGHV3-30*01	456	457	458	459	460	461
39.29.NWPP	462	463	464	465	466	467
Kabat number	468	469	470	471	472	473
IGHV3-30*01	468	469	470	471	472	473
39.29.NWPP	474	475	476	477	478	479
Kabat number	480	481	482	483	484	485
IGHV3-30*01	480	481	482	483	484	485
39.29.NWPP	486	487	488	489	490	491
Kabat number	492	493	494	495	496	497
IGHV3-30*01	492	493	494	495	496	497
39.29.NWPP	498	499	500	501	502	503
Kabat number	504	505	506	507	508	509
IGHV3-30*01	504	505	506	507		

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N N I A W Y

39.18B11 E I V I I I T Q S P A P I S V S P G E R V I F L S C R A S Q S V [A N] N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L L I Y G A S T R A T G I P A R F S G S G S G T E F

39.18B11 Q Q K P G Q [5] P R L L I Y G A S T R [2] T G I P A R F S G S G S G T E F

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P Y T F G Q G T K V E I K IGK32

39.18B11 T L T I S S E D F A V Y Y C O O Y N N W P [P W] Y T F G Q G T K V E I K

FIG. 39A

Heavy Chain

Heavy Chain	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
	CDR H1	CDR H1	CDR H1	CDR H1	CDR H1	CDR H1
Kabat number	1	2	3	4	5	6
IGHV1-69*01	Q	V	Q	L	V	Q
39,18B11 [E]	V	[E]	V	Q	L	V
	7	8	9	10	11	12
	S	G	A	E	V	K
	P	G	S	S	V	V
	13	14	15	16	17	18
	K	K	P	G	S	C
	19	20	21	22	23	24
	V	S	C	K	A	G
	25	26	27	28	29	30
	F	S	S	Y	A	T
	31	32	33	34	35	A
	S	S	Y	A	T	.

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabal - CDR H3	
	Choithia - CDR H3	
	Contact - CDR H3	

Contact-CDR H3											
Kabat number	83	84	85	86	87	88	89	90	91	92	93
IGHV1-69*01	R	S	E	D	T	A	V	Y	C	A	R
39,18B11	R	S	E	D	T	A	V	Y	C	A	R

FIG. 39B

Light Chain, Kappa

		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

IGKV3-15*01 E I V M T Q S P A P I S V S P G E R A F L S C R A S Q S V S S N N I A W Y

39.18.E12 E I V I I I T Q S P A P I S V S P G E R I V I F L S C R A S Q S V [A] N N I A W Y

		Kabat - CDR L2		Chothia - CDR L2		Contact - CDR L2	
37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52
53	54	A	B	C	D	E	55
56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71

IGKV3-15*01 Q Q K P G Q A P R L L I Y G A S T R A T G I P A R F S G S G S G T E F

39.18.E12 Q Q K P G Q [5] P R L L I Y G A S T R [2] T G I P A R F S G S G S G T E F

		Kabat - CDR L3		Chothia - CDR L3		Contact - CDR L3	
72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87
88	89	90	91	92	93	94	95
A B C D E F	I	96	97	98	99	100	101
102	103	104	105	106	107		

IGKV3-15*01 T L T I S S E D F A V Y Y C O O Y N N W P Y T F G O G T K V E I K IGK32

39.18.E12 T L T I S S E D F A V Y Y C O O Y N N W P [P W] Y T F G Q G T K V E I K

FIG. 40A

Heavy Chain

Heavy Chain		Kabat number												IGHV1-69*01												39.18.E12												
		Chothia - CDR H1						Kabat - CDR H1						Contract - CDR H1						Chothia - CDR H1						Kabat - CDR H1						Contract - CDR H1						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	A	B
		Q	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	S	S	V	K	V	S	C	K	A	S	G	G	T	F	S	S	V	A	I	S	.	
		Q	V	Q	L	V	Q	S	G	A	G	V	K	K	P	G	S	S	V	K	V	S	C	K	A	S	G	G	T	F	S	S	V	I	G	I	S	.

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabai - CDR H3	
	Chothisa - CDR H3	
	Contact - CDR H3	
93 94 95 96 97 98 99 100	A B C D E F G H I J K	101 102
A B C D E F G H I J K	A B C D E F G H I J K	A B C D E F G H I J K

FIG. 40B

52 / 57

Light Chain, Kappa

Light Chain, Kappa		Kabat - CDR L1		Chothia - CDR L1		Contact - CDR L1	
1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	A	B	C	D	F
28	29	30	31	32	33	34	35
36							

	Kabat - CDR1L2		Chothia - CDR1L2		Contact - CDR1L2	
46	47	48	49	50	51	52
L	L	I	Y	K	S	L
L	L	I	Y	K	S	L
53	54	A	B	C	D	E
55	56					
57	58					
59	60					
61	62					
63	64					
65	66					
67	68					
69	70					
71	72					
73	74					
75	76					
77	78					
79	80					
81	82					
83	84					
85	86					
87	88					
89	90					
91	92					
93	94					
95	96					
97	98					
99	100					
101	102					
103	104					
105	106					
107	108					
109	110					
111	112					
113	114					
115	116					
117	118					
119	120					
121	122					
123	124					
125	126					
127	128					
129	130					
131	132					
133	134					
135	136					
137	138					
139	140					
141	142					
143	144					
145	146					
147	148					
149	150					
151	152					
153	154					
155	156					
157	158					
159	160					
161	162					
163	164					
165	166					
167	168					
169	170					
171	172					
173	174					
175	176					
177	178					
179	180					
181	182					
183	184					
185	186					
187	188					
189	190					
191	192					
193	194					
195	196					
197	198					
199	200					
201	202					
203	204					
205	206					
207	208					
209	210					
211	212					
213	214					
215	216					
217	218					
219	220					
221	222					
223	224					
225	226					
227	228					
229	230					
231	232					
233	234					
235	236					
237	238					
239	240					
241	242					
243	244					
245	246					
247	248					
249	250					
251	252					
253	254					
255	256					
257	258					
259	260					
261	262					
263	264					
265	266					
267	268					
269	270					
271	272					
273	274					
275	276					
277	278					
279	280					
281	282					
283	284					
285	286					
287	288					
289	290					
291	292					
293	294					
295	296					
297	298					
299	300					
301	302					
303	304					
305	306					
307	308					
309	310					
311	312					
313	314					
315	316					
317	318					
319	320					
321	322					
323	324					
325	326					
327	328					
329	330					
331	332					
333	334					
335	336					
337	338					
339	340					
341	342					
343	344					
345	346					
347	348					
349	350					
351	352					
353	354					
355	356					
357	358					
359	360					
361	362					
363	364					
365	366					
367	368					
369	370					
371	372					
373	374					
375	376					
377	378					
379	380					
381	382					

FIG. 41A

Heavy Chain

	Kabat - CDR H2
	Chothia - CDR H2
	Contact - CDR H2

	Kabat - CDR H3	
	Chothia - CDR H3	
	Contact - CDR H3	
93 94 95 96 97 98 99 100	A B C D E F G H I J K	101 102
A R I	• • • • • • • • •	• • • • • F Q H
A R A N T I O G V V I L Y I R E G	• • • • • D Y W	

Fig. 41B

Light Chain, Lambda

	Kabat number	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	A	B	C	D	E	55	56	57	58	59	60	61	62	63	64	65	66	A	B	67	68	69	70	71
IGLV1-44*01	0	Q	L	P	G	T	A	P	K	L	L	I	Y	S	N	N	Q	R	P	S	G	V	P	D	R	F	S	G	S	K	.	.	S	G	T	S	A	
9.01F3	0	Q	Y	P	G	T	A	P	K	L	L	I	Y	S	N	T	E	E	R	P	S	G	V	P	D	R	F	S	G	S	K	.	.	S	G	T	S	A

	Kabat - CDR L3	Chothia - CDR L3	Contact - CDR L3
IgLV1-44*01	S L A I S G L Q S E D E A D Y V C A A W D D S L N G . . . Y V F G T G T K V T V L I G L V 1	S L A I S G L Q S E D E A D Y V C A A W D D S L N G . . . Y V F G T G T K V T V L I G L V 1	S L A I S G L Q S E D E A D Y V C A A W D D S L N G . . . Y V F G T G T K V T V L I G L V 1
9.01F3			

FIG. 42A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV1-2*02	Q	V	Q	E	V	Q
9.01F3	Q	V	Q	L	V	Q
	9	10	11	12	13	14
	15	16	17	18	19	20
	21	22	23	24	25	26
	27	28	29	30	31	32
	33	34	35	A	B	36
	37	38	39	40	41	42
	43					

IGHV1-2*02	G	W	I	N	P	.
9.01F3	G	W	I	N	P	.
	54	55	56	57	58	59
	60	61	62	63	64	65
	66	67	68	69	70	71
	72	73	74	75	76	77
	78	79	80	81	82	A
	B	C		B	C	

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV1-2*02	G	L	E	W	N	G
9.01F3	G	L	E	W	N	G
	53	54	55	56	57	58
	59	60	61	62	63	64
	65	66	67	68	69	70
	71	72	73	74	75	76
	77	78	79	80	81	82
	A	B	C		B	C

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV1-2*02	R	S	D	D	T	A
9.01F3	I	I	S	D	T	A
	90	91	92	93	94	95
	96	97	98	99	100	A
	B	C	D	E	F	G
	I	J	K	L	M	N
	101	102	103	104	105	106
	107	108	109	110	111	112
	113					

Human Germlines

FIG. 42B

Light Chain, Kappa

Kabat number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	A	B	C	D	E	F	28	29	30	31	32	33	34	35	36		
IGKV2-30*01	D	V	V	W	T	Q	S	P	L	S	I	P	V	T	L	G	Q	P	A	S	I	S	C	R	S	S	Q	E	V	Y	S	.	D	G	N	T	Y	I	N	W	F			
23.06C2	D	I	I	Q	E	T	Q	S	P	L	S	I	P	V	T	L	G	Q	P	A	S	I	S	C	R	S	S	Q	S	I	I	Y	I	I	G	I	F	T	Y	I	I	G	W	Y

Kabat - CDR L1
Chothia - CDR L1
Contact - CDR L1

Kabat number	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	A	B	C	D	E	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
IGKV2-30*01	Q	Q	R	P	G	Q	S	P	R	R	L	I	Y	K	V	S	N	R	D	S	G	V	P	D	R	F	S	G	S	G	T	D	F		
23.06C2	I	I	Q	P	G	Q	S	P	R	R	L	I	Y	K	I	S	N	R	D	S	G	V	P	D	R	F	S	G	S	G	T	D	F		

Kabat - CDR L2
Chothia - CDR L2
Contact - CDR L2

Kabat number	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	97	98	99	100	101	102	103	104	105	106	107
IGKV2-30*01	T	L	K	I	S	R	V	E	A	E	D	V	G	V	Y	Y	C	W	O	G	T	H	W	P	L	T	F	G	G	G	T	K	V	E	I	K	
23.06C2	T	L	K	I	S	R	V	E	A	E	D	V	G	V	Y	Y	C	W	O	G	T	H	W	P	L	T	F	G	G	G	T	K	V	E	I	K	

Kabat - CDR L3
Chothia - CDR L3
Contact - CDR L3

Kabat number	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	97	98	99	100	101	102	103	104	105	106	107
IGKV2-30*01	T	L	K	I	S	R	V	E	A	E	D	V	G	V	Y	Y	C	W	O	G	T	H	W	P	L	T	F	G	G	G	T	K	V	E	I	K	
23.06C2	T	L	K	I	S	R	V	E	A	E	D	V	G	V	Y	Y	C	W	O	G	T	H	W	P	L	T	F	G	G	G	T	K	V	E	I	K	

FIG. 43A

Heavy Chain

	Kabat - CDR H1		Chothia - CDR H1		Contact - CDR H1	
Kabat number	1	2	3	4	5	6
IGHV4-39*01	Q	E	S	G	P	G
23.06C2	Q	E	S	G	P	G
	[W]	[L]	[Q]	[V]	[T]	[K]
	9	10	11	12	13	14
	15	16	17	18	19	20
	21	22	23	24	25	26
	27	28	29	30	31	32
	33	34	35	A	B	36
	37	38	39	40	41	42
	43					

IGHV4-39*01	G	S	T	Y	W	G
	[L]	[S]	[E]	[Y]	[W]	[G]
23.06C2	G	[W]	[S]	[T]	[Y]	[K]
	[W]	[L]	[Q]	[V]	[T]	[K]

	Kabat - CDR H2		Chothia - CDR H2		Contact - CDR H2	
Kabat number	44	45	46	47	48	49
IGHV4-39*01	G	L	E	W	I	G
23.06C2	G	[W]	[E]	[W]	[I]	[G]
	50	51	52	A	B	C
	53	54	55	56	57	58
	59	60	61	62	63	64
	65	66	67	68	69	70
	71	72	73	74	75	76
	77	78	79	80	81	82
	A	B	C	D	E	F

IGHV4-39*01	G	S	T	Y	W	G
	[S]	[T]	[Y]	[W]	[G]	[G]
23.06C2	G	[W]	[E]	[W]	[I]	[G]
	[W]	[L]	[Q]	[V]	[T]	[F]

	Kabat - CDR H3		Chothia - CDR H3		Contact - CDR H3	
Kabat number	83	84	85	86	87	88
IGHV4-39*01	T	A	A	D	T	A
23.06C2	T	A	A	D	T	A
	90	91	92	93	94	95
	96	97	98	99	100	A
	B	C	D	E	F	G
	C	A	R	I	J	K
	A	R	I	R	Y	Y
	Y	C	A	R	Y	Y
	C	A	R	I	R	Y

IGHV4-39*01	T	A	A	D	T	A
	90	91	92	93	94	95
	96	97	98	99	100	A
	B	C	D	E	F	G
	C	A	R	I	J	K
	A	R	I	R	Y	Y
	Y	C	A	R	Y	Y
	C	A	R	I	R	Y

Human GermLines

FIG. 43B

P4982R1WO_PCTSequenceListi ng. TXT
SEQUENCE LISTING

<110> GENENTECH, INC. ET AL.

<120> ANTI -HEMAGGLUTININ ANTI BODIES AND METHODS OF USE

<130> P4982R1-W0

<140>

<141>

<150> 61/725, 859

<151> 2012-11-13

<160> 245

<170> PatentIn versi on 3.5

<210> 1

<211> 38

<212> DNA

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic primer"

<400> 1

atcgttcat aagcgcgcca ggtgcagctg gtgcagtc

38

<210> 2

<211> 38

<212> DNA

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic primer"

<400> 2

atcgttcat aagcgcgcca grtcaccttg aaggagtc

38

<210> 3

<211> 38

<212> DNA

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic primer"

<400> 3

atcgttcat aagcgcgcga ggtgcagctg gtggagtc

38

<210> 4

<211> 38

<212> DNA

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic
Page 1

P4982R1WO_PCTSequenceListi ng. TXT

primer"

<400> 4
atcgttcat aagcgcgcca ggtgcagctg gtggagtc 38

<210> 5
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 5
atcgttcat aagcgcgca agtgcagctg gtggagtc 38

<210> 6
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 6
atcgttcat aagcgcgcca ggtgcagctg caggagtc 38

<210> 7
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 7
atcgttcat aagcgcgcca gctgcagctg caggagtc 38

<210> 8
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 8
atcgttcat aagcgcgca rgtgcagctg gtgcagtc 38

<210> 9
<211> 38
<212> DNA
<213> Artificial Sequence

<220>

P4982R1W0_PCTSequenceListng. TXT

<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 9
atcgttcat aagcgcgcca ggtacagctg cagcagtc

38

<210> 10
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 10
atcgttcat aagcgcgcca ggtgcagctg gtgcaatc

38

<210> 11
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 11
atcgttcat aagcgcgcca ggtccagctt gtgcagtc

38

<210> 12
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 12
atcgttcat aagcgcgcca ggttcagctg gtgcagtc

38

<210> 13
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 13
atcgttcat aagcgcgcca ggtccagctg gtacagtc

38

<210> 14
<211> 38
<212> DNA
<213> Artificial Sequence

P4982R1W0_PCTSequenceListi ng. TXT

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 14
atcgttcat aagcgccca gatgcagctg gtgcagtc 38

<210> 15
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 15
atcgttcat aagcgccca aatccagctg gtgcagtc 38

<210> 16
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 16
atcgttcat aagcgccga ggtccagctg gtgcagtc 38

<210> 17
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 17
atcgttcat aagcgccga ggtgcagctg ttggagtc 38

<210> 18
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 18
atcgttcat aagcgccga ggtgcagctg gtggagac 38

<210> 19
<211> 38

P4982R1W0_PCTSequenceListi ng. TXT

<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Descri ption of Arti fi ci al Sequence: Synthetic primer"

<400> 19
atcgtttcat aagcgcgcca ggtgcagcta cagcagtg 38

<210> 20
<211> 39
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Descri ption of Arti fi ci al Sequence: Synthetic primer"

<400> 20
gacatttctac gagctagctg aggagacagt gaccagggt 39

<210> 21
<211> 39
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Descri ption of Arti fi ci al Sequence: Synthetic primer"

<400> 21
gacatttctac gagctagctg aggagacggt gaccagggt 39

<210> 22
<211> 40
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Descri ption of Arti fi ci al Sequence: Synthetic primer"

<400> 22
gacatttctac gagctagctg aagagacggt gaccattgtc 40

<210> 23
<211> 38
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Descri ption of Arti fi ci al Sequence: Synthetic primer"

<400> 23
gacatttctac gagctagctg aggagacggt gaccgtgg 38

P4982R1W0_PCTSequenceListi ng. TXT

<210> 24
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 24
tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcg 60
acatccagwt gacccagtc 79

<210> 25
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 25
tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcg 60
atgttgtgat gactcagtc 79

<210> 26
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 26
tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcg 60
aaatttgtgwt gacrcagtc 79

<210> 27
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 27
tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcg 60
atatttgtgat gacccacac 79

<210> 28
<211> 79
<212> DNA
<213> Artificial Sequence

P4982R1W0_PCTSequenceListi ng. TXT

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 28
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagcg 60
aaacgacact cacgcagtc 79

<210> 29
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 29
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagcg 60
aaattgtgct gactcagtc 79

<210> 30
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 30
agttcatgcc atggtttga tttccacctt ggtccctt 38

<210> 31
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 31
agttcatgcc atggtttga tctccacctt ggtccc 36

<210> 32
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 32
agttcatgcc atggtttga tatccactt ggtccca 38

P4982R1W0_PCTSequenceListi ng. TXT

<210> 33	
<211> 37	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 33	
agttcatgcc atggtttga tctccagctt ggtccct	37
<210> 34	
<211> 38	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 34	
agttcatgcc atggttttaa tctccagtcg tgtccctt	38
<210> 35	
<211> 79	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 35	
tctcctcagc tagcgggtggc ggcgggttccg gaggtggtgg ttctggcggt ggtggcagcc	60
agtctgtgct gactcagcc	79
<210> 36	
<211> 79	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 36	
tctcctcagc tagcgggtggc ggcgggttccg gaggtggtgg ttctggcggt ggtggcagcc	60
agtctgtgtyt gacgcagcc	79
<210> 37	
<211> 79	
<212> DNA	
<213> Artificial Sequence	
<220>	

P4982R1W0_PCTSequenceListi ng. TXT

<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 37
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagcc 60
agtctgtcgt gacgcagcc 79

<210> 38
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 38
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagcc 60
artctgccct gactcagcc 79

<210> 39
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 39
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagct 60
cctatwgct gactcagcc 79

<210> 40
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 40
tctcctcagc tagcgggtggc ggccgttccg gaggtgggtgg ttctggcggt ggtggcagct 60
cttctgagct gactcagga 79

<210> 41
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

P4982R1WO_PCTSequenceListing.TXT

<400> 41	tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcc	60
	acgttatact gactcaacc	79
<210> 42		
<211> 79		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> source		
<223> /note="Description of Artificial Sequence: Synthetic primer"		
<400> 42	tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcc	60
	aggctgtgct gactcagcc	79
<210> 43		
<211> 79		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> source		
<223> /note="Description of Artificial Sequence: Synthetic primer"		
<400> 43	tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagca	60
	attttatgct gactcagcc	79
<210> 44		
<211> 79		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> source		
<223> /note="Description of Artificial Sequence: Synthetic primer"		
<400> 44	tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcc	60
	agrctgtggt gacycagga	79
<210> 45		
<211> 79		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> source		
<223> /note="Description of Artificial Sequence: Synthetic primer"		
<400> 45	tctcctcagc tagcgggtggc ggccgttccg gaggtggtgg ttctggcggt ggtggcagcc	60
	wgcctgtgct gactcagcc	79

P4982R1W0_PCTSequenceListi ng. TXT

<210> 46	
<211> 35	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 46	
agttcatgcc atggtagga cggtgacctt ggtcc	35
<210> 47	
<211> 35	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 47	
agttcatgcc atggtagga cggtcagctt ggtcc	35
<210> 48	
<211> 34	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 48	
agttcatgcc atggtagga cggtcagctg ggtg	34
<210> 49	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 49	
atcgttcat aagcgcgcsa	20
<210> 50	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	

P4982R1W0_PCTSequenceListi ng. TXT

<400> 50
agttcatgcc atggtttga t

21

<210> 51
<211> 21
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Description of Arti fi ci al Sequence: Synthetic primer"

<400> 51
agttcatgcc atggtkagga c

21

<210> 52
<211> 22
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Description of Arti fi ci al Sequence: Synthetic oligonucleotide"

<400> 52
gaagtagtcc ttgaccaggc ag

22

<210> 53
<211> 23
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Description of Arti fi ci al Sequence: Synthetic oligonucleotide"

<400> 53
ctcagcgtca gggtgtgtc gag

23

<210> 54
<211> 18
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Description of Arti fi ci al Sequence: Synthetic oligonucleotide"

<400> 54
gggtktggts gtctccac

18

<210> 55
<211> 26
<212> DNA
<213> Arti fi ci al Sequence

<220>
<221> source
<223> /note="Description of Arti fi ci al Sequence: Synthetic

P4982R1W0_PCTSequenceListi ng. TXT

primer"

<400> 55
caggtgcagc tggcagtc tgggc 26

<210> 56
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 56
caggtccagc tggcagtc tgggc 26

<210> 57
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 57
caggtcaccc tgaaggagtc tggcc 26

<210> 58
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 58
gaggtgcagc tggcagtc tgggg 26

<210> 59
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 59
caggtgcagc tgcaggagtc gggccc 26

<210> 60
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

P4982R1W0_PCTSequenceListing. TXT

<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 60
gaggtgcagc tggtgcagtc tgg

23

<210> 61
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 61
caggtacagc tgcagcagtc aggtcc

26

<210> 62
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 62
caggtgcagc tggtgcaatc tgg

23

<210> 63
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 63
ghcatccrgw tgacccagtc tc

22

<210> 64
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 64
gatrttgtga tgacycagwc tc

22

<210> 65
<211> 22
<212> DNA
<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 65
gaaatwgtrw tgacrcagtc tc 22

<210> 66
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 66
gacatcgtga tgacccagtc tcc 23

<210> 67
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 67
gaaacgacac tcacgcagtc tc 22

<210> 68
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 68
gawtttgtgm tgacwcagtc tc 22

<210> 69
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 69
cagtctgtgy tgackcagcc rccctc 26

<210> 70
<211> 21

P4982R1W0_PCTSequenceListng. TXT

<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 70
cagtctgccc tgactcagcc t

21

<210> 71
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 71
tcctatgagc tgacwcagsh vccckc

26

<210> 72
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 72
cagcctgtgc tgactcartc vccctc

26

<210> 73
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 73
cagcctgtgc tgactcagcc aacttc

26

<210> 74
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 74
aattttatgc tgactcagcc ccac

24

P4982R1W0_PCTSequenceListi ng. TXT

<210> 75
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 75
caggctgtgg tgactcagga gcc 24

<210> 76
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 76
cagactgtgg tgaccaggaa gcc 23

<210> 77
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 77
cagcctgtgc tgactcagcc acc 23

<210> 78
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 78
gcagccagg gcsgctgtgc 20

<210> 79
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 79
gcacacacaaca gaggcagttc cag 23

P4982R1WO_PCTSequenceListi ng. TXT

<210> 80	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 80	
cttgragctc ctcagaggag	20
<210> 81	
<211> 66	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 81	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cacagg	66
<210> 82	
<211> 72	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 82	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cacagatcac ct	72
<210> 83	
<211> 65	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 83	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cacag	65
<210> 84	
<211> 66	
<212> DNA	
<213> Artificial Sequence	

P4982R1W0_PCTSequenceListi ng. TXT

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 84
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cagagg 66

<210> 85
<211> 78
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 85
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacaggtgca gctgcagg 78

<210> 86
<211> 70
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 86
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cagaggtgca 70

<210> 87
<211> 72
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 87
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacaggtaca gc 72

<210> 88
<211> 70
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic

P4982R1WO_PCTSequenceListing.TXT

primer"

<400> 88
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacaggtgca 70

<210> 89
<211> 95
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 89
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cagacatcca gatgaccaggatccatcct ccctg 95

<210> 90
<211> 95
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 90
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cagatattgt gatgactcag tctcactctc cctgc 95

<210> 91
<211> 101
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 91
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cagaaaattgt gttgacacag tctccagcca ccctgtcttt g 101

<210> 92
<211> 101
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 92
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60

P4982R1W0_PCTSequenceListi ng. TXT

cagacatcg t gatgaccagg tctccagact ccctggctgt g	101
<210> 93	
<211> 88	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 93	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cagaaacgac actcacgac tctccagc	88
<210> 94	
<211> 94	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 94	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cagaaattgt gctgactcag tctccagact ttcg	94
<210> 95	
<211> 88	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 95	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cacagtctgt gytgackcag ccrcctc	88
<210> 96	
<211> 83	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> source	
<223> /note="Description of Artificial Sequence: Synthetic primer"	
<400> 96	
ccaccatggg atggcatgt atcatcctt ttcttagtagc aactgcaact ggagtacatt	60
cacagtctgc cctgactcag cct	83

P4982R1WO_PCTSequenceListi ng. TXT

<210> 97

<211> 88

<212> DNA

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 97

ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt

60

catcctatga gctgacwcag shvccckc

88

<210> 98

<211> 88

<212> DNA

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 98

ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt

60

cacagcctgt gctgactcar tcvccctc

88

<210> 99

<211> 88

<212> DNA

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 99

ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt

60

cacagcctgt gctgactcag ccaacttc

88

<210> 100

<211> 86

<212> DNA

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 100

ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt

60

caaattttat gctgactcag ccccac

86

<210> 101

<211> 86

<212> DNA

<213> Artificial Sequence

P4982R1W0_PCTSequenceListi ng. TXT

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 101
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacaggctgt ggtgactcag gagccc 86

<210> 102
<211> 85
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 102
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacagactgt ggtgaccagg gagcc 85

<210> 103
<211> 85
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 103
ccaccatggg atggcatgt atcatccttt ttcttagtagc aactgcaact ggagtacatt 60
cacagcctgt gctgactcag ccacc 85

<210> 104
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

<400> 104
gccaggggga agaccgatg 19

<210> 105
<211> 59
<212> DNA
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic primer"

P4982R1W0_PCTSequenceListng. TXT

<400> 105
ctggataga agttattcag caggcacaca acagaagcag ttccagattt caactgctc 59

<210> 106
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 106
Leu Val Pro Arg Gly Ser
1 5

<210> 107
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 107
Pro Gly Ser Gly Tyr Ile Pro Glu Ala Pro Arg Asp Gly Gln Ala Tyr
1 5 10 15

Val Arg Lys Asp Gly Glu Trp Val Leu Leu Ser Thr Phe Leu Gly
20 25 30

<210> 108
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic 6xHis tag"

<400> 108
His His His His His His
1 5

<210> 109
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 109
Ser Gly Ser Gly Ser Gly
1 5

P4982R1W0_PCTSequenceListng. TXT

<210> 110

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 110

Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe His Asn Arg
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Leu Ile Tyr Phe Asp Gly Ser Lys Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Phe
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro

P4982R1W0_PCTSequenceListing.TXT

225	230	235	240
Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys			
245 250 255			
Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val			
260 265 270			
Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp			
275 280 285			
Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr			
290 295 300			
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp			
305 310 320			
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu			
325 330 335			
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg			
340 345 350			
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys			
355 360 365			
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp			
370 375 380			
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys			
385 390 395 400			
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser			
405 410 415			
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser			
420 425 430			
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser			
435 440 445			
Leu Ser Leu Ser Pro Gly Lys			
450 455			

<210> 111

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

P4982R1W0_PCTSequenceListing.TXT

<400> 111
Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe His Asn Arg
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Leu Ile Tyr Phe Asp Gly Ser Lys Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Phe
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 112

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 112
Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asp Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

P4982R1W0_PCTSequenceListing.TXT

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Glu Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Ala Lys Val Gl n Trp Lys Val Asp Asn Ala Leu Gl n Ser Gly Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Ala Cys Gl u Val Thr His Gl n Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Gl u Cys
210 215

<210> 113

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 113

Gl u Ile Val Leu Thr Gl n Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gl n Ser Val Asp Ser Asn
20 25 30

Leu Ala Trp Tyr Gl n Gl n Lys Pro Gly Gl n Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Gl u Phe Thr Leu Ala Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gl n His Tyr Thr Asn Trp Pro Pro
85 90 95

P4982R1W0_PCTSequenceListing.TXT

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys
100 105

<210> 114
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 114
Glu Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe His Asn Arg
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Leu Ile Tyr Phe Asp Gly Ser Lys Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Phe
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
Page 29

P4982R1W0_PCTSequenceList ing. TXT

210

215

220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
 225 230 235 240

Gl u Leu Leu Gl y Gl y Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
 245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Gl u Val Thr Cys Val Val Val
 260 265 270

Asp Val Ser His Gl u Asp Pro Gl u Val Lys Phe Asn Trp Tyr Val Asp
 275 280 285

Gl y Val Gl u Val His Asn Ala Lys Thr Lys Pro Arg Gl u Gl u Gl n Tyr
 290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gl n Asp
 305 310 315 320

Trp Leu Asn Gl y Lys Gl u Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
 325 330 335

Pro Ala Pro Ile Gl u Lys Thr Ile Ser Lys Ala Lys Gl y Gl n Pro Arg
 340 345 350

Gl u Pro Gl n Val Tyr Thr Leu Pro Pro Ser Arg Gl u Gl u Met Thr Lys
 355 360 365

Asn Gl n Val Ser Leu Thr Cys Leu Val Lys Gl y Phe Tyr Pro Ser Asp
 370 375 380

Ile Ala Val Gl u Trp Gl u Ser Asn Gl y Gl n Pro Gl u Asn Asn Tyr Lys
 385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser
 405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gl n Gl n Gl y Asn Val Phe Ser
 420 425 430

Cys Ser Val Met His Gl u Ala Leu His Asn His Tyr Thr Gl n Lys Ser
 435 440 445

Leu Ser Leu Ser Pro Gl y Lys
 450 455

<210> 115

<211> 125

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 115

Gl u Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Al a Al a Ser Gl y Phe Al a Phe His Asn Arg
20 25 30

Al a Met His Trp Val Arg Gl n Al a Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Al a Leu Ile Tyr Phe Asp Gl y Ser Lys Gl n Tyr Tyr Al a Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Phe
65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Al a Val Tyr Tyr Cys
85 90 95

Al a Val Pro Gl y Pro Ile Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp His Trp Gl y Gl n Gl y Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 116

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 116

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

P4982R1W0_PCTSequenceListing.TXT

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

<210> 117

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 117

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

P4982R1WO_PCTSequenceListing.TXT

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Gl y Ser Lys Val Gl u Ile Lys
100 105

<210> 118

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 118

Gl u Ile Val Met Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Asp Ser Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
Page 33

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 119
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 119
Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asp Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys
100 105

<210> 120
<211> 349
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 120
Glu Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ala Phe His Asn Arg
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

P4982R1W0_PCTSequenceListng. TXT

Ala Leu Ile Tyr Phe Asp Gly Ser Lys Glu Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Phe
65 70 75 80

Leu Glu Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp His Trp Gly Glu Gly Ile Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Glu Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Glu Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Glu Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Glu Asp
305 310 315 320

P4982R1W0_PCTSequenceListing.TXT

Trp Leu Asn Glu Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Glu
340 345

<210> 121

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 121

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Ser Ser Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

P4982R1WO_PCTSequenceListing.TXT

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 122

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 122

Gl u Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys
100 105

<210> 123

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 123

Gl u Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asp His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

P4982R1W0_PCTSequenceListing.TXT

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 124

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 124

Gl u Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asp His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

P4982R1W0_PCTSequenceListing.TXT

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys
100 105

<210> 125

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 125

Gl u Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

P4982R1W0_PCTSequenceListing.TXT

Ser Glu Glu Ser Val Thr Glu Glu Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Glu Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Glu Glu Cys
210 215

<210> 126

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 126

Glu Ile Val Leu Thr Glu Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Glu Ser Val Ser His Asn
20 25 30

Leu Ala Trp Tyr Glu Glu Lys Pro Gly Glu Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Glu Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Glu Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Glu His Tyr Thr Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Ser Lys Val Glu Ile Lys
100 105

<210> 127

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 127

Glu Ile Val Leu Thr Glu Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

P4982R1W0_PCTSequenceListing.TXT

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

<210> 128

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 128

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

P4982R1W0_PCTSequenceListing.TXT

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys
100 105

<210> 129

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 129

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Asp Ser Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

P4982R1W0_PCTSequenceListing.TXT

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Glu Trp Lys Val Asp Asn Ala Leu Glu Ser Gly Asn
145 150 155 160

Ser Glu Glu Ser Val Thr Glu Glu Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Glu Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 130

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 130
Glu Ile Val Leu Thr Glu Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Glu Ser Val Asp Ser Asn
20 25 30

Leu Ala Trp Tyr Glu Glu Lys Pro Glu Glu Ala Pro Arg Leu Leu Val
35 40 45

Tyr Ser Ala Ser Thr Arg Ala Thr Glu Ile Pro Ala Arg Phe Ser Glu
50 55 60

Ser Glu Ser Glu Thr Glu Phe Thr Leu Ala Ile Ser Ser Leu Glu Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Glu His Tyr Thr Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Glu Glu Glu Ser Lys Val Glu Ile Lys
100 105

<210> 131

<211> 216

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 131

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Asp Ser Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

<210> 132

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

P4982R1W0_PCTSequenceListing.TXT

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 132

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Asp Ser Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Val
35 40 45

Tyr Ser Al a Ser Thr Arg Al a Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Al a Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Thr Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Ser Lys Val Gl u Ile Lys
100 105

<210> 133

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 133

Gl u Val Gl n Leu Val Gl n Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Al a Al a Ser Gl y Leu Thr Phe Ser Ser Tyr
20 25 30

Al a Val His Trp Val Arg Gl n Al a Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Al a Asn Gl n Tyr Tyr Al a Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Al a Val Tyr Tyr Cys
85 90 95

P4982R1WO_PCTSequenceListing.TXT

Ala Val Pro Gly Pro Val Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
 100 105 110

Asp Asn Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser Ala Ser Thr
 115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
 130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
 145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
 165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
 180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
 195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
 210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
 225 230 235 240

Gl u Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
 245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
 260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
 275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
 290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
 305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
 325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
 340 345 350

Gl u Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
 355 360 365

P4982R1W0_PCTSequenceList.ng.TXT

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 134

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 134

Gl u Val Gln Leu Val Gln Ser Gly Gly Val Val Gln Pro Gly Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Ser Tyr
20 25 30

Ala Val His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gly Ala Asn Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Val Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp Asn Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 135

P4982R1W0_PCTSequenceListng. TXT

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 135

Gl u Thr Thr Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Gl u Cys
210 215

<210> 136

<211> 109

P4982R1W0_PCTSequenceListing.TXT

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 136

Gl u Thr Thr Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Ala Ser Thr Arg Ala Ser Gl y Ile Pro Ala Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys
100 105

<210> 137

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 137

Gln Val Gln Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gln Pro Gly Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gl y Leu Thr Phe Ser Ser Tyr
20 25 30

Ala Val His Trp Val Arg Gln Ala Pro Gly Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Ala Asn Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

P4982R1WO_PCTSequenceListing.TXT

Leu Glu Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Val Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp Asn Trp Gly Glu Gly Ile Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Glu Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Glu Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Glu Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Glu Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Glu Pro Arg
340 345 350

P4982R1W0_PCTSequenceListing.TXT

Gl u Pro Gl n Val Tyr Thr Leu Pro Pro Ser Arg Gl u Gl u Met Thr Lys
355 360 365

Asn Gl n Val Ser Leu Thr Cys Leu Val Lys Gl y Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Gl u Trp Gl u Ser Asn Gl y Gl n Pro Gl u Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gl n Gl n Gl y Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Gl u Ala Leu His Asn His Tyr Thr Gl n Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gl y Lys
450 455

<210> 138

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 138

Gl n Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gl y Leu Thr Phe Ser Ser Tyr
20 25 30

Al a Val His Trp Val Arg Gl n Ala Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Ala Asn Gl n Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Al a Val Pro Gl y Pro Val Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp Asn Trp Gl y Gl n Gl y Ile Leu Val Thr Val Ser Ser

115

P4982R1W0_PCTSequenceListing.TXT
120 125

<210> 139
<211> 216
<212> PRT
<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 139
Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Al a Ser Thr Arg Al a Ser Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

P4982R1W0_PCTSequenceListng. TXT

<210> 140
<211> 109

<212> PRT
<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 140

Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Al a Ser Thr Arg Al a Ser Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys
100 105

<210> 141
<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 141

Gl n Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Lys
1 5 10 15

Ser Pro Arg Leu Ser Cys Al a Al a Ser Gl y Pro Thr Phe Ser Ser Tyr
20 25 30

Al a Val His Trp Val Arg Gl n Al a Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Al a Asn Gl n Tyr Tyr Al a Asp Ser Val
50 55 60

P4982R1W0_PCTSequenceListing.TXT

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
 65 70 75 80
 Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Al a Val Tyr Tyr Cys
 85 90 95
 Al a Val Pro Gl y Pro Val Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
 100 105 110
 Asp Asn Trp Gl y Gl n Gl y Ile Leu Val Thr Val Ser Ser Al a Ser Thr
 115 120 125
 Lys Gl y Pro Ser Val Phe Pro Leu Al a Pro Ser Ser Lys Ser Thr Ser
 130 135 140
 Gl y Gl y Thr Al a Al a Leu Gl y Cys Leu Val Lys Asp Tyr Phe Pro Gl u
 145 150 155 160
 Pro Val Thr Val Ser Trp Asn Ser Gl y Al a Leu Thr Ser Gl y Val His
 165 170 175
 Thr Phe Pro Al a Val Leu Gl n Ser Ser Gl y Leu Tyr Ser Leu Ser Ser
 180 185 190
 Val Val Thr Val Pro Ser Ser Ser Leu Gl y Thr Gl n Thr Tyr Ile Cys
 195 200 205
 Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Gl u
 210 215 220
 Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Al a Pro
 225 230 235 240
 Gl u Leu Leu Gl y Gl y Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
 245 250 255
 Asp Thr Leu Met Ile Ser Arg Thr Pro Gl u Val Thr Cys Val Val Val
 260 265 270
 Asp Val Ser His Gl u Asp Pro Gl u Val Lys Phe Asn Trp Tyr Val Asp
 275 280 285
 Gl y Val Gl u Val His Asn Al a Lys Thr Lys Pro Arg Gl u Gl u Gl n Tyr
 290 295 300
 Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gl n Asp
 305 310 315 320
 Trp Leu Asn Gl y Lys Gl u Tyr Lys Cys Lys Val Ser Asn Lys Al a Leu
 325 330 335

P4982R1W0_PCTSequenceListing.TXT

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Glu Pro Arg
340 345 350

Gl u Pro Gl n Val Tyr Thr Leu Pro Pro Ser Arg Gl u Gl u Met Thr Lys
355 360 365

Asn Gl n Val Ser Leu Thr Cys Leu Val Lys Gl y Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Gl u Trp Gl u Ser Asn Gl y Gl n Pro Gl u Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gl n Gl n Gl y Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Gl u Ala Leu His Asn His Tyr Thr Gl n Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gl y Lys
450 455

<210> 142

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 142

Gl n Val Gl n Leu Val Gl u Ser Gl y Gl y Val Val Gl n Pro Gl y Lys
1 5 10 15

Ser Pro Arg Leu Ser Cys Ala Ala Ser Gl y Pro Thr Phe Ser Ser Tyr
20 25 30

Al a Val His Trp Val Arg Gl n Ala Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Ala Asn Gl n Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Al a Val Pro Gl y Pro Val Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
Page 55

P4982R1W0_PCTSequenceListing.TXT
100 105 110

Asp Asn Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 143
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 143
Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Ser Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

P4982R1W0_PCTSequenceListng. TXT

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 144
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 144
Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Al a Ser Thr Arg Al a Ser Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Pro
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Gl y Thr Lys Val Gl u Ile Lys
100 105

<210> 145
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 145
Gl u Ile Val Met Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Ile
35 40 45

P4982R1WO_PCTSequenceListing.TXT

Tyr Gl y Ala Ser Thr Arg Ala Ser Gl y Ile Pro Ala Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys Arg Thr Val
100 105 110

Al a Al a Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gl n Leu Lys
115 120 125

Ser Gl y Thr Al a Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

<210> 146

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 146

Gl u Ile Val Met Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Al a Thr Leu Ser Cys Arg Al a Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Al a Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Ala Ser Thr Arg Ala Ser Gl y Ile Pro Ala Arg Phe Ser Gl y

P4982R1W0_PCTSequenceListing.TXT

50

55

60

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Ser
 65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
 85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys
 100 105

<210> 147

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

Gl u Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Lys
 1 5 10 15

Ser Leu Arg Leu Ser Cys Al a Al a Ser Gl y Leu Thr Phe Ser Ser Tyr
 20 25 30

Al a Val His Trp Val Arg Gl n Al a Pro Gl y Lys Gl y Leu Gl u Trp Val
 35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Al a Asn Gl n Tyr Tyr Al a Asp Ser Val
 50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
 65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Al a Val Tyr Tyr Cys
 85 90 95

Al a Val Pro Gl y Pro Val Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
 100 105 110

Asp Asn Trp Gl y Gl n Gl y Ile Leu Val Thr Val Ser Ser Al a Ser Thr
 115 120 125

Lys Gl y Pro Ser Val Phe Pro Leu Al a Pro Ser Ser Lys Ser Thr Ser
 130 135 140

Gl y Gl y Thr Al a Al a Leu Gl y Cys Leu Val Lys Asp Tyr Phe Pro Gl u
 145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gl y Al a Leu Thr Ser Gl y Val His
 165 170 175

P4982R1W0_PCTSequenceListing.TXT

Thr Phe Pro Ala Val Leu Glu Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Glu Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Gl u Leu Leu Gl y Gl y Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gl y Val Gl u Val His Asn Ala Lys Thr Lys Pro Arg Gl u Gl u Gl n Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gl n Asp
305 310 315 320

Trp Leu Asn Gl y Lys Gl u Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gl y Gl n Pro Arg
340 345 350

Gl u Pro Gl n Val Tyr Thr Leu Pro Pro Ser Arg Gl u Gl u Met Thr Lys
355 360 365

Asn Gl n Val Ser Leu Thr Cys Leu Val Lys Gl y Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Gl u Trp Gl u Ser Asn Gl y Gl n Pro Gl u Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gl n Gl n Gl y Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Gl u Ala Leu His Asn His Tyr Thr Gl n Lys Ser
435 440 445

P4982R1W0_PCTSequenceListing.TXT

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 148
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 148
Glu Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Ser Tyr
20 25 30

Ala Val His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gly Ala Asn Gln Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Val Pro Gly Pro Val Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp Asn Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 149
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 149
Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

P4982R1W0_PCTSequenceListing.TXT

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 150

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 150

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile

P4982R1WO_PCTSequenceListing.TXT
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Phe Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 151

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 151

Gl u Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gln Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gln His Tyr Ser Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Gl u Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Gl u Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

P4982R1W0_PCTSequenceListing.TXT

Ser Glu Glu Ser Val Thr Glu Glu Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Glu Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 152

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 152

Glu Ile Val Leu Thr Glu Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Glu Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Glu Glu Lys Pro Gly Glu Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Glu Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Glu His Tyr Ser Asn Tyr Pro Pro
85 90 95

Arg Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 153

<211> 450

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 153

P4982R1W0_PCTSequenceListing.TXT

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Met Lys Val Ser Cys Lys Ala Ser Gly Ser Ile Phe Ser Asn Tyr
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Ala Ala Asn Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Val Arg Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Arg Gln Gln Leu Tyr Lys Gly Tyr Tyr His His Trp Gly Gln
 100 105 110

Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
 115 120 125

Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala
 130 135 140

Leu Glu Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
 145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
 165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
 180 185 190

Ser Ser Ser Leu Glu Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys
 195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp
 210 215 220

Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly
 225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
 245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
 260 265 270

P4982R1W0_PCTSequenceList ing. TXT

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Glu Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Glu Tyr Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Glu Asp Trp Leu Asn Glu Lys
305 310 315 320

Gl u Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Gl u
325 330 335

Lys Thr Ile Ser Lys Ala Lys Glu Glu Pro Arg Glu Pro Glu Val Tyr
340 345 350

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Glu Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Glu Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Gl u Ser Asn Glu Glu Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Glu Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Glu Glu Glu Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Gl u Ala Leu His Asn His Tyr Thr Glu Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gl y Lys
450

<210> 154

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 154

Gl u Val Glu Leu Val Glu Ser Glu Ala Glu Val Lys Lys Pro Glu Ser
1 5 10 15

Ser Met Lys Val Ser Cys Lys Ala Ser Glu Ser Ile Phe Ser Asn Tyr
20 25 30

Gl y Ile Ser Trp Val Arg Glu Ala Pro Glu Glu Glu Leu Glu Trp Met

P4982R1W0_PCTSequenceListing.TXT
35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Ala Ala Asn Tyr Ala Glu Lys Phe
50 55 60

Gln Glu Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Val Arg Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Arg Gln Gln Leu Tyr Lys Gly Tyr Tyr His His Trp Glu Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 155

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 155

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Val Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ala Asn Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ser Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Asp Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
85 90 95

Met Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

P4982R1W0_PCTSequenceListing.TXT

Gl u Al a Lys Val Gl n Trp Lys Val Asp Asn Al a Leu Gl n Ser Gl y Asn
145 150 155 160

Ser Gl n Gl u Ser Val Thr Gl u Gl n Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Al a Asp Tyr Gl u Lys His Lys
180 185 190

Val Tyr Al a Cys Gl u Val Thr His Gl n Gl y Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gl y Gl u Cys
210 215

<210> 156

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 156
Gl u Ile Val Leu Thr Gl n Ser Pro Al a Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Val Thr Leu Ser Cys Arg Al a Ser Gl n Ser Val Al a Asn Asn
20 25 30

Leu Al a Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Ser Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Al a Ser Thr Arg Asp Thr Gl y Ile Pro Al a Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Thr Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Al a Val Tyr Tyr Cys Gl n Gl n Tyr Asn Asn Trp Pro Pro
85 90 95

Met Tyr Thr Phe Gl y Gl n Gl y Thr Lys Leu Gl u Ile Lys
100 105

<210> 157

<211> 450

<212> PRT

<213> Artificial Sequence

<220>

<221> source

P4982R1W0_PCTSequenceListing.TXT

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 157
 Gln Val Gln Leu Val Gln Ser Gly Ala Gly Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Met Lys Val Ser Cys Lys Ala Ser Gly Ser Ile Phe Ser Asn Tyr
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Ala Ala Asn Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Val Arg Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Arg Gln Gln Leu Tyr Lys Gly Tyr Tyr His His Trp Gly Gln
 100 105 110

Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
 115 120 125

Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala
 130 135 140

Leu Glu Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
 145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
 165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
 180 185 190

Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys
 195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp
 210 215 220

Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Glu
 225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
 245 250 255

P4982R1W0_PCTSequenceListing.TXT

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
260 265 270

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Gl u Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Gl u
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gl y Phe Tyr Pro Ser Asp Ile Ala Val Gl u Trp
370 375 380

Gl u Ser Asn Gl y Gln Pro Gl u Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Gln Gl y Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Gl u Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gl y Lys
450

<210> 158

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 158

Gl n Val Gl n Leu Val Gl n Ser Gl y Ala Gl y Val Lys Lys Pro Gl y Ser
1 5 10 15

Ser Met Lys Val Ser Cys Lys Ala Ser Gl y Ser Ile Phe Ser Asn Tyr
Page 70

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Ala Ala Asn Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Val Arg Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Arg Gln Gln Leu Tyr Lys Gly Tyr Tyr His His Trp Gly Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 159

<211> 455

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 159

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Leu Lys Arg Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Thr Ser Gly Tyr Ser Phe Asn Asn Tyr
20 25 30

Gly Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Ala Tyr Thr Gly Asn Thr His Tyr Ala Lys Asn Phe
50 55 60

Glu Gly Arg Val Thr Leu Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Val Arg Ser Leu Arg Ser Asp Asp Ser Ala Val Tyr Phe Cys
85 90 95

Ala Arg Ala Met Ile Gln Gly Val Val Thr Leu Tyr Leu Arg Pro Gly
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

P4982R1W0_PCTSequenceListing.TXT

Lys Glu Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Glu Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380 385

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
390 395 400

P4982R1W0_PCTSequenceListi ng. TXT

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 160

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 160

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Leu Lys Arg Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Thr Ser Gly Tyr Ser Phe Asn Asn Tyr
20 25 30

Gly Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Ala Tyr Thr Gly Asn Thr His Tyr Ala Lys Asn Phe
50 55 60

Gl u Gl y Arg Val Thr Leu Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Gl u Val Arg Ser Leu Arg Ser Asp Asp Ser Ala Val Tyr Phe Cys
85 90 95

Al a Arg Ala Met Ile Gln Gl y Val Val Thr Leu Tyr Leu Arg Pro Gl y
100 105 110

Asp Tyr Trp Gl y Gl n Gl y Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 161

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<221> source

P4982R1W0_PCTSequenceListing.TXT

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 161

Asp Ile Val Met Thr Glu Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Glu Ser Ile Gly Asn Trp
20 25 30

Leu Ala Trp Tyr Glu Glu Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Val Ser Thr Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Asn Ser Leu Glu Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Glu Arg Tyr Thr Ser Asn Ser Glu
85 90 95

Gly Phe Thr Phe Gly Glu Gly Thr Lys Leu Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Glu Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Glu Trp Lys Val Asp Asn Ala Leu Glu Ser Gly Asn
145 150 155 160

Ser Glu Glu Ser Val Thr Glu Glu Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Glu Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 162

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic

poly peptide"

P4982R1W0_PCTSequenceListing.TXT

<400> 162
Asp Ile Val Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gln
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gln Asn Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gln Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Val Ser Thr Leu Glu Ser Gln Val Pro Ser Arg Phe Ser Gln
50 55 60

Ser Gln Ser Gln Thr Glu Phe Thr Leu Thr Ile Asn Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Arg Tyr Thr Ser Asn Ser Gln
85 90 95

Gly Phe Thr Phe Gln Gln Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 163

<211> 452

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic
poly peptide"

<400> 163
Gln Val Gln Leu Val Gln Ser Gln Ala Glu Val Lys Gln Pro Gln Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gln Tyr Thr Phe Asn Ala Tyr
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gln Gln Gln Leu Glu Trp Met
35 40 45

Gly Trp Ile Asn Pro Asn Phe Gln Gln Thr His Tyr Ala Arg Lys Phe
50 55 60

Gln Gln Arg Val Thr Met Thr Arg Asp Ala Ser Ile Asn Thr Ala Tyr
65 70 75 80

Met Glu Leu Asp Arg Leu Ile Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Val Arg Trp Arg Ala Ala Ala Val Ile Met Asp Gln Phe Tyr Lys Met
100 105 110

P4982R1W0_PCTSequenceListing.TXT

Asp Val Trp Gly Glu Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Glu Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Glu Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Arg Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Glu Glu Asp Pro Glu Val Glu Phe Asn Trp Tyr Val Asp Glu Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Glu Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Glu Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Glu Pro Arg Glu Pro Glu
340 345 350

Val Tyr Thr Leu Pro Pro Ala Glu Glu Met Thr Lys Asn Glu Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

P4982R1W0_PCTSequenceListing.TXT

Gl u Trp Gl u Ser Asn Gl y Gl n Pro Gl u Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gl y Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gl n Gl u Gl y Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Gl u Al a Leu His Asn His Tyr Thr Gl n Lys Ser Leu Ser Leu
435 440 445

Ser Leu Gl y Lys
450

<210> 164

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 164

Gl n Val Gl n Leu Val Gl n Ser Gl y Al a Gl u Val Lys Gl n Pro Gl y Al a
1 5 10 15

Ser Val Lys Val Ser Cys Lys Al a Ser Gl y Tyr Thr Phe Asn Al a Tyr
20 25 30

Tyr Ile His Trp Val Arg Gl n Al a Pro Gl y Gl n Gl y Leu Gl u Trp Met
35 40 45

Gl y Trp Ile Asn Pro Asn Phe Gl y Gl y Thr His Tyr Al a Arg Lys Phe
50 55 60

Gl n Gl y Arg Val Thr Met Thr Arg Asp Al a Ser Ile Asn Thr Al a Tyr
65 70 75 80

Met Gl u Leu Asp Arg Leu Ile Ser Asp Asp Thr Al a Val Tyr Tyr Cys
85 90 95

Val Arg Trp Arg Al a Al a Al a Val Ile Met Asp Gl n Phe Tyr Lys Met
100 105 110

Asp Val Trp Gl y Gl n Gl y Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 165

<211> 219

<212> PRT

P4982R1W0_PCTSequenceListing.TXT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 165

Ser Ser Glu Leu Thr Glu Pro Pro Ser Ala Ser Gly Thr Pro Gly Glu
1 5 10 15

Arg Val Thr Ile Ser Cys Ser Gly Ser Thr Ser Asn Ile Gly Tyr Asn
20 25 30

Pro Val Ser Trp Tyr Glu Glu Val Pro Gly Thr Ala Pro Lys Leu Leu
35 40 45

Ile Tyr Ser Asn Thr Glu Arg Pro Ser Gly Val Pro Asp Arg Phe Ser
50 55 60

Gly Ser Lys Ser Gly Thr Ser Ala Ser Leu Ala Ile Ser Gly Leu Glu
65 70 75 80

Ser Glu Asp Glu Ala Asp Tyr Tyr Cys Ala Ala Trp Asp Asp Thr Leu
85 90 95

Asn Gly Pro Val Phe Gly Gly Thr Lys Val Thr Val Leu Gly Glu
100 105 110

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
115 120 125

Glu Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
130 135 140

Tyr Pro Arg Glu Ala Lys Val Glu Trp Lys Val Asp Asn Ala Leu Glu
145 150 155 160

Ser Glu Asn Ser Glu Glu Ser Val Thr Glu Glu Asp Ser Lys Asp Ser
165 170 175

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
180 185 190

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Glu Glu Leu Ser Ser
195 200 205

Pro Val Thr Lys Ser Phe Asn Arg Glu Glu Cys
210 215

<210> 166

<211> 110

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 166

Ser Ser Glu Leu Thr Glu Pro Pro Ser Ala Ser Gly Thr Pro Gly Glu
1 5 10 15

Arg Val Thr Ile Ser Cys Ser Gly Ser Thr Ser Asn Ile Gly Tyr Asn
20 25 30

Pro Val Ser Trp Tyr Glu Glu Val Pro Gly Thr Ala Pro Lys Leu Leu
35 40 45

Ile Tyr Ser Asn Thr Glu Arg Pro Ser Gly Val Pro Asp Arg Phe Ser
50 55 60

Gly Ser Lys Ser Gly Thr Ser Ala Ser Leu Ala Ile Ser Gly Leu Glu
65 70 75 80

Ser Glu Asp Glu Ala Asp Tyr Tyr Cys Ala Ala Trp Asp Asp Thr Leu
85 90 95

Asn Gly Pro Val Phe Gly Gly Thr Lys Val Thr Val Leu
100 105 110

<210> 167

<211> 447

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 167

Gln Val Gln Leu Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Leu Ile Gly Thr Gly
20 25 30

Ser Tyr Tyr Trp Gly Trp Ile Arg Gln Thr Pro Gly Lys Gly Met Glu
35 40 45

Trp Ile Gly Ser Ile Ser Tyr Ser Gly Ser Thr Tyr Tyr His Pro Ser
50 55 60

Leu Lys Ser Arg Val Thr Ile Ser Asp Asp Thr Ser Lys Asn Gln Leu
65 70 75 80

Phe Leu Lys Leu Arg Ser Val Thr Ala Ala Asp Thr Ala Gln Tyr Tyr
85 90 95

P4982R1W0_PCTSequenceListing.TXT

Cys Ala Arg Tyr Asn Trp Gly Ile Arg Tyr Phe Asp Phe Trp Gly Arg
100 105 110

Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
115 120 125

Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala Ala
130 135 140

Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
180 185 190

Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His Lys
195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Thr Arg Glu Ser Lys Tyr Gly Pro
210 215 220

Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val
225 230 235 240

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
245 250 255

Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu
260 265 270

Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
275 280 285

Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser
290 295 300

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Glu Lys Glu Tyr Lys
305 310 315 320

Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile
325 330 335

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
340 345 350

Pro Ala Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
355 360 365

P4982R1W0_PCTSequenceListing.TXT

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
370 375 380

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
385 390 395 400

Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg
405 410 415

Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
420 425 430

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
435 440 445

<210> 168

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 168
Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Leu Ile Gly Thr Gly
20 25 30

Ser Tyr Tyr Trp Gly Trp Ile Arg Gln Thr Pro Gly Lys Gly Met Glu
35 40 45

Trp Ile Gly Ser Ile Ser Tyr Ser Gly Ser Thr Tyr Tyr His Pro Ser
50 55 60

Leu Lys Ser Arg Val Thr Ile Ser Asp Asp Thr Ser Lys Asn Gln Leu
65 70 75 80

Phe Leu Lys Leu Arg Ser Val Thr Ala Ala Asp Thr Ala Gln Tyr Tyr
85 90 95

Cys Ala Arg Tyr Asn Trp Gly Ile Arg Tyr Phe Asp Phe Trp Gly Arg
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 169

<211> 216

<212> PRT

P4982R1W0_PCTSequenceListing.TXT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 169

Asp Ile Gln Leu Thr Gln Ser Pro Leu Ser Pro Pro Val Thr Leu Gly
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu Tyr Thr
20 25 30

Asp Gly Phe Thr Tyr Leu Ser Trp Tyr His Gln Arg Pro Gly Gln Ser
35 40 45

Pro Arg Arg Leu Ile Tyr Lys Ile Ser Asn Arg Asp Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
85 90 95

Thr His Trp Pro Leu Thr Phe Gly Glu Gly Thr Lys Val Glu Ile Lys
100 105 110

Pro Lys Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu Glu
115 120 125

Leu Gln Ala Asn Lys Ala Thr Leu Val Cys Leu Ile Ser Asp Phe Tyr
130 135 140

Pro Gly Ala Val Thr Val Ala Trp Lys Ala Asp Ser Ser Pro Val Lys
145 150 155 160

Ala Gly Val Glu Thr Thr Pro Ser Lys Gln Ser Asn Asn Lys Tyr
165 170 175

Ala Ala Ser Ser Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser His
180 185 190

Lys Ser Tyr Ser Cys Gln Val Thr His Glu Gly Ser Thr Val Glu Lys
195 200 205

Thr Val Ala Pro Thr Glu Cys Ser
210 215

<210> 170

<211> 112

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 170

Asp Ile Gln Leu Thr Gln Ser Pro Leu Ser Pro Pro Val Thr Leu Gln
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu Tyr Thr
20 25 30

Asp Gln Phe Thr Tyr Leu Ser Trp Tyr His Gln Arg Pro Gln Gln Ser
35 40 45

Pro Arg Arg Leu Ile Tyr Lys Ile Ser Asn Arg Asp Ser Gln Val Pro
50 55 60

Asp Arg Phe Ser Gln Ser Gln Ser Gln Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gln Val Tyr Tyr Cys Met Gln Ala
85 90 95

Thr His Trp Pro Leu Thr Phe Gln Glu Gln Thr Lys Val Glu Ile Lys
100 105 110

<210> 171

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 171

Ser Val Ser His
1

<210> 172

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 172

Ser Val Asp Ser
1

<210> 173

<211> 4

<212> PRT

P4982R1W0_PCTSequenceListing.TXT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 173

Ser Val Ser Ser

1

<210> 174

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 174

Ser Val Asp His

1

<210> 175

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 175

Asn Phe Pro Pro

1

<210> 176

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 176

Asn Tyr Pro Pro

1

<210> 177

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 177

P4982R1W0_PCTSequenceListing.TXT

Asn Trp Pro Pro
1

<210> 178
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 178
Gly Phe Ala Phe His Asn Arg Ala Met His
1 5 10

<210> 179
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 179
Ala Leu Ile Tyr Phe Asp Gly Ser Lys Glu Tyr Tyr Ala Asp Ser Val
1 5 10 15

Lys Gly

<210> 180
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 180
Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
1 5 10 15

Asp His Trp

<210> 181
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 181

P4982R1WO_PCTSequenceListing.TXT

Ala Val Pro Gly Pro Ile Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
1 5 10 15

Asp His

<210> 182

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 182

Arg Ala Ser Gln Ser Val Asp Ser Asn Leu Ala
1 5 10

<210> 183

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 183

Arg Ala Ser Gln Ser Val Ser His Asn Leu Ala
1 5 10

<210> 184

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 184

Arg Ala Ser Gln Ser Val Ser Ser Asn Leu Ala
1 5 10

<210> 185

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 185

Arg Ala Ser Gln Ser Val Asp His Asn Leu Ala
1 5 10

P4982R1W0_PCTSequenceListing.TXT

<210> 186

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 186

Arg Ala Ser Gln Ser Val Asp Ser Asn Leu Ala
1 5 10

<210> 187

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 187

Ser Ala Ser Thr Arg Ala Thr
1 5

<210> 188

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 188

Gln His Tyr Thr Asn Trp Pro Pro Arg Leu Thr
1 5 10

<210> 189

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 189

Gln His Tyr Thr Asn Tyr Pro Pro Arg Leu Thr
1 5 10

<210> 190

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

P4982R1W0_PCTSequenceListng. TXT

peptide"

<400> 190
Gln His Tyr Thr Asn Phe Pro Pro Arg Leu Thr
1 5 10

<210> 191
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 191
Gly Leu Thr Phe Ser Ser Tyr Ala Val His
1 5 10

<210> 192
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 192
Gly Pro Thr Phe Ser Ser Tyr Ala Val His
1 5 10

<210> 193
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 193
Thr Leu Ile Ser Tyr Asp Gly Ala Asn Gln Tyr Tyr Ala Asp Ser Val
1 5 10 15

Lys Gly

<210> 194
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 194
Ala Val Pro Gly Pro Val Phe Gly Ile Phe Pro Pro Trp Ser Tyr Phe
Page 88

Asp Asn

<210> 195
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 195
Arg Ala Ser Gln Val Ile Ser His Asn Leu Ala
1 5 10

<210> 196
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 196
Gly Ala Ser Thr Arg Ala Ser
1 5

<210> 197
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 197
Gln His Tyr Ser Asn Trp Pro Pro Arg Leu Thr
1 5 10

<210> 198
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 198
Gln His Tyr Ser Asn Phe Pro Pro Arg Leu Thr
1 5 10

<210> 199

P4982R1W0_PCTSequenceListng. TXT

<211> 11
<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 199

Gl n His Tyr Ser Asn Tyr Pro Pro Arg Leu Thr
1 5 10

<210> 200

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 200

Gly Ser Ile Phe Ser Asn Tyr Gly Ile Ser
1 5 10

<210> 201

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 201

Gly Gly Ile Ile Pro Ile Phe Gly Ala Ala Asn Tyr Ala Gl n Lys Phe
1 5 10 15

Gl n Gly

<210> 202

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 202

Al a Arg Arg Gl n Gl n Leu Tyr Lys Gly Tyr Tyr His His
1 5 10

<210> 203

<211> 11

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 203

Arg Ala Ser Gln Ser Val Ala Asn Asn Leu Ala
1 5 10

<210> 204

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 204

Gly Ala Ser Thr Arg Asp Thr
1 5

<210> 205

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 205

Gln Gln Tyr Asn Asn Trp Pro Pro Met Tyr Thr
1 5 10

<210> 206

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 206

Gly Tyr Ser Phe Asn Asn Tyr Gly Ile Asn
1 5 10

<210> 207

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 207

Gly Trp Ile Ser Ala Tyr Thr Gly Asn Thr His Tyr Ala Lys Asn Phe
1 5 10 15

P4982R1W0_PCTSequenceListing.TXT

Gl u Gl y

<210> 208
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 208
Al a Arg Al a Met Ile Gln Gly Val Val Thr Leu Tyr Leu Arg Pro Gl y
1 5 10 15

Asp Tyr Trp

<210> 209
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 209
Arg Al a Ser Gln Ser Ile Gly Asn Trp Leu Al a
1 5 10

<210> 210
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 210
Lys Val Ser Thr Leu Gl u Ser
1 5

<210> 211
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 211
Gln Arg Tyr Thr Ser Asn Ser Gln Gly Phe Thr
1 5 10

P4982R1W0_PCTSequenceListing.TXT

<210> 212

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 212

Gly Tyr Thr Phe Asn Ala Tyr Tyr Ile His
1 5 10

<210> 213

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 213

Gly Trp Ile Asn Pro Asn Phe Gly Gly Thr His Tyr Ala Arg Lys Phe
1 5 10 15

Gln Gly

<210> 214

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 214

Val Arg Trp Arg Ala Ala Ala Val Ile Met Asp Gln Phe Tyr Lys Met
1 5 10 15

Asp Val

<210> 215

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 215

Ser Gly Ser Thr Ser Asn Ile Gly Tyr Asn Pro Val Ser
1 5 10

P4982R1W0_PCTSequenceListi ng. TXT

<210> 216
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 216
Ser Asn Thr Glu Arg Pro Ser
1 5

<210> 217
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 217
Ala Ala Trp Asp Asp Thr Leu Asn Gly Pro Val
1 5 10

<210> 218
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 218
Gly Gly Leu Ile Gly Thr Gly Ser Tyr Tyr Trp Gly
1 5 10

<210> 219
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<221> source
<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 219
Gly Ser Ile Ser Tyr Ser Gly Ser Thr Tyr Tyr His Pro Ser Leu Lys
1 5 10 15

Ser

<210> 220
<211> 12

P4982R1W0_PCTSequenceListng. TXT

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 220

Ala Arg Tyr Asn Trp Gly Ile Arg Tyr Phe Asp Phe
1 5 10

<210> 221

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 221

Arg Ser Ser Gln Ser Leu Leu Tyr Thr Asp Gly Phe Thr Tyr Leu Ser
1 5 10 15

<210> 222

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 222

Lys Ile Ser Asn Arg Asp Ser
1 5

<210> 223

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic peptide"

<400> 223

Met Gln Ala Thr His Trp Pro Leu Thr
1 5

<210> 224

<211> 566

<212> PRT

<213> Influenza A virus

<220>

<221> MOD_RES

<222> (239)..(240)

<223> Any amino acid

P4982R1W0_PCTSequenceListing.TXT

<400> 224
Met Lys Ala Ile Leu Val Val Leu Leu Tyr Thr Phe Ala Thr Ala Asn
1 5 10 15
Ala Asp Thr Leu Cys Ile Gly Tyr His Ala Asn Asn Ser Thr Asp Thr
20 25 30
Val Asp Thr Val Leu Glu Lys Asn Val Thr Val Thr His Ser Val Asn
35 40 45
Leu Leu Glu Asp Lys His Asn Glu Lys Leu Cys Lys Leu Arg Glu Val
50 55 60
Ala Pro Leu His Leu Gly Lys Cys Asn Ile Ala Gly Trp Ile Leu Gly
65 70 75 80
Asn Pro Glu Cys Glu Ser Leu Ser Thr Ala Ser Ser Trp Ser Tyr Ile
85 90 95
Val Glu Thr Pro Ser Ser Asp Asn Glu Thr Cys Tyr Pro Glu Asp Phe
100 105 110
Ile Asp Tyr Glu Glu Leu Arg Glu Glu Leu Ser Ser Val Ser Ser Phe
115 120 125
Glu Arg Phe Glu Ile Phe Pro Lys Thr Ser Ser Trp Pro Asn His Asp
130 135 140
Ser Asn Lys Glu Val Thr Ala Ala Cys Pro His Ala Glu Ala Lys Ser
145 150 155 160
Phe Tyr Lys Asn Leu Ile Trp Leu Val Lys Lys Glu Asn Ser Tyr Pro
165 170 175
Lys Leu Ser Lys Ser Tyr Ile Asn Asp Lys Glu Lys Glu Val Leu Val
180 185 190
Leu Trp Glu Ile His His Pro Ser Thr Ser Ala Asp Glu Glu Ser Leu
195 200 205
Tyr Glu Asn Ala Asp Ala Tyr Val Phe Val Glu Ser Ser Arg Tyr Ser
210 215 220
Lys Lys Phe Lys Pro Glu Ile Ala Ile Arg Pro Lys Val Arg Xaa Xaa
225 230 235 240
Glu Glu Arg Met Asn Tyr Tyr Trp Thr Leu Val Glu Pro Glu Asp Lys
245 250 255
Ile Thr Phe Glu Ala Thr Glu Asn Leu Val Val Pro Arg Tyr Ala Phe
260 265 270

P4982R1W0_PCTSequenceListing.TXT

Ala Met Glu Arg Asn Ala Gly Ser Gly Ile Ile Ile Ser Asp Thr Pro
275 280 285

Val His Asp Cys Asn Thr Thr Cys Gln Thr Pro Lys Gly Ala Ile Asn
290 295 300

Thr Ser Leu Pro Phe Gln Asn Ile His Pro Ile Thr Ile Gly Lys Cys
305 310 315 320

Pro Lys Tyr Val Lys Ser Thr Lys Leu Arg Leu Ala Thr Gly Leu Arg
325 330 335

Asn Ile Pro Ser Ile Gln Ser Arg Gly Leu Phe Gly Ala Ile Ala Gly
340 345 350

Phe Ile Glu Gly Gly Trp Thr Gly Met Val Asp Gly Trp Tyr Gly Tyr
355 360 365

His His Gln Asn Glu Gln Gly Ser Gly Tyr Ala Ala Asp Leu Lys Ser
370 375 380

Thr Gln Asn Ala Ile Asp Glu Ile Thr Asn Lys Val Asn Ser Val Ile
385 390 395 400

Gl u Lys Met Asn Thr Gln Phe Thr Ala Val Gly Lys Gl u Phe Asn His
405 410 415

Leu Glu Lys Arg Ile Glu Asn Leu Asn Lys Lys Val Asp Asp Gly Phe
420 425 430

Leu Asp Ile Trp Thr Tyr Asn Ala Glu Leu Leu Val Leu Leu Glu Asn
435 440 445

Gl u Arg Thr Leu Asp Tyr His Asp Ser Asn Val Lys Asn Leu Tyr Gl u
450 455 460

Lys Val Arg Ser Gln Leu Lys Asn Asn Ala Lys Gl u Ile Gly Asn Gl y
465 470 475 480

Cys Phe Glu Phe Tyr His Lys Cys Asp Asn Thr Cys Met Gl u Ser Val
485 490 495

Lys Asn Gl y Thr Tyr Asp Tyr Pro Lys Tyr Ser Gl u Gl u Ala Lys Leu
500 505 510

Asn Arg Gl u Gl u Ile Asp Gl y Val Lys Leu Gl u Ser Thr Arg Ile Tyr
515 520 525

Gl n Ile Leu Ala Ile Tyr Ser Thr Val Ala Ser Ser Leu Val Leu Val
530 535 540

P4982R1W0_PCTSequenceListing.TXT

Val Ser Leu Gly Ala Ile Ser Phe Trp Met Cys Ser Asn Gly Ser Leu
545 550 555 560

Gln Cys Arg Ile Cys Ile
565

<210> 225
<211> 562
<212> PRT
<213> Influenza A virus

<400> 225
Met Ala Ile Ile Tyr Leu Ile Leu Leu Phe Thr Ala Val Arg Gly Asp
1 5 10 15

Gln Ile Cys Ile Gly Tyr His Ala Asn Asn Ser Thr Glu Met Val Asp
20 25 30

Thr Ile Leu Glu Arg Asn Val Thr Val Thr His Ala Lys Asp Ile Leu
35 40 45

Gl u Lys Thr His Asn Gly Lys Leu Cys Lys Leu Asn Gly Ile Pro Pro
50 55 60

Leu Gl u Leu Gl y Asp Cys Ser Ile Ala Gl y Trp Leu Leu Gl y Asn Pro
65 70 75 80

Gl u Cys Asp Arg Leu Leu Ser Val Pro Gl u Trp Ser Tyr Ile Met Gl u
85 90 95

Lys Gl u Asn Pro Arg Asp Gl y Leu Cys Tyr Pro Gl y Ser Phe Asn Asp
100 105 110

Tyr Gl u Gl u Leu Lys His Leu Leu Ser Ser Val Lys His Phe Gl u Lys
115 120 125

Val Lys Ile Leu Pro Lys Asp Arg Trp Thr Gl n His Thr Thr Thr Gl y
130 135 140

Gl y Ser Arg Ala Cys Ala Val Ser Gl y Asn Pro Ser Phe Phe Arg Asn
145 150 155 160

Met Val Trp Leu Thr Lys Lys Gl y Ser Asp Tyr Pro Val Ala Lys Gl y
165 170 175

Ser Tyr Asn Asn Thr Ser Gl y Gl u Gl n Met Leu Ile Ile Trp Gl y Val
180 185 190

His His Pro Asn Asp Gl u Thr Gl u Gl n Arg Thr Leu Tyr Gl n Asn Val
195 200 205

P4982R1W0_PCTSequenceListing.TXT

Gly Thr Tyr Val Ser Val 210 Gly Thr Ser Thr Leu Asn Lys Arg Ser Thr 215 220

Pro Glu Ile Ala Thr Arg Leu Lys Val Asn Gly Glu Gly Gly Arg Met 225 230 235 240

Glu Phe Ser Trp Thr Leu Leu Asp Met Trp Asp Thr Ile Asn Phe Glu 245 250 255

Ser Thr Gly Asn Leu Ile Ala Pro Glu Tyr Gly Phe Lys Ile Ser Lys 260 265 270

Arg Gly Ser Ser Gly Ile Met Lys Thr Glu Gly Thr Leu Glu Asn Cys 275 280 285

Glu Thr Lys Cys Glu Thr Pro Leu Gly Ala Ile Asn Thr Thr Leu Pro 290 295 300

Phe His Asn Val His Pro Leu Thr Ile Gly Glu Cys Pro Lys Tyr Val 305 310 315 320

Lys Ser Glu Lys Leu Val Leu Ala Thr Gly Leu Arg Asn Val Pro Glu 325 330 335

Ile Glu Ser Arg Gly Leu Phe Gly Ala Ile Ala Gly Phe Ile Glu Gly 340 345 350

Gly Trp Glu Gly Met Val Asp Glu Trp Tyr Gly Tyr His His Ser Asn 355 360 365

Asp Glu Gly Ser Gly Tyr Ala Ala Asp Lys Glu Ser Thr Glu Lys Ala 370 375 380

Phe Asp Gly Ile Thr Asn Lys Val Asn Ser Val Ile Glu Lys Met Asn 385 390 395 400

Thr Glu Phe Glu Ala Val Gly Lys Glu Phe Ser Asn Leu Glu Arg Arg 405 410 415

Leu Glu Asn Leu Asn Lys Lys Met Glu Asp Gly Phe Leu Asp Val Trp 420 425 430

Thr Tyr Asn Ala Glu Leu Leu Val Leu Met Glu Asn Glu Arg Thr Leu 435 440 445

Asp Phe His Asp Ser Asn Val Lys Asn Leu Tyr Asp Lys Val Arg Met 450 455 460

Glu Leu Arg Asp Asn Val Lys Glu Leu Gly Asn Glu Cys Phe Glu Phe 465 470 475 480

P4982R1W0_PCTSequenceListing.TXT

Tyr His Lys Cys Asp Asp Glu Cys Met Asn Ser Val Lys Thr Gly Thr
485 490 495

Tyr Asp Tyr Pro Lys Tyr Glu Glu Glu Ser Lys Leu Asn Arg Asn Glu
500 505 510

Ile Lys Gly Val Lys Leu Ser Ser Met Gly Val Tyr Gln Ile Leu Ala
515 520 525

Ile Tyr Ala Thr Val Ala Gly Ser Leu Ser Leu Ala Ile Met Met Ala
530 535 540

Gly Ile Ser Phe Trp Met Cys Ser Asn Gly Ser Leu Gln Cys Arg Ile
545 550 555 560

Cys Ile

<210> 226

<211> 566

<212> PRT

<213> Influenza A virus

<400> 226

Met Lys Thr Ile Ile Ala Leu Ser Tyr Ile Leu Cys Leu Val Phe Ala
1 5 10 15

Gln Lys Leu Pro Gly Asn Asp Asn Ser Thr Ala Thr Leu Cys Leu Gly
20 25 30

His His Ala Val Pro Asn Gly Thr Ile Val Lys Thr Ile Thr Asn Asp
35 40 45

Gln Ile Glu Val Thr Asn Ala Thr Glu Leu Val Gln Ser Ser Ser Thr
50 55 60

Gly Glu Ile Cys Asp Ser Pro His Gln Ile Leu Asp Gly Lys Asn Cys
65 70 75 80

Thr Leu Ile Asp Ala Leu Leu Gly Asp Pro Gln Cys Asp Gly Phe Gln
85 90 95

Asn Lys Lys Trp Asp Leu Phe Val Glu Arg Ser Lys Ala Tyr Ser Asn
100 105 110

Cys Tyr Pro Tyr Asp Val Pro Asp Tyr Ala Ser Leu Arg Ser Leu Val
115 120 125

Ala Ser Ser Gly Thr Leu Glu Phe Asn Asn Glu Ser Phe Asn Trp Thr
130 135 140

Gly Val Thr Gln Asn Gly Thr Ser Ser Ala Cys Ile Arg Arg Ser Lys
145 150 155 160

P4982R1W0_PCTSequenceListing.TXT

Asn Ser Phe Phe Ser Arg Leu Asn Trp Leu Thr His Leu Asn Phe Lys
165 170 175

Tyr Pro Ala Leu Asn Val Thr Met Pro Asn Asn Glu Glu Phe Asp Lys
180 185 190

Leu Tyr Ile Trp Gly Val His His Pro Gly Thr Asp Lys Asp Glu Ile
195 200 205

Phe Leu Tyr Ala Glu Ala Ser Gly Arg Ile Thr Val Ser Thr Lys Arg
210 215 220

Ser Glu Glu Thr Val Ser Pro Asn Ile Gly Ser Arg Pro Arg Val Arg
225 230 235 240

Asn Ile Pro Ser Arg Ile Ser Ile Tyr Trp Thr Ile Val Lys Pro Gly
245 250 255

Asp Ile Leu Leu Ile Asn Ser Thr Gly Asn Leu Ile Ala Pro Arg Gly
260 265 270

Tyr Phe Lys Ile Arg Ser Gly Lys Ser Ser Ile Met Arg Ser Asp Ala
275 280 285

Pro Ile Gly Lys Cys Asn Ser Glu Cys Ile Thr Pro Asn Gly Ser Ile
290 295 300

Pro Asn Asp Lys Pro Phe Glu Asn Val Asn Arg Ile Thr Tyr Gly Ala
305 310 315 320

Cys Pro Arg Tyr Val Lys Glu Asn Thr Leu Lys Leu Ala Thr Gly Met
325 330 335

Arg Asn Val Pro Glu Lys Glu Thr Arg Gly Ile Phe Gly Ala Ile Ala
340 345 350

Gly Phe Ile Glu Asn Gly Trp Glu Gly Met Val Asp Gly Trp Tyr Gly
355 360 365

Phe Arg His Glu Asn Ser Glu Gly Arg Gly Glu Ala Ala Asp Leu Lys
370 375 380

Ser Thr Glu Ala Ala Ile Asp Glu Ile Asn Glu Lys Leu Asn Arg Leu
385 390 395 400

Ile Gly Lys Thr Asn Glu Lys Phe His Glu Ile Glu Lys Glu Phe Ser
405 410 415

Glu Val Glu Gly Arg Ile Glu Asp Leu Glu Lys Tyr Val Glu Asp Thr
420 425 430

P4982R1W0_PCTSequenceListing.TXT

Lys Ile Asp Leu Trp Ser Tyr Asn Ala Glu Leu Leu Val Ala Leu Glu
435 440 445

Asn Gln His Thr Ile Asp Leu Thr Asp Ser Glu Met Asn Lys Leu Phe
450 455 460

Gl u Lys Thr Lys Lys Gln Leu Arg Glu Asn Ala Glu Asp Met Gl y Asn
465 470 475 480

Gl y Cys Phe Lys Ile Tyr His Lys Cys Asp Asn Ala Cys Ile Gl y Ser
485 490 495

Ile Arg Asn Gl y Thr Tyr Asp His Asp Val Tyr Arg Asp Gl u Ala Leu
500 505 510

Asn Asn Arg Phe Gln Ile Lys Gl y Val Gl u Leu Lys Ser Gl y Tyr Lys
515 520 525

Asp Trp Ile Leu Trp Ile Ser Phe Ala Ile Ser Cys Phe Leu Leu Cys
530 535 540

Val Ala Leu Leu Gl y Phe Ile Met Trp Ala Cys Gln Lys Gl y Asn Ile
545 550 555 560

Arg Cys Asn Ile Cys Ile
565

<210> 227

<211> 568

<212> PRT

<213> Influenza A virus

<400> 227

Met Gl u Lys Ile Val Leu Leu Phe Ala Ile Val Ser Leu Val Lys Ser
1 5 10 15

Asp Gln Ile Cys Ile Gl y Tyr His Ala Asn Asn Ser Thr Gl u Gln Val
20 25 30

Asp Thr Ile Met Gl u Lys Asn Val Thr Val Thr His Ala Gln Asp Ile
35 40 45

Leu Gl u Lys Lys His Asn Gl y Lys Leu Cys Asp Leu Asp Gl y Val Lys
50 55 60

Pro Leu Ile Leu Arg Asp Cys Ser Val Ala Gl y Trp Leu Leu Gl y Asn
65 70 75 80

Pro Met Cys Asp Gl u Phe Ile Asn Val Pro Gl u Trp Ser Tyr Ile Val
85 90 95

P4982R1W0_PCTSequenceListing.TXT

Glu Lys Ala Asn Pro Val Asn Asp Leu Cys Tyr Pro Gly Asp Phe Asn
 100 105 110

Asp Tyr Glu Glu Leu Lys His Leu Leu Ser Arg Ile Asn His Phe Glu
 115 120 125

Lys Ile Gln Ile Ile Pro Lys Ser Ser Trp Ser Ser His Glu Ala Ser
 130 135 140

Leu Gly Val Ser Ser Ala Cys Pro Tyr Gln Gly Lys Ser Ser Phe Phe
 145 150 155 160

Arg Asn Val Val Trp Leu Ile Lys Lys Asn Ser Thr Tyr Pro Thr Ile
 165 170 175

Lys Arg Ser Tyr Asn Asn Thr Asn Gln Glu Asp Leu Leu Val Leu Trp
 180 185 190

Gly Ile His His Pro Asn Asp Ala Ala Glu Gln Thr Lys Leu Tyr Gln
 195 200 205

Asn Pro Thr Thr Tyr Ile Ser Val Gly Thr Ser Thr Leu Asn Gln Arg
 210 215 220

Leu Val Pro Arg Ile Ala Thr Arg Ser Lys Val Asn Gly Gln Ser Gly
 225 230 235 240

Arg Met Glu Phe Phe Trp Thr Ile Leu Lys Pro Asn Asp Ala Ile Asn
 245 250 255

Phe Glu Ser Asn Gly Asn Phe Ile Ala Pro Glu Tyr Ala Tyr Lys Ile
 260 265 270

Val Lys Lys Gly Asp Ser Thr Ile Met Lys Ser Glu Leu Glu Tyr Gly
 275 280 285

Asn Cys Asn Thr Lys Cys Gln Thr Pro Met Gly Ala Ile Asn Ser Ser
 290 295 300

Met Pro Phe His Asn Ile His Pro Leu Thr Ile Gly Glu Cys Pro Lys
 305 310 315 320

Tyr Val Lys Ser Asn Arg Leu Val Leu Ala Thr Gly Leu Arg Asn Ser
 325 330 335

Pro Gln Arg Glu Arg Arg Arg Lys Lys Arg Gly Leu Phe Gly Ala Ile
 340 345 350

Ala Gly Phe Ile Glu Gly Gly Trp Gln Gly Met Val Asp Gly Trp Tyr
 355 360 365

P4982R1W0_PCTSequenceListing.TXT

Gly Tyr His His Ser Asn Glu Gln Gly Ser Gly Tyr Ala Ala Asp Lys
 370 375 380

Glu Ser Thr Gln Lys Ala Ile Asp Gly Val Thr Asn Lys Val Asn Ser
 385 390 395 400

Ile Ile Asp Lys Met Asn Thr Gln Phe Glu Ala Val Gly Arg Glu Phe
 405 410 415

Asn Asn Leu Glu Arg Arg Ile Glu Asn Leu Asn Lys Lys Met Glu Asp
 420 425 430

Gly Phe Leu Asp Val Trp Thr Tyr Asn Ala Glu Leu Leu Val Leu Met
 435 440 445

Glu Asn Glu Arg Thr Leu Asp Phe His Asp Ser Asn Val Lys Asn Leu
 450 455 460

Tyr Asp Lys Val Arg Leu Gln Leu Arg Asp Asn Ala Lys Glu Leu Gly
 465 470 475 480

Asn Gly Cys Phe Glu Phe Tyr His Lys Cys Asp Asn Glu Cys Met Glu
 485 490 495

Ser Val Arg Asn Gly Thr Tyr Asp Tyr Pro Gln Tyr Ser Glu Glu Ala
 500 505 510

Arg Leu Lys Arg Glu Glu Ile Ser Gly Val Lys Leu Glu Ser Ile Gly
 515 520 525

Ile Tyr Gln Ile Leu Ser Ile Tyr Ser Thr Val Ala Ser Ser Leu Ala
 530 535 540

Leu Ala Ile Met Val Ala Gly Leu Ser Leu Trp Met Cys Ser Asn Gly
 545 550 555 560

Ser Leu Gln Cys Arg Ile Cys Ile
 565

<210> 228

<211> 562

<212> PRT

<213> Influenza A virus

<400> 228

Met Asn Thr Arg Ile Leu Ile Leu Thr Leu Thr Ala Val Ile His Thr
 1 5 10 15

Asn Ala Asp Lys Ile Cys Leu Gly His His Ala Val Ser Asn Gly Thr
 20 25 30

Lys Val Asn Thr Leu Thr Glu Arg Gly Val Glu Val Val Asn Ala Thr
 35 40 45

P4982R1W0_PCTSequenceListing.TXT

Gl u Thr Val Gl u Gl n Met Asn Ile Pro Arg Ile Cys Thr Lys Gl y Lys
50 55 60

Lys Ala Ile Asp Leu Gl y Gl n Cys Gl y Leu Leu Gl y Ile Val Thr Gl y
65 70 75 80

Pro Pro Gl n Cys Asp Gl n Phe Leu Gl u Phe Thr Ala Asp Leu Ile Ile
85 90 95

Gl u Arg Arg Gl u Gl y Asn Asp Val Cys Tyr Pro Gl y Lys Phe Val Asn
100 105 110

Gl u Gl u Ala Leu Arg Gl n Ile Leu Arg Gl y Ser Gl y Gl y Ile Asn Lys
115 120 125

Gl u Thr Thr Gl y Phe Thr Tyr Ser Gl y Ile Arg Thr Asn Gl y Val Thr
130 135 140

Ser Ala Cys Arg Arg Ser Gl u Ser Ser Phe Tyr Ala Gl u Met Lys Trp
145 150 155 160

Leu Leu Ser Asn Thr Asp Asn Ala Ala Phe Pro Gl n Met Thr Lys Ser
165 170 175

Tyr Lys Asn Thr Arg Asn Gl u Pro Ala Leu Ile Val Trp Gl y Ile His
180 185 190

His Ser Gl y Ser Thr Thr Gl u Gl n Thr Lys Leu Tyr Gl y Ser Gl y Ser
195 200 205

Lys Leu Ile Thr Val Gl y Ser Ser Asn Tyr Gl n Gl n Ser Phe Val Pro
210 215 220

Ser Pro Gl y Ala Arg Pro Gl n Val Asn Gl y Gl n Ser Gl y Arg Ile Asp
225 230 235 240

Phe His Trp Leu Ile Leu Asn Pro Asn Asp Thr Val Thr Phe Ser Phe
245 250 255

Asn Gl y Ala Phe Val Ala Pro Asp Arg Val Ser Phe Phe Lys Gl y Gl u
260 265 270

Ser Thr Gl y Ile Gl n Ser Gl u Val Pro Val Asp Ala Asn Cys Gl u Gl y
275 280 285

Gl u Cys Tyr His Ser Gl y Gl y Thr Ile Thr Ser Asn Leu Pro Phe Gl n
290 295 300

Asn Val Asn Ser Arg Ala Val Gl y Lys Cys Pro Lys Tyr Val Lys Gl n
305 310 315 320

P4982R1W0_PCTSequenceListing.TXT

Lys Ser Leu Leu Leu Ala Thr Gly Met Lys Asn Val Pro Glu Ile Pro
325 330 335

Arg Lys Arg Lys Arg Gly Leu Phe Gly Ala Ile Ala Gly Phe Ile Glu
340 345 350

Asn Gly Trp Glu Gly Leu Val Asp Gly Trp Tyr Gly Phe Arg His Gln
355 360 365

Asn Ser Gln Gly Glu Gly Thr Ala Ala Asp Tyr Lys Ser Thr Gln Ser
370 375 380

Ala Ile Asp Gln Ile Thr Gly Lys Leu Asn Arg Leu Ile Glu Lys Thr
385 390 395 400

Asn Gln Gln Phe Glu Leu Ile Asp Asn Glu Phe Asn Glu Val Glu Lys
405 410 415

Gln Ile Gly Asn Val Ile Asn Trp Thr Arg Asp Ser Ile Thr Glu Val
420 425 430

Trp Ser Tyr Asn Ala Glu Leu Leu Val Ala Met Glu Asn Gln His Thr
435 440 445

Ile Asp Leu Ala Asp Ser Glu Met Asn Lys Leu Tyr Glu Arg Val Arg
450 455 460

Arg Gln Leu Arg Glu Asn Ala Glu Glu Asp Gly Thr Gly Cys Phe Glu
465 470 475 480

Ile Phe His Lys Cys Asp Asp Cys Met Ala Ser Ile Arg Asn Asn
485 490 495

Thr Tyr Asp His Ser Thr Tyr Arg Glu Glu Ala Met Gln Asn Arg Leu
500 505 510

Lys Ile Asp Pro Val Lys Leu Ser Ser Gly Tyr Lys Asp Val Ile Leu
515 520 525

Trp Phe Ser Phe Gly Ala Ser Cys Phe Leu Leu Leu Ala Ile Ala Met
530 535 540

Gly Leu Gly Phe Ile Cys Val Lys Asn Gly Asn Met Arg Cys Thr Ile
545 550 555 560

Cys Ile

<210> 229

<211> 566

P4982R1W0_PCTSequenceListing.TXT

<212> PRT

<213> Influenza A virus

<400> 229

Met Lys Ala Ile Leu Val Val Leu Leu Tyr Thr Phe Ala Thr Ala Asn
1 5 10 15

Ala Asp Thr Leu Cys Ile Gly Tyr His Ala Asn Asn Ser Thr Asp Thr
20 25 30

Val Asp Thr Val Leu Glu Lys Asn Val Thr Val Thr His Ser Val Asn
35 40 45

Leu Leu Glu Asp Lys His Asn Gly Lys Leu Cys Lys Leu Arg Gly Val
50 55 60

Ala Pro Leu His Leu Gly Lys Cys Asn Ile Ala Gly Trp Ile Leu Gly
65 70 75 80

Asn Pro Glu Cys Glu Ser Leu Ser Thr Ala Ser Ser Trp Ser Tyr Ile
85 90 95

Val Glu Thr Pro Ser Ser Asp Asn Gly Thr Cys Tyr Pro Gly Asp Phe
100 105 110

Ile Asp Tyr Glu Glu Leu Arg Glu Gln Leu Ser Ser Val Ser Ser Phe
115 120 125

Glu Arg Phe Glu Ile Phe Pro Lys Thr Ser Ser Trp Pro Asn His Asp
130 135 140

Ser Asn Lys Glu Val Thr Ala Ala Cys Pro His Ala Gly Ala Lys Ser
145 150 155 160

Phe Tyr Lys Asn Leu Ile Trp Leu Val Lys Lys Glu Asn Ser Tyr Pro
165 170 175

Lys Leu Ser Lys Ser Tyr Ile Asn Asp Lys Glu Lys Glu Val Leu Val
180 185 190

Leu Trp Glu Ile His His Pro Ser Thr Ser Ala Asp Gln Gln Ser Leu
195 200 205

Tyr Gln Asn Ala Asp Ala Tyr Val Phe Val Gly Ser Ser Arg Tyr Ser
210 215 220

Lys Lys Phe Lys Pro Glu Ile Ala Ile Arg Pro Lys Val Arg Asp Gln
225 230 235 240

Glu Glu Arg Met Asn Tyr Tyr Trp Thr Leu Val Glu Pro Glu Asp Lys
245 250 255

P4982R1W0_PCTSequenceListing.TXT

Ile Thr Phe Glu Ala Thr Gly Asn Leu Val Val Pro Arg Tyr Ala Phe
 260 265 270

Ala Met Glu Arg Asn Ala Gly Ser Gly Ile Ile Ile Ser Asp Thr Pro
 275 280 285

Val His Asp Cys Asn Thr Thr Cys Gln Thr Pro Lys Gly Ala Ile Asn
 290 295 300

Thr Ser Leu Pro Phe Gln Asn Ile His Pro Ile Thr Ile Gly Lys Cys
 305 310 315 320

Pro Lys Tyr Val Lys Ser Thr Lys Leu Arg Leu Ala Thr Gly Leu Arg
 325 330 335

Asn Ile Pro Ser Ile Gln Ser Arg Gly Leu Phe Gly Ala Ile Ala Gly
 340 345 350

Phe Ile Glu Gly Gly Trp Thr Gly Met Val Asp Gly Trp Tyr Gly Tyr
 355 360 365

His His Gln Asn Glu Gln Gly Ser Gly Tyr Ala Ala Asp Leu Lys Ser
 370 375 380

Thr Gln Asn Ala Ile Asp Glu Ile Thr Asn Lys Val Asn Ser Val Ile
 385 390 395 400

Gl u Lys Met Asn Thr Gln Phe Thr Ala Val Gly Lys Gl u Phe Asn His
 405 410 415

Leu Gl u Lys Arg Ile Gl u Asn Leu Asn Lys Lys Val Asp Asp Gl y Phe
 420 425 430

Leu Asp Ile Trp Thr Tyr Asn Ala Gl u Leu Leu Val Leu Leu Gl u Asn
 435 440 445

Gl u Arg Thr Leu Asp Tyr His Asp Ser Asn Val Lys Asn Leu Tyr Gl u
 450 455 460

Lys Val Arg Ser Gln Leu Lys Asn Asn Ala Lys Gl u Ile Gl y Asn Gl y
 465 470 475 480

Cys Phe Gl u Phe Tyr His Lys Cys Asp Asn Thr Cys Met Gl u Ser Val
 485 490 495

Lys Asn Gl y Thr Tyr Asp Tyr Pro Lys Tyr Ser Gl u Gl u Ala Lys Leu
 500 505 510

Asn Arg Gl u Gl u Ile Asp Gl y Val Lys Leu Gl u Ser Thr Arg Ile Tyr
 515 520 525

P4982R1W0_PCTSequenceListing.TXT

Gln Ile Leu Ala Ile Tyr Ser Thr Val Ala Ser Ser Leu Val Leu Val
 530 535 540

Val Ser Leu Gly Ala Ile Ser Phe Trp Met Cys Ser Asn Gly Ser Leu
 545 550 555 560

Gln Cys Arg Ile Cys Ile
 565

<210> 230

<211> 565

<212> PRT

<213> Influenza A virus

<400> 230

Met Lys Ala Lys Leu Leu Val Leu Leu Tyr Ala Phe Val Ala Thr Asp
 1 5 10 15

Ala Asp Thr Ile Cys Ile Gly Tyr His Ala Asn Asn Ser Thr Asp Thr
 20 25 30

Val Asp Thr Ile Phe Glu Lys Asn Val Ala Val Thr His Ser Val Asn
 35 40 45

Leu Leu Glu Asp Arg His Asn Gly Lys Leu Cys Lys Leu Lys Gly Ile
 50 55 60

Ala Pro Leu Gln Leu Gly Lys Cys Asn Ile Thr Gly Trp Leu Leu Gly
 65 70 75 80

Asn Pro Glu Cys Asp Ser Leu Leu Pro Ala Arg Ser Trp Ser Tyr Ile
 85 90 95

Val Glu Thr Pro Asn Ser Glu Asn Gly Ala Cys Tyr Pro Gly Asp Phe
 100 105 110

Ile Asp Tyr Glu Glu Leu Arg Glu Gln Leu Ser Ser Val Ser Ser Leu
 115 120 125

Gl u Arg Phe Glu Ile Phe Pro Lys Glu Ser Ser Trp Pro Asn His Thr
 130 135 140

Phe Asn Gly Val Thr Val Ser Cys Ser His Arg Gly Lys Ser Ser Phe
 145 150 155 160

Tyr Arg Asn Leu Leu Trp Leu Thr Lys Lys Gly Asp Ser Tyr Pro Lys
 165 170 175

Leu Thr Asn Ser Tyr Val Asn Asn Lys Gly Lys Glu Val Leu Val Leu
 180 185 190

Trp Gly Val His His Pro Ser Ser Ser Asp Glu Gln Gln Ser Leu Tyr
 195 200 205

P4982R1W0_PCTSequenceListing.TXT

Ser Asn Gly Asn Ala Tyr Val Ser Val Ala Ser Ser Asn Tyr Asn Arg
210 215 220

Arg Phe Thr Pro Glu Ile Ala Ala Arg Pro Lys Val Lys Asp Glu His
225 230 235 240

Gly Arg Met Asn Tyr Tyr Trp Thr Leu Leu Glu Pro Gly Asp Thr Ile
245 250 255

Ile Phe Glu Ala Thr Gly Asn Leu Ile Ala Pro Trp Tyr Ala Phe Ala
260 265 270

Leu Ser Arg Gly Phe Glu Ser Gly Ile Ile Thr Ser Asn Ala Ser Met
275 280 285

His Glu Cys Asn Thr Lys Cys Glu Thr Pro Glu Gly Ser Ile Asn Ser
290 295 300

Asn Leu Pro Phe Glu Asn Ile His Pro Val Thr Ile Gly Glu Cys Pro
305 310 315 320

Lys Tyr Val Arg Ser Thr Lys Leu Arg Met Val Thr Gly Leu Arg Asn
325 330 335

Ile Pro Ser Ile Glu Tyr Arg Gly Leu Phe Gly Ala Ile Ala Gly Phe
340 345 350

Ile Glu Gly Gly Trp Thr Gly Met Ile Asp Gly Trp Tyr Gly Tyr His
355 360 365

His Glu Asn Glu Glu Gly Ser Gly Tyr Ala Ala Asp Glu Lys Ser Thr
370 375 380

Glu Asn Ala Ile Asn Gly Ile Thr Asn Lys Val Asn Ser Val Ile Glu
385 390 395 400

Lys Met Asn Thr Glu Phe Thr Ala Val Gly Lys Glu Phe Asn Asn Leu
405 410 415

Glu Lys Arg Met Glu Asn Leu Asn Lys Lys Val Asp Asp Gly Phe Leu
420 425 430

Asp Ile Trp Thr Tyr Asn Ala Glu Leu Leu Val Leu Leu Glu Asn Glu
435 440 445

Arg Thr Leu Asp Phe His Asp Leu Asn Val Lys Asn Leu Tyr Glu Lys
450 455 460

Val Lys Ser Glu Leu Lys Asn Asn Ala Lys Glu Ile Gly Asn Glu Cys
465 470 475 480

P4982R1W0_PCTSequenceListing.TXT

Phe Glu Phe Tyr His Lys Cys Asp Asn Glu Cys Met Glu Ser Val Arg
485 490 495

Asn Gly Thr Tyr Asp Tyr Pro Lys Tyr Ser Glu Glu Ser Lys Leu Asn
500 505 510

Arg Glu Lys Ile Asp Gly Val Lys Leu Glu Ser Met Gly Val Tyr Glu
515 520 525

Ile Leu Ala Ile Tyr Ser Thr Val Ala Ser Ser Leu Val Leu Leu Val
530 535 540

Ser Leu Gly Ala Ile Ser Phe Trp Met Cys Ser Asn Gly Ser Leu Glu
545 550 555 560

Cys Arg Ile Cys Ile
565

<210> 231

<211> 566

<212> PRT

<213> Influenza A virus

<400> 231

Met Lys Thr Ile Ile Ala Leu Ser Tyr Ile Phe Cys Leu Ala Leu Gly
1 5 10 15

Gln Asp Leu Pro Gly Asn Asp Asn Ser Thr Ala Thr Leu Cys Leu Gly
20 25 30

His His Ala Val Pro Asn Gly Thr Leu Val Lys Thr Ile Thr Asp Asp
35 40 45

Gln Ile Glu Val Thr Asn Ala Thr Glu Leu Val Gln Ser Ser Ser Thr
50 55 60

Gly Lys Ile Cys Asn Asn Pro His Arg Ile Leu Asp Gly Ile Asp Cys
65 70 75 80

Thr Leu Ile Asp Ala Leu Leu Gly Asp Pro His Cys Asp Val Phe Gln
85 90 95

Asn Glu Thr Trp Asp Leu Phe Val Glu Arg Ser Lys Ala Phe Ser Asn
100 105 110

Cys Tyr Pro Tyr Asp Val Pro Asp Tyr Ala Ser Leu Arg Ser Leu Val
115 120 125

Ala Ser Ser Gly Thr Leu Glu Phe Ile Thr Glu Gly Phe Thr Trp Thr
130 135 140

P4982R1W0_PCTSequenceListing.TXT

Gly Val Thr Glu Asn Gly 145 150 Ser Asn Ala Cys Lys Arg Gly Pro Gly 155 160
 Asn Gly Phe Phe Ser Arg Leu Asn Trp Leu Thr Lys Ser Gly Ser Thr 165 170 175
 Tyr Pro Val Leu Asn Val Thr Met Pro Asn Asn Asp Asn Phe Asp Lys 180 185 190
 Leu Tyr Ile Trp Gly Val His His Pro Ser Thr Asn Glu Glu Glu Thr 195 200 205
 Ser Leu Tyr Val Glu Glu Ser Gly Arg Val Thr Val Ser Thr Arg Arg 210 215 220
 Ser Glu Glu Ser Ile Ile Pro Asn Ile Gly Ser Arg Pro Trp Val Arg 225 230 235 240
 Gly Glu Ser Ser Arg Ile Ser Ile Tyr Trp Thr Ile Val Lys Pro Gly 245 250 255
 Asp Val Leu Val Ile Asn Ser Asn Gly 260 265 Asn Leu Ile Ala Pro Arg Gly 270
 Tyr Phe Lys Met Arg Thr Gly Lys Ser Ser Ile Met Ser Ser Asp Ala 275 280 285
 Pro Ile Asp Thr Cys Ile Ser Glu Cys Ile Thr Pro Asn Gly Ser Ile 290 295 300
 Pro Asn Asp Lys Pro Phe Glu Asn Val Asn Lys Ile Thr Tyr Gly Ala 305 310 315 320
 Cys Pro Lys Tyr Val Lys Glu Asn Thr Leu Lys Leu Ala Thr Gly Met 325 330 335
 Arg Asn Val Pro Glu Lys Glu Thr Arg Gly Leu Phe Gly Ala Ile Ala 340 345 350
 Gly Phe Ile Glu Asn Gly Trp Glu Gly Met Ile Asp Gly Trp Tyr Gly 355 360 365
 Phe Arg His Glu Asn Ser Glu Gly Thr Gly Glu Ala Ala Asp Leu Lys 370 375 380
 Ser Thr Glu Ala Ala Ile Asp Glu Ile Asn Gly Lys Leu Asn Arg Val 385 390 395 400
 Ile Glu Lys Thr Asn Glu Lys Phe His Glu Ile Glu Lys Glu Phe Ser 405 410 415

P4982R1W0_PCTSequenceListing.TXT

Gl u Val Gl u Gl y Arg Ile Gl n Asp Leu Gl u Lys Tyr Val Gl u Asp Thr
420 425 430

Lys Ile Asp Leu Trp Ser Tyr Asn Al a Gl u Leu Leu Val Al a Leu Gl u
435 440 445

Asn Gl n His Thr Ile Asp Leu Thr Asp Ser Gl u Met Asn Lys Leu Phe
450 455 460

Gl u Lys Thr Arg Arg Gl n Leu Arg Gl u Asn Al a Gl u Asp Met Gl y Asn
465 470 475 480

Gl y Cys Phe Lys Ile Tyr His Lys Cys Asp Asn Al a Cys Ile Gl u Ser
485 490 495

Ile Arg Asn Gl y Thr Tyr Asp His Asp Val Tyr Arg Asp Gl u Al a Leu
500 505 510

Asn Asn Arg Phe Gl n Ile Lys Gl y Val Gl u Leu Lys Ser Gl y Tyr Lys
515 520 525

Asp Trp Ile Leu Trp Ile Ser Phe Al a Ile Ser Cys Phe Leu Leu Cys
530 535 540

Val Val Leu Leu Gl y Phe Ile Met Trp Al a Cys Gl n Arg Gl y Asn Ile
545 550 555 560

Arg Cys Asn Ile Cys Ile
565

<210> 232

<211> 562

<212> PRT

<213> Infl uenza A vi rus

<400> 232

Met Asn Thr Gl n Ile Leu Val Phe Al a Leu Val Al a Ser Ile Pro Thr
1 5 10 15

Asn Al a Asp Lys Ile Cys Leu Gl y His His Al a Val Ser Asn Gl y Thr
20 25 30

Lys Val Asn Thr Leu Thr Gl u Arg Gl y Val Gl u Val Val Asn Al a Thr
35 40 45

Gl u Thr Val Gl u Arg Thr Asn Val Pro Arg Ile Cys Ser Lys Gl y Lys
50 55 60

Arg Thr Val Asp Leu Gl y Gl n Cys Gl y Leu Leu Gl y Thr Ile Thr Gl y
65 70 75 80

Pro Pro Gl n Cys Asp Gl n Phe Leu Gl u Phe Ser Al a Asp Leu Ile Ile
85 90 95

P4982R1W0_PCTSequenceListing.TXT

Gl u Arg Arg Gl u Gl y Ser Asp Val Cys Tyr Pro Gl y Lys Phe Val Asn
100 105 110

Gl u Gl u Al a Leu Arg Gl n Ile Leu Arg Gl u Ser Gl y Gl y Ile Asp Lys
115 120 125

Gl u Thr Met Gl y Phe Thr Tyr Ser Gl y Ile Arg Thr Asn Gl y Thr Thr
130 135 140

Ser Al a Cys Arg Arg Ser Gl y Ser Ser Phe Tyr Al a Gl u Met Lys Trp
145 150 155 160

Leu Leu Ser Asn Thr Asp Asn Al a Al a Phe Pro Gl n Met Thr Lys Ser
165 170 175

Tyr Lys Asn Thr Arg Lys Asp Pro Al a Leu Ile Ile Trp Gl y Ile His
180 185 190

His Ser Gl y Ser Thr Thr Gl u Gl n Thr Lys Leu Tyr Gl y Ser Gl y Asn
195 200 205

Lys Leu Ile Thr Val Gl y Ser Ser Asn Tyr Gl n Gl n Ser Phe Val Pro
210 215 220

Ser Pro Gl y Al a Arg Pro Gl n Val Asn Gl y Gl n Ser Gl y Arg Ile Asp
225 230 235 240

Phe His Trp Leu Ile Leu Asn Pro Asn Asp Thr Val Thr Phe Ser Phe
245 250 255

Asn Gl y Al a Phe Ile Al a Pro Asp Arg Al a Ser Phe Leu Arg Gl y Lys
260 265 270

Ser Met Gl y Ile Gl n Ser Gl u Val Gl n Val Asp Al a Asn Cys Gl u Gl y
275 280 285

Asp Cys Tyr His Ser Gl y Gl y Thr Ile Ile Ser Asn Leu Pro Phe Gl n
290 295 300

Asn Ile Asn Ser Arg Al a Val Gl y Lys Cys Pro Arg Tyr Val Lys Gl n
305 310 315 320

Gl u Ser Leu Leu Leu Al a Thr Gl y Met Lys Asn Val Pro Gl u Ile Pro
325 330 335

Lys Arg Arg Arg Arg Gl y Leu Phe Gl y Al a Ile Al a Gl y Phe Ile Gl u
340 345 350

Asn Gl y Trp Gl u Gl y Leu Ile Asp Gl y Trp Tyr Gl y Phe Arg His Gl n
355 360 365

P4982R1W0_PCTSequenceListing.TXT

Asn Ala Glu Gly Glu Gly Thr 370 375 Ala Ala Asp Tyr Lys Ser Thr Glu Ser 380

Ala Ile Asp Glu Ile Thr 385 390 Gly Lys Leu Asn Arg Leu Ile Glu Lys Thr 400

Asn Glu Glu Phe Glu Leu Ile Asp Asn Glu Phe Thr Glu Val Glu Arg 405 410

Glut Ile Gly Asn Val Ile Asn Trp Thr 420 425 Arg Asp Ser Met Thr Glu Val 430

Trp Ser Tyr Asn Ala Glu Leu Leu Val Ala Met Glu Asn Glu His Thr 435 440 445

Ile Asp Leu Ala Asp Ser Glu Met Asn Lys Leu Tyr Glu Arg Val Lys 450 455

Arg Glu Leu Arg Glu Asn Ala Glu Glu Asp Glu Thr Glu Cys Phe Glu 465 470 475

Ile Phe His Lys Cys Asp Asp Asp Cys Met Ala Ser Ile Arg Asn Asn 485 490 495

Thr Tyr Asp His Ser Lys Tyr Arg Glu Glu Ala Ile Glu Asn Arg Ile 500 505 510

Glut Ile Asp Pro Val Lys Leu Ser Ser Glu Tyr Lys Asp Val Ile Leu 515 520 525

Trp Phe Ser Phe Glu Ala Ser Cys Phe Ile Leu Leu Ala Ile Ala Met 530 535 540

Gly Leu Val Phe Ile Cys Val Lys Asn Glu Asn Met Arg Cys Thr Ile 545 550 555 560

Cys Ile

<210> 233

<211> 566

<212> PRT

<213> Influenza A virus

<400> 233

Met Glu Ala Arg Leu Leu Val Leu Leu Cys Ala Phe Ala Ala Thr Asn 1 5 10 15

Ala Asp Thr Ile Cys Ile Glu Tyr His Ala Asn Asn Ser Thr Asp Thr 20 25 30

P4982R1W0_PCTSequenceListing.TXT

Val Asp Thr Val Leu Glu Lys Asn Val Thr Val Thr His Ser Val Asn
 35 40 45

Leu Leu Glu Asp Ser His Asn Gly Lys Leu Cys Lys Leu Lys Gly Ile
 50 55 60

Ala Pro Leu Gln Leu Gly Lys Cys Asn Ile Ala Gly Trp Leu Leu Gly
 65 70 75 80

Asn Pro Glu Cys Asp Leu Leu Leu Thr Ala Ser Ser Trp Ser Tyr Ile
 85 90 95

Val Glu Thr Ser Asn Ser Glu Asn Gly Thr Cys Tyr Pro Gly Asp Phe
 100 105 110

Ile Asp Tyr Glu Glu Leu Arg Glu Gln Leu Ser Ser Val Ser Ser Phe
 115 120 125

Glu Lys Phe Glu Ile Phe Pro Lys Thr Ser Ser Trp Pro Asn His Glu
 130 135 140

Thr Thr Lys Gly Val Thr Ala Ala Cys Ser Tyr Ala Gly Ala Ser Ser
 145 150 155 160

Phe Tyr Arg Asn Leu Leu Trp Leu Thr Lys Lys Gly Ser Ser Tyr Pro
 165 170 175

Lys Leu Ser Lys Ser Tyr Val Asn Asn Lys Gly Lys Glu Val Leu Val
 180 185 190

Leu Trp Gly Val His His Pro Pro Thr Gly Thr Asp Gln Gln Ser Leu
 195 200 205

Tyr Gln Asn Ala Asp Ala Tyr Val Ser Val Gly Ser Ser Lys Tyr Asn
 210 215 220

Arg Arg Phe Thr Pro Glu Ile Ala Ala Arg Pro Lys Val Arg Asp Gln
 225 230 235 240

Ala Gly Arg Met Asn Tyr Tyr Trp Thr Leu Leu Glu Pro Gly Asp Thr
 245 250 255

Ile Thr Phe Glu Ala Thr Gly Asn Leu Ile Ala Pro Trp Tyr Ala Phe
 260 265 270

Ala Leu Asn Arg Gly Ser Gly Ile Ile Thr Ser Asp Ala Pro
 275 280 285

Val His Asp Cys Asn Thr Lys Cys Gln Thr Pro His Gly Ala Ile Asn
 290 295 300

P4982R1W0_PCTSequenceListing.TXT

Ser Ser Leu Pro Phe Gln Asn Ile His Pro Val Thr Ile Gly Glu Cys
 305 310 315 320

Pro Lys Tyr Val Arg Ser Thr Lys Leu Arg Met Ala Thr Gly Leu Arg
 325 330 335

Asn Ile Pro Ser Ile Gln Ser Arg Gly Leu Phe Gly Ala Ile Ala Gly
 340 345 350

Phe Ile Glu Gly Gly Trp Thr Gly Met Ile Asp Gly Trp Tyr Gly Tyr
 355 360 365

His His Gln Asn Glu Gln Gly Ser Gly Tyr Ala Ala Asp Gln Lys Ser
 370 375 380

Thr Gln Asn Ala Ile Asp Gly Ile Thr Asn Lys Val Asn Ser Val Ile
 385 390 395 400

Glu Lys Met Asn Thr Gln Phe Thr Ala Val Gly Lys Glu Phe Asn Asn
 405 410 415

Leu Glu Arg Arg Ile Glu Asn Leu Asn Lys Lys Val Asp Asp Gln Phe
 420 425 430

Leu Asp Ile Trp Thr Tyr Asn Ala Glu Leu Leu Val Leu Leu Glu Asn
 435 440 445

Glu Arg Thr Leu Asp Phe His Asp Ser Asn Val Arg Asn Leu Tyr Glu
 450 455 460

Lys Val Lys Ser Gln Leu Lys Asn Asn Ala Lys Glu Ile Gly Asn Gln
 465 470 475 480

Cys Phe Glu Phe Tyr His Lys Cys Asp Asp Ala Cys Met Glu Ser Val
 485 490 495

Arg Asn Gln Thr Tyr Asp Tyr Pro Lys Tyr Ser Glu Glu Ser Lys Leu
 500 505 510

Asn Arg Glu Glu Ile Asp Gln Val Lys Leu Glu Ser Met Gln Val Tyr
 515 520 525

Gln Ile Leu Ala Ile Tyr Ser Thr Val Ala Ser Ser Leu Val Leu Leu
 530 535 540

Val Ser Leu Gln Ala Ile Ser Phe Trp Met Cys Ser Asn Gln Ser Leu
 545 550 555 560

Gln Cys Arg Ile Cys Ile
 565

P4982R1W0_PCTSequenceListing.TXT

<210> 234

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 234

Gl u Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Lys
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gl y Leu Thr Phe Ser Ser Tyr
20 25 30

Al a Val His Trp Val Arg Gl n Ala Pro Gl y Lys Gl y Leu Gl u Trp Val
35 40 45

Thr Leu Ile Ser Tyr Asp Gl y Ala Asn Gl n Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gl y Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Val Tyr
65 70 75 80

Leu Gl n Met Asn Ser Leu Arg Pro Gl u Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Al a Val Pro Gl y Pro Val Phe Gl y Ile Phe Pro Pro Trp Ser Tyr Phe
100 105 110

Asp Asn Trp Gl y Gl n Gl y Ile Leu Val Thr Val Ser Ser
115 120 125

<210> 235

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 235

Gl u Ile Val Leu Thr Gl n Ser Pro Ala Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gl n Val Ile Ser His Asn
20 25 30

Leu Ala Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Ala Ser Thr Arg Ala Ser Gl y Ile Pro Ala Arg Phe Ser Gl y
50 55 60

P4982R1W0_PCTSequenceListing.TXT

Ser Gl y Ser Gl y Thr Asp Tyr Thr Leu Thr Ile Thr Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gl n His Tyr Ser Asn Trp Pro Pro
85 90 95

Arg Leu Thr Phe Gl y Gl y Thr Lys Val Gl u Ile Lys
100 105

<210> 236

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 236

Gl u Ile Val Met Thr Gl n Ser Pro Ala Thr Leu Ser Val Ser Pro Gl y
1 5 10 15

Gl u Arg Ala Thr Leu Ser Cys Arg Ala Ser Gl n Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gl n Gl n Lys Pro Gl y Gl n Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gl y Ala Ser Thr Arg Ala Thr Gl y Ile Pro Ala Arg Phe Ser Gl y
50 55 60

Ser Gl y Ser Gl y Thr Gl u Phe Thr Leu Thr Ile Ser Ser Leu Gl n Ser
65 70 75 80

Gl u Asp Phe Ala Val Tyr Tyr Cys Gl n Gl n Tyr Asn Asn Trp Pro Leu
85 90 95

Thr Phe Gl y Gl y Gl y Thr Lys Val Gl u Ile Lys
100 105

<210> 237

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 237

Gl n Val Gl n Leu Val Gl u Ser Gl y Gl y Gl y Val Val Gl n Pro Gl y Arg
1 5 10 15

P4982R1W0_PCTSequenceList ing. TXT

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Phe Gln His Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
100 105 110

<210> 238

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 238

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Ser Ser Tyr
20 25 30

Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Thr Ala Asn Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Phe Gln His Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
100 105 110

<210> 239

<211> 107

<212> PRT

<213> Artificial Sequence

P4982R1W0_PCTSequenceListing.TXT

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 239

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gln
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gln Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gln Val Pro Ser Arg Phe Ser Gln
50 55 60

Ser Gln Ser Gln Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Tyr
85 90 95

Thr Phe Gln Gln Gln Thr Lys Leu Glu Ile Lys
100 105

<210> 240

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 240

Gln Val Gln Leu Val Gln Ser Gln Ala Glu Val Lys Lys Pro Gln Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gln Tyr Thr Phe Thr Ser Tyr
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gln Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Ala Tyr Asn Gln Asn Thr Asn Tyr Ala Gln Lys Leu
50 55 60

Gln Gln Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

P4982R1W0_PCTSequenceListi ng. TXT

Ala Arg Phe Glu His Trp Gly Glu Gly Thr Leu Val Thr Val Ser Ser
100 105 110

<210> 241

<211> 110

<212> PRT

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic polypeptide"

<400> 241

Glu Ser Val Leu Thr Glu Pro Pro Ser Ala Ser Gly Thr Pro Gly Glu
1 5 10 15

Arg Val Thr Ile Ser Cys Ser Gly Ser Ser Ser Asn Ile Gly Ser Asn
20 25 30

Thr Val Asn Trp Tyr Glu Glu Leu Pro Gly Thr Ala Pro Lys Leu Leu
35 40 45

Ile Tyr Ser Asn Asn Glu Arg Pro Ser Gly Val Pro Asp Arg Phe Ser
50 55 60

Gly Ser Lys Ser Gly Thr Ser Ala Ser Leu Ala Ile Ser Gly Leu Glu
65 70 75 80

Ser Glu Asp Glu Ala Asp Tyr Tyr Cys Ala Ala Trp Asp Asp Ser Leu
85 90 95

Asn Gly Tyr Val Phe Gly Thr Gly Thr Lys Val Thr Val Leu
100 105 110

<210> 242

<211> 112

<212> PRT

<213> Artifi cial Sequence

<220>

<221> source

<223> /note="Description of Artifi cial Sequence: Synthetic polypeptide"

<400> 242

Glu Val Glu Leu Val Glu Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Gly Tyr
20 25 30

Tyr Met His Trp Val Arg Glu Ala Pro Gly Glu Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Asn Pro Asn Ser Gly Gly Thr Asn Tyr Ala Glu Lys Phe
Page 122

P4982R1W0_PCTSequenceListing.TXT

50

55

60

Gl n Gl y Arg Val Thr Met Thr Arg Asp Thr Ser Ile Ser Thr Ala Tyr
 65 70 75 80

Met Gl u Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Al a Arg Met Asp Val Trp Gl y Gl n Gl y Thr Thr Val Thr Val Ser Ser
 100 105 110

<210> 243

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 243

Asp Val Val Met Thr Gl n Ser Pro Leu Ser Leu Pro Val Thr Leu Gl y
 1 5 10 15

Gl n Pro Al a Ser Ile Ser Cys Arg Ser Ser Gl n Ser Leu Val Tyr Ser
 20 25 30

Asp Gl y Asn Thr Tyr Leu Asn Trp Phe Gl n Gl n Arg Pro Gl y Gl n Ser
 35 40 45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gl y Val Pro
 50 55 60

Asp Arg Phe Ser Gl y Ser Gl y Ser Gl y Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80

Ser Arg Val Gl u Al a Gl u Asp Val Gl y Val Tyr Tyr Cys Met Gl n Gl y
 85 90 95

Thr His Trp Pro Leu Thr Phe Gl y Gl y Gl y Thr Lys Val Gl u Ile Lys
 100 105 110

<210> 244

<211> 113

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 244

Gl n Leu Gl n Leu Gl n Gl u Ser Gl y Pro Gl y Leu Val Lys Pro Ser Gl u
 1 5 10 15

P4982R1W0_PCTSequenceListing.TXT

Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser Ser
20 25 30

Ser Tyr Tyr Trp Gly Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu
35 40 45

Trp Ile Gly Ser Ile Tyr Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser
50 55 60

Leu Lys Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe
65 70 75 80

Ser Leu Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr
85 90 95

Cys Ala Arg Phe Asp Leu Trp Gly Arg Gly Thr Leu Val Thr Val Ser
100 105 110

Ser

<210> 245

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<221> source

<223> /note="Description of Artificial Sequence: Synthetic polypeptide"

<400> 245

Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
100 105 110