

(51) International Patent Classification:

B65D 77/24 (2006.01) **A23G 9/50** (2006.01)
B65D 85/78 (2006.01)

(21) International Application Number:

PCT/TR2016/050497

(22) International Filing Date:

14 December 2016 (14.12.2016)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

16168329.7 04 May 2016 (04.05.2016) EP

(72) Inventor; and

(71) Applicant: **OZBEK, Yildirim** [TR/TR]; Petrolis Mah. Raman Sk. No:3/15 Kartal, Istanbul (TR).

(74) Agent: **INVOKAT INTELLECTUAL PROPERTY SERVICES**; Agaoglu My Office 212 D:241 Kat: 14 Basın Ekspres Cd. Tasocagi Yolu Bagcilar, 34218 Istanbul (TR).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KH, KN, KP, KR,

KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: CONE COMPRISING A CASING FOR A TOY




Figure 2

(57) Abstract: The present invention relates to a cone (1) provided with an additional casing volume for storing a surprise toy. Said cone (1) for providing a surprise toy comprises an edible cone (2) and a casing volume (3) having a hollow body with sidewalls (7) expanding in vertical direction (y), and said edible cone (2) comprises also a hollow body having a wall (6) which expands from its lowermost end to its uppermost end, wherein the casing volume (3) is located on the edible cone (2) such that the sidewall of the casing volume (3) and the wall (6) of the edible cone (2) provide substantially the same inclination angle with respect to the horizontal axis (x).



CONE COMPRISING A CASING FOR A TOY

Technical Field of the Invention

5

The present invention relates generally to a cone comprising a case for a surprise toy. The invention particularly relates to a cone formed with an edible cone and a casing for a small toy wherein the casing is introduced on foodstuff of said edible cone in a way to form a relatively bigger cone body.

10

Background of the Invention

Confectionery products such as an ice cream provided with a toy as a surprise gift for the kids are well known in the prior art. Such products are mainly supplied in a container which provides a separate area for both foodstuff and the toy. These containers used for providing ice cream with a toy are especially formed as an ice cream cone holder which isolates the ice-cream cone from the hand contact of a user, while they provide a separate area in their structure for the surprise gifts. These types of containers are generally known as a supporting item in order to receive the foodstuff and the surprise gift in two separate areas in a single piece and mostly produced from a material which cannot be consumed.

20

An example for such cone holders is disclosed in the document EP 1639900 A1 wherein the cone holder comprises an open hollow body for supporting an ice-cream cone partially inserted therein. When the ice-cream cone is placed onto the cone holder, there is provided a hollow area in the lower portion of the cone holder in order to introduce a capsule for a toy therein.

25

Another example in this field is disclosed in the document GB 2190893 A wherein the container for a food substance is formed by a frusto-conical upper body intended to be used for confectionery such as ice-cream and by a cylindrical lower body integrated with the upper body. Said lower body comprises a closure at the bottom of the container and there is provided a hollow area inside the said cylindrical body in order to embed a toy therein.

30

One of the main issues related to such cone holders is that, as explained above, both types of containers are not produced from an edible material, therefore when the users consume the confectionery product and take the toy out, they generally throw away said containers. Such disposable containers cause a redundant cost for the manufacturers.

5 Additionally, it should be also noted that such containers generate an excessive increase in size for these kinds of confectionery products, which is not preferred by the traders because the products occupy an unnecessary place on the shelves of the markets. One another drawback of the conventional products is that they fail to combine an edible product such as a cone with the non-edible part (i.e. toy's receptacle) into the one single
10 integrated packaging and geometry. Apart from that, it is burdensome for the kids to reach to the surprise toy, and mostly the receptacle of the toy is placed underneath the confectionary product.

The present invention is based on the principle of offering a case for a surprise toy on a
15 conventional cone such as an ice cream cone, without increasing size of the packaging excessively while providing an attractive and relatively bigger cone view from outside. In addition, the present invention advantageously allows air insulation by locating a partially empty receptacle on the foodstuff of the cone and said insulation prevents melting of the foodstuff at a relatively higher ambient temperature. Said foodstuff can for
20 instance be ice cream, chocolate, marshmallow, candy etc.

Brief Description of the Invention

The present invention relates to a cone (1) accommodating a surprise toy along with a
25 foodstuff (5). The cone comprises an edible cone (2) and a casing volume (3) for holding the toy's receptacle (20), and said casing volume (3) is located on top of the edible cone (2). The casing volume (3) has a sidewall (7) which expands in vertical direction (y), and said edible cone (2) comprises a hollow body having a wall (6) which expands from its lowermost end to its uppermost end. Advantageously, the sidewall (7) of the casing
30 volume (3) and the wall (6) of the edible cone (2) are arranged substantially in a linear alignment such that they have substantially the same inclination angle (α) with respect to horizontal axis (x) in order to form an integral cone (1). The cone (1) further comprises a receptacle (20) placed into the casing volume (3) for holding a toy therein, and said

receptacle (20) has a truncated cone shape with a sidewall (16) having substantially the same inclination angle (α) with the sidewall (7) of the casing volume (3), with respect to the horizontal axis (x), such that the receptacle (20) substantially occupies the casing volume (3).

5

The receptacle (20) according to the present invention may comprise a lid (15) which can be freely closable to a mouth (18) portion thereof, or fixed to at least one portion of the mouth (18) of the receptacle (20) with a connecting element (12).

10 The foodstuff (5) on the other hand may for instance be selected from the group of ice cream, cacao cream, chocolate, marshmallow and candy.

In preferred embodiments, the cone (1) according to the present invention may further comprise a separator (4) located between the foodstuff (5) of the edible cone (2) and
15 bottom portion (17) of the receptacle (20) in order to isolate the foodstuff (5) from contact with the said receptacle (20). Said separator (4) may be in the form of a hoop having a vertically extending rim in order to form a basis for the toy's receptacle (20) and to form a closure for the foodstuff (5) contained in the edible cone (2). Preferably, said separator (4) is narrowed in vertical axis (y) from an open inlet (14) to the lower portion
20 (13) in order to be introduced into the mouth portion (9) of the edible cone (2).

The edible cone (2) may comprise a conic or a frusto-conical shape wherein the wall (6) of the edible cone (2) can be in a cylindrical or cornered form.

25 The cone (1) according this invention may further comprise a wrapping material (11) which constitutes sidewalls (7) of the casing volume (3) for wrapping up the receptacle (20). Additionally, the cone (1) may also comprise a packing cover (10) in order to close the mouth portion (8) of the cone (1), which is independently provided or is fixed to the wrapping material (11) from a portion thereof. The edible cone (2) as mentioned herein
30 can be made of any eatable material such as wafer or biscuits.

Brief Description the Figures

Figure 1 shows perspective view of the cone according to an embodiment of the present invention.

5

Figure 2 shows a cross-sectional view of the cone according to the present invention.

Figure 3 shows a representative view of the cone according to the present invention wherein the cone comprises a packaging material wrapping up the cone.

10

Figure 4 shows perspective view of the toy's receptacle with a lid, for use in the present invention.

Figure 5 shows a perspective view of the receptacle case without a lid.

15

Detailed Description of the Invention

20 The present invention generally relates to a cone (1) comprising an edible cone (2) and a casing volume (3) located on said edible cone (2) wherein said casing volume (3) is configured to have a cone shaped hollow body as a continuation of the cone (2) to receive a toy as a surprise gift for the kids.

25 The cone (1) comprising the casing volume (3) and the edible cone (2) are formed to have a conic or a frusto-conical hollow body. The term "conic" or "frusto-conical" refers to a shape in which the structure has a lowermost area differing from the uppermost area such that the structure is not a cylinder. The periphery of the conic or frusto-conical cone (1) may be in a circular form or in a cornered form.

30

As shown in Figs. 2 and 3, the casing volume (3) is of the frusto-conical shape having preferably a circular periphery which rises from mouth portion (9) of the edible cone (2) such that the sidewall (7) defining the casing volume (3) is expanding from said mouth portion (9) of the edible cone (2) to the mouth (8) of the overall cone (1) along a straight
35 line as a continuation of the edible cone (2). The casing volume (3) is integrated with the edible cone (2) such that both the sidewall (7) of the casing volume (3) and the wall (6)

of the edible cone (2) provides substantially a straight line, and therefore having substantially the same inclination angle (α) with respect to the horizontal axis (x). In addition, bottom portion (17) of the receptacle (20) may be intended to be used as a coverage on the foodstuff (5) of the edible cone (2). Therefore, the casing volume (3) as mentioned herein is designed to have a toy's receptacle (20) which has a shape of truncated cone.

As shown in Figs. 4 and 5, receptacle (20) may comprise a lid (15) for the purpose of preventing the toy (not shown) from falling wherein the lid (15) may be freely connected to the mouth (8) or may be hinged thereto with a connecting element (12) which allows opening of the lid (15). It has to be noted that the receptacle (20) is designed to fill the casing volume (3) preferably in a tight fashion such that it does not move inside the said casing volume (3). Therefore, it is designed in a geometry, i.e. truncated cone, to fill the casing volume (3) which is having substantially the same geometry with the receptacle (20). In this respect, the sidewall (16) of the receptacle (20) has substantially the same inclination angle (α) with sidewall (7) of the casing volume (3) as well as the wall (6) of the edible cone (2), with respect to the horizontal axis (x).

As can be appreciated by those skilled in the art, a cone shaped body has varying cross-sectional areas throughout the vertical axis (y), and also the receptacle (20) having the shape of truncated cone will have a bottom portion (17) having an area larger than at least some certain part of the cone (1). It is therefore clear that the receptacle (20), when placed into the casing volume (3), would not need a support in order to hold this receptacle (20) above the foodstuff (5) because either of the sidewall (7) of the casing volume (3) or the wall (6) of the edible cone (2) as such will be supporting receptacle (20) in a level above the foodstuff (5) because of the narrowing of the cross-section in vertical direction (y). Therefore, it is possible to form an air insulation area between the foodstuff (5) and bottom portion (17) of the receptacle (20) without needing a supporting surface. In another embodiment, however, a separator (4) can be provided in this area to provide a further insulation of the foodstuff (5) as explained below.

Therefore, the cone (1) may further comprise a separator (4) to form bottom area of the casing volume (3) between the mouth portion (9) of the edible cone (2) and the bottom

portion (17) of the receptacle (20) in order to isolate the foodstuff (5) from contact with the said receptacle (20), which clearly safeguards any harmful effect of the receptacle (20) on the foodstuff (5). Said separator (4) is preferably produced from paper, cardboard, polypropylene or any other material which is suitable for contacting with the foodstuff (5).

5 The separator (4) is preferably coated with a polymer film to form a laminate with the separator (4) as an additional measure for safety.

In a preferred embodiment, the separator (4) may be in a cylindrical disc form or in a cornered disc form lying on the horizontal axis (x) to cover the foodstuff (5) of the edible
10 cone (2) and isolate the foodstuff (5) from the bottom portion (17) of the receptacle (20).

As shown in Fig. 1, as a further embodiment, the separator (4) may be provided as a hoop having a vertically extending rim forming as a basis for the toy's receptacle (20). The side surface of the separator (4) isolate the foodstuff (5) of the edible cone (2) from the
15 wrapping material (11). Said side surface of the separator (4) is narrowed in the vertical axis (y) from the open inlet (14) to the lower portion (13) in order to be introduced onto the edible cone (2) such that it would cover and isolate the foodstuff (5). Said separator (4) is adapted to be removable when the cone (1) is unpacked.

20 In this embodiment, the separator (4) as a hoop serves as a closure in order to prevent air contact on the foodstuff (5) when the cone (1) is unpacked and the receptacle (20) is separated from the edible cone (2). If the consumer does not desire to eat the foodstuff (5) after removing the casing volume (3) from the cone (1) to have the toy, said closure of the separator (4) keep the foodstuff (5) covered.

25 The edible cone (2) may be produced by wafer, biscuits or any eatable filler material, therefore when the cone (1) is unpacked and the casing volume (3) is removed, the edible cone (2) can be completely eaten by the consumer.

30 The cone (1) may further comprise a packing cover (10) in order to close mouth portion (8) of the cone (1), which can be freely located on the cone (1) or can be fixed to the wrapping material (11) from a portion thereof.

Additionally, the foodstuff (5) of the edible cone (2) can be ice cream, cacao cream, chocolate, marshmallow, candy or any other confectionery food which is suitable for being offered on an edible cone (2). These foodstuff (5) may be a mixture or combination of the material mentioned above which may include a topping portion formed by addition of further foodstuff and dressing material such as dragee, pieces of hazelnut and peanut or popping candies.

The cone (1) of the present invention provides an advantage for the confectionery products, which offer a foodstuff (5) with a toy, by decreasing the size of such products while increasing the effective volume for the toy, by means of locating the casing volume (3) and toy's receptacle (20) for the surprise gift on the foodstuff (5) of the edible cone (2).

Additionally, the receptacle (20) is adapted to provide substantially the same inclination with the wall (6) of the edible cone (2) and it is located on the edible cone (2) to offer a proper packaging and providing a view of an integral cone from the outside to the customers. This arrangement is also advantageous for ensuring heat insulation of the confectionary product by virtue of the air occupying inner volume of the toy's receptacle (20). It can be appreciated by those skilled in the art that the larger area of heat transfer for a confectionary product held in a cone is actually the top portion thereof and melting starts from this portion due to the larger area exposed to ambient temperature. With the present structure of the cone (1) according to the invention, melting of the confectionary product is considerably retarded even if the product is exposed to relatively high temperatures above melting point of the foodstuff (5).

CLAIMS

- 5 **1.** A cone (1) accommodating a surprise toy along with a foodstuff (5) comprising an edible cone (2) and a casing volume (3) for holding the toy **characterized in that** said casing volume (3) is located on top of the edible cone (2) and having a sidewall (7) which expands in vertical direction (y), and said edible cone (2) comprises a hollow body having a wall (6) which expands from its lowermost end to its uppermost end, wherein;
- 10 the sidewall (7) of the casing volume (3) and the wall (6) of the edible cone (2) are arranged in substantially a linear alignment such that they have substantially the same inclination angle (α) with respect to horizontal axis (x) in order to form an integral cone (1), and
- 15 the cone (1) further comprises a receptacle (20) placed into the casing volume (3) for holding a toy therein, said receptacle (20) having a truncated cone shape with a sidewall (16) having substantially the same inclination angle (α) with the sidewall (7) of the casing volume (3), with respect to the horizontal axis (x), such that the receptacle (20) substantially occupies the casing volume (3).
- 20 **2.** A cone (1) according to claim 1 wherein the receptacle (20) comprises a lid (15) which is freely closable to a mouth (18) portion thereof or fixed to at least one portion of the mouth (18) of the receptacle (20) with a connecting element (12).
- 25 **3.** A cone (1) according to claim 1 wherein said edible cone (2) comprises a foodstuff (5) and said foodstuff (5) is selected from the group of ice cream, cacao cream, chocolate, marshmallow and candy.
- 30 **4.** A cone (1) according to claim 1 wherein said cone (1) comprises a separator (4) located between the foodstuff (5) of the edible cone (2) and bottom portion (17) of the receptacle (20) in order to isolate the foodstuff (5) from contact with the said receptacle (20).

5. A cone (1) according to claim 4 wherein said separator (4) is in the form of a hoop having a vertically extending rim in order to form a basis for the toy's receptacle (20) and to form a closure for the foodstuff (5) contained in the edible cone (2).
- 5 6. A cone (1) according to claim 5 wherein said separator (4) is narrowed in vertical axis (y) from an open inlet (14) to the lower portion (13) in order to be introduced into the mouth portion (9) of the edible cone (2).
- 10 7. A cone (1) according to claim 1 wherein said edible cone (2) comprises a conic or a frusto-conical shape wherein the wall (6) of the edible cone (2) is in a cylindrical or cornered form.
- 15 8. A cone (1) according to claim 1 wherein the cone (1) further comprises a wrapping material (11) which constitutes sidewalls (7) of the casing volume (3) for wrapping up the receptacle (20).
- 20 9. A cone (1) according to claim 1 wherein the cone (1) further comprises a packing cover (10) in order to close the mouth portion (8) of the cone (1), which is independently provided or is fixed to the wrapping material (11) from a portion thereof.
10. A cone (1) according to claim 1 wherein the edible cone (2) comprises wafer or biscuits.

25





Figure 1

**Figure 2**




Figure 3





Figure 4

**Figure 5**

INTERNATIONAL SEARCH REPORT

International application No
PCT/TR2016/050497

A. CLASSIFICATION OF SUBJECT MATTER

INV. B65D77/24 B65D85/78 A23G9/50
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

B65D A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EP0-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1 639 900 A1 (MARPE S R L [IT]) 29 March 2006 (2006-03-29) cited in the application the whole document -----	1-10
A	GB 2 190 893 A (S & A MARKETING LIMITED) 2 December 1987 (1987-12-02) cited in the application the whole document -----	1-10
A	WO 03/013265 A1 (NESTLE SA [CH]; ALMAZAN ESLAVA JOAQUIM [ES]; RUANO DEL CAMPO MIGUEL [E]) 20 February 2003 (2003-02-20) the whole document -----	1
A	GB 2 353 199 A (SHARMAN ROBERT ANTHONY [GB]) 21 February 2001 (2001-02-21) the whole document ----- -/-	1



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

22 February 2017

Date of mailing of the international search report

08/03/2017

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Leijten, René

INTERNATIONAL SEARCH REPORT

International application No

PCT/TR2016/050497

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 444 795 A (WEINSTEIN DAVID [US]) 24 April 1984 (1984-04-24) the whole document -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/TR2016/050497

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 1639900	A1	29-03-2006	AT 451021 T 15-12-2009 EP 1639900 A1 29-03-2006 ES 2338239 T3 05-05-2010
GB 2190893	A	02-12-1987	AU 7484787 A 22-12-1987 EP 0267939 A1 25-05-1988 GB 2190893 A 02-12-1987 WO 8707242 A1 03-12-1987
WO 03013265	A1	20-02-2003	EP 1414309 A1 06-05-2004 ES 1049744 U 01-01-2002 WO 03013265 A1 20-02-2003
GB 2353199	A	21-02-2001	GB 2353199 A 21-02-2001 US 2003157221 A1 21-08-2003
US 4444795	A	24-04-1984	NONE