



(22) Date de dépôt/Filing Date: 2010/10/26

(41) Mise à la disp. pub./Open to Public Insp.: 2012/04/26


(51) Cl.Int./Int.Cl. *A01K 27/00* (2006.01)

(71) Demandeur/Applicant:
ASHLEY, NANCY, CA

(72) Inventeur/Inventor:
ASHLEY, NANCY, CA

(54) Titre : LAISSE POUR CHIEN "ALPHA 1"

(54) Title: ALPHA 1 DOG LEAD



(57) Abrégé/Abstract:

The Alpha One dog lead is uniquely designed, providing the user control not offered by other leashes. This added control occurs when the owner pulls back on the leash which gently exerts tension around the dog's girth. The tension created by this action is enough to adjust the dog's behaviour during times in which the dog may otherwise act out, thereby becoming difficult to manage. To provide greater freedom, the Alpha One lead can also be used as other conventional leashes.



ABSTRACT

The Alpha One dog lead is uniquely designed, providing the user control not offered by other leashes. This added control occurs when the owner pulls back on the leash which gently exerts tension around the dog's girth. The tension created by this action is enough to adjust the dog's behaviour during times in which the dog may otherwise act out, thereby becoming difficult to manage. To provide greater freedom, the Alpha One lead can also be used as other conventional leashes.

ALPHA ONE DOG LEAD

SPECIFICATION

This invention relates to a dog lead.

While the Alpha One lead has many similarities to other standard leashes, it is also very unique in that it provides the owner control over the dogs back end by wrapping around the dogs girth from where it extends back (Diagram 1)

To accomplish this, the leash has been designed in two sections [Diagram 1 (Figures 1 - 3 and 3 - 4)] which are joined by an O-ring (Fig. 3). The lead is first fastened to the dog's collar and then extended along its back to the girth where it is loosely wrapped around the dog's stomach and pulled back through the O-ring (Diagram 3) which secures the lead in place. This unique Alpha One design allows the owner to then walk freely behind; confidently knowing he has full control of his dog.

To allow the dog greater freedom, the Alpha One can be used as a regular leash by simply omitting the loop (Diagram 2).

To accommodate for growth and small variations in size, we have made the leash adjustable by placing a buckle within the first section of the leash (Fig. 1-3).

The Alpha dog leash can be manufactured for various size dogs by adjusting the size and weight of the material from which it is constructed, 1" (1/2" small) nylon similar to standard dog leashes. The total leash length is approximately 70" (50").

David and Nancy Ashley
36 Gordon Avenue
Kitchener, Ontario
N2H 1N8

nancyashley1@hotmail.com
519 954-3909

CLAIMS

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

- The lead design which is unique in that it wraps around the dog's girth thereby gaining control of the back end by creating tension on the dogs stomach when the user pulls back on the lead. While we have accomplished this using an O-ring, we lay claim to any similar method of accomplishing the same purpose using other materials or devices.

Signature

Date

Application number / numéro de demande: 2.719.829

Figures: 3

Pages: _____

2.719.829
PRW Tab
Nov 30/10
M. Thorman

Unscannable items
received with this application
(Request original documents in File Prep. Section on the 10th floor)

Documents reçu avec cette demande ne pouvant être balayés
(Commander les documents originaux dans la section de préparation des dossiers au
10ème étage)




Diagram One




Diagram Two

