



(51) International Patent Classification:
G06F 19/16 (2011.01)

(21) International Application Number:
PCT/US2012/033699

(22) International Filing Date:
14 April 2012 (14.04.2012)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/476,102 15 April 2011 (15.04.2011) US
61/603,023 24 February 2012 (24.02.2012) US

(71) Applicants (for all designated States except US): **CORNELL UNIVERSITY** [US/US]; Cornell Center For Technology, Enterprise & Commercialization, 395 Pine Tree Road, Suite 310, Ithaca, New York 14850 (US). **THE REGENTS OF THE UNIVERSITY OF CALIFORNIA** [US/US]; 1111 Franklin Street, Oakland, California 94607-5200 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BLANCHARD, Scott, C.** [US/US]; 450 E. 63rd Street, Apt. 3I, New York, New York 10021 (US). **FELDMAN, Michael, Brian** [US/US]; 3 Daniel Way, Setauket, New York 11733 (US). **WANG, Leyi** [CN/US]; 1233 York Avenue, Sloan House Apt. 18H, New York, New York 10065 (US). **CATE, James, H., Doudna** [US/US]; 164 Vicente Road, Berkeley, California 94705 (US). **PULK, Arto** [EE/US]; 2430

Prospect Street, Apt. 207, Berkeley, California 94704 (US).

(74) Agent: **GROLZ, Edward, W.**; Scully, Scott, Murphy & Presser, 400 Garden City Plaza, Suite 300, Garden City, New York 11530 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report (Rule 48.2(g))

(54) Title: NEW RIBOSOMAL TARGETS FOR ANTIBIOTIC DRUG DISCOVERY

(57) Abstract: The present invention relates to methods to identify molecules that binds in the neomycin binding pocket of a bacterial ribosome using structures of an intact bacterial ribosome that reveal how the ribosome binds tRNA in two functionally distinct states, determined by x-ray crystallography. One state positions tRNA in the peptidyl-tRNA binding site. The second, a fully rotated state, is stabilized by ribosome recycling factor (RRF) and binds tRNA in a highly bent conformation in a hybrid peptidyl/exit (P/E) site. Additionally, the invention relates to various assays, including single-molecule assay for ribosome recycling, and methods to identify compounds that interfere with ribosomal function by detecting newly identified intermediate FRET states using known and novel FRET pairs on the ribosome. The invention also provides vectors and compositions with an N-terminally tagged S13 protein



New ribosomal targets for antibiotic drug discovery

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority from U.S. Provisional Application No. 61/476,102, filed April 15, 2011, and U.S. Provisional Application No. 61/603,023, filed February 24, 2012 which are herein incorporated by reference in their entirety.

GOVERNMENT FUNDING

[0002] This invention was made with Government support under Grant Number 2R01GM079238, 1R01GM65050 awarded by National Institute of Health; National Cancer Institute grant CA92584; U.S. Department of Energy DE-AC0376SF00098; National Institutes of Health Medical Scientist Training Program grant GM07739; National Institute of Health NRSA fellowship 1F31DC012026-01. The United States Government has certain rights in the invention.

FIELD OF THE INVENTION

[0003] During protein synthesis, the ribosome controls the movement of transfer RNA (tRNA) and messenger RNA (mRNA) by means of large-scale structural rearrangements. The present invention describes structures of the intact bacterial ribosome from *Escherichia coli* that reveal how the ribosome binds tRNA in two functionally distinct states, determined by x-ray crystallography. One state positions tRNA in the peptidyl-tRNA binding site. The second, a fully rotated state, is stabilized by ribosome recycling factor (RRF) and binds tRNA in a highly bent conformation in a hybrid peptidyl/exit (P/E) site. The structures help to explain how the ratchet-like motion of the two ribosomal subunits contributes to the mechanisms of translocation, termination, and ribosome recycling

BACKGROUND OF THE INVENTION

[0004] Protein biosynthesis by the ribosome proceeds in defined phases of initiation, protein elongation, termination, and ribosome recycling (Schmeing 2009a). Understanding the molecular mechanism of translation requires high-resolution descriptions of the motions

in the ribosome that enable key translational events (Munro 2009; Schmeing 2009a; Dunkle 2010). A ratchet-like rotation of the small ribosomal subunit relative to the large ribosomal subunit (Frank 2000) is crucial to the positioning of tRNAs in intermediate – or hybrid – binding sites, in which the 3'-CCA termini and acceptor stems of tRNA advance by one site on the large subunit while the anticodon elements of tRNA remain fixed on the small subunit (Moazed 1989). Binding of tRNAs in hybrid sites is central to mRNA and tRNA movements on the ribosome when they are translocated after each peptide bond is formed, during termination, and during ribosome recycling (Semenkov 2000; Zavialov 2003). However, the molecular basis for ribosome positioning of tRNAs in hybrid sites has been unclear.

[0005] Atomic resolution x-ray crystal structures of the bacterial ribosome with ligands bound have revealed molecular details of conformational rearrangements taking place in the unratcheted ribosome (Schmeing 2009a). The first molecular descriptions of intermediate states of ribosome ratchet-like rotation at atomic resolution were provided by x-ray crystal structures of the *Escherichia coli* 70S ribosome (Zhang 2009), with additional sub-steps proposed based on cryo-EM reconstructions (Fischer 2010). A post-translocation rotated state of the ribosome was recently identified by cryo-EM (Ratje 2010), in a conformation similar to that of the *Saccharomyces cerevisiae* 80S ribosome in the absence of bound substrates (Ben-Shem 2010).

[0006] After the termination of protein synthesis, ribosome recycling is required to free ribosomes from the mRNA transcript to enable further rounds of translation. In bacteria and organelles, ribosome recycling factor (RRF) binds in the tRNA binding cleft of the 70S ribosome at the interface of the large (50S) and small (30S) subunits and interacts with the 50S subunit peptidyl transferase center (PTC) (Lancaster 2002; Agrawal. 2004). In so doing, RRF sterically occludes deacylated tRNA binding in the peptidyl-tRNA site (P site, P/P configuration) to favor tRNA positioning in the hybrid peptidyl/exit tRNA binding site (P/E configuration) (Fig. 1A) (Gao 2005; Sternberg 2009). In the P/E configuration, tRNA is bound simultaneously to the P site of the small (30S) subunit and to the E site of the large (50S) subunit (Moazed 1989). Binding of the GTPase elongation factor-G (EF-G) to the RRF-ribosome complex and subsequent GTP hydrolysis lead to the dissociation of ribosomal subunits (Savelsbergh 2009).

[0007] Using single-molecule fluorescence resonance energy transfer (smFRET) techniques to interrogate the conformational states of the ribosome, conditions were found that favored positioning the tRNA in the hybrid P/E configuration for longer periods and allowed crystallization of the ribosome with tRNA bound in the P/E hybrid site. From these crystals, the structure of the intact *E. coli* 70S ribosome at a resolution of ~ 3.2 Å was determined and showed that the crystals contain two independent copies of the ribosome per asymmetric unit in a “top-top” polysome configuration (Brandt 2009), with one ribosome in an unrotated state with the classic positioning of the tRNA at the P/P site and, as heretofore never crytalographically observed at this resolution, with the second ribosome in a fully-rotated state and having the tRNA bound in the hybrid P/E configuration, revealing new targets on the ribosome for drug discovery.

[0008] Many antibiotic agents in clinical use target bacterial protein synthesis. The majority of these chemically diverse compounds inhibit translation by targeting functional centers in the ribosome (Blanchard 2010). Despite the enormous size and complexity of the 2.5 Megadalton ribosome particle, only a few target sites have been identified: near the Peptidyl- (P) tRNA binding and messenger RNA (mRNA) decoding sites of the small ribosomal subunit, and near the peptidyl transferase and GTPase centers of the large ribosomal subunit (Poehlsgaard 2005; Tenson 2006). The ability to identify new target sites within this dynamic macromolecular machine depends on sensitive methods for their identification and validation (Llano-Sotelo 2009; David-Eden, 2010).

[0009] Aminoglycoside antibiotics in the 2-deoxystreptamine family are broad spectrum bacteriocidal agents used to treat gram-negative bacterial infections. *In vivo*, these compounds are thought to act by altering the mechanism of aminoacyl-tRNA (aa-tRNA) selection during mRNA decoding on the ribosome (Fourmy 1996; Rodnina 2000; Schmeing 2009a). Aminoglycosides do so by inducing local rearrangements in ribosomal RNA (rRNA) within the highly conserved helix 44 (h44) decoding site of the small (30S) subunit that allow near- and non-cognate tRNAs to be inappropriately recognized and incorporated into the Aminoacyl- (A) tRNA binding site. Increased levels of aa-tRNA mis-incorporation eventually exceed the cell's capacity to cope with the reductions in translational fidelity, ultimately leading to cell death (Zaher 2009). However, *in vitro*, these aminoglycosides inhibit a range of steps in the translation mechanism. This includes mRNA and tRNA

translocation, the directional movement of substrates with respect to both subunits of the intact (70S) ribosome (Gale 1981; Feldman 2010), and ribosome recycling, the process of subunit separation following the termination phase of protein synthesis (Hirokawa 2002). The physical origins of these aminoglycoside-induced effects are not known.

[00010] Early biochemical studies demonstrated that aminoglycosides can bind to regions of the ribosome outside the canonical decoding region (Davies 1968; Dahlberg 1978). Recently, the aminoglycoside neomycin was shown crystallographically, on classic ribosomal structures, to bind to the bacterial ribosome within Helix 69 (H69) of 23S ribosomal RNA (rRNA) in the large (50S) subunit (Borovinskaya 2007). While binding at this site was proposed to be responsible for inhibition of ribosome recycling and possibly translocation, the structural refinement at the time was insufficient to identify the points of contact and interaction (Feldman 2010; Borovinskaya 2007). Notably, neomycin concentrations higher than 100 nM inhibit translocation as potently as the most effective translocation inhibitor known, viomycin (Feldman 2010). Ribosome complexes bearing the well-established A1408G neomycin-resistance mutation in the small subunit ribosomal RNA (rRNA) which disrupts neomycin binding to the h44 decoding site (Recht 1999) exhibit a similar translocation inhibition profile at the higher (micromolar) neomycin concentrations, suggesting that strong inhibitory effects arise from the binding of neomycin outside of the canonical h44 decoding region (Feldman 2010).

[00011] Using the crystals reported herein with a combination of smFRET and further detailed x-ray crystallographic methods, the molecular basis of neomycin-induced inhibition of translation processes specific to its interactions with H69 of the large subunit have been determined and reveal the complete structural extent of a neomycin-binding pocket on the ribosome when neomycin stabilizes an inactive configuration of the ribosome. This site is termed the H69 neomycin-binding site or pocket and provides a powerful starting point for rational drug design.

SUMMARY OF THE INVENTION

[00012] The present invention is directed to methods of identifying candidate molecules, and in some embodiments candidate antibiotics, that bind in the H69 neomycin-binding pocket of a bacterial ribosome. These methods can be accomplished by providing a

molecular model comprising the neomycin-binding pocket prepared from the atomic coordinates for an *E. coli* ribosome and from the neomycin binding pocket having the the atomic coordinates in any one of Tables 6 to 9, or from atomic coordinates that may be derived from those of the ribosome or the tables using molecular modeling. Chemical structures are then docked to or fit to the molecular model to identify a candidate molecule that can bind to the neomycin binding pocket.

[00013] In one embodiment, the method comprises (a) providing a molecular model comprising of the neomycin binding pocket prepared from the atomic coordinates for an *E. coli* ribosome in a fully-rotated or intermediately-rotated state along with the neomycin binding pocket atomic coordinates in Table 6 or 8, respectively, (or atomic coordinates derived by molecular modeling any of those coordinates) and (b) docking or fitting chemical structures to the molecular model to identify a candidate molecule that can bind to the neomycin binding pocket.

[00014] In further embodiments, once a candidate molecule is identified, it can be produced for testing identified and determining whether it is capable of modulating ribosomal activity. All of the foregoing can be iteratively repeated to identify and produce a modified candidate molecule having higher binding specificity, higher binding affinity or higher potency relative to the candidate molecule.

[00015] In the above modeling candidate molecule can have a chemical structure suitable for binding/docking to the region defined by the residues from about 1905 to about 1931 in helix 69 (H69) in 23S ribosomal RNA, and in addition or in alternative to, can have a chemical structure suitable for binding/docking to a region defined by residues from about 1402 to about 1412 and residues from about 1488 to about 1500 in helix 44 (h44) in 16S ribosomal RNA.

[00016] Another aspect of the invention provides a crystal of a fully rotated or an intermediately-rotated ribosome having the three-dimensional structures (atomic coordinates) of the ribosomal crystals described in Examples 3 and 4.

[00017] Still another aspect of the invention relates to a single-molecule assay for ribosome recycling which comprises surface-immobilizing a ribosome labeled on the 50S subunit in the presence of tRNA, RRF and EF-G under translation conditions; and monitoring changes in the signal from the label, wherein a change in the signal indicates

recycling or lack thereof. For example, this assay can be conducted in solution or using smFRET like imaging techniques (following fluorescence decay), with the label on the ribosome being a fluorophore. Further, if a test compound is added, then the presence of a signal indicates that recycling has been altered.

[00018] Further still, the invention is directed to an expression vector comprising a nucleic acid encoding ribosomal protein S13 having an N-terminal tag for attachment of a fluorophore. In some embodiments, the N-terminal tag is an SFP tag or an AcpS tag.

[00019] The invention also provides compositions comprising isolated N-terminal tagged S13. In some embodiments, the tagged S13 has a fluorophore linked via the tag to produce labeled S13 which in certain embodiments, is useful to assess ribosome structural states, for example, when incorporated into translationally competent ribosomes, especially when used as a FRET pair in conjunction with fluorophore-labeled L1. Any of these compositions can additionally include the components for *in vitro* translation.

[00020] Yet another aspect of the instant invention relates to methods to identify a compound that interferes with ribosomal function by assessing test compounds which cause the ribosome to alter, form adopt, change rate of formation into or out of, or otherwise be in, an intermediate FRET state. This method comprises (a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between low FRET and high FRET states under translation competent conditions; (b) adding a test compound to the immobilized ribosome; and (c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of (i) stabilizing the ribosome in an intermediate FRET state, (ii) changing the ribosome's distribution into or out of an intermediate FRET state, or (iii) changing the ribosome's rate of transition into or out of an intermediate FRET state. This method can be conducted with a FRET pair formed by a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13.

[00021] Yet still a further method of the invention provides methods to identify a compound that interferes with ribosomal function using a FRET pair which has a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13. This method comprises (a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between a low FRET state and a high FRET state under translation competent conditions, wherein the FRET pair is formed with a fluorophore on ribosomal protein L1

and a fluorophore on ribosomal protein S13; (b) adding a test compound to the immobilized ribosome; and (c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of (i) stabilizing the ribosome in a low FRET state, an intermediate FRET state or in a high FRET state, (ii) changing the ribosome's distribution among low, intermediate and high FRET states, (iii) changing the ribosome's rate of transition among low, intermediate and high FRET states, or (iv) abolishing FRET signals.

[00022] For either of the two foregoing methods, in certain embodiments, the L1 fluorophore is at (T202C) L1 and the fluorophore on S13 is at or near the amino terminus of S13. FRET pairs that are a donor-acceptor fluorophore pair or a donor-quencher fluorophore pair are useful.

[00023] Similarly, the two foregoing methods can be used in certain embodiments to identify candidate antibiotics. For example, a test compound is considered a candidate antibiotic when the test compound (i) stabilizes the ribosome in an intermediate FRET state or in a high FRET state, (ii) increases the ribosome's distribution in intermediate or high FRET states, (iii) increases the ribosome's rate of transition into intermediate or high FRET states, or abolishes FRET. Such candidate antibiotics can be tested to establish whether they inhibit function of a bacterial ribosome of pathological interest. The intermediate FRET state includes ribosomes having a structure assumed when the tRNA is present at the P/pe tRNA binding state (see Example 4).

BRIEF DESCRIPTION OF THE DRAWINGS

[00024] Fig. 1A and Fig. 1B illustrate ribosome recycling in bacteria and organelles. Panel A is a schematic drawing showing the steps of ribosome recycling. After termination, ribosomes with deacylated tRNA in the P site undergo a structural rearrangement to a fully rotated state in which tRNA adopts a P/E hybrid state of binding and RRF is bound in the 50S P site. EF-G then catalyzes subunit dissociation (not shown). Panel B shows a global view of the ribosome in an unrotated, post-termination state (left) and in a fully rotated, intermediate state of recycling (right). The small subunit rRNA and proteins at the bottom of the complex are colored lighter and darker, respectively, with the large subunit rRNA and proteins at the top of the complex colored lighter and darker, respectively. Bound tRNA

(dark form in center of image A), mRNA (dark grey at top of complexes shown in D), and RRF are also shown.

[00025] Fig. 1C illustrates the dependence of subunit release on RRF, EF-G and GTP under crystallographic buffer conditions. Release was monitored by the loss of Cy5-labeled L1 fluorescence in 50S subunits from surface-immobilized ribosome complexes carrying Cy3-labeled tRNA^{Phe} in the P site. Complexes imaged in the absence of factors (diamonds) or in the presence of 10 μ M RRF (circles); 20 μ M EF-G and 2 mM GTP (inverted triangles); 10 μ M RRF, 20 μ M EF-G and 2mM GDPNP (triangles); or 10 μ M RRF, 20 μ M EF-G and 2mM GTP (squares). Data reflect the mean $\pm$ SD of normalized Cy5 fluorescence intensity as a function of time from three experimental replicates.

[00026] Fig. 1D shows the conformational changes in the 70S ribosome during ratcheting with a view of the 30S subunit from the perspective of the 50S subunit (inset). Shifts between equivalent RNA phosphorus atoms and protein C α atoms in the unrotated (R0) and fully rotated (RF) states are color coded as indicated by the scale. Ribosomes were superimposed using the 50S subunit as the frame of reference (Frank, Gao et al. 2007). Difference vectors between equivalent phosphorus or C α atoms of the 30S subunits in the unrotated and fully rotated ribosome structures are shown on the right.

[00027] Fig. 2 depicts models of the conformation of tRNA in the P/E hybrid state. (A) Movement of P/E tRNA and mRNA towards the E site when compared to P/P tRNA and mRNA. The direction of view is shown to the right. (B) View of mRNA and P/E tRNA interactions with the 30S subunit P site and 50S subunit E site. Residues that contact mRNA (darker) and P/E tRNA (darkest) are shown. Colors for the ribosome, mRNA and tRNA as in Fig. 1. (C) View of the P/E tRNA ASL/D stem junction (darkest grey). P/P tRNA (lighter grey) is shown for comparison, with an arrow indicating the widening of the helix major groove. (D) Comparison of ASL/D stem junctions between P/E tRNA (darkest grey at bottom left), P/P tRNA (light grey in center), and A/T tRNA (darker grey toward upper right part of complex). A/T tRNA structure is a homology model adapted from Voorhees 2010. The bending angle for the A/T to P/E conformational change (70°) is shown.

[00028] Fig. 3 shows stereo views of electron density maps for P/P tRNA and P/E tRNA. (A) Electron density map for the anticodon stem-loop region of P/E tRNA. Shown is a $(2F_{\text{obs}} - F_{\text{calc}})$ electron density map, calculated using sharpened amplitudes and Pirate

density-modified structure factor phases and contoured at 0.7 standard deviations from the mean. (B) Electron density map for P/P tRNA. Shown is a $(2F_{\text{obs}} - F_{\text{calc}})$ electron density map, calculated in Phenix and contoured at 1.1 standard deviations from the mean. The region shown is the junction between the anticodon stem, variable loop, and D stem. (C) Electron density map for P/E tRNA, as in B. In B and C, the base triple between G10, C25, and G44 in tRNA^{Phe} in these structures is marked.

[00029] Fig. 4 illustrates the interactions of the 3'-CCA end of P/E tRNA with the 50S subunit E site. Elements of 23S rRNA (lighter grey), tRNA (darkest grey) and ribosomal proteins (medium grey) are shown. *E. coli* numbering is used for nucleotides and amino acids for the left and middle panels. Numbering for *H. marismortui* is used in the right panel. The positions of proteins L35, L28, and L44e are marked.

[00030] Fig. 5 is an expanded view of Fig. 4 showing the interactions of the 3'-CCA end of P/E tRNA with the 50S subunit E site in *E. coli*.

[00031] Fig. 6 depicts the inter-subunit contacts in the fully rotated state. (A) Global view of inter-subunit contacts of the fully rotated state. Ribosomal RNAs and proteins are colored as in Figure 1. Bridge numbering is adapted from (Schuwirth2005; Ben-Shem 2010). The tip of helix H38 in bridge B1a is disordered in the present structures. (B) Bridge B3 serves as the pivot of inter-subunit rotation. The Mg²⁺ ion involved in inner-sphere coordination to the tandem sheared GA pairs in 16S rRNA and a fully hydrated Mg²⁺ ion in 23S rRNA are also shown. Ribosomal RNA colored as in Fig. 1. (C) Compression of helix H69 in 23S rRNA due to inter-subunit rotation. The direction of view is similar to Fig. 1. Color coding of the fully rotated ribosome (R) as in Fig. 1, with unrotated ribosome (U) in darkest grey. Nucleotide A1928 in 23S rRNA, nearly invariant in position, is shown for reference. Dashed circle shows the novel neomycin binding pocket. (D) Movement of H68 due to disruption of A702 interactions and packing with P/E tRNA. Nucleotides involved in H68 packing with P/E tRNA are indicated. Elements of the fully rotated ribosome are colored as in Fig. 1. Elements of the unrotated ribosome are shown in darkest grey. Arrows indicate movement from the unrotated to fully rotated state. (E) Bridge B4 in the fully rotated state compared to that in state R0 (darkest grey). Residues involved in direct contact in the fully rotated state are shown. Coloring for the fully rotated state as in Fig. 1.

[00032] Fig. 7 identifies the bridges between the two ribosomal subunits in the unrotated state. The small subunit rRNA and proteins are colored lighter and darker, respectively, with the large subunit rRNA and proteins colored lighter and darker, respectively. The tip of helix H38 in bridge B1a is disordered in the present structures.

[00033] Fig. 8 illustrates the extrusion of C1925 and U1926 due to helix H69 compression. The $(2F_{\text{Obs}} - F_{\text{Calc}})$ electron density map contoured at 1.3 standard deviations from the mean is also shown.

[00034] Fig. 9 shows the RRF interactions with the ribosome in the fully rotated state. (A) Contacts between RRF domain I and the P and A sites of the 50S subunit. Amino acids in RRF (grey helix across top of figure) and nucleotides in 23S rRNA (grey) in direct contact are shown. Helix H69 and the 30S subunit are behind the view shown. (B) Contacts between RRF and protein S12 in the 30S subunit. Amino acids at the junction of RRF domains I and II that interact closely with S12 are indicated. RRF, S12 and rRNAs colored as in Fig. 1.

[00035] Fig. 10 depicts the superposition of a fully rotated ribosome in a pre-translocation complex mimic (Ratje 2010) with the recycling intermediate structure. Domains IV and V of EF-G (darkest grey) and domain II of RRF (lightest grey) significantly overlap, with some overlap of domain III in EF-G and hinge region of RRF. H69 in the recycling complex is also shown for reference. Superposition used the 50S subunit as a frame of reference (Frank 2007).

[00036] Fig. 11 illustrates that neomycin inhibits ribosome functions *in vitro*. (A) EF-Tu(GTP)-catalyzed accommodation of Phe-tRNA^{Phe} at the A site of wild-type ribosomes programmed with cognate (UUC) and near-cognate (UCU) codons was monitored via FRET. The incorporation of cognate (Cog) tRNA (closed circles) and near-cognate (NC) tRNA (open circles) in the absence of antibiotics is shown. The incorporation of cognate tRNA (grey triangles) and of near-cognate tRNA (open triangles) in the presence of 100 nM neomycin, and the incorporation of cognate and near cognate tRNAs (grey closed diamond and open diamond, respectively) in the presence of 20 μM neomycin are also shown. (B) EF-G catalyzed translocation, monitored by smFRET, was normalized to the no drug case. The fractions of translocated molecules observed at neomycin concentrations of 0 μM (red squares), 0.01 μM (open triangles), 0.1 μM (inverted grey triangles), 1 μM (dark grey

squares), 10 μ M (diamonds) and 100 μ M (open squares) are shown. (C) Recycling of wild-type 70S ribosome complexes was monitored by the disappearance of Cy5-labeled L1 fluorescence in 50S subunits from surface-immobilized wild-type ribosome complexes. Ribosome recycling at neomycin concentrations of 0 μ M (squares), 0.1 μ M (inverted grey triangles), 1 μ M (dark grey squares), 10 μ M (blue diamonds) and 100 μ M (open squares) are shown. Under identical conditions, photobleaching was negligible (black circles).

[00037] Fig 12 illustrates that neomycin inhibits ribosomal functions in A1408G mutant ribosomes. (A) The process of EF-Tu(GTP)-catalyzed accommodation of Phe-tRNA^{Phe} aa-tRNA at the A site of A1408G mutant ribosomes programmed with cognate (UUC) and near-cognate (UCU) codons were monitored via smFRET. In the absence of antibiotic, the incorporation of cognate (Cog) tRNA into A1408G ribosomes (closed circles) was similar to that of the wild-type system (Fig. 11). The incorporation of near-cognate (NC) tRNA (open circles) was minimal, similar to the wild-type system (Fig. 11). In the presence of 100 nM neomycin, the incorporation of cognate (dark grey triangles) was similar to that of the wild-type system while the incorporation of near-cognate (grey open triangles) tRNAs was reduced. At a neomycin concentration of 20 μ M, the incorporation of cognate (grey closed diamond) and near-cognate (open black diamond) tRNAs were both reduced. (B) Neomycin inhibits EF-G catalyzed translocation in a concentration dependent manner in the A1408G mutant background. The fraction of molecules that translocated under each neomycin concentration was normalized to the no drug case. Neomycin concentrations of 0 μ M (red squares, at top), 0.01 μ M (open black triangles), 0.1 μ M (inverted grey triangles), 1 μ M (dark grey squares), 10 μ M (blue squares, in middle) and 100 μ M (black open squares) were tested. (C) Neomycin inhibits the process of ribosome recycling catalyzed by RRF, EF-G and GTP in a concentration-dependent manner in the A1408G mutant background. Neomycin concentrations of 0 μ M (red squares, at bottom), 0.1 μ M (inverted grey triangles), 1 μ M (dark grey squares), 10 μ M (blue squares, in lower middle) and 100 μ M (black open squares) were tested. Under identical conditions, photobleaching was minimal (black circles).

[00038] Fig. 13 illustrates that neomycin stabilizes an intermediate conformation of the ribosome. (A) Cartoon depicting the low FRET and High FRET states of the ribosome. (B, C) Single-molecule FRET trajectories, as shown in Fig. 14, were summed into population

FRET histograms to reveal the population behaviors of Cy3-labeled S13 (N-terminus) and Cy5-labeled L1 (T202C) ribosome complexes bearing (B) deacylated tRNA^{fMet} or (C) deacylated tRNA^{Phe} in the P site.

[00039] Fig. 14 illustrates the dynamics between S13 and L1 in the absence of neomycin. (A) A representative smFRET trajectory from a ribosome complex labeled with Cy3-S13 and Cy5-L1 imaged at 40 ms time resolution in the absence of drug. FRET efficiency ($\text{FRET} = I_{\text{Cy5}} / [I_{\text{Cy3}} + I_{\text{Cy5}}]$) is shown in blue. The inset reveals short-lived dwells in multiple FRET states. (B) A population FRET histogram, composed of >1500 smFRET trajectories, reveals the existence of multiple, FRET states. The representative smFRET trajectory shown in the inset of Fig. 14A is idealized using the segmental k-means algorithm in QuB (Qin 1996) to (C) 2- and (E) 3-state models. Transition density plots (Munro 2007), obtained by the idealization of individual smFRET trajectories to the (D) 2- and (F) 3- state model, suggest the existence of at least one short-lived intermediate-FRET state. Population FRET histograms fit using Gaussian distributions to the sum (black) of (D) two or (F) three non-zero FRET states (red).

[00040] Fig. 15 shows that ribosome release factor (RF)-1 stabilizes the post-termination ribosome complex bearing deacylated tRNA^{Phe} in the P site in a high-FRET, unrotated state. Top panel, cartoon depicting binding sites. Bottom panel, population FRET histograms, generated as described in Fig. 14, reveal the population behavior in the absence (left) and presence (right) of 10 μM RF-1.

[00041] Fig. 16 shows that kanamycin stabilizes ribosome complexes bearing deacylated tRNA^{fMet} in the P site in a low-FRET, unrotated state. Top panel, cartoon depicting binding sites and kanamycin structure. Bottom panel, population FRET histograms, generated as described in Fig. 14, reveal the kanamycin concentration dependence of low-FRET, unrotated, state stabilization.

[00042] Fig. 17 shows that ribosome recycling factor (RRF) stabilizes ribosome complexes bearing deacylated tRNA^{fMet} in the P site in a high-FRET rotated state. Top panel, cartoon depicting binding sites. Bottom panel, population FRET histograms, generated as described in Fig. 14, reveal the RRF concentration dependence of high-FRET, rotated, state stabilization.

[00043] Fig. 18 shows that elongation factor (EF)-G stabilizes ribosome complexes bearing deacylated tRNA^{fMet} in the P site in a high-FRET, rotated state. Top panel, cartoon depicting binding sites. Bottom panel, population FRET histograms, generated as described in Fig. 14, reveal the EF-G concentration dependence of high-FRET, rotated, state stabilization.

[00044] Fig. 19 shows that viomycin stabilizes ribosome complexes bearing deacylated tRNA^{fMet} in the P site in a rotated state. Top panel, cartoon depicting binding sites and viomycin structure. Bottom panel, population FRET histograms, generated as described in Fig. 14, reveal the viomycin concentration dependence of high-FRET, rotated, state stabilization.

[00045] Fig. 20 provides a $2F_{\text{obs}} - F_{\text{calc}}$ electron density difference map of neomycin bound in the h44 decoding site of the intermediate-rotated ribosome, contoured at 1.7 standard deviations from the mean. Colors for 16S rRNA and neomycin are as in Fig. 23A. The 16S rRNA residues A1492 and A1493 are extruded from h44 as previously reported (Borovinskaya 2007).

[00046] Fig. 21 shows that the neomycin contacts within H69 of 23S rRNA and its bridging interactions with h45 of 16S rRNA induce global rearrangements in the 70S ribosome. (A) Electron density map for neomycin within the H69 binding site. The 23S rRNA helix H69 (grey), 16S rRNA helix h45 (blue) and neomycin (light blue) are shown, along with a $(2F_{\text{obs}} - F_{\text{calc}})$ electron density map, calculated in Phenix and contoured at 1.4 standard deviations from the mean. (B) Neomycin interactions with the H69 binding site showing points of contacts with the major groove and bridging interactions with the backbone of rRNA helix h45 of the small subunit. Neomycin and rRNA contacts $< 3.5 \text{ \AA}$ are shown as dashed lines. Ring II of neomycin packs against the major groove face of residues G1921, G1922 and U1923, while rings I, III and IV largely participate in backbone contacts. (C) Effects of neomycin binding to H69 on inter-subunit rotation in the ribosome. (Inset) View of the 30S subunit from the perspective of the 50S subunit. Difference vector shifts between equivalent RNA phosphorus atoms and protein C α atoms in the unrotated (R_0) vs. fully rotated (R_F) states on the left; unrotated (R_0) vs. intermediate-rotated (R_I) state with neomycin bound to H69 in the middle; fully rotated (R_F) state vs. intermediate-rotated (R_I) state with neomycin bound to H69 on the right. Vectors are color coded as indicated by

the scale. Ribosomes were superimposed using the 50S subunit as the frame of reference as described in the Example 4.

[00047] Fig. 22 depicts structural models of ribosome complexes with fluorescence components in (A) the unrotated, (B) partially rotated and (C) fully rotated configurations. The unrotated and fully rotated models were constructed using coordinates from Example 3. The partially rotated model was obtained by superimposing the neomycin-bound, partially rotated structure reported here onto the fully rotated structure (Example 3) using PyMOL (see Examples). The various components are marked and in a color version of this figure, the L1 stalk (L1 protein and 23S rRNA helices 76-78) is shown in pink. Ribosomal protein S13 of the small subunit is shown in cyan. Classically configured (P/P) P-site tRNA is shown in red; P/pe tRNA in green and P/E tRNA in blue. RRF is shown in orange. Approximate positions of Cy3 and Cy5 are shown as green and red circles, respectively; and distances between them in each model were estimated using PyMOL.

[00048] Fig. 23 shows the position of tRNA^{Phe} in the intermediate-rotated and neomycin-bound ribosome. (A) $F_{\text{obs}} - F_{\text{calc}}$ difference electron density map for P/pe tRNA in the neomycin-bound, intermediate-rotated ribosome configuration with its position relative to rRNA elements h24, h29, h30, h31 and h44 of the small subunit and rRNA elements H69 and H88 (grey) of the large subunit and neomycin bound to H69. Shown is a $(F_{\text{obs}} - F_{\text{calc}})$ electron density map, calculated in Phenix and contoured at 2.5 standard deviations from the mean. (B) The position of P-site tRNA observed (P/pe in pale grey) is intermediate between classical (P/P, right) and hybrid (P/E, left) configurations showing the relative angle of T stem displacement towards the large subunit E site and the extent of anticodon movement towards the small subunit E site. The D stem corresponds to the dihydrouridine loop (residues 14-21) of P-site tRNA; ASL refers to its anticodon stem loop; the 3' CCA end is denoted with an asterisk. The tRNA anticodon stem loops move 2 and 4 Ångstroms from P/P to P/pe, and P/pe to P/E, respectively. (C) Superposition of unrotated R_0 (classical, P/P tRNA), fully rotated R_F (P/E tRNA) and intermediate R_I (P/pe tRNA) ribosome configurations showing the change in major groove width of H69 of the large subunit rRNA, the relative positions of H69 and h45 of the small subunit rRNA, as well as the observed position of neomycin (Neo) in the R_I structure. The helix conformation of H69 in the unrotated state is essentially unchanged by neomycin binding. (D) In the intermediate-

rotated configuration, helix h24 near position A790 in the small ribosomal subunit sterically blocks the transition of P-site tRNA (near position U39) into the P/E hybrid configuration. The P/E tRNA (dark grey), and P/pe tRNA (light grey) anticodon stem loop region, and 16S rRNA helix 24 of fully rotated (R_F , dark) or intermediate-rotated (R_I , light) conformations are shown. Directional arrows indicate movements of tRNA or h24, and the extent of the movement is shown in Ångstroms.

[00049] Fig. 24 shows a view of mRNA and P/pe tRNA interactions with the 30S subunit P site. Residues that contact P/pe tRNA (spheres) are shown. Colors for the ribosome and tRNA are as in Figure 23A. Additionally, mRNA and small subunit protein S9 are shown. The key contacts between P-site tRNA and the small subunit are maintained in the neomycin-bound, intermediate-rotated ribosome configuration, as are the contacts between the tRNA ASL-D-stem junction and the minor groove of H69.

[00050] Fig. 25 illustrates that the CCA-end of P/pe tRNA occupies the large subunit E site. Shown is a ($F_{obs} - F_{calc}$) difference electron density map, calculated in Phenix and contoured at 2.5 standard deviations from the mean. P/pe tRNA CCA-end contacts are similar to the P/E tRNA CCA-end in Example 3. P/pe tRNA position A76 interacts with H88 near positions G2421 and C2395, and to ribosomal protein L35 His 30. C75 of P/pe tRNA is close to 23S rRNA position A2432, and to L28 His 20.

[00051] Fig. 26 shows that neomycin binding to H69 stabilizes the small subunit platform conformation through interactions with neomycin ring IV, h45 position G1517 backbone, and h24 position U793 N3 or O4 group. Shown is neomycin ring IV, 16S RNA helix h45 and h24 and 23S rRNA H69. Dashed lines indicate possible hydrogen-bond contacts between neomycin ring IV, G1517 backbone phosphate oxygen, and U793 N3 or O4 position.

Fig. 27 shows that EF-G and EF-Tu clash with the neomycin stabilized intermediate ribosome conformation. (A) Intermediate (R_I) ribosome structure was superimposed to the *T. thermophilus* ribosome structure containing EF-G (dark; Ratje 2010). EF-G domain II clashes with the 30S body near helix h15 (spheres), and EF-G domain V clashes with L7/L12 stalk protein L11 (spheres) and 23S rRNA H43 (grey). (B) Superposition of the intermediate structure with the EF-Tu (darkd) bound *T. thermophilus* ribosome structure

(Schmeing 2009b). Domain II of EF-Tu sterically clashes with 30S body of the intermediate conformation. Superpositions were carried out by using the Pymol pairfit function.

[00052] Fig. 28 shows the results from an smFRET tRNA incorporation assay. (A, B) Repeat of the structures depicted in Fig. 27. (C, D) In these bar graphs, all selected traces were manually inspected for the appearance of stable 0.15-0.2 FRET state, which indicated Cy5-tRNA^{Phe} incorporation into the A site. The ratio of the number of molecules showing A-site tRNA incorporation to the total number of molecules inspected for all experiments (no drug, 100 μ M neomycin, 100 μ M viomycin and 100 μ M kanamycin) were normalized to that of the no drug case and are shown.

DETAILED DESCRIPTION OF THE INVENTION

[00053] In the following description, reference is made to the accompanying drawings that form a part hereof, and in which is shown by way of illustration specific embodiments which may be practiced. These embodiments are described in detail to enable those skilled in the art to practice the invention, and it is to be understood that other embodiments may be utilized and that logical changes may be made without departing from the scope of the present invention. The following description of example embodiments is, therefore, not to be taken in a limited sense, and the scope of the present invention is defined by the appended claims.

1. Definitions

[00054] “Single-molecule fluorescence resonance energy transfer” (or “smFRET”) is the application of FRET techniques to study a single molecule with at least two fluorescent labels, or the interaction of at least two molecules, each with a label. Fluorescence Resonance Energy Transfer (FRET) is a non-radiative pathway by which a molecule in an electronic excited state may relax back to the more stable ground state. The transfer of energy occurs through space via dipole-dipole interaction: energy from the excited state molecule (the donor fluorophore) may transfer to a neighboring molecule (the acceptor fluorophore) given significant degree of spectral overlap between donor emission and acceptor absorption, properly oriented dipole moments of the interacting dye molecules, and the appropriate distance between the two fluorophores. The Förster relationship defining the

efficiency of FRET as a function of distance is unique for each dye pair. In smFRET the donor and receptor fluorophores are on the same molecule, or are on different molecules that interact, bringing the two fluorophores into proximity. The detection of FRET at the single-molecule scale enables the direct measurement of conformational events and/or binding processes on biologically-relevant time scales. Methods to perform smFRET imaging are known in the art, and are described, for example, in Blanchard 2004. Methods to attach translationally competent ribosomes to a surface are described, for example, in U.S. Patent No. 7,297,532.

[00055] Dynamic smFRET refers to the use of smFRET techniques to interrogate biological samples of interest over extended periods of time in order to quantify changes in the amount of time that the sample spends in its various conformational states. By measuring time-dependent conformational dynamics in a biomolecule, insights into the physical parameters of motion are obtained that relate to regulation and function.

[00056] The labels used herein will generally comprise fluorophores. A "fluorophore" is a component of a molecule which causes a molecule to be fluorescent. It is a functional group in a molecule which will absorb energy of a specific wavelength and re-emit energy at a specific wavelength. The amount and wavelength of the emitted energy depend on both the fluorophore and the chemical environment of the fluorophore. Fluorescein isothiocyanate (FITC), a reactive derivative of fluorescein, has been one of the most common fluorophores chemically attached to other, non-fluorescent molecules to create new fluorescent molecules for a variety of applications. Other common fluorophores are derivatives of rhodamine (TRITC), coumarin, and cyanine. Newer generations of fluorophores such as the CF dyes, Cyanin (Cy) dyes, the FluoProbes dyes, the DyLight Fluors, the Oyester dyes, the Atto dyes, the HiLyte Fluors, and the Alexa Fluors are claimed to perform better (more photostable, brighter, and/or less pH-sensitive) than other standard dyes of comparable excitation and emission. Fluorophores especially useful for practicing the instant invention are described in PCT application PCT/US10/24824 which is incorporated herein in its entirety by reference.

[00057] The fluorophore may incorporate or be located proximally to a "protective agent" (or "quencher" or "triplet state quencher" or "fluorescence modifier", in particular embodiments), which is a molecule or a moiety (i.e., chemical group) that has the ability to

alter the photophysical properties of a fluorophore, particularly by altering the light state-dark state (i.e., singlet-triplet) occupancy distribution or relaxation pathway of excited and relaxing electrons. The ability of a molecule to function as a protective agent is often evidenced by its ability to alter the blinking and/or photobleaching characteristics of a fluorophore.

[00058] Those of skill in the art can readily select appropriate donor-acceptor pairs for FRET in accordance with the invention as well as modify the biomolecules of the invention to attach the donor and acceptor fluorophores in site-specific manner without substantially altering functionality of the biomolecule.

[00059] As used herein, “h44” is helix 44 (h44) decoding site of the small (30S) subunit.

[00060] As used herein, H69 is Helix 69 (H69) of 23S ribosomal RNA (rRNA) in the large (50S) subunit.

[00061] As used herein, “H69 neomycin-binding site” or “H69 neomycin-binding pocket” and neomycin-binding site refers to the location of neomycin binding or interaction at H69 on any one of the crystal structures described in Examples 3 and 4 herein. This term is used as a general shorthand to refer and to identify the contact points between neomycin and the ribosome at this site and embraces points of contact at this site or pocket to other parts of the ribosome in addition to those found on H69. These terms are also used to refer to the equivalent sites as found in the structures known in the art for other bacterial ribosomes.

[00062] The FRET states described herein depend upon the selected FRET pair used to interrogate structural transitions. The top panel of Fig. 13 shows a particularly useful example with its schematic diagram of the low FRET and High FRET states using an L1 with S13 pair. The general locations of L1, S13, their respective fluorophores and tRNA relative to the E, P and A sites on the ribosome are indicated. The intermediate FRET state of the present invention is one in which the ribosome has the structure assumed when the tRNA is present at the P/pe tRNA binding state (see Example 4). This intermediate state is stabilized by at least neomycin.

2. Overview

[00063] A combination of smFRET techniques and x-ray crystallographic methods were used to probe the molecular basis of neomycin-induced inhibition of translation processes specific to its interactions with H69 of the large subunit.

3. Ribosome Structure in Unrotated (classic P/P tRNA bound) and Rotated (hybrid P/E tRNA bound) States without Neomycin

[00064] The structures were determined for the intact *E. coli* 70S ribosomes at a resolution of ~ 3.2 Å (Table 1, 2), based on crystals that contain two independent copies of the ribosome per asymmetric unit in a “top-top” polysome configuration (Brand 2009). Prior to this work, a rotated x-ray crystal structure had never before been obtained for any ribosome.

[00065] One ribosome adopts an unrotated state, with tRNA^{Phe} bound in the “classical” peptidyl-tRNA (P/P) binding site (Fig. 1B) (Selmer 2006) that mimics a post-termination state of the translation cycle. The second ribosome adopts a fully rotated conformation that contains tRNA^{Phe} bound in the hybrid P/E binding site and RRF bound at the ribosomal subunit interface (Fig. 1B). This structure is thought to represent an early intermediate in bacterial ribosome recycling (Fig. 1A; Gao 2005). A similar hybrid P-site tRNA configuration may also be found in other functionally relevant configurations of the ribosome (e.g., the intermediate, “unlocked state” prior to translocation; Munro 2010a, b, c; Munro 2010).

[00066] When compared to the post-termination ribosome complex, the 30S subunit of the RRF-bound ribosome is rotated $\sim 9^\circ$ relative to the 50S subunit. An approximately orthogonal rotation of the head domain of the 30S subunit of $\sim 4^\circ$ swivels the head domain in the direction of the ribosomal E site on the 50S subunit. These motions of the 30S subunit into the rotated state result in shifts at the periphery of the ribosome of more than 20 Å (Fig. 1D) that direct deacylated P-site tRNA into the P/E hybrid site. The tRNA anticodon stem-loop (ASL) and mRNA move laterally by ~ 6 Å relative to the 50S subunit, coupled to the motion of the 30S subunit platform domain (Fig. 1D, Fig. 2A). When tRNA moves into the P/E site from the P/P site, ASL of the tRNA remains in contact with the 30S subunit head

and platform domains (Fig. 2B, Fig. 3A), but breaks its interactions with 23S ribosomal RNA (rRNA) helix H69 in the large subunit (Selmer 2006) (Fig. 2B).

[00067] Bound in the hybrid P/E site, tRNA^{Phe} is severely kinked at the junction between the ASL and D stem when compared to tRNA^{Phe} bound in the P/P site. Although the conformation of the anticodon and two closing base pairs of the ASL region remain essentially unchanged, the major groove widens by ~4 Å at the junction of the ASL and D stem (Fig. 2C, Fig. 3). The kink between the ASL and D stems allows the acceptor stem of P/E tRNA to swing by ~37° into the 50S E site (Fig. 2D). This abrupt kink contrasts with the more distributed bend that occurs in mRNA decoding complexes bound to elongation factor EF-Tu (A/T state, (Schmeing 2009b; Voorhees 2010), in which tRNA bends in the opposite direction. Comparing P/E tRNA to A/T tRNA, the total extent of tRNA bending at the ASL/D-stem junction amounts to ~70° (Fig. 2D).

[00068] In the large subunit E site, P/E tRNA contacts the ribosome in a similar manner to tRNA bound in the E/E site (Fig. 2B; Selmer 2006). Nucleotides G2112 and G2168 in 23S rRNA, part of the protein L1-containing arm of the 50S subunit, stack on the D-loop and T-loop of P/E tRNA (Fig. 1C, Fig. 2B). Consistent with biochemical studies of the mechanism of translocation (Lill 1989), nucleotide A76 at the acceptor end of P/E tRNA stacks between nucleotides in helix H88 of 23S rRNA (Fig. 2B, Fig. 4, Fig. 5), where the terminal ribose engages the Watson-Crick face of nucleotide C2394 (Schmeing 2003; Selmer 2006). In contrast to the positioning of C75 in E-site tRNA in the bacterium *T. thermophilus* (Selmer 2006) and in the archaeal large subunit (Schmeing 2003), in *E. coli*, nucleotide C75 in P/E tRNA stacks on nucleotide A2432 in 23S rRNA, away from the tRNA acceptor stem (Fig. 4, Fig. 5). The striking divergence of the 50S E site contacts contrasts with the high level of conservation in the peptidyl transferase center, supporting the notion that the ribosomal E site evolved relatively late, and has continued to diverge (Selmer 2006; Bokov 2009).

[00069] The divergence among species shown in Fig. 4 (see also, Fig. 5) indicates that this is a site that may be targeted for drug discovery efforts in order to generate compounds that will bind this region to preferentially stabilize or inhibit formation of the P/E hybrid configuration in a target cell (e.g. pathogenic organism or cancerous cell) while not

negatively affecting the performance of normal mammalian ribosome functions in an unwanted manner.

[00070] The molecular contacts between the two ribosomal subunits are composed of both rRNA and ribosomal proteins, with the central contacts, or bridges, conserved across kingdoms (Schuwirth 2005; Ben-Shem 2010). In the fully-rotated state, the pivot point for inter-subunit ratcheting occurs at bridge B3 (Fig. 6A, Fig. 7), which maintains the same conformation and contacts when compared to the unrotated ribosome (Schuwirth 2005). Bridge B3 is composed of a cross-strand adenosine stacking motif (Cate 1996a,b) in which residues A1418 and A1483 within helix 44 (h44) of 16S rRNA in the 30S subunit dock into the minor groove of helix 71 (H71) in 23S rRNA of the 50S subunit. Residues A1418 and A1483 lie within adjacent sheared G-A base pairs that coordinate an inner-sphere magnesium ion that possibly contributes to subunit association in all organisms (Schuwirth 2005; Shenvi 2005) (Fig. 6B).

[00071] In the aminoacyl-tRNA (A) and P sites, bridge B2a involves contacts between 23S rRNA helix H69 in the 50S subunit and 16S rRNA residues at the end of helix h44 in the 30S subunit, and is preserved in both the unrotated and fully-rotated states of the ribosome (Fig. 6A). In both states, residue A1913 of H69 penetrates the minor groove of the h44 mRNA decoding site. However, in going from the unrotated to fully-rotated state, the P-site tRNA anticodon and mRNA (Fig. 2A) and the end of helix h44 move laterally by ~6 Å towards the E site (Fig. 6C). Remarkably, the interactions between H69 and h44 are maintained during this movement due to a ~5 Å compression of H69 (Fig. 6C). In part, this compression is enabled by disruption of the terminal base pair (C1925-G1929) of H69 and extrusion of the nearly universally conserved uridine U1926 (Cannone 2002) from the tight U-turn motif at the base of H69 (Schuwirth 2005) (Fig. 8).

[00072] The observed conformational rearrangements in bridge B2a may help explain how antibiotics such as viomycin that target translocation stabilize the fully rotated state of the ribosome (Ermolenko 2007; Cornish 2008). Viomycin and the related antibiotic capreomycin bind to the unrotated state of the ribosome in the vicinity of nt A1913 in 23S rRNA (Stanley 2010), the only nucleotide whose contacts with h44 change appreciably during inter-subunit rotation. Aminoglycosides such as neomycin, which bind to two sites

in bridge B2a (Borovinskaya 2007; Feldman 2010), may favor the fully rotated state of the ribosome by stabilizing the compressed conformation of helix H69.

[00073] On the opposite end of the tRNA binding cleft, bridge B7a is disrupted due to the rotation of the 30S platform domain (Fig. 1D). In the unrotated state, nucleotide A702 in 16S rRNA stacks on an A-A dinucleotide platform near the end of helix H68 of 23S rRNA (Cate 1996a,b). This interaction involves a hydrogen bond between N1 of A702 and G1846 in 23S rRNA (Schuwirth 2005). Consistent with chemical probing data used to identify hybrid tRNA binding sites (Moazed 1989), rotation of the 30S platform domain into the fully rotated position results in a ~13 Å displacement of A702 away from H68 that exposes the base pairing face of A702 to solvent (Fig. 6D). Consistent with biochemical observations (Feinberg 2001), H68 moves in the opposite direction by 2-3 Å to pack in the minor groove of the acceptor stem of P/E tRNA (Fig. 6D) likely helping to stabilize tRNA in the P/E hybrid site.

[00074] The absence of bridge B7a in the fully rotated state appears to be partially compensated for by new contacts between protein L2 in the large subunit and helices h23 and h24 in 16S rRNA (Bridges B7b, B7c; Fig. 6A). However, the most significant stabilizing contact to the 30S platform region in both the unrotated and fully rotated ribosome configurations remains bridge B4, which in bacteria involves intimate contacts between the hairpin loop at the end of helix H34 in 23S rRNA of the large subunit and protein S15 in the small subunit. Helix H34 bends by ~7 Å, or 12°, due to inter-subunit rotation and slightly adjusts how nucleotide A715 packs on the hydrophobic surface of protein S15 (Schuwirth 2005; Fig. 6E). Compensation for the loss of bridge B7a in the fully rotated state may also result from the formation of more extensive interactions between the 30S subunit body domain and the 50S subunit near bridge B8. In bridge B8, large subunit proteins L14 and L19 interact more strongly with helices h8 and h14 in the 30S subunit (Fig. 6A).

[00075] As the mechanism of translation hinges on bridge B7a remodeling during the normal process of translation, this site, encompassing the AA platform at the base of helix 68 in the 23S rRNA and residues from about A650— to about A750 of 16s rRNA (in *E. coli* numbering) may also be considered a key target for drug discovery as small molecules

affecting the stability of this bridge interaction are expected to strongly inhibit translation performance.

[00076] In the fully rotated state, the head domain of the 30S subunit swivels as a rigid body in the direction of tRNA movement, rearranging bridge B1b to place the central alpha helix of protein S13 directly across from protein L5 in the 50S subunit (Fig. 1C) (Valle 2003a,b). This lateral change in protein S13 position correlates with tRNA binding in the hybrid P/E site and may help control the position of tRNAs on the ribosome (Frank 2007). Thus, the contacts between protein S13 and protein L5 probably play an important role in the ribosome ratcheting mechanism. Consistent with this view, deletions in protein S13 result in more rapid and lower fidelity translocation of mRNA and tRNA (Cukras 2005). Mutations in the other major contact between the 30S subunit head domain and helix H38 in the 50S subunit, bridge B1a, have a similar effect (Komoda 2006).

[00077] As head swivel is understood to play a key role in the translation mechanism (e.g. translocation), the two structures reported here also provide insights into means to regulate the observed motions of the head domain using small molecule compounds to either stabilize or disrupt the key points of contact between the small subunit head domain via small subunit ribosomal proteins S13, and the central protuberance (via large subunit ribosomal protein L5) and/or H38 (the so-called A-site finger helix) of the large subunit as well as points of contact between the small subunit head domain and tRNA substrates.

[00078] In the fully rotated ribosome, RRF binds in the P-site and A-site cleft of the 50S subunit, precluding tRNA binding in either site. Its 3-helix bundle domain (domain I) runs nearly parallel to the subunit interface, with alpha helix 3 packed tightly against helix H71 in 23S rRNA (Fig. 9A). Mutations in this region result in lethal or temperature-sensitive phenotypes (Janosi 2000). In addition, conserved amino acids within the tip of RRF domain I (Ashkenazy 2010) interact with rRNA nucleotides of the universally conserved P loop element of the peptidyl transferase center (Fig. 9A). These sets of interactions appear to be the same in both the unrotated and fully rotated states of the ribosome (Borovinskaya 2007; Weixlbaumer 2007), suggesting that they are necessary but not sufficient for the recycling mechanism.

[00079] Additional points of contact between RRF and the fully rotated ribosome occur between conserved amino acids near the junction of domains I and II in RRF and ribosomal

protein S12 of the small subunit (Fig. 9B)(Ashkenazy 2010). Domain II of RRF is more constrained in its position in the ratcheted state compared to its location in the unratcheted ribosome (Borovinskaya 2007; Weixlbaumer 2007). As suggested by cryo-EM reconstructions of the ribosome in complexes with RRF (Agrawal 2004; Gao, 2005), RRF domain II likely serves a steric function in ribosome recycling. Docking of EF-G from a cryo-EM reconstruction of the ribosome in a rotated conformation related to translocation (Ratje 2010) onto the ratcheted 70S ribosome structure determined here shows significant overlap between domain II of RRF and domains IV and V of EF-G (Fig. 10). Thus, EF-G binding to the RRF-bound ribosome likely entails large-scale rearrangements in RRF, EF-G, and the ribosome (Gao 2005), the precise energetics of which may be altered by small-molecule compounds to alter or inhibit the mechanism of recycling.

[00080] When compared to other structures of the ribosome, the structure of the fully rotated state of the ribosome provides critical insights into the molecular description of the ratcheting mechanism in translation. As simple mRNAs can be translated in the absence of exogenous factors like EF-G (Gavrilova 1976), the ribosome itself serves as a Brownian ratchet (Munro 2009a; Spirin 2009a,b), with tRNA substrates likely serving as the “teeth”. A notable feature of the ratcheting mechanism is the use of RNA secondary structural elements to control large-scale conformational rearrangements in the ribosome. These include RNA stem-loops in bridges B2a and B4 that adjust as the 30S subunit rotates relative to the 50S subunit (Spahn 2004; Gao, 2005; Connell 2007; Zhang 2009; Ben-Shem 2010), helix H68 in 23S rRNA adjacent to bridge B7a and P/E tRNA, RNA helices H76 and H42 in the L1 and L11 arms of the large subunit, respectively (Valle 2003a,b; Munro 2009a; Schmeing 2009a; Ben-Shem 2010), and helix h28 in 16S rRNA which directs swiveling of the 30S subunit head domain (Schuwirth 2005). Helix h28 likely serves as the “spring” in the ratcheting process, helping to position the “pawl” between the small subunit P and E sites (Schuwirth 2005; Spirin 2009a,b; Dunkle 2010; Ratje 2010). The hinge-like motion in P/E tRNA observed here, when compared to P/P tRNA, suggests that the conserved tertiary structure of tRNA is required not only for mRNA decoding (Valle 2002; Schmeing2009b; Voorhees 2010), but also for translocation, termination, and ribosome recycling (Li 2007; Ratje 2010). Intact P-site tRNA is required for translocation (Joseph 1998), a requirement that may in part be due to need for a large distortion of tRNA in the P/E binding site. This

distortion may be used to tune the energetics of the transition between the pre-translocation state and post-translocation state of the ribosome. Future structural studies of ribosome complexes with EF-G will be required to explain how this factor controls the conformational events described here to accelerate translocation and ribosome recycling.

[00081] As mentioned above, aminoglycosides such as neomycin, which binds to two sites in bridge B2a (Borovinskaya 2007; Feldman 2010), likely favor the fully rotated state of the ribosome by stabilizing the compressed conformation of helix H69. In the aminoglycoside-stabilized rotated state, the normal mechanism of EF-G binding and translocation (Munro 2010c) is markedly more inhibited than observed for aminoglycoside binding to the h44 decoding site of the small subunit and the ribosome, by virtue of being unable to return to the classical unrotated state, is also no longer competent for the process of aminoacyl-tRNA selection mediated by Elongation Factor-Tu. Further, the ribosome is prevented from recycling. These are previously unknown mechanisms of action for antibiotics.

[00082] The nature of the secondary aminoglycoside binding site on the ribosome and its central importance to the translation mechanism was not clear until before this structure. It was previously known that loss of the *tlyA* gene, which encodes a 2'-O-methyltransferase that is specific for ribose methylation at C1409 (helix 44) of 16S rRNA and C1920 (H69) of 23S rRNA, confers ribosome resistance to the viomycin class of antibiotics (Johansen 2006), and it has been reported that viomycin binds the ribosome near the intersubunit bridge B2a (formed between 16S rRNA helix 44 and 23S rRNA H69), stabilizing the translocational intermediate conformation of the ribosome, in which the 30S subunit is rotated counter-clockwise relative to the 50S subunit and the tRNAs are bound in hybrid states (Ermolenko 2007) - this provides evidence that H69 is an antibiotic target and identifies a key residue on H69, but does not identify the boundaries of the location on H69. We previously defined residues C1920–C1925 and G1906 in H69 as well as G1929 in H69 as a neomycin and gentamicin binding site (Borovinskaya 2007) and determined the crystal structure, albeit in the ribosome's classic state. Our work makes it clear that the pocket is the circled region in Fig. 6C, which resides from about residue 1905 to about 1931 of H69 while the ribosome is in the rotated state; in the rotated state this new site is proximal to the canonical binding site for neomycin and other aminoglycosides, namely the residues from about 1402 to about

1412 and the residues from about 1488 to about 1500 in helix 44, in *E. coli* numbering. The identification of these sites provides rationale for applying *in silico* and *in vitro* drug discovery methods (both traditional and/or new (e.g. the proposed use a single-molecule methods described herein or in our previous work)) to identify compounds that bind to one or both sites to inhibit a specified translation activity and/or alter the conformation and/or energetics of the ribosome.

4. smFRET Studies

[00083] Consistent with earlier findings (David-Eden 2010); Ogle 2005), pre-steady state smFRET measurements of aa-tRNA selection showed that low concentrations of neomycin (100 nM) substantially increased the rates of near-cognate aa-tRNA accommodation, while having negligible effects on the selection of cognate tRNA (Fig. 11B). These miscoding effects were almost entirely suppressed by the A1408G resistance mutation in the h44 decoding site (Fig. 12A). However, when identical experiments were performed at a higher neomycin concentration (20 μ M), the selection of both cognate and near-cognate tRNA was significantly attenuated (Figure 11B). Inhibition persisted in the A1408G context, suggesting that neomycin binding outside of the h44 decoding region alters the selection mechanism (Figure 12A). In line with previous investigations (Feldman 2010), neomycin blocked substrate translocation on both wild-type and A1408G ribosomes at concentrations above 1 μ M (Figure 11C and Figure 12B). Neomycin also inhibited ribosome recycling – mediated by ribosome recycling factor (RRF) and EF-G – on both wild-type and A1408G ribosomes, with similar concentration dependence (Figure 11D and Figure 12C). Together, these findings argue that neomycin binding outside the canonical h44 decoding site prevents one or more central aspects of the translation mechanism.

[00084] In order to probe neomycin-induced inhibition of these three key translation steps, a new smFRET approach was developed to examine global conformational changes in the ribosome related to subunit rotation and distinct from tRNA motions. A FRET pair with acceptor fluorophore attached to protein L1 in the large subunit (Munro 2010b) and donor fluorophore conjugated to the N-terminus of protein S13, located within the small subunit head domain (Fig. 13A) was designed to report on formation of “unlocked state”

configurations achieved prior to translocation and ribosome recycling (Valle 2003b); Munro 2010c); Munro 2010a).

[00085] Unlocked state formation entails the repositioning of deacylated tRNA bound in the Peptidyl-tRNA (P) site into the Exit (E) site on the large ribosomal subunit, termed the P/E hybrid state. Formation of the unlocked state also involves closure of the L1 stalk towards the subunit interface and an approximately 90° rotation of the small subunit with respect to the large (Example 3); Valle 2003b). Here, we probed ribosomes lacking A-site tRNA and bearing either deacylated P-site tRNA^{Met} (Fig. 13B) or tRNA^{Phe} (Fig. 13C), similar to the substrates in the above tRNA selection and recycling studies, respectively.

[00086] In the absence of antibiotic, both complexes populated two, dominant FRET states that dynamically exchanged on a sub-second time scale (Fig. 14A-B), as well as one or more short-lived intermediate configurations (Fig. 14C-F) (Munro 2010b; Zhang 2009). The structural origins of these FRET states were probed using translation factors and antibiotics known to stabilize distinct ribosome conformations. In saturating concentration of release factor 1 (RF-1), known to stabilize a “locked” ribosome configuration with P-site tRNA bound in the P site of both ribosomal subunits (P/P site) and the L1 stalk in an “open” state (Sternberg 2009); Laurberg 2008; Petry 2008), the ribosome adopts the low-FRET state (Fig. 15). The addition of the 4,5-linked deoxystreptamine antibiotic kanamycin also stabilized the low-FRET state (Fig. 16). This observation is consistent with kanamycin’s ability to stabilize peptidyl-tRNA in the A site of both ribosomal subunits (A/A site) within pre-translocation ribosome complexes by binding to helix h44 in the mRNA decoding site (Feldman 2010). Notably, the present complexes lack peptidyl-tRNA in the A site, indicating that kanamycin stabilizes the unrotated configuration of the ribosome directly—a finding consistent with the notion that the helix h44 decoding site changes conformation in its transition to the rotated ribosome configuration (Feldman 2010; Example 3). The high-FRET state was stabilized by binding of either RRF or EF-G (in the presence of the nonhydrolyzable GTP analog, GDPNP), factors that stabilize the ribosome in a rotated and unlocked state (Figs. 17 and 18) (Valle 2003b). The high-FRET state was also favored in the presence of viomycin (Fig. 19), an antibiotic previously shown to stabilize a hybrid P/E tRNA position and a rotated state of the ribosome (Cornish 2008; Ermolenko 2007).

[00087] By contrast, neomycin exerted a bimodal effect on the dynamics and FRET distributions of ribosomes containing tRNA^{Met} in the P site (Fig. 13B). At low concentrations of neomycin (<100 nM), the low-FRET state was favored, as expected for ground state stabilization of classical tRNA positions by binding to h44 in the decoding site (Feldman 2010; Peske 2005). At higher concentrations (>1 μ M), neomycin surprisingly stabilized a ribosome configuration exhibiting an intermediate FRET value, falling between those assigned above to unrotated (locked) and rotated (unlocked) states. At high neomycin concentrations, a similar intermediate-FRET configuration was also observed for complexes containing tRNA^{Phe} in the P site (Fig. 13C). Taken together, these data suggest that neomycin may stabilize an otherwise transient intermediate in the transition of the ribosome that exists between locked and unlocked states (Munro 2010b) and that this configuration is incompatible with tRNA selection, translocation and ribosome recycling (Fig. 11).

5. Ribosome Structures for Unrotated and Rotated States with Bound Neomycin

[00088] Crystals containing 70S ribosomes in both the unrotated and fully rotated states, with bound P/P or P/E deacylated tRNA^{Phe}, respectively, as described in Section 2 above, were soaked with neomycin. These crystals were used to measure diffraction data to a resolution of 3.5 Å (Tables 4 and 5).

[00089] After refinement of the 70S ribosome structures with tRNA removed from the models, $F_{\text{Obs}} - F_{\text{Calc}}$ difference electron density maps contained clear, positive electron density for neomycin. In the unrotated ribosome, neomycin was bound in its canonical h44 decoding site (Fig. 20). In the rotated ribosome, neomycin was present in the h44 site as well as a site at the base of helix H69 in the large subunit, near its site of interaction with elements h24 and h45 of the small subunit rRNA in intersubunit bridge B2b (Fig. 21A). In this site, rings I-III of neomycin make specific contacts with residues within the H69 major groove, while ring IV contacts h45 of the small subunit (Fig. 21B).

[00090] Notably, neomycin binding within helix H69 was accompanied by a large rearrangement of the rotated configuration of the ribosome. In contrast to the fully rotated state, the overall extent of small subunit rotation was markedly attenuated (Fig. 21C). In addition, motions of the small subunit body along the subunit rotation trajectory were partially uncoupled from those of the platform and head domains. Correspondingly, while

the small subunit spur region moved to the same extent as in the fully rotated structure (approximately 20 Å), the small subunit platform domain rotated to a lesser extent (approximately 6° vs. 9°). Lateral motions of the small subunit head domain were also less than observed in the fully rotated state (approximately 15 Å vs. 20 Å). The swivel-like rotation of the small subunit head domain in the direction of translocation was likewise reduced (approximately 2° vs. 4°). These structural rearrangements agree well with the apparent distance between L1 and S13 observed by smFRET in the neomycin-stabilized intermediate (Fig. 13 and Fig. 22).

[00091] Strikingly, $F_{\text{Obs}} - F_{\text{Calc}}$ difference electron density maps also placed P-site tRNA in a position intermediate between classical (P/P) and hybrid (P/E) configurations (Example 3; Jin 2011) (Fig. 23A-B). In this new configuration, the tRNA anticodon stem-loop maintains its key interactions within the small subunit P site that are observed in both unrotated and fully rotated ribosome structures (Fig. 24). The 3'-CCA terminus of the tRNA also occupies the large subunit E site, as previously observed for tRNA in its P/E hybrid position (above); .Jin., 2011) (Fig. 25). However, correlating with the intermediate rotation of the small subunit (Fig. 21C), the tRNA anticodon is only partially displaced in the direction of translocation (approximately 2 Å vs. 6 Å observed in the fully rotated state) (Fig. 23B). Furthermore, the P-site tRNA elbow domain is clearly located in a position that is intermediate between classical (P/P) and hybrid (P/E) configurations (above). In this position, the elbow domain of the tRNA does not physically interact with the L1 stalk (Fig. 22B). In keeping with nomenclature previously established for other intersubunit hybrid tRNA positions (Ratje 2010), we define this state as a P/pe hybrid configuration.

[00092] The attenuated degree of small subunit rotation and the corresponding positioning of P/E tRNA into the intermediate P/pe site seen in neomycin-soaked crystals can be explained by neomycin's position within H69. In the fully rotated state, compression of the major groove of H69 is required for intersubunit rotation (above). However, neomycin's specific interactions in the major groove of H69 prevent helix compression and enable bridging interactions between ring IV of neomycin and the phosphate of G1517 within h45 and the Watson-Crick face of U793 of h24 (Fig. 26), a residue previously shown to be important for subunit association (Pulk 2006). By altering bridge B2b rearrangements and sterically preventing H69 compression (Fig. 23C) accompanying the unrotated-to-

rotated transition, neomycin alters the normal mechanism of 30S subunit rotation such that helix h24 of 16S rRNA sterically blocks P-site tRNA movement into its P/E hybrid position (Fig. 23D).

6. Structural Summary

[00093] Taken together, the smFRET and crystallographic data reveal that neomycin binding to the base of H69 can globally inhibit the mechanism of translation by preventing the full extent of H69 compression, thereby interrupting complete subunit rotation and P/E hybrid state formation. Correspondingly, the ribosome is unable to adopt the fully unlocked configuration that precedes both translocation and ribosome recycling (above; Munro 2010b). Neomycin-induced stabilization of this intermediate configuration also inhibits the process of tRNA selection, which occurs on the unrotated state. These inhibitory effects can be rationalized by the partially overlapping EF-G and EF-Tu binding sites. (Ratje 2010; Gao 2009; Schmeing 2009b).

[00094] When docked in the intermediate ribosome configuration, both EF-G and EF-Tu would clash sterically with the small subunit (Fig. 27). Furthermore, these results provide structural evidence that translation proceeds through cycles of conformational selection to allow both translation factors to bind overlapping regions of the ribosome without inhibiting translation (Feldman 2010; Munro 2010c; Chan, 2008; Whitford 2011; Wang 2011).

[00095] The unrotated ribosome configuration is competent to productively engage EF-Tu in ternary complex with tRNA and GTP; the fully rotated, P/E hybrid ribosome configuration is competent to productively engage EF-G; intermediate configurations of subunit rotation fail to productively bind either factor. This model is supported by direct measurements of elongation factor binding to the A site (Fig. 28).

[00096] The present findings further argue that the intrinsically dynamic nature of the ribosome and tRNA motions within the translating particle contribute to each step in the translation process. The capacity of aminoglycosides to alter the global conformation of the ribosome through two distinct sites (small subunit helix h44 and large subunit helix H69) sheds new light on the observed pleiotropic activities of aminoglycosides in translation. Neomycin-induced stabilization of the intermediate state observed here further supports a central role for H69 in the translation mechanism. Future efforts exploring whether ribosome

dynamics and conformation can be manipulated through this site in a species-specific manner may offer important new means for therapeutic control of translation.

7. Rational Drug Design

[00097] The atomic coordinates for the ribosomal structures described herein and in particular, the coordinates defining the H69 neomycin-binding pocket, whether derived from one or more of X-ray crystallography structures herein, or from molecular modeling, homology modeling or molecular replacement, are used in rational drug design (RDD) to design a novel molecules of interest, and preferably novel antibiotics. The atomic coordinates for the H69 neomycin-binding pocket are provided, with and without bound neomycin as set forth in Tables 6-9.

[00098] It is contemplated that, by using the principles disclosed herein, the skilled artisan can design, make, test, refine and use novel protein synthesis inhibitors specifically engineered to reduce, disrupt, or otherwise or inhibit ribosomal function in an organism or species of interest. For example, by using the principles discussed herein, the skilled artisan can engineer new molecules that specifically target and inhibit ribosomal function in a pathogen, for example, a particular prokaryotic, organism, while preserving ribosomal function in a host, for example, a eukaryotic organism, specifically a mammal, and more specifically, a human. As a result, the atomic coordinates provided and discussed herein permit the skilled artisan to design new antibiotics that can kill certain pathogenic organisms while having little or no toxicity in the intended recipient, for example, a human.

[00099] It is contemplated that RDD using atomic co-ordinates of the large ribosomal subunit can be facilitated most readily via computer-assisted drug design (CADD) using conventional computer hardware and software known and used in the art. The candidate molecules may be designed de novo or may be designed as a modified version of an already existing molecule, for example, a pre-existing antibiotic, using conventional methodologies. Once designed, candidate molecules can be synthesized using standard methodologies known and used in the art. Following synthesis, the candidate molecules can be screened for bioactivity, for example, by their ability to reduce or inhibit ribosome function, their ability to interact with or bind a ribosome or a ribosomal subunit. Based in part upon these results, the candidate molecules may be refined iteratively using one or more of the foregoing steps

to produce a more desirable molecule with a desired biological activity. The resulting molecules can be useful in treating, inhibiting or preventing the biological activities of target organisms, thereby killing the organism or impeding its growth. Alternatively, the resulting molecules can be useful for treating, inhibiting or preventing microbial infections in any organism, particularly animals, more particularly humans.

[000100] The tools and methodologies provided by the present invention may be used to identify and/or design molecules which bind and/or interact in desirable ways in with ribosomes and ribosomal subunits, and in particular with the neomucin-binding pocket.

[000101] Molecular modeling can be most readily facilitated by using computers to build realistic models of a ribosome, ribosomal subunit, or a portion thereof. Molecular modeling also permits the modeling of new smaller molecules, for example ligands, agents and other molecules, that can bind to a ribosome, ribosomal subunit, or a portion therein. The methods utilized in molecular modeling range from molecular graphics (i.e., three-dimensional representations) to computational chemistry (i.e., calculations of the physical and chemical properties) to make predictions about the binding of the smaller molecules or their activities; to design new molecules; and to predict novel molecules, including ligands such as drugs, for chemical synthesis.

[000102] For basic information on molecular modeling, see, for example, Schlecht, 1998; Gans 1996; Cohen 1996; and Smith 1996. U.S. Patents which provide detailed information on molecular modeling include, for example: U.S. Pat. Nos. 6,093,573; 6,080,576; 6,075,014; 6,075,123; 6,071,700; 5,994,503; 5,884,230; 5,612,894; 5,583,973; 5,030,103; 4,906,122; and 4,812,12.

[000103] Three-dimensional modeling can include, but is not limited to, making three-dimensional representations of structures, drawing pictures of structures, building physical models of structures, and determining the structures of related ribosomes, ribosomal subunits and ribosome/ligand and ribosomal subunit/ligand complexes using the known co-ordinates. The appropriate co-ordinates are entered into one or more computer programs for molecular modeling, as known in the art.

[000104] One approach to RDD is to search for known molecular structures that bind to the H69 neomycin-binding pocket. Using molecular modeling, RDD programs can look at a range of different molecular structures of molecules that may fit into this site, and by

moving them on the computer screen or via computation it can be decided which structures actually fit the site well (Bains 1998). Examples of modeling software include, but are not limited to, InsightII, Discovery studio and Cerius by Accelrys; Sybyl by Tripos; Molecular Operating Environment (MOE) by Chemical Computing Group; Glide, Prime, and Maestro by Schrödinger Inc.; Bio-Suite by Tata Consultancy Services Ltd; Sanjeevini by Indian Institute of Technology, New Delhi ; MoDeST (Molecular Design Software Toolkit) by SimBioSys; ICM-Pro and ICM-VLS by molsoft; VLifeMDS by Vlife Sciences Technologies

[000105] To facilitate molecular modeling and/or RDD the skilled artisan may use some or all of the atomic co-ordinates deposited at the RCSB Protein Data Bank under the numbers PDB ID: 3R8N, 3R8O, 3R8S, 3R8T (for structures without neomycin; and incorporated herein by reference), and/or those atomic co-ordinates for the H69 neomycin-binding pocket provided in Tables 6-9.

8. S13 Constructs and Assays

[000106] The present invention also provides a tagged S13 protein labeled with a fluorophore. While a tag can be introduced in any number of solvent accessible regions of the protein that do not disrupt its function or binding to the ribosome, a preferred site for introducing a tag is at the N terminus. It has been found that positioning an N-terminal fluorophore provides a FRET pair with labeled L1 (as described herein) that is a sensitive reporter of the transition of the ribosome from an unrotated to fully rotated state as described herein.

[000107] The tag can be an SFP tag as generally described by Yin 2006. Other tags can be used as well including the 12 amino acid acyl carrier protein tag (AcpS) and a shorter, 8 amino acid tag derived therefrom, both of which are described in Zhou 2008.

[000108] Further tags for enzymatic labeling include ACP, Q-tag (for example Q3: NH₂-GQQQLG-COOH) transglutaminase-catalyzed site-specific conjugation of small-molecule probes to proteins in vitro and on the surface of living cells and FGE-tag (for example: LCTPSR (wild-type), LCTASR, and LCTASA) (Rush 2008). Peptidyl affinity tags can also be present for purification, and include, but are not limited to, Sumo, Glutathione S-transferase (GST), His6, His10 and Flag. These purification tags can be used with a

protease cleavage site and when located upstream from the labeling tag obtain the tagged protein. provide a way to fish

[000109] They also can also serve as purification tag for pulling out tagged ribosomes from mixed populations of ribosomes. Hence, if both wild-type S13 protein and tagged S13 are incorporated into the ribosome and affinity purification can be used to isolate the “tagged” subpopulation. This is achieved by placing, for example, a His6-10 tag upstream of the SFP tag and using a NTA or cobalt resin to “fish out” the tagged subpopulation.

[000110] Further still, the invention is directed to an expression vector comprising a nucleic acid encoding ribosomal protein S13 having an N-terminal tag for attachment of a fluorophore. In some embodiments, the N-terminal tag is an SFP tag or an AcpS tag.

[000111] Hence the instant invention relates to a variety of compositions, including compositions comprising isolated N-terminal tagged S13 with or without a label. Fluorophore labeled S13 is particularly useful when incorporated into translationally competent ribosomes and used as part of a FRET pair. When the FRET partner is a fluorophore-labeled L1 as described herein, this composition is useful for interrogating ribosome conformations and dynamics via changes in FRET states in accordance with this invention. Any of these compositions can additionally include the components for *in vitro* translation.

9. Other Aspects of the Invention

[000112] As described in the examples, this invention provides single-molecule assays for ribosome recycling which comprises surface-immobilizing a ribosome labeled on the 50S subunit in the presence of tRNA, RRF and EF-G under translation conditions; and monitoring changes in the signal from the label, wherein a change in the signal indicates recycling or lack thereof. For example, this assay can be conducted in solution or using smFRET like imaging techniques (following fluorescence decay), with the label on the ribosome being a fluorophore. Further, if a test compound is added, then the presence of a signal indicates that recycling has been altered.

[000113] Yet another aspect of the instant invention relates to methods to identify a compound that interferes with ribosomal function by assessing test compounds which cause the ribosome to alter, form adopt, change rate of formation into or out of, or otherwise be in,

an intermediate FRET state. This method comprises (a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between low FRET and high FRET states under translation competent conditions; (b) adding a test compound to the immobilized ribosome; and (c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of (i) stabilizing the ribosome in an intermediate FRET state, (ii) changing the ribosome's distribution into or out of an intermediate FRET state, or (iii) changing the ribosome's rate of transition into or out of an intermediate FRET state. This method can be conducted with a FRET pair formed by a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13.

[000114] Yet still a further method of the invention provides methods to identify a compound that interferes with ribosomal function using a FRET pair which has a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13. This method comprises (a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between a low FRET state and a high FRET state under translation competent conditions, wherein the FRET pair is formed with a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13; (b) adding a test compound to the immobilized ribosome; and (c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of (i) stabilizing the ribosome in a low FRET state, an intermediate FRET state or in a high FRET state, (ii) changing the ribosome's distribution among low, intermediate and high FRET states, (iii) changing the ribosome's rate of transition among low, intermediate and high FRET states, or (iv) abolishing FRET signals.

[000115] The conditions and smFRET techniques for conducting the foregoing methods can be readily determined by those of skill in the art, are known in the art or are described in the Examples hereof. The methods can be used with any source of bacterial ribosomes as well as with any mutant forms thereof. When testing for antibiotic candidates, one preferably uses ribosomes from a bacterial pathogen.

[000116] For either of the two foregoing methods, in certain embodiments, the L1 fluorophore is at (T202C) L1 and the fluorophore on S13 is at or near the amino terminus of S13. FRET pairs that are a donor-acceptor fluorophore pair or a donor-quencher fluorophore pair are useful.

[000117] Similarly, the two foregoing methods can be used in certain embodiments to identify candidate antibiotics. For example, a test compound is considered a candidate antibiotic when the test compound (i) stabilizes the ribosome in an intermediate FRET state or in a high FRET state, (ii) increases the ribosome's distribution in intermediate or high FRET states, (iii) increases the ribosome's rate of transition into intermediate or high FRET states, or abolishes FRET. Such candidate antibiotics can be tested to establish whether they inhibit function of a bacterial ribosome of pathological interest. The intermediate FRET state includes ribosomes having a structure assumed when the tRNA is present at the P/pe tRNA binding state (see Example 4).

[000118] The foregoing is considered as illustrative only of the principles of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation shown and described, and accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the invention. All references patents, patent applications, PDB data or other documents cited are herein incorporated by reference in their entirety.

EXAMPLE 1

General Methods and Materials

Purification of native E. coli tRNA^{Phe}.

[000119] The purification protocol for tRNA^{Phe} was adapted from a published protocol (Cayama 2000). Briefly, *E.coli* cells (strain MRE600) harboring plasmid pBS-tRNA^{Phe}, which overexpresses *E.coli* tRNA^{Phe}, were cultured and harvested as previously described (Junemann 1996). The cell pellets were lysed by sonication in 20 mM Tris HCl, pH 7.5, 50 mM MgCl₂ and 20 mM β-mercaptoethanol. The cell lysate was clarified by centrifugation at 35000 rpm in a Beckman Ti-70 rotor at 4°C for 2 hours. Total cellular RNA was extracted from the supernatant by phenol extraction and ethanol precipitation. High molecular weight RNAs were removed by isopropanol precipitation (von Ehrenstein 1967). The soluble RNA fraction was then incubated for 15 min at 37 °C after adjusting the pH to 8 by addition of 0.5 M Tris HCl, pH 8.8 to deacylate tRNAs. As previously described (Blanchard 2004), tRNA^{Phe} was specifically aminoacylated following brief incubation with phenylalanine, ATP and phenylalanyl-tRNA synthase. The reaction mixture was phenol

extracted and the nucleic acid fraction was obtained by ethanol precipitation. After resuspending the pellet in 10 mM ammonium acetate pH 6.3, the sample was applied to a TSK Phenyl 5PW hydrophobic interaction column (Tosoh Bioscience) and Phe-tRNA^{Phe} was purified by fractionation as previously described (Blanchard 2004). The isolated peak was desalted, deacylated by brief incubation at elevated pH and repurified using analogous methods.

Preparation of dye-labeled ribosome complexes.

[000120] The labeling of L1 protein (Cy5-S55C) and tRNA^{Phe} (Cy3-s⁴U8) for smFRET experiment were performed as previously described (Munro 2010a,b). 70S ribosomes were reconstituted with dye-labeled L1 and non-enzymatically initiated with mRNA and (Cy3-s⁴U8) tRNA^{Phe} by incubating with 1.5 molar excess of each over ribosomes at 37°C for 10 minutes. The mRNA used has the same sequence as the one used in crystallization except for biotin modification at 5' end to enable surface immobilization.

Purification of A1408G ribosomes.

[000121] Wild-type ribosomes and ribosomes bearing A1408G mutation were purified from a $\Delta 7prn$ *E. coli* MG1655 strain (RecA-) for single-molecule translocation and recycling experiments. The A1408G neomycin resistance mutation was introduced into a NT102 (KanR, SpecR) plasmid containing an *rrnB* operon (Komoda 2006) using Quickchange II site-directed mutagenesis (Stratagene). Wild-type and A1408G containing pRB102 plasmids (Komoda 2006) were then swapped into a $\Delta 7prn$ *E. coli* MG1655 (pKK3535, AmpR; ptRNA67, SpecR) strain. Tightly-coupled 70S ribosomes were purified from these strains in Tris-polymix buffer as previously described (Munro 2007).

Single-molecule FRET tRNA incorporation assay.

[000122] The process of tRNA selection on the ribosome was monitored using single-molecule FRET by stopped-flow injection of a 10 nM solution of ternary complex (EF-Tu(GTP)•aa-tRNA) containing Phe-tRNA^{Phe} (Cy5-acp³U47) to surface-immobilized ribosome complexes containing deacylated tRNA^{fMet} (Cy3-s⁴U8) in the P site as previously described (Geggier 2010). Fluorescence and FRET traces were extracted from video and

selected for analysis using automated analysis software implemented in MATLAB (MathWorks) using the segmental k-means algorithm (Qin, 1996). Complete accommodation of Phe-tRNA^{Phe} into the A site was marked by the first observation of a 400 ms dwell in a high (0.55 ± 0.61) FRET state, structurally assigned to the “classical” pre-translocation complex configuration through previous investigations (Geggier 2010). Individual experiments, in which approximately 100 accommodation events were obtained, were performed in triplicate. The mean extent of accommodation and standard deviations are plotted as a function of time. Wild type and mutant ribosomes for these experiments were purified as previously described (Feldman 2010).

Single-molecule translocation assay.

[000123] Fluorescence-based, single-molecule translocation assays were carried out as previously described (Munro 2010c) on either wild-type or A1408G mutant pre-translocation ribosome complexes. Experiments were performed in Tris-polymix buffer (pH 7.5, 5mM Mg(OAc)₂) and analyzed as previously described (Munro 2010c; Wang2011), plotting the fraction of translocating molecules as a function of time.

EXAMPLE 1A

Ribosome Recycling Assays

Ribosome recycling factor purification.

[000124] RRF was purified from *E. coli* strain BL21 Star cells (Invitrogen) expressing a C-terminal hexa-histidine tagged version of the protein. Cells were lysed by sonication in lysis buffer (50 mM HEPES, pH 7.6, 1 M NH₄Cl, 10 mM MgCl₂, 200 μ M PMSF, 7 mM β -mercaptoethanol, 0.1% Triton-X11, and Roche EDTA-free protease inhibitor cocktail). After the lysate was clarified by centrifugation, it was applied to a HisTrap column (GE Healthcare). The column was washed with buffer containing 50 mM HEPES, 1 M NH₄Cl, 10 mM MgCl₂, 7 mM β -mercaptoethanol, and 20 mM imidazole; RRF was eluted in the same buffer containing 400 mM imidazole. The protein was concentrated by ultrafiltration and applied to Sephacryl 16/60 size exclusion column (GE Healthcare). The RRF containing fractions were concentrated to 550 μ M and stored at -80 °C.

Single-Molecule Fluorescence Experiments.

[000125] All single-molecule fluorescence experiments were performed at room temperature in an MES-Polymix buffer that resembled the crystallization condition (50 mM MES, pH 6.5, 5.0 mM MgCl₂, 350 mM NH₄Cl, 5.0 mM putrescine, 5.0 mM spermidine, 5 mM β -mercaptoethanol and 0.5 mM EDTA). Oxygen scavenging and triplet-state quenching systems used were as previously described (Dave 2009). The smFRET data were acquired with Metamorph (Molecular Device), and analyzed in MATLAB (Mathwork) and QuB (www.qub.buffalo.edu) as previously described (Munro 2010a,b). Subunit release was monitored by directly exciting the Cy5 fluorophore within surface-immobilized ribosome complexes (Coherent) at 10 mW laser power. Time lapse imaging of the recycling reaction was performed by acquiring snapshot images (40 millisecond integration time) every 20 seconds over the course of 20 minutes. Changes in fluorescence intensity were analyzed and plotted in Origin (OriginLab).

Single-molecule FRET tRNA incorporation assay.

[000126] The process of tRNA selection on the ribosome was monitored using single-molecule FRET by stopped-flow injection of a 10 nM solution of ternary complex (EF-Tu(GTP)•aa-tRNA) containing Phe-tRNA^{Phe} (Cy5-acp3U47) to surface-immobilized ribosome complexes containing Cy3-labeled S13 and deacylated tRNA^{fMet} in the P site as generally described in PCT/US12/32602, filed April 6, 2012. After 30 seconds incubation, ternary complex was washed out with Tris-polymix Mg²⁺ buffer. The smFRET data were acquired by directly exciting the Cy3 fluorophore at 532 nm (LaserQuantum) while simultaneously recording Cy3 and Cy5 intensities in Metamorph (Molecular Devices) with 100 ms integration time. Fluorescence and FRET traces were extracted from video and traces from each movie were selected according to the criteria: signal-to-noise>5, background intensity<1500 and Cy3 blinking<1. All selected traces were then manually inspected for the appearance of stable 0.15-0.2 FRET state, which indicated Cy5-tRNA^{Phe} incorporation into the A site. The ratio of the number of molecules showing A-site tRNA incorporation to the total number of molecules inspected for all experiments (no drug, 100 μ M neomycin, 100 μ M viomycin and 100 μ M kanamycin) were normalized to that of the no drug case. Three independent experiments were performed under each condition and the

mean with standard deviation were plotted using Origin (OriginLab). The results are shown in Fig. 28.

EXAMPLE 2

Tagged S13 and Its Uses

Generation of site-specifically labeled 30S subunits and 50S subunits.

[000127] Ribosomal protein S13 was PCR-cloned from *E. coli* strain K12 genomic DNA into the pPROEX HTb vector with a TEV-cleavable His₆-tag and a 12-residue peptide encoding the S6 epitope for the Sfp phosphopantetheinyl transferase reaction (Yin 2006), fused at the N terminus. Following transformation of this plasmid into an *E. coli* ΔS13 knockout strain (Cukras 2005), cells were cultured and ribosomes were harvested as previously described (Wang 2011). Pure 30S subunits were isolated via sucrose gradient centrifugation in a low magnesium buffer (20 mM HEPES pH 7.5, 50 mM KCl, 10 mM NH₄Cl, 0.5 mM EDTA, 6 mM BME, 1 mM MgCl₂). 30S subunits containing Sfp-tagged S13 were isolated from this population by cobalt affinity chromatography (Clontech). Subsequently, the Sfp tag was enzymatically labeled and the His₆-tag was enzymatically removed in a buffer containing 20 mM HEPES, pH 7.5, 100 mM KCl, 10 mM MgCl₂, and 6 mM BME. 20 μM N-Sfp-S13 30S subunits, 5 μM TEV protease, 250 μM Cy3-CoA and 25 μM Sfp were incubated for 24 h at 18°C. Sfp enzyme, TEV protease and unbound Cy3-CoA were then removed by filtration over a 100K membrane (Millipore). Prior to 70S complex formation, ribosomes were buffer exchanged into Tris-polymix buffer (Munro 2010c). 50S subunits labeled with Cy5-L1 (T202C) were prepared and purified as previously described (Munro 2010b).

Preparation of L1-S13 FRET ribosome complexes with tRNA^{fMet} or tRNA^{Phe} in the P site.

[000128] Cy3-S13 30S and Cy5-L1 50S subunits were heat activated at 42°C for 10 min in Tris-polymix Mg²⁺ buffer and ribosomes were then initiated with fMet-tRNA^{fMet} or NAc-Phe-tRNA^{Phe} as previously described (Munro 2010c).

Single-molecule L1-S13 FRET assay.

[000129] All single-molecule FRET experiments were performed at room temperature in Tris-Polymix with 5 mM Mg^{2+} buffer as previously described (Wang 2011), where oxygen scavenging and triplet-state quenching systems were employed (Dave 2009). Following surface immobilization (Munro 2007), the ribosome-bound, P-site tRNA was deacylated by incubation with 2 mM puromycin for 10 min at room temperature. The smFRET data were acquired by directly exciting the Cy3 fluorophore at 532 nm (LaserQuantum) while Cy3 and Cy5 intensities were simultaneously recorded in Metamorph (Molecular Devices) with 40 ms integration time. The data were analyzed in MATLAB (MathWorks) and plotted in Origin (OriginLab) as previously described (Munro 2007).

Monitoring FRET between elongation factors and the ribosome during translocation and tRNA selection.

[000130] To monitor EF-G productively engaging the pre-translocation complex, EF-G was labeled with Cy5 fluorophore and stop-flow delivered to surface-immobilized ribosome complexes bearing deacylated tRNA^{fMet} in the P site and Cy3-labeled dipeptidyl fMet-Phe-tRNA^{Phe} (Cy3-acp³U47) in the A site, as previously described (Munro 2010c; Wang 2011). Pre-steady state smFRET measurements of this kind were taken in the absence and presence of 20 μM neomycin at 100 ms time resolution. Fluorescent traces were analyzed with MATLAB (MathWorks). All molecules with signal/noise>3 were inspected individually. Productive EF-G binding events were marked by the appearance of FRET (≥ 0.2), indicative of EF-G's domain IV entering the A site (Munro 2010c). The interaction of ternary complex (EF-Tu(GTP)•aa-tRNA) with the ribosome was similarly monitored in pre-steady state experiments collected at 15ms time resolution in the absence and presence of 20 μM neomycin. Here, productive binding was marked by the appearance of FRET (>0.15) between the ternary complex containing Phe-tRNA^{Phe} (Cy5- acp³U47) and deacylated tRNA^{fMet} (Cy3-S⁴U8) within the P site of surface-immobilized 70S ribosome complexes (Geggier 2010). Complete accommodation was marked by the appearance of a relatively stable (>200 ms) high-FRET state (0.55 ± 0.61). Fluorescent traces were analyzed with MATLAB (MathWorks). All molecules with signal/noise>3 were inspected individually. Each tRNA selection and translocation experiment were performed in triplicate and the

average number and standard deviation of each event type were calculated and plotted in Origin (OriginLab).

EXAMPLE 3

Structural Analysis of Unrotated and Rotated Ribosome without Neomycin

Ribosome purification and crystallization.

[000131] Ribosomes lacking protein S1 were purified from *E. coli* strain MRE600 using sucrose gradient centrifugation, as described (Blaha 2000). Ribosomes were crystallized at 18°C using microbatch 96-well plates and buffers containing 4.0-6.0% 2-methyl-2,4-pentanediol (MPD), 4.1-4.5% PEG 8000, 4.0 mM MgCl₂, 380 mM NH₄Cl, 5.7 mM putrescine, 5.0 mM spermidine, 10 mM Tris plus 40 mM MES, pH 6.5-7.0, and 0.25 mM EDTA. Ribosome complexes were formed by incubating 4 μM deacylated tRNA^{Phe} and 8 μM mRNA of sequence 5'-GGCAAG GAGGUAAAAUUCUACAAA-3' (SEQ ID NO: 1; Dharmacon) with 2 μM ribosomes at 37°C for 15 minutes. 8 μM RRF was then added and the samples were incubated for an additional 15 minutes at 37 °C. Prior to crystallization, samples were subjected to ultrafiltration to remove excess ligands.

Data collection and processing.

[000132] Ribosome crystals were stabilized with crystallization buffer containing 7.0% MPD, 7.0% PEG 8000 and 24% PEG 400, pH 4.8, to allow cryocooling of the crystals to liquid nitrogen temperatures. Diffraction data were measured from crystals cooled to 100°K using 0.1-0.3° oscillations at beamlines 24ID-C at the Advanced Photon Source or at the Advanced Light Source (SIBYLS and 8.3.1 beamlines), each of which is equipped with an ADSC Q315 area detector. Data were reduced using XDS (Kabsch 1993), yielding the statistics shown in Table 1.

Table 1. X-ray crystallographic statistics

Space group	P2 ₁ 2 ₁ 2 ₁
unit cell (<i>a</i> , <i>b</i> , <i>c</i> in Å)	211.67, 438.07, 613.42
Resolution (Å)	70 – 3.0

(high-resolution shell)*	(3.35-3.16)
$R_{\text{merge}}^{\dagger}$	19.4 (57.7)
$I / \sigma(I)$	7.4 (1.8)
Completeness (%)	83.5 (66.1)
Measurement redundancy	5.3 (3.3)
Unique reflections	938,380 (101,586)
No. crystals used	10

[000133] *Data beyond the high-resolution shell in parenthesis was used for refinement and map calculation, and extend to an $I / \sigma(I)$ of about 1. Data are 92.5% complete in the 3.9 Å – 3.6 Å resolution shell, and 99% complete in lower-resolution shells.

[000134] [†]All statistics not in parentheses include data over the whole reported resolution range.

Molecular replacement and structure refinement.

[000135] The two copies of the 70S ribosome in the crystallographic asymmetric unit were located using rigid-body refinement in Phenix (Adams 2010) of the well-ordered *E. coli* ribosome from a recent atomic-resolution structure determination (Zhang 2009). That starting model had previously been improved by diagnosing problems with stereochemistry, all-atom sterics, and conformations using MolProbity (Chen 2010) and correcting them using a variety of protein and RNA remodeling tools. RNA corrections were carried out with the automated RNABC software (Wang 2008), and were accepted if the fixes of all-atom clashes (Word 1999a,b), ribose pucker outliers or backbone conformer outliers (Richardson 2008) survived in refinement without compromising model geometry or R-factors. Protein corrections first included automated correction of Asn/Gln/His 180° “flips” (Word 1999a,b) in MolProbity or Phenix. More extensive corrections were carried out in Coot (Emsley 2010) or with the backrub (Davis 2006) and sidechain-rotator tools in KiNG (Chen 2009). Refinement was carried out in Phenix, including the use of pucker-specific target parameters. Corrections made prior to this new structure included rebuilds of 20 RNA suites with RNABC, plus pucker corrections in refinement, and numerous improvements to 50S proteins (Chen 2010), including sequence register-shifts, peptide flips in β -strands, and

rotamer repairs of H-bonding at protein/RNA interfaces, to produce the model used in molecular replacement.

[000136] The resulting structural models were then refined using rounds of manual rebuilding in O (Jones 1991), Coot, or KiNG as well as positional refinement in Phenix, including use of a new functionality for automatic assignment of H-bond restraints using the Saenger base-pair types (Saenger 1984). Electron density maps were generated from the Phenix output directly, or using the program Pirate (Cowtan 2000). RNA rebuilding concentrated on the tRNAs and mRNAs, using the RNArotator tool in KiNG to make changes that improved both steric clashes and ribose pucker outliers in those regions to 80-90th percentile levels for this resolution. Protein corrections concentrated on RRF, L5, L27, and S12, in some cases making dramatic improvements such as taking L27 from a 0th percentile MolProbity score (combined clash, Ramachandran, and rotamer criteria) to 53rd percentile for the R₀ molecule and 88th percentile for the R_F molecule. While the overall sterics, geometry, and RNA conformations are all well above median quality (high percentile scores in Tables 2, 3), future rebuilding and refinements will be used to further improve protein and RNA sterics and geometry. In contrast to the earlier *E. coli* 70S structure determination (Zhang 2009), in which one of the two molecules was partially disordered, both ribosomes in the present structure are well ordered, with similar B-factors, validation statistics, and electron density quality.

The structures are deposited under PDB ID codes (searchable, e.g., at www.rcsb.org/pdb and www.wwpdb.org) as follows:

Fully rotated state: 3R8N, 3R8S

Unrotated state: 3R8O, 3R8T (the letter O, not zero)

Table 2. X-ray structure refinement

Resolution (Å)	40 – 3.0	
No. Reflections	938,304	
R _{free} Set	19,021	
R/R _{free} (%) [*]	20.2/26.1	
No. non-H Atoms	293,365	
R.m.s. deviations	Bond lengths (Å)	0.013
	Bond angles (°)	1.39
Mean ADP values (Å ²) [†]	State R ₀ 70S	29.0
	State R _F 70S	24.6

^{*}Refinement in Phenix (Adams 2010) with riding H atoms.

[†]Atomic displacement parameter values are reported as isotropic B-factors. B-factor model is 2 per residue, wxu weight set to 1.66.

Table 3. Validation statistics^{}**

	State R ₀ 70S	State R _F 70S
All-atom clashscore	44.1 56 th percentile	38.5 68 th percentile
Ramachandran outliers	9.2% 10 th percentile	8.4% 12 th percentile
Ribose pucker outliers	1.6% 73 rd percentile	1.9% 70 th percentile
Bond + angle outliers	0.63%	1.77%

^{**}From MolProbity (Chen 2010).

^{**}From MolProbity (Chen 2010).

[000137] Comparisons to atomic-resolution structures of the ribosome, and to structural models of the intact ribosome refined against cryo-EM density maps, were carried out by least-squares superposition in the program O (Jones 1991), using ribose C1' positions or

phosphorous atoms in nucleotides. Superpositions to identify the relative position of the small and large subunits in the ribosome used the large subunit as the frame of reference (Frank 2007). The angles of rotation of the 30S subunit domains were calculated essentially as described in (Zhang 2009). Angles given for the rotation of the head domain were calculated from 30S subunit structures superimposed by means of their platform domains. A rotation of 0° is defined as centering the head domain over the 30S P site, as seen in the structure of the unratcheted ribosome presented here. The bending angle of helix H34 in 23S rRNA, part of bridge B4, was determined from the shift in position of A715 relative to G725 at the base of the helix. Superpositions of P/E, P/P and A/T tRNAs utilized the C1' atoms of nucleotides 31-39 in the anticodon stem-loop. Comparisons of tRNA bending angles used the glycosidic bond of position 31 near the end of the anticodon stem-loop and the glycosidic bond of nucleotide 63 in the superimposed tRNAs. The bending angles calculated in this way are 37° for A/T tRNA compared to P/P tRNA, 37° for P/P tRNA compared to P/E tRNA, and 70° for A/T tRNA compared to P/E tRNA.

[000138] Structurally conserved nucleotides in the yeast 80S ribosome were used for superpositions of the two yeast 80S ribosome structures (Ben-Shem 2010) with the bacterial 30S and 50S subunits (Dunkle 2011, Table S3). One of the yeast 80S ribosomes most closely aligns with the post-translocation state recently identified (Ratje 2010). The body and platform domains are not fully rotated, and the small subunit head domain is rotated towards the E site by $\sim 16^\circ$. In the yeast 80S ribosome, H69 is extended, as seen in the unrotated state R_0 and the ratcheting intermediate R_2 (Zhang 2009), and is not compressed, as seen in the present structure of the fully rotated state R_F .

Intersubunit contacts.

[000139] Contacts, or bridges, between the ribosomal subunits were determined using the program Probe (Word 1999a,b). Identified contacts were manually examined by comparison to difference electron density maps, calculated either in Phenix or using Pirate density modified phases, to discount disordered side chains. Only direct contacts are shown in Figs. 6 and 7. Nomenclature for bridges adapted from (Yusupov 2001; Schuwirth 2005; Ben-Shem 2010). The dinucleotide platform formed by nucleotides A1847-A1848 in 23S rRNA differs from prior structural models of the 70S ribosome 2006; Laurberg 2008;

Jenner 2010a,b), although in *Haloarcula marismortui* the motif is conserved as a U-A dinucleotide platform (nts U1888-A1889)(Klein 2004).

Figure preparation.

[000140] Figures for Examples 3 and 4 were made using the program Pymol (Delano 2002). Numbering for ribosomal proteins follows that in the UniProt database (<http://www.uniprot.org>) (Uniprot 2010). Morphing movies were made using interpolation scripts written for CNS (Brünger 1998; Echols 2003) and were rendered in Pymol (Delano 2002).

EXAMPLE 4

Structural Analysis of Unrotated and Rotated Ribosome with Neomycin

Ribosome purification and crystallization.

[000141] Ribosomes were purified and crystallized as described in Example 3. Ribosome crystals were stabilized with crystallization buffer containing 7.0% MPD, 7.0% PEG 8000, 24% PEG 400, pH 4.8, to allow cryo-cooling of the crystals to liquid nitrogen temperatures. During the last cryo-cooling step (PEG 400 24%), neomycin (Sigma-Aldrich) was added at 100 μ M concentration to the cryo-protection buffer, and crystals were incubated at 4 °C with neomycin containing cryo-protection buffer. After two hours of incubation, the concentration of neomycin was reduced to 2 μ M by cryo-protection buffer exchange, and crystals were frozen with liquid nitrogen after 1-4 days of incubation at 4 °C.

Data collection and processing.

[000142] Diffraction data were measured from crystals cooled to 100°K using 0.1-0.3° oscillations at the Advanced Light Source (beamlines 8.3.1 and 12.3.1), each of which is equipped with an ADSC Q315 area detector. Data were reduced using XDS (Kabsch 1993), yielding the statistics shown in **Tables 4 and 5**.

Table 4. X-ray crystallographic statistics

Space group	P 2 ₁ 2 ₁ 2 ₁	
Unit cell (<i>a</i> , <i>b</i> , <i>c</i> in Å)	212.18	433.90 608.83
Resolution (Å)	70 - 3.3	
(high-resolution shell)*		(3.58 - 3.48)
R _{merge} [†]	23.1	(77.8)
I/σ (I)	5.76	(1.64)
Completeness (%)	95.2	(89.2)
Measurement redundancy	5.6	(3.4)
Unique reflections	793808	(51869)
No. crystals used	1	

*Data beyond the high-resolution shell in parentheses were used for refinement and map calculation, and extend to an I /σ (I) of about 1.12. Data are 96% complete in the 4.09–3.94 Å resolution shell, and 99% complete in lower-resolution shells.

†All statistics not in parentheses include data over the whole reported resolution range.

Table 5. X-ray structure refinement

Resolution (Å)	70-3.3
No. reflections	792715
R _{free} set	1997
R/R _{free} (%)*	0.22/0.27
No. non-H atoms	293687
R.m.s. deviations	
Bond lengths (Å)	0.006
Bond angles (°)	0.98
Molprobity statistics	
All-atom clashscore	24.53
Ramachandran plot	
Outliers	12.25%
Allowed	19.1%
Favored	68.65%
Rotamer outliers	22.1%

[000143] *Refinement in Phenix (Adams 2010) with riding H atoms.

Molecular replacement and structure refinement.

[000144] The two copies of the 70S ribosome in the crystallographic asymmetric unit were located using rigid-body refinement in Phenix (Adams et al. 2010) of the well-ordered

E. coli ribosome from a the atomic-resolution structure determination in Example 3. More extensive corrections were carried out in Coot (Emsley 2010) and sidechain-rotator tools in KiNG (Chen 2009a,b). Refinement was carried out in Phenix, including the use of pucker-specific target parameters. The resulting structural models were then refined using rounds of manual rebuilding in Coot, or KiNG as well as positional refinement in Phenix, including the use of a new functionality for automatic assignment of H-bond restraints using the Saenger base-pair types (Saenger 1984). Electron density maps were generated from the Phenix output directly. RNA rebuilding concentrated on the tRNAs, H69 and h44 (neomycin binding sites) and neomycin structure was inserted and fitted by using the Coot and Phenix.

Superpositions.

[000145] Comparisons to atomic-resolution structures of the ribosome were carried out by the “pair_fit” command in PyMOL that fits a set of atom pairs between two models. From the chosen atom pairs, disordered or moving regions of 23S rRNA were not used (*e.g.* L1 stalk, L7/L12 stalk, H38, H69) in the superpositions. Superpositions were performed using ribose C1' positions or phosphorus atoms in nucleotides. The angles of rotation of the 30S subunit domains were calculated essentially as described in (Zhang 2009). Angles given for the rotation of the head domain were calculated from 30S subunit structures superimposed by means of their platform domains. A rotation of 0° is defined as centering the head domain over the 30S P site, as seen in the structure of the unratcheted ribosome (Example 3). Superpositions of P/P, P/pe and P/E tRNAs utilized the C1' atoms of nucleotides 31-39 in the anticodon stem-loop (Example 3). Comparisons of tRNA bending angles used the glycosidic bond of position 31 near the end of the anticodon stem-loop and the glycosidic bond of nucleotide 63 in the superimposed tRNAs (Example 3). The bending angles calculated in this way are 24° for P/P tRNA compared to P/pe tRNA, 14° for P/pe tRNA compared to P/E tRNA.

EXAMPLE 5

Atomic Coordinates of H69 Neomycin-binding Pocket

[000146] The atomic coordinates for the H69 neomycin-binding pocket are provided in Tables 6-9. These tables contain the data from PDB files for the crystals described in Example 3 (Tables 6 and 7) and for the crystals described in Example 4 (Tables 8 and 9).

[000147] Table 6 provides the ribosomal coordinates for the residues involved in neomycin binding at the H69 site for the fully-rotated ribosome with the compressed H69 neomycin-binding site. Table 7 provides the same coordinates for the unrotated ribosome but the binding site is open (uncompressed).

[000148] Since the crystals from Example 4 were solved with neomycin bound, Table 8 provides the H69 neomycin-binding pocket coordinates for both neomycin and the ribosome in an intermediate-rotated state. Table 9 provides the same information as in Table 8 but for the ribosome in an unrotated state. These two latter sets of coordinates can be used for molecular modeling with or without the neomycin coordinates.

[000149] The tables are set forth after the References section.

REFERENCES

- Adams et al. (2010) *Acta Crystallogr D Biol Crystallogr* 66(Pt 2): 213-21.
- Agrawal et al. (2004) *Proc Natl Acad Sci U S A* 101(24): 8900-5.
- Ashkenazy et al. (2010) *Nucleic Acids Res* 38(Web Server issue): W529-33.
- Bains (1998) *Biotechnology from A to Z*, 2nd ed., Oxford University Press, p. 259.
- Ben-Shem, et al. (2010) *Science* 330(6008): 1203-9.
- Blaha et al. (2000). *Methods Enzymol* 317: 292-309.
- Blanchard et al. (2010) *Chem Biol* 17, 633.
- Blanchard et al. (2004) *Proc Natl Acad Sci U S A* 101(35): 12893-8.
- Bokov et al. 2009). *Nature* 457(7232): 977-80.
- Borovinskaya et al. (2007) *Nat Struct Mol Biol* 14(8): 727-32.
- Brandt et al. (2009) *Cell* 136(2): 261-71.
- Brünger et al. (1998) *Acta Crystallogr. D Biol. Crystallogr.* 54(Pt 5): 905-21.
- Cannone et al. (2002) *BMC Bioinformatics* 3: 2.
- Cate et al. (1996) *Science* 273(5282): 1678-85.
- Cate et al. (1996) *Science* 273(5282): 1696-9.

- Cayama et al. (2000) *Nucleic Acids Res* 28(12): E64.
- Chan et al. (2008) *J Mol Biol* 378, 12.
- Chen, V. B. (2010). *Building Better Backbones: Visualizations, Analyses, and Tools for Higher Quality Macromolecular Structure Models*. Biochemistry. Durham, N.C., Duke University. Ph.D.: 272.
- Chen et al. (2009) *Protein Sci* 18(11): 2403-9.
- Chen et al. (2010) *Acta Crystallogr D Biol Crystallogr* 66(Pt 1): 12-21.
- Cohen, ed. (1996) *Guidebook on Molecular Modeling in Drug Design*, Academic Press.
- Connell et al. (2007) *Mol Cell* 25(5): 751-64.
- Cornish et al. (2008). *Mol Cell* 30(5): 578-88.
- Cowtan (2000) *Acta Crystallogr D Biol Crystallogr* 56 Pt 12: 1612-21.
- Cukras et al. (2005) *J Mol Biol* 349(1): 47-59.
- Dahlberg et al. (1978) *Antimicrob Agents Chemother* 13, 331.
- Dave, et al. (2009) *Biophys J* 96(6): 2371-81.
- David-Eden et al. (2010) *Nucleic Acids Res* 38, 5982.
- Davies et al. (1968) *J Biol Chem* 243, 3312.
- Davis et al. (2006). *Structure* 14(2): 265-74.
- Delano, W. L. (2002) *The PyMOL User's Manual*. San Carlos, CA, USA., Delano Scientific.
- Dunkle et al. (2011) *Science* 332, 981.
- Dunkle et al. (2010) *Annu Rev Biophys* 39: 227-44.
- Echols et al. (2003) *Nucleic Acids Res* 31(1): 478-82.
- Emsley et al. (2010) *Acta Crystallogr D Biol Crystallogr* 66(Pt 4): 486-501.
- Ermolenko et al. (2007) *Nat Struct Mol Biol* 14(6): 493-7.
- Feinberg and Joseph (2001) *Proc Natl Acad Sci U S A* 98(20): 11120-5.
- Feldman et al. (2010) *Nat Chem Biol* 6(1): 54-62.
- Fischer et al. (2010) *Nature* 466(7304): 329-33.
- Fourmy et al. (1996) *Science* 274, 1367.
- Frank, J. et al. (2000) *Nature* 406(6793): 318-22.
- Frank et al. (2007) *Proc Natl Acad Sci U S A* 104(50): 19671-8.
- Gale et al. (1981) *The Molecular Basis of Antibiotic Action*. (John Wiley & Sons Ltd., ed. 2nd.

- Gans et al. (1996) *Fundamental Principals of Molecular Modeling*, Plenum Pub. Corp.
- Gao et al. (2009) *Science* 326, 694.
- Gao (2005) *Mol Cell* 18(6): 663-74.
- Gavrilova et al. (1976) *J Mol Biol* 101(4): 537-52.
- Geggier et al. (2010) *J Mol Biol* 399, 576.
- Hirokawa et al. (2002) *EMBO J* 21, 2272.
- Janosi, L et al. (2000) *J Mol Biol* 295(4): 815-29.
- Jenner et al. (2010) *Nat Struct Mol Biol* 17(5): 555-60.
- Jenner et al. (2010) *Nat Struct Mol Biol* 17(9): 1072-8.
- Jin et al (2011) *Proc Natl Acad Sci U S A* 108, 15798.
- Johansen et al. (2006) *Mol. Cell* 23, 173–182
- Joseph et al. (1998) *EMBO J* 17(12): 3478-83.
- Jones et al. (1991) *Acta Crystallogr. A* 47: 110-9.
- Junemann et al. (1996) *Nucleic Acids Res* 24(5): 907-13.
- Kabsch, (1993) *J. Appl. Cryst.* 26: 795-800.
- Klein et al. (2004) *J Mol Biol* 340(1): 141-77.
- Komoda et al. (2006) *J Biol Chem* 281(43): 32303-9.
- Lancaster et al. (2002) *Cell* 111(1): 129-40.
- Laurberg et al. (2008) *Nature* 454, 852.
- Laurberg et al. (2008) *Nature* 454(7206): 852-7.
- Li, W. et al. (2007) *Proc Natl Acad Sci U S A* 104(42): 16540-5.
- Lillet et al. (1989) *EMBO J* 8(12): 3933-8.
- Llano-Sotelo et al. (2009) *RNA* 15, 1597.
- Moazed et al. (1989). *Nature* 342(6246): 142-8.
- Munro et al. (2007) *Mol Cell* 25, 505.
- Munro (2009) *Trends Biochem Sci* 34(8): 390-400.
- Munro (2010a) *EMBO J* 29(4): 770-81.
- Munro et al. (2010b) *Proc Natl Acad Sci U S A* 107(2): 709-14.
- Munro et al. (2010c) *Nat Struct Mol Biol.* 2010 Dec;17(12):1470-7.
- Ogle et al. (2005) *Annu Rev Biochem* 74, 129.
- Peske et al. (2005) *Mol Cell* 18, 403.

- Petry et al. (2008) *Curr Opin Struct Biol* 18, 70.
- Pochlsgaard et al. (2005) *Nat Rev Microbiol* 3, 870.
- Pulk et al. (2006) *RNA* 12, 790.
- Qin et al. (1996) *Biophys J* 70, 264.
- Ratje et al. (2010) *Nature* 468(7324): 713-6.
- Recht et al. (1999) *EMBO J* 18, 3133.
- Richardson et al. (2008) *RNA* 14(3): 465-81.
- Rodnina et al. (2000) *Biol Chem* 381, 377.
- Rush et al. (2008) *J. Am. Chem. Soc.* 2008, 130, 12240-12241.
- Saenger, W. (1984). *Principles of Nucleic Acid Structure*. New York, Springer-Verlag.
- Savelsbergh et al. (2009) *RNA* 15(5): 772-80.
- Schlecht (1998) *Molecular Modeling on the PC*, John Wiley & Sons.
- Schmeing et al. (2009) *Nature* 461(7268): 1234-42.
- Schmeing et al. (2003) *RNA* 9(11): 1345-52.
- Schmeing et al. (2009) *Science* 326(5953): 688-94.
- Schuwirth et al. (2005) *Science* 310(5749): 827-34.
- Selmer et al. (2006) *Science* 313(5795): 1935-42.
- Semenkov et al. (2000). *Nat Struct Biol* 7(11): 1027-31.
- Shenvi et al. (2005) *RNA* 11(12): 1898-908.
- Smith (1996) *Introduction to Theoretical Organic Chemistry and Molecular Modeling*.
- Spahn et al. (2004) *EMBO J* 23(5): 1008-19.
- Spirin (2009a) *Biochemistry* 48(45): 10688-92.
- Spirin. (2009b) *J Biol Chem* 284(32): 21103-19.
- Stanley et al. (2010) *Nat Struct Mol Biol* 17(3): 289-93.
- Sternberg et al. (2009) *Nat Struct Mol Biol* 16(8): 861-8.
- Tenson et al. (2006) *Mol Microbiol* 59, 1664.
- Uniprot (2010). "The Universal Protein Resource (UniProt) in 2010." *Nucleic Acids Res* 38(Database issue): D142-8.
- Valle et al. (2003a) *Nat Struct Biol* 10(11): 899-906.
- Valle et al. (2003b) *Cell* 114(1): 123-34.
- Valle et al. (2002) *EMBO J* 21(13): 3557-67.

- von Ehrenstein et al. (1967). Isolation of sRNA from intact Escherichia coli cells. Methods in Enzymology, Academic Press. Volume 12, Part 1: 588-596.
- Voorhees et al. (2010) Science 330(6005): 835-8.
- Wang et al. (2011) RNA 17, 2189.
- Wan et al. (2008). J Math Biol 56(1-2): 253-78.
- Weixlbaumer et al. (2007) Nat Struct Mol Biol 14(8): 733-7.
- Whitford et al. (2011) Proc Natl Acad Sci U S A 108, 18943.
- Word et al. (1999a) J Mol Biol 285(4): 1735-47.
- Word et al. (1999b) J Mol Biol 285(4): 1711-33.
- Yin et al. (2006) Nat Protoc 1, 280-5.
- Yusupov et al. (2001) Science 292(5518): 883-96.
- Zaher et al. (2009) Cell 136, 746.
- Zavialov et al. (2003) Cell 114(1): 113-22.
- Zhang et al. (2009) Science 325(5943): 1014-7.
- Zhou et al. (2008) J. Am. Chem. Soc. 130, 9925-9930.

Table 6

H69 Neomycin Binding Site for Fully-Rotated Ribosome

ATOM	32464	P	G A1515	-73.805	5.885	3.472	1.00	0.65	P
ATOM	32465	OP1	G A1515	-73.359	4.506	3.851	1.00	0.65	O
ATOM	32466	OP2	G A1515	-73.520	6.372	2.097	1.00	0.65	O
ATOM	32467	O5'	G A1515	-75.359	6.088	3.818	1.00	0.65	O
ATOM	32468	C5'	G A1515	-75.847	5.853	5.130	1.00	0.65	C
ATOM	32469	C4'	G A1515	-77.109	6.620	5.398	1.00	0.65	C
ATOM	32470	O4'	G A1515	-76.909	8.001	5.036	1.00	0.65	O
ATOM	32471	C3'	G A1515	-78.307	6.235	4.567	1.00	0.65	C
ATOM	32472	O3'	G A1515	-78.923	5.028	4.972	1.00	0.65	O
ATOM	32473	C2'	G A1515	-79.186	7.468	4.687	1.00	0.65	C
ATOM	32474	O2'	G A1515	-79.792	7.536	5.965	1.00	0.65	O
ATOM	32475	C1'	G A1515	-78.129	8.565	4.592	1.00	0.65	C
ATOM	32476	N9	G A1515	-77.952	9.050	3.209	1.00	0.68	N
ATOM	32477	C8	G A1515	-76.918	8.758	2.353	1.00	0.68	C
ATOM	32478	N7	G A1515	-77.047	9.322	1.175	1.00	0.68	N
ATOM	32479	C5	G A1515	-78.234	10.039	1.274	1.00	0.68	C
ATOM	32480	C6	G A1515	-78.906	10.852	0.326	1.00	0.68	C
ATOM	32481	O6	G A1515	-78.520	11.071	-0.819	1.00	0.68	O
ATOM	32482	N1	G A1515	-80.087	11.410	0.799	1.00	0.68	N
ATOM	32483	C2	G A1515	-80.547	11.190	2.054	1.00	0.68	C
ATOM	32484	N2	G A1515	-81.693	11.769	2.400	1.00	0.68	N
ATOM	32485	N3	G A1515	-79.937	10.441	2.950	1.00	0.68	N
ATOM	32486	C4	G A1515	-78.793	9.889	2.514	1.00	0.68	C
ATOM	32487	P	G A1516	-79.407	3.970	3.847	1.00	5.61	P
ATOM	32488	OP1	G A1516	-79.551	2.635	4.515	1.00	5.61	O
ATOM	32489	OP2	G A1516	-78.484	4.104	2.693	1.00	5.61	O
ATOM	32490	O5'	G A1516	-80.827	4.536	3.464	1.00	5.61	O
ATOM	32491	C5'	G A1516	-81.759	4.843	4.477	1.00	5.61	C
ATOM	32492	C4'	G A1516	-82.904	5.610	3.921	1.00	5.61	C
ATOM	32493	O4'	G A1516	-82.485	6.974	3.662	1.00	5.61	O
ATOM	32494	C3'	G A1516	-83.414	5.136	2.573	1.00	5.61	C
ATOM	32495	O3'	G A1516	-84.238	3.987	2.648	1.00	5.61	O
ATOM	32496	C2'	G A1516	-84.124	6.371	2.060	1.00	5.61	C
ATOM	32497	O2'	G A1516	-85.380	6.519	2.693	1.00	5.61	O
ATOM	32498	C1'	G A1516	-83.185	7.482	2.550	1.00	5.61	C
ATOM	32499	N9	G A1516	-82.218	7.834	1.516	1.00	5.64	N
ATOM	32500	C8	G A1516	-80.895	7.517	1.408	1.00	5.64	C
ATOM	32501	N7	G A1516	-80.369	7.946	0.287	1.00	5.64	N
ATOM	32502	C5	G A1516	-81.436	8.535	-0.366	1.00	5.64	C
ATOM	32503	C6	G A1516	-81.514	9.151	-1.614	1.00	5.64	C
ATOM	32504	O6	G A1516	-80.569	9.310	-2.403	1.00	5.64	O
ATOM	32505	N1	G A1516	-82.796	9.606	-1.902	1.00	5.64	N
ATOM	32506	C2	G A1516	-83.868	9.479	-1.090	1.00	5.64	C
ATOM	32507	N2	G A1516	-85.040	9.958	-1.478	1.00	5.64	N
ATOM	32508	N3	G A1516	-83.804	8.910	0.074	1.00	5.64	N
ATOM	32509	C4	G A1516	-82.571	8.467	0.369	1.00	5.64	C
ATOM	32510	P	G A1517	-84.128	2.853	1.506	1.00	8.95	P
ATOM	32511	OP1	G A1517	-84.956	1.700	1.947	1.00	8.95	O
ATOM	32512	OP2	G A1517	-82.680	2.627	1.226	1.00	8.95	O
ATOM	32513	O5'	G A1517	-84.820	3.557	0.270	1.00	8.95	O
ATOM	32514	C5'	G A1517	-86.228	3.744	0.253	1.00	8.95	C
ATOM	32515	C4'	G A1517	-86.790	3.530	-1.123	1.00	8.95	C
ATOM	32516	O4'	G A1517	-88.194	3.199	-1.023	1.00	8.95	O
ATOM	32517	C3'	G A1517	-86.761	4.739	-2.032	1.00	8.95	C
ATOM	32518	O3'	G A1517	-85.521	4.917	-2.667	1.00	8.95	O
ATOM	32519	C2'	G A1517	-87.896	4.462	-2.985	1.00	8.95	C
ATOM	32520	O2'	G A1517	-87.522	3.473	-3.933	1.00	8.95	O
ATOM	32521	C1'	G A1517	-88.913	3.857	-2.037	1.00	8.95	C

ATOM	32522	N9	G A1517	-89.758	4.879	-1.401	1.00	8.51	N
ATOM	32523	C8	G A1517	-89.727	5.231	-0.072	1.00	8.51	C
ATOM	32524	N7	G A1517	-90.600	6.159	0.250	1.00	8.51	N
ATOM	32525	C5	G A1517	-91.241	6.408	-0.944	1.00	8.51	C
ATOM	32526	C6	G A1517	-92.272	7.302	-1.224	1.00	8.51	C
ATOM	32527	O6	G A1517	-92.831	8.057	-0.466	1.00	8.51	O
ATOM	32528	N1	G A1517	-92.656	7.272	-2.528	1.00	8.51	N
ATOM	32529	C2	G A1517	-92.085	6.475	-3.457	1.00	8.51	C
ATOM	32530	N2	G A1517	-92.588	6.601	-4.681	1.00	8.51	N
ATOM	32531	N3	G A1517	-91.109	5.626	-3.234	1.00	8.51	N
ATOM	32532	C4	G A1517	-90.741	5.638	-1.962	1.00	8.51	C
ATOM	32533	P	A A1518	-84.783	6.329	-2.553	1.00	8.03	P
ATOM	32534	OP1	A A1518	-83.411	6.148	-3.107	1.00	8.03	O
ATOM	32535	OP2	A A1518	-84.952	6.797	-1.157	1.00	8.03	O
ATOM	32536	O5'	A A1518	-85.626	7.247	-3.506	1.00	8.03	O
ATOM	32537	C5'	A A1518	-85.517	7.125	-4.890	1.00	8.03	C
ATOM	32538	C4'	A A1518	-86.576	7.930	-5.535	1.00	8.03	C
ATOM	32539	O4'	A A1518	-87.850	7.546	-4.975	1.00	8.03	O
ATOM	32540	C3'	A A1518	-86.488	9.412	-5.267	1.00	8.03	C
ATOM	32541	O3'	A A1518	-85.581	10.062	-6.140	1.00	8.03	O
ATOM	32542	C2'	A A1518	-87.930	9.857	-5.421	1.00	8.03	C
ATOM	32543	O2'	A A1518	-88.283	9.923	-6.795	1.00	8.03	O
ATOM	32544	C1'	A A1518	-88.662	8.676	-4.798	1.00	8.03	C
ATOM	32545	N9	A A1518	-88.891	8.837	-3.354	1.00	8.10	N
ATOM	32546	C8	A A1518	-88.133	8.263	-2.353	1.00	8.10	C
ATOM	32547	N7	A A1518	-88.576	8.547	-1.141	1.00	8.10	N
ATOM	32548	C5	A A1518	-89.722	9.325	-1.361	1.00	8.10	C
ATOM	32549	C6	A A1518	-90.650	9.937	-0.485	1.00	8.10	C
ATOM	32550	N6	A A1518	-90.594	9.867	0.847	1.00	8.10	N
ATOM	32551	N1	A A1518	-91.657	10.642	-1.054	1.00	8.10	N
ATOM	32552	C2	A A1518	-91.731	10.715	-2.390	1.00	8.10	C
ATOM	32553	N3	A A1518	-90.925	10.189	-3.310	1.00	8.10	N
ATOM	32554	C4	A A1518	-89.930	9.500	-2.730	1.00	8.10	C
TER									
ATOM	40759	P	G A1903	-77.149	-18.965	16.920	1.00	1.59	P
ATOM	40760	OP1	G A1903	-77.353	-20.402	16.624	1.00	1.59	O
ATOM	40761	OP2	G A1903	-76.245	-18.169	16.052	1.00	1.59	O
ATOM	40762	O5'	G A1903	-78.554	-18.232	17.082	1.00	1.59	O
ATOM	40763	C5'	G A1903	-79.415	-17.998	15.987	1.00	1.59	C
ATOM	40764	C4'	G A1903	-80.810	-17.639	16.459	1.00	1.59	C
ATOM	40765	O4'	G A1903	-80.749	-16.623	17.512	1.00	1.59	O
ATOM	40766	C3'	G A1903	-81.733	-17.049	15.404	1.00	1.59	C
ATOM	40767	O3'	G A1903	-82.405	-18.042	14.682	1.00	1.59	O
ATOM	40768	C2'	G A1903	-82.668	-16.173	16.217	1.00	1.59	C
ATOM	40769	O2'	G A1903	-83.662	-16.958	16.836	1.00	1.59	O
ATOM	40770	C1'	G A1903	-81.730	-15.634	17.291	1.00	1.59	C
ATOM	40771	N9	G A1903	-81.042	-14.423	16.829	1.00	1.70	N
ATOM	40772	C8	G A1903	-79.720	-14.396	16.503	1.00	1.70	C
ATOM	40773	N7	G A1903	-79.323	-13.244	16.069	1.00	1.70	N
ATOM	40774	C5	G A1903	-80.457	-12.458	16.092	1.00	1.70	C
ATOM	40775	C6	G A1903	-80.617	-11.092	15.729	1.00	1.70	C
ATOM	40776	O6	G A1903	-79.777	-10.285	15.301	1.00	1.70	O
ATOM	40777	N1	G A1903	-81.917	-10.686	15.887	1.00	1.70	N
ATOM	40778	C2	G A1903	-82.903	-11.490	16.333	1.00	1.70	C
ATOM	40779	N2	G A1903	-84.074	-10.873	16.392	1.00	1.70	N
ATOM	40780	N3	G A1903	-82.785	-12.761	16.696	1.00	1.70	N
ATOM	40781	C4	G A1903	-81.530	-13.184	16.545	1.00	1.70	C
ATOM	40782	P	G A1904	-82.389	-18.034	13.095	1.00	15.24	P
ATOM	40783	OP1	G A1904	-82.621	-19.429	12.662	1.00	15.24	O
ATOM	40784	OP2	G A1904	-81.167	-17.351	12.660	1.00	15.24	O
ATOM	40785	O5'	G A1904	-83.649	-17.153	12.758	1.00	15.24	O
ATOM	40786	C5'	G A1904	-84.894	-17.439	13.376	1.00	15.24	C
ATOM	40787	C4'	G A1904	-85.865	-16.304	13.217	1.00	15.24	C

ATOM	40788	O4'	G A1904	-85.530	-15.238	14.129	1.00	15.24	O
ATOM	40789	C3'	G A1904	-85.875	-15.627	11.865	1.00	15.24	C
ATOM	40790	O3'	G A1904	-86.607	-16.337	10.904	1.00	15.24	O
ATOM	40791	C2'	G A1904	-86.494	-14.317	12.206	1.00	15.24	C
ATOM	40792	O2'	G A1904	-87.866	-14.517	12.497	1.00	15.24	O
ATOM	40793	C1'	G A1904	-85.780	-14.009	13.510	1.00	15.24	C
ATOM	40794	N9	G A1904	-84.486	-13.322	13.298	1.00	15.28	N
ATOM	40795	C8	G A1904	-83.250	-13.814	13.634	1.00	15.28	C
ATOM	40796	N7	G A1904	-82.284	-12.988	13.375	1.00	15.28	N
ATOM	40797	C5	G A1904	-82.914	-11.868	12.848	1.00	15.28	C
ATOM	40798	C6	G A1904	-82.387	-10.645	12.367	1.00	15.28	C
ATOM	40799	O6	G A1904	-81.236	-10.247	12.291	1.00	15.28	O
ATOM	40800	N1	G A1904	-83.336	-9.785	11.915	1.00	15.28	N
ATOM	40801	C2	G A1904	-84.656	-10.056	11.921	1.00	15.28	C
ATOM	40802	N2	G A1904	-85.404	-9.057	11.424	1.00	15.28	N
ATOM	40803	N3	G A1904	-85.190	-11.187	12.357	1.00	15.28	N
ATOM	40804	C4	G A1904	-84.264	-12.051	12.805	1.00	15.28	C
ATOM	40805	P	C A1905	-86.064	-16.416	9.417	1.00	12.32	P
ATOM	40806	OP1	C A1905	-86.932	-17.354	8.669	1.00	12.32	O
ATOM	40807	OP2	C A1905	-84.602	-16.700	9.498	1.00	12.32	O
ATOM	40808	O5'	C A1905	-86.301	-14.940	8.906	1.00	12.32	O
ATOM	40809	C5'	C A1905	-87.558	-14.325	9.064	1.00	12.32	C
ATOM	40810	C4'	C A1905	-87.505	-12.908	8.616	1.00	12.32	C
ATOM	40811	O4'	C A1905	-86.525	-12.205	9.397	1.00	12.32	O
ATOM	40812	C3'	C A1905	-87.066	-12.702	7.190	1.00	12.32	C
ATOM	40813	O3'	C A1905	-88.132	-12.865	6.287	1.00	12.32	O
ATOM	40814	C2'	C A1905	-86.505	-11.297	7.208	1.00	12.32	C
ATOM	40815	O2'	C A1905	-87.548	-10.354	7.078	1.00	12.32	O
ATOM	40816	C1'	C A1905	-85.942	-11.194	8.627	1.00	12.32	C
ATOM	40817	N1	C A1905	-84.468	-11.341	8.696	1.00	13.11	N
ATOM	40818	C2	C A1905	-83.623	-10.390	8.109	1.00	13.11	C
ATOM	40819	O2	C A1905	-84.161	-9.480	7.460	1.00	13.11	O
ATOM	40820	N3	C A1905	-82.272	-10.491	8.213	1.00	13.11	N
ATOM	40821	C4	C A1905	-81.760	-11.491	8.909	1.00	13.11	C
ATOM	40822	N4	C A1905	-80.430	-11.593	9.012	1.00	13.11	N
ATOM	40823	C5	C A1905	-82.600	-12.449	9.549	1.00	13.11	C
ATOM	40824	C6	C A1905	-83.927	-12.341	9.429	1.00	13.11	C
ATOM	40825	P	G A1906	-87.983	-13.826	5.008	1.00	33.88	P
ATOM	40826	OP1	G A1906	-86.784	-14.680	5.212	1.00	33.88	O
ATOM	40827	OP2	G A1906	-88.039	-12.965	3.818	1.00	33.88	O
ATOM	40828	O5'	G A1906	-89.283	-14.724	5.089	1.00	33.88	O
ATOM	40829	C5'	G A1906	-90.556	-14.187	4.805	1.00	33.88	C
ATOM	40830	C4'	G A1906	-91.611	-14.868	5.623	1.00	33.88	C
ATOM	40831	O4'	G A1906	-91.809	-14.152	6.869	1.00	33.88	O
ATOM	40832	C3'	G A1906	-92.988	-14.927	5.006	1.00	33.88	C
ATOM	40833	O3'	G A1906	-93.118	-15.984	4.081	1.00	33.88	O
ATOM	40834	C2'	G A1906	-93.889	-15.059	6.229	1.00	33.88	C
ATOM	40835	O2'	G A1906	-93.874	-16.386	6.741	1.00	33.88	O
ATOM	40836	C1'	G A1906	-93.171	-14.161	7.220	1.00	33.88	C
ATOM	40837	N9	G A1906	-93.666	-12.780	7.175	1.00	33.83	N
ATOM	40838	C8	G A1906	-93.015	-11.685	6.689	1.00	33.83	C
ATOM	40839	N7	G A1906	-93.699	-10.589	6.816	1.00	33.83	N
ATOM	40840	C5	G A1906	-94.870	-10.989	7.432	1.00	33.83	C
ATOM	40841	C6	G A1906	-96.016	-10.252	7.833	1.00	33.83	C
ATOM	40842	O6	G A1906	-96.273	-9.037	7.734	1.00	33.83	O
ATOM	40843	N1	G A1906	-96.956	-11.082	8.416	1.00	33.83	N
ATOM	40844	C2	G A1906	-96.818	-12.423	8.586	1.00	33.83	C
ATOM	40845	N2	G A1906	-97.845	-13.047	9.172	1.00	33.83	N
ATOM	40846	N3	G A1906	-95.765	-13.109	8.212	1.00	33.83	N
ATOM	40847	C4	G A1906	-94.846	-12.334	7.655	1.00	33.83	C
ATOM	40848	P	G A1907	-93.834	-15.733	2.668	1.00	44.42	P
ATOM	40849	OP1	G A1907	-94.331	-17.051	2.204	1.00	44.42	O
ATOM	40850	OP2	G A1907	-92.878	-14.979	1.809	1.00	44.42	O

ATOM	40851	O5'	G A1907	-95.058	-14.809	3.051	1.00	44.42	O
ATOM	40852	C5'	G A1907	-96.350	-15.115	2.581	1.00	44.42	C
ATOM	40853	C4'	G A1907	-97.194	-15.712	3.665	1.00	44.42	C
ATOM	40854	O4'	G A1907	-96.841	-15.100	4.932	1.00	44.42	O
ATOM	40855	C3'	G A1907	-98.690	-15.469	3.526	1.00	44.42	C
ATOM	40856	O3'	G A1907	-99.331	-16.425	2.708	1.00	44.42	O
ATOM	40857	C2'	G A1907	-99.167	-15.451	4.965	1.00	44.42	C
ATOM	40858	O2'	G A1907	-99.225	-16.764	5.493	1.00	44.42	O
ATOM	40859	C1'	G A1907	-98.008	-14.716	5.626	1.00	44.42	C
ATOM	40860	N9	G A1907	-98.152	-13.240	5.510	1.00	43.98	N
ATOM	40861	C8	G A1907	-97.273	-12.318	4.956	1.00	43.98	C
ATOM	40862	N7	G A1907	-97.701	-11.084	4.995	1.00	43.98	N
ATOM	40863	C5	G A1907	-98.942	-11.193	5.609	1.00	43.98	C
ATOM	40864	C6	G A1907	-99.899	-10.202	5.933	1.00	43.98	C
ATOM	40865	O6	G A1907	-99.820	-8.993	5.718	1.00	43.98	O
ATOM	40866	N1	G A1907	-101.028	-10.751	6.550	1.00	43.98	N
ATOM	40867	C2	G A1907	-101.216	-12.090	6.825	1.00	43.98	C
ATOM	40868	N2	G A1907	-102.362	-12.444	7.428	1.00	43.98	N
ATOM	40869	N3	G A1907	-100.334	-13.023	6.528	1.00	43.98	N
ATOM	40870	C4	G A1907	-99.234	-12.507	5.931	1.00	43.98	C
ATOM	40871	P	C A1908	-99.500	-16.147	1.131	1.00	35.91	P
ATOM	40872	OP1	C A1908	-100.406	-17.193	0.602	1.00	35.91	O
ATOM	40873	OP2	C A1908	-98.150	-16.020	0.549	1.00	35.91	O
ATOM	40874	O5'	C A1908	-100.215	-14.738	1.099	1.00	35.91	O
ATOM	40875	C5'	C A1908	-101.468	-14.582	0.480	1.00	35.91	C
ATOM	40876	C4'	C A1908	-102.581	-14.537	1.491	1.00	35.91	C
ATOM	40877	O4'	C A1908	-102.037	-14.307	2.825	1.00	35.91	O
ATOM	40878	C3'	C A1908	-103.580	-13.407	1.289	1.00	35.91	C
ATOM	40879	O3'	C A1908	-104.591	-13.730	0.363	1.00	35.91	O
ATOM	40880	C2'	C A1908	-104.070	-13.135	2.694	1.00	35.91	C
ATOM	40881	O2'	C A1908	-104.961	-14.154	3.125	1.00	35.91	O
ATOM	40882	C1'	C A1908	-102.758	-13.274	3.454	1.00	35.91	C
ATOM	40883	N1	C A1908	-101.945	-12.053	3.343	1.00	35.20	N
ATOM	40884	C2	C A1908	-102.453	-10.796	3.662	1.00	35.20	C
ATOM	40885	O2	C A1908	-103.619	-10.707	4.069	1.00	35.20	O
ATOM	40886	N3	C A1908	-101.638	-9.723	3.517	1.00	35.20	N
ATOM	40887	C4	C A1908	-100.389	-9.890	3.065	1.00	35.20	C
ATOM	40888	N4	C A1908	-99.588	-8.845	2.932	1.00	35.20	N
ATOM	40889	C5	C A1908	-99.860	-11.147	2.719	1.00	35.20	C
ATOM	40890	C6	C A1908	-100.672	-12.188	2.866	1.00	35.20	C
ATOM	40891	P	C A1909	-104.213	-13.874	-1.194	1.00	33.41	P
ATOM	40892	OP1	C A1909	-104.593	-15.249	-1.604	1.00	33.41	O
ATOM	40893	OP2	C A1909	-102.794	-13.433	-1.368	1.00	33.41	O
ATOM	40894	O5'	C A1909	-105.166	-12.812	-1.874	1.00	33.41	O
ATOM	40895	C5'	C A1909	-104.851	-11.438	-1.817	1.00	33.41	C
ATOM	40896	C4'	C A1909	-105.818	-10.683	-0.951	1.00	33.41	C
ATOM	40897	O4'	C A1909	-105.330	-10.657	0.420	1.00	33.41	O
ATOM	40898	C3'	C A1909	-105.994	-9.219	-1.330	1.00	33.41	C
ATOM	40899	O3'	C A1909	-106.998	-9.029	-2.288	1.00	33.41	O
ATOM	40900	C2'	C A1909	-106.274	-8.549	-0.011	1.00	33.41	C
ATOM	40901	O2'	C A1909	-107.611	-8.791	0.396	1.00	33.41	O
ATOM	40902	C1'	C A1909	-105.321	-9.328	0.890	1.00	33.41	C
ATOM	40903	N1	C A1909	-103.922	-8.821	0.760	1.00	33.15	N
ATOM	40904	C2	C A1909	-103.596	-7.454	0.808	1.00	33.15	C
ATOM	40905	O2	C A1909	-104.469	-6.613	1.014	1.00	33.15	O
ATOM	40906	N3	C A1909	-102.318	-7.075	0.644	1.00	33.15	N
ATOM	40907	C4	C A1909	-101.377	-7.995	0.423	1.00	33.15	C
ATOM	40908	N4	C A1909	-100.110	-7.609	0.256	1.00	33.15	N
ATOM	40909	C5	C A1909	-101.664	-9.383	0.352	1.00	33.15	C
ATOM	40910	C6	C A1909	-102.937	-9.745	0.512	1.00	33.15	C
ATOM	40911	P	G A1910	-106.609	-8.971	-3.844	1.00	37.29	P
ATOM	40912	OP1	G A1910	-107.608	-9.802	-4.576	1.00	37.29	O
ATOM	40913	OP2	G A1910	-105.174	-9.324	-3.952	1.00	37.29	O

ATOM	40914	O5'	G A1910	-106.819	-7.431	-4.181	1.00	37.29	O
ATOM	40915	C5'	G A1910	-107.827	-6.699	-3.510	1.00	37.29	C
ATOM	40916	C4'	G A1910	-107.428	-5.269	-3.273	1.00	37.29	C
ATOM	40917	O4'	G A1910	-106.515	-5.162	-2.146	1.00	37.28	O
ATOM	40918	C3'	G A1910	-106.674	-4.597	-4.383	1.00	37.28	C
ATOM	40919	O3'	G A1910	-107.485	-4.285	-5.485	1.00	37.28	O
ATOM	40920	C2'	G A1910	-106.096	-3.392	-3.662	1.00	37.28	C
ATOM	40921	O2'	G A1910	-107.100	-2.432	-3.389	1.00	37.28	O
ATOM	40922	C1'	G A1910	-105.674	-4.038	-2.342	1.00	37.29	C
ATOM	40923	N9	G A1910	-104.280	-4.492	-2.406	1.00	36.74	N
ATOM	40924	C8	G A1910	-103.758	-5.740	-2.573	1.00	36.74	C
ATOM	40925	N7	G A1910	-102.460	-5.721	-2.627	1.00	36.74	N
ATOM	40926	C5	G A1910	-102.111	-4.387	-2.513	1.00	36.74	C
ATOM	40927	C6	G A1910	-100.846	-3.733	-2.501	1.00	36.74	C
ATOM	40928	O6	G A1910	-99.706	-4.210	-2.601	1.00	36.74	O
ATOM	40929	N1	G A1910	-101.000	-2.353	-2.347	1.00	36.74	N
ATOM	40930	C2	G A1910	-102.207	-1.685	-2.223	1.00	36.74	C
ATOM	40931	N2	G A1910	-102.170	-0.349	-2.085	1.00	36.74	N
ATOM	40932	N3	G A1910	-103.381	-2.290	-2.232	1.00	36.74	N
ATOM	40933	C4	G A1910	-103.242	-3.624	-2.380	1.00	36.74	C
ATOM	40934	P	U A1911	-106.908	-4.492	-6.962	1.00	41.32	P
ATOM	40935	OP1	U A1911	-108.063	-4.501	-7.885	1.00	41.32	O
ATOM	40936	OP2	U A1911	-106.012	-5.673	-6.925	1.00	41.32	O
ATOM	40937	O5'	U A1911	-106.063	-3.167	-7.165	1.00	41.32	O
ATOM	40938	C5'	U A1911	-106.529	-1.944	-6.624	1.00	41.32	C
ATOM	40939	C4'	U A1911	-105.443	-0.914	-6.584	1.00	41.32	C
ATOM	40940	O4'	U A1911	-104.510	-1.221	-5.528	1.00	41.32	O
ATOM	40941	C3'	U A1911	-104.583	-0.831	-7.818	1.00	41.32	C
ATOM	40942	O3'	U A1911	-105.202	-0.108	-8.848	1.00	41.32	O
ATOM	40943	C2'	U A1911	-103.318	-0.180	-7.298	1.00	41.32	C
ATOM	40944	O2'	U A1911	-103.486	1.227	-7.187	1.00	41.32	O
ATOM	40945	C1'	U A1911	-103.224	-0.772	-5.890	1.00	41.32	C
ATOM	40946	N1	U A1911	-102.268	-1.909	-5.807	1.00	41.23	N
ATOM	40947	C2	U A1911	-100.939	-1.553	-5.624	1.00	41.23	C
ATOM	40948	O2	U A1911	-100.552	-0.397	-5.566	1.00	41.23	O
ATOM	40949	N3	U A1911	-100.067	-2.604	-5.536	1.00	41.23	N
ATOM	40950	C4	U A1911	-100.378	-3.941	-5.600	1.00	41.23	C
ATOM	40951	O4	U A1911	-99.450	-4.734	-5.501	1.00	41.23	O
ATOM	40952	C5	U A1911	-101.768	-4.251	-5.775	1.00	41.23	C
ATOM	40953	C6	U A1911	-102.648	-3.242	-5.867	1.00	41.23	C
ATOM	40954	P	A A1912	-104.946	-0.526	-10.364	1.00	28.49	P
ATOM	40955	OP1	A A1912	-105.973	0.165	-11.203	1.00	28.49	O
ATOM	40956	OP2	A A1912	-104.874	-2.011	-10.392	1.00	28.49	O
ATOM	40957	O5'	A A1912	-103.508	0.089	-10.651	1.00	28.49	O
ATOM	40958	C5'	A A1912	-103.253	1.459	-10.428	1.00	28.49	C
ATOM	40959	C4'	A A1912	-102.201	1.975	-11.359	1.00	28.49	C
ATOM	40960	O4'	A A1912	-100.904	1.750	-10.791	1.00	28.49	O
ATOM	40961	C3'	A A1912	-102.121	1.313	-12.720	1.00	28.49	C
ATOM	40962	O3'	A A1912	-103.097	1.813	-13.629	1.00	28.49	O
ATOM	40963	C2'	A A1912	-100.675	1.588	-13.151	1.00	28.49	C
ATOM	40964	O2'	A A1912	-100.578	2.803	-13.874	1.00	28.49	O
ATOM	40965	C1'	A A1912	-99.950	1.760	-11.812	1.00	28.49	C
ATOM	40966	N9	A A1912	-98.962	0.708	-11.550	1.00	27.91	N
ATOM	40967	C8	A A1912	-98.969	-0.642	-11.765	1.00	27.91	C
ATOM	40968	N7	A A1912	-97.855	-1.213	-11.374	1.00	27.91	N
ATOM	40969	C5	A A1912	-97.081	-0.176	-10.869	1.00	27.91	C
ATOM	40970	C6	A A1912	-95.802	-0.104	-10.297	1.00	27.91	C
ATOM	40971	N6	A A1912	-94.984	-1.143	-10.104	1.00	27.91	N
ATOM	40972	N1	A A1912	-95.362	1.109	-9.925	1.00	27.91	N
ATOM	40973	C2	A A1912	-96.144	2.168	-10.106	1.00	27.91	C
ATOM	40974	N3	A A1912	-97.354	2.223	-10.628	1.00	27.91	N
ATOM	40975	C4	A A1912	-97.760	1.006	-10.986	1.00	27.91	C
ATOM	40976	P	A A1913	-103.317	1.105	-15.057	1.00	66.34	P

ATOM	40977	OP1	A	A1913	-104.778	0.948	-15.242	1.00	66.34	O
ATOM	40978	OP2	A	A1913	-102.463	-0.102	-15.082	1.00	66.34	O
ATOM	40979	O5'	A	A1913	-102.752	2.179	-16.079	1.00	66.34	O
ATOM	40980	C5'	A	A1913	-103.582	3.221	-16.571	1.00	66.34	C
ATOM	40981	C4'	A	A1913	-103.815	3.087	-18.053	1.00	66.34	C
ATOM	40982	O4'	A	A1913	-102.818	3.865	-18.761	1.00	66.34	O
ATOM	40983	C3'	A	A1913	-103.711	1.660	-18.599	1.00	66.34	C
ATOM	40984	O3'	A	A1913	-104.674	1.466	-19.643	1.00	66.34	O
ATOM	40985	C2'	A	A1913	-102.293	1.611	-19.167	1.00	66.34	C
ATOM	40986	O2'	A	A1913	-102.082	0.659	-20.196	1.00	66.34	O
ATOM	40987	C1'	A	A1913	-102.122	3.033	-19.670	1.00	66.34	C
ATOM	40988	N9	A	A1913	-100.735	3.471	-19.715	1.00	67.09	N
ATOM	40989	C8	A	A1913	-99.646	2.711	-20.091	1.00	67.09	C
ATOM	40990	N7	A	A1913	-98.520	3.373	-20.051	1.00	67.09	N
ATOM	40991	C5	A	A1913	-98.915	4.639	-19.613	1.00	67.09	C
ATOM	40992	C6	A	A1913	-98.165	5.788	-19.369	1.00	67.09	C
ATOM	40993	N6	A	A1913	-96.834	5.774	-19.554	1.00	67.09	N
ATOM	40994	N1	A	A1913	-98.847	6.886	-18.939	1.00	67.08	N
ATOM	40995	C2	A	A1913	-100.181	6.816	-18.779	1.00	67.09	C
ATOM	40996	N3	A	A1913	-100.997	5.790	-18.980	1.00	67.09	N
ATOM	40997	C4	A	A1913	-100.281	4.725	-19.396	1.00	67.09	C
ATOM	40998	P	C	A1914	-105.960	0.510	-19.393	1.00	64.06	P
ATOM	40999	OP1	C	A1914	-107.182	1.338	-19.641	1.00	64.06	O
ATOM	41000	OP2	C	A1914	-105.784	-0.128	-18.050	1.00	64.06	O
ATOM	41001	O5'	C	A1914	-105.798	-0.595	-20.531	1.00	64.06	O
ATOM	41002	C5'	C	A1914	-104.513	-1.078	-20.891	1.00	64.06	C
ATOM	41003	C4'	C	A1914	-104.521	-2.567	-21.101	1.00	64.06	C
ATOM	41004	O4'	C	A1914	-103.630	-2.911	-22.195	1.00	64.06	O
ATOM	41005	C3'	C	A1914	-104.012	-3.413	-19.946	1.00	64.06	C
ATOM	41006	O3'	C	A1914	-104.963	-3.584	-18.905	1.00	64.06	O
ATOM	41007	C2'	C	A1914	-103.640	-4.707	-20.652	1.00	64.06	C
ATOM	41008	O2'	C	A1914	-104.803	-5.458	-20.967	1.00	64.06	O
ATOM	41009	C1'	C	A1914	-103.051	-4.176	-21.957	1.00	64.06	C
ATOM	41010	N1	C	A1914	-101.568	-4.028	-21.902	1.00	63.15	N
ATOM	41011	C2	C	A1914	-100.778	-4.976	-22.588	1.00	63.15	C
ATOM	41012	O2	C	A1914	-101.322	-5.911	-23.202	1.00	63.15	O
ATOM	41013	N3	C	A1914	-99.427	-4.874	-22.570	1.00	63.15	N
ATOM	41014	C4	C	A1914	-98.845	-3.874	-21.911	1.00	63.15	C
ATOM	41015	N4	C	A1914	-97.503	-3.826	-21.940	1.00	63.15	N
ATOM	41016	C5	C	A1914	-99.622	-2.890	-21.209	1.00	63.15	C
ATOM	41017	C6	C	A1914	-100.962	-2.998	-21.228	1.00	63.15	C
ATOM	41018	P	U	A1915	-104.618	-4.540	-17.652	1.00	50.19	P
ATOM	41019	OP1	U	A1915	-105.832	-4.587	-16.774	1.00	50.19	O
ATOM	41020	OP2	U	A1915	-103.337	-4.051	-17.075	1.00	50.19	O
ATOM	41021	O5'	U	A1915	-104.388	-5.960	-18.348	1.00	50.19	O
ATOM	41022	C5'	U	A1915	-104.003	-7.098	-17.588	1.00	50.19	C
ATOM	41023	C4'	U	A1915	-103.236	-8.090	-18.426	1.00	50.19	C
ATOM	41024	O4'	U	A1915	-102.549	-7.397	-19.499	1.00	50.19	O
ATOM	41025	C3'	U	A1915	-102.133	-8.844	-17.704	1.00	50.19	C
ATOM	41026	O3'	U	A1915	-102.606	-9.956	-16.990	1.00	50.19	O
ATOM	41027	C2'	U	A1915	-101.181	-9.208	-18.827	1.00	50.19	C
ATOM	41028	O2'	U	A1915	-101.676	-10.310	-19.563	1.00	50.19	O
ATOM	41029	C1'	U	A1915	-101.268	-7.963	-19.701	1.00	50.19	C
ATOM	41030	N1	U	A1915	-100.226	-6.943	-19.339	1.00	50.55	N
ATOM	41031	C2	U	A1915	-98.869	-7.294	-19.304	1.00	50.55	C
ATOM	41032	O2	U	A1915	-98.424	-8.407	-19.545	1.00	50.55	O
ATOM	41033	N3	U	A1915	-98.014	-6.275	-18.956	1.00	50.55	N
ATOM	41034	C4	U	A1915	-98.338	-4.969	-18.647	1.00	50.55	C
ATOM	41035	O4	U	A1915	-97.440	-4.178	-18.354	1.00	50.55	O
ATOM	41036	C5	U	A1915	-99.737	-4.670	-18.700	1.00	50.55	C
ATOM	41037	C6	U	A1915	-100.601	-5.640	-19.034	1.00	50.55	C
ATOM	41038	P	A	A1916	-102.792	-9.865	-15.403	1.00	36.99	P
ATOM	41039	OP1	A	A1916	-103.479	-11.101	-14.985	1.00	36.99	O

ATOM	41040	OP2	A	A1916	-103.425	-8.556	-15.107	1.00	36.99	O
ATOM	41041	O5'	A	A1916	-101.303	-9.883	-14.867	1.00	36.99	O
ATOM	41042	C5'	A	A1916	-100.559	-11.079	-14.906	1.00	36.99	C
ATOM	41043	C4'	A	A1916	-99.103	-10.807	-15.088	1.00	36.99	C
ATOM	41044	O4'	A	A1916	-98.901	-9.886	-16.192	1.00	36.99	O
ATOM	41045	C3'	A	A1916	-98.419	-10.135	-13.926	1.00	36.99	C
ATOM	41046	O3'	A	A1916	-98.121	-11.031	-12.884	1.00	36.99	O
ATOM	41047	C2'	A	A1916	-97.196	-9.536	-14.586	1.00	36.99	C
ATOM	41048	O2'	A	A1916	-96.226	-10.531	-14.846	1.00	36.99	O
ATOM	41049	C1'	A	A1916	-97.791	-9.060	-15.911	1.00	36.99	C
ATOM	41050	N9	A	A1916	-98.264	-7.682	-15.790	1.00	37.66	N
ATOM	41051	C8	A	A1916	-99.537	-7.185	-15.847	1.00	37.66	C
ATOM	41052	N7	A	A1916	-99.593	-5.893	-15.623	1.00	37.66	N
ATOM	41053	C5	A	A1916	-98.273	-5.534	-15.375	1.00	37.66	C
ATOM	41054	C6	A	A1916	-97.663	-4.307	-15.072	1.00	37.66	C
ATOM	41055	N6	A	A1916	-98.330	-3.155	-14.956	1.00	37.66	N
ATOM	41056	N1	A	A1916	-96.323	-4.318	-14.887	1.00	37.66	N
ATOM	41057	C2	A	A1916	-95.652	-5.480	-14.999	1.00	37.66	C
ATOM	41058	N3	A	A1916	-96.117	-6.696	-15.285	1.00	37.66	N
ATOM	41059	C4	A	A1916	-97.447	-6.640	-15.463	1.00	37.66	C
ATOM	41060	P	U	A1917	-98.719	-10.782	-11.417	1.00	30.02	P
ATOM	41061	OP1	U	A1917	-98.859	-12.125	-10.763	1.00	30.02	O
ATOM	41062	OP2	U	A1917	-99.937	-9.918	-11.580	1.00	30.02	O
ATOM	41063	O5'	U	A1917	-97.558	-9.957	-10.706	1.00	30.02	O
ATOM	41064	C5'	U	A1917	-96.215	-10.394	-10.778	1.00	30.02	C
ATOM	41065	C4'	U	A1917	-95.278	-9.239	-10.936	1.00	30.02	C
ATOM	41066	O4'	U	A1917	-95.691	-8.425	-12.060	1.00	30.02	O
ATOM	41067	C3'	U	A1917	-95.233	-8.266	-9.783	1.00	30.02	C
ATOM	41068	O3'	U	A1917	-94.438	-8.723	-8.718	1.00	30.02	O
ATOM	41069	C2'	U	A1917	-94.687	-7.026	-10.442	1.00	30.02	C
ATOM	41070	O2'	U	A1917	-93.298	-7.156	-10.649	1.00	30.02	O
ATOM	41071	C1'	U	A1917	-95.382	-7.076	-11.800	1.00	30.02	C
ATOM	41072	N1	U	A1917	-96.642	-6.277	-11.816	1.00	30.05	N
ATOM	41073	C2	U	A1917	-96.542	-4.920	-11.520	1.00	30.05	C
ATOM	41074	O2	U	A1917	-95.484	-4.363	-11.260	1.00	30.05	O
ATOM	41075	N3	U	A1917	-97.723	-4.228	-11.530	1.00	30.05	N
ATOM	41076	C4	U	A1917	-98.963	-4.721	-11.815	1.00	30.05	C
ATOM	41077	O4	U	A1917	-99.905	-3.945	-11.790	1.00	30.05	O
ATOM	41078	C5	U	A1917	-99.017	-6.114	-12.114	1.00	30.05	C
ATOM	41079	C6	U	A1917	-97.881	-6.825	-12.105	1.00	30.05	C
ATOM	41080	P	A	A1918	-94.870	-8.410	-7.211	1.00	31.13	P
ATOM	41081	OP1	A	A1918	-93.796	-8.908	-6.325	1.00	31.14	O
ATOM	41082	OP2	A	A1918	-96.242	-8.926	-7.041	1.00	31.14	O
ATOM	41083	O5'	A	A1918	-94.897	-6.831	-7.176	1.00	31.13	O
ATOM	41084	C5'	A	A1918	-93.714	-6.074	-7.385	1.00	31.13	C
ATOM	41085	C4'	A	A1918	-93.982	-4.607	-7.217	1.00	31.13	C
ATOM	41086	O4'	A	A1918	-95.048	-4.223	-8.124	1.00	31.13	O
ATOM	41087	C3'	A	A1918	-94.443	-4.204	-5.830	1.00	31.14	C
ATOM	41088	O3'	A	A1918	-93.916	-2.927	-5.511	1.00	31.14	O
ATOM	41089	C2'	A	A1918	-95.959	-4.124	-5.973	1.00	31.14	C
ATOM	41090	O2'	A	A1918	-96.579	-3.244	-5.073	1.00	31.13	O
ATOM	41091	C1'	A	A1918	-96.115	-3.650	-7.403	1.00	31.14	C
ATOM	41092	N9	A	A1918	-97.369	-4.056	-8.037	1.00	31.95	N
ATOM	41093	C8	A	A1918	-97.713	-5.286	-8.508	1.00	31.95	C
ATOM	41094	N7	A	A1918	-98.908	-5.329	-9.053	1.00	31.95	N
ATOM	41095	C5	A	A1918	-99.393	-4.041	-8.939	1.00	31.95	C
ATOM	41096	C6	A	A1918	-100.611	-3.431	-9.321	1.00	31.95	C
ATOM	41097	N6	A	A1918	-101.636	-4.038	-9.923	1.00	31.95	N
ATOM	41098	N1	A	A1918	-100.761	-2.120	-9.070	1.00	31.95	N
ATOM	41099	C2	A	A1918	-99.753	-1.479	-8.463	1.00	31.95	C
ATOM	41100	N3	A	A1918	-98.572	-1.949	-8.055	1.00	31.95	N
ATOM	41101	C4	A	A1918	-98.445	-3.254	-8.323	1.00	31.95	C
ATOM	41102	P	A	A1919	-92.596	-2.812	-4.603	1.00	23.80	P

ATOM	41103	OP1	A	A1919	-91.434	-3.220	-5.448	1.00	23.80	O
ATOM	41104	OP2	A	A1919	-92.872	-3.558	-3.348	1.00	23.80	O
ATOM	41105	O5'	A	A1919	-92.522	-1.247	-4.291	1.00	23.80	O
ATOM	41106	C5'	A	A1919	-91.306	-0.622	-3.878	1.00	23.80	C
ATOM	41107	C4'	A	A1919	-91.191	0.775	-4.441	1.00	23.80	C
ATOM	41108	O4'	A	A1919	-91.456	0.723	-5.869	1.00	23.80	O
ATOM	41109	C3'	A	A1919	-92.191	1.809	-3.915	1.00	23.80	C
ATOM	41110	O3'	A	A1919	-91.774	2.445	-2.721	1.00	23.80	O
ATOM	41111	C2'	A	A1919	-92.298	2.763	-5.091	1.00	23.80	C
ATOM	41112	O2'	A	A1919	-91.130	3.567	-5.199	1.00	23.80	O
ATOM	41113	C1'	A	A1919	-92.297	1.787	-6.248	1.00	23.80	C
ATOM	41114	N9	A	A1919	-93.641	1.250	-6.494	1.00	23.52	N
ATOM	41115	C8	A	A1919	-94.017	-0.045	-6.750	1.00	23.52	C
ATOM	41116	N7	A	A1919	-95.311	-0.190	-6.886	1.00	23.52	N
ATOM	41117	C5	A	A1919	-95.807	1.094	-6.697	1.00	23.52	C
ATOM	41118	C6	A	A1919	-97.106	1.616	-6.712	1.00	23.52	C
ATOM	41119	N6	A	A1919	-98.209	0.886	-6.937	1.00	23.52	N
ATOM	41120	N1	A	A1919	-97.222	2.941	-6.486	1.00	23.52	N
ATOM	41121	C2	A	A1919	-96.132	3.675	-6.273	1.00	23.52	C
ATOM	41122	N3	A	A1919	-94.870	3.294	-6.244	1.00	23.52	N
ATOM	41123	C4	A	A1919	-94.782	1.986	-6.457	1.00	23.52	C
ATOM	41124	P	C	A1920	-92.289	1.931	-1.293	1.00	19.37	P
ATOM	41125	OP1	C	A1920	-91.485	2.625	-0.268	1.00	19.37	O
ATOM	41126	OP2	C	A1920	-92.276	0.452	-1.315	1.00	19.37	O
ATOM	41127	O5'	C	A1920	-93.782	2.437	-1.245	1.00	19.37	O
ATOM	41128	C5'	C	A1920	-94.190	3.559	-1.982	1.00	19.37	C
ATOM	41129	C4'	C	A1920	-95.678	3.619	-2.048	1.00	19.37	C
ATOM	41130	O4'	C	A1920	-96.144	2.780	-3.145	1.00	19.37	O
ATOM	41131	C3'	C	A1920	-96.401	3.063	-0.839	1.00	19.37	C
ATOM	41132	O3'	C	A1920	-96.446	3.959	0.266	1.00	19.37	O
ATOM	41133	C2'	C	A1920	-97.760	2.703	-1.428	1.00	19.37	C
ATOM	41134	O2'	C	A1920	-98.520	3.870	-1.707	1.00	19.37	O
ATOM	41135	C1'	C	A1920	-97.325	2.093	-2.761	1.00	19.37	C
ATOM	41136	N1	C	A1920	-97.021	0.609	-2.637	1.00	19.84	N
ATOM	41137	C2	C	A1920	-98.087	-0.310	-2.527	1.00	19.84	C
ATOM	41138	O2	C	A1920	-99.239	0.148	-2.565	1.00	19.84	O
ATOM	41139	N3	C	A1920	-97.837	-1.652	-2.383	1.00	19.84	N
ATOM	41140	C4	C	A1920	-96.566	-2.111	-2.347	1.00	19.84	C
ATOM	41141	N4	C	A1920	-96.329	-3.423	-2.194	1.00	19.84	N
ATOM	41142	C5	C	A1920	-95.459	-1.211	-2.466	1.00	19.84	C
ATOM	41143	C6	C	A1920	-95.726	0.108	-2.596	1.00	19.84	C
ATOM	41144	P	G	A1921	-96.436	3.384	1.780	1.00	18.78	P
ATOM	41145	OP1	G	A1921	-96.230	4.534	2.694	1.00	18.78	O
ATOM	41146	OP2	G	A1921	-95.478	2.269	1.817	1.00	18.78	O
ATOM	41147	O5'	G	A1921	-97.911	2.840	1.940	1.00	18.78	O
ATOM	41148	C5'	G	A1921	-99.002	3.681	1.620	1.00	18.78	C
ATOM	41149	C4'	G	A1921	-100.311	2.969	1.752	1.00	18.78	C
ATOM	41150	O4'	G	A1921	-100.514	2.107	0.610	1.00	18.78	O
ATOM	41151	C3'	G	A1921	-100.440	2.031	2.933	1.00	18.78	C
ATOM	41152	O3'	G	A1921	-100.716	2.694	4.146	1.00	18.78	O
ATOM	41153	C2'	G	A1921	-101.552	1.112	2.475	1.00	18.78	C
ATOM	41154	O2'	G	A1921	-102.806	1.771	2.517	1.00	18.78	O
ATOM	41155	C1'	G	A1921	-101.170	0.926	1.022	1.00	18.78	C
ATOM	41156	N9	G	A1921	-100.251	-0.200	0.862	1.00	19.32	N
ATOM	41157	C8	G	A1921	-98.887	-0.187	0.823	1.00	19.32	C
ATOM	41158	N7	G	A1921	-98.383	-1.377	0.681	1.00	19.32	N
ATOM	41159	C5	G	A1921	-99.489	-2.193	0.645	1.00	19.32	C
ATOM	41160	C6	G	A1921	-99.580	-3.581	0.507	1.00	19.32	C
ATOM	41161	O6	G	A1921	-98.652	-4.381	0.389	1.00	19.32	O
ATOM	41162	N1	G	A1921	-100.900	-4.024	0.514	1.00	19.32	N
ATOM	41163	C2	G	A1921	-102.002	-3.225	0.644	1.00	19.32	C
ATOM	41164	N2	G	A1921	-103.189	-3.849	0.632	1.00	19.32	N
ATOM	41165	N3	G	A1921	-101.925	-1.914	0.765	1.00	19.32	N

ATOM	41166	C4	G A1921	-100.648	-1.488	0.758	1.00	19.32	C
ATOM	41167	P	G A1922	-100.684	1.881	5.528	1.00	37.73	P
ATOM	41168	OP1	G A1922	-100.369	2.855	6.593	1.00	37.73	O
ATOM	41169	OP2	G A1922	-99.793	0.711	5.340	1.00	37.73	O
ATOM	41170	O5'	G A1922	-102.177	1.394	5.675	1.00	37.73	O
ATOM	41171	C5'	G A1922	-102.487	0.279	6.468	1.00	37.73	C
ATOM	41172	C4'	G A1922	-103.640	-0.478	5.895	1.00	37.73	C
ATOM	41173	O4'	G A1922	-103.377	-0.801	4.509	1.00	37.73	O
ATOM	41174	C3'	G A1922	-103.912	-1.812	6.542	1.00	37.73	C
ATOM	41175	O3'	G A1922	-104.661	-1.685	7.713	1.00	37.73	O
ATOM	41176	C2'	G A1922	-104.606	-2.584	5.442	1.00	37.73	C
ATOM	41177	O2'	G A1922	-105.954	-2.157	5.291	1.00	37.73	O
ATOM	41178	C1'	G A1922	-103.808	-2.118	4.236	1.00	37.73	C
ATOM	41179	N9	G A1922	-102.614	-2.945	4.037	1.00	38.39	N
ATOM	41180	C8	G A1922	-101.348	-2.433	3.988	1.00	38.39	C
ATOM	41181	N7	G A1922	-100.440	-3.342	3.811	1.00	38.39	N
ATOM	41182	C5	G A1922	-101.153	-4.531	3.753	1.00	38.39	C
ATOM	41183	C6	G A1922	-100.665	-5.854	3.581	1.00	38.39	C
ATOM	41184	O6	G A1922	-99.480	-6.206	3.445	1.00	38.39	O
ATOM	41185	N1	G A1922	-101.721	-6.768	3.572	1.00	38.39	N
ATOM	41186	C2	G A1922	-103.050	-6.446	3.719	1.00	38.39	C
ATOM	41187	N2	G A1922	-103.899	-7.485	3.686	1.00	38.39	N
ATOM	41188	N3	G A1922	-103.507	-5.210	3.887	1.00	38.39	N
ATOM	41189	C4	G A1922	-102.509	-4.305	3.894	1.00	38.39	C
ATOM	41190	P	U A1923	-103.917	-1.629	9.118	1.00	33.93	P
ATOM	41191	OP1	U A1923	-104.740	-0.762	10.004	1.00	33.93	O
ATOM	41192	OP2	U A1923	-102.500	-1.249	8.862	1.00	33.93	O
ATOM	41193	O5'	U A1923	-104.007	-3.144	9.583	1.00	33.93	O
ATOM	41194	C5'	U A1923	-105.225	-3.855	9.443	1.00	33.93	C
ATOM	41195	C4'	U A1923	-105.005	-5.239	8.908	1.00	33.93	C
ATOM	41196	O4'	U A1923	-104.275	-5.176	7.672	1.00	33.93	O
ATOM	41197	C3'	U A1923	-104.183	-6.163	9.786	1.00	33.93	C
ATOM	41198	O3'	U A1923	-104.964	-6.765	10.798	1.00	33.93	O
ATOM	41199	C2'	U A1923	-103.602	-7.170	8.798	1.00	33.93	C
ATOM	41200	O2'	U A1923	-104.463	-8.288	8.634	1.00	33.93	O
ATOM	41201	C1'	U A1923	-103.554	-6.369	7.487	1.00	33.93	C
ATOM	41202	N1	U A1923	-102.187	-6.033	7.091	1.00	34.23	N
ATOM	41203	C2	U A1923	-101.272	-7.060	7.048	1.00	34.23	C
ATOM	41204	O2	U A1923	-101.560	-8.213	7.328	1.00	34.23	O
ATOM	41205	N3	U A1923	-100.010	-6.678	6.675	1.00	34.23	N
ATOM	41206	C4	U A1923	-99.593	-5.407	6.343	1.00	34.23	C
ATOM	41207	O4	U A1923	-98.413	-5.218	6.012	1.00	34.23	O
ATOM	41208	C5	U A1923	-100.615	-4.409	6.414	1.00	34.23	C
ATOM	41209	C6	U A1923	-101.851	-4.752	6.770	1.00	34.23	C
ATOM	41210	P	C A1924	-104.585	-6.596	12.348	1.00	47.21	P
ATOM	41211	OP1	C A1924	-105.750	-5.976	13.016	1.00	47.21	O
ATOM	41212	OP2	C A1924	-103.273	-5.913	12.422	1.00	47.21	O
ATOM	41213	O5'	C A1924	-104.442	-8.100	12.809	1.00	47.21	O
ATOM	41214	C5'	C A1924	-105.225	-9.105	12.190	1.00	47.21	C
ATOM	41215	C4'	C A1924	-104.384	-10.274	11.770	1.00	47.21	C
ATOM	41216	O4'	C A1924	-103.573	-9.914	10.634	1.00	47.21	O
ATOM	41217	C3'	C A1924	-103.391	-10.768	12.804	1.00	47.21	C
ATOM	41218	O3'	C A1924	-103.990	-11.634	13.747	1.00	47.21	O
ATOM	41219	C2'	C A1924	-102.312	-11.438	11.962	1.00	47.21	C
ATOM	41220	O2'	C A1924	-102.660	-12.784	11.662	1.00	47.21	O
ATOM	41221	C1'	C A1924	-102.356	-10.621	10.671	1.00	47.21	C
ATOM	41222	N1	C A1924	-101.251	-9.658	10.567	1.00	47.75	N
ATOM	41223	C2	C A1924	-100.201	-10.063	9.758	1.00	47.75	C
ATOM	41224	O2	C A1924	-100.272	-11.190	9.251	1.00	47.75	O
ATOM	41225	N3	C A1924	-99.154	-9.224	9.573	1.00	47.75	N
ATOM	41226	C4	C A1924	-99.137	-8.017	10.155	1.00	47.75	C
ATOM	41227	N4	C A1924	-98.064	-7.246	9.928	1.00	47.75	N
ATOM	41228	C5	C A1924	-100.219	-7.575	10.990	1.00	47.75	C

ATOM	41229	C6	C A1924	-101.254	-8.420	11.162	1.00	47.75	C
ATOM	41230	P	C A1925	-103.283	-11.894	15.149	1.00	99.05	P
ATOM	41231	OP1	C A1925	-103.645	-13.272	15.570	1.00	99.05	O
ATOM	41232	OP2	C A1925	-103.631	-10.753	16.037	1.00	99.05	O
ATOM	41233	O5'	C A1925	-101.747	-11.823	14.763	1.00	99.05	O
ATOM	41234	C5'	C A1925	-101.073	-10.573	14.720	1.00	99.05	C
ATOM	41235	C4'	C A1925	-100.095	-10.445	15.857	1.00	99.05	C
ATOM	41236	O4'	C A1925	-99.546	-9.107	15.853	1.00	99.05	O
ATOM	41237	C3'	C A1925	-100.684	-10.686	17.240	1.00	99.05	C
ATOM	41238	O3'	C A1925	-99.769	-11.439	18.043	1.00	99.05	O
ATOM	41239	C2'	C A1925	-100.891	-9.281	17.817	1.00	99.05	C
ATOM	41240	O2'	C A1925	-100.696	-9.192	19.217	1.00	99.05	O
ATOM	41241	C1'	C A1925	-99.880	-8.412	17.041	1.00	99.05	C
ATOM	41242	N1	C A1925	-100.420	-7.078	16.626	1.00	98.62	N
ATOM	41243	C2	C A1925	-99.775	-5.864	16.952	1.00	98.62	C
ATOM	41244	O2	C A1925	-98.736	-5.873	17.642	1.00	98.62	O
ATOM	41245	N3	C A1925	-100.321	-4.694	16.510	1.00	98.62	N
ATOM	41246	C4	C A1925	-101.442	-4.689	15.771	1.00	98.62	C
ATOM	41247	N4	C A1925	-101.940	-3.514	15.364	1.00	98.62	N
ATOM	41248	C5	C A1925	-102.105	-5.902	15.415	1.00	98.62	C
ATOM	41249	C6	C A1925	-101.561	-7.049	15.850	1.00	98.62	C
ATOM	41250	P	U A1926	-100.085	-12.988	18.367	1.00	85.68	P
ATOM	41251	OP1	U A1926	-100.409	-13.654	17.078	1.00	85.68	O
ATOM	41252	OP2	U A1926	-101.090	-13.004	19.453	1.00	85.68	O
ATOM	41253	O5'	U A1926	-98.707	-13.538	18.912	1.00	85.68	O
ATOM	41254	C5'	U A1926	-97.616	-12.674	19.120	1.00	85.68	C
ATOM	41255	C4'	U A1926	-96.429	-13.080	18.294	1.00	85.68	C
ATOM	41256	O4'	U A1926	-96.855	-13.771	17.078	1.00	85.68	O
ATOM	41257	C3'	U A1926	-95.599	-11.945	17.760	1.00	85.68	C
ATOM	41258	O3'	U A1926	-94.819	-11.311	18.740	1.00	85.68	O
ATOM	41259	C2'	U A1926	-94.820	-12.622	16.648	1.00	85.68	C
ATOM	41260	O2'	U A1926	-93.825	-13.495	17.180	1.00	85.68	O
ATOM	41261	C1'	U A1926	-95.942	-13.467	16.023	1.00	85.68	C
ATOM	41262	N1	U A1926	-96.685	-12.719	14.940	1.00	85.26	N
ATOM	41263	C2	U A1926	-96.020	-11.840	14.068	1.00	85.26	C
ATOM	41264	O2	U A1926	-94.820	-11.609	14.087	1.00	85.26	O
ATOM	41265	N3	U A1926	-96.807	-11.210	13.130	1.00	85.26	N
ATOM	41266	C4	U A1926	-98.163	-11.354	12.961	1.00	85.26	C
ATOM	41267	O4	U A1926	-98.726	-10.720	12.073	1.00	85.26	O
ATOM	41268	C5	U A1926	-98.788	-12.265	13.868	1.00	85.26	C
ATOM	41269	C6	U A1926	-98.051	-12.892	14.796	1.00	85.26	C
ATOM	41270	P	A A1927	-95.141	-9.786	19.091	1.00	19.33	P
ATOM	41271	OP1	A A1927	-95.899	-9.774	20.377	1.00	19.33	O
ATOM	41272	OP2	A A1927	-95.773	-9.191	17.876	1.00	19.33	O
ATOM	41273	O5'	A A1927	-93.693	-9.170	19.308	1.00	19.33	O
ATOM	41274	C5'	A A1927	-93.509	-7.767	19.417	1.00	19.33	C
ATOM	41275	C4'	A A1927	-92.318	-7.312	18.620	1.00	19.33	C
ATOM	41276	O4'	A A1927	-91.248	-8.274	18.768	1.00	19.33	O
ATOM	41277	C3'	A A1927	-92.521	-7.196	17.122	1.00	19.33	C
ATOM	41278	O3'	A A1927	-93.137	-5.964	16.763	1.00	19.33	O
ATOM	41279	C2'	A A1927	-91.098	-7.357	16.582	1.00	19.33	C
ATOM	41280	O2'	A A1927	-90.394	-6.117	16.619	1.00	19.33	O
ATOM	41281	C1'	A A1927	-90.463	-8.312	17.610	1.00	19.33	C
ATOM	41282	N9	A A1927	-90.405	-9.708	17.148	1.00	19.12	N
ATOM	41283	C8	A A1927	-91.333	-10.642	17.464	1.00	19.12	C
ATOM	41284	N7	A A1927	-91.085	-11.821	16.962	1.00	19.12	N
ATOM	41285	C5	A A1927	-89.894	-11.662	16.285	1.00	19.12	C
ATOM	41286	C6	A A1927	-89.130	-12.574	15.525	1.00	19.12	C
ATOM	41287	N6	A A1927	-89.457	-13.857	15.347	1.00	19.12	N
ATOM	41288	N1	A A1927	-87.998	-12.114	14.969	1.00	19.12	N
ATOM	41289	C2	A A1927	-87.703	-10.818	15.182	1.00	19.12	C
ATOM	41290	N3	A A1927	-88.356	-9.870	15.872	1.00	19.12	N
ATOM	41291	C4	A A1927	-89.460	-10.362	16.411	1.00	19.12	C

ATOM	41292	P	A A1928	-93.897	-5.791	15.356	1.00	6.80	P
ATOM	41293	OP1	A A1928	-94.452	-4.431	15.324	1.00	6.80	O
ATOM	41294	OP2	A A1928	-94.823	-6.930	15.209	1.00	6.80	O
ATOM	41295	O5'	A A1928	-92.714	-5.913	14.296	1.00	6.80	O
ATOM	41296	C5'	A A1928	-92.119	-4.766	13.719	1.00	6.80	C
ATOM	41297	C4'	A A1928	-90.900	-5.141	12.923	1.00	6.80	C
ATOM	41298	O4'	A A1928	-90.264	-6.274	13.545	1.00	6.80	O
ATOM	41299	C3'	A A1928	-91.145	-5.574	11.476	1.00	6.80	C
ATOM	41300	O3'	A A1928	-91.175	-4.479	10.582	1.00	6.80	O
ATOM	41301	C2'	A A1928	-89.994	-6.535	11.187	1.00	6.80	C
ATOM	41302	O2'	A A1928	-88.836	-5.838	10.729	1.00	6.80	O
ATOM	41303	C1'	A A1928	-89.709	-7.128	12.565	1.00	6.80	C
ATOM	41304	N9	A A1928	-90.292	-8.475	12.728	1.00	6.70	N
ATOM	41305	C8	A A1928	-91.537	-8.774	13.187	1.00	6.70	C
ATOM	41306	N7	A A1928	-91.775	-10.050	13.248	1.00	6.70	N
ATOM	41307	C5	A A1928	-90.609	-10.636	12.794	1.00	6.70	C
ATOM	41308	C6	A A1928	-90.229	-11.971	12.617	1.00	6.70	C
ATOM	41309	N6	A A1928	-91.021	-13.012	12.889	1.00	6.70	N
ATOM	41310	N1	A A1928	-88.995	-12.212	12.161	1.00	6.70	N
ATOM	41311	C2	A A1928	-88.200	-11.193	11.898	1.00	6.70	C
ATOM	41312	N3	A A1928	-88.454	-9.902	12.029	1.00	6.70	N
ATOM	41313	C4	A A1928	-89.687	-9.681	12.484	1.00	6.70	C
ATOM	41314	P	G A1929	-92.480	-4.140	9.728	1.00	9.15	P
ATOM	41315	OP1	G A1929	-92.518	-2.677	9.562	1.00	9.15	O
ATOM	41316	OP2	G A1929	-93.631	-4.834	10.354	1.00	9.15	O
ATOM	41317	O5'	G A1929	-92.155	-4.792	8.374	1.00	9.15	O
ATOM	41318	C5'	G A1929	-91.828	-6.132	8.337	1.00	9.15	C
ATOM	41319	C4'	G A1929	-90.623	-6.350	7.523	1.00	9.15	C
ATOM	41320	O4'	G A1929	-89.989	-7.547	7.982	1.00	9.15	O
ATOM	41321	C3'	G A1929	-90.913	-6.616	6.098	1.00	9.15	C
ATOM	41322	O3'	G A1929	-89.684	-6.581	5.423	1.00	9.15	O
ATOM	41323	C2'	G A1929	-91.407	-8.048	6.176	1.00	9.15	C
ATOM	41324	O2'	G A1929	-91.387	-8.737	4.938	1.00	9.15	O
ATOM	41325	C1'	G A1929	-90.410	-8.635	7.185	1.00	9.15	C
ATOM	41326	N9	G A1929	-90.969	-9.640	8.102	1.00	9.80	N
ATOM	41327	C8	G A1929	-90.493	-10.910	8.340	1.00	9.80	C
ATOM	41328	N7	G A1929	-91.149	-11.543	9.280	1.00	9.80	N
ATOM	41329	C5	G A1929	-92.095	-10.628	9.711	1.00	9.80	C
ATOM	41330	C6	G A1929	-93.108	-10.747	10.692	1.00	9.80	C
ATOM	41331	O6	G A1929	-93.388	-11.717	11.406	1.00	9.80	O
ATOM	41332	N1	G A1929	-93.850	-9.579	10.819	1.00	9.80	N
ATOM	41333	C2	G A1929	-93.660	-8.432	10.080	1.00	9.80	C
ATOM	41334	N2	G A1929	-94.489	-7.387	10.329	1.00	9.80	N
ATOM	41335	N3	G A1929	-92.722	-8.332	9.145	1.00	9.80	N
ATOM	41336	C4	G A1929	-91.982	-9.449	9.014	1.00	9.80	C
ATOM	41337	P	G A1930	-89.610	-6.132	3.910	1.00	14.03	P
ATOM	41338	OP1	G A1930	-89.368	-4.669	3.916	1.00	14.03	O
ATOM	41339	OP2	G A1930	-90.825	-6.674	3.213	1.00	14.03	O
ATOM	41340	O5'	G A1930	-88.320	-6.900	3.408	1.00	14.03	O
ATOM	41341	C5'	G A1930	-87.411	-7.465	4.335	1.00	14.03	C
ATOM	41342	C4'	G A1930	-86.002	-7.175	3.937	1.00	14.03	C
ATOM	41343	O4'	G A1930	-85.134	-8.181	4.497	1.00	14.03	O
ATOM	41344	C3'	G A1930	-85.753	-7.194	2.449	1.00	14.03	C
ATOM	41345	O3'	G A1930	-84.743	-6.247	2.138	1.00	14.03	O
ATOM	41346	C2'	G A1930	-85.244	-8.608	2.206	1.00	14.03	C
ATOM	41347	O2'	G A1930	-84.464	-8.754	1.050	1.00	14.03	O
ATOM	41348	C1'	G A1930	-84.430	-8.837	3.460	1.00	14.03	C
ATOM	41349	N9	G A1930	-84.262	-10.244	3.842	1.00	13.66	N
ATOM	41350	C8	G A1930	-85.162	-11.284	3.826	1.00	13.66	C
ATOM	41351	N7	G A1930	-84.672	-12.400	4.273	1.00	13.66	N
ATOM	41352	C5	G A1930	-83.378	-12.061	4.623	1.00	13.66	C
ATOM	41353	C6	G A1930	-82.342	-12.845	5.168	1.00	13.66	C
ATOM	41354	O6	G A1930	-82.396	-14.041	5.441	1.00	13.66	O

ATOM	41355	N1	G A1930	-81.175	-12.135	5.393	1.00	13.66	N
ATOM	41356	C2	G A1930	-81.019	-10.817	5.104	1.00	13.66	C
ATOM	41357	N2	G A1930	-79.836	-10.285	5.391	1.00	13.66	N
ATOM	41358	N3	G A1930	-81.960	-10.064	4.579	1.00	13.66	N
ATOM	41359	C4	G A1930	-83.109	-10.747	4.374	1.00	13.66	C
ATOM	41360	P	U A1931	-84.547	-5.765	0.622	1.00	13.59	P
ATOM	41361	OP1	U A1931	-85.785	-6.128	-0.112	1.00	13.59	O
ATOM	41362	OP2	U A1931	-83.243	-6.337	0.133	1.00	13.59	O
ATOM	41363	O5'	U A1931	-84.462	-4.168	0.760	1.00	13.59	O
ATOM	41364	C5'	U A1931	-83.944	-3.550	1.913	1.00	13.59	C
ATOM	41365	C4'	U A1931	-82.778	-2.644	1.587	1.00	13.59	C
ATOM	41366	O4'	U A1931	-81.936	-2.542	2.755	1.00	13.59	O
ATOM	41367	C3'	U A1931	-81.848	-3.110	0.465	1.00	13.59	C
ATOM	41368	O3'	U A1931	-82.194	-2.576	-0.801	1.00	13.59	O
ATOM	41369	C2'	U A1931	-80.462	-2.678	0.930	1.00	13.59	C
ATOM	41370	O2'	U A1931	-80.201	-1.326	0.589	1.00	13.59	O
ATOM	41371	C1'	U A1931	-80.594	-2.763	2.427	1.00	13.59	C
ATOM	41372	N1	U A1931	-80.203	-4.071	2.964	1.00	13.70	N
ATOM	41373	C2	U A1931	-78.897	-4.278	3.276	1.00	13.70	C
ATOM	41374	O2	U A1931	-78.072	-3.435	3.038	1.00	13.70	O
ATOM	41375	N3	U A1931	-78.604	-5.487	3.840	1.00	13.70	N
ATOM	41376	C4	U A1931	-79.497	-6.483	4.142	1.00	13.70	C
ATOM	41377	O4	U A1931	-79.130	-7.524	4.669	1.00	13.70	O
ATOM	41378	C5	U A1931	-80.842	-6.193	3.806	1.00	13.70	C
ATOM	41379	C6	U A1931	-81.141	-5.017	3.254	1.00	13.70	C
TER									
END									

Table 7

H69 Neomycin Binding Site for Unrotated Ribosome

ATOM	32464	P	G A1515	-31.881	117.606	101.995	1.00	7.98	P
ATOM	32465	OP1	G A1515	-32.095	118.164	103.346	1.00	7.98	O
ATOM	32466	OP2	G A1515	-31.678	116.145	101.830	1.00	7.98	O
ATOM	32467	O5'	G A1515	-33.029	118.085	101.036	1.00	7.98	O
ATOM	32468	C5'	G A1515	-33.496	119.407	101.098	1.00	7.98	C
ATOM	32469	C4'	G A1515	-34.575	119.623	100.099	1.00	7.98	C
ATOM	32470	O4'	G A1515	-34.111	119.230	98.782	1.00	7.98	O
ATOM	32471	C3'	G A1515	-35.806	118.780	100.296	1.00	7.98	C
ATOM	32472	O3'	G A1515	-36.634	119.265	101.315	1.00	7.98	O
ATOM	32473	C2'	G A1515	-36.436	118.834	98.931	1.00	7.98	C
ATOM	32474	O2'	G A1515	-37.017	120.101	98.721	1.00	7.98	O
ATOM	32475	C1'	G A1515	-35.201	118.715	98.039	1.00	7.98	C
ATOM	32476	N9	G A1515	-34.916	117.309	97.694	1.00	8.01	N
ATOM	32477	C8	G A1515	-33.970	116.582	98.350	1.00	8.01	C
ATOM	32478	N7	G A1515	-33.892	115.363	97.913	1.00	8.01	N
ATOM	32479	C5	G A1515	-34.853	115.261	96.929	1.00	8.01	C
ATOM	32480	C6	G A1515	-35.167	114.127	96.160	1.00	8.01	C
ATOM	32481	O6	G A1515	-34.624	112.987	96.223	1.00	8.01	O
ATOM	32482	N1	G A1515	-36.189	114.455	95.277	1.00	8.01	N
ATOM	32483	C2	G A1515	-36.789	115.678	95.166	1.00	8.01	C
ATOM	32484	N2	G A1515	-37.745	115.775	94.249	1.00	8.01	N
ATOM	32485	N3	G A1515	-36.498	116.728	95.892	1.00	8.01	N
ATOM	32486	C4	G A1515	-35.509	116.452	96.764	1.00	8.01	C
ATOM	32487	P	G A1516	-37.407	118.244	102.263	1.00	3.93	P
ATOM	32488	OP1	G A1516	-37.954	119.029	103.387	1.00	3.93	O
ATOM	32489	OP2	G A1516	-36.470	117.138	102.562	1.00	3.93	O
ATOM	32490	O5'	G A1516	-38.596	117.734	101.329	1.00	3.93	O
ATOM	32491	C5'	G A1516	-39.544	118.658	100.841	1.00	3.93	C
ATOM	32492	C4'	G A1516	-40.410	118.079	99.757	1.00	3.93	C
ATOM	32493	O4'	G A1516	-39.618	117.710	98.597	1.00	3.93	O
ATOM	32494	C3'	G A1516	-41.165	116.812	100.097	1.00	3.93	C
ATOM	32495	O3'	G A1516	-42.305	117.060	100.891	1.00	3.93	O
ATOM	32496	C2'	G A1516	-41.516	116.297	98.723	1.00	3.93	C
ATOM	32497	O2'	G A1516	-42.606	117.035	98.192	1.00	3.93	O
ATOM	32498	C1'	G A1516	-40.244	116.637	97.933	1.00	3.93	C
ATOM	32499	N9	G A1516	-39.328	115.498	97.922	1.00	4.29	N
ATOM	32500	C8	G A1516	-38.192	115.311	98.668	1.00	4.29	C
ATOM	32501	N7	G A1516	-37.619	114.144	98.480	1.00	4.29	N
ATOM	32502	C5	G A1516	-38.468	113.523	97.577	1.00	4.29	C
ATOM	32503	C6	G A1516	-38.383	112.245	96.996	1.00	4.29	C
ATOM	32504	O6	G A1516	-37.512	111.412	97.217	1.00	4.29	O
ATOM	32505	N1	G A1516	-39.429	111.994	96.100	1.00	4.29	N
ATOM	32506	C2	G A1516	-40.474	112.861	95.802	1.00	4.29	C
ATOM	32507	N2	G A1516	-41.423	112.444	94.925	1.00	4.29	N
ATOM	32508	N3	G A1516	-40.559	114.069	96.360	1.00	4.29	N
ATOM	32509	C4	G A1516	-39.532	114.334	97.224	1.00	4.29	C
ATOM	32510	P	G A1517	-42.644	116.119	102.144	1.00	20.20	P
ATOM	32511	OP1	G A1517	-43.899	116.654	102.769	1.00	20.20	O
ATOM	32512	OP2	G A1517	-41.402	116.037	102.961	1.00	20.20	O
ATOM	32513	O5'	G A1517	-42.934	114.712	101.467	1.00	20.20	O
ATOM	32514	C5'	G A1517	-44.109	114.507	100.710	1.00	20.20	C
ATOM	32515	C4'	G A1517	-44.675	113.137	100.949	1.00	20.20	C
ATOM	32516	O4'	G A1517	-46.123	113.216	100.986	1.00	20.20	O
ATOM	32517	C3'	G A1517	-44.370	112.106	99.879	1.00	20.20	C
ATOM	32518	O3'	G A1517	-43.127	111.469	100.069	1.00	20.20	O
ATOM	32519	C2'	G A1517	-45.564	111.179	99.945	1.00	20.20	C
ATOM	32520	O2'	G A1517	-45.451	110.289	101.038	1.00	20.20	O
ATOM	32521	C1'	G A1517	-46.684	112.173	100.242	1.00	20.20	C

ATOM	32522	N9	G A1517	-47.240	112.764	99.013	1.00	20.45	N
ATOM	32523	C8	G A1517	-47.033	114.049	98.561	1.00	20.45	C
ATOM	32524	N7	G A1517	-47.658	114.296	97.435	1.00	20.45	N
ATOM	32525	C5	G A1517	-48.317	113.103	97.126	1.00	20.45	C
ATOM	32526	C6	G A1517	-49.151	112.737	96.037	1.00	20.45	C
ATOM	32527	O6	G A1517	-49.521	113.398	95.063	1.00	20.45	O
ATOM	32528	N1	G A1517	-49.583	111.431	96.151	1.00	20.45	N
ATOM	32529	C2	G A1517	-49.268	110.579	97.170	1.00	20.45	C
ATOM	32530	N2	G A1517	-49.779	109.349	97.121	1.00	20.45	N
ATOM	32531	N3	G A1517	-48.511	110.891	98.180	1.00	20.45	N
ATOM	32532	C4	G A1517	-48.072	112.157	98.100	1.00	20.45	C
ATOM	32533	P	A A1518	-41.997	111.615	98.942	1.00	10.21	P
ATOM	32534	OP1	A A1518	-40.725	111.069	99.488	1.00	10.21	O
ATOM	32535	OP2	A A1518	-42.035	113.035	98.468	1.00	10.21	O
ATOM	32536	O5'	A A1518	-42.538	110.652	97.804	1.00	10.21	O
ATOM	32537	C5'	A A1518	-42.626	109.254	98.025	1.00	10.21	C
ATOM	32538	C4'	A A1518	-43.607	108.598	97.084	1.00	10.21	C
ATOM	32539	O4'	A A1518	-44.906	109.243	97.171	1.00	10.21	O
ATOM	32540	C3'	A A1518	-43.273	108.672	95.615	1.00	10.21	C
ATOM	32541	O3'	A A1518	-42.258	107.763	95.236	1.00	10.21	O
ATOM	32542	C2'	A A1518	-44.618	108.394	94.978	1.00	10.21	C
ATOM	32543	O2'	A A1518	-44.920	107.011	95.056	1.00	10.21	O
ATOM	32544	C1'	A A1518	-45.556	109.165	95.921	1.00	10.21	C
ATOM	32545	N9	A A1518	-45.812	110.546	95.454	1.00	10.45	N
ATOM	32546	C8	A A1518	-45.390	111.655	96.119	1.00	10.45	C
ATOM	32547	N7	A A1518	-45.713	112.790	95.547	1.00	10.45	N
ATOM	32548	C5	A A1518	-46.392	112.422	94.411	1.00	10.45	C
ATOM	32549	C6	A A1518	-46.969	113.199	93.389	1.00	10.45	C
ATOM	32550	N6	A A1518	-46.979	114.532	93.329	1.00	10.45	N
ATOM	32551	N1	A A1518	-47.568	112.517	92.397	1.00	10.45	N
ATOM	32552	C2	A A1518	-47.581	111.172	92.460	1.00	10.45	C
ATOM	32553	N3	A A1518	-47.071	110.353	93.379	1.00	10.45	N
ATOM	32554	C4	A A1518	-46.471	111.042	94.346	1.00	10.45	C
TER									
ATOM	40737	P	G A1903	-34.819	134.604	124.042	1.00	0.04	P
ATOM	40738	OP1	G A1903	-35.213	134.085	125.364	1.00	0.04	O
ATOM	40739	OP2	G A1903	-33.506	134.200	123.461	1.00	0.04	O
ATOM	40740	O5'	G A1903	-35.985	134.356	122.997	1.00	0.04	O
ATOM	40741	C5'	G A1903	-37.326	134.217	123.430	1.00	0.04	C
ATOM	40742	C4'	G A1903	-38.312	134.513	122.328	1.00	0.04	C
ATOM	40743	O4'	G A1903	-37.689	135.289	121.274	1.00	0.04	O
ATOM	40744	C3'	G A1903	-38.877	133.325	121.590	1.00	0.04	C
ATOM	40745	O3'	G A1903	-39.859	132.644	122.335	1.00	0.04	O
ATOM	40746	C2'	G A1903	-39.425	133.986	120.341	1.00	0.04	C
ATOM	40747	O2'	G A1903	-40.636	134.646	120.626	1.00	0.04	O
ATOM	40748	C1'	G A1903	-38.368	135.045	120.061	1.00	0.04	C
ATOM	40749	N9	G A1903	-37.414	134.592	119.035	1.00	0.01	N
ATOM	40750	C8	G A1903	-36.064	134.282	119.063	1.00	0.01	C
ATOM	40751	N7	G A1903	-35.630	133.881	117.884	1.00	0.01	N
ATOM	40752	C5	G A1903	-36.755	133.917	117.064	1.00	0.01	C
ATOM	40753	C6	G A1903	-36.941	133.614	115.704	1.00	0.01	C
ATOM	40754	O6	G A1903	-36.138	133.228	114.878	1.00	0.01	O
ATOM	40755	N1	G A1903	-38.218	133.802	115.256	1.00	0.01	N
ATOM	40756	C2	G A1903	-39.238	134.231	116.030	1.00	0.01	C
ATOM	40757	N2	G A1903	-40.411	134.335	115.387	1.00	0.01	N
ATOM	40758	N3	G A1903	-39.110	134.530	117.320	1.00	0.01	N
ATOM	40759	C4	G A1903	-37.847	134.351	117.759	1.00	0.01	C
ATOM	40760	P	G A1904	-40.245	131.107	121.998	1.00	0.68	P
ATOM	40761	OP1	G A1904	-41.073	130.609	123.141	1.00	0.68	O
ATOM	40762	OP2	G A1904	-38.979	130.391	121.662	1.00	0.68	O
ATOM	40763	O5'	G A1904	-41.156	131.234	120.695	1.00	0.68	O
ATOM	40764	C5'	G A1904	-42.460	131.780	120.775	1.00	0.68	C
ATOM	40765	C4'	G A1904	-43.131	131.765	119.439	1.00	0.68	C

ATOM	40766	O4'	G A1904	-42.329	132.516	118.487	1.00	0.68	O
ATOM	40767	C3'	G A1904	-43.262	130.399	118.792	1.00	0.68	C
ATOM	40768	O3'	G A1904	-44.334	129.633	119.291	1.00	0.68	O
ATOM	40769	C2'	G A1904	-43.418	130.759	117.340	1.00	0.68	C
ATOM	40770	O2'	G A1904	-44.721	131.292	117.119	1.00	0.68	O
ATOM	40771	C1'	G A1904	-42.379	131.886	117.222	1.00	0.68	C
ATOM	40772	N9	G A1904	-41.017	131.365	116.897	1.00	0.52	N
ATOM	40773	C8	G A1904	-39.972	131.266	117.768	1.00	0.52	C
ATOM	40774	N7	G A1904	-38.878	130.767	117.255	1.00	0.52	N
ATOM	40775	C5	G A1904	-39.191	130.496	115.947	1.00	0.52	C
ATOM	40776	C6	G A1904	-38.394	129.941	114.902	1.00	0.52	C
ATOM	40777	O6	G A1904	-37.219	129.565	114.912	1.00	0.52	O
ATOM	40778	N1	G A1904	-39.078	129.832	113.721	1.00	0.52	N
ATOM	40779	C2	G A1904	-40.368	130.213	113.573	1.00	0.52	C
ATOM	40780	N2	G A1904	-40.864	130.044	112.351	1.00	0.52	N
ATOM	40781	N3	G A1904	-41.130	130.729	114.528	1.00	0.52	N
ATOM	40782	C4	G A1904	-40.493	130.859	115.709	1.00	0.52	C
ATOM	40783	P	C A1905	-44.210	128.036	119.281	1.00	0.21	P
ATOM	40784	OP1	C A1905	-45.534	127.470	119.728	1.00	0.21	O
ATOM	40785	OP2	C A1905	-42.980	127.697	120.055	1.00	0.21	O
ATOM	40786	O5'	C A1905	-43.971	127.728	117.727	1.00	0.21	O
ATOM	40787	C5'	C A1905	-45.066	127.557	116.833	1.00	0.21	C
ATOM	40788	C4'	C A1905	-44.601	127.423	115.398	1.00	0.21	C
ATOM	40789	O4'	C A1905	-43.316	128.060	115.240	1.00	0.21	O
ATOM	40790	C3'	C A1905	-44.408	126.001	114.888	1.00	0.21	C
ATOM	40791	O3'	C A1905	-45.612	125.469	114.350	1.00	0.21	O
ATOM	40792	C2'	C A1905	-43.293	126.130	113.842	1.00	0.21	C
ATOM	40793	O2'	C A1905	-43.822	126.333	112.529	1.00	0.21	O
ATOM	40794	C1'	C A1905	-42.550	127.392	114.273	1.00	0.21	C
ATOM	40795	N1	C A1905	-41.246	127.091	114.842	1.00	0.07	N
ATOM	40796	C2	C A1905	-40.235	126.639	113.998	1.00	0.07	C
ATOM	40797	O2	C A1905	-40.483	126.484	112.792	1.00	0.07	O
ATOM	40798	N3	C A1905	-39.021	126.356	114.496	1.00	0.07	N
ATOM	40799	C4	C A1905	-38.821	126.524	115.783	1.00	0.07	C
ATOM	40800	N4	C A1905	-37.618	126.230	116.293	1.00	0.07	N
ATOM	40801	C5	C A1905	-39.849	127.003	116.645	1.00	0.07	C
ATOM	40802	C6	C A1905	-41.046	127.275	116.150	1.00	0.07	C
ATOM	40803	P	G A1906	-46.331	124.191	115.013	1.00	22.98	P
ATOM	40804	OP1	G A1906	-45.660	123.936	116.329	1.00	22.98	O
ATOM	40805	OP2	G A1906	-46.340	123.108	113.985	1.00	22.98	O
ATOM	40806	O5'	G A1906	-47.808	124.710	115.255	1.00	22.98	O
ATOM	40807	C5'	G A1906	-48.903	124.008	114.730	1.00	22.98	C
ATOM	40808	C4'	G A1906	-50.188	124.644	115.135	1.00	22.98	C
ATOM	40809	O4'	G A1906	-50.464	125.789	114.294	1.00	22.98	O
ATOM	40810	C3'	G A1906	-51.405	123.765	115.007	1.00	22.98	C
ATOM	40811	O3'	G A1906	-51.549	122.919	116.127	1.00	22.98	O
ATOM	40812	C2'	G A1906	-52.534	124.770	114.851	1.00	22.98	C
ATOM	40813	O2'	G A1906	-52.964	125.254	116.120	1.00	22.98	O
ATOM	40814	C1'	G A1906	-51.841	125.898	114.064	1.00	22.98	C
ATOM	40815	N9	G A1906	-52.066	125.751	112.623	1.00	22.86	N
ATOM	40816	C8	G A1906	-51.277	125.085	111.736	1.00	22.86	C
ATOM	40817	N7	G A1906	-51.766	125.078	110.524	1.00	22.86	N
ATOM	40818	C5	G A1906	-52.963	125.766	110.627	1.00	22.86	C
ATOM	40819	C6	G A1906	-53.952	126.088	109.663	1.00	22.86	C
ATOM	40820	O6	G A1906	-53.981	125.834	108.460	1.00	22.86	O
ATOM	40821	N1	G A1906	-55.001	126.803	110.221	1.00	22.86	N
ATOM	40822	C2	G A1906	-55.090	127.165	111.536	1.00	22.86	C
ATOM	40823	N2	G A1906	-56.163	127.854	111.946	1.00	22.86	N
ATOM	40824	N3	G A1906	-54.173	126.866	112.422	1.00	22.86	N
ATOM	40825	C4	G A1906	-53.147	126.176	111.915	1.00	22.86	C
ATOM	40826	P	G A1907	-52.488	121.623	116.062	1.00	13.06	P
ATOM	40827	OP1	G A1907	-52.081	120.742	117.195	1.00	13.06	O
ATOM	40828	OP2	G A1907	-52.434	121.083	114.673	1.00	13.06	O

ATOM	40829	O5'	G A1907	-53.913	122.242	116.328	1.00	13.06	O
ATOM	40830	C5'	G A1907	-54.754	122.498	115.248	1.00	13.06	C
ATOM	40831	C4'	G A1907	-56.004	123.171	115.672	1.00	13.06	C
ATOM	40832	O4'	G A1907	-56.100	124.427	114.959	1.00	13.06	O
ATOM	40833	C3'	G A1907	-57.281	122.398	115.332	1.00	13.06	C
ATOM	40834	O3'	G A1907	-57.750	121.598	116.409	1.00	13.06	O
ATOM	40835	C2'	G A1907	-58.255	123.477	114.882	1.00	13.06	C
ATOM	40836	O2'	G A1907	-58.897	124.074	116.000	1.00	13.06	O
ATOM	40837	C1'	G A1907	-57.305	124.495	114.248	1.00	13.06	C
ATOM	40838	N9	G A1907	-56.998	124.191	112.830	1.00	13.23	N
ATOM	40839	C8	G A1907	-55.754	123.797	112.378	1.00	13.23	C
ATOM	40840	N7	G A1907	-55.692	123.603	111.087	1.00	13.23	N
ATOM	40841	C5	G A1907	-56.972	123.906	110.639	1.00	13.23	C
ATOM	40842	C6	G A1907	-57.513	123.868	109.319	1.00	13.23	C
ATOM	40843	O6	G A1907	-56.971	123.558	108.236	1.00	13.23	O
ATOM	40844	N1	G A1907	-58.848	124.247	109.336	1.00	13.23	N
ATOM	40845	C2	G A1907	-59.569	124.605	110.446	1.00	13.23	C
ATOM	40846	N2	G A1907	-60.847	124.944	110.239	1.00	13.23	N
ATOM	40847	N3	G A1907	-59.085	124.644	111.670	1.00	13.23	N
ATOM	40848	C4	G A1907	-57.785	124.285	111.698	1.00	13.23	C
ATOM	40849	P	C A1908	-58.077	120.042	116.166	1.00	22.31	P
ATOM	40850	OP1	C A1908	-58.340	119.430	117.489	1.00	22.31	O
ATOM	40851	OP2	C A1908	-56.981	119.485	115.328	1.00	22.31	O
ATOM	40852	O5'	C A1908	-59.427	120.100	115.327	1.00	22.31	O
ATOM	40853	C5'	C A1908	-60.560	120.792	115.830	1.00	22.31	C
ATOM	40854	C4'	C A1908	-61.604	121.008	114.764	1.00	22.31	C
ATOM	40855	O4'	C A1908	-61.160	122.035	113.841	1.00	22.31	O
ATOM	40856	C3'	C A1908	-61.897	119.813	113.886	1.00	22.31	C
ATOM	40857	O3'	C A1908	-62.824	118.928	114.465	1.00	22.31	O
ATOM	40858	C2'	C A1908	-62.376	120.449	112.588	1.00	22.31	C
ATOM	40859	O2'	C A1908	-63.716	120.895	112.696	1.00	22.31	O
ATOM	40860	C1'	C A1908	-61.476	121.667	112.516	1.00	22.31	C
ATOM	40861	N1	C A1908	-60.223	121.375	111.800	1.00	22.46	N
ATOM	40862	C2	C A1908	-60.343	121.151	110.452	1.00	22.46	C
ATOM	40863	O2	C A1908	-61.493	121.218	110.015	1.00	22.46	O
ATOM	40864	N3	C A1908	-59.244	120.879	109.708	1.00	22.46	N
ATOM	40865	C4	C A1908	-58.049	120.837	110.296	1.00	22.46	C
ATOM	40866	N4	C A1908	-56.975	120.568	109.562	1.00	22.46	N
ATOM	40867	C5	C A1908	-57.895	121.072	111.687	1.00	22.46	C
ATOM	40868	C6	C A1908	-58.999	121.331	112.399	1.00	22.46	C
ATOM	40869	P	C A1909	-62.666	117.352	114.219	1.00	18.48	P
ATOM	40870	OP1	C A1909	-63.508	116.660	115.233	1.00	18.48	O
ATOM	40871	OP2	C A1909	-61.196	117.064	114.187	1.00	18.48	O
ATOM	40872	O5'	C A1909	-63.298	117.159	112.761	1.00	18.48	O
ATOM	40873	C5'	C A1909	-64.625	117.585	112.492	1.00	18.48	C
ATOM	40874	C4'	C A1909	-64.973	117.446	111.036	1.00	18.48	C
ATOM	40875	O4'	C A1909	-64.289	118.462	110.249	1.00	18.48	O
ATOM	40876	C3'	C A1909	-64.561	116.145	110.374	1.00	18.48	C
ATOM	40877	O3'	C A1909	-65.413	115.062	110.684	1.00	18.48	O
ATOM	40878	C2'	C A1909	-64.564	116.533	108.905	1.00	18.48	C
ATOM	40879	O2'	C A1909	-65.892	116.682	108.420	1.00	18.48	O
ATOM	40880	C1'	C A1909	-63.917	117.910	108.992	1.00	18.48	C
ATOM	40881	N1	C A1909	-62.463	117.797	108.961	1.00	18.22	N
ATOM	40882	C2	C A1909	-61.833	117.441	107.775	1.00	18.22	C
ATOM	40883	O2	C A1909	-62.546	117.266	106.784	1.00	18.22	O
ATOM	40884	N3	C A1909	-60.481	117.310	107.753	1.00	18.22	N
ATOM	40885	C4	C A1909	-59.784	117.517	108.876	1.00	18.22	C
ATOM	40886	N4	C A1909	-58.460	117.390	108.881	1.00	18.22	N
ATOM	40887	C5	C A1909	-60.419	117.878	110.097	1.00	18.22	C
ATOM	40888	C6	C A1909	-61.751	117.991	110.105	1.00	18.22	C
ATOM	40889	P	G A1910	-64.898	113.559	110.468	1.00	17.57	P
ATOM	40890	OP1	G A1910	-65.973	112.660	110.944	1.00	17.57	O
ATOM	40891	OP2	G A1910	-63.549	113.455	111.092	1.00	17.57	O

ATOM	40892	O5'	G A1910	-64.772	113.464	108.885	1.00	17.57	O
ATOM	40893	C5'	G A1910	-65.931	113.377	108.081	1.00	17.57	C
ATOM	40894	C4'	G A1910	-65.592	113.385	106.621	1.00	17.57	C
ATOM	40895	O4'	G A1910	-64.610	114.408	106.359	1.00	17.57	O
ATOM	40896	C3'	G A1910	-64.925	112.141	106.083	1.00	17.57	C
ATOM	40897	O3'	G A1910	-65.806	111.069	105.891	1.00	17.57	O
ATOM	40898	C2'	G A1910	-64.323	112.650	104.805	1.00	17.57	C
ATOM	40899	O2'	G A1910	-65.339	112.857	103.839	1.00	17.57	O
ATOM	40900	C1'	G A1910	-63.804	114.007	105.268	1.00	17.57	C
ATOM	40901	N9	G A1910	-62.390	113.947	105.701	1.00	17.29	N
ATOM	40902	C8	G A1910	-61.836	114.163	106.930	1.00	17.29	C
ATOM	40903	N7	G A1910	-60.534	114.029	106.926	1.00	17.29	N
ATOM	40904	C5	G A1910	-60.192	113.708	105.616	1.00	17.29	C
ATOM	40905	C6	G A1910	-58.933	113.441	104.969	1.00	17.29	C
ATOM	40906	O6	G A1910	-57.780	113.423	105.424	1.00	17.29	O
ATOM	40907	N1	G A1910	-59.102	113.164	103.617	1.00	17.29	N
ATOM	40908	C2	G A1910	-60.316	113.147	102.967	1.00	17.29	C
ATOM	40909	N2	G A1910	-60.336	112.866	101.655	1.00	17.29	N
ATOM	40910	N3	G A1910	-61.471	113.394	103.555	1.00	17.29	N
ATOM	40911	C4	G A1910	-61.343	113.664	104.865	1.00	17.29	C
ATOM	40912	P	U A1911	-65.303	109.592	106.231	1.00	11.08	P
ATOM	40913	OP1	U A1911	-66.489	108.696	106.169	1.00	11.08	O
ATOM	40914	OP2	U A1911	-64.537	109.691	107.503	1.00	11.08	O
ATOM	40915	O5'	U A1911	-64.311	109.265	105.022	1.00	11.08	O
ATOM	40916	C5'	U A1911	-64.701	109.489	103.674	1.00	11.08	C
ATOM	40917	C4'	U A1911	-63.525	109.385	102.734	1.00	11.08	C
ATOM	40918	O4'	U A1911	-62.585	110.457	103.001	1.00	11.08	O
ATOM	40919	C3'	U A1911	-62.692	108.121	102.856	1.00	11.08	C
ATOM	40920	O3'	U A1911	-63.255	107.022	102.172	1.00	11.08	O
ATOM	40921	C2'	U A1911	-61.336	108.553	102.314	1.00	11.08	C
ATOM	40922	O2'	U A1911	-61.308	108.531	100.894	1.00	11.08	O
ATOM	40923	C1'	U A1911	-61.266	110.006	102.789	1.00	11.08	C
ATOM	40924	N1	U A1911	-60.515	110.131	104.053	1.00	11.00	N
ATOM	40925	C2	U A1911	-59.115	110.085	103.953	1.00	11.00	C
ATOM	40926	O2	U A1911	-58.479	109.968	102.911	1.00	11.00	O
ATOM	40927	N3	U A1911	-58.443	110.185	105.133	1.00	11.00	N
ATOM	40928	C4	U A1911	-59.019	110.340	106.367	1.00	11.00	C
ATOM	40929	O4	U A1911	-58.253	110.425	107.322	1.00	11.00	O
ATOM	40930	C5	U A1911	-60.471	110.373	106.394	1.00	11.00	C
ATOM	40931	C6	U A1911	-61.164	110.265	105.256	1.00	11.00	C
ATOM	40932	P	A A1912	-63.221	105.563	102.838	1.00	13.79	P
ATOM	40933	OP1	A A1912	-64.413	104.821	102.339	1.00	13.79	O
ATOM	40934	OP2	A A1912	-63.054	105.748	104.313	1.00	13.79	O
ATOM	40935	O5'	A A1912	-61.907	104.937	102.218	1.00	13.79	O
ATOM	40936	C5'	A A1912	-61.862	104.600	100.850	1.00	13.79	C
ATOM	40937	C4'	A A1912	-60.644	103.778	100.516	1.00	13.79	C
ATOM	40938	O4'	A A1912	-59.450	104.454	100.949	1.00	13.79	O
ATOM	40939	C3'	A A1912	-60.562	102.416	101.169	1.00	13.79	C
ATOM	40940	O3'	A A1912	-61.323	101.452	100.470	1.00	13.79	O
ATOM	40941	C2'	A A1912	-59.055	102.115	101.206	1.00	13.79	C
ATOM	40942	O2'	A A1912	-58.648	101.347	100.080	1.00	13.79	O
ATOM	40943	C1'	A A1912	-58.422	103.513	101.114	1.00	13.79	C
ATOM	40944	N9	A A1912	-57.661	103.864	102.306	1.00	13.81	N
ATOM	40945	C8	A A1912	-58.142	104.009	103.572	1.00	13.81	C
ATOM	40946	N7	A A1912	-57.203	104.340	104.411	1.00	13.81	N
ATOM	40947	C5	A A1912	-56.060	104.415	103.630	1.00	13.81	C
ATOM	40948	C6	A A1912	-54.754	104.712	103.951	1.00	13.81	C
ATOM	40949	N6	A A1912	-54.373	105.006	105.195	1.00	13.81	N
ATOM	40950	N1	A A1912	-53.870	104.697	102.949	1.00	13.81	N
ATOM	40951	C2	A A1912	-54.278	104.407	101.719	1.00	13.81	C
ATOM	40952	N3	A A1912	-55.486	104.108	101.307	1.00	13.81	N
ATOM	40953	C4	A A1912	-56.327	104.131	102.328	1.00	13.81	C
ATOM	40954	P	A A1913	-62.512	100.696	101.214	1.00	52.95	P

ATOM	40955	OP1	A	A1913	-63.758	101.046	100.505	1.00	52.95	O
ATOM	40956	OP2	A	A1913	-62.403	101.007	102.658	1.00	52.95	O
ATOM	40957	O5'	A	A1913	-62.147	99.179	100.967	1.00	52.95	O
ATOM	40958	C5'	A	A1913	-61.978	98.678	99.649	1.00	52.95	C
ATOM	40959	C4'	A	A1913	-62.318	97.222	99.587	1.00	52.95	C
ATOM	40960	O4'	A	A1913	-61.471	96.577	98.608	1.00	52.95	O
ATOM	40961	C3'	A	A1913	-62.111	96.478	100.900	1.00	52.95	C
ATOM	40962	O3'	A	A1913	-63.152	95.521	101.080	1.00	52.95	O
ATOM	40963	C2'	A	A1913	-60.761	95.784	100.717	1.00	52.95	C
ATOM	40964	O2'	A	A1913	-60.605	94.585	101.450	1.00	52.95	O
ATOM	40965	C1'	A	A1913	-60.724	95.535	99.214	1.00	52.95	C
ATOM	40966	N9	A	A1913	-59.381	95.580	98.653	1.00	53.35	N
ATOM	40967	C8	A	A1913	-58.254	96.230	99.112	1.00	53.35	C
ATOM	40968	N7	A	A1913	-57.209	96.083	98.333	1.00	53.35	N
ATOM	40969	C5	A	A1913	-57.704	95.297	97.306	1.00	53.35	C
ATOM	40970	C6	A	A1913	-57.112	94.779	96.163	1.00	53.35	C
ATOM	40971	N6	A	A1913	-55.844	95.010	95.865	1.00	53.35	N
ATOM	40972	N1	A	A1913	-57.886	94.036	95.338	1.00	53.35	N
ATOM	40973	C2	A	A1913	-59.173	93.819	95.655	1.00	53.35	C
ATOM	40974	N3	A	A1913	-59.846	94.248	96.711	1.00	53.35	N
ATOM	40975	C4	A	A1913	-59.036	94.983	97.487	1.00	53.35	C
ATOM	40976	P	C	A1914	-64.614	96.012	101.541	1.00	66.92	P
ATOM	40977	OP1	C	A1914	-65.572	94.946	101.149	1.00	66.92	O
ATOM	40978	OP2	C	A1914	-64.813	97.382	100.992	1.00	66.92	O
ATOM	40979	O5'	C	A1914	-64.478	96.073	103.136	1.00	66.92	O
ATOM	40980	C5'	C	A1914	-63.481	95.313	103.824	1.00	66.92	C
ATOM	40981	C4'	C	A1914	-63.972	94.848	105.176	1.00	66.92	C
ATOM	40982	O4'	C	A1914	-63.129	93.786	105.682	1.00	66.92	O
ATOM	40983	C3'	C	A1914	-63.954	95.876	106.293	1.00	66.92	C
ATOM	40984	O3'	C	A1914	-65.032	96.795	106.213	1.00	66.92	O
ATOM	40985	C2'	C	A1914	-63.990	95.003	107.545	1.00	66.92	C
ATOM	40986	O2'	C	A1914	-65.323	94.621	107.856	1.00	66.92	O
ATOM	40987	C1'	C	A1914	-63.212	93.756	107.092	1.00	66.92	C
ATOM	40988	N1	C	A1914	-61.839	93.677	107.676	1.00	65.84	N
ATOM	40989	C2	C	A1914	-60.697	93.544	106.863	1.00	65.84	C
ATOM	40990	O2	C	A1914	-60.808	93.516	105.625	1.00	65.84	O
ATOM	40991	N3	C	A1914	-59.473	93.459	107.451	1.00	65.84	N
ATOM	40992	C4	C	A1914	-59.341	93.490	108.781	1.00	65.84	C
ATOM	40993	N4	C	A1914	-58.106	93.407	109.294	1.00	65.84	N
ATOM	40994	C5	C	A1914	-60.483	93.615	109.630	1.00	65.84	C
ATOM	40995	C6	C	A1914	-61.691	93.697	109.044	1.00	65.84	C
ATOM	40996	P	U	A1915	-64.847	98.301	106.742	1.00	39.28	P
ATOM	40997	OP1	U	A1915	-66.208	98.875	106.923	1.00	39.28	O
ATOM	40998	OP2	U	A1915	-63.899	98.978	105.806	1.00	39.28	O
ATOM	40999	O5'	U	A1915	-64.150	98.082	108.167	1.00	39.28	O
ATOM	41000	C5'	U	A1915	-64.923	97.857	109.342	1.00	39.28	C
ATOM	41001	C4'	U	A1915	-64.051	97.713	110.575	1.00	39.28	C
ATOM	41002	O4'	U	A1915	-63.158	96.579	110.423	1.00	39.28	O
ATOM	41003	C3'	U	A1915	-63.126	98.877	110.888	1.00	39.28	C
ATOM	41004	O3'	U	A1915	-63.774	99.931	111.572	1.00	39.28	O
ATOM	41005	C2'	U	A1915	-62.013	98.219	111.695	1.00	39.28	C
ATOM	41006	O2'	U	A1915	-62.397	98.036	113.042	1.00	39.28	O
ATOM	41007	C1'	U	A1915	-61.915	96.854	111.028	1.00	39.28	C
ATOM	41008	N1	U	A1915	-60.870	96.837	109.987	1.00	39.93	N
ATOM	41009	C2	U	A1915	-59.553	96.781	110.443	1.00	39.93	C
ATOM	41010	O2	U	A1915	-59.248	96.718	111.640	1.00	39.93	O
ATOM	41011	N3	U	A1915	-58.617	96.798	109.431	1.00	39.93	N
ATOM	41012	C4	U	A1915	-58.869	96.866	108.072	1.00	39.93	C
ATOM	41013	O4	U	A1915	-57.910	96.863	107.303	1.00	39.93	O
ATOM	41014	C5	U	A1915	-60.250	96.933	107.682	1.00	39.93	C
ATOM	41015	C6	U	A1915	-61.181	96.921	108.639	1.00	39.93	C
ATOM	41016	P	A	A1916	-62.990	101.299	111.861	1.00	40.79	P
ATOM	41017	OP1	A	A1916	-63.608	101.913	113.062	1.00	40.79	O

ATOM	41018	OP2	A	A1916	-62.979	102.068	110.589	1.00	40.79	O
ATOM	41019	O5'	A	A1916	-61.508	100.800	112.206	1.00	40.79	O
ATOM	41020	C5'	A	A1916	-60.962	100.968	113.508	1.00	40.79	C
ATOM	41021	C4'	A	A1916	-59.454	100.912	113.494	1.00	40.79	C
ATOM	41022	O4'	A	A1916	-59.011	99.843	112.627	1.00	40.79	O
ATOM	41023	C3'	A	A1916	-58.756	102.135	112.941	1.00	40.79	C
ATOM	41024	O3'	A	A1916	-58.643	103.167	113.875	1.00	40.79	O
ATOM	41025	C2'	A	A1916	-57.426	101.592	112.472	1.00	40.79	C
ATOM	41026	O2'	A	A1916	-56.547	101.396	113.564	1.00	40.79	O
ATOM	41027	C1'	A	A1916	-57.849	100.241	111.926	1.00	40.79	C
ATOM	41028	N9	A	A1916	-58.191	100.324	110.505	1.00	40.80	N
ATOM	41029	C8	A	A1916	-59.444	100.378	109.947	1.00	40.80	C
ATOM	41030	N7	A	A1916	-59.451	100.441	108.641	1.00	40.80	N
ATOM	41031	C5	A	A1916	-58.104	100.429	108.339	1.00	40.80	C
ATOM	41032	C6	A	A1916	-57.446	100.475	107.115	1.00	40.80	C
ATOM	41033	N6	A	A1916	-58.091	100.544	105.947	1.00	40.80	N
ATOM	41034	N1	A	A1916	-56.095	100.454	107.160	1.00	40.80	N
ATOM	41035	C2	A	A1916	-55.474	100.386	108.353	1.00	40.80	C
ATOM	41036	N3	A	A1916	-55.994	100.340	109.576	1.00	40.80	N
ATOM	41037	C4	A	A1916	-57.321	100.361	109.477	1.00	40.80	C
ATOM	41038	P	U	A1917	-59.362	104.553	113.563	1.00	18.47	P
ATOM	41039	OP1	U	A1917	-59.681	105.177	114.864	1.00	18.47	O
ATOM	41040	OP2	U	A1917	-60.476	104.252	112.608	1.00	18.47	O
ATOM	41041	O5'	U	A1917	-58.219	105.381	112.820	1.00	18.47	O
ATOM	41042	C5'	U	A1917	-56.958	105.559	113.430	1.00	18.47	C
ATOM	41043	C4'	U	A1917	-55.843	105.202	112.504	1.00	18.47	C
ATOM	41044	O4'	U	A1917	-56.155	103.974	111.813	1.00	18.47	O
ATOM	41045	C3'	U	A1917	-55.570	106.188	111.391	1.00	18.47	C
ATOM	41046	O3'	U	A1917	-54.811	107.294	111.827	1.00	18.47	O
ATOM	41047	C2'	U	A1917	-54.859	105.328	110.359	1.00	18.47	C
ATOM	41048	O2'	U	A1917	-53.498	105.132	110.711	1.00	18.47	O
ATOM	41049	C1'	U	A1917	-55.595	104.000	110.517	1.00	18.47	C
ATOM	41050	N1	U	A1917	-56.680	103.850	109.529	1.00	18.57	N
ATOM	41051	C2	U	A1917	-56.296	103.875	108.216	1.00	18.57	C
ATOM	41052	O2	U	A1917	-55.141	104.009	107.861	1.00	18.57	O
ATOM	41053	N3	U	A1917	-57.329	103.735	107.336	1.00	18.57	N
ATOM	41054	C4	U	A1917	-58.667	103.579	107.612	1.00	18.57	C
ATOM	41055	O4	U	A1917	-59.448	103.474	106.668	1.00	18.57	O
ATOM	41056	C5	U	A1917	-59.000	103.565	108.999	1.00	18.57	C
ATOM	41057	C6	U	A1917	-58.008	103.699	109.888	1.00	18.57	C
ATOM	41058	P	A	A1918	-55.215	108.775	111.370	1.00	15.03	P
ATOM	41059	OP1	A	A1918	-54.284	109.710	112.047	1.00	15.03	O
ATOM	41060	OP2	A	A1918	-56.683	108.926	111.598	1.00	15.03	O
ATOM	41061	O5'	A	A1918	-54.889	108.735	109.817	1.00	15.03	O
ATOM	41062	C5'	A	A1918	-53.601	108.312	109.379	1.00	15.03	C
ATOM	41063	C4'	A	A1918	-53.522	108.199	107.880	1.00	15.03	C
ATOM	41064	O4'	A	A1918	-54.519	107.246	107.415	1.00	15.03	O
ATOM	41065	C3'	A	A1918	-53.755	109.498	107.128	1.00	15.03	C
ATOM	41066	O3'	A	A1918	-52.817	109.622	106.080	1.00	15.03	O
ATOM	41067	C2'	A	A1918	-55.151	109.354	106.547	1.00	15.03	C
ATOM	41068	O2'	A	A1918	-55.317	109.983	105.290	1.00	15.03	O
ATOM	41069	C1'	A	A1918	-55.352	107.834	106.447	1.00	15.03	C
ATOM	41070	N9	A	A1918	-56.723	107.435	106.738	1.00	14.94	N
ATOM	41071	C8	A	A1918	-57.255	107.364	107.990	1.00	14.94	C
ATOM	41072	N7	A	A1918	-58.518	107.046	108.006	1.00	14.94	N
ATOM	41073	C5	A	A1918	-58.840	106.921	106.670	1.00	14.94	C
ATOM	41074	C6	A	A1918	-60.050	106.598	106.033	1.00	14.94	C
ATOM	41075	N6	A	A1918	-61.171	106.337	106.718	1.00	14.94	N
ATOM	41076	N1	A	A1918	-60.064	106.555	104.674	1.00	14.94	N
ATOM	41077	C2	A	A1918	-58.922	106.828	104.025	1.00	14.94	C
ATOM	41078	N3	A	A1918	-57.728	107.151	104.535	1.00	14.94	N
ATOM	41079	C4	A	A1918	-57.748	107.179	105.874	1.00	14.94	C
ATOM	41080	P	A	A1919	-51.570	110.612	106.246	1.00	18.21	P

ATOM	41081	OP1	A	A1919	-50.538	109.875	107.053	1.00	18.21	O
ATOM	41082	OP2	A	A1919	-52.104	111.911	106.763	1.00	18.21	O
ATOM	41083	O5'	A	A1919	-51.075	110.793	104.733	1.00	18.21	O
ATOM	41084	C5'	A	A1919	-49.698	110.910	104.410	1.00	18.21	C
ATOM	41085	C4'	A	A1919	-49.386	110.225	103.107	1.00	18.21	C
ATOM	41086	O4'	A	A1919	-49.758	108.824	103.200	1.00	18.21	O
ATOM	41087	C3'	A	A1919	-50.158	110.720	101.894	1.00	18.21	C
ATOM	41088	O3'	A	A1919	-49.597	111.864	101.307	1.00	18.21	O
ATOM	41089	C2'	A	A1919	-50.149	109.508	100.991	1.00	18.21	C
ATOM	41090	O2'	A	A1919	-48.856	109.307	100.440	1.00	18.21	O
ATOM	41091	C1'	A	A1919	-50.415	108.422	102.014	1.00	18.21	C
ATOM	41092	N9	A	A1919	-51.847	108.317	102.324	1.00	18.07	N
ATOM	41093	C8	A	A1919	-52.370	108.370	103.592	1.00	18.07	C
ATOM	41094	N7	A	A1919	-53.670	108.295	103.642	1.00	18.07	N
ATOM	41095	C5	A	A1919	-54.022	108.193	102.315	1.00	18.07	C
ATOM	41096	C6	A	A1919	-55.269	108.072	101.717	1.00	18.07	C
ATOM	41097	N6	A	A1919	-56.395	108.041	102.426	1.00	18.07	N
ATOM	41098	N1	A	A1919	-55.311	108.003	100.373	1.00	18.07	N
ATOM	41099	C2	A	A1919	-54.162	108.043	99.694	1.00	18.07	C
ATOM	41100	N3	A	A1919	-52.918	108.155	100.151	1.00	18.07	N
ATOM	41101	C4	A	A1919	-52.919	108.222	101.487	1.00	18.07	C
ATOM	41102	P	C	A1920	-50.378	113.246	101.400	1.00	13.85	P
ATOM	41103	OP1	C	A1920	-49.583	114.235	100.648	1.00	13.85	O
ATOM	41104	OP2	C	A1920	-50.665	113.492	102.828	1.00	13.85	O
ATOM	41105	O5'	C	A1920	-51.732	112.941	100.633	1.00	13.85	O
ATOM	41106	C5'	C	A1920	-51.751	112.689	99.236	1.00	13.85	C
ATOM	41107	C4'	C	A1920	-53.169	112.601	98.738	1.00	13.85	C
ATOM	41108	O4'	C	A1920	-53.847	111.497	99.404	1.00	13.85	O
ATOM	41109	C3'	C	A1920	-54.028	113.813	99.038	1.00	13.85	C
ATOM	41110	O3'	C	A1920	-53.926	114.801	98.047	1.00	13.85	O
ATOM	41111	C2'	C	A1920	-55.429	113.231	99.195	1.00	13.85	C
ATOM	41112	O2'	C	A1920	-56.029	112.977	97.931	1.00	13.85	O
ATOM	41113	C1'	C	A1920	-55.112	111.900	99.871	1.00	13.85	C
ATOM	41114	N1	C	A1920	-55.024	112.038	101.349	1.00	14.42	N
ATOM	41115	C2	C	A1920	-56.108	112.548	102.080	1.00	14.42	C
ATOM	41116	O2	C	A1920	-57.128	112.854	101.452	1.00	14.42	O
ATOM	41117	N3	C	A1920	-56.010	112.699	103.438	1.00	14.42	N
ATOM	41118	C4	C	A1920	-54.869	112.349	104.069	1.00	14.42	C
ATOM	41119	N4	C	A1920	-54.789	112.501	105.400	1.00	14.42	N
ATOM	41120	C5	C	A1920	-53.754	111.812	103.334	1.00	14.42	C
ATOM	41121	C6	C	A1920	-53.866	111.685	101.997	1.00	14.42	C
ATOM	41122	P	G	A1921	-53.726	116.329	98.472	1.00	15.45	P
ATOM	41123	OP1	G	A1921	-53.165	117.033	97.283	1.00	15.45	O
ATOM	41124	OP2	G	A1921	-52.967	116.347	99.758	1.00	15.45	O
ATOM	41125	O5'	G	A1921	-55.210	116.804	98.723	1.00	15.45	O
ATOM	41126	C5'	G	A1921	-56.168	116.637	97.714	1.00	15.45	C
ATOM	41127	C4'	G	A1921	-57.535	116.564	98.281	1.00	15.45	C
ATOM	41128	O4'	G	A1921	-57.567	115.626	99.389	1.00	15.45	O
ATOM	41129	C3'	G	A1921	-58.053	117.841	98.886	1.00	15.45	C
ATOM	41130	O3'	G	A1921	-58.430	118.798	97.911	1.00	15.45	O
ATOM	41131	C2'	G	A1921	-59.195	117.323	99.753	1.00	15.45	C
ATOM	41132	O2'	G	A1921	-60.346	117.013	98.981	1.00	15.45	O
ATOM	41133	C1'	G	A1921	-58.589	116.015	100.281	1.00	15.45	C
ATOM	41134	N9	G	A1921	-58.016	116.201	101.613	1.00	15.48	N
ATOM	41135	C8	G	A1921	-56.729	116.255	102.059	1.00	15.48	C
ATOM	41136	N7	G	A1921	-56.683	116.492	103.349	1.00	15.48	N
ATOM	41137	C5	G	A1921	-58.008	116.601	103.739	1.00	15.48	C
ATOM	41138	C6	G	A1921	-58.605	116.844	104.989	1.00	15.48	C
ATOM	41139	O6	G	A1921	-58.040	117.014	106.064	1.00	15.48	O
ATOM	41140	N1	G	A1921	-59.991	116.876	104.931	1.00	15.48	N
ATOM	41141	C2	G	A1921	-60.712	116.691	103.792	1.00	15.48	C
ATOM	41142	N2	G	A1921	-62.042	116.748	103.895	1.00	15.48	N
ATOM	41143	N3	G	A1921	-60.172	116.464	102.619	1.00	15.48	N

ATOM	41144	C4	G A1921	-58.830	116.432	102.677	1.00	15.48	C
ATOM	41145	P	G A1922	-58.188	120.379	98.166	1.00	22.26	P
ATOM	41146	OP1	G A1922	-58.232	121.061	96.833	1.00	22.26	O
ATOM	41147	OP2	G A1922	-56.962	120.522	99.006	1.00	22.26	O
ATOM	41148	O5'	G A1922	-59.459	120.772	99.011	1.00	22.26	O
ATOM	41149	C5'	G A1922	-60.729	120.253	98.687	1.00	22.26	C
ATOM	41150	C4'	G A1922	-61.662	120.463	99.821	1.00	22.26	C
ATOM	41151	O4'	G A1922	-61.374	119.496	100.862	1.00	22.26	O
ATOM	41152	C3'	G A1922	-61.523	121.799	100.524	1.00	22.26	C
ATOM	41153	O3'	G A1922	-62.172	122.851	99.841	1.00	22.26	O
ATOM	41154	C2'	G A1922	-62.113	121.502	101.888	1.00	22.26	C
ATOM	41155	O2'	G A1922	-63.539	121.492	101.829	1.00	22.26	O
ATOM	41156	C1'	G A1922	-61.614	120.072	102.123	1.00	22.26	C
ATOM	41157	N9	G A1922	-60.368	120.037	102.904	1.00	21.71	N
ATOM	41158	C8	G A1922	-59.077	119.846	102.487	1.00	21.71	C
ATOM	41159	N7	G A1922	-58.214	119.880	103.472	1.00	21.71	N
ATOM	41160	C5	G A1922	-58.999	120.115	104.594	1.00	21.71	C
ATOM	41161	C6	G A1922	-58.660	120.257	105.962	1.00	21.71	C
ATOM	41162	O6	G A1922	-57.541	120.213	106.482	1.00	21.71	O
ATOM	41163	N1	G A1922	-59.777	120.478	106.759	1.00	21.71	N
ATOM	41164	C2	G A1922	-61.064	120.564	106.304	1.00	21.71	C
ATOM	41165	N2	G A1922	-62.033	120.793	107.206	1.00	21.71	N
ATOM	41166	N3	G A1922	-61.381	120.437	105.030	1.00	21.71	N
ATOM	41167	C4	G A1922	-60.317	120.211	104.249	1.00	21.71	C
ATOM	41168	P	U A1923	-61.367	124.177	99.427	1.00	15.44	P
ATOM	41169	OP1	U A1923	-62.103	124.790	98.303	1.00	15.44	O
ATOM	41170	OP2	U A1923	-59.953	123.800	99.217	1.00	15.44	O
ATOM	41171	O5'	U A1923	-61.492	125.085	100.727	1.00	15.44	O
ATOM	41172	C5'	U A1923	-62.764	125.452	101.239	1.00	15.44	C
ATOM	41173	C4'	U A1923	-62.754	125.551	102.748	1.00	15.44	C
ATOM	41174	O4'	U A1923	-62.186	124.344	103.329	1.00	15.44	O
ATOM	41175	C3'	U A1923	-61.913	126.670	103.354	1.00	15.44	C
ATOM	41176	O3'	U A1923	-62.541	127.935	103.282	1.00	15.44	O
ATOM	41177	C2'	U A1923	-61.693	126.178	104.781	1.00	15.44	C
ATOM	41178	O2'	U A1923	-62.806	126.479	105.604	1.00	15.44	O
ATOM	41179	C1'	U A1923	-61.617	124.654	104.585	1.00	15.44	C
ATOM	41180	N1	U A1923	-60.218	124.166	104.638	1.00	16.02	N
ATOM	41181	C2	U A1923	-59.879	123.670	105.878	1.00	16.02	C
ATOM	41182	O2	U A1923	-60.695	123.600	106.798	1.00	16.02	O
ATOM	41183	N3	U A1923	-58.574	123.250	106.008	1.00	16.02	N
ATOM	41184	C4	U A1923	-57.581	123.279	105.056	1.00	16.02	C
ATOM	41185	O4	U A1923	-56.462	122.846	105.370	1.00	16.02	O
ATOM	41186	C5	U A1923	-58.002	123.832	103.796	1.00	16.02	C
ATOM	41187	C6	U A1923	-59.274	124.249	103.635	1.00	16.02	C
ATOM	41188	P	C A1924	-61.704	129.278	103.562	1.00	19.15	P
ATOM	41189	OP1	C A1924	-62.594	130.418	103.220	1.00	19.15	O
ATOM	41190	OP2	C A1924	-60.410	129.152	102.853	1.00	19.15	O
ATOM	41191	O5'	C A1924	-61.462	129.230	105.139	1.00	19.15	O
ATOM	41192	C5'	C A1924	-62.532	129.440	106.040	1.00	19.15	C
ATOM	41193	C4'	C A1924	-62.045	129.566	107.457	1.00	19.15	C
ATOM	41194	O4'	C A1924	-61.628	128.271	107.957	1.00	19.15	O
ATOM	41195	C3'	C A1924	-60.828	130.435	107.673	1.00	19.15	C
ATOM	41196	O3'	C A1924	-61.139	131.799	107.710	1.00	19.15	O
ATOM	41197	C2'	C A1924	-60.301	129.912	108.990	1.00	19.15	C
ATOM	41198	O2'	C A1924	-61.130	130.337	110.057	1.00	19.15	O
ATOM	41199	C1'	C A1924	-60.512	128.424	108.804	1.00	19.15	C
ATOM	41200	N1	C A1924	-59.359	127.778	108.167	1.00	18.80	N
ATOM	41201	C2	C A1924	-58.264	127.499	108.968	1.00	18.80	C
ATOM	41202	O2	C A1924	-58.333	127.843	110.152	1.00	18.80	O
ATOM	41203	N3	C A1924	-57.190	126.882	108.425	1.00	18.80	N
ATOM	41204	C4	C A1924	-57.208	126.546	107.134	1.00	18.80	C
ATOM	41205	N4	C A1924	-56.132	125.939	106.638	1.00	18.80	N
ATOM	41206	C5	C A1924	-58.328	126.817	106.290	1.00	18.80	C

ATOM	41207	C6	C A1924	-59.373	127.435	106.844	1.00	18.80	C
ATOM	41208	P	C A1925	-60.072	132.865	107.204	1.00	14.22	P
ATOM	41209	OP1	C A1925	-60.667	134.209	107.423	1.00	14.22	O
ATOM	41210	OP2	C A1925	-59.687	132.466	105.831	1.00	14.22	O
ATOM	41211	O5'	C A1925	-58.854	132.637	108.204	1.00	14.22	O
ATOM	41212	C5'	C A1925	-59.006	132.921	109.583	1.00	14.22	C
ATOM	41213	C4'	C A1925	-57.781	132.549	110.374	1.00	14.22	C
ATOM	41214	O4'	C A1925	-57.538	131.126	110.283	1.00	14.22	O
ATOM	41215	C3'	C A1925	-56.481	133.171	109.914	1.00	14.22	C
ATOM	41216	O3'	C A1925	-56.332	134.504	110.351	1.00	14.22	O
ATOM	41217	C2'	C A1925	-55.464	132.223	110.499	1.00	14.22	C
ATOM	41218	O2'	C A1925	-55.350	132.411	111.901	1.00	14.22	O
ATOM	41219	C1'	C A1925	-56.155	130.890	110.238	1.00	14.22	C
ATOM	41220	N1	C A1925	-55.833	130.374	108.908	1.00	14.59	N
ATOM	41221	C2	C A1925	-54.641	129.678	108.756	1.00	14.59	C
ATOM	41222	O2	C A1925	-53.954	129.522	109.767	1.00	14.59	O
ATOM	41223	N3	C A1925	-54.275	129.188	107.544	1.00	14.59	N
ATOM	41224	C4	C A1925	-55.084	129.393	106.490	1.00	14.59	C
ATOM	41225	N4	C A1925	-54.695	128.898	105.294	1.00	14.59	N
ATOM	41226	C5	C A1925	-56.324	130.120	106.620	1.00	14.59	C
ATOM	41227	C6	C A1925	-56.653	130.592	107.839	1.00	14.59	C
ATOM	41228	P	U A1926	-55.180	135.426	109.735	1.00	30.05	P
ATOM	41229	OP1	U A1926	-55.658	136.829	109.765	1.00	30.05	O
ATOM	41230	OP2	U A1926	-54.790	134.829	108.425	1.00	30.05	O
ATOM	41231	O5'	U A1926	-54.021	135.238	110.785	1.00	30.05	O
ATOM	41232	C5'	U A1926	-52.703	135.533	110.425	1.00	30.05	C
ATOM	41233	C4'	U A1926	-51.762	134.501	110.947	1.00	30.05	C
ATOM	41234	O4'	U A1926	-52.233	133.171	110.619	1.00	30.05	O
ATOM	41235	C3'	U A1926	-50.377	134.532	110.362	1.00	30.05	C
ATOM	41236	O3'	U A1926	-49.606	135.599	110.865	1.00	30.05	O
ATOM	41237	C2'	U A1926	-49.874	133.154	110.712	1.00	30.05	C
ATOM	41238	O2'	U A1926	-49.625	133.058	112.107	1.00	30.05	O
ATOM	41239	C1'	U A1926	-51.119	132.331	110.387	1.00	30.05	C
ATOM	41240	N1	U A1926	-51.157	131.906	108.976	1.00	30.24	N
ATOM	41241	C2	U A1926	-50.074	131.318	108.350	1.00	30.24	C
ATOM	41242	O2	U A1926	-48.999	131.089	108.848	1.00	30.24	O
ATOM	41243	N3	U A1926	-50.284	130.995	107.051	1.00	30.24	N
ATOM	41244	C4	U A1926	-51.438	131.188	106.331	1.00	30.24	C
ATOM	41245	O4	U A1926	-51.468	130.834	105.152	1.00	30.24	O
ATOM	41246	C5	U A1926	-52.516	131.791	107.033	1.00	30.24	C
ATOM	41247	C6	U A1926	-52.331	132.118	108.303	1.00	30.24	C
ATOM	41248	P	A A1927	-49.933	137.083	110.347	1.00	11.68	P
ATOM	41249	OP1	A A1927	-50.521	137.843	111.490	1.00	11.68	O
ATOM	41250	OP2	A A1927	-50.739	136.918	109.106	1.00	11.68	O
ATOM	41251	O5'	A A1927	-48.485	137.648	109.980	1.00	11.68	O
ATOM	41252	C5'	A A1927	-47.960	137.503	108.665	1.00	11.68	C
ATOM	41253	C4'	A A1927	-46.591	136.860	108.664	1.00	11.68	C
ATOM	41254	O4'	A A1927	-45.944	137.057	109.932	1.00	11.68	O
ATOM	41255	C3'	A A1927	-46.553	135.358	108.469	1.00	11.68	C
ATOM	41256	O3'	A A1927	-46.689	134.991	107.123	1.00	11.68	O
ATOM	41257	C2'	A A1927	-45.207	134.974	109.057	1.00	11.68	C
ATOM	41258	O2'	A A1927	-44.151	135.210	108.120	1.00	11.68	O
ATOM	41259	C1'	A A1927	-45.082	135.971	110.201	1.00	11.68	C
ATOM	41260	N9	A A1927	-45.450	135.413	111.507	1.00	11.46	N
ATOM	41261	C8	A A1927	-46.647	135.641	112.104	1.00	11.46	C
ATOM	41262	N7	A A1927	-46.730	135.142	113.305	1.00	11.46	N
ATOM	41263	C5	A A1927	-45.495	134.561	113.512	1.00	11.46	C
ATOM	41264	C6	A A1927	-44.974	133.860	114.612	1.00	11.46	C
ATOM	41265	N6	A A1927	-45.697	133.645	115.712	1.00	11.46	N
ATOM	41266	N1	A A1927	-43.702	133.391	114.546	1.00	11.46	N
ATOM	41267	C2	A A1927	-43.022	133.651	113.423	1.00	11.46	C
ATOM	41268	N3	A A1927	-43.425	134.300	112.327	1.00	11.46	N
ATOM	41269	C4	A A1927	-44.683	134.738	112.424	1.00	11.46	C

ATOM	41270	P	A A1928	-47.798	133.927	106.706	1.00	9.61	P
ATOM	41271	OP1	A A1928	-48.017	134.087	105.251	1.00	9.61	O
ATOM	41272	OP2	A A1928	-48.955	134.116	107.631	1.00	9.61	O
ATOM	41273	O5'	A A1928	-47.067	132.532	106.996	1.00	9.61	O
ATOM	41274	C5'	A A1928	-45.886	132.178	106.287	1.00	9.61	C
ATOM	41275	C4'	A A1928	-44.957	131.314	107.111	1.00	9.61	C
ATOM	41276	O4'	A A1928	-44.628	131.969	108.360	1.00	9.61	O
ATOM	41277	C3'	A A1928	-45.496	129.958	107.537	1.00	9.61	C
ATOM	41278	O3'	A A1928	-45.400	128.984	106.516	1.00	9.61	O
ATOM	41279	C2'	A A1928	-44.647	129.628	108.753	1.00	9.61	C
ATOM	41280	O2'	A A1928	-43.390	129.099	108.366	1.00	9.61	O
ATOM	41281	C1'	A A1928	-44.432	131.002	109.371	1.00	9.61	C
ATOM	41282	N9	A A1928	-45.385	131.253	110.453	1.00	9.14	N
ATOM	41283	C8	A A1928	-46.650	131.728	110.322	1.00	9.14	C
ATOM	41284	N7	A A1928	-47.268	131.842	111.462	1.00	9.14	N
ATOM	41285	C5	A A1928	-46.352	131.408	112.392	1.00	9.14	C
ATOM	41286	C6	A A1928	-46.429	131.280	113.781	1.00	9.14	C
ATOM	41287	N6	A A1928	-47.561	131.613	114.415	1.00	9.14	N
ATOM	41288	N1	A A1928	-45.326	130.795	114.456	1.00	9.14	N
ATOM	41289	C2	A A1928	-44.229	130.446	113.761	1.00	9.14	C
ATOM	41290	N3	A A1928	-44.055	130.522	112.430	1.00	9.14	N
ATOM	41291	C4	A A1928	-45.167	131.024	111.795	1.00	9.14	C
ATOM	41292	P	G A1929	-46.705	128.158	106.070	1.00	23.81	P
ATOM	41293	OP1	G A1929	-46.216	126.936	105.362	1.00	23.81	O
ATOM	41294	OP2	G A1929	-47.597	129.115	105.346	1.00	23.81	O
ATOM	41295	O5'	G A1929	-47.372	127.754	107.466	1.00	23.81	O
ATOM	41296	C5'	G A1929	-47.526	126.386	107.845	1.00	23.81	C
ATOM	41297	C4'	G A1929	-46.609	126.004	108.989	1.00	23.81	C
ATOM	41298	O4'	G A1929	-46.616	127.053	109.996	1.00	23.81	O
ATOM	41299	C3'	G A1929	-47.002	124.738	109.724	1.00	23.81	C
ATOM	41300	O3'	G A1929	-45.847	124.141	110.261	1.00	23.81	O
ATOM	41301	C2'	G A1929	-47.846	125.261	110.856	1.00	23.81	C
ATOM	41302	O2'	G A1929	-47.945	124.390	111.955	1.00	23.81	O
ATOM	41303	C1'	G A1929	-47.096	126.534	111.217	1.00	23.81	C
ATOM	41304	N9	G A1929	-47.952	127.533	111.841	1.00	23.23	N
ATOM	41305	C8	G A1929	-47.826	128.131	113.061	1.00	23.23	C
ATOM	41306	N7	G A1929	-48.821	128.925	113.318	1.00	23.23	N
ATOM	41307	C5	G A1929	-49.657	128.810	112.216	1.00	23.23	C
ATOM	41308	C6	G A1929	-50.889	129.430	111.904	1.00	23.23	C
ATOM	41309	O6	G A1929	-51.544	130.240	112.567	1.00	23.23	O
ATOM	41310	N1	G A1929	-51.370	129.040	110.669	1.00	23.23	N
ATOM	41311	C2	G A1929	-50.762	128.165	109.833	1.00	23.23	C
ATOM	41312	N2	G A1929	-51.396	127.921	108.687	1.00	23.23	N
ATOM	41313	N3	G A1929	-49.624	127.571	110.102	1.00	23.23	N
ATOM	41314	C4	G A1929	-49.134	127.944	111.302	1.00	23.23	C
ATOM	41315	P	G A1930	-44.794	123.454	109.288	1.00	15.78	P
ATOM	41316	OP1	G A1930	-44.061	124.570	108.592	1.00	15.78	O
ATOM	41317	OP2	G A1930	-45.524	122.430	108.477	1.00	15.78	O
ATOM	41318	O5'	G A1930	-43.842	122.728	110.306	1.00	15.78	O
ATOM	41319	C5'	G A1930	-42.827	123.445	110.976	1.00	15.78	C
ATOM	41320	C4'	G A1930	-41.830	122.506	111.544	1.00	15.78	C
ATOM	41321	O4'	G A1930	-41.384	123.018	112.822	1.00	15.78	O
ATOM	41322	C3'	G A1930	-42.384	121.113	111.827	1.00	15.78	C
ATOM	41323	O3'	G A1930	-41.349	120.148	111.661	1.00	15.78	O
ATOM	41324	C2'	G A1930	-42.753	121.213	113.293	1.00	15.78	C
ATOM	41325	O2'	G A1930	-42.869	119.978	113.951	1.00	15.78	O
ATOM	41326	C1'	G A1930	-41.568	122.018	113.789	1.00	15.78	C
ATOM	41327	N9	G A1930	-41.737	122.649	115.078	1.00	14.92	N
ATOM	41328	C8	G A1930	-42.851	123.023	115.766	1.00	14.92	C
ATOM	41329	N7	G A1930	-42.541	123.553	116.913	1.00	14.92	N
ATOM	41330	C5	G A1930	-41.141	123.501	116.954	1.00	14.92	C
ATOM	41331	C6	G A1930	-40.206	123.927	117.925	1.00	14.92	C
ATOM	41332	O6	G A1930	-40.456	124.460	119.006	1.00	14.92	O

ATOM	41333	N1	G A1930	-38.889	123.703	117.550	1.00	14.92	N
ATOM	41334	C2	G A1930	-38.523	123.142	116.376	1.00	14.92	C
ATOM	41335	N2	G A1930	-37.222	123.010	116.179	1.00	14.92	N
ATOM	41336	N3	G A1930	-39.365	122.743	115.459	1.00	14.92	N
ATOM	41337	C4	G A1930	-40.642	122.948	115.820	1.00	14.92	C
ATOM	41338	P	U A1931	-41.710	118.593	111.605	1.00	20.12	P
ATOM	41339	OP1	U A1931	-42.990	118.465	110.881	1.00	20.12	O
ATOM	41340	OP2	U A1931	-41.632	118.084	112.977	1.00	20.12	O
ATOM	41341	O5'	U A1931	-40.526	117.988	110.724	1.00	20.12	O
ATOM	41342	C5'	U A1931	-40.642	117.903	109.314	1.00	20.12	C
ATOM	41343	C4'	U A1931	-39.405	118.415	108.615	1.00	20.12	C
ATOM	41344	O4'	U A1931	-39.127	119.776	109.011	1.00	20.12	O
ATOM	41345	C3'	U A1931	-38.103	117.689	108.911	1.00	20.12	C
ATOM	41346	O3'	U A1931	-37.987	116.478	108.217	1.00	20.12	O
ATOM	41347	C2'	U A1931	-37.068	118.703	108.485	1.00	20.12	C
ATOM	41348	O2'	U A1931	-36.926	118.705	107.071	1.00	20.12	O
ATOM	41349	C1'	U A1931	-37.734	120.011	108.902	1.00	20.12	C
ATOM	41350	N1	U A1931	-37.208	120.525	110.197	1.00	20.00	N
ATOM	41351	C2	U A1931	-35.807	120.615	110.367	1.00	20.00	C
ATOM	41352	O2	U A1931	-34.940	120.268	109.566	1.00	20.00	O
ATOM	41353	N3	U A1931	-35.429	121.128	111.575	1.00	20.00	N
ATOM	41354	C4	U A1931	-36.252	121.561	112.583	1.00	20.00	C
ATOM	41355	O4	U A1931	-35.739	121.996	113.605	1.00	20.00	O
ATOM	41356	C5	U A1931	-37.654	121.441	112.336	1.00	20.00	C
ATOM	41357	C6	U A1931	-38.081	120.941	111.179	1.00	20.00	C
TER									
END									

Table 8

H69 Neomycin Binding Site for Intermediate-Rotated Ribosome

ATOM	48797	P	G A1515	-75.974	5.456	3.358	1.00	86.56	P
ATOM	48798	OP1	G A1515	-75.617	4.050	3.662	1.00	86.56	O
ATOM	48799	OP2	G A1515	-76.170	5.852	1.942	1.00	86.56	O
ATOM	48800	O5'	G A1515	-77.235	5.896	4.223	1.00	86.56	O
ATOM	48801	C5'	G A1515	-78.538	5.476	3.865	1.00	86.56	C
ATOM	48802	C4'	G A1515	-79.598	6.372	4.449	1.00	86.56	C
ATOM	48803	O4'	G A1515	-79.192	7.763	4.344	1.00	86.56	O
ATOM	48804	C1'	G A1515	-80.318	8.574	4.069	1.00	86.56	C
ATOM	48805	N9	G A1515	-80.130	9.194	2.744	1.00	102.19	N
ATOM	48806	C4	G A1515	-81.026	9.974	2.051	1.00	102.19	C
ATOM	48807	N3	G A1515	-82.267	10.320	2.452	1.00	102.19	N
ATOM	48808	C2	G A1515	-82.883	11.075	1.556	1.00	102.19	C
ATOM	48809	N2	G A1515	-84.132	11.510	1.797	1.00	102.19	N
ATOM	48810	N1	G A1515	-82.322	11.461	0.362	1.00	102.19	N
ATOM	48811	C6	G A1515	-81.048	11.115	-0.070	1.00	102.19	C
ATOM	48812	O6	G A1515	-80.632	11.508	-1.164	1.00	102.19	O
ATOM	48813	C5	G A1515	-80.383	10.306	0.879	1.00	102.19	C
ATOM	48814	N7	G A1515	-79.114	9.757	0.830	1.00	102.19	N
ATOM	48815	C8	G A1515	-79.009	9.108	1.953	1.00	102.19	C
ATOM	48816	C2'	G A1515	-81.552	7.674	4.109	1.00	86.56	C
ATOM	48817	O2'	G A1515	-82.068	7.664	5.432	1.00	86.56	O
ATOM	48818	C3'	G A1515	-80.943	6.329	3.751	1.00	86.56	C
ATOM	48819	O3'	G A1515	-81.726	5.220	4.140	1.00	86.56	O
ATOM	48831	P	G A1516	-81.762	3.900	3.228	1.00	74.90	P
ATOM	48832	OP1	G A1516	-81.772	2.736	4.146	1.00	74.90	O
ATOM	48833	OP2	G A1516	-80.664	4.014	2.235	1.00	74.90	O
ATOM	48834	O5'	G A1516	-83.166	4.027	2.501	1.00	74.90	O
ATOM	48835	C5'	G A1516	-84.358	4.103	3.261	1.00	74.90	C
ATOM	48836	C4'	G A1516	-85.241	5.234	2.806	1.00	74.90	C
ATOM	48837	O4'	G A1516	-84.463	6.443	2.620	1.00	74.90	O
ATOM	48838	C1'	G A1516	-85.101	7.263	1.660	1.00	74.90	C
ATOM	48839	N9	G A1516	-84.128	7.628	0.609	1.00	126.22	N
ATOM	48840	C4	G A1516	-84.429	8.309	-0.545	1.00	126.22	C
ATOM	48841	N3	G A1516	-85.656	8.735	-0.903	1.00	126.22	N
ATOM	48842	C2	G A1516	-85.647	9.350	-2.071	1.00	126.22	C
ATOM	48843	N2	G A1516	-86.799	9.831	-2.563	1.00	126.22	N
ATOM	48844	N1	G A1516	-84.520	9.541	-2.830	1.00	126.22	N
ATOM	48845	C6	G A1516	-83.242	9.113	-2.480	1.00	126.22	C
ATOM	48846	O6	G A1516	-82.293	9.339	-3.240	1.00	126.22	O
ATOM	48847	C5	G A1516	-83.241	8.445	-1.226	1.00	126.22	C
ATOM	48848	N7	G A1516	-82.204	7.866	-0.508	1.00	126.22	N
ATOM	48849	C8	G A1516	-82.776	7.399	0.570	1.00	126.22	C
ATOM	48850	C2'	G A1516	-86.298	6.481	1.100	1.00	74.90	C
ATOM	48851	O2'	G A1516	-87.473	6.894	1.783	1.00	74.90	O
ATOM	48852	C3'	G A1516	-85.929	5.050	1.469	1.00	74.90	C
ATOM	48853	O3'	G A1516	-87.037	4.170	1.536	1.00	74.90	O
ATOM	48865	P	G A1517	-86.971	2.734	0.819	1.00	77.49	P
ATOM	48866	OP1	G A1517	-88.091	1.925	1.356	1.00	77.49	O
ATOM	48867	OP2	G A1517	-85.585	2.228	0.975	1.00	77.49	O
ATOM	48868	O5'	G A1517	-87.246	3.095	-0.704	1.00	77.49	O
ATOM	48869	C5'	G A1517	-88.193	4.092	-1.043	1.00	77.49	C
ATOM	48870	C4'	G A1517	-88.783	3.861	-2.410	1.00	77.49	C
ATOM	48871	O4'	G A1517	-90.198	3.570	-2.276	1.00	77.49	O
ATOM	48872	C1'	G A1517	-90.927	4.204	-3.300	1.00	77.49	C
ATOM	48873	N9	G A1517	-91.823	5.200	-2.680	1.00	92.53	N
ATOM	48874	C4	G A1517	-92.819	5.937	-3.279	1.00	92.53	C
ATOM	48875	N3	G A1517	-93.162	5.909	-4.583	1.00	92.53	N
ATOM	48876	C2	G A1517	-94.155	6.741	-4.853	1.00	92.53	C

ATOM	48877	N2	G A1517	-94.621	6.835	-6.107	1.00	92.53	N
ATOM	48878	N1	G A1517	-94.764	7.540	-3.918	1.00	92.53	N
ATOM	48879	C6	G A1517	-94.428	7.587	-2.571	1.00	92.53	C
ATOM	48880	O6	G A1517	-95.042	8.342	-1.809	1.00	92.53	O
ATOM	48881	C5	G A1517	-93.365	6.700	-2.269	1.00	92.53	C
ATOM	48882	N7	G A1517	-92.738	6.447	-1.059	1.00	92.53	N
ATOM	48883	C8	G A1517	-91.837	5.551	-1.349	1.00	92.53	C
ATOM	48884	C2 '	G A1517	-89.930	4.833	-4.264	1.00	77.49	C
ATOM	48885	O2 '	G A1517	-89.639	3.896	-5.292	1.00	77.49	O
ATOM	48886	C3 '	G A1517	-88.719	5.046	-3.364	1.00	77.49	C
ATOM	48887	O3 '	G A1517	-87.493	5.113	-4.072	1.00	77.49	O
ATOM	48899	P	A A1518	-86.457	6.308	-3.792	1.00	74.99	P
ATOM	48900	OP1	A A1518	-85.146	5.887	-4.341	1.00	74.99	O
ATOM	48901	OP2	A A1518	-86.552	6.635	-2.356	1.00	74.99	O
ATOM	48902	O5 '	A A1518	-87.050	7.500	-4.661	1.00	74.99	O
ATOM	48903	C5 '	A A1518	-87.174	7.376	-6.068	1.00	74.99	C
ATOM	48904	C4 '	A A1518	-88.306	8.212	-6.603	1.00	74.99	C
ATOM	48905	O4 '	A A1518	-89.564	7.780	-6.023	1.00	74.99	O
ATOM	48906	C1 '	A A1518	-90.431	8.884	-5.879	1.00	74.99	C
ATOM	48907	N9	A A1518	-90.766	9.036	-4.450	1.00	69.86	N
ATOM	48908	C4	A A1518	-91.863	9.689	-3.946	1.00	69.86	C
ATOM	48909	N3	A A1518	-92.834	10.301	-4.642	1.00	69.86	N
ATOM	48910	C2	A A1518	-93.742	10.828	-3.824	1.00	69.86	C
ATOM	48911	N1	A A1518	-93.785	10.813	-2.485	1.00	69.86	N
ATOM	48912	C6	A A1518	-92.791	10.191	-1.814	1.00	69.86	C
ATOM	48913	N6	A A1518	-92.841	10.173	-0.480	1.00	69.86	N
ATOM	48914	C5	A A1518	-91.769	9.588	-2.570	1.00	69.86	C
ATOM	48915	N7	A A1518	-90.629	8.884	-2.207	1.00	69.86	N
ATOM	48916	C8	A A1518	-90.070	8.581	-3.355	1.00	69.86	C
ATOM	48917	C2 '	A A1518	-89.704	10.115	-6.430	1.00	74.99	C
ATOM	48918	O2 '	A A1518	-90.051	10.288	-7.798	1.00	74.99	O
ATOM	48919	C3 '	A A1518	-88.249	9.695	-6.285	1.00	74.99	C
ATOM	48920	O3 '	A A1518	-87.364	10.402	-7.136	1.00	74.99	O
TER									
ATOM	A11M5	P	G C1903	-76.679	-18.653	17.908	1.00	59.96	P
ATOM	A11M6	OP1	G C1903	-77.065	-20.028	17.506	1.00	59.96	O
ATOM	A11M7	OP2	G C1903	-75.411	-18.088	17.385	1.00	59.96	O
ATOM	A11M8	O5 '	G C1903	-77.876	-17.643	17.627	1.00	59.96	O
ATOM	A11M9	C5 '	G C1903	-78.973	-18.009	16.806	1.00	59.96	C
ATOM	A11MA	C4 '	G C1903	-80.265	-17.456	17.344	1.00	59.96	C
ATOM	A11MB	O4 '	G C1903	-79.987	-16.435	18.341	1.00	59.96	O
ATOM	A11MC	C1 '	G C1903	-80.957	-15.413	18.267	1.00	59.96	C
ATOM	A11MD	N9	G C1903	-80.282	-14.153	17.900	1.00	57.44	N
ATOM	A11ME	C4	G C1903	-80.886	-12.946	17.653	1.00	57.44	C
ATOM	A11MF	N3	G C1903	-82.210	-12.703	17.702	1.00	57.44	N
ATOM	A11MG	C2	G C1903	-82.494	-11.446	17.411	1.00	57.44	C
ATOM	A11MH	N2	G C1903	-83.775	-11.048	17.418	1.00	57.44	N
ATOM	A11MI	N1	G C1903	-81.548	-10.498	17.098	1.00	57.44	N
ATOM	A11MJ	C6	G C1903	-80.177	-10.727	17.042	1.00	57.44	C
ATOM	A11MK	O6	G C1903	-79.408	-9.804	16.750	1.00	57.44	O
ATOM	A11ML	C5	G C1903	-79.861	-12.075	17.351	1.00	57.44	C
ATOM	A11MM	N7	G C1903	-78.634	-12.718	17.409	1.00	57.44	N
ATOM	A11MN	C8	G C1903	-78.932	-13.945	17.737	1.00	57.44	C
ATOM	A11MO	C2 '	G C1903	-81.990	-15.837	17.222	1.00	59.96	C
ATOM	A11MP	O2 '	G C1903	-83.022	-16.563	17.872	1.00	59.96	O
ATOM	A11MQ	C3 '	G C1903	-81.157	-16.751	16.337	1.00	59.96	C
ATOM	A11MR	O3 '	G C1903	-81.927	-17.652	15.560	1.00	59.96	O
ATOM	A11N3	P	G C1904	-82.022	-17.478	13.964	1.00	55.65	P
ATOM	A11N4	OP1	G C1904	-82.374	-18.805	13.402	1.00	55.65	O
ATOM	A11N5	OP2	G C1904	-80.768	-16.825	13.513	1.00	55.65	O
ATOM	A11N6	O5 '	G C1904	-83.245	-16.477	13.793	1.00	55.65	O
ATOM	A11N7	C5 '	G C1904	-84.532	-16.806	14.292	1.00	55.65	C
ATOM	A11N8	C4 '	G C1904	-85.449	-15.610	14.284	1.00	55.65	C

ATOM	A11N9	O4'	G	C1904	-84.935	-14.594	15.186	1.00	55.65	O
ATOM	A11NA	C1'	G	C1904	-85.187	-13.309	14.657	1.00	55.65	C
ATOM	A11NB	N9	G	C1904	-83.893	-12.657	14.376	1.00	66.38	N
ATOM	A11NC	C4	G	C1904	-83.697	-11.356	13.975	1.00	66.38	C
ATOM	A11ND	N3	G	C1904	-84.654	-10.427	13.770	1.00	66.38	N
ATOM	A11NE	C2	G	C1904	-84.147	-9.265	13.391	1.00	66.38	C
ATOM	A11NF	N2	G	C1904	-84.963	-8.231	13.144	1.00	66.38	N
ATOM	A11NG	N1	G	C1904	-82.806	-9.032	13.225	1.00	66.38	N
ATOM	A11NH	C6	G	C1904	-81.804	-9.973	13.430	1.00	66.38	C
ATOM	A11NI	O6	G	C1904	-80.621	-9.665	13.253	1.00	66.38	O
ATOM	A11NJ	C5	G	C1904	-82.333	-11.223	13.836	1.00	66.38	C
ATOM	A11NK	N7	G	C1904	-81.683	-12.409	14.138	1.00	66.38	N
ATOM	A11NL	C8	G	C1904	-82.646	-13.229	14.449	1.00	66.38	C
ATOM	A11NM	C2'	G	C1904	-86.017	-13.491	13.390	1.00	55.65	C
ATOM	A11NN	O2'	G	C1904	-87.393	-13.472	13.740	1.00	55.65	O
ATOM	A11NO	C3'	G	C1904	-85.585	-14.882	12.954	1.00	55.65	C
ATOM	A11NP	O3'	G	C1904	-86.492	-15.509	12.065	1.00	55.65	O
ATOM	A11O1	P	C	C1905	-86.064	-15.792	10.540	1.00	64.97	P
ATOM	A11O2	OP1	C	C1905	-87.067	-16.724	9.974	1.00	64.97	O
ATOM	A11O3	OP2	C	C1905	-84.638	-16.202	10.552	1.00	64.97	O
ATOM	A11O4	O5'	C	C1905	-86.209	-14.361	9.858	1.00	64.97	O
ATOM	A11O5	C5'	C	C1905	-87.469	-13.713	9.784	1.00	64.97	C
ATOM	A11O6	C4'	C	C1905	-87.320	-12.215	9.707	1.00	64.97	C
ATOM	A11O7	O4'	C	C1905	-86.285	-11.776	10.617	1.00	64.97	O
ATOM	A11O8	C1'	C	C1905	-85.660	-10.616	10.119	1.00	64.97	C
ATOM	A11O9	N1	C	C1905	-84.194	-10.836	10.074	1.00	64.02	N
ATOM	A11OA	C6	C	C1905	-83.631	-12.085	10.082	1.00	64.02	C
ATOM	A11OB	C2	C	C1905	-83.370	-9.709	10.046	1.00	64.02	C
ATOM	A11OC	O2	C	C1905	-83.890	-8.584	10.044	1.00	64.02	O
ATOM	A11OD	N3	C	C1905	-82.026	-9.862	10.014	1.00	64.02	N
ATOM	A11OE	C4	C	C1905	-81.491	-11.080	10.016	1.00	64.02	C
ATOM	A11OF	N4	C	C1905	-80.161	-11.186	9.984	1.00	64.02	N
ATOM	A11OG	C5	C	C1905	-82.302	-12.249	10.052	1.00	64.02	C
ATOM	A11OH	C2'	C	C1905	-86.252	-10.316	8.737	1.00	64.97	C
ATOM	A11OI	O2'	C	C1905	-87.233	-9.298	8.874	1.00	64.97	O
ATOM	A11OJ	C3'	C	C1905	-86.895	-11.648	8.361	1.00	64.97	C
ATOM	A11OK	O3'	C	C1905	-87.985	-11.509	7.463	1.00	64.97	O
ATOM	A11OW	P	G	C1906	-88.145	-12.490	6.200	1.00	96.23	P
ATOM	A11OX	OP1	G	C1906	-87.207	-13.622	6.396	1.00	96.23	O
ATOM	A11OY	OP2	G	C1906	-88.011	-11.656	4.981	1.00	96.23	O
ATOM	A11OZ	O5'	G	C1906	-89.646	-13.005	6.339	1.00	96.23	O
ATOM	A11P0	C5'	G	C1906	-90.638	-12.211	6.977	1.00	96.23	C
ATOM	A11P1	C4'	G	C1906	-91.918	-12.985	7.171	1.00	96.23	C
ATOM	A11P2	O4'	G	C1906	-92.676	-12.415	8.271	1.00	96.23	O
ATOM	A11P3	C1'	G	C1906	-94.060	-12.519	8.009	1.00	96.23	C
ATOM	A11P4	N9	G	C1906	-94.624	-11.158	7.937	1.00	78.74	N
ATOM	A11P5	C4	G	C1906	-95.933	-10.797	8.146	1.00	78.74	C
ATOM	A11P6	N3	G	C1906	-96.945	-11.632	8.464	1.00	78.74	N
ATOM	A11P7	C2	G	C1906	-98.090	-10.987	8.606	1.00	78.74	C
ATOM	A11P8	N2	G	C1906	-99.200	-11.672	8.919	1.00	78.74	N
ATOM	A11P9	N1	G	C1906	-98.229	-9.629	8.447	1.00	78.74	N
ATOM	A11PA	C6	G	C1906	-97.203	-8.751	8.121	1.00	78.74	C
ATOM	A11PB	O6	G	C1906	-97.440	-7.543	8.003	1.00	78.74	O
ATOM	A11PC	C5	G	C1906	-95.967	-9.430	7.966	1.00	78.74	C
ATOM	A11PD	N7	G	C1906	-94.708	-8.942	7.646	1.00	78.74	N
ATOM	A11PE	C8	G	C1906	-93.946	-10.001	7.640	1.00	78.74	C
ATOM	A11PF	C2'	G	C1906	-94.225	-13.276	6.692	1.00	96.23	C
ATOM	A11PG	O2'	G	C1906	-94.360	-14.662	6.982	1.00	96.23	O
ATOM	A11PH	C3'	G	C1906	-92.897	-12.976	6.004	1.00	96.23	C
ATOM	A11PI	O3'	G	C1906	-92.537	-13.892	4.973	1.00	96.23	O
ATOM	A11PU	P	G	C1907	-93.655	-14.707	4.144	1.00	102.68	P
ATOM	A11PV	OP1	G	C1907	-94.126	-15.810	5.017	1.00	102.68	O
ATOM	A11PW	OP2	G	C1907	-93.056	-15.048	2.830	1.00	102.68	O

ATOM	A11PX	O5'	G	C1907	-94.819	-13.642	3.942	1.00102.68	O
ATOM	A11PY	C5'	G	C1907	-95.987	-13.972	3.204	1.00102.68	C
ATOM	A11PZ	C4'	G	C1907	-97.106	-14.434	4.106	1.00102.68	C
ATOM	A11Q0	O4'	G	C1907	-97.072	-13.687	5.351	1.00102.68	O
ATOM	A11Q1	C1'	G	C1907	-98.378	-13.339	5.749	1.00102.68	C
ATOM	A11Q2	N9	G	C1907	-98.520	-11.878	5.614	1.00 85.50	N
ATOM	A11Q3	C4	G	C1907	-99.632	-11.104	5.848	1.00 85.50	C
ATOM	A11Q4	N3	G	C1907	-100.845	-11.533	6.253	1.00 85.50	N
ATOM	A11Q5	C2	G	C1907	-101.704	-10.533	6.384	1.00 85.50	C
ATOM	A11Q6	N2	G	C1907	-102.961	-10.779	6.779	1.00 85.50	N
ATOM	A11Q7	N1	G	C1907	-101.397	-9.218	6.138	1.00 85.50	N
ATOM	A11Q8	C6	G	C1907	-100.154	-8.757	5.721	1.00 85.50	C
ATOM	A11Q9	O6	G	C1907	-99.967	-7.552	5.523	1.00 85.50	O
ATOM	A11QA	C5	G	C1907	-99.227	-9.815	5.575	1.00 85.50	C
ATOM	A11QB	N7	G	C1907	-97.899	-9.772	5.183	1.00 85.50	N
ATOM	A11QC	C8	G	C1907	-97.522	-11.016	5.222	1.00 85.50	C
ATOM	A11QD	C2'	G	C1907	-99.344	-14.095	4.843	1.00102.68	C
ATOM	A11QE	O2'	G	C1907	-99.597	-15.371	5.415	1.00102.68	O
ATOM	A11QF	C3'	G	C1907	-98.518	-14.223	3.573	1.00102.68	C
ATOM	A11QG	O3'	G	C1907	-98.946	-15.268	2.716	1.00102.68	O
ATOM	A11QS	P	C	C1908	-99.370	-14.952	1.199	1.00 90.49	P
ATOM	A11QT	OP1	C	C1908	-99.405	-16.249	0.478	1.00 90.49	O
ATOM	A11QU	OP2	C	C1908	-98.467	-13.885	0.702	1.00 90.49	O
ATOM	A11QV	O5'	C	C1908	-100.847	-14.382	1.357	1.00 90.49	O
ATOM	A11QW	C5'	C	C1908	-101.877	-15.180	1.918	1.00 90.49	C
ATOM	A11QX	C4'	C	C1908	-102.995	-14.335	2.473	1.00 90.49	C
ATOM	A11QY	O4'	C	C1908	-102.482	-13.431	3.489	1.00 90.49	O
ATOM	A11QZ	C1'	C	C1908	-103.218	-12.224	3.469	1.00 90.49	C
ATOM	A11R0	N1	C	C1908	-102.299	-11.102	3.156	1.00 79.94	N
ATOM	A11R1	C6	C	C1908	-101.011	-11.299	2.730	1.00 79.94	C
ATOM	A11R2	C2	C	C1908	-102.787	-9.801	3.311	1.00 79.94	C
ATOM	A11R3	O2	C	C1908	-103.955	-9.638	3.697	1.00 79.94	O
ATOM	A11R4	N3	C	C1908	-101.984	-8.749	3.034	1.00 79.94	N
ATOM	A11R5	C4	C	C1908	-100.734	-8.953	2.619	1.00 79.94	C
ATOM	A11R6	N4	C	C1908	-99.976	-7.886	2.360	1.00 79.94	N
ATOM	A11R7	C5	C	C1908	-100.206	-10.264	2.454	1.00 79.94	C
ATOM	A11R8	C2'	C	C1908	-104.316	-12.377	2.414	1.00 90.49	C
ATOM	A11R9	O2'	C	C1908	-105.476	-12.900	3.047	1.00 90.49	O
ATOM	A11RA	C3'	C	C1908	-103.687	-13.407	1.489	1.00 90.49	C
ATOM	A11RB	O3'	C	C1908	-104.620	-14.077	0.656	1.00 90.49	O
ATOM	A11RN	P	C	C1909	-104.615	-13.829	-0.935	1.00 97.60	P
ATOM	A11RO	OP1	C	C1909	-105.274	-15.002	-1.562	1.00 97.60	O
ATOM	A11RP	OP2	C	C1909	-103.223	-13.501	-1.329	1.00 97.60	O
ATOM	A11RQ	O5'	C	C1909	-105.538	-12.544	-1.093	1.00 97.60	O
ATOM	A11RR	C5'	C	C1909	-106.874	-12.542	-0.614	1.00 97.60	C
ATOM	A11RS	C4'	C	C1909	-107.414	-11.141	-0.490	1.00 97.60	C
ATOM	A11RT	O4'	C	C1909	-106.609	-10.380	0.449	1.00 97.60	O
ATOM	A11RU	C1'	C	C1909	-106.557	-9.026	0.050	1.00 97.60	C
ATOM	A11RV	N1	C	C1909	-105.140	-8.645	-0.176	1.00 95.16	N
ATOM	A11RW	C6	C	C1909	-104.137	-9.574	-0.279	1.00 95.16	C
ATOM	A11RX	C2	C	C1909	-104.836	-7.284	-0.282	1.00 95.16	C
ATOM	A11RY	O2	C	C1909	-105.753	-6.456	-0.186	1.00 95.16	O
ATOM	A11RZ	N3	C	C1909	-103.555	-6.898	-0.486	1.00 95.16	N
ATOM	A11S0	C4	C	C1909	-102.590	-7.811	-0.585	1.00 95.16	C
ATOM	A11S1	N4	C	C1909	-101.340	-7.390	-0.789	1.00 95.16	N
ATOM	A11S2	C5	C	C1909	-102.866	-9.203	-0.481	1.00 95.16	C
ATOM	A11S3	C2'	C	C1909	-107.400	-8.882	-1.218	1.00 97.60	C
ATOM	A11S4	O2'	C	C1909	-108.715	-8.492	-0.850	1.00 97.60	O
ATOM	A11S5	C3'	C	C1909	-107.383	-10.307	-1.757	1.00 97.60	C
ATOM	A11S6	O3'	C	C1909	-108.455	-10.600	-2.636	1.00 97.60	O
ATOM	A11SI	P	G	C1910	-108.248	-10.478	-4.223	1.00 96.71	P
ATOM	A11SJ	OP1	G	C1910	-109.593	-10.316	-4.828	1.00 96.71	O
ATOM	A11SK	OP2	G	C1910	-107.409	-11.627	-4.647	1.00 96.71	O

ATOM	Al1SL	O5'	G	C1910	-107.422	-9.126	-4.359	1.00	96.71	O
ATOM	Al1SM	C5'	G	C1910	-107.638	-8.237	-5.443	1.00	96.71	C
ATOM	Al1SN	C4'	G	C1910	-107.890	-6.834	-4.959	1.00	96.71	C
ATOM	Al1SO	O4'	G	C1910	-107.198	-6.620	-3.700	1.00	96.70	O
ATOM	Al1SP	C1'	G	C1910	-106.651	-5.325	-3.657	1.00	96.71	C
ATOM	Al1SQ	N9	G	C1910	-105.182	-5.448	-3.622	1.00	106.21	N
ATOM	Al1SR	C4	G	C1910	-104.255	-4.436	-3.616	1.00	106.21	C
ATOM	Al1SS	N3	G	C1910	-104.516	-3.114	-3.657	1.00	106.21	N
ATOM	Al1ST	C2	G	C1910	-103.407	-2.394	-3.644	1.00	106.21	C
ATOM	Al1SU	N2	G	C1910	-103.488	-1.055	-3.679	1.00	106.21	N
ATOM	Al1SV	N1	G	C1910	-102.144	-2.932	-3.600	1.00	106.21	N
ATOM	Al1SW	C6	G	C1910	-101.855	-4.291	-3.561	1.00	106.21	C
ATOM	Al1SX	O6	G	C1910	-100.682	-4.679	-3.519	1.00	106.21	O
ATOM	Al1SY	C5	G	C1910	-103.033	-5.072	-3.571	1.00	106.21	C
ATOM	Al1SZ	N7	G	C1910	-103.183	-6.449	-3.543	1.00	106.21	N
ATOM	Al1T0	C8	G	C1910	-104.473	-6.625	-3.572	1.00	106.21	C
ATOM	Al1T1	C2'	G	C1910	-107.139	-4.576	-4.897	1.00	96.70	C
ATOM	Al1T2	O2'	G	C1910	-108.351	-3.911	-4.576	1.00	96.70	O
ATOM	Al1T3	C3'	G	C1910	-107.386	-5.723	-5.865	1.00	96.70	C
ATOM	Al1T4	O3'	G	C1910	-108.303	-5.410	-6.899	1.00	96.70	O
ATOM	Al1TG	P	U	C1911	-107.815	-5.339	-8.427	1.00	111.47	P
ATOM	Al1TH	OP1	U	C1911	-109.025	-5.462	-9.276	1.00	111.47	O
ATOM	Al1TI	OP2	U	C1911	-106.727	-6.335	-8.590	1.00	111.47	O
ATOM	Al1TJ	O5'	U	C1911	-107.224	-3.867	-8.538	1.00	111.47	O
ATOM	Al1TK	C5'	U	C1911	-107.947	-2.750	-8.040	1.00	111.47	C
ATOM	Al1TL	C4'	U	C1911	-107.068	-1.533	-7.908	1.00	111.47	C
ATOM	Al1TM	O4'	U	C1911	-106.198	-1.669	-6.754	1.00	111.47	O
ATOM	Al1TN	C1'	U	C1911	-104.959	-1.040	-7.010	1.00	111.47	C
ATOM	Al1TO	N1	U	C1911	-103.884	-2.059	-6.934	1.00	107.82	N
ATOM	Al1TP	C6	U	C1911	-104.111	-3.380	-7.243	1.00	107.82	C
ATOM	Al1TQ	C2	U	C1911	-102.629	-1.635	-6.542	1.00	107.82	C
ATOM	Al1TR	O2	U	C1911	-102.375	-0.479	-6.255	1.00	107.82	O
ATOM	Al1TS	N3	U	C1911	-101.676	-2.620	-6.486	1.00	107.82	N
ATOM	Al1TT	C4	U	C1911	-101.841	-3.955	-6.782	1.00	107.82	C
ATOM	Al1TU	O4	U	C1911	-100.882	-4.721	-6.685	1.00	107.82	O
ATOM	Al1TV	C5	U	C1911	-103.164	-4.321	-7.183	1.00	107.82	C
ATOM	Al1TW	C2'	U	C1911	-105.048	-0.400	-8.398	1.00	111.47	C
ATOM	Al1TX	O2'	U	C1911	-105.506	0.938	-8.249	1.00	111.47	O
ATOM	Al1TY	C3'	U	C1911	-106.108	-1.271	-9.056	1.00	111.47	C
ATOM	Al1TZ	O3'	U	C1911	-106.737	-0.666	-10.173	1.00	111.47	O
ATOM	Al1UA	P	A	C1912	-106.485	-1.236	-11.657	1.00	87.86	P
ATOM	Al1UB	OP1	A	C1912	-106.258	-2.698	-11.538	1.00	87.86	O
ATOM	Al1UC	OP2	A	C1912	-107.606	-0.758	-12.504	1.00	87.86	O
ATOM	Al1UD	O5'	A	C1912	-105.135	-0.511	-12.083	1.00	87.86	O
ATOM	Al1UE	C5'	A	C1912	-104.994	0.895	-11.953	1.00	87.86	C
ATOM	Al1UF	C4'	A	C1912	-104.151	1.477	-13.059	1.00	87.86	C
ATOM	Al1UG	O4'	A	C1912	-102.766	1.527	-12.647	1.00	87.86	O
ATOM	Al1UH	C1'	A	C1912	-101.924	1.388	-13.766	1.00	87.86	C
ATOM	Al1UI	N9	A	C1912	-100.952	0.310	-13.498	1.00	101.33	N
ATOM	Al1UJ	C4	A	C1912	-99.807	0.497	-12.762	1.00	101.33	C
ATOM	Al1UK	N3	A	C1912	-99.397	1.644	-12.194	1.00	101.33	N
ATOM	Al1UL	C2	A	C1912	-98.243	1.471	-11.559	1.00	101.33	C
ATOM	Al1UM	N1	A	C1912	-97.507	0.363	-11.435	1.00	101.33	N
ATOM	Al1UN	C6	A	C1912	-97.945	-0.774	-12.016	1.00	101.33	C
ATOM	Al1UO	N6	A	C1912	-97.199	-1.873	-11.883	1.00	101.33	N
ATOM	Al1UP	C5	A	C1912	-99.162	-0.724	-12.724	1.00	101.33	C
ATOM	Al1UQ	N7	A	C1912	-99.893	-1.674	-13.426	1.00	101.33	N
ATOM	Al1UR	C8	A	C1912	-100.943	-1.016	-13.863	1.00	101.33	C
ATOM	Al1US	C2'	A	C1912	-102.800	1.116	-14.997	1.00	87.86	C
ATOM	Al1UT	O2'	A	C1912	-102.934	2.322	-15.734	1.00	87.86	O
ATOM	Al1UU	C3'	A	C1912	-104.133	0.707	-14.371	1.00	87.86	C
ATOM	Al1UV	O3'	A	C1912	-105.255	1.009	-15.185	1.00	87.86	O
ATOM	Al1V7	P	A	C1913	-105.782	-0.039	-16.281	1.00	141.29	P

ATOM	A11V8	OP1	A	C1913	-104.715	-1.051	-16.471	1.00141.29	O
ATOM	A11V9	OP2	A	C1913	-107.125	-0.492	-15.842	1.00141.29	O
ATOM	A11VA	O5'	A	C1913	-105.915	0.859	-17.590	1.00141.29	O
ATOM	A11VB	C5'	A	C1913	-106.630	2.087	-17.564	1.00141.29	C
ATOM	A11VC	C4'	A	C1913	-106.259	2.972	-18.733	1.00141.29	C
ATOM	A11VD	O4'	A	C1913	-104.878	3.403	-18.608	1.00141.29	O
ATOM	A11VE	C1'	A	C1913	-104.321	3.587	-19.898	1.00141.29	C
ATOM	A11VF	N9	A	C1913	-103.114	2.740	-20.030	1.00263.81	N
ATOM	A11VG	C4	A	C1913	-102.970	1.391	-19.780	1.00263.81	C
ATOM	A11VH	N3	A	C1913	-103.894	0.529	-19.331	1.00263.81	N
ATOM	A11VI	C2	A	C1913	-103.406	-0.696	-19.198	1.00263.81	C
ATOM	A11VJ	N1	A	C1913	-102.172	-1.136	-19.442	1.00263.80	N
ATOM	A11VK	C6	A	C1913	-101.256	-0.255	-19.889	1.00263.81	C
ATOM	A11VL	N6	A	C1913	-100.027	-0.709	-20.129	1.00263.81	N
ATOM	A11VM	C5	A	C1913	-101.654	1.083	-20.074	1.00263.81	C
ATOM	A11VN	N7	A	C1913	-100.974	2.210	-20.510	1.00263.81	N
ATOM	A11VO	C8	A	C1913	-101.880	3.156	-20.468	1.00263.81	C
ATOM	A11VP	C2'	A	C1913	-105.395	3.231	-20.924	1.00141.29	C
ATOM	A11VQ	O2'	A	C1913	-106.069	4.423	-21.306	1.00141.29	O
ATOM	A11VR	C3'	A	C1913	-106.309	2.327	-20.105	1.00141.29	C
ATOM	A11VS	O3'	A	C1913	-107.617	2.205	-20.626	1.00141.29	O
ATOM	A11W4	P	C	C1914	-108.084	0.831	-21.319	1.00227.50	P
ATOM	A11W5	OP1	C	C1914	-109.108	1.179	-22.332	1.00227.50	O
ATOM	A11W6	OP2	C	C1914	-108.452	-0.104	-20.229	1.00227.50	O
ATOM	A11W7	O5'	C	C1914	-106.753	0.324	-22.045	1.00227.50	O
ATOM	A11W8	C5'	C	C1914	-105.940	-0.699	-21.475	1.00227.50	C
ATOM	A11W9	C4'	C	C1914	-106.107	-2.010	-22.202	1.00227.50	C
ATOM	A11WA	O4'	C	C1914	-105.219	-2.057	-23.351	1.00227.50	O
ATOM	A11WB	C1'	C	C1914	-104.865	-3.399	-23.620	1.00227.50	C
ATOM	A11WC	N1	C	C1914	-103.382	-3.522	-23.661	1.00124.89	N
ATOM	A11WD	C6	C	C1914	-102.509	-2.517	-23.320	1.00124.89	C
ATOM	A11WE	C2	C	C1914	-102.881	-4.748	-24.109	1.00124.89	C
ATOM	A11WF	O2	C	C1914	-103.679	-5.645	-24.418	1.00124.89	O
ATOM	A11WG	N3	C	C1914	-101.547	-4.943	-24.188	1.00124.89	N
ATOM	A11WH	C4	C	C1914	-100.708	-3.969	-23.849	1.00124.89	C
ATOM	A11WI	N4	C	C1914	-99.401	-4.220	-23.950	1.00124.89	N
ATOM	A11WJ	C5	C	C1914	-101.180	-2.702	-23.397	1.00124.89	C
ATOM	A11WK	C2'	C	C1914	-105.495	-4.278	-22.533	1.00227.50	C
ATOM	A11WL	O2'	C	C1914	-106.722	-4.802	-23.027	1.00227.50	O
ATOM	A11WM	C3'	C	C1914	-105.744	-3.264	-21.423	1.00227.50	C
ATOM	A11WN	O3'	C	C1914	-106.752	-3.661	-20.509	1.00227.50	O
ATOM	A11WZ	P	U	C1915	-106.355	-4.438	-19.159	1.00143.42	P
ATOM	A11X0	OP1	U	C1915	-107.601	-5.025	-18.612	1.00143.42	O
ATOM	A11X1	OP2	U	C1915	-105.584	-3.489	-18.318	1.00143.42	O
ATOM	A11X2	O5'	U	C1915	-105.398	-5.597	-19.684	1.00143.42	O
ATOM	A11X3	C5'	U	C1915	-105.924	-6.845	-20.111	1.00143.42	C
ATOM	A11X4	C4'	U	C1915	-104.832	-7.868	-20.315	1.00143.42	C
ATOM	A11X5	O4'	U	C1915	-103.846	-7.363	-21.250	1.00143.42	O
ATOM	A11X6	C1'	U	C1915	-102.572	-7.886	-20.932	1.00143.42	C
ATOM	A11X7	N1	U	C1915	-101.635	-6.761	-20.696	1.00169.91	N
ATOM	A11X8	C6	U	C1915	-102.068	-5.509	-20.325	1.00169.91	C
ATOM	A11X9	C2	U	C1915	-100.286	-7.018	-20.860	1.00169.91	C
ATOM	A11XA	O2	U	C1915	-99.851	-8.108	-21.186	1.00169.91	O
ATOM	A11XB	N3	U	C1915	-99.458	-5.950	-20.629	1.00169.91	N
ATOM	A11XC	C4	U	C1915	-99.833	-4.676	-20.257	1.00169.91	C
ATOM	A11XD	O4	U	C1915	-98.971	-3.817	-20.084	1.00169.91	O
ATOM	A11XE	C5	U	C1915	-101.241	-4.484	-20.106	1.00169.91	C
ATOM	A11XF	C2'	U	C1915	-102.728	-8.775	-19.696	1.00143.42	C
ATOM	A11XG	O2'	U	C1915	-102.891	-10.121	-20.119	1.00143.42	O
ATOM	A11XH	C3'	U	C1915	-104.017	-8.233	-19.085	1.00143.42	C
ATOM	A11XI	O3'	U	C1915	-104.683	-9.158	-18.241	1.00143.42	O
ATOM	A11XT	P	A	C1916	-104.077	-9.532	-16.800	1.00104.25	P
ATOM	A11XU	OP1	A	C1916	-104.986	-10.534	-16.192	1.00104.25	O

ATOM	A11XV	OP2	A	C1916	-103.841	-8.257	-16.078	1.00104.25	O
ATOM	A11XW	O5'	A	C1916	-102.689	-10.215	-17.172	1.00104.25	O
ATOM	A11XX	C5'	A	C1916	-101.891	-10.838	-16.180	1.00104.25	C
ATOM	A11XY	C4'	A	C1916	-100.423	-10.720	-16.499	1.00104.25	C
ATOM	A11XZ	O4'	A	C1916	-100.238	-9.814	-17.623	1.00104.25	O
ATOM	A11Y0	C1'	A	C1916	-99.091	-9.016	-17.416	1.00104.25	C
ATOM	A11Y1	N9	A	C1916	-99.531	-7.620	-17.225	1.00118.95	N
ATOM	A11Y2	C4	A	C1916	-98.757	-6.485	-17.189	1.00118.95	C
ATOM	A11Y3	N3	A	C1916	-97.426	-6.385	-17.334	1.00118.95	N
ATOM	A11Y4	C2	A	C1916	-97.042	-5.114	-17.244	1.00118.95	C
ATOM	A11Y5	N1	A	C1916	-97.775	-4.010	-17.039	1.00118.95	N
ATOM	A11Y6	C6	A	C1916	-99.112	-4.147	-16.897	1.00118.95	C
ATOM	A11Y7	N6	A	C1916	-99.873	-3.068	-16.690	1.00118.95	N
ATOM	A11Y8	C5	A	C1916	-99.641	-5.443	-16.974	1.00118.95	C
ATOM	A11Y9	N7	A	C1916	-100.941	-5.906	-16.869	1.00118.95	N
ATOM	A11YA	C8	A	C1916	-100.818	-7.198	-17.021	1.00118.95	C
ATOM	A11YB	C2'	A	C1916	-98.381	-9.555	-16.180	1.00104.25	C
ATOM	A11YC	O2'	A	C1916	-97.482	-10.579	-16.582	1.00104.25	O
ATOM	A11YD	C3'	A	C1916	-99.551	-10.134	-15.400	1.00104.25	C
ATOM	A11YE	O3'	A	C1916	-99.173	-11.090	-14.424	1.00104.25	O
ATOM	A11YQ	P	U	C1917	-99.700	-10.963	-12.909	1.00 94.66	P
ATOM	A11YR	OP1	U	C1917	-99.673	-12.325	-12.323	1.00 94.66	O
ATOM	A11YS	OP2	U	C1917	-100.992	-10.232	-12.951	1.00 94.66	O
ATOM	A11YT	O5'	U	C1917	-98.587	-10.056	-12.221	1.00 94.66	O
ATOM	A11YU	C5'	U	C1917	-97.217	-10.428	-12.258	1.00 94.66	C
ATOM	A11YV	C4'	U	C1917	-96.320	-9.229	-12.435	1.00 94.66	C
ATOM	A11YW	O4'	U	C1917	-96.683	-8.514	-13.646	1.00 94.66	O
ATOM	A11YX	C1'	U	C1917	-96.487	-7.126	-13.463	1.00 94.66	C
ATOM	A11YY	N1	U	C1917	-97.792	-6.430	-13.606	1.00 97.62	N
ATOM	A11YZ	C6	U	C1917	-98.995	-7.095	-13.659	1.00 97.62	C
ATOM	A11Z0	C2	U	C1917	-97.753	-5.052	-13.696	1.00 97.62	C
ATOM	A11Z1	O2	U	C1917	-96.713	-4.418	-13.654	1.00 97.62	O
ATOM	A11Z2	N3	U	C1917	-98.974	-4.440	-13.830	1.00 97.62	N
ATOM	A11Z3	C4	U	C1917	-100.208	-5.050	-13.889	1.00 97.62	C
ATOM	A11Z4	O4	U	C1917	-101.222	-4.362	-14.012	1.00 97.62	O
ATOM	A11Z5	C5	U	C1917	-100.172	-6.476	-13.792	1.00 97.62	C
ATOM	A11Z6	C2'	U	C1917	-95.881	-6.930	-12.076	1.00 94.66	C
ATOM	A11Z7	O2'	U	C1917	-94.464	-6.967	-12.198	1.00 94.66	O
ATOM	A11Z8	C3'	U	C1917	-96.403	-8.165	-11.355	1.00 94.66	C
ATOM	A11Z9	O3'	U	C1917	-95.677	-8.499	-10.186	1.00 94.66	O
ATOM	A11ZK	P	A	C1918	-96.359	-8.323	-8.741	1.00 79.74	P
ATOM	A11ZL	OP1	A	C1918	-95.370	-8.774	-7.732	1.00 79.75	O
ATOM	A11ZM	OP2	A	C1918	-97.683	-8.994	-8.794	1.00 79.75	O
ATOM	A11ZN	O5'	A	C1918	-96.554	-6.751	-8.639	1.00 79.74	O
ATOM	A11ZO	C5'	A	C1918	-95.451	-5.871	-8.810	1.00 79.74	C
ATOM	A11ZP	C4'	A	C1918	-95.851	-4.436	-8.605	1.00 79.74	C
ATOM	A11ZQ	O4'	A	C1918	-96.839	-4.068	-9.607	1.00 79.74	O
ATOM	A11ZR	C1'	A	C1918	-97.972	-3.502	-8.982	1.00 79.75	C
ATOM	A11ZS	N9	A	C1918	-99.163	-3.895	-9.739	1.00105.75	N
ATOM	A11ZT	C4	A	C1918	-100.289	-3.136	-9.948	1.00105.75	C
ATOM	A11ZU	N3	A	C1918	-100.529	-1.889	-9.510	1.00105.75	N
ATOM	A11ZV	C2	A	C1918	-101.731	-1.475	-9.907	1.00105.75	C
ATOM	A11ZW	N1	A	C1918	-102.654	-2.117	-10.634	1.00105.75	N
ATOM	A11ZX	C6	A	C1918	-102.385	-3.370	-11.056	1.00105.75	C
ATOM	A11ZY	N6	A	C1918	-103.304	-4.011	-11.782	1.00105.75	N
ATOM	A11ZZ	C5	A	C1918	-101.141	-3.923	-10.701	1.00105.75	C
ATOM	A1200	N7	A	C1918	-100.562	-5.156	-10.963	1.00105.75	N
ATOM	A1201	C8	A	C1918	-99.394	-5.089	-10.372	1.00105.75	C
ATOM	A1202	C2'	A	C1918	-97.967	-4.015	-7.547	1.00 79.75	C
ATOM	A1203	O2'	A	C1918	-98.681	-3.155	-6.687	1.00 79.74	O
ATOM	A1204	C3'	A	C1918	-96.473	-4.128	-7.245	1.00 79.75	C
ATOM	A1205	O3'	A	C1918	-95.970	-2.890	-6.753	1.00 79.75	O
ATOM	A120H	P	A	C1919	-94.589	-2.863	-5.928	1.00 82.74	P

ATOM	A120I	OP1	A	C1919	-93.590	-3.619	-6.722	1.00	82.74	O
ATOM	A120J	OP2	A	C1919	-94.894	-3.317	-4.550	1.00	82.74	O
ATOM	A120K	O5'	A	C1919	-94.215	-1.319	-5.917	1.00	82.74	O
ATOM	A120L	C5'	A	C1919	-92.866	-0.889	-5.815	1.00	82.74	C
ATOM	A120M	C4'	A	C1919	-92.746	0.576	-6.134	1.00	82.74	C
ATOM	A120N	O4'	A	C1919	-93.107	0.796	-7.527	1.00	82.74	O
ATOM	A120O	C1'	A	C1919	-93.947	1.920	-7.641	1.00	82.74	C
ATOM	A120P	N9	A	C1919	-95.304	1.440	-7.970	1.00	96.93	N
ATOM	A120Q	C4	A	C1919	-96.499	2.123	-7.937	1.00	96.93	C
ATOM	A120R	N3	A	C1919	-96.718	3.401	-7.587	1.00	96.93	N
ATOM	A120S	C2	A	C1919	-98.012	3.704	-7.675	1.00	96.93	C
ATOM	A120T	N1	A	C1919	-99.042	2.932	-8.046	1.00	96.93	N
ATOM	A120U	C6	A	C1919	-98.790	1.653	-8.391	1.00	96.93	C
ATOM	A120V	N6	A	C1919	-99.806	0.873	-8.763	1.00	96.93	N
ATOM	A120W	C5	A	C1919	-97.460	1.211	-8.338	1.00	96.93	C
ATOM	A120X	N7	A	C1919	-96.892	-0.017	-8.624	1.00	96.93	N
ATOM	A120Y	C8	A	C1919	-95.619	0.170	-8.392	1.00	96.93	C
ATOM	A120Z	C2'	A	C1919	-93.905	2.651	-6.303	1.00	82.74	C
ATOM	A1210	O2'	A	C1919	-92.792	3.534	-6.304	1.00	82.74	O
ATOM	A1211	C3'	A	C1919	-93.677	1.492	-5.347	1.00	82.74	C
ATOM	A1212	O3'	A	C1919	-93.142	1.877	-4.092	1.00	82.74	O
ATOM	A121E	P	C	C1920	-94.102	2.023	-2.812	1.00	71.50	P
ATOM	A121F	OP1	C	C1920	-94.344	0.655	-2.289	1.00	71.50	O
ATOM	A121G	OP2	C	C1920	-93.487	3.030	-1.914	1.00	71.50	O
ATOM	A121H	O5'	C	C1920	-95.440	2.603	-3.443	1.00	71.50	O
ATOM	A121I	C5'	C	C1920	-95.937	3.878	-3.076	1.00	71.50	C
ATOM	A121J	C4'	C	C1920	-97.426	3.964	-3.292	1.00	71.50	C
ATOM	A121K	O4'	C	C1920	-97.800	3.180	-4.458	1.00	71.50	O
ATOM	A121L	C1'	C	C1920	-99.057	2.570	-4.249	1.00	71.50	C
ATOM	A121M	N1	C	C1920	-98.883	1.097	-4.281	1.00	99.59	N
ATOM	A121N	C6	C	C1920	-97.654	0.499	-4.381	1.00	99.59	C
ATOM	A121O	C2	C	C1920	-100.029	0.301	-4.221	1.00	99.59	C
ATOM	A121P	O2	C	C1920	-101.137	0.849	-4.135	1.00	99.59	O
ATOM	A121Q	N3	C	C1920	-99.908	-1.046	-4.247	1.00	99.59	N
ATOM	A121R	C4	C	C1920	-98.702	-1.606	-4.333	1.00	99.59	C
ATOM	A121S	N4	C	C1920	-98.608	-2.935	-4.367	1.00	99.59	N
ATOM	A121T	C5	C	C1920	-97.520	-0.830	-4.409	1.00	99.59	C
ATOM	A121U	C2'	C	C1920	-99.584	3.058	-2.897	1.00	71.50	C
ATOM	A121V	O2'	C	C1920	-100.378	4.218	-3.103	1.00	71.50	O
ATOM	A121W	C3'	C	C1920	-98.290	3.403	-2.175	1.00	71.50	C
ATOM	A121X	O3'	C	C1920	-98.460	4.317	-1.104	1.00	71.50	O
ATOM	A1229	P	G	C1921	-98.648	3.781	0.397	1.00	93.18	P
ATOM	A122A	OP1	G	C1921	-97.734	2.625	0.571	1.00	93.18	O
ATOM	A122B	OP2	G	C1921	-98.500	4.948	1.299	1.00	93.18	O
ATOM	A122C	O5'	G	C1921	-100.157	3.283	0.402	1.00	93.18	O
ATOM	A122D	C5'	G	C1921	-101.216	4.169	0.075	1.00	93.18	C
ATOM	A122E	C4'	G	C1921	-102.526	3.438	-0.056	1.00	93.18	C
ATOM	A122F	O4'	G	C1921	-102.447	2.459	-1.126	1.00	93.18	O
ATOM	A122G	C1'	G	C1921	-103.255	1.342	-0.810	1.00	93.18	C
ATOM	A122H	N9	G	C1921	-102.404	0.139	-0.756	1.00	85.51	N
ATOM	A122I	C4	G	C1921	-102.859	-1.157	-0.708	1.00	85.51	C
ATOM	A122J	N3	G	C1921	-104.152	-1.543	-0.719	1.00	85.51	N
ATOM	A122K	C2	G	C1921	-104.277	-2.859	-0.669	1.00	85.51	C
ATOM	A122L	N2	G	C1921	-105.500	-3.412	-0.674	1.00	85.51	N
ATOM	A122M	N1	G	C1921	-103.215	-3.728	-0.617	1.00	85.51	N
ATOM	A122N	C6	G	C1921	-101.877	-3.351	-0.603	1.00	85.51	C
ATOM	A122O	O6	G	C1921	-100.998	-4.219	-0.558	1.00	85.51	O
ATOM	A122P	C5	G	C1921	-101.727	-1.941	-0.657	1.00	85.51	C
ATOM	A122Q	N7	G	C1921	-100.583	-1.156	-0.664	1.00	85.51	N
ATOM	A122R	C8	G	C1921	-101.032	0.069	-0.720	1.00	85.51	C
ATOM	A122S	C2'	G	C1921	-103.924	1.624	0.533	1.00	93.18	C
ATOM	A122T	O2'	G	C1921	-105.188	2.226	0.294	1.00	93.18	O
ATOM	A122U	C3'	G	C1921	-102.952	2.618	1.147	1.00	93.18	C

ATOM	A122V	O3'	G	C1921	-103.512	3.404	2.183	1.00	93.18	O
ATOM	A1237	P	G	C1922	-103.338	2.961	3.719	1.00	85.73	P
ATOM	A1238	OP1	G	C1922	-103.763	4.109	4.554	1.00	85.73	O
ATOM	A1239	OP2	G	C1922	-101.957	2.440	3.874	1.00	85.73	O
ATOM	A123A	O5'	G	C1922	-104.384	1.772	3.860	1.00	85.73	O
ATOM	A123B	C5'	G	C1922	-105.752	1.964	3.533	1.00	85.73	C
ATOM	A123C	C4'	G	C1922	-106.469	0.650	3.351	1.00	85.73	C
ATOM	A123D	O4'	G	C1922	-105.811	-0.136	2.323	1.00	85.73	O
ATOM	A123E	C1'	G	C1922	-105.905	-1.512	2.638	1.00	85.73	C
ATOM	A123F	N9	G	C1922	-104.542	-2.057	2.796	1.00	120.70	N
ATOM	A123G	C4	G	C1922	-104.196	-3.390	2.823	1.00	120.70	C
ATOM	A123H	N3	G	C1922	-105.038	-4.437	2.694	1.00	120.70	N
ATOM	A123I	C2	G	C1922	-104.404	-5.598	2.754	1.00	120.70	C
ATOM	A123J	N2	G	C1922	-105.096	-6.742	2.644	1.00	120.70	N
ATOM	A123K	N1	G	C1922	-103.048	-5.723	2.928	1.00	120.70	N
ATOM	A123L	C6	G	C1922	-102.163	-4.661	3.063	1.00	120.70	C
ATOM	A123M	O6	G	C1922	-100.957	-4.885	3.217	1.00	120.70	O
ATOM	A123N	C5	G	C1922	-102.829	-3.410	3.000	1.00	120.70	C
ATOM	A123O	N7	G	C1922	-102.324	-2.122	3.090	1.00	120.70	N
ATOM	A123P	C8	G	C1922	-103.372	-1.355	2.968	1.00	120.70	C
ATOM	A123Q	C2'	G	C1922	-106.719	-1.634	3.922	1.00	85.73	C
ATOM	A123R	O2'	G	C1922	-108.086	-1.808	3.582	1.00	85.73	O
ATOM	A123S	C3'	G	C1922	-106.484	-0.270	4.558	1.00	85.73	C
ATOM	A123T	O3'	G	C1922	-107.457	0.093	5.520	1.00	85.73	O
ATOM	A1245	P	U	C1923	-107.087	0.072	7.082	1.00	93.79	P
ATOM	A1246	OP1	U	C1923	-108.367	0.090	7.833	1.00	93.79	O
ATOM	A1247	OP2	U	C1923	-106.108	1.162	7.316	1.00	93.79	O
ATOM	A1248	O5'	U	C1923	-106.373	-1.340	7.249	1.00	93.79	O
ATOM	A1249	C5'	U	C1923	-106.811	-2.281	8.217	1.00	93.79	C
ATOM	A124A	C4'	U	C1923	-106.981	-3.650	7.612	1.00	93.79	C
ATOM	A124B	O4'	U	C1923	-106.258	-3.723	6.357	1.00	93.79	O
ATOM	A124C	C1'	U	C1923	-105.649	-4.985	6.216	1.00	93.79	C
ATOM	A124D	N1	U	C1923	-104.176	-4.797	6.216	1.00	127.15	N
ATOM	A124E	C6	U	C1923	-103.601	-3.559	6.427	1.00	127.15	C
ATOM	A124F	C2	U	C1923	-103.386	-5.901	5.964	1.00	127.15	C
ATOM	A124G	O2	U	C1923	-103.838	-7.016	5.765	1.00	127.15	O
ATOM	A124H	N3	U	C1923	-102.039	-5.654	5.969	1.00	127.15	N
ATOM	A124I	C4	U	C1923	-101.402	-4.450	6.181	1.00	127.15	C
ATOM	A124J	O4	U	C1923	-100.171	-4.397	6.149	1.00	127.15	O
ATOM	A124K	C5	U	C1923	-102.281	-3.351	6.423	1.00	127.15	C
ATOM	A124L	C2'	U	C1923	-106.126	-5.857	7.377	1.00	93.79	C
ATOM	A124M	O2'	U	C1923	-107.307	-6.538	6.976	1.00	93.79	O
ATOM	A124N	C3'	U	C1923	-106.435	-4.806	8.432	1.00	93.79	C
ATOM	A124O	O3'	U	C1923	-107.346	-5.244	9.422	1.00	93.79	O
ATOM	A124Z	P	C	C1924	-107.003	-5.068	10.982	1.00	116.36	P
ATOM	A1250	OP1	C	C1924	-108.293	-4.922	11.699	1.00	116.36	O
ATOM	A1251	OP2	C	C1924	-105.996	-3.984	11.096	1.00	116.36	O
ATOM	A1252	O5'	C	C1924	-106.338	-6.463	11.345	1.00	116.36	O
ATOM	A1253	C5'	C	C1924	-106.956	-7.683	10.967	1.00	116.36	C
ATOM	A1254	C4'	C	C1924	-105.978	-8.826	10.993	1.00	116.36	C
ATOM	A1255	O4'	C	C1924	-105.175	-8.820	9.784	1.00	116.36	O
ATOM	A1256	C1'	C	C1924	-103.877	-9.300	10.067	1.00	116.36	C
ATOM	A1257	N1	C	C1924	-102.887	-8.252	9.709	1.00	91.52	N
ATOM	A1258	C6	C	C1924	-103.230	-6.939	9.506	1.00	91.52	C
ATOM	A1259	C2	C	C1924	-101.552	-8.641	9.577	1.00	91.52	C
ATOM	A125A	O2	C	C1924	-101.255	-9.830	9.763	1.00	91.52	O
ATOM	A125B	N3	C	C1924	-100.611	-7.725	9.251	1.00	91.52	N
ATOM	A125C	C4	C	C1924	-100.952	-6.452	9.055	1.00	91.52	C
ATOM	A125D	N4	C	C1924	-99.981	-5.589	8.738	1.00	91.52	N
ATOM	A125E	C5	C	C1924	-102.305	-6.020	9.182	1.00	91.52	C
ATOM	A125F	C2'	C	C1924	-103.827	-9.656	11.555	1.00	116.36	C
ATOM	A125G	O2'	C	C1924	-104.119	-11.038	11.705	1.00	116.36	O
ATOM	A125H	C3'	C	C1924	-104.952	-8.797	12.114	1.00	116.36	C

ATOM	A125I	O3'	C	C1924	-105.470	-9.262	13.346	1.00116.36	O
ATOM	A125U	P	C	C1925	-104.585	-9.163	14.682	1.00 90.13	P
ATOM	A125V	OP1	C	C1925	-105.492	-9.418	15.827	1.00 90.13	O
ATOM	A125W	OP2	C	C1925	-103.850	-7.875	14.627	1.00 90.13	O
ATOM	A125X	O5'	C	C1925	-103.569	-10.375	14.516	1.00 90.13	O
ATOM	A125Y	C5'	C	C1925	-102.460	-10.516	15.386	1.00 90.13	C
ATOM	A125Z	C4'	C	C1925	-101.294	-11.168	14.687	1.00 90.13	C
ATOM	A1260	O4'	C	C1925	-101.269	-10.757	13.294	1.00 90.13	O
ATOM	A1261	C1'	C	C1925	-99.938	-10.547	12.877	1.00 90.13	C
ATOM	A1262	N1	C	C1925	-99.757	-9.101	12.611	1.00 79.97	N
ATOM	A1263	C6	C	C1925	-100.626	-8.155	13.093	1.00 79.97	C
ATOM	A1264	C2	C	C1925	-98.653	-8.707	11.859	1.00 79.97	C
ATOM	A1265	O2	C	C1925	-97.874	-9.572	11.435	1.00 79.97	O
ATOM	A1266	N3	C	C1925	-98.452	-7.393	11.604	1.00 79.97	N
ATOM	A1267	C4	C	C1925	-99.302	-6.482	12.072	1.00 79.97	C
ATOM	A1268	N4	C	C1925	-99.067	-5.199	11.794	1.00 79.97	N
ATOM	A1269	C5	C	C1925	-100.438	-6.850	12.846	1.00 79.97	C
ATOM	A126A	C2'	C	C1925	-99.028	-11.034	13.999	1.00 90.13	C
ATOM	A126B	O2'	C	C1925	-98.765	-12.418	13.816	1.00 90.13	O
ATOM	A126C	C3'	C	C1925	-99.915	-10.801	15.216	1.00 90.13	C
ATOM	A126D	O3'	C	C1925	-99.536	-11.558	16.354	1.00 90.13	O
ATOM	A126P	P	U	C1926	-99.850	-11.017	17.838	1.00110.07	P
ATOM	A126Q	OP1	U	C1926	-100.305	-12.177	18.639	1.00110.07	O
ATOM	A126R	OP2	U	C1926	-100.751	-9.846	17.702	1.00110.07	O
ATOM	A126S	O5'	U	C1926	-98.422	-10.538	18.344	1.00110.07	O
ATOM	A126T	C5'	U	C1926	-97.767	-9.458	17.708	1.00110.07	C
ATOM	A126U	C4'	U	C1926	-96.544	-9.914	16.952	1.00110.07	C
ATOM	A126V	O4'	U	C1926	-96.702	-9.557	15.557	1.00110.07	O
ATOM	A126W	C1'	U	C1926	-95.498	-9.068	15.028	1.00110.07	C
ATOM	A126X	N1	U	C1926	-95.698	-7.648	14.647	1.00 89.96	N
ATOM	A126Y	C6	U	C1926	-96.778	-6.906	15.078	1.00 89.96	C
ATOM	A126Z	C2	U	C1926	-94.755	-7.100	13.808	1.00 89.96	C
ATOM	A1270	O2	U	C1926	-93.801	-7.742	13.414	1.00 89.96	O
ATOM	A1271	N3	U	C1926	-94.969	-5.789	13.466	1.00 89.96	N
ATOM	A1272	C4	U	C1926	-96.021	-4.990	13.867	1.00 89.96	C
ATOM	A1273	O4	U	C1926	-96.082	-3.823	13.477	1.00 89.96	O
ATOM	A1274	C5	U	C1926	-96.967	-5.629	14.730	1.00 89.96	C
ATOM	A1275	C2'	U	C1926	-94.413	-9.239	16.086	1.00110.07	C
ATOM	A1276	O2'	U	C1926	-93.734	-10.469	15.864	1.00110.07	O
ATOM	A1277	C3'	U	C1926	-95.219	-9.288	17.382	1.00110.07	C
ATOM	A1278	O3'	U	C1926	-94.574	-10.025	18.406	1.00110.07	O
ATOM	A127J	P	A	C1927	-94.770	-9.646	19.957	1.00 87.96	P
ATOM	A127K	OP1	A	C1927	-94.740	-10.918	20.721	1.00 87.96	O
ATOM	A127L	OP2	A	C1927	-95.971	-8.788	20.057	1.00 87.96	O
ATOM	A127M	O5'	A	C1927	-93.467	-8.788	20.278	1.00 87.96	O
ATOM	A127N	C5'	A	C1927	-93.485	-7.369	20.209	1.00 87.96	C
ATOM	A127O	C4'	A	C1927	-92.143	-6.823	19.788	1.00 87.96	C
ATOM	A127P	O4'	A	C1927	-91.116	-7.797	20.088	1.00 87.96	O
ATOM	A127Q	C1'	A	C1927	-90.116	-7.777	19.098	1.00 87.96	C
ATOM	A127R	N9	A	C1927	-90.000	-9.135	18.523	1.00 70.80	N
ATOM	A127S	C4	A	C1927	-88.972	-9.623	17.750	1.00 70.80	C
ATOM	A127T	N3	A	C1927	-87.885	-8.962	17.330	1.00 70.80	N
ATOM	A127U	C2	A	C1927	-87.109	-9.745	16.587	1.00 70.80	C
ATOM	A127V	N1	A	C1927	-87.282	-11.024	16.241	1.00 70.80	N
ATOM	A127W	C6	A	C1927	-88.380	-11.667	16.682	1.00 70.80	C
ATOM	A127X	N6	A	C1927	-88.548	-12.944	16.333	1.00 70.80	N
ATOM	A127Y	C5	A	C1927	-89.284	-10.941	17.475	1.00 70.80	C
ATOM	A127Z	N7	A	C1927	-90.481	-11.295	18.070	1.00 70.80	N
ATOM	A1280	C8	A	C1927	-90.859	-10.199	18.683	1.00 70.80	C
ATOM	A1281	C2'	A	C1927	-90.489	-6.720	18.059	1.00 87.96	C
ATOM	A1282	O2'	A	C1927	-89.771	-5.523	18.331	1.00 87.96	O
ATOM	A1283	C3'	A	C1927	-91.984	-6.528	18.303	1.00 87.96	C
ATOM	A1284	O3'	A	C1927	-92.444	-5.231	17.958	1.00 87.96	O

ATOM	A128G	P	A	C1928	-93.676	-5.041	16.945	1.00	70.25	P
ATOM	A128H	OP1	A	C1928	-94.137	-3.638	17.078	1.00	70.25	O
ATOM	A128I	OP2	A	C1928	-94.639	-6.130	17.215	1.00	70.25	O
ATOM	A128J	O5'	A	C1928	-92.998	-5.255	15.521	1.00	70.25	O
ATOM	A128K	C5'	A	C1928	-92.479	-4.155	14.796	1.00	70.25	C
ATOM	A128L	C4'	A	C1928	-91.247	-4.528	14.006	1.00	70.25	C
ATOM	A128M	O4'	A	C1928	-90.354	-5.344	14.820	1.00	70.25	O
ATOM	A128N	C1'	A	C1928	-89.670	-6.269	13.979	1.00	70.25	C
ATOM	A128O	N9	A	C1928	-90.117	-7.634	14.311	1.00	59.11	N
ATOM	A128P	C4	A	C1928	-89.505	-8.789	13.892	1.00	59.11	C
ATOM	A128Q	N3	A	C1928	-88.367	-8.892	13.189	1.00	59.11	N
ATOM	A128R	C2	A	C1928	-88.053	-10.169	12.990	1.00	59.11	C
ATOM	A128S	N1	A	C1928	-88.697	-11.273	13.383	1.00	59.11	N
ATOM	A128T	C6	A	C1928	-89.840	-11.135	14.084	1.00	59.11	C
ATOM	A128U	N6	A	C1928	-90.481	-12.238	14.478	1.00	59.11	N
ATOM	A128V	C5	A	C1928	-90.279	-9.830	14.366	1.00	59.11	C
ATOM	A128W	N7	A	C1928	-91.383	-9.345	15.048	1.00	59.11	N
ATOM	A128X	C8	A	C1928	-91.250	-8.044	14.966	1.00	59.11	C
ATOM	A128Y	C2'	A	C1928	-90.052	-5.923	12.548	1.00	70.25	C
ATOM	A128Z	O2'	A	C1928	-89.193	-4.890	12.085	1.00	70.25	O
ATOM	A1290	C3'	A	C1928	-91.461	-5.406	12.787	1.00	70.25	C
ATOM	A1291	O3'	A	C1928	-92.073	-4.765	11.674	1.00	70.25	O
ATOM	A129D	P	G	C1929	-91.583	-3.330	11.139	1.00	85.66	P
ATOM	A129E	OP1	G	C1929	-92.590	-2.334	11.584	1.00	85.66	O
ATOM	A129F	OP2	G	C1929	-90.174	-3.152	11.557	1.00	85.66	O
ATOM	A129G	O5'	G	C1929	-91.657	-3.503	9.554	1.00	85.66	O
ATOM	A129H	C5'	G	C1929	-91.978	-4.760	8.953	1.00	85.66	C
ATOM	A129I	C4'	G	C1929	-90.750	-5.619	8.754	1.00	85.66	C
ATOM	A129J	O4'	G	C1929	-90.704	-6.646	9.784	1.00	85.66	O
ATOM	A129K	C1'	G	C1929	-90.576	-7.916	9.175	1.00	85.66	C
ATOM	A129L	N9	G	C1929	-91.242	-8.914	10.014	1.00	94.85	N
ATOM	A129M	C4	G	C1929	-92.549	-8.923	10.423	1.00	94.85	C
ATOM	A129N	N3	G	C1929	-93.462	-7.980	10.131	1.00	94.85	N
ATOM	A129O	C2	G	C1929	-94.634	-8.258	10.670	1.00	94.85	C
ATOM	A129P	N2	G	C1929	-95.651	-7.411	10.473	1.00	94.85	N
ATOM	A129Q	N1	G	C1929	-94.891	-9.369	11.438	1.00	94.85	N
ATOM	A129R	C6	G	C1929	-93.958	-10.352	11.751	1.00	94.85	C
ATOM	A129S	O6	G	C1929	-94.289	-11.316	12.449	1.00	94.85	O
ATOM	A129T	C5	G	C1929	-92.693	-10.068	11.176	1.00	94.85	C
ATOM	A129U	N7	G	C1929	-91.500	-10.771	11.234	1.00	94.85	N
ATOM	A129V	C8	G	C1929	-90.673	-10.051	10.529	1.00	94.85	C
ATOM	A129W	C2'	G	C1929	-91.179	-7.756	7.788	1.00	85.66	C
ATOM	A129X	O2'	G	C1929	-90.760	-8.781	6.913	1.00	85.66	O
ATOM	A129Y	C3'	G	C1929	-90.682	-6.366	7.419	1.00	85.66	C
ATOM	A129Z	O3'	G	C1929	-89.325	-6.454	6.995	1.00	85.66	O
ATOM	A12AB	P	G	C1930	-88.636	-5.235	6.217	1.00	81.43	P
ATOM	A12AC	OP1	G	C1930	-88.069	-4.326	7.243	1.00	81.43	O
ATOM	A12AD	OP2	G	C1930	-89.640	-4.700	5.267	1.00	81.43	O
ATOM	A12AE	O5'	G	C1930	-87.462	-5.951	5.418	1.00	81.43	O
ATOM	A12AF	C5'	G	C1930	-86.500	-6.755	6.094	1.00	81.43	C
ATOM	A12AG	C4'	G	C1930	-85.165	-6.726	5.394	1.00	81.43	C
ATOM	A12AH	O4'	G	C1930	-84.313	-7.775	5.937	1.00	81.43	O
ATOM	A12AI	C1'	G	C1930	-83.857	-8.599	4.882	1.00	81.43	C
ATOM	A12AJ	N9	G	C1930	-83.693	-9.963	5.387	1.00	75.46	N
ATOM	A12AK	C4	G	C1930	-82.546	-10.427	5.973	1.00	75.46	C
ATOM	A12AL	N3	G	C1930	-81.428	-9.702	6.167	1.00	75.46	N
ATOM	A12AM	C2	G	C1930	-80.483	-10.408	6.755	1.00	75.46	C
ATOM	A12AN	N2	G	C1930	-79.304	-9.829	7.021	1.00	75.46	N
ATOM	A12AO	N1	G	C1930	-80.625	-11.723	7.122	1.00	75.46	N
ATOM	A12AP	C6	G	C1930	-81.771	-12.488	6.928	1.00	75.46	C
ATOM	A12AQ	O6	G	C1930	-81.791	-13.667	7.300	1.00	75.46	O
ATOM	A12AR	C5	G	C1930	-82.797	-11.739	6.296	1.00	75.46	C
ATOM	A12AS	N7	G	C1930	-84.083	-12.097	5.918	1.00	75.46	N

ATOM	A12AT	C8	G	C1930	-84.578	-11.013	5.381	1.00	75.46	C
ATOM	A12AU	C2'	G	C1930	-84.893	-8.452	3.777	1.00	81.43	C
ATOM	A12AV	O2'	G	C1930	-84.389	-8.859	2.524	1.00	81.43	O
ATOM	A12AW	C3'	G	C1930	-85.217	-6.966	3.886	1.00	81.43	C
ATOM	A12AX	O3'	G	C1930	-84.192	-6.201	3.251	1.00	81.43	O
ATOM	A12B9	P	U	C1931	-84.240	-5.933	1.668	1.00	64.85	P
ATOM	A12BA	OP1	U	C1931	-85.571	-6.376	1.192	1.00	64.85	O
ATOM	A12BB	OP2	U	C1931	-83.030	-6.565	1.086	1.00	64.85	O
ATOM	A12BC	O5'	U	C1931	-84.129	-4.343	1.552	1.00	64.85	O
ATOM	A12BD	C5'	U	C1931	-84.175	-3.499	2.697	1.00	64.85	C
ATOM	A12BE	C4'	U	C1931	-82.990	-2.569	2.742	1.00	64.85	C
ATOM	A12BF	O4'	U	C1931	-82.378	-2.614	4.058	1.00	64.85	O
ATOM	A12BG	C1'	U	C1931	-80.974	-2.553	3.947	1.00	64.85	C
ATOM	A12BH	N1	U	C1931	-80.406	-3.830	4.444	1.00	66.05	N
ATOM	A12BI	C6	U	C1931	-81.207	-4.895	4.804	1.00	66.05	C
ATOM	A12BJ	C2	U	C1931	-79.033	-3.910	4.561	1.00	66.05	C
ATOM	A12BK	O2	U	C1931	-78.284	-2.997	4.261	1.00	66.05	O
ATOM	A12BL	N3	U	C1931	-78.562	-5.106	5.031	1.00	66.05	N
ATOM	A12BM	C4	U	C1931	-79.305	-6.207	5.401	1.00	66.05	C
ATOM	A12BN	O4	U	C1931	-78.739	-7.219	5.809	1.00	66.05	O
ATOM	A12BO	C5	U	C1931	-80.718	-6.051	5.262	1.00	66.05	C
ATOM	A12BP	C2'	U	C1931	-80.636	-2.305	2.478	1.00	64.85	C
ATOM	A12BQ	O2'	U	C1931	-80.550	-0.904	2.259	1.00	64.85	O
ATOM	A12BR	C3'	U	C1931	-81.852	-2.893	1.780	1.00	64.85	C
ATOM	A12BS	O3'	U	C1931	-82.070	-2.366	0.481	1.00	64.85	O
TER										
ATOM	A84BU	C1	NMY	I2905	-95.087	-4.167	4.519	1.00232.49		C
ATOM	A84BV	O1	NMY	I2905	-96.233	-4.750	3.927	1.00232.49		O
ATOM	A84BW	C2	NMY	I2905	-94.531	-5.207	5.500	1.00232.49		C
ATOM	A84BX	N2	NMY	I2905	-94.072	-6.376	4.798	1.00232.49		N
ATOM	A84BY	C3	NMY	I2905	-95.527	-5.611	6.500	1.00232.49		C
ATOM	A84BZ	O3	NMY	I2905	-94.763	-6.232	7.502	1.00232.49		O
ATOM	A84C0	C4	NMY	I2905	-96.233	-4.486	7.052	1.00232.49		C
ATOM	A84C1	O4	NMY	I2905	-97.190	-4.620	8.089	1.00232.49		O
ATOM	A84C2	C5	NMY	I2905	-96.134	-3.119	6.420	1.00232.49		C
ATOM	A84C3	O5	NMY	I2905	-95.336	-2.955	5.148	1.00232.49		O
ATOM	A84C4	C6	NMY	I2905	-96.532	-1.894	7.215	1.00232.49		C
ATOM	A84C5	N6	NMY	I2905	-95.547	-0.814	7.324	1.00232.49		N
ATOM	A84C6	C7	NMY	I2905	-97.960	-3.496	0.219	1.00232.49		C
ATOM	A84C7	N7	NMY	I2905	-98.173	-2.589	-0.916	1.00232.49		N
ATOM	A84C8	C8	NMY	I2905	-98.695	-3.224	1.511	1.00232.49		C
ATOM	A84C9	C9	NMY	I2905	-98.154	-4.055	2.687	1.00232.49		C
ATOM	A84CA	N9	NMY	I2905	-98.692	-3.584	3.931	1.00232.49		N
ATOM	A84CB	C10	NMY	I2905	-96.623	-4.050	2.755	1.00232.49		C
ATOM	A84CC	C11	NMY	I2905	-95.941	-4.603	1.533	1.00232.49		C
ATOM	A84CD	O11	NMY	I2905	-94.705	-3.954	1.346	1.00232.49		O
ATOM	A84CE	C12	NMY	I2905	-96.762	-4.454	0.230	1.00232.49		C
ATOM	A84CF	O12	NMY	I2905	-96.588	-5.326	-0.806	1.00232.49		O
ATOM	A84CG	C13	NMY	I2905	-93.780	-4.747	0.614	1.00232.49		C
ATOM	A84CH	C14	NMY	I2905	-92.906	-3.918	-0.246	1.00232.49		C
ATOM	A84CI	O14	NMY	I2905	-92.743	-4.635	-1.406	1.00232.49		O
ATOM	A84CJ	C15	NMY	I2905	-91.683	-3.790	0.476	1.00232.49		C
ATOM	A84CK	C16	NMY	I2905	-91.692	-4.853	1.517	1.00232.49		C
ATOM	A84CL	O16	NMY	I2905	-92.902	-5.527	1.439	1.00232.49		O
ATOM	A84CM	C17	NMY	I2905	-91.528	-4.318	2.918	1.00232.49		C
ATOM	A84CN	O17	NMY	I2905	-91.733	-5.183	3.946	1.00232.49		O
ATOM	A84CO	C18	NMY	I2905	-89.713	-2.865	-0.463	1.00232.49		C
ATOM	A84CP	O18	NMY	I2905	-90.639	-3.951	-0.471	1.00232.49		O
ATOM	A84CQ	C19	NMY	I2905	-90.162	-1.430	-0.648	1.00232.49		C
ATOM	A84CR	N19	NMY	I2905	-87.542	-4.535	-2.804	1.00232.49		N
ATOM	A84CS	C20	NMY	I2905	-89.341	-0.689	-1.527	1.00232.49		C
ATOM	A84CT	O20	NMY	I2905	-89.536	0.701	-1.232	1.00232.49		O
ATOM	A84CU	C21	NMY	I2905	-87.915	-1.010	-1.322	1.00232.49		C

ATOM	A84CV	O21	NMY	I2905	-86.929	0.006	-1.297	1.00232.49	O
ATOM	A84CW	C22	NMY	I2905	-87.469	-2.463	-1.348	1.00232.49	C
ATOM	A84CX	O22	NMY	I2905	-88.258	-3.238	-0.502	1.00232.49	O
ATOM	A84CY	C23	NMY	I2905	-87.473	-3.094	-2.737	1.00232.49	C
ATOM	A84CZ	N23	NMY	I2905	-91.491	-1.413	-1.254	1.00232.49	N
END									

Table 9

H69 Neomycin Binding Site for Unrotated Ribosome

ATOM	A420H	P	G E1515	-32.433	114.986	100.787	1.00	64.61	P
ATOM	A420I	OP1	G E1515	-32.585	115.515	102.164	1.00	64.61	O
ATOM	A420J	OP2	G E1515	-32.068	113.560	100.608	1.00	64.61	O
ATOM	A420K	O5'	G E1515	-33.730	115.326	99.932	1.00	64.61	O
ATOM	A420L	C5'	G E1515	-34.372	116.582	100.063	1.00	64.61	C
ATOM	A420M	C4'	G E1515	-35.385	116.813	98.972	1.00	64.61	C
ATOM	A420N	O4'	G E1515	-34.809	116.509	97.674	1.00	64.61	O
ATOM	A420O	C1'	G E1515	-35.813	115.999	96.817	1.00	64.61	C
ATOM	A420P	N9	G E1515	-35.455	114.620	96.439	1.00	93.72	N
ATOM	A420Q	C4	G E1515	-36.177	113.821	95.588	1.00	93.72	C
ATOM	A420R	N3	G E1515	-37.315	114.161	94.948	1.00	93.72	N
ATOM	A420S	C2	G E1515	-37.771	113.177	94.191	1.00	93.72	C
ATOM	A420T	N2	G E1515	-38.899	113.349	93.483	1.00	93.72	N
ATOM	A420U	N1	G E1515	-37.158	111.955	94.075	1.00	93.72	N
ATOM	A420V	C6	G E1515	-35.988	111.587	94.728	1.00	93.72	C
ATOM	A420W	O6	G E1515	-35.507	110.463	94.563	1.00	93.72	O
ATOM	A420X	C5	G E1515	-35.490	112.631	95.540	1.00	93.72	C
ATOM	A420Y	N7	G E1515	-34.363	112.670	96.344	1.00	93.72	N
ATOM	A420Z	C8	G E1515	-34.385	113.865	96.860	1.00	93.72	C
ATOM	A4210	C2'	G E1515	-37.133	116.046	97.587	1.00	64.61	C
ATOM	A4211	O2'	G E1515	-37.758	117.299	97.345	1.00	64.61	O
ATOM	A4212	C3'	G E1515	-36.632	115.952	99.019	1.00	64.61	C
ATOM	A4213	O3'	G E1515	-37.566	116.396	99.983	1.00	64.61	O
ATOM	A421F	P	G E1516	-37.979	115.445	101.210	1.00	83.64	P
ATOM	A421G	OP1	G E1516	-38.308	116.328	102.354	1.00	83.64	O
ATOM	A421H	OP2	G E1516	-36.904	114.436	101.375	1.00	83.64	O
ATOM	A421I	O5'	G E1516	-39.298	114.748	100.672	1.00	83.64	O
ATOM	A421J	C5'	G E1516	-40.435	115.528	100.360	1.00	83.64	C
ATOM	A421K	C4'	G E1516	-41.017	115.163	99.023	1.00	83.64	C
ATOM	A421L	O4'	G E1516	-39.966	114.817	98.086	1.00	83.64	O
ATOM	A421M	C1'	G E1516	-40.476	113.920	97.117	1.00	83.64	C
ATOM	A421N	N9	G E1516	-39.614	112.722	97.060	1.00	95.24	N
ATOM	A421O	C4	G E1516	-39.911	111.570	96.370	1.00	95.24	C
ATOM	A421P	N3	G E1516	-41.033	111.351	95.655	1.00	95.24	N
ATOM	A421Q	C2	G E1516	-41.055	110.149	95.110	1.00	95.24	C
ATOM	A421R	N2	G E1516	-42.110	109.781	94.366	1.00	95.24	N
ATOM	A421S	N1	G E1516	-40.043	109.231	95.247	1.00	95.24	N
ATOM	A421T	C6	G E1516	-38.875	109.434	95.977	1.00	95.24	C
ATOM	A421U	O6	G E1516	-38.029	108.535	96.034	1.00	95.24	O
ATOM	A421V	C5	G E1516	-38.845	110.723	96.573	1.00	95.24	C
ATOM	A421W	N7	G E1516	-37.886	111.333	97.371	1.00	95.24	N
ATOM	A421X	C8	G E1516	-38.381	112.514	97.633	1.00	95.24	C
ATOM	A421Y	C2'	G E1516	-41.919	113.578	97.517	1.00	83.64	C
ATOM	A421Z	O2'	G E1516	-42.803	114.408	96.779	1.00	83.64	O
ATOM	A4220	C3'	G E1516	-41.923	113.948	98.993	1.00	83.64	C
ATOM	A4221	O3'	G E1516	-43.212	114.204	99.521	1.00	83.64	O
ATOM	A422D	P	G E1517	-43.683	113.489	100.880	1.00	79.55	P
ATOM	A422E	OP1	G E1517	-44.894	114.203	101.356	1.00	79.55	O
ATOM	A422F	OP2	G E1517	-42.501	113.420	101.772	1.00	79.55	O
ATOM	A422G	O5'	G E1517	-44.074	112.028	100.393	1.00	79.55	O
ATOM	A422H	C5'	G E1517	-45.072	111.841	99.403	1.00	79.55	C
ATOM	A422I	C4'	G E1517	-45.759	110.505	99.551	1.00	79.55	C
ATOM	A422J	O4'	G E1517	-47.191	110.688	99.426	1.00	79.55	O
ATOM	A422K	C1'	G E1517	-47.756	109.610	98.712	1.00	79.55	C
ATOM	A422L	N9	G E1517	-48.347	110.140	97.467	1.00	95.87	N
ATOM	A422M	C4	G E1517	-49.170	109.483	96.581	1.00	95.87	C
ATOM	A422N	N3	G E1517	-49.595	108.208	96.680	1.00	95.87	N
ATOM	A422O	C2	G E1517	-50.375	107.866	95.668	1.00	95.87	C

ATOM	A422P	N2	G E1517	-50.886	106.628	95.613	1.00	95.87	N
ATOM	A422Q	N1	G E1517	-50.713	108.708	94.637	1.00	95.87	N
ATOM	A422R	C6	G E1517	-50.287	110.025	94.513	1.00	95.87	C
ATOM	A422S	O6	G E1517	-50.648	110.704	93.543	1.00	95.87	O
ATOM	A422T	C5	G E1517	-49.449	110.404	95.593	1.00	95.87	C
ATOM	A422U	N7	G E1517	-48.820	111.614	95.849	1.00	95.87	N
ATOM	A422V	C8	G E1517	-48.181	111.411	96.967	1.00	95.87	C
ATOM	A422W	C2 '	G E1517	-46.658	108.593	98.446	1.00	79.55	C
ATOM	A422X	O2 '	G E1517	-46.657	107.636	99.496	1.00	79.55	O
ATOM	A422Y	C3 '	G E1517	-45.406	109.462	98.501	1.00	79.55	C
ATOM	A422Z	O3 '	G E1517	-44.230	108.740	98.814	1.00	79.55	O
ATOM	A423B	P	A E1518	-42.948	108.828	97.853	1.00	57.08	P
ATOM	A423C	OP1	A E1518	-41.810	108.216	98.582	1.00	57.08	O
ATOM	A423D	OP2	A E1518	-42.835	110.234	97.414	1.00	57.08	O
ATOM	A423E	O5 '	A E1518	-43.364	107.907	96.623	1.00	57.08	O
ATOM	A423F	C5 '	A E1518	-43.642	106.529	96.812	1.00	57.08	C
ATOM	A423G	C4 '	A E1518	-44.650	106.021	95.813	1.00	57.08	C
ATOM	A423H	O4 '	A E1518	-45.868	106.803	95.891	1.00	57.08	O
ATOM	A423I	C1 '	A E1518	-46.473	106.877	94.617	1.00	57.08	C
ATOM	A423J	N9	A E1518	-46.585	108.292	94.221	1.00	81.47	N
ATOM	A423K	C4	A E1518	-47.383	108.760	93.210	1.00	81.47	C
ATOM	A423L	N3	A E1518	-48.192	108.035	92.423	1.00	81.47	N
ATOM	A423M	C2	A E1518	-48.822	108.818	91.552	1.00	81.47	C
ATOM	A423N	N1	A E1518	-48.740	110.146	91.392	1.00	81.47	N
ATOM	A423O	C6	A E1518	-47.916	110.847	92.203	1.00	81.47	C
ATOM	A423P	N6	A E1518	-47.835	112.170	92.041	1.00	81.47	N
ATOM	A423Q	C5	A E1518	-47.189	110.128	93.171	1.00	81.47	C
ATOM	A423R	N7	A E1518	-46.277	110.517	94.142	1.00	81.47	N
ATOM	A423S	C8	A E1518	-45.947	109.394	94.734	1.00	81.47	C
ATOM	A423T	C2 '	A E1518	-45.602	106.080	93.648	1.00	57.08	C
ATOM	A423U	O2 '	A E1518	-46.099	104.755	93.583	1.00	57.08	O
ATOM	A423V	C3 '	A E1518	-44.253	106.120	94.353	1.00	57.08	C
ATOM	A423W	O3 '	A E1518	-43.370	105.089	93.952	1.00	57.08	O
TER									
ATOM	A676E	P	G G1903	-35.400	131.852	122.787	1.00	74.00	P
ATOM	A676F	OP1	G G1903	-36.024	131.508	124.089	1.00	74.00	O
ATOM	A676G	OP2	G G1903	-34.071	131.280	122.460	1.00	74.00	O
ATOM	A676H	O5 '	G G1903	-36.420	131.561	121.599	1.00	74.00	O
ATOM	A676I	C5 '	G G1903	-37.693	130.982	121.843	1.00	74.00	C
ATOM	A676J	C4 '	G G1903	-38.746	131.586	120.952	1.00	74.00	C
ATOM	A676K	O4 '	G G1903	-38.117	132.461	119.981	1.00	74.00	O
ATOM	A676L	C1 '	G G1903	-38.817	132.413	118.760	1.00	74.00	C
ATOM	A676M	N9	G G1903	-37.892	131.949	117.706	1.00	72.55	N
ATOM	A676N	C4	G G1903	-38.213	131.642	116.407	1.00	72.55	C
ATOM	A676O	N3	G G1903	-39.445	131.693	115.865	1.00	72.55	N
ATOM	A676P	C2	G G1903	-39.447	131.332	114.596	1.00	72.55	C
ATOM	A676Q	N2	G G1903	-40.608	131.333	113.926	1.00	72.55	N
ATOM	A676R	N1	G G1903	-38.321	130.948	113.906	1.00	72.55	N
ATOM	A676S	C6	G G1903	-37.038	130.887	114.445	1.00	72.55	C
ATOM	A676T	O6	G G1903	-36.088	130.529	113.739	1.00	72.55	O
ATOM	A676U	C5	G G1903	-37.026	131.273	115.810	1.00	72.55	C
ATOM	A676V	N7	G G1903	-35.975	131.354	116.710	1.00	72.55	N
ATOM	A676W	C8	G G1903	-36.533	131.761	117.817	1.00	72.55	C
ATOM	A676X	C2 '	G G1903	-40.011	131.475	118.945	1.00	74.00	C
ATOM	A676Y	O2 '	G G1903	-41.144	132.249	119.307	1.00	74.00	O
ATOM	A676Z	C3 '	G G1903	-39.549	130.608	120.108	1.00	74.00	C
ATOM	A677O	O3 '	G G1903	-40.617	130.011	120.831	1.00	74.00	O
ATOM	A677C	P	G G1904	-40.936	128.438	120.683	1.00	70.78	P
ATOM	A677D	OP1	G G1904	-41.613	128.013	121.933	1.00	70.78	O
ATOM	A677E	OP2	G G1904	-39.675	127.763	120.294	1.00	70.78	O
ATOM	A677F	O5 '	G G1904	-41.966	128.397	119.472	1.00	70.78	O
ATOM	A677G	C5 '	G G1904	-43.168	129.152	119.505	1.00	70.78	C
ATOM	A677H	C4 '	G G1904	-43.857	129.147	118.164	1.00	70.78	C

ATOM	A677I	O4'	G	G1904	-43.059	129.891	117.203	1.00	70.78	O
ATOM	A677J	C1'	G	G1904	-43.103	129.257	115.943	1.00	70.78	C
ATOM	A677K	N9	G	G1904	-41.753	128.748	115.635	1.00	49.07	N
ATOM	A677L	C4	G	G1904	-41.288	128.235	114.445	1.00	49.07	C
ATOM	A677M	N3	G	G1904	-41.978	128.099	113.292	1.00	49.07	N
ATOM	A677N	C2	G	G1904	-41.239	127.572	112.326	1.00	49.07	C
ATOM	A677O	N2	G	G1904	-41.766	127.367	111.109	1.00	49.07	N
ATOM	A677P	N1	G	G1904	-39.925	127.209	112.478	1.00	49.07	N
ATOM	A677Q	C6	G	G1904	-39.196	127.341	113.653	1.00	49.07	C
ATOM	A677R	O6	G	G1904	-38.014	126.984	113.696	1.00	49.07	O
ATOM	A677S	C5	G	G1904	-39.974	127.901	114.692	1.00	49.07	C
ATOM	A677T	N7	G	G1904	-39.616	128.188	115.997	1.00	49.07	N
ATOM	A677U	C8	G	G1904	-40.701	128.684	116.515	1.00	49.07	C
ATOM	A677V	C2'	G	G1904	-44.125	128.128	116.037	1.00	70.78	C
ATOM	A677W	O2'	G	G1904	-45.405	128.646	115.707	1.00	70.78	O
ATOM	A677X	C3'	G	G1904	-44.043	127.781	117.515	1.00	70.78	C
ATOM	A677Y	O3'	G	G1904	-45.176	127.082	118.002	1.00	70.78	O
ATOM	A678A	P	C	G1905	-45.138	125.480	118.153	1.00	73.26	P
ATOM	A678B	OP1	C	G1905	-46.412	125.072	118.791	1.00	73.26	O
ATOM	A678C	OP2	C	G1905	-43.861	125.132	118.825	1.00	73.26	O
ATOM	A678D	O5'	C	G1905	-45.107	124.983	116.641	1.00	73.26	O
ATOM	A678E	C5'	C	G1905	-46.168	125.291	115.749	1.00	73.26	C
ATOM	A678F	C4'	C	G1905	-45.816	124.931	114.328	1.00	73.26	C
ATOM	A678G	O4'	C	G1905	-44.543	125.519	113.980	1.00	73.26	O
ATOM	A678H	C1'	C	G1905	-43.846	124.692	113.083	1.00	73.26	C
ATOM	A678I	N1	C	G1905	-42.483	124.446	113.623	1.00	58.02	N
ATOM	A678J	C6	C	G1905	-42.107	124.859	114.877	1.00	58.02	C
ATOM	A678K	C2	C	G1905	-41.542	123.838	112.794	1.00	58.02	C
ATOM	A678L	O2	C	G1905	-41.886	123.486	111.658	1.00	58.02	O
ATOM	A678M	N3	C	G1905	-40.285	123.625	113.247	1.00	58.02	N
ATOM	A678N	C4	C	G1905	-39.938	124.013	114.472	1.00	58.02	C
ATOM	A678O	N4	C	G1905	-38.691	123.793	114.889	1.00	58.02	N
ATOM	A678P	C5	C	G1905	-40.865	124.654	115.336	1.00	58.02	C
ATOM	A678Q	C2'	C	G1905	-44.656	123.404	112.884	1.00	73.26	C
ATOM	A678R	O2'	C	G1905	-45.330	123.464	111.632	1.00	73.26	O
ATOM	A678S	C3'	C	G1905	-45.650	123.444	114.045	1.00	73.26	C
ATOM	A678T	O3'	C	G1905	-46.890	122.816	113.751	1.00	73.26	O
ATOM	A6795	P	G	G1906	-47.085	121.238	113.975	1.00	86.11	P
ATOM	A6796	OP1	G	G1906	-46.313	120.870	115.186	1.00	86.11	O
ATOM	A6797	OP2	G	G1906	-46.757	120.572	112.691	1.00	86.11	O
ATOM	A6798	O5'	G	G1906	-48.648	121.111	114.272	1.00	86.11	O
ATOM	A6799	C5'	G	G1906	-49.611	121.312	113.245	1.00	86.11	C
ATOM	A679A	C4'	G	G1906	-50.768	122.155	113.729	1.00	86.11	C
ATOM	A679B	O4'	G	G1906	-50.940	123.304	112.851	1.00	86.11	O
ATOM	A679C	C1'	G	G1906	-52.320	123.569	112.676	1.00	86.11	C
ATOM	A679D	N9	G	G1906	-52.684	123.232	111.291	1.00	72.55	N
ATOM	A679E	C4	G	G1906	-53.858	123.526	110.643	1.00	72.55	C
ATOM	A679F	N3	G	G1906	-54.895	124.226	111.148	1.00	72.55	N
ATOM	A679G	C2	G	G1906	-55.873	124.356	110.268	1.00	72.55	C
ATOM	A679H	N2	G	G1906	-56.989	125.024	110.599	1.00	72.55	N
ATOM	A679I	N1	G	G1906	-55.830	123.838	108.999	1.00	72.55	N
ATOM	A679J	C6	G	G1906	-54.776	123.115	108.458	1.00	72.55	C
ATOM	A679K	O6	G	G1906	-54.843	122.693	107.299	1.00	72.55	O
ATOM	A679L	C5	G	G1906	-53.721	122.966	109.391	1.00	72.55	C
ATOM	A679M	N7	G	G1906	-52.496	122.325	109.262	1.00	72.55	N
ATOM	A679N	C8	G	G1906	-51.926	122.502	110.420	1.00	72.55	C
ATOM	A679O	C2'	G	G1906	-53.067	122.691	113.665	1.00	86.11	C
ATOM	A679P	O2'	G	G1906	-53.107	123.357	114.919	1.00	86.11	O
ATOM	A679Q	C3'	G	G1906	-52.139	121.491	113.716	1.00	86.11	C
ATOM	A679R	O3'	G	G1906	-52.373	120.635	114.816	1.00	86.11	O
ATOM	A67A3	P	G	G1907	-53.423	119.426	114.673	1.00	88.28	P
ATOM	A67A4	OP1	G	G1907	-53.600	118.840	116.023	1.00	88.28	O
ATOM	A67A5	OP2	G	G1907	-52.937	118.555	113.575	1.00	88.28	O

ATOM	A67A6	O5'	G	G1907	-54.759	120.167	114.225	1.00	88.28	O
ATOM	A67A7	C5'	G	G1907	-55.480	120.981	115.136	1.00	88.28	C
ATOM	A67A8	C4'	G	G1907	-56.890	121.232	114.667	1.00	88.28	C
ATOM	A67A9	O4'	G	G1907	-56.892	122.091	113.497	1.00	88.28	O
ATOM	A67AA	C1'	G	G1907	-58.027	121.799	112.703	1.00	88.28	C
ATOM	A67AB	N9	G	G1907	-57.584	121.439	111.343	1.00	87.88	N
ATOM	A67AC	C4	G	G1907	-58.377	121.474	110.223	1.00	87.88	C
ATOM	A67AD	N3	G	G1907	-59.670	121.857	110.190	1.00	87.88	N
ATOM	A67AE	C2	G	G1907	-60.175	121.792	108.971	1.00	87.88	C
ATOM	A67AF	N2	G	G1907	-61.453	122.142	108.762	1.00	87.88	N
ATOM	A67AG	N1	G	G1907	-59.462	121.387	107.872	1.00	87.88	N
ATOM	A67AH	C6	G	G1907	-58.129	120.988	107.880	1.00	87.88	C
ATOM	A67AI	O6	G	G1907	-57.588	120.640	106.823	1.00	87.88	O
ATOM	A67AJ	C5	G	G1907	-57.576	121.051	109.186	1.00	87.88	C
ATOM	A67AK	N7	G	G1907	-56.301	120.749	109.648	1.00	87.88	N
ATOM	A67AL	C8	G	G1907	-56.353	120.991	110.931	1.00	87.88	C
ATOM	A67AM	C2'	G	G1907	-58.779	120.650	113.378	1.00	88.28	C
ATOM	A67AN	O2'	G	G1907	-59.792	121.197	114.211	1.00	88.28	O
ATOM	A67AO	C3'	G	G1907	-57.670	120.017	114.208	1.00	88.28	C
ATOM	A67AP	O3'	G	G1907	-58.137	119.221	115.280	1.00	88.28	O
ATOM	A67B1	P	C	G1908	-58.845	117.812	114.984	1.00	68.10	P
ATOM	A67B2	OP1	C	G1908	-58.845	117.047	116.255	1.00	68.10	O
ATOM	A67B3	OP2	C	G1908	-58.177	117.224	113.798	1.00	68.10	O
ATOM	A67B4	O5'	C	G1908	-60.328	118.242	114.612	1.00	68.10	O
ATOM	A67B5	C5'	C	G1908	-61.303	117.274	114.276	1.00	68.10	C
ATOM	A67B6	C4'	C	G1908	-62.390	117.863	113.420	1.00	68.10	C
ATOM	A67B7	O4'	C	G1908	-61.859	118.975	112.647	1.00	68.10	O
ATOM	A67B8	C1'	C	G1908	-62.377	118.942	111.337	1.00	68.10	C
ATOM	A67B9	N1	C	G1908	-61.271	118.596	110.409	1.00	64.93	N
ATOM	A67BA	C6	C	G1908	-60.058	118.171	110.888	1.00	64.93	C
ATOM	A67BB	C2	C	G1908	-61.463	118.727	109.032	1.00	64.93	C
ATOM	A67BC	O2	C	G1908	-62.563	119.113	108.616	1.00	64.93	O
ATOM	A67BD	N3	C	G1908	-60.450	118.421	108.186	1.00	64.93	N
ATOM	A67BE	C4	C	G1908	-59.280	118.005	108.672	1.00	64.93	C
ATOM	A67BF	N4	C	G1908	-58.299	117.714	107.821	1.00	64.93	N
ATOM	A67BG	C5	C	G1908	-59.050	117.868	110.064	1.00	64.93	C
ATOM	A67BH	C2'	C	G1908	-63.491	117.901	111.321	1.00	68.10	C
ATOM	A67BI	O2'	C	G1908	-64.696	118.529	111.740	1.00	68.10	O
ATOM	A67BJ	C3'	C	G1908	-62.986	116.933	112.378	1.00	68.10	C
ATOM	A67BK	O3'	C	G1908	-63.989	116.084	112.911	1.00	68.10	O
ATOM	A67BW	P	C	G1909	-63.895	114.492	112.709	1.00	116.78	P
ATOM	A67BX	OP1	C	G1909	-64.729	113.868	113.765	1.00	116.78	O
ATOM	A67BY	OP2	C	G1909	-62.455	114.137	112.635	1.00	116.78	O
ATOM	A67BZ	O5'	C	G1909	-64.578	114.283	111.290	1.00	116.78	O
ATOM	A67C0	C5'	C	G1909	-65.852	114.839	111.009	1.00	116.78	C
ATOM	A67C1	C4'	C	G1909	-66.095	114.946	109.528	1.00	116.78	C
ATOM	A67C2	O4'	C	G1909	-65.228	115.958	108.947	1.00	116.78	O
ATOM	A67C3	C1'	C	G1909	-64.869	115.576	107.633	1.00	116.78	C
ATOM	A67C4	N1	C	G1909	-63.398	115.397	107.572	1.00	73.62	N
ATOM	A67C5	C6	C	G1909	-62.612	115.314	108.693	1.00	73.62	C
ATOM	A67C6	C2	C	G1909	-62.813	115.299	106.309	1.00	73.62	C
ATOM	A67C7	O2	C	G1909	-63.538	115.371	105.308	1.00	73.62	O
ATOM	A67C8	N3	C	G1909	-61.477	115.127	106.200	1.00	73.62	N
ATOM	A67C9	C4	C	G1909	-60.722	115.050	107.294	1.00	73.62	C
ATOM	A67CA	N4	C	G1909	-59.409	114.882	107.139	1.00	73.62	N
ATOM	A67CB	C5	C	G1909	-61.285	115.145	108.598	1.00	73.62	C
ATOM	A67CC	C2'	C	G1909	-65.611	114.276	107.320	1.00	116.78	C
ATOM	A67CD	O2'	C	G1909	-66.870	114.593	106.738	1.00	116.78	O
ATOM	A67CE	C3'	C	G1909	-65.785	113.704	108.716	1.00	116.78	C
ATOM	A67CF	O3'	C	G1909	-66.793	112.716	108.815	1.00	116.78	O
ATOM	A67CR	P	G	G1910	-66.400	111.158	108.868	1.00	107.42	P
ATOM	A67CS	OP1	G	G1910	-67.527	110.446	109.517	1.00	107.42	O
ATOM	A67CT	OP2	G	G1910	-65.050	111.060	109.478	1.00	107.42	O

ATOM	A67CU	O5'	G	G1910	-66.328	110.769	107.331	1.00107.42	O
ATOM	A67CV	C5'	G	G1910	-67.397	111.084	106.455	1.00107.42	C
ATOM	A67CW	C4'	G	G1910	-66.975	111.001	105.013	1.00107.42	C
ATOM	A67CX	O4'	G	G1910	-65.979	112.020	104.727	1.00107.42	O
ATOM	A67CY	C1'	G	G1910	-65.073	111.536	103.755	1.00107.42	C
ATOM	A67CZ	N9	G	G1910	-63.727	111.477	104.349	1.00 63.82	N
ATOM	A67D0	C4	G	G1910	-62.576	111.277	103.633	1.00 63.82	C
ATOM	A67D1	N3	G	G1910	-62.501	111.139	102.294	1.00 63.82	N
ATOM	A67D2	C2	G	G1910	-61.258	110.971	101.884	1.00 63.82	C
ATOM	A67D3	N2	G	G1910	-61.012	110.820	100.574	1.00 63.82	N
ATOM	A67D4	N1	G	G1910	-60.175	110.942	102.728	1.00 63.82	N
ATOM	A67D5	C6	G	G1910	-60.233	111.078	104.113	1.00 63.82	C
ATOM	A67D6	O6	G	G1910	-59.195	111.040	104.781	1.00 63.82	O
ATOM	A67D7	C5	G	G1910	-61.564	111.263	104.564	1.00 63.82	C
ATOM	A67D8	N7	G	G1910	-62.070	111.438	105.846	1.00 63.82	N
ATOM	A67D9	C8	G	G1910	-63.359	111.553	105.671	1.00 63.82	C
ATOM	A67DA	C2'	G	G1910	-65.557	110.151	103.335	1.00107.42	C
ATOM	A67DB	O2'	G	G1910	-66.453	110.295	102.244	1.00107.42	O
ATOM	A67DC	C3'	G	G1910	-66.292	109.714	104.589	1.00107.42	C
ATOM	A67DD	O3'	G	G1910	-67.192	108.642	104.384	1.00107.42	O
ATOM	A67DP	P	U	G1911	-66.743	107.137	104.731	1.00103.54	P
ATOM	A67DQ	OP1	U	G1911	-67.950	106.284	104.617	1.00103.54	O
ATOM	A67DR	OP2	U	G1911	-66.022	107.182	106.028	1.00103.54	O
ATOM	A67DS	O5'	U	G1911	-65.724	106.795	103.557	1.00103.54	O
ATOM	A67DT	C5'	U	G1911	-66.099	106.945	102.195	1.00103.54	C
ATOM	A67DU	C4'	U	G1911	-64.907	106.858	101.273	1.00103.54	C
ATOM	A67DV	O4'	U	G1911	-63.970	107.928	101.564	1.00103.54	O
ATOM	A67DW	C1'	U	G1911	-62.647	107.485	101.334	1.00103.54	C
ATOM	A67DX	N1	U	G1911	-61.879	107.593	102.604	1.00 96.63	N
ATOM	A67DY	C6	U	G1911	-62.487	107.646	103.840	1.00 96.63	C
ATOM	A67DZ	C2	U	G1911	-60.501	107.643	102.501	1.00 96.63	C
ATOM	A67E0	O2	U	G1911	-59.914	107.601	101.435	1.00 96.63	O
ATOM	A67E1	N3	U	G1911	-59.826	107.741	103.692	1.00 96.63	N
ATOM	A67E2	C4	U	G1911	-60.375	107.795	104.955	1.00 96.63	C
ATOM	A67E3	O4	U	G1911	-59.638	107.882	105.939	1.00 96.63	O
ATOM	A67E4	C5	U	G1911	-61.805	107.741	104.988	1.00 96.63	C
ATOM	A67E5	C2'	U	G1911	-62.725	106.042	100.827	1.00103.54	C
ATOM	A67E6	O2'	U	G1911	-62.741	106.050	99.404	1.00103.54	O
ATOM	A67E7	C3'	U	G1911	-64.069	105.596	101.387	1.00103.54	C
ATOM	A67E8	O3'	U	G1911	-64.640	104.497	100.697	1.00103.54	O
ATOM	A67EJ	P	A	G1912	-64.665	103.035	101.365	1.00 71.84	P
ATOM	A67EK	OP1	A	G1912	-64.679	103.219	102.837	1.00 71.84	O
ATOM	A67EL	OP2	A	G1912	-65.779	102.288	100.732	1.00 71.84	O
ATOM	A67EM	O5'	A	G1912	-63.271	102.419	100.905	1.00 71.84	O
ATOM	A67EN	C5'	A	G1912	-62.873	102.467	99.542	1.00 71.84	C
ATOM	A67EO	C4'	A	G1912	-61.864	101.395	99.209	1.00 71.84	C
ATOM	A67EP	O4'	A	G1912	-60.529	101.854	99.516	1.00 71.84	O
ATOM	A67EQ	C1'	A	G1912	-59.698	100.744	99.766	1.00 71.84	C
ATOM	A67ER	N9	A	G1912	-58.922	100.983	101.000	1.00 73.35	N
ATOM	A67ES	C4	A	G1912	-57.646	101.489	101.023	1.00 73.35	C
ATOM	A67ET	N3	A	G1912	-56.907	101.850	99.962	1.00 73.35	N
ATOM	A67EU	C2	A	G1912	-55.717	102.299	100.346	1.00 73.35	C
ATOM	A67EV	N1	A	G1912	-55.215	102.419	101.580	1.00 73.35	N
ATOM	A67EW	C6	A	G1912	-55.981	102.047	102.628	1.00 73.35	C
ATOM	A67EX	N6	A	G1912	-55.470	102.172	103.856	1.00 73.35	N
ATOM	A67EY	C5	A	G1912	-57.271	101.551	102.351	1.00 73.35	C
ATOM	A67EZ	N7	A	G1912	-58.299	101.090	103.161	1.00 73.35	N
ATOM	A67F0	C8	A	G1912	-59.252	100.764	102.316	1.00 73.35	C
ATOM	A67F1	C2'	A	G1912	-60.584	99.492	99.855	1.00 71.84	C
ATOM	A67F2	O2'	A	G1912	-60.451	98.740	98.655	1.00 71.84	O
ATOM	A67F3	C3'	A	G1912	-61.985	100.088	99.977	1.00 71.84	C
ATOM	A67F4	O3'	A	G1912	-63.002	99.245	99.462	1.00 71.84	O
ATOM	A67FG	P	A	G1913	-64.048	98.540	100.455	1.00137.65	P

ATOM	A67FH	OP1	A	G1913	-63.284	98.088	101.642	1.00137.65	O
ATOM	A67FI	OP2	A	G1913	-65.169	99.489	100.650	1.00137.65	O
ATOM	A67FJ	O5'	A	G1913	-64.547	97.280	99.615	1.00137.65	O
ATOM	A67FK	C5'	A	G1913	-63.651	96.537	98.793	1.00137.65	C
ATOM	A67FL	C4'	A	G1913	-63.509	95.111	99.266	1.00137.65	C
ATOM	A67FM	O4'	A	G1913	-62.917	94.310	98.200	1.00137.65	O
ATOM	A67FN	C1'	A	G1913	-61.714	93.731	98.670	1.00137.65	C
ATOM	A67FO	N9	A	G1913	-60.764	93.660	97.569	1.00496.26	N
ATOM	A67FP	C4	A	G1913	-60.992	93.285	96.273	1.00496.26	C
ATOM	A67FQ	N3	A	G1913	-62.139	92.924	95.678	1.00496.26	N
ATOM	A67FR	C2	A	G1913	-61.934	92.649	94.392	1.00496.26	C
ATOM	A67FS	N1	A	G1913	-60.792	92.695	93.688	1.00496.26	N
ATOM	A67FT	C6	A	G1913	-59.660	93.067	94.336	1.00496.26	C
ATOM	A67FU	N6	A	G1913	-58.450	93.160	93.776	1.00496.26	N
ATOM	A67FV	C5	A	G1913	-59.756	93.382	95.681	1.00496.26	C
ATOM	A67FW	N7	A	G1913	-58.769	93.784	96.556	1.00496.26	N
ATOM	A67FX	C8	A	G1913	-59.424	93.931	97.668	1.00496.26	C
ATOM	A67FY	C2'	A	G1913	-61.262	94.628	99.809	1.00137.65	C
ATOM	A67FZ	O2'	A	G1913	-60.285	94.014	100.623	1.00137.65	O
ATOM	A67G0	C3'	A	G1913	-62.598	94.918	100.478	1.00137.65	C
ATOM	A67G1	O3'	A	G1913	-63.036	93.773	101.212	1.00137.65	O
ATOM	A67GD	P	C	G1914	-62.121	93.141	102.371	1.00224.95	P
ATOM	A67GE	OP1	C	G1914	-61.510	91.907	101.820	1.00224.95	O
ATOM	A67GF	OP2	C	G1914	-61.230	94.218	102.863	1.00224.95	O
ATOM	A67GG	O5'	C	G1914	-63.185	92.765	103.483	1.00224.95	O
ATOM	A67GH	C5'	C	G1914	-64.438	92.211	103.124	1.00224.95	C
ATOM	A67GI	C4'	C	G1914	-65.087	91.531	104.295	1.00224.95	C
ATOM	A67GJ	O4'	C	G1914	-64.335	90.341	104.646	1.00224.95	O
ATOM	A67GK	C1'	C	G1914	-64.322	90.171	106.046	1.00224.95	C
ATOM	A67GL	N1	C	G1914	-62.915	90.261	106.538	1.00 81.16	N
ATOM	A67GM	C6	C	G1914	-62.723	90.146	107.891	1.00 81.16	C
ATOM	A67GN	C2	C	G1914	-61.786	90.426	105.703	1.00 81.16	C
ATOM	A67GO	O2	C	G1914	-61.876	90.533	104.472	1.00 81.16	O
ATOM	A67GP	N3	C	G1914	-60.555	90.487	106.261	1.00 81.16	N
ATOM	A67GQ	C4	C	G1914	-60.399	90.380	107.578	1.00 81.16	C
ATOM	A67GR	N4	C	G1914	-59.163	90.442	108.073	1.00 81.16	N
ATOM	A67GS	C5	C	G1914	-61.508	90.203	108.447	1.00 81.16	C
ATOM	A67GT	C2'	C	G1914	-65.216	91.257	106.647	1.00224.95	C
ATOM	A67GU	O2'	C	G1914	-66.539	90.752	106.750	1.00224.95	O
ATOM	A67GV	C3'	C	G1914	-65.129	92.338	105.582	1.00224.95	C
ATOM	A67GW	O3'	C	G1914	-66.202	93.265	105.618	1.00224.95	O
ATOM	A67H8	P	U	G1915	-65.932	94.835	105.381	1.00121.80	P
ATOM	A67H9	OP1	U	G1915	-67.215	95.436	104.942	1.00121.80	O
ATOM	A67HA	OP2	U	G1915	-64.751	94.948	104.489	1.00121.80	O
ATOM	A67HB	O5'	U	G1915	-65.559	95.359	106.839	1.00121.80	O
ATOM	A67HC	C5'	U	G1915	-66.250	94.892	107.989	1.00121.80	C
ATOM	A67HD	C4'	U	G1915	-65.312	94.687	109.155	1.00121.80	C
ATOM	A67HE	O4'	U	G1915	-64.344	93.652	108.836	1.00121.80	O
ATOM	A67HF	C1'	U	G1915	-63.104	93.946	109.446	1.00121.80	C
ATOM	A67HG	N1	U	G1915	-62.076	94.105	108.388	1.00 72.93	N
ATOM	A67HH	C6	U	G1915	-62.401	94.387	107.081	1.00 72.93	C
ATOM	A67HI	C2	U	G1915	-60.752	93.993	108.768	1.00 72.93	C
ATOM	A67HJ	O2	U	G1915	-60.407	93.754	109.911	1.00 72.93	O
ATOM	A67HK	N3	U	G1915	-59.839	94.165	107.757	1.00 72.93	N
ATOM	A67HL	C4	U	G1915	-60.109	94.439	106.432	1.00 72.93	C
ATOM	A67HM	O4	U	G1915	-59.183	94.570	105.633	1.00 72.93	O
ATOM	A67HN	C5	U	G1915	-61.496	94.550	106.114	1.00 72.93	C
ATOM	A67HO	C2'	U	G1915	-63.282	95.230	110.256	1.00121.80	C
ATOM	A67HP	O2'	U	G1915	-63.618	94.896	111.596	1.00121.80	O
ATOM	A67HQ	C3'	U	G1915	-64.458	95.883	109.545	1.00121.80	C
ATOM	A67HR	O3'	U	G1915	-65.153	96.825	110.345	1.00121.80	O
ATOM	A67I2	P	A	G1916	-64.984	98.402	110.077	1.00 91.53	P
ATOM	A67I3	OP1	A	G1916	-65.945	99.100	110.964	1.00 91.53	O

ATOM	A67I4	OP2	A	G1916	-65.085	98.612	108.612	1.00	91.53	O
ATOM	A67I5	O5'	A	G1916	-63.495	98.690	110.563	1.00	91.53	O
ATOM	A67I6	C5'	A	G1916	-63.113	98.480	111.914	1.00	91.53	C
ATOM	A67I7	C4'	A	G1916	-61.611	98.403	112.060	1.00	91.53	C
ATOM	A67I8	O4'	A	G1916	-61.105	97.271	111.303	1.00	91.53	O
ATOM	A67I9	C1'	A	G1916	-59.860	97.594	110.720	1.00	91.53	C
ATOM	A67IA	N9	A	G1916	-60.011	97.582	109.250	1.00	100.55	N
ATOM	A67IB	C4	A	G1916	-59.002	97.570	108.311	1.00	100.55	C
ATOM	A67IC	N3	A	G1916	-57.674	97.539	108.521	1.00	100.55	N
ATOM	A67ID	C2	A	G1916	-57.013	97.525	107.365	1.00	100.55	C
ATOM	A67IE	N1	A	G1916	-57.491	97.537	106.111	1.00	100.55	N
ATOM	A67IF	C6	A	G1916	-58.831	97.568	105.934	1.00	100.55	C
ATOM	A67IG	N6	A	G1916	-59.343	97.583	104.699	1.00	100.55	N
ATOM	A67IH	C5	A	G1916	-59.636	97.586	107.082	1.00	100.55	C
ATOM	A67II	N7	A	G1916	-61.010	97.618	107.230	1.00	100.55	N
ATOM	A67IJ	C8	A	G1916	-61.179	97.621	108.526	1.00	100.55	C
ATOM	A67IK	C2'	A	G1916	-59.460	98.971	111.233	1.00	91.53	C
ATOM	A67IL	O2'	A	G1916	-58.703	98.814	112.425	1.00	91.53	O
ATOM	A67IM	C3'	A	G1916	-60.821	99.591	111.529	1.00	91.53	C
ATOM	A67IN	O3'	A	G1916	-60.766	100.675	112.444	1.00	91.53	O
ATOM	A67IZ	P	U	G1917	-61.129	102.171	111.970	1.00	86.96	P
ATOM	A67J0	OP1	U	G1917	-61.457	102.946	113.190	1.00	86.96	O
ATOM	A67J1	OP2	U	G1917	-62.154	102.060	110.902	1.00	86.96	O
ATOM	A67J2	O5'	U	G1917	-59.756	102.693	111.351	1.00	86.96	O
ATOM	A67J3	C5'	U	G1917	-58.591	102.816	112.156	1.00	86.96	C
ATOM	A67J4	C4'	U	G1917	-57.340	102.464	111.385	1.00	86.96	C
ATOM	A67J5	O4'	U	G1917	-57.544	101.223	110.662	1.00	86.96	O
ATOM	A67J6	C1'	U	G1917	-56.855	101.262	109.428	1.00	86.96	C
ATOM	A67J7	N1	U	G1917	-57.840	101.145	108.318	1.00	56.93	N
ATOM	A67J8	C6	U	G1917	-59.205	101.188	108.502	1.00	56.93	C
ATOM	A67J9	C2	U	G1917	-57.320	100.967	107.050	1.00	56.93	C
ATOM	A67JA	O2	U	G1917	-56.121	100.919	106.830	1.00	56.93	O
ATOM	A67JB	N3	U	G1917	-58.249	100.855	106.044	1.00	56.93	N
ATOM	A67JC	C4	U	G1917	-59.621	100.892	106.170	1.00	56.93	C
ATOM	A67JD	O4	U	G1917	-60.335	100.775	105.174	1.00	56.93	O
ATOM	A67JE	C5	U	G1917	-60.090	101.072	107.507	1.00	56.93	C
ATOM	A67JF	C2'	U	G1917	-56.080	102.575	109.378	1.00	86.96	C
ATOM	A67JG	O2'	U	G1917	-54.782	102.353	109.920	1.00	86.96	O
ATOM	A67JH	C3'	U	G1917	-56.915	103.448	110.304	1.00	86.96	C
ATOM	A67JI	O3'	U	G1917	-56.216	104.567	110.814	1.00	86.96	O
ATOM	A67JT	P	A	G1918	-56.422	106.014	110.149	1.00	77.15	P
ATOM	A67JU	OP1	A	G1918	-55.338	106.886	110.661	1.00	77.15	O
ATOM	A67JV	OP2	A	G1918	-57.833	106.411	110.390	1.00	77.15	O
ATOM	A67JW	O5'	A	G1918	-56.197	105.726	108.602	1.00	77.15	O
ATOM	A67JX	C5'	A	G1918	-54.895	105.472	108.088	1.00	77.15	C
ATOM	A67JY	C4'	A	G1918	-54.890	105.417	106.582	1.00	77.15	C
ATOM	A67JZ	O4'	A	G1918	-55.918	104.490	106.136	1.00	77.15	O
ATOM	A67K0	C1'	A	G1918	-56.754	105.117	105.184	1.00	77.15	C
ATOM	A67K1	N9	A	G1918	-58.120	104.623	105.368	1.00	70.62	N
ATOM	A67K2	C4	A	G1918	-59.022	104.329	104.375	1.00	70.62	C
ATOM	A67K3	N3	A	G1918	-58.835	104.421	103.049	1.00	70.62	N
ATOM	A67K4	C2	A	G1918	-59.932	104.048	102.393	1.00	70.62	C
ATOM	A67K5	N1	A	G1918	-61.109	103.631	102.877	1.00	70.62	N
ATOM	A67K6	C6	A	G1918	-61.265	103.555	104.215	1.00	70.62	C
ATOM	A67K7	N6	A	G1918	-62.436	103.139	104.702	1.00	70.62	N
ATOM	A67K8	C5	A	G1918	-60.174	103.922	105.021	1.00	70.62	C
ATOM	A67K9	N7	A	G1918	-60.005	103.958	106.397	1.00	70.62	N
ATOM	A67KA	C8	A	G1918	-58.774	104.383	106.550	1.00	70.62	C
ATOM	A67KB	C2'	A	G1918	-56.617	106.617	105.418	1.00	77.15	C
ATOM	A67KC	O2'	A	G1918	-56.933	107.355	104.256	1.00	77.15	O
ATOM	A67KD	C3'	A	G1918	-55.168	106.747	105.882	1.00	77.15	C
ATOM	A67KE	O3'	A	G1918	-54.304	106.899	104.759	1.00	77.15	O
ATOM	A67KQ	P	A	G1919	-52.939	107.735	104.908	1.00	76.58	P

ATOM	A67KR	OP1	A	G1919	-51.997	106.895	105.689	1.00	76.58	O
ATOM	A67KS	OP2	A	G1919	-53.303	109.074	105.434	1.00	76.58	O
ATOM	A67KT	O5 '	A	G1919	-52.433	107.867	103.406	1.00	76.58	O
ATOM	A67KU	C5 '	A	G1919	-51.059	108.080	103.113	1.00	76.58	C
ATOM	A67KV	C4 '	A	G1919	-50.668	107.406	101.826	1.00	76.58	C
ATOM	A67KW	O4 '	A	G1919	-51.141	106.029	101.839	1.00	76.58	O
ATOM	A67KX	C1 '	A	G1919	-51.695	105.696	100.586	1.00	76.58	C
ATOM	A67KY	N9	A	G1919	-53.159	105.609	100.746	1.00	55.65	N
ATOM	A67KZ	C4	A	G1919	-54.118	105.573	99.762	1.00	55.65	C
ATOM	A67L0	N3	A	G1919	-53.937	105.600	98.433	1.00	55.65	N
ATOM	A67L1	C2	A	G1919	-55.104	105.552	97.797	1.00	55.65	C
ATOM	A67L2	N1	A	G1919	-56.345	105.480	98.296	1.00	55.65	N
ATOM	A67L3	C6	A	G1919	-56.494	105.455	99.638	1.00	55.65	C
ATOM	A67L4	N6	A	G1919	-57.722	105.387	100.159	1.00	55.65	N
ATOM	A67L5	C5	A	G1919	-55.331	105.505	100.423	1.00	55.65	C
ATOM	A67L6	N7	A	G1919	-55.146	105.496	101.795	1.00	55.65	N
ATOM	A67L7	C8	A	G1919	-53.846	105.561	101.932	1.00	55.65	C
ATOM	A67L8	C2 '	A	G1919	-51.300	106.805	99.621	1.00	76.58	C
ATOM	A67L9	O2 '	A	G1919	-49.999	106.527	99.123	1.00	76.58	O
ATOM	A67LA	C3 '	A	G1919	-51.276	107.997	100.560	1.00	76.58	C
ATOM	A67LB	O3 '	A	G1919	-50.549	109.103	100.057	1.00	76.58	O
ATOM	A67LN	P	C	G1920	-51.199	110.573	100.040	1.00	62.49	P
ATOM	A67LO	OP1	C	G1920	-50.354	111.412	99.156	1.00	62.49	O
ATOM	A67LP	OP2	C	G1920	-51.382	110.988	101.451	1.00	62.49	O
ATOM	A67LQ	O5 '	C	G1920	-52.614	110.330	99.361	1.00	62.49	O
ATOM	A67LR	C5 '	C	G1920	-52.720	109.856	98.029	1.00	62.49	C
ATOM	A67LS	C4 '	C	G1920	-54.160	109.749	97.602	1.00	62.49	C
ATOM	A67LT	O4 '	C	G1920	-54.830	108.717	98.380	1.00	62.49	O
ATOM	A67LU	C1 '	C	G1920	-56.146	109.124	98.689	1.00	62.49	C
ATOM	A67LV	N1	C	G1920	-56.240	109.339	100.152	1.00	114.54	N
ATOM	A67LW	C6	C	G1920	-55.136	109.326	100.960	1.00	114.54	C
ATOM	A67LX	C2	C	G1920	-57.498	109.562	100.713	1.00	114.54	C
ATOM	A67LY	O2	C	G1920	-58.490	109.572	99.969	1.00	114.54	O
ATOM	A67LZ	N3	C	G1920	-57.603	109.767	102.048	1.00	114.54	N
ATOM	A67M0	C4	C	G1920	-56.513	109.756	102.817	1.00	114.54	C
ATOM	A67M1	N4	C	G1920	-56.642	109.952	104.130	1.00	114.54	N
ATOM	A67M2	C5	C	G1920	-55.223	109.524	102.277	1.00	114.54	C
ATOM	A67M3	C2 '	C	G1920	-56.413	110.409	97.908	1.00	62.49	C
ATOM	A67M4	O2 '	C	G1920	-56.890	110.059	96.616	1.00	62.49	O
ATOM	A67M5	C3 '	C	G1920	-55.011	110.988	97.833	1.00	62.49	C
ATOM	A67M6	O3 '	C	G1920	-54.844	111.972	96.825	1.00	62.49	O
ATOM	A67MI	P	G	G1921	-54.720	113.529	97.220	1.00	67.45	P
ATOM	A67MJ	OP1	G	G1921	-54.045	114.212	96.090	1.00	67.45	O
ATOM	A67MK	OP2	G	G1921	-54.099	113.599	98.566	1.00	67.45	O
ATOM	A67ML	O5 '	G	G1921	-56.238	113.990	97.299	1.00	67.45	O
ATOM	A67MM	C5 '	G	G1921	-57.083	113.893	96.165	1.00	67.45	C
ATOM	A67MN	C4 '	G	G1921	-58.536	113.983	96.549	1.00	67.45	C
ATOM	A67MO	O4 '	G	G1921	-58.859	112.968	97.539	1.00	67.45	O
ATOM	A67MP	C1 '	G	G1921	-59.853	113.463	98.417	1.00	67.45	C
ATOM	A67MQ	N9	G	G1921	-59.302	113.496	99.784	1.00	72.72	N
ATOM	A67MR	C4	G	G1921	-60.006	113.735	100.942	1.00	72.72	C
ATOM	A67MS	N3	G	G1921	-61.332	113.962	101.036	1.00	72.72	N
ATOM	A67MT	C2	G	G1921	-61.715	114.152	102.289	1.00	72.72	C
ATOM	A67MU	N2	G	G1921	-63.008	114.392	102.560	1.00	72.72	N
ATOM	A67MV	N1	G	G1921	-60.864	114.120	103.366	1.00	72.72	N
ATOM	A67MW	C6	G	G1921	-59.495	113.892	103.293	1.00	72.72	C
ATOM	A67MX	O6	G	G1921	-58.819	113.880	104.330	1.00	72.72	O
ATOM	A67MY	C5	G	G1921	-59.074	113.682	101.954	1.00	72.72	C
ATOM	A67MZ	N7	G	G1921	-57.812	113.421	101.442	1.00	72.72	N
ATOM	A67N0	C8	G	G1921	-57.992	113.324	100.157	1.00	72.72	C
ATOM	A67N1	C2 '	G	G1921	-60.238	114.859	97.929	1.00	67.45	C
ATOM	A67N2	O2 '	G	G1921	-61.320	114.738	97.017	1.00	67.45	O
ATOM	A67N3	C3 '	G	G1921	-58.964	115.276	97.212	1.00	67.45	C

ATOM	A67N4	O3'	G	G1921	-59.137	116.339	96.293	1.00	67.45	O
ATOM	A67NG	P	G	G1922	-58.745	117.841	96.711	1.00	81.77	P
ATOM	A67NH	OP1	G	G1922	-58.661	118.635	95.461	1.00	81.77	O
ATOM	A67NI	OP2	G	G1922	-57.548	117.759	97.585	1.00	81.77	O
ATOM	A67NJ	O5'	G	G1922	-60.005	118.303	97.558	1.00	81.77	O
ATOM	A67NK	C5'	G	G1922	-61.318	118.141	97.049	1.00	81.77	C
ATOM	A67NL	C4'	G	G1922	-62.351	118.301	98.127	1.00	81.77	C
ATOM	A67NM	O4'	G	G1922	-62.198	117.257	99.122	1.00	81.77	O
ATOM	A67NN	C1'	G	G1922	-62.561	117.749	100.394	1.00	81.77	C
ATOM	A67NO	N9	G	G1922	-61.407	117.616	101.302	1.00	90.75	N
ATOM	A67NP	C4	G	G1922	-61.455	117.738	102.667	1.00	90.75	C
ATOM	A67NQ	N3	G	G1922	-62.559	117.992	103.400	1.00	90.75	N
ATOM	A67NR	C2	G	G1922	-62.292	118.051	104.694	1.00	90.75	C
ATOM	A67NS	N2	G	G1922	-63.282	118.295	105.567	1.00	90.75	N
ATOM	A67NT	N1	G	G1922	-61.039	117.874	105.226	1.00	90.75	N
ATOM	A67NU	C6	G	G1922	-59.893	117.612	104.485	1.00	90.75	C
ATOM	A67NV	O6	G	G1922	-58.815	117.470	105.063	1.00	90.75	O
ATOM	A67NW	C5	G	G1922	-60.162	117.547	103.096	1.00	90.75	C
ATOM	A67NX	N7	G	G1922	-59.314	117.311	102.022	1.00	90.75	N
ATOM	A67NY	C8	G	G1922	-60.096	117.363	100.978	1.00	90.75	C
ATOM	A67NZ	C2'	G	G1922	-62.987	119.208	100.224	1.00	81.77	C
ATOM	A67O0	O2'	G	G1922	-64.397	119.255	100.064	1.00	81.77	O
ATOM	A67O1	C3'	G	G1922	-62.276	119.585	98.933	1.00	81.77	C
ATOM	A67O2	O3'	G	G1922	-62.854	120.689	98.259	1.00	81.77	O
ATOM	A67OE	P	U	G1923	-62.010	122.040	98.038	1.00	83.59	P
ATOM	A67OF	OP1	U	G1923	-62.627	122.759	96.899	1.00	83.59	O
ATOM	A67OG	OP2	U	G1923	-60.578	121.658	97.948	1.00	83.59	O
ATOM	A67OH	O5'	U	G1923	-62.271	122.841	99.386	1.00	83.59	O
ATOM	A67OI	C5'	U	G1923	-63.587	123.009	99.890	1.00	83.59	C
ATOM	A67OJ	C4'	U	G1923	-63.583	123.209	101.384	1.00	83.59	C
ATOM	A67OK	O4'	U	G1923	-63.167	121.988	102.044	1.00	83.59	O
ATOM	A67OL	C1'	U	G1923	-62.484	122.298	103.240	1.00	83.59	C
ATOM	A67OM	N1	U	G1923	-61.135	121.681	103.195	1.00	81.85	N
ATOM	A67ON	C6	U	G1923	-60.390	121.627	102.037	1.00	81.85	C
ATOM	A67OO	C2	U	G1923	-60.622	121.174	104.375	1.00	81.85	C
ATOM	A67OP	O2	U	G1923	-61.229	121.195	105.431	1.00	81.85	O
ATOM	A67OQ	N3	U	G1923	-59.368	120.626	104.282	1.00	81.85	N
ATOM	A67OR	C4	U	G1923	-58.580	120.538	103.155	1.00	81.85	C
ATOM	A67OS	O4	U	G1923	-57.468	120.015	103.235	1.00	81.85	O
ATOM	A67OT	C5	U	G1923	-59.167	121.088	101.972	1.00	81.85	C
ATOM	A67OU	C2'	U	G1923	-62.411	123.823	103.355	1.00	83.59	C
ATOM	A67OV	O2'	U	G1923	-63.468	124.282	104.185	1.00	83.59	O
ATOM	A67OW	C3'	U	G1923	-62.623	124.260	101.911	1.00	83.59	C
ATOM	A67OX	O3'	U	G1923	-63.132	125.575	101.784	1.00	83.59	O
ATOM	A67P8	P	C	G1924	-62.143	126.838	101.845	1.00	78.08	P
ATOM	A67P9	OP1	C	G1924	-62.902	128.009	101.346	1.00	78.08	O
ATOM	A67PA	OP2	C	G1924	-60.889	126.453	101.151	1.00	78.08	O
ATOM	A67PB	O5'	C	G1924	-61.876	126.994	103.401	1.00	78.08	O
ATOM	A67PC	C5'	C	G1924	-62.945	127.225	104.301	1.00	78.08	C
ATOM	A67PD	C4'	C	G1924	-62.520	127.021	105.730	1.00	78.08	C
ATOM	A67PE	O4'	C	G1924	-62.046	125.662	105.934	1.00	78.08	O
ATOM	A67PF	C1'	C	G1924	-61.051	125.658	106.944	1.00	78.08	C
ATOM	A67PG	N1	C	G1924	-59.793	125.128	106.376	1.00	91.84	N
ATOM	A67PH	C6	C	G1924	-59.506	125.229	105.046	1.00	91.84	C
ATOM	A67PI	C2	C	G1924	-58.869	124.540	107.238	1.00	91.84	C
ATOM	A67PJ	O2	C	G1924	-59.125	124.462	108.448	1.00	91.84	O
ATOM	A67PK	N3	C	G1924	-57.707	124.058	106.737	1.00	91.84	N
ATOM	A67PL	C4	C	G1924	-57.448	124.154	105.433	1.00	91.84	C
ATOM	A67PM	N4	C	G1924	-56.296	123.672	104.965	1.00	91.84	N
ATOM	A67PN	C5	C	G1924	-58.367	124.756	104.535	1.00	91.84	C
ATOM	A67PO	C2'	C	G1924	-60.888	127.099	107.427	1.00	78.08	C
ATOM	A67PP	O2'	C	G1924	-61.767	127.311	108.523	1.00	78.08	O
ATOM	A67PQ	C3'	C	G1924	-61.353	127.864	106.199	1.00	78.08	C

ATOM	A67PR	O3'	C	G1924	-61.706	129.211	106.452	1.00	78.08	O
ATOM	A67Q3	P	C	G1925	-60.840	130.402	105.806	1.00	70.20	P
ATOM	A67Q4	OP1	C	G1925	-61.675	131.628	105.858	1.00	70.20	O
ATOM	A67Q5	OP2	C	G1925	-60.350	129.928	104.487	1.00	70.20	O
ATOM	A67Q6	O5'	C	G1925	-59.625	130.532	106.820	1.00	70.20	O
ATOM	A67Q7	C5'	C	G1925	-59.860	130.745	108.201	1.00	70.20	C
ATOM	A67Q8	C4'	C	G1925	-58.697	130.285	109.039	1.00	70.20	C
ATOM	A67Q9	O4'	C	G1925	-58.458	128.869	108.835	1.00	70.20	O
ATOM	A67QA	C1'	C	G1925	-57.083	128.592	109.018	1.00	70.20	C
ATOM	A67QB	N1	C	G1925	-56.551	127.949	107.795	1.00	103.35	N
ATOM	A67QC	C6	C	G1925	-57.215	127.905	106.597	1.00	103.35	C
ATOM	A67QD	C2	C	G1925	-55.287	127.374	107.909	1.00	103.35	C
ATOM	A67QE	O2	C	G1925	-54.710	127.433	109.004	1.00	103.35	O
ATOM	A67QF	N3	C	G1925	-54.722	126.771	106.840	1.00	103.35	N
ATOM	A67QG	C4	C	G1925	-55.370	126.727	105.680	1.00	103.35	C
ATOM	A67QH	N4	C	G1925	-54.762	126.118	104.658	1.00	103.35	N
ATOM	A67QI	C5	C	G1925	-56.664	127.308	105.527	1.00	103.35	C
ATOM	A67QJ	C2'	C	G1925	-56.380	129.919	109.319	1.00	70.20	C
ATOM	A67QK	O2'	C	G1925	-56.285	130.074	110.728	1.00	70.20	O
ATOM	A67QL	C3'	C	G1925	-57.359	130.920	108.724	1.00	70.20	C
ATOM	A67QM	O3'	C	G1925	-57.234	132.227	109.249	1.00	70.20	O
ATOM	A67QY	P	U	G1926	-56.055	133.188	108.741	1.00	84.21	P
ATOM	A67QZ	OP1	U	G1926	-56.371	134.559	109.216	1.00	84.21	O
ATOM	A67R0	OP2	U	G1926	-55.896	132.957	107.284	1.00	84.21	O
ATOM	A67R1	O5'	U	G1926	-54.789	132.625	109.519	1.00	84.21	O
ATOM	A67R2	C5'	U	G1926	-53.486	133.078	109.208	1.00	84.21	C
ATOM	A67R3	C4'	U	G1926	-52.439	132.101	109.668	1.00	84.21	C
ATOM	A67R4	O4'	U	G1926	-52.855	130.747	109.347	1.00	84.21	O
ATOM	A67R5	C1'	U	G1926	-51.727	129.973	108.994	1.00	84.21	C
ATOM	A67R6	N1	U	G1926	-51.867	129.539	107.582	1.00	85.16	N
ATOM	A67R7	C6	U	G1926	-52.811	130.073	106.731	1.00	85.16	C
ATOM	A67R8	C2	U	G1926	-50.998	128.558	107.145	1.00	85.16	C
ATOM	A67R9	O2	U	G1926	-50.148	128.057	107.858	1.00	85.16	O
ATOM	A67RA	N3	U	G1926	-51.155	128.183	105.836	1.00	85.16	N
ATOM	A67RB	C4	U	G1926	-52.075	128.676	104.936	1.00	85.16	C
ATOM	A67RC	O4	U	G1926	-52.095	128.235	103.787	1.00	85.16	O
ATOM	A67RD	C5	U	G1926	-52.942	129.687	105.457	1.00	85.16	C
ATOM	A67RE	C2'	U	G1926	-50.491	130.841	109.208	1.00	84.21	C
ATOM	A67RF	O2'	U	G1926	-50.040	130.665	110.543	1.00	84.21	O
ATOM	A67RG	C3'	U	G1926	-51.075	132.231	109.013	1.00	84.21	C
ATOM	A67RH	O3'	U	G1926	-50.286	133.264	109.572	1.00	84.21	O
ATOM	A67RS	P	A	G1927	-50.481	134.787	109.094	1.00	73.22	P
ATOM	A67RT	OP1	A	G1927	-50.771	135.590	110.307	1.00	73.22	O
ATOM	A67RU	OP2	A	G1927	-51.473	134.782	107.992	1.00	73.22	O
ATOM	A67RV	O5'	A	G1927	-49.042	135.164	108.525	1.00	73.22	O
ATOM	A67RW	C5'	A	G1927	-48.663	134.805	107.204	1.00	73.22	C
ATOM	A67RX	C4'	A	G1927	-47.295	134.169	107.175	1.00	73.22	C
ATOM	A67RY	O4'	A	G1927	-46.596	134.449	108.412	1.00	73.22	O
ATOM	A67RZ	C1'	A	G1927	-45.786	133.354	108.774	1.00	73.22	C
ATOM	A67S0	N9	A	G1927	-46.187	132.903	110.122	1.00	68.40	N
ATOM	A67S1	C4	A	G1927	-45.471	132.108	110.986	1.00	68.40	C
ATOM	A67S2	N3	A	G1927	-44.268	131.549	110.784	1.00	68.40	N
ATOM	A67S3	C2	A	G1927	-43.894	130.831	111.843	1.00	68.40	C
ATOM	A67S4	N1	A	G1927	-44.538	130.624	112.998	1.00	68.40	N
ATOM	A67S5	C6	A	G1927	-45.746	131.198	113.172	1.00	68.40	C
ATOM	A67S6	N6	A	G1927	-46.395	130.997	114.321	1.00	68.40	N
ATOM	A67S7	C5	A	G1927	-46.250	131.982	112.122	1.00	68.40	C
ATOM	A67S8	N7	A	G1927	-47.431	132.691	111.990	1.00	68.40	N
ATOM	A67S9	C8	A	G1927	-47.340	133.222	110.796	1.00	68.40	C
ATOM	A67SA	C2'	A	G1927	-45.956	132.265	107.712	1.00	73.22	C
ATOM	A67SB	O2'	A	G1927	-44.881	132.343	106.783	1.00	73.22	O
ATOM	A67SC	C3'	A	G1927	-47.278	132.653	107.054	1.00	73.22	C
ATOM	A67SD	O3'	A	G1927	-47.383	132.223	105.707	1.00	73.22	O

ATOM	A67SP	P	A	G1928	-48.556	131.225	105.246	1.00	69.37	P
ATOM	A67SQ	OP1	A	G1928	-48.845	131.523	103.823	1.00	69.37	O
ATOM	A67SR	OP2	A	G1928	-49.655	131.341	106.232	1.00	69.37	O
ATOM	A67SS	O5'	A	G1928	-47.861	129.801	105.366	1.00	69.37	O
ATOM	A67ST	C5'	A	G1928	-46.650	129.529	104.680	1.00	69.37	C
ATOM	A67SU	C4'	A	G1928	-45.703	128.714	105.522	1.00	69.37	C
ATOM	A67SV	O4'	A	G1928	-45.408	129.411	106.761	1.00	69.37	O
ATOM	A67SW	C1'	A	G1928	-45.187	128.470	107.794	1.00	69.37	C
ATOM	A67SX	N9	A	G1928	-46.187	128.687	108.856	1.00	68.06	N
ATOM	A67SY	C4	A	G1928	-46.010	128.425	110.191	1.00	68.06	C
ATOM	A67SZ	N3	A	G1928	-44.905	127.947	110.783	1.00	68.06	N
ATOM	A67T0	C2	A	G1928	-45.095	127.824	112.093	1.00	68.06	C
ATOM	A67T1	N1	A	G1928	-46.176	128.106	112.830	1.00	68.06	N
ATOM	A67T2	C6	A	G1928	-47.271	128.586	112.205	1.00	68.06	C
ATOM	A67T3	N6	A	G1928	-48.351	128.868	112.937	1.00	68.06	N
ATOM	A67T4	C5	A	G1928	-47.198	128.760	110.813	1.00	68.06	C
ATOM	A67T5	N7	A	G1928	-48.117	129.220	109.886	1.00	68.06	N
ATOM	A67T6	C8	A	G1928	-47.475	129.154	108.744	1.00	68.06	C
ATOM	A67T7	C2'	A	G1928	-45.311	127.078	107.177	1.00	69.37	C
ATOM	A67T8	O2'	A	G1928	-44.026	126.647	106.746	1.00	69.37	O
ATOM	A67T9	C3'	A	G1928	-46.217	127.367	105.989	1.00	69.37	C
ATOM	A67TA	O3'	A	G1928	-46.179	126.376	104.980	1.00	69.37	O
ATOM	A67TM	P	G	G1929	-47.428	125.385	104.781	1.00	75.01	P
ATOM	A67TN	OP1	G	G1929	-47.145	124.563	103.582	1.00	75.01	O
ATOM	A67TO	OP2	G	G1929	-48.658	126.216	104.803	1.00	75.01	O
ATOM	A67TP	O5'	G	G1929	-47.362	124.480	106.086	1.00	75.01	O
ATOM	A67TQ	C5'	G	G1929	-46.142	123.864	106.476	1.00	75.01	C
ATOM	A67TR	C4'	G	G1929	-46.251	123.191	107.819	1.00	75.01	C
ATOM	A67TS	O4'	G	G1929	-46.728	124.140	108.815	1.00	75.01	O
ATOM	A67TT	C1'	G	G1929	-47.763	123.532	109.554	1.00	75.01	C
ATOM	A67TU	N9	G	G1929	-48.629	124.565	110.132	1.00	75.35	N
ATOM	A67TV	C4	G	G1929	-49.870	125.032	109.755	1.00	75.35	C
ATOM	A67TW	N3	G	G1929	-50.593	124.631	108.694	1.00	75.35	N
ATOM	A67TX	C2	G	G1929	-51.740	125.273	108.602	1.00	75.35	C
ATOM	A67TY	N2	G	G1929	-52.566	124.979	107.589	1.00	75.35	N
ATOM	A67TZ	N1	G	G1929	-52.155	126.236	109.487	1.00	75.35	N
ATOM	A67U0	C6	G	G1929	-51.435	126.668	110.592	1.00	75.35	C
ATOM	A67U1	O6	G	G1929	-51.895	127.543	111.335	1.00	75.35	O
ATOM	A67U2	C5	G	G1929	-50.200	125.986	110.698	1.00	75.35	C
ATOM	A67U3	N7	G	G1929	-49.201	126.120	111.646	1.00	75.35	N
ATOM	A67U4	C8	G	G1929	-48.302	125.260	111.270	1.00	75.35	C
ATOM	A67U5	C2'	G	G1929	-48.435	122.587	108.567	1.00	75.01	C
ATOM	A67U6	O2'	G	G1929	-49.248	121.637	109.222	1.00	75.01	O
ATOM	A67U7	C3'	G	G1929	-47.216	121.999	107.875	1.00	75.01	C
ATOM	A67U8	O3'	G	G1929	-46.659	120.982	108.697	1.00	75.01	O
ATOM	A67UK	P	G	G1930	-45.500	120.025	108.142	1.00	79.14	P
ATOM	A67UL	OP1	G	G1930	-44.708	120.808	107.160	1.00	79.14	O
ATOM	A67UM	OP2	G	G1930	-46.149	118.771	107.692	1.00	79.14	O
ATOM	A67UN	O5'	G	G1930	-44.635	119.749	109.447	1.00	79.14	O
ATOM	A67UO	C5'	G	G1930	-43.395	120.411	109.675	1.00	79.14	C
ATOM	A67UP	C4'	G	G1930	-42.381	119.481	110.290	1.00	79.14	C
ATOM	A67UQ	O4'	G	G1930	-41.837	120.090	111.498	1.00	79.14	O
ATOM	A67UR	C1'	G	G1930	-41.958	119.176	112.567	1.00	79.14	C
ATOM	A67US	N9	G	G1930	-42.096	119.918	113.821	1.00	65.34	N
ATOM	A67UT	C4	G	G1930	-41.031	120.378	114.542	1.00	65.34	C
ATOM	A67UU	N3	G	G1930	-39.747	120.223	114.178	1.00	65.34	N
ATOM	A67UV	C2	G	G1930	-38.929	120.768	115.052	1.00	65.34	C
ATOM	A67UW	N2	G	G1930	-37.614	120.699	114.824	1.00	65.34	N
ATOM	A67UX	N1	G	G1930	-39.340	121.413	116.195	1.00	65.34	N
ATOM	A67UY	C6	G	G1930	-40.667	121.583	116.586	1.00	65.34	C
ATOM	A67UZ	O6	G	G1930	-40.925	122.183	117.636	1.00	65.34	O
ATOM	A67V0	C5	G	G1930	-41.560	120.998	115.650	1.00	65.34	C
ATOM	A67V1	N7	G	G1930	-42.947	120.920	115.627	1.00	65.34	N

ATOM	A67V2	C8	G	G1930	-43.221	120.268	114.526	1.00	65.34	C
ATOM	A67V3	C2'	G	G1930	-43.149	118.299	112.214	1.00	79.14	C
ATOM	A67V4	O2'	G	G1930	-43.164	117.103	112.962	1.00	79.14	O
ATOM	A67V5	C3'	G	G1930	-42.926	118.115	110.720	1.00	79.14	C
ATOM	A67V6	O3'	G	G1930	-41.934	117.114	110.504	1.00	79.14	O
ATOM	A67VI	P	U	G1931	-42.362	115.620	110.091	1.00	95.44	P
ATOM	A67VJ	OP1	U	G1931	-43.842	115.557	110.146	1.00	95.44	O
ATOM	A67VK	OP2	U	G1931	-41.580	114.694	110.945	1.00	95.44	O
ATOM	A67VL	O5'	U	G1931	-41.876	115.499	108.576	1.00	95.44	O
ATOM	A67VM	C5'	U	G1931	-41.531	116.644	107.804	1.00	95.44	C
ATOM	A67VN	O4'	U	G1931	-40.245	116.425	107.054	1.00	95.44	C
ATOM	A67VO	C4'	U	G1931	-39.402	117.603	107.160	1.00	95.44	O
ATOM	A67VP	C1'	U	G1931	-38.047	117.223	107.272	1.00	95.44	C
ATOM	A67VQ	N1	U	G1931	-37.539	117.663	108.595	1.00	85.53	N
ATOM	A67VR	C6	U	G1931	-38.387	118.032	109.619	1.00	85.53	C
ATOM	A67VS	C2	U	G1931	-36.169	117.694	108.770	1.00	85.53	C
ATOM	A67VT	O2	U	G1931	-35.383	117.379	107.894	1.00	85.53	O
ATOM	A67VU	N3	U	G1931	-35.749	118.108	110.008	1.00	85.53	N
ATOM	A67VV	C4	U	G1931	-36.544	118.487	111.069	1.00	85.53	C
ATOM	A67VW	O4	U	G1931	-36.025	118.836	112.128	1.00	85.53	O
ATOM	A67VX	C5	U	G1931	-37.950	118.431	110.818	1.00	85.53	C
ATOM	A67VY	C2'	U	G1931	-37.979	115.705	107.111	1.00	95.44	C
ATOM	A67VZ	O2'	U	G1931	-37.782	115.399	105.738	1.00	95.44	O
ATOM	A67W0	C3'	U	G1931	-39.369	115.291	107.568	1.00	95.44	C
ATOM	A67W1	O3'	U	G1931	-39.777	114.024	107.084	1.00	95.44	O
TER										
ATOM	A88BI	C1	NMY	N2905	-52.949	118.562	103.968	0.77	92.97	C
ATOM	A88BJ	O1	NMY	N2905	-54.161	118.135	104.561	0.77	92.97	O
ATOM	A88BK	C2	NMY	N2905	-52.426	119.752	104.791	0.77	92.97	C
ATOM	A88BL	N2	NMY	N2905	-52.473	119.418	106.186	0.77	92.97	N
ATOM	A88BM	C3	NMY	N2905	-53.198	120.986	104.611	0.77	92.97	C
ATOM	A88BN	O3	NMY	N2905	-52.453	121.996	105.253	0.77	92.97	O
ATOM	A88BO	C4	NMY	N2905	-53.381	121.347	103.242	0.77	92.97	C
ATOM	A88BP	O4	NMY	N2905	-54.435	122.280	103.139	0.77	92.97	O
ATOM	A88BQ	C5	NMY	N2905	-53.764	120.175	102.380	0.77	92.97	C
ATOM	A88BR	O5	NMY	N2905	-53.071	118.856	102.616	0.77	92.97	O
ATOM	A88BS	C6	NMY	N2905	-54.564	120.406	101.114	0.77	92.97	C
ATOM	A88BT	N6	NMY	N2905	-55.382	121.622	101.028	0.77	92.97	N
ATOM	A88BU	C7	NMY	N2905	-55.891	114.385	103.460	0.77	92.97	C
ATOM	A88BV	N7	NMY	N2905	-55.877	113.133	102.690	0.77	92.97	N
ATOM	A88BW	C8	NMY	N2905	-56.357	115.659	102.788	0.77	92.97	C
ATOM	A88BX	C9	NMY	N2905	-55.969	116.906	103.599	0.77	92.97	C
ATOM	A88BY	N9	NMY	N2905	-56.182	118.116	102.864	0.77	92.97	N
ATOM	A88BZ	C10	NMY	N2905	-54.516	116.858	104.054	0.77	92.97	C
ATOM	A88C0	C11	NMY	N2905	-54.255	115.752	105.031	0.77	92.97	C
ATOM	A88C1	O11	NMY	N2905	-52.910	115.367	104.953	0.77	92.97	O
ATOM	A88C2	C12	NMY	N2905	-55.097	114.486	104.767	0.77	92.97	C
ATOM	A88C3	O12	NMY	N2905	-55.308	113.574	105.759	0.77	92.97	O
ATOM	A88C4	C13	NMY	N2905	-52.251	115.505	106.199	0.77	92.97	C
ATOM	A88C5	C14	NMY	N2905	-51.065	114.624	106.245	0.77	92.97	C
ATOM	A88C6	O14	NMY	N2905	-50.999	114.167	107.537	0.77	92.97	O
ATOM	A88C7	C15	NMY	N2905	-49.996	115.502	105.921	0.77	92.97	C
ATOM	A88C8	C16	NMY	N2905	-50.398	116.771	106.577	0.77	92.97	C
ATOM	A88C9	O16	NMY	N2905	-51.782	116.839	106.466	0.77	92.97	O
ATOM	A88CA	C17	NMY	N2905	-49.774	118.012	105.983	0.77	92.97	C
ATOM	A88CB	O17	NMY	N2905	-50.028	119.199	106.600	0.77	92.97	O
ATOM	A88CC	C18	NMY	N2905	-48.048	114.253	105.483	0.77	92.97	C
ATOM	A88CD	O18	NMY	N2905	-48.807	114.958	106.462	0.77	92.97	O
ATOM	A88CE	C19	NMY	N2905	-48.682	113.160	104.640	0.77	92.97	C
ATOM	A88CF	N19	NMY	N2905	-45.843	113.148	107.725	0.77	92.97	N
ATOM	A88CG	C20	NMY	N2905	-47.801	112.336	103.890	0.77	92.97	C
ATOM	A88CH	O20	NMY	N2905	-48.193	112.474	102.516	0.77	92.97	O
ATOM	A88CI	C21	NMY	N2905	-46.371	112.703	103.976	0.77	92.97	C

ATOM	A88CJ	O21	NMY	N2905	-45.464	112.248	102.993	0.77	92.97	O
ATOM	A88CK	C22	NMY	N2905	-45.802	113.378	105.214	0.77	92.97	C
ATOM	A88CL	O22	NMY	N2905	-46.568	114.487	105.541	0.77	92.97	O
ATOM	A88CM	C23	NMY	N2905	-45.672	112.489	106.449	0.77	92.97	C
ATOM	A88CN	N23	NMY	N2905	-49.383	112.238	105.534	0.77	92.97	N
TER										
END										

We claim:

1. A method to identify a candidate molecule that binds in the neomycin binding pocket of a bacterial ribosome which comprises
 - (a) providing a molecular model comprising said neomycin binding pocket, wherein said model is prepared from the atomic coordinates for an E. coli ribosome and wherein said neomycin binding pocket has the atomic coordinates in any one of Tables 6 to 9, or has atomic coordinates derived by molecular modeling using the atomic coordinates in any one of said Tables 6 to 9; and
 - (b) docking or fitting chemical structures to said molecular model to identify a candidate molecule that can bind to the neomycin binding pocket.
2. A method to identify a molecule that binds in the neomycin binding pocket of a bacterial ribosome which comprises
 - (a) providing a molecular model comprising said neomycin binding pocket, wherein said model is prepared from the atomic coordinates for an E. coli ribosome in a fully- or intermediately-rotated state and wherein said neomycin binding pocket has the atomic coordinates in Table 6 or 8, respectively, or has atomic coordinates derived by molecular modeling using the atomic coordinates in said Table 6 or 8; and
 - (b) docking or fitting chemical structures to said molecular model to identify a candidate molecule that can bind to the neomycin binding pocket.
3. The method of Claim 1 or 2 which comprises a step (c) of producing the candidate molecule identified in step (b).
4. The method of Claim 3 which further comprises determining whether the candidate molecule produced in step (c) modulates ribosomal activity.
5. The method of claim 4 which comprises repeating steps (a) through (c) to identify and produce a modified candidate molecule having higher binding specificity, higher binding affinity or higher potency relative to the candidate molecule.

6. The method of Claim 1 or 2, wherein said candidate molecule has a chemical structure suitable for binding/docking to the region defined by the residues from about 1905 to about 1931 in helix 69 (H69) in 23S ribosomal RNA.
7. The method of Claim 1 or 2, wherein said candidate molecule has a chemical structure suitable for binding/docking to a region defined by residues from about 1402 to about 1412 and residues from about 1488 to about 1500 in helix 44 (h44) in 16S ribosomal RNA.
8. The method of Claim 6, wherein said candidate molecule has a chemical structure suitable for binding/docking to a region defined by residues from about 1402 to about 1412 and residues from about 1488 to about 1500 in helix 44 (h44) in 16S ribosomal RNA.
9. The method of Claim 1 which further comprises docking candidate molecules to the structures as shown Figs. 21 or 26.
10. A crystal of a fully rotated ribosome having the three dimensional atomic coordinates of PDB ID No. 3R8N, 3R8S.
11. A single-molecule assay for ribosome recycling which comprises
 - (a) surface-immobilizing a labeled ribosome on the 50S subunit in the presence of tRNA, RRF and EF-G under translation conditions; and
 - (b) monitoring changes in signal from said ribosome, wherein a change in the signal from the label indicates recycling or lack thereof.
12. The method of Claim 11, wherein said assay is an smFRET assay and said ribosome is labeled with a fluorophore.
13. The method of Claim 11, wherein a test compound is added and presence of a signal indicates recycling has been altered.

14. An expression vector comprising a nucleic acid encoding ribosomal protein S13 having an N-terminal tag for attachment of a fluorophore.
15. The vector of Claim 14 wherein said N-terminal tag is an SFP tag or an AcpS tag.
16. A composition comprising isolated N-terminal tagged S13.
17. The composition of Claim 16, wherein said S13 has a fluorophore linked via said tag to produce labeled S13.
18. The composition of Claim 17 which comprises labeled S13 incorporated into translationally competent ribosomes.
19. The composition of Claim 18 which comprises fluorophore-labeled L1.
20. The composition of Claim 18 or 19, wherein said composition is an in vitro translation mixture.
21. A method to identify a compound that interferes with ribosomal function which comprises
 - (a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between low FRET and high FRET states under translation competent conditions;
 - (b) adding a test compound to said ribosome; and
 - (c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of
 - (i) stabilizing said ribosome in an intermediate FRET state,
 - (ii) changing said ribosome's distribution into or out of an intermediate FRET state, or
 - (iii) changing said ribosome's rate of transition into or out of an intermediate FRET state.

22. A method to identify a compound that interferes with ribosomal function which comprises

(a) surface-immobilizing a ribosome having a FRET pair sensitive to transitioning between a low FRET state and a high FRET state under translation competent conditions, wherein said FRET pair is formed with a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13;

(b) adding a test compound to said ribosome; and

(c) monitoring or detecting changes in FRET states using smFRET imaging techniques to identify a test compound capable of

(i) stabilizing said ribosome in a low FRET state, an intermediate FRET state or in a high FRET state,

(ii) changing said ribosome's distribution among low, intermediate and high FRET states,

(iii) changing said ribosome's rate of transition among low, intermediate and high FRET states, or

(iv) abolishing FRET.

23. The method of Claim 21, wherein said FRET pair is formed by a fluorophore on ribosomal protein L1 and a fluorophore on ribosomal protein S13.

24. The method of Claim 22 or 23, wherein said L1 fluorophore is at (T202C) L1 and the fluorophore on S13 is at or near the amino terminus of S13.

25. The method of Claim 21 or 22, wherein said compound is identified as a candidate antibiotic when said test compound

(i) stabilizes said ribosome in an intermediate FRET state or in a high FRET state,

(ii) increases said ribosome's distribution in intermediate or high FRET states,

(iii) increases said ribosome's rate of transition into intermediate or high FRET states, or

(iv) abolishes FRET.

26. The method of any one of Claims 21 to 25, wherein said intermediate state comprises the P/pe tRNA binding state.

27. The method of anyone of Claims 21-26, wherein said FRET pair consists of a donor-acceptor fluorophore pair or a donor-quencher fluorophore pair.





FIGURE 1

C



D




FIGURE 1 (continued)




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12





FIGURE 13






FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20







FIGURE 21

A Unrotated, L1 open, P/P tRNA**B** Partially rotated, L1 closed, P/pe tRNA**C** Fully rotated, L1 closed, P/E tRNA**FIGURE 22**




FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28