



US 20200283534A1

(19) **United States**(12) **Patent Application Publication**
MA et al.(10) **Pub. No.: US 2020/0283534 A1**(43) **Pub. Date: Sep. 10, 2020**(54) **CHIMERIC ANTIGEN RECEPTORS (CARs),
COMPOSITIONS AND METHODS THEREOF****Publication Classification**(51) **Int. Cl.****C07K 16/28** (2006.01)**C12N 5/0783** (2006.01)**A61K 35/17** (2006.01)**A61P 35/02** (2006.01)(52) **U.S. Cl.****CPC** **C07K 16/2866** (2013.01); **C12N 5/0646**(2013.01); **C07K 16/2803** (2013.01); **A61K****35/17** (2013.01); **A61P 35/02** (2018.01); **A61K****38/00** (2013.01); **C07K 2317/24** (2013.01);**C07K 2319/03** (2013.01); **C07K 2319/33**(2013.01); **C07K 2317/31** (2013.01); **C12N****2510/00** (2013.01)(71) Applicant: **iCell Gene Therapeutics LLC**, Stony
Brook, NY (US)(72) Inventors: **Yupo MA**, Stony Brook, NY (US);
Kevin PINZ, Stony Brook, NY (US);
Xun JIANG, Stony Brook, NY (US);
Masayuki WADA, Stony Brook, NY
(US); **Kevin CHEN**, Stony Brook, NY
(US)(21) Appl. No.: **16/312,769**(22) PCT Filed: **Dec. 22, 2016**(86) PCT No.: **PCT/US16/68349**


§ 371 (c)(1),

(2) Date: **Dec. 21, 2018****Related U.S. Application Data**(63) Continuation of application No. PCT/US2016/
039306, filed on Jun. 24, 2016.(60) Provisional application No. 62/369,004, filed on Jul.
29, 2016.

(57)

ABSTRACT

The present disclosure relates to compositions and methods relating to chimeric antigen receptor (CAR) polypeptides and methods relating thereto. In one embodiment, the present disclosure relates to engineered cells having chimeric antigen receptor polypeptides directed to at least two targets. In another embodiment, the present disclosure relates to engineered cells having chimeric antigen receptor polypeptides and an enhancer moiety.

Specification includes a Sequence Listing.




FIGURE 1




FIGURE 2A





FIGURE 2B






FIGURE 3




FIGURE 4




FIGURE 5

FIGURE 6





FIGURE 7






FIGURE 9




FIGURE 10




FIGURE 11





FIGURE 12






FIGURE 13A




FIGURE 13B




FIGURE 14




FIGURE 15

FIGURE 16A






FIGURE 16B

FIGURE 17




FIGURE 18






FIGURE 19








FIGURE 22A





FIGURE 22B






FIGURE 23

FIGURE 24A





FIGURE 24B

BC1cCAR surface expression as a measure of the transduction methodology






FIGURE 24D




FIGURE 24C




FIGURE 25A




FIGURE 25B




FIGURE 25C




FIGURE 26A




FIGURE 26B




FIGURE 26C




FIGURE 26D






FIGURE 27A

Short-term BCMA depletion by BC1cCAR T-cells



Short-term CS1 depletion by BC1cCAR T vs. CS1 CAR T



Anti-CS1 activity of BC1cCAR T against CS1^{dim} NK-92 cells




FIGURE 27B




FIGURE 27C





FIGURE 27D




FIGURE 28A




FIGURE 28B




FIGURE 28C




FIGURE 29A




FIGURE 29B

BC1cCAR T-cells improve murine survival outlook




FIGURE 29C




FIGURE 29D




FIGURE 29E





FIGURE 30A

FIGURE 30B






FIGURE 31A




FIGURE 31B




FIGURE 32A





FIGURE 32B






FIGURE 32C




FIGURE 33





FIGURE 34A

FIGURE 34B







FIGURE 34C

FIGURE 35






FIGURE 36A




FIGURE 36B




FIGURE 37A

FIGURE 37B




FIGURE 37C




FIGURE 38A




FIGURE 38B




FIGURE 39A




FIGURE 39B




FIGURE 40




FIGURE 41




FIGURE 42




FIGURE 43




FIGURE 44




FIGURE 45A





FIGURE 45B






FIGURE 46A




FIGURE 46B




FIGURE 47A




FIGURE 47B




FIGURE 48






FIGURE 49A



- Steps: T or NK cells armed with CARs targeting hematologic malignancies
- 1. Donor T cells or NK cells
 - 2. Gene disruption or deletion of CD45
 - 3. Insert of scFv CAR targeting CD45

FIGURE 49B

B.






FIGURE 51A




FIGURE 51B




FIGURE 52A




FIGURE 52B




FIGURE 53A




FIGURE 53B




FIGURE 54




FIGURE 55A





FIGURE 55B






FIGURE 56A







FIGURE 56B









FIGURE 57D






FIGURE 57FA











FIGURE 57FB












FIGURE 57J




FIGURE 58A




FIGURE 58B




FIGURE 58C

FIGURE 59A




FIGURE 59B




FIGURE 60A




FIGURE 60B




FIGURE 61





FIGURE 62






FIGURE 63A




FIGURE 63B

FIGURE 64





FIGURE 65A



CD4 expression in AML (MOLM13) cells




FIGURE 65B




FIGURE 65C




FIGURE 65D




FIGURE 66A



CD4 expression in MOLM13 and Jurkat cell lines




FIGURE 66B




FIGURE 66C




FIGURE 66D




FIGURE 67A




FIGURE 67B




FIGURE 68A




FIGURE 68B




FIGURE 69




FIGURE 70




FIGURE 71A






FIGURE 71B






FIGURE 72

FIGURE 73A




FIGURE 73B




FIGURE 73C




FIGURE 73D




FIGURE 74




FIGURE 75




FIGURE 76A




FIGURE 76B





FIGURE 77






FIGURE 78




FIGURE 79

MYR	MQLL	SCIAL	SL	AL	V	T	N	S
MYR	MQLL	SCIAL	SL	AL	V	T	N	S
MYK	IQLL	SCIAL	T	AL	V	A	N	G
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	S
MYK	VQLL	SCIAL	T	AL	L	T	S	

H. sapiens (human)
M. mulatta (rhesus)
B. taurus (bovine)
O. cuniculus (rabbit)
M. musculus (mouse)

FIGURE 80

H. sapiens (human)	1	QVAAALQ	Q	DLA	SLRAEL	Q	GHAE	K	L	P	--	AGAG	APKAG	GE	APAV	VTAGL	K	--	IF	EP	PAPG	54			
M. mulatta (rhesus)	1	QVAAALQ	Q	DLA	SLRAEL	Q	GHAE	K	L	P	--	AGAG	APKAG	GE	APAV	VTAGL	K	--	IF	EP	PAPG	54			
B. taurus (bovine)	1	-VAA	S	LAEL	Q	GHAE	R	EPG	--	APQ	AGAG	APRE	--	APQ	VTAGL	K	Q	R	I	EP	PAPG	50			
O. cuniculus (rabbit)	1	EVAAALQ	AD	LL	SLRAEL	Q	GHAE	K	L	P	--	AGAG	APKAG	GE	APAV	VTAGL	K	--	IF	EP	PAPG	59			
M. musculus (mouse)	1	QVAAALQ	AD	LL	SLRAEL	Q	GHAE	K	L	P	--	AGAG	APKAG	GE	APAV	VTAGL	K	--	IF	EP	PAPG	46			
H. sapiens (human)	55	ENSSSQ	M	SRN	KRA	V	Q	GP	EE	T	V	I	Q	DC	CLQ	LIAD	S	E	T	P	T	I	114		
M. mulatta (rhesus)	55	ENSSSQ	S	SRN	KRA	I	Q	GP	EE	T	V	I	Q	DC	CLQ	LIAD	S	E	T	P	T	I	114		
B. taurus (bovine)	51	ENSSSQ	S	SRN	KRA	I	Q	GP	EE	T	V	I	Q	DC	CLQ	LIAD	S	E	T	P	T	I	110		
O. cuniculus (rabbit)	60	ENSSSQ	S	SRN	KRA	V	Q	GP	EE	T	V	I	Q	DC	CLQ	LIAD	S	E	T	P	T	I	119		
M. musculus (mouse)	47	ENSSSQ	S	SRN	KRA	V	Q	GP	EE	T	V	I	Q	DC	CLQ	LIAD	S	E	T	P	T	I	106		
H. sapiens (human)	115	ENKI	L	V	K	E	T	G	Y	F	F	I	Y	G	Q	V	L	Y	T	D	K	T	Y	174	
M. mulatta (rhesus)	115	ENKI	L	V	K	E	T	G	Y	F	F	I	Y	G	Q	V	L	Y	T	D	K	T	Y	174	
B. taurus (bovine)	111	ENKI	L	V	K	E	T	G	Y	F	F	I	Y	G	Q	V	L	Y	T	D	N	T	F	170	
O. cuniculus (rabbit)	120	ENKI	L	V	K	E	T	G	Y	F	F	I	Y	G	Q	V	L	Y	T	D	S	T	F	179	
M. musculus (mouse)	107	ENKI	L	V	K	E	T	G	Y	F	F	I	Y	G	Q	V	L	Y	T	D	S	T	F	166	
H. sapiens (human)	175	NNSC	Y	S	A	G	I	A	K	L	E	E	G	D	E	L	Q	L	A	I	P	R	E	N	218
M. mulatta (rhesus)	175	NNSC	Y	S	A	G	I	A	K	L	E	E	G	D	E	L	Q	L	A	I	P	R	E	N	218
B. taurus (bovine)	171	NNSC	Y	S	A	G	I	A	K	L	E	E	G	D	E	L	Q	L	A	I	P	R	E	N	214
O. cuniculus (rabbit)	180	NNSC	Y	S	A	G	I	A	K	L	E	E	G	D	E	L	Q	L	A	I	P	R	E	N	223
M. musculus (mouse)	167	NNSC	Y	S	A	G	I	A	K	L	E	E	G	D	E	L	Q	L	A	I	P	R	E	N	210

FIGURE 81

CHIMERIC ANTIGEN RECEPTORS (CARs), COMPOSITIONS AND METHODS THEREOF

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is an International PCT Application claiming priority from International PCT Application No. PCT/US16/39306, filed on Jun. 24, 2016, and U.S. Provisional Application No. 62/369,004, filed on Jul. 29, 2016, the contents of which are incorporated herein by reference in its entirety.

BACKGROUND

[0002] T cells, a type of lymphocyte, play a central role in cell-mediated immunity. They are distinguished from other lymphocytes, such as B cells and natural killer cells (NK cells), by the presence of a T-cell receptor (TCR) on the cell surface. T helper cells, also called CD4+ T or CD4 T cells, express CD4 glycoprotein on their surface. Helper T cells are activated when exposed to peptide antigens presented by MHC (major histocompatibility complex) class II molecules. Once activated, these cells proliferate rapidly and secrete cytokines that regulate immune response. Cytotoxic T cells, also known as CD8+ T cells or CD8 T cells, express CD8 glycoprotein on the cell surface. The CD8+ T cells are activated when exposed to peptide antigens presented by MHC class I molecules. Memory T cells, a subset of T cells, persist long term and respond to their cognate antigen, thus providing the immune system with “memory” against past infections and/or tumor cells.

[0003] T cells can be genetically engineered to produce special receptors on their surface called chimeric antigen receptors (CARs). CARs are proteins that allow the T cells to recognize a specific protein (antigen) on tumor cells. These engineered CAR T cells are then grown in the laboratory until they number in the billions. The expanded population of CAR T cells is then infused into the patient.

[0004] Clinical trials to date have shown chimeric antigen receptor (CAR) T cells to have great promise in hematologic malignancies resistant to standard chemotherapies. Most notably, CD19-specific CAR (CD19CAR) T-cell therapies have had remarkable results including long-term remissions in B-cell malignancies (Kochenderfer, Wilson et al. 2010, Kalos, Levine et al. 2011, Porter, Levine et al. 2011, Davila, Riviere et al. 2013, Grupp, Frey et al. 2013, Grupp, Kalos et al. 2013, Kalos, Nazimuddin et al. 2013, Kochenderfer, Dudley et al. 2013, Kochenderfer, Dudley et al. 2013, Lee, Shah et al. 2013, Park, Riviere et al. 2013, Maude, Frey et al. 2014).

[0005] Despite the success of CAR therapy in B-cell leukemia and lymphoma, the application of CAR therapy to T-cell malignancies has not yet been well established. Given that T-cell malignancies are associated with dramatically poorer outcomes compared to those of B-cell malignancies (Abramson, Feldman et al. 2014), CAR therapy in this respect has the potential to further address a great clinical need.

[0006] To date, current efforts have focused on CAR T-cells demonstrating efficacy in various B-cell malignancies. While initial remission rates of approximately 90% are common in B-ALL using CD19CAR, most of these relapse within a year. The relapse is at least in part due to the antigen escape. Thus, more effective CAR T cell treatments in order

to prevent the relapse is urgently needed. Target discovery and selection are the initial step as there are no general rules to ensure or guide CAR design that are efficacious.

[0007] There are some roadblocks that hinder the broader adoption of CAR therapeutic approach. Among the most general challenges are: (1) selection of antigen target and chimeric antigen receptor(s); (2) CAR design; (3) tumor heterogeneity, particularly the variance in the surface expression of tumor antigens. Targeting single antigen carries the risk of immune escape and this could be overcome by targeting multiple desired antigens; (4) immunosuppressive microenvironment. CAR T cells may be suppressed and de-activated on arrival at the tumor site.

[0008] Most CAR chimeric antigen receptors are scFvs derived from monoclonal antibodies and some of these monoclonal antibodies have been used in the clinical trials or treatment for diseases. However, they have limited efficacy, which suggests that alternative and more potent targeting approaches, such as CARs are required. scFvs are the most commonly used chimeric antigen receptor for CARs. However, CAR affinity binding and locations of the recognized epitope on the antigen could affect the function. Additionally the level of the surface CAR expression on the T cells or NK cells is affected by an appropriate leader sequence and promoter. Furthermore, overexpressed CAR proteins can be toxic to cells.

[0009] Therefore, there remains a need for improved chimeric antigen receptor-based therapies that allow for more effective, safe, and efficient targeting of T-cell associated malignancies.

SUMMARY OF THE INVENTION

[0010] In one embodiment, the present disclosure provides an engineered cell having a first chimeric antigen receptor polypeptide including a first antigen recognition domain, a first signal peptide, a first hinge region, a first transmembrane domain, a first co-stimulatory domain, and a first signaling domain; and a second chimeric antigen receptor polypeptide including a second antigen recognition domain, a second signal peptide, a second hinge region, a second transmembrane domain, a second co-stimulatory domain, and a second signaling domain; wherein the first antigen recognition domain is different than the second antigen recognition domain.

[0011] In another embodiment, the present disclosure provides an engineered polypeptide including a chimeric antigen receptor and an enhancer.

[0012] In another embodiment, the present disclosure provides an engineered polypeptide including a chimeric antigen receptor polypeptide and an enhancer.

[0013] In another embodiment, the present disclosure provides an engineered chimeric antigen receptor polypeptide, the polypeptide including: a signal peptide, a CD45 antigen recognition domain, a hinge region, a transmembrane domain, at least one co-stimulatory domain, and a signaling domain. In another embodiment, the present disclosure provides a polynucleotide encoding for the aforementioned polypeptide.

[0014] In another embodiment, the present disclosure provides an engineered cell having the engineered polypeptide or polynucleotide described above.

[0015] In another embodiment, the present disclosure provides a method of reducing the number of target cells including the steps of (i.) contacting said target cells with an

effective amount of an engineered cell having at least one chimeric antigen receptor polypeptide, for engineered cells having multiple chimeric antigen receptor polypeptides, each chimeric antigen receptor polypeptide is independent; and (ii.) optionally, assaying for the reduction in the number of said cells. The target cells include at least one cell surface antigen selected from the group consisting of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BAFF-R, BAFF, APRIL, BCMA, TACI, LeY, CD5, CD13, CD14, CD15, CD19, CD20, CD22, CD33, CD41, CD45, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, and CS1.

[0016] In another embodiment, the present disclosure provides methods for treating B-cell lymphoma, T-cell lymphoma, multiple myeloma, chronic myeloid leukemia, B-cell acute lymphoblastic leukemia (B-ALL), and cell proliferative diseases by administering any of the engineered cells described above to a patient in need thereof.

BRIEF DESCRIPTION OF DRAWINGS

[0017] FIG. 1. A schematic representation of cCAR construct (hereinafter, "multiple CAR or compound CAR"). Multiple or compound CAR targets multiple antigens (e.g. cell type 1 or cell type 2 or the same cell type). Multiple or cCAR T cell immunotherapies comprises individual component CAR comprising a different or same antigen recognition domain, a hinge region, a transmembrane domain, various co-stimulatory domain(s) and an intracellular signaling domain.

[0018] FIG. 2A. A schematic representation of cCAR-T construct. The construct comprises a SFFV promoter driving the expression of multiple modular units of CARs linked by a P2A peptide. Upon cleavage of the linker, the cCARs split and engage upon targets expressing CD33 and/or CD123. As a novel cCAR construct, the activation domains of the construct may include, but is not limited to, 4-1BB on the CD33 CAR segment and a CD28 region on the CD123 CAR.

[0019] FIG. 2B. A Western blot depicting the expression of transduced CD33CD123 cCAR-T cells. The figure depicts expression of two different CAR proteins, i.e., CD33 CAR and CD123 CARs. The cCAR-T cells expressing both CD33 and CD123 CARs upon cleavage of the linker generate two distinct and consistently intense protein bands. Green Fluorescent Protein (GFP) is included as negative control.

[0020] FIG. 2C. Flow cytometry representing the efficiency of transduction. Upper panel shows the lentiviral titer for CD33CD123 cCARs (also referred to as CD33CD123-2G-CAR) tested on 293FT HEK (human embryonic kidney) cells to gauge maximum transduction efficiency before usage on UCB (umbilical cord blood) and PB (peripheral blood) T-cells. Lower panel shows CD33CD123 cCAR (also referred to as CD33CD123-2G-CAR) T-cells transduced with lentiviral vectors comprising CD33CD123 cCAR construct and GFP-transduced cells as control. Percentages indicated by yellow circles are proxies for transduction efficiency.

[0021] FIG. 3. Schematic showing a method of generating a high-efficiency compound CAR (cCAR). HEK-293-FT cells are transfected with compound CAR plasmid DNA and lipofectamine 2000; viral supernatant collected at about 36 hr and at about 60 h; filtered and stored at -80°C . T cells are activated with anti-mouse CD3 antibody and IL-2 for at least 2 days. Activated T cells are transduced at least once

with thawed lentivirus on retronectin-coated plates; After at least one overnight transductions at 0.3×10^6 T cells/mL for about 2 days, the number of T cells was reduced in order to increase transduction efficiency. After transduction, cells are washed and expanded; Flow analysis (F(ab')₂ labeling) is done to confirm CAR efficiency on day 3; total 5-7 day expansion. cCAR T cells are co-cultured with target cells in vitro and cCAR T cells killing efficacy of cancer cells is assessed in vivo (mice).

[0022] FIG. 4. A co-culture assay representing the incubation of CD33CD123-2G CAR-T cells (cCAR) with the promyelocytic leukemia cell line HL60. cCAR-T cell (lower panel) is compared to control GFP transduced T-cell (upper panel). The efficacy of the killing is measured by the population of CD33+ cells that is left over after incubation for about 24 hours (enclosed in yellow circles).

[0023] FIG. 5. A co-culture assay representing incubation of cCAR-T cells with the myelogenous leukemia cell line KG-1a, which expresses about 100% CD33 and about 50-80% CD123. cCAR-T cell (lower panel) is compared to control GFP transduced T-cell (upper panel). The efficacy of the killing is measured by the population of CD33+ cells that is left over after incubation for about 24 hours.

[0024] FIG. 6. CD33CD123 cCAR-T cells co-cultures with AML-9 at 5:1. A co-culture assay representing incubation of cCAR-T cells with AML patient samples (here referred to as AML-9). The patient cells include mixed populations of cells, such as for example, leukemia cells, monocytes, and other types of blasts. CD33 acts as a marker for CAR-T action as well as CD34, a specific marker for leukemia cells. The CAR-T panel (right) is compared to control GFP transduced T-cells (middle). The efficacy of the killing is measured by the population of CD33+/CD34+ cells that is left over after incubation for at least 24 hours.

[0025] FIG. 7. CD33CD123 cCAR-T cells co-cultures with Sp-BM-B6 at 5:1. A co-culture assay representing incubation of cCAR-T cells with B-ALL patient samples (here referred to as Sp-BM-B6). The patient cells include mixed populations of cells, such as, for example, leukemia cells, monocytes, and other types of blasts. CD34 acts as a specific marker for leukemia cells. The CAR-T panel (right) is compared to control GFP transduced T-cells (middle). The efficacy of the killing is measured by the population of CD34+ cells left over after incubation for at least 24 hours.

[0026] FIG. 8. CD33CD123 cCAR expression in NK-92 cells. The CD33CD123 cCAR expression are detected using goat-anti-mouse antibody, F(ab)₂.

[0027] FIG. 9. A co-culture assay representing incubation of CD33CD123 cCAR NK-92 cells with HL-60. The cCAR NK-92 cells are compared with GFP transduced NK-92 cells. The efficacy of the killing is measured by the population of CD33+ cells left over after incubation for about 24 hours.

[0028] FIG. 10. A co-culture assay representing incubation of cCAR NK-92 cells with KG1a. The cCAR NK cell panel is compared with GFP transduced NK-92 cells. The efficacy of the killing is measured by the population of CD33+ cells left over after incubation for about 24 hours.

[0029] FIG. 11. Dose response of CD33CD123 cCAR (CAR-CD33/123) NK-92 cells with HL-60 or KG1a. The efficacy of the killing is measured by the population of CD33+ cells left over after incubation for about 24 hours.

[0030] FIG. 12. A comparison of CD33CD123 cCAR NK-92 cell killing ability with control in two populations of

KG11 cells. Assays were performed at different ratios of CAR-CD33/123 (CD33CD123 cCAR NK-92 cells) and target cells, KG1a. The efficacy of the killing is measured by the population of CD33+CD123+ or CD33+CD123-cells left over after incubation for about 24 hours.

[0031] FIG. 13A. Links by P2A and T2A schematic showing both cCAR-T and 4-1BBL in a single construct. The construct consists of a SFFV promoter driving the expression of two modular units of CARs A peptide and an enhancer, 4-1BBL. Upon cleavage of the linkers, the cCARs and 4-1BBL split and engage upon targets expressing CD33 and/or CD123 and 4-1BBL. Compound CAR, CD33CD123 CAR T cells received not only costimulation through the CD28 but also 4-1BB ligand (4-1BBL or CD137L). The CD3-zeta signaling domain complete the assembly of this CAR-T.

[0032] FIG. 13B. Expression the CD33CD123-41BBL-2G construct in T-cells. T-cells derived from peripheral blood from healthy donors were transduced with the CD33CD123-4-1BBL-2G construct in 6-well plates incubated with 2 ml of virus supernatant. CAR expression was assayed with F(ab)' labeling for surface expression of the CAR protein and subsequently underwent FACS analysis. Transduced cells were compared to control T-cells labeled at the same time. Expression was determined and transduced population encircled on plot 1 day after end of transduction period.

[0033] FIG. 14. Links by P2A and T2A schematic showing both cCAR-T and IL-15/IL-15sushi in a single construct. The construct consists of a SFFV promoter driving the expression of two modular units of CARs and an enhancer, IL-15/IL-15sushi. Upon cleavage of the linkers, the cCARs and IL-15/IL-15sushi split and engage upon targets expressing CD33 and/or CD123. The CD3-zeta signaling domain completes the assembly of this CAR-T. The enhancers include, but not limited to, IL-15/IL-15sushi on cCAR.

[0034] FIG. 15. A schematic representation of cCAR. The construct comprises a SFFV promoter driving the expression of multiple modular units of CARs linked by a linker. Upon cleavage of the linker, the cCARs split and engage upon targets expressing combinations of various target antigens: CD19 and/or CD20, and/or CD22 and/or 138. Multiple cCARs utilize the same or different co-stimulatory domains, such as, without limiting 4-1BB (also labeled as 4-BB) and/or CD28.

[0035] FIG. 16. Activated T cells transduced to make CD19CD20-2G, CD19CD22-2G CAR T cells (all are L8). (16A) Design of compound CARs. (16B) Western blot. HEK-293T cells were transfected with lentiviral plasmids for control vector (lane 1), CD19CD20-2G (lane 2), and CD19CD22-2G (lane 3). 48 hours after transfection, supernatant was removed, and cells were also harvested. Cells were lysed for Western blot and probed with mouse anti-human CD3z primary antibody, and goat anti-mouse HRP secondary antibody. (16C) PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), CD19CD20-2G (middle), or CD19CD22-2G, (right) lentiviral supernatant. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed

and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2).

[0036] FIG. 17. Expression of compound CD19CD22CAR T cells using different leader sequences. PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), L8-CD19CD22-2GCAR (middle left), L45-CD19CD22-2GCAR, (middle right) or CSF-CD19CD22-2GCAR (right) lentiviral supernatant. The supernatants were each 3x concentrated. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2).

[0037] FIG. 18. Comparison of transduction efficiency using concentrated vs unconcentrated L8-CD19CD22-2G or L8-CD19CD20-2G lentiviral supernatant. A. PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), unconcentrated (middle) L8-CD19CD22-2GCAR or 3x concentrated L8-CD19CD22-2GCAR (right) lentiviral supernatant. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2). B. The same experiment was used for constructs containing L8-CD19CD20-2G unconcentrated or 2.5x concentrated lentiviral vector.

[0038] FIG. 19. L8-CD19CD22-2G CAR T cells lyse SP53 tumor cells in overnight co-culture. Activated PMBC T cells transduced with either control (top row), L8-CD19CD22-2G, or (bottom row) lentiviral supernatant were incubated with SP53 cells at the ratios of 1:1 (left) 2:1 (middle) and 5:1 (right), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. SP53 cells alone are shown on the far upper right, and a summary of percent lysis at each ratio is on the lower right. (N=2).

[0039] FIG. 20. L8-CD19CD22-2G CAR T cells lyse JeKo-1 tumor cells in overnight co-culture. Activated PMBC T cells transduced with either control (left), or L8-CD19CD22-2G, (middle) 3x concentrated lentiviral supernatant were incubated with JeKo-1 cells at the ratios of 2:1 (top) and 5:1 (bottom), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. JeKo-1 cells alone and a summary of cell lysis are shown on the right. (N=2).

[0040] FIG. 21. L8-CD19CD22-2G CAR T cells lyse AML patient cells in overnight co-culture. Activated PMBC T cells transduced with either control (left), or L8-CD19CD22-2G, (middle) 3x concentrated lentiviral supernatant were incubated with CMTMR-stained cells from a patient diagnosed with AML (PT1) at the ratios of 2:1 (top) and 5:1 (bottom), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained

with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. Patient cells alone and a summary of cell lysis are shown on the right. (N=2). **[0041]** FIG. 22A. L8-CD19CD22-2G CAR T cells deplete CD19+B-ALL patient cells. Activated PMBC T cells transduced with either control (left), or L8-CD19CD22-2G, (middle) lentiviral supernatant were incubated with CMTMR-stained cells from a patient with B-ALL (PT2) at a 1:1 ratio for 4 days in the presence of 2.5% FBS and IL-2. Following this incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. Prestained patient cells cultured alone for 4 days are shown on the right.

[0042] FIG. 22B. L-8-CD19CD22-2G cCAR T-cells show effect on CD22⁺ K562 cells. An artificial K562 expressing CD22 cell line (K562xp22) via transduction into wild-type K562 cells was generated. Subsequently, we tested the anti-tumor properties of the CD19CD22 cCAR to target the minor CD22⁺ population of the K562 cells. A co-culture experiment at 1:1 ratio (effective:target) show a modest significant cytotoxic effect on K562 expressing CD22 population compared to the control. Co-cultures were stained with CD3, CD19 and CD22 to separate effector and target populations by flow cytometry. The result was graphed. Cytotoxicity results remain consistent with other numbers reported for anti-tumor activity against artificial antigen presenting cell lines.

[0043] FIG. 23. Various transduction schemes for BC1cCAR lentivirus. (A) Method 1 consisting of a 2× transduction for 24 hours each time is a baseline transduction scheme. Scheme proceeds according to the figure. (B) Method 2 possesses the same methodology as Method 1, however, the second transduction is replaced by continued incubation. (C) Method 2 revised uses viral supernatant incubated with cells directly for 48 hours.

[0044] FIGS. 24A-24C: CAR construct scheme and comparison of transduction methodologies. (24A) BC1cCAR's modular design consists of an anti-CD269 (BCMA) single-chain variable fragment (scFv) region fused to an anti-CD319 (CS1) scFv by a self-cleaving P2A peptide, CD8-derived hinge (H) and transmembrane (TM) regions, and tandem CD28 and 4-1BB co-activation domains linked to the CD3ζ signaling domain. A strong spleen focus forming virus promoter (SFFV) and a CD8 leader sequence were used for efficient expression of the CD3CAR molecule on the T-cell surface. (24B) BC1cCAR's expression was measured via flow cytometry against an isotype control. Population encircled represents transduced CAR cells. (24C) Transduction efficiency is improved by optimal methods.

[0045] FIG. 24D. Protein expression of BC1cCAR and BCMA-CS1-2G in HEK-293FT cells. HEK-293FT cells were transfected with lentiviral plasmids for GFP (lane 1), BC1cCAR (lane 2) 48 hours after transfection, supernatant was removed, and cells were also removed. Cells were lysed for Western blot and probe with mouse anti-human CD3z antibody. C. Transduction efficiency is improved by optimal methods.

[0046] FIGS. 25A-25C. in vitro evaluation of BC1cCAR T-cells against myeloma cell lines. (25A) BC1cCAR and control T-cells were cultured with highly BCMA positive MM1S and RPMI-8226 cells for 24 hours at E:T ratios of 2:1 and 5:1. Target MM1S and RPMI-8226 cells were stained by Cytotracker dye (CMTMR) to distinguish it from

effector T-cells. Populations were gated by anti-BCMA (CD269) and anti-CS1 (CD319 antibodies) along with CMTMR-PE. Target U266 cells were labeled with Cytotracker (CMTMR) dye to distinguish it from effector T-cells. Encircled populations represent tumor cells. (25B) U266 target depletion. BC1cCAR and control T-cells were also incubated with U266 cells expressing BCMA and a subset of CS1. Target tumor cells were stained as described above and gating conditions applied similarly. Tumor populations are encircled. (25C) In vitro summary of BC1cCAR T activity against human myeloma cell lines. Graphical summary of BC1cCAR T-cell in vitro cytotoxicity against various myeloma cell lines at 2:1 and 5:1 E:T ratios.

[0047] FIGS. 26A-26D. Characterization of BC1cCAR T-cell anti-tumor activity against primary myeloma tumor cells. (26A) Dose dependent effect on MM7-G primary double phenotype tumors. BC1cCAR and control T-cells were cultured against BCMA⁺ CS1⁺ primary myeloma cells MM7-G for 24 hours. Target cells were pre-stained with CMTMR and cultures were carried out in E:T ratios of 2:1, 5:1, and 10:1. Populations were gated by BCMA and CS1, along with CMTMR, and flow cytometry plots with populations encircled represent target tumor populations (left). Bar graph summarizing in vitro cytotoxicity is shown for clarity (right). (26B) Population specific depletion in MM10-G. Co-cultures with MM10-G primary tumor cells were carried out in similar conditions. When stained with anti-CS1 and anti-BCMA antibody, MM10-G reveal distinct populations. BCMA⁺ CS1⁺ double positive populations are colored purple whilst CS1⁺ only populations are colored dark blue. BC1cCAR T-cell cytotoxicity against each population is summarized in the bar graph below. (26C) Dose dependent effect on CS1dim BCMA^{neg}. MM11-G primary tumor. A third experiment using BCMA^{dim}CS1^{dim} primary cells (MM11-G) further shows BC1cCAR cytotoxicity effects over a range of E:T dosages summarized. (26D) Summary panel graph showing BC1cCAR T-cell cytotoxicity against myeloma cell lines and primary tumor cells with a variety of BCMA and CS1 compositions.

[0048] FIGS. 27A-27D. Functional validation of BC1cCAR antigenic specificity. (27A) We engineered a CML cell line, K562, to express either BCMA or CS1 independently. Wild-type K562 shows as a negative peak, while BCMA expressing K562 (BCMAxpK562) and CS1 expressing K562 (CS xpK562) show population shifts in their respective antigen expression ranges. (27B) Short term (4 hour-12 hour) cultures of BC1cCAR T-cells against either BCMAxpK562 or CS1 xpK562 show antigen specific cytotoxicity correlating with E:T dosage increase. Experiments against wild-type K562 were performed as a negative control. A CS1-specific single CAR was generated to compare efficacy with BC1cCAR against CS1xpK562 cells and are delineated with red bars in the respective plot. Anti-CS1 specific activity was also seen against CS1^{dim} NK-92 cells after 24 hours of culture. (27C) Comparison between single antigen CARs and BC1 cCAR T in mixed cell assays. Long-term cultures were conducted over a 48 hour period with a 5:1 mixture of BCMAxpK562 cells and CS1xpK562 cells. BC1cCAR, CS1-CAR, BCM A-CAR, and control T-cells were added at a 5:1 E:T ratio to each treatment well and flow cytometry analyses acquired. Histogram plots showing residual populations of BCMA or CS1 cells are shown per treatment condition, with red lines demarcating T-cell or target tumor populations. Numerical values in

histogram plots represent residual gated populations of target tumor cells. (27D) BC1 cCAR T activity against CS1 subsets in primary bone-marrow aspirate. Further co-culture experiments were conducted using bone-marrow aspirate samples as CS1 expressing minority subsets. BC1 cCAR or control T-cells were added at 2:1 (left panel), 5:1 (middle panel), or 10:1 (right panel) ratios and encircled populations represent target CS1 expressing populations. Results are analyzed by flow cytometry (upper). Summary graph of anti-CS1 activity against bone marrow subsets (below).

[0049] FIGS. 28A-28C: Long-term sequential killing assay and tumor re-challenge. (28A) Scheme for construction of long-term sequential killing assay. Assay was conducted over a period of 168 hours with no exogenous cytokines where the initial culture was set-up with a 1:1 E:T ratio of CAR cells or control cells mixed with MM1S tumor cells. After 48 hours, flow cytometry analysis was acquired for a small sample collection and MM1S cells re-introduced into each treatment well. Repeated until the 168 hour time-point. (28B) T-cell proliferation and response after 48 hours. Images were taken on day of flow cytometry acquisition and cells were stained with anti-BCMA, anti-CS1, and anti-CD3 antibodies MM1S cells express as highly BCMA⁺ with a large CS1⁺ proportion. Encircled populations represent the MM1S tumor presence, colored blue. (28C) CAR cell proliferation and antigen depletion after 108h. Similar image acquisition and flow cytometry analysis was performed at the 108 hour time mark.

[0050] FIG. 29A-29C. BC1cCAR T-cells demonstrate anti-leukemic effects in vivo. (29A) IVIS imaging of MM1S Luc⁺ injected mouse model. NSG mice were sublethally irradiated and intravenously injected with luciferase-expressing MM1S multiple myeloma cells to induce measurable tumor formation. After 3 days, the mice were intravenously injected with 5×10^6 BC1cCAR T-cells or control GFP T-cells. On days 3, 6, 8 and 11, mice were injected subcutaneously with RediJect D-Luciferin and subjected to IVIS imaging. (29B) BC1cCAR T-cells control MM1S tumor growth. Average light intensity measured for the BC1cCAR T-cells injected mice was compared to that of GFP control T-cell injected mice. (29C) BC1cCAR T-cells improve murine survival outlook. Percent survival of mice was measured and compared between the two groups and log-rank mantel-cox test was conducted to calculate significance of improved survival outlook.

[0051] FIG. 29D. BCMA-CAR and BC1 cCAR T-cells demonstrate a profound anti-leukemic effect on a mixture of K562 cells expressing BCMA and CS1 in xenograft mouse model. Luciferase positive K562 cells expressing BCMA are mixed with luciferase positive K562 cells expressing CS1 at a ratio of 4:1 BCMA to CS1 K562 cells. The mixed K562 cells (0.5×10^6 cells) were then injected intravenously (day 1) at 24 h later after sub-lethal irradiation. After day 3, a course of BCMA CAR T-cells, BC1cCAR T-cells or control T-cells were intravenously injected into each mouse (n=5 for each group). Dorsal side of tumor burden was measured using IVIS imaging system at days 3, 7, 10 and 12. At day 7 BCMA mouse #3 has large tumor. At day10 Dorsal BCMA vs control=47.7% less tumor, cCAR vs control=53.8% less tumor. At day 12 RESULTS (ventral view only) Dorsal BCMA vs control=43.8% less tumor, cCAR vs control=60.7% less tumor

[0052] FIG. 29E. BCMA and BC1 cCAR T-cells in vivo significant reduction of tumor burden. Percent reduction

relative to control in mice treated with BCMA CAR T-cells or cCAR (BC1 cCAR) relative to control over time.

[0053] FIGS. 30A-30B: BC1cCAR transduction into NK-92 cells. (30A) BC1cCAR's modular design is comprised as shown and described previously. (30B) CAR expression on NK-92 cell surface. The construct was transduced into NK-92 cells by incubating with viral supernatant for 48 hours and labeling with F(ab)' antibody detection for CAR protein surface expression. Transduced populations are encircled and compared to control NK-92 cells.

[0054] FIGS. 31A-31B. Characterization of BC1cCAR NK-92 anti-tumor properties. (31A) BC1cCAR NK cells lyse myeloma cell lines and primary cells. BC1cCAR NK-92 cells were incubated against U266, RPMI-8226, and MM1S myeloma cell lines in addition to primary MM7-G tumor cells. Co-cultures were carried out over 2 hours at an E:T ratio of 5:1 and labeled with anti-CS1 and anti-BCMA antibodies to separate out populations. Tumor populations are encircled. MM7-G primary tumor cells were stained with cell cytotracker dye (CMTMR) to distinguish from NK-92 cells and are encircled. Summary bar graph of BC1cCAR NK-92 cytotoxic activity is presented as a visualization aid. (31B) BC1cCAR NK-92 cells were tested for antigen specific activity using artificially generated BCMA expressing K562 (BCMAxpK562) and CS1 expressing K562 (CS1xpK562) cells. Co-cultures were carried out over 4 hours at an E:T ratio of 5:1. K562 populations were previously stained with CMTMR and encircled in the flow cytometry plots. Bar graph summarizing anti-tumor activity to visualize.

[0055] FIGS. 32A-32C. Generation and characterization of different BAFF-CAR constructs. (32A) L45-BAFF-28 CAR expression T-cell surface. L45-BAFF-28 CAR was transduced into T-cells and evaluated for surface expression using F(ab)' antibody. Gating was compared to controls. (32B) CAR expression dependence on leader sequence. BAFF-CAR constructs using different leader sequences were tested to determine if efficiency in transduction could be improved. Surface detection was evaluated using F(ab)' antibody and transduced populations encircled. (32C) CAR expression dependence on construct design. Additional BAFF-CAR constructs containing different leader sequences and construct designs (additional units) were validated and used to determine if CAR transduction could be improved. Transduced populations are encircled and gating compared to control T-cells. CSF-BAFF-28 41BBL is a BAFF CAR co-expressing 4-1BBL (41BBL) with a CSF leader sequence. CSF-BAFF-28 IL-15RA is a BAFF CAR co-expressing IL-15/IL-15sushi (IL-15RA) with a CSF leader.

[0056] FIG. 33: Characterization of L45-BAFF-28 CAR T anti-tumor properties. (33A) L45-BAFF-28 CAR T-cells possess anti-tumor activity against MM1S tumor cells. L45-BAFF-28 CAR T-cells were cultured for 48 hours at an E:T ratio of 3:1 against MM1S myeloma cells. Duplicate samples are shown. Cytotoxic activity is summarized in the bar graph.

[0057] FIGS. 34A-34B: Characterization of anti-tumor activity using different BAFF-CAR constructs and enhancements. (34A) BAFF-CAR constructs against MM1S cells. L8-BAFF-28IL-15/IL-15sushi and L8-BAFF-28-41BBL CARs were cultured for 24 hours against MM1S tumor cells at an E:T ratio of 5:1. Tumor populations are encircled. (34B) BAFF-CAR constructs against SP53 cells. Both

CARs and L45-BAFF-28 CAR were cultured against Sp53 tumor cells (B-lineage) at an E:T ratio of 5:1 for 24 hours. (34C) Summary bar graph of cytotoxic activity.

[0058] FIG. 35. A schematic showing cCAR construct. The construct consists a SFFV promoter driving the expression of two modular units of CAR linked by a P2A peptide. Upon cleavage of this P2A peptide, the cCARs split and engage upon targets expressing BCMA and/or CD19. Two unit CARs use different or same co-stimulatory domain. A co-stimulatory domain could be, but limited to, 4-1BB or CD28.

[0059] FIGS. 36A-36B. Characterization of the BCMA CAR unit. (36A) BCMA CAR effectively deplete BCMA+ MM1S cells. The BCMA CAR was transduced into T-cells and co-cultured with MM1S tumor cells. A CS1 CAR was also generated and used for robustness. MM1S cells are significantly dual positive for both BCMA and CS1. Co-cultures were conducted over 48 hours with BCMA and CS1 antibodies used to identify tumor centers. Encircled populations represent residual MM1S tumor cells after culture. (36B) BCMA CAR effectively lyses BCMA+ primary tumor cells. (36B) The BCMA CAR and CS1 CAR were also evaluated for its anti-tumor properties against primary MM7-G myeloma patient cells. The MM7-G population is a majority BCMA+ CS1 population with minority but significant CS1+ only populations as well. Both BCMA CAR and CS1 CAR were used in tandem to evaluate cytotoxicity with BCMA and cytotracker (CMTMR) used to differentiate tumor populations from CAR cells.

[0060] FIGS. 37A-37C. Characterization of CD19 CARs. (37A) Design of CD19CAR unit. (37B) Western blot. HEK-293T cells were transfected with lentiviral plasmids for control vector (lane 1) and CD19-2G (lane 2). 48 hours after transfection, supernatant was removed, and cells were also harvested. Cells were lysed for Western blot and probed with mouse anti-human CD3z primary antibody, and goat anti-mouse HRP secondary antibody. C. PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), L8-CD19-2G (middle left), L8-CD19CD20-2G, (middle right) or L8-CD19CD22-2GCAR (right) lentiviral supernatant. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2)

[0061] FIGS. 38A-38B. Expression of compound CD19CAR T cells using different leader sequences. (38A) CAR constructs were designed to express the fusion protein with different leader sequences. (38B) PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), HA-CD19-2G (top middle), IL2-CD19-2G (top right), L8-CD19-2G (lower middle left), L45-CD19-2G, (lower middle right) or CSF-CD19-2GCAR (lower right) lentiviral supernatant. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2)

[0062] FIGS. 39A-39B. Expression of CD19CAR on T cells using different CD19 scFv sequences. (39A) CAR constructs were designed to express the fusion protein with different scFv sequences. (39B) PMBC buffy coat T cells were activated 3 days with anti-CD3 antibody. Cells were transduced with either control vector (left), L8-CD19-2G (middle), IL2-CD19-2G (top right), or L8-CD19b-BB-2G (right) lentiviral supernatant. After 3 days of incubation, cells were harvested and incubated with goat anti-mouse Fab2 or goat IgG antibodies conjugated with biotin for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE and mouse anti-human CD3-PerCp for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry to determine CAR efficiency. (N=2)

[0063] FIG. 40. L8-CD19-2G and CD19b-BB CAR T cells lyse SP53 tumor cells in overnight co-culture. Activated PMBC T cells transduced with either control (left), L8-CD19-2G, (middle) or L8-CD19b-BB-2G (right) lentiviral supernatant were incubated with SP53 cells at the ratios of 2:1 (top) and 5:1 (bottom), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. SP53 cells alone and a summary of cell lysis are shown on the far right. (N=2)

[0064] FIG. 41. L8-CD19-2G and CD19b-BB CAR T cells lyse JeKo-1 tumor cells in overnight co-culture. Activated PMBC T cells transduced with either control (left), L8-CD19-2G, (middle) or L8-CD19b-BB-2G (right) lentiviral supernatant were incubated with JeKo-1 cells at the ratios of 2:1 (top) and 5:1 (bottom), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. JeKo-1 cells alone and a summary of cell lysis are shown on the far right. (N=2).

[0065] FIG. 42. L8-CD19-2G and L8-CD19b-BB-2G CAR T cells lyse AML patient cells in overnight co-culture. Activated PMBC T cells transduced with either control (left), L8-CD19-2G, (middle) or L8-CD19b-BB-2G (right) lentiviral supernatant were incubated with CMTMR-stained cells from a patient with AML at the ratios of 2:1 (top) and 5:1 (bottom), effector:target cells. After 24 hours of incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. Prestained patient cells alone and a summary of cell lysis are shown on the far right. (N=2).

[0066] FIG. 43. L8-CD19-2G and L8-CD19b-BB-2G CAR T cells deplete CD19+ patient cells. Activated PMBC T cells transduced with either control (left), L8-CD19-2G, (middle) or L8-CD19b-BB-2G (right) lentiviral supernatant were incubated with CMTMR-stained cells from a patient with B-ALL. L8-CD19-2G T cells were incubated with patient cells at a 1:1 ratio for overnight (top), while L8-CD19b-BB-2G T cells were incubated with patient cells at a 5:1 ratio for 40 hours (bottom). Following this incubation at 37° C., samples were washed and stained with anti-human CD3-PerCp and anti-human CD19-APC, washed, and analyzed by flow cytometry. Prestained patient cells alone are shown on the far right. (N=2).

[0067] FIG. 44. A schematic showing cCAR construct. The construct consists a SFFV promoter driving the expres-

sion of two modular units of CAR linked by a P2A peptide. Upon cleavage of this P2A peptide, the cCARs split and engage upon targets expressing BCMA and/or CD19b. Two unit CARs use different or same co-stimulatory domain. A co-stimulatory domain could be 4-1BB or CD28.

[0068] FIGS. 45A-45C. Generation and characterization of different BAFF-CAR constructs. (45A) L45-BAFF-28 CAR was transduced into T-cells and evaluated for surface expression using F(ab)' antibody. Gating was compared to controls. (45B) BAFF-CAR constructs using different leader sequences were tested to determine if efficiency in transduction could be improved. Surface detection was evaluated using F(ab)' antibody and transduced populations encircled. (45C) Additional BAFF-CAR constructs containing different leader sequences and construct designs (additional units) were validated and used to determine if CAR transduction could be improved. Transduced populations are encircled and gating compared to control T-cells. CSF-BAFF-28 41BBL is a BAFF CAR co-expressing 4-1BBL (41BBL) with a CSF leader sequence. CSF-BAFF-28IL-15/IL-15sushi—is a BAFF CAR co-expressing IL-15/IL-15sushi with a CSF leader.

[0069] FIGS. 46A-46B: L45-BAFF-28 CAR T-cells possess anti-tumor activity against MM1S tumor cells. Characterization of L45-BAFF-28 CAR T anti-tumor properties. (46A) BAFF CAR cytotoxic activity in vitro summarized from (46B). (46B) L45-BAFF-28 CAR T-cells possess anti-tumor activity against MM1S tumor cells. L45-BAFF-28 CAR T-cells were cultured for 48 hours at an E:T ratio of 3:1 against MM1S myeloma cells. Duplicate samples are shown.

[0070] FIGS. 47A-47B Characterization of anti-tumor activity using different BAFF-CAR constructs and enhancements. (47A) L8-BAFF-28IL-15/IL-15sushi and L8-BAFF-28 4-1BBL CARs were cultured for 24 hours against MM1S tumor cells at an E:T ratio of 5:1. Tumor populations are encircled. (47B) Both CARs and L45-BAFF-28 CAR were cultured against Sp53 tumor cells (B-lineage) at an E:T ratio of 5:1 for 24 hours.

[0071] FIG. 48. CRISPR/Cas9 interference system. The expression of sgRNA and Cas9 puromycin is driven by the U6 and SFV promoters, respectively. The Cas9 is linked with puromycin resistant gene by E2A self-cleaving sequences.

[0072] FIG. 49A. Steps of generation of CAR T or NK cell targeting hematologic malignancies.

[0073] FIG. 49B. Generation and cell sorting of stable CD45 knockdown NK-92 cells using CRISPR/Cas9 lentivirus system. Flow cytometry analysis indicated the CD45 expression levels on NK-92 cell surface (left panels). After transduced sgCD45B CRISPR into NK-92 cells, transduced cells were cultured in medium containing puromycin for a few weeks. CD45 negative NK-92 cells were determined using CD45 antibody and were sorted. The purity of stable NK⁴⁵ⁱ-92 (CD45 knockdown) NK-92 cells were determined by Flow cytometry analysis (right panel). This data showed that we we successfully generated and obtained NK⁴⁵ⁱ-92 cells.

[0074] FIG. 50. Cell growth curve of wild type, GFP transduced NK-92 or NK⁴⁵ⁱ-92NK cells. To evaluate the effect for cell proliferation caused by CD45-knockdown (KD) in NK-92 cells, the number of cells of NK-92 (●), GFP-transduced NK-92(■) and NK⁴⁵ⁱ-92(▲) were counted at 48 h and 96 h after seeding into 24 well plates. IL-2 was

added at 48 h time point. (n=3 independent experiments performed in duplicate). Data are mean±S.D. These data indicated that knockdown of CD45 receptor on NK-92 show similar cell growth curve compared to non-transduced NK-92 or GFP-transduced NK-92 cells. 24 well, duplicate, n=3 IL-2 was added at 48 hr time point.

[0075] FIGS. 51A-51B. Co-culture assay with CCRF-CEM (target: T) and GFP NK-92 or GFP NK⁴⁵ⁱ-92 cells (effector: E) at 5:1 (E:T) ratio and 16 hour incubation. (51A) Flow cytometry analysis of CCRF-CEM only (blue dot in left panel), in co-culture with CCRF-CEM and control GFP transduced NK-92 cells (middle panel) or GFP NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target CCRF-CEM cells and red dots shows effector cells by co-culture assay. The majority of the blue dots are in the upper left square of each experiment. All of incubation time were 16 h and the ratio of effector T-cells:target cell is 5:1. All experiments were performed in duplicate. (51B) Bar graph indicates the percent of cell lysis by the GFP transduced NK⁴⁵ⁱ-92 cells compared to the control GFP transduced NK92 cells in co-culture assay with CCRF-CEM. These data suggest that knockdown of CD45 in NK-92 cells does not show a significant difference for killing activity against CCRF-CEM cells compared to GFP-control NK-92 cells in vitro co-culture assay.

[0076] FIGS. 52A-52B. Co-culture assay with CCRF-CEM (target: T) and GFP NK-92, CD5CAR NK-92 or CD5CAR NK⁴⁵ⁱ-92 cells (effector: E) at 5:1 (E:T) ratio and 16 hour incubation. (52A) Flow cytometry analysis of CCRF-CEM only (left panel), in co-culture with CCRF-CEM and control GFP NK-92 cells (middle left panel), CD5CAR NK-92 cells (middle right panel), CD5CAR NK⁴⁵ⁱ-92 cells (right panel) from right to left. Blue dots in all of panels indicates the leftover target CCRF-CEM cells and red dots shows effector cells by co-culture assay. All of incubation time were 16 h and the ratio of effector T-cells: target cell is 5:1. All experiments were performed in duplicate. (52B) Bar graph indicates the percent of cell lysis by the CD5CAR NK-92 cells or CD5CAR NK⁴⁵ⁱ-92 cells compared to the control GFP NK92 cells in co-culture assay with CCRF-CEM. Data are mean±S.D. Both of CD5CAR NK-cells and CD5CAR NK⁴⁵ⁱ-92 cells shows near to 100% cell killing activity against CD5-positive CCRF-CEM compared to control GFP NK-92 cells. These data suggest that CD5CAR NK-cells and CD5CAR NK⁴⁵ⁱ-92 cells can effectively lyse CCRF-CEM cells that express CD5 compared to GFP-control NK-92 cells in vitro co-culture assay and prof that knockdown of CD45 does not affect cell function for killing activity in NK-92 cells.

[0077] FIGS. 53A-53B. Organization of the CD45CAR construct and its expression. (53A) Schematic representation of the CD45CAR lentiviral vector. The CD45CAR construct is a modularized signaling domain containing: a leader sequence, an anti-CD45scFv, a hinge domain (H), a transmembrane domain (TM), two co-stimulatory domains (CD28 and 4-1BB) that define the construct as a 3rd generation CAR, and the intracellular signaling domain CD3 zeta. (53B), HEK-293FT cells were transfected with lentiviral plasmids for GFP (lane 1) and CD45CAR (lane 2). 48 hours after transfection, supernatant was removed, and cells were also removed. Cells were lysed for Western blot and probe with mouse anti-human CD3z antibody.

[0078] FIG. 54. Transduction of CD45CAR into NK⁴⁵ⁱ-92 cells and cell sorting of CD45CAR transduced cells. The

expression levels of CD45CAR on NK⁴⁵ⁱ-92 were determined by flow cytometry analysis (circled in blue at middle panel) compared to NK⁴⁵ⁱ-92 cells (left panel) after CD45CAR lentiviruses were transduced into NK⁴⁵ⁱ-92 cells. CD45CAR expressed NK⁴⁵ⁱ-92 cells were sorted and CD45 expression levels on cell surface were determined by Flow cytometry analysis (right panel). About 87% of CD45CAR expression on cell surface was detected by flow cytometry analysis.

[0079] FIGS. 55A-55B. Co-culture assay with CCRF-CEM (target: T) and GFP NK-92 or CD45CAR NK⁴⁵ⁱ-92 cells (effector: E) at 5:1 (E:T) ratio and 16 hour incubation. (55A) Flow cytometry analysis of in co-culture with CCRF-CEM and control GFP transduced NK-92 cells (left panel) or CD45CAR NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target CCRF-CEM cells and red dots shows effector NK-92 cells by co-culture assay. All of incubation time were 16 h and the ratio of effector T-cells:target cell is 5:1. All experiments were performed in duplicate. (55B) Bar graph indicates the percent of cell lysis by CD45CAR NK⁴⁵ⁱ-92 cells compared to the control GFP NK-92 cells in co-culture assay with CCRF-CEM. Data are mean±S.D. CD45CAR NK⁴⁵ⁱ-92 cells shows about 70% cell lysis against CCRF-CEM cells compared to control GFP NK-92 cells. These data suggest that CD45CAR NK⁴⁵ⁱ-92 cells effectively lyse CCRF-CEM cells that express CD45 compared to GFP-control NK-92 cells in vitro co-culture assay.

[0080] FIGS. 56A-56C. Co-culture assay with Jurkat cells (target: T) and GFP-control or CD45CAR NK⁴⁵ⁱ-92 cells (effector: E) at 5:1 or 2:1 (E:T) ratio and 6 hour incubation. (56A) Flow cytometry analysis was carried out after Jurkat cells were stained by CMTMR cell tracker dye. These data show that Jurkat cells are CD45 positive (left panels) and mostly CD56 negative cells (right panel). (56B) Flow cytometry analysis of co-culture assay with Jurkat cells (target: T) and control or CD45CAR NK⁴⁵ⁱ-92 cells (effector: E). The ratio of co-culture assay was performed in 5:1 or 2:1 (E:T). Left panels showed that in co-culture with control GFP or CD45CAR/CD45KD NK-92 cells in 5:1 (E:T) ratio and right panels indicated that in co-culture with control GFP or CD45CAR NK⁴⁵ⁱ-92 cells in 2:1 (E:T) ratio. Blue dots in panels indicate the leftover target Jurkat cells and red dots represent effector cells by co-culture assay. All of incubation time were 6 h. All experiments were performed in duplicate. (56C) Bar graph shows percent cell lysis by CD45CAR NK⁴⁵ⁱ-92 cells compared to control GFP NK-92 cells at in 5:1 or 2:1 (E:T) ratio. Data are mean±S.D. CD45CAR NK⁴⁵ⁱ-92 cells shows about 60% cell lysis against Jurkat cells compared to control GFP NK-92 cells in both conditions. This data suggests that CD45CAR NK⁴⁵ⁱ-92 cells effectively lyse Jurkat cells that express CD45 on cell surface compared to GFP-control NK-92 cells in vitro co-culture assay.

[0081] FIG. 57A-57C. Co-culture assay with GFP-NK-92 cells (target: T) and non-transduced NK-92 cells or CD45CAR NK⁴⁵ⁱ-92 cells (effector: E) at 5:1 or 2:1 (E:T) ratio, 6 hour incubation. (57A) Flow cytometry analysis was carried out using GFP control NK-92 cells. These data prove that GFP control NK-92 cells are about 99% GFP positive cells (green dots). (57B) Flow cytometry analysis of co-culture assay with GFP control NK-92 cells (target: T) and non-transduced or CD45CAR NK⁴⁵ⁱ-92 cells (effector: E). The ratio of co-culture assay was performed in 5:1 (57A) or

2:1 (E:T) (57C). Left panels showed that in co-culture with non-transduced or CD45CAR NK⁴⁵ⁱ-92 cells in 5:1 (E:T) ratio and right panels indicated that in co-culture with non-transduced or CD45CAR NK⁴⁵ⁱ-92 cells in 2:1 (E:T) ratio. Green dots in panels indicate the leftover target GFP NK-92 cells and red dots represent effector cells by co-culture assay. All of incubation times were 6 h. All experiments were performed in duplicate. (57C) Bar graph shows percent cell lysis of GFP NK-92 cells by CD45CAR NK⁴⁵ⁱ-92 cells compared to non-transduced NK-92 cells at in 5:1 or 2:1 (E:T) ratio. Data are mean±S.D. CD45CAR NK⁴⁵ⁱ-92 cells shows about 20% cell lysis in 2:1 (E:T) ratio and about 55% cell lysis in 5:1 (E:T) ratio against GFP NK-92 cells compared to non-transduced NK-92 cells. This data suggests that CD45CAR NK⁴⁵ⁱ-92 cells effectively lyse GFP NK-92 cells that express CD45 on cell surface compared to non-transduced NK-92 cells in vitro co-culture assay.

[0082] FIG. 57D. Transduction of CD45b-BB or CD45b-28 into NK⁴⁵ⁱ-92 cells and cell sorting of CD45b-BB or CD45b-28 transduced NK⁴⁵ⁱ-92 cells. The co-stimulatory domain for CD45b-BB is 4-1BB while co-stimulatory domain for CD45b-28 is CD28. The expression levels of CD45b-BB or CD45b-28 on NK⁴⁵ⁱ-92 were determined by flow cytometry analysis (circled in blue at middle panel) compared to NK⁴⁵ⁱ-92 cells (left panel) after CD45b-BB or CD45b-28 on lentiviruses were transduced into NK⁴⁵ⁱ-92 cells. CD45b-BB or CD45b-28 on expressed NK⁴⁵ⁱ-92 cells were sorted and CD45b-BB or CD45b-28 on expression levels on cell surface were determined by Flow cytometry analysis (right panel). About 74% of CD45b-BB or 82% of CD45b-28 on expression on cell surface was detected by flow cytometry analysis.

[0083] FIG. 57E. Co-culture assay with REH cells (target: T) and GFP NK-92 cells, CD45CAR NK⁴⁵ⁱ-92 cells, CD45b-BB NK⁴⁵ⁱ-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells at 5:1 (E:T) ratio and 20 hour incubation. Upper, Flow cytometry analysis of CREH cells only (left panel), in co-culture with with REH cells and control GFP transduced NK-92 cells (2nd left panel), CD45CAR NK⁴⁵ⁱ-92 cells (middle panel), CD45b-BB NK⁴⁵ⁱ-92 cells (4th from left panel) or CD45b-28 NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target REH cells and red dots shows effector GFP or CARs-NK-92 cells by co-culture assay. All of incubation time were 20h and the ratio of effector NK-cells:target cell is 5:1. All experiments were performed in duplicate. Lower, Bar graph indicates the percent of cell lysis by CD45CAR NK⁴⁵ⁱ-92 cells, CD45b-BB NK⁴⁵ⁱ-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells compared to the control GFP NK-92 cells in co-culture assay with REH cells. Data are mean±S.D. CD45CAR NK⁴⁵ⁱ-92 cells shows about 76% cell lysis, CD45b-BB NK⁴⁵ⁱ-92 cells shows about 79% cell lysis and CD45b-28 NK⁴⁵ⁱ-92 shows 100% cell lysis against REH cells compared to control GFP NK-92 cells. These data suggest that these 3 of CD45CARs NK⁴⁵ⁱ-92 cells effectively lyse REH cells which characterized as B-cells expressing CD45 compared to GFP-control NK-92 cells in vitro co-culture assay.

[0084] FIGS. 57FA-57FI. Co-culture assay with U937 cells (target: T) and GFP NK-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells. at 2:1 (E:T) ratio for 20 hours. FA, Flow cytometry analysis of U937 cells (monocytic leukemia cell line) only (left panel), in co-culture with U937 cells and control GFP transduced NK-92 cells (middle panel) or CD45b-28 NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the

leftover target U937 cells and red dots shows effector GFP or CD45b-28 NK⁴⁵ⁱ-92 cells by co-culture assay. All of incubation time were 6h and the ratio of effector NK-cells: target cell is 2:1. FB, Bar graph indicates the percent of cell lysis by CD45b-28 NK⁴⁵ⁱ-92 cells compared to the control GFP NK92 cells in co-culture assay with U937 cells. CD45b-28 NK⁴⁵ⁱ-92 shows about 81% cell lysis against U937 cells compared to control GFP NK-92 cells.

[0085] FIGS. 57GA-57GB. Co-culture assay with MOLM-13 cells (target: T) and GFP NK-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells at 5:1 (E:T) ratio for 20 hours. GA, Flow cytometry analysis of MOLM13 cells (monocytic leukemic cell line) only (left panel), in co-culture with Molm13 cells and control GFP transduced NK-92 cells (middle panel) or CD45b-28 NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target MOLM13 cells and red dots shows effector GFP or CD45b-28 NK⁴⁵ⁱ-92 cells by co-culture assay. All of incubation time were 20h and the ratio of effector NK-cells:target cell is 5:1. GB, Bar graph indicates the percent of cell lysis by CD45b-28 NK⁴⁵ⁱ-92 cells compared to the control GFP NK92 cells in co-culture assay with MOLM13 cells. CD45b-28 NK⁴⁵ⁱ-92 shows about 91.6% cell lysis against Molm13 cells compared to control GFP NK-92 cells.

[0086] FIGS. 57HA-57HB. Co-culture assay with Jeko-1 cells (target: T) and GFP NK-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells at 2:1 (E:T) ratio for 6 hours. HA, Flow cytometry analysis of Jeko-1 cells (T cell acute lymphoblastic cell line) only (left panel), in co-culture with Jeko-1 cells and control GFP transduced NK-92 cells (middle panel) or CD45b-28 NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target Jeko-1 cells and red dots shows effector GFP or CD45b-28 NK⁴⁵ⁱ-92 cells by co-culture assay. All of incubation time were 6h and the ratio of effector NK-cells:target cell is 2:1. HB, Bar graph indicates the percent of cell lysis by CD45b-28 NK⁴⁵ⁱ-92 cells compared to the control GFP NK92 cells in co-culture assay with Jeko-1 cells. CD45b-28 NK⁴⁵ⁱ-92 shows about 44.6% cell lysis against Jeko-1 cells compared to control GFP NK-92 cells.

[0087] FIGS. 57IA-57IB. Co-culture assay with SP53 cells (target: T) and GFP NK-92 cells or CD45b-28 NK⁴⁵ⁱ-92 cells at 2:1 (E:T) ratio for 6 hour incubation. IA, Flow cytometry analysis of SP53 cells (mantle cell lymphoma cell line) only (left panel), in co-culture with Jeko-1 cells and control GFP transduced NK-92 cells (middle panel) or CD45b-28 NK⁴⁵ⁱ-92 cells (right panel). Blue dots in all of panels indicates the leftover target SP53 cells and red dots shows effector GFP or CD45b-28 NK⁴⁵ⁱ-92 cells by co-culture assay. All of incubation time were 6h and the ratio of effector NK-cells:target cell is 2:1. IB, Bar graph indicates the percent of cell lysis by CD45b-28 NK⁴⁵ⁱ-92 cells compared to the control GFP NK92 cells in co-culture assay with SP53 cells. CD45b-28 NK⁴⁵ⁱ-92 shows about 45% cell lysis against SP53 cells compared to control GFP NK-92 cells.

[0088] FIG. 57J. Elimination of CD34(+) umbilical chord blood stem cells in 48 hr co-culture. CD34(+) stem cells derived from human umbilical cord blood were co-cultured with either Control or CD45b-28 CAR NK cells for 48 hr prior to labeling at a low ratio of 2:1 (effective:target). About 96% of CD34(+) cells were eliminated comparing to the control.

[0089] FIG. 58A. A Link by P2A schematic showing both cCAR-T and 4-1BBL or IL-15/IL-15sushi in a single con-

struct. The construct consists of a SFFV promoter driving the expression of CAR and an enhancer, 4-1BBL. Upon cleavage of the linkers, the CD45 CAR (or CD45b CAR) and 4-1BBL or IL-15/IL-15sushi split and engage upon targets expressing CD45. CD45 CAR T cells received not only costimulation through the CD28 but also 4-1BB ligand (4-1BBL or CD137L) or IL-15/IL-15sushi. The CD3-zeta signaling domain completes the assembly of this CAR-T.

[0090] FIG. 58B. Surface CD45b CAR expression levels on CD45b-28-2G-4-1BBL CAR transduced NK⁴⁵ⁱ-92 cells were determined using flow cytometry analysis. Left panel (NK92 cells) and middle panel (GFP-NK92) indicated negative control and right panel showed the surface expression of CD45b CAR which was labeled using goat anti-mouse F(AB')₂-PE against ScFv region (circled in blue). Transduced cells expressed 86.99% of CD45b-CAR on the cell surface.

[0091] FIG. 58C. Surface CD45b CAR expression levels on CD45b-28-2G-IL15/IL-15sushi CAR transduced NK⁴⁵ⁱ-92 cells were determined using flow cytometry analysis. Left panel (NK92 cells) and middle panel (GFP-NK92) indicated negative control and right panel showed the surface expression of CD45b CAR which was labeled using goat anti-mouse F(AB')₂-PE against ScFv region (circled in blue). CD45b-28-2G IL15RA virus transduced cells expressed 55.96% of CD45b-CAR on cells surface compared to negative control cells.

[0092] FIGS. 59A-59B. Schematic diagram to elucidate the construct and its expression in T or NK cells. (59A) a combination of CAR, (third generation), and IL-15/sushi domain of the IL-15 alpha receptor, is assembled on an expression vector and their expression is driven by the SFFV promoter. CAR with IL-15/sushi is linked with the P2A self-cleaving sequence. The IL-15/sushi portion is composed of IL-2 signal peptide fused to IL-15 and linked to sushi domain via a 26-amino acid poly-proline linker. (59B) CAR and IL-15/sushi are present on the T or NK cells.

[0093] FIG. 59C. Surface CD45b CAR expression levels on CD45b-28-2G-IL-15/IL-15sushi CAR transduced NK⁴⁵ⁱ-92 cells were determined using flow cytometry analysis. Left panel (NK92 cells) and middle panel (GFP-NK92) indicated negative control and right panel showed the surface expression of CD45b CAR which was labeled using goat anti-mouse F(AB')₂-PE against ScFv region (circled in blue). CD45b-28-2G IL-15/IL-15sushi virus transduced cells expressed 55.96% of CD45b-CAR on cells surface compared to negative control cells. CD45b-28-2G-IL-15/IL-15sushi NK cells showed a robust functional activity.

[0094] FIGS. 60A-60B. CD4IL-15/IL-15sushi expression. (60A) HEK-293FT cells were transfected with lentiviral plasmids for GFP (lane 1) and CD4IL-15/IL-15sushi CAR (lane 2). 48 hours after transfection, supernatant was removed, and cells were also removed for a Western blot with mouse anti-human CD3z antibody. (60B) HEK-293 cells were transduced with either GFP (left) or CD4IL-15/IL-15sushi-CAR(right) viral supernatant from transfected HEK-293FT cells. After 3 days incubation, cells were harvested, stained with goat-anti-mouse F(AB')₂ and analyzed by flow cytometry.

[0095] FIG. 61. Transduction of NK cells with CD4IL-15/IL-15sushi CAR. NK-92 cells were transduced with either GFP (left) or CD4 IL-15/IL-15sushi CAR (right) viral supernatant from transfected HEK-293FT cells. A second

transduction was performed 24 hours after the first. 24 hours after the second transduction, cells were harvested, washed and moved to tissue culture plates with fresh media and IL-2. After 3 days incubation, cells were harvested and stained with goat-anti-mouse F(Ab')₂ antibody or goat IgG (control) at 1:250 for 30 minutes. Cells were washed and stained with streptavidin-PE conjugate at 1:500, washed, suspended in 2% formalin, and analyzed by flow cytometry.

[0096] FIG. 62. Transduction of T cells with CD4IL15RACAR. Left is the Western blot. HEK-293FT cells were transfected with lentiviral plasmids for GFP (lane 1) and CD4IL15RA-CAR (lane 2). 48 hours after transfection, supernatant was removed, and cells were also collected for a Western blot with mouse anti-human CD3zeta antibody. Right is CD4IL15RACAR expression. Activated T cells from cord blood buffy coat were transduced with either GFP (left) or concentrated CD4IL15RACAR (right) viral supernatant from transfected HEK-293FT cells. A second transduction was performed 24 hours after the first. 24 hours after the second transduction, cells were harvested, washed and moved to tissue culture plates with fresh media and IL-2. After 3 days incubation, cells were harvested and stained with goat-anti-mouse F(Ab') transduced with either GFP (left) or CD4IL15RA CAR (right). Cells were washed and stained with streptavidin-PE conjugate at 1:500, washed, suspended in 2% formalin, and analyzed by flow cytometry.

[0097] FIGS. 63A-63B. CD4CAR NK-92 cells and CD4IL-15/IL-15sushi CAR NK-92 cells eliminate KARPAS 299 T leukemic cells in co-culture. (63A) NK-92 cells transduced with either GFP control (upper right), CD4CAR (lower left), or CD4IL-15/IL-15sushi (lower right) lentiviral supernatant were incubated with KARPAS 299 cells at a ratio of 5:1. After 4 hours co-culture, cells were stained with mouse-anti-human CD4 (APC) and CD3 (PerCp) antibodies and analyzed by flow cytometry (N=2). The upper left panel shows labeled Karpas 299 cells alone. The percentage of target cells lysed is shown in the graph (63B).

[0098] FIG. 64. CD4CAR NK-92 cells and CD4IL-15/IL-15sushi CAR NK-92 cells eliminate MOLT4 T leukemic cells in co-culture. NK-92 cells transduced with either GFP control (left), CD4CAR (center), or CD4IL-15/IL-15sushi (second from right) lentiviral supernatant were incubated with MOLT4 cells at effector:target ratios of 1:1 or 2:1. After overnight co-culture, cells were stained with mouse-anti-human CD4 (APC) and CD56 (PerCp) antibodies and analyzed by flow cytometry (N=2). The upper right panel shows labeled MOLT4 cells alone. The percentage of target cells lysed is shown in the graph.

[0099] FIGS. 65A and 65B. CD4CAR and CD4IL-15/IL-15sushi CAR T cells demonstrate anti-leukemic effects in vivo. NSG mice were sublethally irradiated and intravenously (tail vein) injected the following day with luciferase-expressing MOLM13 cells to induce measurable tumor formation (65A). MOLM-13 cells are nearly 100% CD4+. After 3 days, the mice were intravenously injected with one course of 8×10^5 CD4CAR, or CD4IL-15/IL-15sushi CAR T cells, or vector control T control cells. On days 3, 6, 9, and 11, mice were injected subcutaneously with RediJect D-Luciferin and subjected to IVIS imaging (65B).

[0100] FIGS. 65C and 65D. (65C) Average light intensity measured for the CD4CAR and CD4IL-15/IL-15sushi CAR T injected mice was compared to that of vector control T injected mice, and correlated with remaining tumor burden

to determine a percent lysis. (65D) Percent survival of mice was measured and compared between the three groups.

[0101] FIGS. 66A and 66B. CD4IL15/IL-15sushi CAR NK cells demonstrate robust anti-leukemic activity under stressful condition in vivo. NSG mice were sublethally irradiated and intravenously (tail vein) injected the following day with luciferase-expressing Jurkat cells to induce measurable tumor formation (66A). Jurkat cells are less than 60% CD4+. After 3 days, the mice were intravenously injected with one course of 8×10^6 CD4CAR, or CD4IL-15/IL-15sushi CAR NK cells, or vector control NK cells. On days 3, 7, 10, and 14, mice were injected subcutaneously with RediJect D-Luciferin and subjected to IVIS imaging (66B).

[0102] FIG. 66C. Average light intensity measured for the CD4CAR and CD4IL-15/IL-15sushi NK injected mice was compared to that of vector control NK injected mice, and correlated with remaining tumor burden to determine a percent lysis.

[0103] FIG. 67. Repeat of the in vivo experiment demonstrating robust lysis of Jurkat tumor cells by CD4IL-15/IL-15sushi CAR NK cells showing similar results to those described in FIG. 66.

[0104] FIGS. 68A-68B. Effect of secreted IL-15/IL-15sushi on CAR and non-transduced neighboring cells. NK-92 cells stably expressing either CD4CAR or CD4IL15RA were mixed in a 50:50 ratio with NK-92 cells stably expressing GFP. These cells were co-cultured either with IL-2 added or no IL-2. (68A) Photographs taken on a fluorescent microscope at 20x on Day 0 (start of co-culture) and Day 7, without the addition of IL-2. (68B) Total cell counts calculated throughout the experiment (up to Day 14) for NK-92 cells co-cultured with or without IL-2.

[0105] FIG. 69. Comparing the effect of secreted IL-15 and IL-15sushi on NK-92 cell growth. CD4IL-15/IL-15sushi, CD4 IL-15, and control transduced NK-92 cells were cultured from 250,000 cells in regular NK cell media but in the absence of IL-2 for up to 6 days. Both transduced cells had 10% surface CAR expression, while CD4IL15-IL15sushi transduced NK-92 cells were able to expand at a rate approximately 3-fold higher than the CD4 IL-15 transduced NK-92 cells on day 6. On day 4, the growth rate of CD4 IL-15 transduced NK-92 cells were slightly higher than the Control, but significantly below the CD4 IL-15/IL15sushi transduced NK-92 cells. This study pin-points the importance of co-expression functional complex of IL-15/IL-15sushi in promoting NK-92 cell growth.

[0106] FIG. 70. A schematic showing the Treg CAR T construct targeting Tregs. The construct consists of a SFFV promoter driving the expression of two units of chimeric antigen receptors linked by a P2A peptide. Each unit contains a CD45 leader peptide sequence (signal peptide). Upon cleavage of the linker, two units of peptide are divided and engage upon targets expressing CD4 and CD25. The CD4 chimeric antigen receptor polypeptide unit comprises a signal peptide, a CD4 antigen recognition domain, a hinge region, a transmembrane domain and CD3 zeta chain; CD25 chimeric antigen receptor polypeptide unit comprises a signal peptide, a CD25 antigen recognition domain, a hinge region, a transmembrane domain, a co-stimulatory domain (s). The Treg CAR can potentiate the lysis activity of a cell co-expressing CD4 and CD25 while minimizing a cell bearing CD4 or CD25 antigen.

[0107] FIGS. 71A-71B. Characterization of the CD4 zeta CD25 CAR. (71A) The CD4 zeta CD25 CAR was transduced into T-cells via viral incubation for 48 hours and stained with F(ab)' antibody to assay CAR surface expression. Encircled populations represent transduced cells. (71B) The C4-25z CAR was characterized using CD4 and CD25 antibodies to validate the construct function. Two most relevant populations are encircled: CD4⁺ CD25⁺ and CD4⁻ CD25⁺. The depletion of the double positive population and other phenotype groups are summarized in the bar graph adjacent.

[0108] FIG. 72. CD4zetaCD25 CAR T cells target cells mainly co-expressing CD4 and CD25. 3 days after activation, PMBC buffy coat T cells transduced with either control vector (left), CD4CAR (middle) or CD4zetaCD25(right) lentiviral supernatant were harvested and incubated with mouse anti-human CD25-PE and mouse anti-human CD4-APC for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry.

[0109] FIG. 73A. A schematic showing the CD52-52 construct. The construct consists of a SFFV promoter driving the co-expression of CD5CAR and CD52 surface antigen. Upon cleavage of the linker of P2A. The CD5 chimeric antigen receptor polypeptide unit comprises a signal peptide, a CD5 antigen recognition domain, a hinge region, a transmembrane domain and CD3 zeta chain; CD5 peptide comprises a signal peptide, a CD52 antigen recognition domain, a hinge region, a transmembrane domain (derived from CD28).

[0110] FIG. 73B. Experimental design to determine depletion of CD5CAR-52 T cells in blood. CD5CAR-52 T cells (5×10^6 cells) were injected intravenously into each NSG mouse after sublethally irradiation. After ~24 h later, PBS or 0.1 mg/kg of CAMPATH was injected via I.P. (intraperitoneal injection). N=3. After 6 h and 24 h later, peripheral blood was collected from each mouse and labeled using CD3 and CD45 antibodies to determine the depletion of CAR-T cells as acute phase response by CAMPATH treatment. After 5 days later, whole blood was collected from each mouse and labeled using CD3 and CD45 antibodies to determine the persistency of CAR-T cells as well. CAR-T cells were determined using Flow cytometry analysis.

[0111] FIG. 73C. Depletion of CD5CAR-52 T in peripheral blood after 6 h and 24 h later with or without CAMPATH treatment. Flow cytometry analysis shows persistence of CD5CAR-52 T-cells (Blue dots) in peripheral blood of mouse with or without CAMPATH treatment. Blood samples were labeled with CD3 and CD45 antibodies to detect CD5CAR-52 T-cells. Blood samples from un-infused CAR-T cells (left panels) did not show CD3 and CD45 positive cells (negative control). 0.1 mg/kg of CAMPATH injected mice indicate elimination of CD5CAR-52 T-cells at 6h (middle panels) and 24 h (right panels) later compared to CAMPATH untreated mouse at 6h (second panels from left) and 24 h (second panels from right) in blood samples. N=3. These results suggest that CAMPAT treatment can delete CAR-T cells from blood during short time.

[0112] FIG. 73D. Depletion of CD5CAR-52 T in whole blood after 5 days later with or without CAMPATH treatment. Flow cytometry analysis shows persistence of CD5CAR-52 T-cells (Blue dots) in whole blood samples from mouse with or without CAMPATH treatment. Blood samples were labeled with CD3 and CD45 antibodies to detect CD5CAR-52 T-cells persistence. Blood samples from

uninfused CAR-T cells (left panel) did not show CD3 and CD45 positive cells (negative control). 0.1 mg/kg of CAMPATH treated mice eliminate CD5CAR-52 T-cells (right panels) compared to CAMPATH uninjected mouse (middle panels) after 5 days later in whole blood samples. These results also suppose CAMPAT treatment can delete CAR-T cells from blood.

[0113] FIG. 74. HEK 293 cells were transduced with either EF1-GFP or SFFV-GFP viral supernatant, using the volumes indicated, in DMEM with 10% FBS in a 6 well tissue culture plate. Culture media was changed the following morning. Forty-eight hours later, transduced cells were visualized on an EVOS fluorescent microscope using GFP at 10 $\times$.

[0114] FIG. 75. HEK 293 cells transduced with either EF1-GFP or SFFV-GFP viral supernatant, using the volumes from the previous figure, were trypsinized, suspended in formalin, and subjected to flow cytometry analysis, using the FITC channel to determine the percentage of GFP+ cells.

[0115] FIGS. 76A-76B. Activated cord blood buffy coat T cells transduced with either EF1-GFP or SFFV-GFP viral supernatant, with either low or high amounts of viral supernatant, were trypsinized, suspended in formalin, and subjected to flow cytometry analysis, using the FITC channel to determine the percentage of GFP+ cells, 7, 14, 21 and 28 days after transduction. (76A) Percent GFP+ T cells for cells transduced with either low or high amounts of supernatant. (76B) Percent of GFP+ T cells transduced with the high amount of EF1-GFP supernatant, relative to the percent GFP+ cells in the T cells transduced with the lower amount of SFFV-GFP supernatant. (50 μ L of SFFV-GFP and 1 mL of EF1-GFP supernatant was used). (N=2).

[0116] FIG. 77. Ligand receptor interactions in malignant plasma cells. The APRIL ligand binds TAC1 or BCMA. The BAFF ligand binds TAC1, BCMA, or BAFF-R.

[0117] FIG. 78. Steps for elimination of tumor by CAR co-expressing secretory IL-15/IL-15sushi. I, tumor and its microenvironment. Macrophages, T cells, dendritic cells and NK cells are immune response cells against tumor in the tumor microenvironment and they secrete a low level of endogenous IL-15, which is unstable, which complexes with the soluble extracellular domain of IL-15RA. The complex forms a more stable molecule, which greatly enhances immune cell survival and expansion. In the tumor microenvironment, cancer cells express programmed death ligand 1 (PD-L1) as a transmembrane protein that has been considered to play a major role in suppressing the immune system during particular events including cancer. PD-L1 binds to its receptor, PD-1, found on activated T cells, B cells, and myeloid cells, to suppress these cell immune activities. II, CAR T or NK cells targeting tumor cells, could be a carrier to deliver an enhancer to the tumor microenvironment. CAR T or NK cells are engineered to co-express a secretory fusion protein, IL-15/IL-15sushi fusion. III, Engineered CAR T or NK cells bind to targeted tumor cells (either subset or all cells). IV, Engineered CAR T or NK cells in tumor microenvironment target tumor cells, binding to the CAR targeting antigen, and triggering lysis of tumor cells and massive secretion of soluble IL-15/IL-15sushi fusion from the expansion of CAR T or NK cells. The soluble IL-15/IL-15sushi fusion are stable and functions as an unexpected and powerful immunomodulatory for CAR T/NK cells and their neighbor tumor immune response cells. The secreted IL-15/IL-15sushi protein would be involved in trafficking of other

T cells, dendritic cells, macrophages and NK cells to the tumor microenvironment, which then also: 1) lyse the tumor cells by supplementing the defect that CAR T or NK cells are unable to eliminate non-targeting cancer cells; 2) enhance CAR T/NK cell persistency and anti-tumor activity. The overexpression of IL-15/IL-15sushi overwhelms the PD-L1 ability to suppress the immune response. Preferably, this CAR therapy could be used synergistically with administration of a checkpoint blockage including, but not limited to PD-L1, CTLA-4 inhibitor for even greater efficacy.

[0118] FIG. 79. Surface markers during B cell and plasma cell development are shown. Both BAFF and APRIL binds to receptors, BCMA and TACI. BAFF also binds to BAFF-R receptor.

[0119] FIG. 80. Protein sequence alignment of IL-2 signal peptide among different species.

[0120] FIG. 81. Protein sequence alignment of BAFF extracellular domain among different species.

DETAILED DESCRIPTION

[0121] The disclosure provides chimeric antigen receptor (CAR) compositions, methods of making and using thereof.

[0122] A chimeric antigen receptor (CAR) polypeptide includes a signal peptide, an antigen recognition domain, a hinge region, a transmembrane domain, at least one co-stimulatory domain, and a signaling domain.

[0123] First-generation CARs include CD3z as an intracellular signaling domain, whereas second-generation CARs include at least one single co-stimulatory domain derived from various proteins. Examples of co-stimulatory domains include, but are not limited to, CD28, CD2, 4-1BB (CD137, also referred to as “4-BB”), and OX-40 (CD124). Third generation CARs include two co-stimulatory domains, such as, but not limited to, CD28, 4-1BB, CD134 (OX-40), CD2, and/or CD137 (4-1BB).

[0124] As used herein, the terms “peptide,” “polypeptide,” and “protein” are used interchangeably, and refer to a compound having amino acid residues covalently linked by peptide bonds. A protein or peptide must contain at least two amino acids, and no limitation is placed on the maximum number of amino acids that can be included in a protein’s or peptide’s sequence. Polypeptides include any peptide or protein having two or more amino acids joined to each other by peptide bonds. As used herein, the term refers to both short chains, which also commonly are referred to in the art as peptides, oligopeptides, and oligomers, for example, and to longer chains, which generally are referred to in the art as proteins, of which there are many types. “Polypeptides” include, for example, biologically active fragments, substantially homologous polypeptides, oligopeptides, homodimers, heterodimers, variants of polypeptides, modified polypeptides, derivatives, analogs, and fusion proteins, among others. The polypeptides include natural peptides, recombinant peptides, synthetic peptides, or a combination thereof.

[0125] A “signal peptide” includes a peptide sequence that directs the transport and localization of the peptide and any attached polypeptide within a cell, e.g. to a certain cell organelle (such as the endoplasmic reticulum) and/or the cell surface. As used herein, “signal peptide” and “leader sequence” are used interchangeably.

[0126] The signal peptide is a peptide of any secreted or transmembrane protein that directs the transport of the polypeptide of the disclosure to the cell membrane and cell surface, and provides correct localization of the polypeptide

of the present disclosure. In particular, the signal peptide of the present disclosure directs the polypeptide of the present disclosure to the cellular membrane, wherein the extracellular portion of the polypeptide is displayed on the cell surface, the transmembrane portion spans the plasma membrane, and the active domain is in the cytoplasmic portion, or interior of the cell.

[0127] In one embodiment, the signal peptide is cleaved after passage through the endoplasmic reticulum (ER), i.e. is a cleavable signal peptide. In an embodiment, the signal peptide is human protein of type I, II, III, or IV. In an embodiment, the signal peptide includes an immunoglobulin heavy chain signal peptide.

[0128] In one embodiment, the signal peptide includes the signal peptide from human CD45. (UniProtKB/Swiss-Prot Accession Number P08575). The CD45 signal peptide is 23 amino acids in length (MYLWLKLLAFGFAFLDTEVFVTG). In some embodiments, the signal peptide may be a functional fragment of the CD45 signal peptide. A functional fragment includes a fragment of at least 10 amino acids of the CD45 signal peptide that directs the appended polypeptide to the cell membrane and cell surface. Examples of fragments of the human CD45 signal peptide include: MYLWLKLLAFG, FAFLDTEVFVTG, and LKLLAFGFAFLDTE.

[0129] Functional equivalents of the human CD45 signal peptide have also been contemplated. As used herein, “functional equivalents” are to be understood as mutants that exhibit, in at least one of the abovementioned sequence positions, an amino acid substitution other than the one mentioned specifically, but still lead to a mutant which show the same or similar properties with respect to the wild-type CD45 signal peptide. Functional equivalents include polypeptides having at least 80%, at least 85%, at least 90%, or at least 95% identity to the human CD45 signal peptide, functional fragments thereof, or functional equivalents thereof.

[0130] Functional equivalents also include CD45 signal peptides from homologous proteins from other species. Examples of these signal peptides include signal peptide from mouse CD45 (MGLWLKLLAFGFALLDTEVFVTG); signal peptide from rat CD45 (MYLWLKLLAFSLALLGPEVFVTG); signal peptide from sheep CD45 (MTMYLWLKLLAFGFAFLDTAVSVAG); signal peptide from chimpanzee CD45 (MYLWLKLLAFGFAFLDTEVFVTG); and signal peptide from monkey CD45 (MTMYLWLKLLAFGFAFLDTEVFVAG).

[0131] In another embodiment, the signal peptide includes the following sequence: $MX^1LWLKLLAFX^2X^3AX^4LX^5X^6X^7VX^8VX^9G$; wherein X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , and X^9 are independently Y, G, S, F, L, D, P, T, E, or A. In one embodiment, X^1 is Y or G; X^2 is G or S; X^3 and X^4 are independently F or L; X^5 is D or G; X^6 is P or T; X^7 is E or A; X^8 is F or S; and X^9 is A or T.

[0132] In one embodiment, the signal peptide includes the signal peptide from human CD8a (MALPVTALLPLALLHAARP). In some embodiments, the signal peptide may be a functional fragment of the CD8a signal peptide. A functional fragment includes a fragment of at least 10 amino acids of the CD8a signal peptide that directs the appended polypeptide to the cell membrane and cell surface. Examples of fragments of the human CD8a signal

peptide include: MALPVTALLLPLALLHAA, MALPVTALLLP, PVTALLPLALL, and LLLPLALLL-HAARP.

[0133] In another embodiment, the signal peptide includes the signal peptide from human CD8b (MRPRLWLL-LAAQLTVLHGNSV). In some embodiments, the signal peptide may be a functional fragment of the CD8b signal peptide. A functional fragment includes a fragment of at least 10 amino acids of the CD8b signal peptide that directs the appended polypeptide to the cell membrane and cell surface. Examples of fragments of the human CD8b signal peptide include: MRPRLWLL-LAAQ, RLWLL-LAAQLTV-LHG, and LWLL-LAAQLTVLHGNSV.

[0134] Functional equivalents of the human CD8a or CD8b signal peptide have also been contemplated. As used herein, “functional equivalents” are to be understood as mutants which exhibit, in at least one of the abovementioned sequence positions, an amino acid substitution other than the one mentioned specifically, but still lead to a mutant which show the same or similar properties with respect to the wild-type CD8a or CD8b signal peptide. Functional equivalents include polypeptides having at least 80%, at least 85%, at least 90%, or at least 95% identity to the human CD8 signal peptide, functional fragments thereof, or functional equivalents thereof.

[0135] Functional equivalents also include CD8a and CD8b signal peptides from homologous proteins from other species.

[0136] In one embodiment, the signal peptide includes the signal peptide from human IL-2. The IL-2 signal peptide is 23 amino acids in length (MYRMQLLSIALSLALVTNS). In some embodiments, the signal peptide may be a functional fragment of the IL-2 signal peptide. A functional fragment includes a fragment of at least 10 amino acids of the IL-2 signal peptide that directs the appended polypeptide to the cell membrane and cell surface. Examples of fragments of the human IL-2 signal peptide include: MYRMQLLSIAL, QLLSIALSLAL, and SIALSLALVTNS.

[0137] Functional equivalents of the human IL-2 signal peptide have also been contemplated. As used herein, “functional equivalents” are to be understood as mutants which exhibit, in at least one of the abovementioned sequence positions, an amino acid substitution other than the one mentioned specifically, but still lead to a mutant which show the same or similar properties with respect to the wild-type IL-2 signal peptide. Functional equivalents include polypeptides having at least 80%, at least 85%, at least 90%, or at least 95% identity to the human IL-2 signal peptide, functional fragments thereof, or functional equivalents thereof.

[0138] Functional equivalents also include IL-2 signal peptides from homologous proteins from other species. See for example FIG. 80.

[0139] In another embodiment, the signal peptide includes the following sequence: MYX¹X²QLX³SCX⁴XLX⁶LX⁷LXX⁹X¹⁰X¹¹; wherein X¹, X², X³, X⁴, X⁵, X⁶, X⁷, X⁸, X⁹, X¹⁰, and X¹¹ are independently R, K, S, M, I, V, L, A, I, T, N, S, or G. In one embodiment, X¹ is R, K, or S; X² is M, I, or V; X³ is L or A; X⁴ and X⁵ are independently I, A, V, or T; X⁶ is S or T; X⁷ is A or V; X⁸, X⁹, X¹⁰, and X¹¹ are independently V, L, T, A, N, S, or G.

[0140] The “antigen recognition domain” includes a polypeptide that is selective for or targets an antigen, receptor, peptide ligand, or protein ligand of the target; or a polypeptide of the target.

[0141] The antigen recognition domain may be obtained from any of the wide variety of extracellular domains or secreted proteins associated with ligand binding and/or signal transduction. The antigen recognition domain may include a portion of Ig heavy chain linked with a portion of Ig light chain, constituting a single chain fragment variable (scFv) that binds specifically to a target antigen. The antibody may be monoclonal or polyclonal antibody or may be of any type that binds specifically to the target antigen. In another embodiment, the antigen recognition domain can be a receptor or ligand. In particular embodiments, the target antigen is specific for a specific disease condition and the disease condition may be of any kind as long as it has a cell surface antigen, which may be recognized by at least one of the chimeric receptor construct present in the compound CAR architecture. In a specific embodiment, the chimeric receptor may be for any cancer for which a specific monoclonal or polyclonal antibody exists or is capable of being generated. In particular, cancers such as neuroblastoma, small cell lung cancer, melanoma, ovarian cancer, renal cell carcinoma, colon cancer, Hodgkin's lymphoma, and childhood acute lymphoblastic leukemia have antigens specific for the chimeric receptors.

[0142] In some embodiments, antigen recognition domain can be non-antibody protein scaffolds, such as but not limited to, centyrins, non-antibody protein scaffolds that can be engineered to bind a variety of specific targets with high affinity. Centyrins are scaffold proteins based on human consensus tenascin FN3 domain, are usually smaller than scFv molecules CAR molecules.

[0143] The target specific antigen recognition domain preferably includes an antigen binding domain derived from an antibody against an antigen of the target, or a peptide binding an antigen of the target, or a peptide or protein binding an antibody that binds an antigen of the target, or a peptide or protein ligand (including but not limited to a growth factor, a cytokine, or a hormone) binding a receptor on the target, or a domain derived from a receptor (including but not limited to a growth factor receptor, a cytokine receptor or a hormone receptor) binding a peptide or protein ligand on the target.

[0144] In one embodiment, the antigen recognition domain includes the binding portion or variable region of a monoclonal or polyclonal antibody directed against (selective for) the target.

[0145] In another embodiment, the antigen recognition domain includes Camelid single domain antibody, or portions thereof. In one embodiment, Camelid single-domain antibodies include heavy-chain antibodies found in camels, or VHH antibody. A VHH antibody of camelid (for example camel, dromedary, llama, and alpaca) refers to a variable fragment of a camelid single-chain antibody (See Nguyen et al, 2001; Muyldermans, 2001), and also includes an isolated VHH antibody of camelid, a recombinant VHH antibody of camelid, or a synthetic VHH antibody of camelid.

[0146] In another embodiment, the antigen recognition domain includes ligands that engage their cognate receptor. By way of example, APRIL is a ligand that binds the TAC1 receptor or the BCMA receptor. In accordance with the

present disclosure, the antigen recognition domain includes APRIL, or a fragment thereof. By way of further example, BAFF is a ligand that binds the BAFF-R receptor or the BCMA receptor. In accordance with the present disclosure, the antigen recognition domain includes BAFF, or a fragment thereof. In another embodiment, the antigen recognition domain is humanized.

[0147] It is understood that the antigen recognition domain may include some variability within its sequence and still be selective for the targets disclosed herein. Therefore, it is contemplated that the polypeptide of the antigen recognition domain may be at least 95%, at least 90%, at least 80%, or at least 70% identical to the antigen recognition domain polypeptide disclosed herein and still be selective for the targets described herein and be within the scope of the disclosure.

[0148] The target includes interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF-R, TACI, LeY, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, CS1, CD45, ROR1, PSMA, MAGE A3, Glycolipid, glypican 3, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, alpha-fetoprotein, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38, CD52, CD3, CD4, CD8, CD5, CD7, CD2, and CD138

[0149] In another embodiment, the target includes any portion interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF-R, TACI, LeY, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, CS1, CD45, TACI, ROR1, PSMA, MAGE A3, Glycolipid, glypican 3, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, alpha-fetoprotein, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38, CD52, CD3, CD4, CD8, CD5, CD7, CD2, and CD138.

[0150] In one embodiment, the target includes surface exposed portions of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF-R, TACI, LeY, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, CS1, CD45, TACI, ROR1, PSMA, MAGE A3, Glycolipid, glypican 3, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, alpha-fetoprotein, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38, CD52, CD3, CD4, CD8, CD5, CD7, CD2, and CD138 polypeptides.

[0151] For example, the target includes the surface exposed regions of BAFF, as shown in FIG. 81. The target may include a portion of the surface exposed regions of BAFF. For example, portions of BAFF include residues 1-200, 1-100, 50-150, or 100-200 of human BAFF.

[0152] In another embodiment, the target antigens include viral or fungal antigens, such as E6 and E7 from the human papillomavirus (HPV) or EBV (Epstein Barr virus) antigens; portions thereof; or surface exposed regions thereof.

[0153] In one embodiment, the TACI antigen recognition domain includes SEQ ID NO. 24.

[0154] In one embodiment, the BCMA antigen recognition domain includes SEQ ID NO. 25.

[0155] In one embodiment, the CS1 antigen recognition domain includes SEQ ID NO. 26.

[0156] In one embodiment, the BAFF-R antigen recognition domain includes SEQ ID NO. 27.

[0157] In one embodiment, the CD33 antigen recognition domain includes SEQ ID NO. 28.

[0158] In one embodiment, the CD123 antigen recognition domain includes SEQ ID NO. 29.

[0159] In one embodiment, the CD19 antigen recognition domain includes SEQ ID NO. 30.

[0160] In one embodiment, the CD20 antigen recognition domain includes SEQ ID NO. 31. In another embodiment, the CD20 antigen recognition domain includes SEQ ID NO. 32.

[0161] In one embodiment, the CD22 antigen recognition domain includes SEQ ID NO. 33.

[0162] In one embodiment, the CD45 antigen recognition domain includes SEQ ID NO. 34.

[0163] In one embodiment, the CD4 antigen recognition domain includes SEQ ID NO. 35

[0164] In one embodiment, the CD25 antigen recognition domain includes SEQ ID NO. 36

[0165] The hinge region is a sequence positioned between for example, including, but not limited to, the chimeric antigen receptor, and at least one co-stimulatory domain and a signaling domain. The hinge sequence may be obtained including, for example, from any suitable sequence from any genus, including human or a part thereof. Such hinge regions are known in the art. In one embodiment, the hinge region includes the hinge region of a human protein including CD-8 alpha, CD28, 4-1BB, OX40, CD3-zeta, T cell receptor α or β chain, a CD3 zeta chain, CD28, CD3c, CD45, CD4, CD5, CD8, CD8a, CD9, CD16, CD22, CD33, CD37, CD64, CD80, CD86, CD134, CD137, ICOS, CD154, functional derivatives thereof, and combinations thereof.

[0166] In one embodiment the hinge region includes the CD8 a hinge region.

[0167] In some embodiments, the hinge region includes one selected from, but not limited to, immunoglobulin (e.g. IgG1, IgG2, IgG3, IgG4, and IgD).

[0168] The transmembrane domain includes a hydrophobic polypeptide that spans the cellular membrane. In particular, the transmembrane domain spans from one side of a cell membrane (extracellular) through to the other side of the cell membrane (intracellular or cytoplasmic).

[0169] The transmembrane domain may be in the form of an alpha helix or a beta barrel, or combinations thereof. The transmembrane domain may include a polytopic protein, which has many transmembrane segments, each alpha-helical, beta sheets, or combinations thereof.

[0170] In one embodiment, the transmembrane domain that is naturally associated with one of the domains in the CAR is used. In another embodiment, the transmembrane domain is selected or modified by amino acid substitution to avoid binding of such domains to the transmembrane domains of the same or different surface membrane proteins to minimize interactions with other members of the receptor complex.

[0171] For example, a transmembrane domain includes a transmembrane domain of a T-cell receptor α or β chain, a CD3 zeta chain, CD28, CD3c, CD45, CD4, CD5, CD7, CD8, CD9, CD16, CD22, CD33, CD37, CD64, CD80, CD86, CD68, CD134, CD137, ICOS, CD41, CD154, functional derivatives thereof, and combinations thereof.

[0172] In one embodiment, the transmembrane domain is artificially designed so that more than 25%, more than 50% or more than 75% of the amino acid residues of the domain are hydrophobic residues such as leucine and valine. In one embodiment, a triplet of phenylalanine, tryptophan and valine is found at each end of the synthetic transmembrane domain.

[0173] In one embodiment, the transmembrane domain is the CD8 transmembrane domain. In another embodiment, the transmembrane domain is the CD28 transmembrane domain. Such transmembrane domains are known in the art.

[0174] The signaling domain and co-stimulatory domain include polypeptides that provide activation of an immune cell to stimulate or activate at least some aspect of the immune cell signaling pathway.

[0175] In an embodiment, the signaling domain includes the polypeptide of a functional signaling domain of CD3 zeta, common FcR gamma (FCER1G), Fc gamma R11a, FcR beta (Fc Epsilon Rib), CD3 gamma, CD3 delta, CD3 epsilon, CD79a, CD79b, DNAX-activating protein 10 (DAP10), DNAX-activating protein 12 (DAP12), active fragments thereof, functional derivatives thereof, and combinations thereof. Such signaling domains are known in the art.

[0176] In an embodiment, the CAR polypeptide further includes one or more co-stimulatory domains. In an embodiment, the co-stimulatory domain is a functional signaling domain from a protein including OX40; CD27; CD28; CD30; CD40; PD-1; CD2; CD7; CD258; Natural killer Group 2 member C (NKG2C); Natural killer Group 2 member D (NKG2D), B7-H3; a ligand that binds to at least one of CD83, ICAM-1, LFA-1 (CD11a/CD18), ICOS, and 4-1BB (CD137); CDS; ICAM-1; LFA-1 (CD1a/CD18); CD40; CD27; CD7; B7-H3; NKG2C; PD-1; ICOS; active fragments thereof; functional derivatives thereof; and combinations thereof.

[0177] As used herein, the at least one co-stimulatory domain and signaling domain may be collectively referred to as the intracellular domain. As used herein, the hinge region and the antigen recognition domain may be collectively referred to as the extracellular domain.

[0178] The present disclosure further provides a polynucleotide encoding the chimeric antigen receptor polypeptide described above.

[0179] The term “polynucleotide” as used herein is defined as a chain of nucleotides. Polynucleotide includes DNA and RNA. Furthermore, nucleic acids are polymers of nucleotides. Thus, nucleic acids and polynucleotides as used herein are interchangeable. One skilled in the art has the general knowledge that nucleic acids are polynucleotides, which can be hydrolyzed into the monomeric “nucleotides.” The monomeric nucleotides can be hydrolyzed into nucleosides. As used herein polynucleotides include, but are not limited to, all nucleic acid sequences which are obtained by any means available in the art, including, without limitation, recombinant means, i.e., the cloning of nucleic acid sequences from a recombinant library or a cell genome, using ordinary cloning technology and polymerase chain reaction (PCR), and the like, and by synthetic means.

[0180] The polynucleotide encoding the CAR is easily prepared from an amino acid sequence of the specified CAR by any conventional method. A base sequence encoding an amino acid sequence can be obtained from the aforementioned NCBI RefSeq IDs or accession numbers of GenBank

for an amino acid sequence of each domain, and the nucleic acid of the present disclosure can be prepared using a standard molecular biological and/or chemical procedure. For example, based on the base sequence, a polynucleotide can be synthesized, and the polynucleotide of the present disclosure can be prepared by combining DNA fragments which are obtained from a cDNA library using a polymerase chain reaction (PCR).

[0181] In one embodiment, the polynucleotide disclosed herein is part of a gene, or an expression or cloning cassette.

[0182] The polynucleotide described above can be cloned into a vector. A “vector” is a composition of matter which includes an isolated polynucleotide and which can be used to deliver the isolated polynucleotide to the interior of a cell. Numerous vectors are known in the art including, but not limited to, linear polynucleotides, polynucleotides associated with ionic or amphiphilic compounds, plasmids, phagemid, cosmid, and viruses. Viruses include phages, phage derivatives. Thus, the term “vector” includes an autonomously replicating plasmid or a virus. The term should also be construed to include non-plasmid and non-viral compounds which facilitate transfer of nucleic acid into cells, such as, for example, polylysine compounds, liposomes, and the like. Examples of viral vectors include, but are not limited to, adenoviral vectors, adeno-associated virus vectors, retroviral vectors, lentiviral vectors, and the like. In one embodiment, vectors include cloning vectors, expression vectors, replication vectors, probe generation vectors, integration vectors, and sequencing vectors.

[0183] In an embodiment, the vector is a viral vector. In an embodiment, the viral vector is a retroviral vector or a lentiviral vector. In an embodiment, the engineered cell is virally transduced to express the polynucleotide sequence.

[0184] A number of viral based systems have been developed for gene transfer into mammalian cells. For example, retroviruses provide a convenient platform for gene delivery systems. A selected gene can be inserted into a vector and packaged in retroviral particles using techniques known in the art. The recombinant virus can then be isolated and delivered to cells of the patient either in vivo or ex vivo. A number of retroviral systems are known in the art. In some embodiments, adenovirus vectors are used. A number of adenovirus vectors are known in the art. In one embodiment, lentivirus vectors are used.

[0185] Viral vector technology is well known in the art and is described, for example, in Sambrook et al, (2001, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, New York), and in other virology and molecular biology manuals. Viruses, which are useful as vectors include, but are not limited to, retroviruses, adenoviruses, adeno-associated viruses, herpes viruses, and lentiviruses. In general, a suitable vector contains an origin of replication functional in at least one organism, a promoter sequence, convenient and unique restriction endonuclease sites, and one or more selectable markers, (e.g., WO 01/96584; WO 01/29058; and U.S. Pat. No. 6,326,193).

[0186] Lentiviral vectors have been well known for their capability of transferring genes into human T cells with high efficiency but expression of the vector-encoded genes is dependent on the internal promoter that drives their expression. A strong promoter is particularly important for the third or fourth generation of CARs that bear additional co-stimulatory domains or genes encoding proliferative cytokines as increased CAR body size does not guarantee equal

levels of expression. There are a wide range of promoters with different strength and cell-type specificity. Gene therapies using CAR T cells rely on the ability of T cells to express adequate CAR body and maintain expression over a long period of time. The EF-1 α promoter has been commonly selected for the CAR expression.

[0187] The present disclosure provides an expression vector containing a strong promoter for high level gene expression in T cells or NK cells. In further embodiment, the inventor discloses a strong promoter useful for high level expression of CARs in T cells or NK cells. In particular embodiments, a strong promoter relates to the SFFV promoter, which is selectively introduced in an expression vector to obtain high levels of expression and maintain expression over a long period of time in T cells or NK cells. Expressed genes prefer CARs, T cell co-stimulatory factors and cytokines used for immunotherapy.

[0188] One example of a suitable promoter is the immediate early cytomegalovirus (CMV) promoter sequence. This promoter sequence is a strong constitutive promoter sequence capable of driving high levels of expression of any polynucleotide sequence operatively linked thereto. Another example of a suitable promoter is Elongation Growth Factor-1 α (EF-1 α). However, other constitutive promoter sequences may also be used, including, but not limited to the simian virus 40 (SV40) early promoter, mouse mammary tumor virus (MMTV), human immunodeficiency virus (HIV) long terminal repeat (LTR) promoter, MoMuLV promoter, an avian leukemia virus promoter, an Epstein-Barr virus immediate early promoter, a Rous sarcoma virus promoter, as well as human gene promoters such as, but not limited to, the actin promoter, the myosin promoter, the hemoglobin promoter, and the creatine kinase promoter. Further, the disclosure should not be limited to the use of constitutive promoters, inducible promoters are also contemplated as part of the disclosure. The use of an inducible promoter provides a molecular switch capable of turning on expression of the polynucleotide sequence, which is operatively linked when such expression is desired, or turning off the expression when expression is not desired. Examples of inducible promoters include, but are not limited to a metallothionein promoter, a glucocorticoid promoter, a progesterone promoter, and a tetracycline promoter.

[0189] Expression of chimeric antigen receptor polynucleotide may be achieved using, for example, expression vectors including, but not limited to, at least one of a SFFV (spleen-focus forming virus) (for example, SEQ ID NO. 23) or human elongation factor 1 α (EF) promoter, CAG (chicken beta-actin promoter with CMV enhancer) promoter human elongation factor 1 α (EF) promoter. Examples of less-strong/lower-expressing promoters utilized may include, but is not limited to, the simian virus 40 (SV40) early promoter, cytomegalovirus (CMV) immediate-early promoter, Ubiquitin C (UBC) promoter, and the phosphoglycerate kinase 1 (PGK) promoter, or a part thereof. Inducible expression of chimeric antigen receptor may be achieved using, for example, a tetracycline responsive promoter, including, but not limited to, TRE3GV (Tet-response element, including all generations and preferably, the 3rd generation), inducible promoter (Clontech Laboratories, Mountain View, Calif.) or a part or a combination thereof.

[0190] In a preferred embodiment, the promoter is an SFFV promoter or a derivative thereof. It has been unexpectedly discovered that SFFV promoter provides stronger

expression and greater persistence in the transduced cells in accordance with the present disclosure.

[0191] “Expression vector” refers to a vector including a recombinant polynucleotide comprising expression control sequences operatively linked to a nucleotide sequence to be expressed. An expression vector includes sufficient cis-acting elements for expression; other elements for expression can be supplied by the host cell or in an in vitro expression system. Expression vectors include all those known in the art, such as cosmids, plasmids (e.g., naked or contained in liposomes) and viruses (e.g., lentiviruses, retroviruses, adenoviruses, and adeno-associated viruses) that incorporate the recombinant polynucleotide. The expression vector may be a bicistronic or multicistronic expression vector. Bicistronic or multicistronic expression vectors may include (1) multiple promoters fused to each of the open reading frames; (2) insertion of splicing signals between genes; fusion of genes whose expressions are driven by a single promoter; (3) insertion of proteolytic cleavage sites between genes (self-cleavage peptide); and (iv) insertion of internal ribosomal entry sites (IRESs) between genes.

[0192] In one embodiment, the disclosure provides an engineered cell having at least one chimeric antigen receptor polypeptide or polynucleotide.

[0193] An “engineered cell” means any cell of any organism that is modified, transformed, or manipulated by addition or modification of a gene, a DNA or RNA sequence, or protein or polypeptide. Isolated cells, host cells, and genetically engineered cells of the present disclosure include isolated immune cells, such as NK cells and T cells that contain the DNA or RNA sequences encoding a chimeric antigen receptor or chimeric antigen receptor complex and express the chimeric receptor on the cell surface. Isolated host cells and engineered cells may be used, for example, for enhancing an NK cell activity or a T lymphocyte activity, treatment of cancer, and treatment of infectious diseases.

[0194] In an embodiment, the engineered cell includes immunoregulatory cells. Immunoregulatory cells include T-cells, such as CD4 T-cells (Helper T-cells), CD8 T-cells (Cytotoxic T-cells, CTLs), and memory T cells or memory stem cell T cells. In another embodiment, T-cells include Natural Killer T-cells (NK T-cells).

[0195] In an embodiment, the engineered cell includes Natural Killer cells. Natural killer cells are well known in the art. In one embodiment, natural killer cells include cell lines, such as NK-92 cells. Further examples of NK cell lines include NKG, YT, NK-YS, HANK-1, YTS cells, and NKL cells.

[0196] NK cells mediate anti-tumor effects without the risk of GvHD and are short-lived relative to T-cells. Accordingly, NK cells would be exhausted shortly after destroying cancer cells, decreasing the need for an inducible suicide gene on CAR constructs that would ablate the modified cells.

[0197] In accordance with the present disclosure, it was surprisingly found that NK cells provide a readily available cell to be engineered to contain and express the chimeric antigen receptor polypeptides disclosed herein.

[0198] Allogeneic or autologous NK cells induce a rapid immune response but disappear relatively rapidly from the circulation due to their limited lifespan. Thus, applicants surprisingly discovered that there is reduced concern of persisting side effects using CAR cell based therapy.

[0199] According to one aspect of the present disclosure, NK cells can be expanded and transfected with CAR polynucleotides in accordance to the present disclosure. NK cells can be derived from cord blood, peripheral blood, iPS cells and embryonic stem cells. According to one aspect of the present disclosure, NK-92 cells may be expanded and transfected with CAR. NK-92 is a continuously growing cell line that has features and characteristics of natural killer (NK) cells (Arai, Meagher et al. 2008). NK-92 cell line is IL-2 dependent and has been proven to be safe (Arai, Meagher et al. 2008) and feasible. CAR expressing NK-92 cells can be expanded in the serum free-medium with or without co-culturing with feeder cells. A pure population of NK-92 carrying the CAR of interest may be obtained by sorting.

[0200] In one embodiment, engineered cells include allogeneic T cells obtained from donors that are modified to inactivate components of TCR (T cell receptor) involved in MHC recognition. As a result, TCR deficient T cells would not cause graft versus host disease (GVHD).

[0201] In some embodiments, the engineered cell may be modified to prevent expression of cell surface antigens. For example, an engineered cell may be genetically modified to delete the native CD45 gene to prevent expression and cell surface display thereof.

[0202] In some embodiments, the engineered cell includes an inducible suicide gene (“safety switch”) or a combination of safety switches, which may be assembled on a vector, such as, without limiting, a retroviral vector, lentiviral vector, adenoviral vector or plasmid. Introduction of a “safety switch” greatly increases safety profile and limits on-target or off-tumor toxicities of the compound CARs. The “safety switch” may be an inducible suicide gene, such as, without limiting, caspase 9 gene, thymidine kinase, cytosine deaminase (CD) or cytochrome P450. Other safety switches for elimination of unwanted modified T cells involve expression of CD20 or CD52 or CD19 or truncated epidermal growth factor receptor in T cells. All possible safety switches have been contemplated and are embodied in the present disclosure.

[0203] In some embodiments, the suicide gene is integrated into the engineered cell genome.

[0204] In one embodiment, the present disclosure provides an engineered cell having a CD45 chimeric antigen receptor polynucleotide. In one embodiment, the CD45 CAR polypeptide includes SEQ ID NO. 13 and corresponding polynucleotide sequence SEQ ID NO. 14. In another embodiment, the CD45 CAR polypeptide includes SEQ ID NO. 15, and corresponding polynucleotide sequence SEQ ID NO. 16. In another embodiment, the CD45 CAR polypeptide includes SEQ ID NO. 17, and corresponding polynucleotide sequence SEQ ID NO. 18.

[0205] In particular embodiments, the engineered cell includes CD45 CAR linked to IL15/IL-15sushi via the P2A cleavage sequence. A polypeptide providing this embodiment includes SEQ ID No. 43 and corresponding polynucleotide sequence SEQ ID No. 44.

[0206] In particular embodiments, the engineered cell includes CD45 CAR linked to 4-1BBL (CD137L) via the P2A cleavage sequence. A polypeptide providing this embodiment includes SEQ ID No. 41 and corresponding polynucleotide sequence SEQ ID No. 42.

Multiple CAR Units

[0207] In one embodiment, the present disclosure provides an engineered cell having at least two distinct or separate CAR units. The two CAR units may be complete CAR units or incomplete CAR units. As used herein, “distinct CAR polypeptide” and “distinct CAR polypeptide unit” are used interchangeably.

[0208] The present disclosure provides chimeric antigen receptor polypeptides having a signal peptide, antigen recognition domain, a hinge region, a transmembrane domain, a signaling domain, and at least one co-stimulatory domain, defining a CAR unit or a complete CAR unit. As used herein, an incomplete CAR unit includes a polypeptide having a signal peptide, antigen recognition domain, a hinge region, a transmembrane domain, and a signaling domain or at least one co-stimulatory domain. An incomplete CAR unit will not contain a signaling domain and at least one co-stimulatory domain, but one or the other.

[0209] In one embodiment, the present disclosure provides an engineered cell having a first chimeric antigen receptor polypeptide having a first antigen recognition domain and a co-stimulatory domain (first incomplete CAR unit); and a second chimeric antigen receptor polypeptide having a second antigen recognition domain and a signaling domain (second incomplete CAR unit); wherein the first antigen recognition domain is different than the second antigen recognition domain.

[0210] Therefore, an engineered cell having two incomplete CAR units will only be fully activated when both target antigens are bound to the antigen recognition domain. This strategy provides added specificity in that the engineered cells are not fully activated until targets are bound at the antigen recognition domain of each incomplete CAR unit.

[0211] Furthermore, in embodiments wherein an engineered cell includes two incomplete CAR units, one of the antigen recognition domains may be specific for and bind streptavidin, biotin, HIS, MYC, HA, agarose, V5, Maltose, GST, GFP, CD52, CD20, 4-1BB, or CD28.

[0212] As used herein, compound CAR (cCAR) or multiple CAR refers to an engineered cell having at least two complete and distinct chimeric antigen receptor polypeptides. As used herein, a “distinct chimeric antigen receptor polypeptide” has a unique antigen recognition domain, a signal peptide, a hinge region, a transmembrane domain, at least one costimulatory domain, and a signaling domain. Therefore, two unique chimeric antigen receptor polypeptides will have different antigen recognition domains. The signal peptide, hinge region, transmembrane domain, at least one costimulatory domain, and signaling domain may be the same or different between the two distinct chimeric antigen receptor polypeptides. As used herein, a chimeric antigen receptor (CAR) unit refers to a distinct chimeric antigen receptor polypeptide, or a polynucleotide encoding for the same.

[0213] As used herein, a unique antigen recognition domain is one that is specific for or targets a single target, or a single epitope of a target.

[0214] In some embodiments, the compound CAR targets the same antigen. For example, cCAR targets different epitopes or parts of a single antigen. In some embodiments, each of the CAR units present in the compound CAR targets different antigen specific to the same or different disease condition or side effects caused by a disease condition.

[0215] In some embodiments, the compound CAR targets two different antigens.

[0216] Creation of compound CARs bearing different CAR units can be quite challenging: (1) CAR-CAR interactions might have a deleterious effect and an appropriate CAR design is a key to offset this effect; (2) a compound CAR in a single construct could increase the length of the expression cassette, which may cause the reduction of the viral titer and level of protein expression; (3) an appropriate design to include various CAR body elements particularly to select a strategy to express multiple CARs in a single vector is required; (4) A strong promoter is particularly important for a compound CAR that bears additional units of CAR; (5) The hinge region in the CAR needs to be designed so that interaction of the hinge region between each CAR unit is avoided preferably; (6) two or more units of CARs expressing in a cell may cause toxic effects (CAR-CAR interaction). Applicants herein provide novel and surprising CAR compositions and methods to overcome these hurdles.

[0217] In one embodiment, the present disclosure provides an engineered cell having multiple CAR units. This allows a single engineered cell to target multiple antigens. Targeting multiple surface markers or antigens simultaneously with a multiple CAR unit prevents selection of resistant clones and reduces tumor recurrence. Multiple CAR T cell immunotherapies, with each individual component CAR comprising various domains and activation sites has not yet been developed for any malignancies.

[0218] In one aspect of the present disclosure, cCAR includes multiple CAR units. In some embodiments, cCAR includes at least two CAR units. In another embodiment, the cCAR includes at least three CAR units. In another embodiment, the cCAR includes at least four units.

[0219] In one embodiment, the present disclosure provides an engineered cell having at least two distinct chimeric antigen receptor polypeptides, each having a different antigen recognition domain.

[0220] In one embodiment, the engineered cell having at least two distinct chimeric antigen receptor polypeptides is a T-cell. The T-cell may be engineered so that it does not express a cell surface antigen. For example, a T-cell may be engineered so that it does not express a CD45 cell surface antigen.

[0221] In a preferred embodiment, the engineered cell having at least two distinct chimeric antigen receptor polypeptides is a primary NK cell isolated from the peripheral blood or cord blood and NK-92 cells, such that it is administered "off-the-shelf" to any mammal with a disease or cancer.

[0222] In one embodiment, the engineered cell includes (i.) a first chimeric antigen receptor polypeptide comprising a first antigen recognition domain, a first signal peptide, a first hinge region, a first transmembrane domain, a first co-stimulatory domain, and a first signaling domain; and (ii.) a second chimeric antigen receptor polypeptide comprising a second antigen recognition domain, a second signal peptide, a second hinge region, a second transmembrane domain, a second co-stimulatory domain, and a second signaling domain. The first antigen recognition domain is different from the second antigen recognition domain.

[0223] In a preferred embodiment, each engineered CAR unit polynucleotide have different nucleotide sequences in order to avoid homologous recombination.

[0224] In one embodiment, the target of the first antigen recognition domain is selected from the group consisting of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BAFF-R, BCMA, TACI, LeY, CD5, CD13, CD14, CD15, CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, and CS1; and the target of the second recognition domain is selected from the group consisting of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BAFF-R, BCMA, TACI, LeY, CD5, CD13, CD14, CD15, CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, and CS1.

[0225] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD20 recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 3 and corresponding polynucleotide of SEQ ID NO. 4.

[0226] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD22 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 5 and corresponding polynucleotide of SEQ ID NO. 6.

[0227] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD123 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 7 and corresponding polynucleotide of SEQ ID NO. 8.

[0228] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD33 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD123 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 9 and corresponding polynucleotide of SEQ ID NO. 10. In another embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 11 and corresponding polynucleotide of SEQ ID NO. 12.

[0229] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a BAFF-R antigen recognition domain and second chimeric antigen receptor polypeptide having a CS1 antigen recognition domain.

[0230] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD269 antigen recognition domain and second chimeric antigen receptor polypeptide having a CS1 antigen recognition domain. In one embodiment, the engineered cell includes a polypeptide including SEQ ID NO. 19 and corresponding polynucleotide SEQ ID NO. 20. In one embodiment, the engineered cell includes a polypeptide including SEQ ID NO. 21 and corresponding polynucleotide SEQ ID NO. 22.

[0231] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD33 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD123 antigen recognition domain.

[0232] In one embodiment, each CAR unit includes the same or different hinge region. In another embodiment, each

CAR unit includes the same or different transmembrane region. In another embodiment, each CAR unit includes the same or different intracellular domain.

[0233] In one embodiment, each CAR unit includes the CD3 zeta chain signaling domain.

[0234] In one embodiment, each distinct CAR unit includes different co-stimulatory domains to avoid interaction. For example, the first chimeric antigen receptor polypeptide includes a 4-1BB co-stimulatory domain; and the second chimeric antigen receptor polypeptide includes a CD28 co-stimulatory domain.

[0235] In another embodiment, the hinge region is designed to exclude amino acids that may cause undesired intra- or intermolecular interactions. For example, the hinge region may be designed to exclude or minimize cysteine residues to prevent formation of disulfide bonds. In another embodiment, the hinge region may be designed to exclude or minimize hydrophobic residues to prevent unwanted hydrophobic interactions.

[0236] Compound CAR can perform killing independently or in combination. Multiple or compound CAR comprises same or different hinge region, same or different transmembrane, same or different co-stimulatory and same or different intracellular domains. Preferably, the hinge region is selected to avoid the interaction site.

[0237] The compound CAR of the present disclosure may target same or different tumor populations in T or NK cells. The first CAR, for example, may target the bulky tumor population and the next or the second CAR, for example, may eradicate cancer or leukemic stem cells, to avoid cancer relapses.

[0238] In accordance with the present disclosure it was surprisingly found that the compound CAR in a T or NK cells targeting different or same tumor populations combat tumor factors causing cancer cells resistant to the CAR killing activity, thereby producing down regulation of the target antigen from the cancer cell surface. It was also surprisingly found that this enables the cancer cell to “hide” from the CAR therapy referred to as “antigen escape” and tumor heterogeneity, by which different tumor cells can exhibit distinct surface antigen expression profiles.

Engineered Cell Having CAR Polypeptide and Enhancer

[0239] In another embodiment, the present disclosure provides an engineered cell having at least one chimeric antigen receptor polypeptide and an enhancer.

[0240] In one embodiment, the present disclosure provides an engineered cell having at least two distinct chimeric antigen receptor polypeptides and an enhancer.

[0241] As used herein, an enhancer includes a biological molecule that promotes or enhances the activity of the engineered cell having the chimeric antigen receptor polypeptide. Enhancers include cytokines. In another embodiment, enhancers include IL-2, IL-7, IL-12, IL-15, IL-18, IL-21, PD-1, PD-L1, CSF1R, CTLA-4, TIM-3, and TIGIT, receptors for the same, and functional fragments thereof.

[0242] Enhancers may be expressed by the engineered cell described herein and displayed on the surface of the engineered cell or the enhancer may be secreted into the surrounding extracellular space by the engineered cell. Methods of surface display and secretion are well known in the

art. For example, the enhancer may be a fusion protein with a peptide that provides surface display or secretion into the extracellular space.

[0243] The effect of the enhancer may be complemented by additional factors such as enhancer receptors and functional fragments thereof. The additional factors may be co-expressed with the enhancer as a fusion protein, or expressed as a separate polypeptide and secreted into the extracellular space.

[0244] Enhancers can be cytokines secreted from engineered CAR cells and are designed to co-express with the CAR polypeptide. A massive release occurs upon CAR engagement of cognate antigen. Inflammatory cells surrounding tumor cells have a significant correlation with cancer cell progression and metastasis. Inflammatory cells could include T cells and innate immune response cells, such as NK cells, macrophages, and dendritic cells and their proliferation and anti-tumor activity are regulated by cytokines. CAR cells such as CAR T or NK cells bind to targeted cancer cells and trigger massive secretion of enhancers from the expansion of CAR T/NK cells. The secreted enhancers efficiently promote survival, differentiation and activation of immune response cells against cancer cells. The co-expression of an enhancer(s) with CAR can supplement the defect that CAR T or NK cells are unable to eliminate non-targeting cancer cells (FIG. 78).

[0245] CAR cells can be a carrier of cytokines, and cytokines can be delivered to targeted cancer sites by CAR cells to reduce systemic toxicity with high-dose exogenous cytokines (FIG. 78).

[0246] To improve sustained survival or long-lived persistence of CAR cells, a membrane bound enhancer (s) can be co-expressed with CAR to improve CAR persistency.

[0247] In one embodiment, the enhancer is IL-15. In this instance, the additional factor described above is the IL-15 receptor, and functional fragments thereof. Functional fragments include the IL-15 receptor, IL-15RA, and the sushi domain of IL-15RA (IL-15sushi). Soluble IL-15RA or IL-15sushi profoundly potentiates IL-15 functional activity by prevention of IL-15 degradation. Soluble IL-15/IL-15RA or IL-15/IL-15sushi complexes are stable and much more stimulatory than IL-15 alone in vivo.

[0248] In one embodiment, IL-15 is co-expressed as a fusion protein with at least one of IL-15 receptor, IL-15RA, and the sushi domain of IL-15RA (IL-15sushi). In one embodiment, the IL-15 receptor, IL-15RA, or the sushi domain of IL-15RA (IL-15sushi) is at the N-terminus of IL-15. In another embodiment, the IL-15 receptor, IL-15RA, or the sushi domain of IL-15RA (IL-15sushi) is at the C-terminus of IL-15. As used herein, IL-15/IL-15 sushi denotes that IL-15 sushi is at the C-terminus of IL-15 in a fusion protein; and IL-15sushi/il-15 denotes that IL-15 sushi is at the N-terminus of IL-15 in a fusion protein.

[0249] In some embodiments, IL-15 and the IL-15 receptor or functional fragments thereof polypeptide is on a single polypeptide molecule and is separated by a peptide linker, the peptide linker may be 1-25 amino acid residues in length, 25-100 amino acid residues in length, or 50-200 amino acid residues in length. This linker may include a high efficiency cleavage site described herein.

[0250] An example of a suitable sushi domain includes a CAR construct, SEQ ID NO. 1. In accordance with the present disclosure, any chimeric antigen receptor polypep-

tide disclosed herein may be co-expressed with the Human Interleukin 15 with human interleukin 2 signal peptide SEQ ID NO. 2.

[0251] Interleukin (IL)-15 and its specific receptor chain, IL-15R α (IL-15-RA) play a key functional role in various effector cells, including NK and CD8 T cells. CD8+ T cells can be modified to express autocrine growth factors including, but not limited to, IL-2, IL-7, IL-21 or IL-15, to sustain survival following transfer in vivo. Without wishing to be bound by theory, it is believed that IL-15 overcomes the CD4 deficiency to induce primary and recall memory CD8T cells. Overexpression of IL-15-RA or an IL-15 IL-RA fusion on CD8 T cells significantly enhances its survival and proliferation in-vitro and in-vivo. In some embodiments, CD4CAR or any CAR is co-expressed with at least one of IL-15, IL15RA and IL-15/IL-15R or IL15-RA/IL-15, or a part or a combination thereof, to enhance survival or proliferation of CAR T or NK, and to improve expansion of memory CAR CD8+ T cells.

[0252] The present disclosure provides an engineered cell having a CAR polypeptide as described herein and at least one of IL-15, IL-15RA, IL-15sushi, IL-15/IL-15RA, IL15-RA/IL-15, IL-15/IL-15sushi, IL15sushi/IL-15, fragment thereof, a combination thereof, to enhance survival or persistence or proliferation of CAR T or NK for treating cancer in a patient.

[0253] In another embodiment, the present disclosure provides an engineered cell having at least one of recombinant IL-15, IL-15RA, IL-15sushi, IL-15/IL-15RA, IL15-RA/IL-15, IL-15/IL-15sushi, IL15sushi/IL-15, functional fragment thereof, and combination thereof; and at least one distinct CAR polypeptide wherein the antigen recognition domain includes NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF-R, BCMA, TACI, LeY, CD5, CD7, CD2, CD3, CD4, CD45, CD13, CD14, CD15, CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, ROR1, PSMA, MAGE A3, Glycolipid, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38 and CS1. The target antigens can also include viral or fungal antigens, such as E6 and E7 from the human papillomavirus (HPV) or EBV (Epstein Barr virus) antigens. In further embodiment, the antigen recognition polypeptides (scFv) and corresponding polynucleotides for CD2, CD3, CD5, CD7, and CD52 are described in more detail publications in PCT Application NO. PCT/US2016/39306, the contents of which are incorporated herein by reference.

[0254] Without wishing to be bound by theory, it is believed that IL-15/IL-15sushi and other types of IL-15 or IL-15RA proteins or protein fragments thereof provide synergistic efficacy of a CAR polypeptide when combined with checkpoint inhibitors or modulators (e.g. anti-PD-1).

[0255] In one embodiment, the disclosure provides a CD4 CAR engineered cell that includes IL-15/IL-15sushi (SEQ ID NO. 1), and corresponding polynucleotide (SEQ ID NO. 2). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD4 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD4 CAR polypeptide provides long-term durable remission in patients by

increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0256] In one embodiment, the present disclosure provides engineered cell having a CD45 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 44), and corresponding nucleotides (SEQ ID NO. 43).

[0257] In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD45 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD45 CAR polypeptide provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0258] In one embodiment, the engineered cell includes a CD45 chimeric antigen receptor polypeptide and 4-1BBL (SEQ ID NO. 74), and corresponding nucleotides (SEQ ID NO. 73).

[0259] In one embodiment, the present disclosure provides a method of providing long-term durable remission in patients suffering from cancer by administering a CD45 CAR engineered cell that co-expresses 4-1BBL to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of 4-1BBL with a CD45 CAR provides long-term durable remission in patients by increasing the persistence of CAR engineered cells.

[0260] In one embodiment, the engineered cell includes a CD19 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 59), and corresponding polynucleotide (SEQ ID NO. 60). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD19 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD19 CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0261] In one embodiment, the engineered cell includes a CD20 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 58), and corresponding polynucleotide (SEQ ID NO. 57). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD20 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD20 CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0262] In one embodiment, the engineered cell includes a CD22 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 62), and corresponding polynucleotide (SEQ ID NO. 61). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD22 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD22 CAR provides long-term durable remission in

patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0263] In one embodiment, the engineered cell includes a CD269 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 44), and corresponding polynucleotide (SEQ ID NO. 45). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD269 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD269 CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells as plasma cells or myeloma cells are usually dim CD269 (BCMA) positive.

[0264] In one embodiment, the engineered cell includes a CAR, CD4 polypeptide of SEQ ID NO. 90, and corresponding polynucleotide of SEQ ID NO. 89.

[0265] In one embodiment, the engineered cell includes a CD4 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 96), and corresponding polynucleotide (SEQ ID NO. 95). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD4 CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD4 CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0266] In one embodiment, the engineered cell includes a CD4 chimeric antigen receptor polypeptide and IL-15/IL-15RA (membrane bound) (SEQ ID NO. 98), and corresponding polynucleotide (SEQ ID NO. 97). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD4 CAR engineered cell that includes IL-15/IL-15RA to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15RA (membrane bound) with a CD4 CAR provides long-term durable remission in patients by increasing the persistence of CAR engineered cells.

[0267] In one embodiment, the engineered cell includes a compound CAR, CD33CD123 polypeptide and IL-15/IL-15sushi (SEQ ID NO. 40), and corresponding polynucleotide (SEQ ID NO. 39). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD33CD123 compound CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD33CD123 CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0268] In one embodiment, the engineered cell includes a compound CAR, CD33CD123 polypeptide and 4-1BBL (SEQ ID NO. 38), and corresponding polynucleotide (SEQ ID NO. 37). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a CD33CD123 compound CAR engineered cell that co-expresses 4-1BBL to a

patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of 4-1BBL with a CD33CD123 cCAR provides long-term durable remission in patients by increasing the persistency of cCAR engineered cells.

[0269] In one embodiment, the engineered cell includes a BAFF CAR polypeptide with a CD45 leader sequence (SEQ ID NO. 78) and corresponding polynucleotide sequence (SEQ ID NO. 77).

[0270] In one embodiment, the engineered cell includes BAFF CAR polypeptide with a CD8a leader sequence (includes SEQ ID NO. 80) and corresponding polynucleotide sequence (SEQ ID NO. 79).

[0271] In one embodiment, the engineered cell includes a BAFF CAR polypeptide and IL-15/IL-15sushi (SEQ ID NO. 84), and corresponding polynucleotide (SEQ ID NO. 83).

[0272] In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a BAFF CAR engineered cell that includes IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a BAFF CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells as BAFF receptor, CD269 (BCMA) is weakly expressed in plasma cells and myeloma cells.

[0273] In one embodiment, the engineered cell includes a BAFF CAR polypeptide and 4-1BBL (SEQ ID NO. 82), and corresponding polynucleotide (SEQ ID NO. 81). In one embodiment, the present disclosure provides a method of providing long-term durable remission in cancer patients by administering a BAFF CAR engineered cell co-expresses 4-1BBL to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of 4-1BBL with a BAFF CAR can provide long-term durable remission in patients by increasing the persistence of CAR engineered cells.

[0274] In one embodiment, the engineered cell includes a compound CAR, BAFF CD19b polypeptide of SEQ ID NO. 86 and corresponding polynucleotide of SEQ ID NO. 85.

[0275] In one embodiment, the present disclosure provides a method of treating an autoimmune disorder in a patient by administering a BAFF CD19b compound CAR engineered cell to a patient in need thereof. Without wishing to be bound by theory, it is believed that the BAFF CD19b compound CAR engineered cells provide a better therapeutic outcome for depletion of B-cells and plasma cells associated with autoimmune disorders.

[0276] In one embodiment, the engineered cell includes a APRIL CD19b compound CAR polypeptide of SEQ ID NO. 88 and corresponding polynucleotide of SEQ ID NO. 77.

[0277] In one embodiment, the present disclosure provides a method of depleting B-cells and plasma cells in a patient in need thereof by administering a APRIL CD19b compound CAR engineered cell to a patient in need thereof. Without wishing to be bound by theory, it is believed that the APRIL CD19b compound CAR engineered cell can provide a better therapeutic outcome for depletion of B-cells and plasma cells associated with autoimmune disorders.

[0278] In one embodiment, the engineered cell includes a compound CAR, CD269 CS1 polypeptide of SEQ ID NO. 48 and corresponding polynucleotide of SEQ ID NO. 47. In one embodiment, the present disclosure provides a method

of treating myeloma in a patient by administering a CD269CS1 compound CAR engineered cell to a patient in need thereof.

[0279] Without wishing to be bound by theory, it is believed that CD269 CS1 compound CAR engineered cells provide a better therapeutic outcome for patients with myeloma, and prevent antigen escape or disease relapse.

[0280] In one embodiment, the engineered cell includes a compound CAR, CD269 CD19b polypeptide of SEQ ID NO. 50 and corresponding polynucleotide of SEQ ID NO. 49.

[0281] In one embodiment, the present disclosure provides a method of depleting B-cells and plasma cells in patients by administering a CD269 CD19b compound CAR engineered cell to a patient in need thereof. Without wishing to be bound by theory, it is believed that CD269 CD19b compound CAR engineered cells provide a better therapeutic outcomes for patients suffering from an autoimmune disorder by depletion of B-cells and plasma cells associated with autoimmune disorders.

[0282] In one embodiment, the engineered cell includes another compound CAR, CD269 CD19 polypeptide of SEQ ID NO. 52 and corresponding polynucleotide of SEQ ID NO. 51. In one embodiment, the present disclosure provides a method of depleting B-cells and plasma cells in patients by administering a CD269 CD19 compound CAR engineered cell to a patient in need thereof. Without wishing to be bound by theory, it is believed that CD269 CD19 compound CAR engineered cells provide a better therapeutic outcomes in patients suffering from an autoimmune disorder by depletion of B-cells and plasma cells associated with autoimmune disorders.

[0283] In one embodiment, the present disclosure provides an engineered cell having a CD19 chimeric antigen receptor polynucleotide. In one embodiment, the CD19 CAR polypeptide includes SEQ ID NO. 54 and corresponding polynucleotide sequence SEQ ID NO. 53. In another embodiment, the CD19 CAR polypeptide includes SEQ ID NO. 56, and corresponding polynucleotide sequence SEQ ID NO. 55

[0284] In one embodiment, the engineered cell includes a CD30 CAR polypeptide, and IL-15/IL-15sushi polypeptide (SEQ ID NO. 100), and corresponding polynucleotide (SEQ ID NO. 99). The targeted disease is malignant Hodgkin lymphoma with cancer cells expressing CD30.

[0285] In one embodiment, the present disclosure provides a method of re-activating T-cell and innate immune cells in the tumor microenvironment patients by administering a CD30CAR engineered cell that secretes IL-15/IL-15 complexes to a patient in need thereof. Without wishing to be bound by theory, it is believed that IL-15/IL-15 complexes (e.g. IL-15/IL-15sushi complexes) secreted from engineered cells can re-activate T-cell and innate immune cells in the tumor microenvironment and then restore or augment their anti-tumor immune responses for Hodgkin lymphoma or anaplastic large cell lymphoma.

[0286] In one embodiment, the present disclosure provides a method of restoring or augmenting T-cell or innate immune cell activation or expansion including coexpression of IL-15/IL-15sushi with a CAR polypeptide disclosed herein.

[0287] In another embodiment, the disclosure provides a chimeric antigen receptor polypeptide having an antigen recognition domain specific for a CD30 antigen.

[0288] In one embodiment, the CD30CAR includes at least one-costimulatory domain. In another embodiment, the CD30CAR includes at least two co-stimulatory domains.

[0289] In some embodiments, the disclosure includes a method of co-expressing IL-15/IL-15sushi with CD30CAR. In further embodiments, massive secretion of stable, functional IL-15/IL-15sushi complexes occurs upon binding of CAR to target cells.

[0290] In another embodiment, the present disclosure provides a method of treating a patient suffering from Hodgkin's lymphoma or a cancer associated with a malignant cell expressing CD30 antigen by administering a CD30 CAR engineered cell to a patient in need thereof. An example of a malignant cells expressing CD30 includes anaplastic large cell lymphoma.

[0291] Malignant Hodgkin lymphoma bears CD30+ Reed-Sternberg or Reed-Sternberg like cells, which are surrounded by an overwhelming numbers of T cells and innate immune cells. These T or innate immune cells are immunologically tolerant as they fail to eliminate cancer cells. Therefore, one of critical aspects for treating Hodgkin lymphoma is to re-activate T-cell and innate immune cells in the tumor microenvironment and then restore or augment their anti-tumor immune responses.

[0292] In some embodiments, the present disclosure comprises a method of co-expression of IL-15/IL-15sushi with a CD30CAR. Engineered CD30CAR T or NK cells bind to targeted cancer cells, trigger massive secretion of IL-15/IL-15sushi from the expansion of CD30CAR T or NK cells, whereby secreting IL-15/IL-15sushi efficiently restore or augment T or innate immune cells against cancer cells to overcome immunosuppressive tumor microenvironment.

[0293] In one embodiment, the present disclosure provides a method of providing long-term durable remission in a cancer patient by administering a CD30 CAR engineered cell that co-express IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD30CAR provides long-term durable remission in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells against target cancer cells to overcome immunosuppressive tumor microenvironment.

[0294] In some embodiments, the present disclosure provides an engineered cell that co-expresses IL-15/IL-15sushi and a CD30CAR polypeptide. Without wishing to be bound by theory, it is believed that the combination of CD30CAR engineered cell with co-expression of IL-15/IL-15sushi provides synergistic efficacy when combined with checkpoint inhibitors or modulators (e.g. anti-PD-1).

[0295] In some embodiments, the present disclosure provides a method of treating Hodgkin's lymphoma in a patient by administering a CD30 CAR engineered cell that co-expresses IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, co-expression of CD30CAR polypeptide and IL-15/IL-15sushi provides better outcomes for treatment of Hodgkin's lymphoma or anaplastic large cells than CD30CAR alone as CD30 is not expressed in all cancer cells.

Steps for Elimination of Tumor by CAR Co-Expressing Secretory IL-15/IL-15Sushi (FIG. 78)

[0296] In some embodiments, the present disclosure provides a method of provide long-term durable remission in a

cancer patient by administering a APRIL CAR engineered cell that co-expresses IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a APRIL CAR polypeptide provides long-term durable remissions in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate cells to cancer cells. APRIL receptor, CD269 (BCMA) is weakly expressed in plasma cells and myeloma cells.

[0297] In particular embodiments, the present disclosure provides a method for elimination of tumor cells including contacting said tumor cell with a CAR engineered cell that co-expresses IL-2 to destroy said tumor cell.

[0298] IL-15 was originally considered as an interleukin-2 (IL-2)-like factor for T and NK cells. Unlike IL-2, IL-15 is a survival factor for memory T cells.

[0299] In particular embodiments, elimination of tumor can be achieved by combination of at least one or more of the following steps:

- (1) binding of an CAR engineered T cell or NK cell disclosed herein to a portion of tumor cells by targeting CAR or NK antigen(s);
- (2) Triggering massive secretion of IL-15/IL-15sushi or IL-2 with a prolonged half-life from expansion of CAR T/NK cells, which co-express this molecule;
- (3) Recruiting and stimulating a variety of innate and adaptive immune cells against tumor;
- (4) Reducing tumor suppression that is present in tumor by administration of a checkpoint blockade such as PD-L1 and CTLA-4 inhibitor.

[0300] Without wishing to be bound by theory, it is believed that the combination of steps described above provide potent anti-tumor effects via a concerted innate and adaptive immune response.

[0301] The engineered cells and methods described herein are suitable for the treatment of any cancer wherein specific monoclonal or polyclonal antibodies exist or are capable of being generated in accordance with the current state of the art. In particular, the following cancers have been contemplated and are considered within the scope of the present disclosure, neuroblastoma, lung cancer, melanoma, ovarian cancer, renal cell carcinoma, colon cancer, brain cancer, Hodgkin's lymphoma, B cell lymphoma/leukemia and T cell lymphomalleukemia. All of which have cell surface antigens that may be targeted by the chimeric antigen receptor polypeptides and methods disclosed herein.

[0302] Many tumors escape the specific CAR T/NK killing due to the loss of targeted antigen(s) or CAR T or NK exhaustion. The present disclosure provides a method to overcome this escape. Without wishing to be bound by theory, the present disclosure provides a method of preventing tumor escape by administering a CAR engineered cell having an enhancer or cytokine as disclosed herein, in particular IL-15 or IL-2 to a tumor site by CAR engineered cell. It is believed that this directly stimulates innate and adaptive immune responses. Furthermore, it is believed that IL-15 and/or IL-2 secretion from CAR engineered cells promote the expansion of infused CAR T cells or CAR NK cells and infiltration of immune cells to the tumor site, which is believed to result in tumor destruction.

[0303] In embodiments, half-life extension and prolonged therapeutic activity can be established in the presence of the Fc domain, such IL-15Fc or IL-2Fc. For IL-15 cytokine, IL-15/IL-15sushi or IL-15/IL-15sushi Fc is preferred. Fc

domain is referred to as the IgG Fc-domain fused to various effector molecules (so-called Fc-fusion proteins).

[0304] Single antigen-directed CAR immunotherapy, such as, but not limited to, CD19, CD20, CD22, CD2, CD3, CD4, CD5, CD7, CD33, CD30, CD123, CD45, BCMA, CS1, BAFF, TACI, and APRIL CAR, bears a risk of remission in patients due to the complete loss of target antigen or changes of target antigen expression. On this basis, the present disclosure provides a method of providing long-term durable remission in patients by administering an engineered cell having a CAR polypeptide disclosed herein and co-expression of IL-15/IL-15sushi to increase the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0305] The large volume of some solid tumors or lymphoma can be difficult for CAR T cells to eradicate the whole tumor. In addition, the immunosuppressive microenvironment needs to be overcome as CAR T cells may end up simply being inactivated or suppressed when contacting tumor.

[0306] In some embodiments, the present disclosure provides a method of co-expressing secretory IL-15/IL-15sushi and a chimeric antigen receptor polypeptide in an engineered cell.

[0307] In some embodiments, the present disclosure provides a method of increasing CAR engineered cell in vivo half life by co expressing secretory IL-15/IL-15sushi in said engineered cell. Without wishing to be bound by theory, it is believed that the secreted complexes of IL-15/IL-15sushi are functionally stable and efficiently promote survival of the CAR containing engineered cell.

[0308] In some embodiments, the present disclosure provides a method of delivering IL-15/IL-15sushi to targeted cancer sites using CAR as a carrier to promote the proliferation of innate immune response cells against cancer cells, prevent the tumor microenvironment suppression, and reduce systemic toxicity with high-dose exogenous cytokines.

[0309] In some embodiments, the present disclosure provides a method of delivering IL-15/IL-15sushi to targeted cancer sites using CAR as a carrier to recruit other effector immune cells to the site and help them to kill cancer cells.

[0310] In some embodiments, the present disclosure provides a method of delivering IL-15/IL-15sushi to targeted cancer sites using CAR as a carrier to activate bystander immunity to eradicate cancer cells that lose the antigen for CAR T/NK cells.

Methods of Generating Engineered Cells

[0311] Any of the polynucleotides disclosed herein may be introduced into an engineered cell by any method known in the art.

[0312] In one embodiment, CAR polynucleotides are delivered to the engineered cell by any viral vector as disclosed herein.

[0313] In one embodiment, to achieve enhanced safety profile or therapeutic index, the any of the engineered cells disclosed herein be constructed as a transient RNA-modified "biodegradable" version or derivatives, or a combination thereof. The RNA-modified CARs of the present disclosure may be electroporated into T cells or NK cells. The expression of the compound CAR may be gradually diminished over few days.

[0314] In some embodiments of the present disclosure, any of the engineered cells disclosed herein may be constructed in a transposon system (also called a “Sleeping Beauty”), which integrates the CAR DNA into the host genome without a viral vector.

Methods of Generating an Engineered Cell Having Multiple CAR Units

[0315] In another embodiment, the present disclosure provides a method making an engineered cell having at least two CAR units.

[0316] In some embodiments, multiple units of CAR are expressed in a T or NK cell using bicistronic or multicistronic expression vectors. There are several strategies which can be employed to construct bicistronic or multicistronic vectors including, but not limited to, (1) multiple promoters fused to the CARs’ open reading frames; (2) insertion of splicing signals between units of CAR; fusion of CARs whose expressions are driven by a single promoter; (3) insertion of proteolytic cleavage sites between units of CAR (self-cleavage peptide); and (iv) insertion of internal ribosomal entry sites (IRESs).

[0317] In a preferred embodiment, multiple CAR units are expressed in a single open reading frame (ORF), thereby creating a single polypeptide having multiple CAR units. In this embodiment, an amino acid sequence or linker containing a high efficiency cleavage site is disposed between each CAR unit.

[0318] As used herein, high cleavage efficiency is defined as more than 50%, more than 70%, more than 80%, or more than 90% of the translated protein is cleaved. Cleavage efficiency may be measured by Western Blot analysis, as described by Kim 2011.

[0319] Furthermore, in a preferred embodiment, there are equal amounts of cleavage product, as shown on a Western Blot analysis.

[0320] Examples of high efficiency cleavage sites include porcine teschovirus-1 2A (P2A), FMDV 2A (abbreviated herein as F2A); equine rhinitis A virus (ERAV) 2A (E2A); and Thosea asigna virus 2A (T2A), cytoplasmic polyhedrosis virus 2A (BmCPV2A) and flacherie Virus 2A (BmIFV2A), or a combination thereof. In a preferred embodiment, the high efficiency cleavage site is P2A. High efficiency cleavage sites are described in Kim J H, Lee S-R, Li L-H, Park H-J, Park J-H, Lee K Y, et al. (2011) High Cleavage Efficiency of a 2A Peptide Derived from Porcine Teschovirus-1 in Human Cell Lines, Zebrafish and Mice. PLoS ONE 6(4): e18556, the contents of which are incorporated herein by reference.

[0321] In embodiments wherein multiple CAR units are expressed in a single open reading frame (ORF), expression is under the control of a strong promoter. Examples of strong promoters include the SFFV promoter, and derivatives thereof.

Engineered Cell Having CAR Polypeptide and Enhancer

[0322] In another embodiment, the present disclosure provides a method making an engineered cell that expresses at least one CAR unit and an enhancer.

[0323] In some embodiments, at least one CAR unit and enhancer is expressed in a T or NK cell using bicistronic or multicistronic expression vectors. There are several strategies which can be employed to construct bicistronic or

multicistronic vectors including, but not limited to, (1) multiple promoters fused to the CARs’ open reading frames; (2) insertion of splicing signals between units of CAR; fusion of CARs whose expressions are driven by a single promoter; (3) insertion of proteolytic cleavage sites between units of CAR (self-cleavage peptide); and (4) insertion of internal ribosomal entry sites (IRESs).

[0324] In a preferred embodiment, at least one CAR unit and an enhancer are expressed in a single open reading frame (ORF), thereby creating a single polypeptide having at least one CAR unit and an enhancer. In this embodiment, an amino acid sequence or linker containing a high efficiency cleavage site is disposed between each CAR unit and between a CAR unit and enhancer. In this embodiment, the ORF is under the control of a strong promoter. Examples of strong promoters include the SFFV promoter, and derivatives thereof.

[0325] Furthermore, in a preferred embodiment, there are equal amounts of cleavage product, as shown on a Western Blot analysis.

Methods of Treatment Using the Compositions Disclosed Herein

[0326] In another embodiment, the present disclosure provides a method of targeting CD45 for conditioning prior to allogeneic transplantation in cancer treatment. CD45 is also known as leukocyte common antigen (LCA) and is a tyrosine phosphatase expressed on virtually all cells of hematopoietic origin except erythrocytes and platelets. Most hematologic malignancies express CD45. For instance, 85% to 90% acute lymphoid and myeloid leukemias express CD45. (CD45 is not found in non-hematopoietic origin. In addition, CD45 is expressed at a high density of an average copy number of approximately 200,000 molecules per cells on malignant cells and leukocytes. CD45 presents an ideal target for a variety of hematologic malignancies. However, CAR T and NK cells also express CD45. Without inactivation of endogenous CD45, CAR T or NK cells armed with CARs targeting CD45 may result in self-killing.

[0327] The association of CD45 with TCR complexes is essential in regulation of T-cell activation in response to antigen. The inability of CD45-deficient T cells to present antigen is due to reduced signaling through the T cell receptors (TCRs). TCRs are cell surface receptors that play an essential role in the activation of T cells in response to the presentation of antigen. The TCR is generally made from two chains, alpha and beta, which are associated with the transducing subunits, the CD3, to form the T-cell receptor complex present on the cell surface.

[0328] It was surprisingly found that multiple CARs (Compound CARs, cCAR) of the present disclosure combat a key mechanism by which cancer cells resist CAR activity, i.e., the downregulation or heterogeneous expression of the target antigen from the cancer cell surface. This mechanism allows the cancer cell to “hide” from the CAR therapy, a phenomenon referred to as ‘antigen escape’. The present disclosure pre-empts cancer antigen escape by recognizing a combination of two or more antigens to rapidly eliminate the tumor.

[0329] The disclosure provides a method of simultaneous targeting of multi-antigens using a cCAR resulting in improved tumor control by minimizing the possibility of tumor selection on the basis of target antigen loss or down-regulation.

[0330] The disclosed disclosure includes compound (multiple or compound) cCAR in a T or NK cell targeting different or same surface antigens present in tumor cells. The compound chimeric antigen receptors of the present disclosure comprise at least multiple chimeric receptor constructs linked by a linker and target of the same or different antigens. For example, each of the CAR construct present in the compound CAR (cCAR) construct includes an antigen recognition domain, an extracellular domain, a transmembrane domain and/or a cytoplasmic domain. The extracellular domain and transmembrane domain can be derived from any desired source for such domains. The multiple CAR constructs are linked by a linker. The expression of the compound CAR construct is driven by a promoter. The linker may be a peptide or a part of a protein, which is self-cleaved after a protein or peptide is generated (also called as a self-cleaving peptide).

[0331] In one embodiment, the compound CARs of the present disclosure target Myelodysplastic Syndrome and acute myeloid leukemia (AML) populations. Myelodysplastic Syndrome (MDS) remains an incurable hematopoietic stem cell malignancy that occurs most frequently among the elderly, with about 14,000 new cases each year in the USA. About 30-40% of MDS cases progress to AML. The incidence of MDS continues to increase as our population ages. Although MDS and AML have been studied intensely, no satisfactory treatments have been developed.

[0332] The compositions and methods of this disclosure can be used to generate a population of T lymphocyte or NK cells that deliver both primary and co-stimulatory signals for use in immunotherapy in the treatment of cancer, in particular, the treatment of lung cancer, melanoma, breast cancer, prostate cancer, colon cancer, renal cell carcinoma, ovarian cancer, brain cancer, sarcoma, leukemia and lymphoma.

[0333] Immunotherapeutics generally rely on the use of immune effector cells and molecules to target and destroy cancer cells. The effector may be a lymphocyte carrying a surface molecule that interacts, either directly or indirectly, with a tumor cell target. Various effector cells include cytotoxic T cells, NK cells, and NK-92 cells. The compositions and methods described in the present disclosure may be utilized in conjunction with other types of therapy for cancer, such as chemotherapy, surgery, radiation, gene therapy, and so forth. The compositions and methods described in the present disclosure may be utilized in other disease conditions that rely on immune responses such as inflammation, immune diseases, and infectious diseases.

[0334] In some embodiments, the compound CAR of the present disclosure may act as a bridge to bone marrow transplant, by achieving complete remission for patients who have minimal residual disease and are no longer responding to chemotherapy. In other embodiments, the compound CAR eliminates leukemic cells followed by bone marrow stem cell rescue to support leukopenia.

[0335] In some embodiments, the compound CAR of the present disclosure can combat a key mechanism by which cancer cells resist CAR activity by the down-regulation of the target antigen. In another embodiment, the invented compound CAR can also combat the heterogeneity of cancer cells, which creates significant challenges in a regular CAR T/NK cell therapy. In a further embodiment, the disclosed compound CAR is designed that the first CAR targets the bulky tumor population and another eradicates cancer or leukemic stem cells to avoid cancer relapses.

[0336] In one embodiment, the present disclosure provides a method of destroying cells having a CD33 antigen or a CD123 antigen, or both by contacting said cells with an engineered cell having at least one of chimeric antigen receptor polypeptide having a CD33 antigen recognition domain and chimeric antigen receptor polypeptide having a CD23 antigen recognition domain. The engineered cell may be a T or NK cell.

[0337] Cells having at least one of the CD33 antigen and the CD123 antigen include acute myeloid leukemia, precursor acute lymphoblastic leukemia, chronic myeloproliferative neoplasms, chronic myeloid leukemia, myelodysplasia syndromes, blastic plasmocytoid dendritic neoplasms (BP-DCN), Hodgkin's lymphoma, mastocytosis, and hairy cell leukemia cells.

[0338] In another embodiment, the present disclosure provides a method of providing myeloblastic conditioning regimens for hematopoietic stem cell transplantation. In this embodiment, a T or NK engineered cell having a CD33 unit and a CD123 unit is administered to a patient in need thereof.

[0339] In further embodiments, the present disclosure provides a method of eradicating or killing leukemic stem cells (LSCs) or bulk leukemic cells expressing CD123 or CD33, or both. In this embodiment, a T or NK engineered cell having a CD33 unit and a CD123 unit is administered to a patient in need thereof.

[0340] In further embodiments, the compound CAR in a T or NK cell may be used to eradicate or kill CD34+CD38⁺ leukemic stem cells or bulk leukemic cells expressing CD123 or CD33 or both.

[0341] In some embodiments, a compound CAR targets cells expressing CD19 or CD20 antigens or both. In another embodiment, a compound CAR targets cells expressing CD19 or CD22 antigens or both. The targeted cells may be cancer cells, such as, without limiting, B-cell lymphomas or leukemias. In further embodiments, the target antigens can include at least one of this group, but not limited to, ROR1, PSMA, MAGE A3, Glycolipid, glypican 3, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, alpha-fetoprotein, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38, CD52, CD3, CD4, CD8, CD5, CD7, CD2, and CD138. The target antigens can also include viral or fungal antigens, such as E6 and E7 from the human papillomavirus (HPV) or EBV (Epstein Barr virus) antigens.

[0342] In some embodiments, the compound CAR engineered cells target cells having cell surface CD19 antigen or cell surface CD123 antigen or both. The targeted cells are cancer cells, such as, without limiting, B-cell lymphomas or leukemias.

[0343] Clinical trials of CD19 CAR T cell therapy have shown that 80-94% of patients with B-ALL achieve complete remission, but a substantial proportion of patients eventually relapse. The prevalence of CD123 expression in B-ALL is high, and can be used as a CAR target for B-ALL.

[0344] In some embodiments, the compound CAR targets cells expressing CD19 or CD123 antigen or both. Without wishing to be bound by theory, it is believed that CD19 and/or CD123 compound CAR engineered cells offset tumor escape due to the loss of CD19 or CD123 antigen or prevent B-ALL or other type B-cell lymphoma/leukemia relapse.

[0345] In further embodiments, the CD19 and/or CD20 compound CAR engineered cells target cells having cell surface CD19 antigens and/or CD20 cell surface antigens. In another embodiment, the targeted cells are malignant B cell lymphoma/leukemia such as, without limiting, B-ALL, high grade B cell lymphoma, low grade B-cell lymphoma, diffuse large B cell lymphoma, Burkett lymphoma, mantle cell lymphoma, CLL, marginal zone B cell lymphoma and follicular lymphoma.

[0346] Without wishing to be bound by theory, it is believed that the CD19 and/or CD20 CAR engineered cells provide an effective safeguard against antigen escape and prevent disease relapse in adoptive T/NK-cell therapy for B-cell malignancies.

[0347] CAR target cells having at least one of the antigens CD19, CD20, CD22, and CD123, include precursor acute lymphoblastic leukemia, B-cell lymphoma/leukemia, chronic lymphocytic leukemia/lymphoma, mantle lymphoma, follicular lymphoma, marginal zone B cell lymphoma, diffuse large B cell lymphoma, Burkett lymphoma, blastic plasmacytoid dendritic neoplasms (BPDCN), Hodgkin's lymphoma, and hairy cell leukemia cells.

[0348] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD22 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 64 and corresponding polynucleotide of SEQ ID NO. 63.

[0349] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD20 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 66 and corresponding polynucleotide of SEQ ID NO. 65.

[0350] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD123 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 68 and corresponding polynucleotide of SEQ ID NO. 67.

[0351] Multiple myeloma is an incurable disease exhibiting uncontrollable proliferation of plasma cells in the bone marrow. CS1 and BCMA are widely expressed on myeloma cells, but is not expressed in hematopoietic stem/progenitor cells. Therefore, BCMA and CS1 are ideal targets for CAR T/NK cell therapy.

[0352] In further embodiments, the present disclosure provides compound CAR engineered cell having a CS1 (SLAMF7) antigen recognition domain and/or an antigen recognition domain that targets B-cell maturation antigens (BCMA). In another embodiment, the targeted cells are malignant plasma cells, such as, but not limited to, multiple myeloma.

[0353] Without wishing to be bound by theory, it is believed that a compound CAR engineered cell having at least one of CS1 and BCMA antigen recognition domain enhances functionality against multiple myeloma and offset antigen escape.

[0354] In some embodiments, a CAR targets cells expressing multiple antigens including, but not limited to, CS1, BCMA, CD267, BAFF-R, CD38, CD138, CD52, CD19,

TACI, CD20, interleukin 6 receptor, and NY-ESO-1 antigens. In another embodiment, the targeted cells are plasma cells, B-cells, malignant plasma cells such as, without limiting, multiple myeloma.

[0355] In some embodiments, the compound CAR targets cells expressing multiple antigens including, but not limited to, CS1, BCMA, CD267, BAFF-R, CD38, CD138, CD52, CD19, TACI, CD20, interleukin 6 receptor, and NY-ESO-1 antigens. In another embodiment, the targeted cells are malignant plasma cells such as, without limiting, multiple myeloma.

[0356] In some embodiments, the compound CAR targets cells expressing multiple antigens including but not limited to, alpha fetoprotein (AFP) and Glypican-3 (GPC3). In another embodiment, the targeting cells are hepatocellular carcinoma, fibrolamellar carcinoma, hepatoblastoma, undifferentiated embryonal sarcoma and mesenchymal hamartoma of liver, lung-squamous cell carcinoma, testicular nonseminomatous germ cell tumors, liposarcoma, ovarian and extragonadal yolk sac tumors, ovarian choriocarcinoma, teratomas, ovarian clear cell carcinoma, and placental site trophoblastic tumor.

[0357] Without wishing to be bound by theory, the present disclosure provides compound CAR engineered T cells or NK cells that target different or the same antigens offset tumor escape and provides simultaneous targeting of tumor cells.

[0358] The T or NK host cells comprising compound CAR disclosed herein is embodied in the present disclosure. The nucleotide and polypeptide constructs, sequences, host cells, and vectors of the compound CAR are considered to be part of the present disclosure and is embodied herein.

[0359] In some embodiments, the compound CAR engineered cell is administrated in combination with any chemotherapy agents currently being developed or available in the market. In some embodiments, the compound CAR engineered cell is administrated as a first line treatment for diseases including, but not limited to, hematologic malignancies, cancers, non-hematologic malignancies, inflammatory diseases, infectious diseases such as HIV and HTLV and others. In one embodiment, T cells expressing the compound CAR engineered cells are co-administrated with NK cells expressing the same or different compound CAR as an adaptive immunotherapy. Compound CAR NK cells provide rapid, innate activity targeting cells while compound T cells provide relative long-lasting adaptive immune activity.

[0360] In one embodiment, the compound CAR engineered cells are administrated as a bridge to bone marrow stem transplantation for mammals, e.g. patients who are resistant to chemotherapies and are not qualified for bone marrow stem cell transplantation.

[0361] In some embodiments, the compound CAR co-expresses a transgene and releases a transgenic product, such as IL-12 in the targeted tumor lesion and further modulates the tumor microenvironment.

[0362] In one embodiment, compound CAR engineered cells are administrated to a mammal for bone marrow myeloid ablation as a part of the treatment to a disease.

[0363] In a specific embodiment, the cells expressing a compound CAR can be T cells or NK cells, administrated to a mammal, e.g. human. The presented disclosure includes a method of treating a mammal having a disorder or disease by administration of a compound CAR. The targeted cells may

be cancer cells such as, or cells affected by any other disease condition, such as infectious diseases, inflammation, and autoimmune disorders.

[0364] The present disclosure is intended to include the use of fragments, mutants, or variants (e.g., modified forms) of the compound CAR or antigens that retain the ability to induce stimulation and proliferation of T/NK cells. A “form of the protein” is intended to mean a protein that shares a significant homology with at least one CAR or antigen and is capable of effecting stimulation and proliferation of T/NK cells. The terms “biologically active” or “biologically active form of the protein,” as used herein, are meant to include forms of the proteins or variants that are capable of effecting anti-tumor activity of the cells.

[0365] The compositions and methods of this disclosure can be used to generate a population of TINK cells that deliver both primary and co-stimulatory signals for use in immunotherapy in the treatment of cancer, in particular the treatment of lung cancer, melanoma, breast cancer, prostate cancer, colon cancer, renal cell carcinoma, ovarian cancer, neuroblastoma, rhabdomyosarcoma, leukemia and lymphoma. The compositions and methods described in the present disclosure may be utilized in conjunction with other types of therapy for cancer, such as chemotherapy, surgery, radiation, gene therapy, and so forth.

[0366] 1) In some embodiments, the disclosure provides a method of depleting B cells, immature B cells, memory B cells, plasmablasts, long lived plasma cells, or plasma cells in patients with an autoimmune disease by administering to patients CAR or compound CAR T cells or NK cells. CAR targeted cells are B or plasma cells expressing one or two or all of the antigens, BCMA, TACI and BAFF-R. The autoimmune diseases include systemic sclerosis, multiple sclerosis, psoriasis, dermatitis, inflammatory bowel diseases (such as Crohn's disease and ulcerative colitis), systemic lupus erythematosus, vasculitis, rheumatoid arthritis, Sjorgen's syndrome, polymyositis, pulmonary alveolar proteinosis, granulomatosis and vasculitis, Addison's disease, antigen-antibody complex mediated diseases, and anti-glomerular basement membrane disease.

[0367] Multiple extracellular cell markers are now being studied for value as tumor-associated antigens and thus potential targets for CAR T/NK cell therapy. However, expression of these antigens on healthy tissue leading to on-target, off-tumor adverse events remains a major safety concern in addition to off-target toxicities. Furthermore, a major limitation of CAR T/NK cell therapy is in the possibility of selecting for antigen escape variants when targeting molecules non-essential to tumorigenesis. Thus, malignant cells that persist with little or no expression of the target antigens may evade CAR T/NK cells, despite their high-affinity action.

[0368] In accordance with the present disclosure, natural killer (NK) cells represent alternative cytotoxic effectors for CAR driven killing. Unlike T-cells, NK cells do not need pre-activation and constitutively exhibit cytolytic functions. Further expression of cCARs in NK cells allow NK cells to effectively kill cancers, particularly cancer cells that are resistant to NK cell treatment.

[0369] Further, NK cells are known to mediate anti-cancer effects without the risk of inducing graft-versus-host disease (GvHD).

[0370] Studies have shown an aberrant overexpression of CD123 on CD34+CD38- AML cells, while the normal bone marrow counterpart CD34+CD38- does not express CD123 (Jordan, Upchurch et al. 2000). This population of CD123+, CD34+CD38- has been considered as LSCs as these cells are able to initiate and maintain the leukemic process in immunodeficient mice.

[0371] The number of CD34+/CD38-/CD123+ LSCs can be used to predict the clinical outcome for AML patients. The CD34+/CD38-/CD123+ cells, greater than 15% in AML patients, are associated with a lack of complete remission and unfavorable cytogenetic profiles. In addition, the presence of more than 1% of CD34+/CD38-/CD123+ cells could also have a negative impact on disease-free survival and overall survival.

[0372] At the present, therapies for MDS and AML have focused on the leukemic blast cells because they are very abundant and clearly represent the most immediate problem for patients. Importantly, leukemic stem cells (LSCs) are quite different from most of the other leukemia cells (“blast” cells), and they constitute a rare subpopulation. While killing blast cells can provide short-term relief, LSCs, if not destroyed, will always re-grow, causing the patient to relapse. It is imperative that LSCs be destroyed in order to achieve durable cures for MDS disease.

[0373] Unfortunately, standard drug regimens are not effective against MDS or AML LSCs. Therefore, it is critical to develop of new therapies that can specifically target both the leukemic stem cell population and the bulky leukemic population. The compound CAR disclosed in the present disclosure target both of these populations and is embodied herein.

[0374] In accordance to the present disclosure, it was surprisingly found that NK cells provide an off-the-shelf product that may be used as an allogeneic product for treatment. Thus, according to the present disclosure, cCAR cell therapy needs to be performed on a patient-specific basis as required by the current state of art. The applicants of the present disclosure have discovered a novel immunotherapy, where the patient's lymphocytes or tumor infiltrated lymphocytes need not be isolated for an effective CAR cell based therapy.

[0375] Allogeneic or autologous NK cells are expected to induce a rapid immune response but disappear relatively rapidly from the circulation due to their limited lifespan. Thus, applicants surprisingly discovered that there is reduced concern of persisting side effects using cCAR cell based therapy.

[0376] According to one aspect of the present disclosure, NK cells can be expanded and transfected with cCAR in accordance to the present disclosure. NK cells can be derived from cord blood, peripheral blood, iPS cells and embryonic stem cells. According to one aspect of the present disclosure, NK-92 cells may be expanded and transfected with cCAR. NK-92 is a continuously growing cell line that has features and characteristics of natural killer (NK) cells. NK-92 cell line is IL-2 dependent and has been proven to be safe and feasible. cCAR expressing NK-92 cells can be expanded in the serum free-medium with or without co-culturing with feeder cells. A pure population of NK-92 carrying the cCAR of interest may be obtained by sorting.

[0377] Identification of appropriate surface target antigens is a prerequisite for developing CAR T/NK cells in adaptive immune therapy.

[0378] In one aspect of the present disclosure, CD123 antigen is one of the targets for cCAR therapy. CD123, the alpha chain of the interleukin 3 receptor, is overexpressed on a variety of hematologic malignancies, including acute myeloid leukemia (AML), B-cell acute lymphoblastic leukemia (B-ALL), hairy cell leukemia, and blastic plasmacytoid dendritic neoplasms. CD123 is absent or minimally expressed on normal hematopoietic stem cells. More importantly, CD123 is expressed on a subset of leukemic cells related to leukemic stem cells (LSCs), the ablation of which is essential in preventing disease refractoriness and relapse.

[0379] In one aspect of the present disclosure, CD33 antigen is one of the targets for cCAR therapy. CD33 is a transmembrane receptor expressed on 90% of malignant cells in acute myeloid leukemia. Thus, according to the present disclosure, CD123 and CD33 target antigens are particularly attractive from a safety standpoint.

[0380] In accordance with the present disclosure, the compound CD33CD123 CARs may be highly effective for therapeutic treatment of chronic myeloid leukemia (CML) population. In chronic myeloid leukemia (CML), there is a rare subset of cells that are CD34+CD38-. This population is considered as comprised of LSCs. Increased number of LSCs is associated with the progression of the disease. A small-molecule Bcr-Abl tyrosine kinase inhibitor (TKI) is shown to significantly improve the overall survival in CP-CML patients. However, LSCs are thought to be resistant to TKI therapy. A novel therapy targeting CML resistant LSCs is urgently needed for treatment of CML and the novel therapy is embodied in the compound CD33CD123 CAR disclosed in the present disclosure. CD123 expression is high in the CD34+CD38-population. In accordance with the present disclosure, the compound CD33CD123 CARs is highly effective for therapeutic treatment of this population.

[0381] In one embodiment of the present disclosure, leukemic cells expressing both CD123 and CD33 in the cCAR is used as a therapeutic treatment. CD33 is expressed on cells of myeloid lineage, myeloid leukemic blasts, and mature monocytes but not normal pluripotent hematopoietic stem cells. CD33 is widely expressed in leukemic cells in CML, myeloproliferative neoplasms, and MDS.

[0382] Since a significant number of patients with acute myeloid leukemia (AML) are refractory to standard chemotherapy regimens or experience disease relapse following treatment (Burnett 2012), the development of CAR T cell immunotherapy for AML has the potential to address a great clinical need. In the majority of these patients, leukemic cells express both CD123 and CD33, giving broad clinical applicability to the compound CD33CD123 CAR disclosed herein. Thus, the present disclosure discloses a novel multiple cCAR T/NK cell construct comprising multiple CARs targeting multiple leukemia-associated antigens, thereby offsetting antigen escape mechanism, targeting leukemia cells, including leukemic stem cells, by synergistic effects of co-stimulatory domain activation, thereby providing a more potent, safe and effective therapy.

[0383] The present disclosure further discloses a compound CAR construct with enhanced potency of anti-tumor activity against cells co-expressing target antigens, and yet retains sensitivity to tumor cells only expressing one antigen. In addition, each CAR of the compound CAR includes one or two co-stimulatory domains and exhibits potent killing capability in the presence of the specific target.

[0384] In pre-clinical studies on dual specificity, trans-signaling CARs targeting solid tumors including breast cancer and epithelial ovarian cancer, a CD3 intracellular signaling domain, is separated from co-stimulatory domains from second generation of CARs. In other words, one CAR contains the first generation of CAR without any co-stimulatory domain, and another lacks a CD3 zeta intracellular domain. Therefore, the presence of both target antigens is required for T cell activation and potent killing. Thus, they were proposed as a way to decrease off-tumor toxicity caused by healthy tissue expression of one of the two target antigens, increasing target specificity, but at the expense of sensitivity. In one embodiment, the compound CAR is a compound CD123CD19 CAR. It has been shown that more than 90% of B-ALLs express CD123 in a subset of population. Like AML and MDS, it has been considered that a rare LSC population exists in B-ALL. Therefore, targeting both leukemic stem cell and bulky leukemic populations in accordance to the present disclosure, can be applied to B-ALLs. CD123 and CD19 surface antigens expressed in the B-ALLs may be targets as CD19 is widely expressed in different stages of B-cell lymphoid populations, in accordance with the present disclosure.

[0385] Multiple myeloma (MM) is the second most common hematologic malignancy in the US and is derived from clonal plasma cells accumulated in the bone marrow or extramedullary sites. MM is an incurable disease with a median survival of approximately 4.5 years. Anti-Myeloma CARs in Pre-clinical Development have been developed and CAR targets include CD38, CS1, and B cell maturation Antigen (BCMA). However, heterogeneity of surface antigen expression commonly occurs in malignant plasma cells, which makes it a difficult target for CARs. Malignant plasma cells also express low levels of CD19. Previously it has been shown that myeloma stem cells also express some B-cell markers including CD19. Targeting this population could be effective in the treatment of myeloma in conjunction with standard and other myeloma CAR therapies.

[0386] Multiple myeloma (MM) is a haematological malignancy with a clonal expansion of plasma cells. Despite important advances in the treatment, myeloma remains an incurable disease; thus novel therapeutic approaches are urgently needed.

[0387] CS1 (also called as CD319 or SLAMF7) is a protein encoded by the SLAMF7 gene. The surface antigen CS1 is a robust marker for normal plasma cells and myeloma cells (malignant plasma cells).

[0388] Tumour necrosis factor receptor superfamily, member 17 (TNFRSF17), also referred to as B-cell maturation antigen (BCMA) or CD269 is almost exclusively expressed at the terminal stages of plasma cells and malignant plasma cells. Its expression is absent other tissues, indicating the potential as a target for CAR T or NK cells.

[0389] Malignant plasma cells display variable degrees of antigenic heterogeneity for CD269 and CS1. A single CAR unit product targeting either CD269 or CS1 could target the majority of the cells in a bulk tumor resulting in an initial robust anti-tumor response. Subsequently residual rare non-targeted cells are expanded and cause a disease relapse. While multiple myeloma is particularly heterogeneous, this phenomena could certainly apply to other leukemias or tumors. A recent clinical trial at NIH using BCMA CAR T cells showed a promising result with a complete response in some patients with multiple myeloma. However, these

patients relapsed after 17 weeks, which may be due to the antigen escape. The antigen escape is also seen in CD19 CAR and NY-ESO1 CAR T cell treatments. Thus, there is an urgent need for more effective CAR T cell treatment in order to prevent the relapse.

[0390] In one aspect of the present disclosure, BCMA and CS1 are the targets for BCMACS1 CAR therapy.

[0391] In some embodiments, a compound CAR targets cells expressing BCMA or CS1 antigens or both. The targeted cells may be cancer cells, such as, without limiting, lymphomas, or leukemias or plasma cell neoplasms. In further embodiments, plasma cell neoplasms is selected from plasma cell leukemia, multiple myeloma, plasmacytoma, heavy chain diseases, amyloidosis, waldestrom's macroglobulinemia, heavy chain diseases, solitary bone plasmacytoma, monoclonal gammopathy of undetermined significance (MGUS) and smoldering multiple myeloma.

[0392] In some embodiments, the present disclosure provides a compound CAR polypeptide engineered cell that targets cells expressing BCMA or CD19 antigens or both. The targeted cells may be cancer cells, such as, but not limited to, lymphomas, or leukemias or plasma cell neoplasms. In further embodiments, plasma cell neoplasms are selected from plasma cell leukemia, multiple myeloma, plasmacytoma, heavy chain diseases, amyloidosis, waldestrom's macroglobulinemia, heavy chain diseases, solitary bone plasmacytoma, monoclonal gammopathy of undetermined significance (MGUS) and smoldering multiple myeloma.

[0393] BAFF (B-cell-activation factor) and APRIL (a proliferation-induced ligand) are two TNF homologs that bind specifically TACI (also called as TNFRSF1 3B or CD267) and BCMA with high affinity. BAFF (also known as BLyS) binds BAFF-R and functionally involves in the enhancement of survival and proliferation of later stage of B cells. BAFF has been shown to involve some autoimmune disorders. APRIL plays an important role in the enhancement of antibody class switching. Both BAFF and APRIL have been implicated as growth and survival factors for malignant plasma cells.

[0394] Ligand-receptor interactions in the malignant plasma cells or normal plasma cells are described in FIGS. 77 and 79.

[0395] In some embodiments, the present disclosure provides a compound CAR engineered cell that targets cells expressing TACI or CS1 antigens or both. In another embodiment, a compound CAR engineered cell that targets cells expressing TACI or CS1 antigens or both. The targeted cells may be cancer cells, such as, without limiting, lymphomas, or leukemias or plasma cell neoplasms. In further embodiments, plasma cell neoplasms is selected from plasma cell leukemia, multiple myeloma, plasmacytoma, heavy chain diseases, amyloidosis, waldestrom's macroglobulinemia, heavy chain diseases, solitary bone plasmacytoma, monoclonal gammopathy of undetermined significance (MGUS) and smoldering multiple myeloma. The target cells may also be one or two or multiple different cell types of B cells, immature B cells, naïve B cells, centroblasts, centrocytes, memory B cells, plasmablasts, long lived plasma cells, plasma cells. These cells involve autoimmune diseases include systemic sclerosis, multiple sclerosis, psoriasis, dermatitis, inflammatory bowel diseases (such as Crohn's disease and ulcerative colitis), systemic lupus erythematosus, vasculitis, rheumatoid arthritis, Sjorgen's syn-

drome, polymyositis, granulomatosis and vasculitis, Addison's disease, antigen-antibody complex mediated diseases, and anti-glomerular basement membrane disease.

[0396] In some embodiments, the present disclosure provides a compound CAR engineered cell that targets cells expressing BAFF-R or CS1 antigens or both. In another embodiment, a compound CAR engineered cell that targets cells expressing BAFF-R or CS1 antigens or both. The targeted cells may be cancer cells, such as, without limiting, lymphomas, or leukemias or plasma cell neoplasms. In further embodiments, plasma cell neoplasms is selected from plasma cell leukemia, multiple myeloma, plasmacytoma, heavy chain diseases, amyloidosis, waldestrom's macroglobulinemia, heavy chain diseases, solitary bone plasmacytoma, monoclonal gammopathy of undetermined significance (MGUS) and smoldering multiple myeloma.

[0397] Autoimmune disorders such as lupus erythematosus (SLE), pemphigus vulgaris and multiple sclerosis (MS) cause significant morbidity and disability. These diseases respond poorly to current therapies and frequent relapse during disease course is noted. B and plasma cells play a critical role in the pathogenesis of autoimmune disorders as they are the sources of autoantibody production. B and plasma cells may contribute to disease progression and relapse through antigen presentation, cytokine secretion, or antibody production. Deletion of B cells or plasma cells or both using CAR T/NK cell approaches can be a beneficial therapy.

[0398] An organ transplant represents a new life for a person and organs that can be transplanted could include the kidneys, heart, lungs, pancreas and intestine. However, many, patients are unable to receive a potentially life-saving organ because of pre-existing or developing donor-specific antibody against the donor's antigens such human leukocyte antigens (HLA). Thus, patients may lose the donated organ. Currently there are few treatment options available for antibody mediated rejection, and an enormous unmet need in the field for efficacious treatment of antibody mediated rejection. Deletion of B cells or plasma cells or both using CAR T/NK cell provide a therapy for antibody-mediated rejection.

[0399] The disclosed disclosure provides compositions and methods relating to CAR engineered cells that target cells expressing CD19 or CD20 that result in the deletion of B cells but spare long-lived plasma cells in patients with antibody mediated organ rejection or autoimmune disorders including, but not limited to, systemic lupus erythematosus (SLE), rheumatoid arthritis (RA), and pemphigus vulgaris and multiple sclerosis (MS). The deletion of B cells by CAR is beneficial to the reduction of disease activity.

[0400] The present disclosure also provides compositions and methods relating to CAR engineered cells that target cells expressing BCMA or BAFF-R, TACI which results in the deletion of plasma cells in patients with antibody mediated organ rejection or autoimmune disorders including, but not limited to, systemic lupus erythematosus (SLE), rheumatoid arthritis (RA), and pemphigus vulgaris and multiple sclerosis (MS). The deletion of plasma cells can contribute to the reduction of disease activity.

[0401] In some embodiments, the present disclosure provides compositions and methods relating to CAR engineered cells for CARs depleting mature, memory B cells, and short, long lived plasma cells for treatment of autoimmune disorders and organ antibody-mediated organ rejection. In one

embodiment, the present disclosure provides a method for depleting mature, memory B cells, and short, long lived plasma cells using one or more of the following strategies:

- [0402]** 1) Depletion of mature, memory B cells and short, long lived plasma cells by a contacting said cells with an CAR engineered cell having a scFv against CD19 or CD20 or CD22;
- [0403]** 2) Depletion of short- and long-lived plasma cells by contacting said cells with a CAR engineered cell having a scFv against BCMA or TACI or BAFF-R; or
- [0404]** 3) Depletion of short- and long-lived plasma cells by contacting said cells with a CAR engineered cell having an antigen recognition domain including BCMA or TACI or BAFF-R binding domain (BAFF or APRIL);
- [0405]** 4) Deletion of mature, memory B cells, and short, long lived plasma cells contacting said cells with a compound CAR engineered cell targeting more than one different antigen to provide a reduction of disease activity for patients with antibody mediated organ rejection or autoimmune disorders.
- [0406]** 5) Deletion of mature, memory B cells, and short, long lived plasma cells by contacting a CAR engineered cells that target more than one different antigen selecting from CD19, CD20, CD22, BCMA, TACI, APRIL and BAFF.
- [0407]** In some embodiments, a compound CAR (cCAR) targets cells expressing one or two or all of BAFF-R, BCMA, TACI and CS1 antigens.
- [0408]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) a scFv against either BAFF-R, BCMA, TACI and CS1; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0409]** In some embodiments, BAFF CAR can be a unit of CAR in a cCAR comprises: 1) BCMA or TACI or BAFF-R binding domain; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0410]** In some embodiments, APRIL CAR can be a unit of CAR in a cCAR comprises: 1) BCMA or TACI binding domain; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0411]** In a further embodiment, BCMA or TACI or BAFF-R binding domain can be a part of or entire APRIL and BAFF molecules.
- [0412]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) a scFv against BCMA or CS1; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0413]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) a scFv against BCMA or CD19; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0414]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) a scFv against BCMA or CD20; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0415]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) BAFF-R binding domain or a scFv against BCMA; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.
- [0416]** In some embodiments, a unit of CAR in a cCAR can comprise: 1) BAFF-R binding domain or a scFv against

CD19; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.

[0417] In some embodiments, a unit of CAR in a cCAR can comprise: 1) BAFF-R binding domain or a scFv against CD20; 2) a hinge region; 3) co-stimulatory domain (s) and intracellular signaling domain.

[0418] It is unexpected that some myeloma cells are dim (weak) or negative for BCMA. To increase the sensitivity of CAR antigen recognition in myeloma cells, it is critical to target multiple antigens to cure this disease.

[0419] TACI, BCMA and BAFF-R are receptors for BAFF. It is also unexpected that some myeloma cells express TACI or BAFF-R over BCMA.

[0420] In some embodiments, the disclosure provides a method of comprising a BAFF CAR targeting a cell expressing at least one of receptors, BAFF-R, TACI and BCMA to improve therapeutic efficacy and reduce the risk of antigen disease escape.

[0421] The affinity for BAFF binding to BCMA is within the micromolar range, which is much lower than that of BAFF-R or TACI in the nanomolar range.

[0422] In some embodiments, the disclosure provides a method of generating a compound cCAR comprising BAFF and BCMA CARs to complement some of myeloma cells that cannot be eliminated by a BAFF CAR.

[0423] In further embodiments, cCAR can comprise one or two or multiple units of CAR. Each unit CAR could bear same or different hinge region and co-stimulatory domain.

[0424] In further embodiments, cCAR polypeptides two or more CAR polypeptide units. Each unit CAR could bear a different polynucleotide sequence to avoid a homologous recombination.

[0425] In some embodiments, targeting more than one different antigen can be achieved by pooled CAR engineered cells, which are generated by at least two separate CAR T or NK cells. As used herein, pooled CAR engineered cells include a population of engineered cells having more than one distinct CAR polypeptide unit. By way of example, pooled engineered cells include a population of engineered cells with a distinct CAR polypeptide and a population of engineered cells with a different and distinct CAR polypeptide. Furthermore, the pooled CAR engineered cells include engineered cells having cCAR polypeptides.

[0426] The pooled CAR T or NK cells can be completed by the following steps:

- [0427]** 1) Generate at least two separate constructs of CARs targeting different antigens;
- [0428]** 2) Transduce individual construct to T or NK cells and expand them ex vivo in a standard medium;
- [0429]** 3) Pool different expanded T or NK cells at an appropriate ratio; and
- [0430]** 4) Administer pooled CAR T or NK cells to a subject.

[0431] In the alternative, the different engineered cells may be individual expanded and independently or sequentially administered.

[0432] In further embodiments, the target antigens can include at least one of this group, but not limited to, ROR1, PSMA, MAGE A3, Glycolipid, glypican 3, F77, GD-2, WT1, CEA, HER-2/neu, MAGE-3, MAGE-4, MAGE-5, MAGE-6, alpha-fetoprotein, CA 19-9, CA 72-4, NY-ESO, FAP, ErbB, c-Met, MART-1, CD30, EGFRvIII, immunoglobulin kappa and lambda, CD38, CD52, CD3, CD4, CD8, CD5, CD7, CD2, and CD138. The target antigens can also

include viral or fungal antigens, such as E6 and E7 from the human papillomavirus (HPV) or EBV (Epstein Barr virus) antigens.

[0433] In some embodiments, a cCAR engineered cell targets a cell expressing either CD19 or CD20 antigens or both of them. In another embodiment, a cCAR engineered cells target a cell expressing either CD19 or CD22 antigens or both of them. The targeted cells are normal B cells associated with autoimmune disorders or cancer cells such as B-cell lymphomas or leukemias.

[0434] Acute graft-versus-host disease (GVHD) remains the most important cause of morbidity and mortality after allogeneic hematopoietic stem cell transplantation. In the effector phase of GVHD, T cell receptor (TCR), a heterodimer of alpha and beta chains, is expressed on the surface of T cells, TCR recognizes some antigens on the HLA molecule on host cells, enhances T cell proliferation, and releases cytotoxic agents that cause the damage on host cells. TCR gene inactivation is efficient at preventing potential graft-versus-host reaction. The inactivation of TCRs can result in the prevention of the TCR recognition of alloantigen and thus GVHD. The role of CD45 on NK cells is quite different from that of T cells. NK cells from CD45-deficient mice have normal cytotoxic activity against the prototypic tumor cell line, Yac-1. In addition, CD45-deficient NK cells proliferate normally and respond to IL-15 and IL-21. Therefore, CD45 disruption or deletion would not affect the NK cell killing and proliferation. The present disclosure includes methods of permanent deletion of CD45 in a T or NK cell with subsequent stable introduction of CD45-specific CARs. As a result, the engineered T cells display the desired properties of redirected specificity for CD45 without causing self-killing and response to presentation of antigen. In a further embodiment, the engineered T cells may have efficacy as an off-the-shelf therapy for treating malignancies or other diseases.

[0435] The present disclosure relates to a method where T-cells are engineered to allow proliferation when TCR signaling is reduced or lost through the inactivation or deletion of endogenous CD45.

[0436] The reduction or loss of TCR signaling could result in the prevention of GVHD.

[0437] In a further embodiment, T cells reducing or losing the TCR signaling by the inactivation of CD45 could be used as an “off the shelf” therapeutic product.

[0438] The present disclosure includes methods of modified T or NK cells, which comprises: (a) modifying T or NK cells by inactivating CD45; (b) expanding these modified cells; (c) sorting modified T or NK cells, which do not express CD45; (d) introducing CD45CAR.

In embodiments, the CD45CAR gene encodes a chimeric antigen receptor (CAR), wherein the CAR comprises at least one of an antigen recognition domain, a hinge region, a transmembrane domain, and T cell activation domains, and the antigen recognition domain is redirected against CD45 surface antigen present on a cell. The antigen recognition domain includes a monoclonal antibody or a polyclonal antibody directed against CD45 antigen. The antigen recognition domain includes the binding portion or a variable region of a monoclonal or a polyclonal antibody.

[0439] The present disclosure includes methods of improving CD45CAR T/NK cell expansion, persistency and anti-tumor activity by co-expressing secretory IL-15/IL-15sushi complexes. In a further embodiment, engineered

CD45CAR T/NK cells comprise secretory IL-15/IL-15sushi complexes, which can promote expansion of specific CAR T/NK cells, and promote infiltrate of innate immune cells to the tumor sites resulting in tumor destruction.

[0440] The present disclosure provides an alternative strategy in which engineered CD45 CAR T cells receive not only costimulation through the CD28 pathway but also co-express the 4-1BB ligand (CD137L), which provide high therapeutic efficacy.

[0441] In some embodiments, the modified T cells are obtained from allogeneic donors and used as an “off-the-shelf product”.

[0442] Targeting CD45 using CAR T or NK cells may cause self-killing as T and NK cells express this surface antigen. To overcome this drawback, the present disclosure provides engineered cells that are deficient in CD45. As used herein, an engineered cell is deficient for a particular gene when expression of the gene is reduced or eliminated. Reduction or elimination of expression can be accomplished by any genetic method known in the art. In one example, the CD45 gene may be inactivated by using engineered CRISPR/Cas9 system, zinc finger nuclease (ZFNs) and TALE nucleases (TALENs) and meganucleases. The loss of CD45 in T or NK cells is further transduced with CARs targeting neoplasms expressing CD45.

[0443] The disclosure includes methods for eliminating or reducing abnormal or malignant cells in bone marrow, blood and organs. In, B and some embodiments, malignant cells expressing CD45 are present in patients with acute leukemia, chronic leukemia T cell lymphomas, myeloid leukemia, Acute lymphoblastic lymphoma or leukemia, primary effusion lymphoma, Reticulohistiocytoma, transient myeloproliferative disorder of Down's syndrome, lymphocyte predominant Hodgkin's lymphoma, myeloid leukemia or sarcoma, dendrocytoma, histiocytic sarcoma, Giant cell tumor of tendon sheath, interdigitating dendritic cell sarcoma, post-transplant lymphoproliferative disorders, etc.

[0444] Hematopoietic stem cell transplantation (HSCT) has been widely used for the treatment of hematologic malignancies or non-hematologic diseases. Non-hematologic diseases include genetic disorders and immunodeficiencies and autoimmune disorders. Genetic disorders include, not limited to, sickle cell disease, thalassemia and lysosomal storage diseases. Before stem cell transplant, patients are required to undergo a conditional therapy to deplete hematopoietic stem/progenitor cells in the bone marrow niches to promote the donor stem cell engraftment and proliferation. High doses of chemotherapies and total body irradiation are used for conditional therapies, which cause severe toxicity and long-term complications particularly in non-hematopoietic organs such as severe intestinal mucositis. In addition, conventional conditional therapies could destruct bone marrow niches resulting hematopoietic cell recovery. The safety concerns represent a major obstacle in effort to expand HSCT to a variety of non-hematologic diseases. CD45 is expressed only on hematopoietic cells and targeting CD45 should minimize the toxicity to non-hematopoietic organs.

[0445] In some embodiments, CD45CAR cells are used to make space in the bone marrow for bone marrow stem cell transplant by removing hematopoietic cells, at the same time removing leukemic/lymphoma cells or immunologic cells capable of graft rejection.

[0446] In some embodiments, CD45CAR engineered cells are used to deplete hematopoietic stem/progenitor cells while the architecture and vasculature of the bone marrow are preserved, in contrast to the disruptive effects of total body irradiation on these tissues. Preservation of the architecture and vasculature of the bone marrow allows faster hematopoietic recovery after transient CD45CAR treatment.

[0447] In a further embodiment, CD45CAR cells may be used for pre-treatment of patients before their undergoing a bone marrow transplant to receive stem cells. In a further embodiment, CD45CAR can be used as myeloblastic conditioning regimens for hematopoietic stem cell transplantation.

[0448] In a preferred embodiment, CD45CAR engineered cell therapy is transient for allowing faster recovery of bone marrow and peripheral hematopoietic cells. Transient therapy may be accomplished by using short lived engineered cells or providing an engineered cell having the suicide system as described herein.

[0449] In some embodiments, the present disclosure comprises a method of selectively depleting or ablating an endogenous hematopoietic stem/progenitor population, where the endogenous hematopoietic stem/progenitor cells expressing CD45, by contacting said cells with CD45CAR engineered cell that specifically targets CD45 expressing hematopoietic stem/progenitor cells.

[0450] In some embodiment, CD45CAR cells are utilized for treating or preventing a residual disease after stem cell transplant and/or chemotherapy.

[0451] In some embodiments, the CD45CAR is part of an expressing gene or a cassette. In a preferred embodiment, the expressing gene or the cassette includes an accessory gene or a tag or a part thereof, in addition to the CD45CAR. The accessory gene may be an inducible suicide gene or a part thereof, including, but not limited to, caspase 9 gene, thymidine kinase, cytosine deaminase (CD) or cytochrome P450. The “suicide gene” ablation approach improves safety of the gene therapy and kills cells only when activated by a specific compound or a molecule. In some embodiments, the suicide gene is inducible and is activated using a specific chemical inducer of dimerization (CID).

[0452] In some embodiments, the safety switch can include the accessory tags are a c-myc tag, CD20, CD52 (Campath), truncated EGFR gene (EGFRt) or a part or a combination thereof. The accessory tag may be used as a nonimmunogenic selection tool or for tracking markers. In some embodiments, safety switch can include a 24-residue peptide that corresponds to residues 254-277 of the RSV F glycoprotein A2 strain (NSELISLINDMPITNDQKKLM-SNN). In some embodiments, a safety switch can include the amino acid sequence of TNF a bound by monoclonal anti-TNF a drugs.

IL-15 and its Receptor in Enhancing CAR T and NK Cell Functions

[0453] Recent studies have demonstrated that T cell persistence correlates well with CAR T cell therapeutic efficacy. Recent trials demonstrate that potent and persistent antitumor activity can be generated by an infused small number of CAR T cells indicative that quality rather than quantity of infused products is more important in contributing to the anti-tumor activity. Interleukin (IL)-15 is a cytokine that promotes the development and hemostasis of lymphocytes. Increased levels of IL-15 promote T-cell proliferation and

enhance T cell effector response. Data from recent studies have shown that IL-15 is crucial for the generation and maintenance of memory CD8 T-cells, one of the key factors associated with anti-tumor activity. IL-15 binds the IL-15 receptor alpha chain (also called IL-15RA or RA) contributing to IL-15-mediated effects such as T-cell survival, proliferation and memory T cell generation.

[0454] IL-15RA binds the $\beta\gamma$ complex in the surface of T cells and IL-15 signals by binding with this IL-15RA/ $\beta\gamma$ complex on the cell surface of T cells and other types of cells.

[0455] Transfection of IL-15 alone does not significantly influence T-cell function, transfection of IL-15/IL-15RA allows T cells to survive and proliferate autonomously.

[0456] The efficacy of administered IL-15 alone may be limited by the availability of free IL-15RA and its short half-life. Administration of soluble IL-15/RA complexes greatly enhanced IL-15 half-life and bioavailability in vivo. Therefore, treatment of mice with this complex, but not with IL-15 alone results in robust proliferation and maintenance of memory CD8 T cells and NK cells. A portion of the extracellular region of IL-15RA called sushi domain (IL-15sushi) is required for its binding of IL-15 (WEI et al., J. Immunol., vol. 167(1), p:277-282, 2001). The IL-15/sushi fusion protein is also called IL-15/IL-15sushi containing the linker is more potent than IL-15 and soluble IL-15RA (IL-15sushi) alone. The combination of IL-15/RA (membrane bound form) or IL-15/sushi (soluble form) can maximize IL-15 activity. The membrane bound form, IL-15/RA would not release of free IL-15 by keeping IL-15 bound to IL-15RA on the surface of transduced cells.

[0457] In the present disclosure, it is unexpected to find that the soluble IL-15/IL-15sushi released from transduced cells are able to promote the expansion of transduced cells and their neighbor cells, and further stimulate them against tumor.

[0458] The present disclosure provides an engineered cell having both CAR and IL-15/IL-15sushi or IL-15/RA in a single construct. In some embodiments, the disclosure includes methods to generate higher virus titer and use a stronger promoter to drive both CAR and IL-15/RA or IL-15/IL-15sushi.

[0459] In some embodiments, the present disclosure provides an engineered cell having: (1) a CAR targeting an antigen including, but not limited to, CD4, CD2, CD3, CD7, CD5, CD45, CD20, CD19, CD33, CD123, CS1, and B-cell mature antigen (BCMA); and (2) IL-15; (3) IL-15RA (membrane bound) or sushi (IL-15/IL-15sushi). In further embodiments, CAR comprises chimeric antigen receptor, one or more of co-stimulatory endodomains including, but not limited to, CD28, CD2, 4-1BB, 4-1BBL (CD137L), B7-2/CD86, CTLA-4, B7-H1/PD-L1, ICOS, B7-H2, PD-1, B7-H3, PD-L2, B7-H4, CD40 Ligand/TNFSF5, DDPV/CD26, DAP12 and OX40, and intracellular domain of CD3 zeta chain. In further embodiments, a strong promoter can be, but is not limited to, SFFV. CARs, IL-15/RA or sushi and inducible suicide gene (“safety switch”), or a combination can be assembled on a vector, such as a lentiviral vector, adenoviral vector and retroviral vector or a plasmid. The introduction of “safety switch” could significantly increase safety profile, and limit on-target or off-tumor toxicities of CARs.

[0460] In one embodiment, the engineered cell includes a CD2 chimeric antigen receptor polypeptide and IL-15/IL-

15sushi (SEQ ID NO. 102), and corresponding polynucleotide (SEQ ID NO. 101). Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD2 CAR provides long-term durable remissions in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0461] In one embodiment, the engineered cell includes a CD3 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 104), and corresponding polynucleotide (SEQ ID NO. 103). Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD3 CAR provides long-term durable remissions in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate cells against target cancer cells.

[0462] In one embodiment, the engineered cell includes a CD7 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 106), and corresponding polynucleotide (SEQ ID NO. 105). In some embodiments, the present disclosure provides a method of providing long-term durable remission in a cancer patient by administering a CD7 CAR engineered cell that co-expresses IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD7 CAR provides long-term durable remissions in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

[0463] In one embodiment, the engineered cell includes a CD5 chimeric antigen receptor polypeptide and IL-15/IL-15sushi (SEQ ID NO. 107), and corresponding polynucleotide (SEQ ID NO. 108). In some embodiments, the present disclosure provides a method of providing long-term durable remission in a cancer patient by administering a CD5 CAR engineered cell that co-expresses IL-15/IL-15sushi to a patient in need thereof. Without wishing to be bound by theory, it is believed that co-expression of IL-15/IL-15sushi with a CD5 CAR provides long-term durable remissions in patients by increasing the sensitivity of CAR recognition of target cancer cells or recruiting innate immune cells to cancer cells.

CAR Targeting CD4+CD25+ Regulatory T Cells

[0464] Regulatory T cells (Tregs), also called suppressor T cells, are a sub-population of T cells which regulate the immune system and maintain tolerance of self-antigens. Tregs constitute about 1-5% of total CD4+ T cells in blood with diverse clinical applications in transplantation, allergy, asthma, infectious diseases, graft versus host disease (GVHD), and autoimmunity. The biomarkers for Tregs are CD4, Foxp3 and CD25. Tregs are considered to be derived from Naïve CD4 cells.

[0465] In cancers, Tregs play an important role in suppressing tumor immunity and hindering the body's innate ability to control the growth of cancerous cells.

[0466] Tregs expand in patients with cancer and are often enriched in the tumor microenvironment. Tregs can infiltrate tumors and limit antitumor immunity as well. Depletion of Treg can render mice capable of rejecting tumors that normally grow progressively.

[0467] Depletion of Tregs using antibodies targeting CD25 results in partial reduction of Tregs but anti-tumor activity is limited. A high-level of Treg depletion is required

for a profound anti-tumor effect. In addition, there is a significant issue concerning specificity, as Tregs share CD25 expression with activated CD4+ and CD8+ lymphocytes as well as activated NK cells. In general, Tregs are very difficult to effectively discern from effector T cells and NK cells, making them difficult to study.

[0468] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD4 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD25 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 92 with a CD45 leader sequence and corresponding polynucleotide of SEQ ID NO. 91.

[0469] In one embodiment, the engineered cell includes a first chimeric antigen receptor polypeptide having a CD4 antigen recognition domain and second chimeric antigen receptor polypeptide having a CD25 antigen recognition domain. In one embodiment, this engineered cell includes a polypeptide of SEQ ID NO. 94 with a CD8a leader sequence and corresponding polynucleotide of SEQ ID NO. 93.

Specific Embodiments for T-Regulatory Cells

[0470] T lymphocytes (T cells) are a subtype of white blood cells that play a key role in cell-mediated immunity. T cells are divided into CD4 and CD8 cells. Natural killer cells (NK cells) are a type of cytotoxic cells critical to the innate immunity.

[0471] T-regulatory cells (Tregs) are a type of CD4+ cells mediating immune tolerance and suppression and are distinguished from helper T cells. Tregs express CD4, CD25 and Foxp3 (CD4CD25+ regulatory T cells).

[0472] Tregs are enriched in the tumor microenvironment and considered to be important for hindering antitumor immune responses and promoting cancer cell tolerance. Increased numbers of infiltrating Tregs in tumors have been associated poor survival in a variety of cancers including hematologic malignancies and solid tumors.

[0473] Tregs appear to be preferentially trafficked to the tumor microenvironment and play a critical role of immunosuppression (Ethan M. Shevach et al, Annual Review of Immunology, Vol. 18: 423-449, 2000).

[0474] A number of different methods are employed to delete Tregs for cancer treatments by targeting CD25, resulting in a partial reduction of Tregs. However, this could be problematic as: (1) CD25 is also expressed in activated CD4, CD8 and NK cells. CD25 expression can be seen in activated B cells, macrophages, osteoblasts, some thymocytes, some myeloid precursors and some oligodendrocytes. (2) a very high-level of Treg depletion is required for efficacy (Xingrui Li et al, Eur. J. Immunol. 2010. 40: 3325-3335).

[0475] The CAR design is to redirect patient or donor immune cells against a specific "target" antigen in a major-histocompatibility complex (MHC)—independent manner. The CAR protein construct usually includes a number of modular components or regions integral to function. The module for "target" recognition is the extracellular single-chain variable fragment (scFv). This component is derived from a monoclonal antibody with specific direction against a carefully selected target antigen. A hinge region of appropriate length tandem to the scFv conveys mobility of the scFv region to allow for optimal binding to the target protein. The transmembrane domain region serves as a conduit between the extracellular binding regions and co-

activation domains' such as CD28 and/or 4-1BB. The final module includes the CD3 zeta intracellular signaling domain.

[0476] The present disclosure provides a method for a novel Treg CAR (also called CD4zetaCD25CAR or C4-25z CAR) construct targeting a cell co-expressing CD4 and CD25. The Treg CAR depletes Tregs specifically while sparing most of cells that do not co-express CD4 and CD25.

[0477] In some embodiments, T cell activation could be achieved upon simultaneous engagement of two scFv molecules against CD4 and CD25 in a Treg CAR. In a further embodiment, both T cell activation and co-stimulation signals are provided using two distinct/separate chimeric antigen receptor polypeptides.

[0478] In some embodiments, a TregCAR includes (1) a first chimeric antigen receptor polypeptide unit comprising a first signal peptide, a first antigen recognition domain, a first hinge region, a first transmembrane domain, and an intracellular signaling domain; and (2) a second chimeric antigen receptor polypeptide unit comprising a second signal peptide, a second antigen recognition domain, a second hinge region, a second transmembrane domain, and a co-stimulatory domain (s). Both the first chimeric antigen receptor polypeptide unit and the second chimeric engineered polypeptide unit are expressed on a single polypeptide molecule, and wherein an amino acid sequence comprising a high efficiency cleavage site is disposed between the first chimeric antigen receptor polypeptide unit and the second chimeric antigen receptor polypeptide unit.

[0479] In some embodiments, the Treg CAR potentiates the lysis activity of a cell co-expressing CD4 and CD25 while minimizing a cell bearing only CD4 or CD25 antigen.

[0480] In some embodiments, the nucleotide sequence of the first chimeric antigen receptor polypeptide unit is different from the second chimeric engineered polypeptide unit in order to avoid a homologous recombination

[0481] In some embodiments, the high efficiency cleavage site in Treg CAR is P2A.

[0482] In some embodiments, the target of the first antigen recognition domain is either CD4 or CD25 and the target of the second antigen recognition domain is either CD4 or CD25; wherein the first antigen recognition domain is different than the second antigen recognition domain.

[0483] In one embodiment, the antigen recognition domain includes the binding portion or variable region of a monoclonal or polyclonal antibody directed against (selective for) the target.

[0484] In a further embodiment, the target antigen is CD4 or CD25.

[0485] In some embodiments, the T or NK cell comprising Treg CARs targeting different or same antigens.

[0486] In some embodiments, the T or NK cell comprises Treg CARs targeting Tregs expressing CD4 and CD25 while sparing most of cells, which do not co-express CD4 and CD25.

[0487] In some embodiments, the T or NK cell comprises Treg CARs depleting Tregs.

[0488] In some embodiments, the present disclosure provides a method of generation of Treg CAR useful for treating or preventing a CD4+CD25+ Foxp3+ T regulatory cell (Treg) related disease in a subject is provided. In a further embodiment, the diseases treated with Treg CAR include, but not limiting to, cancers.

[0489] In some embodiments, the present disclosure provides a method of generation of Treg CAR useful for treating or preventing a CD4+CD25+ Foxp3+ T regulatory cell (Treg) related Cancers including, but not limited, hepatocellular carcinoma, fibrolamellar carcinoma, hepatoblastoma, undifferentiated embryonal sarcoma and mesenchymal hamartoma of liver, lung-squamous cell carcinoma, testicular nonseminomatous germ cell tumors, liposarcoma, ovarian and extragonadal yolk sac tumors, ovarian choriocarcinoma, teratomas, ovarian clear cell carcinoma, placental site trophoblastic tumor, lymphoma and leukemia.

[0490] In some embodiments, the present disclosure provides a method of generation of Treg CAR useful for inhibiting the growth of a tumor in a subject is provided.

[0491] In some embodiments, the Treg CAR is administered in combination with any chemotherapy agents currently being developed or available in the market. In some embodiments, the Treg CAR is administered as a first line treatment for diseases including, but not limited to, hematologic malignancies and cancers.

[0492] In some embodiments, the cells expressing a Treg CAR are co-administrated with immunomodulatory drugs, such as, but not limited to, CTLA-4 and PD-1/PD-L1 blockades, or cytokines, such as IL-2, IL-15 or IL-15/IL-15sushi or IL-15/RA, and IL-12 or inhibitors of colony stimulating factor-1 receptor (CSF1R) for better therapeutic outcomes.

[0493] In some embodiments, the cells expressing a Treg CAR are co-administrated with other immunomodulatory drugs or CAR-expressing cells to provide synergistic effects in a subject.

[0494] In a specific embodiment, the cells expressing a Treg CAR can be T cells or NK cells, administered to a mammal, e.g. human.

[0495] In some embodiments, the Treg CAR is used in immunotherapy in the treatment of cancers. The cancers may be selected from the group consisting of lung cancer, melanoma, breast cancer, prostate cancer, colon cancer, renal cell carcinoma, ovarian cancer, cervical cancer, head or neck cancer, stomach cancer, liver cancer, neuroblastoma, rhabdomyosarcoma, leukemia and lymphoma. The compositions and methods described in the present disclosure may be utilized in conjunction with other types of therapy for cancer, such as chemotherapy, surgery, radiation, gene therapy, and so forth.

[0496] To achieve enhanced safety profile or therapeutic index, the Treg CAR of the present disclosure may be constructed as a transient RNA-modified "biodegradable" version or derivatives, or a combination thereof. The RNA-modified CARs of the present disclosure may be electroporated into T cells or NK cells. The expression of the Treg CAR may be gradually diminished over few days.

[0497] A method for treating cancers using Treg CAR in a subject is embodied in the present disclosure. The method comprises:

- (1) Obtaining T/NK cells from a subject or donor(s).
- (2) Culturing the lymphocytes/T cells or NK cells.
- (3) Introducing an Treg CAR construct into the cultured T cells or NK cells.
- (4) Expanding Treg CAR T cells or NK cells
- (5) Treating the subject by administering a therapeutically effective amount thereto.

[0498] The ex vivo expansion of tumor-infiltrating lymphocytes (TILs) are successfully used in the current adoptive

cell therapy. In one embodiment, TILs are harvested and successfully expanded ex vivo.

[0499] In some embodiments, TILs can be obtained from a tumor tissue sample and expanding the number of TILs. Treg CAR T or NK cells were used to co-culture with TILs to deplete Treg population to enhance TIL responses to cancers, which is valuable to the disease therapies.

[0500] In some embodiments, CD4CAR bear a set of CAR body including an antigen recognition domain, a hinge region, a co-stimulatory domain (s) and an intracellular domain (CD3 zeta chain). In a further embodiment, CD4CAR depletes Tregs, and then enhances T-cell responses to cancer cells and improves therapeutic outcomes of anti-tumor activity.

[0501] In some embodiments, CD25CAR bear a set of CAR body including an antigen recognition domain, a hinge region, a co-stimulatory domain (s) and an intracellular domain (CD3 zeta chain). In a further embodiment, CD25CAR depletes Tregs, and then enhances T-cell responses to cancer cells and improves therapeutic outcomes of anti-tumor activity.

[0502] The present disclosure may be better understood with reference to the examples, set forth below. The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how the compounds, compositions, articles, devices and/or methods claimed herein are made and evaluated, and are intended to be purely exemplary and are not intended to limit the disclosure

[0503] Administration of any of the engineered cells described herein may be supplemented with the co-administration of a CAR enhancing agent. Examples of CAR enhancing agents include immunomodulatory drugs that enhance CAR activities, such as, but not limited to agents that target immune-checkpoint pathways, inhibitors of colony stimulating factor-1 receptor (CSF1R) for better therapeutic outcomes. Agents that target immune-checkpoint pathways include small molecules, proteins, or antibodies that bind inhibitory immune receptors CTLA-4, PD-1, and PD-L1, and result in CTLA-4 and PD-1/PD-L1 blockades. As used herein, enhancing agent includes enhancer as described above.

[0504] As used herein, “patient” includes mammals. The mammal referred to herein can be any mammal. As used herein, the term “mammal” refers to any mammal, including, but not limited to, mammals of the order Rodentia, such as mice and hamsters, and mammals of the order Logomorpha, such as rabbits. The mammals may be from the order Carnivora, including Felines (cats) and Canines (dogs). The mammals may be from the order Artiodactyla, including Bovines (cows) and Swines (pigs) or of the order Perissodactyla, including Equines (horses). The mammals may be of the order Primates, Ceboids, or Simioids (monkeys) or of the order Anthropoids (humans and apes). Preferably, the mammal is a human. A patient includes subject.

[0505] In certain embodiments, the patient is a human 0 to 6 months old, 6 to 12 months old, 1 to 5 years old, 5 to 10 years old, 5 to 12 years old, 10 to 15 years old, 15 to 20 years old, 13 to 19 years old, 20 to 25 years old, 25 to 30 years old, 20 to 65 years old, 30 to 35 years old, 35 to 40 years old, 40 to 45 years old, 45 to 50 years old, 50 to 55 years old, 55 to 60 years old, 60 to 65 years old, 65 to 70 years old, 70 to 75 years old, 75 to 80 years old, 80 to 85 years old, 85 to 90 years old, 90 to 95 years old or 95 to 100 years old.

[0506] The terms “effective amount” and “therapeutically effective amount” of an engineered cell as used herein mean a sufficient amount of the engineered cell to provide the desired therapeutic or physiological effect or outcome. Such, an effect or outcome includes reduction or amelioration of the symptoms of cellular disease. Undesirable effects, e.g. side effects, are sometimes manifested along with the desired therapeutic effect; hence, a practitioner balances the potential benefits against the potential risks in determining what an appropriate “effective amount” is. The exact amount required will vary from patient to patient, depending on the species, age and general condition of the patient, mode of administration and the like. Thus, it may not be possible to specify an exact “effective amount”. However, an appropriate “effective amount” in any individual case may be determined by one of ordinary skill in the art using only routine experimentation. Generally, the engineered cell or engineered cells is/are given in an amount and under conditions sufficient to reduce proliferation of target cells.

[0507] Following administration of the delivery system for treating, inhibiting, or preventing a cancer, the efficacy of the therapeutic engineered cell can be assessed in various ways well known to the skilled practitioner. For instance, one of ordinary skill in the art will understand that a therapeutic engineered cell delivered in conjunction with the chemo-adjuvant is efficacious in treating or inhibiting a cancer in a patient by observing that the therapeutic engineered cell reduces the cancer cell load or prevents a further increase in cancer cell load. Cancer cell loads can be measured by methods that are known in the art, for example, using polymerase chain reaction assays to detect the presence of certain cancer cell nucleic acids or identification of certain cancer cell markers in the blood using, for example, an antibody assay to detect the presence of the markers in a sample (e.g., but not limited to, blood) from a subject or patient, or by measuring the level of circulating cancer cell antibody levels in the patient.

[0508] Throughout this specification, quantities are defined by ranges, and by lower and upper boundaries of ranges. Each lower boundary can be combined with each upper boundary to define a range. The lower and upper boundaries should each be taken as a separate element.

[0509] Reference throughout this specification to “one embodiment,” “an embodiment,” “one example,” or “an example” means that a particular feature, structure or characteristic described in connection with the embodiment or example is included in at least one embodiment of the present embodiments. Thus, appearances of the phrases “in one embodiment,” “in an embodiment,” “one example,” or “an example” in various places throughout this specification are not necessarily all referring to the same embodiment or example. Furthermore, the particular features, structures or characteristics may be combined in any suitable combinations and/or sub-combinations in one or more embodiments or examples. In addition, it is appreciated that the figures provided herewith are for explanation purposes to persons ordinarily skilled in the art and that the drawings are not necessarily drawn to scale.

[0510] As used herein, the terms “comprises,” “comprising,” “includes,” “including,” “has,” “having,” or any other variation thereof, are intended to cover a non-exclusive inclusion. For example, a process, article, or apparatus that comprises a list of elements is not necessarily limited to only

those elements but may include other elements not expressly listed or inherent to such process, article, or apparatus.

[0511] Further, unless expressly stated to the contrary, “or” refers to an inclusive “or” and not to an exclusive “or”. For example, a condition A or B is satisfied by any one of the following: A is true (or present) and B is false (or not present), A is false (or not present) and B is true (or present), and both A and B are true (or present).

[0512] Additionally, any examples or illustrations given herein are not to be regarded in any way as restrictions on, limits to, or express definitions of any term or terms with which they are utilized. Instead, these examples or illustrations are to be regarded as being described with respect to one particular embodiment and as being illustrative only. Those of ordinary skill in the art will appreciate that any term or terms with which these examples or illustrations are utilized will encompass other embodiments which may or may not be given therewith or elsewhere in the specification and all such embodiments are intended to be included within the scope of that term or terms. Language designating such nonlimiting examples and illustrations includes, but is not limited to: “for example,” “for instance,” “e.g.,” and “in one embodiment.”

[0513] In this specification, groups of various parameters containing multiple members are described. Within a group of parameters, each member may be combined with any one or more of the other members to make additional sub-groups. For example, if the members of a group are a, b, c, d, and e, additional sub-groups specifically contemplated include any one, two, three, or four of the members, e.g., a and c; a, d, and e; b, c, d, and e; etc.

[0514] As used herein, a XXXX antigen recognition domain is a polypeptide that is selective for XXXX. “XXXX” denotes the target as discussed herein and above. For example, a CD38 antigen recognition domain is a polypeptide that is specific for CD38.

[0515] As used herein, CDXCAR refers to a chimeric antigen receptor having a CDX antigen recognition domain.

[0516] As used herein, a CAR engineered cell is an engineered cell as described herein that includes a chimeric antigen receptor polypeptide. By way of example, a CD45 engineered cell is an engineered cell having a CD45 chimeric antigen receptor polypeptide as disclosed herein.

[0517] As used herein, a compound CAR (cCAR) engineered cell is an engineered cell as described herein that includes at least two distinct chimeric antigen receptor polypeptides. By way of example, a CD19CD22 compound CAR engineered cell is an engineered cell as described herein that includes a first chimeric antigen receptor polypeptide having a CD19 antigen recognition domain, and a second chimeric antigen receptor polypeptide having a CD22 antigen recognition domain.

[0518] The present disclosure may be better understood with reference to the examples, set forth below. The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how the compounds, compositions, articles, devices and/or methods claimed herein are made and evaluated, and are intended to be purely exemplary and are not intended to limit the disclosure.

EXAMPLES

[0519] Engineered cCAR Targets Cells Expressing CD33 or CD123 or Both Generation of compound CAR (cCAR)

[0520] The construction of the CD33CD123 cCAR follows the schematic in FIGS. 1 and 2A. It includes SFFV (spleen focus-forming virus) promoter that drives the expression of the functional compound CAR (cCAR) bearing two different units of CARs. The antigen receptor head, a scFv (single-chain variable fragment) nucleotide sequence of the anti-CD33 and anti-CD123. A P2A peptide derived from picornavirus is utilized due to the highly efficient mechanism of its self-cleaving dynamics for bicistronic genetic constructs. The self-cleaving P2A peptide serves to link the two independent units of CARs, CD33CAR, and CD123CAR together during expression. The advantages of this approach over an internal ribosomal entry site (IRES), which is commonly used in the literature, include its small size and high cleavage efficiency between two unit proteins upstream and downstream of the P2A peptide. In addition, the use of self-cleaving P2A peptide can avoid a problem of differences in expression levels between gene before and after IRES when IRES is applied.

[0521] The modular unit, CD33CAR includes the CD33 scFv domain, a CD8a hinge region, a CD8a transmembrane domain, 4-BB co-stimulatory domain and an intracellular domain of CD3 zeta chain. The second modular CAR, CD123CAR bears the same hinge, transmembrane and intracellular signaling domains as CD33CAR but different scFv, and co-stimulatory domains. The CD33 CAR recognizes its corresponding antigen and the CD123 CAR binds to its corresponding antigen. The hinge region was designed such that sequences where disulfide interactions are avoided. Different co-stimulatory domains, 4-BB and CD28 were used. The CD33CD123 compound CAR was subcloned into a lentiviral plasmid.

Generation of a High-Efficiency Compound CAR (cCAR)

[0522] Compound CAR lentivirus was generated by transfection of HEK-293 FT cells with Lipofectamine 2000 according to manufacturer’s directions, except with 2× the vector DNA due to a large size of insert, in order to increase titer as shown in FIG. 2. After about 12-16 hours incubation, media containing Lipofectamine was removed and replaced with DMEM containing 10% FBS, 20 mM HEPES, 1 mM sodium pyruvate and 1 mM sodium butyrate. After about 24 hours, the supernatant was harvested and refrigerated, and replaced with fresh media. After about another 24 hours, this was collected and combined with the previous supernatant, and filtered through a 0.45 μm filter disc. Supernatant was split into aliquots, flash frozen with liquid nitrogen and stored at -80° C. HEK-293 FT cells were harvested, stored frozen, and lysed for subsequent electrophoresis and Western blotting (FIG. 2B).

[0523] PB (peripheral blood) or CB (human umbilical cord blood) buffy coat cells were activated 2 days with anti-CD3 antibody and IL-2. cCAR lentiviral supernatant was spinoculated onto retronectin-coated multiwell plates. Activated T cells were transduced in multiple wells with lentiviral supernatant at a low concentration of about 0.3× 10⁶ cells/mL to increase transduction efficiency (FIG. 3).

[0524] Following the first overnight transduction, cells were added directly to a second virus-coated plate for a second transduction without washing, unless the cells did not look healthy. Following the second overnight transduction, cells were washed, combined and incubated in tissue culture treated plates. CAR T cells were allowed to expand for up to about 5 days prior to co-culture killing assays. After about 3 days of incubation, cells were incubated with goat

anti-mouse F(Ab')₂ or goat IgG (isotype) antibodies conjugated with biotin, washed and followed by incubation with streptavidin-PE and conjugated anti-human CD3. After washing and suspension in 2% formalin, cells were then analyzed by flow cytometry to determine percent transduction efficiency.

Characterization of the CD33CD123 cCAR

[0525] Transfected CD33CD123 cCAR HEK293T cells were subjected to Western blot analysis in order to confirm the compound construct. Immunoblot with an anti-CD3 ζ monoclonal antibody showed bands of predicted size for the compoundCAR CD3 ζ fusion protein (FIG. 2B). Importantly, two distinct bands of similar intensity were observed on the blot signaling the successful high cleavage action of the P2A peptide as expected. No CD3 ζ expression was seen for the GFP control vector as expected. The surface expression of scFv was also tested on HEK 293 cells (FIG. 2C) and primary T cells (FIG. 2C).

[0526] The compound CD33CD23CAR lentivirus was tested for transduction efficiency in the HEK293 cell line and analyzed by flow cytometry (Beckman Coulter) (FIG. 2C). Flow cytometry showed that about 67% of HEK cells expressed CD33CD123 CARs. Human peripheral blood (PB) is often used for autologous T cell therapy. Human PB buffy coat cells were activated with anti-CD3 antibody and IL-2, and transduced with either CD4CAR or control (GFP) lentiviruses. After transduction, flow cytometry analysis showed that about 22% of T-cells expressed the CD33CD123CAR (FIG. 2C).

CD33CD123 cCAR T-Cells Derived from Umbilical Cord Blood (UCB) and Peripheral Blood (PB) Specifically Kill CD33-Expressing Tumor Cells

[0527] CD33CD123 cCAR T cells or GFP T cells (control) were incubated with target cells at ratios ranging from 0.5:1 from 50:1, preferably, at about 2:1, 5:1, 10:1, 20:1, 50:1, at about 100,000, 200,000, 500,000, about 1 million, or 2 million effector cells to about 50,000, 100,000, 200,000 target cells, respectively) in about 1-2 mL T cell culture media, without IL-2 for about 24h. Target cells were leukemic cell lines and leukemia cells from a patient with leukemia. After about 24 hours of co-culture, cells were stained with mouse anti-human CD33, CD123, CD34 and CD3 antibodies.

[0528] CD33CD123 cCAR T cells expressing the CD33CAR and CD123 CAR were generated and tested for anti-leukemic functions using the HL60 and KG-1a cell lines. The HL60 cell line is a promyelocytic leukemia cell line highly enriched for CD33. About 100% of its cell population is CD33+ with a small subset (<10%) of it being dim CD123+. In culture, this cell line was tested to determine the effectiveness of the CD33CD123 CAR with an emphasis on targeting CD33-expressing leukemic cells. Additionally, due to the strong expression of CD33 in HL60, it is CD33CD123 cCAR action may be profound. Indeed, during 24h co-culture conditions with various ratios of effector to target cells, the CD33CD123 cCAR exhibited significant leukemic cell killing properties (FIG. 4). CB-derived CD33CD123 CAR T-cells were first tested for their ability to kill HL60 cells. At about 24h incubation and low effector:target (E:T) ratios ranging from about 0.5:1 to 50:1, preferably, 1:1 to about 5:1, more preferably about 2:1 to 4:1, CD33CD123 CAR cells eliminated about 55% of the

CD33 expressing HL60 cells when compared to GFP control. At a ratio of about 5:1, the killing action rose to about 82%.

[0529] CD33CD123 CAR derived from peripheral blood mononuclear cells (PBMCs) were co-cultured with the myelogenous leukemia cell line KG1a, which also expresses about 100% CD33 at moderate levels compared to HL60 and 50-80% CD123. KG1a is, therefore, a relatively dual target cell population that is double positive for the antigens targeted by the CD33CD123 CAR. At about 24 hours of incubation and low effector:target (E:T) ratios ranging from about 0.5:1 to 50:1 were used. While at a low E:T ratio of about 2:1, the CD33CD123 CAR exhibited modest anti-leukemic activity about 26%, an increase in E:T ratio to 10:1 resulted in a killing of KG1a of about 62% compared to GFP control (FIG. 5), signaling that the intensity of the CD33 marker may be an indicator for the efficacy of killing with HL60 presenting strongly and harnessing more CAR action than KG1a. These experiments provide evidence for the function of the whole CD33CD123 CAR against its relevant antigen presenting cell populations.

[0530] Additional compound CAR, CD33CD123-BB cCAR has been generated (data not shown). This compound CAR comprises two independent units of CARs, CD33 and CD123. The first CAR comprises scFv binding to CD33 and the second CAR bears a different scFv recognizing CD123. Both CARs contain the same hinge region, transmembrane, co-stimulatory and intracellular domains. CD33CD123-BB cCAR lentiviruses were produced and their killing ability was tested in KG-1a cells. As shown in FIG. 5, there was substantial killing at a ratio of about 10:1 but it is less potent than that of CD33CD123 cCAR.

CD33CD123 cCAR Possesses Activity Against Patient Samples Expressing CD33 and/or CD123

[0531] In addition to cell line experiments, studies were also conducted on patient samples in order to test the function of each individual CAR unit. An aggressive acute myeloid leukemia (AML), AML-9 was used for testing efficacy of the CD33CD123 cCAR. Due to the heterogeneity of the patient cell population, which includes multiple cell types in the AML-9 sample, leukemic blasts were gated with CD34 and CD33, as they were positive for these two markers. The depletion of this CD33+CD34+ population of leukemic cells was observed to be 48% over the GFP control at a ratio of CAR T cell:target cell (FIG. 6).

[0532] Leukemic cells that were CD123 positive and CD33 negative were also tested. For this purpose, human B cell acute lymphoblastic leukemia (B-ALL) sample, Sp-BM-B6 was chosen. All leukemic blasts in this sample were CD34+CD33-, and more than about 50% positive for CD123. Depletion of the CD34+ leukemic cell population by CD33CD123 cCAR T cells was about 86% as compared to that of the GFP control (FIG. 7). Based on the cell line and human sample studies, our data strongly suggest that the compound CD33CD123 CAR is able to target leukemic cells expressing CD33 or CD123 or both.

CD33CD123 cCAR NK Cells Targeting Leukemia Cells Expressing CD33 or CD23 or Both

[0533] Natural killer (NK) cells are CD56+CD3- and can efficiently kill infected and tumor cells like CD8+ T cells. Unlike CD8+ T cells, NK cells launch cytotoxicity against tumors without the requirement of activation to kill cells. NK cells are safer effector cells, as they may avoid the potentially lethal complications of cytokine storms. How-

ever, the use of either CD33 or CD123 or both CAR NK cells in killing leukemias is entirely unexplored.

Production of CD33CD123 cCAR NK Cells

[0534] NK-92 cells were transduced with CD33CD123 CAR lentiviral supernatant in two consecutive overnight transductions with a change of retronectin- and virus-coated plates in between. The transduced cells were expanded for 3 or 4 days and then analyzed by flow cytometry for CAR expression. Cells were harvested and incubated with goat anti-mouse F(Ab')₂ at about 1:250 for about 30 minutes. Cells were washed, suspended and stained with streptavidin-PE for about 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry. NK-92 cells expressing CD33CD123 cCAR were then labeled as above and sorted on FACS Aria, with the top 0.2% of F(Ab')₂-expressing cells collected and cultured. Subsequent labeling of sorted, expanded cells showed about 89% of NK-92 cell positive for anti-mouse F(Ab')₂ (FIG. 8).

CD33CD123 cCAR NK Cells Efficiently Lyse or Eliminate Leukemic Cells

[0535] First, we tested the function of CD33CD123 cCAR NK-92 cells by assessing their ability to kill a HL-60 cancerous cell line in co-culture. Virtually all HL-60 cells highly express CD33 but CD123 expression in this cell line is only less than 10% (weak). Therefore, it is likely that the killing ability of CD33CD123cCAR is dependent on the ability for cCAR to properly targeting CD33.

[0536] CD33CD123 cCAR NK-92 cells were co-cultured with the HL-60 cells for about 24 hours in NK cell media without IL-2. After the incubation, the CD33CD123 cCAR NK-92 cells were labeled and compared to a control of non-CAR, GFP NK-92 cells. Dramatic killing of HL-60 cells by CD33CD123 cCAR NK-92 cells was observed as compared to the control, GFP NK-92 cells. Moreover, the killing ability of CD33CD123 cCAR NK-92 cells was dose-dependent, with a about 10 to 1 ratio of about 100% compared to the control (FIGS. 9 and 11).

[0537] A second co-culture experiment using the myeloid leukemia cell line was performed using KG1a, which expresses CD33 in all cells but at a moderate level compared to that of HL-60. The CD123 antigen is expressed in about 50-80% of KG1a cells. The experimental design was similar to the first experiment of the HL-60 killing assay described above, with the same incubation time, effector:cancer cell ratios and GFP NK-92 cell controls. Results show a remarkable killing of KG1a cells by CD33CD123 cCAR NK-92 cells in a dose-dependent manner as compared to the GFP NK-92 cell control. At a ratio of effector:target of 10:1, killing of KG1a cells by CD33CD123 cCAR NK-92 cells was about 85% as compared to that of GFP control (FIGS. 10 and 11).

[0538] Analysis of KG1a cells showed two different populations, CD33+CD123- and CD33+CD123+. FIG. 11 showed a dose dependent increase in cell killing seen in both populations. Surprisingly, the double positive population showed a higher efficient killing for each increased ratio, suggesting a possible synergistic effect of two modular CARs of CD33 and CD123 (FIG. 12).

[0539] We also generated engineered CD33CD123 CAR T cells received not only costimulation through the CD28 but also co-express the 4-1BBL ligand (4-1BBL or CD137L) in a single construct, which provide the better therapeutic efficacy (FIG. 13A). T-cells derived from peripheral blood from healthy donors were transduced with the CD33CD123-4-

1BBL-2G construct in 6-well plates incubated with 2 ml of virus supernatant. CAR expression was assayed with F(ab') labeling for surface expression of the CAR protein and subsequently underwent FACS analysis. Transduced cells were compared to control T-cells labeled at the same time. Expression was determined and transduced population encircled on plot 1 day after the end of transduction period. The surface CD33CD123-41BBL-2G CAR expression on T cells was approximately 60% (FIG. 13B). CD33CD123 CAR improves functional activates when 4-1BBL was included in the construct.

[0540] An enhancer, IL-15/IL-15sushi was also included in CD33CD123 CAR construct as an alternative approach. Both compound CAR, CD33CD123 and IL-15/IL-15sushi were in a single construct (FIG. 14). IL-15/IL-15sushi is able to promote the expansion of CAR T/NK cells, and infiltrate of innate immune cells to the tumor site, which could result in better tumor destruction

Engineered cCAR Targets Cells Expressing: 1) CD19 or CD20 or Both; 2) CD19 or CD20 or Both; 3) CD19 or CD138 or Both

[0541] Generation of CD19CD20, CD19CD22, and CD19CD138 cCARs

[0542] The three cCARs have been generated (FIG. 15) using the similar strategy to that of the CD33CD123 cCAR described above.

Generation of the Second Generation Compound CARs (CD19CD20 and CD19CD22)

[0543] The construction of the compound CAR (cCAR) follows the schematic in FIG. 16A. It comprises of SFFV (spleen focus-forming virus) promoter that drives the expression of the functional cCAR bearing two different units of CARs. The first CAR is the complete L8-CD19-2G CAR (using human CD8a leader sequence, called L-8), linked to the complete second CAR (either CD20-2G or CD22-2G) by a high efficient P2A self-cleaving peptide, derived from picornavirus. The entire sequence is in frame as to result in initially one large fusion protein which is cleaved in half prior to cell surface expression. This method ensures equal expression levels of both CARs. The cCAR DNA molecules were subsequently sub-cloned into the same lentiviral plasmid as above.

Transduced T Cells Efficiently Express cCARs

[0544] Lentiviral vector supernatant was generated from HEK293T cells transfected with either CD19CD20-2G or CD19CD22-2G vector construct or control vector. After collection of lentiviral supernatant was collected, cells were harvested, lysed, and electrophoresed prior to Western blot transfer. Incubation of blot membrane with anti-human CD3zeta antibody resulted in two distinct bands representing each CAR unit after cleavage; the CD19CAR is slightly larger than the CD20 or CD22 CAR units (FIG. 18B). Next, peripheral blood mononuclear buffy coat cells were activated for three days and transduced with concentrated CD19CD20-2G, CD19CD22-2G or control vector lentiviral supernatant on non-tissue culture plates coated with retronectin. The transduction procedure was repeated 24 hours after the first transduction. CAR expression on the T-cell surface was demonstrated three days after transduction by staining transduced T cells with goat anti-mouse F(Ab')₂ antibody and mouse anti-human CD3.

[0545] FIG. 16 shows that 26.9% of cells transduced with concentrated L8-CD19CD20-2G lentiviral supernatant and 35.6% of T cells transduced with concentrated CD19CD22-2G lentiviral supernatant were positive for both F(Ab')2 and CD3 as determined by flow cytometry, when compared to the control transduction.

Transduced T Cells Express CD19CD22-2G at Different Levels Based on Leader Sequences

[0546] We then determined the leader sequence that would result in the highest level of cell surface expression of cCAR, three constructs were made that incorporated leader sequences for human CD8a (L8), CD45 (L45), and colony stimulating factor (CSF) (FIG. 17). Following transduction of human peripheral blood T cells with lentiviral supernatant generated from each of these vectors, transduction efficiency for the T cells was determined using F(Ab')2 antibody as above. The L8 leader sequence again led to the highest transduction efficiency (43.8%), followed by L45 (9.8%) and CSF (1.3%). (FIG. 17). This shows that the optimal design of a compound CAR, like a single CAR, depends in part on the leader sequence for surface CAR expression. Concentration of Lentiviral Supernatant can Lead to Higher Transduction Efficiency for cCARs

[0547] To improve CAR efficiency in transduced T cells, lentiviral supernatant for CD19CD20-2G and CD19CD22-2G was centrifuged at 3,880×g for 24 hours. The resulting viral pellets were suspended in media at one third their original volume, making them 3× concentrated. This concentrate was used to transduce activated T cells in the same volume as non-concentrated virus. FIG. 10a shows that CAR efficiency for T cells transduced with 3× concentrated CD19CD22-2G lentiviral supernatant nearly tripled, while CAR efficiency for T cells transduced with 2.5× concentrated CD19CD20-2G lentiviral supernatant increased nearly 10-fold (FIG. 18). This illustrates the importance of concentrating lentiviral vector for the longer cCAR constructs.

cCAR CAR T Cells Specifically Target CD19-Expressing Tumor Cell Lines

[0548] T cell co-culture killing assays were performed to determine the ability of L8-CD19CD22-2G and L8-CD19CD20-2G CAR T cells to effectively lyse the CD19+ cell lines, SP53 and JeKo-1 (both mantle cell lymphoma lines). Briefly, each target cell line was pre-labeled with CMTMR membrane dye, and then co-cultured with either vector control, L8-CD19CD22-2G or L8-CD19CD20-2G CAR T cells at ratios of 2:1 and 5:1 effector:target cells (200,000 or 500,000 effector cells to 100,000 target cells, in 1 mL T cell media without serum or IL-2). After overnight incubation, cells were labeled with anti-human CD3-PerCp and CD19-APC for 30 minutes, washed, and suspended in 2% formalin for analysis by flow cytometry. The L8-CD19CD22-2G CAR T cells demonstrated robust lysis of tumor cells (FIG. 19), lysing 53.4% and 93% of the SP53 cells at 2:1 and 5:1 ratios, respectively. At the same ratios, the L8-CD19CD22-2G CAR T cells were able to lyse 69% and 97.3% of the JeKo-1 cells (FIG. 20). cCAR CAR T Cells Eliminate CD19+ Cells from AML and B-ALL Patient Samples

[0549] Studies were again conducted using patient samples. Buffy coat fractions of these primary cells were pre-labeled with CMTMR and co-cultured with either vector control, or L8-CD19CD22-2G CAR T cells in the same

manner as the tumor cell lines. L8-CD19CD22-2G CAR T cells lysed 54.3% and 77% of the AML patient cells with aberrant expression of CD19 at 2:1 and 5:1 ratios, respectively, in an overnight co-culture, and lysed 84.3% of the B-ALL tumor cells at a 1:1 ratio in a four day co-culture with 2.5% FBS and IL-2 added to the media (FIGS. 21, 22A). As these AML patient cells only comprised 65% blasts and 75% of them expressed CD19, it was likely that L8-CD19CD22-2G CAR T cells were able to eliminate the entire CD19 positive blast population.

cCAR CAR T Cells Lyse K562 Cells Expressing CD22.

[0550] An artificial K562 expressing CD22 cell line (K562xp22) via transduction into wild-type K562 cells was generated. Subsequently, we tested the anti-tumor properties of the CD19CD22 cCAR to target the minor CD22+ population of the K562 cells. A co-culture experiment at 1:1 ratio (effective:target) show a modest significant cytotoxic effect on K562 expressing CD22 population compared to the control. Cytotoxicity results remain consistent with other numbers reported for anti-tumor activity against artificial antigen presenting cell lines (FIG. 22B).

Engineered cCAR Targets Cells Expressing BCMA and CS1

[0551] Generation of cCAR Including BCMA CS1 cCAR and BCMA CD19 cCAR for Treatment of Multiple Myeloma or Autoimmune Disorders

[0552] Pre-clinical studies have been developed for cCARs to target surface antigens including CD38, CS1, CD138, B cell maturation antigen (BCMA) and CD38. CD19 CAR has also demonstrated some efficacy for the treatment of multiple myeloma in a phase I clinical trial. However, given that the heterogeneity of surface antigen expression commonly occurs in malignant plasma cells, it is unlikely that a single target is sufficient to eliminate this disease. BCMA CS1 cCAR, BCMA CD19 cCAR, BCMA CD38 cCAR and BCMA CD138 cCAR were generated and the experimental design was similar to that of CD33CD123 cCAR as described above.

Generation of cCAR Including BCMA CS1 cCAR (BC1cCAR) for Treatment of Multiple Myeloma or Autoimmune Disorders

[0553] Generation and Characterization of BCMA-CS1 cCAR (BC1cCAR) Construct

[0554] We have observed that transduction of compound CAR constructs in general lack high efficiency gene transfer rates compared to single antigen CARs. Whether due to construct size or metabolic stress on effector cells or other factors, optimization of a transduction schema for compound CARs remain necessary. We compared 3 different protocols for transductions and major differences included whether incubation occurs within viral supernatant, transduction procedure frequency, and final cell density numbers per treatment. Method 1 was a 2× transduction for 24 hours each time and uses retronectin coated plates incubated with virus first, aspirated, then incubated with T-cells to a final concentration of 0.5×10^6 cells/ml. Method 2 used the same viral retronectin procedure, however, it exchanged the 2nd transduction period for continued incubation to a total of 48 hours of incubation with a final cell density of 0.3×10^6 cells/ml. Method 2 revised uses an incubation scheme where

viral supernatant was directly incubated with cells for 48 hours on a retronectin coated plate at a cell density of 0.3×10^6 cells/ml (FIG. 23).

Transduction Protocol Optimizations Correlate to Improved BC1cCAR Surface Expression

[0555] BC1cCAR's modular design consists of an anti-CD269 (BCMA) single-chain variable fragment (scFv) region fused to an anti-CD319 (CS1) scFv by a self-cleaving P2A peptide, CD8-derived hinge (H) and transmembrane (TM) regions, and 4-1BB co-activation domains linked to the CD3 ζ signaling domain (FIG. 24A). A strong spleen focus forming virus promoter (SFFV) and a CD8 leader sequence were used for efficient expression of the BC1cCAR molecule on the T-cell surface. T-cells isolated from human peripheral blood buffy coats were transduced with BC1cCAR lentivirus after 2 days of activation. According to the different transduction schemas above, various transduction efficiencies are reported for each technique (FIG. 24B). We find that, in general, cells incubated with viral supernatant for 48 hours at reduced cell densities (0.3×10^6 cells/ml) support the highest gene-transfer efficiencies (FIG. 24B). Thus, as we improve our transduction schemes, we observe a correspondingly higher rate of gene transfer (FIG. 24C).

[0556] Transfected BC1cCAR HEK293T cells were subjected to Western blot analysis in order to confirm the compound construct. Immunoblot with an anti-CD3 ζ monoclonal antibody showed bands of predicted size for the compound CAR CD3 ζ fusion protein (FIG. 24D). Importantly, two distinct bands of similar intensity were observed on the blot signaling the successful high cleavage action of the P2A peptide as expected. No CD3 ζ expression was seen for the GFP control vector as expected.

BC1cCAR T-Cells Specifically Lyse BCMA⁺ and CS1⁺ Myeloma Cell Lines

[0557] To assess the cytotoxicity ability of BC1cCAR T-cells, we conducted co-culture assays against myeloma cell lines: MM1S (BCMA⁺ CS1⁺), RPMI-8226 (BCMA⁺ CS1⁻), and U266 (BCMA⁺ CS1^{dim}). The ability of the BC1cCAR T-cells to lyse the target cells was quantified by flow cytometry analysis, and target cells were stained with Cytotracker dye (CMTMR). In 24 hour co-cultures, the BC1cCAR exhibited virtually complete lysis of MM1S cells, with over 90% depletion of target cells at an E:T ratio of 2:1 and over 95% depletion at an E:T of 5:1 (FIGS. 25A and 25C). In RPMI-8226 cells, BC1cCAR lysed over 70% of BCMA⁺ target cells at an E:T ratio of 2:1, and over 75% at an E:T of 5:1 (FIGS. 25A and 25C). In 24 hour co-culture with U266 target cells, BC1cCAR lysed 80% of BCMA⁺ U266 cells at an E:T ratio of 2:1, reaching saturation (FIGS. 25B and 25C). As the myeloma cell lines are all mostly BCMA⁺, these results suggest that largely BCMA targeting by BC1cCAR T-cells promotes effective cell lysis.

BC1cCAR T-Cells Specifically Target BCMA⁺ and CS1⁺ Populations in Primary Patient Myeloma Samples

[0558] We conducted co-cultures using BC1cCAR T cells against primary tumor cells to evaluate their ability to kill diverse primary myeloma cell types. Flow cytometry analysis of the MM10-G primary sample reveal distinct and consistent BCMA⁺ and CS1⁺ population subsets. MM7-G sample shows a complete BCMA⁺ CS1⁺ phenotype while MM11-G exhibits a noisy BCMA^{dim}CS1^{dim} phenotype likely attributable to its property of being a bone-marrow

aspirate. BC1cCAR T-cells show robust dose-dependent ablation of the MM7-G primary patient sample, with over 75% lysis at an E:T ratio of 5:1, increasing to over 85% at 10:1 (FIG. 26A).

[0559] BC1cCAR also show targeted and specific lysis ability, by significantly ablating both the BCMA⁺ CS1⁺ and the BCMA-CS1⁺ population subsets in MM10-G co-cultures. At an E:T ratio of 2:1, BC1cCAR T-cells ablate over 60% of the BCMA⁺ CS1⁺ population, and 70% of the CS1⁺ only population (FIG. 26B). At an E:T ratio of 5:1, the ablation of CS1⁺ only population increases to 80% (FIG. 26B). Against the MM11-G (FIG. 26C), BC1cCAR T-cells were also able to demonstrate cytotoxic activity in a dose-dependent manner as well (FIG. 26C). In summary, BC1cCAR T cells exhibit robust anti-tumor activity against both myeloma cell lines and primary tumor cells presenting different combinations of BCMA and CS1 (FIG. 26D)

Functional Evaluation of BC1cCAR Antigenic Specific Activity

[0560] To assess and characterize the biological properties of the BC1cCAR in terms of its antigenic targeting, we established a model that would allow us to test the BC1cCAR scFv functionality independently. Using a CML cell line negative for myeloma markers (K562), we established a stable CS1 expressing K562 cell line (CS1xpK562) by transducing CS1 cDNA into K562 cells and subsequently promoting stable expression through puromycin selection (FIG. 27A). To test the BCMA scFv functionality, we obtained a BCMA expressing K562 cell line (BCMAxpK562) from the NIH (Kochenderfer Lab). After we confirmed the independent expression of each antigen for each antigen expressing cell line (FIG. 27A), we used them in co-culture experiments to determine BC1cCAR T targeting functionality.

[0561] In short-term cultures (<24 hrs), BC1cCAR T-cells exhibited cytotoxic activity against BCMAxpK562 cells while showing no effect against wild-type K562 cells (FIG. 27B). Next, short-term cultures against CS1xpK562 cells show similar responses against CS1 expressing target cells. Furthermore, BC1cCAR T-cells appeared to have a stronger cytotoxic effect than a CS1-specific CAR against CS1xpK562 cells (FIG. 27B). Further validation of the anti-CS1 activity was performed on CS1^{dim} expressing NK-92 cells where cytotoxicity exhibited as a dose-dependent effect (FIG. 27B).

[0562] To model antigen escape in potential clinical scenarios, we conducted combined co-culture experiments. We mixed BCMAxpK562 and CS1xpK562 in 1:1 ratios and looked for evidence of antigen residual populations that could lead to relapse in real world scenarios. Co-cultures were carried out over 48 hours to ensure antigen depletion. Next, histograms were constructed that represents populations of T-cells and target tumor cells. The numbers in each histogram plot represents the residual gated target tumor population. We found that compared to control T-cells, a BCMA-specific CAR and a CS1-specific CAR were able to deplete or have profound cytotoxic effects against their respective populations. However, a CS1-specific CAR left a significant residual BCMA⁺ population, whereas a BCMA-specific CAR achieved a high degree of cytotoxicity but still left a small but definite CS1⁺ population (FIG. 27C). In contrast, the BC1cCAR T-cells effectively depleted both target populations (FIG. 27C). We speculate that residual

tumor populations possessing 1 antigen may lead to relapse in patients that have undergone treatment using only a single antigen-specific CAR.

[0563] Since normal bone marrow expresses a small subset of plasma cells that can express CS1, there are concerns that a CS1 directed CAR could be adversely cytotoxic. While the CS1 population in bone marrow is indeed affected by the BC1cCAR in a dose-dependent manner (FIG. 27D), the CS1 subset itself is small.

BC1cCAR T-Cells Exhibit Persistency and Sequential Killing Ability Even with Tumor Re-Challenge

[0564] We next investigated the ability of BC1cCAR T-cells to kill tumor cells in a sequential manner under unfavorable microenvironments caused by cell lysis, debris, and tumor re-challenge. Using the scheme in FIG. 28A, we conducted long-term co-cultures using MM1S cells as a model myeloma tumor and periodically re-challenged BC1cCAR T-cells and other CAR constructs with fresh MM1S to simulate tumor expansion or relapse. The initial co-culture condition was done at an E:T ratio of 1:1. With no exogenous cytokines, we find that depletion of target antigens is accomplished by all CAR cells after 48 hours, with significant clustering and T-cell proliferation (FIG. 28B). In contrast, control T-cells show no response and proliferation yielding a tumor population that has now expanded by twice its initial number. After re-challenging all treatment wells with fresh MM1S cells we find that all CARs still retain a high degree of cytotoxicity even without exogenous cytokines. By 108 hours, the newly inputted MM1S cells have been virtually depleted by both BCMA-CAR and the BC1cCAR with significant cytotoxicity still observed from the CS1-CAR. However, at this stage, flow cytometry show a diminished CS1-CAR population and a relative growth in the tumor antigen population to ~17% (FIG. 28C), suggesting that the CS1-CAR T-cells may be faltering. At this time point, the control T-cells have been completely overgrown by tumor cells. All CAR tumor-lysis and cytotoxicity stopped after 168 hours, however, BCMA-CAR and BC1cCAR still show detectable minority T-cell populations while control T-cells and CS1-CAR T-cells have all virtually disappeared (data not shown).

BC1cCAR T-Cells Exhibit Significant Control and Reduction of Tumor In Vivo

[0565] In order to evaluate the in vivo anti-tumor activity of BC1cCAR T-cells, we developed a xenogeneic mouse model using NSG mice sublethally irradiated and intravenously injected with luciferase-expressing MM1S cells, a multiple myeloma cell line, to induce measurable tumor formation. Three days following tumor cell injection, mice were intravenously injected with 5×10^6 BC1cCAR T-cells or control GFP cells in a single dose. On days 3, 6, 8 and 11, mice were injected subcutaneously with RediJect D-Luciferin (Perkin Elmer) and subjected to IVIS imaging to measure tumor burden (FIG. 29A). Average light intensity measured for the BC1cCAR T-cell injected mice was compared to that of GFP control mice in order to determine the control of tumor growth by BC1cCAR treatment (FIG. 29B). Unpaired T test analysis revealed an extremely significant difference ($P < 0.01$) between the two groups by Day 6 with less light intensity and thus less tumor burden in the BC1cCAR T-cell injected group compared to control (FIG. 29B). Next, we compared mouse survival across the two groups (FIG. 29C). All of the BC1cCAR T-cell injected mice

survived past day 50 and over a quarter remained past day 65. P-value between control and treated mice is 0.0011 based on Long-Rank Mantel-Cox test. The percent survival of control T-cell injected mice started to decrease shortly by Day 50 and were deceased by Day 55. In summary, these in vivo data indicate that BC1cCAR T-cells significantly reduce tumor burden and prolong survival in MM1S-injected NSG mice when compared to control cells.

[0566] BC1cCAR T-cells exhibit improved cytotoxic effect in a mixed antigen xenogeneic mouse model.

[0567] To evaluate the dual targeting nature of the compound CAR that may preclude antigen escape, we designed a xenogeneic mouse model using NSG mice sublethally irradiated and intravenously injected with luciferase-expressing K562 cells expressing either stably transduced BCMA or CS1. BCMA and CS1 expressing K562 cells were further sorted for expression following puromycin selection and established as stable homogenous single antigen populations. BCMA and CS1 expressing K562 cells were then mixed at a 4:1 ratio respectively before injection to model potential antigen escape. Three days following tumor cell injection, mice were intravenously injected with a course 15×10^6 control T-cells, BCMA-specific CAR, or BC1cCAR T-cells. Two control mice died as a result of injection procedure as a result of technical issues during T-cell infusion and cell aggregation. On days 3, 7, 10 and 12, mice were injected subcutaneously with RediJect D-Luciferin (Perkin Elmer) and subjected to IVIS imaging to visualize tumor burden (FIG. 19D). Average light intensity (signifying tumor burden) measured for the BC1cCAR T-cell injected mice was compared to that of a BCMA-specific CAR and GFP control injected mice in order to determine the control of tumor growth by treatment (FIG. 29D). By day 10, both the BCMA-specific CAR and BC1cCAR T-cells exhibited over 47% tumor reduction compared to control. However, there was a 6% difference in the tumor burden reduction in favor of the BC1cCAR as early as day 10 on the dorsal side of the mice. By day 12, there was a 17% difference in tumor reduction in favor of BC1cCAR (FIGS. 19D and E) on the dorsal side. This number approaches the percentage of CS1-K562 cells injected (20%) versus BCMA-K562 (80%). It is likely the result of CS1 expressing K562 cells surviving and proliferating as a model for antigen escape. In summary, these in vivo data indicate that BC1cCAR T-cells appeared to show improved tumor burden control for multiple antigen populations.

BC1cCAR Transduction and Validation of Anti-Tumor Properties in NK Cells

[0568] To further evaluate the robustness of BC1cCAR in different settings, we transduced the BC1cCAR construct into a model NK cell line, NK-92. The construct was successfully able to be transduced via lentiviral incubation for 48 hours into NK-92 cells and resulted in a surface expression profile of 62.1% after gene-transfer (FIGS. 30A and 30B). Maintenance of NK-92 cells at densities of $0.3-0.5 \times 10^6$ cells/ml resulted in stable populations. To test for BC1cCAR anti-tumor activity in vitro, we conducted co-cultures against myeloma cell lines and a primary patient sample. The BC1cCAR approached 80% lysis against MM1S, U266, and RPMI-8226 cell lines at E:T ratios of 5:1 in culture. It also successfully lysed over 60% of the primary MM7-G tumor (FIGS. 31A and 31B). These results are similar in terms of comparability with BC1cCAR T-cells.

Next, we assayed the antigen specificity of the BC1cCAR in its ability to lyse BCMA⁺ or CS1⁺ cell independently. Similar assays were carried out for BC1cCAR T-cells (FIG. 27). In 4 hour cultures with either BCMA expressing K562 (BCMAxpK562) or CS1 expressing K562 (CS1xpK562 cells), we find that the BC1cCAR NK cells are able to have cytotoxic effects against either population (FIG. 31B).

Generation of cCAR Including BCMA CD19 or BCMA CD19b for Treatment of Plasma Cell Myeloma or Autoimmune Disorders

[0569] Generation and Characterization of BCMA-CD19 cCAR or BCMA-CD19b cCAR Construct

[0570] BC1cCAR's modular design consists of an anti-CD269 (BCMA) single-chain variable fragment (scFv) region fused to an anti-CD319 (CS1) scFv by a self-cleaving P2A peptide, CD8-derived hinge (H) and transmembrane (TM) regions, and 4-1BB co-activation domains linked to the CD3 ζ signaling domain (FIG. 35). A strong spleen focus forming virus promoter (SFFV) and a CD8 leader sequence were used for efficient expression of the BC1cCAR molecule on the T-cell surface and anti-tumor activities in vitro and in vivo using a similar approach described above.

[0571] Each of units of CAR in the BCMA CD19 CAR will be tested for its anti-plasma cell or anti-B cell activity. We found that the BCMA CAR unit was able to potentially lyse any BCMA⁺ population. We first conducted co-cultures against the dual BCMA CS1 positive plasma cell line MM1S and used a CS1 CAR as a secondary measure for robustness. We observed that both BCMA and CS1 specific CARs were able to lyse MM1S targets at high efficiency (FIG. 36A). Next, we cultured the BCMA CAR and CS1 CAR against a majority BCMA⁺ primary myeloma sample MM7-G. We find that, with regard to BCMA expression, the BCMA CAR was able to virtually deplete all BCMA⁺ cells. In contrast, the CS1 CAR left a residual BCMA⁺ population (FIG. 36B). These results suggest that a BCMA CAR achieves high potency and specificity in its cytotoxic effect.

[0572] We next tested the CD19 CAR unit for its anti-B cell activity. The single-chain variable fragment (scFv) nucleotide sequences of the anti-CD19 molecule was used for two different constructs, CD19-2G and CD19b-BB CAR. To improve signal transduction, the CD19CAR was designed with 4-1BB co-activation domain fused to the CD3zeta signaling domain, making it a second generation CAR (FIG. 37A). CD19-targeting second generation CAR T-cells have previously been used in clinical trials. For efficient expression of the CD19CAR molecule on the T cell surface, a strong spleen focus-forming virus promoter (SFFV) was used and the leader sequence of CD8a was incorporated in the construct. For comparison, CD19CAR constructs using the leader sequences of CD45, CSF, human albumin (HA) or IL-2 were also made. The anti-CD19 scFv was separated from the intracellular signaling domains by CD-8 derived hinge (H) and transmembrane (TM) regions (FIG. 37). The CD19CAR DNA molecules, with different leader sequences or different scFv sequences, were also subsequently sub-cloned into a lentiviral plasmid.

Transduced T Cells Efficiently Express CD19CAR

[0573] Lentiviral vector supernatant was generated from HEK293T cells transfected with CD19-2G vector construct and control vector. After collection of lentiviral supernatant

was collected, cells were harvested, lysed, and electrophoresed prior to Western blot transfer. Incubation of blot membrane with anti-human CD3zeta antibody resulted in a ~56 kDa band in the lane containing lysate from cells transfected with CD19-2G, the predicted size for the expressed fusion protein (FIG. 37B). Next, peripheral blood mononuclear buffy coat cells were activated for three days and transduced with L8-CD19-2G, or control vector lentiviral supernatant on non-tissue culture plates coated with retronectin. The transduction procedure was repeated 24 hours after the first transduction. CAR expression on the T-cell surface was demonstrated three days after transduction by staining transduced T cells with goat anti-mouse Fab antibody and mouse anti-human CD3. FIG. 37C shows that 19.8% of cells transduced with the L8-CD19-2G virus were positive for both F(Ab')₂ and CD3 as determined by flow cytometry, when compared to the control transduction.

Transduced T Cells Express CD19-2G at Different Levels Based on Leader Sequences

[0574] To determine the leader sequence that would result in the highest level of cell surface expression of CD19-2G CAR, several constructs were made that incorporated leader sequences for human CD8a (L8), CD45 (L45), colony stimulating factor (CSF), human albumin (HA), and IL2 (FIG. 38A). Following transduction of human peripheral blood T cells with lentiviral supernatant generated from each of these vectors, transduction efficiency for the T cells was determined using F(Ab')₂ antibody as above. Only the CD19-2G construct incorporating the L8 leader sequence resulted in any appreciable cell surface expression of CAR (32.5%), while the L45 leader sequence resulted in only 3.3% transduction efficiency, and CSF, HA and IL2 were below 1% (FIG. 38B). This shows that the optimal design of CD19-2G CAR depends in part on the leader sequence used.

Transduced T Cells Express CD19-2G at Different Levels Based on scFv Sequences

[0575] To determine the scFv sequence of CD19 that would result in the highest level of cell surface expression of CD19-2G CAR, two different sequences were used in the design of CD19-2G CAR (FIG. 39A), CD19 and CD19b. Both used the L8 leader sequence. Following transduction of human peripheral blood T cells with lentiviral supernatant generated from each of these vectors under the same condition, transduction efficiency for the T cells was determined using F(Ab')₂ antibody as above. The CD19-2G construct resulted in 18.2% CAR cells, but the CD19b-BB-2G construct resulted in 54.7% CAR efficiency (FIG. 39b). This shows that the optimal design of CD19-2G CAR also depends in part on the sequence of the scFv used.

CD19-2G and CD19b-BB-2G CAR T Cells Specifically Target CD19-Expressing Cell Lines

[0576] T cell co-culture killing assays were performed to determine the ability of CD19-2G and CD19b-BB-2G CAR T cells to effectively lyse the CD19⁺ cell lines, SP53 and JeKo-1 (both mantle cell lymphoma lines). Briefly, each target cell line was pre-labeled with CMTMR membrane dye, and then co-cultured with either vector control, L8-CD19-2G or L8-CD19b-BB-2G CAR T cells at ratios of 2:1 and 5:1 effector:target cells (200,000 or 500,000 effector cells to 100,000 target cells, in 1 mL T cell media without serum or IL-2). After overnight incubation, cells were

labeled with anti-human CD3-PerCp and CD19-APC for 30 minutes, washed, and suspended in 2% formalin for analysis by flow cytometry. Both CD19-2G and CD19b 2G CAR T cells displayed robust lysis of B cell lines, SP53 and Jeko-1 (FIG. 41).

[0577] CD19-2G and CD19b-BB-2G CAR T Cells Eliminate CD19+ Cells from AML and B-ALL Patient Samples

[0578] Studies were also conducted using patient samples. Two patients with CD19+ cells were used: one diagnosed as AML (aberrant expression of CD19), and one with B-ALL, were used in the study. The patients' blood contained 26.4% and 90% of CD19+ cells, respectively (FIGS. 41A, 42A). Buffy coat fractions of these primary cells were pre-labeled with CMTMR and co-cultured with either vector control, L8-CD19-2G or L8-CD19b-BB-2G T cells in the same manner and ratios as the tumor cell lines. Both L-8-CD19-2G CAR and L-8-CD19b-2G cells were able to complete eliminate the target cells expressing CD19 (FIGS. 42 and 43).

[0579] Viral titers generally decrease as the size of insert increases and the sequence of CD19b scFv provided a higher titer for CD19b CAR (FIG. 39). Therefore, CD19b scFv was used to generate the compound BCMA CD19b CAR (FIG. 44). BCMA CD19b CAR.

An Alternative CAR Design for Myeloma and Plasma Cells

[0580] We designed a ligand expressing CAR that binds to various B-cell activation factor receptors. While it seems a logical leap to design CARs for any potential antigen or ligand factor that can be bound to a tumor population, technical troubleshooting in CAR technology is still a high and persistent barrier. Not all CAR constructs are able to achieve consistent or sufficient surface expression as a result of undefined molecular interactions or design problems. We were able to achieve surface expression of CD45 leader sequence BAFF-CAR with a CD28 intracellular signaling domain of around 21% (FIG. 45A). However, BAFF-CARs with alternate leader sequences from CD8 or CSF did not achieve any meaningful expression (FIG. 45B). Yet another factor was observed when CAR design was considered. We designed BAFF-CAR constructs using the 4-1BBL ligand binding domain as a supportive stimulatory pathway in one case. In another, we added an IL-15/IL-15sushi armor expressing arm to the construct. The CD8 leader sequence paired with the 4-1BBL or the IL-15/IL-15sushi both achieved higher surface expression than the CSF leader sequence in both cases (FIG. 45C).

Anti-Plasma Cell Properties of the BAFF-CARs

[0581] We characterized the biological properties of the various BAFF-CARs by culturing them with either plasma cell myeloma cells (MM1S) or mantle (MCL) cells (SP53) that all express a component of the plasma cell marker CD138 to which BAFF is a ligand bound complex. The L45-BAFF-28 CAR was able to lyse MM1S tumor cells after 48 hours at an E:T ratio of 3:1 approaching 60% (FIG. 46). Furthermore, the L8-BAFF-28 IL-15/IL-15sushi and L8-BAFF-28 4-1BBL CARs were also able to achieve comparable degrees of cytotoxicity (FIG. 47A, 47C). Co-culture with the B cell mantle cell line SP53 show a limited effect with around 25% cytotoxicity observed for the L8-BAFF-28 IL-15/IL-15 CAR only (FIG. 47).

CD45 CAR Therapy

[0582] Three pairs of sgRNA are designed with CHOP-CHOP to target the gene of interest. Gene-specific sgRNAs are then cloned into the lentiviral vector (Lenti U6-sgRNA-SFFV-Cas9-puro-wpre) expressing a human Cas9 and puromycin resistance genes linked with an E2A self-cleaving linker. The U6-sgRNA cassette is in front of the Cas9 element. The expression of sgRNA and Cas9puro is driven by the U6 promoter and SFFV promoter, respectively (FIG. 48).

[0583] The following gene-specific sgRNA sequences were used and constructed,

In a non-limiting embodiment of the disclosure, exemplary gene-specific sgRNAs have been designed and constructed as set forth below:

[0584] CD45 sgRNA construct:

Lenti-U6-sgCD45a-SFFV-Cas9-puro
GTGGTGTGAGTAGGTAA

Lenti-U6-sgCD45b-SFFV-Cas9-puro
GAGTTTGCATTGGCGG

Lenti-U6-sgCD45c-SFFV-Cas9-puro
GAGGGTGGTTGTCAATG

FIG. 49A shows steps of generation of CD45 CAR T or NK cell targeting hematologic malignancies.

CRISPR/Cas Nucleases Target to CD45 on NK Cells

[0585] Lentiviruses carried gene-specific sgRNAs were used to transduce NK-92 cells. The loss of CD45 expression on NK-92 cells was determined by flow cytometry analysis. The CD45 negative population of NK-92 cells was sorted and expanded (FIG. 49B). The sorted and expanded CD45 negative NK-92 cells were used to generate CD45CAR NK cells. The resulting CD45CAR NK cells were used to test their ability of killing CD45+ cells.

Functional Characterization of CD45 Inactivated NK-92 Cells (NK⁴⁵ⁱ-92) after CRISPR/Cas Nucleases Target

[0586] We demonstrated that, following CRISPR/Cas nuclease inactivation of CD45, the growth of NK⁴⁵ⁱ-92 cells was similar to that of the wild NK-92 cells (FIG. 50). Inactivation of CD45 did not significantly affect the cell proliferation of NK-92. In addition, we showed that the lysis ability of NK⁴⁵ⁱ-92 cells was compatible to that of wild type, NK-92 when cells were co-cultured with leukemic cells, CCRF (FIG. 51).

[0587] To demonstrate that CD45-inactivated NK-92 was compatible with CAR lysis, NK⁴⁵ⁱ-92 cells and their wild type, NK-92 were transduced with lentiviruses expressing CD5CAR or GFP. The resulting CD5CAR NK⁴⁵ⁱ-92 cells and GFP NK⁴⁵ⁱ-92 were sorted by FACS, and used to compare their ability of killing targeted cells. CD5CAR NK⁴⁵ⁱ-92 cells displayed the ability of robustly killing CD5 target leukemic cells at ratios (E:T), 2:1 and 5:1 when they were co-cultured with CCRF-CEM cells. We showed that there was a similar efficacy of elimination of CCRF-CEM cells in vitro between CD5CAR NK⁴⁵ⁱ-92 and CD5 CAR NK-92 cells (FIG. 52). This suggests that the loss of CD45 expression does not diminish the anti-tumor activity of CAR NK-cells.

Generation of CD45CAR Construct

[0588] We next investigate that CD45CAR in NK⁴⁵ⁱ-92 cells response to the CD45 antigen in leukemic cells. We generated CD45CAR. CD45CAR consists of an anti-CD45 single-chain variable fragment (scFv) region, CD8-derived hinge (H) and transmembrane (TM) regions, and tandem CD28 and 4-1BB co-activation domains linked to the CD3 ζ signaling domain (FIG. 53A). A strong spleen focus forming virus promoter (SFFV) and a CD8 leader sequence were used. CD45CAR protein was characterized by Western blot of HEK293-FT cells transfected with CD45CAR lentiviral plasmid with appropriate vector control. Additionally, anti-CD3zeta monoclonal antibody immunoblots revealed bands of predicted size for the CD45CAR protein with no bands observed in vector control (FIG. 53B).

CD45CAR NK⁴⁵ⁱ-92 NK Cells

[0589] Following fluorescence-activated cell sorting (FACS) to enrich for NK⁴⁵ⁱ-92 cells, CD45CAR NK-92 transduction efficiency was determined to be 87%, as determined by flow cytometry (FIG. 54) after sorting. After FACS collection of NK⁴⁵ⁱ-92 cells, CD45CAR expression levels remained consistently stable for at least 10 passages.

CD45CAR NK⁴⁵ⁱ-92 Cells Specifically Lyse CD45+ Leukemic Cells.

[0590] To assess CD45CAR NK⁴⁵ⁱ-92 anti-leukemic activity, we conducted co-culture assays using T-ALL cell lines, CCRF-CEM and Jurkat, and NK cell line and NK-92 cells since they all express CD45 (FIGS. 55, 56 and 57). We demonstrated that CD45CAR NK⁴⁵ⁱ-92 cells consistently displayed robust lysis of leukemic cells. Following 6-hour incubation at a low effective to target cell (E:T ratio 5:1), CD45CAR NK⁴⁵ⁱ-92 cells effectively lysed more than 60% of CCRF-CEM cells (FIG. 55). After 6-hour co-culture, CD45CAR NK⁴⁵ⁱ-92 cells were also able to eliminate about 60% of Jurkat cells at a ratio of E:T, 2:1 or 5:1 (FIG. 56). After 6 hours of co-culture, CD45CAR NK⁴⁵ⁱ-92 cells efficiently lysed 20% CD45 positive NK-92 cells at an E:T ratio of 2:1, with close to 60% lysis at an E:T of 5:1 (FIGS. 57A-57C).

[0591] To further analyze the CD45 target for hematologic malignancies, we also generated additional two CARs: CD45-28 and CD45-BB, and the lentiviruses expressing CD45-28 or CD45-BB CAR were used to transduce NK45i-92 cells. CD45-28 and CD45-BB CARs contain a new anti-CD45 scFv, which is different from that of CD45CAR described above. CD45-28 CAR uses a CD28 co-stimulatory domain while the CD45-BB bears a 4-BB co-stimulatory domain. Both CARs use the CD8-derived hinge (H), transmembrane (TM) regions and CD3 ζ signaling domain. CD45CARs displayed robust lysis of B acute lymphoblastic cell line, REH. CD45CAR NK45i-92 cells lysed about 76% REH cells. CD45b-BB CAR NK45i-92 cells and CD45b-28 CAR NK45i-92 cells showed about 79% and 100% lysis of REH cells, respectively compared to control GFP NK-92 cells (FIG. 57D-57E). CD45b-28 CAR NK45i-92 cells exhibited the highest ability of lysis of REH cells (B-ALL cells).

[0592] We also investigated if CD4b-28CAR CD45b-28 CAR NK45i-92 cells could lyse other types of leukemic cells. As shown in FIG. 57F, co-culture assay was performed with U937 cells (target: T) and GFP NK-92 cells or CD45b-

28 NK⁴⁵ⁱ-92 cells (effector: E) at 2:1 (E:T) ratio for 20 hours, CD45b-28 NK⁴⁵ⁱ-92 cells exhibited a robust anti-leukemic activity with about 81% cell lysis against U937 cells compared to control GFP NK-92 cells. U937 is an acute myeloid leukemia cell line. A similar finding was seen when co-culture assay was done with MOLM-13 cells (target: T) and GFP NK-92 cells or CD45b-28 NK45i-92 cells (effector: E) at 5:1 (E:T) ratio for 20 hours (FIG. 57G). MOLM-13 cells are derived from a patient with aggressive acute monocytic leukemia. The anti-leukemic activities were also examined in two mantle cell lines, SP53 and Jeko (FIGS. 57H and I). CD45b-28 NK⁴⁵ⁱ-92 with a low ratio of 2:1 (E:T), were able to lyse more than 40% of SP53 cells or Jeko leukemic cells compared to control GFP NK-92 cells at a relative short co-culture period of time, 6 hours. These studies demonstrated that CD45b-28 NK⁴⁵ⁱ-92 had a remarkable anti-leukemic property against different types of malignant leukemias.

[0593] We further investigated if CD45b-28 NK⁴⁵ⁱ-92 cells could lyse CD34+ hematopoietic stem/progenitor cells. CD34(+) stem cells derived from human umbilical cord blood were co-cultured with either control or CD45b-28 CAR NK cells for 48 hr at a low ratio of 2:1 (effective: target). CD45b-28 NK⁴⁵ⁱ-92 cells nearly eliminate CD34+ hematopoietic precursor cells (FIG. 57J) compared to the control.

An Alternative CAR Design to Enhance CD45 CAR Activity

[0594] We also generated engineered CD45 CAR cells received not only costimulation through the CD28 but also co-express the 4-1BB ligand (4-1BBL or CD137L) in a single construct, which provide the better therapeutic efficacy (FIG. 58A) and their example is described below:

[0595] Example: CD45b-28-2G-4-1BBL was generated and the generated CD45b CAR cells could receive both co-stimulatory pathways, CD28 and 4-1BB. CD45b-28-2G-4-1BBL viruses were concentrated by 4 fold and used to transduce NK⁴⁵ⁱ-92 cells. Its CAR surface expression was about 87% (FIG. 58B). CD45b-28-2G-4-1BBL viruses were concentrated by 4 fold and used for transduction. Anti-tumor activity of CD45b-2G CAR cells was significantly improved when 4-1BBL was included in the construct.

[0596] An enhancer, IL-15/IL-15sushi was also included in CD45 CAR construct as an alternative approach to enhance CD45 CAR anti-tumor activity. Both CD45 CAR and IL-15/IL-15sushi were in a single construct (FIG. 58). Anti-tumor activity of CD45b-2G CAR cells is significantly improved when IL-15/IL-15sushi is included in the construct.

[0597] Example: CD45b-28-2G-IL-15/IL-15sushi NK cells was generated. Surface CD45b CAR expression were about 60%. (FIG. 58C). Anti-tumor activity of CD45b-2G CAR cells was significantly improved when IL-15/IL-15sushi was included in the construct.

Characterization of CD4IL-15/IL-15Sushi CAR

[0598] The CD4IL-15/IL-15sushi-CAR has been generated and it contains the third generation of CD4CAR linked to IL-15/IL-15sushi (FIG. 59). A combination of CAR, (third generation), sushi/IL-15 is assembled on an expression vector and their expression is driven by the SFFV promoter (FIG. 59). CAR with IL-15/IL-15sushi is linked

with the P2A cleaving sequence. The IL-15/IL-15sushi portion is composed of IL-2 signal peptide fused to IL-15 linked to IL-15sushi via a 26-amino acid poly-proline linker (FIG. 59). The IL-2 signal peptide provide a better secreting signal. The stable, functional complexes of IL-15/IL-15sushi can be secreted from the transduced cells and the secretion is directed by IL-2 signal peptide.

[0599] To verify the CD4IL-15/IL-15sushi construct, HEK293FT cells were transfected with lentiviral plasmids for either GFP (control) or CD4IL-15/IL-15sushi. Approximately 60 hours after transfection, both HEK-293FT cells and supernatant were collected. Cells were lysed in RIPA buffer containing protease inhibitor cocktail and electrophoresed. The gel was transferred to Immobilon FL blotting membrane, blocked, and probed with mouse anti-human CD3z antibody at 1:500. After washes, membrane was probed with goat anti-mouse HRP conjugate, washed, and exposed to film following treatment with HyGlo HRP substrate. The CD4IL-15/IL-15sushi was successfully expressed in HEK 293 cells (Lane 2, FIG. 60a). The CD4IL-15/IL-15sushi lentiviral supernatant was further examined by the transduction of fresh HEK-293 cells (FIG. 60A). HEK-293 cells were transduced with either GFP or CD4IL-15/IL-15sushi CAR viral supernatant from transduced HEK-293FT cells. Polybrene was added to 4 μ L/mL. Media was changed after 16 hours and replaced with media containing no viral supernatant or polybrene. Three days after transduction, cells were harvested and stained with goat-anti-mouse F(Ab')₂ antibody at 1:250 for 30 minutes. Cells were washed and stained with streptavidin-PE conjugate at 1:500, washed, suspended in 2% formalin, and analyzed by flow cytometry. FIG. 60b shows that HEK-293 cells that were transduced with the CD4IL-15/IL-15sushi CAR lentivirus were 80% positive for F(Ab')₂-PE (circled, FIG. 60B), while transduction with GFP control lentivirus was minimal for F(Ab')₂-PE (FIG. 60).

Production of CD4IL-15/IL-15Sushi—CAR NK Cells

[0600] NK-92 cells were transduced with concentrated CD4IL-15/IL-15sushi-CAR lentiviral supernatant. After 5 days incubation, cells were harvested and incubated with goat anti-mouse F(Ab')₂ at 1:250 for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry, resulting in nearly 70% of the transduced cells expressing CD4IL-15/IL-15sushi-CAR (circled, FIG. 61). Further experimental tests for CD4IL-15/IL-15sushi-CAR included leukemia/lymphoma killing assays in vitro and vivo, and comparison of target killing and proliferation rates with cells transduced with CD4CAR. The inventor also used the same strategy described above to generate CD19IL-15/IL-15sushi CAR, CD20IL-15/IL-15sushi CAR and CD22IL-15/IL-15sushi CAR.

Production of CD4IL-15/IL-15Sushi-CAR T Cells

[0601] Human umbilical cord buffy coat cells were transduced with concentrated CD4IL-15/IL-15sushi-CAR lentiviral supernatant. After 5 days incubation, cells were harvested and incubated with goat anti-mouse F(Ab')₂ at 1:250 for 30 minutes. Cells were washed, suspended and stained with streptavidin-PE for 30 minutes. Cells were washed and suspended in 2% formalin, and analyzed by flow cytometry, resulting in 63% of the transduced cells expressing CD4IL-

15/IL-15sushi-CAR (circled, FIG. 62). Further experimental tests for CD4IL-15/IL-15sushi-CAR will include leukemia/lymphoma killing assays in vitro and vivo, and comparison of target killing and proliferation rates with cells transduced with CD4CAR.

CD4IL-15/IL-15Sushi CAR NK Cells were Tested for Anti-Leukemic Activity Relative to CD4CAR NK Cells In Vitro by Co-Culturing them with the Following CD4 Positive Cell Lines: Karpas 299 and MOLT4.

[0602] The Karpas 299 cell line was derived from a patient with anaplastic large T cell lymphoma. The MOLT4 cell line expressing CD4 was established from the peripheral blood of a 19-year-old patient with acute lymphoblastic leukemia (T-ALL). During 4-hour co-culture experiments, CD4IL-15/IL-15sushi CAR NK cells showed profound killing (95%) of Karpas 299 cells at a 5:1 ratio of effector:target, at an even higher rate than that of CD4CAR NK cells (82%; FIG. 63). Similarly, when co-cultured 1:1 with MOLT4 cells, CD4IL-15/IL-15sushi CAR NK cells lysed target cells at a higher rate (84% to 65%) than CD4CAR NK cells in an overnight assay (FIG. 64). These results show that CD4IL-15/sushi CAR NK cells can ablate tumor cells.

Both CD4CAR and CD4IL-15/IL-15Sushi CAR T Cells Exhibit Significant Anti-Tumor Activity In Vivo

[0603] In order to evaluate the in vivo anti-tumor activity of CD4CAR and CD4IL-15/IL-15sushi CAR T cells, and to determine the possible increase in persistence of the CD4IL-15/IL-15sushi CAR T cells relative to the CD4CAR T cells, we developed a xenogeneic mouse model using NSG mice sublethally irradiated and intravenously injected with luciferase-expressing MOLM13 cells, an acute myeloid leukemia cell line that is 100% CD4+, to induce measurable tumor formation (FIG. 65). Three days following tumor cell injection, 6 mice each were intravenously injected with a course of 8×10^6 CD4CAR, CD4IL-15/IL-15sushi T cells or vector control T cells. On days 3, 6, 9 and 11, mice were injected subcutaneously with RediJect D-Luciferin (Perkin Elmer) and subjected to IVIS imaging to measure tumor burden (FIG. 65B). Average light intensity measured for the CD4CAR and CD4IL-15/IL-15sushi CAR T cell injected mice was compared to that of vector control T cell injected mice in order to determine the percentage of tumor cells in treated versus control mice (FIG. 65C). CD4CAR T cell-treated mice had a 52% lower tumor burden relative to control on Day 6, whereas CD4IL-15/IL-15sushi CAR T cell-treated mice had a 74% lower tumor burden. On Day 11, nearly all tumor cells had been lysed in both of these groups. Unpaired T test analysis revealed a very significant difference ($P=0.0045$) between control and the two groups by day 9 with less light intensity and thus less tumor burden in the CD4CAR and CD4IL-15/IL-15sushi CAR T cells treated group compared to control. In summary, these in vivo data indicate that CD4CAR and CD4IL-15/IL-15sushi CAR T cells both significantly reduce tumor burden and in MOLM13-injected NSG mice when compared to vector control T cells.

[0604] Next, we compared mouse survival across the two groups (FIG. 65D). All leukemic mice injected with CD4IL-15/IL-15sushi CAR T cell survived longer than that of CD4CAR T cells. In summary, these in vivo data indicate that CD4IL-15/IL-15sushi CAR T cells significantly reduce tumor burden and prolong survival in CD4IL-15/IL-15sushi CAR T-injected NSG mice when compared to control cells.

CD4IL-15/IL-15Sushi CAR NK Cells Exhibit Robust and Persistent Anti-Tumor Activity in Vivo

[0605] In order to further evaluate the CD4IL-15/IL-15sushi CAR function, we created a stressful condition utilizing NK CAR cells and Jurkat tumor cells. The NK cells bear a short half-life property and leukemic Jurkat cells show less than 60% CD4+ phenotype (FIG. 66A). In such a condition, it allows us to investigate how secretory soluble IL-15sushi affects the CAR functions in terms of its persistence and killing capability. We then used our xenogeneic NSG mouse model using NSG mice sublethally irradiated and intravenously injected with luciferase-expressing Jurkat cells to induce measurable tumor formation. In contrast with MOLM-13 cells, Jurkat cells show less than 60% CD4+ phenotype (FIG. 66A5). Three days following Jurkat cell injection, mice were intravenously injected with a course of 10×10^6 either CD4CAR, CD4IL-15/IL-15sushi, or vector control NK cells. On day 3 (the day before treatment), 7, 10, and 14, mice were subjected to IVIS imaging to measure tumor burden (FIG. 66B). Average light intensity measured for the CD4CAR and CD4IL-15/IL-15sushi NK injected mice was compared to that of vector control NK injected mice to determine percent lysis of Jurkat cells (FIG. 66C). Although both conditions showed significant tumor cell lysis by Day 7, lysis percentage for CD4CAR NK cells stayed the same to Day 14 while CD4IL-15/IL-15sushi NK cells increased to over 97%. (FIG. 66D). Unpaired T test analysis revealed an extremely significant difference ($P < 0.0001$) between the two groups by Day 14. These results indicate that CD4CAR NK cell lysis of Jurkat tumor cells was not able to keep up with the expansion of CD4+ Jurkat cells, whereas the continued expansion of NK CAR cells secreting IL-15/IL-15sushi effectively lysed. The co-expression of secretory IL-15/IL-15sushi with CAR could supplement the defect that CAR T or NK cells are unable to eliminate dim expressed cancer cells or non-targeting cancer cells. A repeat of experiments (FIG. 67) showed similar results to those described in FIG. 66.

Secreted IL-15/IL-15Sushi Substitutes for IL-2 in NK Cell Survival and Expansion.

[0606] The effect of IL-15/IL-15sushi-secreting NK cells on cell survival was determined. NK-92 cells stably transduced with either CD4CAR or CD4IL-15/IL-15sushi were cultured in the presence or absence of IL-2 to determine if IL-15/IL-15sushi secretion alone could lead to survival and expansion. CD4CAR-expressing NK cells cultured without IL-2 died by Day 7, while CD4IL-15/IL-15sushi-expressing NK cells cultured without IL-2 expanded at approximately the same rate as either CD4CAR or CD4IL-15/IL-15sushi cells cultured with IL-2 (FIG. 68B), showing that secreted IL-15/IL-15sushi could substitute for IL-2. Furthermore, we were able to demonstrate that NK cells secreting IL-15/IL-15sushi could aid in the survival and expansion of non-transduced NK-92 cells in a co-culture. In this experiment, an equal ratio of NK GFP-expressing cells were cultured with either CD4CAR- or CD4IL-15/IL-15sushi-expressing NK cells, in the presence or absence of IL-2. Cells were counted every 2-3 days (FIG. 8A). By Day 7, CD4CAR NK cells given no IL-2 had died, but CD4IL-15/IL-15sushi NK cells without IL-2 had survived and expanded at approximately the same rate as either CD4CAR or CD4IL-15/IL-15sushi cells cultured with IL-2. The number of GFP-

expressing cells had risen along with the CD4IL-15/IL-15sushi NK cells (FIG. 68B), indicating that the secreted IL-15/IL-15sushi had positively affected GFP NK cell survival. The percentage of GFP-positive cells had risen from 50% to over 70% over the course of the experiment (data not shown). In the second experiment (FIG. 69), GFP NK and either control vector NK or CD4IL-15/IL-15sushi NK cells were mixed at a 10 to 1 ratio, with no IL-2. By Day 6, cells co-cultured with control cells had all died, but survival of cells cultured with NK cells secreting IL-15/IL-15sushi survived until Day 10.

[0607] To further determine if this effect was due to secreted protein alone, or an interaction between co-cultured cells, we devised an experiment in which the GFP NK cells were cultured in a chamber above the cultured CD4CAR or CD4IL-15/IL-15sushi NK cells, or non-transduced NK-92 cells. In this situation, only proteins and not cells could pass between the membrane separating the two cultures. Cells were incubated without IL-2, counted and split 1:1 every other day. While GFP NK cells in the upper chamber above NK-92 cells had died by Day 6, the GFP NK cells above the CD4IL-15/IL-15sushi NK cells had survived and expanded by Day 12 (FIG. 70), thereby indicating that it was the IL-15/IL-15sushi protein secreted by the CD4IL-15/IL-15sushi NK cells which had kept them alive, and not direct cell-to-cell contact. In this model, the upper chamber represents the tumor microenvironment, in which the survival of T cells or NK cells is improved by the secretion of IL-15/IL-15sushi from the CD4IL-15/IL-15sushi NK cells.

Effect of Secreted IL-15/IL-15Sushi on CAR T and Non-Transduced Neighboring Cells.

[0608] We also compared the cell growth of CD4CAR and CD4IL-15/IL-15sushi transduced T cells in the presence or absence of IL-2. Total cell counts calculated throughout the experiment (up to Day 17) for transduced cells with or without IL-2. CD4IL-15/IL-15sushi transduced T cells appeared to be more tolerant to the absence of IL-2 than that of CD4CAR transduced T cells.

EXAMPLES

Generation of Treg CAR Target Treg Cells

[0609] Treg CAR (also called CD4zetaCD25CAR or C4-25z) followed the schematic in FIG. 70. It comprises of SFFV (spleen focus-forming virus) promoter that drives the expression of two different units of incomplete CARs linked by a P2A cleavage peptide. The CD4 chimeric antigen receptor polypeptide unit comprises a CD45 signal peptide, a CD4 antigen recognition domain, a hinge region (derived CD8a), a transmembrane domain (CD8a) and CD3 zeta chain; CD25 chimeric antigen receptor polypeptide unit comprises a CD45 signal peptide, a CD25 antigen recognition domain, a hinge region (CD8a), a transmembrane domain (CD8a), a co-stimulatory domain (s), CD28. The Treg CAR can potentiate the lysis activity of a cell co-expressing CD4 and CD25 while minimizing a cell bearing CD4 or CD25 antigen alone.

[0610] The CD4zetaCD25CAR (C4-25z) (Treg CAR) was transduced in an assay. Compared to control T-cells, CD4zetaCD25CAR cells show ~15% surface expression and this was sufficient to observe the following phenotype validation of construct function (FIG. 70A). CD4zetaCD25

CAR cells and control T-cells were both assayed with CD4 and CD25 antibody to look for logic gated behavior using flow cytometry analysis. Due to the construct design, the CD4zetaCD25CAR cell would potentiate the lysis activity for cells co-expressing both CD4 and CD25 antigens. Here, we showed depletion (~95%) of the CD4+CD25+ double positive population with little impact of off-logic events in the other phenotype cases. A bar graph summary shows that the logic gated CAR construct design only significantly impacts the double positive population (FIG. 70B).

[0611] We further characterized CD4zetaCD25 CAR by comparing it with CD4 CAR. As expected, CD4CAR T cells had a profound lysis ability of cells expressing CD4 only while CD4zetaCD25CAR T cells had a limited killing ability on this population (FIG. 71). CD4zetaCD25CAR T cells also showed virtually complete depletion of cells expressing both CD4 and CD25 antigens (FIG. 71). These studies demonstrate that the robust CD4zetaCD25CAR targeting cells co-expressing both CD4 and CD25, has been established. Due to human-specific CD4 or CD25scFv in the construct, the functional properties of CD4zetaCD25CAR are difficult to test in animals.

[0612] In some embodiments, the disclosed disclosure also comprises methods of improving the CD4zetaCD25CAR therapeutic activity. The example is described below.

Example

[0613] An engineered CD4zetaCD25CAR cell was prepared in accordance with the present disclosure.

Cell Killing Assay is Performed

[0614] Targeted Cells killing by CD4zetaCD25CAR is improved when co-expressed with 4-1BBL or IL-15/IL-15sushi or IL-15/IL-15RA.

Safety Switch

[0615] Introduction of a “safety switch” greatly increases safety profile and the “safety switch” may be an inducible suicide gene, such as, without limiting, caspase 9 gene, thymidine kinase, cytosine deaminase (CD) or cytochrome P450. Other safety switches for elimination of unwanted modified T cells involve co-expression of CD20 or CD52 or CD19 or truncated epidermal growth factor receptor in T cells.

Example: Co-Expression of CD52 with CARs Using CD5CAR Targeting T-Cell Malignancies as an Example

[0616] For clinical treatment using CAR T-cells against T-cell malignancies, establishment of safety methods to eliminate CAR T-cells from patients may be necessary after tumor depletion or in emergency cases due to unexpected side effects caused by CAR therapy. T-cells and B-cells express CD52 on the cell surface and a CD52 specific antibody, CAMPATH (alemtuzumab), can eliminate CD52+ cells from circulation. We thus incorporated a human CD52 sequence into the CD5CAR vector construct (FIG. 72A). This additional CD52 construct mechanically separates the signaling from native CD52. The aim was to preempt the possibility of native CD52 antigen escape on CAR T-cell surface after CAMPATH treatment. CD5CAR-CD52 lentiviral protein and expression were confirmed via western blot

and flow cytometry analysis using CD52 antibody on transduced HEK293 cells. We also found that co-expressing CD52 would affect the CAR T cell functions.

In Vivo Depletion of Infused CD5CAR-CD52 T Cells Following Treatment with CAMPATH

[0617] To assess the effect of CAR elimination by CAMPATH (alemtuzumab) treatment, we conducted in vivo procedures as described (FIGS. 72B and 72C). We intravenously injected 5×10^6 CD5CAR-52 T-cells into irradiated mice. Next day, we added 0.1 mg/kg of CAMPATH or PBS via IP injection for 3 mice of each group. After 6 and 24 hours following CAMPATH treatment, we collected peripheral blood from the mouse tail and determined presence of CD5CAR-52 T-cells by FACS analysis. CAMPATH injection virtually completely deplete CD5CAR-CD52 T-cells in blood at both 6 h and 24 h (FIG. 72C). Five days following CAMPATH administration, CD5CAR-CD52 cells were also completely depleted in both the bone marrow and spleen (FIG. 72D). These findings support the use of CAMPATH as a useful strategy in acting as a safety trigger to deplete CAR-T cells from circulation and lymphoid organs.

[0618] In one embodiment, the engineered cell includes a CD5 chimeric antigen receptor polypeptide and an anchor CD52 (SEQ ID NO. 70), and corresponding polynucleotide (SEQ ID NO. 69). In some embodiments, CD52 is incorporated into CD5 CAR engineered cell or any CAR engineered cell and can be used as a “safety switch” for CAR therapy.

Promoter Testing Using the GFP Reporter

[0619] HEK293FT cells were transfected with lentiviral plasmids expressing GFP under the SFFV, EF1 or CAG promoters. Approximately 60 hours after transfection, supernatant was collected from each. Relative viral titer was determined by first transducing HEK293 cells with supernatant from each of the 3 promoters. HEK-293 cells were transduced with GFP viral supernatant from each of the 3 transduced HEK-293FT cells. Polybrene was added to 4 $\mu\text{L}/\text{mL}$. Media was changed after 16 hours and replaced with media containing no viral supernatant or polybrene. Three days after transduction, cells were harvested and washed, suspended in 2% formalin, and analyzed by flow cytometry for GFP expression (FITC). GFP expression was seen in each sample, but was highest for the cells transduced with virus made using the SFFV promoter.

[0620] Activated human umbilical cord buffy coat cells were transduced with GFP lentiviral supernatant (amount based on the results of the HEK293 transduction efficiency) from each of the promoters. After 5 days incubation, cells were harvested, washed and suspended in 2% formalin, and analyzed by flow cytometry for GFP expression. 43% of cells expressed GFP at high levels ($>10^3$) while GFP-expression for cells transduced with virus using promoters EF1 (15%) and CAG (3%) were considerably lower. Five days later, cells analyzed the same way showed nearly the same percentages for each (46%, 15% and 3%, respectively). These results indicate that SFFV promoter leads to stronger expression than EF1 or CAG promoters, and that the expression remains high for at least 10 days post-transduction. Further experimental tests will include longer incubation times for transduced cells beyond the 10-day window.

Functional Titer of Viral Vector Particles in Supernatants (the % GFP Cells as Determined by Flow Cytometry Allows for Proxy Viral Titer Adjustments as Higher Titer Virus Infiltrates More Cells, Leading to Higher % GFP Cell Populations).

[0621] To determine functional titer of viral vector particles in each of our supernatants, HEK 293 cells were transduced with either EF1-GFP or SFFV-GFP viral supernatant, with either 30 μ L (low), 125 μ L (medium), or 500 μ L (high) per well of a 12 well tissue-culture treated plate. Culture media was changed the following morning to DMEM plus 10% FBS (FIG. 73).

[0622] Transduced cells were then trypsinized, washed, and suspended in formalin and subjected to flow analysis. The percentage of GFP+ cells in each of the conditions was determined by flow cytometry using the FITC channel (FIG. 74). In each case, the percentage of GFP+ was higher in cells transduced with SFFV-GFP than the cells transduced with the corresponding volume of EF1-GFP viral supernatant (50% to 18% for low, 80% to 40% for medium, and 82% to 70% for high). From this, we determined that using the highest volume of EF1-promoter virus was comparable to using the lowest volume of SFFV-promoter virus in terms of titer, and would allow for comparison of relative promoter strengths for the following transduction experiments

[0623] Transduced cells were also visualized on an EVOS fluorescent microscope using GFP at 20 $\times$ at the same exposure conditions for each well (FIG. 73). Cells transduced with SFFV-GFP viral supernatant were dramatically brighter than cells transduced with EF1-GFP. Furthermore, comparing the image of the EF1-promoter under high viral volume loads with the image of the SFFV-promoter using low viral volume loads show similar fluorescent intensity. This suggests that the SFFV promoter is a stronger driver of gene expression.

Comparison of Surface Expression and Persistence of Different Promoters in Primary T-Cells (the % GFP Cells as Determined by Flow Cytometry for T-Cell Transductions Show Expected Differences in GFP Cell Populations as Expected from the Prior Experiments on HEK293 Cells)

[0624] To determine promoter transduction efficiency and persistence of surface expression in primary T cells, activated cord blood buffy coat T cells were transduced with either 50 μ L of SFFV-GFP or 1 mL of EF1-GFP EF1-GFP viral supernatant, in 12-well tissue culture-treated plates pre-coated with retronectin (Clontech). Following two overnight transductions, cells were cultured on T cell media with 300 IU/mL IL-2 (Peprotech) and maintained at $1.0\text{--}4.0 \times 10^6$ /mL. Cells were washed, suspended in formalin, and subjected to flow cytometry analysis, using the FITC channel to determine the percentage of GFP+ cells, on 7, 14, 21 and 28 days after transduction. The percentage of GFP+ cells was

consistently higher for T cells transduced with SFFV-GFP compared to EF1-GFP-transduced T cells (FIG. 75A), even as the percentage of total GFP+ cells decreased over this period. A further comparison showed that T cells transduced with the higher (1 mL) amount of EF1-GFP supernatant actually decreased in percentage relative to the percent of GFP+ cells transduced with the lower amount (50 μ L, or 20-fold less) of SFFV-GFP, between Day 7 and Day 28, from over 60% to under 40% (FIG. 75B). This suggests that transduction using the SFFV promoter led to greater persistence of transduced cells.

[0625] Methods of generating the CAR gene including at least one of a T antigen recognition moiety (at least one of CD4, CD8, CD3, CD5, CD7, and CD2, or a part or a combination thereof), a hinge region and T-cell activation domains is provided.

[0626] Methods of generating multiple units of CARs (cCAR) targeting antigen (s) including at least one of CD33, CD123, CD19, CD20, CD22, CD269, CS1, CD38, CD52, ROR1, PSMA, BAFF, TACI, CD138, and GPC3, or a part or a combination of a hinge region and T-cell activation domains is provided.

[0627] The provided methods also include: 1) generating of the CAR T or NK cells targeting leukemias and lymphomas expressing CD45 and avoiding self-killing; 2) generation of “armored” CAR T or NK cells designed to both overcome the inhibitory tumor microenvironment and exhibit enhanced anti-tumor activity and long-term persistence.

[0628] The present disclosure is not limited to the embodiments described and exemplified above, but is capable of variation and modification within the scope of the disclosure and claims.

[0629] While there have been described what are presently believed to be the preferred embodiments of the present disclosure, those skilled in the art will realize that other and further changes and modifications may be made thereto without departing from the spirit of the disclosure, and it is intended to claim all such modifications and changes as come within the true scope of the disclosure.

[0630] Various terms relating to aspects of the disclosure are used throughout the specification and claims. Such terms are to be given their ordinary meaning in the art, unless otherwise indicated. Other specifically defined terms are to be construed in a manner consistent with the definition provided herein.

INCORPORATION OF SEQUENCE LISTING

[0631] Incorporated herein by reference in its entirety is the Sequence Listing for the application. The Sequence Listing is disclosed on a computer-readable ASCII text file titled, “sequence_listing.txt”, created on Dec. 22, 2016. The sequence-listing.txt file is 508 KB in size.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 125

<210> SEQ ID NO 1

<211> LENGTH: 830

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

-continued

<400> SEQUENCE: 1

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
 1          5          10          15

His Ala Ala Arg Pro Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu
 20          25          30

Ala Val Ser Leu Gly Glu Arg Val Thr Met Asn Cys Lys Ser Ser Gln
 35          40          45

Ser Leu Leu Tyr Ser Thr Asn Gln Lys Asn Tyr Leu Ala Trp Tyr Gln
 50          55          60

Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr
 65          70          75          80

Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr
 85          90          95

Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Val Ala Val
100          105          110

Tyr Tyr Cys Gln Gln Tyr Tyr Ser Tyr Arg Thr Phe Gly Gly Gly Thr
115          120          125

Lys Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
130          135          140

Gly Gly Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Val Val
145          150          155          160

Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr
165          170          175

Phe Thr Ser Tyr Val Ile His Trp Val Arg Gln Lys Pro Gly Gln Gly
180          185          190

Leu Asp Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Asp Tyr
195          200          205

Asp Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Thr Ser Thr
210          215          220

Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala
225          230          235          240

Val Tyr Tyr Cys Ala Arg Glu Lys Asp Asn Tyr Ala Thr Gly Ala Trp
245          250          255

Phe Ala Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Thr Thr
260          265          270

Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
275          280          285

Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala
290          295          300

Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala
305          310          315          320

Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr
325          330          335

Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met
340          345          350

Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro
355          360          365

Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Lys Arg Gly Arg
370          375          380

Lys Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met Arg Pro Val Gln

```

-continued

385					390						395					400
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	
				405					410					415		
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	
			420					425					430			
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	
		435					440					445				
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	
	450					455					460					
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	
465					470					475					480	
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	
			485						490					495		
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	
			500					505					510			
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	
		515					520					525				
Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	
	530					535					540					
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg	
545					550					555					560	
Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val	Thr	Asn	
			565						570					575		
Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro	
		580						585					590			
Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile	
		595				600						605				
Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu	
	610					615				620						
Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu	
625				630						635					640	
Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser	Ile	His	
			645						650					655		
Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu	Ala	Asn	Asn	Ser	Leu	Ser	Ser	
		660						665					670			
Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys	Lys	Glu	Cys	Glu	Glu	Leu	Glu	
		675					680					685				
Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu	Gln	Ser	Phe	Val	His	Ile	Val	Gln	
	690				695						700					
Met	Phe	Ile	Asn	Thr	Ser	Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	
705				710						715					720	
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Ser	Leu	Gln	
			725						730					735		
Ala	Pro	Arg	Arg	Ala	Arg	Gly	Cys	Arg	Thr	Leu	Gly	Leu	Pro	Ala	Leu	
			740					745					750			
Leu	Leu	Leu	Leu	Leu	Leu	Arg	Pro	Pro	Ala	Thr	Arg	Gly	Ile	Thr	Cys	
		755					760					765				
Pro	Pro	Pro	Met	Ser	Val	Glu	His	Ala	Asp	Ile	Trp	Val	Lys	Ser	Tyr	
	770					775					780					
Ser	Leu	Tyr	Ser	Arg	Glu	Arg	Tyr	Ile	Cys	Asn	Ser	Gly	Phe	Lys	Arg	
785					790					795					800	

-continued

Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn Lys Ala Thr
805 810 815

Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile Arg
820 825 830

```
<210> SEQ ID NO 2
<211> LENGTH: 2509
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence
```

<400> SEQUENCE: 2

gcgcatcgcat	ggccttaacca	gtgaccgcct	tgctctcgcc	gctggccttg	ctgctccacg	60
cgcgccaggcc	ggacatcgty	atgacccaaa	gccccgacag	cctggccctg	agcctgggcy	120
agagggtgac	catgaactgc	aaaagcagcc	agtccctgct	gtactccacc	aaccagaaga	180
actacctggc	ttggtatcaa	cagaagcccg	gacagagccc	caagctgctg	atctattggg	240
ccagcactag	ggaaagcggc	gtgcccgata	ggttcagcgg	cagcgggagc	ggcacagact	300
tcactctgac	cattagcagc	gtgcaggctg	aggatgtggc	cgtctactac	tgccagcagt	360
actacagcta	caggaccttt	ggggggcgaa	ctaagctgga	gatcaaggga	ggggggggat	420
cggggggagg	aggctccggc	ggaggcgga	gccaaagtga	actgcagcag	agcggcccag	480
agggtgtcaa	acctgggggc	agcgtgaaga	tgagctgcaa	ggctagcggc	tataccttca	540
ccagctatgt	gatccactgg	gtgaggcaga	aaccaggaca	gggcctggac	tggatcggct	600
acatcaaccc	ctacaatgac	ggcacccgatt	atgacgaaaa	attcaagggg	aaggccaccc	660
tgaccagcga	caccagcaca	agcacccgct	acatggagct	gtccagcctc	aggctccgag	720
acaccgcctg	gtattactgt	gccagggaga	aggacaatta	cgccaccggc	gcttggttcg	780
cctactgggg	ccagggcaca	ctggtgacag	tgagcagcac	cacgacgcca	gcgccgcgac	840
caccaacacc	ggcgcccacc	atcgcgtcgc	agccctgtgc	cctgcgcccc	gaggcgtgcc	900
ggccagcggc	ggggggcgca	gtgcacacga	gggggctgga	cttcgcctgt	gatatctaca	960
tctgggcgcc	cttggccggg	acttgtgggg	tccttctcct	gtcactgggt	atcacccctt	1020
actgcaggag	taagaggagc	aggctcctgc	acagtgacta	catgaacatg	actccccgcc	1080
gccccggggc	caccgcgaag	cattaccagc	cctatgcccc	accacgcgac	ttcgcagcct	1140
atcgctccaa	acggggcgaga	aagaaactcc	tgtatatatt	caaacaacca	tttatgagac	1200
cagtacaaac	tactcaagga	gaagatggct	gtagctgcgc	atttcagaaa	gaagaagaag	1260
gaggatgtga	actgagagtg	aagttcacga	ggagcgcaga	cgcccccgcg	taccagcagg	1320
gccagaacca	gctctataac	gagctcaatc	taggcagaa	agaggagtac	gatgttttgg	1380
acaagagacg	tgccggggac	cctgagatgg	ggggaaagcc	gcagagaagg	aagaaccctc	1440
aggaaggcct	gtacaatgaa	ctgcagaaag	ataagatggc	ggaggccctac	agtgagattg	1500
ggatgaaagg	cgagcgccgg	aggggcaagg	ggcacgatgg	cctttaccag	ggtctcagta	1560
cagccacca	ggacacctac	gacgcccttc	acatgcaggc	cctgccccct	cgcggaagcg	1620
gagccacca	cttcagcctg	ctgaagcagg	ccggcgacgt	ggaggagaac	cccggcccca	1680
tgtacagaat	gcagctgctg	agctgcacgc	ccctgagcct	ggccctggtg	accaacagcg	1740
gcacccacgt	gttcacctcg	ggctgcttca	gcgccggcct	gcccgaagac	gaggccaact	1800

-continued

```

gggtgaacgt gatcagcgac ctgaagaaga tcgaggacct gatccagagc atgcacatcg 1860
acgccaccct gtacaccgag agcgacgtgc accccagctg caaggtgacc gccatgaagt 1920
gtttctgctt ggagctgcag gtgatcagcc tggagagcgg cgacgccagc atccacgaca 1980
ccgtggagaa cctgatcatc ctggccaaca acagcctgag cagcaacggc aacgtgaccg 2040
agagcggctg caaggagtgc gaggagctgg aggagaagaa catcaaggag ttcctgcaga 2100
gtttcgtgca catcgtgcag atgttcatca acaccagctc cggcgggcggc tccggcggcg 2160
gcggtctccg cgggcgggcg tccggcggcg gcggctccg cgggcggtcc ctgcaggccc 2220
ccagaagagc cagaggctgc agaaccctgg gcctgcccgc cctgctgctg ctgctgctgc 2280
tgagaccccc cgccaccaga ggcatcacct gcccccccc catgagcgtg gagcacgccc 2340
acatctgggt gaagagctac agcctgtaca gcagagagag atacatctgc aacagcggct 2400
tcaagagaaa ggccggcacc agcagcctga ccgagtgcgt gctgaacaag gccaccaacg 2460
tggcccactg gaccaccccc agcctgaagt gcacagata agtttaaac 2509

```

```

<210> SEQ ID NO 3
<211> LENGTH: 995
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 3

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15
His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu
20     25     30
Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln
35     40     45
Asp Ile Ser Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr
50     55     60
Val Lys Leu Leu Ile Tyr His Thr Ser Arg Leu His Ser Gly Val Pro
65     70     75     80
Ser Arg Phe Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile
85     90     95
Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly
100    105    110
Asn Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Thr
115    120    125
Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu
130    135    140
Val Lys Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln Ser
145    150    155    160
Leu Ser Val Thr Cys Thr Val Ser Gly Val Ser Leu Pro Asp Tyr Gly
165    170    175
Val Ser Trp Ile Arg Gln Pro Pro Arg Lys Gly Leu Glu Trp Leu Gly
180    185    190
Val Ile Trp Gly Ser Glu Thr Thr Tyr Tyr Asn Ser Ala Leu Lys Ser
195    200    205
Arg Leu Thr Ile Ile Lys Asp Asn Ser Lys Ser Gln Val Phe Leu Lys
210    215    220

```


-continued

Met	Asn	Ser	Leu	Gln	Thr	Asp	Asp	Thr	Ala	Ile	Tyr	Tyr	Cys	Ala	Lys
225					230					235					240
His	Tyr	Tyr	Tyr	Gly	Gly	Ser	Tyr	Ala	Met	Asp	Tyr	Trp	Gly	Gln	Gly
				245					250					255	
Thr	Ser	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro
			260					265					270		
Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu
		275					280					285			
Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp
	290					295					300				
Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly
305				310						315					320
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg
				325					330					335	
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln
		340						345					350		
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu
		355					360					365			
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala
	370					375					380				
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu
385					390					395					400
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp
			405					410						415	
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly
		420						425					430		
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu
	435					440					445				
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu
	450					455					460				
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His
465					470					475					480
Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu
			485					490						495	
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu
		500						505					510		
Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala
		515					520						525		
Arg	Pro	Gln	Ile	Val	Leu	Ser	Gln	Ser	Pro	Ala	Ile	Leu	Ser	Ala	Ser
	530					535					540				
Pro	Gly	Glu	Lys	Val	Thr	Met	Thr	Cys	Arg	Ala	Ser	Ser	Ser	Val	Ser
545					550					555					560
Tyr	Ile	His	Trp	Phe	Gln	Gln	Lys	Pro	Gly	Ser	Ser	Pro	Lys	Pro	Trp
			565						570					575	
Ile	Tyr	Ala	Thr	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Val	Arg	Phe	Ser
		580						585					590		
Gly	Ser	Gly	Ser	Gly	Thr	Ser	Tyr	Ser	Leu	Thr	Ile	Ser	Arg	Val	Glu
	595						600					605			
Ala	Glu	Asp	Ala	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Trp	Thr	Ser	Asn	Pro
	610					615					620				

-continued

Pro	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	625	630	635	640
Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	645	650	655	
Gln	Pro	Gly	Ala	Glu	Leu	Val	Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	660	665	670	
Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Asn	Met	His	Trp	Val	675	680	685	
Lys	Gln	Thr	Pro	Gly	Arg	Gly	Leu	Glu	Trp	Ile	Gly	Ala	Ile	Tyr	Pro	690	695	700	
Gly	Asn	Gly	Asp	Thr	Ser	Tyr	Asn	Gln	Lys	Phe	Lys	Gly	Lys	Ala	Thr	705	710	715	720
Leu	Thr	Ala	Asp	Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	Gln	Leu	Ser	Ser	725	730	735	
Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Ser	Thr	Tyr	740	745	750	
Tyr	Gly	Gly	Asp	Trp	Tyr	Phe	Asn	Val	Trp	Gly	Ala	Gly	Thr	Thr	Val	755	760	765	
Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	770	775	780	
Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	785	790	795	800
Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	805	810	815	
Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	820	825	830	
Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	835	840	845	
Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	850	855	860	
Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	865	870	875	880
Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	885	890	895	
Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	900	905	910	
Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	915	920	925	
Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	930	935	940	
Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	945	950	955	960
Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	965	970	975	
Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	980	985	990	
Pro	Pro	Arg														995			

<210> SEQ ID NO 4

<211> LENGTH: 3004

<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 4

```

gcgatcgcat ggccttacca gtgaccgct tgcctctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatccag atgacacaga ctacatcctc cctgtctgcc tctctgggag      120
acagagtcac catcagttgc agggcaagtc aggacattag taaatattta aattggtatc      180
agcagaaaacc agatggaact gttaaaactcc tgatctacca tacatcaaga ttacactcag      240
gagtcccatc aaggttcagt ggacgtgggt ctggaacaga ttattctctc accattagca      300
acctggagca agaagatatt gccacttact ttgccaaca gggtaatacg cttccgtaca      360
cgttcggagg ggggaccaag ctggagatca caggtggcgg tggctcgggc ggtggtgggt      420
cgggtggcgg cggatctgag gtgaaactgc aggagtcagg acctggcctg gtggcgccct      480
cacagagcct gtcctgcaca tgcaactgtc caggggtctc attaccgcac tatggtgtaa      540
gctggattcg ccagcctcca cgaaagggtc tggagtggct gggagtaata tggggtagtg      600
aaaccacata ctataattca gctctcaaat ccagactgac catcatcaag gacaactcca      660
agagccaagt tttcttaaaa atgaacagtc tgcaaaactga tgacacagcc atttactact      720
gtgccaacaa ttattactac ggtggttagct atgctatgga ctactggggc caaggaaact      780
cagtcaccgt ctcctcaacc acgacgccag cgccgcgacc accaacaccg gcgcccacca      840
tcgcgtcgca gccctctgcc ctgcgcccag aggcgtgccg gccagcggcg gggggcgcgag      900
tgcacacgag ggggctggac ttcgcctgtg atatctacat ctgggcgccc ttggccggga      960
cttgtggggg ccttctcctg tcactgggta tcaccttta ctgcaaacgg ggcagaaaga     1020
aactcctgta tatattcaaa caaccattta tgagaccagt acaaactact caagagggaag     1080
atggctgtag ctgccgattt ccagaagaag aagaaggagg atgtgaactg agagtgaagt     1140
tcagcaggag cgcagacgcc ccgcgtacc agcagggcca gaaccagctc tataacgagc     1200
tcaatctagg acgaagagag gactacgatg ttttggacaa gagacgtggc cgggaccctg     1260
agatgggggg aaagccgcag agaaggaaga accctcagga aggcctgtac aatgaactgc     1320
agaaagataa gatggcggag gcctacagtg agattgggat gaaaggcgag cgccggaggg     1380
gcaaggggca cgatggcctt taccagggtc tcagtacagc caccaaggac acctacgagc     1440
cccttcacat gcaggccctg cccctctgcg gaagcggagc caccaacttc agcctgctga     1500
agcaggcccg cgacgtggag gagaaccccg gcccatggc cttaccagtg accgccttgc     1560
tcctgccgct ggccttctgt ctccacgcg ccaggccgca gatcgtgctg agccagagcc     1620
ctgccatcct gtccgcaagc ccaggcgaga aggtgacat gacctgtagg gccagcagct     1680
ccgtgagcta catccactgg ttccagcaga agcctggaag cagccctaag ccctggatct     1740
acgccacaag caatctggct agcggcggtc ccgtgagggt cagcggcagc gggagcggga     1800
ccagctacag cctgactatc agcagggtgg aggcggagga cgccgccaca tactactgcc     1860
aacagtggac ctccaaccca cccacctttg gaggagggac aaaactggag atcaaagggg     1920
gcgaggggtc cggaggcggc ggaagcgggg gagggggaag ccagggtcca ctgcaacagc     1980
ccggagcaga actggtcaaa ccaggcgcca gcgtgaagat gagctgcaag gccagcgggt     2040
acaccttcac ttcctataac atgcactggg tgaagcagac ccaggaagg ggccctggagt     2100

```

-continued

```

ggatcggggc aatctatccc ggcaacggcg acacaagcta caaccagaag ttcaagggga 2160
aagccactct gaccgccgac aagtccagct ccaccgccta catgcagctg agctccctga 2220
ccagcgagga cagcgccgtg tactattgcg ccagaagcac ttattacgga ggggactggt 2280
acttcaacgt gtggggggca gggaccaccg tgaccgtgtc cgccaccacg acgccagcgc 2340
cgcgaccacc aacaccggcg cccaccatcg cgtcgcagcc cctgtccctg cgcccagagg 2400
cgtgccggcc agcggcgggg ggcgagtgac acacgagggg gctggacttc gcctgtgata 2460
tctacatctg ggcgcccttg gccgggactt gtgggggtcct tctcctgtca ctggttatca 2520
ccctttactg caggagtaag aggagcaggc tcttgccacg tgactacatg aacatgactc 2580
cccgccggcc cgggcccacc cgcaagcatt accagcccta tgccccacca cgcgacttcg 2640
cagcctatcg ctccagagtg aagttcagca ggagcgcaga cgcccccgcg taccagcagg 2700
gccagaacca gctctataac gagctcaatc taggacgaag agaggagtac gatgttttgg 2760
acaagagacg tgggcgggac cctgagatgg ggggaaagcc gcagagaagg aagaaccctc 2820
aggaaggcct gtacaatgaa ctgcagaaag ataagatggc ggaggcctac agtgagattg 2880
ggatgaaagg cgagcgccgg agggggcaagg ggcacgatgg cctttaccag ggtctcagta 2940
cagccaccaa ggacacctac gacgcccttc acatgcaggc cctgccccct cgctaagttt 3000
aaac 3004

```

```

<210> SEQ ID NO 5
<211> LENGTH: 1001
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 5

```

```

Asp Arg Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu
1             5             10             15
Leu Leu His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Thr Thr Ser
20            25            30
Ser Leu Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala
35            40            45
Ser Gln Asp Ile Ser Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp
50            55            60
Gly Thr Val Lys Leu Leu Ile Tyr His Thr Ser Arg Leu His Ser Gly
65            70            75            80
Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu
85            90            95
Thr Ile Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln
100           105           110
Gln Gly Asn Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu
115           120           125
Ile Thr Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
130           135           140
Ser Glu Val Lys Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser
145           150           155           160
Gln Ser Leu Ser Val Thr Cys Thr Val Ser Gly Val Ser Leu Pro Asp
165           170           175
Tyr Gly Val Ser Trp Ile Arg Gln Pro Pro Arg Lys Gly Leu Glu Trp

```

-continued

180							185					190				
Leu	Gly	Val	Ile	Trp	Gly	Ser	Glu	Thr	Thr	Tyr	Tyr	Asn	Ser	Ala	Leu	
	195						200					205				
Lys	Ser	Arg	Leu	Thr	Ile	Ile	Lys	Asp	Asn	Ser	Lys	Ser	Gln	Val	Phe	
	210					215					220					
Leu	Lys	Met	Asn	Ser	Leu	Gln	Thr	Asp	Asp	Thr	Ala	Ile	Tyr	Tyr	Cys	
225					230					235					240	
Ala	Lys	His	Tyr	Tyr	Tyr	Gly	Gly	Ser	Tyr	Ala	Met	Asp	Tyr	Trp	Gly	
			245						250					255		
Gln	Gly	Thr	Ser	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	
			260						265				270			
Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	
		275					280					285				
Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	
	290					295					300					
Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	
305					310					315					320	
Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	
			325						330					335		
Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	
			340					345					350			
Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	
		355					360					365				
Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	
	370					375					380					
Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	
385					390					395					400	
Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	
			405						410					415		
Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	Gln	Glu	
		420						425					430			
Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	
		435					440					445				
Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	
	450				455						460					
Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	
465					470					475					480	
His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	
			485						490					495		
Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	
		500						505					510			
Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	
		515					520					525				
Ala	Arg	Pro	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	
	530					535					540					
Ser	Val	Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ser	Ser	Gln	Ser	Ile	
545					550					555					560	
Val	His	Ser	Val	Gly	Asn	Thr	Phe	Leu	Glu	Trp	Tyr	Gln	Gln	Lys	Pro	
			565						570					575		
Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Phe	Ser	
			580					585					590			

-continued

Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	595	600	605
Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro	Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	610	615	620
Phe	Gln	Gly	Ser	Gln	Phe	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	625	630	635
Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	645	650	655
Gly	Ser	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	660	665	670
Gly	Gly	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Tyr	Glu	Phe	Ser	675	680	685
Arg	Ser	Trp	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	690	695	700
Trp	Val	Gly	Arg	Ile	Tyr	Pro	Gly	Asp	Gly	Asp	Thr	Asn	Tyr	Ser	Gly	705	710	715
Lys	Phe	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	725	730	735
Ala	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	740	745	750
Tyr	Cys	Ala	Arg	Asp	Gly	Ser	Ser	Trp	Asp	Trp	Tyr	Phe	Asp	Val	Trp	755	760	765
Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	770	775	780
Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	785	790	795
Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	805	810	815
Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	820	825	830
Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	835	840	845
Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	850	855	860
Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	865	870	875
Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	885	890	895
Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	900	905	910
Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	915	920	925
Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	Gln	930	935	940
Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	945	950	955
Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	965	970	975
Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	980	985	990

-continued

Leu His Met Gln Ala Leu Pro Pro Arg
995 1000

<210> SEQ ID NO 6
 <211> LENGTH: 3016
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 6

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatccag atgacacaga ctacatcctc cctgtctgcc tctctgggag      120
acagagtcac catcagttgc agggcaagtc aggacattag taaatattta aattggtatc      180
agcagaaaacc agatggaact gttaaactcc tgatctacca tacatcaaga ttacactcag      240
gagtcccatc aaggttcagt ggcagtgggt ctggaacaga ttattctctc accattagca      300
acctggagca agaagatatt gccacttact ttgccaaca gggtaatacg cttccgtaca      360
cgttcggagg ggggaccaag ctggagatca caggtggcgg tggctcgggc ggtggtgggt      420
cgggtggcgg cggatctgag gtgaaactgc aggagtcagg acctggcctg gtggcgcct      480
cacagagcct gtccgtcaca tgcaactgtc caggggtctc attacccgac tatggtgtaa      540
gctggattcg ccagcctcca cgaagggtc tggagtggct gggagtaata tggggtagtg      600
aaaccacata ctataattca gctctcaaat ccagactgac catcatcaag gacaactcca      660
agagccaagt tttcttaaaa atgaacagtc tgcaaaactga tgacacagcc atttactact      720
gtgcaaaaca ttattactac ggtggttagt atgctatgga ctactggggc caaggaacct      780
cagtcaccgt ctctcaacc acgacgccag cgccgcgacc accaacaccg gcgccacca      840
tcgcgtcgca gccctgtcc ctgcgcccag aggcgtgccc gccagcggcg gggggcgcg      900
tgacacagag ggggctggac ttgcctgtg atatctacat ctgggcgccc ttggcgggga      960
cttgtggggt ccttctcctg tcaactggta tcaccttta ctgcaaacgg ggcagaaaga     1020
aactcctgta tatattcaaa caaccattta tgagaccagt acaaactact caagaggaa      1080
atggtgttag ctgccgattt ccagaagaag aagaaggagg atgtgaactg agagtgaagt     1140
tcagcaggag cgcagacgcc ccgcgtacc agcagggcca gaaccagctc tataacgagc     1200
tcaatctagg acgaagagag gactacgatg ttttggaaca gagacgtggc cgggaccctg     1260
agatgggggg aaagccgaga aggaagaacc ctcaaggaag cctgtacaat gaactgcaga     1320
aagataagat ggcggaggcc tacagtgaga ttgggatgaa aggcgagcgc cgagggggca     1380
aggggcacga tggcctttac cagggtctca gtacagccac caaggacacc tacgacgccc     1440
ttcacatgca ggccttgcct cctcgcgga gcgagccac caacttcagc ctgctgaagc     1500
aggccggcga cgtggaggag aaccccgcc ccatggcctt accagtgaac gccttgctcc     1560
tgccgctggc cttgctgctc cagcgcgcca ggccgatat ccagatgacc cagagcccca     1620
gtccctgtc cgcatccgtg ggcgacagag tgacaattac ctgtagaagc agccaaagca     1680
tcgtgcatag cgteggcaac acttttctgg agtggatatc acagaagccc ggggaaggccc     1740
ccaaactgct gatctacaag gtgagcaaca gattcagcgg ggtcccaagc agattctccg     1800
gcagcggtc cgggactgac ttcacctga ccattagcag cctgcagcca gaggacttcg     1860
ccacatacta ctgcttccaa gggagccagt tccctacac ctcggccaa ggcactaagg     1920

```

-continued

```

tggagatcaa agggggggga ggaagcggcg gaggaggag cgaggcgagg ggatccgaag 1980
tgcaactggt cgaatccgga ggggggctgg tccagcctgg agggtcctg agactgagct 2040
gcgccgcaag cggctacgag ttctccaggt cctggatgaa ctgggtgagg caggccccag 2100
gaaaagggtt ggaatgggtg ggcaggatct accctggcga cggcgatacc aactactccg 2160
gaaagttaa gggcagggtt actatcagcg ccgacactag caagaatacc gcctacctgc 2220
agatgaatag cctgagggcc gaggacaccg ccgtgtatta ctgcgctaga gacggcagca 2280
gctgggattg gtacttcgac gtgtggggcc agggcactct ggtgactgtg agcagcacca 2340
cgacgccagc gccgcgacca ccaacaccgg cggccaccat cgcgtcgag cccctgtccc 2400
tgcgcccaga ggcgtgcgag ccagcggcgg ggggcgcagt gcacacgagg gggctggact 2460
tcgcctgtga tatctacatc tgggcgccct tggcgggac ttgtggggtc cttctcctgt 2520
cactgggttat caccctttac tgcaaacggg gcagaaagaa actcctgtat atattcaaac 2580
aaccatttat gagaccagta caaactactc aagaggaaga tggctgtagc tgccgatttc 2640
cagaagaaga agaaggagga tgtgaactga gagtgaagtt cagcaggagc gcagacgccc 2700
ccgcgtacca gcagggccag aaccagctct ataacgagct caatctagga cgaagagagg 2760
agtacgatgt tttggacaag agacgtggcc gggaccctga gatgggggga aagccgagaa 2820
ggaagaaccc tcaggaaggc ctgtacaatg aactgcagaa agataagatg gcggaggcct 2880
acagtgagat tgggatgaaa ggcgagcgcc ggaggggcaa ggggcacgat ggcctttacc 2940
agggctctcag tacagccacc aaggacacct acgacgcctt tcacatgcag gccctgcccc 3000
ctcgctaagt ttaaac 3016

```

```

<210> SEQ ID NO 7
<211> LENGTH: 990
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 7

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15
His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu
20        25        30
Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln
35        40        45
Asp Ile Ser Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr
50        55        60
Val Lys Leu Leu Ile Tyr His Thr Ser Arg Leu His Ser Gly Val Pro
65        70        75        80
Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile
85        90        95
Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly
100       105       110
Asn Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Thr
115       120       125
Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu
130       135       140

```


-continued

Val	Lys	Leu	Gln	Glu	Ser	Gly	Pro	Gly	Leu	Val	Ala	Pro	Ser	Gln	Ser	145	150	155	160
Leu	Ser	Val	Thr	Cys	Thr	Val	Ser	Gly	Val	Ser	Leu	Pro	Asp	Tyr	Gly	165	170	175	
Val	Ser	Trp	Ile	Arg	Gln	Pro	Pro	Arg	Lys	Gly	Leu	Glu	Trp	Leu	Gly	180	185	190	
Val	Ile	Trp	Gly	Ser	Glu	Thr	Thr	Tyr	Tyr	Asn	Ser	Ala	Leu	Lys	Ser	195	200	205	
Arg	Leu	Thr	Ile	Ile	Lys	Asp	Asn	Ser	Lys	Ser	Gln	Val	Phe	Leu	Lys	210	215	220	
Met	Asn	Ser	Leu	Gln	Thr	Asp	Asp	Thr	Ala	Ile	Tyr	Tyr	Cys	Ala	Lys	225	230	235	240
His	Tyr	Tyr	Tyr	Gly	Gly	Ser	Tyr	Ala	Met	Asp	Tyr	Trp	Gly	Gln	Gly	245	250	255	
Thr	Ser	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	260	265	270	
Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	275	280	285	
Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	290	295	300	
Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	305	310	315	320
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg	325	330	335	
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	340	345	350	
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	355	360	365	
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	370	375	380	
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	385	390	395	400
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	405	410	415	
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	420	425	430	
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	435	440	445	
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	450	455	460	
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	465	470	475	480
Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	485	490	495	
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	500	505	510	
Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	515	520	525	
Arg	Pro	Asp	Val	Gln	Ile	Thr	Gln	Ser	Pro	Ser	Tyr	Leu	Ala	Ala	Ser	530	535	540	
Pro	Gly	Glu	Thr	Ile	Thr	Ile	Asn	Cys	Arg	Ala	Ser	Lys	Ser	Ile	Ser				

-continued

545	550	555	560
Lys Asp Leu Ala Trp Tyr Gln Glu Lys Pro Gly Lys Thr Asn Lys Leu	565	570	575
Leu Ile Tyr Ser Gly Ser Thr Leu Gln Ser Gly Ile Pro Ser Arg Phe	580	585	590
Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu	595	600	605
Glu Pro Glu Asp Phe Ala Met Tyr Tyr Cys Gln Gln His Asn Lys Tyr	610	615	620
Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Gly Gly Gly	625	630	635
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser Gln Val Gln Leu	645	650	655
Gln Gln Pro Gly Ala Glu Leu Val Arg Pro Gly Ala Ser Val Lys Leu	660	665	670
Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Trp Met Asn Trp	675	680	685
Val Lys Gln Arg Pro Asp Gln Gly Leu Glu Trp Ile Gly Arg Ile Asp	690	695	700
Pro Tyr Asp Ser Glu Thr His Tyr Asn Gln Lys Phe Lys Asp Lys Ala	705	710	715
Ile Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser	725	730	735
Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys Ala Arg Gly Asn	740	745	750
Trp Asp Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Thr	755	760	765
Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser	770	775	780
Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly	785	790	795
Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp	805	810	815
Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile	820	825	830
Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr	835	840	845
Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln	850	855	860
Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys	865	870	875
Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln	885	890	895
Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu	900	905	910
Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Gln Arg	915	920	925
Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys	930	935	940
Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg	945	950	955
			960

-continued

Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys
 965 970 975

Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg
 980 985 990

<210> SEQ ID NO 8

<211> LENGTH: 2989

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 8

```

gcgatcgcat ggccttacca gtgaccgct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatccag atgacacaga ctacatcctc cctgtctgcc tctctgggag      120
acagagtcac catcagttgc agggcaagtc aggacattag taaatattta aattggtatc      180
agcagaaaacc agatggaact gttaaactcc tgatctacca tacatcaaga ttacactcag      240
gagtcccacg aaggttcagt ggcagtgggt ctggaacaga ttattctctc accattagca      300
acctggagca agaagatatt gccacttact ttgccaaca gggtaatagc ctccgtaca      360
cgttcggagg ggggaccaag ctggagatca caggtggcgg tggctcgggc ggtggtgggt      420
cgggtggcgg cggatctgag gtgaaactgc aggagtcagg acctggcctg gtggcgccct      480
cacagagcct gtccgtcaca tgactgtct caggggtctc attaccgac tatggtgtaa      540
gttggtatcg ccagcctcca cgaagggtc tggagtggct gggagtaata tggggtagt      600
aaaccacata ctataattca gctctcaaat ccagactgac catcatcaag gacaactcca      660
agagccaagt tttcttaaaa atgaacagtc tgcaaaactga tgacacagcc atttactact      720
gtgccaacaa ttattactac ggtggttagct atgctatgga ctactggggc caaggaaacct      780
cagtcaccgt ctctcaacc acgacgccag cgccgcgacc accaacaccg gcgcccacca      840
tcgcgtcgca gccctgtcc ctgcgcccag aggcgtgccg gccagcggcg gggggcgcgag      900
tgcacacgag ggggctggac ttgcctgtg atatctacat ctgggcgccc ttggcgggga      960
cttgtggggg ccttctcctg tcaactggta tcaccttta ctgcaaacgg ggcagaaaga     1020
aactcctgta tatattcaaa caaccattta tgagaccagt acaaactact caagaggaa      1080
atggctgtag ctgccgattt ccagaagaag aagaaggagg atgtgaactg agagtgaagt      1140
tcagcaggag cgcagacgcc ccgcgtacc agcagggccca gaaccagctc tataacgagc      1200
tcaatctagg acgaagagag gactacgatg ttttggaaca gagacgtggc cgggaccctg      1260
agatgggggg aaagccgcag agaaggaaga acctcagga aggcctgtac aatgaactgc      1320
agaaagataa gatggcggag gcctacagtg agattgggat gaaaggcgag cgccggaggg      1380
gcaaggggca cgatggcctt taccagggtc tcagtacagc caccaaggac acctacgacg      1440
cccttccatc gcaggccctg cccctcgcg gaagcggagc caccaacttc agcctgctga      1500
agcaggcccg cgactgggag gagaaccccg gcccattggc cttaccagtg accgccttgc      1560
tcctgccgct ggccttctg ctccacgcg ccaggccgga cgtgcagatc acctagagcc      1620
ccagctacct ggccgccagc ccggcgaga ccatcaccat caactgcaga gccagcaaga      1680
gcatcagcaa ggacctggcc tggtagcagg agaagcccg caagaccaac aagctgctga      1740
tctacagcgg cagcaccctg cagagcggca tcccagcag attcagcggc agcggcagcg      1800

```

-continued

```

gcaccgactt caccctgacc atcagcagcc tggagcccga ggacttcgcc atgtactact 1860
gccagcagca caacaagtac ccctacacct tcggcggcgg caccaagctg gagatcaagg 1920
gagggggggg atccggggga ggaggctccg gcggaggcgg aagccaggtg cagctgcagc 1980
agcccgccgc cgagctggtg agaccggcgc ccagcgtgaa gctgagctgc aaggccagcg 2040
gctacacctt caccagctac tggatgaact gggatgaagca gagaccgcag cagggcctgg 2100
agtggatcgg cagaatcgac ccctacgaca gcgagaccca ctacaaccag aagttcaagg 2160
acaaggccat cctgaccgtg gacaagagca gcagcaccgc ctacatgcag ctgagcagcc 2220
tgaccagcga ggacagcgcc gtgtactact gcgccagagg caactgggac gactactggg 2280
gccagggcac caccctgacc gtgagcagca ccacgacgcc agcgcgcgca ccaccaacac 2340
cgggcgccac catcgctgcg cagccctgtt ccttcgcgcc agaggcgtgc cgccagcgg 2400
cgggggggcg agtgacacg agggggctgg acttcgcctg tgatatctac atctgggcgc 2460
ccttggcccg gacttgtggg gtccttctcc tgtcactggt tatcacctt tactgcagga 2520
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cgccccgggc 2580
ccaccgcaa gcattaccag ccctatgcc caccacgcga cttcgcagcc tategtcca 2640
gagtgaagtt cagcaggagc gcagacgccc ccgctacca gcagggccag aaccagctct 2700
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc 2760
gggaccctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggccgtgaca 2820
atgaactgca gaaagataag atggcggagg cctacagtga gattgggatg aaaggcgagc 2880
gccggagggg caaggggcac gatggccttt accagggctt cagtacagcc accaaggaca 2940
cctacgacgc ccttcacatg caggccctgc cccctcgcta agtttaaac 2989

```

<210> SEQ ID NO 9

<211> LENGTH: 1066

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 9

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Gln Ile Val Leu Thr Gln Ser Pro Ala Ile Met
20          25          30

Ser Ala Ser Pro Gly Glu Lys Val Thr Ile Thr Cys Ser Ala Ser Ser
35          40          45

Ser Ile Ser Tyr Met His Trp Phe Gln Gln Lys Pro Gly Thr Ser Pro
50          55          60

Lys Leu Trp Ile Tyr Thr Thr Ser Asn Leu Ala Ser Gly Val Pro Ala
65          70          75          80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser
85          90          95

Arg Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys His Gln Arg Ser
100         105         110

Thr Tyr Pro Leu Thr Phe Gly Ser Gly Thr Lys Leu Glu Leu Lys Gly
115         120         125

Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln Val

```

-continued

130	135	140
Gln Leu Gln Gln Ser Gly Ala Glu Leu Ala Lys Pro Gly Ala Ser Val		
145	150	155
Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Arg Met		
	165	170
His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile Gly Tyr		
	180	185
Ile Asn Pro Ser Thr Gly Tyr Thr Glu Tyr Asn Gln Lys Phe Lys Asp		
	195	200
Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln		
	210	215
Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Tyr Cys Ala Arg		
	225	230
Gly Gly Gly Val Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val		
	245	250
Ser Ser Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr		
	260	265
Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala		
	275	280
Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile		
	290	295
Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser		
	305	310
Leu Val Ile Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu His		
	325	330
Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys		
	340	345
His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser		
	355	360
Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met		
	370	375
Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe		
	385	390
Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu Arg Val Lys Phe Ser Arg		
	405	410
Ser Ala Asp Ala Pro Ala Tyr Lys Gln Gly Gln Asn Gln Leu Tyr Asn		
	420	425
Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg		
	435	440
Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Arg Arg Lys Asn Pro		
	450	455
Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala		
	465	470
Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His		
	485	490
Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp		
	500	505
Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser Gly Ala Thr Asn		
	515	520
Phe Ser Leu Leu Lys Gln Ala Gly Asp Val Glu Glu Asn Pro Gly Pro		
	530	535
		540

-continued

Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	545	550	555	560
His	Ala	Ala	Arg	Pro	Asp	Val	Gln	Ile	Thr	Gln	Ser	Pro	Ser	Tyr	Leu	565	570	575	
Ala	Ala	Ser	Pro	Gly	Glu	Thr	Ile	Thr	Ile	Asn	Cys	Arg	Ala	Ser	Lys	580	585	590	
Ser	Ile	Ser	Lys	Asp	Leu	Ala	Trp	Tyr	Gln	Glu	Lys	Pro	Gly	Lys	Thr	595	600	605	
Asn	Lys	Leu	Leu	Ile	Tyr	Ser	Gly	Ser	Thr	Leu	Gln	Ser	Gly	Ile	Pro	610	615	620	
Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	625	630	635	640
Ser	Ser	Leu	Glu	Pro	Glu	Asp	Phe	Ala	Met	Tyr	Tyr	Cys	Gln	Gln	His	645	650	655	
Asn	Lys	Tyr	Pro	Tyr	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	660	665	670	
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	675	680	685	
Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala	Glu	Leu	Val	Arg	Pro	Gly	Ala	Ser	690	695	700	
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Trp	705	710	715	720
Met	Asn	Trp	Val	Lys	Gln	Arg	Pro	Asp	Gln	Gly	Leu	Glu	Trp	Ile	Gly	725	730	735	
Arg	Ile	Asp	Pro	Tyr	Asp	Ser	Glu	Thr	His	Tyr	Asn	Gln	Lys	Phe	Lys	740	745	750	
Asp	Lys	Ala	Ile	Leu	Thr	Val	Asp	Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	755	760	765	
Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	770	775	780	
Arg	Gly	Asn	Trp	Asp	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	785	790	795	800
Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	805	810	815	
Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	820	825	830	
Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	835	840	845	
Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	850	855	860	
Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	865	870	875	880
Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	885	890	895	
His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	900	905	910	
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	915	920	925	
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	930	935	940	

-continued

Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg
945					950					955					960
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Lys	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn
			965					970					975		
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg
		980					985					990			
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro
	995						1000					1005			
Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	
1010						1015					1020				
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	
1025						1030					1035				
Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	
1040						1045					1050				
Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg			
1055						1060					1065				

<210> SEQ ID NO 10

<211> LENGTH: 3217

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 10

gcgatcgcat ggccttaacca gtgaccgcct tgcctctgcc gctggccttg ctgctccacg	60
ccgccaggcc gcagatcgctg ctgaccacaga gcccgcgcat catgagcgcc agccccggcg	120
agaaggtgac catcacctgc agcgccagca gcagcatcag ctacatgcac tggttccagc	180
agaagcccg caccagcccc aagctgtgga tctacaccac cagcaacctg gccagcgcg	240
tgcccgccag attcagcgcc agcgccagcg gcaccagcta cagcctgacc atcagcagaa	300
tggaggccga ggagcgccgc acctactact gccaccagag aagcacctac cccctgacct	360
tgggcagcgg caccaagctg gagctgaagg gagggggggg atccggggga ggaggctccg	420
gcggaggcgg aagccaggctg cagctgcagc agagcgccgc cgagctggcc aagccggcg	480
ccagcgtgaa gatgagctgc aaggccagcg gctacacctt caccagctac agaattgact	540
gggtgaagca gagaccggcg cagggcctgg agtggatcgg ctacatcaac cccagcaccg	600
gtacaccga gtacaaccag aagttcaagg acaaggccac cctgaccgcc gacaagagca	660
gcagcaccgc ctacatgcag ctgagcagcc tgaccttga ggacagcgcc gtgtactact	720
gcgccagagg cggcgcgctg ttcgactact ggggccaggg caccaccctg accgtgagca	780
gcaccacgac gccagcgccg cgaccaccaa caccggcgcc caccatcgcg tcgcagcccc	840
tgtccctcgc cccagaggcg tgccggccag cggcgggggg cgcagtgcac acgagggggc	900
tggacttcgc ctgtgatata tacatctggg cgcccttggc cgggacttgt ggggtccttc	960
tctgtcact gggtatcacc ctttactgca ggagtaagag gagcaggctc ctgcacagtg	1020
actacatgaa catgactccc cgccgccccg ggcccaccgg caagcattac cagccctatg	1080
ccccaccacg cgacttcgca gcctatcgct ccaaacgggg cagaaagaaa tcctgtata	1140
tattcaaaca accatttatg agaccagtac aaactactca agaggaagat ggctgtagct	1200
gccgatttcc agaagaagaa gaaggaggat gtgaactgag agtgaagtgc agcaggagcg	1260

-continued

cagacgcccc	cgcgtaacaag	cagggccaga	accagctcta	taacgagctc	aatctaggac	1320
gaagagagga	gtacgatgtt	ttggacaaga	gacgtggccg	ggaccctgag	atggggggaa	1380
agccgagaag	gaagaacct	caggaaggcc	tgtacaatga	actgcagaaa	gataagatgg	1440
cggaggccta	cagtgaatt	gggatgaaag	gcgagcgccg	gaggggcaag	gggcacgatg	1500
gcctttacca	gggtctcagt	acagccacca	aggacaccta	cgacgccctt	cacatgcagg	1560
cctgcccc	tcgcggaagc	ggagctacta	acttcagcct	gctgaagcag	gctggagacg	1620
tggaggagaa	ccctggacct	atggccttac	cagtgaaccg	cttgetcctg	ccgctggcct	1680
tgctgctcca	cgccgccagg	ccggacgtgc	agatcaccca	gagccccagc	tacctggccg	1740
ccagccccg	cgagaccatc	accatcaact	gcagagccag	caagagcatc	agcaaggacc	1800
tggcctggta	ccaggagaag	cccggcaaga	ccaacaagct	gctgatctac	agcggcagca	1860
ccctgcagag	cggcatcccc	agcagattca	gcggcagcgg	cagcggcacc	gacttcaccc	1920
tgaccatcag	cagcctggag	cccgaggact	tcgccatgta	ctactgccag	cagcacaaca	1980
agtacccta	caccttcggc	ggcggcacca	agctggagat	caaggaggag	gggggatccg	2040
ggggaggagg	ctccggcgga	ggcggaagcc	aggtgcagct	gcagcagccc	ggcgccgagc	2100
tgggtgagacc	cggcgccagc	gtgaagctga	gctgcaaggc	cagcggctac	accttcacca	2160
gctactggat	gaactgggtg	aagcagagac	ccgaccaggg	cctggagtgg	atcggcagaa	2220
tcgaccccta	cgacagcgag	accactaca	accagaagtt	caaggacaag	gccatcctga	2280
ccgtggacaa	gagcagcagc	accgcctaca	tcagctgag	cagcctgacc	agcaggagaca	2340
gcgccgtgta	ctactgcgcc	agaggcaact	gggacgacta	ctggggccag	ggcaccaccc	2400
tgaccgtgag	cagcaccacg	acgccagcgc	cgccaccacc	aacaccggcg	cccaccatcg	2460
cgtgcagccc	cctgtccctg	cgcccagagg	cgtgcgggcc	agcggcgggg	ggcgagtgcc	2520
acacgagggg	gctggacttc	gcctgtgata	tctacatctg	ggcgcccttg	gccgggactt	2580
gtggggctct	tctcctgtca	ctggttatca	ccctttactg	caggagtaag	aggagcaggc	2640
tcctgcacag	tgactacatg	aacatgactc	cccgcgccc	cgggcccacc	cgcaagcatt	2700
accagcccta	tgccccacca	cgcgacttcg	cagcctatcg	ctccaaacgg	ggcagaaaga	2760
aactcctgta	tatatcaaaa	caaccattta	tgagaccagt	acaaactact	caagagggaag	2820
atggctgtag	ctgccgattt	ccagaagaag	aagaaggagg	atgtgaactg	agagtgaagt	2880
tcagcaggag	cgcagacgcc	cccgcgtaca	agcagggccca	gaaccagctc	tataacgagc	2940
tcaatctagg	acgaagagag	gagtacgatg	ttttggacaa	gagacgtggc	cgggaccctg	3000
agatgggggg	aaagccgaga	aggaagaacc	ctcaggaagg	cctgtacaat	gaactgcaga	3060
aagataagat	ggcggaggcc	tacagtgaga	ttgggatgaa	aggcgagcgc	cggaggggca	3120
aggggcacga	tggcctttac	cagggctctca	gtacagccac	caaggacacc	tacgacgccc	3180
ttcacatgca	ggccctgccc	cctcgctaag	tttaaac			3217

<210> SEQ ID NO 11

<211> LENGTH: 985

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 11

-continued

Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	1	5	10	15
His	Ala	Ala	Arg	Pro	Gln	Ile	Val	Leu	Thr	Gln	Ser	Pro	Ala	Ile	Met	20	25	30	
Ser	Ala	Ser	Pro	Gly	Glu	Lys	Val	Thr	Ile	Thr	Cys	Ser	Ala	Ser	Ser	35	40	45	
Ser	Ile	Ser	Tyr	Met	His	Trp	Phe	Gln	Gln	Lys	Pro	Gly	Thr	Ser	Pro	50	55	60	
Lys	Leu	Trp	Ile	Tyr	Thr	Thr	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Ala	65	70	75	80
Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ser	Tyr	Ser	Leu	Thr	Ile	Ser	85	90	95	
Arg	Met	Glu	Ala	Glu	Asp	Ala	Ala	Thr	Tyr	Tyr	Cys	His	Gln	Arg	Ser	100	105	110	
Thr	Tyr	Pro	Leu	Thr	Phe	Gly	Ser	Gly	Thr	Lys	Leu	Glu	Leu	Lys	Gly	115	120	125	
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	130	135	140	
Gln	Leu	Gln	Gln	Ser	Gly	Ala	Glu	Leu	Ala	Lys	Pro	Gly	Ala	Ser	Val	145	150	155	160
Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Arg	Met	165	170	175	
His	Trp	Val	Lys	Gln	Arg	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Tyr	180	185	190	
Ile	Asn	Pro	Ser	Thr	Gly	Tyr	Thr	Glu	Tyr	Asn	Gln	Lys	Phe	Lys	Asp	195	200	205	
Lys	Ala	Thr	Leu	Thr	Ala	Asp	Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	Gln	210	215	220	
Leu	Ser	Ser	Leu	Thr	Phe	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	225	230	235	240
Gly	Gly	Gly	Val	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	245	250	255	
Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	260	265	270	
Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	275	280	285	
Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	290	295	300	
Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	305	310	315	320
Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	325	330	335	
Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	340	345	350	
Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	355	360	365	
Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	370	375	380	
Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	385	390	395	400
Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly				

-continued

405								410					415				
Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu		
			420					425					430				
Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly		
		435					440					445					
Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser		
450					455					460							
Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro		
465					470					475		480					
Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly		
			485					490					495				
Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu		
			500					505					510				
Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Val	Gln		
		515					520					525					
Ile	Thr	Gln	Ser	Pro	Ser	Tyr	Leu	Ala	Ala	Ser	Pro	Gly	Glu	Thr	Ile		
530					535					540							
Thr	Ile	Asn	Cys	Arg	Ala	Ser	Lys	Ser	Ile	Ser	Lys	Asp	Leu	Ala	Trp		
545					550					555		560					
Tyr	Gln	Glu	Lys	Pro	Gly	Lys	Thr	Asn	Lys	Leu	Leu	Ile	Tyr	Ser	Gly		
			565					570					575				
Ser	Thr	Leu	Gln	Ser	Gly	Ile	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser		
			580					585					590				
Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Glu	Pro	Glu	Asp	Phe		
		595					600					605					
Ala	Met	Tyr	Tyr	Cys	Gln	Gln	His	Asn	Lys	Tyr	Pro	Tyr	Thr	Phe	Gly		
610					615					620							
Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly		
625					630					635		640					
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala		
			645					650					655				
Glu	Leu	Val	Arg	Pro	Gly	Ala	Ser	Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser		
			660					665					670				
Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Trp	Met	Asn	Trp	Val	Lys	Gln	Arg	Pro		
		675					680					685					
Asp	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Arg	Ile	Asp	Pro	Tyr	Asp	Ser	Glu		
690					695					700							
Thr	His	Tyr	Asn	Gln	Lys	Phe	Lys	Asp	Lys	Ala	Ile	Leu	Thr	Val	Asp		
705					710					715		720					
Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu		
			725					730					735				
Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Trp	Asp	Asp	Tyr	Trp		
			740					745					750				
Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro		
		755					760					765					
Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu		
770					775					780							
Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg		
785					790					795		800					
Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly		
			805					810					815				

-continued

Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Arg
 820 825 830
 Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro
 835 840 845
 Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro
 850 855 860
 Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg Ser Ala
 865 870 875 880
 Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu
 885 890 895
 Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly
 900 905 910
 Arg Asp Pro Glu Met Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln
 915 920 925
 Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr
 930 935 940
 Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp
 945 950 955 960
 Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala
 965 970 975
 Leu His Met Gln Ala Leu Pro Pro Arg
 980 985

<210> SEQ ID NO 12

<211> LENGTH: 2974

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 12

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc gcagatcggtg ctgaccacaga gcccgcacat catgagcgcc agcccggcgg      120
agaaggtgac catcacctgc agcgccagca gcagcatcag ctacatgcac tggttccagc      180
agaagccccg caccagcccc aagctgtgga tctacaccac cagcaacctg gccagcggcg      240
tgcccgccag attcagcggc agcggcagcg gcaccagcta cagcctgacc atcagcagaa      300
tggaggccga ggacgcccgc acctactact gccaccagag aagcacctac cccctgacct      360
tcggcagcgg caccaagctg gagctgaagg gagggggggg atccggggga ggaggctccg      420
gcggaggcgg aagccaggtg cagctgcagc agagcggcgc cgagctggcc aagcccggcg      480
ccagcgtgaa gatgagctgc aaggccagcg gctacacctt caccagctac agaatgcaact      540
gggtgaagca gagacccggc cagggcctgg agtggatcgg ctacatcaac cccagcaccg      600
gtacaccga gtacaaccag aagttcaagg acaaggccac cctgaccgcc gacaagagca      660
gcagcacgcg ctacatgcag ctgagcagcc tgaccttcga ggacagcgcc gtgtactact      720
gcgcagaggg cggcgcgctg ttcgactact ggggccaggg caccaccctg accgtgagca      780
gcaccacgac gccagcgccg cgaccaccaa caccggcgcc caccatcgcg tcgcagcccc      840
tgtccctcgc cccagaggcg tgccggccag cggcgggggg cgcagtgcac acgagggggg      900
tggacttcgc ctgtgatatc tacatctggg cgccttggc cgggacttgt ggggtccttc      960

```

-continued

tccctgtcact	ggttatcacc	ctttactgca	aacggggcag	aaagaaactc	ctgtatatat	1020
tcaaacaacc	atztatgaga	ccagtacaaa	ctactcaaga	ggaagatggc	tgtagctgcc	1080
gatttccaga	agaagaagaa	ggaggatgtg	aactgagagt	gaagttcagc	aggagcgcag	1140
acgccccgcg	gtaccagcag	ggccagaacc	agctctataa	cgagctcaat	ctaggacgaa	1200
gagaggagta	cgatgttttg	gacaagagac	gtggccggga	ccctgagatg	gggggaaagc	1260
cgcagagaag	gaagaacct	caggaaggcc	tgtacaatga	actgcagaaa	gataagatgg	1320
cggaggccta	cagtgagatt	gggatgaaag	gcgagcgccg	gaggggcaag	gggcacgatg	1380
gcctttacca	gggtctcagt	acagccacca	aggacaccta	cgacgccctt	cacatgcagg	1440
ccctgcccc	tcgcggaagc	ggagctacta	acttcagcct	gctgaagcag	gctggagacg	1500
tggaggagaa	ccctggacct	atggccttac	cagtgaccgc	cttgcctctg	ccgctggcct	1560
tgctgctcca	cgccgccagg	ccggacgtgc	agatcaccca	gagccccagc	tacctggccg	1620
ccagcccccg	cgagaccatc	accatcaact	gcagagccag	caagagcatc	agcaaggacc	1680
tggcctggta	ccaggagaag	cccggcaaga	ccaacaagct	gctgatctac	agcggcagca	1740
ccctgcagag	cggcatcccc	agcagattca	gcggcagcgg	cagcggcacc	gacttcaccc	1800
tgaccatcag	cagcctggag	cccgaggact	tcgccatgta	ctactgccag	cagcacaaca	1860
agtacccta	caccttcggc	ggcggcacca	agctggagat	caaggaggag	gggggatccg	1920
ggggaggagg	ctccggcgga	ggcggaagcc	aggtgcagct	gcagcagccc	ggcgccgagc	1980
tgggtgagacc	cggcgccagc	gtgaagctga	gctgcaaggc	cagcggctac	accttcacca	2040
gctactggat	gaactgggtg	aagcagagac	ccgaccaggg	cctggagtgg	atcggcagaa	2100
tcgacccta	cgacagcgag	accactaca	accagaagtt	caaggacaag	gccatcctga	2160
ccgtggacaa	gagcagcagc	accgcctaca	tcagctgag	cagcctgacc	agcaggagaca	2220
gcgccgtgta	ctactgcgcc	agaggcaact	gggacgacta	ctggggccag	ggcaccaccc	2280
tgaccgtgag	cagcaccacg	acgccagcgc	cgcgaccacc	aacaccggcg	cccaccatcg	2340
cgtgcagccc	cctgtccctg	cgcccagagg	cgtgcgggcc	agcggcgggg	ggcgcagtgc	2400
acacgagggg	gctggacttc	gcctgtgata	tctacatctg	ggcgcccttg	gccgggactt	2460
gtggggtcct	tctcctgtca	ctggttatca	ccctttactg	caggagtaag	aggagcaggc	2520
tccctgcacag	tgactacatg	aacatgactc	cccgcgcgcc	cgggcccacc	cgcaagcatt	2580
accagcccta	tgccccacca	cgcgacttcg	cagcctatcg	ctccagagtg	aagttcagca	2640
ggagcgcaga	cgcccccgcg	taccagcagg	gccagaacca	gctctataac	gagctcaatc	2700
taggacgaag	agaggagtac	gatgttttgg	acaagagacg	tggccgggac	cctgagatgg	2760
ggggaaagcc	gcagagaagg	aagaacctc	aggaaggcct	gtacaatgaa	ctgcagaaag	2820
ataagatggc	ggaggcctac	agtgagattg	ggatgaaagg	cgagcgccgg	aggggcaagg	2880
ggcacgatgg	cctttaccag	ggtctcagta	cagccaccaa	ggacacctac	gacgccttc	2940
acatgcaggc	cctgccccct	cgttaagttt	aaac			2974

<210> SEQ ID NO 13

<211> LENGTH: 546

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

-continued

<400> SEQUENCE: 13

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15

His Ala Ala Arg Pro Ser Asp Ile Val Leu Thr Gln Ser Pro Ala Ser
20     25     30

Leu Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser
35     40     45

Lys Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln
50     55     60

Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu
65     70     75     80

Glu Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp
85     90     95

Phe Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr
100    105    110

Tyr Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr
115    120    125

Lys Leu Glu Ile Lys Lys Ile Ser Gly Gly Gly Gly Ser Gly Gly Gly
130    135    140

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
145    150    155    160

Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly
165    170    175

Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe Ser Arg
180    185    190

Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp
195    200    205

Ile Gly Glu Ile Asn Pro Thr Ser Ser Thr Ile Asn Phe Thr Pro Ser
210    215    220

Leu Lys Asp Lys Val Phe Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu
225    230    235    240

Tyr Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu Tyr Tyr
245    250    255

Cys Ala Arg Gly Asn Tyr Tyr Arg Tyr Gly Asp Ala Met Asp Tyr Trp
260    265    270

Gly Gln Gly Thr Ser Val Thr Val Ser Thr Thr Thr Pro Ala Pro Arg
275    280    285

Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg
290    295    300

Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly
305    310    315    320

Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr
325    330    335

Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Arg Ser
340    345    350

Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro Arg
355    360    365

Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg
370    375    380

Asp Phe Ala Ala Tyr Arg Ser Lys Arg Gly Arg Lys Lys Leu Leu Tyr
385    390    395    400

```

-continued

Ile Phe Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu
405 410 415

Asp Gly Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu Gly Gly Cys Glu
420 425 430

Leu Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln
435 440 445

Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu
450 455 460

Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly
465 470 475 480

Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu
485 490 495

Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly
500 505 510

Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser
515 520 525

Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro
530 535 540

Pro Arg
545

<210> SEQ ID NO 14

<211> LENGTH: 1657

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 14

```

gcgatcgcat ggccttacca gtgaccgcct tgcctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc gagcgacatc gtgctgaccc agagccccgc cagcctggcc gtgagcctgg      120
gccagagagc caccatcagc tgcagagcca gcaagagcgt gagcaccagc ggctacagct      180
acctgcactg gtaccagcag aagccccggc agccccccaa gctgctgatc tacctggcca      240
gcaacctgga gagcggcggtg cccgccagat tcagcggcag cggcagcggc accgacttca      300
ccctgaacat ccaccccggtg gaggaggagg acgccgccac ctactactgc cagcacagca      360
gagagctgcc cttcaccttc ggcagcggca ccaagctgga gatcaagaag atcagcggcg      420
gcggcgggcag cggcgggcggc ggcagcggcg gcggcgggcag cggcgggcggc ggcagcggcg      480
gcggcgggcag ccaggtgcag ctggtggaga gcggcgggcg cctggtgcag cccggcggca      540
gcctgaagct gagctgcgcc gccagcggct tcgacttcag cagatactgg atgagctggg      600
tgagacaggc ccccggaag ggcctggagt ggatcggcga gatcaacccc accagcagca      660
ccatcaactt cacccccagc ctgaaggaca aggtgttcat cagcagagac aacgccaaga      720
acaccctgta cctgcagatg agcaagggtga gaagcgagga caccgccctg tactactgcg      780
ccagaggcaa ctactacaga tacggcgacg ccatggacta ctggggccag ggcaccagcg      840
tgaccgtgag caccacgacg ccagcgccgc gaccaccaac accggcgccc accatcgcg      900
cgcagccctt gtcctcgcg ccagaggcgt gccggccagc ggcggggggc gcagtgcaca      960
cgagggggct ggacttcgcc tgtgatatct acatctgggc gcccttggcc gggacttgtg     1020
gggtccttct cctgtcactg gttatcacc tttactgcag gagtaagagg agcaggctcc     1080

```

-continued

```

tgcacagtga ctacatgaac atgactcccc gccgccccgg gcccccccgc aagcattacc 1140
agccctatgc cccaccacgc gacttcgcag cctatcgctc caaacggggc agaaagaaac 1200
tcctgtatat attcaaaca ccatattatga gaccagtaca aactactcaa gaggaagatg 1260
gctgtagctg ccgatttcca gaagaagaag aaggaggatg tgaactgaga gtgaagttca 1320
gcaggagcgc agacgcccc gcgtaccagc agggccagaa ccagctctat aacgagctca 1380
atctaggacg aagagaggag tacgatgttt tggacaagag acgtggccgg gaccctgaga 1440
tggggggaaa gccgcagaga aggaagaacc ctcaggaagg cctgtacaat gaactgcaga 1500
aagataagat ggcggaggcc tacagtgaga ttgggatgaa aggcgagcgc cggaggggca 1560
aggggcacga tggcctttac cagggctctca gtacagccac caaggacacc tacgacgccc 1620
ttcacatgca ggccctgccc cctcgctaag tttaaac 1657

```

```

<210> SEQ ID NO 15
<211> LENGTH: 490
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 15

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15
His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
20        25        30
Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
35        40        45
Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
50        55        60
Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu
65        70        75        80
Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
85        90        95
Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr
100       105       110
Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys
115       120       125
Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
130       135       140
Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
145       150       155       160
Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe
165       170       175
Ser Arg Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
180       185       190
Glu Trp Ile Gly Glu Ile Asn Pro Thr Ser Ser Thr Ile Asn Phe Thr
195       200       205
Pro Ser Leu Lys Asp Lys Val Phe Ile Ser Arg Asp Asn Ala Lys Asn
210       215       220
Thr Leu Tyr Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu
225       230       235       240

```

-continued

Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Tyr	Tyr	Arg	Tyr	Gly	Asp	Ala	Met	Asp
				245					250					255	
Tyr	Trp	Gly	Gln	Gly	Thr	Ser	Val	Thr	Val	Ser	Thr	Thr	Thr	Pro	Ala
		260						265					270		
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser
		275					280					285			
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr
	290					295					300				
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala
305				310						315					320
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys
			325						330					335	
Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr
			340					345					350		
Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro
		355					360					365			
Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser
	370					375					380				
Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu
385				390						395					400
Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg
			405					410						415	
Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro
			420					425					430		
Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala
		435					440					445			
Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His
	450					455					460				
Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp
465				470						475					480
Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg						
				485					490						

<210> SEQ ID NO 16

<211> LENGTH: 1489

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 16

gcgacgcgat	ggccttacca	gtgaccgcct	tgtctctgcc	gctggccttg	ctgctccacg	60
ccgccaggcc	ggacatcgctg	ctgaccacaga	gccccgccag	cctggccgtg	agcctggggc	120
agaggggccac	catcagctgc	agggccagca	agagcgtgag	caccagcggc	tacagctacc	180
tgcactggta	ccagcagaag	cccgccagc	cccccaagct	gctgatctac	ctggccagca	240
acctggagag	cggcgtgccc	gccaggttca	gcggcagcgg	cagcggcacc	gacttcaccc	300
tgaacatcca	ccccgtggag	gaggaggacg	ccgccaccta	ctactgccag	cacagcaggg	360
agctgccctt	caccttcggc	agcggcacca	agctggagat	caagggaggg	gggggatccg	420
ggggaggagg	ctccggcgga	ggcggaagcc	aggtgcagct	ggtggagagc	ggcggcgggc	480
tgggtcagcc	cggcggcagc	ctgaagctga	gctgcgcgc	cagcggcttc	gacttcagca	540

-continued

```

ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga    600
tcaacccac cagcagcacc atcaacttca ccccagcct gaaggacaag gtgttcatca    660
gcagggacaa cgccaagaac accctgtacc tgcagatgag caaggtgagg agcgaggaca    720
ccgcctgta ctactgcgcc aggggcaact actacagta cggcgacgcc atggactact    780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcgccgcga ccaccaacac    840
cggcgccac catcgctcg cagccctgt cctgcgcc agaggcgtgc cgccagcgg    900
cggggggcgc agtgacacg agggggctgg acttcgctg tgatatctac atctgggcgc    960
ccttgcccg gacttgtggg gtctctctcc tgctactggt tatcacctt tactgcagga   1020
gtaagaggag caggctctg cacagtgact acatgaacat gactccccgc cgccccgggc   1080
ccaccgcaa gcattaccag ccctatgcc caccacgcga cttcgcagcc tategtcca   1140
gagtgaagtt cagcaggagc gcagacgcc ccgcgtacca gcagggccag aaccagctct   1200
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc   1260
gggaccctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggcctgtaca   1320
atgaactgca gaaagataag atggcggagg cctacagtga gattgggatg aaaggcgagc   1380
gccggagggg caaggggcac gatggcctt accaggtct cagtacagcc accaaggaca   1440
cctacgacgc ccttcacatg caggccctgc cccctcgcta agtttaaac               1489

```

<210> SEQ ID NO 17

<211> LENGTH: 491

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 17

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
          20          25          30

Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
          35          40          45

Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
          50          55          60

Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu
          65          70          75          80

Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
          85          90          95

Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr
          100         105         110

Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys
          115         120         125

Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
          130         135         140

Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
          145         150         155         160

Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe
          165         170         175

Ser Arg Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu

```

-continued

180							185					190			
Glu	Trp	Ile	Gly	Glu	Ile	Asn	Pro	Thr	Ser	Ser	Thr	Ile	Asn	Phe	Thr
		195						200				205			
Pro	Ser	Leu	Lys	Asp	Lys	Val	Phe	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn
		210						215				220			
Thr	Leu	Tyr	Leu	Gln	Met	Ser	Lys	Val	Arg	Ser	Glu	Asp	Thr	Ala	Leu
225								230				235			
Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Tyr	Tyr	Arg	Tyr	Gly	Asp	Ala	Met	Asp
							245				250				
Tyr	Trp	Gly	Gln	Gly	Thr	Ser	Val	Thr	Val	Ser	Thr	Thr	Thr	Pro	Ala
							260				265				
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser
							275				280				
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr
							290				295				
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala
305								310				315			
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys
							325				330				
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met
							340				345				
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe
							355				360				
Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg
							370				375				
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn
385								390				395			
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg
							405				410				
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn
							420				425				
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu
							435				440				
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly
							450				455				
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr
465								470				475			
Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg					
							485				490				

<210> SEQ ID NO 18

<211> LENGTH: 1492

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 18

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg 60

ccgccaggcc ggacatcgtg ctgaccacaga gccccgccag cctggccgtg agcctgggcc 120

agagggccac catcagctgc agggccagca agagcgtgag caccagcggc tacagctacc 180

tgcaactgga ccagcagaag cccggccagc cccccaagct gctgatctac ctggccagca 240

-continued

```

acctggagag cggcgtgccc gccaggttca gggcagcgg cagcggcacc gacttcaccc 300
tgaacatcca ccccgaggag gaggaggacg ccgccaccta ctactgccag cacagcaggg 360
agctgccctt caccttcggc agcggcacca agctggagat caagggaggg gggggatccg 420
ggggaggagg ctccggcgga ggcggaagcc aggtgcagct ggtggagagc ggcggcggcc 480
tggtgcagcc cggcggcagc ctgaagctga gctgcgccgc cagcggcttc gacttcagca 540
ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga 600
tcaacccac cagcagcacc atcaacttca ccccgagcct gaaggacaag gtgttcacatca 660
gcagggacaa cgccaagaac accctgtacc tgcagatgag caaggtgagg agcgaggaca 720
ccgcctgta ctactgcgcc aggggcaact actacaggtta cggcgacgcc atggactact 780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcgcgcgga ccaccaaacac 840
cggcgccac catcgctcg cagcccctgt cctgcgccc agaggcgtgc cggccagcgg 900
cggggggcgc agtgcacacg agggggctgg acttcgcctg tgatatctac atctgggcgc 960
ccttggcggg gacttgtggg gtccttctcc tgctactggt tatcaccctt tactgcaaac 1020
ggggcagaaa gaaactcctg tatatatcca aacaaccatt tatgagacca gtacaaacta 1080
ctcaagagga agatggctgt agctgccgat ttccagaaga agaagaagga ggatgtgaac 1140
tgagagttaa gttcagcagg agcgcagacg ccccgcgta ccagcagggc cagaaccagc 1200
tctataacga gctcaatcta ggacgaagag aggagtacga tgttttggac aagagacgtg 1260
gccgggaccc tgagatgggg ggaagccgc agagaaggaa gaaccctcag gaaggcctgt 1320
acaatgaact gcagaaagat aagatggcgg aggcctacag tgagattggg atgaaaggcg 1380
agcgcgggag gggcaagggg cagcatggcc tttaccaggg tctcagtaca gccaccaagg 1440
acacctacga cgcccttcac atgcaggccc tgccccctcg ctaagtttaa ac 1492

```

<210> SEQ ID NO 19

<211> LENGTH: 997

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 19

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu
1          5          10          15
His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
20        25        30
Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
35        40        45
Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
50        55        60
Pro Lys Leu Leu Ile Phe Ser Ala Ser Tyr Arg Tyr Thr Gly Val Pro
65        70        75        80
Asp Arg Phe Thr Gly Ser Gly Ser Gly Ala Asp Phe Thr Leu Thr Ile
85        90        95
Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Gln His
100       105       110
Tyr Ser Thr Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
115       120       125

```

-continued

Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln
130						135					140				
Ile	Gln	Leu	Val	Gln	Ser	Gly	Pro	Asp	Leu	Lys	Lys	Pro	Gly	Glu	Thr
145					150					155					160
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Phe	Gly
				165					170					175	
Met	Asn	Trp	Val	Lys	Gln	Ala	Pro	Gly	Lys	Gly	Phe	Lys	Trp	Met	Ala
			180					185					190		
Trp	Ile	Asn	Thr	Thr	Arg	Tyr	Thr	Gly	Glu	Ser	Tyr	Phe	Ala	Asp	Asp
		195					200					205			
Phe	Lys	Gly	Arg	Phe	Ala	Phe	Ser	Val	Glu	Thr	Ser	Ala	Thr	Thr	Ala
	210					215						220			
Tyr	Leu	Gln	Ile	Asn	Asn	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Phe
225					230					235					240
Cys	Ala	Arg	Gly	Glu	Ile	Tyr	Tyr	Gly	Tyr	Asp	Gly	Gly	Phe	Ala	Tyr
				245					250					255	
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala
			260					265						270	
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser
		275					280					285			
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr
	290					295					300				
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala
305					310					315					320
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys
				325					330					335	
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met
			340					345					350		
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe
		355					360					365			
Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg
	370					375					380				
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn
385					390					395					400
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg
				405					410					415	
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn
			420					425					430		
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu
		435					440					445			
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly
	450					455					460				
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr
465					470					475					480
Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr
				485					490					495	
Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly
			500					505					510		
Pro	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu
							515						520		525

-continued

His	Ala	Ala	Arg	Pro	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu
530						535					540				
Ser	Ala	Ser	Val	Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Lys	Ala	Ser	Gln
545					550					555					560
Asp	Val	Gly	Ile	Ala	Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Val
			565						570					575	
Pro	Lys	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr	Arg	His	Thr	Gly	Val	Pro
		580						585					590		
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile
		595					600					605			
Ser	Ser	Leu	Gln	Pro	Glu	Asp	Val	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr
610						615					620				
Ser	Ser	Tyr	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
625					630					635					640
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Glu
				645					650					655	
Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	Ser
		660						665					670		
Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Asp	Phe	Ser	Arg	Tyr	Trp
		675					680					685			
Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile	Gly
690						695					700				
Glu	Ile	Asn	Pro	Asp	Ser	Ser	Thr	Ile	Asn	Tyr	Ala	Pro	Ser	Leu	Lys
705					710					715					720
Asp	Lys	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	Leu
			725						730					735	
Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
		740						745					750		
Arg	Pro	Asp	Gly	Asn	Tyr	Trp	Tyr	Phe	Asp	Val	Trp	Gly	Gln	Gly	Thr
		755					760					765			
Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr
770						775					780				
Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala
785					790					795					800
Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe
			805						810					815	
Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val
			820					825					830		
Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser
		835					840					845			
Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly
850						855					860				
Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala
865					870					875					880
Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala
			885						890					895	
Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg
			900					905					910		
Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu
		915					920					925			
Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr

-continued

930	935	940	
Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly			
945	950	955	960
Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln			
	965	970	975
Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln			
	980	985	990
Ala Leu Pro Pro Arg			
995			
<210> SEQ ID NO 20			
<211> LENGTH: 2994			
<212> TYPE: DNA			
<213> ORGANISM: Artificial Sequence			
<220> FEATURE:			
<223> OTHER INFORMATION: Synthetic Sequence			
<400> SEQUENCE: 20			
atggccttac cagtgaccgc cttgctcctg ccgctggcct tgctgctcca cgccgccagg			60
ccgcatgttg tgatgacca gagccatcgc tttatgagca ccagcgtggg cgatcgcgtg			120
agcattacct gccgcgcgag ccaggatgtg aacaccgcgg tgagctggta tcagcagaaa			180
ccgggccaga gcccgaaact gctgattttt agcgcgagct atcgtatata cggcgtgccg			240
gatcgcttta ccggcagcgg cagcggcgcg gattttaccc tgaccattag cagcgtgcag			300
gcggaagatc tggcgggtga ttattgccag cagcattata gcaccccggtg gacctttggc			360
ggcggcacca aactggaaat taaaggaggg gggggatccg ggggaggagg ctccggcgga			420
ggcggaagcc agattcagct ggtgcagagc ggcccggatc tgaaaaaac gggcgaaacc			480
gtgaaactga gctgcaaagc gagcggctat acctttacca actttggcat gaactgggtg			540
aaacaggcgc cgggcaaagg ctttaaatgg atggcgtgga ttaacaccac ccgtatatacc			600
ggcgaaagct attttgcgga tgattttaa ggccgctttg cgtttagcgt ggaaaccagc			660
gcgaccaccg cgtatctgca gattaacaac ctgaaaaccg aagataccgc gacctatatt			720
tgcgcgcgcg gcgaaattta ttatggctat gatggcggct ttgcgtattg gggccagggc			780
accctggtga ccgtgagcgc gaccacgacg ccagcgcgcg gaccaccaac accggcgccc			840
accatcgcgt cgcagccctt gtccctgcgc ccagaggcgt gccggccagc ggcggggggc			900
gcagtgcaca cgaggggggt ggacttcgcc tgtgatattt acatctgggc gcccttgccc			960
gggacttgtg gggtccttct cctgtcactg gttatcacc tttactgcaa acggggcaga			1020
aagaaactcc tgtatatatt caaacaacca tttatgagac cagtacaaac tactcaagag			1080
gaagatggct gtagctgccg atttcagaa gaagaagaag gaggatgtga actgagagtg			1140
aagttcagca ggagcgcaga cgcgcccgcg taccagcagg gccagaacca gctctataac			1200
gagctcaatc taggacgaag agaggagtac gatgttttgg acaagagacg tggccgggac			1260
cctgagatgg ggggaaagcc gcagagaagg aagaaccctc aggaaggcct gtacaatgaa			1320
ctgcagaaag ataagatggc ggaggcctac agtgagattg ggatgaaagg cgagcgccgg			1380
aggggcaagg ggcacgatgg cctttaccag ggtctcagta cagccaccaa ggacacctac			1440
gacgcccttc acatgcaggc cctgccccct cgcggaagcg gagccaccaa cttcagcctg			1500
ctgaagcagg ccggcgacgt ggaggagaac cccggccccg ccttaccagt gaccgccttg			1560

-continued

```

ctcctgccgc tggccttget gctccacgcc gccaggccgg atattcagat gaccagagc 1620
ccgagcagcc tgagcgcgag cgtggcgat cgcgtgacca ttacctgcaa agcgagccag 1680
gatgtgggca ttgcggtggc gtggtatcag cagaaaccgg gcaaagtgcc gaaactgctg 1740
atttattggg cgagcaccgc ccataccggc gtgccggatc gctttagcgg cagcggcagc 1800
ggcaccgatt ttacctgac cattagcagc ctgcagccgg aagatgtggc gacctattat 1860
tgccagcagt atagcagcta tccgtatacc tttggccagg gcaccaaagt ggaaattaaa 1920
ggaggggggg gatccggggg aggaggetcc ggcgaggcgg gaagcgaagt gcagctggtg 1980
gaaagcggcg gcggcctggt gcagccgggc gccagcctgc gcctgagctg cgcggcgagc 2040
ggctttgatt ttaccgcta ttgatgagc tgggtgcgcc aggcgcggg caaaggcctg 2100
gaatggattg gcgaaattaa cccgatagc agcaccatta actatgcgcc gagcctgaaa 2160
gataaattta ttattagcgc cgataacgcg aaaaacagcc tgtatctgca gatgaacagc 2220
ctgcgcgcgg aagataccgc ggtgtattat tgcgcgcgcc cggatggcaa ctattggtat 2280
tttgatgtgt ggggccaggg caccctggtg accgtgagca gcaccagac gccagcgccg 2340
cgaccaccaa caccggcgcc caccatcgcg tcgcagcccc tgtccctgcg cccagaggcg 2400
tgccggccag cggcgggggg cgcagtgcac acgagggggc tggacttcgc ctgtgatatc 2460
tacatctggg cgcccttggc cgggacttgt ggggtccttc tcctgtcact ggttatcacc 2520
ctttactgca ggagtaagag gacagggctc ctgcacagtg actacatgaa catgactccc 2580
cgccgccccg ggcccaccgc caagcattac cagccctatg ccccaccagc cgacttcgca 2640
gcctatcget ccagagtga gttcagcagg agcgcagacg ccccgcgta ccagcagggc 2700
cagaaccagc tctataacga gctcaatcta ggacgaagag aggagtacga tgttttgagc 2760
aagagacgtg gccgggaccc tgagatgggg ggaaagccgc agagaaggaa gaacctcag 2820
gaaggcctgt acaatgaact gcagaaagat aagatggcgg aggcctacag tgagattggg 2880
atgaaaggcg agcgcgggag gggcaagggg cacgatggcc tttaccaggg tctcagtaca 2940
gccaccaagg acacctacga cgcccttcac atgcaggccc tgccccctcg ctaa 2994

```

```

<210> SEQ ID NO 21
<211> LENGTH: 997
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 21

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
          20          25          30

Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
          35          40          45

Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
          50          55          60

Pro Lys Leu Leu Ile Phe Ser Ala Ser Tyr Arg Tyr Thr Gly Val Pro
          65          70          75          80

Asp Arg Phe Thr Gly Ser Gly Ser Gly Ala Asp Phe Thr Leu Thr Ile
          85          90          95

```

-continued

Ser	Ser	Val	Gln	Ala	Glu	Asp	Leu	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	His
			100					105					110		
Tyr	Ser	Thr	Pro	Trp	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Asp	Ile	Lys
		115					120					125			
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln
	130					135					140				
Ile	Gln	Leu	Val	Gln	Ser	Gly	Pro	Asp	Leu	Lys	Lys	Pro	Gly	Glu	Thr
145				150						155				160	
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Phe	Gly
			165						170				175		
Met	Asn	Trp	Val	Lys	Gln	Ala	Pro	Gly	Lys	Gly	Phe	Lys	Trp	Met	Ala
		180						185					190		
Trp	Ile	Asn	Thr	Tyr	Thr	Gly	Glu	Ser	Tyr	Phe	Ala	Asp	Asp	Phe	Lys
		195					200					205			
Gly	Arg	Phe	Ala	Phe	Ser	Val	Glu	Thr	Ser	Ala	Thr	Thr	Ala	Tyr	Leu
	210					215					220				
Gln	Ile	Asn	Asn	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Phe	Cys	Ala
225				230						235				240	
Arg	Gly	Glu	Ile	Tyr	Tyr	Gly	Tyr	Asp	Gly	Gly	Phe	Ala	Tyr	Trp	Gly
			245						250					255	
Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	Pro	Arg
			260					265					270		
Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg
		275					280					285			
Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly
	290					295					300				
Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr
305				310						315				320	
Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg
			325					330					335		
Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro
		340						345					350		
Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu
		355					360					365			
Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala
	370					375					380				
Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu
385				390						395				400	
Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly
			405						410				415		
Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln
		420						425					430		
Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr
		435					440					445			
Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp
	450					455					460				
Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala
465				470						475				480	
Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe
			485					490					495		
Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met

-continued

500					505					510				
Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	His
	515						520					525		
Ala	Ala	Arg	Pro	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu
	530					535					540			Ser
Ala	Ser	Val	Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Lys	Ala	Ser	Gln
	545				550					555				560
Val	Gly	Ile	Ala	Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Val
			565					570						575
Lys	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr	Arg	His	Thr	Gly	Val	Pro
			580					585					590	Asp
Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile
		595					600					605		Ser
Ser	Leu	Gln	Pro	Glu	Asp	Val	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr
	610					615					620			Ser
Ser	Tyr	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
	625				630					635				640
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Glu
			645					650						655
Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	Ser
			660					665					670	Leu
Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Asp	Phe	Ser	Arg	Tyr	Trp
		675					680					685		Met
Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile	Gly
	690					695					700			Glu
Ile	Asn	Pro	Asp	Ser	Ser	Thr	Ile	Asn	Tyr	Ala	Pro	Ser	Leu	Lys
	705				710					715				720
Lys	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	Leu
			725					730						735
Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
			740					745					750	Arg
Pro	Asp	Gly	Asn	Tyr	Trp	Tyr	Phe	Asp	Val	Trp	Gly	Gln	Gly	Thr
		755					760					765		Leu
Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr
	770				775						780			Pro
Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala
	785				790					795				Cys
Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe
			805					810						815
Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val
		820						825					830	Leu
Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys
		835					840					845		Lys
Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	Thr
		850				855					860			Thr
Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	Gly
	865				870					875				880
Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro
			885					890						895
Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly
			900					905						910

-continued

Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu
 915 920 925

Met Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr
 930 935 940

Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly
 945 950 955 960

Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln
 965 970 975

Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln
 980 985 990

Ala Leu Pro Pro Arg
 995

<210> SEQ ID NO 22

<211> LENGTH: 3009

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 22

```

cgatcgcatg gccttaccag tgaccgcctt gctcctgccg ctggccttgc tgctccacgc      60
cgccaggccg gatgtggtga tgaccagag ccatcgcttt atgagcacca gctggggaga      120
tcgagtgagc attacctgcc gcgcgagcca ggatgtgaac accgcggtga gctggtatca      180
gcagaaaccg ggccagagcc cgaaactgct gatttttagc gcgagctatc gctataaccg      240
cgtgccggat cgctttaccg gcagcggcag cggcgcggat tttaccctga ccattagcag      300
cgtgcaggcg gaagatctgg cgggtgatta ttgccagcag cattatagca ccccgtaggac      360
ctttggcggc ggcaccaaac tggatattaa aggagggggg ggatccgggg gaggaggctc      420
cggcgaggagc ggaagccaga ttcagctggt gcagagcggc ccggatctga aaaaaccggg      480
cgaaaccgtg aaactgagct gcaaagcgag cggctatacc tttaccaact ttggcatgaa      540
ctgggtgaaa caggcgcccg gcaaaggctt taaatggatg gcgtggatta acacctatac      600
cggcgaaaagc tatttttcgg atgattttaa aggcgccttt gcgttttagc tggaaaccag      660
cgcgaccacc gcgtatctgc agattaacaa cctgaaaacc gaagataccg cgacctatct      720
ttgcgcgcgc ggcgaaatct attatggcta tgatggcggc tttgcgtatt gggggccagg      780
caccctggtg accgtgagcg cgaccacgac gccagcgccg cgaccaccaa caccggcgcc      840
caccatcgcg tcgcagcccc tgtccctgcg ccagaggcg tgccggccag cgcggggggg      900
cgcagtgcac acgagggggc tggacttcgc ctgtgatata tacatctggg cgcccttggc      960
cgggacttgt ggggtccttc tcctgtcact ggttatcacc ctttactgca aacggggcag      1020
aaagaaactc ctgtatatat tcaagcaacc atttatgaga ccagtacaaa ctactcaaga      1080
ggaagatggc tgtagctgcc gattttcaga agaagaagaa ggaggatgtg aactgagagt      1140
gaagttcagc aggagcgcag acgccccgcg gtaccagcag ggccagaacc agctctataa      1200
cgagctcaat ctaggacgaa gagaggagta cgatgttttg gacaagagac gtggcgggga      1260
ccctgagatg gggggaaagc cgagagaag gaagaaccct cagggaaggc tgtacaatga      1320
actgcagaaa gataagatgg cggaggccta cagtgagatt gggatgaaag gcgagcgccg      1380
gaggggcaag gggcacgatg gcctttacca gggctctcagt acagccacca aggacaccta      1440

```

-continued

cgacgccctt caccatgcagg ccttgccccc tcgcggaagc ggagccacca acttcagcct	1500
gctgaagcag gccggcgacg tggaggagaa ccccgccccc atggccttac cagtgaaccg	1560
cttgctcctg ccgctggcct tgctgtccca cgcgcgcagg ccgcatattc agatgaccca	1620
gagcccgagc agcctgagcg cgagcgtggg cgaccgcgtg accattacct gcaaagcgag	1680
ccaggatgtg ggcattgcgg tggcgtggta tcagcagaaa ccgggcaaag tgccgaaact	1740
gctgatttat tgggcgagca cccgccatac cggcgtgccc gatcgcttta gcggcagcgg	1800
cagcggcacc gattttaccc tgaccattag cagcctgcag ccggaagatg tggcgaccta	1860
ttattgccag cagtatagca gctatccgta tacctttggc cagggcacca aagtggaaat	1920
taaaggaggg gggggatccg ggggaggagg ctccggcgga ggcggaagcg aagtgcagct	1980
ggtggaaagc ggcggcgccc tgggtgcagc gggcggcagc ctgcgcctga gctgcgcggc	2040
gagcggcttt gattttagcc gctattggat gagctgggtg cgccaggcgc cgggcaaagg	2100
cctggaatgg attggcgaaa ttaaccgga tagcagcacc attaactatg cgccgagcct	2160
gaaagataaa tttattatta gccgcgataa cgcgaaaaac agcctgtatc tgcagatgaa	2220
cagcctgcgc gcggaagata ccgcggtgta ttattgcgcg cgcccgatg gcaactattg	2280
gtattttgat gtgtggggcc agggcacccct ggtgaccgtg agcagcacca cgacgccagc	2340
gccgcgacca ccaacaccgg cgcgcccat cgcgtgcag cccctgtccc tgcgcccaga	2400
ggcgtgccgg ccagcggcgg ggggcgcagt gcacacgagg gggctggact tcgcctgtga	2460
tatctacatc tgggcgcctt tggccgggac ttgtggggtc cttctcctgt cactggttat	2520
caccctttac tgcaaacggg gcagaaagaa actcctgtat atattcaagc aaccatttat	2580
gagaccagta caaactactc aagaggaaga tggctgtagc tgccgatttc cagaagaaga	2640
agaaggagga tgtgaactga gagtgaagtt cagcaggagc gcagacgccc ccgcgtacca	2700
gcagggccag aaccagctct ataacgagc caatctagga cgaagagagg agtacgatgt	2760
tttgacaag agacgtggcc gggaccctga gatgggggga aagccgcaga gaaggaagaa	2820
ccctcaggaa ggctgtaca atgaactgca gaaagataag atggcggagg cctacagtga	2880
gattgggatg aaaggcgagc gccggagggg caaggggcac gatggccttt accagggctc	2940
cagtacagcc accaaggaca cctacgacgc ccttcacatg caggccctgc cccctcgcta	3000
agtttaaac	3009

<210> SEQ ID NO 23

<211> LENGTH: 423

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 23

agctagctgc agtaacgcca ttttgcaagg catggaaaaa taccaaacca agaatagaga	60
agttcagatc aaggcggggt acatgaaaat agctaacgtt gggccaaaca ggatatctgc	120
ggtgagcagt ttcggccccc gcccggggcc aagaacagat ggtcaccgca gtttcggccc	180
cggcccgagg ccaagaacag atgggtccca gatatggccc aaccctcagc agtttcttaa	240
gaccatcag atgtttccag gctcccccaa ggacctgaaa tgaccctgcg cttattttga	300
attaaccaat cagcctgctt ctgccttctg ttcgcgcgct tctgcttccc gagctctata	360

-continued

aaagagctca caacctctca ctggcgcgcg cagtcctccg acagactgag tcgcccggt 420

acc 423

<210> SEQ ID NO 24

<211> LENGTH: 165

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 24

Met Ser Gly Leu Gly Arg Ser Arg Arg Gly Gly Arg Ser Arg Val Asp
1 5 10 15

Gln Glu Glu Arg Phe Pro Gln Gly Leu Trp Thr Gly Val Ala Met Arg
20 25 30

Ser Cys Pro Glu Glu Gln Tyr Trp Asp Pro Leu Leu Gly Thr Cys Met
35 40 45

Ser Cys Lys Thr Ile Cys Asn His Gln Ser Gln Arg Thr Cys Ala Ala
50 55 60

Phe Cys Arg Ser Leu Ser Cys Arg Lys Glu Gln Gly Lys Phe Tyr Asp
65 70 75 80

His Leu Leu Arg Asp Cys Ile Ser Cys Ala Ser Ile Cys Gly Gln His
85 90 95

Pro Lys Gln Cys Ala Tyr Phe Cys Glu Asn Lys Leu Arg Ser Pro Val
100 105 110

Asn Leu Pro Pro Glu Leu Arg Arg Gln Arg Ser Gly Glu Val Glu Asn
115 120 125

Asn Ser Asp Asn Ser Gly Arg Tyr Gln Gly Leu Glu His Arg Gly Ser
130 135 140

Glu Ala Ser Pro Ala Leu Pro Gly Leu Lys Leu Ser Ala Asp Gln Val
145 150 155 160

Ala Leu Val Tyr Ser
165

<210> SEQ ID NO 25

<211> LENGTH: 54

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 25

Met Leu Gln Met Ala Gly Gln Cys Ser Gln Asn Glu Tyr Phe Asp Ser
1 5 10 15

Leu Leu His Ala Cys Ile Pro Cys Gln Leu Arg Cys Ser Ser Asn Thr
20 25 30

Pro Pro Leu Thr Cys Gln Arg Tyr Cys Asn Ala Ser Val Thr Asn Ser
35 40 45

Val Lys Gly Thr Asn Ala
50

<210> SEQ ID NO 26

<211> LENGTH: 204

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 26

Ser Gly Pro Val Lys Glu Leu Val Gly Ser Val Gly Gly Ala Val Thr
1 5 10 15
Phe Pro Leu Lys Ser Lys Val Lys Gln Val Asp Ser Ile Val Trp Thr
20 25 30
Phe Asn Thr Thr Pro Leu Val Thr Ile Gln Pro Glu Gly Gly Thr Ile
35 40 45
Ile Val Thr Gln Asn Arg Asn Arg Glu Arg Val Asp Phe Pro Asp Gly
50 55 60
Gly Tyr Ser Leu Lys Leu Ser Lys Leu Lys Lys Asn Asp Ser Gly Ile
65 70 75 80
Tyr Tyr Val Gly Ile Tyr Ser Ser Ser Leu Gln Gln Pro Ser Thr Gln
85 90 95
Glu Tyr Val Leu His Val Tyr Glu His Leu Ser Lys Pro Lys Val Thr
100 105 110
Met Gly Leu Gln Ser Asn Lys Asn Gly Thr Cys Val Thr Asn Leu Thr
115 120 125
Cys Cys Met Glu His Gly Glu Glu Asp Val Ile Tyr Thr Trp Lys Ala
130 135 140
Leu Gly Gln Ala Ala Asn Glu Ser His Asn Gly Ser Ile Leu Pro Ile
145 150 155 160
Ser Trp Arg Trp Gly Glu Ser Asp Met Thr Phe Ile Cys Val Ala Arg
165 170 175
Asn Pro Val Ser Arg Asn Phe Ser Ser Pro Ile Leu Ala Arg Lys Leu
180 185 190
Cys Glu Gly Ala Ala Asp Asp Pro Asp Ser Ser Met
195 200

<210> SEQ ID NO 27

<211> LENGTH: 46

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 27

Met Asp Asp Ser Thr Glu Arg Glu Gln Ser Arg Leu Thr Ser Cys Leu
1 5 10 15
Lys Lys Arg Glu Glu Met Lys Leu Lys Glu Cys Val Ser Ile Leu Pro
20 25 30
Arg Lys Glu Ser Pro Ser Val Arg Ser Ser Lys Asp Gly Lys
35 40 45

<210> SEQ ID NO 28

<211> LENGTH: 242

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 28

Asp Pro Asn Phe Trp Leu Gln Val Gln Glu Ser Val Thr Val Gln Glu
1 5 10 15
Gly Leu Cys Val Leu Val Pro Cys Thr Phe Phe His Pro Ile Pro Tyr

-continued

20					25					30					
Tyr	Asp	Lys	Asn	Ser	Pro	Val	His	Gly	Tyr	Trp	Phe	Arg	Glu	Gly	Ala
	35						40					45			
Ile	Ile	Ser	Arg	Asp	Ser	Pro	Val	Ala	Thr	Asn	Lys	Leu	Asp	Gln	Glu
	50					55					60				
Val	Gln	Glu	Glu	Thr	Gln	Gly	Arg	Phe	Arg	Leu	Leu	Gly	Asp	Pro	Ser
65					70					75				80	
Arg	Asn	Asn	Cys	Ser	Leu	Ser	Ile	Val	Asp	Ala	Arg	Arg	Arg	Asp	Asn
			85						90					95	
Gly	Ser	Tyr	Phe	Phe	Arg	Met	Glu	Arg	Gly	Ser	Thr	Lys	Tyr	Ser	Tyr
		100						105					110		
Lys	Ser	Pro	Gln	Leu	Ser	Val	His	Val	Thr	Asp	Leu	Thr	His	Arg	Pro
		115					120						125		
Lys	Ile	Leu	Ile	Pro	Gly	Thr	Leu	Glu	Pro	Gly	His	Ser	Lys	Asn	Leu
	130					135					140				
Thr	Cys	Ser	Val	Ser	Trp	Ala	Cys	Glu	Gln	Gly	Thr	Pro	Pro	Ile	Phe
145					150					155					160
Ser	Trp	Leu	Ser	Ala	Ala	Pro	Thr	Ser	Leu	Gly	Pro	Arg	Thr	Thr	His
				165					170					175	
Ser	Ser	Val	Leu	Ile	Ile	Thr	Pro	Arg	Pro	Gln	Asp	His	Gly	Thr	Asn
			180					185					190		
Leu	Thr	Cys	Gln	Val	Lys	Phe	Ala	Gly	Ala	Gly	Val	Thr	Thr	Glu	Arg
		195					200						205		
Thr	Ile	Gln	Leu	Asn	Val	Thr	Tyr	Val	Pro	Gln	Asn	Pro	Thr	Thr	Gly
	210					215					220				
Ile	Phe	Pro	Gly	Asp	Gly	Ser	Gly	Lys	Gln	Glu	Thr	Arg	Ala	Gly	Val
225					230					235					240
Val	His														

<210> SEQ ID NO 29

<211> LENGTH: 287

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 29

Thr	Lys	Glu	Asp	Pro	Asn	Pro	Pro	Ile	Thr	Asn	Leu	Arg	Met	Lys	Ala
1				5					10					15	
Lys	Ala	Gln	Gln	Leu	Thr	Trp	Asp	Leu	Asn	Arg	Asn	Val	Thr	Asp	Ile
		20					25						30		
Glu	Cys	Val	Lys	Asp	Ala	Asp	Tyr	Ser	Met	Pro	Ala	Val	Asn	Asn	Ser
	35					40						45			
Tyr	Cys	Gln	Phe	Gly	Ala	Ile	Ser	Leu	Cys	Glu	Val	Thr	Asn	Tyr	Thr
	50					55					60				
Val	Arg	Val	Ala	Asn	Pro	Pro	Phe	Ser	Thr	Trp	Ile	Leu	Phe	Pro	Glu
65					70					75				80	
Asn	Ser	Gly	Lys	Pro	Trp	Ala	Gly	Ala	Glu	Asn	Leu	Thr	Cys	Trp	Ile
			85						90					95	
His	Asp	Val	Asp	Phe	Leu	Ser	Cys	Ser	Trp	Ala	Val	Gly	Pro	Gly	Ala
		100						105					110		
Pro	Ala	Asp	Val	Gln	Tyr	Asp	Leu	Tyr	Leu	Asn	Val	Ala	Asn	Arg	Arg
		115					120					125			

-continued

Gln Gln Tyr Glu Cys Leu His Tyr Lys Thr Asp Ala Gln Gly Thr Arg
 130 135 140
 Ile Gly Cys Arg Phe Asp Asp Ile Ser Arg Leu Ser Ser Gly Ser Gln
 145 150 155 160
 Ser Ser His Ile Leu Val Arg Gly Arg Ser Ala Ala Phe Gly Ile Pro
 165 170 175
 Cys Thr Asp Lys Phe Val Val Phe Ser Gln Ile Glu Ile Leu Thr Pro
 180 185 190
 Pro Asn Met Thr Ala Lys Cys Asn Lys Thr His Ser Phe Met His Trp
 195 200 205
 Lys Met Arg Ser His Phe Asn Arg Lys Phe Arg Tyr Glu Leu Gln Ile
 210 215 220
 Gln Lys Arg Met Gln Pro Val Ile Thr Glu Gln Val Arg Asp Arg Thr
 225 230 235 240
 Ser Phe Gln Leu Leu Asn Pro Gly Thr Tyr Thr Val Gln Ile Arg Ala
 245 250 255
 Arg Glu Arg Val Tyr Glu Phe Leu Ser Ala Trp Ser Thr Pro Gln Arg
 260 265 270
 Phe Glu Cys Asp Gln Glu Glu Gly Ala Asn Thr Arg Ala Trp Arg
 275 280 285

<210> SEQ ID NO 30
 <211> LENGTH: 272
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 30

Pro Glu Glu Pro Leu Val Val Lys Val Glu Glu Gly Asp Asn Ala Val
 1 5 10 15
 Leu Gln Cys Leu Lys Gly Thr Ser Asp Gly Pro Thr Gln Gln Leu Thr
 20 25 30
 Trp Ser Arg Glu Ser Pro Leu Lys Pro Phe Leu Lys Leu Ser Leu Gly
 35 40 45
 Leu Pro Gly Leu Gly Ile His Met Arg Pro Leu Ala Ile Trp Leu Phe
 50 55 60
 Ile Phe Asn Val Ser Gln Gln Met Gly Gly Phe Tyr Leu Cys Gln Pro
 65 70 75 80
 Gly Pro Pro Ser Glu Lys Ala Trp Gln Pro Gly Trp Thr Val Asn Val
 85 90 95
 Glu Gly Ser Gly Glu Leu Phe Arg Trp Asn Val Ser Asp Leu Gly Gly
 100 105 110
 Leu Gly Cys Gly Leu Lys Asn Arg Ser Ser Glu Gly Pro Ser Ser Pro
 115 120 125
 Ser Gly Lys Leu Met Ser Pro Lys Leu Tyr Val Trp Ala Lys Asp Arg
 130 135 140
 Pro Glu Ile Trp Glu Gly Glu Pro Pro Cys Leu Pro Pro Arg Asp Ser
 145 150 155 160
 Leu Asn Gln Ser Leu Ser Gln Asp Leu Thr Met Ala Pro Gly Ser Thr
 165 170 175
 Leu Trp Leu Ser Cys Gly Val Pro Pro Asp Ser Val Ser Arg Gly Pro
 180 185 190

-continued

Leu Ser Trp Thr His Val His Pro Lys Gly Pro Lys Ser Leu Leu Ser
195 200 205

Leu Glu Leu Lys Asp Asp Arg Pro Ala Arg Asp Met Trp Val Met Glu
210 215 220

Thr Gly Leu Leu Leu Pro Arg Ala Thr Ala Gln Asp Ala Gly Lys Tyr
225 230 235 240

Tyr Cys His Arg Gly Asn Leu Thr Met Ser Phe His Leu Glu Ile Thr
245 250 255

Ala Arg Pro Val Leu Trp His Trp Leu Leu Arg Thr Gly Gly Trp Lys
260 265 270

<210> SEQ ID NO 31

<211> LENGTH: 6

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 31

Pro Ile Cys Val Thr Val
1 5

<210> SEQ ID NO 32

<211> LENGTH: 47

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 32

Lys Ile Ser His Phe Leu Lys Met Glu Ser Leu Asn Phe Ile Arg Ala
1 5 10 15

His Thr Pro Tyr Ile Asn Ile Tyr Asn Cys Glu Pro Ala Asn Pro Ser
20 25 30

Glu Lys Asn Ser Pro Ser Thr Gln Tyr Cys Tyr Ser Ile Gln Ser
35 40 45

<210> SEQ ID NO 33

<211> LENGTH: 480

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 33

Asp Ser Ser Lys Trp Val Phe Glu His Pro Glu Thr Leu Tyr Ala Trp
1 5 10 15

Glu Gly Ala Cys Val Trp Ile Pro Cys Thr Tyr Arg Ala Leu Asp Gly
20 25 30

Asp Leu Glu Ser Phe Ile Leu Phe His Asn Pro Glu Tyr Asn Lys Asn
35 40 45

Thr Ser Lys Phe Asp Gly Thr Arg Leu Tyr Glu Ser Thr Lys Asp Gly
50 55 60

Lys Val Pro Ser Glu Gln Lys Arg Val Gln Phe Leu Gly Asp Lys Asn
65 70 75 80

Lys Asn Cys Thr Leu Ser Ile His Pro Val His Leu Asn Asp Ser Gly
85 90 95

-continued

Gln	Leu	Gly	Leu	Arg	Met	Glu	Ser	Lys	Thr	Glu	Lys	Trp	Met	Glu	Arg
			100					105					110		
Ile	His	Leu	Asn	Val	Ser	Glu	Arg	Pro	Phe	Pro	Pro	His	Ile	Gln	Leu
		115					120					125			
Pro	Pro	Glu	Ile	Gln	Glu	Ser	Gln	Glu	Val	Thr	Leu	Thr	Cys	Leu	Leu
	130					135					140				
Asn	Phe	Ser	Cys	Tyr	Gly	Tyr	Pro	Ile	Gln	Leu	Gln	Trp	Leu	Leu	Glu
145					150					155					160
Gly	Val	Pro	Met	Arg	Gln	Ala	Ala	Val	Thr	Ser	Thr	Ser	Leu	Thr	Ile
				165					170					175	
Lys	Ser	Val	Phe	Thr	Arg	Ser	Glu	Leu	Lys	Phe	Ser	Pro	Gln	Trp	Ser
			180					185					190		
His	His	Gly	Lys	Ile	Val	Thr	Cys	Gln	Leu	Gln	Asp	Ala	Asp	Gly	Lys
		195					200					205			
Phe	Leu	Ser	Asn	Asp	Thr	Val	Gln	Leu	Asn	Val	Lys	His	Thr	Pro	Lys
	210					215					220				
Leu	Glu	Ile	Lys	Val	Thr	Pro	Ser	Asp	Ala	Ile	Val	Arg	Glu	Gly	Asp
225					230					235					240
Ser	Val	Thr	Met	Thr	Cys	Glu	Val	Ser	Ser	Ser	Asn	Pro	Glu	Tyr	Thr
				245					250					255	
Thr	Val	Ser	Trp	Leu	Lys	Asp	Gly	Thr	Ser	Leu	Lys	Lys	Gln	Asn	Thr
			260					265					270		
Phe	Thr	Leu	Asn	Leu	Arg	Glu	Val	Thr	Lys	Asp	Gln	Ser	Gly	Lys	Tyr
		275					280					285			
Cys	Cys	Gln	Val	Ser	Asn	Asp	Val	Gly	Pro	Gly	Arg	Ser	Glu	Glu	Val
	290					295					300				
Phe	Leu	Gln	Val	Gln	Tyr	Ala	Pro	Glu	Pro	Ser	Thr	Val	Gln	Ile	Leu
305					310					315					320
His	Ser	Pro	Ala	Val	Glu	Gly	Ser	Gln	Val	Glu	Phe	Leu	Cys	Met	Ser
			325						330					335	
Leu	Ala	Asn	Pro	Leu	Pro	Thr	Asn	Tyr	Thr	Trp	Tyr	His	Asn	Gly	Lys
			340					345					350		
Glu	Met	Gln	Gly	Arg	Thr	Glu	Glu	Lys	Val	His	Ile	Pro	Lys	Ile	Leu
		355					360					365			
Pro	Trp	His	Ala	Gly	Thr	Tyr	Ser	Cys	Val	Ala	Glu	Asn	Ile	Leu	Gly
	370					375					380				
Thr	Gly	Gln	Arg	Gly	Pro	Gly	Ala	Glu	Leu	Asp	Val	Gln	Tyr	Pro	Pro
385					390					395					400
Lys	Lys	Val	Thr	Thr	Val	Ile	Gln	Asn	Pro	Met	Pro	Ile	Arg	Glu	Gly
				405					410					415	
Asp	Thr	Val	Thr	Leu	Ser	Cys	Asn	Tyr	Asn	Ser	Ser	Asn	Pro	Ser	Val
			420					425					430		
Thr	Arg	Tyr	Glu	Trp	Lys	Pro	His	Gly	Ala	Trp	Glu	Glu	Pro	Ser	Leu
			435				440					445			
Gly	Val	Leu	Lys	Ile	Gln	Asn	Val	Gly	Trp	Asp	Asn	Thr	Thr	Ile	Ala
	450					455					460				
Cys	Ala	Ala	Cys	Asn	Ser	Trp	Cys	Ser	Trp	Ala	Ser	Pro	Val	Ala	Leu
465					470					475					480

<210> SEQ ID NO 34

<211> LENGTH: 480

<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 34

Gln Ser Pro Thr Pro Ser Pro Thr Gly Leu Thr Thr Ala Lys Met Pro
 1 5 10 15
 Ser Val Pro Leu Ser Ser Asp Pro Leu Pro Thr His Thr Thr Ala Phe
 20 25 30
 Ser Pro Ala Ser Thr Phe Glu Arg Glu Asn Asp Phe Ser Glu Thr Thr
 35 40 45
 Thr Ser Leu Ser Pro Asp Asn Thr Ser Thr Gln Val Ser Pro Asp Ser
 50 55 60
 Leu Asp Asn Ala Ser Ala Phe Asn Thr Thr Gly Val Ser Ser Val Gln
 65 70 75 80
 Thr Pro His Leu Pro Thr His Ala Asp Ser Gln Thr Pro Ser Ala Gly
 85 90 95
 Thr Asp Thr Gln Thr Phe Ser Gly Ser Ala Ala Asn Ala Lys Leu Asn
 100 105 110
 Pro Thr Pro Gly Ser Asn Ala Ile Ser Asp Val Pro Gly Glu Arg Ser
 115 120 125
 Thr Ala Ser Thr Phe Pro Thr Asp Pro Val Ser Pro Leu Thr Thr Thr
 130 135 140
 Leu Ser Leu Ala His His Ser Ser Ala Ala Leu Pro Ala Arg Thr Ser
 145 150 155 160
 Asn Thr Thr Ile Thr Ala Asn Thr Ser Asp Ala Tyr Leu Asn Ala Ser
 165 170 175
 Glu Thr Thr Thr Leu Ser Pro Ser Gly Ser Ala Val Ile Ser Thr Thr
 180 185 190
 Thr Ile Ala Thr Thr Pro Ser Lys Pro Thr Cys Asp Glu Lys Tyr Ala
 195 200 205
 Asn Ile Thr Val Asp Tyr Leu Tyr Asn Lys Glu Thr Lys Leu Phe Thr
 210 215 220
 Ala Lys Leu Asn Val Asn Glu Asn Val Glu Cys Gly Asn Asn Thr Cys
 225 230 235 240
 Thr Asn Asn Glu Val His Asn Leu Thr Glu Cys Lys Asn Ala Ser Val
 245 250 255
 Ser Ile Ser His Asn Ser Cys Thr Ala Pro Asp Lys Thr Leu Ile Leu
 260 265 270
 Asp Val Pro Pro Gly Val Glu Lys Phe Gln Leu His Asp Cys Thr Gln
 275 280 285
 Val Glu Lys Ala Asp Thr Thr Ile Cys Leu Lys Trp Lys Asn Ile Glu
 290 295 300
 Thr Phe Thr Cys Asp Thr Gln Asn Ile Thr Tyr Arg Phe Gln Cys Gly
 305 310 315 320
 Asn Met Ile Phe Asp Asn Lys Glu Ile Lys Leu Glu Asn Leu Glu Pro
 325 330 335
 Glu His Glu Tyr Lys Cys Asp Ser Glu Ile Leu Tyr Asn Asn His Lys
 340 345 350
 Phe Thr Asn Ala Ser Lys Ile Ile Lys Thr Asp Phe Gly Ser Pro Gly
 355 360 365
 Glu Pro Gln Ile Ile Phe Cys Arg Ser Glu Ala Ala His Gln Gly Val

-continued

370	375	380
Ile Thr Trp Asn Pro Pro Gln Arg Ser Phe His Asn Phe Thr Leu Cys		
385	390	395 400
Tyr Ile Lys Glu Thr Glu Lys Asp Cys Leu Asn Leu Asp Lys Asn Leu		
	405	410 415
Ile Lys Tyr Asp Leu Gln Asn Leu Lys Pro Tyr Thr Lys Tyr Val Leu		
	420	425 430
Ser Leu His Ala Tyr Ile Ile Ala Lys Val Gln Arg Asn Gly Ser Ala		
	435	440 445
Ala Met Cys His Phe Thr Thr Lys Ser Ala Pro Pro Ser Gln Val Trp		
	450	455 460
Asn Met Thr Val Ser Met Thr Ser Asp Asn Ser Met His Val Lys Cys		
	465	470 475 480

<210> SEQ ID NO 35
 <211> LENGTH: 371
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 35

Lys Lys Val Val Leu Gly Lys Lys Gly Asp Thr Val Glu Leu Thr Cys	
1	5 10 15
Thr Ala Ser Gln Lys Lys Ser Ile Gln Phe His Trp Lys Asn Ser Asn	
	20 25 30
Gln Ile Lys Ile Leu Gly Asn Gln Gly Ser Phe Leu Thr Lys Gly Pro	
	35 40 45
Ser Lys Leu Asn Asp Arg Ala Asp Ser Arg Arg Ser Leu Trp Asp Gln	
	50 55 60
Gly Asn Phe Pro Leu Ile Ile Lys Asn Leu Lys Ile Glu Asp Ser Asp	
	65 70 75 80
Thr Tyr Ile Cys Glu Val Glu Asp Gln Lys Glu Glu Val Gln Leu Leu	
	85 90 95
Val Phe Gly Leu Thr Ala Asn Ser Asp Thr His Leu Leu Gln Gly Gln	
	100 105 110
Ser Leu Thr Leu Thr Leu Glu Ser Pro Pro Gly Ser Ser Pro Ser Val	
	115 120 125
Gln Cys Arg Ser Pro Arg Gly Lys Asn Ile Gln Gly Gly Lys Thr Leu	
	130 135 140
Ser Val Ser Gln Leu Glu Leu Gln Asp Ser Gly Thr Trp Thr Cys Thr	
	145 150 155 160
Val Leu Gln Asn Gln Lys Lys Val Glu Phe Lys Ile Asp Ile Val Val	
	165 170 175
Leu Ala Phe Gln Lys Ala Ser Ser Ile Val Tyr Lys Lys Glu Gly Glu	
	180 185 190
Gln Val Glu Phe Ser Phe Pro Leu Ala Phe Thr Val Glu Lys Leu Thr	
	195 200 205
Gly Ser Gly Glu Leu Trp Trp Gln Ala Glu Arg Ala Ser Ser Ser Lys	
	210 215 220
Ser Trp Ile Thr Phe Asp Leu Lys Asn Lys Glu Val Ser Val Lys Arg	
	225 230 235 240
Val Thr Gln Asp Pro Lys Leu Gln Met Gly Lys Lys Leu Pro Leu His	

245																250						255			
Leu	Thr	Leu	Pro	Gln	Ala	Leu	Pro	Gln	Tyr	Ala	Gly	Ser	Gly	Asn	Leu										
			260				265						270												
Thr	Leu	Ala	Leu	Glu	Ala	Lys	Thr	Gly	Lys	Leu	His	Gln	Glu	Val	Asn										
			275				280						285												
Leu	Val	Val	Met	Arg	Ala	Thr	Gln	Leu	Gln	Lys	Asn	Leu	Thr	Cys	Glu										
			290	295						300															
Val	Trp	Gly	Pro	Thr	Ser	Pro	Lys	Leu	Met	Leu	Ser	Leu	Lys	Leu	Glu										
			305	310						315			320												
Asn	Lys	Glu	Ala	Lys	Val	Ser	Lys	Arg	Glu	Lys	Ala	Val	Trp	Val	Leu										
			325				330						335												
Asn	Pro	Glu	Ala	Gly	Met	Trp	Gln	Cys	Leu	Leu	Ser	Asp	Ser	Gly	Gln										
			340				345						350												
Val	Leu	Leu	Glu	Ser	Asn	Ile	Lys	Val	Leu	Pro	Thr	Trp	Ser	Thr	Pro										
			355				360						365												
Val	Gln	Pro																							
			370																						
<210> SEQ ID NO 36																									
<211> LENGTH: 219																									
<212> TYPE: PRT																									
<213> ORGANISM: Artificial Sequence																									
<220> FEATURE:																									
<223> OTHER INFORMATION: Synthetic Sequence																									
<400> SEQUENCE: 36																									
Glu	Leu	Cys	Asp	Asp	Asp	Pro	Pro	Glu	Ile	Pro	His	Ala	Thr	Phe	Lys										
1				5				10						15											
Ala	Met	Ala	Tyr	Lys	Glu	Gly	Thr	Met	Leu	Asn	Cys	Glu	Cys	Lys	Arg										
			20				25						30												
Gly	Phe	Arg	Arg	Ile	Lys	Ser	Gly	Ser	Leu	Tyr	Met	Leu	Cys	Thr	Gly										
			35				40						45												
Asn	Ser	Ser	His	Ser	Ser	Trp	Asp	Asn	Gln	Cys	Gln	Cys	Thr	Ser	Ser										
			50				55						60												
Ala	Thr	Arg	Asn	Thr	Thr	Lys	Gln	Val	Thr	Pro	Gln	Pro	Glu	Glu	Gln										
			65				70						80												
Lys	Glu	Arg	Lys	Thr	Thr	Glu	Met	Gln	Ser	Pro	Met	Gln	Pro	Val	Asp										
			85				90						95												
Gln	Ala	Ser	Leu	Pro	Gly	His	Cys	Arg	Glu	Pro	Pro	Pro	Trp	Glu	Asn										
			100				105						110												
Glu	Ala	Thr	Glu	Arg	Ile	Tyr	His	Phe	Val	Val	Gly	Gln	Met	Val	Tyr										
			115				120						125												
Tyr	Gln	Cys	Val	Gln	Gly	Tyr	Arg	Ala	Leu	His	Arg	Gly	Pro	Ala	Glu										
			130				135						140												
Ser	Val	Cys	Lys	Met	Thr	His	Gly	Lys	Thr	Arg	Trp	Thr	Gln	Pro	Gln										
			145				150						155												
Leu	Ile	Cys	Thr	Gly	Glu	Met	Glu	Thr	Ser	Gln	Phe	Pro	Gly	Glu	Glu										
			165				170						175												
Lys	Pro	Gln	Ala	Ser	Pro	Glu	Gly	Arg	Pro	Glu	Ser	Glu	Thr	Ser	Cys										
			180				185						190												
Leu	Val	Thr	Thr	Thr	Asp	Phe	Gln	Ile	Gln	Thr	Glu	Met	Ala	Ala	Thr										
			195				200						205												
Met	Glu	Thr	Ser	Ile	Phe	Thr	Thr	Glu	Tyr	Gln															

-continued

210	215	
<210> SEQ ID NO 37		
<211> LENGTH: 3799		
<212> TYPE: DNA		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Synthetic Sequence		
<400> SEQUENCE: 37		
gcgatcgcat ggccttacca gtgaccgect tgctcctgcc gctggccttg ctgetccacg	60	
ccgccaggcc gcagatcggtg ctgaccgaga gccccgccat catgagcgcc agccccggcg	120	
agaaggtgac catcacctgc agcgccagca gcagcatcag ctacatgcac tggttccagc	180	
agaagcccg gaccagcccc aagctgtgga tctacaccac cagcaacctg gccagcggcg	240	
tgccccgcag attcagcggc agcggcagcg gcaccagcta cagcctgacc atcagcagaa	300	
tggaggccga ggagcgccgc acctactact gccaccagag aagcacctac cccctgacct	360	
tcggcagcgg caccaagctg gagctgaagg gagggggggg atccggggga ggaggctccg	420	
gcggaggcgg aagccagggtg cagctgcagc agagcggcgc cgagctggcc aagccccggcg	480	
ccagcgtgaa gatgagctgc aagggcagcg gctacacctt caccagctac agaatgcaact	540	
gggtgaagca gagaccggcg cagggcctgg agtggatcgg ctacatcaac cccagcaccg	600	
gtacaccga gtacaaccag aagttcaagg acaaggccac cctgaccgcc gacaagagca	660	
gcagaccgc ctacatgcag ctgagcagcc tgaccttoga ggacagcgcc gtgtactact	720	
gcgccagagg cggcgcgctg ttcgactact ggggccaggg caccaccctg accgtgagca	780	
gcaccacgac gccagcgccg cgaccaccaa caccggcgcc caccatcgcg tcgcagcccc	840	
tgctccctcg cccagaggcg tgccggccag cggcgggggg cgagtgcac acgagggggc	900	
tggacttcgc ctgtgatatc tacatctggg cggccttggc cgggacttgt ggggtccttc	960	
tcctgtcact gggttatcacc ctttactgca aacggggcag aaagaaactc ctgtatatat	1020	
tcaaacaccc atttatgaga ccagtacaaa ctactcaaga ggaagatggc tgtagctgcc	1080	
gatttccaga agaagaagaa ggaggatgtg aactgagagt gaagttcagc aggagcgag	1140	
acgccccgc gtaccagcag ggcagaacc agctctataa cgagctcaat ctaggacgaa	1200	
gagaggagta cgatgttttg gacaagagac gtggccggga ccctgagatg gggggaaagc	1260	
cgcagagaag gaagaacct caggaaggcc tgtacaatga actgcagaaa gataagatgg	1320	
cggaggccta cagtgagatt gggatgaaag gcgagcgccg gaggggcaag gggcacgatg	1380	
gcctttacca ggggtctcagt acagccacca aggacaccta cgacgccctt cacatgcagg	1440	
ccctgcccc tcgcggaagc ggagctacta acttcagcct gctgaagcag gctggagacg	1500	
tggaggagaa ccctggacct atggccttac cagtgaaccg cttgctcctg ccgctggcct	1560	
tgctgctcca cgccgccagg ccggacgtgc agatcaccca gagccccagc tacctggccg	1620	
ccagccccg cgagaccatc accatcaact gcagagccag caagagcatc agcaaggacc	1680	
tggcctggta ccaggagaag cccggcaaga ccaacaagct gctgatctac agcggcagca	1740	
ccctgcagag cggcatcccc agcagattca gcggcagcgg cagcggcacc gacttcaccc	1800	
tgaccatcag cagcctggag cccgaggact tcgcatgta ctactgccag cagcacaaca	1860	
agtaccctca caccttcggc ggccggacca agctggagat caaggggagg gggggatccg	1920	

-continued

```

ggggaggagg ctccggcgga ggcggaagcc aggtgcagct gcagcagccc ggcgccgagc 1980
tggtgagacc cggcgccagc gtgaagctga gctgcaaggc cagcggctac accttcacca 2040
gtactggat gaactgggtg aagcagagac ccgaccaggg cctggagtgg atcggcagaa 2100
tcgacccta cgacagcgag acccactaca accagaagtt caaggacaag gccatcctga 2160
ccgtggacaa gagcagcagc accgcctaca tgcagctgag cagcctgacc agcaggagaca 2220
gcgcggtgta ctactgcgcc agaggcaact gggacgacta ctggggccag ggcaccacc 2280
tgaccgtgag cagcaccacg acgccagcgc cgcgaccacc aacaccggcg cccaccatcg 2340
cgtcgagacc cctgtccctg cgcgcagagg cgtgcgcgcc agcggcgggg ggcgcagtgc 2400
acacgagggg gctggacttc gctgtgata tctacatctg ggcgcccttg gccgggactt 2460
gtggggctct tctcctgtca ctggttatca cctttactg caggagtaag aggagcaggc 2520
tcctgcacag tgactacatg aacatgactc cccgcgcgcc cgggcccacc cgcaagcatt 2580
accagcccta tgccccacca cgcgacttcg cagcctatcg ctccagagtg aagttcagca 2640
ggagcgcaga cgcgcccgcg taccagcagg gccagaacca gctctataac gagctcaatc 2700
taggacgaag agaggagtac gatgttttg acaagagacg tggccgggac cctgagatgg 2760
ggggaaaacc gcagagaagg aagaaccctc aggaaggcct gtacaatgaa ctgcagaaa 2820
ataagatggc ggaggcctac agtgagattg ggatgaaagg cgagcgccgg aggggcaagg 2880
ggcacgatgg cctttaccag ggtctcagta cagccaccaa ggacacctac gacgccttc 2940
acatgcaggc cctgccccct cgcggcagcg gcgaaggccg cggcagcctg ctgacctgcg 3000
gcgatgtgga agaaaaccg ggcgccatgg aatacgctc tgacgcttca ctggaccccg 3060
aagccccgtg gcctcccgcg ccccgcgctc gcgctcgccg cgtactgcct tgggcccctg 3120
tcgcggggct gctgctgctg ctgctgctcg ctgcgcctg cgcgctcttc ctgcctgcc 3180
cctgggccgt gtccggggct cgcgcctcgc ccggctccgc ggcagcccg agactccgcg 3240
agggtcccga gctttcgccc gacgatcccg ccggcctctt ggacctgcgg caggggcatgt 3300
ttgcgcagct ggtggcccaa aatgttctgc tgatcgatgg gccctgagc tggtagctg 3360
accaggcct ggcaggcgtg tccctgacgg ggggcctgag ctacaaagag gacacgaagg 3420
agctggtggt ggccaaggct ggagtctact atgtcttctt tcaactagag ctgcggcgcg 3480
tggtggccgg cgagggtcga ggtccggtt cacttgcgct gcacctgcag ccactgcgct 3540
ctgctgctgg ggcgcgcgcc ctggcttga ccgtggacct gccacccgcc tcctccgagg 3600
ctcggaactc ggccttcggt ttccagggcc gcttgctgca cctgagtgc gccacgcgc 3660
tgggcgctca tcttcacact gaggccaggg cagcccatgc ctggcagctt acccagggcg 3720
ccacagtctt gggactcttc cgggtgacct ccgaaatccc agccggactc ccttcaccga 3780
ggtcggaata agtttaaac 3799

```

<210> SEQ ID NO 38

<211> LENGTH: 1260

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 38

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu
1           5           10           15

```

His 20	Ala 30	Ala 40	Arg 50	Pro 60	Gln 70	Ile 80	Val 90	Leu 100	Thr 110	Gln 120	Ser 130	Pro 140	Ala 150	Ile 160	Met 170
Ser 35	Ala 45	Ser 55	Pro 65	Gly 75	Glu 85	Lys 95	Val 105	Thr 115	Ile 125	Thr 135	Cys 145	Ser 155	Ala 165	Ser 175	Ser 185
Ser 50	Ile 60	Ser 70	Tyr 80	Met 90	His 100	Trp 110	Phe 120	Gln 130	Gln 140	Lys 150	Pro 160	Gly 170	Thr 180	Ser 190	Pro 200
Lys 65	Leu 75	Trp 85	Ile 95	Tyr 105	Thr 115	Thr 125	Ser 135	Asn 145	Leu 155	Ala 165	Ser 175	Gly 185	Val 195	Pro 205	Ala 215
Arg 80	Phe 90	Ser 100	Gly 110	Ser 120	Gly 130	Ser 140	Gly 150	Thr 160	Ser 170	Tyr 180	Ser 190	Leu 200	Thr 210	Ile 220	Ser 230
Arg 100	Met 110	Glu 120	Ala 130	Glu 140	Asp 150	Ala 160	Ala 170	Thr 180	Tyr 190	Tyr 200	Cys 210	His 220	Gln 230	Arg 240	Ser 250
Thr 115	Tyr 125	Pro 135	Leu 145	Thr 155	Phe 165	Gly 175	Ser 185	Gly 195	Thr 205	Lys 215	Leu 225	Glu 235	Leu 245	Lys 255	Gly 265
Gly 130	Gly 140	Gly 150	Ser 160	Gly 170	Gly 180	Gly 190	Gly 200	Ser 210	Gly 220	Gly 230	Gly 240	Gly 250	Ser 260	Gln 270	Val 280
Gln 145	Leu 155	Gln 165	Gln 175	Ser 185	Gly 195	Ala 205	Glu 215	Leu 225	Ala 235	Lys 245	Pro 255	Gly 265	Ala 275	Ser 285	Val 295
Lys 160	Met 170	Ser 180	Cys 190	Lys 200	Ala 210	Ser 220	Gly 230	Tyr 240	Thr 250	Phe 260	Thr 270	Ser 280	Tyr 290	Arg 300	Met 310
His 180	Trp 190	Val 200	Lys 210	Gln 220	Arg 230	Pro 240	Gly 250	Gln 260	Gly 270	Leu 280	Glu 290	Trp 300	Ile 310	Gly 320	Tyr 330
Ile 195	Asn 205	Pro 215	Ser 225	Thr 235	Gly 245	Tyr 255	Thr 265	Glu 275	Tyr 285	Asn 295	Gln 305	Lys 315	Phe 325	Lys 335	Asp 345
Lys 210	Ala 220	Thr 230	Leu 240	Thr 250	Ala 260	Asp 270	Lys 280	Ser 290	Ser 300	Ser 310	Thr 320	Ala 330	Tyr 340	Met 350	Gln 360
Leu 225	Ser 235	Ser 245	Leu 255	Thr 265	Phe 275	Glu 285	Asp 295	Ser 305	Ala 315	Val 325	Tyr 335	Tyr 345	Cys 355	Ala 365	Arg 375
Gly 240	Gly 250	Gly 260	Val 270	Phe 280	Asp 290	Tyr 300	Trp 310	Gly 320	Gln 330	Gly 340	Thr 350	Thr 360	Leu 370	Thr 380	Val 390
Ser 260	Ser 270	Thr 280	Thr 290	Thr 300	Pro 310	Ala 320	Pro 330	Arg 340	Pro 350	Pro 360	Thr 370	Pro 380	Ala 390	Pro 400	Thr 410
Ile 275	Ala 285	Ser 295	Gln 305	Pro 315	Leu 325	Ser 335	Leu 345	Arg 355	Pro 365	Glu 375	Ala 385	Cys 395	Arg 405	Pro 415	Ala 425
Ala 290	Gly 300	Gly 310	Ala 320	Val 330	His 340	Thr 350	Arg 360	Gly 370	Leu 380	Asp 390	Phe 400	Ala 410	Cys 420	Asp 430	Ile 440
Tyr 305	Ile 315	Trp 325	Ala 335	Pro 345	Leu 355	Ala 365	Gly 375	Thr 385	Cys 395	Gly 405	Val 415	Leu 425	Leu 435	Leu 445	Ser 455
Leu 320	Val 330	Ile 340	Thr 350	Leu 360	Tyr 370	Cys 380	Lys 390	Arg 400	Gly 410	Arg 420	Lys 430	Lys 440	Leu 450	Leu 460	Tyr 470
Ile 340	Phe 350	Lys 360	Gln 370	Pro 380	Phe 390	Met 400	Arg 410	Pro 420	Val 430	Gln 440	Thr 450	Thr 460	Gln 470	Glu 480	Glu 490
Asp 355	Gly 365	Cys 375	Ser 385	Cys 395	Arg 405	Phe 415	Pro 425	Glu 435	Glu 445	Glu 455	Gly 465	Gly 475	Cys 485	Glu 495	Glu 505
Leu 370	Arg 380	Val 390	Lys 400	Phe 410	Ser 420	Arg 430	Ser 440	Ala 450	Asp 460	Ala 470	Pro 480	Ala 490	Tyr 500	Gln 510	Gln 520
Gly 385	Gln 395	Asn 405	Gln 415	Leu 425	Tyr 435	Asn 445	Glu 455	Leu 465	Asn 475	Leu 485	Gly 495	Arg 505	Arg 515	Glu 525	Glu 535
Tyr 400	Asp 410	Val 420	Leu 430	Asp 440	Lys 450	Arg 460	Arg 470	Gly 480	Arg 490						

-continued

Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu
			420					425					430		
Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly
		435					440					445			
Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser
	450					455					460				
Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro
465					470					475					480
Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly
				485					490					495	
Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu
			500					505					510		
Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Val	Gln
		515					520					525			
Ile	Thr	Gln	Ser	Pro	Ser	Tyr	Leu	Ala	Ala	Ser	Pro	Gly	Glu	Thr	Ile
	530					535					540				
Thr	Ile	Asn	Cys	Arg	Ala	Ser	Lys	Ser	Ile	Ser	Lys	Asp	Leu	Ala	Trp
545					550					555					560
Tyr	Gln	Glu	Lys	Pro	Gly	Lys	Thr	Asn	Lys	Leu	Leu	Ile	Tyr	Ser	Gly
				565					570					575	
Ser	Thr	Leu	Gln	Ser	Gly	Ile	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser
			580					585					590		
Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Glu	Pro	Glu	Asp	Phe
		595					600					605			
Ala	Met	Tyr	Tyr	Cys	Gln	Gln	His	Asn	Lys	Tyr	Pro	Tyr	Thr	Phe	Gly
	610					615					620				
Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly
625					630					635					640
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala
				645					650					655	
Glu	Leu	Val	Arg	Pro	Gly	Ala	Ser	Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser
			660					665					670		
Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Trp	Met	Asn	Trp	Val	Lys	Gln	Arg	Pro
		675					680					685			
Asp	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Arg	Ile	Asp	Pro	Tyr	Asp	Ser	Glu
	690					695					700				
Thr	His	Tyr	Asn	Gln	Lys	Phe	Lys	Asp	Lys	Ala	Ile	Leu	Thr	Val	Asp
705					710					715					720
Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu
				725					730					735	
Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Trp	Asp	Asp	Tyr	Trp
			740					745					750		
Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro
		755					760					765			
Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu
	770					775					780				
Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg
785					790					795					800
Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly
				805					810					815	
Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg

-continued

820					825					830					
Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro
	835						840					845			
Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro
	850					855					860				
Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala
865					870					875					880
Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu
				885					890					895	
Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly
			900					905					910		
Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln
	915						920					925			
Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr
930					935						940				
Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp
945					950					955					960
Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala
			965						970					975	
Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Glu	Gly	Arg	Gly
		980						985					990		
Ser	Leu	Leu	Thr	Cys	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Glu
	995						1000					1005			
Tyr	Ala	Ser	Asp	Ala	Ser	Leu	Asp	Pro	Glu	Ala	Pro	Trp	Pro	Pro	
1010						1015					1020				
Ala	Pro	Arg	Ala	Arg	Ala	Cys	Arg	Val	Leu	Pro	Trp	Ala	Leu	Val	
1025						1030					1035				
Ala	Gly	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Ala	Ala	Ala	Cys	Ala	Val	
1040						1045					1050				
Phe	Leu	Ala	Cys	Pro	Trp	Ala	Val	Ser	Gly	Ala	Arg	Ala	Ser	Pro	
1055						1060					1065				
Gly	Ser	Ala	Ala	Ser	Pro	Arg	Leu	Arg	Glu	Gly	Pro	Glu	Leu	Ser	
1070						1075					1080				
Pro	Asp	Asp	Pro	Ala	Gly	Leu	Leu	Asp	Leu	Arg	Gln	Gly	Met	Phe	
1085						1090					1095				
Ala	Gln	Leu	Val	Ala	Gln	Asn	Val	Leu	Leu	Ile	Asp	Gly	Pro	Leu	
1100						1105					1110				
Ser	Trp	Tyr	Ser	Asp	Pro	Gly	Leu	Ala	Gly	Val	Ser	Leu	Thr	Gly	
1115						1120					1125				
Gly	Leu	Ser	Tyr	Lys	Glu	Asp	Thr	Lys	Glu	Leu	Val	Val	Ala	Lys	
1130						1135					1140				
Ala	Gly	Val	Tyr	Tyr	Val	Phe	Phe	Gln	Leu	Glu	Leu	Arg	Arg	Val	
1145						1150					1155				
Val	Ala	Gly	Glu	Gly	Ser	Gly	Ser	Val	Ser	Leu	Ala	Leu	His	Leu	
1160						1165					1170				
Gln	Pro	Leu	Arg	Ser	Ala	Ala	Gly	Ala	Ala	Ala	Leu	Ala	Leu	Thr	
1175						1180					1185				
Val	Asp	Leu	Pro	Pro	Ala	Ser	Ser	Glu	Ala	Arg	Asn	Ser	Ala	Phe	
1190						1195					1200				
Gly	Phe	Gln	Gly	Arg	Leu	Leu	His	Leu	Ser	Ala	Gly	Gln	Arg	Leu	
1205						1210					1215				

-continued

Gly Val	His Leu His Thr Glu	Ala Arg Ala Arg His	Ala Trp Gln
1220	1225	1230	
Leu Thr	Gln Gly Ala Thr Val	Leu Gly Leu Phe Arg	Val Thr Pro
1235	1240	1245	
Glu Ile	Pro Ala Gly Leu Pro	Ser Pro Arg Ser Glu	
1250	1255	1260	

<210> SEQ ID NO 39

<211> LENGTH: 3856

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 39

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc gcagatcggtg ctgaccacaga gcccgcctat catgagcgcc agcccggcgg      120
agaaggtgac catcacctgc agcgccagca gcagcatcag ctacatgcac tggttccagc      180
agaagcccgg caccagcccc aagctgtgga tctacaccac cagcaacctg gccagcggcg      240
tgcccgccag attcagcggc agcggcagcg gcaccageta cagcctgacc atcagcagaa      300
tggaggccga ggacgcccgc acctactact gccaccagag aagcacctac cccctgacct      360
tcggcagcgg caccaagctg gagctgaagg gagggggggg atccggggga ggaggctccg      420
gcgaggcgcg aagccagggtg cagctgcagc agagcggcgc cgagctggcc aagccggcgg      480
ccagcgtgaa gatgagctgc aaggccagcg gctacacctt caccagctac agaatgcaact      540
gggtgaagca gagacccggc cagggcctgg agtggatcgg ctacatcaac cccagcaccg      600
gctacaccga gtacaaccag aagttcaagg acaaggccac cctgaccgcc gacaagagca      660
gcagcaccgc ctacatgcag ctgagcagcc tgaccttcga ggacagcgcc gtgtactact      720
gcgcagaggg cggcgggcgtg ttcgactact ggggccaggg caccacctg accgtgagca      780
gcaccacgac gccagcgccg cgaccaccaa caccggcgcc caccatcgcg tcgcagcccc      840
tgtccctgcg cccagaggcg tgccggccag cggcgggggg cgagtgcaac acgagggggc      900
tggacttcgc ctgtgatatc tacatctggg cgcccttggc cgggacttgt ggggtccttc      960
tcctgtcact ggttatcacc ctttactgca aacggggcag aaagaaactc ctgtatatat      1020
tcaaaacaacc atttatgaga ccagtacaaa ctactcaaga ggaagatggc tgtagctgcc      1080
gatttccaga agaagaagaa ggaggatgtg aactgagagt gaagttcagc aggagcgag      1140
acgcccccgc gtaccagcag ggccagaacc agctctataa cgagctcaat ctaggacgaa      1200
gagaggagta cgatgttttg gacaagagac gtggccggga ccctgagatg gggggaaagc      1260
cgcagagaag gaagaacctt caggaaggcc tgtacaatga actgcagaaa gataagatgg      1320
cggaggccta cagtgaattt gggatgaaag gcgagcgccg gaggggcaag gggcacgatg      1380
gcctttacca gggctctcagt acagccacca aggacacctc cgacgccctt cacatgcagg      1440
ccctgcccc cgcgggaagc ggagctacta acttcagcct gctgaagcag gctggagacg      1500
tggaggagaa ccctggacct atggccttac cagtgaaccg cttgctcctg ccgctggcct      1560
tgctgctcca cgccgccagg ccggacgtgc agatcaccca gagccccagc tacctggccg      1620
ccagccccgg cgagaccatc accatcaact gcagagccag caagagcatc agcaaggacc      1680

```

-continued

tggcctggta	ccaggagaag	cccggcaaga	ccaacaagct	gctgatctac	agcggcagca	1740
ccctgcagag	cggcatcccc	agcagattca	gcggcagcgg	cagcggcacc	gacttcaccc	1800
tgaccatcag	cagcctggag	cccaggagct	tcgccatgta	ctactgccag	cagcacaaca	1860
agtacccta	caccttcggc	ggcggcacca	agctggagat	caaggaggag	gggggatccg	1920
ggggaggagg	ctccggcgga	ggcggaagcc	aggtgcagct	gcagcagccc	ggcgccgagc	1980
tggtgagacc	cggcgccagc	gtgaagctga	gctgcaaggc	cagcggctac	accttcacca	2040
gctactggat	gaactgggtg	aagcagagac	ccgaccaggg	cctggagtgg	atcggcagaa	2100
tcgaccccta	cgacagcgag	accactaca	accagaagtt	caaggacaag	gccatcctga	2160
ccgtggacaa	gagcagcagc	accgcctaca	tcgagctgag	cagcctgacc	agcaggagaca	2220
gcgccgtgta	ctactgcgcc	agaggcaact	gggacgacta	ctggggccag	ggcaccaccc	2280
tgaccgtgag	cagcaccacg	acgccagcgc	cgcgaccacc	aacaccggcg	cccaccatcg	2340
cgtgcagacc	cctgtccctg	cgcacagagg	cgtgccggcc	agcggcgggg	ggcgagtgcc	2400
acacgagggg	gctggacttc	gcctgtgata	tctacatctg	ggcgcccttg	gccgggactt	2460
gtggggctct	tctcctgtca	ctggttatca	ccctttactg	caggagtaag	aggagcaggc	2520
tccctgcacag	tgactacatg	aacatgactc	ccgcgcggcc	cggggcccacc	cgcaagcatt	2580
accagcccta	tgccccacca	cgcgacttcg	cagcctatcg	ctccagagtg	aagttcagca	2640
ggagcgcaga	cgcccccgcg	taccagcagg	gccagaacca	gctctataac	gagctcaatc	2700
taggacgaag	agaggagtac	gatgttttgg	acaagagacg	tggccgggac	cctgagatgg	2760
ggggaaagcc	gcagagaagg	aagaaccctc	aggaaggcct	gtacaatgaa	ctgcagaaag	2820
ataagatggc	ggaggcctac	agtgcagattg	ggatgaaagg	cgagcgccgg	aggggcaagg	2880
ggcacgatgg	cctttaccag	ggtctcagta	cagccaccaa	ggacacctac	gacgccttc	2940
acatgcaggc	cctgccccct	cgcggcagcg	gcgaaggccg	cggcagcctg	ctgacctgcg	3000
gcgatgtgga	agaaaacccg	ggccccatgt	acagaatgca	gctgctgagc	tgcatcgccc	3060
tgagcctggc	cctggtgacc	aacagcggca	tccacgtgtt	catcctgggc	tgettccagcg	3120
ccggcctgcc	caagaccgag	gccaaactggg	tgaacgtgat	cagcgacctg	aagaagatcg	3180
aggacctgat	ccagagcatg	cacatcgacg	ccacctgta	caccgagagc	gacgtgcacc	3240
ccagctgcaa	ggtagaccgc	atgaagtgtc	tccctgctgga	gctgcagggtg	atcagcctgg	3300
agagcggcga	cgcacgcatc	cacgacaccg	tggagaacct	gatcatcctg	gccaacaaca	3360
gcctgagcag	caacggcaac	gtgaccgaga	gcggctgcaa	ggagtgcgag	gagctggagg	3420
agaagaacat	caaggagttc	ctgcagagct	tcgtgcacat	cgtgcagatg	ttcatcaaca	3480
ccagctccgg	cggcggtctc	ggcggcgggc	gctccggcgg	cggcggtctc	ggcggcgggc	3540
gctccggcgg	cggctccctg	caggccccca	gaagagccag	aggctgcaga	accctggggc	3600
tgcccgccct	gctgctgctg	ctgctgctga	gacccccgc	caccagaggc	atcacctgcc	3660
cccccccat	gagcgtggag	cacgcgcaca	tctgggtgaa	gagctacagc	ctgtacagca	3720
gagagagata	catctgcaac	agcggcttca	agagaaaggc	cggcaccagc	agcctgaccg	3780
agtgcgtgct	gaacaaggcc	accaacgtgg	cccactggac	cacccccagc	ctgaagtgca	3840
tcagataagt	ttaaac					3856

-continued

```

<211> LENGTH: 1279
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 40

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15

His Ala Ala Arg Pro Gln Ile Val Leu Thr Gln Ser Pro Ala Ile Met
      20      25      30

Ser Ala Ser Pro Gly Glu Lys Val Thr Ile Thr Cys Ser Ala Ser Ser
      35      40      45

Ser Ile Ser Tyr Met His Trp Phe Gln Gln Lys Pro Gly Thr Ser Pro
50      55      60

Lys Leu Trp Ile Tyr Thr Thr Ser Asn Leu Ala Ser Gly Val Pro Ala
65      70      75      80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser
      85      90      95

Arg Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys His Gln Arg Ser
      100     105     110

Thr Tyr Pro Leu Thr Phe Gly Ser Gly Thr Lys Leu Glu Leu Lys Gly
115     120     125

Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln Val
130     135     140

Gln Leu Gln Gln Ser Gly Ala Glu Leu Ala Lys Pro Gly Ala Ser Val
145     150     155     160

Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Arg Met
      165     170     175

His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile Gly Tyr
180     185     190

Ile Asn Pro Ser Thr Gly Tyr Thr Glu Tyr Asn Gln Lys Phe Lys Asp
195     200     205

Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln
210     215     220

Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Tyr Cys Ala Arg
225     230     235     240

Gly Gly Gly Val Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val
      245     250     255

Ser Ser Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr
260     265     270

Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala
275     280     285

Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile
290     295     300

Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser
305     310     315     320

Leu Val Ile Thr Leu Tyr Cys Lys Arg Gly Arg Lys Lys Leu Leu Tyr
      325     330     335

Ile Phe Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu
      340     345     350

Asp Gly Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu Gly Gly Cys Glu
      355     360     365

```

-continued

Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln
370						375					380				
Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu
385					390					395				400	
Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu
			420					425					430		
Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly
		435					440					445			
Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser
450						455					460				
Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro
465					470					475				480	
Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly
				485					490					495	
Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu
			500					505					510		
Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Val	Gln
		515					520					525			
Ile	Thr	Gln	Ser	Pro	Ser	Tyr	Leu	Ala	Ala	Ser	Pro	Gly	Glu	Thr	Ile
530						535					540				
Thr	Ile	Asn	Cys	Arg	Ala	Ser	Lys	Ser	Ile	Ser	Lys	Asp	Leu	Ala	Trp
545					550					555				560	
Tyr	Gln	Glu	Lys	Pro	Gly	Lys	Thr	Asn	Lys	Leu	Leu	Ile	Tyr	Ser	Gly
				565					570					575	
Ser	Thr	Leu	Gln	Ser	Gly	Ile	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser
			580					585					590		
Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Glu	Pro	Glu	Asp	Phe
		595					600					605			
Ala	Met	Tyr	Tyr	Cys	Gln	Gln	His	Asn	Lys	Tyr	Pro	Tyr	Thr	Phe	Gly
610						615					620				
Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly
625					630					635				640	
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala
				645					650					655	
Glu	Leu	Val	Arg	Pro	Gly	Ala	Ser	Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser
			660					665					670		
Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Trp	Met	Asn	Trp	Val	Lys	Gln	Arg	Pro
		675					680					685			
Asp	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Arg	Ile	Asp	Pro	Tyr	Asp	Ser	Glu
690						695					700				
Thr	His	Tyr	Asn	Gln	Lys	Phe	Lys	Asp	Lys	Ala	Ile	Leu	Thr	Val	Asp
705					710					715				720	
Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu
				725					730					735	
Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Trp	Asp	Asp	Tyr	Trp
			740					745					750		
Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro
			755				760						765		

Arg 770	Pro	Thr	Pro	Ala	Pro 775	Thr	Ile	Ala	Ser	Gln 780	Pro	Leu	Ser	Leu
Arg 785	Pro	Glu	Ala	Cys 790	Arg	Pro	Ala	Ala	Gly	Gly 795	Ala	Val	His	Thr 800
Gly	Leu	Asp	Phe 805	Ala	Cys	Asp	Ile	Tyr	Ile 810	Trp	Ala	Pro	Leu	Ala 815
Thr	Cys	Gly	Val 820	Leu	Leu	Leu	Ser	Leu	Val 825	Ile	Thr	Leu	Tyr 830	Cys 835
Ser	Lys 835	Arg	Ser	Arg	Leu	Leu	His 840	Ser	Asp	Tyr	Met 845	Asn	Met	Thr 850
Arg 850	Arg	Pro	Gly	Pro	Thr	Arg 855	Lys	His	Tyr	Gln 860	Pro	Tyr	Ala	Pro 865
Arg 865	Asp	Phe	Ala	Ala	Tyr 870	Arg	Ser	Arg	Val	Lys 875	Phe	Ser	Arg	Ser 880
Asp	Ala	Pro	Ala	Tyr 885	Gln	Gln	Gly	Gln	Asn 890	Gln	Leu	Tyr	Asn	Glu 895
Asn	Leu	Gly	Arg 900	Arg	Glu	Glu	Tyr	Asp 905	Val	Leu	Asp	Lys	Arg 910	Arg 915
Arg	Asp 915	Pro	Glu	Met	Gly	Gly	Lys 920	Pro	Gln	Arg	Arg	Lys 925	Asn	Pro 930
Glu 930	Gly	Leu	Tyr	Asn	Glu	Leu 935	Gln	Lys	Asp	Lys 940	Met	Ala	Glu	Ala 945
Ser 945	Glu	Ile	Gly	Met 950	Lys	Gly	Glu	Arg	Arg	Arg 955	Gly	Lys	Gly	His 960
Gly	Leu	Tyr	Gln 965	Gly	Leu	Ser	Thr	Ala	Thr 970	Lys	Asp	Thr	Tyr 975	Asp 980
Leu	His	Met	Gln 980	Ala	Leu	Pro	Pro	Arg 985	Gly	Ser	Gly	Glu	Gly 990	Arg 995
Ser	Leu 995	Leu	Thr	Cys	Gly	Asp	Val 1000	Glu	Glu	Asn	Pro	Gly 1005	Pro	Met 1010
Arg	Met 1010	Gln	Leu	Leu	Ser	Cys 1015	Ile	Ala	Leu	Ser	Leu 1020	Ala	Leu	Val 1025
Thr 1025	Asn	Ser	Gly	Ile	His	Val 1030	Phe	Ile	Leu	Gly	Cys 1035	Phe	Ser	Ala 1040
Gly 1040	Leu	Pro	Lys	Thr	Glu	Ala 1045	Asn	Trp	Val	Asn	Val 1050	Ile	Ser	Asp 1055
Leu 1055	Lys	Lys	Ile	Glu	Asp	Leu 1060	Ile	Gln	Ser	Met	His 1065	Ile	Asp	Ala 1070
Thr 1070	Leu	Tyr	Thr	Glu	Ser	Asp 1075	Val	His	Pro	Ser	Cys 1080	Lys	Val	Thr 1085
Ala 1085	Met	Lys	Cys	Phe	Leu	Leu 1090	Glu	Leu	Gln	Val	Ile 1095	Ser	Leu	Glu 1100
Ser 1100	Gly	Asp	Ala	Ser	Ile	His 1105	Asp	Thr	Val	Glu	Asn 1110	Leu	Ile	Ile 1115
Leu 1115	Ala	Asn	Asn	Ser	Leu	Ser 1120	Ser	Asn	Gly	Asn	Val 1125	Thr	Glu	Ser 1130
Gly 1130	Cys	Lys	Glu	Cys	Glu	Glu 1135	Leu	Glu	Glu	Lys	Asn 1140	Ile	Lys	Glu 1145
Phe 1145	Leu	Gln	Ser	Phe	Val	His 1150	Ile	Val	Gln	Met	Phe 1155	Ile	Asn	Thr 1160
Ser	Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly

-continued

1160	1165	1170
Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser Leu Gln Ala Pro Arg		
1175	1180	1185
Arg Ala Arg Gly Cys Arg Thr Leu Gly Leu Pro Ala Leu Leu Leu		
1190	1195	1200
Leu Leu Leu Leu Arg Pro Pro Ala Thr Arg Gly Ile Thr Cys Pro		
1205	1210	1215
Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val Lys Ser Tyr		
1220	1225	1230
Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly Phe Lys		
1235	1240	1245
Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn Lys		
1250	1255	1260
Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile		
1265	1270	1275

Arg

<210> SEQ ID NO 41

<211> LENGTH: 2314

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 41

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcgtg ctgaccacaga gcccgcagcag cctggccgtg agcctgggcc      120
agagggccac catcagctgc agggccagca agagcgtgag caccagcggc tacagctacc      180
tgcaactgga ccagcagaag ccgggccagc cccccaagct gctgatctac ctggccagca      240
acctggagag cggcgtgccc gccaggttca gcggcagcgg cagcggcacc gacttcaccc      300
tgaacatcca ccccgaggag gaggaggacg ccgccaccta ctactgccag cacagcaggg      360
agctgccctt caccttcggc agcggcacca agctggagat caagggaggg gggggatccg      420
ggggaggagg ctcggcgga ggcggaagcc aggtgcagct ggtggagagc ggcggcggcc      480
tggtgcagcc cggcggcagc ctgaagctga gctgcgccgc cagcggcttc gacttcagca      540
ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga      600
tcaacccac cagcagcacc atcaacttca ccccgagcct gaaggacaag gtgttcatca      660
gcagggacaa cgccaagaac accctgtacc tgcagatgag caaggtgagg agcaggagaca      720
ccgcctgta ctactgcgcc aggggcaact actacagta cggcgacgcc atggactact      780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcgccgga ccaccaacac      840
cggcgccac catcgctcg cagcccctgt cctgcgccc agaggcgtgc cggccagcgg      900
cggggggcgc agtgcacacg agggggctgg acttcgcctg tgatatctac atctgggcgc      960
ccttggccgg gacttgtggg gtccttctcc tgtcactggt tatcacctt tactgcagga     1020
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cggccgggc      1080
ccaccgcaa gcattaccag cccatgccc caccacgga cttcgagcc tatcgtcca      1140
gagtgaagtt cagcaggagc gcagacgcc ccgcgtacca gcagggccag aaccagctct      1200
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc      1260

```

-continued

```

gggaccctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggctgtaca 1320
atgaactgca gaaagataag atggcggagg cctacagtga gattgggatg aaaggcgagc 1380
gccggagggg caaggggcac gatggccttt accaggggtct cagtacagcc accaaggaca 1440
cctacgacgc ccttcacatg caggccctgc ccctcgcgg cagcggcgaa ggccgcgga 1500
gcctgctgac ctgcggcgat gtggaagaaa acccggggcc catggaatac gcctctgacg 1560
cttacttga cccgaagcc ccgtggcctc ccgcgccccg cgctcgcgc tgccgcgtac 1620
tgcttgggc cctggtcgcg gggctgctgc tgctgctgct gctcgtgccc gcctgcgccc 1680
tcttctctgc ctgcccctgg gccgtgtccg gggctcgcgc ctgcgccggc tccgcggcca 1740
gcccagagact ccgcgagggg cccgagcttt cgcccagca tcccgcggc ctcttgacc 1800
tgccgcaggg catgtttgcg cagctgggtg cccaaaatgt tctgctgac gatgggcccc 1860
tgagctggta cagtaccca ggctggcag gcgtgtccct gacggggggc ctgagctaca 1920
aagaggacac gaaggagctg gtggtggcca aggctggagt ctactatgtc ttctttcaac 1980
tagagctgcg gcgcgtggtg gccggcgagg gctcaggctc cgtttcactt gcgctgcacc 2040
tgcagccact gcgctctgct gctggggcgc ccgccctggc tttgaccgtg gacctgccac 2100
ccgcctctc cgaggctcgg aactcggcct tcggtttcca gggccgcttg ctgcacctga 2160
gtgcgggcca gcgcctgggc gtccatcttc aactgaggc cagggcacgc catgcctggc 2220
agcttaccga gggcgccaca gtcttgggac tcttcgggt gaccccgaa atcccagccg 2280
gactcccttc accgaggtcg gaataagttt aaac 2314

```

<210> SEQ ID NO 42

<211> LENGTH: 765

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 42

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu
1      5      10      15
His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
20     25     30
Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
35     40     45
Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
50     55     60
Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu
65     70     75     80
Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
85     90     95
Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr
100    105    110
Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys
115    120    125
Leu Glu Ile Lys Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
130    135    140
Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
145    150    155    160

```


-continued

Pro	Gly	Gly	Ser	Leu	Lys	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Asp	Phe	
				165					170					175		
Ser	Arg	Tyr	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	
			180					185					190			
Glu	Trp	Ile	Gly	Glu	Ile	Asn	Pro	Thr	Ser	Ser	Thr	Ile	Asn	Phe	Thr	
		195					200					205				
Pro	Ser	Leu	Lys	Asp	Lys	Val	Phe	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	
	210					215					220					
Thr	Leu	Tyr	Leu	Gln	Met	Ser	Lys	Val	Arg	Ser	Glu	Asp	Thr	Ala	Leu	
225					230					235					240	
Tyr	Tyr	Cys	Ala	Arg	Gly	Asn	Tyr	Tyr	Arg	Tyr	Gly	Asp	Ala	Met	Asp	
			245						250					255		
Tyr	Trp	Gly	Gln	Gly	Thr	Ser	Val	Thr	Val	Ser	Thr	Thr	Thr	Pro	Ala	
		260						265						270		
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	
	275					280						285				
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	
	290					295					300					
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	
305					310					315					320	
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	
			325						330					335		
Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	
		340						345					350			
Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	
	355					360					365					
Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	
	370					375				380						
Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	
385				390						395					400	
Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	
		405						410					415			
Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	
	420							425					430			
Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	
	435					440						445				
Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	
	450				455						460					
Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	
465				470						475					480	
Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Glu	Gly	Arg	
		485							490					495		
Gly	Ser	Leu	Leu	Thr	Cys	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	
		500						505					510			
Glu	Tyr	Ala	Ser	Asp	Ala	Ser	Leu	Asp	Pro	Glu	Ala	Pro	Trp	Pro	Pro	
	515						520					525				
Ala	Pro	Arg	Ala	Arg	Ala	Cys	Arg	Val	Leu	Pro	Trp	Ala	Leu	Val	Ala	
530					535						540					
Gly	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Ala	Ala	Ala	Cys	Ala	Val	Phe	Leu	
545				550						555					560	

-continued

Ala Cys Pro Trp Ala Val Ser Gly Ala Arg Ala Ser Pro Gly Ser Ala
565 570 575

Ala Ser Pro Arg Leu Arg Glu Gly Pro Glu Leu Ser Pro Asp Asp Pro
580 585 590

Ala Gly Leu Leu Asp Leu Arg Gln Gly Met Phe Ala Gln Leu Val Ala
595 600 605

Gln Asn Val Leu Leu Ile Asp Gly Pro Leu Ser Trp Tyr Ser Asp Pro
610 615 620

Gly Leu Ala Gly Val Ser Leu Thr Gly Gly Leu Ser Tyr Lys Glu Asp
625 630 635 640

Thr Lys Glu Leu Val Val Ala Lys Ala Gly Val Tyr Tyr Val Phe Phe
645 650 655

Gln Leu Glu Leu Arg Arg Val Val Ala Gly Glu Gly Ser Gly Ser Val
660 665 670

Ser Leu Ala Leu His Leu Gln Pro Leu Arg Ser Ala Ala Gly Ala Ala
675 680 685

Ala Leu Ala Leu Thr Val Asp Leu Pro Pro Ala Ser Ser Glu Ala Arg
690 695 700

Asn Ser Ala Phe Gly Phe Gln Gly Arg Leu Leu His Leu Ser Ala Gly
705 710 715 720

Gln Arg Leu Gly Val His Leu His Thr Glu Ala Arg Ala Arg His Ala
725 730 735

Trp Gln Leu Thr Gln Gly Ala Thr Val Leu Gly Leu Phe Arg Val Thr
740 745 750

Pro Glu Ile Pro Ala Gly Leu Pro Ser Pro Arg Ser Glu
755 760 765

<210> SEQ ID NO 43

<211> LENGTH: 2371

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 43

```

gcgatcgcat ggccttacca gtgaccgcct tgetcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcggtg ctgaccacaga gccccgccag cctggccgtg agcctgggcc      120
agaggggcac catcagctgc agggccagca agagcgtgag caccagcggc tacagctacc      180
tgcaactggtta ccagcagaag cccggccagc cccccaagct gctgatctac ctggccagca      240
acctggagag cggcgtgccc gccaggttca gcggcagcgg cagcggcacc gacttcaccc      300
tgaacatcca ccccgtaggag gaggaggacg ccggccaccta ctactgccag cacagcaggg      360
agctgccctt caccttcggc agcggcacca agctggagat caagggaggg gggggatccg      420
ggggaggagg ctccggcgga ggcggaagcc aggtgcagct ggtggagagc ggcggcggcc      480
tggtgcagcc cggcggcagc ctgaagctga gctgcgcgc cagcgggttc gacttcagca      540
ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga      600
tcaacccac cagcagcacc atcaacttca cccccagcct gaaggacaag gtgttcatca      660
gcagggacaa cgccaagaac acctgttacc tgcagatgag caaggtgagg agcaggagaca      720
ccgccctgta ctactgcgc aggggcaact actacaggta cggcgacgcc atggactact      780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcgcgcgca ccaccaaacac      840

```

-continued

```

cggcgcccac catcgcgctcg cagcccctgt ccttgcgccc agaggcggtgc cggccagcgg 900
cgggggggcgc agtgcacacg agggggctgg acttcgctg tgatatctac atctggggcgc 960
ccttgggcgg gacttgtggg gtctctctcc tgtcactggt tatcacctt tactgcagga 1020
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cgcgccgggc 1080
ccaccgcgaa gcattaccag ccctatgcc caccacgcga cttcgcagcc tategtcca 1140
gagtgaagtt cagcaggagc gcagacgcc ccgcgtacca gcagggccag aaccagctct 1200
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc 1260
gggacctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggctgtaca 1320
atgaactgca gaaagataag atggcgagg cctacagtga gattgggatg aaaggcgagc 1380
gccggagggg caaggggcac gatggcctt accagggtct cagtacgcc accaaggaca 1440
cctacgagc ccttcacatg caggccctgc ccctcgcg cagcggcgaa ggccgcggca 1500
gcctgctgac ctgcgggat gtggaagaaa acccgggccc catgtacaga atgcagctgc 1560
tgagctgcat cgccctgagc ctggccctgg tgaccaacag cggcatccac gtgttcatcc 1620
tgggctgctt cagcgccggc ctgccaaga ccgaggccaa ctgggtgaac gtgatcagcg 1680
acctgaagaa gatcgaggac ctgatccaga gcatgcacat cgacgccacc ctgtacaccg 1740
agagcgacgt gcacccagc tgcaaggatga ccgccatgaa gtgttcctg ctggagctgc 1800
aggtgatcag cctggagagc ggcgacgcca gcatccacga caccgtggag aacctgatca 1860
tcctggccaa caacagcctg agcagcaacg gcaacgtgac cgagagcggc tgcaaggagt 1920
gcgaggagct ggaggagaag aacatcaagg agttcctgca gagcttcgtg cacatcgtgc 1980
agatgttcat caacaccagc tccggcggcg gctccggcgg cggcggctcc ggcggcggcg 2040
gctccggcgg cggcggctcc ggcggcggct ccttcgagc cccagaaga gccagaggct 2100
gcagaacctt gggcctgcc gccctgctgc tgetgctgct gctgagacc cccgccacca 2160
gaggcatcac ctgccccccc cccatgagcg tggagcacgc cgacatctgg gtgaagagct 2220
acagcctgta cagcagagag agatacatct gcaacagcgg cttaagaga aaggccggca 2280
ccagcagcct gaccgagtgc gtgctgaaca aggccaccaa cgtggccac tggaccacc 2340
ccagcctgaa gtgcatcaga taagttaaa c 2371

```

<210> SEQ ID NO 44

<211> LENGTH: 784

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 44

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu
1           5           10          15

```

```

His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
20          25          30

```

```

Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
35          40          45

```

```

Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
50          55          60

```

```

Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu

```

-continued

65	70	75	80
Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe	85	90	95
Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr	100	105	110
Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys	115	120	125
Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly	130	135	140
Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln	145	150	155
Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe	165	170	175
Ser Arg Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu	180	185	190
Glu Trp Ile Gly Glu Ile Asn Pro Thr Ser Ser Thr Ile Asn Phe Thr	195	200	205
Pro Ser Leu Lys Asp Lys Val Phe Ile Ser Arg Asp Asn Ala Lys Asn	210	215	220
Thr Leu Tyr Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu	225	230	235
Tyr Tyr Cys Ala Arg Gly Asn Tyr Tyr Arg Tyr Gly Asp Ala Met Asp	245	250	255
Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Thr Thr Thr Pro Ala	260	265	270
Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser	275	280	285
Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr	290	295	300
Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala	305	310	315
Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys	325	330	335
Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr	340	345	350
Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro	355	360	365
Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg Ser	370	375	380
Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu	385	390	395
Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg	405	410	415
Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro	420	425	430
Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala	435	440	445
Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His	450	455	460
Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp	465	470	475
			480

-continued

Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser Gly Glu Gly Arg
485 490 495

Gly Ser Leu Leu Thr Cys Gly Asp Val Glu Glu Asn Pro Gly Pro Met
500 505 510

Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu Val
515 520 525

Thr Asn Ser Gly Ile His Val Phe Ile Leu Gly Cys Phe Ser Ala Gly
530 535 540

Leu Pro Lys Thr Glu Ala Asn Trp Val Asn Val Ile Ser Asp Leu Lys
545 550 555 560

Lys Ile Glu Asp Leu Ile Gln Ser Met His Ile Asp Ala Thr Leu Tyr
565 570 575

Thr Glu Ser Asp Val His Pro Ser Cys Lys Val Thr Ala Met Lys Cys
580 585 590

Phe Leu Leu Glu Leu Gln Val Ile Ser Leu Glu Ser Gly Asp Ala Ser
595 600 605

Ile His Asp Thr Val Glu Asn Leu Ile Ile Leu Ala Asn Asn Ser Leu
610 615 620

Ser Ser Asn Gly Asn Val Thr Glu Ser Gly Cys Lys Glu Cys Glu Glu
625 630 635 640

Leu Glu Glu Lys Asn Ile Lys Glu Phe Leu Gln Ser Phe Val His Ile
645 650 655

Val Gln Met Phe Ile Asn Thr Ser Ser Gly Gly Gly Ser Gly Gly Gly
660 665 670

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser
675 680 685

Leu Gln Ala Pro Arg Arg Ala Arg Gly Cys Arg Thr Leu Gly Leu Pro
690 695 700

Ala Leu Leu Leu Leu Leu Leu Arg Pro Pro Ala Thr Arg Gly Ile
705 710 715 720

Thr Cys Pro Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val Lys
725 730 735

Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly Phe
740 745 750

Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn Lys
755 760 765

Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile Arg
770 775 780

<210> SEQ ID NO 45

<211> LENGTH: 2369

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 45

```

atggccttac cagtaccgc cttgctctg ccgctggcct tgetgctcca cgccgccagg    60
ccggatgtgg tgatgaccca gagccatcgc ttatgagca ccagcgtggg cgaccgagtg    120
agcattacct gccgcgcgag ccaggatgtg aacaccgcgg tgagctggta tcagcagaaa    180
ccgggccaga gcccgaaact gctgattttt agcgcgagct atcgctatac cgccgtgccg    240

```

-continued

gatcgcttta cggcgagcgg cagcggcgcg gattttaccc tgaccattag cagcgtgcag	300
gcggaagatc tggcgggtga ttattgccag cagcattata gcaccccgctg gacctttggc	360
ggcggcacca aactggacat taaaggaggg gggggatccg ggggaggagg ctccggcgga	420
ggcggaagcc agattcagct ggtgcagagc ggcccggatc tgaaaaaac gggcgaaacc	480
gtgaaactga gctgcaaagc gagcggctat acctttacca actttggcat gaactgggtg	540
aaacaggcgc cgggcaaagg ctttaaatgg atggcgtgga ttaacaccac ccgctatacc	600
ggcgaaagct attttgcgga tgattttaa ggcgcgttg cgtttagcgt ggaaaccagc	660
gcgaccaccg cgtatctgca gattaacaac ctgaaaaccg aagataccgc gacctathtt	720
tgcgcgcgcg gcgaaattta ttatggctat gatggcggtt ttgcgtattg gggccagggc	780
accctggtga ccgtgagcgc gaccacgacg ccagcgccgc gaccaccaac accggcgccc	840
accatcgctg cgcagccctt gtcctgcgc ccagaggcgt gccggccagc ggcggggggc	900
gcagtgcaca cgagggggct ggacttcgcc tgtgatctt acatctgggc gcccttggcc	960
gggacttggt gggctcttct cctgtcactg gttatcacc tttactgcaa acggggcaga	1020
aagaaactcc tgtatatatt caaacaacca tttatgagac cagtacaaac tactcaagag	1080
gaagatggct gtactgtccg atttcagaa gaagaagaag gaggatgtga actgagagt	1140
aagttcagca ggagcgcaga cgcgcccgcg taccagcagg gccagaacca gctctataac	1200
gagctcaatc taggacgaag agaggagtac gatgttttg acaagagacg tggccgggac	1260
cctgagatgg ggggaaagcc gcagagaagg aagaaccctc aggaaggcct gtacaatgaa	1320
ctgcagaaag ataagatggc ggaggcctac agtgagattg ggatgaaagg cgagcgcccg	1380
aggggcaagg ggcacgatgg cctttaccag ggtctcagta cagccacca ggacacctac	1440
gacgcccctc acatgcaggc cctgccccct cgcggaagcg gagccacca cttcagcctg	1500
ctgaagcagg ccggcgacgt ggaggagaa cccggcccca tgtacagaat gcagctgctg	1560
agctgcatcg ccctgagcct ggccctggtg accaacagcg gcacccacgt gttcatcctg	1620
ggctgcttca gcgcgggctt gcccagacc gaggccaaact ggggtgaacgt gatcagcgac	1680
ctgaagaaga tcgaggacct gatccagagc atgcacatcg acgcccctt gtacaccgag	1740
agcgactgac accccagctg caaggtgacc gccatgaagt gcttctgctt ggagctgcag	1800
gtgatcagcc tggagagcgg cgacgcccgc atccacgaca ccgtggagaa cctgatcctc	1860
ctggccaaca acagcctgag cagcaacggc aacgtgaccg agagcggtg caaggagtgc	1920
gaggagctgg aggagaagaa catcaaggag ttctctgcaga gcttcgtgca catcgtgcag	1980
atgttcatca acaccagctc cggcgggcgc tccggcgcg gcggctccgg cggcgggcgc	2040
tccggcgcg gcggctccgg cggcggtccc ctgcaggccc ccagaagagc cagagctgc	2100
agaaccctgg gcctgcccgc cctgctgctg ctgctgctgc tgagaccccc cgccaccaga	2160
ggcatcacct gccccccccc catgagcgtg gagcacgccc acatctgggt gaagagctac	2220
agcctgtaca gcagagagag atacatctgc aacagcggct tcaagagaaa ggccggcacc	2280
agcagcctga ccgagtgcgt gctgaacaag gccaccaacg tggcccaactg gaccaccccc	2340
agcctgaagt gcacagata agtttaaac	2369

<210> SEQ ID NO 46

<211> LENGTH: 786

<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 46

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1 5 10 15

His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
20 25 30

Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
35 40 45

Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
50 55 60

Pro Lys Leu Leu Ile Phe Ser Ala Ser Tyr Arg Tyr Thr Gly Val Pro
65 70 75 80

Asp Arg Phe Thr Gly Ser Gly Ser Gly Ala Asp Phe Thr Leu Thr Ile
85 90 95

Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Gln His
100 105 110

Tyr Ser Thr Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Asp Ile Lys
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser Gln
130 135 140

Ile Gln Leu Val Gln Ser Gly Pro Asp Leu Lys Lys Pro Gly Glu Thr
145 150 155 160

Val Lys Leu Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Phe Gly
165 170 175

Met Asn Trp Val Lys Gln Ala Pro Gly Lys Gly Phe Lys Trp Met Ala
180 185 190

Trp Ile Asn Thr Thr Arg Tyr Thr Gly Glu Ser Tyr Phe Ala Asp Asp
195 200 205

Phe Lys Gly Arg Phe Ala Phe Ser Val Glu Thr Ser Ala Thr Thr Ala
210 215 220

Tyr Leu Gln Ile Asn Asn Leu Lys Thr Glu Asp Thr Ala Thr Tyr Phe
225 230 235 240

Cys Ala Arg Gly Glu Ile Tyr Tyr Gly Tyr Asp Gly Gly Phe Ala Tyr
245 250 255

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ala Thr Thr Thr Pro Ala
260 265 270

Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser
275 280 285

Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr
290 295 300

Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala
305 310 315 320

Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys
325 330 335

Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met
340 345 350

Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe
355 360 365

Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu Arg Val Lys Phe Ser Arg

-continued

370					375					380					
Ser 385	Ala	Asp	Ala	Pro	Ala 390	Tyr	Gln	Gln	Gly	Gln 395	Asn	Gln	Leu	Tyr	Asn 400
Glu	Leu	Asn	Leu	Gly 405	Arg	Arg	Glu	Glu	Tyr 410	Asp	Val	Leu	Asp	Lys 415	Arg
Arg	Gly	Arg	Asp 420	Pro	Glu	Met	Gly	Gly 425	Lys	Pro	Gln	Arg	Arg 430	Lys	Asn
Pro	Gln	Glu	Gly 435	Leu	Tyr	Asn	Glu 440	Leu	Gln	Lys	Asp	Lys 445	Met	Ala	Glu
Ala	Tyr 450	Ser	Glu	Ile	Gly 455	Met	Lys	Gly	Glu	Arg	Arg 460	Arg	Gly	Lys	Gly
His 465	Asp	Gly	Leu	Tyr	Gln 470	Gly	Leu	Ser	Thr	Ala 475	Thr	Lys	Asp	Thr	Tyr 480
Asp	Ala	Leu	His 485	Met	Gln	Ala	Leu	Pro	Pro 490	Arg	Gly	Ser	Gly	Ala 495	Thr
Asn	Phe	Ser	Leu 500	Leu	Lys	Gln	Ala	Gly 505	Asp	Val	Glu	Glu	Asn 510	Pro	Gly
Pro	Met	Tyr 515	Arg	Met	Gln	Leu	Leu 520	Ser	Cys	Ile	Ala	Leu 525	Ser	Leu	Ala
Leu	Val 530	Thr	Asn	Ser	Gly 535	Ile	His	Val	Phe	Ile	Leu 540	Gly	Cys	Phe	Ser
Ala 545	Gly	Leu	Pro	Lys	Thr 550	Glu	Ala	Asn	Trp	Val 555	Asn	Val	Ile	Ser	Asp 560
Leu	Lys	Lys	Ile	Glu 565	Asp	Leu	Ile	Gln	Ser 570	Met	His	Ile	Asp	Ala 575	Thr
Leu	Tyr	Thr 580	Glu	Ser	Asp	Val	His	Pro 585	Ser	Cys	Lys	Val	Thr 590	Ala	Met
Lys	Cys	Phe 595	Leu	Leu	Glu	Leu	Gln 600	Val	Ile	Ser	Leu	Glu 605	Ser	Gly	Asp
Ala	Ser 610	Ile	His	Asp	Thr 615	Val	Glu	Asn	Leu	Ile	Ile 620	Leu	Ala	Asn	Asn
Ser 625	Leu	Ser	Ser	Asn	Gly 630	Asn	Val	Thr	Glu	Ser 635	Gly	Cys	Lys	Glu	Cys 640
Glu	Glu	Leu	Glu	Glu 645	Lys	Asn	Ile	Lys	Glu 650	Phe	Leu	Gln	Ser	Phe 655	Val
His	Ile	Val 660	Gln	Met	Phe	Ile	Asn	Thr 665	Ser	Ser	Gly	Gly	Gly 670	Ser	Gly
Gly	Gly	Gly 675	Ser	Gly	Gly	Gly	Gly 680	Ser	Gly	Gly	Gly	Gly 685	Ser	Gly	Gly
Gly	Ser 690	Leu	Gln	Ala	Pro	Arg 695	Arg	Ala	Arg	Gly	Cys 700	Arg	Thr	Leu	Gly
Leu 705	Pro	Ala	Leu	Leu	Leu 710	Leu	Leu	Leu	Leu	Arg 715	Pro	Pro	Ala	Thr	Arg 720
Gly	Ile	Thr	Cys	Pro 725	Pro	Pro	Met	Ser	Val 730	Glu	His	Ala	Asp	Ile 735	Trp
Val	Lys	Ser	Tyr 740	Ser	Leu	Tyr	Ser	Arg 745	Glu	Arg	Tyr	Ile	Cys 750	Asn	Ser
Gly	Phe	Lys 755	Arg	Lys	Ala	Gly	Thr 760	Ser	Ser	Leu	Thr	Glu 765	Cys	Val	Leu
Asn	Lys 770	Ala	Thr	Asn	Val	Ala 775	His	Trp	Thr	Thr	Pro 780	Ser	Leu	Lys	Cys

-continued

Ile Arg
785

<210> SEQ ID NO 47

<211> LENGTH: 3019

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 47

gcatcgac	catggccta	ccagtaccg	ccttgctcct	gccgctggc	ttgctgctcc	60
acgccgccag	gccgatgtg	gtgatgacc	agagccatcg	ctttatgagc	accagcgtgg	120
gcgaccgagt	gagcattacc	tgccgcgcga	gccaggatgt	gaacaccgcg	gtgagctggt	180
atcagcagaa	accggggccag	agcccgaaac	tgctgatttt	tagcgcgagc	tatcgctata	240
cggcgctgcc	ggatcgcttt	accggcagcg	gcagcggcgc	ggattttacc	ctgaccatta	300
gcagcgtgca	ggcggaagat	ctggcgggtg	attattgcc	gcagcattat	agcaccctgt	360
ggacctttgg	cggcggcacc	aaactggaca	ttaaaggagg	gggggggatcc	gggggaggag	420
gctccggcgg	aggcggaagc	cagattcagc	tggtgcagag	cggcccgcat	ctgaaaaaac	480
cgggcgaaac	cgtgaaactg	agctgcaaag	cgagcggcta	tacctttacc	aactttggca	540
tgaactgggt	gaaacaggcg	cggggcaaag	gctttaaatg	gatggcgtgg	attaacacca	600
cccgtatac	cggcgaaagc	tattttgcgg	atgattttaa	aggccgcttt	gcgttttagcg	660
tggaaaccag	cgcgaccacc	gcgtatctgc	agattaacaa	cctgaaaacc	gaagataccg	720
cgacctat	ttgcgcgcgc	ggcgaaat	attatggcta	tgatggcggc	tttgcgtatt	780
ggggccaggg	cacctcggtg	accgtgagcg	cgaccacgac	gccagcgccg	cgaccaccaa	840
caccggcgcc	caccatcgcg	tcgcagcccc	tgccctcgcg	cccagaggcg	tgccggccag	900
cggcgggggg	cgcagtgcac	acgagggggc	tggacttcgc	ctgtgatatc	tacatctggg	960
cgcccttggc	cgggacttgt	ggggctcttc	tcctgtcact	ggttatcacc	ctttactgca	1020
aacggggcag	aaagaaactc	ctgtatatat	tcaaacacc	atttatgaga	ccagtacaaa	1080
ctactcaaga	ggaagatggc	tgtagctgcc	gatttccaga	agaagaagaa	ggaggatgtg	1140
aactgagagt	gaagttcagc	aggagcgcag	acgccccgcg	gtaccagcag	ggccagaacc	1200
agctctataa	cgagctcaat	ctaggacgaa	gagaggagta	cgatgttttg	gacaagagac	1260
gtggccggga	ccctgagatg	gggggaaagc	cgcagagaag	gaagaacctt	cagggaaggcc	1320
tgtacaatga	actgcagaaa	gataagatgg	cggaggccta	cagtgagatt	gggatgaaag	1380
gcgagcgcgc	gaggggcaag	gggcacgatg	gcctttacca	gggtctcagt	acagccacca	1440
aggacaccta	cgagcgcctt	cacatgcagg	ccctgcccc	tcgcggaagc	ggagccacca	1500
acttcagcct	gctgaagcag	gccggcgacg	tggaggagaa	ccccggcccc	atggccctgc	1560
ccgtgaccgc	cctgctgctg	ccccggcccc	tgctgctgca	cgcgcgcagg	cccgatattc	1620
agatgaccca	gagcccgagc	agcctgagcg	cgagcgtggg	cgaccgggtg	accattacct	1680
gcaaagcgag	ccaggatgtg	ggcattgcgg	tggcgtggta	tcagcagaaa	ccgggcaaa	1740
tgccgaaact	gctgatttat	tgggcgagca	cccgcctac	cggcgtgcgc	gatcgcttta	1800
gcggcagcgg	cagcggcacc	gattttaccc	tgaccattag	cagcctgcag	ccggaagatg	1860

-continued

```

tggcgaccta ttattgccag cagtatagca gctatccgta tacctttggc cagggcacca 1920
aagtggaaat taaaggaggg gggggatccg ggggaggagg ctccggcgga ggcggaagcg 1980
aagtgcagct ggtggaaagc ggcggcggcc tgggtgcagcc gggcggcagc ctgcgcctga 2040
gctgcgcggc gagcggcttt gatttttagcc gctattggat gagctgggtg cgccaggcgc 2100
cgggcaaaag cctggaatgg attggcgaaa ttaaccgcga tagcagcacc attaactatg 2160
cgccgagcct gaaagataaa ttattatta gccgcgataa cgcgaaaaac agcctgtatc 2220
tgcagatgaa cagcctgcgc gcggaagata ccgcggtgta ttattgcgcg cgcccgatg 2280
gcaactattg gtattttgat gtgtggggcc agggcacctt ggtgacctg agcagcacca 2340
ccacccccgc ccccgagccc cccacccccg cccccaccat cgccagccag cccctgagcc 2400
tgaggcccca ggctgcagg cccgcgcgcg gcggcgccgt gcacaccagg ggctggact 2460
tcgctgcga catctacatc tgggcccccc tggcgggcac ctgcggcggtg ctgctgctga 2520
gcctggtgat caccctgtac tgcaagaggg gcaggaagaa gctgctgtac atcttcaagc 2580
agcccttcat gagggccgtg cagaccaccc aggaggagga cggctgcagc tgcaggttcc 2640
ccgaggagga ggaggggcgc tgcgagctga gggatgaagt cagcaggagc gccgacgccc 2700
ccgcctacca gcaggggccag aaccagctgt acaacgagct gaacctgggc aggaggagag 2760
agtacgacgt gctggacaag aggaggggca gggacccccg gatgggcggc aagccccaga 2820
ggaggaagaa cccccaggag ggctgtaca acgagctgca gaaggacaag atggccgagg 2880
cctacagcga gatcggtatg aagggcgaga ggaggagggg caagggccac gacggcctgt 2940
accagggcct gagcaccgcc accaaggaca cctacgacgc cctgcacatg caggccctgc 3000
ccccaggta agtttaaac 3019

```

<210> SEQ ID NO 48

<211> LENGTH: 999

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 48

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15
His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
20     25     30
Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
35     40     45
Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
50     55     60
Pro Lys Leu Leu Ile Phe Ser Ala Ser Tyr Arg Tyr Thr Gly Val Pro
65     70     75     80
Asp Arg Phe Thr Gly Ser Gly Ser Gly Ala Asp Phe Thr Leu Thr Ile
85     90     95
Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Gln His
100    105    110
Tyr Ser Thr Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Asp Ile Lys
115    120    125
Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln
130    135    140

```

-continued

Ile	Gln	Leu	Val	Gln	Ser	Gly	Pro	Asp	Leu	Lys	Lys	Pro	Gly	Glu	Thr	
145					150					155					160	
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Phe	Gly	
				165					170					175		
Met	Asn	Trp	Val	Lys	Gln	Ala	Pro	Gly	Lys	Gly	Phe	Lys	Trp	Met	Ala	
		180						185					190			
Trp	Ile	Asn	Thr	Thr	Arg	Tyr	Thr	Gly	Glu	Ser	Tyr	Phe	Ala	Asp	Asp	
	195						200					205				
Phe	Lys	Gly	Arg	Phe	Ala	Phe	Ser	Val	Glu	Thr	Ser	Ala	Thr	Thr	Ala	
	210					215					220					
Tyr	Leu	Gln	Ile	Asn	Asn	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Phe	
225					230					235					240	
Cys	Ala	Arg	Gly	Glu	Ile	Tyr	Tyr	Gly	Tyr	Asp	Gly	Gly	Phe	Ala	Tyr	
			245						250					255		
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	
		260						265						270		
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	
		275					280					285				
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	
	290					295					300					
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	
305					310					315					320	
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	
			325						330					335		
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	
		340						345					350			
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	
		355					360					365				
Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	
	370					375					380					
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	
385					390					395					400	
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	
			405						410					415		
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	
		420						425					430			
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	
		435					440					445				
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	
	450					455					460					
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	
465					470					475					480	
Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	
			485						490					495		
Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	
			500						505				510			
Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	
		515					520					525				
Leu	His	Ala	Ala	Arg	Pro	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	
	530					535					540					

-continued

Leu	Ser	Ala	Ser	Val	Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Lys	Ala	Ser	545	550	555	560
Gln	Asp	Val	Gly	Ile	Ala	Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	565	570	575	
Val	Pro	Lys	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr	Arg	His	Thr	Gly	Val	580	585	590	
Pro	Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	595	600	605	
Ile	Ser	Ser	Leu	Gln	Pro	Glu	Asp	Val	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	610	615	620	
Tyr	Ser	Ser	Tyr	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	625	630	635	640
Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	645	650	655	
Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	660	665	670	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Asp	Phe	Ser	Arg	Tyr	675	680	685	
Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile	690	695	700	
Gly	Glu	Ile	Asn	Pro	Asp	Ser	Ser	Thr	Ile	Asn	Tyr	Ala	Pro	Ser	Leu	705	710	715	720
Lys	Asp	Lys	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	725	730	735	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	740	745	750	
Ala	Arg	Pro	Asp	Gly	Asn	Tyr	Trp	Tyr	Phe	Asp	Val	Trp	Gly	Gln	Gly	755	760	765	
Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	770	775	780	
Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	785	790	795	800
Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	805	810	815	
Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	820	825	830	
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg	835	840	845	
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	850	855	860	
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	865	870	875	880
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	885	890	895	
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	900	905	910	
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	915	920	925	
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	930	935	940	
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu				

-continued

945	950	955	960
Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu	965	970	975
Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His	980	985	990
Met Gln Ala Leu Pro Pro Arg	995		

<210> SEQ ID NO 49
 <211> LENGTH: 3040
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 49

```

gcatcgac catggcctta ccagtgaccg ccttgcctc gccgtggcc ttgtgtctcc      60
acggcgccag gccgatgtg gtgatgaccc agagccatcg ctttatgagc accagcgtgg      120
gcatcgagtg gagcattacc tggcgcgga gccgatgtg gaacaccgag gtgatgtgtg      180
atcagcagaa accggggccag agcccgaaac tgctgatttt tagcgcgagc tatcgctata      240
ccggcggtgcc ggatcgcttt accggcgagc gcagcggcgc ggattttacc ctgaccatta      300
gcagcgtgca ggcggaagat ctggcggtgt attattgccg gcagcattat agcaccctgt      360
ggacctttgg cgggcgaccc aaactggaca ttaaaggagg ggggggatcc gggggaggag      420
gtccggcgag agggcggaag cagattcagc tggcgagag cgggccgat ctgaaaaaac      480
cgggcgaaac cgtgaaactg agctgcaaag cgagcggcta tacctttacc aactttggca      540
tgaactgggt gaaacaggcg ccgggcaaag gctttaaatg gatggcgtgg attaacacca      600
cccgctatac cggcgaaagc tattttgcgg atgattttta aggcgcgttt gcgtttagcg      660
tggaaccagc cgcgaccacc gcgtatctgc agattaacaa cctgaaaacc gaagataccg      720
cgacctatct ttgcgcgcgc ggcgaaattt attatggcta tgatggcggc ttgctgtatt      780
ggggccaggg caccctggtg accgtgagcg cgaccacgac gccagcgccg cgaccaccaa      840
caccggcgcc caccatcgcg tcgcagcccc tgtccctgcg ccagaggcg tggcgccag      900
cgggcggggg cgagtgacac acgagggggc tggacttcgc ctgtgatatc tacatctggg      960
cgcccttggc cggaacttgt ggggtccttc tctgtcact gggtatcacc ctttactgca     1020
aacggggcag aaagaaactc ctgtatatat tcaaacaacc atttatgaga ccagtacaaa     1080
ctactcaaga ggaagatggc tgtagctgcc gatttcaga agaagaagaa ggaggatgtg     1140
aactgagagt gaagtgcagc aggagcgagc acgccccgcg gtaccagcag ggccagaacc     1200
agctctataa cgagctcaat ctaggacgaa gagaggagta cgatgttttg gacaagagac     1260
gtggccggga ccctgagatg gggggaaagc cgagagaag gaagaacct caggaaggcc     1320
tgtacaatga actgcagaaa gataagatgg cgagggccta cagtgagatt gggatgaaag     1380
gcgagcgccg gaggggcaag gggcacgatg gcctttacca ggggtctcagt acagccacca     1440
aggacaccta cgagcccttc cacatgcagg ccctgcccc tcgcggaagc ggagccacca     1500
acttcagcct gctgaagcag gccggcgagc tggaggagaa cccgggcccc atggccctgc     1560
ccgtgacgcg cctgtctgtg cccctggccc tgetgtctga cgccgccagg cccgaggtec     1620
agctgcagca gtctggacct gagctgataa agcctggggc ttcagtgaag atgtctctga     1680

```

-continued

```

aggtctctgg atacacattc actagctatg ttatgcactg ggtgaagcag aagcctgggc 1740
agggccttga gtggattgga tatattaatc cttacaatga tggactaag tacaatgaga 1800
agttcaaagg caaggccaca ctgacttcag acaaatectc cagcacagcc tacatggagc 1860
tcagcagcct gacctctgag gactctgcgg tctattactg tgcaagaggg acttattact 1920
acggtagtag ggtatttgac tactggggcc aaggcaccac tctcacagtc tcctcaggtg 1980
gagggggctc aggcggaggt ggctctgggg gtggaggctc ggacattgtg atgactcagg 2040
ctgcaccctc tatacctgtc actcctggag agtcagtatc catctcctgc aggtctagta 2100
agagtctcct gaatagtaat ggcaacactt acttgatttg gttcctgcag aggccaggcc 2160
agtctcctca gctcctgata tatcgatgt ccaaccttgc ctcaggagtc ccagacaggt 2220
tcagtggcag tgggtcagga actgctttca cactgagaat cagtagagtg gaggtcagg 2280
atgtgggtgt ttattactgt atgcaacatc tagaatatcc gttcacgttc ggtgctggga 2340
ccaagctgga gctgaaacgg accaccaccc ccgccccag gcccccacc ccgccccca 2400
ccatcgccag ccagccctg agcctgaggc ccgaggcctg caggcccgc gccggcgcg 2460
ccgtgcacac caggggcctg gacttcgctc gcgacatcta catctgggcc cccctggccg 2520
gcacctgcgg cgtgctgctg ctgagcctgg tgatcacctt gtactgcagg agtaagagga 2580
gcaggctcct gcacagtgc tacatgaaca tgactccccg ccgccccggg cccaccgcga 2640
agcattacca gccctatgcc ccaccaacgc acttcgcagc ctatcgctcc agggatgaagt 2700
tcagcaggag cgcgcagcc cccgcctacc agcagggccga gaaccagctg tacaacgagc 2760
tgaacctggg caggaggag gagtacgacg tgctggacaa gaggaggggc agggaccccg 2820
agatgggcgg caagccccag aggaggaaga acccccagga gggcctgtac aacgagctgc 2880
agaaggacaa gatggccgag gcctacagcg agatcggcat gaagggcgag agggaggagg 2940
gcaagggcca cgacggcctg taccagggcc tgagcaccgc caccaaggac acctacgacg 3000
ccctgcacat gcaggccctg cccccaggt aagttaaac 3040

```

```

<210> SEQ ID NO 50
<211> LENGTH: 1006
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 50

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15

His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
20        25        30

Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
35        40        45

Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
50        55        60

Pro Lys Leu Leu Ile Phe Ser Ala Ser Tyr Arg Tyr Thr Gly Val Pro
65        70        75        80

Asp Arg Phe Thr Gly Ser Gly Ser Gly Ala Asp Phe Thr Leu Thr Ile
85        90        95

Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Gln His

```

-continued

100							105					110				
Tyr	Ser	Thr	Pro	Trp	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Asp	Ile	Lys	
		115					120					125				
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	
	130					135					140					
Ile	Gln	Leu	Val	Gln	Ser	Gly	Pro	Asp	Leu	Lys	Lys	Pro	Gly	Glu	Thr	
145					150					155					160	
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Phe	Gly	
				165					170					175		
Met	Asn	Trp	Val	Lys	Gln	Ala	Pro	Gly	Lys	Gly	Phe	Lys	Trp	Met	Ala	
		180						185					190			
Trp	Ile	Asn	Thr	Thr	Arg	Tyr	Thr	Gly	Glu	Ser	Tyr	Phe	Ala	Asp	Asp	
		195					200					205				
Phe	Lys	Gly	Arg	Phe	Ala	Phe	Ser	Val	Glu	Thr	Ser	Ala	Thr	Thr	Ala	
	210					215					220					
Tyr	Leu	Gln	Ile	Asn	Asn	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Phe	
225					230					235					240	
Cys	Ala	Arg	Gly	Glu	Ile	Tyr	Tyr	Gly	Tyr	Asp	Gly	Gly	Phe	Ala	Tyr	
			245						250					255		
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	
		260						265						270		
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	
		275					280					285				
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	
	290					295					300					
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	
305					310					315					320	
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	
			325						330					335		
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	
		340						345					350			
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	
		355					360					365				
Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	
	370				375						380					
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	
385				390						395					400	
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	
			405						410					415		
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	
		420						425					430			
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	
		435					440					445				
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	
	450					455					460					
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	
465					470					475					480	
Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	
			485						490					495		
Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	
			500					505					510			

Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu
		515					520					525			
Leu	His	Ala	Ala	Arg	Pro	Glu	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu
	530					535					540				
Leu	Ile	Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly
545					550					555					560
Tyr	Thr	Phe	Thr	Ser	Tyr	Val	Met	His	Trp	Val	Lys	Gln	Lys	Pro	Gly
				565					570					575	
Gln	Gly	Leu	Glu	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr
			580					585					590		
Lys	Tyr	Asn	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Lys
		595					600					605			
Ser	Ser	Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp
	610					615					620				
Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Thr	Tyr	Tyr	Tyr	Gly	Ser	Arg
625					630					635					640
Val	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Gly
				645					650					655	
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile
			660					665					670		
Val	Met	Thr	Gln	Ala	Ala	Pro	Ser	Ile	Pro	Val	Thr	Pro	Gly	Glu	Ser
			675				680					685			
Val	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Lys	Ser	Leu	Leu	Asn	Ser	Asn	Gly
	690					695					700				
Asn	Thr	Tyr	Leu	Tyr	Trp	Phe	Leu	Gln	Arg	Pro	Gly	Gln	Ser	Pro	Gln
705					710					715					720
Leu	Leu	Ile	Tyr	Arg	Met	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Asp	Arg
				725					730					735	
Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ala	Phe	Thr	Leu	Arg	Ile	Ser	Arg
				740				745					750		
Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	His	Leu	Glu
		755				760						765			
Tyr	Pro	Phe	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu	Glu	Leu	Lys	Arg	Thr
	770					775					780				
Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser
785					790					795					800
Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly
			805						810					815	
Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp
			820					825					830		
Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile
		835					840					845			
Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr
	850					855					860				
Met	Asn	Met	Thr	Pro											

-continued

Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu
 915 920 925
 Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Gln Arg
 930 935 940
 Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys
 945 950 955 960
 Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg
 965 970 975
 Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys
 980 985 990
 Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg
 995 1000 1005

<210> SEQ ID NO 51
 <211> LENGTH: 3022
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 51

```

gcgatcgcac catggcctta ccagtgaacc ccttgctcct gccgctggcc ttgctgctcc      60
acgccgccag gccgatgtg gtgatgaccc agagccatcg ctttatgagc accagcgtgg      120
gcgaccgagt gagcattacc tgccgcgcga gccaggatgt gaacaccgcg gtgagctggt      180
atcagcagaa accggggccag agcccgaaac tgctgatatt tagcgcgagc tatcgctata      240
ccggcgtgcc ggatcgcttt accggcagcg gcagcggcgc ggattttacc ctgaccatta      300
gcagcgtgca ggcggaagat ctggcggtgt attattgcc a gcagcattat agcaccctgt      360
ggacctttgg cggcggcacc aaactggaca ttaaaggagg ggggggatcc gggggaggag      420
gctccggcgg aggcggaagc cagattcagc tgggtgcagag cggcccgat ctgaaaaaac      480
cgggcgaaac cgtgaaactg agctgcaaag cgagcggcta tacctttacc aactttggca      540
tgaactgggt gaaacaggcg ccgggcaaag gctttaaatg gatggcgtgg attaacacca      600
cccgtatata cggcgaaagc tattttgcgg atgattttaa aggcgcgttt gcgtttagcg      660
tggaaccagc cgcgaccacc gcgtatctgc agattaacaa cctgaaaacc gaagataccg      720
cgacctatth ttgcgcgcgc ggcgaaatth attatggcta tgatggcggc ttgctgtatt      780
ggggccaggg caccctggtg accgtgagcg cgaccacgac gccagcgccg cgaccaccaa      840
caccggcgcc caccatcgcg tcgcagcccc tgccctcgcg ccagaggcg tgccggccag      900
cggcgggggg cgcagtgca acgagggggc tggacttcgc ctgtgatatc tacatctggg      960
cgcccttggc cgggacttgt ggggtccttc tcctgtcact gggtatcacc ctttactgca     1020
aacggggcag aaagaaactc ctgtatatat tcaaacaacc atttatgaga ccagtacaaa     1080
ctactcaaga ggaagatggc tgtagctgcc gatttcaga agaagaagaa ggaggatgtg     1140
aactgagagt gaagttcagc aggagcgcag acgccccgcg gtaccagcag ggccagaacc     1200
agctctataa cgagctcaat ctaggacgaa gagaggagta cgatgttttg gacaagagac     1260
gtggccggga ccctgagatg gggggaaagc cgcagagaag gaagaacctt caggaaggcc     1320
tgtacaatga actgcagaaa gataagatgg cggaggccta cagtgagatt gggatgaaag     1380
gcgagcgccg gaggggcaag gggcacgatg gcctttacca ggggtctcagt acagccacca     1440

```

-continued

```

aggacaccta cgacgccctt cacatgcagg ccttgcctcc tcgcggaagc ggagccacca 1500
acttcagcct gctgaagcag gccggcgacg tggaggagaa ccccggtccc atggccctgc 1560
ccgtgaccgc cctgctgctg cccctggccc tgctgctgca cgccgccagg cccgacatcc 1620
agatgacaca gactacatcc tccctgtctg cctctctggg agacagagtc accatcagtt 1680
gcagggaag tcaggacatt agtaaatatt taaattggta tcagcagaaa ccagatggaa 1740
ctgttaaaact cctgatctac catacatcaa gattacactc aggagtccca tcaaggttca 1800
gtggcagtggt gtctggaaca gattattctc tcaccattag caacctggag caagaagata 1860
ttgccactta cttttgcaa cagggttaata cgcttccgta caggttcgga ggggggacca 1920
agctggagat cacagggtgc ggtggctcgg gcgggtggtg gtcgggtggc ggcggtctg 1980
aggtgaaact gcaggagtca ggacctggcc tgggtggccc ctcacagagc ctgtccgtca 2040
catgcactgt ctcaggggtc tcattaccgc actatgggtg aagctggatt cgccagcctc 2100
cacgaaaggg tctggagtgg ctgggagtaa tatgggtag tgaaccaca tactataatt 2160
cagctctcaa atccagactg accatcatca aggacaactc caagagccaa gttttcttaa 2220
aaatgaacag tctgcaaact gatgacacag ccatttacta ctgtgccaaa cattattact 2280
acgggtgtag ctatgctatg gactactggg gccaaaggac ctcagtcacc gtctcctcaa 2340
ccaccacccc cgccccagg cccccaccc ccgccccac catcgccagc cagcccctga 2400
gcctgaggcc cgaggcctgc agggccgcg ccggcggcgc cgtgcacacc aggggcctgg 2460
acttcgctg cgacatctac atctggggcc ccttggccgc cacctgcggc gtgctgctgc 2520
tgagcctggt gatcaccctg tactgcaaga ggggcaggaa gaagctgctg tacatcttca 2580
agcagccctt catgaggccc gtgcagacca cccaggagga ggacggctgc agctgcaggt 2640
tccccagga ggaggagggc ggtgcgagc tgagggtgaa gttcagcagg agcgccgacg 2700
ccccgccta ccagcagggc cagaaccagc tgtacaacga gctgaacctg ggcaggaggg 2760
aggagtacga cgtgctggac aagaggaggg gcagggaccc cgagatgggc ggcaagcccc 2820
agaggaggaa gaacccccag gagggcctgt acaacgagct gcagaaggac aagatggccg 2880
aggcctacag cgagatcggc atgaagggcg agaggaggag gggcaagggc cagcagggcc 2940
tgtaccaggg cctgagcacc gccaccaagg acacctacga cgccctgcac atgcaggccc 3000
tgccccccag gtaagtttaa ac 3022

```

```

<210> SEQ ID NO 52
<211> LENGTH: 1000
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 52

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Asp Val Val Met Thr Gln Ser His Arg Phe Met
          20          25          30

Ser Thr Ser Val Gly Asp Arg Val Ser Ile Thr Cys Arg Ala Ser Gln
          35          40          45

Asp Val Asn Thr Ala Val Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ser
          50          55          60

```

-continued

Pro	Lys	Leu	Leu	Ile	Phe	Ser	Ala	Ser	Tyr	Arg	Tyr	Thr	Gly	Val	Pro	65	70	75	80
Asp	Arg	Phe	Thr	Gly	Ser	Gly	Ser	Gly	Ala	Asp	Phe	Thr	Leu	Thr	Ile	85	90	95	
Ser	Ser	Val	Gln	Ala	Glu	Asp	Leu	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	His	100	105	110	
Tyr	Ser	Thr	Pro	Trp	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Asp	Ile	Lys	115	120	125	
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	130	135	140	
Ile	Gln	Leu	Val	Gln	Ser	Gly	Pro	Asp	Leu	Lys	Lys	Pro	Gly	Glu	Thr	145	150	155	160
Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Phe	Gly	165	170	175	
Met	Asn	Trp	Val	Lys	Gln	Ala	Pro	Gly	Lys	Gly	Phe	Lys	Trp	Met	Ala	180	185	190	
Trp	Ile	Asn	Thr	Thr	Arg	Tyr	Thr	Gly	Glu	Ser	Tyr	Phe	Ala	Asp	Asp	195	200	205	
Phe	Lys	Gly	Arg	Phe	Ala	Phe	Ser	Val	Glu	Thr	Ser	Ala	Thr	Thr	Ala	210	215	220	
Tyr	Leu	Gln	Ile	Asn	Asn	Leu	Lys	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Phe	225	230	235	240
Cys	Ala	Arg	Gly	Glu	Ile	Tyr	Tyr	Gly	Tyr	Asp	Gly	Gly	Phe	Ala	Tyr	245	250	255	
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	260	265	270	
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	275	280	285	
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	290	295	300	
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	305	310	315	320
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	325	330	335	
Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	340	345	350	
Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	355	360	365	
Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	370	375	380	
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	385	390	395	400
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	405	410	415	
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	420	425	430	
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	435	440	445	
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	450	455	460	
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr				

-continued

465	470	475	480
Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser Gly Ala Thr	485	490	495
Asn Phe Ser Leu Leu Lys Gln Ala Gly Asp Val Glu Glu Asn Pro Gly	500	505	510
Pro Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu	515	520	525
Leu His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Thr Thr Ser Ser	530	535	540
Leu Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser	545	550	555
Gln Asp Ile Ser Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly	565	570	575
Thr Val Lys Leu Leu Ile Tyr His Thr Ser Arg Leu His Ser Gly Val	580	585	590
Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr	595	600	605
Ile Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln	610	615	620
Gly Asn Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile	625	630	635
Thr Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser	645	650	655
Glu Val Lys Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln	660	665	670
Ser Leu Ser Val Thr Cys Thr Val Ser Gly Val Ser Leu Pro Asp Tyr	675	680	685
Gly Val Ser Trp Ile Arg Gln Pro Pro Arg Lys Gly Leu Glu Trp Leu	690	695	700
Gly Val Ile Trp Gly Ser Glu Thr Thr Tyr Tyr Asn Ser Ala Leu Lys	705	710	715
Ser Arg Leu Thr Ile Ile Lys Asp Asn Ser Lys Ser Gln Val Phe Leu	725	730	735
Lys Met Asn Ser Leu Gln Thr Asp Asp Thr Ala Ile Tyr Tyr Cys Ala	740	745	750
Lys His Tyr Tyr Tyr Gly Gly Ser Tyr Ala Met Asp Tyr Trp Gly Gln	755	760	765
Gly Thr Ser Val Thr Val Ser Ser Thr Thr Thr Pro Ala Pro Arg Pro	770	775	780
Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro	785	790	795
Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu	805	810	815
Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys	820	825	830
Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Lys Arg Gly	835	840	845
Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met Arg Pro Val	850	855	860
Gln Thr Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe Pro Glu Glu	865	870	875
			880

-continued

Glu Glu Gly Gly Cys Glu Leu Arg Val Lys Phe Ser Arg Ser Ala Asp
 885 890 895
 Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn
 900 905 910
 Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg
 915 920 925
 Asp Pro Glu Met Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu
 930 935 940
 Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser
 945 950 955 960
 Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly
 965 970 975
 Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu
 980 985 990
 His Met Gln Ala Leu Pro Pro Arg
 995 1000

<210> SEQ ID NO 53

<211> LENGTH: 1483

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 53

```

gcgatcgcac catggccctg cccgtgaccg cctgctgct gccctggcc ctgctgctgc      60
acgccgccag gcccgacatc cagatgacac agactacatc ctccctgtct gcctctctgg      120
gagacagagt caccatcagt tgcagggcaa gtcaggacat tagtaaatat ttaaattggt      180
atcagcagaa accagatgga actgttaaac tcctgatcta ccatacatca agattacact      240
caggagtccc atcaaggttc agtggcagtg ggtctggaac agattattct ctcaccatta      300
gcaacctgga gcaagaagat attgccactt acttttgcca acagggtaat acgcttcctg      360
acacgttcgg agggggggacc aagctggaga tcacaggtag cggtggctcg ggcgggtggtg      420
ggtcgggtgg cggcggtatc gaggtgaaac tgcaggagtc aggacctggc ctggtggcgc      480
cctcacagag cctgtccgtc acatgcactg tctcaggggt ctcattaccc gactatggtg      540
taagctggat tcgccagcct ccacgaaagg gtctggagtg gctgggagta atatggggta      600
gtgaaaccac atactataat tcagctctca aatccagact gaccatcatc aaggacaact      660
ccaagagcca agttttctta aaaatgaaca gtctgcaaac tgatgacaca gccatttact      720
actgtgccaa acattattac tacggtggta gctatgctat ggactactgg ggccaaggaa      780
cctcagtcac cgtctctca accacgacgc cagcgccgcg accaccaaca cggcgcccca      840
ccatcgcgtc gcagcccctg tccctgcgcc cagaggcgtg ccggccagcg gcggggggcg      900
cagtgcacac gagggggctg gacttcgcct gtgatatacta catctgggcg cccttggccg      960
ggacttgtgg ggctctctc ctgtcactgg ttatcacctt ttactgcaa cggggcagaa     1020
agaaactcct gtatatattc aaacaacat ttatgagacc agtacaaact actcaagagg     1080
aagatggctg tagctgccga ttccagaag aagaagaagg aggatgtgaa ctgagagtga     1140
agttcagcag gagcgagac gccccgcgt accagcaggg ccagaaccag ctctataacg     1200
agctcaatct aggacgaaga gaggagtacg atgttttgga caagagacgt ggccgggacc     1260

```

-continued

```

ctgagatggg gggaaagccg cagagaagga agaaccctca ggaaggcctg tacaatgaac 1320
tgcagaaaga taagatggcg gaggcctaca gtgagattgg gatgaaaggc gagcgccgga 1380
ggggcaaggg gcacgatggc ctttaccagg gtctcagtag agccaccaag gacacctacg 1440
acgccttca catgcaggcc ctgccccctc gctaagtta aac 1483

```

```

<210> SEQ ID NO 54
<211> LENGTH: 487
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 54

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10     15
His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu
20     25     30
Ser Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln
35     40     45
Asp Ile Ser Lys Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr
50     55     60
Val Lys Leu Leu Ile Tyr His Thr Ser Arg Leu His Ser Gly Val Pro
65     70     75     80
Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile
85     90     95
Ser Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly
100    105    110
Asn Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Thr
115    120    125
Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu
130    135    140
Val Lys Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln Ser
145    150    155    160
Leu Ser Val Thr Cys Thr Val Ser Gly Val Ser Leu Pro Asp Tyr Gly
165    170    175
Val Ser Trp Ile Arg Gln Pro Pro Arg Lys Gly Leu Glu Trp Leu Gly
180    185    190
Val Ile Trp Gly Ser Glu Thr Thr Tyr Tyr Asn Ser Ala Leu Lys Ser
195    200    205
Arg Leu Thr Ile Ile Lys Asp Asn Ser Lys Ser Gln Val Phe Leu Lys
210    215    220
Met Asn Ser Leu Gln Thr Asp Asp Thr Ala Ile Tyr Tyr Cys Ala Lys
225    230    235    240
His Tyr Tyr Tyr Gly Gly Ser Tyr Ala Met Asp Tyr Trp Gly Gln Gly
245    250    255
Thr Ser Val Thr Val Ser Ser Thr Thr Thr Pro Ala Pro Arg Pro Pro
260    265    270
Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu
275    280    285
Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp
290    295    300

```

-continued

Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly
305					310					315					320
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg
				325					330					335	
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln
		340						345					350		
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu
		355					360					365			
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala
	370					375					380				
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu
	385				390					395					400
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp
			405						410					415	
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly
			420					425					430		
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu
		435					440					445			
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu
	450					455					460				
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His
	465				470					475					480
Met	Gln	Ala	Leu	Pro	Pro	Arg									
				485											

<210> SEQ ID NO 55
 <211> LENGTH: 1501
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 55

gcgatcgcat ggccttaacca gtgaccgcct tgcctctgcc gctggccttg ctgctccacg	60
ccgccaggcc ggaggtccag ctgcagcagt ctggacctga gctgataaag cctggggcctt	120
cagtgaagat gtcttgcaag gcttctggat acacattcac tagctatgtt atgcaactggg	180
tgaagcagaa gcctgggagc ggccttgagt ggattggata tattaatcct tacaatgatg	240
gtactaagta caatgagaag ttcaaaggca aggccacact gacttcagac aaatcctcca	300
gcacagccta catggagctc agcagcctga cctctgagga ctctgcggtc tattactgtg	360
caagagggac ttattactac ggtagtaggg tatttgacta ctggggccaa ggcaccactc	420
tcacagtctc ctcagggtgga gggggctcag gcggagggtg ctctgggggt ggaggctcgg	480
acattgtgat gactcaggct gcaccctcta tacctgtcac tcctggagag tcagtatcca	540
tctctgcag gtctagtaag agtctctga atagtaatgg caacacttac ttgtattggt	600
tcctgcagag gccaggccag tctctcagc tcctgatata tcggatgtcc aacctgcct	660
caggagtccc agacaggttc agtggcagtg ggtcaggaac tgctttcaca ctgagaatca	720
gtagagtgga ggctgaggat gtgggtgttt attactgtat gcaacatcta gaatatccgt	780
tcacgttcgg tgctgggacc aagctggagc tgaaacggac cagcagccca gcgccgcgac	840
caccaacacc ggccgccacc atcgcgctgc agccctgtc cctgcgccca gaggcgtgcc	900

-continued

```

ggccagcggc ggggggcgca gtgcacacga gggggctgga cttcgctgt gatatctaca    960
tctgggggcc cttggccggg acttgtgggg tccttctcct gtcactgggt atcacccttt    1020
actgcaaacg gggcagaaag aaactcctgt atatattcaa acaaccatth atgagaccag    1080
tacaaactac tcaagaggaa gatggctgta gctgccgatt tccagaagaa gaagaaggag    1140
gatgtgaact gagagtgaag ttcagcagga gcgcagacgc ccccgctac cagcaggggc    1200
agaaccagct ctataacgag ctcaatctag gacgaagaga ggagtacgat gttttggaca    1260
agagacgtgg cggggaccct gagatggggg gaaagccgca gagaaggaag aaccctcagg    1320
aaggcctgta caatgaactg cagaaagata agatggcgga ggcctacagt gagattggga    1380
tgaaaggcga gcgcgggagg ggcaaggggc acgatggcct ttaccagggt ctcagtacag    1440
ccaccaagga cacctacgac gcccttcaca tgcaggccct gccccctcgc taagttaaaa    1500
c                                                                    1501

```

<210> SEQ ID NO 56

<211> LENGTH: 494

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 56

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15
His Ala Ala Arg Pro Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu
20     25     30
Ile Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr
35     40     45
Thr Phe Thr Ser Tyr Val Met His Trp Val Lys Gln Lys Pro Gly Gln
50     55     60
Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Lys
65     70     75     80
Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser
85     90     95
Ser Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Thr Ser Glu Asp Ser
100    105    110
Ala Val Tyr Tyr Cys Ala Arg Gly Thr Tyr Tyr Tyr Gly Ser Arg Val
115    120    125
Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Gly Gly
130    135    140
Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Val
145    150    155    160
Met Thr Gln Ala Ala Pro Ser Ile Pro Val Thr Pro Gly Glu Ser Val
165    170    175
Ser Ile Ser Cys Arg Ser Ser Lys Ser Leu Leu Asn Ser Asn Gly Asn
180    185    190
Thr Tyr Leu Tyr Trp Phe Leu Gln Arg Pro Gly Gln Ser Pro Gln Leu
195    200    205
Leu Ile Tyr Arg Met Ser Asn Leu Ala Ser Gly Val Pro Asp Arg Phe
210    215    220
Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Arg Ile Ser Arg Val
225    230    235    240

```


Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	His	Leu	Glu	Tyr
245								250				255			
Pro	Phe	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu	Glu	Leu	Lys	Arg	Thr	Thr
260								265				270			
Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln
275								280				285			
Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala
290								295				300			
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala
305												320			
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr
				325				330				335			
Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln
				340				345				350			
Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser
355								360				365			
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	
370								375				380			
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln
385												395			
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu
				405				410				415			
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg
				420				425				430			
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys
435								440				445			
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg
450								455				460			
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys
465												475			
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg		
				485				490							

```
<210> SEQ ID NO 57
<211> LENGTH: 2293
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence
```

<400> SEQUENCE: 57

gcgatcgcac	catggccctg	cccgtagacc	cctgtctgct	gcccttgccc	ctgctgctgc	60
acgcgcgcag	gcccgcacatt	cagctgaccc	agtctccagc	aatcctttct	gcattctcag	120
gggagaaggt	cacaatgact	tgcaggggcca	gtcaagttt	aagtttcatt	cactggtacc	180
agcagaagcc	aggatcctcc	cccaaaccct	ggatttatgc	cacatccaac	ctggcttctg	240
gagtcctctg	tcgcttcagt	ggcagtgggg	ctgggacctc	ttactctctc	acaatcagca	300
cagtgagggc	tgaagatgct	gcctcttatt	tctgccatca	gtggagtagt	aacccgctca	360
cgttcggctg	tgggaccaag	ctggagatca	gctcgggcgg	cggcgggctg	ggcgggcgcg	420
gctcgggaga	cgctcatggg	tgggattctg	ggggaggctt	agtgcagcct	ggagggtccc	480
qgaactctc	ctgtqcaqcc	cctgqattca	ctttcagtag	ctttgqqatg	cactqqgttc	540

-continued

```

gtcaggctcc agagaagggg ttggagtggg tcgcatacat tagtagtccc agtagtacc 600
tccactatgc agacagagtg aagggccgat tcaccatctc cagagacaat cccaagaaca 660
ccctgttctc gcaaatgaaa ctaccctcac tatgctatgg actactgggg ccaagggacc 720
acgttcacac caccaccccc gccccaggc cccccacccc cgccccacc atcgccagcc 780
agccccctgag cctgaggccc gaggcctgca ggcccgcgc cggcggcgcc gtgcacacca 840
ggggcctgga cttcgctgc gacatctaca tctgggcccc cctggccggc acctgcggcg 900
tgctgctgct gagecctggtg atcacctgt actgcaggag taagaggagc aggtcctgc 960
acagtgacta catgaacatg actccccgcc gccccgggcc caccgcaag cattaccagc 1020
cctatgcccc accacgcgac ttgcagcct atcgctccag ggtgaagtcc agcaggagcg 1080
ccgacgcccc cgctaccag cagggccaga accagctgta caacgagctg aacctgggca 1140
ggagggagga gtacgacgtg ctggacaaga ggaggggagc ggaccccagc atgggcggca 1200
agccccagag gaggaagaac cccagggagg gcctgtacaa cgagctgcag aaggacaaga 1260
tggccgagggc ctacagcgag atcgccatga agggcgagag gaggaggggc aagggccacg 1320
acggcctgta ccagggcctg agcaccgcca ccaaggacac ctacgacgcc ctgcacatgc 1380
aggccctgcc cccagggga agcggagcca ccaacttcag cctgctgaag caggccggcg 1440
acgtggagga gaaccccgcc cccatgtaca gaatgcagct gctgagctgc atcgccctga 1500
gcctggccct ggtgaccaac agcggcatcc acgtgttcat cctgggctgc ttcagcgccg 1560
gcctgcccc aaccgaggcc aactgggtga acgtgatcag cgacctgaag aagatcgagg 1620
acctgatcca gagcatgcac atcgacgcca cctgtacac cgagagcgac gtgcacccca 1680
gctgcaaggt gaccgccatg aagtgttcc tgctggagct gcaggtgatc agcctggaga 1740
gcggcgagcc cagcatccac gacaccgtgg agaacctgat catcctggcc aacaacagcc 1800
tgagcagcaa cggcaacgtg accgagagcg gctgcaagga gtgcgaggag ctggaggaga 1860
agaacatcaa ggagttcctg cagagcttcg tgcacatcgt gcagatgttc atcaacacca 1920
gtcccgcgcg cggctccggc ggccggcggt ccggcgcgcg cggctccggc ggccggcggt 1980
ccggcgcgcg ctccctgcag gccccagaa gagccagagg ctgcagaacc ctgggcctgc 2040
ccgcctgct gctgctgctg ctgctgagac cccccgccac cagaggcatc acctgcccc 2100
cccccatgag cgtggagcac gccgacatct gggtagagag ctacagcctg tacagcagag 2160
agagatacat ctgcaacagc ggtttcaaga gaaaggccgg caccagcagc ctgaccgagt 2220
gcgtgctgaa caaggccacc aacgtggccc actggaccac cccagcctg aagtgcac 2280
gataagttta aac 2293

```

<210> SEQ ID NO 58

<211> LENGTH: 757

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 58

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

```

```

His Ala Ala Arg Pro Asp Ile Gln Leu Thr Gln Ser Pro Ala Ile Leu
20          25          30

```

Ser	Ala	Ser	Pro	Gly	Glu	Lys	Val	Thr	Met	Thr	Cys	Arg	Ala	Ser	Ser
35															
Ser	Leu	Ser	Phe	Met	His	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Ser	Ser	Pro
50															
Lys	Pro	Trp	Ile	Tyr	Ala	Thr	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Ala
65															
Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ser	Tyr	Ser	Leu	Thr	Ile	Ser
85															
Thr	Val	Glu	Ala	Glu	Asp	Ala	Ala	Ser	Tyr	Phe	Cys	His	Gln	Trp	Ser
100															
Ser	Asn	Pro	Leu	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu	Glu	Ile	Ser	Ser
115															
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Asp	Val	Met	Gly	Val
130															
Asp	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	Ser	Arg	Lys	Leu	Ser
145															
Cys	Ala	Ala	Pro	Gly	Phe	Thr	Phe	Ser	Ser	Phe	Gly	Met	His	Trp	Val
165															
Arg	Gln	Ala	Pro	Glu	Lys	Gly	Leu	Glu	Trp	Val	Ala	Tyr	Ile	Ser	Ser
180															
Pro	Ser	Ser	Thr	Leu	His	Tyr	Ala	Asp	Arg	Val	Lys	Gly	Arg	Phe	Thr
195															
Ile	Ser	Arg	Asp	Asn	Pro	Lys	Asn	Thr	Leu	Phe	Leu	Gln	Met	Lys	Leu
210															
Pro	Ser	Leu	Cys	Tyr	Gly	Leu	Leu	Gly	Pro	Arg	Asp	His	Val	His	Thr
225															
Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser
245															
Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly
260															
Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp
275															
Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile
290															
Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr
305															
Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln
325															
Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys
340															
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln
355															
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu
370															
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg
385															
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys
405															
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg
420															
425															
430															

-continued

Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys
		435					440					445			
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser
	450					455					460				
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu
465					470					475					480
Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu
				485					490					495	
Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly
			500					505					510		
Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val
		515					520					525			
Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile
	530					535					540				
Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val
545					550					555					560
Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu
				565					570					575	
Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu
			580					585					590		
Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys
		595					600					605			
Lys	Glu	Cys	Glu	Glu	Leu	Glu	Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu	Gln
	610					615					620				
Ser	Phe	Val	His	Ile	Val	Gln	Met	Phe	Ile	Asn	Thr	Ser	Ser	Gly	Gly
625					630					635					640
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly
				645					650					655	
Ser	Gly	Gly	Gly	Ser	Leu	Gln	Ala	Pro	Arg	Arg	Ala	Arg	Gly	Cys	Arg
			660					665					670		
Thr	Leu	Gly	Leu	Pro	Ala	Leu	Leu	Leu	Leu	Leu	Leu	Arg	Pro	Pro	
		675				680						685			
Ala	Thr	Arg	Gly	Ile	Thr	Cys	Pro	Pro	Pro	Met	Ser	Val	Glu	His	Ala
	690					695					700				
Asp	Ile	Trp	Val	Lys	Ser	Tyr	Ser	Leu	Tyr	Ser	Arg	Glu	Arg	Tyr	Ile
705					710					715					720
Cys	Asn	Ser	Gly	Phe	Lys	Arg	Lys	Ala	Gly	Thr	Ser	Ser	Leu	Thr	Glu
				725					730					735	
Cys	Val	Leu	Asn	Lys	Ala	Thr	Asn	Val	Ala	His	Trp	Thr	Thr	Pro	Ser
			740					745					750		
Leu	Lys	Cys	Ile	Arg											
		755													

<210> SEQ ID NO 59

<211> LENGTH: 2389

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 59

gcgatgcac catggcctta ccagtgaccg ccttgctcct gccgctggcc ttgctgctcc 60

acgccgccag gccggaggtc cagctgcagc agtctggacc tgagctgata aagcctgggg 120

-continued

cttcagtga	gatgtectgc	aaggcttctg	gatacacatt	cactagctat	gttatgcact	180
gggtgaagca	gaagcctggg	cagggccttg	agtggattgg	atatattaat	ccttacaatg	240
atggtactaa	gtacaatgag	aagttcaaag	gcaaggccac	actgacttca	gacaaatcct	300
ccagcacagc	ctacatggag	ctcagcagcc	tgacctctga	ggactctgcg	gtctattact	360
gtgcaagagg	gacttattac	tacggtagta	gggtatttga	ctactggggc	caaggcacca	420
ctctcacagt	ctcctcaggt	ggagggggct	caggcggagg	tggctctggg	ggtggaggct	480
cggacattgt	gatgactcag	gctgcaccct	ctatacctgt	cactcctgga	gagtcagtat	540
ccatctcctg	caggtctagt	aagagtctcc	tgaatagtaa	tggcaacact	tacttgattt	600
ggttcctgca	gaggccaggc	cagtctcctc	agctcctgat	atatcgatg	tccaaccttg	660
cctcaggagt	cccagacagg	ttcagtggca	gtgggtcagg	aactgctttc	acactgagaa	720
tcagtagagt	ggaggctgag	gatgtgggtg	tttattactg	tatgcaacat	ctagaatatc	780
cgttcacgtt	cggtgctggg	accaagctgg	agctgaaacg	gaccacgacg	ccagcgccgc	840
gaccaccaac	accggcgccc	accatcgctg	cgcagccctc	gtccctgcgc	ccagaggcgt	900
gccggccagc	ggcggggggc	gcagtgcaca	cgagggggct	ggacttcgcc	tgtgatattc	960
acatctgggc	gcccttggcc	gggacttgtg	gggtccttct	cctgtcactg	gttatcaccc	1020
tttactgcaa	acggggcaga	aagaaactcc	tgtatatatt	caaacaacca	tttatgagac	1080
cagtacaaac	tactcaagag	gaagatggct	gtagctgccg	atttccagaa	gaagaagaag	1140
gaggatgtga	actgagagtg	aagttcagca	ggagcgcaga	cgccccgcg	taccagcagg	1200
gccagaacca	gctctataac	gagctcaatc	taggaacgaag	agaggagtac	gatgttttgg	1260
acaagagacg	tggccgggac	cctgagatgg	ggggaaagcc	gcagagaagg	aagaaccttc	1320
aggaaggcct	gtacaatgaa	ctgcagaaaag	ataagatggc	ggaggcctac	agtgagattg	1380
ggatgaaagg	cgagcgcggg	aggggcaagg	ggcacgatgg	cctttaccag	ggtctcagta	1440
cagccaccaa	ggacacctac	gacgcccttc	acatgcaggc	cctgccccct	cgcggaagcg	1500
gagccaccaa	cttcagcctg	ctgaagcagg	cgggcgacgt	ggaggagaac	cccggcccca	1560
tgtacagaat	gcagctgctg	agetgcatcg	ccttgagcct	ggccttggtg	accaacagcg	1620
gcattccact	gttcatcctg	ggctgcttca	gcgcgggcct	gcccagacc	gaggccaact	1680
gggtgaacgt	gatcagcgac	ctgaagaaga	tcgaggacct	gatccagagc	atgcacatcg	1740
acgccacctc	gtacaccgag	agcgacgtgc	accccagctg	caagggtgacc	gccatgaagt	1800
gcttcctgct	ggagctgcag	gtgatcagcc	tggagagcgg	cgacgccagc	atccacgaca	1860
ccgtggagaa	cctgatcatc	ctggccaaca	acagcctgag	cagcaacggc	aacgtgaccg	1920
agagcggctg	caaggagtgc	gaggagctgg	aggagaagaa	catcaaggag	ttcctgcaga	1980
gcttcgtgca	catcgtgcag	atgttcatca	acaccagctc	cggcggcggc	tccggcggcg	2040
gcggctccgg	cggcgggggc	tccggcggcg	gcggctccgg	cggcggtccc	ctgcaggccc	2100
ccagaagagc	cagaggctgc	agaacctggt	gcctgcccgc	cctgctgctg	ctgctgctgc	2160
tgagaccccc	cgccaccaga	ggcatcacct	gccccccccc	catgagcgtg	gagcacgccc	2220
acatctgggt	gaagagctac	agcctgtaca	gcagagagag	atacatctgc	aacagcggtc	2280
tcaagagaaa	ggccggcacc	agcagcctga	ccgagtgcgt	gctgaacaag	gccaccaacg	2340
tggcccactg	gaccaccccc	agcctgaagt	gcattcagata	agtttaaac		2389

-continued

```

<210> SEQ ID NO 60
<211> LENGTH: 789
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 60

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15
His Ala Ala Arg Pro Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu
20     25     30
Ile Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr
35     40     45
Thr Phe Thr Ser Tyr Val Met His Trp Val Lys Gln Lys Pro Gly Gln
50     55     60
Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Lys
65     70     75     80
Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser
85     90     95
Ser Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Thr Ser Glu Asp Ser
100    105    110
Ala Val Tyr Tyr Cys Ala Arg Gly Thr Tyr Tyr Tyr Gly Ser Arg Val
115    120    125
Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Gly Gly
130    135    140
Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Val
145    150    155    160
Met Thr Gln Ala Ala Pro Ser Ile Pro Val Thr Pro Gly Glu Ser Val
165    170    175
Ser Ile Ser Cys Arg Ser Ser Lys Ser Leu Leu Asn Ser Asn Gly Asn
180    185    190
Thr Tyr Leu Tyr Trp Phe Leu Gln Arg Pro Gly Gln Ser Pro Gln Leu
195    200    205
Leu Ile Tyr Arg Met Ser Asn Leu Ala Ser Gly Val Pro Asp Arg Phe
210    215    220
Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Arg Ile Ser Arg Val
225    230    235    240
Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln His Leu Glu Tyr
245    250    255
Pro Phe Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Thr Thr
260    265    270
Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
275    280    285
Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala
290    295    300
Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala
305    310    315    320
Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr
325    330    335
Leu Tyr Cys Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln
340    345    350

```

Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser
355						360						365			
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Gly	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys
370						375						380			
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln
385			390						395			400			
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu
			405						410			415			
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg
			420			425						430			
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys
			435			440						445			
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg
450						455						460			
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys
465			470						475			480			
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser
			485						490			495			
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu
			500			505						510			
Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu
			515			520						525			
Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly
530						535						540			
Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val
545			550						555			560			
Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile
			565						570			575			
Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val
			580			585						590			
Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu
			595			600						605			
Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu
610						615						620			
Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys
625			630						635			640			
Lys	Glu	Cys	Glu	Glu	Leu	Glu	Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu	Gln
			645			650						655			
Ser	Phe	Val	His	Ile	Val	Gln	Met	Phe	Ile	Asn	Thr	Ser	Ser	Gly	Gly
			660			665						670			
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly
			675			680						685			
Ser	Gly	Gly	Gly	Ser	Leu	Gln	Ala	Pro	Arg	Arg	Ala	Arg	Gly	Cys	Arg
690						695						700			
Thr	Leu	Gly	Leu	Pro	Ala	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Arg	Pro	Pro
705			710						715			720			
Ala	Thr	Arg	Gly	Ile	Thr	Cys	Pro	Pro	Pro	Met	Ser	Val	Glu	His	Ala
			725			730						735			
Asp	Ile	Trp	Val	Lys	Ser	Tyr	Ser	Leu	Tyr	Ser	Arg	Glu	Arg	Tyr	Ile
			740			745						750			

-continued

Cys Asn Ser Gly Phe Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu
755 760 765

Cys Val Leu Asn Lys Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser
770 775 780

Leu Lys Cys Ile Arg
785

<210> SEQ ID NO 61
<211> LENGTH: 2389
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 61

```

gcatcgccac catggccctg cccgtgaccg cccgtgtgtc gcccctggcc ctgtgtgtgc      60
acgccgccag gccgatatc cagatgaccc agagccccag ctccctgtcc gcatccgtgg      120
gcatcagagt gacaattacc ttagaagca gccaaagcat cgtgcatagc gtcggcaaca      180
cttttctgga gtggtatcaa cagaagcccg ggaaggcccc caaactgtct atctacaagg      240
tgagcaacag attcagcggg gtcccaagca gattctccgg cagcggctcc gggactgact      300
tcacccctgac cattagcagc ctgcagccag aggacttcgc cacatactac tgcttccaag      360
ggagccagtt ccctacacc ttgggccaag gcaactaagg ggagatcaaa ggggggggag      420
gaagcggcgg aggaggagc ggaggcgggg gatccgaagt gcaactggtc gaatccggag      480
gggggctggt ccagcctgga gggtcctga gactgagctg cgccgcaagc ggctacgagt      540
tctccaggtc ctggtgaac tgggtgagc agggcccgag aaaagggtct gaatgggtgg      600
gcaggatcta cctggcgac ggcgatacca actactccgg aaagttcaag ggcaggttca      660
ctatcagcgc cgacactagc aagaataccg cctacctgca gatgaatagc ctgagggccg      720
aggacaccgc cgtgtattac tgcgtagag acggcagcag ctgggattgg tacttcgacg      780
tgtggggcca gggcactctg gtgactgtga gcagaccac caccgccgcc cccaggcccc      840
ccacccccgc cccaccatc gccagccagc cctgagcct gagggccgag gcttgaggc      900
ccgcgcggc cgggcgcgtg cacaccaggg gcttggaact cgctgcgac ttttgggtgc      960
tggtggtggt tggtggagtc ctggcttgct atagcttgct agtaacagtg gcctttatta     1020
ttttctgggt gaggagtaag aggagcaggc tctgcacag tgactacatg aacatgactc     1080
ccgcgcggc cgggccacc cgcaagcatt accagcccta tgccccacca cgcgacttcg     1140
cagcctatcg ctccagggtg aagttcagca ggagcgccga cgccccgcc taccagcagg     1200
gccagaacca gctgtacaac gagctgaacc tgggcaggag ggaggagtag gacgtgctgg     1260
acaagaggag gggcagggac ccgagatgg gcggcaagcc ccagaggagg aagaaccccc     1320
aggagggcct gtacaacgag ctgcagaagg acaagatggc cgaggcctac agcgagatcg     1380
gcatgaaggc cgagaggagg aggggcaagg gccacgacgg cctgtaccag ggctgagca     1440
ccgccaccaa ggacacctac gacgcctgc acatgcaggc cctgcccccc aggggaagcg     1500
gagccaccaa cttcagcctg ctgaagcagg ccggcgacgt ggaggagaac cccggcccca     1560
tgtacagaat gcagctgtg agctgcatcg cctgagcct ggccctgggtg accaaccagc     1620
gcatccacgt gttcatcctg ggtgcttca gcgcggcct gcccaagacc gagggcaact     1680
gggtgaacgt gatcagcgac ctgaagaaga tcgaggacct gatccagagc atgcacatcg     1740

```


-continued

```

acgccaccct gtacaccgag agcgacgtgc accccagctg caaggtgacc gccatgaagt 1800
gcttcctgct ggagctgcag gtgatcagcc tggagagcgg cgacgccagc atccacgaca 1860
ccgtggagaa cctgatcatc ctggccaaca acagcctgag cagcaacggc aacgtgaccg 1920
agagcggctg caaggagtgc gaggagctgg aggagaagaa catcaaggag ttctgcaga 1980
gcttcgtgca catcgtgcag atgttcatca acaccagctc cggcggcggc tccggcggcg 2040
gcggtctccg cggcggcggc tccggcggcg gcggctccg cggcggctcc ctgcaggccc 2100
ccagaagagc cagaggctgc agaaccctgg gctgcccgc cctgctgctg ctgctgctgc 2160
tgagaccccc cgccaccaga ggcatcacct gcccccccc catgagcgtg gagcagccg 2220
acatctgggt gaagagctac agcctgtaca gcagagagag atacatctgc aacagcggct 2280
tcaagagaaa ggccggcacc agcagcctga ccgagtgcgt gctgaacaag gccaccaacg 2340
tggcccactg gaccaccccc agcctgaagt gcacagata agtttaaac 2389

```

<210> SEQ ID NO 62

<211> LENGTH: 789

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 62

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10          15

His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu
20        25        30

Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ser Ser Gln
35        40        45

Ser Ile Val His Ser Val Gly Asn Thr Phe Leu Glu Trp Tyr Gln Gln
50        55        60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg
65        70        75        80

Phe Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp
85        90        95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
100       105       110

Tyr Cys Phe Gln Gly Ser Gln Phe Pro Tyr Thr Phe Gly Gln Gly Thr
115       120       125

Lys Val Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
130       135       140

Gly Gly Gly Ser Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
145       150       155       160

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Tyr Glu
165       170       175

Phe Ser Arg Ser Trp Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly
180       185       190

Leu Glu Trp Val Gly Arg Ile Tyr Pro Gly Asp Gly Asp Thr Asn Tyr
195       200       205

Ser Gly Lys Phe Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
210       215       220

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala

```

-continued

225	230							235							240		
Val	Tyr	Tyr	Cys	Ala	Arg	Asp	Gly	Ser	Ser	Trp	Asp	Trp	Tyr	Phe	Asp		
			245					250						255			
Val	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro		
			260					265					270				
Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu		
		275						280				285					
Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His		
	290					295					300						
Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Phe	Trp	Val	Leu	Val	Val	Val		
	305				310					315					320		
Gly	Gly	Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	Val	Thr	Val	Ala	Phe	Ile		
			325						330					335			
Ile	Phe	Trp	Val	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr		
			340					345					350				
Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln		
		355					360					365					
Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys		
	370					375					380						
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln		
	385				390					395					400		
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu		
			405						410					415			
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg		
		420						425					430				
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys		
		435					440					445					
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg		
	450					455					460						
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys		
	465				470					475					480		
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser		
			485						490					495			
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu		
			500					505					510				
Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu		
		515					520					525					
Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly		
	530					535					540						
Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val		
	545				550					555					560		
Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile		
			565						570					575			
Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val		
			580					585					590				
Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu		
		595					600					605					
Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu		
	610					615					620						
Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys		
	625				630					635					640		

-continued

Lys Glu Cys Glu Glu Leu Glu Glu Lys Asn Ile Lys Glu Phe Leu Gln
 645 650 655
 Ser Phe Val His Ile Val Gln Met Phe Ile Asn Thr Ser Ser Gly Gly
 660 665 670
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
 675 680 685
 Ser Gly Gly Gly Ser Leu Gln Ala Pro Arg Arg Ala Arg Gly Cys Arg
 690 695 700
 Thr Leu Gly Leu Pro Ala Leu Leu Leu Leu Leu Leu Arg Pro Pro
 705 710 715 720
 Ala Thr Arg Gly Ile Thr Cys Pro Pro Pro Met Ser Val Glu His Ala
 725 730 735
 Asp Ile Trp Val Lys Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile
 740 745 750
 Cys Asn Ser Gly Phe Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu
 755 760 765
 Cys Val Leu Asn Lys Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser
 770 775 780
 Leu Lys Cys Ile Arg
 785

<210> SEQ ID NO 63
 <211> LENGTH: 3049
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 63

gcgatcgcat ggccttacca gtgaccgcct tgcctcctgcc gctggccttg ctgctccacg	60
ccgccaggcc ggagggtccag ctgcagcagt ctggacctga gctgataaag cctggggcctt	120
cagtgaagat gtctctgaag gcttctggat acacattcac tagctatgtt atgcactggg	180
tgaagcagaa gcctggggcag ggccttgagt ggattggata tattaatcct tacaatgatg	240
gtactaagta caatgagaag ttcaaaggca aggccacact gacttcagac aaatcctcca	300
gcacagccta catggagctc agcagcctga cctctgagga ctctgcggtc tattactgtg	360
caagaggggac ttattactac ggtagtaggg tatttgacta ctggggccaa ggcaccactc	420
tcacagtctc ctgaggtgga gggggctcag gcggaggtgg ctctgggggt ggaggctcgg	480
acattgtgat gactcaggct gcaccctcta tacctgtcac tccctggagag tcagtatcca	540
tctctgcag gtctagtaag agtctcctga atagtaatgg caacacttac ttgtattggt	600
tcctgcagag gccaggccag tctcctcagc tcctgatata tcggatgtcc aaccttgctt	660
caggagtccc agacagggtc agtggcagtg ggtcaggaac tgctttcaca ctgagaatca	720
gtagagtgga ggctgaggat gtgggtgttt attactgtat gcaacatcta gaatatccgt	780
tcacgttcgg tgctgggacc aagctggagc tgaaacggac cagcagccca gcgccgcgac	840
caccaacacc ggcgcccacc atcgcgctgc agccctctgc cctgcgccca gaggcgtgcc	900
ggccagcggc gggggggcga gtgcacacga gggggctgga cttegcctgt gatatctaca	960
tctgggcgcc cttggccggg acttggtggg tccttctcct gtcactgggt atcacccttt	1020
actgcaaacg gggcagaaag aaactcctgt atatattcaa acaaccattt atgagaccag	1080

-continued

tacaaactac tcaagaggaa gatggctgta gctgccgatt tccagaagaa gaagaaggag	1140
gatgtgaact gagagtgaag ttcagcagga gcgcagacgc ccccgcgtag cagcagggcc	1200
agaaccagct ctataacgag ctcaatctag gacgaagaga ggagtacgat gttttggaca	1260
agagacgtgg ccgggaccct gagatggggg gaaagccgca gagaagggaag aaccctcagg	1320
aaggcctgta caatgaactg cagaaagata agatggcgga ggctacagt gagattggga	1380
tgaaaggcga gcgccggagg ggcaaggggc acgatggcct ttaccagggt ctcagtacag	1440
ccaccaagga cacctacgac gcccttcaca tgcaggccct gccccctcgc ggaagcggag	1500
ccaccaactt cagcctgctg aagcagggcg gcgacgtgga ggagaacccc ggccccatgg	1560
ccctgccccg gaccgcccctg ctgctgcccc tggccctgct gctgcacgcc gccaggcccc	1620
atatccagat gaccagagc cccagctccc tgctcgcacg cgtgggcgac agagtgacaa	1680
ttacctgtag aagcagccaa agcatcgtgc atagcgtcgg caacactttt ctggagtggg	1740
atcaacagaa gcccggaag gcccccaaac tgctgatcta caaggtgagc aacagattca	1800
gcggggtccc aagcagattc tccggcagcg gctccgggac tgacttcacc ctgaccatta	1860
gcagcctgca gccagaggac ttcgccacat actactgctt ccaagggagc cagttcccct	1920
acaccttcgg ccaaggcact aaggtggaga tcaaaggggg gggaggaagc ggcggaggag	1980
ggagcggagg cgggggatcc gaagtgaac tggtcgaatc cggagggggg ctggtccagc	2040
ctggagggtc cctgagactg agctgcgccc caagcggcta cgagttctcc aggtcctgga	2100
tgaactgggt gaggcaggcc ccaggaaaag ggctggaatg ggtgggcagg atctaccctg	2160
gcgacggcga taccaactac tccggaagt tcaagggcag gttcactatc agcgcgcaca	2220
ctagcaagaa taccgcctac ctgcagatga atagcctgag ggccgaggac accgccgtgt	2280
attactgcgc tagagacggc agcagctggg attggtactt cgacgtgtgg ggccagggca	2340
ctctggtgac tgtgagcagc accaccaccc ccgccccag gccccccacc cccgccccca	2400
ccatcgccag ccagcccctg agcctgagge ccgaggcctg caggcccgcg gccggcggcg	2460
ccgtgcacac caggggcccgt gacttcgcct gcgacttttg ggtgctgggt gtggttgggt	2520
gagtcctggc ttgtatagc ttgctagtaa cagtggcctt tattattttc tgggtgagga	2580
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cgccccgggc	2640
ccaccgcaa gcattaccag cctatgccc caccacgca cttcgagcc tatcgctcca	2700
gggtgaagtt cagcaggagc gccgacgccc ccgcctacca gcagggccag aaccagctgt	2760
acaacgagct gaacctgggc aggaggagg agtacgacgt gctggacaag aggaggggca	2820
gggacccga gatggggcgc aagccccaga ggaggaagaa ccccaggag ggctgtaca	2880
acgagctgca gaaggacaag atggccgagg cctacagcga gatcggcagc aaggcgagga	2940
ggaggagggg caagggccac gacggcctgt accagggcct gagcaccgcc accaaggaca	3000
cctacgacgc cctgcacatg caggccctgc ccccaggtg agtttaaac	3049

<210> SEQ ID NO 64

<211> LENGTH: 1010

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 64

-continued

Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	1	5	10	15
His	Ala	Ala	Arg	Pro	Glu	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu	Leu	20	25	30	
Ile	Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	35	40	45	
Thr	Phe	Thr	Ser	Tyr	Val	Met	His	Trp	Val	Lys	Gln	Lys	Pro	Gly	Gln	50	55	60	
Gly	Leu	Glu	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr	Lys	65	70	75	80
Tyr	Asn	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Lys	Ser	85	90	95	
Ser	Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp	Ser	100	105	110	
Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Thr	Tyr	Tyr	Tyr	Gly	Ser	Arg	Val	115	120	125	
Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Gly	Gly	130	135	140	
Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile	Val	145	150	155	160
Met	Thr	Gln	Ala	Ala	Pro	Ser	Ile	Pro	Val	Thr	Pro	Gly	Glu	Ser	Val	165	170	175	
Ser	Ile	Ser	Cys	Arg	Ser	Ser	Lys	Ser	Leu	Leu	Asn	Ser	Asn	Gly	Asn	180	185	190	
Thr	Tyr	Leu	Tyr	Trp	Phe	Leu	Gln	Arg	Pro	Gly	Gln	Ser	Pro	Gln	Leu	195	200	205	
Leu	Ile	Tyr	Arg	Met	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Asp	Arg	Phe	210	215	220	
Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ala	Phe	Thr	Leu	Arg	Ile	Ser	Arg	Val	225	230	235	240
Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	His	Leu	Glu	Tyr	245	250	255	
Pro	Phe	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu	Glu	Leu	Lys	Arg	Thr	Thr	260	265	270	
Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	275	280	285	
Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	290	295	300	
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	305	310	315	320
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	325	330	335	
Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	340	345	350	
Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	355	360	365	
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	370	375	380		
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	385	390	395	400

Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	
				405					410				415			
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	
				420					425				430			
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	
				435					440				445			
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	
				450					455				460			
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	
				465					470				475			
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	
				485					490				495			
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	
				500					505				510			
Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	
				515					520				525			
Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Ile	Gln	Met	Thr	Gln	Ser	
				530					535				540			
Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	
				545					550				555			
Arg	Ser	Ser	Gln	Ser	Ile	Val	His	Ser	Val	Gly	Asn	Thr	Phe	Leu	Glu	
				565					570				575			
Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile	Tyr	Lys	
				580					585				590			
Val	Ser	Asn	Arg	Phe	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	
				595					600				605			
Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro	Glu	Asp	
				610					615				620			
Phe	Ala	Thr	Tyr	Tyr	Cys	Phe	Gln	Gly	Ser	Gln	Phe	Pro	Tyr	Thr	Phe	
				625					630				635			
Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	
				645					650				655			
Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	
				660					665				670			
Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	
				675					680				685			
Ser	Gly	Tyr	Glu	Phe	Ser	Arg	Ser	Trp	Met	Asn	Trp	Val	Arg	Gln	Ala	
				690					695				700			
Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	Gly	Arg	Ile	Tyr	Pro	Gly	Asp	Gly	
				705					710				715			
Asp	Thr	Asn	Tyr	Ser	Gly	Lys	Phe	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	
				725					730				735			
Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	
				740					745				750			
Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Asp	Gly	Ser	Ser	Trp	Asp	
				755					760				765			
Trp	Tyr	Phe	Asp	Val	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
				770					775				780			
Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	
				785					790				795			
Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	

-continued

805						810						815						
Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Phe	Trp	Val			
			820						825			830						
Leu	Val	Val	Val	Gly	Gly	Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	Val	Thr			
			835						840			845						
Val	Ala	Phe	Ile	Ile	Phe	Trp	Val	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu			
			850						855			860						
His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg			
			865						870			875			880			
Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg			
			885						890			895						
Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln			
			900						905			910						
Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu			
			915						920			925						
Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly			
			930						935			940						
Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu			
			945						950			955			960			
Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly			
			965						970			975						
Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser			
			980						985			990						
Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro			
			995						1000			1005						
Pro	Arg																	
			1010															

<210> SEQ ID NO 65

<211> LENGTH: 2953

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 65

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggagggtccag ctgcagcagt ctggacctga gctgataaag cctgggggctt    120
cagtgaagat gtcttgcaag gcttctggat acacattcac tagctatggt atgcactggg      180
tgaagcagaa gcctgggcag ggccttgagt ggattggata tattaatcct tacaatgatg      240
gtactaagta caatgagaag ttcaaaggca aggccacct gacttcagac aaatcctcca      300
gcacagccta catggagctc agcagcctga cctctgagga ctctgcggtc tattactgtg      360
caagagggac ttattactac ggtagtaggg tatttgacta ctggggccaa ggcaccactc      420
tcacagtctc ctcagggtga gggggctcag gcggagggtg ctctgggggt ggaggctcgg      480
acattgtgat gactcaggct gcaccctcta tacctgtcac tcctggagag tcagtatcca      540
tctctgcag gtctagtaag agtctcctga atagtaatgg caacacttac ttgtattggt      600
tcctgcagag gccaggccag tctcctcagc tectgatata tcggatgtcc aacctgcct      660
caggagtccc agacagggtc agtggcagtg ggtcaggaac tgctttcaca ctgagaatca      720
gtagagtgga ggctgaggat gtgggtgttt attactgtat gcaacatcta gaatatccgt      780

```

-continued

tcacgttcgg tgcgtgggacc aagctgggagc tgaaacggac cagcagccca gcgccgcgac	840
caccaacacc ggcccccacc atcgcgtcgc agcccctgtc cctgcgcccc gaggcgtgcc	900
ggccagcggc gggggggcgca gtgcacacga gggggctgga cttcgccctgt gatatactaca	960
tctgggcgcc cttggccggg acttgtgggg tccttctcct gtcactgggt atcacccttt	1020
actgcaaacg gggcagaaag aaactcctgt atatatcaa acaaccatth atgagaccag	1080
tacaaactac tcaagaggaa gatggctgta gctgccgatt tccagaagaa gaagaaggag	1140
gatgtgaact gagagtgaag ttcagcagga gcgcagacgc ccccgctac cagcagggcc	1200
agaaccagct ctataacgag ctcaatctag gacgaagaga ggagtacgat gttttggaca	1260
agagacgtgg ccgggaccct gagatggggg gaaagccgca gagaaggaa aaccctcagg	1320
aaggcctgta caatgaactg cagaaagata agatggcgga ggctacagt gagattggga	1380
tgaaaggcga gcgccggagg ggcaaggggc acgatggcct ttaccagggt ctcagtacag	1440
ccaccaagga cacctacgac gcccttcaca tgcaggccct gcccctcgc ggaagcggag	1500
ccaccaactt cagcctgctg aagcagggcg gcgacgtgga ggagaacccc ggccccatgg	1560
cctgcccgt gaccgccctg ctgctgccc tggccctgct gctgcacgcc gccaggcccg	1620
acattcagct gaccagctct ccagcaatcc tttctgcac tccaggggag aagggtcaca	1680
tgacttgca ggccagctca agtttaagtt tcatgcactg gtaccagcag aagccaggat	1740
cctcccccac accctggatt tatgccacat ccaacctggc ttctggagtc cctgctcgt	1800
tcagtggcag tgggtctggg acctcttact ctctcacaat cagcacagtg gaggtgaag	1860
atgctgcctc ttattttctg catcagtggg gtagtaacct gctcacgttc ggtgctggga	1920
ccaagctgga gatcagctcg ggcggcgccg gctcggcgcg cggcggtccc ggagacgtca	1980
tgggggtgga ttctggggga ggcttagtgc agcctggagg gtcccggaaa ctctcctgtg	2040
cagccccctg attcacttcc agtagctttg ggatgcactg ggttcgtcag gctccagaga	2100
aggggttgga gtgggtcgca tacattagta gtcccagtag taccctccac tatgcagaca	2160
gagtgaaggg ccgattcacc atctccagag acaatcccaa gaacaccctg ttctgcaaa	2220
tgaaactacc ctactatgc tatggactac tggggccaag ggaccacgtt cacaccacca	2280
cccccgccc caggcccccc acccccgccc ccaccatcg cagccagccc ctgagcctga	2340
ggcccgaggc ctgcaggccc gccgcggcg gcgccgtgca caccaggggc ctggacttcg	2400
cctgcgacat ctacatctgg gccccctgg ccggcacctg cggcggtgctg ctgctgagcc	2460
tggatgacac cctgtactgc aggagtaaga ggagcaggct cctgcacagt gactacatga	2520
acatgactcc ccgcccggcc gggcccaccc gcaagcatta ccagccctat gccccaccac	2580
gcgacttcgc agcctatcgc tccaggggtga agttcagcag gagcgccgac gccccgcct	2640
accagcaggg ccagaaccag ctgtacaacg agctgaacct gggcaggagg gaggagtacg	2700
acgtgctgga caagaggagg ggcagggacc ccgagatggg cggcaagccc cagaggagga	2760
agaaccccca ggaggggcctg tacaacgagc tgcagaagga caagatggcc gaggcctaca	2820
gcgagatcgg catgaagggc gagaggagga ggggcaaggc ccacgacggc ctgtaccagg	2880
gctgagcac cgccaccaag gacacctacg acgcccgtga catgcaggcc ctgcccccca	2940
ggtaagttta aac	2953

-continued

<210> SEQ ID NO 66
<211> LENGTH: 978
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 66

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1 5 10 15

His Ala Ala Arg Pro Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu
20 25 30

Ile Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr
35 40 45

Thr Phe Thr Ser Tyr Val Met His Trp Val Lys Gln Lys Pro Gly Gln
50 55 60

Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Lys
65 70 75 80

Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser
85 90 95

Ser Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Thr Ser Glu Asp Ser
100 105 110

Ala Val Tyr Tyr Cys Ala Arg Gly Thr Tyr Tyr Tyr Gly Ser Arg Val
115 120 125

Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Gly Gly
130 135 140

Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Val
145 150 155 160

Met Thr Gln Ala Ala Pro Ser Ile Pro Val Thr Pro Gly Glu Ser Val
165 170 175

Ser Ile Ser Cys Arg Ser Ser Lys Ser Leu Leu Asn Ser Asn Gly Asn
180 185 190

Thr Tyr Leu Tyr Trp Phe Leu Gln Arg Pro Gly Gln Ser Pro Gln Leu
195 200 205

Leu Ile Tyr Arg Met Ser Asn Leu Ala Ser Gly Val Pro Asp Arg Phe
210 215 220

Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Arg Ile Ser Arg Val
225 230 235 240

Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln His Leu Glu Tyr
245 250 255

Pro Phe Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Thr Thr
260 265 270

Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
275 280 285

Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala
290 295 300

Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala
305 310 315 320

Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr
325 330 335

Leu Tyr Cys Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln
340 345 350

Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly Cys Ser

-continued

355					360					365					
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys
370						375				380					
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln
385					390					395					400
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu
			405					410						415	
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg
		420						425					430		
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys
		435					440					445			
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg
450						455					460				
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys
465					470					475					480
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser
			485						490					495	
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu
			500					505					510		
Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu
		515					520					525			
Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Ile	Gln	Leu	Thr	Gln	Ser
530					535						540				
Pro	Ala	Ile	Leu	Ser	Ala	Ser	Pro	Gly	Glu	Lys	Val	Thr	Met	Thr	Cys
545					550					555					560
Arg	Ala	Ser	Ser	Ser	Leu	Ser	Phe	Met	His	Trp	Tyr	Gln	Gln	Lys	Pro
			565						570					575	
Gly	Ser	Ser	Pro	Lys	Pro	Trp	Ile	Tyr	Ala	Thr	Ser	Asn	Leu	Ala	Ser
			580					585					590		
Gly	Val	Pro	Ala	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ser	Tyr	Ser
		595					600					605			
Leu	Thr	Ile	Ser	Thr	Val	Glu	Ala	Glu	Asp	Ala	Ala	Ser	Tyr	Phe	Cys
610					615					620					
His	Gln	Trp	Ser	Ser	Asn	Pro	Leu	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu
625					630					635					640
Glu	Ile	Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Asp
			645					650					655		
Val	Met	Gly	Val	Asp	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	Ser
		660						665					670		
Arg	Lys	Leu	Ser	Cys	Ala	Ala	Pro	Gly	Phe	Thr	Phe	Ser	Ser	Phe	Gly
		675					680					685			
Met	His	Trp	Val	Arg	Gln	Ala	Pro	Glu	Lys	Gly	Leu	Glu	Trp	Val	Ala
690					695						700				
Tyr	Ile	Ser	Ser	Pro	Ser	Ser	Thr	Leu	His	Tyr	Ala	Asp	Arg	Val	Lys
705					710					715					720
Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Pro	Lys	Asn	Thr	Leu	Phe	Leu
			725						730				735		
Gln	Met	Lys	Leu	Pro	Ser	Leu	Cys	Tyr	Gly	Leu	Leu	Gly	Pro	Arg	Asp
			740					745					750		
His	Val	His	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro
		755					760					765			

-continued

Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro
 770 775 780
 Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp
 785 790 795 800
 Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu
 805 810 815
 Ser Leu Val Ile Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu
 820 825 830
 His Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg
 835 840 845
 Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg
 850 855 860
 Ser Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln
 865 870 875 880
 Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu
 885 890 895
 Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly
 900 905 910
 Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu
 915 920 925
 Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly
 930 935 940
 Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser
 945 950 955 960
 Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro
 965 970 975
 Pro Arg

<210> SEQ ID NO 67
 <211> LENGTH: 3010
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 67

```

gcgatcgcat ggccttaacca gtgaccgcct tgcctctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggaggtccag ctgcagcagt ctggacctga gctgataaag cctggggcct      120
cagtgaagat gtcttgcaag gcttctggat acacattcac tagctatggt atgcactggg      180
tgaagcagaa gcctgggcag ggccttgagt ggattggata tattaatcct tacaatgatg      240
gtactaagta caatgagaag ttcaaaggca aggccacact gacttcagac aaatcctcca      300
gcacagccta catggagctc agcagcctga cctctgagga ctctgcggtc tattactgtg      360
caagaggggac ttattactac ggtagtaggg tatttgacta ctggggccaa ggcaccactc      420
tcacagtctc ctcaggtgga gggggctcag gcggaggtgg ctctgggggt ggaggctcgg      480
acattgtgat gactcaggct gcacctcta tacctgtcac tectggagag tcagtatcca      540
tctcctgcag gtctagtaag agtctcctga atagtaatgg caacacttac ttgtattggt      600
tctctcagag gccaggccag tctcctcagc tectgatata tcggatgtcc aaccttcct      660
caggagtccc agacagggtc agtggcagtg ggtcaggaac tgctttcaca ctgagaatca      720

```

-continued

gtagagtgga	ggctgaggat	gtgggtgttt	attactgtat	gcaacatcta	gaatatccgt	780
tcacgttcgg	tgctgggacc	aagctggagc	tgaaacggac	cacgacgcca	gcgccgcgac	840
caccaacacc	ggcgcceacc	atcgctgcgc	agccctgtc	cctgcgcca	gaggcgtgcc	900
ggccagcggc	ggggggcgca	gtgcacacga	gggggtgga	cttcgcctgt	gatatctaca	960
tctggggccc	cttgccggg	acttgtggg	tccttctcct	gtcactggtt	atcacccctt	1020
actgcaaacg	gggcagaaag	aaactcctgt	atatattcaa	acaaccat	atgagaccag	1080
tacaaactac	tcaagaggaa	gatggctgta	gctgccgatt	tccagaagaa	gaagaaggag	1140
gatgtgaact	gagagtgaag	ttcagcagga	gcgcagacgc	ccccgcgtac	cagcaggggc	1200
agaaccagct	ctataacgag	ctcaatctag	gacgaagaga	ggagtacgat	gttttgga	1260
agagacgtgg	ccgggaccct	gagatgggg	gaaagccgca	gagaaggaag	aaccctcagg	1320
aaggcctgta	caatgaactg	cagaaagata	agatggcgga	ggcctacagt	gagattggga	1380
tgaaaggcga	gcgcgggagg	ggcaaggggc	acgatggcct	ttaccagggt	ctcagtacag	1440
ccaccaagga	cacctacgac	gcccttcaca	tgaggccct	gccccctcgc	ggaagcggag	1500
ccaccaactt	cagcctgctg	aagcaggccg	gcgacgtgga	ggagaacccc	ggccccatgg	1560
ccctgcccgt	gaccgcccgt	ctgctgcccc	tgcccctgct	gctgcacgcc	gccaggccc	1620
acgtgcagat	caccagagc	cccagctacc	tgcccgccag	ccccggcgag	accatcacca	1680
tcaactgcag	agccagcaag	agcatcagca	aggacctggc	ctggtaccag	gagaagccc	1740
gcaagaccaa	caagctgctg	atctacagcg	gcagcaccct	gcagagcggc	atcccagca	1800
gattcagcgg	cagcggcagc	ggcaccgact	tcacctgac	catcagcagc	ctggagccc	1860
aggacttcgc	catgtactac	tgccagcagc	acaacaagta	ccccacacc	ttcgcgggcg	1920
gcaccaagct	ggagatcaag	ggaggggggg	gatccggggg	aggaggctcc	ggcgaggcgg	1980
gaagccaggt	gcagctgcag	cagcccggcg	ccgagctggt	gagacccggc	gccagcgtga	2040
agctgagctg	caaggccagc	ggctacacct	tcaccagcta	ctggatgaac	tggtgaagc	2100
agagaccoga	ccagggcctg	gagtggatcg	gcagaatcga	ccccacgac	agcgagaccc	2160
actacaacca	gaagtccaag	gacaaggcca	tcctgaccgt	ggacaagagc	agcagcaccg	2220
cctacatgca	gctgagcagc	ctgaccagcg	aggacagcgc	cgtgtaactac	tgccgacag	2280
gcaactggga	cgactactgg	ggccagggca	ccacctgac	cgtgagcagc	accaccacc	2340
ccgccccag	gccccccacc	ccgccccca	ccatcgccag	ccagcccctg	agcctgaggc	2400
ccgaggcctg	caggcccgc	gccggcgcg	ccgtgcacac	caggggcctg	gacttcgcct	2460
gcgacatcta	catctggggc	ccctggccg	gcacctgcgg	cgtgctgctg	ctgagcctgg	2520
tgatcacct	gtactgcagg	agtaagagga	gcaggtcct	gcacagtgc	tacatgaaca	2580
tgactccccg	ccgccccggg	cccaccgca	agcattacca	gccctatgcc	ccaccacgcg	2640
acttcgcagc	ctatcgctcc	agggtgaagt	tcagcaggag	cgccgacgcc	ccgcctacc	2700
agcagggcca	gaaccagctg	tacaacgagc	tgaacctggg	caggagggag	gagtacgacg	2760
tgctggacaa	gaggaggggc	agggacccc	agatgggcgg	caagcccag	aggaggaaga	2820
acccccagga	gggcctgtac	aacgagctgc	agaaggacaa	gatggccgag	gcctacagcg	2880
agatcgcat	gaaggcgag	aggaggagg	gcaagggcca	cgacggcctg	taccagggcc	2940
tgagcaccgc	caccaaggac	acctacgacg	ccctgcacat	gcaggccctg	ccccccaggt	3000

-continued

aagtttaaac

3010

<210> SEQ ID NO 68

<211> LENGTH: 997

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 68

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10          15

His Ala Ala Arg Pro Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu
20        25        30

Ile Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr
35        40        45

Thr Phe Thr Ser Tyr Val Met His Trp Val Lys Gln Lys Pro Gly Gln
50        55        60

Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Lys
65        70        75        80

Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser
85        90        95

Ser Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Thr Ser Glu Asp Ser
100       105       110

Ala Val Tyr Tyr Cys Ala Arg Gly Thr Tyr Tyr Tyr Gly Ser Arg Val
115       120       125

Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Gly Gly
130       135       140

Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Val
145       150       155       160

Met Thr Gln Ala Ala Pro Ser Ile Pro Val Thr Pro Gly Glu Ser Val
165       170       175

Ser Ile Ser Cys Arg Ser Ser Lys Ser Leu Leu Asn Ser Asn Gly Asn
180       185       190

Thr Tyr Leu Tyr Trp Phe Leu Gln Arg Pro Gly Gln Ser Pro Gln Leu
195       200       205

Leu Ile Tyr Arg Met Ser Asn Leu Ala Ser Gly Val Pro Asp Arg Phe
210       215       220

Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Arg Ile Ser Arg Val
225       230       235       240

Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln His Leu Glu Tyr
245       250       255

Pro Phe Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Thr Thr
260       265       270

Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
275       280       285

Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala
290       295       300

Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala
305       310       315       320

Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr
325       330       335

Leu Tyr Cys Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln

```

-continued

340						345						350							
Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser				
355						360						365							
Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys				
370						375				380									
Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln				
385					390					395					400				
Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu				
				405				410								415			
Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg				
			420						425			430							
Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys				
		435						440				445							
Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg				
450						455				460									
Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys				
465					470					475					480				
Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser				
			485						490			495							
Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu				
			500						505			510							
Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu				
		515						520				525							
Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Val	Gln	Ile	Thr	Gln	Ser				
530						535				540									
Pro	Ser	Tyr	Leu	Ala	Ala	Ser	Pro	Gly	Glu	Thr	Ile	Thr	Ile	Asn	Cys				
545					550					555					560				
Arg	Ala	Ser	Lys	Ser	Ile	Ser	Lys	Asp	Leu	Ala	Trp	Tyr	Gln	Glu	Lys				
			565						570			575							
Pro	Gly	Lys	Thr	Asn	Lys	Leu	Leu	Ile	Tyr	Ser	Gly	Ser	Thr	Leu	Gln				
			580						585			590							
Ser	Gly	Ile	Pro	Ser	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe				
		595				600						605							
Thr	Leu	Thr	Ile	Ser	Ser	Leu	Glu	Pro	Glu	Asp	Phe	Ala	Met	Tyr	Tyr				
610						615				620									
Cys	Gln	Gln	His	Asn	Lys	Tyr	Pro	Tyr	Thr	Phe	Gly	Gly	Gly	Thr	Lys				
625					630					635					640				
Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly				
			645						650						655				
Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Pro	Gly	Ala	Glu	Leu	Val	Arg				
			660						665			670							
Pro	Gly	Ala	Ser	Val	Lys	Leu	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe				
		675				680						685							
Thr	Ser	Tyr	Trp	Met	Asn	Trp	Val	Lys	Gln	Arg	Pro	Asp	Gln	Gly	Leu				
690						695				700									
Glu	Trp	Ile	Gly	Arg	Ile	Asp	Pro	Tyr	Asp	Ser	Glu	Thr	His	Tyr	Asn				
705					710					715					720				
Gln	Lys	Phe	Lys	Asp	Lys	Ala	Ile	Leu	Thr	Val	Asp	Lys	Ser	Ser	Ser				
			725						730			735							
Thr	Ala	Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val				
		740						745				750							

-continued

Tyr Tyr Cys Ala Arg Gly Asn Trp Asp Asp Tyr Trp Gly Gln Gly Thr
 755 760 765
 Thr Leu Thr Val Ser Ser Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr
 770 775 780
 Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala
 785 790 795 800
 Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe
 805 810 815
 Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val
 820 825 830
 Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Arg Ser Lys Arg Ser
 835 840 845
 Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro Gly
 850 855 860
 Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe Ala
 865 870 875 880
 Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala
 885 890 895
 Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg
 900 905 910
 Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu
 915 920 925
 Met Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr
 930 935 940
 Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly
 945 950 955 960
 Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln
 965 970 975
 Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln
 980 985 990
 Ala Leu Pro Pro Arg
 995

<210> SEQ ID NO 69

<211> LENGTH: 1767

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 69

```

gcgatcgctg acctctagaa tgtatttggtg gcttaaactc ttggcatttg gctttgcctt      60
tctggacaca gaagtatttg tgacagggga catccagggtg acccagagcc ccagcagcct      120
gagcgccagc ctgggcgaga gaatcagcct gacctgcaga accagccagg acatcagcaa      180
ctacctgaac tggttccagc agaagcccga cggcaccttc aagagactga tctacgccac      240
cagcagcctg gacagcgggc tgccaagag attcagcggc agcggcagcg gcagcgacta      300
cagcctgacc atcagcagcc tggagagcga ggacttcgcc gactactact gcctgcagta      360
cgccagctac cccttcacct tcggcagcgg caccaagctg gagatcaagg gagggggggg      420
atccggggga ggaggctccg gcggaggcgg aagcgaggtg cagctgcagg agagcggccc      480
cggcctggtg aagcccagcc agaccctgag cctgacctgc agcgtgaccg gctacagcat      540

```

-continued

```

caccagcggc tactactggc actggatcag acagttcccc ggcaacaagc tgcagtggat    600
gggctacatc agctacagcg gcttcaccaa ctacaagacc agcctgatca acagaatcag    660
catcaccacac gacaccagcg agaaccagtt ctctctgaac ctgaacagcg tgaccaccga    720
ggacaccgcc acctactact gcgccggcga cagaaccggc agctgggttcg cctactgggg    780
ccagggcacc ctggtgaccg tgagcgccac cagcagccca gcgcgcgcac caccaacacc    840
ggcgcccacc atcgcgctgc agccccgtc cctgcgccca gaggcgtgcc ggccagcggc    900
ggggggcgca gtgcacacga gggggctgga ctctcgctgt gatatctaca tctgggcgcc    960
cttgccgggg acttgtgggg tccttctcct gtcactggtt atcacccttt actgcaggag   1020
taagaggagc aggtctctgc acagtgacta catgaacatg actccccgcc gccccggggc   1080
caccgcgaag cattaccagc cctatgcccc accacgcgac ttcgcagcct atcgctccag   1140
agtgaagttc agcaggagcg cagacgcccc cgcgtagcag cagggccaga accagctcta   1200
taacgagctc aatctaggac gaagagagga gtacgatggt ttggacaaga gacgtggccg   1260
ggaccctgag atggggggaa agccgcagag aaggaagaac cctcaggaag gcctgtacaa   1320
tgaactgcag aaagataaga tggcggaggc ctacagtgag attgggatga aaggcgagcg   1380
ccggagggggc aagggggcacg atggccttta ccagggtctc agtacagcca ccaaggacac   1440
ctacagcgcc cttcacatgc aggcctgcc cctcgcggc agcggcgaaag gccgcggcag   1500
cctgctgacc tgcggcgatg tggaagaaaa cccgggcccc atgtacctgt ggctgaagct   1560
gttgcccttc ggcttcgcct tcctggacac cgaggtgttc gtgaccggcg gccagaacga   1620
caccagccag accagcagcc ccagcagccc gctgtttccg ggcccagca aaccgttttg   1680
ggtgctggtg gtggtggggc gcgtgctggc gtgctatagc ctgctggtga ccgtggcggt   1740
tattatTTTT tggtgtgaag tttaaac                                     1767

```

<210> SEQ ID NO 70

<211> LENGTH: 579

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 70

```

Met Tyr Leu Trp Leu Lys Leu Leu Ala Phe Gly Phe Ala Phe Leu Asp
1           5           10          15

Thr Glu Val Phe Val Thr Gly Asp Ile Gln Val Thr Gln Ser Pro Ser
20          25          30

Ser Leu Ser Ala Ser Leu Gly Glu Arg Ile Ser Leu Thr Cys Arg Thr
35          40          45

Ser Gln Asp Ile Ser Asn Tyr Leu Asn Trp Phe Gln Gln Lys Pro Asp
50          55          60

Gly Thr Phe Lys Arg Leu Ile Tyr Ala Thr Ser Ser Leu Asp Ser Gly
65          70          75          80

Val Pro Lys Arg Phe Ser Gly Ser Gly Ser Gly Ser Asp Tyr Ser Leu
85          90          95

Thr Ile Ser Ser Leu Glu Ser Glu Asp Phe Ala Asp Tyr Tyr Cys Leu
100         105         110

Gln Tyr Ala Ser Tyr Pro Phe Thr Phe Gly Ser Gly Thr Lys Leu Glu
115         120         125

```


-continued

Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	130	135	140
Ser	Glu	Val	Gln	Leu	Gln	Glu	Ser	Gly	Pro	Gly	Leu	Val	Lys	Pro	Ser	145	150	155
Gln	Thr	Leu	Ser	Leu	Thr	Cys	Ser	Val	Thr	Gly	Tyr	Ser	Ile	Thr	Ser	165	170	175
Gly	Tyr	Tyr	Trp	His	Trp	Ile	Arg	Gln	Phe	Pro	Gly	Asn	Lys	Leu	Gln	180	185	190
Trp	Met	Gly	Tyr	Ile	Ser	Tyr	Ser	Gly	Phe	Thr	Asn	Tyr	Lys	Thr	Ser	195	200	205
Leu	Ile	Asn	Arg	Ile	Ser	Ile	Thr	His	Asp	Thr	Ser	Glu	Asn	Gln	Phe	210	215	220
Phe	Leu	Asn	Leu	Asn	Ser	Val	Thr	Thr	Glu	Asp	Thr	Ala	Thr	Tyr	Tyr	225	230	235
Cys	Ala	Gly	Asp	Arg	Thr	Gly	Ser	Trp	Phe	Ala	Tyr	Trp	Gly	Gln	Gly	245	250	255
Thr	Leu	Val	Thr	Val	Ser	Ala	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	260	265	270
Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	275	280	285
Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	290	295	300
Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	305	310	315
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	325	330	335
Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	340	345	350
Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	355	360	365
Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	370	375	380
Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	385	390	395
Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	405	410	415
Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	420	425	430
Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	435	440	445
Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	450	455	460
Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	465	470	475
Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Glu	Gly	Arg	Gly	Ser	Leu	Leu	485	490	495
Thr	Cys	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Leu	Trp	Leu	500	505	510
Lys	Leu	Leu	Ala	Phe	Gly	Phe	Ala	Phe	Leu	Asp	Thr	Glu	Val	Phe	Val	515	520	525

-continued

Thr	Gly	Gly	Gln	Asn	Asp	Thr	Ser	Gln	Thr	Ser	Ser	Pro	Ser	Ser	Pro
530						535				540					
Leu	Phe	Pro	Gly	Pro	Ser	Lys	Pro	Phe	Trp	Val	Leu	Val	Val	Val	Gly
545					550					555					560
Gly	Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	Val	Thr	Val	Ala	Phe	Ile	Ile
				565					570					575	
Phe	Trp	Val													

<210> SEQ ID NO 71
 <211> LENGTH: 1880
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 71

```

atgtacctgt ggctgaagct gctggccttc ggcttcgcct tcttggacac cgagggtgttc      60
gtgaccggcg acatccaggt gacccagagc cccagcagcc tgagcgccag cctgggagag      120
agaatcagcc tgacctgcag aaccagccag gacatcagca actacctgaa ctgggtccag      180
cagaagcccg acggcacctt caagagactg atctacgcca ccagcagcct ggacagcggc      240
gtgccaaga gattcagcgg cagcggcagc ggcagcagct acagcctgac catcagcagc      300
ctggagagcg aggacttcgc cgactactac tgctgcagct acgccagcta ccccttcacc      360
ttcggcagcg gcaccaagct ggagatcaag ggaggggggg gatccggggg aggaggtccc      420
ggcggaggcg gaagcgaggt gcagctgcag gagagcgccc ccggcctggt gaagcccagc      480
cagaccctga gcttgacctg cagcgtgacc ggctacagca tcaccagcgg ctactactgg      540
cactggatca gacagttccc cgcaacaag ctgcagtggg tgggctacat cagctacagc      600
ggcttcacca actacaagac cagcctgac aacagaatca gcatcaccca cgacaccagc      660
gagaaccagt tcttcctgaa cctgaacagc gtgaccacgg aggacaccgc cacctactac      720
tgcgccggcg acagaaccgg cagctgggtc gcctactggg gccagggcac cctggtgacc      780
gtgagcgcca ccacgacgcc agcgccgcca ccaccaacac cggcgccccc catcgcgtcg      840
cagccccctg ccttcgcgcc agaggcgtgc cggccagcgg cggggggcgc agtgcacacg      900
agggggctgg acttcgcctg tgatatctac atctgggcgc ccttggccgg gacttgtggg      960
gtccttctcc tgtcactggt tatcaccctt tactgcagga gtaagaggag caggctcctg     1020
cacagtgact acatgaacat gactccccgc cgccccgggc ccaccgcaa gcattaccag     1080
ccctatgccc caccacgcca cttcgcagcc tatcgctcca aacggggcag aaagaaactc     1140
ctgtatatat tcaacaacac atttatgaga ccagtacaaa ctactcaaga ggaagatggc     1200
tgtagctgcc gatttcagaa agaagaagaa ggaggatgtg aactgagagt gaagttcagc     1260
aggagcgtag acgccccgcg gtaccagcag ggccagaacc agctctataa cgagctcaat     1320
ctaggacgaa gagaggagta cgatgttttg gacaagagac gtggccggga ccctgagatg     1380
gggggaaagc cgcagagaag gaagaaccct caggaaggcc tgtacaatga actgcagaaa     1440
gataagatgg cggaggccta cagtgcaggt gggatgaaag gcgagcgccg gaggggcaag     1500
gggcacgatg gcctttaacca ggggttcagt acagccacca aggacaccta cgacgccttc     1560
cacatgcagg ccctgccccc tcgcatcgat ggcagcggcg agggcagggg cagcctgctg     1620
acctgcgcg acgtggagga gaaccccgcc cccatggcct taccagtgc cgccttgctc     1680
  
```

-continued

```

ctgccgctgg ccttgcgtgct ccacgcgcgc aggcggggcc agaacgacac cagccagacc 1740
agcagcccca gcagcccctt gttccccggc cccagcaagc ccttctgggt gctggtggtg 1800
gtgggcggcg tgctggcctg ctacagcctg ctggtgaccg tggccttcac catcttctgg 1860
gtgaggagct aagtttaaac                                     1880

```

```

<210> SEQ ID NO 72
<211> LENGTH: 623
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 72

```

```

Met Tyr Leu Trp Leu Lys Leu Leu Ala Phe Gly Phe Ala Phe Leu Asp
 1           5           10          15

Thr Glu Val Phe Val Thr Gly Asp Ile Gln Val Thr Gln Ser Pro Ser
      20           25           30

Ser Leu Ser Ala Ser Leu Gly Glu Arg Ile Ser Leu Thr Cys Arg Thr
      35           40           45

Ser Gln Asp Ile Ser Asn Tyr Leu Asn Trp Phe Gln Gln Lys Pro Asp
      50           55           60

Gly Thr Phe Lys Arg Leu Ile Tyr Ala Thr Ser Ser Leu Asp Ser Gly
      65           70           75           80

Val Pro Lys Arg Phe Ser Gly Ser Gly Ser Gly Ser Asp Tyr Ser Leu
      85           90           95

Thr Ile Ser Ser Leu Glu Ser Glu Asp Phe Ala Asp Tyr Tyr Cys Leu
      100          105          110

Gln Tyr Ala Ser Tyr Pro Phe Thr Phe Gly Ser Gly Thr Lys Leu Glu
      115          120          125

Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
      130          135          140

Ser Glu Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser
      145          150          155          160

Gln Thr Leu Ser Leu Thr Cys Ser Val Thr Gly Tyr Ser Ile Thr Ser
      165          170          175

Gly Tyr Tyr Trp His Trp Ile Arg Gln Phe Pro Gly Asn Lys Leu Gln
      180          185          190

Trp Met Gly Tyr Ile Ser Tyr Ser Gly Phe Thr Asn Tyr Lys Thr Ser
      195          200          205

Leu Ile Asn Arg Ile Ser Ile Thr His Asp Thr Ser Glu Asn Gln Phe
      210          215          220

Phe Leu Asn Leu Asn Ser Val Thr Thr Glu Asp Thr Ala Thr Tyr Tyr
      225          230          235          240

Cys Ala Gly Asp Arg Thr Gly Ser Trp Phe Ala Tyr Trp Gly Gln Gly
      245          250          255

Thr Leu Val Thr Val Ser Ala Thr Thr Thr Pro Ala Pro Arg Pro Pro
      260          265          270

Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu
      275          280          285

Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp
      290          295          300

```

-continued

Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	305	310	315	320
Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	325	330	335	
Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	340	345	350	
Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	355	360	365	
Ala	Ala	Tyr	Arg	Ser	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	370	375	380	
Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	385	390	395	400
Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	405	410	415	
Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	420	425	430	
Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	435	440	445	
Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	450	455	460	
Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	465	470	475	480
Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	485	490	495	
Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	500	505	510	
Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	515	520	525	
Ile	Asp	Gly	Ser	Gly	Glu	Gly	Arg	Gly	Ser	Leu	Leu	Thr	Cys	Gly	Asp	530	535	540	
Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	545	550	555	560
Leu	Pro	Leu	Ala	Leu	Leu	His	Ala	Ala	Arg	Pro	Gly	Gln	Asn	Asp		565	570	575	
Thr	Ser	Gln	Thr	Ser	Ser	Pro	Ser	Ser	Pro	Leu	Phe	Pro	Gly	Pro	Ser	580	585	590	
Lys	Pro	Phe	Trp	Val	Leu	Val	Val	Val	Gly	Gly	Val	Leu	Ala	Cys	Tyr	595	600	605	
Ser	Leu	Leu	Val	Thr	Val	Ala	Phe	Ile	Ile	Phe	Trp	Val	Arg	Ser		610	615	620	

<210> SEQ ID NO 73

<211> LENGTH: 2314

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 73

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg 60

ccgccaggcc ggacatcggtg ctgaccaga gccccgccag cctggccgtg agcctgggcc 120

agagggccac catcagctgc agggccagca agagcgtgag caccagcggc tacagctacc 180

-continued

tgcactggta ccagcagaag cccggccagc cccccaagct gctgatctac ctggccagca	240
acctggagag cggcgtgccc gccaggttca gcggcagcgg cagcggcacc gacttcaccc	300
tgaacatcca ccccgaggag gaggaggacg ccgccacctt ctactgccag cacagcaggg	360
agctgccctt caccttcggc agcggcacca agctggagat caaggaggag gggggatccg	420
ggggaggagg ctccggcgga ggcggaagcc aggtgcagct ggtggagagc ggcggcgggc	480
tgggtgcagcc cggcggcagc ctgaagctga gctgcgcgc cagcggcttc gacttcagca	540
ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga	600
tcaacccac cagcagcacc atcaacttca ccccgagct gaaggacaag gtgttcatca	660
gcagggacaa cgccaagaac accctgtacc tgcagatgag caaggtagg agcagggaca	720
ccgcctgta ctactgcgc aggggcaact actacagta cggcgacgcc atggactact	780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcggcgga ccaccaacac	840
cggcgccac catcgctcg cagccctgt ccttcgcgc agaggcgtgc cggccagcgg	900
cggggggcgc agtgcacag agggggctgg acttcgcctg tgatatctac atctgggcgc	960
ccttggccgg gacttgtggg gtctctctcc tgtcactggt tatcacctt tactgcagga	1020
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cggccgggc	1080
ccaccgcaa gcattaccag ccctatgcc caccacgca cttcgagcc tatcgctcca	1140
gagtgaagtt cagcaggagc gcagacgcc ccgcgtacca gcagggccag aaccagctct	1200
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc	1260
gggacctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggcctgtaca	1320
atgaactgca gaaagataag atggcgaggg cctacagtga gattgggatg aaaggcgagc	1380
gccggagggg caaggggcac gatggccttt accagggtct cagtacagcc accaaggaca	1440
cctacgagc ccttcacatg caggccctgc cccctgcgg cagcggcgaa ggcgcggca	1500
gcctgctgac ctgcggcgat gtggaagaaa acccgggccc catggaatac gcctctgagc	1560
cttactgga cccgaagcc ccgtggctc ccgcgccccg cgctcgccgc tgcgcgtac	1620
tgccttgggc cctggtcgcg gggctgctgc tgcctgctgc gctcgctgcc gcctgcgccg	1680
tcttctctgc ctgcccctgg gccgtgtccg gggctcgcc ctgcgccgcg tccgcggcca	1740
gcccagagct ccgcgagggt ccgagcttt ccgccgacga tcccgccgc ctcttggaac	1800
tgcggcaggg catgtttgcg cagctgggtg cccaaaatgt tctgctgac gatgggcccc	1860
tgagctggta cagtgaacca ggcctggcag gcgtgtccct gacggggggc ctgagctaca	1920
aagaggacac gaaggagctg gtggtggcca aggctggagt ctactatgct ttctttcaac	1980
tagagctgcg gcgcgtggtg gccggcgagg gctcaggctc cgtttcactt gcgctgcacc	2040
tgcagccact gcgctctgct gctggggccg ccgcctggc ttgaccgtg gacctgccac	2100
ccgcctctc cgaggctcgg aactcggcct tcggtttcca gggcgcttg ctgcacctga	2160
gtgcgggcca gcgcctgggc gtccatcttc aactgaggc cagggcacgc catgcctggc	2220
agcttaccca gggcgccaca gtcttgggac tcttcgggt gacccccgaa atcccagccg	2280
gactcccttc accgaggtcg gaataagttt aaac	2314

<210> SEQ ID NO 74

<211> LENGTH: 765

<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 74

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1 5 10 15

His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
20 25 30

Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
35 40 45

Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
50 55 60

Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu
65 70 75 80

Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
85 90 95

Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr
100 105 110

Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys
115 120 125

Leu Glu Ile Lys Gly Gly Gly Ser Gly Gly Gly Ser Gly Gly
130 135 140

Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
145 150 155 160

Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe
165 170 175

Ser Arg Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
180 185 190

Glu Trp Ile Gly Glu Ile Asn Pro Thr Ser Ser Thr Ile Asn Phe Thr
195 200 205

Pro Ser Leu Lys Asp Lys Val Phe Ile Ser Arg Asp Asn Ala Lys Asn
210 215 220

Thr Leu Tyr Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu
225 230 235 240

Tyr Tyr Cys Ala Arg Gly Asn Tyr Tyr Arg Tyr Gly Asp Ala Met Asp
245 250 255

Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Thr Thr Thr Pro Ala
260 265 270

Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser
275 280 285

Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr
290 295 300

Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala
305 310 315 320

Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys
325 330 335

Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr
340 345 350

Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro
355 360 365

Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg Ser

-continued

370					375					380					
Ala 385	Asp	Ala	Pro	Ala	Tyr 390	Gln	Gln	Gly	Gln	Asn 395	Gln	Leu	Tyr	Asn	Glu 400
Leu	Asn	Leu	Gly	Arg 405	Arg	Glu	Glu	Tyr	Asp 410	Val	Leu	Asp	Lys	Arg 415	Arg
Gly	Arg	Asp	Pro 420	Glu	Met	Gly	Gly	Lys 425	Pro	Gln	Arg	Arg	Lys 430	Asn	Pro
Gln	Glu	Gly 435	Leu	Tyr	Asn	Glu	Leu 440	Gln	Lys	Asp	Lys 445	Met	Ala	Glu	Ala
Tyr	Ser 450	Glu	Ile	Gly	Met 455	Lys	Gly	Glu	Arg	Arg 460	Arg	Gly	Lys	Gly	His
Asp 465	Gly	Leu	Tyr	Gln 470	Gly	Leu	Ser	Thr	Ala	Thr 475	Lys	Asp	Thr	Tyr	Asp 480
Ala	Leu	His	Met 485	Gln	Ala	Leu	Pro	Pro	Arg 490	Gly	Ser	Gly	Glu	Gly	Arg 495
Gly	Ser	Leu	Leu 500	Thr	Cys	Gly	Asp	Val 505	Glu	Glu	Asn	Pro	Gly 510	Pro	Met
Glu	Tyr	Ala 515	Ser	Asp	Ala	Ser	Leu 520	Asp	Pro	Glu	Ala	Pro 525	Trp	Pro	Pro
Ala	Pro 530	Arg	Ala	Arg	Ala 535	Cys	Arg	Val	Leu	Pro	Trp 540	Ala	Leu	Val	Ala
Gly 545	Leu	Leu	Leu	Leu	Leu 550	Leu	Leu	Ala	Ala	Ala 555	Cys	Ala	Val	Phe	Leu 560
Ala	Cys	Pro	Trp	Ala 565	Val	Ser	Gly	Ala	Arg 570	Ala	Ser	Pro	Gly	Ser 575	Ala
Ala	Ser	Pro	Arg 580	Leu	Arg	Glu	Gly	Pro 585	Glu	Leu	Ser	Pro	Asp 590	Asp	Pro
Ala	Gly	Leu 595	Leu	Asp	Leu	Arg	Gln 600	Gly	Met	Phe	Ala	Gln 605	Leu	Val	Ala
Gln	Asn 610	Val	Leu	Leu	Ile	Asp 615	Gly	Pro	Leu	Ser	Trp 620	Tyr	Ser	Asp	Pro
Gly 625	Leu	Ala	Gly	Val	Ser 630	Leu	Thr	Gly	Gly	Leu 635	Ser	Tyr	Lys	Glu	Asp 640
Thr	Lys	Glu	Leu	Val 645	Val	Ala	Lys	Ala	Gly 650	Val	Tyr	Tyr	Val	Phe 655	Phe
Gln	Leu	Glu	Leu 660	Arg	Arg	Val	Val	Ala 665	Gly	Glu	Gly	Ser	Gly 670	Ser	Val
Ser	Leu	Ala 675	Leu	His	Leu	Gln	Pro 680	Leu	Arg	Ser	Ala	Ala 685	Gly	Ala	Ala
Ala	Leu 690	Ala	Leu	Thr	Val	Asp 695	Leu	Pro	Pro	Ala	Ser 700	Ser	Glu	Ala	Arg
Asn 705	Ser	Ala	Phe	Gly	Phe 710	Gln	Gly	Arg	Leu	Leu 715	His	Leu	Ser	Ala	Gly 720
Gln	Arg	Leu	Gly	Val 725	His	Leu	His	Thr	Glu 730	Ala	Arg	Ala	Arg	His 735	Ala
Trp	Gln	Leu	Thr 740	Gln	Gly	Ala	Thr	Val 745	Leu	Gly	Leu	Phe	Arg 750	Val	Thr
Pro	Glu	Ile 755	Pro	Ala	Gly	Leu	Pro 760	Ser	Pro	Arg	Ser	Glu 765			

-continued

```

<211> LENGTH: 2371
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 75

gcatcgcat ggccttacca gtgaccgct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcggtg ctgaccacaga gcccgcagc cctggccgtg agcctgggcc      120
agaggggcac catcagctgc agggccagca agagcgtgag caccagcggc tacagctacc      180
tgactggta ccagcagaag cccggccagc cccccaagct gctgatctac ctggccagca      240
acctggagag cggcggtgcc gccaggttca gcggcagcgg cagcggcacc gacttcaccc      300
tgaacatcca ccccgaggag gaggaggacg ccgccaccta ctactgccag cacagcaggg      360
agctgccctt caccttcggc agcggcacca agctggagat caagggaggg gggggatccg      420
ggggaggagg ctccggcgga ggcggaagcc aggtgcagct ggtggagagc ggcgcgggcc      480
tggtgcagcc cggcggcagc ctgaagctga gctgcgccgc cagcggcttc gacttcagca      540
ggtactggat gagctgggtg aggcaggccc ccggcaaggg cctggagtgg atcggcgaga      600
tcaacccac cagcagcacc atcaacttca ccccgagcct gaaggacaag gtgttcatca      660
gcagggacaa cgccaagaac accctgtacc tgcagatgag caaggtgagg agcaggagaca      720
ccgcctgta ctactgcgcc aggggcaact actacagta cggcgacgcc atggactact      780
ggggccaggg caccagcgtg accgtgagca ccacgacgcc agcgcgcgca ccaccaacac      840
cggcgcccac catcgctcg cagccctgt ccctgcgcc agaggcgtgc cggccagcgg      900
cggggggcgc agtgcacacg agggggctgg acttcgcctg tgatatctac atctggcgcc      960
ccttggccgg gacttgtggg gtctcttctc tgtaactggt tatcaccctt tactgcagga     1020
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cgccccgggc     1080
ccaccgcaa gcattaccag ccctatgccc caccacgca cttcgagcc tatcgctcca     1140
gagtgaagtt cagcaggagc gcagacgccc ccggtacca gcaggggcag aaccagctct     1200
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc     1260
gggaccctga gatgggggga aagccgcaga gaaggaagaa ccctcaggaa ggctgtaca     1320
atgaactgca gaaagataag atggcgaggg cctacagtga gattgggatg aaaggcgagc     1380
gccggagggg caaggggcac gatggccttt accagggtct cagtacagcc accaaggaca     1440
cctacgagc ccttcacatg caggccctgc cccctcgcg cagcggcgaa ggccgcgga     1500
gcctgctgac ctgcggcgat gtggaagaaa acccgggccc catgtacaga atgcagctgc     1560
tgagctgcat cgccctgagc ctggccctgg tgaccaacag cggcatccac gtgttcatcc     1620
tgggctgctt cagcgccggc ctgcccaga ccgaggccaa ctgggtgaac gtgatcagcg     1680
acctgaagaa gatcgaggac ctgatccaga gcatgcacat cgacgccacc ctgtacaccg     1740
agagcgagct gcacccagc tgcaagggtga ccgcatgaa gtgttcctg ctggagctgc     1800
aggtgatcag cctggagagc ggcgacgcca gcatccacga caccgtggag aacctgatca     1860
tcctggccaa caacagcctg agcagcaacg gcaacgtgac cgagagcggc tgcaaggagt     1920
gcgaggagct ggaggagaag aacatcaagg agttcctgca gagcttcgtg cacatcgtgc     1980
agatgttcat caacaccagc tccggcgggc gctccggcgg cggcggtccc ggcgcgggcg     2040

```


-continued

```

gctccggcgg cggcggctcc ggccggcggt cctgcaggc cccagaaga gccagaggct 2100
gcagaaccct gggcctgccc gccctgctgc tgctgctgct gctgagaccc cccgccacca 2160
gaggcatcac ctgccccccc cccatgagcg tggagcacgc cgacatctgg gtgaagagct 2220
acagcctgta cagcagagag agatacatct gcaacagcgg cttcaagaga aaggccggca 2280
ccagcagcct gaccgagtgc gtgctgaaca aggccaccaa cgtggcccccac tggaccaccc 2340
ccagcctgaa gtgcatcaga taagttaaaa c 2371

```

```

<210> SEQ ID NO 76
<211> LENGTH: 784
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 76

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15
His Ala Ala Arg Pro Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu
20         25         30
Ala Val Ser Leu Gly Gln Arg Ala Thr Ile Ser Cys Arg Ala Ser Lys
35         40         45
Ser Val Ser Thr Ser Gly Tyr Ser Tyr Leu His Trp Tyr Gln Gln Lys
50         55         60
Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Leu Ala Ser Asn Leu Glu
65         70         75         80
Ser Gly Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
85         90         95
Thr Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Ala Thr Tyr Tyr
100        105        110
Cys Gln His Ser Arg Glu Leu Pro Phe Thr Phe Gly Ser Gly Thr Lys
115        120        125
Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
130        135        140
Gly Gly Ser Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
145        150        155        160
Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe
165        170        175
Ser Arg Tyr Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
180        185        190
Glu Trp Ile Gly Glu Ile Asn Pro Thr Ser Ser Thr Ile Asn Phe Thr
195        200        205
Pro Ser Leu Lys Asp Lys Val Phe Ile Ser Arg Asp Asn Ala Lys Asn
210        215        220
Thr Leu Tyr Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu
225        230        235        240
Tyr Tyr Cys Ala Arg Gly Asn Tyr Tyr Arg Tyr Gly Asp Ala Met Asp
245        250        255
Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Thr Thr Thr Pro Ala
260        265        270
Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser
275        280        285

```

-continued

Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr
290						295					300				
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala
305					310					315					320
Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys
				325					330					335	
Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr
			340					345					350		
Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro
			355				360					365			
Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser
	370					375					380				
Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu
385					390					395					400
Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg
				405					410					415	
Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro
			420					425					430		
Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala
		435					440					445			
Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His
	450					455					460				
Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp
465					470					475					480
Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Glu	Gly	Arg
				485					490					495	
Gly	Ser	Leu	Leu	Thr	Cys	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met
			500					505					510		
Tyr	Arg	Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val
		515					520					525			
Thr	Asn	Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly
	530					535					540				
Leu	Pro	Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys
545					550					555					560
Lys	Ile	Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr
				565					570					575	
Thr	Glu	Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys
			580					585					590		
Phe	Leu	Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser
		595					600					605			
Ile	His	Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu	Ala	Asn	Asn	Ser	Leu
	610					615					620				
Ser	Ser	Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys	Lys	Glu	Cys	Glu	Glu
625					630					635					640
Leu	Glu	Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu	Gln	Ser	Phe	Val	His	Ile
				645				650						655	
Val	Gln	Met	Phe	Ile	Asn	Thr	Ser	Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly
			660				665						670		
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Ser
		675					680					685			
Leu	Gln	Ala	Pro	Arg	Arg	Ala	Arg	Gly	Cys	Arg	Thr	Leu	Gly	Leu	Pro

-continued

690	695	700	
Ala Leu Leu Leu Leu Leu Leu Arg Pro Pro Ala Thr Arg Gly Ile			
705	710	715	720
Thr Cys Pro Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val Lys			
	725	730	735
Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly Phe			
	740	745	750
Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn Lys			
	755	760	765
Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile Arg			
	770	775	780

<210> SEQ ID NO 77
 <211> LENGTH: 1223
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 77

```

gcgatcgctg ccacgatac catgtatttg tggcttaaac tcttggcatt tggtttgcc      60
tttctggaca cagaagtatt tgtgacaggg gccgttcagg gtccagaaga aacagtcact    120
caagactgct tgcaactgat tgcagacagt gaaacaccaa ctatacaaaa aggatcttac    180
acatttgctc catggcttct cagctttaaagg ggaagtgc ccctagaaga aaaagagaat    240
aaaatattgg tcaagaagac tgggtacttt tttatatatg gtcagggttt atatactgat    300
aagacctacg ccatgggaca tctaattcag aggaagaagg tccatgtctt tggggatgaa    360
ttgagtctgg tgactttgtt tcgatgtatt caaaatatgc ctgaaacact acccaataat    420
tcctgctatt cagctggcat tgcaaaactg gaagaaggag atgaactcca acttgcaata    480
ccaagagaaa atgcacaaat atcactggat ggagatgtca catttttttg tgcaattgaaa    540
ctgctgacca cgacgccagc gccgcgacca ccaacaccgg cgcccaccat cgcgtcgag    600
cccctgtccc tgcgcccaga ggcgtgccgg ccagcgccgg gggcgcgagt gcacacgagg    660
gggctggact tcgctgtga tatctacatc tggcgccctt tggccgggac ttgtggggtc    720
cttctcctgt cactggttat caccctttac tgcaggagta agaggagcag gctcctgcac    780
agtgactaca tgaacatgac tccccgccgc cccgggccca cccgcaagca ttaccagccc    840
tatgcccac cagcgcaatt cgcagcctat cgctccagag tgaagttcag caggagcgca    900
gacgcccccg cgtaccagca gggccagaac cagctctata acgagctcaa tctaggacga    960
agagaggagt acgatgtttt ggacaagaga cgtggccggg accctgagat ggggggaaaag   1020
ccgagaagga agaaccctca ggaaggcctg tacaatgaac tgcagaaaga taagatggcg   1080
gaggcctaca gtgagattgg gatgaaaggc gagcgccgga ggggcaaggg gcacgatggc   1140
ctttaccagg gtctcagtac agccaccaag gacacctaag acgcccctca catgcaggcc   1200
ctgccccctc gctaagttaa aac                                     1223
  
```

<210> SEQ ID NO 78
 <211> LENGTH: 397
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

-continued

<400> SEQUENCE: 78

```

Met Tyr Leu Trp Leu Lys Leu Leu Ala Phe Gly Phe Ala Phe Leu Asp
 1           5           10           15

Thr Glu Val Phe Val Thr Gly Ala Val Gln Gly Pro Glu Glu Thr Val
      20           25           30

Thr Gln Asp Cys Leu Gln Leu Ile Ala Asp Ser Glu Thr Pro Thr Ile
      35           40           45

Gln Lys Gly Ser Tyr Thr Phe Val Pro Trp Leu Leu Ser Phe Lys Arg
 50           55           60

Gly Ser Ala Leu Glu Glu Lys Glu Asn Lys Ile Leu Val Lys Glu Thr
 65           70           75           80

Gly Tyr Phe Phe Ile Tyr Gly Gln Val Leu Tyr Thr Asp Lys Thr Tyr
      85           90           95

Ala Met Gly His Leu Ile Gln Arg Lys Lys Val His Val Phe Gly Asp
      100           105           110

Glu Leu Ser Leu Val Thr Leu Phe Arg Cys Ile Gln Asn Met Pro Glu
      115           120           125

Thr Leu Pro Asn Asn Ser Cys Tyr Ser Ala Gly Ile Ala Lys Leu Glu
      130           135           140

Glu Gly Asp Glu Leu Gln Leu Ala Ile Pro Arg Glu Asn Ala Gln Ile
      145           150           155           160

Ser Leu Asp Gly Asp Val Thr Phe Phe Gly Ala Leu Lys Leu Leu Thr
      165           170           175

Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser
      180           185           190

Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly
      195           200           205

Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp
      210           215           220

Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile
      225           230           235           240

Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr
      245           250           255

Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln
      260           265           270

Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys
      275           280           285

Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln
      290           295           300

Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu
      305           310           315           320

Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Arg Arg
      325           330           335

Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met
      340           345           350

Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Gly
      355           360           365

Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp
      370           375           380

Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg

```

-continued

```

385                               390                               395

<210> SEQ ID NO 79
<211> LENGTH: 1214
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 79

gcgatcgctg ccatacgtac catggcctta ccagtaccg ccttgcctct gccgctggcc      60
ttgctgctcc acgccgcag gccggttcag ggtccagaag aaacagtcac tcaagactgc      120
ttgcaactga ttgcagacag tgaaacacca actatacaaa aaggatctta cacatttgtt      180
ccatggcttc tcagctttaa aaggggaagt gccctagaag aaaaagagaa taaaatattg      240
gtcaaagaaa ctggttactt ttttatatat ggtcaggttt tatatactga taagacctac      300
gccatgggac atctaattca gaggaagaag gtccatgtct ttggggatga attgagtctg      360
gtgactttgt ttcgatgtat tcaaaatatg cctgaaacac tacccaataa ttctgctat      420
tcagctggca ttgcaaaact ggaagaagga gatgaactcc aacttgcaat accaagagaa      480
aatgcacaaa tatcactgga tggagatgtc acattttttg gtgcattgaa actgctgacc      540
acgacgccag cgccgcgacc accaacaccg gcgcccacca tcgcgtcgca gccctgtctc      600
ctgcgcccag aggcgtgccc gccagcggcg gggggcgcg tgacacagag ggggctggac      660
ttgcctgtgt atatctacat ctgggcgccc ttggcgggga cttgtggggt ccttctctg      720
tcactggtta tcacccttta ctgcaggagt aagaggagca ggctcctgca cagtgactac      780
atgaacatga ctccccgcg ccccgggccc acccgcaagc attaccagcc ctatgcccca      840
ccacgcgact tcgcagccta tcgctccaga gtgaagttca gcaggagcgc agacgcccc      900
gcgtaccagc agggccagaa ccagctctat aacgagctca atctaggacg aagagaggag      960
tacgatgttt tggacaagag acgtggcccg gacctgaga tggggggaaa gccgagaagg      1020
aagaaccctc aggaaggcct gtacaatgaa ctgcagaaag ataagatggc ggaggcctac      1080
agtgagattg ggatgaaagg cgagcgcccg aggggcaagg ggcacgatgg cctttaccag      1140
ggctctcagta cagccaccaa ggacacctac gacgcccttc acatgcaggc cctgccccct      1200
cgctaagttt aaac                                         1214

```

```

<210> SEQ ID NO 80
<211> LENGTH: 394
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 80

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Val Gln Gly Pro Glu Glu Thr Val Thr Gln Asp
          20          25          30

Cys Leu Gln Leu Ile Ala Asp Ser Glu Thr Pro Thr Ile Gln Lys Gly
          35          40          45

Ser Tyr Thr Phe Val Pro Trp Leu Leu Ser Phe Lys Arg Gly Ser Ala
50          55          60

```

-continued

Leu	Glu	Glu	Lys	Glu	Asn	Lys	Ile	Leu	Val	Lys	Glu	Thr	Gly	Tyr	Phe	65	70	75	80
Phe	Ile	Tyr	Gly	Gln	Val	Leu	Tyr	Thr	Asp	Lys	Thr	Tyr	Ala	Met	Gly	85	90	95	
His	Leu	Ile	Gln	Arg	Lys	Lys	Val	His	Val	Phe	Gly	Asp	Glu	Leu	Ser	100	105	110	
Leu	Val	Thr	Leu	Phe	Arg	Cys	Ile	Gln	Asn	Met	Pro	Glu	Thr	Leu	Pro	115	120	125	
Asn	Asn	Ser	Cys	Tyr	Ser	Ala	Gly	Ile	Ala	Lys	Leu	Glu	Glu	Gly	Asp	130	135	140	
Glu	Leu	Gln	Leu	Ala	Ile	Pro	Arg	Glu	Asn	Ala	Gln	Ile	Ser	Leu	Asp	145	150	155	160
Gly	Asp	Val	Thr	Phe	Phe	Gly	Ala	Leu	Lys	Leu	Leu	Thr	Thr	Thr	Pro	165	170	175	
Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	180	185	190	
Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	195	200	205	
Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	210	215	220	
Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	225	230	235	240
Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	245	250	255	
Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	260	265	270	
Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	275	280	285	
Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	290	295	300	
Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	305	310	315	320
Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	325	330	335	
Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	340	345	350	
Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	355	360	365	
Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	370	375	380	
Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg							385	390		

<210> SEQ ID NO 81

<211> LENGTH: 2039

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 81

gcgatcgctg ccatcgatac catggcctta ccagtgaccg ccttgctcct gccgctggcc 60

ttgctgctcc acgccgccag gccgggttcag ggtccagaag aaacagtcac tcaagactgc 120

-continued

ttgcaactga ttgcagacag tgaaacacca actatacaaa aaggatctta cacatttgtt	180
ccatggcttc tcagctttaa aaggggaagt gccctagaag aaaaagagaa taaaatattg	240
gtcaaagaaa ctggttactt ttttatatat ggtcaggttt tatatactga taagacctac	300
gccatgggac atctaattca gaggaagaag gtccatgtct ttggggatga attgagtctg	360
gtgactttgt ttcgatgtat tcaaaatatg cctgaaacac taccataata ttcctgctat	420
tcagctggca ttgcaaaact ggaagaagga gatgaactcc aacttgcaat accaagagaa	480
aatgcacaaa tactactgga tggagatgtc acattttttg gtgcattgaa actgctgacc	540
acgacgccag cgccgcgacc accaacaccg gcgcccacca tcgcgtcgca gccctgtcc	600
ctgcgcccag aggcggtgcc gccagcgccg gggggcgccg tgcacacgag ggggctggac	660
ttcgctgtg atatctacat ctgggcgcgc ttggcgggga cttgtggggt ccttctctg	720
tacttggtta tcacccttta ctgcaggagt aagaggagca ggctcctgca cagtactac	780
atgaacatga ctccccgcg ccccgggccc acccgcaagc attaccagcc ctatgcccc	840
ccacgcgact tcgcagccta tcgctccaga gtgaagtcca gcaggagcgc agacgcccc	900
gcgtaccagc agggccagaa ccagctctat aacgagctca atctaggacg aagagaggag	960
tacgatgttt tggacaagag acgtggcccg gacctgaga tggggggaaa gccgagaagg	1020
aagaacctc aggaaggcct gtacaatgaa ctgcagaaag ataagatggc ggaggcctac	1080
agtgagattg ggatgaaagg cgagcgcccg aggggcaagg ggcacgatgg cctttaccag	1140
ggtctcagta cagccaccaa ggacacctac gacgccctc acatgcaggc cctgccccct	1200
cgcggcagcg gcgaaggccg cggcagcctg ctgacctgcg gcgatgtgga agaaaaccg	1260
ggccccatgg aatacgctc tgacgcttca ctggaccccg aagccccgtg gcctcccgcg	1320
ccccgcgctc gcgcctgcg cgtactgect tgggcccgtg tcgcggggct gctgctgctg	1380
ctgctgctcg ctgcgcctg cgccgtcttc ctgcctgcc cctgggcccgt gtccggggct	1440
cgcgccctgc ccggtccgc gccacgccg agactccgcg agggtccega gctttcgccc	1500
gacgatccg ccggcctctt ggacctgcg cagggcatgt ttgcgcagct ggtggcccaa	1560
aatgttctgc tgatcgatgg gccctgagc tggtagctg acccaggcct ggcaggcgtg	1620
tccctgacgg ggggcctgag ctacaaagag gacacgaagg agctggtggt ggccaaggct	1680
ggagtctact atgtctctt tcaactagag ctgcggcgcg tggtagccgg cgagggtca	1740
ggctccgttt cacttgctg gcacctgcg ccaactgcgt ctgctgctgg ggcgcgcgc	1800
ctggctttga ccgtggacct gccaccgcc tcctccgagg ctcggaactc ggccttcggt	1860
ttccagggcc gcttgcgca cctgagtgcc ggccagcgc tgggcgtcca tcttcacact	1920
gaggccaggg cacgccatgc ctggcagctt acccaggcg ccacagtctt gggactcttc	1980
cgggtgacct ccgaaatccc agccggactc ccttcaccga ggtcggaata agtttaaac	2039

<210> SEQ ID NO 82

<211> LENGTH: 669

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 82

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu

-continued

1	5	10	15
His Ala Ala Arg Pro Val Gln Gly Pro Glu Glu Thr Val Thr Gln Asp	20	25	30
Cys Leu Gln Leu Ile Ala Asp Ser Glu Thr Pro Thr Ile Gln Lys Gly	35	40	45
Ser Tyr Thr Phe Val Pro Trp Leu Leu Ser Phe Lys Arg Gly Ser Ala	50	55	60
Leu Glu Glu Lys Glu Asn Lys Ile Leu Val Lys Glu Thr Gly Tyr Phe	65	70	75
Phe Ile Tyr Gly Gln Val Leu Tyr Thr Asp Lys Thr Tyr Ala Met Gly	85	90	95
His Leu Ile Gln Arg Lys Lys Val His Val Phe Gly Asp Glu Leu Ser	100	105	110
Leu Val Thr Leu Phe Arg Cys Ile Gln Asn Met Pro Glu Thr Leu Pro	115	120	125
Asn Asn Ser Cys Tyr Ser Ala Gly Ile Ala Lys Leu Glu Glu Gly Asp	130	135	140
Glu Leu Gln Leu Ala Ile Pro Arg Glu Asn Ala Gln Ile Ser Leu Asp	145	150	155
Gly Asp Val Thr Phe Phe Gly Ala Leu Lys Leu Leu Thr Thr Thr Pro	165	170	175
Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu	180	185	190
Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His	195	200	205
Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu	210	215	220
Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr	225	230	235
Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met	245	250	255
Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala	260	265	270
Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg	275	280	285
Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn	290	295	300
Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg	305	310	315
Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Arg Arg Lys Asn Pro	325	330	335
Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala	340	345	350
Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His	355	360	365
Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp	370	375	380
Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser Gly Glu Gly Arg	385	390	395
Gly Ser Leu Leu Thr Cys Gly Asp Val Glu Glu Asn Pro Gly Pro Met	405	410	415

-continued

Glu Tyr Ala Ser Asp Ala Ser Leu Asp Pro Glu Ala Pro Trp Pro Pro
 420 425 430
 Ala Pro Arg Ala Arg Ala Cys Arg Val Leu Pro Trp Ala Leu Val Ala
 435 440 445
 Gly Leu Leu Leu Leu Leu Leu Leu Ala Ala Ala Cys Ala Val Phe Leu
 450 455 460
 Ala Cys Pro Trp Ala Val Ser Gly Ala Arg Ala Ser Pro Gly Ser Ala
 465 470 475 480
 Ala Ser Pro Arg Leu Arg Glu Gly Pro Glu Leu Ser Pro Asp Asp Pro
 485 490 495
 Ala Gly Leu Leu Asp Leu Arg Gln Gly Met Phe Ala Gln Leu Val Ala
 500 505 510
 Gln Asn Val Leu Leu Ile Asp Gly Pro Leu Ser Trp Tyr Ser Asp Pro
 515 520 525
 Gly Leu Ala Gly Val Ser Leu Thr Gly Gly Leu Ser Tyr Lys Glu Asp
 530 535 540
 Thr Lys Glu Leu Val Val Ala Lys Ala Gly Val Tyr Tyr Val Phe Phe
 545 550 555 560
 Gln Leu Glu Leu Arg Arg Val Val Ala Gly Glu Gly Ser Gly Ser Val
 565 570 575
 Ser Leu Ala Leu His Leu Gln Pro Leu Arg Ser Ala Ala Gly Ala Ala
 580 585 590
 Ala Leu Ala Leu Thr Val Asp Leu Pro Pro Ala Ser Ser Glu Ala Arg
 595 600 605
 Asn Ser Ala Phe Gly Phe Gln Gly Arg Leu Leu His Leu Ser Ala Gly
 610 615 620
 Gln Arg Leu Gly Val His Leu His Thr Glu Ala Arg Ala Arg His Ala
 625 630 635 640
 Trp Gln Leu Thr Gln Gly Ala Thr Val Leu Gly Leu Phe Arg Val Thr
 645 650 655
 Pro Glu Ile Pro Ala Gly Leu Pro Ser Pro Arg Ser Glu
 660 665

<210> SEQ ID NO 83

<211> LENGTH: 2096

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 83

```

gcgatcgctg ccacgatac catggcctta ccagtgaccg ccttgctcct gccgctggcc      60
ttgctgctcc acgccgccag gccggttcag ggtccagaag aaacagtcac tcaagactgc      120
ttgcaactga ttgcagacag tgaaacacca actatacaaa aaggatctta cacatttggt      180
ccatggcttc tcagctttaa aaggggaagt gccctagaag aaaaagagaa taaaatattg      240
gtcaaagaaa ctggttactt ttttatatat ggtcagggtt tatatactga taagacctac      300
gccatgggac atctaattca gaggaagaag gtccatgtct ttggggatga attgagtctg      360
gtgactttgt ttcatgtat tcaaaatatg cctgaaacac tacccaataa ttctgctat      420
tcagctggca ttgcaaaact ggaagaagga gatgaactcc aacttgcaat accaagagaa      480
aatgcacaaa tatcactgga tggagatgtc acattttttg gtgcattgaa actgctgacc      540

```

-continued

```

acgacgccag cgccgcgacc accaacaccg gcgccacca tcgcgtcgca gccctgtcc 600
ctgcgcccag aggcgtgccg gccagcggcg gggggcgagc tgcacacgag ggggctggac 660
ttcgctgtg atatctacat ctgggcgcc ttggccggga cttgtgggt ccttctctg 720
tcaactggtta tcacccttta ctgcaggagt aagaggagca ggctcctgca cagtgaactac 780
atgaacatga ctccccgcg ccccgggccc acccgcaagc attaccagcc ctatgcccc 840
ccacgcgact tcgcagccta tcgctccaga gtgaagtcca gcaggagcgc agacgcccc 900
gcgtaccagc agggccagaa ccagctctat aacgagctca atctaggacg aagagaggag 960
tacgatgttt tggacaagag acgtggcccg gacctgaga tgggggaaa gccgagaagg 1020
aagaaccctc aggaaggcct gtacaatgaa ctgcagaaag ataagatggc ggaggcctac 1080
agtgaagtgt ggatgaaagg cgagcgcccg aggggcaagg ggcacgatgg cctttaccag 1140
ggtctcagta cagccacca ggacacctac gacgccttc acatgcaggc cctgccccct 1200
cgcggcagcg gcgaaggccg cggcagcctg ctgacctgcg gcgatgtgga agaaaacccg 1260
ggccccatgt acagaatgca gctgctgagc tgcacgccc tgagcctggc cctggtgacc 1320
aacagcggca tccacgtgtt catcctgggc tgcttcagcg ccggcctgcc caagaccgag 1380
gccaactggg tgaacgtgat cagcgacctg aagaagatcg aggacctgat ccagagcatg 1440
cacatcgacg ccacctgtga caccgagagc gacgtgcacc ccagctgcaa ggtgaccgcc 1500
atgaagtgtt tcctgctgga gctgcagggt atcagcctgg agagcggcga cgccagcatc 1560
cacgacaccg tggagaacct gatcatcctg gccacaaca gcctgagcag caacggcaac 1620
gtgaccgaga gcggctgcaa ggagtgcgag gagctggagg agaagaacat caaggagttc 1680
ctgcagagct tcgtgcacat cgtgcagatg ttcataaca ccagctccgg cggcggctcc 1740
ggcggcggcg gctccggcgg cggcggtccc ggcggcggcg gctccggcgg cggtccctg 1800
caggccccca gaagagccag aggtctgaga accctggggc tgccccccct gctgctgctg 1860
ctgctgctga gacccccgc caccagaggc atcacctgcc cccccccat gagcgtggag 1920
cacgcccaca tctgggtgaa gagctacagc ctgtacagca gagagagata catctgcaac 1980
agcggtctta agagaaaggc cggcaccagc agcctgaccg agtgctgtgt gaacaaggcc 2040
accaacgtgg ccactggac cccccccagc ctgaagtgca tcagataagt ttaaac 2096

```

<210> SEQ ID NO 84

<211> LENGTH: 688

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 84

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu
1           5           10          15

```

```

His Ala Ala Arg Pro Val Gln Gly Pro Glu Glu Thr Val Thr Gln Asp
20          25          30

```

```

Cys Leu Gln Leu Ile Ala Asp Ser Glu Thr Pro Thr Ile Gln Lys Gly
35          40          45

```

```

Ser Tyr Thr Phe Val Pro Trp Leu Leu Ser Phe Lys Arg Gly Ser Ala
50          55          60

```

```

Leu Glu Glu Lys Glu Asn Lys Ile Leu Val Lys Glu Thr Gly Tyr Phe

```

-continued

65	70	75	80
Phe Ile Tyr Gly Gln Val Leu Tyr Thr Asp Lys Thr Tyr Ala Met Gly	85	90	95
His Leu Ile Gln Arg Lys Lys Val His Val Phe Gly Asp Glu Leu Ser	100	105	110
Leu Val Thr Leu Phe Arg Cys Ile Gln Asn Met Pro Glu Thr Leu Pro	115	120	125
Asn Asn Ser Cys Tyr Ser Ala Gly Ile Ala Lys Leu Glu Glu Gly Asp	130	135	140
Glu Leu Gln Leu Ala Ile Pro Arg Glu Asn Ala Gln Ile Ser Leu Asp	145	150	155
Gly Asp Val Thr Phe Phe Gly Ala Leu Lys Leu Leu Thr Thr Thr Pro	165	170	175
Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu	180	185	190
Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His	195	200	205
Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp Ala Pro Leu	210	215	220
Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile Thr Leu Tyr	225	230	235
Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met	245	250	255
Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala	260	265	270
Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys Phe Ser Arg	275	280	285
Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln Leu Tyr Asn	290	295	300
Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu Asp Lys Arg	305	310	315
Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Arg Arg Lys Asn Pro	325	330	335
Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys Met Ala Glu Ala	340	345	350
Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg Gly Lys Gly His	355	360	365
Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp	370	375	380
Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser Gly Glu Gly Arg	385	390	395
Gly Ser Leu Leu Thr Cys Gly Asp Val Glu Glu Asn Pro Gly Pro Met	405	410	415
Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu Val	420	425	430
Thr Asn Ser Gly Ile His Val Phe Ile Leu Gly Cys Phe Ser Ala Gly	435	440	445
Leu Pro Lys Thr Glu Ala Asn Trp Val Asn Val Ile Ser Asp Leu Lys	450	455	460
Lys Ile Glu Asp Leu Ile Gln Ser Met His Ile Asp Ala Thr Leu Tyr	465	470	475
			480

```
<210> SEQ ID NO 85
<211> LENGTH: 2755
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 85

gcgatcgcac catggccctg cccgtgaccg ccctgctgct gcccctggcc ctgctgctgc
acgccgccag gcccgccgtt cagggtccag aagaaacagt cactcaagac tgcttgcaac
tgattgcaga cagtgaaca ccaactatac aaaaaggatc ttacacattt gttccatggc
ttctcagctt taaaagggga agtgcctag aagaaaaaga gaataaaata ttggtcaaag
aaactggtta cttttttata tatggtcagg ttttatatac tgataagacc tacgccatgg
gacatctaatt tcagaggaag aaggtcctat tctttgggga tgaattgagt ctgggtgactt
tgtttcgatg tattcaaaat atgcctgaaa cactacccaa taattcctgc tattcagctg
gcattgcaaa actggaagaa ggagatgaac tccaactgac aataccaaga gaaaatgcac
aaatatcact ggatggagat gtcacatttt ttggtgcatt gaaactgctg accacgacgc
cagcgccgcg accaccaaca ccggcgccca ccatcgcgtc gcagccctg tccctgcgcc
cagaggcgctg ccggccagcg gcggggggcg cagtgcacac gagggggctg gacttcgcct
gtgatatacta catctgggcy cccttggccg ggacttgtgg ggtccttctc ctgtcactgg
ttatcacctt ttactgcagg agtaaaagaa qcaggctcct qcacagtac tacatgaacc
```

-continued

tgactccccg cgcgcccggg cccacccgca agcattacca gccctatgcc ccaccacgcg	840
acttcgcagc ctatcgctcc agagtgaagt tcagcaggag cgcagacgcc cccgcgtacc	900
agcagggcca gaaccagctc tataacgagc tcaatctagg acgaagagag gagtacgatg	960
ttttggacaa gagacgtggc cgggaccctg agatgggggg aaagccgaga aggaagaacc	1020
ctcaggaagg cctgtacaat gaactgcaga aagataagat ggcgagggcc tacagtgaga	1080
ttgggatgaa aggcgagcgc cggaggggca aggggcacga tggcctttac cagggtctca	1140
gtacagccac caaggacacc tacgacgcc ttcacatgca ggccctgccc cctcgcgga	1200
gcggagccac caacttcagc ctgctgaagc aggcggcgca cgtggaggag aaccccgcc	1260
ccatggcctt accagtgacc gccttgctcc tgccgctggc cttgctgctc cagcgcgcca	1320
ggccggaggt ccagctgcag cagtctggac ctgagctgat aaagcctggg gcttcagtga	1380
agatgtcctg caaggcttct ggatacacat tcaactagcta tggtatgcac tgggtgaagc	1440
agaagcctgg gcagggcctt gagtggattg gatataatga tccttacaat gatggtacta	1500
agtacaatga gaagttcaaa ggcaaggcca cactgacttc agacaaatcc tccagcacag	1560
cctacatgga gctcagcagc ctgacctctg aggactctgc ggtctattac tgtgcaagag	1620
ggacttatta ctacggtagt aggggtattg actactgggg ccaaggcacc actctcacag	1680
tctcctcagg tggagggggc tcaggcggag gtggctctgg ggggtggaggc tcggacattg	1740
tgatgactca ggctgcaccc tctatacctg tcaactcctg agagtacgta tccatctcct	1800
gcaggtctag taagagtctc ctgaatagta atggcaacac ttacttgtat tggttcctgc	1860
agaggccagg ccagtctcct cagctcctga tatatcgat gtccaacctt gcctcaggag	1920
tcccagacag gttcagtggc agtgggtcag gaactgcttt cacactgaga atcagtagag	1980
tggaggctga ggatgtgggt gtttattact gtatgcaaca tctagaatat ccgttcacgt	2040
tcggtgctgg gaccaagctg gagctgaaac ggaccacgac gccagcgccg cgaccaccaa	2100
caccggcgcc caccatcgcg tcgcagcccc tgtccctcgc ccagaggcg tgccggccag	2160
cggcgggggg cgcagtgca cagagggggc tggacttcgc ctgtgatatc tacatctggg	2220
cgcccttgcc cgggacttgt ggggtccttc tcctgtcact gggtatcacc ctttactgca	2280
aacggggcag aaagaaactc ctgtatatat tcaaacaacc atttatgaga ccagtacaaa	2340
ctactcaaga ggaagatggc tgtagctgcc gatttcaga agaagaagaa ggaggatgtg	2400
aactgagagt gaagttcagc aggagcgag acgccccgc gtaccagcag ggccagaacc	2460
agctctataa cgagctcaat ctaggacgaa gagaggagta cgatgttttg gacaagagac	2520
gtggccggga ccctgagatg gggggaaagc cgcagagaag gaagaacct caggaaggcc	2580
tgtacaatga actgcagaaa gataagatgg cggaggccta cagtgagatt gggatgaaag	2640
gcgagcgccg gaggggcaag gggcacgatg gcctttacca gggctctcagt acagccacca	2700
aggacaccta cgacgcctt cacatgcagg cctgcccc tcgctaagtt taaac	2755

<210> SEQ ID NO 86

<211> LENGTH: 911

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 86

-continued

Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	1	5	10	15
His	Ala	Ala	Arg	Pro	Ala	Val	Gln	Gly	Pro	Glu	Glu	Thr	Val	Thr	Gln	20	25	30	
Asp	Cys	Leu	Gln	Leu	Ile	Ala	Asp	Ser	Glu	Thr	Pro	Thr	Ile	Gln	Lys	35	40	45	
Gly	Ser	Tyr	Thr	Phe	Val	Pro	Trp	Leu	Leu	Ser	Phe	Lys	Arg	Gly	Ser	50	55	60	
Ala	Leu	Glu	Glu	Lys	Glu	Asn	Lys	Ile	Leu	Val	Lys	Glu	Thr	Gly	Tyr	65	70	75	80
Phe	Phe	Ile	Tyr	Gly	Gln	Val	Leu	Tyr	Thr	Asp	Lys	Thr	Tyr	Ala	Met	85	90	95	
Gly	His	Leu	Ile	Gln	Arg	Lys	Lys	Val	His	Val	Phe	Gly	Asp	Glu	Leu	100	105	110	
Ser	Leu	Val	Thr	Leu	Phe	Arg	Cys	Ile	Gln	Asn	Met	Pro	Glu	Thr	Leu	115	120	125	
Pro	Asn	Asn	Ser	Cys	Tyr	Ser	Ala	Gly	Ile	Ala	Lys	Leu	Glu	Glu	Gly	130	135	140	
Asp	Glu	Leu	Gln	Leu	Ala	Ile	Pro	Arg	Glu	Asn	Ala	Gln	Ile	Ser	Leu	145	150	155	160
Asp	Gly	Asp	Val	Thr	Phe	Phe	Gly	Ala	Leu	Lys	Leu	Leu	Thr	Thr	Thr	165	170	175	
Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	180	185	190	
Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	195	200	205	
His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	210	215	220	
Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	225	230	235	240
Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	245	250	255	
Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	260	265	270	
Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	275	280	285	
Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	290	295	300	
Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	305	310	315	320
Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	325	330	335	
Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	340	345	350	
Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	355	360	365	
His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	370	375	380	
Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	385	390	395	400
Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly				

-continued

405							410							415						
Pro	Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu					
420							425							430						
Leu	His	Ala	Ala	Arg	Pro	Glu	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu					
435							440							445						
Leu	Ile	Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly					
450							455							460						
Tyr	Thr	Phe	Thr	Ser	Tyr	Val	Met	His	Trp	Val	Lys	Gln	Lys	Pro	Gly					
465							470							475						
Gln	Gly	Leu	Glu	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr					
485							490							495						
Lys	Tyr	Asn	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Lys					
500							505							510						
Ser	Ser	Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp					
515							520							525						
Ser	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Thr	Tyr	Tyr	Tyr	Gly	Ser	Arg					
530							535							540						
Val	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Gly					
545							550							555						
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile					
565							570							575						
Val	Met	Thr	Gln	Ala	Ala	Pro	Ser	Ile	Pro	Val	Thr	Pro	Gly	Glu	Ser					
580							585							590						
Val	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Lys	Ser	Leu	Leu	Asn	Ser	Asn	Gly					
595							600							605						
Asn	Thr	Tyr	Leu	Tyr	Trp	Phe	Leu	Gln	Arg	Pro	Gly	Gln	Ser	Pro	Gln					
610							615							620						
Leu	Leu	Ile	Tyr	Arg	Met	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Asp	Arg					
625							630							635						
Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ala	Phe	Thr	Leu	Arg	Ile	Ser	Arg					
645							650							655						
Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	His	Leu	Glu					
660							665							670						
Tyr	Pro	Phe	Thr	Phe	Gly	Ala	Gly	Thr	Lys	Leu	Glu	Leu	Lys	Arg	Thr					
675							680							685						
Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser					
690							695							700						
Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly					
705							710							715						
Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp					
725							730							735						
Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile					
740							745							750						
Thr	Leu	Tyr	Cys	Lys	Arg	Gly	Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys					
755							760							765						
Gln	Pro	Phe	Met	Arg	Pro	Val	Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys					
770							775							780						
Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val					
785							790							795						
Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn					
805							810							815						

-continued

Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val
820 825 830

Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Gln
835 840 845

Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp
850 855 860

Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg
865 870 875 880

Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr
885 890 895

Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg
900 905 910

<210> SEQ ID NO 87

<211> LENGTH: 2734

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 87

```

gcgatcgcac catggcctta ccagtgaccg ccttgctcct gccgctggcc ttgctgctcc      60
acgccgccag gccggtgctc acccaaaaac agaagaagca gcactctgtc ctgcacctgg      120
ttcccattaa cgccacctcc aaggatgact ccgatgtgac agaggatgatg tggcaaccag      180
ctcttaggagc tgggagaggc ctacaggccc aaggatatgg tgtccgaatc caggatgctg      240
gagtttatct cgtgtatagc caggctcctgt ttcaagacgt gactttcacc atgggtcagg      300
tggtgtctcg agaaggccaa ggaaggcagg agactctatt ccgatgtata agaagtatgc      360
cctcccaccc ggaccggggc tacaacagct gctatagcgc aggtgtcttc catttacacc      420
aaggggatat tctgagtgtc ataattcccc gggcaagggc gaaacttaac ctctctccac      480
atggaacctt cctgggggtt gtgaaactga ccacgacgcc agcgccgcga ccaccaacac      540
cggcgcccac catcgctcgc cagcccctgt cctgcgccc agaggcgtgc cggccagcgg      600
cggggggcgc agtgcacacg agggggctgg acttcgcctg tgatatctac atctgggcgc      660
ccttgcccg gacttggtgg gtcctttctc tgtcaactgg tatcaccctt tactgcagga      720
gtaagaggag caggctcctg cacagtgact acatgaacat gactccccgc cggcccgggc      780
ccaccgcgaa gcattaccag ccctatgccc caccacgcga cttcgcagcc tategctcca      840
gagtgaagtt cagcaggagc gcagacgccc ccgcgtacca gcagggccag aaccagctct      900
ataacgagct caatctagga cgaagagagg agtacgatgt tttggacaag agacgtggcc      960
gggaccctga gatgggggga aagccgagaa ggaagaaccc tcagggaaggc ctgtacaatg     1020
aactgcagaa agataagatg gcggaggcct acagtgagat tgggatgaaa ggcgagcgcc     1080
ggaggggcaa ggggcacgat ggcctttacc agggctctcag tacagccacc aaggacacct     1140
acgacgcctt tcacatgcag gccctgcccc ctcgcggaag cggagccacc aacttcagcc     1200
tgctgaagca ggccggcgac gtggaggaga acccggcccc catggcctta ccagtgaccg     1260
ccttgctcct gccgctggcc ttgctgctcc acgcgccag gccggaggte cagctgcage     1320
agtctggacc tgagctgata aagcctgggg cttcagtgaa gatgtcctgc aaggcttctg     1380
gatacacatt cactagctat gttatgcact gggatgaagca gaagcctggg cagggccttg     1440

```


-continued

```

agtggattgg atatattaat ccttacaatg atggtactaa gtacaatgag aagttcaaag 1500
gcaagggcac actgacttca gacaaatcct ccagcacagc ctacatggag ctcagcagcc 1560
tgacctctga ggactctgcg gtctattact gtgcaagagg gacttattac tacggtagta 1620
gggtatttga ctactggggc caaggcacca ctctcacagt ctctcaggt ggagggggct 1680
caggcggagg tggctctggg ggtggaggct cggacattgt gatgactcag gctgcaccct 1740
ctatacctgt cactcctgga gagtcagtat ccatctcctg caggtctagt aagagtctcc 1800
tgaatagtaa tggcaacact tacttgtatt ggttctcgca gaggccaggc cagtctctc 1860
agctcctgat atacggatg tccaaccttg cctcaggagt cccagacagg ttcagtggca 1920
gtgggtcagg aactgctttc aactgagaa tcagtagagt ggaggctgag gatgtgggtg 1980
tttattactg tatgcaacat ctagaatct cgttcacgtt cgggtgctggg accaagctgg 2040
agctgaaacg gaccacgacg ccagcgccgc gaccaccaac accggcgccc accatcgcg 2100
cgcagcccct gtcctctgcg ccagaggcgt gccggccagc ggcggggggc gcagtgcaca 2160
cgagggggct ggactctgcc tgtgatctc acatctgggc gcccttggcc gggacttgtg 2220
gggtccttct cctgtcactg gttatcacc tttactgcaa acggggcaga aagaaactcc 2280
tgtatatatt caaacaacca tttatgagac cagtacaaac tactcaagag gaagatggct 2340
gtagtgcgg atttcagaa gaagaagaag gaggatgtga actgagagtg aagttcagca 2400
ggagcgcaga cgcggcgcg taccagcagg gccagaacca gctctataac gagctcaatc 2460
taggacgaag agaggagtac gatgttttg acaagagacg tggccgggac cctgagatgg 2520
ggggaaagcc gcagagaagg aagaacctc aggaaggcct gtacaatgaa ctgcagaaag 2580
ataagatggc ggaggcctac agtgagattg ggatgaaagg cgagcgccgg aggggcaagg 2640
ggcacgatgg cctttaccag ggtctcagta cagccacca ggacacctac gacgccttc 2700
acatgcaggc cctgccccct cgtaagttt aaac 2734

```

<210> SEQ ID NO 88

<211> LENGTH: 904

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 88

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15
His Ala Ala Arg Pro Val Leu Thr Gln Lys Gln Lys Lys Gln His Ser
20          25          30
Val Leu His Leu Val Pro Ile Asn Ala Thr Ser Lys Asp Asp Ser Asp
35          40          45
Val Thr Glu Val Met Trp Gln Pro Ala Leu Arg Arg Gly Arg Gly Leu
50          55          60
Gln Ala Gln Gly Tyr Gly Val Arg Ile Gln Asp Ala Gly Val Tyr Leu
65          70          75          80
Leu Tyr Ser Gln Val Leu Phe Gln Asp Val Thr Phe Thr Met Gly Gln
85          90          95
Val Val Ser Arg Glu Gly Gln Gly Arg Gln Glu Thr Leu Phe Arg Cys
100         105         110

```

-continued

Ile	Arg	Ser	Met	Pro	Ser	His	Pro	Asp	Arg	Ala	Tyr	Asn	Ser	Cys	Tyr
	115						120					125			
Ser	Ala	Gly	Val	Phe	His	Leu	His	Gln	Gly	Asp	Ile	Leu	Ser	Val	Ile
130					135						140				
Ile	Pro	Arg	Ala	Arg	Ala	Lys	Leu	Asn	Leu	Ser	Pro	His	Gly	Thr	Phe
145					150					155					160
Leu	Gly	Phe	Val	Lys	Leu	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr
				165					170					175	
Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala
			180					185					190		
Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe
	195						200					205			
Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val
210						215					220				
Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser
225					230					235					240
Arg	Leu	Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly
			245					250						255	
Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala
			260					265					270		
Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala
	275						280					285			
Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg
290					295						300				
Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu
305					310					315					320
Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn
			325					330						335	
Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met
		340						345					350		
Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly
	355						360					365			
Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala
370					375						380				
Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln
385					390					395					400
Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr
			405					410						415	
Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Glu
			420					425					430		
Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu	Leu	Ile	Lys	Pro	Gly	Ala	Ser
	435						440					445			
Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Val
450					455						460				
Met	His	Trp	Val	Lys	Gln	Lys	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Ile	Gly
465				470						475					480
Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr	Lys	Tyr	Asn	Glu	Lys	Phe	Lys
			485					490						495	
Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Lys	Ser	Ser	Ser	Thr	Ala	Tyr	Met
			500					505					510		
Glu	Leu	Ser	Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val	Tyr	Tyr	Cys	Ala

-continued

515						520						525					
Arg	Gly	Thr	Tyr	Tyr	Tyr	Gly	Ser	Arg	Val	Phe	Asp	Tyr	Trp	Gly	Gln		
	530					535					540						
Gly	Thr	Thr	Leu	Thr	Val	Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly		
545					550					555					560		
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Asp	Ile	Val	Met	Thr	Gln	Ala	Ala	Pro		
				565					570					575			
Ser	Ile	Pro	Val	Thr	Pro	Gly	Glu	Ser	Val	Ser	Ile	Ser	Cys	Arg	Ser		
			580					585					590				
Ser	Lys	Ser	Leu	Leu	Asn	Ser	Asn	Gly	Asn	Thr	Tyr	Leu	Tyr	Trp	Phe		
		595					600					605					
Leu	Gln	Arg	Pro	Gly	Gln	Ser	Pro	Gln	Leu	Leu	Ile	Tyr	Arg	Met	Ser		
	610					615					620						
Asn	Leu	Ala	Ser	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly		
625					630					635					640		
Thr	Ala	Phe	Thr	Leu	Arg	Ile	Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly		
				645					650					655			
Val	Tyr	Tyr	Cys	Met	Gln	His	Leu	Glu	Tyr	Pro	Phe	Thr	Phe	Gly	Ala		
			660					665					670				
Gly	Thr	Lys	Leu	Glu	Leu	Lys	Arg	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro		
		675					680					685					
Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro		
	690					695					700						
Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu		
705					710					715					720		
Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys		
				725					730					735			
Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Lys	Arg	Gly		
			740					745					750				
Arg	Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val		
		755					760					765					
Gln	Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu		
	770					775					780						
Glu	Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp		
785					790					795					800		
Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn		
				805					810					815			
Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg		
			820					825					830				
Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu		
		835					840					845					
Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser		
	850					855					860						
Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly		
865					870					875					880		
Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu		
				885					890					895			
His	Met	Gln	Ala	Leu	Pro	Pro	Arg										
			900														

-continued

```

<211> LENGTH: 1498
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 89

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcgtg atgacccaaa gcccgcagac cctggccgtg agcctgggcg      120
agagggtgac catgaactgc aaaagcagcc agtccctgct gtactccacc aaccagaaga      180
actacctggc ttggtatcaa cagaagcccc gacagagccc caagctgctg atctattggg      240
ccagcactag ggaagcggc gtgcccgcata ggttcagcgg cagcgggagc ggcacagact      300
tcactctgac cattagcagc gtgcaggctg aggatgtggc cgtctactac tgccagcagt      360
actacagcta caggaccttt gggggcgga ctaagctgga gatcaaggga ggggggggat      420
ccgggggagg aggtccggc ggaggcgga gccaaagtga actgcagcag agcggcccag      480
aggtggtcaa acctggggca agcgtgaaga tgagctgcaa ggctagcggc tataccttca      540
ccagctatgt gatccactgg gtgaggcaga aaccaggaca gggcctggac tggatcggct      600
acatcaaccc ctacaatgac ggcaccgatt atgacgaaaa attcaagggg aaggccaccc      660
tgaccagcga caccagcaca agcaccgcct acatggagct gtccagcctg aggtccgagg      720
acaccgccgt gtattactgt gccagggaga aggacaatta cgccaccggc gcttggttcg      780
cctactgggg ccagggcaca ctggtgacag tgagcagcac cagcagcca gcgccgcgac      840
caccaacacc ggcgccacc atcgctgcgc agccctgtc cctgcgcca gaggcgtgcc      900
ggccagcggc gggggggcga gtgcacacga gggggctgga cttcgctgt gatatactaca      960
tctggggccc cttggcggg acttgtggg tcttctcct gtcactggtt atcaccttt      1020
actgcaggag taagaggagc aggtccctgc acagtgacta catgaacatg actccccgcc      1080
gccccgggcc caccgcgaag cattaccagc cctatgcccc accacgcgac ttcgcgcct      1140
atcgctccag agtgaagttc agcaggagcg cagacgcccc cgcgtaccag cagggccaga      1200
accagctcta taacgagctc aatctaggac gaagagagga gtacgatgtt ttggacaaga      1260
gacgtggcgg ggaccctgag atggggggaa agccgcagag aaggaagaac cctcaggaag      1320
gcctgtacaa tgaactgcag aaagataaga tggcggaggc ctacagtgag attgggatga      1380
aaggcgagcg ccggaggggc aaggggcacg atggccttta ccagggtctc agtacagcca      1440
ccaaggacac ctacgacgcc cttcacatgc aggcctgcc ccctcgctaa gtttaaac      1498

```

```

<210> SEQ ID NO 90
<211> LENGTH: 493
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 90

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15

His Ala Ala Arg Pro Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu
20        25        30

Ala Val Ser Leu Gly Glu Arg Val Thr Met Asn Cys Lys Ser Ser Gln
35        40        45

```

-continued

Ser	Leu	Leu	Tyr	Ser	Thr	Asn	Gln	Lys	Asn	Tyr	Leu	Ala	Trp	Tyr	Gln
50						55					60				
Gln	Lys	Pro	Gly	Gln	Ser	Pro	Lys	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr
65					70					75					80
Arg	Glu	Ser	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr
				85					90					95	
Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Val	Gln	Ala	Glu	Asp	Val	Ala	Val
			100					105					110		
Tyr	Tyr	Cys	Gln	Gln	Tyr	Tyr	Ser	Tyr	Arg	Thr	Phe	Gly	Gly	Gly	Thr
		115					120					125			
Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly
	130					135					140				
Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu	Val	Val
145					150					155					160
Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr
				165					170					175	
Phe	Thr	Ser	Tyr	Val	Ile	His	Trp	Val	Arg	Gln	Lys	Pro	Gly	Gln	Gly
			180					185					190		
Leu	Asp	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr	Asp	Tyr
	195						200					205			
Asp	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Thr	Ser	Thr
	210					215					220				
Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala
225					230					235					240
Val	Tyr	Tyr	Cys	Ala	Arg	Glu	Lys	Asp	Asn	Tyr	Ala	Thr	Gly	Ala	Trp
			245						250					255	
Phe	Ala	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr
			260					265						270	
Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln
		275					280					285			
Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala
	290					295					300				
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala
305					310					315					320
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr
			325					330						335	
Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met
			340					345					350		
Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro
	355						360					365			
Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Arg	Val	Lys	Phe
	370					375					380				
Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu
385					390					395					400
Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp
			405						410					415	
Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg
			420					425					430		
Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met
	435							440					445		

-continued

Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly
450						455					460				
Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp
465					470					475					480
Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro	Pro	Arg			
				485					490						

<210> SEQ ID NO 91
 <211> LENGTH: 2560
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 91

```

gcatatcgcat gtatttgtgg cttaaactct tggcatttgg ctttgccttt ctggacacag      60
aagtatttgt gacagggggac atcgtgatga cccaaagccc cgacagcctg gccgtgagcc      120
tgggcgagag ggtgacctatg aactgcaaaa gcagccagtc cctgctgtac tccaccaacc      180
agaagaacta cctggcttgg tatcaacaga agcccgagca gagcccaag ctgctgatct      240
attgggcccag cactagggaa agcggcgtgc ccgataggtt cagcggcagc gggagcggca      300
cagacttcac tctgaccatt agcagcgtgc aggtgagga tgtggccgtc tactactgcc      360
agcagtacta cagctacagg acctttgggg gcggaactaa gctggagatc aaggaggagg      420
ggggatccgg gggaggaggc tccggcggag gcggaagcca agtgcaactg cagcagagcg      480
gcccagaggt ggtcaaacct ggggcaagcg tgaagatgag ctgcaaggct agcggctata      540
ccttcaccag ctatgtgatc cactgggtga ggcagaaacc aggcagggc ctggactgga      600
tcggctacat caaccctac aatgacggca ccgattatga cgaaaaattc aaggggaagg      660
ccaccctgac cagcgacacc agcacaagca ccgcctacat ggagctgtcc agcctgaggt      720
ccgaggacac cgccgtgtat tactgtgcca gggagaagga caattacgcc accggcgctt      780
ggttcgccta ctggggccag ggcacactgg tgacagttag cagcaccacg acgccagcgc      840
cgcgaccacc aacaccggcg cccaccatcg cgtcgagcc cctgtccctg cgcccagagg      900
cgtgcgggcc agcggcgggg ggcgcagtgc acacgagggg gctggacttc gcctgtgata      960
tctacatctg ggcgcccttg gccgggactt gtggggtcct tctcctgtca ctggttatca     1020
ccctttactg cagagtgaag ttcagcagga gcgcagagcc ccccgctac cagcagggcc     1080
agaaccagct ctataacgag ctcaatctag gacgaagaga ggagtacgat gttttggaca     1140
agagacgtgg ccgggaccct gagatggggg gaaagccgag aaggaagaac cctcaggaag     1200
gcctgtacaa tgaactgcag aaagataaga tggcggaggc ctacagttag attgggatga     1260
aaggcgagcg ccggaggggc aaggggcacg atggccttta ccagggtctc agtacagcca     1320
ccaaggacac ctacgacgcc cttcacatgc aggccctgcc ccctcgcgga agcggagcca     1380
ccaacttcag cctgctgaag caggccggcg acgtggagga gaaccccgcc ccctacctgt     1440
ggctgaagct gctggccttc ggcttcgcct tectggacac cgagggtgtc gtgaccggcg     1500
acatccagat gaccagagc cccagacccc tgagcgccag cgtggggcag aggggtgacca     1560
tcacctcgag cgccagcagc agcatcagct acatgcaact gtaccagcag aagcccgcca     1620
agggccccc aa gctgctgatc tacaccacca gcaacctggc cagcggcggtg cccgccaggt     1680
tcagcggcag cggcagcggc accgagttca ccctgacct cagcagcctg cagcccgcag     1740
  
```

-continued

```

acttcgccac ctactactgc caccagagga gcacctaccc cctgaccttc ggccagggca 1800
ccaaggtgga ggtgaagggc ggcggcgcca gcggcgccgg cggcagcggc ggcggcgcca 1860
gccaggtgca gctggtgcag agcggcgccg aggtgaagaa gcccggcagc agcgtgaagg 1920
tgagctgcaa ggccagcggc tacaccttca ccagctacag gatgcaactgg gtgaggcagg 1980
cccccgcca gggcctggag tggatcggt acatcaaccc cagcaccggc tacaccgagt 2040
acaaccagaa gttcaaggac aaggccacca tcaccgccga cgagagcacc aacaccgcct 2100
acatggagct gagcagcctg aggagcgagg acaccgccgt gtactactgc gccaggggcg 2160
gcggcggtgt cgactactgg ggccagggca ccctggtgac cgtgagcagc accaccaccc 2220
ccgccccag gccccccacc cccgccccca ccacgccag ccagcccctg agcctgaggc 2280
ccgaggcctg caggcccgcc gccggcgccg ccgtgcacac caggggcctg gacttcgcct 2340
gcgacttttg ggtgctgggt gtggttggtg ggtcctggc ttgctatagc ttgctagtaa 2400
cagtgccctt tattattttc tgggtgagga gtaagaggag caggctcctg cacagtgact 2460
acatgaacat gactccccgc cgcgccgggc ccaccgcaa gcattaccag ccctatgccc 2520
caccacgcga cttcgcagcc tatcgctcct aagtttaaac 2560

```

<210> SEQ ID NO 92

<211> LENGTH: 847

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 92

```

Met Tyr Leu Trp Leu Lys Leu Leu Ala Phe Gly Phe Ala Phe Leu Asp
1           5           10           15

Thr Glu Val Phe Val Thr Gly Asp Ile Val Met Thr Gln Ser Pro Asp
20          25          30

Ser Leu Ala Val Ser Leu Gly Glu Arg Val Thr Met Asn Cys Lys Ser
35          40          45

Ser Gln Ser Leu Leu Tyr Ser Thr Asn Gln Lys Asn Tyr Leu Ala Trp
50          55          60

Tyr Gln Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala
65          70          75          80

Ser Thr Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser
85          90          95

Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Val
100         105         110

Ala Val Tyr Tyr Cys Gln Gln Tyr Tyr Ser Tyr Arg Thr Phe Gly Gly
115         120         125

Gly Thr Lys Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly
130         135         140

Ser Gly Gly Gly Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu
145         150         155         160

Val Val Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly
165         170         175

Tyr Thr Phe Thr Ser Tyr Val Ile His Trp Val Arg Gln Lys Pro Gly
180         185         190

Gln Gly Leu Asp Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr

```

-continued

195					200					205					
Asp	Tyr	Asp	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Thr
210						215					220				
Ser	Thr	Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp
225					230					235				240	
Thr	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Glu	Lys	Asp	Asn	Tyr	Ala	Thr	Gly
			245						250					255	
Ala	Trp	Phe	Ala	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
		260						265					270		
Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala
		275					280					285			
Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly
290						295					300				
Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile
305					310					315				320	
Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val
			325					330						335	
Ile	Thr	Leu	Tyr	Cys	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro
		340						345					350		
Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly
		355				360						365			
Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro
370						375					380				
Glu	Met	Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr
385					390					395				400	
Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly
			405					410						415	
Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln
		420					425						430		
Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln
		435					440					445			
Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys
	450					455					460				
Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Tyr	Leu	Trp	Leu	Lys
465					470					475				480	
Leu	Leu	Ala	Phe	Gly	Phe	Ala	Phe	Leu	Asp	Thr	Glu	Val	Phe	Val	Thr
			485					490						495	
Gly	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val
		500						505					510		
Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Ser	Ala	Ser	Ser	Ser	Ile	Ser	Tyr
	515						520					525			
Met	His	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
530						535					540				
Tyr	Thr	Thr	Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Ala	Arg	Phe	Ser	Gly
545					550					555				560	
Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
			565					570						575	
Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	His	Gln	Arg	Ser	Thr	Tyr	Pro	Leu
		580						585					590		
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Val	Lys	Gly	Gly	Gly	Gly	Ser
		595					600					605			

-continued

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln Val Gln Leu Val Gln
 610 615 620
 Ser Gly Ala Glu Val Lys Lys Pro Gly Ser Ser Val Lys Val Ser Cys
 625 630 635 640
 Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Arg Met His Trp Val Arg
 645 650 655
 Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Ser
 660 665 670
 Thr Gly Tyr Thr Glu Tyr Asn Gln Lys Phe Lys Asp Lys Ala Thr Ile
 675 680 685
 Thr Ala Asp Glu Ser Thr Asn Thr Ala Tyr Met Glu Leu Ser Ser Leu
 690 695 700
 Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys Ala Arg Gly Gly Gly Val
 705 710 715 720
 Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Thr Thr
 725 730 735
 Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
 740 745 750
 Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala
 755 760 765
 Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Phe Trp Val Leu Val
 770 775 780
 Val Val Gly Gly Val Leu Ala Cys Tyr Ser Leu Leu Val Thr Val Ala
 785 790 795 800
 Phe Ile Ile Phe Trp Val Arg Ser Lys Arg Ser Arg Leu Leu His Ser
 805 810 815
 Asp Tyr Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His
 820 825 830
 Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
 835 840 845

<210> SEQ ID NO 93

<211> LENGTH: 2551

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 93

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcgtg atgacccaaa gccccgacag cctggccgtg agcctgggcg      120
agagggtgac catgaactgc aaaagcagcc agtccctgct gtactccacc aaccagaaga      180
actacctggc ttggtatcaa cagaagcccg gacagagccc caagctgctg atctattggg      240
ccagcactag ggaaagcggc gtgcccagata gggtcagcgg cagcgggagc ggcacagact      300
tcactctgac cattagcagc gtgcaggctg aggatgtggc cgtctactac tgccagcagt      360
actacagcta caggaccttt gggggcggaa ctaagctgga gatcaaggga ggggggggat      420
ccgggggagg aggctccggc ggaggcggaa gccaaagtca actgcagcag agcggcccag      480
aggtgggtcaa acctggggca agcgtgaaga tgagctgcaa ggctagcggc tataccttca      540
ccagctatgt gatccactgg gtgaggcaga aaccaggaca gggcctggac tggatcggct      600

```

-continued

acatcaaccc ctacaatgac ggcaccgatt atgacgaaaa attcaagggg aaggccaccc	660
tgaccagcga caccagcaca agcaccgcct acatggagct gtccagcctg aggtccgagg	720
acaccgccgt gtattactgt gccagggaga aggacaatta cgccaccggc gcttggttcg	780
cctactgggg ccagggcaca ctggtgacag tgagcagcac cagcagcca gcgccgcgac	840
caccaacacc ggcgcccacc atcgcgctgc agccccctgt cctgcgcca gaggcgtgcc	900
ggccagcggc gggggggcga gtgcacacga gggggctgga cttcgctgt gatatactaca	960
tctggggccc cttggccggg acttggtggg tcttctctct gtcactgggt atcacccttt	1020
actgcagagt gaagttcagc aggagcgcag acgccccgc gtaccagcag ggccagaacc	1080
agctctataa cgagctcaat ctaggacgaa gagaggagta cgatgttttg gacaagagac	1140
gtggccggga ccctgagatg gggggaaagc cgagaaggaa gaacctcag gaaggcctgt	1200
acaatgaact gcagaaagat aagatggcgg aggcctacag tgagattggg atgaaaggcg	1260
agcgcgggag gggcaagggg cagcatggcc tttaccaggg tctcagtaca gccaccaagg	1320
acacctacga cgcccttcac atgcaggccc tgccccctcg cggaagcgga gccaccaact	1380
tcagcctgct gaagcaggcc ggcgacgtgg aggagaaccc cggccccatg gcctgccccg	1440
tgaccgccct gctgctgccc ctggccctgc tgcctgcacg cgccaggccc gacatccaga	1500
tgaccagag cccagcacc ctgagcgcca gcgtgggcca cagggtgacc atcacctgca	1560
gcgccagcag cagcatcagc tacatgcact ggtaccagca gaagcccgcc aaggccccc	1620
agctgctgat ctacaccacc agcaacctgg ccagcggcgt gcccgccagg ttcagcgga	1680
gcggcagcgg caccgagttc accctgacca tcagcagcct gcagcccgac gacttcgcca	1740
cctactactg ccaccagagg agcacctacc cctgacctt cggccagggc accaagggtg	1800
aggtgaaggg cggcgggcgc agcggcggcg gcggcagcgg cggcgggcgc agccagggtg	1860
agctgggtgca gagcggcgcc gaggtgaaga agcccggcag cagcgtgaag gtgagctgca	1920
aggccagcgg ctacaccttc accagctaca ggatgcaact ggtgaggcag gccccggcc	1980
agggcctgga gtggatcggc tacatcaacc ccagcaccgg ctacaccgag tacaaccaga	2040
agttcaagga caaggccacc atcaccgccc acgagagcac caacaccgcc tacatggagc	2100
tgagcagcct gagagcgcg gacaccgccc tgtactactg cgccaggggc ggcggcgtgt	2160
tcgactactg gggccagggc accctgggtga ccgtgagcag caccaccacc cccgccccca	2220
ggccccccac ccccgcccc accatcgcca gccagcccct gagcctgagg cccgaggcct	2280
gcaggccccg cgccggcgcc gccgtgcaca ccaggggcct ggacttcgcc tgcgactttt	2340
gggtgctggt ggtggttggg ggagtctcgg cttgctatag cttgctagta acagtggcct	2400
ttattatatt ctgggtgagg agtaagagga gcaggtcct gcacagtgc tacatgaaca	2460
tgactccccg ccgccccggg cccaccgcga agcattacca gccctatgcc ccaccacgcg	2520
acttcgcagc ctatcgctcc taagttaaaa c	2551

<210> SEQ ID NO 94

<211> LENGTH: 844

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 94

-continued

Met	Ala	Leu	Pro	Val	Thr	Ala	Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	1	5	10	15
His	Ala	Ala	Arg	Pro	Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Asp	Ser	Leu	20	25	30	
Ala	Val	Ser	Leu	Gly	Glu	Arg	Val	Thr	Met	Asn	Cys	Lys	Ser	Ser	Gln	35	40	45	
Ser	Leu	Leu	Tyr	Ser	Thr	Asn	Gln	Lys	Asn	Tyr	Leu	Ala	Trp	Tyr	Gln	50	55	60	
Gln	Lys	Pro	Gly	Gln	Ser	Pro	Lys	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr	65	70	75	80
Arg	Glu	Ser	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	85	90	95	
Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Val	Gln	Ala	Glu	Asp	Val	Ala	Val	100	105	110	
Tyr	Tyr	Cys	Gln	Gln	Tyr	Tyr	Ser	Tyr	Arg	Thr	Phe	Gly	Gly	Gly	Thr	115	120	125	
Lys	Leu	Glu	Ile	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	130	135	140	
Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu	Val	Val	145	150	155	160
Lys	Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	165	170	175	
Phe	Thr	Ser	Tyr	Val	Ile	His	Trp	Val	Arg	Gln	Lys	Pro	Gly	Gln	Gly	180	185	190	
Leu	Asp	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Tyr	Asn	Asp	Gly	Thr	Asp	Tyr	195	200	205	
Asp	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Thr	Ser	Thr	210	215	220	
Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	225	230	235	240
Val	Tyr	Tyr	Cys	Ala	Arg	Glu	Lys	Asp	Asn	Tyr	Ala	Thr	Gly	Ala	Trp	245	250	255	
Phe	Ala	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	260	265	270	
Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	275	280	285	
Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	290	295	300	
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala	305	310	315	320
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr	325	330	335	
Leu	Tyr	Cys	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	340	345	350	
Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	355	360	365	
Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	370	375	380	
Gly	Gly	Lys	Pro	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	385	390	395	400
Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys				

-continued

405								410					415				
Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu		
			420					425					430				
Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu		
		435					440					445					
Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala		
		450					455					460					
Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Ala	Leu	Pro	Val	Thr	Ala		
465					470					475					480		
Leu	Leu	Leu	Pro	Leu	Ala	Leu	Leu	Leu	His	Ala	Ala	Arg	Pro	Asp	Ile		
			485					490					495				
Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly	Asp	Arg		
			500					505					510				
Val	Thr	Ile	Thr	Cys	Ser	Ala	Ser	Ser	Ser	Ile	Ser	Tyr	Met	His	Trp		
		515					520					525					
Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile	Tyr	Thr	Thr		
530					535					540							
Ser	Asn	Leu	Ala	Ser	Gly	Val	Pro	Ala	Arg	Phe	Ser	Gly	Ser	Gly	Ser		
545					550					555					560		
Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro	Asp	Asp	Phe		
			565					570					575				
Ala	Thr	Tyr	Tyr	Cys	His	Gln	Arg	Ser	Thr	Tyr	Pro	Leu	Thr	Phe	Gly		
			580					585					590				
Gln	Gly	Thr	Lys	Val	Glu	Val	Lys	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly		
		595					600					605					
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala		
610					615					620							
Glu	Val	Lys	Lys	Pro	Gly	Ser	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser		
625					630					635					640		
Gly	Tyr	Thr	Phe	Thr	Ser	Tyr	Arg	Met	His	Trp	Val	Arg	Gln	Ala	Pro		
			645					650					655				
Gly	Gln	Gly	Leu	Glu	Trp	Ile	Gly	Tyr	Ile	Asn	Pro	Ser	Thr	Gly	Tyr		
			660					665					670				
Thr	Glu	Tyr	Asn	Gln	Lys	Phe	Lys	Asp	Lys	Ala	Thr	Ile	Thr	Ala	Asp		
			675					680					685				
Glu	Ser	Thr	Asn	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu		
690					695					700							
Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala	Arg	Gly	Gly	Gly	Val	Phe	Asp	Tyr		
705					710					715					720		
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala		
			725					730					735				
Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser		
			740					745					750				
Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr		
		755					760					765					
Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Phe	Trp	Val	Leu	Val	Val	Val	Gly		
770					775					780							
Gly	Val	Leu	Ala	Cys	Tyr	Ser	Leu	Leu	Val	Thr	Val	Ala	Phe	Ile	Ile		
785					790					795					800		
Phe	Trp	Val	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met		
			805					810					815				

-continued

Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro
820 825 830

Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
835 840

<210> SEQ ID NO 95

<211> LENGTH: 2149

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 95

```

gcgatcgcat ggccttacca gtgaccgcct tgctcctgcc gctggccttg ctgctccacg      60
ccgccaggcc ggacatcgtg atgacccaaa gcccgcagac cctggccgtg agcctgggcg      120
agagggtgac catgaactgc aaaagcagcc agtccctgct gtactccacc aaccagaaga      180
actacctggc ttggtatcaa cagaagcccg gacagagccc caagctgctg atctattggg      240
ccagcactag ggaagcggc gtgcccgcata ggttcagcgg cagcgggagc ggcacagact      300
tcaactctgac cattagcagc gtgcaggctg aggatgtggc cgtctactac tgccagcagt      360
actacagcta caggaccttt gggggcgga ctaagctgga gatcaaggga ggggggggat      420
ccgggggagg aggtccggc ggaggcgga gccaaagtga actgcagcag agcggcccag      480
aggtggtcaa acctggggca agcgtgaaga tgagctgcaa ggctagcggc tataccttca      540
ccagctatgt gatccactgg gtgaggcaga aaccaggaca gggcctggac tggatcggct      600
acatcaaccc ctacaatgac ggcaccgatt atgacgaaaa attcaagggg aaggccaccc      660
tgaccagcga caccagcaca agcaccgcct acatggagct gtccagcctg aggtccgagg      720
acaccgccgt gtattactgt gccagggaga aggacaatta cgccaccggc gcttggttcg      780
cctactgggg ccagggcaca ctgggtgacag tgagcagcac cagcagccca gcgccgcgac      840
caccaacacc ggcgccacc atcgcgctgc agccctgtc cctgcgcccc gaggcgtgcc      900
ggccagcggc gggggggcga gtgcacacga gggggctgga cttcgctgt gatatactaca      960
tctggggccc cttggccggg acttgtgggg tccttctcct gtcactggtt atcacccttt     1020
actgcaggag taagaggagc aggtccctgc acagtgacta catgaacatg actccccgcc     1080
gccccgggcc caccgcgaag cattaccagc cctatgcccc accacgcgac ttgcgagcct     1140
atcgctccaa acggggcaga aagaaactcc tgtatatatt caaacaacca tttatgagac     1200
cagtacaac tactcaagag gaagatggct gtagctgccg atttcagaa gaagaagaag     1260
gaggatgtga actgagagtg aagttcagca ggagcgcaga cgcccccgcg taccagcagg     1320
gccagaacca gctctataac gagctcaatc taggacgaag agaggagtac gatgttttgg     1380
acaagagacg tggccgggac cctgagatgg ggggaaagcc gcagagaagg aagaaccctc     1440
aggaaggcct gtacaatgaa ctgcagaaag ataagatggc ggaggcctac agtgagattg     1500
ggatgaaagg cgagcgccgg aggggcaagg ggcacgatgg cctttaccag ggtctcagta     1560
cagccaccaa ggacacctac gacgccttc acatgcaggc cctgccccct cgcggaagcg     1620
gagccaccaa cttcagcctg ctgaagcagg ccggcgacgt ggaggagaac cccggcccca     1680
tgtacagaat gcagctgctg agctgcatcg cctgagcct ggccctgggtg accaacagcg     1740
gcatccacgt gttcatctg ggctgcttca gcgcggcct gcccaagacc gagggcaact     1800

```

-continued

```

gggtgaacgt gatcagcgac ctgaagaaga tcgaggacct gatccagagc atgcacatcg 1860
acgccaccct gtacaccgag agcgacgtgc accccagctg caaggtgacc gccatgaagt 1920
gtctctgct ggagctgcag gtgatcagcc tggagagcgg cgacgccagc atccacgaca 1980
ccgtggagaa cctgatcatc ctggccaaca acagcctgag cagcaacggc aacgtgaccg 2040
agagcggctg caaggagtgc gaggagctgg aggagaagaa catcaaggag ttcctgcaga 2100
gtctcgtgca catcgtgcag atgttcatca acaccagcta agtttaaac 2149

```

```

<210> SEQ ID NO 96
<211> LENGTH: 710
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 96

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10     15
His Ala Ala Arg Pro Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu
20     25     30
Ala Val Ser Leu Gly Glu Arg Val Thr Met Asn Cys Lys Ser Ser Gln
35     40     45
Ser Leu Leu Tyr Ser Thr Asn Gln Lys Asn Tyr Leu Ala Trp Tyr Gln
50     55     60
Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr
65     70     75     80
Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr
85     90     95
Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Val Ala Val
100    105    110
Tyr Tyr Cys Gln Gln Tyr Tyr Ser Tyr Arg Thr Phe Gly Gly Gly Thr
115    120    125
Lys Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
130    135    140
Gly Gly Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Val Val
145    150    155    160
Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr
165    170    175
Phe Thr Ser Tyr Val Ile His Trp Val Arg Gln Lys Pro Gly Gln Gly
180    185    190
Leu Asp Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Asp Tyr
195    200    205
Asp Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Thr Ser Thr
210    215    220
Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala
225    230    235    240
Val Tyr Tyr Cys Ala Arg Glu Lys Asp Asn Tyr Ala Thr Gly Ala Trp
245    250    255
Phe Ala Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Thr Thr
260    265    270
Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln
275    280    285

```

-continued

Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala		
290						295				300							
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala		
305					310					315					320		
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr		
				325						330					335		
Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met		
			340					345						350			
Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro		
		355					360						365				
Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Lys	Arg	Gly	Arg		
	370					375					380						
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln		
385					390					395					400		
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu		
				405						410					415		
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala		
			420					425						430			
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu		
		435					440					445					
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp		
	450					455					460						
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly		
465					470					475					480		
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu		
			485					490							495		
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu		
			500					505						510			
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His		
		515					520					525					
Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu		
	530					535					540						
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg		
545					550					555					560		
Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val	Thr	Asn		
				565					570					575			
Ser	Gly	Ile	His	Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro		
			580					585					590				
Lys	Thr	Glu	Ala	Asn	Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile		
		595					600					605					
Glu	Asp	Leu	Ile	Gln	Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu		
	610					615					620						
Ser	Asp	Val	His	Pro	Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu		
625					630					635					640		
Leu	Glu	Leu	Gln	Val	Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser	Ile	His		
				645					650					655			
Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile	Leu	Ala	Asn	Asn	Ser	Leu	Ser	Ser		
			660					665					670				
Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly	Cys	Lys	Glu	Cys	Glu	Glu	Leu	Glu		
	675						680					685					

-continued

Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu	Gln	Ser	Phe	Val	His	Ile	Val	Gln
690						695					700				

Met	Phe	Ile	Asn	Thr	Ser
705				710	

<210> SEQ ID NO 97
 <211> LENGTH: 2623
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 97

gcgatcgcat	ggccttaacca	gtgaccgcct	tgctcctgcc	gctggccttg	ctgctccacg	60
ccgccaggcc	ggacatcgtg	atgacccaaa	gccccgacag	cctggccgtg	agcctgggcg	120
agagggtgac	catgaactgc	aaaagcagcc	agtcctctgt	gtactccacc	aaccagaaga	180
actacctggc	ttggtatcaa	cagaagcccc	gacagagccc	caagctgctg	atctattggg	240
ccagcactag	ggaaagcggc	gtgcccgata	ggttcagcgg	cagcgggagc	ggcacagact	300
tcactctgac	cattagcagc	gtgcaggctg	aggatgtggc	cgtctactac	tgccagcagt	360
actacagcta	caggaccttt	gggggcgga	ctaagctgga	gatcaaggga	ggggggggat	420
ccgggggagg	aggctccggc	ggaggcgga	gccaaagtga	actgcagcag	agcggcccag	480
agggtgtcaa	acctggggca	agcgtgaaga	tgagctgcaa	ggctagcggc	tataccttca	540
ccagctatgt	gatccactgg	gtgaggcaga	aaccaggaca	gggcctggac	tggatcggct	600
acatcaaccc	ctacaatgac	ggcaccgatt	atgacgaaaa	attcaagggg	aaggccaccc	660
tgaccagcga	caccagcaca	agcaccgcct	acatggagct	gtccagcctg	aggtccgagg	720
acaccgccgt	gtattactgt	gccagggaga	aggacaatta	cgccaccggc	gcttggttcg	780
cctactgggg	ccagggcaca	ctggtgacag	tgagcagcac	cacgacgcca	gcgccgcgac	840
caccaacacc	ggcgcgccacc	atcgcgctgc	agccccctgtc	cctgcgccca	gaggcgtgcc	900
ggccagcggc	ggggggcgca	gtgcacacga	gggggctgga	cttcgcctgt	gatatctaca	960
tctgggcgcc	cttggccggg	acttgtgggg	tccttctcct	gtcactgggt	atcacccttt	1020
actgcaggag	taagaggagc	aggctcctgc	acagtgacta	catgaacatg	actccccgcc	1080
gccccggggc	cacccgcaag	cattaccagc	cctatgcccc	accacgcgac	ttcgcagcct	1140
atcgctccaa	acggggcaga	aagaaactcc	tgtatatatt	caaacaacca	tttatgagac	1200
cagtacaaac	tactcaagag	gaagatggct	gtagctgccc	atttcagaaa	gaagaagaag	1260
gaggatgtga	actgagagtg	aagttcagca	ggagcgcaga	cgcccccgcg	taccagcagg	1320
gccagaacca	gctctataac	gagctcaatc	taggacgaag	agaggagtac	gatgttttgg	1380
acaagagacg	tggccgggac	cctgagatgg	ggggaaagcc	gcagagaagg	aagaaccctc	1440
aggaaggcct	gtacaatgaa	ctgcagaaa	ataagatggc	ggaggcctac	agtgagattg	1500
ggatgaaaag	cgagcgcggg	aggggcaagg	ggcacgatgg	cctttaccag	ggtctcagta	1560
cagccaccaa	ggacacctac	gacgcccttc	acatgcaggc	cctgccccct	cgcggaagcg	1620
gagccaccaa	cttcagcctg	ctgaagcagg	ccggcgacgt	ggaggagaac	cccggcccca	1680
tgtacagaat	gcagctgctg	agctgcatcg	cctgagcct	ggccctgggtg	accaacagcg	1740
gcatccacgt	gttcacctcg	ggctgcttca	gcgcgggcct	gccaagacc	gaggccaact	1800

-continued

```

gggtgaacgt gatcagcgac ctgaagaaga tcgaggacct gatccagagc atgcacatcg 1860
acgccaccct gtacaccgag agcgacgtgc accccagctg caaggtgacc gccatgaagt 1920
gttctctgct ggagctgcag gtgatcagcc tggagagcgg cgacgccagc atccacgaca 1980
ccgtggagaa cctgatcatc ctggccaaca acagcctgag cagcaacggc aacgtgaccg 2040
agagcggctg caaggagtgc gaggagctgg aggagaagaa catcaaggag ttctgcaga 2100
gttctgtgca catcgtgcag atgttcatca acaccagctc cggcgggcggc tccggcggcg 2160
gcggtctcgg cggcggcggc tccggcggcg gcggctcgg cggcggctcc ctgcagatca 2220
cctgcccccc ccccatgagc gtggagcacg ccgacatctg ggtgaagagc tacagcctgt 2280
acagcagaga gagatacatc tgcaacagcg gttcaagag aaaggccggc accagcagcc 2340
tgaccgagtg cgtgctgaac aaggccacca acgtggccca ctggaccacc cccagcctga 2400
agtgcacatc aaccaccacc cccgccccca ggccccccac ccccgcccc accatcgcca 2460
gccagccctc gagectgagg cccgaggcct gcaggcccgc cgccggcggc gccgtgcaca 2520
ccaggggcct ggacttcgcc tgcgacgtgg ctatctccac gtccactgtc ctgctgtgtg 2580
ggctgagcgc tgtgtctctc ctggcatgct actaagttta aac 2623

```

<210> SEQ ID NO 98

<211> LENGTH: 868

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 98

```

Met Ala Leu Pro Val Thr Ala Leu Leu Pro Leu Ala Leu Leu Leu
1      5      10      15
His Ala Ala Arg Pro Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu
20     25     30
Ala Val Ser Leu Gly Glu Arg Val Thr Met Asn Cys Lys Ser Ser Gln
35     40     45
Ser Leu Leu Tyr Ser Thr Asn Gln Lys Asn Tyr Leu Ala Trp Tyr Gln
50     55     60
Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr
65     70     75     80
Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr
85     90     95
Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Val Ala Val
100    105    110
Tyr Tyr Cys Gln Gln Tyr Tyr Ser Tyr Arg Thr Phe Gly Gly Gly Thr
115    120    125
Lys Leu Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
130    135    140
Gly Gly Gly Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Val Val
145    150    155    160
Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr
165    170    175
Phe Thr Ser Tyr Val Ile His Trp Val Arg Gln Lys Pro Gly Gln Gly
180    185    190
Leu Asp Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Asp Tyr
195    200    205

```

Asp	Glu	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ser	Asp	Thr	Ser	Thr
210					215						220				
Ser	Thr	Ala	Tyr	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala
225					230					235					240
Val	Tyr	Tyr	Cys	Ala	Arg	Glu	Lys	Asp	Asn	Tyr	Ala	Thr	Gly	Ala	Trp
				245					250					255	
Phe	Ala	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Thr	Thr
			260					265					270		
Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	Thr	Ile	Ala	Ser	Gln
		275					280					285			
Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	Ala	Ala	Gly	Gly	Ala
	290					295					300				
Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	Ile	Tyr	Ile	Trp	Ala
305					310					315					320
Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	Ser	Leu	Val	Ile	Thr
				325				330						335	
Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	His	Ser	Asp	Tyr	Met
			340					345					350		
Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	Lys	His	Tyr	Gln	Pro
		355					360					365			
Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	Ser	Lys	Arg	Gly	Arg
	370					375					380				
Lys	Lys	Leu	Leu	Tyr	Ile	Phe	Lys	Gln	Pro	Phe	Met	Arg	Pro	Val	Gln
385					390					395					400
Thr	Thr	Gln	Glu	Glu	Asp	Gly	Cys	Ser	Cys	Arg	Phe	Pro	Glu	Glu	Glu
				405					410					415	
Glu	Gly	Gly	Cys	Glu	Leu	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala
			420					425					430		
Pro	Ala	Tyr	Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu
		435					440					445			
Gly	Arg	Arg	Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp
	450					455					460				
Pro	Glu	Met	Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly
465					470					475					480
Leu	Tyr	Asn	Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu
				485					490					495	
Ile	Gly	Met	Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu
			500					505					510		
Tyr	Gln	Gly	Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His
		515					520					525			
Met	Gln	Ala	Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu
		530				535						540			
Leu	Lys	Gln	Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg
545					550					555					560
Met	Gln	Leu	Le												

-continued

Glu Asp Leu Ile Gln Ser Met His Ile Asp Ala Thr Leu Tyr Thr Glu
 610 615 620
 Ser Asp Val His Pro Ser Cys Lys Val Thr Ala Met Lys Cys Phe Leu
 625 630 635 640
 Leu Glu Leu Gln Val Ile Ser Leu Glu Ser Gly Asp Ala Ser Ile His
 645 650 655
 Asp Thr Val Glu Asn Leu Ile Ile Leu Ala Asn Asn Ser Leu Ser Ser
 660 665 670
 Asn Gly Asn Val Thr Glu Ser Gly Cys Lys Glu Cys Glu Glu Leu Glu
 675 680 685
 Glu Lys Asn Ile Lys Glu Phe Leu Gln Ser Phe Val His Ile Val Gln
 690 695 700
 Met Phe Ile Asn Thr Ser Ser Gly Gly Gly Ser Gly Gly Gly Gly Ser
 705 710 715 720
 Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser Leu Gln
 725 730 735
 Ile Thr Cys Pro Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val
 740 745 750
 Lys Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly
 755 760 765
 Phe Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn
 770 775 780
 Lys Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile
 785 790 795 800
 Arg Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile
 805 810 815
 Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala
 820 825 830
 Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Val Ala
 835 840 845
 Ile Ser Thr Ser Thr Val Leu Leu Cys Gly Leu Ser Ala Val Ser Leu
 850 855 860
 Leu Ala Cys Tyr
 865

<210> SEQ ID NO 99

<211> LENGTH: 2389

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 99

```

gcgatcgac catggcctta ccagtgaccg ccttgctcct gccgctggcc ttgctgctcc      60
acgccgccag gccggacatc gtgatgagcc agagccccag cagcctggcc gtgagcgtgg      120
gcgagaagtt caccgtgaac tgcaagagca gccagagcct gctgtacagc agcaaccaga      180
agaacttcct ggctgtgtac cagcagaagc ccggccagag cccaagctg ctgatctact      240
gggccagcac cagagagagc ggcggtgccc acagattcat cggcagcggc agcggcaccg      300
acttcacctt gaccatcagc agcgtgaagg ccgaggacct ggccgtgtac tactgccagc      360
agcactacag atacccttgg accttcggcg gcggcaccaa gctggagatc aagagagcca      420
gaggaggggg gggatccggg ggaggaggct ccggcggagg cggaagccag gtgaccctga      480

```

-continued

```

aggagagcgg ccccgccatc ctgcagccca gccagaccct gagcctgacc tgcagcttca 540
gcggtcttcag cctgaacacc agcggcggtg gcgtgggctg gatcagacag cccagcggca 600
agggcctgga gtggctggcc cacatctggt gggacgacga cgagagatac aaccccgctg 660
tgaagagcag actgaccatc agcaaggaca ccagcagcaa ccagggtgttc ctgaagatcg 720
ccaacgtgga caccgcccac agcggccact actactgctg gagaagcatg gtggcctggt 780
tcttcccccta ctggggcaga ggcaccctgg tgaccgtgag cgccaccacg acgccagcgc 840
cgcgaccacc aacaccggcg cccaccatcg cgtcgcagcc cctgtccctg cgcccagagg 900
cgtgccggcc agcggcgggg ggcgcagtgc acacgagggg gctggacttc gcctgtgata 960
tctacatctg ggcgcccttg gccgggactt gtggggtcct tctcctgtca ctggttatca 1020
ccctttactg caggagtaag aggagcaggc tctgcacag tgactacatg aacatgactc 1080
cccgccgccc cgggcccacc cgcaagcatt accagcccta tgccccacca cgcgacttcg 1140
cagcctatcg ctccagggtg aagttcagca ggagcgccga cgccccgcc taccagcagg 1200
gccagaacca gctgtacaac gagctgaacc tgggcaggag ggaggagtac gacgtgctgg 1260
acaagaggag gggcagggac cccgagatgg gcggcaagcc ccagaggagg aagaaccccc 1320
aggagggcct gtacaacgag ctgcagaagg acaagatggc cgaggcctac agcgagatcg 1380
gcatgaaggg cgagaggagg aggggcaagg gccacgacgg cctgtaccag ggctgagca 1440
ccgccaccaa ggacacctac gacgccctgc acatgcaggc cctgcccccc aggggaagcg 1500
gagccaccaa cttcagcctg ctgaagcagg ccggcgacgt ggaggagaac cccggcccca 1560
tgtacagaat gcagctgctg agctgcatcg cctgagcct ggccctgggtg accaacagcg 1620
gcatccacgt gttcatcctg ggctgcttca gcgcgggcct gcccaagacc gaggccaact 1680
gggtgaacgt gatcagcgac ctgaagaaga tcgaggacct gatccagagc atgcacatcg 1740
acgccacct gtacaccgag agcgacgtgc accccagctg caagggtgacc gccatgaagt 1800
gcttcctgct ggagctgcag gtgatcagcc tggagagcgg cgacgccagc atccacgaca 1860
ccgtggagaa cctgatcatc ctggccaaca acagcctgag cagcaacggc aacgtgaccg 1920
agagcggtg caaggagtgc gaggagctgg aggagaagaa catcaaggag ttctgcaga 1980
gcttcgtgca catcgtgcag atgttcatca acaccagctc cggcgggcggc tccggcggcg 2040
gcggctccgg cggcgggcggc tccggcggcg gcggctccgg cggcggtcc ctgcaggccc 2100
ccagaagagc cagaggctgc agaaccctgg gcctgccgc cctgctgctg ctgctgctgc 2160
tgagaccccc cgccaccaga ggcacacact gcccccccc catgagcgtg gagcacgccc 2220
acatctgggt gaagagctac agcctgtaca gcagagagag atacatctgc aacagcggt 2280
tcaagagaaa ggccggcacc agcagcctga ccgagtcgct gctgaacaag gccaccaacg 2340
tggcccactg gaccaccccc agcctgaagt gcatcagata agtttaaac 2389

```

<210> SEQ ID NO 100

<211> LENGTH: 789

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 100

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu

-continued

1	5	10	15
His Ala Ala Arg Pro Asp Ile Val Met Ser Gln Ser Pro Ser Ser Leu	20	25	30
Ala Val Ser Val Gly Glu Lys Phe Thr Val Asn Cys Lys Ser Ser Gln	35	40	45
Ser Leu Leu Tyr Ser Ser Asn Gln Lys Asn Phe Leu Ala Trp Tyr Gln	50	55	60
Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr	65	70	75
Arg Glu Ser Gly Val Pro Asp Arg Phe Ile Gly Ser Gly Ser Gly Thr	85	90	95
Asp Phe Thr Leu Thr Ile Ser Ser Val Lys Ala Glu Asp Leu Ala Val	100	105	110
Tyr Tyr Cys Gln Gln His Tyr Arg Tyr Pro Trp Thr Phe Gly Gly Gly	115	120	125
Thr Lys Leu Glu Ile Lys Arg Ala Arg Gly Gly Gly Gly Ser Gly Gly	130	135	140
Gly Gly Ser Gly Gly Gly Gly Ser Gln Val Thr Leu Lys Glu Ser Gly	145	150	155
Pro Gly Ile Leu Gln Pro Ser Gln Thr Leu Ser Leu Thr Cys Ser Phe	165	170	175
Ser Gly Phe Ser Leu Asn Thr Ser Gly Val Gly Val Gly Trp Ile Arg	180	185	190
Gln Pro Ser Gly Lys Gly Leu Glu Trp Leu Ala His Ile Trp Trp Asp	195	200	205
Asp Asp Glu Arg Tyr Asn Pro Val Leu Lys Ser Arg Leu Thr Ile Ser	210	215	220
Lys Asp Thr Ser Ser Asn Gln Val Phe Leu Lys Ile Ala Asn Val Asp	225	230	235
Thr Ala Asp Ser Ala Thr Tyr Tyr Cys Val Arg Ser Met Val Ala Trp	245	250	255
Phe Phe Pro Tyr Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ala Thr	260	265	270
Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser	275	280	285
Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly	290	295	300
Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp Ile Tyr Ile Trp	305	310	315
Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu Ser Leu Val Ile	325	330	335
Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr	340	345	350
Met Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln	355	360	365
Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser Arg Val Lys	370	375	380
Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln Asn Gln	385	390	395
Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp Val Leu	405	410	415

-continued

Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro Gln Arg
 420 425 430
 Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp Lys
 435 440 445
 Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg Arg
 450 455 460
 Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr Lys
 465 470 475 480
 Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg Gly Ser
 485 490 495
 Gly Ala Thr Asn Phe Ser Leu Leu Lys Gln Ala Gly Asp Val Glu Glu
 500 505 510
 Asn Pro Gly Pro Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu
 515 520 525
 Ser Leu Ala Leu Val Thr Asn Ser Gly Ile His Val Phe Ile Leu Gly
 530 535 540
 Cys Phe Ser Ala Gly Leu Pro Lys Thr Glu Ala Asn Trp Val Asn Val
 545 550 555 560
 Ile Ser Asp Leu Lys Lys Ile Glu Asp Leu Ile Gln Ser Met His Ile
 565 570 575
 Asp Ala Thr Leu Tyr Thr Glu Ser Asp Val His Pro Ser Cys Lys Val
 580 585 590
 Thr Ala Met Lys Cys Phe Leu Leu Glu Leu Gln Val Ile Ser Leu Glu
 595 600 605
 Ser Gly Asp Ala Ser Ile His Asp Thr Val Glu Asn Leu Ile Ile Leu
 610 615 620
 Ala Asn Asn Ser Leu Ser Ser Asn Gly Asn Val Thr Glu Ser Gly Cys
 625 630 635 640
 Lys Glu Cys Glu Glu Leu Glu Glu Lys Asn Ile Lys Glu Phe Leu Gln
 645 650 655
 Ser Phe Val His Ile Val Gln Met Phe Ile Asn Thr Ser Ser Gly Gly
 660 665 670
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
 675 680 685
 Ser Gly Gly Gly Ser Leu Gln Ala Pro Arg Arg Ala Arg Gly Cys Arg
 690 695 700
 Thr Leu Gly Leu Pro Ala Leu Leu Leu Leu Leu Leu Arg Pro Pro
 705 710 715 720
 Ala Thr Arg Gly Ile Thr Cys Pro Pro Pro Met Ser Val Glu His Ala
 725 730 735
 Asp Ile Trp Val Lys Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile
 740 745 750
 Cys Asn Ser Gly Phe Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu
 755 760 765
 Cys Val Leu Asn Lys Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser
 770 775 780
 Leu Lys Cys Ile Arg
 785

<210> SEQ ID NO 101

<211> LENGTH: 2371

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 101

gogatcgac catggcetta ccagtgaccg ccttgctcct gccgctggcc ttgctgctcc	60
acgccgccag gccggacatt atgatgacac agtcgccatc atctctggct gtgtctgcag	120
gagaaaaggt cactatgacc tgtaagtcca gtcaaagtg tttatacagt tcaaatacaga	180
agaactactt ggcttggtac cagcagaaac cagggcagtc tcctaaacta ctgatctact	240
gggcatccac tagggaatct ggtgtccctg atcgcttcac aggcagtgga tctgggacag	300
attttactct taccatcagc agtgtgcaac ctgaagacct ggagtttat tactgtcatc	360
aatacctctc ctgcacacg ttccggagggg ggaccaagct ggaataaaaa cggggtggcg	420
gtggctcggg cgggtggggg tcgggtggcg gcggatctca actgcagcag cctggggctg	480
agctgggtgag gcctgggtct tcagtgaagc tgtcctgcaa ggcttctggc tacaccttca	540
ccaggtactg gatacattgg gtgaagcaga ggccctatac aggccttgaa tggattggta	600
acattgatcc ttctgatagt gaaactcact acaatcaaaa gttcaaggac aaggccacat	660
tgactgtaga caaatcctcc ggcacagcct acatgcagct cagcagcctg acatctgagg	720
actctgcggt ctattactgt gcaacagagg atctttacta tgctatggag tactggggtc	780
aaggaaacct agtcaccgtc tcctctacca cgacgccagc gccgcgacca ccaacaccgg	840
cgcccacat cgctcgagc cccctgtccc tgcgcccaga ggctgcccgg ccagcggcgg	900
ggggcgagct gcacacgagg gggctggact tcgctgtga tatctacatc tggggccct	960
tggccgggac ttgtggggtc cttctcctgt cactggttat caccctttac tgcaggagta	1020
agaggagcag gctcctgcac agtgactaca tgaacatgac tccccgccgc cccgggcccc	1080
cccgcaagca ttaccagccc tatgccccac cagcgcactt cgcagcctat cgctccagag	1140
tgaagttagc caggagcgca gacgcccccg cgtaccagca gggccagaac cagctctata	1200
acgagctcaa tctaggacga agagaggagt acgatgtttt ggacaagaga cgtggccggg	1260
accctgagat ggggggaaag ccgcagagaa ggaagaacct tcaggaaggc ctgtacaatg	1320
aactgcagaa agataagatg gcggaggcct acagtgagat tgggatgaaa ggcgagcgcc	1380
ggaggggcaa ggggcacgat ggcctttacc agggctcag tacagccacc aaggacacct	1440
acgacgcct tcacatgcag gccctgcccc ctgcggaag cggagccacc aacttcagcc	1500
tgctgaagca ggccggcgac gtggaggaga acccggccc catgtacaga atgcagctgc	1560
tgagctgcat cgccctgagc ctggccctgg tgaccaacag cggcatccac gtgttcatcc	1620
tgggtgctt cagcgccggc ctgcccaga ccgaggccaa ctgggtgaac gtgatcagcg	1680
acctgaagaa gatcgaggac ctgatccaga gcatgcacat cgacgccacc ctgtacaccg	1740
agagcgagct gcacccagc tgcaaggatga ccgcatgaa gtgcttcctg ctggagctgc	1800
aggatgatcag cctggagagc ggcgacgcca gcatccacga caccgtggag aacctgatca	1860
tcctggccaa caacagcctg agcagcaacg gcaacgtgac cgagagcggc tgcaaggagt	1920
gcgaggagct ggaggagaag aacatcaagg agttcctgca gagcttcgtg cacatcgtgc	1980
agatgttcat caacaccagc tccggcgggc gctccggcgg cggcggtccc ggcggcgggc	2040
gctccggcgg cggcggtccc ggcggcggtc cctgcaggc cccagaaga gccagaggct	2100

-continued

```
gcagaaccct gggcctgccc gccctgctgc tgctgctgct gctgagaccc cccgccacca 2160
gaggcatcac ctgccccccc cccatgagcg tggagcacgc cgacatctgg gtgaagagct 2220
acagcctgta cagcagagag agatacatct gcaacagcgg cttcaagaga aaggccggca 2280
ccagcagcct gaccgagtgc gtgctgaaca aggccaccaa cgtggcccac tggaccaccc 2340
ccagcctgaa gtgcatcaga taagttaa c 2371
```

```
<210> SEQ ID NO 102
<211> LENGTH: 783
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence
```

```
<400> SEQUENCE: 102
```

```
Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10          15

His Ala Ala Arg Pro Asp Ile Met Met Thr Gln Ser Pro Ser Ser Leu
20        25        30

Ala Val Ser Ala Gly Glu Lys Val Thr Met Thr Cys Lys Ser Ser Gln
35        40        45

Ser Val Leu Tyr Ser Ser Asn Gln Lys Asn Tyr Leu Ala Trp Tyr Gln
50        55        60

Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr
65        70        75        80

Arg Glu Ser Gly Val Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr
85        90        95

Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Pro Glu Asp Leu Ala Val
100       105       110

Tyr Tyr Cys His Gln Tyr Leu Ser Ser His Thr Phe Gly Gly Gly Thr
115      120      125

Lys Leu Glu Ile Lys Arg Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
130      135      140

Gly Gly Gly Gly Ser Gln Leu Gln Gln Pro Gly Ala Glu Leu Val Arg
145      150      155      160

Pro Gly Ser Ser Val Lys Leu Ser Cys Lys Ala Ser Gly Tyr Thr Phe
165      170      175

Thr Arg Tyr Trp Ile His Trp Val Lys Gln Arg Pro Ile Gln Gly Leu
180      185      190

Glu Trp Ile Gly Asn Ile Asp Pro Ser Asp Ser Glu Thr His Tyr Asn
195      200      205

Gln Lys Phe Lys Asp Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Gly
210      215      220

Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val
225      230      235      240

Tyr Tyr Cys Ala Thr Glu Asp Leu Tyr Tyr Ala Met Glu Tyr Trp Gly
245      250      255

Gln Gly Thr Ser Val Thr Val Ser Ser Thr Thr Thr Pro Ala Pro Arg
260      265      270

Pro Pro Thr Pro Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg
275      280      285

Pro Glu Ala Cys Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly
```


-continued

290					295					300					
Leu 305	Asp	Phe	Ala	Cys	Asp 310	Ile	Tyr	Ile	Trp	Ala 315	Pro	Leu	Ala	Gly	Thr 320
Cys	Gly	Val	Leu	Leu 325	Leu	Ser	Leu	Val	Ile 330	Thr	Leu	Tyr	Cys	Arg	Ser 335
Lys	Arg	Ser	Arg 340	Leu	Leu	His	Ser	Asp 345	Tyr	Met	Asn	Met	Thr 350	Pro	Arg
Arg	Pro	Gly 355	Pro	Thr	Arg	Lys 360	His	Tyr	Gln	Pro	Tyr	Ala 365	Pro	Pro	Arg
Asp	Phe 370	Ala	Ala	Tyr	Arg 375	Ser	Arg	Val	Lys	Phe	Ser 380	Arg	Ser	Ala	Asp
Ala 385	Pro	Ala	Tyr	Gln	Gln 390	Gly	Gln	Asn	Gln	Leu 395	Tyr	Asn	Glu	Leu	Asn 400
Leu	Gly	Arg	Arg	Glu 405	Glu	Tyr	Asp	Val	Leu 410	Asp	Lys	Arg	Arg	Gly 415	Arg
Asp	Pro	Glu	Met 420	Gly	Gly	Lys	Pro	Gln	Arg 425	Arg	Lys	Asn	Pro 430	Gln	Glu
Gly	Leu	Tyr 435	Asn	Glu	Leu	Gln	Lys 440	Asp	Lys	Met	Ala	Glu 445	Ala	Tyr	Ser
Glu 450	Ile	Gly	Met	Lys	Gly	Glu 455	Arg	Arg	Arg	Gly	Lys 460	Gly	His	Asp	Gly
Leu 465	Tyr	Gln	Gly	Leu	Ser 470	Thr	Ala	Thr	Lys	Asp 475	Thr	Tyr	Asp	Ala	Leu 480
His	Met	Gln	Ala	Leu 485	Pro	Pro	Arg	Gly	Ser 490	Gly	Ala	Thr	Asn	Phe 495	Ser
Leu	Leu	Lys	Gln	Ala	Gly 500	Asp	Val	Glu 505	Glu	Asn	Pro	Gly 510	Pro	Met	Tyr
Arg	Met	Gln 515	Leu	Leu	Ser	Cys	Ile 520	Ala	Leu	Ser	Leu	Ala 525	Leu	Val	Thr
Asn	Ser 530	Gly	Ile	His	Val 535	Phe	Ile	Leu	Gly	Cys 540	Phe	Ser	Ala	Gly	Leu
Pro 545	Lys	Thr	Glu	Ala	Asn 550	Trp	Val	Asn	Val	Ile 555	Ser	Asp	Leu	Lys	Lys 560
Ile	Glu	Asp	Leu	Ile 565	Gln	Ser	Met	His	Ile 570	Asp	Ala	Thr	Leu	Tyr 575	Thr
Glu	Ser	Asp	Val 580	His	Pro	Ser	Cys	Lys 585	Val	Thr	Ala	Met	Lys 590	Cys	Phe
Leu	Leu	Glu 595	Leu	Gln	Val	Ile 600	Ser	Leu	Glu	Ser	Gly 605	Asp	Ala	Ser	Ile
His 610	Asp	Thr	Val	Glu	Asn 615	Leu	Ile	Ile	Leu	Ala 620	Asn	Asn	Ser	Leu	Ser
Ser 625	Asn	Gly	Asn	Val	Thr 630	Glu	Ser	Gly	Cys	Lys 635	Glu	Cys	Glu	Glu	Leu 640
Glu	Glu	Lys	Asn 645	Ile	Lys	Glu	Phe	Leu	Gln 650	Ser	Phe	Val	His	Ile 655	Val
Gln	Met	Phe 660	Ile	Asn	Thr	Ser	Ser	Gly 665	Gly	Gly	Ser	Gly 670	Gly	Gly	Gly
Ser	Gly 675	Gly	Gly	Gly	Ser	Gly 680	Gly	Gly	Gly	Ser	Gly 685	Gly	Gly	Ser	Leu
Gln 690	Ala	Pro	Arg	Arg	Ala 695	Arg	Gly	Cys	Arg	Thr 700	Leu	Gly	Leu	Pro	Ala

-continued

Leu Leu Leu Leu Leu Leu Arg Pro Pro Ala Thr Arg Gly Ile Thr
 705 710 715 720
 Cys Pro Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val Lys Ser
 725 730 735
 Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly Phe Lys
 740 745 750
 Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn Lys Ala
 755 760 765
 Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile Arg
 770 775 780

<210> SEQ ID NO 103

<211> LENGTH: 2356

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 103

```

gcgatcgcac catggcctta ccagtgaccg ccttgctcct gccgctggcc ttgctgctcc      60
acgccgccag gccggacatc cagatgaccc agagccccag cagcctgagc gccagcgtgg      120
gcgacagagt gaccatcacc tgcagcgcca gcagcagcgt gagctacatg aactggtacc      180
agcagacccc cggcaaggcc cccaagagat ggatctacga caccagcaag ctggccagcg      240
gcgtgccccg cagattcagc ggccagcggc gccggcaccg ctacaccttc accatcagca      300
gcctgcagcc cgaggacatc gccacctact actgccagca gtggagcagc aacccttca      360
ccttcggcca gggcaccaag ctgcagatcg gcggcgccgg cagcgcgccg gccggcagcg      420
gcggcgccgg cagccagggt cagctgggtg agagcgccgg cggcggtggg cagcccgcca      480
gaagcctgag actgagctgc aaggccagcg gctacacctt caccagatac accatgcaact      540
gggtgagaca ggcggggggc aaggccctgg agtggatcgg ctacatcaac cccagcagag      600
gctacaccaa ctacaaccag aagggtgaagg acagattcac catcagcaga gacaacagca      660
agaacaccgc cttcctgcag atggacagcc tgagaccgga ggacaccggc gtgtacttct      720
gcgcagata ctacgacgac cactactgcc tggactactg gggccagggc accccgtga      780
ccgtgagcag caccacgacg ccagcgccgc gaccaccaac accggcgccc accatcgct      840
cgcagcccct gtcctgcgc ccagaggcgt gccggccagc ggcggggggc gcagtgcaca      900
cgagggggct ggacttcgcc tgtgatattt acatctgggc gcccttggcc gggacttgtg      960
gggtccttct cctgtcactg gttatcacc tttactgcag gagtaagagg agcaggctcc      1020
tgcacagtga ctacatgaac atgactcccc gccgccccgg gccaccgcgc aagcattacc      1080
agccctatgc cccaccacgc gacttcgcag cctatcgctc cagagtgaag ttcagcagga      1140
gcgcagacgc ccccgcttac cagcagggcc agaaccagct ctataacgag ctcaatctag      1200
gacgaagaga ggagtacgat gttttggaca agagacgtgg ccgggaccct gagatggggg      1260
gaaagccgca gagaaggaag aaccctcagg aaggcctgta caatgaactg cagaaagata      1320
agatggcgga ggcctacagt gagattggga tgaaaggcga gcgccggagg ggcaaggggc      1380
acgatggcct ttaccagggt ctcagtacag ccaccaagga cacctacgac gcccttcaca      1440
tgcaggccct gcccctcgc ggaagcggag ccaccaactt cagcctgctg aagcaggccg      1500

```

-continued

```

gcgacgtgga ggagaacccc ggccccatgt acagaatgca gctgctgagc tgcctcgccc 1560
tgagcctggc cctggtgacc aacagcggca tccacgtggt catcctgggc tgcttcagcg 1620
cgggcctgcc caagaccgag gccaaactggg tgaacgtgat cagcgacctg aagaagatcg 1680
aggacctgat ccagagcatg cacatcgacg ccacctgta caccgagagc gacgtgcacc 1740
ccagctgcaa ggtgaccgcc atgaagtgt tctgctgga gctgcaggtg atcagcctgg 1800
agagcggcga cgccagcatc cagcacaccg tggagaacct gatcatcctg gccacaaca 1860
gctgagcag caacggcaac gtgaccgaga gcggctgcaa ggagtgcgag gagctggagg 1920
agaagaacat caaggagtgc ctgcagagct tctgtcacat cgtgcagatg ttcataaca 1980
ccagctccgg cggcggtccc ggcgccggcg gctccggcgg cggcggtccc ggcgccggcg 2040
gctccggcgg cggctccctg caggccccc gaagagccag aggtgcaga accctgggcc 2100
tgcccgccct gctgctgctg ctgctgctga gacccccgc caccagaggc atcacctgcc 2160
cccccccat gagegtggag cagcccgaca tctgggtgaa gagctacagc ctgtacagca 2220
gagagagata catctgaac agcggcttca agagaaaggc cggcaccagc agcctgaccg 2280
agtgcgtgct gaacaaggcc accaacgtgg cccactggac cacccccagc ctgaagtgca 2340
tcagataagt ttaaac 2356

```

```

<210> SEQ ID NO 104
<211> LENGTH: 777
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

```

```

<400> SEQUENCE: 104

```

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1          5          10         15

His Ala Ala Arg Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu
20        25        30

Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Ser Ala Ser Ser
35        40        45

Ser Val Ser Tyr Met Asn Trp Tyr Gln Gln Thr Pro Gly Lys Ala Pro
50        55        60

Lys Arg Trp Ile Tyr Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Ser
65        70        75        80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Thr Phe Thr Ile Ser
85        90        95

Ser Leu Gln Pro Glu Asp Ile Ala Thr Tyr Tyr Cys Gln Gln Trp Ser
100       105       110

Ser Asn Pro Phe Thr Phe Gly Gln Gly Thr Lys Leu Gln Ile Gly Gly
115       120       125

Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln Val Gln
130       135       140

Leu Val Gln Ser Gly Gly Gly Val Val Gln Pro Gly Arg Ser Leu Arg
145       150       155       160

Leu Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Arg Tyr Thr Met His
165       170       175

Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile Gly Tyr Ile
180       185       190

```

-continued

Asn	Pro	Ser	Arg	Gly	Tyr	Thr	Asn	Tyr	Asn	Gln	Lys	Val	Lys	Asp	Arg
	195						200					205			
Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ser	Lys	Asn	Thr	Ala	Phe	Leu	Gln	Met
	210					215					220				
Asp	Ser	Leu	Arg	Pro	Glu	Asp	Thr	Gly	Val	Tyr	Phe	Cys	Ala	Arg	Tyr
225					230					235					240
Tyr	Asp	Asp	His	Tyr	Cys	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Pro	Val
			245						250					255	
Thr	Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala
			260					265					270		
Pro	Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg
	275						280					285			
Pro	Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys
	290					295					300				
Asp	Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu
305					310					315					320
Leu	Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu
			325						330					335	
Leu	His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr
			340					345					350		
Arg	Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr
		355					360					365			
Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln
	370					375					380				
Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu
385					390					395					400
Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly
			405						410					415	
Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu
			420					425					430		
Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys
		435					440					445			
Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu
	450					455					460				
Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu
465					470					475					480
Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala
				485					490					495	
Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu	Leu
			500					505					510		
Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile	His
		515					520					525			
Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu	Ala
	530					535						540			
Asn	Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile
545					550					555					560
Gln	Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His
			565						570					575	
Pro	Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln
			580					585					590		
Val	Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu

-continued

595	600	605
Asn Leu Ile Ile Leu Ala	Asn Asn Ser Leu Ser	Ser Asn Gly Asn Val
610	615	620
Thr Glu Ser Gly Cys Lys	Glu Cys Glu Glu Leu	Glu Glu Lys Asn Ile
625	630	635 640
Lys Glu Phe Leu Gln Ser	Phe Val His Ile Val	Gln Met Phe Ile Asn
645	650	655
Thr Ser Ser Gly Gly Gly	Ser Gly Gly Gly Gly	Ser Gly Gly Gly Gly
660	665	670
Ser Gly Gly Gly Gly Ser	Gly Gly Gly Ser Leu	Gln Ala Pro Arg Arg
675	680	685
Ala Arg Gly Cys Arg Thr	Leu Gly Leu Pro Ala	Leu Leu Leu Leu Leu
690	695	700
Leu Leu Arg Pro Pro Ala	Thr Arg Gly Ile Thr	Cys Pro Pro Pro Met
705	710	715 720
Ser Val Glu His Ala Asp	Ile Trp Val Lys Ser	Tyr Ser Leu Tyr Ser
725	730	735
Arg Glu Arg Tyr Ile Cys	Asn Ser Gly Phe Lys	Arg Lys Ala Gly Thr
740	745	750
Ser Ser Leu Thr Glu Cys	Val Leu Asn Lys Ala	Thr Asn Val Ala His
755	760	765
Trp Thr Thr Pro Ser Leu	Lys Cys Ile	
770	775	

<210> SEQ ID NO 105

<211> LENGTH: 2401

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 105

```

gcgatcgac catggcctta ccagtaccg ccttgetcct gccgtggcc ttgetgetcc    60
acgccgccag gccggggccc cagcccgcc tggccgccta caaggacatc cagatgaccc    120
agaccaccag cagcctgagc gccagcctgg gcgacagagt gaccatcagc tgcagcgcca    180
gccagggcat cagcaactac ctgaactggg accagcagaa gcccgacggc accaacaagc    240
tgctgatcta ctacaccagc agcctgcaca gcggcggtgcc cagcagattc agcggcagcg    300
gcagcggcac cgactacagc ctgcacagca acctggagcc cgaggacatc gccacctact    360
actgccagca gtacagcaag ctgccctaca ccttcggcgg cggcaccaag ctggagatca    420
agagaggcgg cggcgggcagc ggcgggcggc gcagcggcgg cggcggcagc ggcggcgggc    480
gcagcgaggt gcagctgggt gagagcggcg gcggcctggt gaagcccggc ggcagcctga    540
agctgagctg cgccgccagc ggcctgacct tcagcagcta cgccatgagc tggaacagac    600
agacccccga gaagagactg gagggggtgg ccagcatcag cagcggcggc ttcacctact    660
accccgacag caacaagggc agattcacca tcagcagaga caacgccaga aacatcctgt    720
acctgcagat gagcagcctg agaagcgagg acaccgccat gtactactgc gccagagacg    780
aggtgagagg ctacctggac gtgtggggcg cgggcaccac cgtgaccgtg agcagcacca    840
cgacgccagc gccgcgacca ccaacaccgg cgcccaccat cgcgtcgag cccctgtccc    900
tcgccccaga ggcgtgccgg ccagcggcgg ggggcgcagt gcacacgagg gggctggact    960

```

-continued

```

tcgcctgtga tatctacatc tggggccctc tggcggggac ttgtggggtc cttctcctgt 1020
cactgggttat caccctttac tgcaggagta agaggagcag gctcctgcac agtgactaca 1080
tgaacatgac tccccgcgcg cccgggcccga cccgcaagca ttaccagccc tatgccccac 1140
cacgcgactt cgcagcctat cgtccagag tgaagttag caggagcgca gacgcccccg 1200
cgtaccagca gggccagaac cagctctata acgagctcaa tctaggacga agagaggagt 1260
acgatgtttt ggacaagaga cgtggccggg accctgagat ggggggaaag ccgcagagaa 1320
ggaagaaccc tcaggaaggc ctgtacaatg aactgcagaa agataagatg gcggaggcct 1380
acagtgagat tgggatgaaa ggcgagcgcc ggaggggcaa ggggcacgat ggcctttacc 1440
aggggtctcag tacagccacc aaggacacct acgacgcctc tcacatgcag gccctgcccc 1500
ctcgcggaag cggagccacc aacttcagcc tgctgaagca ggcggcgac gtggaggaga 1560
accccgcccc catgtacaga atgcagctgc tgagctgcat cgccctgagc ctggccctgg 1620
tgaccaacag cggcatccac gtgttcatcc tgggctgctt cagcgccggc ctgcccaga 1680
ccgaggccaa ctgggtgaac gtgatcagcg acctgaagaa gatcgaggac ctgatccaga 1740
gcatgcacat cgacgccacc ctgtacaccg agagcgacgt gcacccagc tgcaaggaga 1800
ccgccatgaa gtgcttctcgt ctggagctgc aggtgatcag cctggagagc ggcgacgcca 1860
gcatccacga caccgtggag aacctgatca tcttggccaa caacagcctg agcagcaacg 1920
gcaacgtgac cgagagcggc tgcaaggagt gcgaggagct ggaggagaag aacatcaagg 1980
agtctctgca gagcttctgt cacatcgtgc agatgttcat caacaccagc tccggcggcg 2040
gctccggcgg cggcggtccc ggcgggcgcg gctccggcgg cggcggtccc ggcgggcggt 2100
ccctgcaggc cccagaaga gccagaggct gcagaacctc gggcctgccc gccctgctgc 2160
tgctgctgct gctgagaccc cccgccacca gaggcacac ctgccccccc cccatgagcg 2220
tgaggacgcg cgacatctgg gtgaagagct acagcctgta cagcagagag agatacatct 2280
gcaacagcgg cttcaagaga aaggccggca ccagcagcct gaccgagtcg gtgctgaaca 2340
agggccacaa cgtggccccc tggaccaccc ccagcctgaa gtgcatcaga taagttaaaa 2400
c

```

<210> SEQ ID NO 106

<211> LENGTH: 793

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 106

```

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1           5           10          15

His Ala Ala Arg Pro Gly Ala Gln Pro Ala Met Ala Ala Tyr Lys Asp
20          25          30

Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly Asp
35          40          45

Arg Val Thr Ile Ser Cys Ser Ala Ser Gln Gly Ile Ser Asn Tyr Leu
50          55          60

Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Asn Lys Leu Leu Ile Tyr
65          70          75          80

```

-continued

Tyr	Thr	Ser	Ser	Leu	His	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly	Ser	85	90	95
Gly	Ser	Gly	Thr	Asp	Tyr	Ser	Leu	His	Ser	Asn	Leu	Glu	Pro	Glu	Asp	100	105	110
Ile	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ser	Lys	Leu	Pro	Tyr	Thr	Phe	115	120	125
Gly	Gly	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Arg	Gly	Gly	Gly	Gly	Ser	Gly	130	135	140
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Glu	Val	145	150	155
Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly	Ser	Leu	165	170	175
Lys	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Leu	Thr	Phe	Ser	Ser	Tyr	Ala	Met	180	185	190
Ser	Trp	Asn	Arg	Gln	Thr	Pro	Glu	Lys	Arg	Leu	Glu	Trp	Val	Ala	Ser	195	200	205
Ile	Ser	Ser	Gly	Gly	Phe	Thr	Tyr	Tyr	Pro	Asp	Ser	Asn	Lys	Gly	Arg	210	215	220
Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Arg	Asn	Ile	Leu	Tyr	Leu	Gln	Met	225	230	235
Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Met	Tyr	Tyr	Cys	Ala	Arg	Asp	245	250	255
Glu	Val	Arg	Gly	Tyr	Leu	Asp	Val	Trp	Gly	Ala	Gly	Thr	Thr	Val	Thr	260	265	270
Val	Ser	Ser	Thr	Thr	Thr	Pro	Ala	Pro	Arg	Pro	Pro	Thr	Pro	Ala	Pro	275	280	285
Thr	Ile	Ala	Ser	Gln	Pro	Leu	Ser	Leu	Arg	Pro	Glu	Ala	Cys	Arg	Pro	290	295	300
Ala	Ala	Gly	Gly	Ala	Val	His	Thr	Arg	Gly	Leu	Asp	Phe	Ala	Cys	Asp	305	310	315
Ile	Tyr	Ile	Trp	Ala	Pro	Leu	Ala	Gly	Thr	Cys	Gly	Val	Leu	Leu	Leu	325	330	335
Ser	Leu	Val	Ile	Thr	Leu	Tyr	Cys	Arg	Ser	Lys	Arg	Ser	Arg	Leu	Leu	340	345	350
His	Ser	Asp	Tyr	Met	Asn	Met	Thr	Pro	Arg	Arg	Pro	Gly	Pro	Thr	Arg	355	360	365
Lys	His	Tyr	Gln	Pro	Tyr	Ala	Pro	Pro	Arg	Asp	Phe	Ala	Ala	Tyr	Arg	370	375	380
Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr	Gln	Gln	385	390	395
Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg	Glu	Glu	405	410	415
Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met	Gly	Gly	420	425	430
Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn	Glu	Leu	435	440	445
Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met	Lys	Gly	450	455	460
Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly	Leu	Ser	465	470	475
Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala	Leu	Pro			

-continued

485							490							495						
Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln	Ala	Gly					
			500				505						510							
Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu	Leu	Ser					
			515				520						525							
Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile	His	Val					
			530				535						540							
Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu	Ala	Asn					
			545				550						555	560						
Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile	Gln					
			565							570			575							
Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His	Pro					
			580				585						590							
Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln	Val					
			595				600						605							
Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu	Asn					
			610				615						620							
Leu	Ile	Ile	Leu	Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn	Val	Thr					
			625				630						640							
Glu	Ser	Gly	Cys	Lys	Glu	Cys	Glu	Glu	Leu	Glu	Glu	Lys	Asn	Ile	Lys					
			645							650			655							
Glu	Phe	Leu	Gln	Ser	Phe	Val	His	Ile	Val	Gln	Met	Phe	Ile	Asn	Thr					
			660				665						670							
Ser	Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser					
			675				680						685							
Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Ser	Leu	Gln	Ala	Pro	Arg	Arg	Ala					
			690				695						700							
Arg	Gly	Cys	Arg	Thr	Leu	Gly	Leu	Pro	Ala	Leu	Leu	Leu	Leu	Leu	Leu					
			705				710						715							
Leu	Arg	Pro	Pro	Ala	Thr	Arg	Gly	Ile	Thr	Cys	Pro	Pro	Pro	Met	Ser					
			725							730			735							
Val	Glu	His	Ala	Asp	Ile	Trp	Val	Lys	Ser	Tyr	Ser	Leu	Tyr	Ser	Arg					
			740				745						750							
Glu	Arg	Tyr	Ile	Cys	Asn	Ser	Gly	Phe	Lys	Arg	Lys	Ala	Gly	Thr	Ser					
			755				760						765							
Ser	Leu	Thr	Glu	Cys	Val	Leu	Asn	Lys	Ala	Thr	Asn	Val	Ala	His	Trp					
			770				775						780							
Thr	Thr	Pro	Ser	Leu	Lys	Cys	Ile	Arg												
			785				790													

<210> SEQ ID NO 107

<211> LENGTH: 2359

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 107

gcgatcgac catggcctta ccagtgcacg ccttgctcct gccgctggcc ttgctgctcc 60

acgcgcag gccggacatc caggtgaccc agagcccccag cagcctgagc gccagcctgg 120

gcgagagaat cagcctgacc tgcagaacca gccaggacat cagcaactac ctgaactggt 180

tccagcagaa gcccgacggc accttcaaga gactgatcta cgccaccagc agcctggaca 240

-continued

gcggcgtgcc caagagattc agcggcagcg gcagcggcag cgactacagc ctgaccatca	300
gcagcctgga gagcgaggac ttgcgcgact actactgcct gcagtacgcc agctaccct	360
tcaccttcgg cagcggcacc aagctggaga tcaagggagg ggggggatcc gggggaggag	420
gctcggcgcg aggcggaagc gaggtgcagc tgcaggagag cgccccggc ctggtgaagc	480
ccagccagac cctgagcctg acctgcagcg tgaccggcta cagcatcacc agcggctact	540
actggcactg gatcagacag tccccggca acaagctgca gtggatgggc tacatcagct	600
acagcggctt caccaactac aagaccagcc tgateaacag aatcagcatc acccaccgaca	660
ccagcgagaa ccagttcttc ctgaacctga acagcgtgac caccgaggac accgccacct	720
actactgcgc cggcgacaga accggcagct ggttcgccta ctggggccag ggcaccctgg	780
tgaccgtgag cgccaccacg acgccagcgc cgcgaccacc aacaccggcg cccaccatcg	840
cgtcgcagcc cctgtccctg cgcccagagg cgtgcgcggc agcggcgggg ggcgcagtgc	900
acacgagggg gctggacttc gctgtgata tctacatctg ggcccccctg gccgggactt	960
gtggggctct tctcctgtca ctgggtatca ccccttactg caggagtaag aggagcaggc	1020
tctgcacag tgactacatg aacatgactc cccgcgccc cgggccacc cgcaagcatt	1080
accagccccta tgccccacca cgcgacttcg cagcctatcg ctccagagtg aagttcagca	1140
ggagcgcaga cgcccccgcg taccagcagg gccagaacca gctctataac gagctcaatc	1200
taggacgaag agaggagtac gatgttttgg acaagagacg tggccgggac cctgagatgg	1260
ggggaaagcc gcagagaagg aagaaccctc aggaaggcct gtacaatgaa ctgcagaaag	1320
ataagatggc ggaggcctac agtgagattg ggatgaaagg cgagcgcggg aggggcaagg	1380
ggcacgatgg cctttaccag ggtctcagta cagccaccaa ggacacctac gacgcccttc	1440
acatgcaggc cctgccccct cgcggaagcg gagccaccaa cttcagcctg ctgaagcagg	1500
ccggcgacgt ggaggagaac cccggccccca tgtacagaat gcagctgctg agctgcatcg	1560
cctgagcct ggccctgggtg accaacagcg gcattccagt gttcatcctg ggctgcttca	1620
gcgcggcct gcccaagacc gaggccaaact ggggtgaacgt gatcagcgac ctgaagaaga	1680
tcgaggacct gatccagagc atgcacatcg acgccaccct gtacaccgag agcgacgtgc	1740
acccagctg caaggtgacc gccatgaagt gcttcctgct ggagctgcag gtgatcagcc	1800
tggagagcgg cgacgcagc atccacgaca ccgtggagaa cctgatcatc ctggccaaca	1860
acagcctgag cagcaacggc aacgtgaccg agagcggctg caaggagtgc gaggagctgg	1920
aggagaagaa catcaaggag ttcttcgaga gcttcgtgca catcgtgcag atgttcatca	1980
acaccagctc cggcgggcggc tccggcggcg gcggctccgg cggcgggcggc tccggcggcg	2040
gcggctccgg cggcggtctc ctgcaggccc ccagaagagc cagaggctgc agaaccctgg	2100
gcctgcccgc cctgctgctg ctgctgctgc tgagaccccc cgccaccaga ggcatcacct	2160
gcccccccc catgagcgtg gagcacgcg acatctgggt gaagagctac agcctgtaca	2220
gcagagagag atacatctgc aacagcggct tcaagagaaa ggccggcacc agcagcctga	2280
ccgagtgcgt gctgaacaag gccaccaacg tggcccactg gaccaccccc agcctgaagt	2340
gcacagata agtttaaac	2359

<210> SEQ ID NO 108

<211> LENGTH: 779

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 108

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu Leu
1 5 10 15

His Ala Ala Arg Pro Asp Ile Gln Val Thr Gln Ser Pro Ser Ser Leu
20 25 30

Ser Ala Ser Leu Gly Glu Arg Ile Ser Leu Thr Cys Arg Thr Ser Gln
35 40 45

Asp Ile Ser Asn Tyr Leu Asn Trp Phe Gln Gln Lys Pro Asp Gly Thr
50 55 60

Phe Lys Arg Leu Ile Tyr Ala Thr Ser Ser Leu Asp Ser Gly Val Pro
65 70 75 80

Lys Arg Phe Ser Gly Ser Gly Ser Gly Ser Asp Tyr Ser Leu Thr Ile
85 90 95

Ser Ser Leu Glu Ser Glu Asp Phe Ala Asp Tyr Tyr Cys Leu Gln Tyr
100 105 110

Ala Ser Tyr Pro Phe Thr Phe Gly Ser Gly Thr Lys Leu Glu Ile Lys
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu
130 135 140

Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Gln Thr
145 150 155 160

Leu Ser Leu Thr Cys Ser Val Thr Gly Tyr Ser Ile Thr Ser Gly Tyr
165 170 175

Tyr Trp His Trp Ile Arg Gln Phe Pro Gly Asn Lys Leu Gln Trp Met
180 185 190

Gly Tyr Ile Ser Tyr Ser Gly Phe Thr Asn Tyr Lys Thr Ser Leu Ile
195 200 205

Asn Arg Ile Ser Ile Thr His Asp Thr Ser Glu Asn Gln Phe Phe Leu
210 215 220

Asn Leu Asn Ser Val Thr Thr Glu Asp Thr Ala Thr Tyr Tyr Cys Ala
225 230 235 240

Gly Asp Arg Thr Gly Ser Trp Phe Ala Tyr Trp Gly Gln Gly Thr Leu
245 250 255

Val Thr Val Ser Ala Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro
260 265 270

Ala Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys
275 280 285

Arg Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala
290 295 300

Cys Asp Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu
305 310 315 320

Leu Leu Ser Leu Val Ile Thr Leu Tyr Cys Arg Ser Lys Arg Ser Arg
325 330 335

Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro Gly Pro
340 345 350

Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe Ala Ala
355 360 365

-continued

Tyr	Arg	Ser	Arg	Val	Lys	Phe	Ser	Arg	Ser	Ala	Asp	Ala	Pro	Ala	Tyr
370						375					380				
Gln	Gln	Gly	Gln	Asn	Gln	Leu	Tyr	Asn	Glu	Leu	Asn	Leu	Gly	Arg	Arg
385					390					395					400
Glu	Glu	Tyr	Asp	Val	Leu	Asp	Lys	Arg	Arg	Gly	Arg	Asp	Pro	Glu	Met
				405					410					415	
Gly	Gly	Lys	Pro	Gln	Arg	Arg	Lys	Asn	Pro	Gln	Glu	Gly	Leu	Tyr	Asn
			420					425					430		
Glu	Leu	Gln	Lys	Asp	Lys	Met	Ala	Glu	Ala	Tyr	Ser	Glu	Ile	Gly	Met
		435					440					445			
Lys	Gly	Glu	Arg	Arg	Arg	Gly	Lys	Gly	His	Asp	Gly	Leu	Tyr	Gln	Gly
450						455					460				
Leu	Ser	Thr	Ala	Thr	Lys	Asp	Thr	Tyr	Asp	Ala	Leu	His	Met	Gln	Ala
465					470					475					480
Leu	Pro	Pro	Arg	Gly	Ser	Gly	Ala	Thr	Asn	Phe	Ser	Leu	Leu	Lys	Gln
				485					490					495	
Ala	Gly	Asp	Val	Glu	Glu	Asn	Pro	Gly	Pro	Met	Tyr	Arg	Met	Gln	Leu
			500					505					510		
Leu	Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu	Val	Thr	Asn	Ser	Gly	Ile
		515					520					525			
His	Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys	Thr	Glu
530						535					540				
Ala	Asn	Trp	Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu
545					550					555					560
Ile	Gln	Ser	Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val
				565					570					575	
His	Pro	Ser	Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu
			580					585					590		
Gln	Val	Ile	Ser	Leu	Glu	Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val
		595					600					605			
Glu	Asn	Leu	Ile	Ile	Leu	Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn
610						615					620				
Val	Thr	Glu	Ser	Gly	Cys	Lys	Glu	Cys	Glu	Glu	Leu	Glu	Glu	Lys	Asn
625					630					635					640
Ile	Lys	Glu	Phe	Leu	Gln	Ser	Phe	Val	His	Ile	Val	Gln	Met	Phe	Ile
				645					650					655	
Asn	Thr	Ser	Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly
			660					665					670		
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Ser	Leu	Gln	Ala	Pro	Arg
		675					680					685			
Arg	Ala	Arg	Gly	Cys	Arg	Thr	Leu	Gly	Leu	Pro	Ala	Leu	Leu	Leu	Leu
690						695					700				
Leu	Leu	Leu	Arg	Pro	Pro	Ala	Thr	Arg	Gly	Ile	Thr	Cys	Pro	Pro	Pro
705					710					715					720
Met	Ser	Val	Glu	His	Ala	Asp	Ile	Trp	Val	Lys	Ser	Tyr	Ser	Leu	Tyr
				725					730					735	
Ser	Arg	Glu	Arg	Tyr	Ile	Cys	Asn	Ser	Gly	Phe	Lys	Arg	Lys	Ala	Gly
			740					745					750		
Thr	Ser	Ser	Leu	Thr	Glu	Cys	Val	Leu	Asn	Lys	Ala	Thr	Asn	Val	Ala
			755				760					765			
His	Trp	Thr	Thr	Pro	Ser	Leu	Lys	Cys	Ile	Arg					

-continued

770 775

<210> SEQ ID NO 109
<211> LENGTH: 21
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 109

Met Ala Leu Pro Val Thr Ala Leu Leu Leu Pro Leu Ala Leu Leu
1 5 10 15

His Ala Ala Arg Pro
20

<210> SEQ ID NO 110
<211> LENGTH: 116
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 110

Asp Ile Val Met Ser Gln Ser Pro Ser Ser Leu Ala Val Ser Val Gly
1 5 10 15

Glu Lys Phe Thr Val Asn Cys Lys Ser Ser Gln Ser Leu Leu Tyr Ser
20 25 30

Ser Asn Gln Lys Asn Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

Pro Asp Arg Phe Ile Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

Ile Ser Ser Val Lys Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Gln
85 90 95

His Tyr Arg Tyr Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile
100 105 110

Lys Arg Ala Arg
115

<210> SEQ ID NO 111
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 111

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser
1 5 10 15

<210> SEQ ID NO 112
<211> LENGTH: 119
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 112

Gln Val Thr Leu Lys Glu Ser Gly Pro Gly Ile Leu Gln Pro Ser Gln

-continued

1	5	10	15
Thr Leu Ser Leu Thr Cys Ser Phe Ser Gly Phe Ser Leu Asn Thr Ser	20	25	30
Gly Val Gly Val Gly Trp Ile Arg Gln Pro Ser Gly Lys Gly Leu Glu	35	40	45
Trp Leu Ala His Ile Trp Trp Asp Asp Asp Glu Arg Tyr Asn Pro Val	50	55	60
Leu Lys Ser Arg Leu Thr Ile Ser Lys Asp Thr Ser Ser Asn Gln Val	65	70	75
Phe Leu Lys Ile Ala Asn Val Asp Thr Ala Asp Ser Ala Thr Tyr Tyr	85	90	95
Cys Val Arg Ser Met Val Ala Trp Phe Phe Pro Tyr Trp Gly Arg Gly	100	105	110
Thr Leu Val Thr Val Ser Ala	115		

<210> SEQ ID NO 113
 <211> LENGTH: 45
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 113

Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala Pro Thr Ile Ala	5	10	15
Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg Pro Ala Ala Gly	20	25	30
Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys Asp	35	40	45

<210> SEQ ID NO 114
 <211> LENGTH: 24
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 114

Ile Tyr Ile Trp Ala Pro Leu Ala Gly Thr Cys Gly Val Leu Leu Leu	5	10	15
Ser Leu Val Ile Thr Leu Tyr Cys	20		

<210> SEQ ID NO 115
 <211> LENGTH: 41
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 115

Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr	5	10	15
Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro	20	25	30
Pro Arg Asp Phe Ala Ala Tyr Arg Ser	35	40	

-continued

<210> SEQ ID NO 116
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 116

Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly
1 5 10 15

Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr
20 25 30

Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys
35 40 45

Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln
50 55 60

Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu
65 70 75 80

Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr
85 90 95

Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro
100 105 110

Arg

<210> SEQ ID NO 117
<211> LENGTH: 22
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 117

Gly Ser Gly Ala Thr Asn Phe Ser Leu Leu Lys Gln Ala Gly Asp Val
1 5 10 15

Glu Glu Asn Pro Gly Pro
20

<210> SEQ ID NO 118
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 118

Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu
1 5 10 15

Val Thr Asn Ser
20

<210> SEQ ID NO 119
<211> LENGTH: 21
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 119

-continued

Gly	Ile	His	Val	Phe	Ile	Leu	Gly	Cys	Phe	Ser	Ala	Gly	Leu	Pro	Lys
1			5					10					15		

Thr	Glu	Ala	Asn	Trp
			20	

<210> SEQ ID NO 120
<211> LENGTH: 50
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 120

Val	Asn	Val	Ile	Ser	Asp	Leu	Lys	Lys	Ile	Glu	Asp	Leu	Ile	Gln	Ser
1			5				10						15		

Met	His	Ile	Asp	Ala	Thr	Leu	Tyr	Thr	Glu	Ser	Asp	Val	His	Pro	Ser
			20				25						30		

Cys	Lys	Val	Thr	Ala	Met	Lys	Cys	Phe	Leu	Leu	Glu	Leu	Gln	Val	Ile
		35				40					45				

Ser	Leu
	50

<210> SEQ ID NO 121
<211> LENGTH: 50
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 121

Glu	Ser	Gly	Asp	Ala	Ser	Ile	His	Asp	Thr	Val	Glu	Asn	Leu	Ile	Ile
1			5				10						15		

Leu	Ala	Asn	Asn	Ser	Leu	Ser	Ser	Asn	Gly	Asn	Val	Thr	Glu	Ser	Gly
		20				25						30			

Cys	Lys	Glu	Cys	Glu	Glu	Leu	Glu	Glu	Lys	Asn	Ile	Lys	Glu	Phe	Leu
		35				40					45				

Gln	Ser
	50

<210> SEQ ID NO 122
<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 122

Phe	Val	His	Ile	Val	Gln	Met	Phe	Ile	Asn	Thr	Ser
1			5				10				

<210> SEQ ID NO 123
<211> LENGTH: 26
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 123

Ser	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly
1			5				10						15		

-continued

Gly Gly Gly Ser Gly Gly Gly Ser Leu Gln
20 25

<210> SEQ ID NO 124
 <211> LENGTH: 29
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 124

Ala Pro Arg Arg Ala Arg Gly Cys Arg Thr Leu Gly Leu Pro Ala Leu
1 5 10 15

Leu Leu Leu Leu Leu Arg Pro Pro Ala Thr Arg Gly
20 25

<210> SEQ ID NO 125
 <211> LENGTH: 65
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Sequence

<400> SEQUENCE: 125

Ile Thr Cys Pro Pro Pro Met Ser Val Glu His Ala Asp Ile Trp Val
1 5 10 15

Lys Ser Tyr Ser Leu Tyr Ser Arg Glu Arg Tyr Ile Cys Asn Ser Gly
20 25 30

Phe Lys Arg Lys Ala Gly Thr Ser Ser Leu Thr Glu Cys Val Leu Asn
35 40 45

Lys Ala Thr Asn Val Ala His Trp Thr Thr Pro Ser Leu Lys Cys Ile
50 55 60

Arg
65

1.-105. (canceled)

106. An engineered cell comprising:

- (i) a first chimeric antigen receptor polypeptide comprising a first antigen recognition domain, a first signal peptide, a first hinge region, a first transmembrane domain, a first co-stimulatory domain, and a first signaling domain;
- (ii) a second chimeric antigen receptor polypeptide comprising a second antigen recognition domain, a second signal peptide, a second hinge region, a second transmembrane domain, a second co-stimulatory domain, and a second signaling domain; and

wherein

the first antigen recognition domain is selective for one of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF, BAFF-R, BCMA, TACI, LeY, CD4, CD25, CD38, CD5, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, APRIL, and CS1; and

the second antigen recognition domain is selective for one of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF, BAFF-R, BCMA, TACI, LeY, CD4, CD25, CD38, CD5, CD13, CD14, CD15

CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, APRIL, and CS1;

the first antigen recognition domain and the second antigen recognition domain are different;

the first chimeric antigen receptor polypeptide and the second chimeric antigen receptor polypeptide each consist of a single antigen recognition domain; and

the first antigen recognition domain and second antigen recognition domain are expressed on the surface of the engineered cell.

107. The engineered cell according to claim **106**, wherein the first chimeric antigen receptor polypeptide and the second chimeric engineered polypeptide are on a single polypeptide molecule, and wherein an amino acid sequence comprising a high efficiency cleavage site is disposed between the first chimeric antigen receptor polypeptide and the second chimeric antigen receptor polypeptide, and wherein high efficiency cleavage site is defined as a polypeptide sequence that results in greater than 80% self cleavage.

108. The engineered cell according to claim **107**, wherein the high efficiency cleavage site is selected from the group consisting of P2A, T2A, E2A, and F2A.

109. The engineered cell according to claim **106** wherein the first co-stimulatory domain and the second co-stimulatory domain are different.

110. The engineered cell according to claim **106**, wherein the first co-stimulatory domain comprises CD28, and the second co-stimulatory domain comprises 4-1BB.

111. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for TACI or CD269; and the second antigen recognition domain is selective for one of CD19, CD38, CD138, CD138, and CS1.

112. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for CD19; and the second antigen recognition domain is selective for one of CD20, CD22, CD33, CD123, TACI, CD269, CD38, and CS1.

113. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for CD33; and the second antigen recognition domain is selective for LeY or CD123.

114. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for BCMA; and the second antigen recognition domain is selective for one of CS1, CD19, CD20, CD22, CD38, CD138, and CS1.

115. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for CD19; and the second antigen recognition domain is selective for BCMA.

116. The engineered cell according to claim **106**, wherein the engineered cell is a T cell, NK cell, NK T cell, or NK-92 cell.

117. The engineered cell according to claim **106**, wherein the engineered cell further comprises a heterologously expressed enhancer.

118. The engineered cell according to claim **117**, wherein said enhancer is selected from the group consisting of PD-1, PD-L1, CSFIR, CTAL-4, TIM-3, TGFR beta, IL-2, IL-15/IL-15 sushi, IL-6, IL-7, IL-12, IL-15, IL-17, IL-18 IL-21, functional fragments thereof, and combinations thereof.

119. The engineered cell according to claim **106**, wherein the first antigen recognition domain is selective for one of CD19, CD33, and CD269; and the second antigen recognition domain is selective for CD123 or CS1.

120. The engineered cell according to claim **106**, wherein TAC1 antigen recognition domain comprises the APRIL ligand or the BAFF ligand or a portion thereof.

121. The engineered cell according to claim **106**, wherein the BCMA antigen recognition domain comprises APRIL ligand or BAFF ligand or a portion thereof.

122. The engineered cell according to claim **106**, wherein the BAFF-R antigen recognition domain comprises the BAFF ligand or a portion thereof.

123. The engineered cell according to claim **106**, wherein the first co-stimulatory domain and the second co-stimulatory domain comprise 4-1BB co-stimulatory domain.

124. A method of treating a cell proliferative disease in a patient, said method comprising:

administering to the patient an engineered cell that expresses:

(i) a first chimeric antigen receptor polypeptide comprising a first antigen recognition domain, a first signal peptide, a first hinge region, a first transmembrane domain, a first co-stimulatory domain, and a first signaling domain;

(ii) a second chimeric antigen receptor polypeptide comprising a second antigen recognition domain, a second signal peptide, a second hinge region, a second transmembrane domain, a second co-stimulatory domain, and a second signaling domain; and

reducing the tumor burden of cell proliferative disease cells;

wherein

the first antigen recognition domain is selective for one of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF, BAFF-R, BCMA, TACI, LeY, CD4, CD25, CD38, CD5, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, APRIL, and CS1; and

the second antigen recognition domain is selective for one of interleukin 6 receptor, NY-ESO-1, alpha fetoprotein (AFP), glypican-3 (GPC3), BCMA, BAFF, BAFF-R, BCMA, TACI, LeY, CD4, CD25, CD38, CD5, CD13, CD14, CD15 CD19, CD20, CD22, CD33, CD41, CD61, CD64, CD68, CD117, CD123, CD138, CD267, CD269, CD38, Flt3 receptor, APRIL, and CS1;

the first antigen recognition domain and the second antigen recognition domain are different;

the first chimeric antigen receptor polypeptide and the second chimeric antigen receptor polypeptide each consist of a single antigen recognition domain; and

the first antigen recognition domain and second antigen recognition domain are expressed on the surface of the engineered cell.

125. The method according to claim **124**, wherein the engineered cell comprises T cells, NK cells, NK T cells, or NK-92 cells.

126. The method according to claim **124**, wherein the cell proliferative disease is selected from the group consisting of: B-cell lymphoma, T-cell lymphoma, multiple myeloma, chronic myeloid leukemia, B-cell acute lymphoblastic leukemia (B-ALL), and plasma cell neoplasms.

* * * * *