



US00D528213S

(12) **United States Design Patent**
Darley et al.

(10) **Patent No.:** **US D528,213 S**

(45) **Date of Patent:** **** Sep. 12, 2006**

(54) **HEARING PROSTHESIS**

(75) Inventors: **Ian Darley**, Cromer Heights (AU);
Peter Single, Lane Cove (AU)

(73) Assignee: **Cochlear Limited**, Lane Cove (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/205,399**

(22) Filed: **May 14, 2004**

(30) **Foreign Application Priority Data**

Nov. 14, 2003 (AU) 4172/2003

(51) **LOC (8) Cl.** **24-99**

(52) **U.S. Cl.** **D24/174**

(58) **Field of Classification Search** D24/174,
D24/173, 106; 181/135, 130; 381/322, 315,
381/328, 312, 324; 623/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,291,203 A * 9/1981 Bellafiore 381/328
5,812,680 A * 9/1998 Glendon 381/322

6,402,782 B1 * 6/2002 Sibbald et al. 623/10
D506,258 S * 6/2005 Nielsen D24/174

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Daniel Yu

(74) *Attorney, Agent, or Firm*—Jagtiani & Gutttag

(57) **CLAIM**

The ornamental design for a hearing prosthesis, as shown.

DESCRIPTION

FIG. 1 is a proximal side view of a hearing prosthesis having the cover removed and the internal component constructed in accordance with a preferred embodiment of the invention; FIG. 2 is a top view of a hearing prosthesis having the internal component removed;

FIG. 3 is a perspective view of a hearing prosthesis illustrated in FIG. 1;

FIG. 4 is a perspective view of a hearing prosthesis having the internal component removed illustrated in FIG. 2;

FIG. 5 is an end view of a hearing prosthesis having the internal component removed illustrated in FIG. 2; and,

FIG. 6 is a front view of a hearing prosthesis.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

