

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2004 (06.05.2004)

PCT

(10) International Publication Number
WO 2004/037017 A1

(51) International Patent Classification⁷: **A23L 1/212**,
A23B 7/005

(21) International Application Number:
PCT/EP2003/009649

(22) International Filing Date: 29 August 2003 (29.08.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/278,470 23 October 2002 (23.10.2002) US

(71) Applicant (for AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GA, GE, GN, GQ, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, MZ, NE, NI, NL, NO, PH, PL, PT, RO, RU, SE, SI, SK, SN, SY, TD, TG, TJ, TM, TN, TR, UA, UZ, VN, YU only): **UNILEVER N.V.** [NL/NL]; UNILEVER N.V., Weena 455, NL-3013 AL Rotterdam (NL).

(71) Applicant (for AE, AG, AU, BB, BZ, CA, CY, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): **UNILEVER PLC** [GB/GB]; UNILEVER HOUSE, Blackfriars, London, Greater London EC4P 4BQ (GB).

(71) Applicant (for IN only): **HINDUSTAN LEVER LIMITED** [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, 400 020 Mumbai (IN).

(72) Inventors: **LEVI, Guy**; 820 Albemarle Street, Wyckoff, New Jersey, NJ 07484 (US). **MOSTERT, Martina, Adriana**; Unilever R & D Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(74) Agent: **HODGETTS, Catherine, Dawn**; Unilever Patent Department, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: STABILIZED FRUIT PULP COMPOSITION AND A PUREE COMPOSITION COMPRISING THE SAME

(57) Abstract: A stabilized fruit pulp is described. The stabilized fruit pulp has not been subjected to temperatures that exceed 90 degrees centigrade, has substantially no active polyphenol oxidase, and is suitable for use in puree compositions that can be used in dressings, dips and spreads.

WO 2004/037017 A1

STABILIZED FRUIT PULP COMPOSITION AND A PUREE COMPOSITION COMPRISING THE SAME

FIELD OF THE INVENTION

5

The present invention is directed to a stabilized fruit pulp composition as well as a stable puree composition comprising the same. More particularly, the invention is directed to a stabilized fruit pulp composition that has not
10 been subjected to chemical treatment, high vacuum processing and temperatures over about 90°C. The stabilized fruit pulp composition of the present invention unexpectedly has an extended shelf life at about ambient temperature, may be added to a thickening base to produce a stable puree composition
15 having a viscosity of at least about 5,000 centipoise, and is suitable for human consumption.

BACKGROUND OF THE INVENTION

20 Consumption of nutrients, like antioxidants and folic acid, which are abundant in fruits and vegetables, has been linked to a lower incidence of cardiovascular disease. Moreover, it is well settled that eating fruits high in soluble fiber can reduce cholesterol levels which protects against
25 atherosclerosis.

Other advantages of having a diet high in fruit include better athletic performances, reduced risk of developing chronic bronchitis, a lowered risk of getting most common
30 cancers (including breast cancer), as well as a lowered risk of getting cataracts.

While food products, like dressings, dips and spreads, comprising fruits have been linked to health benefits in humans, such products are often difficult to prepare for sale in commerce. This is true because the quality of food products
5 comprising fruit often deteriorates (e.g., browns, darkens, grows mold and/or loses flavor) due to enzymatic reactions within the food product, thereby resulting in a product that has a short shelf life and does not have an appealing look or taste after spending a limited period of time in conventional
10 commercial channels.

Known techniques have been used to inhibit the deterioration of food products comprising fruits. These known techniques include pasteurization of the fruit, high vacuum
15 processing for removing oxygen, and chemically treating the fruit with sulfiting agents before making the food product. The above-described known techniques do not eliminate, for example, browning and darkening in food products comprising fruit, and such techniques have adverse effects on the flavor,
20 aroma, texture and nutritional value of the fruits treated, as well as the food products prepared therefrom.

It is of increasing interest to develop a stabilized fruit pulp composition and a stable puree composition (i.e., food
25 product) that does not, for example, easily brown, darken and lose flavor and that has an extended shelf life at about ambient temperature. This invention, therefore, is directed to a stabilized fruit pulp composition that has not been subjected to chemical treatment, high vacuum processing and temperatures
30 over about 90°C. The stabilized fruit pulp composition of this invention can be used to make a stable puree composition having a viscosity of at least about 5,000 centipoise. Moreover, the stabilized fruit pulp composition of this invention and the

stable puree composition prepared therefrom unexpectedly have an extended shelf life at about ambient temperature and substantially the same visual, texture, aroma and taste attributes of a pulp composition and puree composition made on demand from freshly picked fruits.

ADDITIONAL INFORMATION

Efforts have been disclosed for making fruit pump. In U.S. Patent No. 5,384,147, a method for processing avocado pulp is described.

Other efforts have been disclosed for making stabilized fruit. In U.S. Patent No. 5,871,794, a guacamole composition with tomatillo pulp is described.

Still other efforts have been disclosed for making creamy food formulations. In U.S. Patent No. 6,284,303, a vegetable based creamy food is described.

None of the additional information above describes a stabilized fruit pulp that has not been subjected to chemical treatment, high vacuum processing and temperatures that exceed about 90°C.

SUMMARY OF THE INVENTION

In a first aspect, the present invention is directed to a stabilized fruit pulp composition comprising:

- (a) from about 75.0% to about 99.0% by weight water;
- (b) fruit pulp; and

(c) 0.01 to about 20.0% by weight oil

wherein the stabilized fruit pulp composition is the product of fruit comprising water, pulp, and oil that has been heated to a temperature from about 30°C to a temperature not over about 90°C for less than about three minutes and that has a hardness factor of at least about 300 dynes prior to heating.

In a second aspect, the present invention is directed to a stable puree composition comprising:

- (a) from about 20.0 to about 95.0% by weight water;
- (b) from about 0.01 to about 10.0% by weight thickening base; and
- (c) 5.0 to about 75.0% by weight of the stabilized fruit pulp composition of the first aspect of this invention

wherein the puree composition has a viscosity from about 5,000 to about 90,000 (preferably from about 18,000 to about 30,000 centipoise) centipoise, and a shelf life at about ambient temperature of at least about 65 days.

In a third aspect, the present invention is directed to a method for making the stabilized fruit pulp composition of the first aspect of this invention.

Fruit, as used herein, means the ripening part of a plant and usually the seed bearing part of a plant. Oil means naturally occurring triglycerides and their derivatives found in (i.e., originating in) the stabilized fruit pulp composition. Stabilized (or stable) means substantially no mold growth, browning, darkening and flavor loss for at least about 65 days, and preferably, for at least about 85 days when kept

in a covered (i.e., sealed) package at about ambient temperature.

Puree is defined to mean a composition comprising
5 stabilized fruit pulp composition and thickening base whereby the composition can be used, for example, as a dressing, dip, spread, baking additive, cooking additive, or any combination thereof.

10 Thickening base is defined to mean an agent that can be flavored and colored to mimic most characteristics of the stabilized fruit pulp composition and aid in viscosity maintenance of the stable puree composition prepared therefrom.

15 Viscosity, as used herein, means deformation properties obtained with a Haake Rheometer equipped with a set of concentric, bob-in-cup, cylinders (3mm gap) wherein the bob employed has a diameter of 30.4mm, the cup has a diameter of 42mm, and shearing occurs by ramping cylinder oscillation at a
20 rate from 0 to 135 reciprocal seconds at ambient temperature. Viscosity reported is taken at a shear rate of 10 reciprocal seconds.

Hardness factor, as used herein, means the hardness value
25 obtained on a 4 mm thick slice of fruit (using a TA-TX2 Texture Analyzer made available by SMS Stable Micro Systems) at ambient temperature being subjected to compression using a 50 kg load cell moving at 1mm/sec, with the hardness factor being
30 determined from the observed first peak in a force distance curve.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

There is no limitation with respect to the type of fruit
5 that may be used to make the stabilized pulp composition and
stable puree composition of the present invention, as long as
the fruit is one that is suitable for human consumption.
Often, the fruit used in this invention is an avocado, banana,
mango, guava, fig, papaya, kiwi, star fruit, pineapple,
10 combination thereof, or the like. In a most preferred
embodiment, the fruit employed in this invention is avocado.

When selecting the fruit to make the stabilized fruit pulp
composition and stable puree composition of this invention, the
15 fruit is generally picked from about 1 to about 4 weeks, and
preferably, from about 1 to about 3 weeks, and most preferably,
from about 2 to about 3 weeks prior to being ripe. The picked
fruit is then stored in a dark room (at a temperature between
about 10°C to about 35°C) for less than about 1.5 weeks, and
20 preferably, less than about 1 week, and most preferably, less
than about 3 days. In an especially preferred embodiment, the
fruit selected for use in this invention, after being picked or
harvested, is subjected to storage conditions of relative
humidity between about 40-70%, and most preferably, between
25 about 50-65%.

When preparing the fruit selected for use in this
invention, the fruit is, in no particular order, peeled and
depitted or cored, if necessary. The resulting fruit flesh is
30 then mashed to a desired texture or consistency to produce
fruit pulp. In a preferred embodiment, the fruit pulp produced
is prepared from fruit having a hardness factor from about 300
dynes to about 3,000 dynes. The fruit pulp is then heated

(e.g., in a water bath, in an oven, microwave oven, or with adiabatic heating in a high pressure vessel) to a temperature from about 30°C to a temperature not over about 90°C for less than about 3 minutes, and preferably, from about 10 seconds to 5 about 2.5 minutes, thereby producing a stabilized fruit pulp having from about 0.01 to about 20.0% (preferably at least about 5.0% and most preferably at least about 10.0%) by weight oil and substantially no active enzymes (i.e., all quality detrimental enzymes like amylase, lipoxygenase, polyphenol 10 oxidase are substantially inactivated).

In yet another preferred embodiment, acidulant is added to and mixed within the fruit pulp prior to heating. When acidulant is used, it typically makes up from about 0.01 to 15 about 5.0% by weight of the fruit pulp being heated. The acidulant which may be used in this invention includes those which are typically used in food compositions, like lactic acid, citric acid, sorbic acid, hydrochloric acid, ascorbic acid, phosphoric acid, mixtures thereof, and the like.

20

There is no limitation with respect to the thickening base which may be used in this invention as long as the base is suitable for human consumption. Such a thickening base is typically a citrus fiber or vegetable puree (or mixture 25 thereof) containing composition comprising water insoluble fibers. Therefore, the thickening base employable in this invention has food components derived from, for example, plant material that are generally resistant to digestion and absorption in the human small intestine. The thickening base 30 can be, for example, sweetened or unsweetened applesauce, or sweetened or unsweetened cellulosic material derived from the core of an orange or other citrus fruits. Such a cellulosic material can comprise rag and small amounts of peel from the

citrus fruit. Typically, the citrus fiber that makes up the thickening base of the present invention is substantially similar to or the same as the texturizing properties of the stabilized fruit pulp composition used to make the stable puree composition of this invention. Preferably, the citrus fiber within the thickening base, in dry form, has a particle size from about 50 microns to about 200 microns, including all ranges subsumed therein, and the types of thickening bases that may be used in this invention include those made commercially available from suppliers like Herbstreith & Fox, BASF Corporation and FMC Corporation.

When making the stable puree composition of the present invention, typically from about 20.0 to about 95.0%, and preferably, from about 25.0 to about 75.0%, and most preferably, from about 50.0 to about 65.0% by weight water is combined with from about 0.01 to about 10.0%, and preferably, from about 0.01 to about 7.5%, and most preferably, from about 1.0 to about 3.5% by weight thickening base, based on total weight of the stable puree composition and including all ranges subsumed therein. The resulting base combination is then mixed (preferably with conditions at ambient temperature and atmospheric pressure) to produce a base suspension.

Optional additives may be employed in this invention, and added, for example, to the base combination. The optional additives which may be used include artificial and natural food grade flavors and colors; protein powders like whey protein; preservatives like potassium sorbate and sodium benzoate; gums like pectin, xanthan gum and guar gum; emulsifiers like monoglycerides, diglycerides, and polysorbate; acids to modify pH like lactic acid and hydrochloric acid; spices like salt, ginger, nutmeg, basil, cinnamon, onion, garlic and pepper; and

texturizing agents like microcrystalline cellulose (e.g., Avicel as made available by FMC Corporation).

While such optional additives may be added at anytime
5 during the process for making the stable puree composition of this invention, they are preferably added to the base combination and just prior to generating the base suspension. In a preferred embodiment, however, when flavor is a desired optional additive, the flavor is added just prior to generating
10 the puree composition of this invention. In yet another preferred embodiment, about 5.0 to about 10.0% by weight of the total water added to make the base suspension is added with the optional additives.

15 The flavors used in this invention may be added according to taste and the colors are added according to color preferences. The acids to modify pH are added to bring the pH of the stable puree composition to at least about 3.0, but less than or equal to about 4.5. The preferred amount of acid added
20 to the base combination results in a stable puree composition having a pH from about 3.3 to about 4.2. The emulsifiers and preservatives are added to enhance stability of the puree composition. The spices employed are added to taste, the gums are added to maintain a desired stable puree composition
25 viscosity and the protein powders are added as desired. Generally, the amount of optional additives employed in the puree composition does not exceed 10.0% by weight of the total weight of the stable puree composition.

30 Subsequent to generating the base suspension, the same is subjected to a standard colloid mill having gap widths from about 125 microns to about 1250 microns, and preferably, from about 250 microns to about 750 microns, or a homogenizer

operating under pressures from about 30 to about 300 bar. The resulting milled or homogeneous suspension is then combined with stabilized fruit pulp composition to produce the stable puree composition of this invention. The amount of stabilized fruit pulp composition employed is typically from about 5.0 to about 75.0%, and preferably, from about 10.0 to about 50.0%, and most preferably, from about 15.0 to about 25.0% by weight stabilized fruit pulp composition, based on total weight of the stable puree composition.

10

In an especially preferred embodiment, a fat additive may be added to the base suspension. Such a fat additive can be natural or synthetic and is a component delivered to the stable puree composition distinct from any oil delivered with the stabilized fruit pulp composition. The fat additive can be, for example, corn oil, cotton seed oil, olive oil, canola oil, palm oil, safflower oil, rapeseed oil, soybean oil, mixtures thereof and the like. The fat additive may also be a fat substitute such as fatty acid-esterified propoxylated glycerin compositions as well as sucrose fatty acid polyesters. When employed, the fat additive makes up from about 0.5 to about 25.0%, and preferably, from about 5.0 to about 20.0% by weight of the puree composition, based on total weight of the stable puree composition.

25

The stable puree composition of this invention is suitable for numerous food applications. For example, the composition may be used as a dressing, dip or spread, or as cooking or baking additive. Such a stable puree composition can be packaged in conventional food packaging (e.g., plastic or glass bottles) and hot filling (i.e., pasteurization) is not required to maintain product stability.

The following examples are provided to facilitate an understanding of the present invention. The examples are not intended to limit the scope of the invention as set forth in the claims.

Example 1

Avocado, having a hardness factor of about 300 dynes, was harvested about 2.5 weeks prior to being ripe and stored in a dark room kept at about 25°C (relative humidity about 55%) for about two (2) days.

The avocado was cut in half and depitted to produce an avocado half. The avocado half was peeled, mashed and mixed with 0.5% by weight ascorbic acid and then heated to about 85°C for 3.0 minutes. The heated mashed avocado was cooled, thereby producing stabilized avocado pulp composition having about 15% by weight oil and 80.0% by weight water, with substantially no active polyphenol oxidase.

Example 2

A base suspension was prepared by mixing the following ingredients:

Ingredient	Weight %
Thickening Agent (Citrus Fiber)	3.0%
Sunflower Oil	12.0%
Whey Protein	0.5%
Pectin	0.3%
Potassium Sorbate	0.1%
Water	Balance

The resulting base composition was mixed to produce a base suspension. The base suspension was homogenized in a homogenizer at a pressure of about 150 bar to produce a homogenized suspension.

5

Example 3

A stable puree composition was made by mixing 80% by weight of the milled suspension of Example 2 with 20% by weight of the stabilized avocado pulp of Example 1. The stable puree composition was sealed in a package and kept at ambient temperature. After about 85 days, the package was opened and no browning, darkening, mold formation or flavor loss was observed on the stable puree composition of this invention.

15

Example 4

A puree composition similar to the one described in Example 3 was made except that the avocado pulp added to the milled suspension did not have the hardness factor of the avocado used in Example 2 and was not picked, stored and heated under the conditions described in Example 1. The resulting puree composition was sealed in a package at and kept at ambient temperature. After about one (1) day, the package was opened and browning and darkening was observed on the puree composition. The product was essentially not suitable for human consumption. After about 14 days, mold was observed on the puree composition and the product was essentially not safe for human consumption.

30

The results of the experiments above indicate that pulps and puree compositions prepared via this invention, unexpectedly, have a superior shelf life.

Claims

1. A stabilized fruit pulp composition comprising:

- (a) from about 75.0% to about 99.0% by weight water;
- (b) fruit pulp; and
- (c) from about 0.01 to about 20.0% by weight oil

wherein the stabilized fruit pulp composition is the product of fruit comprising water, pulp, and oil that has been heated to a temperature from about 30°C to a temperature not over about 90°C for less than about three minutes and that has a hardness factor of at least about 300 dynes prior to heating.

2. The stabilized fruit pulp composition according to claim 1 wherein the fruit is an avocado, banana, mango, guava, fig, papaya, kiwi, star fruit, pineapple, or a mixture thereof.

3. The stabilized fruit pulp composition according to claim 1 wherein the fruit is an avocado.

4. The stabilized fruit pulp composition according to claim 1 wherein the fruit has been picked 1 to 4 weeks prior to being ripe and stored in a dark room for less than about 1.5 weeks at a temperature of about 15°C to about 30°C before being heated.

5. The stabilized fruit pulp composition according to claim 4 wherein the fruit is subjected to storage conditions of relative humidity between about 40-70% before being heated.

6. The stabilized fruit pulp composition according to claim 1 wherein the fruit has been heated for about 10 seconds to about 2.5 minutes.

7. The stabilized fruit pulp composition according to claim 1 wherein the stabilized fruit pulp composition can be added to the composition comprising a thickening base to produce a puree composition.

8. A stable puree composition comprising:

- (a) from about 20.0% to about 95.0% by weight water;
- (b) from about 0.01 to about 10.0% by weight thickening base; and
- (c) from about 5.0 to about 75.0% by weight stabilized avocado pulp composition

wherein the puree composition has a viscosity from about 5,000 to about 90,000 centipoise, and a shelf life at about ambient temperature of at least about 65 days.

9. The stable puree composition according to claim 8 wherein the stable puree composition has a pH from at least about 3.0 to less than or equal to about 4.5.

10. The stable puree composition according to claim 8 wherein the stable puree composition can be used as a dressing, dip, spread, cooking additive or baking additive.

11. The stable puree composition according to claim 8 wherein the stable puree composition further comprises from about 0.5 to about 25.0% by weight of a fat additive.

12. The stable puree composition according to claim 8 wherein the stable puree composition further comprises food grade flavoring, food grade coloring, protein powder, preservative,

emulsifier, acid, spices, texturizing agent or a mixture thereof.

13. The stable puree composition according to claim 8 wherein the fruit has been picked 1 to 4 weeks prior to being ripe and stored in a dark room for less than about 1.5 weeks at a temperature of about 15°C to about 30°C before being heated.

14. The stable puree composition according to claim 8 wherein the fruit has been subjected to storage conditions of relative humidity between about 40-70% before being heated.

15. The stable puree composition according to claim 8 wherein the stable puree composition is shelf stable at ambient temperature for at least about 65 days.

16. The stable puree composition according to claim 8 wherein the stable puree composition has a viscosity from about 18,000 to about 30,000 centipoise.

17. A method for making a stabilized fruit pulp composition comprising the steps of:

- (a) harvesting fruit about 1 to 4 weeks prior to being ripe;
- (b) storing the harvested fruit in a dark room at a temperature from about 10°C to about 35°C for less than about 1.5 weeks;
- (c) in no particular order, peeling, depitting or coring, if necessary, the fruit and mashing the fruit to produce fruit flesh;

17

- (d) mixing the fruit flesh with about 0.01 to about 5.0% by weight acidulant to produce an acidulant and fruit flesh mixture;
- (e) heating the acidulant and fruit flesh mixture to a temperature not over about 90°C for less than about 3 minutes

wherein the fruit has a hardness factor of at least 300 dynes prior to heating.

18. The method for making a stabilized fruit pulp composition according to claim 17 wherein the fruit is avocado, banana, mango, guava, fig, papaya, kiwi, star fruit, pineapple or a mixture thereof.

19. The method for making a stabilized fruit pulp composition according to claim 17 wherein the stabilized fruit pulp composition comprises from about 75.0 to about 99.0% by weight water; fruit pulp; 0.1 to about 20.0% by weight oil; substantially no quality detrimental enzyme activity after heating.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 03/09649

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23L1/212 A23B7/005

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A23L A23B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2 641 548 A (HEINRICH HELEN W) 9 June 1953 (1953-06-09)	1-7
A	the whole document	17
X	SIMS C A ET AL: "Challenges to processing tropical fruit juices: banana as an example." PROCEEDINGS OF THE FLORIDA STATE HORTICULTURAL SOCIETY 1994 FOOD SCI. & HUMAN NUTR. DEP., UNIV. OF FLORIDA, IFAS, GAINESVILLE, FL 32611-0370, USA, vol. 107, 1994, pages 315-319, XP0008025210 the whole document	1-7, 17-19

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

10 December 2003

Date of mailing of the international search report

16/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Vuillamy, V

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 03/09649

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ASKAR A ET AL: "Trubstabile und hochwertige Nektare aus tropischen Früchten." CONFRUCTA STUDIEN SUEZ CANAL UNIV., ISMAILIA, EGYPT, vol. 36, no. 5/6, 1992, pages 130-153, XP0008025208 the whole document	1-7, 17-19
X	US 3 958 036 A (LATIMER FLOYD E) 18 May 1976 (1976-05-18) the whole document	8-10, 12-14
X	US 5 871 794 A (BRITO JORGE ISSAC) 16 February 1999 (1999-02-16) cited in the application	1-7
A	the whole document	17
X	US 2 647 838 A (STONE ROGER T) 4 August 1953 (1953-08-04)	1,2,4-7
A	the whole document	17
X	JIMENEZ M E ET AL: "Effects of microwave energy on enzymatic browning of avocado paste." INFORMACION TECNOLOGICA 12 (6) 2001 INST. POLITEC. NACIONAL, ESCOLA SUPERIOR DE INGENIERIA QUIMICA E IND. EXTRACTIVAS, ZACATENCO, 07738 MEXICO, DF, MEXICO, 2001, pages 47-50, XP0008025207 the whole document	1-7
X	ABD-EL-AL M G ET AL: "Application of microwave energy in the heat treatment of fruit juices, concentrates, and pulps." FLÜSSIGES OBST 1994 DEP. OF FOOD TECH., SUEZ CANAL UNIV., ISMAILIA, EGYPT, vol. 61, no. 10, 1994, pages 307-312, XP0008025211 the whole document	1-7
A	ALMEIDA M E M ET AL: "The control of polyphenol oxidase activity in fruits and vegetables. A study of the interactions between the chemical compounds used and heat treatment." PLANT FOODS FOR HUMAN NUTRITION 1995 DEP. OF FOOD TECH., FEA-UNICAMP, CP 6121 CAMPINAS, SAO PAULO, BRAZIL, vol. 47, no. 3, 1995, pages 245-256, XP0008025209 the whole document	1-19

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/09649

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 2641548	A	09-06-1953	NONE	
US 3958036	A	18-05-1976	NONE	
US 5871794	A	16-02-1999	NONE	
US 2647838	A	04-08-1953	NONE	