



US00D719932S

(12) **United States Design Patent**  
**Osborn et al.**

(10) **Patent No.:** **US D719,932 S**

(45) **Date of Patent:** **\*\* Dec. 23, 2014**

(54) **BATTERY-POWERED SPEAKER FOR  
HANDHELD DEVICES**

(71) Applicants: **Warren Robert Osborn**, Provo, UT  
(US); **John Craig Cheney**, Orem, UT  
(US)

(72) Inventors: **Warren Robert Osborn**, Provo, UT  
(US); **John Craig Cheney**, Orem, UT  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/453,807**

(22) Filed: **May 2, 2013**

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/214**

(58) **Field of Classification Search**

CPC .... B60R 11/0217; H04M 1/03; H04M 1/035;  
H04N 5/642; H04N 21/4852; H04R 1/02;  
H04R 1/06; H04R 1/021; H04R 1/025;  
H04R 1/026; H04R 1/028; H04R 1/105;  
H04R 1/323; H04R 1/403; H04R 1/2803;  
H04R 1/2834; H04R 5/02; H04R 7/20;  
H04R 9/06; H04R 9/025; H04R 2201/021;  
H04R 2400/00; H04R 2400/07; H04R  
2499/11; H04R 2499/13; H04R 2499/15;  
H04S 3/00; H04S 7/30; G06F 1/1688  
USPC ..... D14/167, 168, 170–172, 188, 194–196,  
D14/204, 207, 209.1, 210–216, 221, 222,  
D14/224; 181/143, 144, 147, 148, 150, 153,  
181/157, 198, 199; 381/300–303, 306, 332,  
381/333, 336, 345, 361–364, 386–388;  
369/6–12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D540,782 S \* 4/2007 Katsumata ..... D14/214  
D579,915 S \* 11/2008 Yeo ..... D14/214  
D597,064 S \* 7/2009 Machida ..... D14/167  
D621,384 S \* 8/2010 Kao ..... D14/214  
D636,759 S \* 4/2011 Chen ..... D14/214  
D678,864 S \* 3/2013 Behar et al. .... D14/214  
D697,052 S \* 1/2014 Loudon et al. .... D14/214

\* cited by examiner

*Primary Examiner* — Keli L Hill

(74) *Attorney, Agent, or Firm* — Angus C. Fox, III

(57) **CLAIM**

We claim the ornamental design for a battery-powered speaker for handheld devices, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left side isometric view of a battery-powered speaker for handheld devices, embodying our new design;

FIG. 2 is a top, front and right side isometric view thereof;

FIG. 3 is a bottom, front and left side isometric view thereof;

FIG. 4 is a top, front and left side isometric view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;



FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a right side elevation view thereof; and,

FIG. 10 is a left side elevation view thereof.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7





FIG. 8






FIG. 10




FIG. 9