



US00PP21670P2

(12) **United States Plant Patent**  
**Westhoff**

(10) **Patent No.:** **US PP21,670 P2**

(45) **Date of Patent:** **Jan. 25, 2011**

(54) **VERBENA PLANT NAMED ‘WESVEREPEA’**

(50) Latin Name: *Verbena tenera*

Varietal Denomination: **Wesverepea**

(75) Inventor: **Heinrich Westhoff, Südlohn (DE)**

(73) Assignee: **Gartenbau und Spezialkulturen Westhoff GbR, Südlohn (DE)**

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **12/587,484**

(22) Filed: **Oct. 7, 2009**

(51) **Int. Cl.**  
**A01H 5/00** (2006.01)

(52) **U.S. Cl.** ..... **Plt./308**

(58) **Field of Classification Search** ..... **Plt./308**  
See application file for complete search history.

Primary Examiner—Kent L Bell

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Verbena* plant named ‘Wesverepea’, characterized by its compact and mounding plant habit; vigorous growth habit; medium-sized leaves; freely flowering habit; and peach-colored flowers that are held above and beyond the foliar plane in rounded umbels.

**1 Drawing Sheet**

**1**

Botanical designation: *Verbena tenera*.  
Cultivar denomination: ‘WESVEREPEA’.

**CROSS-REFERENCED TO RELATED APPLICATIONS**

Title: *Verbena* Plant Named ‘Wesvereme’. Applicant: Heinrich Westhoff. Filed: Concurrently with this application, U.S. Plant patent application Ser. No. 12/587,420. Title: *Verbena* Plant Named ‘Wesverevoov’. Applicant: Heinrich Westhoff. Filed: Concurrently with this application, U.S. Plant patent application Ser. No. 12/587,421.

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar of *Verbena* plant, botanically known as *Verbena tenera*, and hereinafter referred to by the name ‘Wesverepea’.

The new *Verbena* plant is a product of a planned breeding program conducted by the Inventor in Südlohn, Germany. The objective of the breeding program is to create new compact *Verbena* plants with numerous attractive flowers.

The new *Verbena* plant originated from a cross-pollination made by the Inventor in April, 2004 in Südlohn, Germany of a proprietary seedling selection of *Verbena tenera* identified as code number 04P104, not patented, as the female, or seed, parent with a proprietary seedling selection of *Verbena tenera* identified as code number 04P212, not patented, as the male, or pollen, parent. The new *Verbena* plant was discovered and selected by the Inventor as a single flowering plant within the progeny of the stated cross-pollination in a controlled environment in Südlohn, Germany in August, 2005.

Asexual reproduction of the new *Verbena* plant by terminal cuttings in a controlled environment in Südlohn, Germany since 2005 has shown that the unique features of this new *Verbena* plant are stable and reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the new *Verbena* have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment and cultural prac-

**2**

tices such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Wesverepea’.

5 These characteristics in combination distinguish ‘Wesverepea’ as a new and distinct cultivar of *Verbena*:

1. Compact and mounding plant habit.
2. Vigorous growth habit.
- 10 3. Medium-sized leaves.
4. Freely flowering habit.
5. Peach-colored flowers that are held above and beyond the foliar plane in rounded umbels.

Plants of the new *Verbena* can be compared to plants of the female parent selection. Plants of the new *Verbena* differ primarily from plants of the female parent selection in the following characteristics:

1. Plants of the new *Verbena* are not as compact as plants of the female parent selection.
2. Plants of the new *Verbena* have smaller leaves than plants of the female parent selection.
- 15 3. Plants of the new *Verbena* have larger flowers than plants of the female parent selection.

Plants of the new *Verbena* can be compared to plants of the male parent selection. Plants of the new *Verbena* differ primarily from plants of the male parent selection in the following characteristics:

1. Plants of the new *Verbena* have denser inflorescences with more flowers per inflorescence than plants of the male parent selection.
2. Plants of the new *Verbena* and the male parent selection differ in flower color as plants of the male parent selection have plum-colored flowers.

Plants of the new *Verbena* differ primarily from plants of the *Verbenas* ‘Wesvereme’ and ‘Wesverevoov’ in flower color as plants of ‘Wesvereme’ have dark red purple-colored flowers and plants of ‘Wesverevoov’ have red-colored flowers.

Plants of the new *Verbena* can be compared to plants of the *Verbena* ‘Wesverrose’, disclosed in U.S. Plant Pat. No. 15,671. In side-by-side comparisons conducted in Südlohn, Germany, plants of the new *Verbena* differed primarily from plants of ‘Wesverrose’ in the following characteristics:

1. Plants of the new *Verbena* were more mounding than plants of 'Wesverrose'.
2. Plants of the new *Verbena* had shorter internodes than plants of 'Wesverrose'.
3. Plants of the new *Verbena* had smaller flowers than plants of 'Wesverrose'.
4. Plants of the new *Verbena* and 'Wesverrose' differed in flower color as plants of 'Wesverrose' had light red purple-colored flowers.

Plants of the new *Verbena* can be compared to plants of the *Verbena* 'Roccoco Double Peach', not patented. In side-by-side comparisons conducted in Südlohn, Germany, plants of the new *Verbena* differed primarily from plants of 'Roccoco Double Peach' in the following characteristics:

1. Plants of the new *Verbena* were not as compact as plants of 'Roccoco Double Peach'.
2. Plants of the new *Verbena* had longer internodes than plants of 'Roccoco Double Peach'.
3. Plants of the new *Verbena* had larger flowers than plants of 'Roccoco Double Peach'.
4. Plants of the new *Verbena* and 'Roccoco Double Peach' differed in flower shape as plants of 'Roccoco Double Peach' had double-type flowers.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new *Verbena* plant, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Verbena* plant.

The photograph comprises a side perspective view of a typical flowering plant of 'Wesverrosa' grown in a container.

#### DETAILED BOTANICAL DESCRIPTION

The aforementioned photograph and following observations, measurements and values describe plants grown in Südlohn, Germany in a glass-covered greenhouse during the summer and under conditions which closely approximate commercial production. During the production of the plants, day temperatures ranged from 20° C. to 25° C., night temperatures ranged from 16° C. to 18° C. and light levels ranged from 3,000 to 50,000 lux. Plants were 30 weeks old when the photograph and the description were taken. In the description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Verbena tenera* 'Wesverrosa'.

Parentage:

*Female, or seed, parent.*—Proprietary seedling selection of *Verbena tenera* identified as code number 04P104, not patented.

*Male, or pollen, parent.*—Proprietary seedling selection of *Verbena tenera* identified as code number 04P212, not patented.

Propagation:

*Type.*—Terminal cuttings.

*Time to initiate roots.*—About 14 to 18 days at 18° C.

*Time to produce a rooted cutting.*—About 21 to 26 days at 18° C.

*Root description.*—Fibrous, medium in thickness; color, close to 158A.

*Rooting habit.*—Freely branching; moderately dense to dense.

Plant description:

*Plant habit.*—Initially upright, then compact and mounding growth habit; freely branching habit with two lateral branches potentially forming at every node; pinching enhances lateral branch development; dense and bushy plant habit; vigorous growth habit.

*Plant height.*—About 25 cm.

*Plant diameter.*—About 64 cm.

Lateral branch description:

*Length.*—About 28 cm to 56 cm.

*Diameter.*—About 2 mm to 2.7 mm.

*Internode length.*—About 2.4 cm.

*Texture.*—Densely pubescent.

*Color.*—Close to 144A.

Foliage description:

*Arrangement.*—Opposite, simple; sessile.

*Length.*—About 4.3 cm.

*Width.*—About 2.1 cm.

*Shape.*—Ovate.

*Apex.*—Acute.

*Base.*—Attenuate.

*Margin.*—Dentate to crenate.

*Texture, upper and lower surfaces.*—Densely pubescent.

*Venation pattern.*—Pinnate.

*Color.*—Developing leaves, upper surface: Close to 137B. Developing leaves, lower surface: Close to 147B. Fully expanded leaves, upper surface: Close to 147A; venation, close to 147B. Fully expanded leaves, lower surface: Close to 147B; venation, close to 147C.

Flower description:

*Flower arrangement and habit.*—Salverform flowers arranged in hemispherical terminal umbels; umbels dense and mounding; numerous umbels covering the entire plant; flowers face upward or outward; freely flowering habit with about 18 to 29 flowers per inflorescence.

*Natural flowering season.*—Plants flower continuously from April until frost in the fall in Germany; plants begin flowering about 12 to 14 weeks after planting.

*Flower longevity.*—Flowers last about two weeks on the plant; flowers not persistent.

*Fragrance.*—None detected.

*Inflorescence size.*—Diameter: About 5.5 cm. Height: About 2.7 cm.

*Flowers.*—Appearance: Flared trumpet, corolla fused, five-parted; sessile. Length: About 2.9 cm. Diameter: About 1.8 cm. Tube length: About 2 cm. Throat diameter: About 2.1 mm. Tube diameter, base: About 1.7 mm.

*Flower buds.*—Length: About 1.5 cm. Diameter: About 4 mm. Shape: Oblong. Color: Towards the apex, close to 35A to 35C; mid-section and base, close to 145C.

*Corolla.*—Arrangement: Single whorl of five fused petals. Petal lobe length: About 9 mm. Petal lobe width: About 9 mm. Petal lobe shape: Cordate. Petal lobe apex: Emarginate. Petal margin: Entire. Petal texture, upper and lower surfaces: Smooth, glabrous; velvety. Color: Petal, when opening, upper surface: Close to 39A. Petal, when opening, lower surface: Close to 37B to 37C. Petal, fully opened, upper surface: Close to 37A, color becoming closer to 33D, 36A and 49A.

with development; at the center, close to 145A to 145B. Petal, fully opened, lower surface: Close to 38C, color becoming closer to 33A to 33B, 36D and 49C with development. Throat: Close to 145D. Tube: Close to 145C.

*Calyx*.—Arrangement: Star-shaped calyx with five fused sepals. Sepal length: About 1.3 cm. Sepal width: About 3.25 mm. Sepal shape: Lanceolate. Sepal apex: Acute. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Pubescent; velvety. Sepal color, upper surface: Close to 146A to 146D. Sepal color, lower surface: Close to 146A to 146B.

*Peduncles*.—Length: About 4.3 cm to 6.4 cm. Diameter: About 1.6 mm. Strength: Strong; wiry. Texture: Pubescent. Color: Close to 146A.

*Reproductive organs*.—Stamens: Quantity/arrangement: Four per flower, adnate to corolla tube. Anther shape: Two-parted; ovate. Anther length: About 1.4 mm. Anther diameter: About 1.4 mm Anther color:

Close to N144A. Pollen amount: Scarce. Pollen color: Close to 1A. Pistils: Quantity: One per flower. Pistil length: About 2 cm. Stigma shape: Ovate. Stigma color, immature and mature: Close to 146A. Style length: About 1.3 cm. Style color: Close to 145D. Ovary color: Close to 146B. Seeds: Length: About 5.2 mm. Diameter: About 1.2 mm. Color: Close to 197A.

Temperature tolerance: Plants of the new *Verbena* have been observed to tolerate temperatures from about 5° C. to about 30° C.

Pathogen/pest resistance: Plants of the new *Verbena* have not been observed to be resistant to pathogens and pests common to *Verbenas*.

It is claimed:

1. A new and distinct *Verbena* plant named 'Wesverepa' as illustrated and described.

\* \* \* \* \*

