



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : G06F 15/22	A1	(11) International Publication Number: WO 92/06438 (43) International Publication Date: 16 April 1992 (16.04.92)
---	----	---

(21) International Application Number: PCT/US91/07238

(22) International Filing Date: 1 October 1991 (01.10.91)

(30) Priority data:
591,380 1 October 1990 (01.10.90) US(71)(72) Applicant and Inventor: BUSH, Thomas, A. [US/US];
310 East 85th Street, Apt. 4D, New York, NY 10028 (US).


(74) Agent: SOFER, Joseph; Morgan & Finnegan, 345 Park Avenue, New York, NY 10154 (US).

(81) Designated States: AT (European patent), AU, BB, BE (European patent), BG, CA, CH (European patent), CS, DE (European patent), DK (European patent), ES (European patent), FI, FR (European patent), GB (European patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LU (European patent), MC, NL (European patent), NO, PL, SE (European patent), SU⁺.

Published

With international search report.

(54) Title: TRANSACTIONAL PROCESSING SYSTEM



(57) Abstract

A transactional processing system is used in conjunction with a transmitting source (10). The system allows for real-time authorization of payments for plurality of products and services made available by the transmitting source (10). A video menu (12) is sent to a receiver (26) representing a list of the available products and services. The receiver contains a credit or debit card reader (72) and transmits financial account information, as well as the selection from the menu (12) via a modem to a payment processor (30). The payment process (30) verifies the programming selection and account information and transmits an authorization signal to the vendor or service provider (60). The payment processor (30) would verify financial account information and forward payment authorization to a financial institution (40). The vendor (60) in turn sends the selected product to the consumer upon receiving payment from the financial institution.

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland			SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU ⁺	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

-1-
TRANSACTIONAL PROCESSING SYSTEM
BACKGROUND OF THE INVENTION

The advent of Cable transmission has opened up an extensive network of pay-per-selection markets to the consumer. A complete array of visual and audio entertainments from movies to 5 live and pre-recorded concerts and sporting events can now be brought directly into the consumer's home. Additionally, the cable viewer has access to a variety of goods and services via several shopping channels.

Presently, the home market is restricted by the amount of 10 time required to complete a pay-per-selection transaction. If an individual desires to purchase a good or a service, he or she must first contact the system operator, place the order, and then provide the operator with credit card information. The operator, in turn, must then contact the consumer's financial 15 institution to verify the billing information provided by the consumer. Once the system operator has been assured of receiving payment for the desired goods or services, then the consumer can receive the chosen goods or services. Due to the interaction between the consumer and the operator, efficiency of 20 the system would be degraded and a resulting built-in capacity would limit the number of transactions.

Alternatively, the operator can merely collect billing information and process it in a batch method at selected intervals. Although this method is faster than clearing each 25 transaction individually, the operator will be exposed to a certain number of uncollectible transactions.

Accordingly, there exists a need for a transactional processing system which would allow for efficient, real-time

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU ⁺	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

-2-

authorization of consumer transaction for a wide variety of services and products.

SUMMARY OF THE INVENTION

5 With the foregoing in mind it is an object of this invention to provide a new and improved real-time transactional processing system.

It is a further object of this invention to provide a non-interactive system where providing merchandise or services would
10 be both convenient for the consumer and reliable for the retailer.

It is still a further object of this invention to provide a convenient billing process where the need for mailing bills or for interacting with a service operator is removed.

15 It is still another object of this invention to provide a real-time credit authorization, thereby assuring payment on every transaction and eliminating batch or interactive billing processes with the vendor or service provider.

The present invention comprises a transmitting source, a
20 receiver and a transaction processor. The Source broadcasts one or many menus over a transmission channel, e.g., a T.V. cable channel. The consumer would have a wide variety of options to choose from the menu, depending on the available services provided by the source. The menu received by the customer could
25 list many different products or services available to pay for, for example; (1) paying for cable bill; (2) paying utility bills; (3) paying bills for merchandise purchased; (4) purchasing entertainment, concert or sporting event tickets; (6)

-3-

purchasing from any mail order catalog; (7) donating to fund raising events.

The system's receiver is in communication with the transmitting source and is also linked to a transaction
5 processor. The transaction processor, verifies the consumer's financial data, authorizes the proposed transaction and enables the consumer to complete the desired transaction.

The receiver is equipped with a card reader for, by way of example, a bank issued credit or debit card, to enable the
10 receiver to obtain and transmit information about an individual's account to the transaction processor. The consumer selects an item from the menu, and the receiver then transmits the information corresponding to that selection, as well as consumer's financial account information, to the transaction
15 processor via a modem. The transaction processor then verifies the consumer's financial information, and provides real-time authorization of payment for the selection. Next, the transaction processor (if not a financial institution) would transmit a payment authorization signal to a financial
20 institution. The financial institution in turn pays the retailer. The retailer could then send the consumer, the ordered product or service, or a receipt for the paid bill.

Brief Description of the Drawings

25 Fig. 1(A) is a block diagram of Transactional Processing System (TPS);

Fig. 1(B) is block diagram of an alternate embodiment of Transactional Processing System;

-4-

Fig. 2 is a block diagram of a TPS for real-time services requiring continuous update.

Fig. 3 is a block diagram of a TPS transmission system.

Fig. 4 is a diagram of Transactional Processing System key-
5 box.

Fig. 5 is a top view diagram of Transactional Processing System receiver.

Fig. 6 is a diagram of receiver installation.

Fig. 7A is a block diagram of the operation of
10 Transactional Processing System receiver.

Fig. 7B is a block diagram of the operation of Transactional Processing System receiver with a credit card recorder option.

Fig 8. is a flow chart of interaction between consumer and
15 a typical menu.

DETAILED DESCRIPTION OF THE INVENTION

Referring now to the drawings in which like numeral represent like components, Fig 1. illustrates a block diagram of Transactional Processing System (TPS). A Transmitting source
20 10 would broadcast a signal representing a menu. In the preferred embodiment this signal is video. The transmitting source 10, therefore, broadcasts one or many video menus, offering the consumer the option to pay for either a product or a service. The menu information 12 contains the picture or
25 graphic information corresponding to vendors and services available in the system. The menu information could be broadcasted through a transmission channel 16 to a receiver 18 typically operated by a cable, telephone company, microwave

-5-

,TVRO or DBS operator. In a preferred embodiment described herein, cable operator 18 would in turn transmit information to receivers 26 within its broadcast area, through transmission channel 20. Transmission channel 16 can be a full video channel 5 or a narrow band channel through a satellite uplink-downlink.

The menu information 12 could be an aggregate of many pictures corresponding to various products or services combined into one full video signal and demodulated into narrow band information, whereby the TPS receiver would allow the customer 10 to choose from many different menus without the cable operator 18 giving up a wide band or prime video channel.

In addition to menu information 12, the transmitting source 10, would also broadcast prompting data 14, which represent the necessary information to electronically prompt a subscriber 15 through the process of purchasing an item via a mail order catalog or paying for a selected service. Once the vendor or service is selected the prompting data for each vendor or service would be downloaded into a RAM within the receiver 26. The prompting information for each vendor or service could then 20 be displayed on an LCD within the receiver 26 or in a television set connected to the receiver 26. It is also possible to combine both the picture and prompting data information and transmit the combination to receiver 26.

The user at receiver 26, makes a menu selection and answers 25 the questions or prompts, pertinent to the selected vendor or service. The user then wipes a credit/debit card through receiver 26 which allows the credit/debit card to be authorized and a purchase or payment be made. The card information would

SUBSTITUTE SHEET

-6-

be transmitted from receiver 26 to transaction processor 30 via transmission channel 28. Typically receiver 26 would transmit the user selection and the financial account information via a modem, through a telephone line to transaction processor 30.

5 The transaction processor 30 would then verify the user's financial account. This includes verifying whether the consumer does in fact have the requisite sum available in the chosen account to pay for the selection made.

In the event that the consumer has used a credit card, the transaction processor 30 would then forward the verified information to a regional credit card network 42, through transmission channel 32. This information would be then forwarded to a participating financial institution 46, through transmission channel 44. The financial institution 46 would in

15 turn pay the vendor or service provider 60, and the consumer would receive a bill or receipt for that particular transaction. Similarly, in the event that the consumer has used a debit card, the transaction processor 30, would then forward the verified information to a regional debit card network 36, through

20 transmission channel 38. This information would be then forwarded to a participating financial institution 40, through transmission channel 38.

The transaction information would be also transmitted from transaction processor 30 to vendor or service provider 60, via

25 transmission channel 48. Vendor or service provider 60 would then in turn provide the service or the goods purchased to the user via appropriate channels. Vendor or Service provider 60 could also send purchasing data to transmitting source 10 via

SUBSTITUTE SHEET

-7-

transmitting channel 64 for upgrading service and product information, product availability, price change, products purchased and various other information.

There are various scenarios in which a transaction information could be verified. For example, in order for the consumer to be assured that the selected product or service can be delivered on a specific desired terms the transaction processor 30 would cross check the transaction information transmitted through channel 28 with the corresponding vendor or service database. Once that transaction has been cross-checked, the credit card processor 30 would send the authorization signal.

Alternatively the vendor/service provider 60 may update its corresponding database and transmit such updated information to transmitting source 10. Transmitting source 10 would then change the menu 12 and prompting data 14 and continuously broadcast the updated information to receivers 26. Actual cross-check before authorization could be made locally in receiver 26. Hence customer's selection would be compared with updated information broadcasted to receiver 26 for product verification purposes.

Fig. 1B depicts an alternate communication path for transaction authorization. When cable operator 18 requires to monitor all transaction interactions the consumer through receiver 26 would make a selection. The information representing such selected service or product would be transmitted to cable operator 18 via transmission channel 22. Cable operator 18 after receiving the transaction information

SUBSTITUTE SHEET

-8-

would retransmit such information to transaction processor 30 via transmission channel 24. Thereafter the transaction verification would proceed as discussed before.

There are, however, situations when up to the minute information is critical to the consumer and the retailer. A typical scenario is providing a limited product or service to a pool of consumers. This includes tickets for a performance or a sporting event. Since the available seats are very limited it would become impractical to update the database by service provider 60, transmit that database to source 10, and retransmit that information to receiver 26 for verification purposes.

An alternate communication path as depicted in Fig. 2 could thus be established, wherein TPS user through a series of prompts would select the desired event. The information representing the user's choice would be transmitted to a ticket provider 61 like Ticketron, via transmission channel 52. The Ticket provider 61 contains a database wherein available seats are continuously updated and the desired selection would be cross-checked against that database. If desired seat is available, the Ticket provider 61 would transmit the transaction information to transaction processor 30 via transmission channel 50 for credit authorization. Once the credit is authorized as described hereinabove, the credit processor would transmit the verification signal to ticket provider 61, wherein the database contained therein would be updated and a confirmation message would be transmitted to the receiver 26 via transmission channel 52. The ticket provider 61 would transmit updated event

-9-

availability and other pertinent information to source 10 through transmission channel 64.

Fig. 3 shows the block diagram of transmitting source 10, wherein all the pertinent information for system's operation is 5 programmed and accordingly transmitted to receivers 26. Vendor or service provider's data can be transferred to the transmitting source 10, either through asynchronous communication or by hard copy data like computer disk storage. In Fig. 3, the high capacity data input device 202, has the 10 ability to load menu(picture or graphics) and prompting data information via external disk storage devices 214 and 216. Alternatively, both the video and prompting information could be combined and fed into the data input device 202 together. Various vendors who do not maintain an in-house database, could 15 periodically update their product information and send the updated information to TPS programmer, in the form of computer disks 214 and 216. That information would be then transferred to the Main CPU 204, which controls the overall data formatting, and transmits the formatted data to parallel data to video 20 interface 212.

In situations where the vendor or the service provider maintains a database for updating the product information, transmitting source 10 would be connected to that database via communications channel 64. The high speed vendors' or service 25 providers' data would then be transmitted asynchronously from corresponding databases to computer dedicated processor 201. That information would be buffered within processor 201. The processor 201 would then perform packet formatting and output

SUBSTITUTE SHEET

-10-

this data in a synchronous manner that is polled by the main CPU 204.

The main CPU 204, would perform time multiplexing to gather data belonging to various vendors and service providers. The 5 data along with the formatted menu, prompting data and other housekeeping information will be time multiplexed and assembled by the main CPU 204 for transmission over the parallel bus to the parallel data to video interface 212. The video interface 212, converts the digital data into video format for 10 transmission to receivers 26. In the embodiment mentioned herein, video interface 212, is model 17480, by Quantel.

Hard disk 206 stores all the necessary information for the transmitting source 10. Data from main CPU 204 to video interface 212, is transmitted via an extended SCSI or ESDI, as 15 commonly known in the art.

Fig. 4, depicts a side elevation of receiver 26 wherein slot 72 provides the space for wiping the credit or debit card. Display 76 allows for the user to page through the menus and their corresponding prompts. Keyboard 74 allows for 20 various control functions.

Fig. 5, depicts the top view of receiver 26, wherein a sample menu on display 76 has been shown. TPS user by pressing appropriate buttons may page through various prompts and answer them accordingly for a desired product or a service.

25 Fig 6. depicts TPS receiver 26 installation diagram. Line 102 carries the information signals from cable operator to receiver 26 through cable-in jack 116. Various signal processing functions as will be discussed hereinafter would be

-11-

conducted on the information signals. The menu and prompting information would then be transmitted to TV set 112 through line 100. Phone line 104 sends the transaction information to telephone company line through jack 108. 2-way splitter 106
5 allows for both the telephone set 110 and receiver 26 use the same phone line accordingly.

The actual data processing within receiver 26 will be next explained based on the block diagram depicted in Fig. 7A. Receiver 26 would decode the data transmitted into cable feed
10 116. This data may contain menu and prompting information for various vendors or service providers. Microprocessor 201 controls all the functions of receiver 26. Menu and prompt information are initially encoded into multiple subchannels and all the multiple subchannels are encoded into one cable channel
15 with 8 MHz bandwidth. Phased Locked Loop (PLL) synthesized tuner 215 selects the initial cable channel which would contain all the various subchannels. Phased Locked Loop synthesized tuner 216 outputs an intermediate carrier frequency which has the selected subchannel encoded on to it, wherein the desired
20 menu and prompting information are contained. TPS user by pressing the desired selection would prompt microprocessor 201 to send the proper information to channel control 217. Channel control 217 will in respond send the data for setting the demodulating frequency in tuners 215 and 216, corresponding to
25 the desired menu and prompt information.

Demodulator data separator 214 takes the RF channel that was selected by tuners 215 and 216 and steps down the carrier frequency and separates the desired data from the carrier

-12-

frequency. The demodulated data would be then presented in parallel format onto the CPU bus 240, for transfer through microprocessor 201 to menu text ram memory 205. Encoded indexing data would be presented to microprocessor 201, in 5 demodulated packets of data, that would be used as cues for the various types of menuing data, under program control, so that appropriate menus and text would be placed in the correct memory in the desired sequence and location.

Memory 202 is a non volatile read and write memory (NVRAM) 10 which contains all of the main program instructions for operating receiver 26. NVRAM 203 would contain a unique subscriber I.D. Subscriber I.D. could be electrically erasable and therefore it could be remotely programmed with a unique I.D. number.

15 RAM 204 is just a scratch pad memory for use by the microprocessor 201 for conducting various calculations and memory moves that are necessary in operating the receiver.

Menu text RAM 205, is a paged RAM for storing individual pages of display text memory which can then be accessed, a page 20 at a time and dumped out into the video character generator 206 which would probably have a single page of RAM. Menu text RAM 205 would hold as many pages as necessary for the system.

Video character generator 206, would take individual pages of RAM loaded in menu text RAM 205, and then transmit the 25 information in the form of video signal, into line 226 which is a direct video output. Video character generator 206 may also transmit video information to video RF modulator 210 which in turn feeds the information into RF switch 213. RF switch 213

SUBSTITUTE SHEET

-13-

selects the proper input and feeds the video information through line 100 into the television receiver 112. The menu and data information would, thereby, be displayed on the television 112 display.

5 Block 207 represents the time of day clock for any real time actions that the microprocessor requires for proper operation of the system. Time of day clock is of importance when the service provided is an event that is broadcasted through the cable to authorized receivers only. The consumer
10 can select a desired program to view at a specific time of the day. The transmitting source 10, continuously sends the scheduling information and the choice of programs available to view. The receiver 26, would then cross-check the actual time and date of the desired transaction with the database being sent
15 by transmitter source 10. Once the actual transaction is verified, the financial information would be sent to transaction processor 30, for payment authorization. Upon approval, microprocessor 201, would send the appropriate signals to channel control 217, at the desired time and date, which in turn
20 transmits the appropriate tuning codes to PLL synth tuner , for tuning to the encrypted signal that carries the desired program. PLL tuner 232 is typically tunable to a 8MHz cable channel, acting as a receiver front end with channel 3 output. The output of PLL tuner 232, sends an unencrypted signal via line
25 234 to RF switch 213, wherein the signal representing the desired program would be sent to the T.V. set through RF output of RF switch 213.

SUBSTITUTE SHEET

-14-

A UART 208 is connected to a credit card swiper for taking information in from a credit card. The data received from credit card, would then be verified by microprocessor 201 and or transmitted through UART 209 and modem 212 to transaction processor 30 via the public telephone network for credit card verification and charge.

Programmable peripheral interface (Parallel Interface) 218, is a dual 8 bit parallel port with a defined bus address. Port A of 218 drives an 8 bit addressable multi-line multi-column LCD Display with internal display drivers 220. Key Scan circuit 221 and Keyboard circuit 223, generate appropriate signals upon depression of keyboard buttons 74. The generated signals are then presented to port B of parallel interface 218.

The channel selection is done by TPS user by pressing the appropriate selection on keyboard 74. The appropriate vendor or service whose information is encoded into a specific channel would correlate to the key depressed by the TPS user. The microprocessor 201 would then load the proper control codes into channel control 217 for selecting the channel containing the corresponding desired menu and prompting data or encrypted video.

RF switch 213 is a 3 by 1 switch which could also bypass the cable feed directly to television 112 without processing the data. Video character generator 206 as stated above would also have a direct video out for users who would want to view the information at a high quality monitor instead of television sets. Microprocessor 201 can be a relatively simple 8 bit

-15-

microprocessor with a high clock rate which would serve the needs of the system.

Fig. 7B is another TPS keypad schematic with an additional improvement for credit card recording. With the advent of smartcards, it is possible to store pertinent financial information of various institutions on a memory located on one card only. It is possible to update the stored memory on said smartcards by connecting a credit card recorder 234 to receiver 26, through UART 236. The information on the credit card can be then remotely read or recorded via microprocessor 201 for updating purposes, and thereafter for transmitting the financial information, for the appropriate transaction. This additional option allows for a widespread use of smartcards, which up to now were hindered for lack of a proper and convenient method of updating the information stored in the cards.

Fig 8. is an example of questions and answer prompts for ticket purchasing described herein above. The main menu contains various service or product selection. The TPS user would select prompts for purchasing a desired ticket. The prompt would change into more specific questions like region, state, city, event, location, artist, date & time, seating section number of tickets, next day delivery, etc... Every category would be subdivided into more specific questions whereby the user can select the precise event and schedule accordingly.

More specifically a typical menu as shown in Fig.8 would first have a main menu display 300. The consumer by pressing a button could select one of many services available in the

SUBSTITUTE SHEET

-16-

system. For purposes of example, this may include Home Shopping 301, or Paying Bills 302, or Charity donation 303, or Ticket Purchasing 304. Assuming that the consumer has selected the Ticket Purchasing option 304, the system then displays a variety of choices, including Region 306, State 320, City 330, Event 340, Location 350, Artist 360, Date & Time 370, Seating Section 380, Number of Tickets 390, and Next Day delivery 392.

The consumer can purchase tickets based upon the information shown on the display. For example the menu can prompt the consumer on the desired region in the country. Assuming that the consumer has selected Northeast region 307, the menu then inquires on the States located in that region. Upon selecting New York State 324 from the State 320 menu, the major cities in the selected State would be displayed. Assuming that New York City 333 is selected, then the available events in New York City would be displayed on event menu 340. The event could be concert 341, or Theater 342, or Sports 343. Depending on the event selected the corresponding location to that event would be then displayed on location menu 350. Once the consumer selects a desired location, the menu then displays various artists performing in the selected location, on display menu 360. The consumer then selects the desired artist, which in turn allows for the dates and times of the artist's performance be displayed on Date & Time menu 370. Since receiver 26 is directly communicating with Ticket provider's database, up to the minute information can be verified. Upon selecting the date and the time of the desired event, the Seating Section menu 380, then displays the available seating areas. Once the seating

SUBSTITUTE SHEET

-17-

section is chosen, the Number Of Tickets menu 390 asks for the desired number of tickets. The next prompt would be delivery of the actual purchased tickets, which could be done by mail or at the theater counter.

5 The receiver 26 can be used for various purposes; purchasing products from various catalogs; obtaining instant ticket access; a media news channel whereby the viewer can access the channel by selecting the appropriate menu selection; ballot box, where a convenient 900 number voting service may be
10 used, whereby the user by pressing a button on the menu would select a voting option on the video menu and receiver 26 would dial a 900 number for voting purposes; donation box, whereby a viewer by pressing appropriate menu selection and wiping the credit card off the receiver 26 may donate to a desired charity;
15 software downloading where the user may rent or purchase a particular software broadcasted by transmitting source 10 and any other application. The software may include video games available for rent and eventual purchase. The consumer hence would be able to try a video game through receiver 26 and
20 through appropriate downloaded software for operating the microprocessor 201 of Fig. 7A. The service provider could charge the consumer on a periodic basis; It is also possible to control receiver 26 by a remote controller with credit card reading ability, whereby the transaction information can be
25 conducted remotely from the receiver 26. Video information can also be fed into a computer and hence allow a computer interaction with the system for various purposes within the scope of this invention.

SUBSTITUTE SHEET

-18-

While the invention has been described in its preferred embodiments, it is to be understood that the words which have been used are word of description, rather than limitation, and that changes may be made within the preview of the appended
5 claim without departing from the scope and spirit of the invention.

-19-

I claim:

1. A transactional processing system for purchasing selected products and services and processing corresponding financial transactions in real-time comprising:

5 (a) a programming transmitter means for broadcasting a set of transaction information via a first communications channel;

(b) a plurality of receiver means for receiving said transaction information, said receiver means allowing users to
10 select a desired product and service; and

(c) a transaction processor means for receiving financial information of said users from said receiver means, via a second communication channel, said transaction processor authorizing payments in real time for said selected products and
15 services.

2. A system according to claim 1, wherein said set of transaction information further comprises a plurality of prompting data corresponding to a product or service for prompting users to make a selection.

20 3. A system according to claim 2, wherein said set of transaction information further comprises:

A plurality of graphic information corresponding to the desired product or service.

4. A system according to claim 1, wherein said first
25 communication channel further comprises:

(a) a satellite uplink/downlink transmission between said programming transmitter and one operator means for receiving and transmitting information ; and

SUBSTITUTE SHEET

-20-

(b) a broadcast channel from said operator means to said receiver means.

5. A system according to claim 1, wherein said second communication channel is a telephone line.

5 6. A system according to claim 2, wherein said transaction processor after authorizing payments, transmits an authorizing signal to a financial institution, said financial institution making payments to vendors or service providers.

7. A system according to claim 6, wherein said
10 transaction processor further transmits transaction information to said vendors or service providers, allowing said vendors or service providers supply selected products or services.

8. A system according to claim 7, wherein said vendors or service providers transmit updated information on their product
15 and service to said transmitting source.

9. A system according to claim 2, wherein said receiver means comprises a slot for wiping a credit card.

10. A system according to claim 3, wherein said receiver means is connected to a television set, said graphic information
20 and said prompting data being displayed on said television set.

11. A system according to claim 2, wherein said receiver means comprises an LCD display means for displaying said prompting data.

12. A system according to claim 3, wherein said receiver
25 means comprises an output means for transmitting video signals representing said graphic information and prompting data to a video monitor.

-21-

13. A system according to claim 2, wherein said receiver means further comprises:

(a) a microprocessor means for controlling various functions of said receiver means, said microprocessor means
5 connected to a data bus and to an address bus;

(b) a tuning and demodulating means for receiving and demodulating a channel containing selected graphic and prompt information, said demodulating means connected to said data bus and said address bus;

10 (c) a first memory means for storing a program for operating said receiver, said memory means connected to said data bus and said address bus;

(d) a second memory for storing said graphic and prompt information, said second memory means connected to data
15 bus and said address bus;

(e) a video character generating means for converting said graphic and prompt information into video signals, said video character generating means connected to said data bus and said address bus;

20 (f) a first interface means for displaying said graphic and prompt information on an LCD display said first interface means connected to said data bus and said address bus;

(g) a second interface means for scanning a key pressed on said receiver, said second interface means connected
25 to said data bus and said address bus;

(h) a third interface means for connecting a card swiper wherein card information from said card can be read by swiping said card through said card swiper and said information

-22-

can in turn be fed into said third interface, said third interface connected to said data bus and said address bus; and

(i) a fourth interface means for connecting a telephone modem, wherein desired transaction information can be
5 transmitted by said modem from said receiver to said transaction processor, said modem receiving data from said fourth interface means, said fourth interface means connected to said data bus and said address bus.

14. A system according to claim 13 further comprising a
10 fifth interface means for connecting a credit card recording means, for recording and updating information stored on said credit card, said fifth interface means connected to said data bus and said address bus.

15. A system according to claim 13, wherein said
15 transmitting source further comprises:

(a) a microprocessor means for controlling the overall data formatting, said data corresponding to a plurality of vendors and services available in the system, said microprocessor means connected to a data bus;

20 (b) a dedicated processor means for receiving and buffering asynchronous data from said vendors and service providers, said dedicated processor performing packet formatting, and transmitting said data in a synchronous manner to said data bus, said microprocessor means polling said
25 dedicated processor for accomplishing said synchronous data transmittal;

(c) a data input device means for loading graphic and prompting information corresponding to the plurality of vendors

-23-

and service providers, via external memory means, said data input device connected to said data bus for transmitting said information; and

(d) a parallel data to video interface means for receiving
5 from said microprocessor means, data corresponding to said plurality of vendors and service providers, and converting said data into a video format appropriate for video transmission, said microprocessor means formatting said graphic and prompting data, and time multiplexing and assembling said data for
10 transmission to said parallel data to video interface.

16. A system according to claim 15, wherein the service provided is an event that is broadcasted to authorized receivers, said system further comprising:

(a) a transmitting source sending scheduling information
15 and choice of programs available for viewing;

(b) a receiver further comprising a time and date tracking means for maintaining the actual time and date, said receiver verifying a desired program and schedule with said scheduling information, said receiver further sending appropriate signals
20 at said desired time and date, for tuning to a signal that carries the desired program.

17. A system according to claim 4, wherein said second communication channel, comprises a transmission path between said user and said operator said user transmitting transaction
25 information, said operator transmitting said transaction information to said transaction processor.

SUBSTITUTE SHEET

-24-

18. A transaction processing system for purchasing tickets and processing corresponding financial transaction in real-time comprising:

(a) a programming transmitter means for sending
5 updated prompting data corresponding to a plurality of performances and sporting events, via a first communication channel, said tickets available for said events;

(b) a plurality of receiver means for receiving said prompting data via said first communication channel, said
10 receiver means allowing users to select tickets for a desired event;

(c) a database means containing information on available seats and events, said receiver means transmitting transaction information to said database means, via a second
15 communication channel, said information comprising desired ticket information and purchaser's financial information, said database means verifying said transaction information;

(d) a transaction processor means for receiving financial information from said database means, said transaction
20 processor authorizing payments in real time for said selected tickets, said transaction processor transmitting a verification code to said database means, said database means updating said information on available seats and events, said database means further transmitting verification information to said receiver
25 means.

19. A system according to claim 18, wherein said first communication channel comprising:

-25-

(a) a satellite uplink/downlink transmission between said programming transmitter and an operator means for receiving and transmitting information; and

(b) a broadcast channel from said operator means to
5 said receiver means.

20. A system according to claim 19, wherein said database means transmits updated information on available performances and events to said programming transmitter.

21. A method for real-time authorization of payment for
10 goods and services from a retailer available through a video menu comprising the steps of:

(a) transmitting said menu to a receiver;

(b) transmitting to a payment processor via a modem,
information by said receiver, said information comprising
15 consumer's financial account and consumer's selection from said menu.

(c) verifying said consumer financial account
information by said payment processor, and thereafter
authorizing payment for said selection.

20 22. A method according to claim 21, further comprising the steps of transmitting by said payment processor a payment authorization signal to a financial institution.

23. A method according to claim 22, further comprising the
step of forwarding by said financial institution, said payment
25 authorization to said retailer.

24. A method of transaction processing for purchasing
tickets and processing corresponding financial transaction in
real-time comprising the steps of:

-26-

(a) transmitting updated menus by a transmitter source, said menus corresponding to a plurality of performances and sporting events;

(b) receiving said menus by a receiver means and
5 transmitting information to a database means via a modem by said receiver, said information relating to consumer's financial account and consumer ticket selection from said menus; and

(c) verifying said consumer ticket selection by said database means, and transmitting said financial account
10 information by said database means to said payment processor and thereafter said payment processor authorizing payment for said selection.

25. A method according to claim 24 further comprising the step of transmitting by said payment processor a payment
15 authorization signal to a financial institution.

26. A method according to claim 25 further comprising the step of forwarding by said financial institution said payment authorization to said database means.

SUBSTITUTE SHEET




FIG. 1A

2/10




FIG. 1B

3/10




FIG.2

A/10




FIG. 3




FIG. 4

6/10




FIG. 5

7/10

TPS RECEIVER INSTALLATION
CUSTOMERS' HOUSEHOLD





FIG.6

FROM CABLE
OPERATOR

TO TELCO



9/16




FIG. 7-B





FIG. 8

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US91/07238

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶		
According to International Patent Classification (IPC) or to both National Classification and IPC		
IPC: G06F 15/22		
US CL: 364/401		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
US CL	304/401,403,408	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹		
Category [*]	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
A	US, A, 4,720,849 (TAYAMA) 19 JANUARY 1988 See the entire document	1-21
A	US, A, 4,845,636 (WALKER) 04 JULY 1989 See entire document	1-21
A	US, A, 4,755,872 (BESTLER) 01 JULY 1989 See the entire document	1-21
A	US, A, 4,807,023 (BESTLER) 21 FEBRUARY 1989 See the entire document	1-21
Y	US, A, 739,510 (JEFFERS) 19 APRIL 1988 (Note fig. 2)	4,17,19,20
A	US, A, 4,704,725 (HARVEY) 03 NOVEMBER 1987 See the entire document	1-21
A	US, A, 4,893,248 (PITTS) 09 JANUARY 1990	1-21
P,A	US, a, 5,060,068 (LINDSTROM) 22 OCTOBER 1991 See the entire document	1-21
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>[*] Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
23 NOVEMBER 1991		15 JAN 1992
International Searching Authority		Signature of Authorized Officer
ISA/US		 ANDREW BODENDORF

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document. with indication, where appropriate, of the relevant passages	Relevant to Claim No
E,A	US, A, (LEE), 20 AUGUST 1991 See the entire document <i>Need ATT. NO. 5,042,002</i>	1-21
P,A	US, A, 5,020,129 (MARTIN) 28 MAY 1991	1-21
Y	US, A, 4,359,631 (LOCKWOOD) 16 NOVEMBER 1982 (Note fig. 8-10)	8,19,20,24-26
X	US, A, 4,789,863 (BUSH) 06 DECEMBER 1988 See the entire document	1,2,5,6,7,9,21, 22,23
Y	US, a, 4,450,477 (LOVETT) 22 MAY 1984 (Note col. 17)	3,10,11,12