(19) DANMARK

(10) DK/EP 3701971 T3

(12) Oversættelse af europæisk patentskrift

Patent- og Varemærkestyrelsen

(51) Int.Cl.: *A 61 K 47/68 (2017.01)* *C 07 K 16/00 (2006.01)* *C 07 K 16/24 (2006.01)*

(45) Oversættelsen bekendtgjort den: **2022-10-24**

(80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2022-07-06**

(86) Europæisk ansøgning nr.: **19213331.2**

(86) Europæisk indleveringsdag: **2015-03-13**

(87) Den europæiske ansøgnings publiceringsdag: **2020-09-02**

(30) Prioritet: **2014-03-14 US 201461953650 P**

(62) Stamansøgningsnr: **15760986.8**

(84) Designerede stater: **AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**

(73) Patenthaver: **Biomolecular Holdings LLC, 329 Primrose Road No.2, Burlingame CA 94010, USA**

(72) Opfinder: **CAPON, Daniel J., 90 Woodridge Road, Hillsborough, CA 94010, USA**

(74) Fuldmægtig i Danmark: **AWA Denmark A/S, Strandgade 56, 1401 København K, Danmark**

(54) Benævnelse: **FORBINDELSER ANVENDELIGE I FREMSTILLING AF HYBRID IMMUNOGLOBULIN INDEHOLDENDE IKKE-PEPTIDYLBINDING**

(56) Fremdragne publikationer:
WO-A1-2012/156918
JOSHUA D. THOMAS ET AL: "Application of Strain-Promoted Azide-Alkyne Cycloaddition and Tetrazine Ligation to Targeted Fc-Drug Conjugates", BIOCONJUGATE CHEMISTRY, vol. 23, no. 10, 17 October 2012 (2012-10-17), pages 2007-2013, XP055286002, US ISSN: 1043-1802, DOI: 10.1021/bc300052u

DESCRIPTION

Background of the Invention

[0001] Proteins prefer to form compact globular or fibrous structures, minimizing their exposure to solvent. This tendency is inherent both in the polypeptide backbone with its propensity for hydrogen-bonded secondary structure, and in side chain interactions that promote tertiary folding. Thus, previous efforts to introduce "flexibility" into antibodies using peptides have been largely inadequate. For example, it is common to employ combinations of an amino acid that favors solvent interactions (e.g., serine) with one that breaks up helical structure (e.g., glycine). While this approach is useful in making fusion proteins such as single-chain antibody fragments (scFv), the resulting structures are actually quite compact with no evidence of extendibility (for example, see Robert et al, (2009) Engineered antibody intervention strategies for Alzheimer's disease and related dementias by targeting amyloid and toxic oligomers. Protein Eng. Des. Sel. 22, 199-208). Furthermore, such sequences are likely to create additional problems due to their intrinsic immunogenicity and proteolytic susceptibility.

[0002] Thomas et al., Bioconjugate Chemistry 2012, 23, 2007-2013 describes an approach wherein antibody Fc fragments harboring a single C-terminal selenocysteine residue (Fc-Sec) are attached to a bifunctional linker that contains a cyclooctyne "handle".

[0003] There is a need for new protein compounds, incorporating nonprotein chains, that are both flexible and extendible, as well as processes for producing such compounds.

Summary of the Invention

[0004] In a first aspect not covered by the present invention, the specification describes a compound having the structure:

A-B-----Z

wherein A is a biologically active structure of the compound;

wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_C domain of an antibody; (ii) bind to an F_C receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is a chemical structure linking A and Z;

wherein the dashed line between B and Z represents a peptidyl linkage; and

wherein the solid line between A and B represents a nonpeptidyl linkage.

[0005] The present invention provides a compound having the structure:

$L\text{-}R_a\text{-}B\text{-----}Z$


wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is is an organic acid residue, or a stretch of 1-50 amino acid residues linking R_a and Z;



wherein the dashed line between B and Z represents a peptidyl linkage between an N-terminal cysteine or selenocysteine of a polypeptide of Z and an amino acid residue or an organic acid residue of B;


wherein L is selected from the group consisting of: a tetrazine and a trans-cyclooctene; and

wherein R_a is a bond or an organic structure consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,





,



,


,



,





,


,



,





,



,


,




,



,


,


,








wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:



wherein y = 1-100 and z = 1-10.

[0006] In a further aspect not covered by the present invention, the specification also describes a process for producing a compound having the structure:

A-B-----Z

wherein A is a biologically active structure of the compound;

wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is a chemical structure linking A and Z;

wherein the dashed line between B and Z represents a peptidyl linkage;

wherein the solid line between A and B represents a nonpeptidyl linkage;

which comprises the following steps:

1. a) obtaining an A' which comprises A or a derivative of A, and a first terminal reactive group;
2. b) obtaining a B' which comprises B or a derivative of B, a second terminal reactive group and a third terminal reactive group, wherein the second terminal reactive group is capable of reacting with the first terminal reactive group to form a non-peptidyl linkage;
3. c) obtaining a Z' which comprises Z or a derivative of Z, and a fourth terminal reactive group, wherein the fourth terminal reactive group is capable of reacting with the third terminal reactive group to form a peptidyl linkage; and
4. d) reacting A', B' and Z' in any order to produce the compound.

Brief Description of the Drawings

[0007]

FIG. 1 shows the preparation of alkyne-modified TNR1B by cleavage of a TNR1B-intein fusion protein with cystyl-propargylamide. The intein by-product is removed by chitin chromatography. Azide-modified TNR1B and cycloalkyne-modified TNR1B are similarly prepared using cystyl-3-azidopropylamide, and various cyclooctyne (eg. DIBAC) derivatives of cysteine, respectively.

FIG. 2 shows the cleavage of TNR1B by (1) cysteine, (2) cysteine + mercaptoethane sulfonate (MESNA), (3) cystyl-propargylamide, (4) cystyl-propargylamide + MESNA, and (5) MESNA. All compounds were used at 50 mM concentration.

FIG. 3 shows the preparation of azide-modified Fc6 by ligation (peptidyl) of the Fc6 dimer and azide-DKTHT-thioester (Table 1) .

FIG. 4 shows the preparation of azide-modified Fc6 by ligation (peptidyl) of the Fc6 dimer and azide-PEG_n-DKTHT-thioester (Table 1). Cycloalkyne-modified Fc is similarly prepared by using DIBAC-PEG_{12}-thioester.

FIG. 5 shows SDS-PAGE analysis (reducing conditions) of (1) unmodified Fc6, (2) the Az-DKTHT-Fc6 reaction product of FIG. 3, and (3) the Az-PEG_4-DKTHT-Fc6 reaction product of FIG. 4. FIG. 6 shows the synthesis of TNR1B-alkyne-azide-Fc6 by ligation (non-peptidyl) of alkyne-modified TNR1B and Az-DKTHT-Fc6.

FIG. 7 shows the synthesis of TNR1B-alkyne-azide-PEG_n-Fc6 by ligation (non-peptidyl) of alkyne-modified TNR1B and azide-PEG_n-DKTHT-Fc6. In this example, n = 4.

FIG. 8 shows SDS-PAGE analysis (reducing conditions) of (1) alkyne-modified TNR1B alone, (2) alkyne-modified TNR1B + Az-DKTHT-Fc6 in the absence of catalyst, (3) alkyne-modified TNR1B + Az-DKTHT-Fc6 + catalyst leading to the product of FIG. 6, and (4) dialyzed alkyne-modified TNR1B + Az-DKTHT-Fc6 + catalyst leading to increased formation of the product of FIG. 6 (5) alkyne-modified TNR1B + Az-PEG_4-DKTHT-Fc6 in the absence of catalyst, (6) alkyne-modified TNR1B + Az-PEG_4-DKTHT-Fc6 + catalyst leading to the product of FIG. 7, and (7) dialyzed alkyne-modified TNR1B + Az-PEG_4-DKTHT-Fc6 + catalyst leading to increased formation of the product of FIG. 7. The arrows correspond to (a) Mr ~75,000, (b) Mr ~65,000, (c) Mr ~43,000, and (d) Mr ~28,000.

FIG. 9 shows SDS-PAGE analysis (reducing conditions) of (1) TNF1B-Fc fusion protein (etanercept) alone, (2) alkyne-modified TNR1B + Az-DKTHT-Fc6 + catalyst leading to the product of FIG. 6, (3) TNF1B-Fc fusion protein (etanercept), and (4) alkyne-modified TNR1B + Az-PEG_4-DKTHT-Fc6 leading to the product of FIG. 7. The arrows correspond to (a) Mr ~75,000, (b) Mr ~65,000, (c) Mr ~43,000, and (d) Mr ~28,000.

FIG. 10 shows SDS-PAGE analysis (reducing conditions) of (1) unmodified Fc6 + catalyst, (2) alkyne-modified TNR1B + unmodified Fc6 + catalyst (3) Az-DKTHT-Fc6 + catalyst, (4) alkyne-modified TNR1B + Az-DKTHT-Fc6 + catalyst leading to the product of FIG. 6, and (5) alkyne-modified TNR1B alone. The arrows correspond to (a) Mr ~75,000, (b) Mr ~65,000, (c) Mr ~43,000, (d) Mr ~28,000, and (e) Mr ~ 27,000.

FIG. 11 shows tryptic peptided identified by LC/MS in the TNR1B-alkyne-azide-DKTHT-Fc6 product (Mr ~75,000) of FIG. 10. The underlined peptide sequences are those identified by LC/MS that are derived from the parent TNR1B (upper) and Fc6 (lower) sequences.

FIG. 12 shows SPR analysis of TNF-D binding by the TNR1B-alkyne-azide-DKTHT-Fc6 (left panel) and

TNR1B-alkyne-azide-PEG_4-DKTHT-Fc6 (right panel) reaction products of FIG. 9. The kinetic binding data are summarized in Table 2.

FIG. 13 shows the preparation of adalimumab Fab' in a three-step process: 1) IdeS cleavage to the Fab'2 + Fc' fragments, 2) Protein A chromatography to remove the Fc' fragment, and 3) mild reduction of the Fab'2 fragment to the Fab' fragment with 2-mercaptoethylamine (MEA).

FIG. 14 shows SDS-PAGE analysis of (1) adalimumab, (2) adalimumab after IdeS cleavage, (3) adalimumab Fab'2 after Protein A purification, (4) adalimumab Fab' after MEA treatment of the Protein A purified Fab'2, (5) adalimumab Fab'2 after Protein A purification, and (6) adalimumab Fab' after MEA treatment of the Protein A purified Fab'2. The samples in lanes 1, 2, 5 and 6 were analysis under reducing conditions; while the samples in lanes 3 and 4 were analyzed under non-reducing conditions. The arrows correspond to the (a) heavy chain, (b) heavy chain Fc' fragment, (c) heavy chain Fd' (variable region-containing) fragment, and (d) light chain.

FIG. 15 shows the preparation of cycloalkyne-modified Fab' by the reaction of adalimumab Fab' with DIBAC-PEG_y-Lys(Mal). In this example, PEGy = PEG_{12}.

FIG. 16 shows SDS-PAGE analysis (non-reducing conditions) of the synthesis and purification of cycloalkyne-modified adalimumab Fab'. Upper panel shows the reaction at (1-6) pH 7.4 and (7-12) pH 7.0. The DIBAC-PEG_y-Lys(Mal) to Fab' ration was (1) 0, (2) 10:1, (3) 5:1, (4) 2.5:1, (5) 1.2:1, (6) 0.6:1, (7) 0, (8) 10, (9) 5, (10) 2.5, (11) 1.2, and (12) 0.6:1. The lower panel shows (1) unreacted Fab', (2) through (12) Protein L flow-through fractions containing only the cycloalkyne-modified Fab' .

FIG. 17 shows SDS-PAGE analysis (reducing conditions) of (1) Fc6, (2) Az-DKTHT-Fc6, (3) Az-PEG_{12}-DKTHT-Fc6, (4) Az-PEG_{24}-DKTHT-Fc6, and (5) Az-PEG_{36}-DKTHT-Fc6.

FIG. 18 shows size-exclusion chromatography of (a) Az-PEG_{36}-DKTHT-Fc6, (b) Az-PEG_{24}-DKTHT-Fc6, (c) Az-PEG_{12}-DKTHT-Fc6, (d) Az-DKTHT-Fc6, and (e) Fc6.

FIG. 19 shows the synthesis of Fab'-PEGy-alkyne-azide-PEGx-Fc6 by ligation (non-peptidyl) of cycloalkyne-modified adalimumab Fab' and azide-modified Fc6.

FIG. 20 shows the Fab'-PEGy-alkyne-azide-PEGx-Fc6 product series.

FIG. 21 shows SDS-PAGE analysis of (1) adalimumab whole antibody, (2) adalimumab Fab', (3) Fab'-PEG_{12}-alkyne, (4) Fab'-PEG_{12}-alkyne + Az-DKTHT-Fc6, (5) Az-DKTHT-Fc6, (6) Fab'-PEG_{12}-alkyne + Az-PEG_{12}-DKTHT-Fc6, (7) Az-PEG_{12}-DKTHT-Fc6, (8) Fab'-PEG_{12}-alkyne + Az-PEG_{24}-DKTHT-Fc6, (9) Az-PEG_{24}-DKTHT-Fc6 alone, (10) Fab'-PEG_{12}-alkyne + Az-PEG_{36}-DKTHT-Fc6, (11) Az-PEG_{36}-DKTHT-Fc6, and (12) Fc6. Samples were run under reducing conditions (upper panel) and non-reducing conditions (lower panel). In the upper panel the arrow shows (a) Fab'-PEGy-alkyne-azide-PEGx-Fc6 heavy chain. In the lower panels the arrows show (a) two-handed Fab'-PEGy-alkyne-azide-PEGx-Fc6 molecules, and (b) one-handed Fab'-PEGy-alkyne-azide-PEGx-Fc6 molecules.

FIG. 22 shows size-exclusion chromatography (SEC) of two-handed reaction products: (a) Fab'-PEG_{12}-alkyne-azide-PEG_{36}-DKTHT-Fc6, (b) Fab' -PEG_{12}-alkyne-azide-PEG_{24}-DKTHT-Fc6, (c) Fab'-PEG_{12}-alkyne-azide-PEG_{12}-DKTHT-Fc6, (d) Fab'-PEG_{12}-alkyne-azide-DKTHT-Fc6, and (e) whole adalimumab.

FIG. 23 shows the inhibition of TNF-α cytotoxity on WEHI cells by reaction products. The upper panel shows the (a) Fc6 control, (b) cycloalkyne-modified Fab', (c) Fab'-PEG_{12}-alkyne-azide-DKTHT-Fc6, and (d) Fab'-PEG_{12}-alkyne-azide-PEG_{12}-DKTHT-Fc6.

The lower panel shows (a) Fc6 control, (b) cycloalkyne-modified Fab', (c) Fab'-PEG_{12}-alkyne-azide-PEG_{24}-DKTHT-Fc6, and (d) Fab'-PEG_{12}-alkyne-azide-PEG_{36}-DKTHT-Fc6.

FIG. 24 shows the purified N3-Px-Fc proteins by SDS-PAGE under reducing (left) and non-reducing conditions (right): Fc6 control (lanes a), N3-P0-Fc (lanes b), N3-P12-Fc (lanes c), N3-P24-Fc (lanes d), N3-P36-Fc (lanes e), and N3-P48-Fc (lanes f) .

FIG. 25 shows shows the structure and synthesis of the cyclooctyne-modified GLP-1 analog (GLP1-P7-DBCO).

FIG. 26 shows the reaction between GLP1-P7-DBCO and the N3-Px-Fc proteins.

FIG. 27 shows the structure of GLP1-triazole-Fc hybrid immunoglobulins.

FIG. 28 shows the purified GLP1-triazole-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions (left) and non-reducing conditions (right): Fc6 control (lanes a), GLP1-P4-DN-P0-Fc (lanes b), GLP1-P4-DN-P12-Fc (lanes c), GLP1-P4-DN-P24-Fc (lanes d), GLP1-P4-DN-P36-Fc (lanes e), and GLP1-P4-DN-P48-Fc (lanes f).

FIG. 29 directly compares the GLP1-triazole-Fc hybrid immunoglobulins and N3-Px-Fc proteins by SDS-PAGE under reducing conditions: Fc6 control (lane a), N3-P0-Fc (lane b), GLP1-P4-DN-P0-Fc (lane c), N3-P12-Fc (lane d), GLP1-P4-DN-P12-Fc (lane e), N3-P24-Fc (lane f), GLP1-P4-DN-P24-Fc (lane g), N3-P36-Fc (lane h), GLP1-P4-DN-P36-Fc (lane i), N3-P48-Fc (lane j), GLP1-P4-DN-P48-Fc (lane k).

FIG. 30 compares the induction of cAMP synthesis in GLP-1 receptor expressing cells by GLP1-triazole-Fc hybrid immunoglobulins and GLP-1.

FIG. 31 shows the reaction between DIBAC-PEG11-DIBAC and the N3-Px-Fc proteins.

FIG. 32 shows the structure of the cyclooctyne-Px-Fc proteins.

FIG. 33 shows the DIBAC-P11-DN-P0-Fc reaction product by SDS-PAGE under reducing conditions: Fc6 control (lane b), unpurified reaction product (lanes c-e), the purified N3-P0-Fc protein (lane f), and the purified DIBAC-P11-DN-P0-Fc protein (lane g).

FIG. 34 shows the reaction between azide-modified DNA and the cyclooctyne-Px-Fc proteins.

FIG. 35 shows the structure of DNA-triazole-Fc hybrid immunoglobulins.

FIG. 36 shows the DNA-triazole-Fc hybrid immunoglobulins reaction products by SDS-PAGE under reducing conditions: the 5AzD-let7d oligonucleotide concentration (mg/ml) was as follows: markers (lane a), 0 (lane b), 2.5 (lane c), 1.25 (lane d), 0.063 (lane e), 0.031 (lane f), 0.016 (lane g), 0.08 (lane h).

FIG. 37 shows the structure and synthesis of the trastuzumab variant, cys1H-IgG1, and the azide-modified trastuzumab heavy chain (N_3-Px-Hc).

FIG. 38 shows the structure and synthesis of the trastuzumab variant, cys1L-IgG1, the azide-modified trastuzumab light chain (N_3-Px-Lc).

FIG. 39 shows the structure and synthesis of cyclooctyne-modified DM-1 (DM1-P4-DBCO).

FIG. 40 shows the reaction between cyclooctyne-modified DM-1 and the N_3-Px-Hc proteins.

FIG. 41 shows the structure of DM1-P4-triazole-Px-Hc hybrid immunoglobulins.

FIG. 42 shows the reaction between cyclooctyne-modified DM-1 and the N_3-Px-Lc proteins.

FIG. 43 shows the structure of DM1-P4-triazole-Px-Lc hybrid immunoglobulins.

FIG. 44 shows the reaction between Tetrazine-DBCO and the N_3-Px-Fc proteins.

FIG. 45 shows the structure of tetrazine-modified Fc proteins (Tet-Px-Fc) .

FIG. 46 shows the purified Tet-Px-Fc proteins by SDS-PAGE under reducing (left) and non-reducing conditions (right): Fc6 control (lanes a), Tet-P0-Fc (lanes b), Tet-P12-Fc (lanes c), Tet-P24-Fc (lanes d), Tet-P36-Fc (lanes e), and Tet-P48-Fc (lanes f).

FIG. 47 shows the reaction between TCO-PEG12-DBCO and the N_3-Px-Fc proteins.

FIG. 48 shows the structure of transcyclooctene-modified Fc proteins (Tco-Px-Fc).

FIG. 49 shows the Tco-P12-Px-Fc proteins by SDS-PAGE under reducing conditions: the Tco-P12-DBCO linker concentration (mg/ml) was as follows: 32 (lane a), 16 (lane b), 8 (lane c), 4 (lane d), 2 (lane e), 1 (lane f), 0.5 (lane g), 0.25 (lane h), 0.125 (lane i), and 0 (lane j).

FIG. 50 shows the reaction products between NH2-PEG23-N3 and DBCO-TT-P12-P36-Fc protein by SDS-PAGE under reducing conditions: the NH2-PEG23-N3 linker concentration (mg/ml) was as follows: 0.12 (lane a), 0.06 (lane b), 0.03 (lane c), 0.015 (lane d), 0.0075 (lane e), 0.0038 (lane f), 0.002 (lane g), 0.001 (lane h), 0 (lane i).

FIG. 51 shows the structure and synthesis of the transcyclooctene-modified GLP-1 analog (GLP1-P6-Tco).

FIG. 52 shows the reaction between GLP1-P6-Tco peptide and the Tet-Px-Fc proteins.

FIG. 53 shows the structure of the GLP1-dihydropyridizine-Fc hybrid immunoglobulins.

FIG. 54 shows the structure and synthesis of the tetrazine-modified GLP-1 analog (GLP1-P6-Tet).

FIG. 55 shows the reaction between GLP1-P6-Tet peptide and the Tco-Px-Fc proteins.

FIG. 56 shows the structure of the GLP1-P6-TT-Px-Fc hybrid immunoglobulins.

FIG. 57 shows the purified GLP1-dihydropyridizine-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions (left) and non-reducing conditions (right): Fc6 control (lanes a), GLP1-P6-TT-P0-Fc (lanes b), GLP1-P6-TT-P12-Fc (lanes c), GLP1-P6-TT-P24-Fc (lanes d), GLP1-P6-TT-P36-Fc (lanes e), and GLP1-P6-TT-P48-Fc (lanes f).

FIG. 58 directly compares the N3-Px-Fc (I) proteins, the Tet-Px-Fc (II) proteins, and the GLP1-dihydropyridizine-Fc (III) hybrid immunoglobulins by SDS-PAGE under reducing conditions: Fc6 control (lane a), N3-P0-Fc (lane b), Tet-P0-Fc (lane c), GLP1-P6-TT-P0-Fc (lane d), N3-P12-Fc (lane e), Tet-P12-Fc (lane f), GLP1-P6-TT-P12-Fc (lane g), N3-P24-Fc (lane h), Tet-P24-Fc (lane i), GLP1-P6-TT-P24-Fc (lane j), N3-P36-Fc (lane k), Tet-P36-Fc (lane l), GLP1-P6-TT-P36-Fc (lane m), N3-P48-Fc (lane n), Tet-P48-Fc (lane o), GLP1-P6-TT-P48-Fc (lane p).

FIG. 59 shows a time course for the reaction of GLP1-P7-DBCO with N3-P36-Fc and a time course for the reaction of GLP1-P6-Tco with Tet-P36-Fc.

FIG. 60 compares the induction of cAMP synthesis in GLP-1 receptor expressing cells by GLP1-

dihydropyridizine-Fc hybrid immunoglobulins and GLP-1.

FIG. 61 shows the structure and synthesis of the transcyclooctene-modified adalimumab Fab (Fab-P3-Tco).

FIG. 62 shows the reaction between Fab-P3-Tco protein and the Tet-Px-Fc proteins.

FIG. 63 shows the structure of the Fab-dihydropyridizine-Fc hybrid immunoglobulins.

FIG. 64 shows the Fab-dihydropyridizine-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions: markers (lanes a), adalimumab (lane b), Fab-P3-TT-P0-Fc (lane c), Fab-P3-TT-P12-Fc (lane d), Fab-P3-TT-P24-Fc (lanes e), Fab-P3-TT-P36-Fc (lanes f), Fab-P3-TT-P48-Fc (lane g), Fab-P3-Tco (lane h), Tet-P0-Fc (lane i), Tet-P12-Fc (lane j), Tet-P24-Fc (lane k), Tet-P36-Fc (lane l)m Tet-P48-Fc (lane m).

FIG. 65 shows the structure and synthesis of azide-modified and transcyclooctene-modified olanzapine (Ola-P12-Tco).

FIG. 66 shows the reaction between Ola-P12-Tco and the Tet-Px-Fc proteins.

FIG. 67 shows the structure of olanzapine-dihydropyridizine-Fc hybrid immunoglobulins.

Detailed Description of the Invention

[0008] In an aspect not covered by the present invention, the specification describes a compound having the structure:

A-B-----Z

wherein A is a biologically active structure of the compound;

wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is a chemical structure linking A and Z;

wherein the dashed line between B and Z represents a peptidyl linkage; and

wherein the solid line between A and B represents a nonpeptidyl linkage.

[0009] In some aspects, the cysteine or selenocysteine naturally occurs in the stretch of consecutive amino acids. In some aspects, the cysteine or selenocysteine does not naturally occur in the stretch of consecutive amino acids.

[0010] In some aspects, the consecutive amino acids have at their N-terminus a sequence selected from

the group consisting of a cysteine, selenocysteine, CP, CPXCP (where X = P, R, or S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP and CDTPPPCPRCP.

[0011] In some aspects, the F_c domain of an antibody is a naturally occurring F_c domain of an antibody.

[0012] In some aspects, the F_c domain of an antibody is a variant F_c domain of an antibody.

[0013] In some aspects, the variant F_c domain of an antibody is a mutated F_c domain of an antibody.

[0014] In some aspects, the mutated F_c domain is a substitution mutant.

[0015] In some aspects, the substitution mutant has an amino acid substitution at the N-terminus, the C-terminus, or at a position of the F_c domain other than the N-terminus or the C-terminus.

[0016] In some aspects, the substitution mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 amino acid sustitutions in the stretch of consecutive amino acids thereof.

[0017] In some aspects, the substitutions are conservative amino acid substitutions.

[0018] In some aspects, the mutated mutated F_c domain is an amino acid addition mutant.

[0019] In some aspects, the amino acid addition mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 added amino acids in the stretch of consecutive amino acids thereof.


[0020] In some aspects, the mutated F_c domain is an amino acid deletion mutant.

[0021] In some aspects, the amino acid deletion mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 deleted amino acids in the stretch of consecutive amino acids thereof.


[0022] In some aspects, the consecutive amino acids are identical to a stretch of at least 0, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, or 190 consecutive amino acids present in the chain of the F_c domain of the antibody.

[0023] In some aspects, the consecutive amino acids are identical to the stretch of amino acids in the hinge region, the CH2 region or the CH3 region of the Fc domain, or a portion thereof.


[0024] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:





wherein




is




or




in which R_5 is an alkyl or aryl group

wherein R_1 is H or is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond;


with the proviso that if




is




R_3 is a H; if




is




is a triazole ring that comprises



and if




is



is a N- alkyl or aryl substituted isoxazoline ring that comprises






;


and

wherein R_2 represents an organic structure which connects to one of A or B and R_4 represents an organic structure which connects to the other of A or B.

[0025] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




,



,


or



,


wherein R_1 is H or is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond.

[0026] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




wherein R_1 is H or is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond.

[0027] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



wherein R_1 is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond.

[0028] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




wherein R_1 is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond.

[0029] In some aspects, R_1 and R_2 are linked via at least one direct bond so as to form a cyclic structure comprising

1. i) a portion of R_1,
2. ii) a portion of R_2,
3. iii) the carbon between R_2 and the alkene double bond, and
4. iv) the alkene double bond.


[0030] In some aspects, R_1 is selected from the group consisting of:



, , and ,

which is optionally substituted at any position.


[0031] In some aspects, R_1 is



,

which is optionally substituted at any position.


[0032] In some aspects, R_1 is



,

which is optionally substituted at any position.

[0033] In some aspects, R_1 is



which is optionally substituted at any position.

[0034] In some aspects, the carbon between R_2 and the alkene double bond is:


1. (i) directly bonded to R_2 with a single bond and substituted with two substituents independently selected from the group consisting of hydrogen, halogen, optionally substituted benzyl, optionally substituted alkyl or optionally substituted alkoxy; or
2. (ii) directly bonded to R_2 via a double bond and a single bond.

[0035] In some aspects, the carbon between R_2 and the alkene double bond is substituted with two hydrogens and directly bonded to R_2 with a single bond.

[0036] In some aspects, the carbon between R_2 and the alkene double bond is directly bonded to R_2 via a double bond and a single bond.


[0037] In some aspects, the carbon between R_2 and the alkene double bond is directly bonded to R_2 via a double bond and a single bond so as to form a phenyl ring which is optionally substituted at any position.

[0038] In some aspects, R_2 is




wherein R_2 is attached to A or B via J, and

wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,








wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;


wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10.

[0039] In some aspects, R_2 is







,





wherein R_2 is attached to A or B via J, and




wherein R_2 is attached to R_1 via the nitrogen atom of R_2, and





wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,


,



,

,

,


,

,

,

,


,

,

,



,

,

,

,

and


;




wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;




wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10.

[0040] In some aspects, R_2 is


;

;

;




which is optionally substituted at any position,


wherein R_2 is attached to R_1 via the nitrogen or carbon atom of R_2,

wherein R_2 is attached to A or B via J,

and


wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,





wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;


wherein [PEG(y)]z is:






wherein y = 1-100 and z = 1-10.

[0041] In some aspects, R_2 is




which is optionally substituted at any position.

[0042] In some aspects, R_2 is




which is optionally substituted at any position.

[0043] In some aspects, R_2 is




which is optionally substituted at any position.

[0044] In some aspects, R_2 is



which is optionally substituted at any position.


[0045] In some aspects, R_2 is



which is optionally substituted at any position.









[0046] In some aspects, R_2 is






which is optionally substituted at any position.




[0047] In some aspects, R_1 and R_2 taken together are:





;

;

;

;

;

;

; or

,




which is optionally substituted at any position,





wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




,


,

,

,


,

,

,



,

,

,


,

,

,

,


and

;


wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:


;


wherein y = 1-100 and z = 1-10.

[0048] In some aspects, R_1 and R_2 taken together are


,


which is optionally substituted at any position.

[0049] In some aspects, R_1 and R_2 taken together are




which is optionally substituted at any position.


[0050] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




;




;




;




;




;



;




; or





which is optionally substituted at any position,


wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




,





,



,


,





,



,


,



,





,



,


,




,


,


,


,


and



;

wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;


wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10.


[0051] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



,

which is optionally substituted at any position.


[0052] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




,

which is optionally substituted at any position,.


[0053] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




;




;








;



;









; or ,

which is optionally substituted at any position,





wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,







,

,











,

,







and

;


wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:


;


wherein y = 1-100 and z = 1-10.

[0054] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:


,



which is optionally substituted at any position.








[0055] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:


,

which is optionally substituted at any position.


[0056] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:





















;

;

;

;

;

;


; or ,

which is optionally substituted at any position,


wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,



















and
;


wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:


;

wherein y = 1-100 and z = 1-10.


[0057] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:


,

which is optionally substituted at any position.


[0058] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the

structure:




which is optionally substituted at any position.


[0059] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




;




;




;




;






;



;
















; or ,




which is optionally substituted at any position,





wherein J is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,


,



,

,

,


,

,

,

,


,

,

,


,

,

,



and



;


wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:




wherein y = 1-100 and z = 1-10.

[0060] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




which is optionally substituted at any position.

[0061] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



which is optionally substituted at any position.

[0062] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



[0063] In some aspects, R_1 is H.

[0064] In some aspects, wherein J is an organic structure comprising a [PEG(y)]z group.

[0065] In some aspects, wherein J is an organic structure comprising a polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), or

polysaccharide group.

[0066] In some aspects, J is an organic structure comprising a C_1-C_4 alkyl group.

[0067] In some aspects, J is an organic structure comprising a succinimide.

[0068] In some aspects, J is an organic structure comprising amine.

[0069] In some aspects, J is an organic structure comprising a succinyl, malonyl, glutaryl, phthalyl or adipoyl.


[0070] In some aspects, J is an organic structure comprising a malonyl.


[0071] In some aspects, J is an organic structure comprising an amino acid.


[0072] In some aspects, J is an organic structure comprising a cysteine.


[0073] In some aspects, J is an organic structure comprising a lysine.


[0074] In some aspects, J is an organic structure consisting of a chain of 3 moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,





,



,



,



,



,


,



,


,



,



,


,











and



.

















[0075] In some aspects, J is an organic structure consisting of a chain of four moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




and

.

[0076] In some aspects, J is an organic structure consisting of a chain of five moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

and

.


[0077] In some aspects, J comprises a [PEG(y)]z group bonded to a lysine.

[0078] In some aspects, J comprises a C_1-C_4 acyl group bonded to a succinimide group.

[0079] In some aspects, J comprises a lysine bonded to a C_1-C_4 acyl.

[0080] In some aspects, J comprises a [PEG(y)]z group, which is bonded to a glutaryl.


[0081] In some aspects, J is an organic structure consisting of a chain of five moieties selected from the group consisting of [PEG(y)]z, C_2-C_5 acyl, succinyl, malonyl, glutaryl, an amino acid, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,



[0082] In some aspects, J is a bond.

[0083] In some aspects, J is a cysteine.

[0084] In some aspects, J has the structure:






wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.


[0085] In some aspects, J has a linear structure.

[0086] In some aspects, J has a branched structure.

[0087] In some aspects, R_2 is




, or




wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.


[0088] In some aspects, R_2 is



wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.

[0089] In some aspects, R_2 is







,

wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.

[0090] In some aspects, R_1 and R_2 taken together are:





or



wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.


[0091] In some aspects, R_1 and R_2 taken together are:






wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.

[0092] In some aspects, R_1 and R_2 taken together are:





wherein n 1-3, m is 1-4, y is 1-100 and z is 1-10.

[0093] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




or





,


wherein [PEG(y)]z is:



;


wherein y = 1-100 and z = 1-10.

[0094] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




.


[0095] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



[0096] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




or



;


wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10;

wherein [PEG(x)]w is:



;


wherein x = 1-100 and w = 1-10.

[0097] In some aspects, y is 1-20. In some aspects, y is 21-40. In some aspects, y is 41-60. In some aspects, y is 61-80. In some aspects, y is 30-50. In some aspects, y is 12, 24, 36 or 48. In some aspects, z is 1. In some aspects, z is 0.

[0098] In some aspects, the terminal carbonyl is of the [PEG(y)]z group is part of an amide bond.

[0099] In some aspects, the terminal amine of the [PEG(y)]z group is part of an amide bond.

[0100] In some aspects, R_4 is




wherein x is 1-100, and w is 0-5.

[0101] In some aspects, x is 1-20. In some aspects, x is 21-40. In some aspects, x is 41-60. In some aspects, x is 61-80. In some aspects, x is 30-50. In some aspects, x is 12, 24, 36 or 48.

[0102] In some aspects, w is 1. In some aspects, w is 0.

[0103] In some aspects, R_4 has the structure:




[0104] In some aspects, R_2 is attached A to via J, and R_4 is attached to B.

[0105] In some aspects, R_2 is attached B to via J, and R_4 is attached to A.

[0106] In some aspects, R_4 is attached to B via the terminal carbonyl carbon.

[0107] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



wherein p = 0-5, 0-10, 0-50, or 0-100.

[0108] In some aspects, erein R_2 is attached to A via a carbon-nitrogen bond or a carbon-sulfur bond.

[0109] In some aspects, R_2 is attached to A via a carbon-nitrogen bond.

[0110] In some aspects, the carbon-nitrogen bond is an amide bond.

[0111] In some aspects, R_2 is attached to A via a biologically labile bond.

[0112] In some aspects, R_2 is attached to A via an amide bond between the C-terminal amino acid of A and an amino group in B.

[0113] In some aspects, the terminal amino acid is cysteine.

[0114] In some aspects, R_2 is attached to A via a carbon-sulfur bond.

[0115] In some aspects, R_2 is attached to A via a carbon-sulfur bond formed between R_2 and a free thiol.

[0116] In some aspects, R_2 is attached to A via a succinimide-sulfur bond.


[0117] In some aspects, J comprises a branched residue.

[0118] In some aspects, J is attached to more than one A via the branched residue.

[0119] In some aspects, B comprises a branched residue.


[0120] In some aspects, B is linked to more than one A, each via a nonpeptidyl linkage with the branched residue.

[0121] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




wherein X_a is a chemical structure containing a cyclooctane fused to a dihydropyridazine; and
wherein R_a represents an organic structure which connects to one of A or B and R_b represents an organic structure which connects to the other of A or B.


[0122] In some aspects, X_a has the structure:



wherein R_c is H, alkyl or aryl;
or a tautomer thereof.

[0123] In some aspects, X_a has the structure:






wherein R_c is H, alkyl or aryl;
or a tautomer thereof.


[0124] In some aspects, R_a is connected to the cyclooctane and R_b is connected to the dihydropyridazine.

[0125] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



wherein R_c is H, alkyl or aryl;
or a tautomer thereof.


[0126] In some aspects, X_a has the structure:




wherein R_c is H, alkyl or aryl;
or a tautomer thereof.

[0127] In some aspects, R_c is methyl.


[0128] In some aspects, R_a and R_b are independently a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,



O




and



;

wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;


wherein [PEG(y)]z is:







;


wherein y = 1-100 and z = 1-10.


[0129] In some aspects, R_a and R_b are independently a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, C_2-C_5 acyl, succinyl, malonyl, glutaryl, an amino acid, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,








,

,

,



,



,



,


,


,


,



,


,
and


;

wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10.

[0130] In some aspects, Ra or Rb is attached to A via a carbon-nitrogen bond or a carbon-sulfur bond.

[0131] In some aspects, Ra or Rb is attached to A via a carbon-nitrogen bond.

[0132] In some aspects, the carbon-nitrogen bond is an amide bond.

[0133] In some aspects, Ra or Rb is attached to A via a biologically labile bond.

[0134] In some aspects, Ra or Rb is is attached to A via an amide bond between the C-terminal amino acid of A and an amino group in B.

[0135] In some aspects, the terminal amino acid is cysteine.

[0136] In some aspects, Ra or Rb is is attached to A via a carbon-sulfur bond.

[0137] In some aspects, Ra or Rb is is attached to A via a carbon-sulfur bond formed between R_2 and a free thiol.

[0138] In some aspects, wherein Ra or Rb is is attached to A via a succinimide-sulfur bond.

[0139] In some aspects, Ra or Rb comprises a branched residue.

[0140] In some aspects, Ra or Rb is is attached to more than one A via the branched residue.

[0141] In some aspects, the biological activity of A is increased when it is part of a compound or dimer of the invention compared to the biological activity of A when it is not linked to any other structure.

[0142] In some aspects, A comprises the structure of a compound that is a drug approved for treating a subject afflicted with a disease.

[0143] In some aspects, the subject is a mammalian subject.

[0144] In some aspects, the mammalian subject is a human subject.

[0145] In some aspects, A comprises the structure of an organic compound having a molecular weight less than 1000 Daltons, a DNA aptamer, an RNA aptamer, an oligonucleotide, or a protein that is biologically active.

[0146] In some aspects, the oligonucleotide is an antisense oligonucleotide.

[0147] In some aspects, the oligonucleotide is an RNA interference inducing molecule.

[0148] In some aspects, the oligonucleotide encodes an RNA interference inducing molecule.

[0149] In some aspects, A comprises a primary or a secondary amine.

[0150] In some aspects, A is linked to B via the primary or secondary amine.

[0151] In some aspects, A comprises a primary amine.

[0152] In some aspects, A is aripiprazole or oseltamivir.

[0153] In some aspects, A comprises a secondary amine.

[0154] In some aspects, A is a respiratory drug, an antiasthmatic agent, an analgesic agent, an antidepressant, an antianginal agent, an antiarrhythmic agent, an antihypertensive agent, an antidiabetic agent, an antihistamine, an anti-infective agent, an antibiotic, an antiinflamatory agent, an antiparkinsonism drug, an antipsychotics, an antipyretic agent, an antiulcer agent, an attention deficit hyperactivity disorder (ADHD) drug, a central nervous system stimulant, a decongestant, or a psychostimulant.

[0155] In some aspects, A is alprenolol, acebutolol, amidephrine, amineptine, amosulalol, amoxapine, amphetaminil, atenolol, atomoxetine, balofloxacin, bamethan, befunolol, benazepril, benfluorex, benzoctamine, betahistine, betaxolol, bevantolol, bifemelane, bisoprolol, brinzolamide, bufeniode, butethamine, camylofine, carazolol, carticaine, carvedilol, cephaeline, ciprofloxacin, cloZapine, clobenZorex, clorprenaline, cyclopentamine, delapril, demexiptiline, denopamine, desipramine, desloratadine, diclofenac, dimetofrine, dioxadrol, dobutamine, dopexamine, doripenem, dorzolamide,

droprenilamine, duloxetine, eltopraZine, enalapril, enoxacin, epinephrine, ertapenem, esapraZole, esmolol, etoxadrol, fasudil, fendiline, fenethylline, fenfluramine, fenoldopam, fenoterol, fenproporex, flecamide, fluoxetine, formoterol, frovatriptan, gaboxadol, garenoxacin, gatifloxacin, grepafloxacin, hexoprenaline, imidapril, indalpine, indecainide, indeloxazine hydrochloride, isoxsuprine, ispronicline, labetalol, landiolol, lapatinib, levophacetoperane, lisinopril, lomefloxacin, lotrafiban, maprotiline, mecamylamine, mefloquine, mepindolol, meropenem, metapramine, metaproterenol, methoxyphenamine, dextrorotary methylphenidate, methylphenidate, metipranolol, metoprolol, mitoxantrone, mivazerol, moexipril, moprolol, moxifloxacin, nebivolol, nifenalol, nipradilol, norfloxacin, nortriptyline, nylidrin, olanZapine, oxamniquine, oxprenolol, oxyfedrine, paroxetine, perhexyline, phenmetrazine, phenylephrine, phenylpropylmethylamine, pholedrine, picilorex, pimethylline, pindolol, pipemidic acid, piridocaine, practolol, pradofloxacin, pramipexole, pramiverin, prenalterol, prenylamine, prilocalne, procaterol, pronethalol, propafenone, propranolol, propylhexedrine, protokylol, protriptyline, pseudoephedrine, reboxetine, rasagiline, (r)-rasagiline, repinotan, reproterol, rimiterol, ritodrine, safinamide, salbutamol/albuterol, salmeterol, sarizotan, sertraline, silodosin, sotalol, soterenol, sparfloxacin, spirapril, sulfinalol, synephrine, tamsulosin, tebanicline, tianeptine, tirofiban, tretoquinol, trimetazidine, troxipide, varenicline, vildagliptin, viloxazine, viquidil or xamoterol.

[0156] In some aspects, A comprises a protein that is biologically active.

[0157] In some aspects, A comprises a secreted protein.

[0158] In some aspects, A comprises an extracellular domain of a protein.

[0159] In some aspects, A is biologically active such that it has target-binding activity.

[0160] In some aspects, the A is an independently-folding protein or a portion thereof.

[0161] In some aspects, A is a glycosylated protein.

[0162] In some aspects, A comprises intra-chain disulfide bonds.

[0163] In some aspects, A binds a cytokine.

[0164] In some aspects, the cytokine is TNFα.

[0165] In some aspects, A comprises Atrial Natriuretic Peptide (ANP), Calcitonin, Corticotropin Releasing Hormone (CRH), Endothelin, Exenatide, Gastric Inhibitory Peptide (GIP), Glucagon-Like Peptide-1 (GLP-1), Glucagon-Like Peptide-2 (GLP-2), an analog of GLP-1 or GLP-2, Glucagon Vasoactive Intestinal Peptide (GVIP), Ghrelin, Peptide YY or Secretin, or a portion thereof.

[0166] In some aspects, A comprises a stretch of consecutive amino acids in the sequence HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG.

[0167] In some aspects, A comprises at least one stretch of consecutive amino acids which are identical to a stretch of consecutive amino acids present in the heavy chain of a Fab or a Fab' of an antibody.

[0168] In some aspects, A comprises at least one at least one stretch of consecutive amino acids which are identical to a stretch of consecutive amino acids present in the light chain of a Fab or a Fab' of an antibody.

[0169] In some aspects, A comprises at least one Fab or Fab' of an antibody, or a portion of the at least one Fab or Fab'.

[0170] In some aspects, A comprises at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 copies of the Fab or Fab' or portion thereof.

[0171] In some aspects, A comprises Fab-1 or Fab'1, or a portion thereof of the antibody.

[0172] In some aspects, A comprises Fab-2 or Fab'2, or a portion thereof of the antibody.

[0173] In some aspects, A comprises two Fab or Fab' hands of the antibody.

[0174] In some aspects, the Fab or Fab' is present in adalimumab

[0175] In some aspects, A comprises at least one stretch of consecutive amino acids which are identical to a stretch of consecutive amino acids present in a single chain antibody.

[0176] In some aspects, A comprises at least one stretch of consecutive amino acids which are identical to a stretch of consecutive amino acids present in a TNFα receptor.

[0177] In some aspects, the TNFα receptor is TNR1B.

[0178] In some aspects, a compound of the invention forms part of a homodimer.

[0179] In some aspects, a compound of the invention forms part of a heterodimer.

[0180] The present invention provides homodimers comprising compounds of the invention.

[0181] The present invention provides heterodimers comprising compounds of the invention.

[0182] In some embodiments, each compound of the dimer is capable of binding to the other by at least one disulfide bond.

[0183] In some embodiments, each compound of the dimer is capable of binding to the other by at least one disulfide bond between the Z of each compound.

[0184] In some embodiments, each compound of the dimer is bound to the other by at least one disulfide bond.

[0185] In some embodiments, each compound of the dimer is bound to the other by at least one disulfide bond between the Z of each compound.

[0186] In some embodiments, each compound of the dimer is non-covalently bound to the other.

[0187] The present invention provides a compound having the structure:

$$L\text{-}R_a\text{-}B\text{-----}Z$$


wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is an organic acid residue, or a stretch of 1-50 amino acid residues linking R_a and Z;


wherein the dashed line between B and Z represents a peptidyl linkage;


wherein L is selected from the group consisting of: a tetrazine and a trans-cyclooctene; and


wherein R_a is a bond or an organic structure comprising or consisting of a chain of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more moieties, wherein each moiety is independently selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




,





,


,



,





,


,



,





,



,


,





,


,


,


,






and ;

wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:



wherein y = 1-100 and z = 1-10.

[0188] In some embodiments, the cysteine or selenocysteine naturally occurs in the stretch of consecutive amino acids. In some embodiments, the cysteine or selenocysteine does not naturally occur in the stretch of consecutive amino acids.

[0189] In some embodiments, the consecutive amino acids have at their N-terminus a sequence selected from the group consisting of a cysteine, selenocysteine, CP, CPXCP (where X = P, R, or S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP and CDTPPPCPRCP.

[0190] In some embodiments, the F_C domain of an antibody is a naturally occurring F_C domain of an antibody.

[0191] In some embodiments, the F_C domain of an antibody is a variant F_C domain of an antibody.

[0192] In some embodiments, the variant F_C domain of an antibody is a mutated F_C domain of an antibody.

[0193] In some embodiments, the mutated F_C domain is a substitution mutant.

[0194] In some embodiments, the substitution mutant has an amino acid substitution at the N-terminus, the C-terminus, or at a position of the F_C domain other than the N-terminus or the C-terminus.

[0195] In some embodiments, the substitution mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 amino acid sustitutions in the stretch of consecutive amino acids thereof.

[0196] In some embodiments, the substitutions are conservative amino acid substitutions.

[0197] In some embodiments, the mutated mutated F_C domain is an amino acid addition mutant.

[0198] In some embodiments, the amino acid addition mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 added amino acids in the stretch of consecutive amino acids thereof.

[0199] In some embodiments, the mutated F_C domain is an amino acid deletion mutant.

[0200] In some embodiments, the amino acid deletion mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 deleted amino acids in the stretch of consecutive amino acids thereof.


[0201] In some embodiments, the consecutive amino acids are identical to a stretch of at least 0, 20, 30,

40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, or 190 consecutive amino acids present in the chain of the F_c domain of the antibody.

[0202] In some embodiments, the consecutive amino acids are identical to the stretch of amino acids in the hinge region, the CH2 region or the CH3 region of the Fc domain, or a portion thereof.


[0203] In some embodiments, L is a tetrazine.

[0204] In some embodiments, the tetrazine has the structure:




wherein Rc is H, alkyl or aryl.

[0205] In some embodiments, the tetrazine has the structure:




wherein Rc is H, alkyl or aryl.

[0206] In some embodiments, the tetrazine has the structure:



[0207] In some embodiments, the tetrazine has the structure:



[0208] In some embodiments, L is trans-cyclooctene.

[0209] In some embodiments, the trans-cyclooctene has the structure:



[0210] In some embodiments, the trans-cyclooctene has the structure:



[0211] In some embodiments, Ra is an organic structure comprising a [PEG(y)]z group.

[0212] In some embodiments, Ra is an organic structure comprising a polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), or polysaccharide group.

[0213] In some embodiments, Ra is an organic structure comprising a C_1-C_4 alkyl group.

[0214] In some embodiments, Ra is an organic structure comprising a succinimide.

[0215] In some embodiments, Ra is an organic structure comprising an amine.

[0216] In some embodiments, Ra is an organic structure comprising a succinyl, malonyl, glutaryl, phthalyl or adipoyl.


[0217] In some embodiments, Ra is an organic structure comprising a malonyl.

[0218] In some embodiments, Ra is an organic structure comprising an amino acid.


[0219] In some embodiments, Ra is an organic structure comprising a cysteine.

[0220] In some embodiments, Ra is an organic structure comprising a lysine.


[0221] In some embodiments, Ra is an organic structure consisting of a chain of 3 moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




,




,




,




,




,




,




,




























and

[0222] In some embodiments, Ra is an organic structure consisting of a chain of four moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,




and

.

[0223] In some embodiments, Ra is an organic structure consisting of a chain of five moieties selected from the group consisting of [PEG(y)]z, polyalkylene glycol, polyoxyalkylated polyol, polyvinyl alcohol, polyvinyl alkyl ether, poly(lactic acid), poly(lactic-glycolic acid), polysaccharide, a branched residue, C_1-C_{10} alkyl, C_3-C_{10} cycloalkane, C_2-C_{10} alkene, C_5-C_{10} cycloalkene, amine, sulfur, oxygen, succinimide, maleimide, glycerol, triazole, isoxazolidine, C_2-C_5 acyl, C_2-C_5 acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, phthalyl, adipoyl, an amino acid, an aryl group, a heteroaryl group, a carbamate, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,


,

,

,

,

,

,

,

,

,

,

,

,

,

,

and

.


[0224] In some embodiments, Ra comprises a [PEG(y)]z group bonded to a lysine.


[0225] In some embodiments, Ra comprises a C_1-C_4 acyl group bonded to a succinimide group.

[0226] In some embodiments, Ra comprises a lysine bonded to a C_1-C_4 acyl.


[0227] In some embodiments, Ra comprises a [PEG(y)]z group, which is bonded to a glutaryl.

[0228] In some embodiments, Ra is an organic structure consisting of a chain of three, four or five moieties selected from the group consisting of [PEG(y)]z, C_2-C_5 acyl, succinyl, malonyl, glutaryl, an amino acid, a chemical structure containing a cyclooctane fused to a dihydropyridazine, a chemical structure containing a cyclooctene fused to a triazole, a chemical structure containing a cyclooctene fused to a isoxazolidine, a dibenzocyclooctene, a dibenzoazacyclooctene,







,




,




,




,




,




,




,




,




,




,




,




,



,






and ;

wherein X_1 is CH or N, X_2 is CH_2 or a carbonyl group, and R_5 is an aryl or alkyl group;

wherein [PEG(y)]z is:



;

wherein y = 1-100 and z = 1-10.

[0229] In some embodiments, Ra is a bond.

[0230] In some embodiments, Ra is a cysteine.

[0231] In some embodiments, Ra has a linear structure.

[0232] In some embodiments, Ra has a branched structure.


[0233] In some embodiments, y is 1-20. In some embodiments, y is 21-40. In some embodiments, y is 41-60. In some embodiments, y is 61-80. In some embodiments, y is 30-50. In some embodiments, y is 12, 24, 36 or 48.

[0234] In some embodiments, z is 1.

[0235] In some embodiments, the terminal carbonyl of the [PEG(y)]z group is part of an amide bond.

[0236] In some embodiments, the terminal amine of the [PEG(y)]z group is part of an amide bond.

[0237] In some embodiments, Ra is




wherein x is 1-100, and w is 0-5.


[0238] In some embodiments, x is 1-20. In some embodiments, x is 21-40. In some embodiments, x is 41-60. In some embodiments, x is 61-80. In some embodiments, x is 30-50. In some embodiments, x is 12, 24, 36 or 48.

[0239] In some embodiments, w is 1. In some embodiments, w is 0.

[0240] In some embodiments, Ra has the structure:




[0241] In some embodiments, Ra is:




wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50.

[0242] In some embodiments, Ra is:




wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50, x is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50 and z is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50.

[0243] In some embodiments, Ra is:



wherein x is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50 and z is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50.

[0244] In some embodiments, Ra is:



wherein n is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, or 1-50.

[0245] In another aspect not covered by the present invention , the specification describes a process for producing a compound having the structure:

A-B-----Z

wherein A is a biologically active structure of the compound; wherein Z is a protein component of the compound, which protein component comprises one or more polypeptides, wherein at least one of the one or more polypeptides comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a cysteine or a selenocysteine;

wherein B is a chemical structure linking A and Z;

wherein the dashed line between B and Z represents a peptidyl linkage;

wherein the solid line between A and B represents a nonpeptidyl linkage;

which comprises the following steps:

1. a) obtaining an A' which comprises A or a derivative of A, and a first terminal reactive group;
2. b) obtaining a B' which comprises B or a derivative of B, a second terminal reactive group and a third terminal reactive group, wherein the second terminal reactive group is capable of reacting with the first terminal reactive group to form a non-peptidyl linkage;
3. c) obtaining a Z' which comprises Z or a derivative of Z, and a fourth terminal reactive group, wherein the fourth terminal reactive group is capable of reacting with the third terminal reactive group to form a peptidyl linkage; and
4. d) reacting A', B' and Z' in any order to produce the compound.

[0246] In some aspects, the cysteine or selenocysteine naturally occurs in the stretch of consecutive amino acids. In some aspects, the cysteine or selenocysteine does not naturally occur in the stretch of consecutive amino acids.

[0247] In some aspects, the consecutive amino acids have at their N-terminus a sequence selected from the group consisting of a cysteine, selenocysteine, CP, CPXCP (where X = P, R, or S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP and CDTPPPCPRCP.

[0248] In some aspects, the F_c domain of an antibody is a naturally occurring F_c domain of an antibody.

[0249] In some aspects, the F_c domain of an antibody is a variant F_c domain of an antibody.

[0250] In some aspects, the variant F_c domain of an antibody is a mutated F_c domain of an antibody.

[0251] In some aspects, the mutated F_c domain is a substitution mutant.

[0252] In some aspects, the substitution mutant has an amino acid substitution at the N-terminus, the C-terminus, or at a position of the F_c domain other than the N-terminus or the C-terminus.

[0253] In some aspects, the substitution mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 amino acid sustitutions in the stretch of consecutive amino acids thereof. In some aspects, the substitutions are conservative amino acid substitutions.

[0254] In some aspects, the mutated mutated F_c domain is an amino acid addition mutant.

[0255] In some aspects, the amino acid addition mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-20, or 20-50 added amino acids in the stretch of consecutive amino acids thereof.

[0256] In some aspects, the mutated F_c domain is an amino acid deletion mutant.


[0257] In some aspects, the amino acid deletion mutant has 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10-15, 15-20, 10-

20, or 20-50 deleted amino acids in the stretch of consecutive amino acids thereof.


[0258] In some aspects, the consecutive amino acids are identical to a stretch of at least 0, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, or 190 consecutive amino acids present in the chain of the F_c domain of the antibody.

[0259] In some aspects, the consecutive amino acids are identical to the stretch of amino acids in the hinge region, the CH2 region or the CH3 region of the Fc domain, or a portion thereof.


[0260] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:




wherein



is




,



,


or




in which R_5 is an alkyl or aryl group

wherein R_1 is H or is part of an additional structure that is a cyclic structure, wherein the additional cyclic structure comprises R_1 or a portion of R_1, and may also comprise R_2 or a portion of R_2, and the carbon between R_2 and the alkene double bond;

with the proviso that if




is




,


R_3 is a H; if




is




,




is a triazole ring that comprises




and if



is



is a N- alkyl or aryl substituted isoxazoline ring that comprises



and

wherein R_2 represents an organic structure which connects to one of A or B and R_4 represents an organic structure which connects to the other of A or B;

which comprises the following steps:

1. a) obtaining an A' which comprises A or a derivative of A, and a first terminal reactive group;
2. b) obtaining a B' which comprises B or a derivative of B, a second terminal reactive group and a third terminal reactive group, wherein the second terminal reactive group is capable of reacting with the first terminal reactive group to form a non-peptidyl linkage;
3. c) obtaining a C' which comprises C or a derivative of C, and a fourth terminal reactive group, wherein the fourth terminal reactive group is capable of reacting with the third terminal reactive group to form a peptidyl linkage; and
4. d) reacting A', B' and C' in any order to produce the compound.

[0261] In some aspects, step d) is performed by first reacting A' and B' to produce




wherein B" comprises B and the third terminal reactive group, and the solid line between B" and A represents a non-peptidyl linkage; and then reacting






with C' to produce the compound.

[0262] In some aspects, step d) is performed by first reacting C' and B' to produce



;

wherein B" comprises B and the second terminal reactive group, and the dashed line between B" and C represents a peptidyl linkage; and then reacting



with A' to produce the compound.

[0263] In some aspects, the first terminal reactive group is an azide, a thiol, a nitrone or an alkyne.

[0264] In some aspects, the first terminal reactive group is an alkyne.

[0265] In some aspects, the alkyne is a cycloalkyne

[0266] In some aspects, the alkyne is an eight-membered ring.

[0267] In some aspects, the alkyne is an azacyclooctyne.

[0268] In some aspects, the cycloalkyne is a biarylazacyclooctyne.

[0269] In some aspects, the cycloalkyne is a cyclooctyne.

[0270] In some aspects, the alkyne is a terminal alkyne.

[0271] In some aspects, the first terminal reactive group is an azide, thiol or nitrone.

[0272] In some aspects, the first terminal reactive group is an azide.

[0273] In some aspects, the first terminal reactive group is a thiol.

[0274] In some aspects, the first terminal reactive group is a nitrone.

[0275] In some aspects, the first terminal reactive group is an N-alkyl nitrone.

[0276] In some aspects, the first terminal reactive group is an N-aryl nitrone.

[0277] In some aspects, the second terminal reactive group is an azide, a thiol, a nitrone or an alkyne.

[0278] In some aspects, the second terminal reactive group is an alkyne.

[0279] In some aspects, the alkyne is a cycloalkyne

[0280] In some aspects, the alkyne is an eight-membered ring.

[0281] In some aspects, the alkyne is an azacyclooctyne.

[0282] In some aspects, the cycloalkyne is a biarylazacyclooctyne.

[0283] In some aspects, the cycloalkyne is a cyclooctyne.

[0284] In some aspects, the alkyne is a terminal alkyne.

[0285] In some aspects, the second terminal reactive group is an azide, thiol or nitrone.

[0286] In some aspects, the second terminal reactive group is an azide.

[0287] In some aspects, the second terminal reactive group is a thiol.

[0288] In some aspects, the second terminal reactive group is a nitrone.

[0289] In some aspects, the second terminal reactive group is an N-alkyl nitrone.

[0290] In some aspects, the second terminal reactive group is an N-aryl nitrone.

[0291] In some aspects, the first terminal reactive group is a terminal alkyne and the second terminal reactive group is an azide, thiol or nitrone.

[0292] In some aspects, the second terminal reactive group is an azide.

[0293] In some aspects, the second terminal reactive group is a thiol.

[0294] In some aspects, the second terminal reactive group is a nitrone.

[0295] In some aspects, the nitrone is an N-alkyl or N-aryl nitrone.

[0296] In some aspects, the first terminal reactive group is an azide, thiol or nitrone, and the second terminal reactive group is a terminal alkyne.

[0297] In some aspects, the first terminal reactive group is an azide.

[0298] In some aspects, the first terminal reactive group is a thiol.

[0299] In some aspects, the first terminal reactive group is a nitrone.

[0300] In some aspects, the nitrone is an N-alkyl or N-aryl nitrone.

[0301] In some aspects, the first terminal reactive group is a cycloalkyne and the second terminal reactive group is an azide, thiol or nitrone.

[0302] In some aspects, the first terminal reactive group is an azide.

[0303] In some aspects, the first terminal reactive group is a thiol.

[0304] In some aspects, the first terminal reactive group is a nitrone.

[0305] In some aspects, the nitrone is an N-alkyl or N-aryl nitrone.

[0306] In some aspects, the first terminal reactive group is an azide, thiol or nitrone, and the second terminal reactive group is a cycloalkyne.

[0307] In some aspects, the first terminal reactive group is an azide.

[0308] In some aspects, the first terminal reactive group is a thiol.

[0309] In some aspects, the first terminal reactive group is a nitrone.

[0310] In some aspects, the nitrone is an N-alkyl or N-aryl nitrone.

[0311] In some aspects, the cycloalkyne is an eight-membered ring.

[0312] In some aspects, the cycloalkyne is an azacyclooctyne.

[0313] In some aspects, the cycloalkyne is a biarylazacyclooctyne.

[0314] In some aspects, the cycloalkyne is a cyclooctyne.

[0315] In some aspects, the first terminal reactive group is an azide and the second terminal reactive group is a terminal alkyne; or the first terminal reactive group is an azide and the second terminal reactive group is a cycloalkyne; or the first terminal reactive group is a thiol and the second terminal reactive group is a cycloalkyne; or the first terminal reactive group is a N-alkyl nitrone or N-aryl nitrone and the second terminal reactive group is a cyclooctyne.

[0316] In some aspects, the second terminal reactive group is an azide and the first terminal reactive group is a terminal alkyne; or the second terminal reactive group is an azide and the first terminal reactive group is a cycloalkyne; or the second terminal reactive group is a thiol and the first terminal reactive group is a cycloalkyne; or the second terminal reactive group is a N-alkyl nitrone or N-aryl nitrone and the first terminal reactive group is a cyclooctyne.

[0317] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce a triazole, thiolene, N-alkyl isoxazoline or N-aryl isoxazoline.


[0318] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce a triazole.

[0319] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce a thiolene.

[0320] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce a N-alkyl isoxazoline or N-aryl isoxazoline.

[0321] In some aspects, reacting the first reactive group with the second reactive group results in at least an 80%, 85% or 90% yield of the reaction in less than 3, 6, 12, 18, 24, 30, 36, 42, 48 or 72 hours.

[0322] In some aspects, the solid line between A and B represents a nonpeptidyl linkage comprising the structure:



wherein X_a is a chemical structure containing a cyclooctane fused to a dihydropyridazine; and

wherein R_a represents an organic structure which connects to one of A or B and R_b represents an organic structure which connects to the other of A or B.

[0323] In some aspects, the first terminal reactive group is a trans-cyclooctene or a tetrazine.


[0324] In some aspects, the first terminal reactive group is a trans-cyclooctene.

[0325] In some aspects, the alkyne is a tetrazine.

[0326] In some aspects, the second terminal reactive group is a trans-cyclooctene or a tetrazine.


[0327] In some aspects, the second terminal reactive group is a trans-cyclooctene.

[0328] In some aspects, the second terminal reactive group has the structure:



.


[0329] In some aspects, the second terminal reactive group has the structure:



.

[0330] In some aspects, the second terminal reactive group is a tetrazine.


[0331] In some aspects, the second terminal reactive group has the structure:



,

wherein R_c is H, alkyl or aryl.

[0332] In some aspects, the second terminal reactive group has the structure:




[0333] In some aspects, the first terminal reactive group is a trans-cyclooctene and the second terminal reactive group is a tetrazine.

[0334] In some aspects, the first terminal reactive group is a tetrazine and the second terminal reactive group is a trans-cyclooctene.

[0335] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce a chemical structure containing a cyclooctane fused to a dihydropyridazine.

[0336] In some aspects, the first terminal reactive group and the second terminal reactive group react to produce the chemical structure:



wherein R_C is H, alkyl or aryl;

or a tautomer thereof.

[0337] In some aspects, the the third reactive group and the fourth terminal reactive group are each independently an amino acid or amino acid derivative.

[0338] In some aspects, the third reactive group is a threonine or threonine derivative.

[0339] In some aspects, the third reactive group is a thioester derivative of an amino acid.

[0340] In some aspects, the fourth reactive group is cysteine, selenocysteine, homocysteine, or homoselenosysteine, or a derivative of cysteine, selenocysteine, homocysteine, or homoselenosysteine.

[0341] In some aspects, the fourth reactive group is cysteine or a derivative of cysteine.

[0342] In some aspects, the fourth reactive group is cysteine.

[0343] In some aspects, A' is prepared by the following steps:

1. i) obtaining an A" which comprises A or a derivative of A, and a stretch of consecutive amino acids comprising an intein;
2. ii) obtaining a substituted cysteine, selenocysteine, homocysteine, or homoselenosysteine residue, or a substituted derivative of a cysteine, selenocysteine, homocysteine, or homoselenosysteine residue, wherein the cysteine residue is substituted at the C-terminus with an organic structure containing an alkyne, an azide, a thiol, or a nitrone; and
3. iii)reacting A" with the substituted cysteine residue to produce A'.

[0344] In some aspects, theorganic structure containing an alkyne is N-propargyl amine.

[0345] In some aspects, A' is prepared by the following steps:

1. i) obtaining an A'' which comprises A or a derivative of A, and which comprises at least one free thiol group;
2. ii) obtaining a compound which comprises a first terminal reactive group and a terminal maleimide; and
3. iii) reacting A'' with the compound of step ii) to produce A'.

[0346] In some aspects, A'' is prepared by the following steps:

1. a) obtaining an A''', wherein A''' ' is a polypeptide which comprises A or a derivative of A, and which comprises at least one disulfide bond; and
2. b) treating A''' with mercaptoethylamine (MEA) to produce A''.

[0347] In some aspects, the A''' is prepared by the following steps:

1. a) obtaining a monoclonal antibody which comprises A or derivative of A, and which comprises at least one disulfide bond; and
2. b) treating the polypeptide of step a) with IdeS to produce A'''.

[0348] In some aspects, the monoclonal antibody binds TNFα.

[0349] In some aspects, the monoclonal antibody is adalimumab.

[0350] In some aspects, if R1 is hydrogen and the first terminal reactive group is alkyne, then in step d) B' is reacted in the presence of a metal catalyst.

[0351] In some aspects, if R1 is hydrogen and the second terminal reactive group is alkyne, then in step d) B' is reacted in the presence of a metal catalyst.

[0352] In some aspects, the metal catalyst is Ag(I) or Cu(I).

[0353] In some aspects, A' comprises one or more branched residue, wherein each branched residue comprises an additional first terminal reactive group.

[0354] In some aspects, B' comprises one or more branched residue, wherein each branched residue comprises an additional second terminal reactive group.

[0355] In some aspects, B' comprises one or more branched residue, wherein each branched residue comprises an additional third terminal reactive group.

[0356] In some aspects, the branched residue is an amino acid residue.

[0357] In some aspects, the amino acid residue is a lysine or a lysine derivative, arginine or an arginine derivative, aspartic acid or an aspartic acid derivative, glutamic acid or a glutamic acid derivative, asparagines or a asparagines derivative, glutamine or glutamine derivative, tyrosine or tyrosine derivative, cysteine or cysteine derivative or ornithine or ornithine derivative.

[0358] In some aspects, the amino acid residue is substituted at the N-position with a residue containing a terminal amino or carbony reactive group.

[0359] In some aspects, the branched residue is an organic residue containing two or more terminal amino groups or two or more terminal carbonyl groups.

[0360] In some aspects, the organic residue is iminodipropionic acid, iminodiacetic acid, 4-amino-pimelic acid, 4-amino-heptanedioic acid, 3-aminohexanedioic acid, 3-aminoadipic acid, 2-aminooctanedioic acid, or 2-amino-6-carbonyl-heptanedioic acid.

[0361] In some aspects, the process is performed in the absence of a non-thiol reducing agent.

[0362] In some aspects, the process is performed in the absence of a thiol reducing agent.

[0363] In some aspects, the process is performed in the presence of a thiol reducing agent.

[0364] In some aspects, the process is performed at an overall yield of 80% or higher.

[0365] In some aspects, the process is performed at an overall yield of 90% or higher.

[0366] In some aspects, reacting the first reactive group with the second reactive group results in at least a 50%, 55%, 60%, 65%, 70%, 80%, 85% or 90% yield of the reaction in less than 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or 60 minutes.

[0367] In some aspects, B is an organic acid residue.

[0368] In some aspects, B is a stretch of 1-50 amino acid residues, and optionally, an organic acid residue.

[0369] In some aspects, B is a stretch of 1-10 consecutive amino acids.

[0370] In some aspects, B comprises a stretch of consecutive amino acids in the sequence, or a portion thereof, EPKSCDKTHTCPPCP, ERKCCVECPPCP, ELKTPLGDTTHTCPRCP(EPKSCDTPPPCPRCP)3, ESKYGPPCPSCP.

[0371] In some aspects, B has a threonine at its C-terminus.

[0372] In some aspects, Z comprises one C, wherein C is a first polypeptide, which first popyleptide comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a sequence selected from the group consisting of a cysteine, selenocysteine, CP, CPXCP (where X = P, R, or S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP and CDTPPPCPRCP.

[0373] In some aspects, C comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a sequence comprising a naturally occurring cysteine selected from the group consisting of CP, CPXCP (where X = P, R, or S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP and CDTPPPCPRCP.

[0374] In some aspects, C is a polypeptide component of the compound, which polypeptide component comprises consecutive amino acids which (i) are identical to a stretch of consecutive amino acids present in a chain of an F_c domain of an antibody; (ii) bind to an F_c receptor; and (iii) have at their N-terminus a sequence comprising a non-naturally occurring cysteine or selenocysteine.

[0375] In some aspects, C comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in the chain of an Fc domain of an antibody selected from the group consisting of IgG, IgM, IgA, IgD, and IgE.

[0376] In some aspects, C comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in the chain of an Fc6 domain of an antibody.

[0377] In some aspects, C further comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in a chain of an antibody other than a chain of a Fc domain of the antibody.

[0378] In some aspects, C comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in a heavy chain of a Fab or a Fab' of an antibody.

[0379] In some aspects, C comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in the light chain of a Fab or a Fab' of an antibody.

[0380] In some aspects, Z further comprises a second polypeptide, which second popyleptide comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in a chain of an antibody other than a chain of a Fc domain of the antibody.

[0381] In some aspects, the second popypeptide comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in a heavy chain of a Fab or a Fab' of an antibody.

[0382] In some aspects, the second popypeptide comprises consecutive amino acids which are identical to a stretch of consecutive amino acids present in the light chain of a Fab or a Fab' of an antibody.

[0383] In some aspects, Z comprises an antibody or a portion thereof.

[0384] In some aspects, Z comprises at least one Fab or Fab' of an antibody, or a portion of the at least one Fab or Fab'.

[0385] In some aspects, Z comprises at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 copies of the Fab or Fab' or portion thereof.

[0386] In some aspects, Z comprises Fab-1 or Fab'1, or a portion thereof of an antibody.

[0387] In some aspects, Z comprises Fab-2 or Fab'2, or a portion thereof of an antibody.

[0388] In some aspects, Z comprises two Fab or Fab' hands of an antibody.

[0389] In some aspects, the antibody is an IgG, IgM, IgA, IgD or IgE antibody.

[0390] In some aspects, the Fab or Fab' is present in adalimumab.

[0391] In some aspects, Z comprises at least one stretch of consecutive amino acids which are identical to a stretch of consecutive amino acids present in a single chain antibody.

[0392] In some aspects, the C-terminus of C comprises a stretch of consecutive amino acids present in a chain of an F_C domain of an antibody that has been modified.

[0393] In some aspects, the C-terminus of C is a cysteine, selenocysteine, homocysteine, or homoselenosysteine, or a derivative of cysteine, selenocysteine, homocysteine, or homoselenosysteine.

[0394] In some aspects, B is linked to Z via a peptidyl linkage between an N-terminal cysteine or selenocysteine of a polypeptide of Z and an amino acid residue or an organic acid residue of B.

[0395] In some aspects, Z comprises a second polypeptide, and B is linked to Z via a peptidyl linkage between the N-terminal cysteine or selenocysteine of the second polypeptide of Z and an amino acid residue or an organic acid residue of B.

[0396] In some aspects, B is linked to C via a peptidyl linkage between the N-terminal cysteine or selenocysteine of C and an amino acid residue or an organic acid residue of B.

[0397] In some aspects, Z comprises one polypeptide, which is C.

[0398] In some aspects, Z comprises two polypeptides, which are C and a second polypeptide.

[0399] The present invention provides homodimers and heterodimers comprising compounds of the invention.

[0400] In some embodiments, each compound of the dimer is capable of binding to the other by at least one disulfide bond.


[0401] In some embodiments, each compound of the dimer is capable of binding to the other by at least one disulfide bond between the C or the second polypeptide of each compound.

[0402] In some embodiments, each compound of the dimer is bound to the other by at least one disulfide bond.


[0403] In some embodiments, each compound of the dimer is bound to the other by at least one disulfide bond between the C or the second polypeptide of each compound.

[0404] In some embodiments, each compound of the dimer is non-covalently bound to the other.


[0405] In some embodiments, the dimer is:


A
PEGy
HN
N=N
PEGx
VL
CL
VH
CH1
CH2
CH3


;



SH
A
DKTHTC
CH2
CH3


;


HN
A
H2NOC
PEGx- DKTHTC
CH2
CH3
N=N


;


A
PEG


PEGx-DKTHTC
CH2
CH3



A
PEGy
PEGx
VL
CL
VH
CH1
CH2
CH3

;



A
PEGy
PEGx
VL
CL
VH
CH1
CH2
CH3


;


SH



A
DKTHTC
CH2
CH3
A
SH
DKTHTC
CH2
CH3


;


A
A
PEGx-DKTHTC
PEGx-DKTHTC
CH2
CH3
CH2
CH3



; or





[0406] Additional non-limiting examples of dimers of compounds of the present invention are shown in the Figures.

[0407] In some embodiments, the branched residue is a lysine or a lysine derivative, arginine or an arginine derivative, aspartic acid or an aspartic acid derivative, glutamic acid or a glutamic acid derivative, asparagines or a asparagines derivative, glutamine or glutamine derivative, tyrosine or tyrosine derivative, cysteine or cysteine derivative or ornithine or ornithine derivative.

[0408] In some embodiments, the branched residue is an amino acid substituted at the N-position with a residue containing a terminal amino or carbonyl reactive group. In some embodiments, the branched residue is an organic residue containing two or more terminal amino groups or two or more terminal carbonyl groups.

[0409] In some embodiments, the branched residue is an organic residue containing two or more terminal amino groups. In some embodiments, the branched residue is an organic residue containing two or more terminal carbonyl groups. In some embodiments, the branched residue is a diaminopropionic acid. In some embodiments, the branched residue is a diaminopropionic carbonyl compound.

[0410] In some embodiments, the branched residue is 4-(carbonylmethoxy)phenylalanine, 2-amino-6-(carbonylmethylamino)hexanoic acid, S-(carbonylpropyl)cysteine, S-(carbonylethyl)cysteine, S-(carbonylmethyl)cysteine, N-(carbonylethyl)glycine, N-(carbonylmethyl)glycine, iminodipropionic acid, iminodiacetic acid, 4-amino-pimelic acid, 4-amino-heptanedioic acid, 3-aminohexanedioic acid, 3-aminoadipic acid, 2-aminooctanedioic acid, or 2-amino-6-carbonyl-heptanedioic acid.

[0411] In some embodiments, the branched residue is prepared from Fmoc-L-Asp-AMC, Fmoc-L-Asp-pNA, Fmoc-L-Glu-AMC, Fmoc-L-Glu-pNA, Fmoc-L-Glu(Edans)-OH, Fmoc-L-Glu(PEG-biotinyl)-OH, (S)-Fmoc-2-amino-hexanedioic acid-6-tert-butyl ester, (S)-Fmoc-2-amino-adipic acid-6-tert-butyl ester, (S)-Fmoc-Aad(OtBu)-OH, (S)-Fmoc-2-amino-5-tert-butoxycarbonyl-hexanedioic acid-6-tert-butyl ester, (S)-Fmoc-2-amino-heptanedioic acid-7-tert-butyl ester, (S)-Fmoc-2-amino-pimelic acid-7-tert-butyl ester, (S)-Fmoc-2-amino-6-tert-butoxycarbonyl-heptanedioic acid - 7-tert-butyl ester, (S)-Fmoc-2-amino-octanedioic acid-8-tert-butyl ester, (S)-Fmoc-2-amino-suberic acid-8-tert-butyl ester, (S)-Fmoc-Asu(OtBu)-OH, (R)-Fmoc-3-amino-hexanedioic acid-1-tert-butyl ester, (R)-Fmoc-3-amino-adipic acid-1-tert-butyl ester, (R)-Fmoc-4-amino-heptanedioic acid-1-tert-butyl ester, (R)-Fmoc-4-amino-pimelic acid-1-tert-butyl ester, Boc-iminodiacetic acid, Fmoc-iminodiacetic acid, Boc-iminodipropionic acid, Fmoc-iminodipropionic acid,


Fmoc-N-(tert-butoxycarbonylmethyl)-glycine, Fmoc-N-(tert-butoxycarbonylethyl)-glycine, Fmoc-L-Cys(tert-butoxycarbonylmethyl)-OH (R)-Fmoc-2-amino-3-(tert-butoxycarbonylmethylsulfanyl)-propionic acid, Fmoc-L-Cys(tert-butoxycarbonylpropyl)-OH (R)-Fmoc-2-amino-3-(3-tert-butoxycarbonylpropylsulfanyl)-propionic acid, Fmoc-L-Cys(tert-butoxycarbonylethyl)-OH (R)-Fmoc-2-amino-3-(2-tert-butoxycarbonylethylsulfanyl)-propionic acid, Fmoc-4-(tert-butoxycarbonylmethoxy)-L-phenylalanine, or (S)-Fmoc-2-amino-6-(Boc-tert-butoxycarbonylmethylamino)-hexanoic acid.

[0412] In some embodiments, the branched residue is prepared from N-α-Boc-DL-diaminopropionic acid, N-α-Boc-D-diaminopropionic acid, N-α-Boc-L-diaminopropionic acid, N-α-Fmoc-L-diaminopropionic acid, N-α-Boc-N-β-Alloc-D-diaminopropionic acid, N-α-Boc-N-β-Alloc-L-diaminopropionic acid, N-α-Fmoc-N-β-alloc-L-diaminopropionic acid, N-α-N-β-Bis-Boc-L-diaminopropionic acid, N-α-Fmoc-N-β-Boc-D-diaminopropionic acid, N-α-Fmoc-N-β-Boc-L-diaminopropionic acid, N-α-Z-N-β-Boc-L-diaminopropionic acid, N-α-Boc-N-β-Fmoc-D-diaminopropionic acid, N-α-Boc-N-β-Fmoc-L-diaminopropionic acid, N-α-N-β-Bis-Fmoc-L-diaminopropionic acid, N-α-Z-N-β-Fmoc-L-diaminopropionic acid, N-α-Boc-N-β-Z-L-diaminopropionic acid, N-α-Fmoc-N-β-Z-L-diaminopropionic acid, N-α-Fmoc-N-β- (Boc-aminooxyacetyl)-L-diaminopropionic acid, N-α-Boc-N-gamma-Fmoc-D-diaminobutyric acid, N-α-Boc-N-gamma-Fmoc-L-diaminobutyric acid, N-α-Boc-N-gamma-Fmoc-L-diaminobutyric acid, N-α-Fmoc-N-gamma-Boc-D-diaminobutyric acid, N-α-Fmoc-N-gamma-Boc-L-diaminobutyric acid, N-α-Fmoc-N-gamma-Alloc-L-diaminobutyric acid, (S)-N-b-Fmoc-N-gamma-Boc-3,4-diaminobutyric acid, H-L-ornithine, N-a-Boc-N-delta-Alloc-L-ornithine, N-a-Fmoc-N-delta-Alloc-L-ornithine, N-a-Fmoc-N-delta-Boc-L-ornithine, (S)-Boc-2-amino-5-azido-pentanoic acid.DCHA, (S)-Fmoc-2-amino-5-azido-pentanoic acid, N-a-N-delta-bis-Boc-N-a-N-delta-bis(3-Boc-aminopropyl)-L-ornithine, N-α-Boc-N-β-N-delta-N-delta-tris (3-Boc-aminopropyl)-L-ornithine, Fmoc-L-Lys(Biotin)-OH, Fmoc-L-Lys(Dabcyl)-OH, Fmoc-L-Lys(Boc)(Me)-OH, Fmoc-L-Lys(Boc)(iPr)-OH, (2S,5R)-Fmoc-2-amino-4-(3-Boc-2,2-dimethyl-oxazolidin-5-yl)-butyric acid, (S)-Fmoc-2-amino-6-(Boc-tert-butoxycarbonylmethyl-amino)-hexanoic acid, (S)-Fmoc-2-amino-7-(Boc-amino)-heptanoic acid, Fmoc-L-Arg(Me)(Pbf)-OH, Fmoc-L-Arg(Me)2(Pbf)-OH, Fmoc-L-Arg(Me)2-OH, (S)-Fmoc-3-amino-5-[(N'-Pbf-pyrrolidine-1-carboximidoyl)-amino]-pentanoic acid, Fmoc-L-Homoarg(Et)2-OH, Boc-3-amino-5-(Fmoc-amino)-benzoic acid, 3,5-bis[2-(Boc-amino)ethoxy]-benzoic acid, Fmoc-4-[2-(Boc-amino)ethoxy]-L-phenylalanine, N,N-bis(N'-Fmoc-3-aminopropyl)-glycine potassium hemisulfate, N,N-bis(N'-Fmoc-3-aminopropyl)-glycine potassium hemisulfate, Fmoc-N-(2-Boc-aminoethyl)-glycine, Fmoc-N-(3-Boc-aminopropyl)-glycine, Fmoc-N-(4-Boc-aminobutyl)-glycine, (R,S)-N-α-Fmoc-N-a'-Boc-diaminoacetic acid, N,N'-bis-Fmoc-diaminoacetic acid, (S)-N-4-Fmoc-N-8-Boc-diaminooctanoic acid, (R,S)-N-Fmoc-N'-Boc-imidazolidine-2-carboxylic acid, Fmoc-p(NH-Boc)-L-Phe-OH, Boc-p(NH-Fmoc)-L-Phe-OH, or Boc-p(NH-Z)-L-Phe-OH.

[0413] It is understood that where a parameter range is provided, all integers within that range, and tenths thereof, are also provided by the invention. For example, "0.2-5 mg/kg/day" is a disclosure of 0.2 mg/kg/day, 0.3 mg/kg/day, 0.4 mg/kg/day, 0.5 mg/kg/day, 0.6 mg/kg/day etc. up to 5.0 mg/kg/day.

Terms

[0414] As used herein, and unless stated otherwise, each of the following terms shall have the definition set forth below. *Peptidyl linkage:* the structure



A peptidyl linkage may be a peptide bond.

[0415] *Stretch of consecutive amino acids:* a plurality of amino acids arranged in a chain, each of which is joined to a preceding amino acid by a peptide bond, excepting that the first amino acid in the chain may optionally not be joined to a preceding amino acid. The amino acids of the chain may be naturally or non-naturally occurring, or may comprise a mixture thereof. The amino acids, unless otherwise indicated, may be genetically encoded, naturally-occurring but not genetically encoded, or non-naturally occurring, and any selection thereof.

[0416] *N-terminal amino acid residue:* the terminal residue of a stretch of two or more consecutive amono acids having a free α-amino (NH_2) functional group, or a derivative of an α -amino (NH_2) functional group.

[0417] *N-terminus:* the free α -amino (NH_2) group (or derivative thereof) of a N-terminal amino acid residue.

C-terminal amino acid residue: the terminal residue of a stretch of two or more consecutive amono acids having a free α -carboxyl (COOH) functional group, or a derivative of a α-carboxyl (COOH) functional group.

C-terminus: the free α-carboxyl (COOH) group (or derivative thereof) of a C-terminal amino acid residue.

[0418] A "biologically active structure", as used herein, means a structure of a molecule or fragment thereof, capable of treating a disease or condition or localizing or targeting a compound of the invention to a site of a disease or condition in the body by performing a function or an action, or stimulating or responding to a function, an action or a reaction, in a biological context (e.g. in an organism, a cell, or an in vitro model thereof). Biologically active structures may comprise a structure of at least one of polypeptides, nucleic acids, small molecules such as small organic or inorganic molecules.

[0419] A "bond", unless otherwise specified, or contrary to context, is understood to include a covalent bond, a dipole-dipole interaction such as a hydrogen bond, and intermolecular interactions such as van der Waals forces.

[0420] A "Signal Sequence" is a short (3-60 amino acids long) peptide chain that directs the post-translational transport of a polypeptide.

[0421] "Amino acid" as used herein, in one embodiment, means a L or D isomer of the genetically encoded amino acids, i.e. isoleucine, alanine, leucine, asparagine, lysine, aspartate, methionine, cysteine, phenylalanine, glutamate, threonine, glutamine, tryptophan, glycine, valine, proline, arginine, serine, histidine, tyrosine, selenocysteine, pyrrolysine and also includes homocysteine and homoselenocysteine.

[0422] Other examples of amino acids include an L or D isomer of taurine, gaba, dopamine, lanthionine, 2-aminoisobutyric acid, dehydroalanine, ornithine and citrulline, as well as non-natural homologues and synthetically modified forms thereof including amino acids having alkylene chains shortened or lengthened by up to two carbon atoms, amino acids comprising optionally substituted aryl groups, and amino acids comprising halogenated groups, including halogenated alkyl and aryl groups as well as beta or gamma amino acids, and cyclic analogs.

[0423] Due to the presence of ionizable amino and carboxyl groups, the amino acids in these embodiments may be in the form of acidic or basic salts, or may be in neutral forms. Individual amino acid

residues may also be modified by oxidation or reduction. Other contemplated modifications include hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, and methylation of the alpha-amino groups of lysine, arginine, and histidine side chains.

[0424] Covalent derivatives may be prepared by linking particular functional groups to the amino acid side chains or at the Nor C-termini.

[0425] Compounds comprising amino acids with R-group substitutions are within the scope of the invention. It is understood that substituents and substitution patterns on the compounds of the instant invention can be selected by one of ordinary skill in the art to provide compounds that are chemically stable from readily available starting materials.

[0426] "Natural amino acid" as used herein means a L or D isomer of the genetically encoded amino acids, i.e. isoleucine, alanine, leucine, asparagine, lysine, aspartate, methionine, cysteine, phenylalanine, glutamate, threonine, glutamine, tryptophan, glycine, valine, proline, arginine, serine, histidine, tyrosine, selenocysteine, pyrrolysine and homocysteine and homoselenocysteine.

[0427] "Non-natural amino acid" as used herein means a chemically modified L or D isomer of isoleucine, alanine, leucine, asparagine, lysine, aspartate, methionine, cysteine, phenylalanine, glutamate, threonine, glutamine, tryptophan, glycine, valine, proline, arginine, serine, histidine, tyrosine, selenocysteine, pyrrolysine, homocysteine, homoselenocysteine, taurine, gaba, dopamine, lanthionine, 2-aminoisobutyric acid, dehydroalanine, ornithine or citrulline, including cysteine and selenocysteine derivatives having C_3-C_{10} aliphatic side chains between the alpha carbon and the S or Se. In one embodiment the aliphatic side chain is an alkylene. In another embodiment, the aliphatic side chain is an alkenylene or alkynylene.

[0428] In addition to the stretches of consecutive amino acid sequences described herein, it is contemplated that variants thereof can be prepared by introducing appropriate nucleotide changes into the encoding DNA, and/or by synthesis of the desired consecutive amino acid sequences. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the stretches of consecutive amino acids described herein when expression is the chosen method of synthesis (rather than chemical synthesis for example), such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

[0429] Variations in the sequences described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative mutations set forth, for instance, in U.S. Pat. No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the consecutive amino acid sequence of interest that results in a change in the amino acid sequence as compared with the native sequence. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence. It is understood that any terminal variations are made within the context of the invention disclosed herein.

[0430] Amino acid sequence variants of the binding partner are prepared with various objectives in mind, including increasing the affinity of the binding partner for its ligand, facilitating the stability, purification and preparation of the binding partner, modifying its plasma half life, improving therapeutic efficacy, and lessening the severity or occurrence of side effects during therapeutic use of the binding partner.

[0431] Amino acid sequence variants of these sequences are also contemplated herein including insertional, substitutional, or deletional variants. Such variants ordinarily can prepared by site-specific mutagenesis of nucleotides in the DNA encoding the target-binding monomer, by which DNA encoding the variant is obtained, and thereafter expressing the DNA in recombinant cell culture. Fragments having up to about 100-150 amino acid residues can also be prepared conveniently by in vitro synthesis. Such amino acid sequence variants are predetermined variants and are not found in nature. The variants exhibit the qualitative biological activity (including target-binding) of the nonvariant form, though not necessarily of the same quantative value. While the site for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random or saturation mutagenesis (where all 20 possible residues are inserted) is conducted at the target codon and the expressed variant is screened for the optimal combination of desired activities. Such screening is within the ordinary skill in the art.

[0432] Amino acid insertions usually will be on the order of about from 1 to 10 amino acid residues; substitutions are typically introduced for single residues; and deletions will range about from 1 to 30 residues. Deletions or insertions preferably are made in adjacent pairs, i.e. a deletion of 2 residues or insertion of 2 residues. It will be amply apparent from the following discussion that substitutions, deletions, insertions or any combination thereof are introduced or combined to arrive at a final construct.

[0433] In an aspect, the invention concerns a compound comprising a stretch of consecutive amino acids having at least about 80% sequence identity, preferably at least about 81% sequence identity, more preferably at least about 82% sequence identity, yet more preferably at least about 83% sequence identity, yet more preferably at least about 84% sequence identity, yet more preferably at least about 85% sequence identity, yet more preferably at least about 86% sequence identity, yet more preferably at least about 87% sequence identity, yet more preferably at least about 88% sequence identity, yet more preferably at least about 89% sequence identity, yet more preferably at least about 90% sequence identity, yet more preferably at least about 91% sequence identity, yet more preferably at least about 92% sequence identity, yet more preferably at least about 93% sequence identity, yet more preferably at least about 94% sequence identity, yet more preferably at least about 95% sequence identity, yet more preferably at least about 96% sequence identity, yet more preferably at least about 97% sequence identity, yet more preferably at least about 98% sequence identity and yet more preferably at least about 99% sequence identity to an amino acid sequence disclosed in the specification, a figure, a SEQ ID NO. or a sequence listing of the present application.

[0434] The % amino acid sequence identity values can be readily obtained using, for example, the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)).

[0435] Fragments of native sequences are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Again, it is understood that any terminal variations are made within the context of the invention disclosed herein.

[0436] Certain fragments lack amino acid residues that are not essential for a desired biological activity of

the sequence of interest.

[0437] Any of a number of conventional techniques may be used. Desired peptide fragments or fragments of stretches of consecutive amino acids may be chemically synthesized. An alternative approach involves generating fragments by enzymatic digestion, e.g. by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide/sequence fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR.

[0438] In particular embodiments, conservative substitutions of interest are shown in Table 1 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 1, or as further described below in reference to amino acid classes, are introduced and the products screened.

TABLE 1

Original	Exemplary	Preferred
Ala (A)	val; leu; ile	val
Arg (R)	lys; gln; asn	lys
Asn (N)	gln; his; lys; arg	gln
Asp (D)	glu	glu
Cys (C)	ser	ser
Gln (Q)	asn	asn
Glu (E)	asp	asp
Gly (G)	pro; ala	ala
His (H)	asn; gln; lys; arg	arg
Ile (I)	leu; val; met; ala; phe; norleucine	leu
Leu (L)	norleucine; ile; val; met; ala; phe	ile
Lys (K)	arg; gln; asn	arg
Met (M)	leu; phe; ile	leu
Phe (F)	leu; val; ile; ala; tyr	leu
Pro (P)	ala	ala
Ser (S)	thr	thr
Thr (T)	ser	ser
Trp (W)	tyr; phe	tyr
Tyr (Y)	trp; phe; thr; ser	phe
Val (V)	ile; leu; met; phe; ala; norleucine	leu

[0439] Substantial modifications in function or immunological identity of the sequence are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

1. (1) hydrophobic: norleucine, met, ala, val, leu, ile;
2. (2) neutral hydrophilic: cys, ser, thr;
3. (3) acidic: asp, glu;
4. (4) basic: asn, gln, his, lys, arg;
5. (5) residues that influence chain orientation: gly, pro;
6. (6) aromatic: trp, tyr, phe.

[0440] Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

[0441] The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis (Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)), cassette mutagenesis (Wells et al., Gene, 34:315 (1985)), restriction selection mutagenesis (Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)) or other known techniques can be performed on the cloned DNA to produce the variant DNA.

[0442] Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant (Cunningham and Wells, Science, 244:1081-1085 (1989)). Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions (Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)). If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

[0443] Covalent modifications: The stretch of consecutive amino acids may be covalently modified. One type of covalent modification includes reacting targeted amino acid residues with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C-terminal residues that are not involved in an -x-x- bond. Derivatization with bifunctional agents is useful, for instance, for crosslinking to a water-insoluble support matrix or surface for use in the method for purifying anti-sequence of interest antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

[0444] Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the .alpha.-amino groups of lysine, arginine, and histidine side chains (T. E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

[0445] Another type of covalent modification comprises altering the native glycosylation pattern of the

stretch of consecutive amino acids. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in amino acid sequences (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

[0446] Addition of glycosylation sites to the amino acid sequence may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence (for O-linked glycosylation sites). The amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the amino acid sequence at preselected bases such that codons are generated that will translate into the desired amino acids.

[0447] Another means of increasing the number of carbohydrate moieties on the amino acid sequence is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published Sep. 11, 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

[0448] Removal of carbohydrate moieties present on the amino acid sequence may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

[0449] Another type of covalent modification comprises linking the amino acid sequence to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Pat. Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

[0450] The term "substitution", "substituted" and "substituent" refers to a functional group in which one or more bonds to a hydrogen atom contained therein are replaced by a bond to non-hydrogen atoms, provided that normal valencies are maintained and that the substitution results in a stable compound. Substituted groups also include groups in which one or more bonds to a carbon(s) or hydrogen(s) atom are replaced by one or more bonds, including double or triple bonds, to a heteroatom. Examples of substituent groups include halogens (i.e., F, Cl, Br, and I); alkyl groups, such as methyl, ethyl, n-propyl, isopropryl, n-butyl, tert-butyl, and trifluoromethyl; aryl groups, such as phenyl; heteroaryl groups, such as triazole, dihydropyridazine and tetrazole; hydroxyl; alkoxy groups, such as methoxy, ethoxy, n-propoxy, and isopropoxy; aryloxy groups, such as phenoxy; arylalkyloxy, such as benzyloxy (phenylmethoxy) and p-trifluoromethylbenzyloxy (4-trifluoromethylphenylmethoxy); heteroaryloxy groups; sulfonyl groups, such as sulfonate, trifluoromethanesulfonyl, methanesulfonyl, and p-toluenesulfonyl; sulfnitro, nitrosyl; mercapto; sulfanyl groups, such as methylsulfanyl, ethylsulfanyl and propylsulfanyl; cyano; amino groups, such as amino, methylamino, dimethylamino, ethylamino, and diethylamino; and carboxyl. Where multiple substituent moieties are disclosed or claimed, the substituted compound can be independently substituted by one or more of the disclosed or claimed substituent moieties, singly or plurally. By independently substituted, it is meant that the (two or more) substituents can be the same or different. In the compounds used in the method of the present invention, alkyl, heteroalkyl, monocycle, bicycle, aryl, heteroaryl and

heterocycle groups can be substituted by replacing one or more hydrogen atoms with alternative non-hydrogen groups. These include, but are not limited to, halo, hydroxy, mercapto, amino, carboxy, cyano and carbamoyl.

[0451] It is understood that substituents and substitution patterns on the compounds used in the method of the present invention can be selected by one of ordinary skill in the art to provide compounds that are chemically stable and that can be readily synthesized by techniques known in the art from readily available starting materials. If a substituent is itself substituted with more than one group, it is understood that these multiple groups may be on the same carbon or on different carbons, so long as a stable structure results.

[0452] In choosing the compounds used in the method of the present invention, one of ordinary skill in the art will recognize that the various substituents, i.e. R_1, R_2, etc. are to be chosen in conformity with well-known principles of chemical structure connectivity.

[0453] As used herein, "alkyl" includes both branched and straight-chain saturated aliphatic hydrocarbon groups having the specified number of carbon atoms and may be unsubstituted or substituted. Thus, C_1-C_n as in "C_1-C_n alkyl" is defined to include groups having 1, 2, ..., n-1 or n carbons in a linear or branched arrangement. For example, C_1-C_6, as in "C_1-C_6 alkyl" is defined to include groups having 1, 2, 3, 4, 5, or 6 carbons in a linear or branched arrangement, and specifically includes methyl, ethyl, n-propyl, isopropyl, n-butyl, t-butyl, pentyl, and hexyl. Unless otherwise specified contains one to twelve carbons. Alkyl groups can be unsubstituted or substituted with one or more substituents, including but not limited to halogen, alkoxy, alkylthio, trifluoromethyl, difluoromethyl, methoxy, and hydroxyl. An embodiment can be C_1-C_{12} alkyl, C_2-C_{12} alkyl, C_3-C_{12} alkyl, C_4-C_{12} alkyl and so on. An embodiment can be C_1-C_8 alkyl, C_2-C_8 alkyl, C_3-C_8 alkyl, C_4-C_8 alkyl and so on. Alkyl is intended to include moieties that are monovalent, divalent, trivalent, etc.


[0454] As used herein, "C_1-C_4 alkyl" includes both branched and straight-chain C_1-C_4 alkyl.

[0455] As used herein, the term "cycloalkane" refers to a monocyclic or bicyclic ring system, which may be unsaturated or partially unsaturated, i.e. possesses one or more double bonds. Monocyclic ring systems are exemplified by a saturated cyclic hydrocarbon group containing from 3 to 8 carbon atoms. Examples of monocyclic ring systems include cyclopropyl, cyclobutyl, cyclopentyl, cyclopentenyl, cyclohexyl, cyclohexenyl, cycloheptyl and cyclooctyl. Bicyclic fused ring systems are exemplified by a cycloalkyl ring fused to another cycloalkyl ring. Examples of bicyclic fused ring systems include, but are not limited to, decalin, 1,2,3,7,8,8a-hexahydro-naphthalene, and the like. Thus, C_3-C_{10} cycloalkane includes cyclic rings of alkanes of three to eight total carbon atoms, (e.g., cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl or cyclooctyl and so on). Cycloalkane groups can be unsubstituted or substituted with one or more substituents, including but not limited to halogen, alkoxy, alkylthio, trifluoromethyl, difluoromethyl, methoxy, and hydroxyl. Cycloalkane is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0456] As used herein, the term "cycloalkene" refers to a cycloalkane which possesses one or more double bonds. Thus, C_5-C_{10} cycloalkene includes cyclic rings of alkanes of five to ten total carbon atoms, (e.g., cyclopentenyl, cyclohexenyl, cycloheptenyl, cyclohexadienyl, cyclooctenyl or cyclooctadienyl and so on). Cycloalkene is intended to moieties that are monovalent, divalent, trivalent, etc. Cycloalkene is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0457] As used herein, "alkene" includes both branched and straight-chain aliphatic hydrocarbon groups having one or more double bond and the specified number of carbon atoms and may be unsubstituted or substituted. Thus, C_2-C_n as in "C2-C_n alkene" is defined to include groups having 2, 3, ..., n-1 or n carbons in a linear or branched arrangement. For example, C_2-C_{10}, as in "C_2-C_{10} alkene" is defined to include groups having 2, 3, 4, 5...10 carbons in a linear or branched arrangement, and specifically includes vinyl, allyl, 1-butene, 2-butene, isobutene, 1-pentene, 2-pentene, etc. Alkyene groups can be unsubstituted or substituted with one or more substituents, including but not limited to halogen, alkoxy, alkylthio, trifluoromethyl, difluoromethyl, methoxy, and hydroxyl. An embodiment can be C_2-C_3 alkene, C_2-C_4 alkene, C_2-C_5 alkene, and so on. Alkene is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0458] As used herein, an "acyl" refers to an alkyl group having a ketone at the first position. For example, an "acyl" embodiment can be acetyl, propionyl, butyryl and valeryl. As another example, an "acyl" embodiment can be:



wherein n is 1-10. In another embodiment, n is 1-4.

[0459] Thus, a "C_2-C_5 acyl" can be acetyl, propionyl, butyryl, or and valeryl. Acyl is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0460] C_2-C_5 acylamino is an acyl group as defined above further substituted with an amine. The amine may be linked to the carbonyl portion of the acyl group so as to form an amide or the amine may linked to a non-carbonyl portion of the acyl group. For example, the amino group may be at the alpha-position, the beta-position, the gamma-position, the delta-position, etc. As further examples, acylamino includes both alpha-aminoacetyl and acetamido groups. Acylamino includes beta-aminopropionyl).

[0461] C_2-C_5 acyloxy is an acyl group as defined above further substituted with an oxygen. The oxygen may be linked to the carbonyl portion of the acyl group so as to form an amide or the oxygen may linked to a non-carbonyl portion of the acyl group. For example, the oxygen group may be at the alpha-position, the beta-position, the gamma-position, the delta-position, etc. As further examples, acyloxy includes both alpha-oxyacetyl and acetate groups. Acyloxy includes beta-oxypropionyl).

[0462] As used herein, "amino" includes primary, secondary, tertiary and quarternary amines. Thus, amino includes a -NH- group, a - NH_2 group, a -NR- group, a -NR_2^+- group, a -NRH^+- group, a -NH_2^+- group, a -NH_3^+ group and a -NR_3^+ group, wherein R is alkyl or aryl. Amino is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0463] As used herein, "sulfur" includes a -S- group and a -SH group. The term sulfur is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0464] As used herein, "oxygen" includes a -O- group and a -OH group. The term sulfur is intended to moieties that are monovalent and divalent.

[0465] As used herein, "succinyl" is derived from succinic acid by removal of one or both hydroxyl groups. An embodiment can be-C(O)-CH_2-CH_2-C(O)-. Succinyl is intended to include moieties that are

monovalent, divalent, trivalent, etc.



[0466] As used herein, a "malonyl" is derived from malonic acid by removal of one or both hydroxyl groups. An embodiment can be-C(0)-CH_2-C(0)-. Malonyl is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0467] As used herein, a "glutaryl" is derived from glutaric acid by removal of one or both hydroxyl groups. An embodiment can be-C(O)-CH_2-CH_2-CH_2-C(O)-. Glutaryl is intended to include moieties that are monovalent, divalent, trivalent, etc.


[0468] As used herein, an "adipoyl" is derived from adipic acid by removal of one or both hydroxyl groups. An embodiment can be-C(O)-CH_2-CH_2-CH_2-CH_2-(O)-. Adipoyl is intended to include moieties that are monovalent, divalent, trivalent, etc.

[0469] A "polyalkylene glycol" is derived from polyalkylene glycol by removal of both hydrogens from the hydroxyl groups. An embodiment can be derived from polyethylene glycol, polypropylene glycol, or polybutylene glycol.

[0470] An "polyalkylene glycol" embodiment can be


,

,

or


,

wherein n is 1-10.

[0471] As used herein, "aryl" is intended to mean any stable monocyclic, bicyclic or polycyclic carbon ring of up to 10 atoms in each ring, wherein at least one ring is aromatic, and may be unsubstituted or substituted. Examples of such aryl elements include but are not limited to: phenyl, p-toluenyl (4-methylphenyl), naphthyl, tetrahydro-naphthyl, indanyl, phenanthryl, anthryl or acenaphthyl. In cases where the aryl substituent is bicyclic and one ring is non-aromatic, it is understood that attachment is via the aromatic ring.

[0472] As used herein, "aryl" is intended to mean any stable monocyclic, bicyclic or polycyclic carbon ring of up to 10 atoms in each ring, wherein at least one ring is aromatic, and may be unsubstituted or substituted. Examples of such aryl elements include but are not limited to: phenyl, p-toluenyl (4-methylphenyl), naphthyl, tetrahydro-naphthyl, indanyl, phenanthryl, anthryl or acenaphthyl. In cases where the aryl substituent is bicyclic and one ring is non-aromatic, it is understood that attachment is via the aromatic ring.

[0473] The term "heteroaryl", as used herein, represents a stable monocyclic, bicyclic or polycyclic ring of up to 10 atoms in each ring, wherein at least one ring is aromatic and contains from 1 to 4 heteroatoms selected from the group consisting of O, N and S. Bicyclic aromatic heteroaryl groups include phenyl, pyridine, pyrimidine or pyridizine rings that are (a) fused to a 6-membered aromatic (unsaturated) heterocyclic ring having one nitrogen atom; (b) fused to a 5- or 6-membered aromatic (unsaturated) heterocyclic ring having two nitrogen atoms; (c) fused to a 5-membered aromatic (unsaturated) heterocyclic ring having one nitrogen atom together with either one oxygen or one sulfur atom; or (d) fused to a 5-membered aromatic (unsaturated) heterocyclic ring having one heteroatom selected from O,


N or S. Heteroaryl groups within the scope of this definition include but are not limited to: benzoimidazolyl, benzofuranyl, benzofurazanyl, benzopyrazolyl, benzotriazolyl, benzothiophenyl, benzoxazolyl, carbazolyl, carbolinyl, cinnolinyl, dihydropyridizine, furanyl, indolinyl, indolyl, indolazinyl, indazolyl, isobenzofuranyl, isoindolyl, isoquinolyl, isothiazolyl, isoxazolyl, naphthpyridinyl, oxadiazolyl, oxazolyl, oxazoline, isoxazoline, oxetanyl, pyranyl, pyrazinyl, pyrazolyl, pyridazinyl, pyridopyridinyl, pyridazinyl, pyridyl, pyrimidyl, pyrrolyl, quinazolinyl, quinolyl, quinoxalinyl, tetrazolyl, tetrazolopyridyl, thiadiazolyl, thiazolyl, thienyl, triazolyl, azetidinyl, aziridinyl, 1,4-dioxanyl, hexahydroazepinyl, dihydrobenzoimidazolyl, dihydrobenzofuranyl, dihydrobenzothiophenyl, dihydrobenzoxazolyl, dihydrofuranyl, dihydroimidazolyl, dihydroindolyl, dihydroisooxazolyl, dihydroisothiazolyl, dihydrooxadiazolyl, dihydrooxazolyl, dihydropyrazinyl, dihydropyrazolyl, dihydropyridinyl, dihydropyrimidinyl, dihydropyrrolyl, dihydroquinolinyl, dihydrotetrazolyl, dihydrothiadiazolyl, dihydrothiazolyl, dihydrothienyl, dihydrotriazolyl, dihydroazetidinyl, methylenedioxybenzoyl, tetrahydrofuranyl, tetrahydrothienyl, acridinyl, carbazolyl, cinnolinyl, quinoxalinyl, pyrrazolyl, indolyl, benzotriazolyl, benzothiazolyl, benzoxazolyl, isoxazolyl, isothiazolyl, furanyl, thienyl, benzothienyl, benzofuranyl, quinolinyl, isoquinolinyl, oxazolyl, isoxazolyl, indolyl, pyrazinyl, pyridazinyl, pyridinyl, pyrimidinyl, pyrrolyl, tetra-hydroquinoline. In cases where the heteroaryl substituent is bicyclic and one ring is non-aromatic or contains no heteroatoms, it is understood that attachment is via the aromatic ring or via the heteroatom containing ring, respectively. If the heteroaryl contains nitrogen atoms, it is understood that the corresponding N-oxides thereof are also encompassed by this definition.

[0474] The term "phenyl" is intended to mean an aromatic six membered ring containing six carbons, and any substituted derivative thereof.

[0475] The term "benzyl" is intended to mean a methylene attached directly to a benzene ring. A benzyl group is a methyl group wherein a hydrogen is replaced with a phenyl group, and any substituted derivative thereof.


[0476] The term "triazole" is intended to mean a heteraryl having a five-membered ring containing two carbon atoms and three nitrogen atoms, and any substituted derivative thereof.

[0477] Dihydropyradizine is optionally substituted and includes 1,2-dihydropyridazines,




;

1,4-dihydropyridazines,




;

1,6-dihydropyridazines,



;


and 4,5-dihydropyridazines,



.


[0478] A chemical structure containing a cyclooctane fused to a dihydropyridazine includes, but is not limited to, a chemical structure which contains a cyclooctane fused to the 3rd and 4th position of a dihydropyridazine or a chemical structure which contains a saturated cycloocta[d]pyridazine, any of which are optionally substituted. For example, the chemical structure containing a cyclooctane fused to a

dihydropyridazine includes, but is not limited to, a chemical structure which contains a 2,4a,5,6,7,8,9,10-octahydrocycloocta[d]pyridazine,




;

a 4a,5,6,7,8,9,10,10a-octahydrocycloocta[d]pyridazine,




;

a 2,3,5,6,7,8,9,10-octahydrocycloocta[d]pyridazine,




;

or a 1,2,5,6,7,8,9,10-octahydrocycloocta[d]pyridazine,




,


each of which may be optionally substituted. Tautomers of




include, but are not limited to:




,




,



,



and



.

[0479] In some embodiments, the dihydropyridazine is oxidized to a pyridazine.

[0480] In some embodiments, the dihydropyridazine is reduced to result in an open ring structure having a 1,4-dicarbonyl compound.

[0481] The compounds used in the method of the present invention may be prepared by techniques well know in organic synthesis and familiar to a practitioner ordinarily skilled in the art. However, these may not be the only means by which to synthesize or obtain the desired compounds.

[0482] Compounds prepared from the compounds of the subject invention can be converted tc prodrugs to optimize absorption and bioavailability. Formation of a prodrug include, but is not limited to, reaction of a free hydroxyl group with a carboxylic acid to form an ester, reaction of a free hydroxyl group with an phosphorus oxychloride followed by hydrolysis to form a phosphate, or reaction of a free hydroxyl group with an amino acid to form an amino acid ester, the process of which has been described previously by

Chandran in WO 2005/046575. The substituents are chosen and resulting analogs are evaluated according to principles well known in the art of medicinal and pharmaceutical chemistry, such as quantification of structure-activity relationships, optimization of biological activity and ADMET (absorption, distribution, metabolism, excretion, and toxicity) properties.

[0483] The various R groups attached to the aromatic rings of the compounds disclosed herein may be added to the rings by standard procedures, for example those set forth in Advanced Organic Chemistry: Part B: Reaction and Synthesis, Francis Carey and Richard Sundberg, (Springer) 5th ed. Edition. (2007), the content of which is hereby incoporated by reference.

[0484] The compounds of present invention may be prepared by techniques described in Vogel's Textbook of Practical Organic Chemistry, A.I. Vogel, A.R. Tatchell, B.S. Furnis, A.J. Hannaford, P.W.G. Smith, (Prentice Hall) 5th Edition (1996), March's Advanced Organic Chemistry: Reactions, Mechanisms, and Structure, Michael B. Smith, Jerry March, (Wiley-Interscience) 5th Edition (2007), and references therein. However, these may not be the only means by which to synthesize or obtain the desired compounds.

[0485] A person having ordinary skill in the art will immediately understand that the definitions of the substituents and moieties (e.g. the moieties of J, Ra and Rb) provided herein are intended to obey the standard rules of chemical valency. For example, where a structure provided herein requires a particular substituent or moiety to be divalent, (e.g. a moiety in a linear chain of moieties) a person having ordinary skill in the art will immediately understand that the definitions of that substituent or moiety are divalent in order to obey the standard rules of chemical valency.

[0486] A person having ordinary skill in the art will immediately understand that some divalent moieties depicted in the present invention may be linked to other chemical structures in more than one way, e.g., the depicted structures may be linked to other chemical structures when rotated or flipped.

[0487] In some embodiments of the present invention, a compound comprises a nonproteinaceous polymer. In some embodiments, the nonproteinaceous polymer may be is a hydrophilic synthetic polymer, i.e., a polymer not otherwise found in nature. However, polymers which exist in nature and are produced by recombinant or in vitro methods are useful, as are polymers which are isolated from nature. Hydrophilic polyvinyl polymers fall within the scope of this invention, e.g. polyvinylalcohol and polyvinylpyrrolidone. Particularly useful are polyalkylene ethers such as polyethylene glycol, polypropylene glycol, polyoxyethylene esters or methoxy polyethylene glycol; polyoxyalkylenes such as polyoxyethylene, polyoxypropylene, and block copolymers of polyoxyethylene and polyoxypropylene (Pluronics); polymethacrylates; carbomers; branched or unbranched polysaccharides which comprise the saccharide monomers D-mannose, D- and L-galactose, fucose, fructose, D-xylose, L-arabinose, D-glucuronic acid, sialic acid, D-galacturontc acid, D-mannuronic acid (e.g. polymannuronic acid, or alginic acid), D-glucosamine, D-galactosamine, D-glucose and neuraminic acid including homopolysaccharides and heteropolysaccharides such as lactose, amylopectin, starch, hydroxyethyl starch, amylose, dextran sulfate, dextran, dextrins, glycogen, or the polysaccharide subunit of acid mucopolysaccharides, e.g. hyaluronic acid; polymers of sugar alcohols such as polysorbitol and polymannitol; and heparin or heparon.

Salts

[0488] Salts of the compounds disclosed herein are within the scope of the invention. As used herein, a

"salt" is salt of the instant compounds which has been modified by making acid or base salts of the compounds.

Fc domains

[0489] The term "Fc domain", as used herein, generally refers to a monomer or dimer complex, comprising the C-terminal polypeptide sequences of an immunoglobulin heavy chain. The Fc domain may comprise native or variant Fc sequences. Although the boundaries of the Fc domain of an immunoglobulin heavy chain might vary, the human IgG heavy chain Fc domain is usually defined to stretch from an amino acid residue in the hinge region to the carboxyl terminus of the Fc sequence. The Fc sequence of an immunoglobulin generally comprises two constant regions, a CH2 region and a CH3 region, and optionally comprises a CH4 region. A human Fc domain may be obtained from any suitable immunoglobulin, such as the IgG1, IgG2, IgG3, or IgG4 subtypes, IgA, IgE, IgD or IgM.

[0490] Suitable Fc domains are prepared by recombinant DNA expression of pre-Fc chimeric polypeptides comprising 1) a signal peptide, obtained from a secreted or transmembrane protein, that is cleaved in front of a mature polypeptide having an N-terminal cysteine residue, contiguous with 2) an Fc domain polypeptide having an N-terminal cysteine residue.

[0491] Suitable examples of signal peptides are sonic hedgehog (SHH) (GenBank Acc. No. NM000193), IFNalpha-2 (IFN) (GenBank Acc. No. NP000596), and cholesterol ester transferase (CETP) (GenBank Accession No. NM000078). Other suitable examples include Indian hedgehog (Genbank Acc. No. NM002181), desert hedgehog (Genbank Acc. No. NM021044), IFNalpha-1 (Genbank Acc. No. NP076918), IFNalpha-4 (Genbank Acc. No. NM021068), IFNalpha-5 (Genbank Acc. No. NM002169), IFNalpha-6 (Genbank Acc. No. NM021002), IFNalpha-7 (Genbank Acc. No. NM021057), IFNalpha-8 (Genbank Acc. No. NM002170), IFNalpha-10 (Genbank Acc. No. NM002171), IFNalpha-13 (Genbank Acc. No. NM006900), IFNalpha-14 (Genbank Acc. No. NM002172), IFNalpha-16 (Genbank Acc. No. NM002173), IFNalpha-17 (Genbank Acc. No. NM021268) and IFNalpha-21 (Genbank Acc. No. NM002175).

[0492] Suitable examples of Fc domains and their pre-Fc chimeric polypeptides are shown in SEQ ID NO: 1 through SEQ ID NO: 96. The Fc domains are obtained by expressing the pre-Fc chimeric polypeptides in cells under conditions leading to their secretion and cleavage of the signal peptide. The pre-Fc polypeptides may be expressed in either prokaryotic or eukaryotic host cells. Preferably, mammalian host cells are transfected with expression vectors encoding the pre-Fc polypeptides.

[0493] Human IgG1 Fc domains having the N-terminal sequence CDKTHTCPPCPAPE, CPPCPAPE, and CPAPE are shown in SEQ ID NO: 1, SEQ ID NO: 9, and SEQ ID NO: 17, respectively, and the DNA sequences encoding them are shown in SEQ ID NO: 2, SEQ ID NO: 10, and SEQ ID NO: 18, respectively. The IgG1 domain of SEQ ID NO: 1 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 3 (SHH signal peptide), SEQ ID NO: 5 (IFN signal peptide), and SEQ ID NO: 7 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 8, respectively. The IgG1 domain of SEQ ID NO: 9 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 11 (SHH signal peptide), SEQ ID NO: 13 (IFN signal peptide), and SEQ ID NO: 15 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 12, SEQ ID NO: 14, and SEQ ID NO: 16, respectively. The IgG1 domain of SEQ ID NO: 17 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 19 (SHH signal peptide), SEQ ID NO: 21 (IFN signal peptide), and SEQ ID NO: 23 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 20,

SEQ ID NO: 22, and SEQ ID NO: 24, respectively.

[0494] Human IgG2 Fc domains having the N-terminal sequence CCVECPPCPAPE, CVECPPCPAPE, CPPCPAPE, and CPAPE are shown in SEQ ID NO: 25, SEQ ID NO: 33, SEQ ID NO: 41, and SEQ ID NO: 49, respectively, and the DNA sequences encoding them are shown in SEQ ID NO: 26, SEQ ID NO: 34, SEQ ID NO: 42, and SEQ ID NO: 50, respectively. The IgG2 domain of SEQ ID NO: 25 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 27 (SHH signal peptide), SEQ ID NO: 29 (IFN signal peptide), and SEQ ID NO: 31 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 28, SEQ ID NO: 30, and SEQ ID NO: 32, respectively. The IgG2 domain of SEQ ID NO: 33 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 35 (SHH signal peptide), SEQ ID NO: 37 (IFN signal peptide), and SEQ ID NO: 39 (CETP signal peptide) using the DNA sequences shown in SEQ ID NO: 36, SEQ ID NO: 38, and SEQ ID NO: 40, respectively. The IgG2 domain of SEQ ID NO: 41 is obtained from the pre-Fc chimeric polypeptides shown in SEQ ID NO: 43 (SHH signal peptide), SEQ ID NO: 45 (IFN signal peptide), and SEQ ID NO: 47 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 44, SEQ ID NO: 46, and SEQ ID NO: 48, respectively. The IgG2 domain of SEQ ID NO: 49 is obtained from the pre-Fc chimeric polypeptides shown in SEQ ID NO: 51 (SHH signal peptide), SEQ ID NO: 53 (IFN signal peptide), and SEQ ID NO: 55 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 52, SEQ ID NO: 54, and SEQ ID NO: 56, respectively.

[0495] Human IgG3 Fc domains having the N-terminal sequence $(CPRCPEPKSDTPPP)_3$-CPRCPAPE, CPRCPAPE, and CPAPE are shown in SEQ ID NO: 57, SEQ ID NO: 65, and SEQ ID NO: 73, respectively, and the DNA sequences encoding them are shown in SEQ ID NO: 58, SEQ ID NO: 66, SEQ ID NO: 42, and SEQ ID NO: 74, respectively. The IgG3 domain of SEQ ID NO: 57 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 59 (SHH signal peptide), SEQ ID NO: 61 (IFN signal peptide), and SEQ ID NO: 63 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 60, SEQ ID NO: 62, and SEQ ID NO: 64, respectively. The IgG3 domain of SEQ ID NO: 65 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 67 (SHH signal peptide), SEQ ID NO: 69 (IFN signal peptide), and SEQ ID NO: 71 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 68, SEQ ID NO: 70, and SEQ ID NO: 72, respectively. The IgG3 domain of SEQ ID NO: 73 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 75 (SHH signal peptide), SEQ ID NO: 77 (IFN signal peptide), and SEQ ID NO: 79 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 76, SEQ ID NO: 78, and SEQ ID NO: 80, respectively.

[0496] The sequences of human IgG4 Fc domains having the N-terminal sequence CPSCPAPE and CPAPE are shown in SEQ ID NO: 81 and SEQ ID NO: 89, respectively, and the DNA sequences encoding them are shown in SEQ ID NO: 82 and SEQ ID NO: 90, respectively. The IgG4 domain of SEQ ID NO: 81 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 83 (SHH signal peptide), SEQ ID NO: 85 (IFN signal peptide), and SEQ ID NO: 87 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 84, SEQ ID NO: 86, and SEQ ID NO: 88, respectively. The IgG4 domain of SEQ ID NO: 89 is obtained by expressing the pre-Fc chimeric polypeptides shown in SEQ ID NO: 91 (SHH signal peptide), SEQ ID NO: 93 (IFN signal peptide), and SEQ ID NO: 95 (CETP signal peptide), using the DNA sequences shown in SEQ ID NO: 92, SEQ ID NO: 94, and SEQ ID NO: 96, respectively.

[0497] Suitable antibody variants having at their heavy chain N-terminus a cysteine residue are prepared by recombinant DNA expression of pre-heavy chain chimeric polypeptides comprising 1) a signal peptide, obtained from a secreted or transmembrane protein, that is cleaved in front of a mature polypeptide having an N-terminal cysteine residue, contiguous with 2) a antibody heavy chain polypeptide having an N-terminal cysteine residue.

[0498] Suitable antibody variants having at their light chain N-terminus a cysteine residue are prepared by recombinant DNA expression of pre-light chain chimeric polypeptides comprising 1) a signal peptide, obtained from a secreted or transmembrane protein, that is cleaved in front of a mature polypeptide having an N-terminal cysteine residue, contiguous with 2) a antibody light chain polypeptide having an N-terminal cysteine residue.

[0499] Trastuzumab heavy and light chains are obtained by expressing the pre-heavy and pre-light chimeric polypeptides in cells under conditions leading to their secretion and cleavage of the signal peptide. The pre-heavy chain and pre-light chain polypeptides may be expressed in either prokaryotic or eukaryotic host cells. Preferably, mammalian host cells are transfected with expression vectors encoding the pre-heavy chain and pre-light chain polypeptides.

[0500] Protein sequences added to the N-terminus of the aforementioned antibody heavy chain, pre-heavy chain, light chain, and pre-light chain variants are illustrated herein for the recombinant antibody trastuzumab, but are generally applicable to any recombinant antibody. DNA sequences encoding trastuzumab and its variants may be constructed and expressed in mammalian cells by cotransfecting DNA vectors for its heavy and light chains, and variants derived thereof, as described in U.S. Patent No. 5,821,337 ("Immunoglobulin Variants"). The amino acid sequence of the wild-type trastuzumab light and heavy chains are shown in SEQ ID NO: 128 and SEQ ID NO: 129, respectively.

[0501] Suitable examples of trastuzumab light chains with N-terminal cysteine residues and their pre-Fc chimeric polypeptides are shown in SEQ ID NO: 130 through SEQ ID NO: 165. Suitable examples of trastuzumab heavy chains with N-terminal cysteine residues and their pre-Fc chimeric polypeptides are shown in SEQ ID NO: 166 through SEQ ID NO: 201.

[0502] Trastuzumab light chains having the N-terminal sequence C, CP, CPP, CPR, CPS, CDKT, CDKTHT, CVE, and CDTPPP are shown in SEQ ID NO: 130, SEQ ID NO: 134, SEQ ID NO: 138, SEQ ID NO: 142, SEQ ID NO: 146, SEQ ID NO: 150, SEQ ID NO: 154, SEQ ID NO: 158, and SEQ ID NO: 162, respectively. The light chain of SEQ ID NO: 130 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 131 (SHH signal peptide), SEQ ID NO: 132 (IFN signal peptide), and SEQ ID NO: 133 (CETP signal peptide). The light chain of SEQ ID NO: 134 is obtained by expressing the pre- light chain chimeric polypeptides shown in SEQ ID NO: 135 (SHH signal peptide), SEQ ID NO: 136 (IFN signal peptide), and SEQ ID NO: 137 (CETP signal peptide). The light chain of SEQ ID NO: 138 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 139 (SHH signal peptide), SEQ ID NO: 140 (IFN signal peptide), and SEQ ID NO: 141 (CETP signal peptide). The light chain of SEQ ID NO: 142 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 143 (SHH signal peptide), SEQ ID NO: 144 (IFN signal peptide), and SEQ ID NO: 145 (CETP signal peptide). The light chain of SEQ ID NO: 146 is obtained by expressing the pre-heay light chimeric polypeptides shown in SEQ ID NO: 147 (SHH signal peptide), SEQ ID NO: 148 (IFN signal peptide), and SEQ ID NO: 149 (CETP signal peptide). The light chain of SEQ ID NO: 150 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 151 (SHH signal peptide), SEQ ID NO: 152 (IFN signal peptide), and SEQ ID NO: 153 (CETP signal peptide). The light chain of SEQ ID NO: 154 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 155 (SHH signal peptide), SEQ ID NO: 156 (IFN signal peptide), and SEQ ID NO: 157 (CETP signal peptide). The light chain of SEQ ID NO: 158 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 159 (SHH signal peptide), SEQ ID NO: 160 (IFN signal peptide), and SEQ ID NO: 161 (CETP signal peptide). The light chain of SEQ ID NO: 162 is obtained by expressing the pre- light chimeric polypeptides shown in SEQ ID NO: 163 (SHH signal peptide), SEQ ID NO: 164 (IFN signal peptide), and SEQ ID NO: 165 (CETP signal peptide).

[0503] Trastuzumab heavy chains having the N-terminal sequence C, CP, CPP, CPR, CPS, CDKT, CDKTHT, CVE, and CDTPPP are shown in SEQ ID NO: 166, SEQ ID NO: 170, SEQ ID NO: 174, SEQ ID NO: 178, SEQ ID NO: 182, SEQ ID NO: 186, SEQ ID NO: 190, SEQ ID NO: 194, and SEQ ID NO: 198, respectively. The heavy chain of SEQ ID NO: 166 is obtained by expressing the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 167 (SHH signal peptide), SEQ ID NO: 168 (IFN signal peptide), and SEQ ID NO: 169 (CETP signal peptide). The heavy chain of SEQ ID NO: 170 is obtained by expressing the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 171 (SHH signal peptide), SEQ ID NO: 172 (IFN signal peptide), and SEQ ID NO: 173 (CETP signal peptide). The heavy chain of SEQ ID NO: 174 is obtained from the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 175 (SHH signal peptide), SEQ ID NO: 176 (IFN signal peptide), and SEQ ID NO: 177 (CETP signal peptide). The heavy chain of SEQ ID NO: 178 is obtained from the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 179 (SHH signal peptide), SEQ ID NO: 180 (IFN signal peptide), and SEQ ID NO: 181 (CETP signal peptide). The heavy chain of SEQ ID NO: 182 is obtained by expressing the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 183 (SHH signal peptide), SEQ ID NO: 184 (IFN signal peptide), and SEQ ID NO: 185 (CETP signal peptide). The heavy chain of SEQ ID NO: 186 is obtained by expressing the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 187 (SHH signal peptide), SEQ ID NO: 188 (IFN signal peptide), and SEQ ID NO: 189 (CETP signal peptide). The heavy chain of SEQ ID NO: 190 is obtained from the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 191 (SHH signal peptide), SEQ ID NO: 192 (IFN signal peptide), and SEQ ID NO: 193 (CETP signal peptide). The heavy chain of SEQ ID NO: 194 is obtained from the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 195 (SHH signal peptide), SEQ ID NO: 196 (IFN signal peptide), and SEQ ID NO: 197 (CETP signal peptide). The heavy chain of SEQ ID NO: 198 is obtained from the pre-heavy chain chimeric polypeptides shown in SEQ ID NO: 199 (SHH signal peptide), SEQ ID NO: 200 (IFN signal peptide), and SEQ ID NO: 201 (CETP signal peptide).

[0504] Suitable host cells include 293 human embryonic cells (ATCC CRL-1573) and CHO-K1 hamster ovary cells (ATCC CCL-61) obtained from the American Type Culture Collection (Rockville, Md.). Cells are grown at 37°C. in an atmosphere of air, 95%; carbon dioxide, 5%. 293 cells are maintained in Minimal essential medium (Eagle) with 2 mM L-glutamine and Earle's BSS adjusted to contain 1.5 g/L sodium bicarbonate, 0.1 mM non-essential amino acids, and 1.0 mM sodium pyruvate, 90%; fetal bovine serum, 10%. CHO-K1 cells are maintained in Ham's F12K medium with 2 mM L-glutamine adjusted to contain 1.5 g/L sodium bicarbonate, 90%; fetal bovine serum, 10%. Other suitable host cells include CV1 monkey kidney cells (ATCC CCL-70), COS-7 monkey kidney cells (ATCC CRL-1651), VERO-76 monkey kidney cells (ATCC CRL-1587), HELA human cervical cells (ATCC CCL-2), W138 human lung cells (ATCC CCL-75), MDCK canine kidney cells (ATCC CCL-34), BRL3A rat liver cells (ATCC CRL-1442), BHK hamster kidney cells (ATCC CCL-10), MMT060562 mouse mammary cells (ATCC CCL-51), and human CD8.sup.+ T lymphocytes (described in U.S. Ser. No. 08/258,152).

[0505] Examples of a suitable expression vectors are pCDNA3.1(+) shown in SEQ ID NO: 97 and pSA shown in SEQ ID NO: 98. Plasmid pSA contains the following DNA sequence elements: 1) pBluescriptIIKS(+) (nucleotides 912-2941/1-619, GenBank Accession No. X52327), 2) a human cytomegalovirus promoter, enhancer, and first exon splice donor (nucleotides 63-912, GenBank Accession No. K03104), 3) a human alphal-globin second exon splice acceptor (nucleotides 6808-6919, GenBank Accession No. J00153), 4) an SV40 T antigen polyadenylation site (nucleotides 2770-2533, Reddy et al. (1978) Science 200, 494-502), and 5) an SV40 origin of replication (nucleotides 5725-5578, Reddy et al., ibid). Other suitable expression vectors include plasmids pSVeCD4DHFR and pRKCD4 (U.S. Patent No. 5,336,603), plasmid pIK.1.1 (U.S. Patent No. 5,359,046), plasmid pVL-2 (U.S. Patent No. 5,838,464), plasmid pRT43.2F3 (described in U.S. Ser. No. 08/258,152).

[0506] Suitable expression vectors for human IgG pre-Fc polypeptides may be constructed by the ligation of a HindIII-PspOM1 vector fragment prepared from SEQ ID NO: 98, with a HindIII-EagI insert fragment prepared from SEQ ID NOS: 4, 6, 8, 12, 14, 16, 20, 22, 24, 28, 30, 32, 36, 38, 40, 44, 46, 48, 52, 54, 56, 60, 62, 64, 68, 70, 72, 76, 78, 80, 84, 86, 88, 92, 94, and 96.

[0507] Suitable selectable markers include the Tn5 transposon neomycin phosphotransferase (NEO) gene (Southern and Berg (1982) J. Mol. Appl. Gen. 1, 327-341), and the dihydrofolate reductase (DHFR) cDNA (Lucas et al. (1996) Nucl. Acids Res. 24, 1774-1779). One example of a suitable expression vector that incorporates a NEO gene is plasmid pSA-NEO, which is constructed by ligating a first DNA fragment, prepared by digesting SEQ ID NO: 99 with EcoRI and BglII, with a second DNA fragment, prepared by digesting SEQ ID NO:98 with EcoRI and BglII. SEQ ID NO:99 incorporates a NEO gene (nucleotides 1551 to 2345, Genbank Accession No. U00004) preceded by a sequence for translational initiation (Kozak (1991) J. Biol. Chem, 266, 19867-19870). Another example of a suitable expression vector that incorporates a NEO gene and a DHFR cDNA is plasmid pSVe-NEO-DHFR, which is constructed by ligating a first DNA fragment, prepared by digesting SEQ ID NO:99 with EcoRI and BglII, with a second DNA fragment, prepared by digesting pSVeCD4DHFR with EcoRI and BglII. Plasmid pSVe-NEO-DHFR uses SV40 early promoter/enhancers to drive expression of the NEO gene and the DHFR cDNA. Other suitable selectable markers include the XPGT gene (Mulligan and Berg (1980) Science 209, 1422-1427) and the hygromycin resistance gene (Sugden et al. (1985) Mol. Cell. Biol. 5, 410-413).

[0508] In one embodiment, cells are transfected by the calcium phosphate method of Graham et al. (1977) J. Gen. Virol. 36, 59-74. A DNA mixture (10 ug) is dissolved in 0.5 ml of 1 mM Tris-HCl, 0.1 mM EDTA, and 227 mM $CaCl_2$. The DNA mixture contains (in a ratio of 10:1:1) the expression vector DNA, the selectable marker DNA, and a DNA encoding the VA RNA gene (Thimmappaya et al. (1982) Cell 31, 543-551). To this mixture is added, dropwise, 0.5 mL of 50 mM Hepes (pH 7.35), 280 mM NaCl, and 1.5 mM $NaPO_4$. The DNA precipitate is allowed to form for 10 minutes at 25°C, then suspended and added to cells grown to confluence on 100 mm plastic tissue culture dishes. After 4 hours at 37°C, the culture medium is aspirated and 2 ml of 20% glycerol in PBS is added for 0.5 minutes. The cells are then washed with serum-free medium, fresh culture medium is added, and the cells are incubated for 5 days.

[0509] In another embodiment, cells are transiently transfected by the dextran sulfate method of Somparyrac et al. (1981) Proc. Nat. Acad. Sci. 12, 7575-7579. Cells are grown to maximal density in spinner flasks, concentrated by centrifugation, and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet. After 4 hours at 37°C, the DEAE-dextran is aspirated and 20% glycerol in PBS is added for 1.5 minutes. The cells are then washed with serum-free medium, reintroduced into spinner flasks containing fresh culture medium with 5 micrograms/ml bovine insulin and 0.1 micrograms/ml bovine transferring, and incubated for 4 days.

[0510] Following transfection by either method, the conditioned media is centrifuged and filtered to remove the host cells and debris. The sample contained the Fc domain is then concentrated and purified by any selected method, such as dialysis and/or column chromatography (see below). To identify the Fc domain in the cell culture supernatant, the culture medium is removed 24 to 96 hours after transfection, concentrated, and analyzed by SDS-polyacrylamide gel electrophoresis (SDS-PAGE) in the presence or absence of a reducing agent such as dithiothreitol.

[0511] For unamplified expression, plasmids are transfected into human 293 cells (Graham et al., J. Gen. Virol. 36:59 74 (1977)), using a high efficiency procedure (Gorman et al., DNA Prot. Eng. Tech. 2:3 10 (1990)). Media is changed to serum-free and harvested daily for up to five days. For unamplified expression, plasmids are transfected into human 293 cells (Graham et al., J. Gen. Virol. 36:59 74 (1977)),

using a high efficiency procedure (Gorman et al., DNA Prot. Eng. Tech. 2:3 10 (1990)). Media is changed to serum-free and harvested daily for up to five days. The Fc domains are purified from the cell culture supernatant using HiTrap Protein A HP (Pharmacia). The eluted Fc domains are buffer-exchanged into PBS using a Centricon-30 (Amicon), concentrated to 0.5 ml, sterile filtered using a Millex-GV (Millipore) at 4°C.

Stretches of Consecutive Amino Acids

[0512] Examples of stretches of consecutive amino acids as referred to herein include, but are not limited to, consecutive amino acids including binding domains such as secreted or transmembrane proteins, intracellular binding domains and antibodies (whole or portions thereof) and modififed versions thereof. The following are some non-limiting examples:

1) Immunoglobulins

[0513] The term "antibody" is used in the broadest sense and specifically covers monoclonal antibodies (including full length monoclonal antibodies), polyclonal antibodies, multispecific antibodies (e.g., bispecific antibodies), monovalent antibodies, multivalent antibodies, and antibody fragments so long as they exhibit the desired biological activity (e.g., Fab and/or single-armed antibodies). The "class" of an antibody refers to the type of constant domain or constant region possessed by its heavy chain. There are five major classes of antibodies: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA1, and IgA2. The heavy chain constant domains that correspond to the different classes of immunoglobulins are called α, δ, ε, γ, and μ, respectively.

[0514] An "antibody fragment" refers to a molecule other than an intact antibody that comprises a portion of an intact antibody that binds the antigen to which the intact antibody binds. Examples of antibody fragments include but are not limited to Fv, Fab, Fab', Fab'-SH, $F(ab')_2$; diabodies; linear antibodies; single-chain antibody molecules (e.g., scFv); and multispecific antibodies formed from antibody fragments.

[0515] The terms "full length antibody," "intact antibody," and "whole antibody" are used herein interchangeably to refer to an antibody having a structure substantially similar to a native antibody structure or having heavy chains that contain an Fc region as defined herein.

[0516] A "blocking" antibody or an "antagonist" antibody is one which significantly inhibits (either partially or completely) a biological activity of the antigen it binds.

[0517] An "antibody that binds to the same epitope" as a reference antibody refers to an antibody that blocks binding of the reference antibody to its antigen in a competition assay by 50% or more, and conversely, the reference antibody blocks binding of the antibody to its antigen in a competition assay by 50% or more. An exemplary competition assay is provided herein.

[0518] The term "variable region" or "variable domain" refers to the domain of an antibody heavy or light chain that is involved in binding the antibody to antigen. The variable domains of the heavy chain and light chain (VH and VL, respectively) of a native antibody generally have similar structures, with each domain comprising four conserved framework regions (FRs) and three hypervariable regions (HVRs). (See, e.g.,

Kindt et al. Kuby Immunology, 6th ed., W.H. Freeman and Co., page 91 (2007).) A single VH or VL domain may be sufficient to confer antigen-binding specificity. Furthermore, antibodies that bind a particular antigen may be isolated using a VH or VL domain from an antibody that binds the antigen to screen a library of complementary VL or VH domains, respectively. See, e.g., Portolano et al., J. Immunol. 150:880-887 (1993); Clarkson et al., Nature 352:624-628 (1991).

[0519] The term "hypervariable region" or "HVR," as used herein, refers to each of the regions of an antibody variable domain which are hypervariable in sequence and/or form structurally defined loops ("hypervariable loops"). Generally, native four-chain antibodies comprise six HVRs; three in the VH (H1, H2, H3), and three in the VL (L1, L2, L3). HVRs generally comprise amino acid residues from the hypervariable loops and/or from the "complementarity determining regions" (CDRs), the latter being of highest sequence variability and/or involved in antigen recognition. Exemplary hypervariable loops occur at amino acid residues 26-32 (L1), 50-52 (L2), 91-96 (L3), 26-32 (H1), 53-55 (H2), and 96-101 (H3). (Chothia and Lesk, J. Mol. Biol. 196:901-917 (1987).) Exemplary CDRs (CDR-L1, CDR-L2, CDR-L3, CDR-H1, CDR-H2, and CDR-H3) occur at amino acid residues 24-34 of L1, 50-56 of L2, 89-97 of L3, 31-35B of H1, 50-65 of H2, and 95-102 of H3. (Kabat et al., Sequences of Proteins of Immunological Interest, 5th Ed. Public Health Service, National Institutes of Health, Bethesda, Md. (1991).) With the exception of CDR1 in VH, CDRs generally comprise the amino acid residues that form the hypervariable loops. CDRs also comprise "specificity determining residues," or "SDRs," which are residues that contact antigen. SDRs are contained within regions of the CDRs called abbreviated-CDRs, or a-CDRs. Exemplary a-CDRs (a-CDR-LI, a-CDR-L2, a-CDR-L3, a-CDR-H1, a-CDR-H2, and a-CDR-H3) occur at amino acid residues 31-34 of L1, 50-55 of L2, 89-96 of L3, 31-35B of H1, 50-58 of H2, and 95-102 of H3. (See Almagro and Fransson, Front. Biosci. 13:1619-1633 (2008).) Unless otherwise indicated, HVR residues and other residues in the variable domain (e.g., FR residues) are numbered herein according to Kabat et al., supra.

[0520] "Framework" or "FR" refers to variable domain residues other than hypervariable region (HVR) residues. The FR of a variable domain generally consists of four FR domains: FR1, FR2, FR3, and FR4. Accordingly, the HVR and FR sequences generally appear in the following sequence in VH (or VL): FR1-H1(L1)-FR2-H2(L2)-FR3-H3(L3)-FR4.

[0521] The phrase "N-terminally truncated heavy chain", as used herein, refers to a polypeptide comprising parts but not all of a full length immunoglobulin heavy chain, wherein the missing parts are those normally located on the N terminal region of the heavy chain. Missing parts may include, but are not limited to, the variable domain, CH1, and part or all of a hinge sequence. Generally, if the wild type hinge sequence is not present, the remaining constant domain(s) in the N-terminally truncated heavy chain would comprise a component that is capable of linkage to another Fc sequence (i.e., the "first" Fc polypeptide as described herein). For example, said component can be a modified residue or an added cysteine residue capable of forming a disulfide linkage.

[0522] "Fc receptor" or "FcR" describes a receptor that binds to the Fc region of an antibody. In some embodiments, an FcR is a native human FcR. In some embodiments, an FcR is one which binds an IgG antibody (a gamma receptor) and includes receptors of the FcγRI, FcγRII, and FcγRIII subclasses, including allelic variants and alternatively spliced forms of those receptors. FcγRII receptors include FcγRIIA (an "activating receptor") and FcγRIIB (an "inhibiting receptor"), which have similar amino acid sequences that differ primarily in the cytoplasmic domains thereof. Activating receptor FcγRIIA contains an immunoreceptor tyrosine-based activation motif (ITAM) in its cytoplasmic domain Inhibiting receptor FcγRIIB contains an immunoreceptor tyrosine-based inhibition motif (ITIM) in its cytoplasmic domain. (see, e.g., Daeron, Annu. Rev. Immunol. 15:203-234 (1997)). FcRs are reviewed, for example, in Ravetch and Kinet, Annu. Rev. Immunol 9:457-92 (1991); Capel et al., Immunomethods 4:25-34 (1994); and de

Haas et al., J. Lab. Clin. Med. 126:330-41 (1995). Other FcRs, including those to be identified in the future, are encompassed by the term "FcR" herein.

[0523] The term "Fc receptor" or "FcR" also includes the neonatal receptor, FcRn, which is responsible for the transfer of maternal IgGs to the fetus (Guyer et al., J. Immunol. 117:587 (1976) and Kim et al., J. Immunol. 24:249 (1994)) and regulation of homeostasis of immunoglobulins. Methods of measuring binding to FcRn are known (see, e.g., Ghetie and Ward., Immunol. Today 18(12):592-598 (1997); Ghetie et al., Nature Biotechnology, 15(7):637-640 (1997); Hinton et al., J. Biol. Chem. 279(8):6213-6216 (2004); WO 2004/92219 (Hinton et al.).

[0524] Binding to human FcRn in vivo and serum half life of human FcRn high affinity binding polypeptides can be assayed, e.g., in transgenic mice or transfected human cell lines expressing human FcRn, or in primates to which the polypeptides with a variant Fc region are administered. WO 2000/42072 (Presta) describes antibody variants with improved or diminished binding to FcRs. See also, e.g., Shields et al. J. Biol. Chem. 9(2):6591-6604 (2001).

[0525] The "hinge region," "hinge sequence", and variations thereof, as used herein, includes the meaning known in the art, which is illustrated in, for example, Janeway et al., Immuno Biology: the immune system in health and disease, (Elsevier Science Ltd., NY) (4th ed., 1999); Bloom et al., Protein Science (1997), 6:407-415; Humphreys et al., J. Immunol. Methods (1997), 209:193-202.

[0526] Unless indicated otherwise, the expression "multivalent antibody" is used throughout this specification to denote an antibody comprising three or more antigen binding sites. The multivalent antibody is preferably engineered to have the three or more antigen binding sites and is generally not a native sequence IgM or IgA antibody.

[0527] An "Fv" fragment is an antibody fragment which contains a complete antigen recognition and binding site. This region consists of a dimer of one heavy and one light chain variable domain in tight association, which can be covalent in nature, for example in scFv. It is in this configuration that the three HVRs of each variable domain interact to define an antigen binding site on the surface of the VH-VL dimer. Collectively, the six HVRs or a subset thereof confer antigen binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three HVRs specific for an antigen) has the ability to recognize and bind antigen, although usually at a lower affinity than the entire binding site.

[0528] The "Fab" fragment contains a variable and constant domain of the light chain and a variable domain and the first constant domain (CH1) of the heavy chain. F(ab') 2 antibody fragments comprise a pair of Fab fragments which are generally covalently linked near their carboxy termini by hinge cysteines between them. Other chemical couplings of antibody fragments are also known in the art.

[0529] The phrase "antigen binding arm", as used herein, refers to a component part of an antibody fragment that has an ability to specifically bind a target molecule of interest. Generally and preferably, the antigen binding arm is a complex of immunoglobulin polypeptide sequences, e.g., HVR and/or variable domain sequences of an immunoglobulin light and heavy chain.

[0530] "Single-chain Fv" or "scFv" antibody fragments comprise the VH and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Generally the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains, which enables the scFv to form the desired structure for antigen binding. For a review of scFv, see Pluckthun in The Pharmacology of

Monoclonal Antibodies, Vol 113, Rosenburg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994).

[0531] The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy chain variable domain (V_H) connected to a light chain variable domain (V_L) in the same polypeptide chain (V_H and V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

[0532] The expression "linear antibodies" refers to the antibodies described in Zapata et al., Protein Eng., 8(10):1057-1062 (1995). Briefly, these antibodies comprise a pair of tandem Fd segments (V.sub.H-C.sub.H1-V.sub.H-C.sub.H1) which, together with complementary light chain polypeptides, form a pair of antigen binding regions. Linear antibodies can be bispecific or monospecific.

[0533] The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, i.e., the individual antibodies comprising the population are identical and/or bind the same epitope, except for possible variant antibodies, e.g., containing naturally occurring mutations or arising during production of a monoclonal antibody preparation, such variants generally being present in minor amounts. In contrast to polyclonal antibody preparations, which typically include different antibodies directed against different determinants (epitopes), each monoclonal antibody of a monoclonal antibody preparation is directed against a single determinant on an antigen. Thus, the modifier "monoclonal" indicates the character of the antibody as being obtained from a substantially homogeneous population of antibodies, and is not to be construed as requiring production of the antibody by any particular method. For example, the monoclonal antibodies to be used may be made by a variety of techniques, including but not limited to the hybridoma method, recombinant DNA methods, phage-display methods, and methods utilizing transgenic animals containing all or part of the human immunoglobulin loci, such methods and other exemplary methods for making monoclonal antibodies being described herein.

[0534] The term "chimeric" antibody refers to an antibody in which a portion of the heavy and/or light chain is derived from a particular source or species, while the remainder of the heavy and/or light chain is derived from a different source or species.

[0535] A "humanized" antibody refers to a chimeric antibody comprising amino acid residues from non-human HVRs and amino acid residues from human FRs. In certain embodiments, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the HVRs (e.g., CDRs) correspond to those of a non-human antibody, and all or substantially all of the FRs correspond to those of a human antibody. A humanized antibody optionally may comprise at least a portion of an antibody constant region derived from a human antibody. A "humanized form" of an antibody, e.g., a non-human antibody, refers to an antibody that has undergone humanization.

[0536] A "human antibody" is one which possesses an amino acid sequence which corresponds to that of an antibody produced by a human or a human cell or derived from a non-human source that utilizes human antibody repertoires or other human antibody-encoding sequences. This definition of a human antibody specifically excludes a humanized antibody comprising non-human antigen-binding residues.

[0537] A "naked antibody" refers to an antibody that is not conjugated to a heterologous moiety (e.g., a

cytotoxic moiety) or radiolabel. The naked antibody may be present in a pharmaceutical formulation.

[0538] "Native antibodies" refer to naturally occurring immunoglobulin molecules with varying structures. For example, native IgG antibodies are heterotetrameric glycoproteins of about 150,000 Daltons, composed of two identical light chains and two identical heavy chains that are disulfide-bonded. From N- to C-terminus, each heavy chain has a variable region (VH), also called a variable heavy domain or a heavy chain variable domain, followed by three constant domains (CH1, CH2, and CH3). Similarly, from N- to C-terminus, each light chain has a variable region (VL), also called a variable light domain or a light chain variable domain, followed by a constant light (CL) domain. The light chain of an antibody may be assigned to one of two types, called kappa (κ) and lambda (λ), based on the amino acid sequence of its constant domain.

[0539] "Affinity" refers to the strength of the sum total of noncovalent interactions between a single binding site of a molecule (e.g., an antibody) and its binding partner (e.g., an antigen). Unless indicated otherwise, as used herein, "binding affinity" refers to intrinsic binding affinity which reflects a 1:1 interaction between members of a binding pair (e.g., antibody and antigen). The affinity of a molecule X for its partner Y can generally be represented by the dissociation constant (Kd). Affinity can be measured by common methods known in the art, including those described herein. Specific illustrative and exemplary embodiments for measuring binding affinity are described in the following.

[0540] An "affinity matured" antibody refers to an antibody with one or more alterations in one or more HVRs, compared to a parent antibody which does not possess such alterations, such alterations resulting in an improvement in the affinity of the antibody for antigen.

[0541] An antibody having a "biological characteristic" of a designated antibody is one which possesses one or more of the biological characteristics of that antibody which distinguish it from other antibodies that bind to the same antigen.

[0542] A "functional antigen binding site" of an antibody is one which is capable of binding a target antigen. The antigen binding affinity of the antigen binding site is not necessarily as strong as the parent antibody from which the antigen binding site is derived, but the ability to bind antigen must be measurable using any one of a variety of methods known for evaluating antibody binding to an antigen. Moreover, the antigen binding affinity of each of the antigen binding sites of a multivalent antibody herein need not be quantitatively the same. For the multimeric antibodies herein, the number of functional antigen binding sites can be evaluated using ultracentrifugation analysis as described in Example 2 of U.S. Patent Application Publication No. 20050186208. According to this method of analysis, different ratios of target antigen to multimeric antibody are combined and the average molecular weight of the complexes is calculated assuming differing numbers of functional binding sites. These theoretical values are compared to the actual experimental values obtained in order to evaluate the number of functional binding sites.

[0543] A "species-dependent antibody" is one which has a stronger binding affinity for an antigen from a first mammalian species than it has for a homologue of that antigen from a second mammalian species. Normally, the species-dependent antibody "binds specifically" to a human antigen (i.e. has a binding affinity (K.sub.d) value of no more than about 1.times.10.sup.-7 M, preferably no more than about 1. times. 10.sup.-8 M and most preferably no more than about 1.times.10.sup.-9 M) but has a binding affinity for a homologue of the antigen from a second nonhuman mammalian species which is at least about 50 fold, or at least about 500 fold, or at least about 1000 fold, weaker than its binding affinity for the human antigen. The species-dependent antibody can be any of the various types of antibodies as defined above. In some embodiments, the species-dependent antibody is a humanized or human antibody.

[0544] An "isolated" antibody is one which has been separated from a component of its natural environment. In some embodiments, an antibody is purified to greater than 95% or 99% purity as determined by, for example, electrophoretic (e.g., SDS-PAGE, isoelectric focusing (IEF), capillary electrophoresis) or chromatographic (e.g., ion exchange or reverse phase HPLC). For review of methods for assessment of antibody purity, see, e.g., Flatman et al., J. Chromatogr. B 848:79-87 (2007).

2) Extracellular Proteins

[0545] Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. A discussion of various intracellular proteins of interest is set forth in U.S. Patent No. 6,723,535, Ashkenazi et al., issued April 20, 2004.

[0546] The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of action in the extracellular environment.

[0547] Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature (see, for example, Klein et al., Proc. Natl. Acad. Sci. 93:7108-7113 (1996); U.S. Patent No. 5,536,637)).

[0548] Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesin molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and nerve growth factor receptor.

[0549] Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be

employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

3) Intein-Based C-Terminal Syntheses

[0550] As described, for example, in U.S. Patent No. 6,849,428, issued Feb. 1, 2005, inteins are the protein equivalent of the self-splicing RNA introns (see Perler et al., Nucleic Acids Res. 22:1125-1127 (1994)), which catalyze their own excision from a precursor protein with the concomitant fusion of the flanking protein sequences, known as exteins (reviewed in Perler et al., Curr. Opin. Chem. Biol. 1:292-299 (1997); Perler, F. B. Cell 92(1):1-4 (1998); Xu et al., EMBO J. 15(19):5146-5153 (1996)).

[0551] Studies into the mechanism of intein splicing led to the development of a protein purification system that utilized thiol-induced cleavage of the peptide bond at the N-terminus of the Sce VMA intein (Chong et al., Gene 192(2) :271-281 (1997)). Purification with this intein-mediated system generates a bacterially-expressed protein with a C-terminal thioester (Chong et al., (1997)). In one application, where it is described to isolate a cytotoxic protein, the bacterially expressed protein with the C-terminal thioester is then fused to a chemically-synthesized peptide with an N-terminal cysteine using the chemistry described for "native chemical ligation" (Evans et al., Protein Sci. 7:2256-2264 (1998); Muir et al., Proc. Natl. Acad. Sci. USA 95:6705-6710 (1998)).

[0552] This technique, referred to as "intein-mediated protein ligation" (IPL), represents an important advance in protein semi-synthetic techniques. However, because chemically-synthesized peptides of larger than about 100 residues are difficult to obtain, the general application of IPL was limited by the requirement of a chemically-synthesized peptide as a ligation partner.

[0553] IPL technology was significantly expanded when an expressed protein with a predetermined N-terminus, such as cysteine, was generated, as described for example in U.S. Patent No. 6,849,428. This allows the fusion of one or more expressed proteins from a host cell, such as bacterial, yeast or mammalian cells. In one non-limiting example the intein a modified RIR1 Methanobacterium thermoautotrophicum is that cleaves at either the C-terminus or N-terminus is used which allows for the release of a bacterially expressed protein during a one-column purification, thus eliminating the need proteases entirely.

[0554] Intein technology is one example of one route to obtain components. In one embodiment, the subunits of the compounds of the invention are obtained by transfecting suitable cells, capable of expressing and secreting mature chimeric polypeptides, wherein such polypeptides comprise, for example, an adhesin domain contiguous with an isolatable c-terminal intein domain (see U.S. Patent No. 6,849,428, Evans et al., issued February 1, 2005). The cells, such as mammalian cells or bacterial cells, are transfected using known recombinant DNA techniques. The secreted chimeric polypeptide can then be isolated, e.g. using a chitin-derivatized resin in the case of an intein-chitin binding domain (see U.S. Patent No. 6,897,285, Xu et al., issued May 24, 2005), and is then treated under conditions permitting thiol-mediated cleavage and release of the now C-terminal thioester-terminated subunit. The thioester-terminated adhesion subunit is readily converted to a C-terminal cysteine terminated subunit.

[0555] For example, following an intein autocleavage reaction, a thioester intermediate is generated that permits the facile addition of cysteine, selenocysteine, homocysteine, or homoselenocysteine, or a derivative of cysteine, selenocysteine, homocysteine, homoselenocysteine, to the C-terminus by native chemical ligation. Methods of adding a cysteine, selenocysteine, homocysteine, or homoselenocysteine,

or a derivative of cysteine, selenocysteine, homocysteine, homoselenocysteine, to the C-terminus by native chemical ligation which are useful in aspects of the present invention are described in U.S. Patent Application No. 2008/0254512, Capon, published October 16, 2008.

Kits

[0556] Another aspect (not claimed) provides kits comprising the compounds disclosed herein and the pharmaceutical compositions comprising these compounds. A kit may include, in addition to the compound or pharmaceutical composition, diagnostic or therapeutic agents. A kit may also include instructions for use in a diagnostic or therapeutic method. In a diagnostic embodiment, the kit includes the compound or a pharmaceutical composition thereof and a diagnostic agent. In a therapeutic embodiment, the kit includes the antibody or a pharmaceutical composition thereof and one or more therapeutic agents, such as an additional antineoplastic agent, anti-tumor agent or chemotherapeutic agent.

General techniques

[0557] The description below relates primarily to production of stretches of consecutive amino acids or polypeptides of interest by culturing cells transformed or transfected with a vector containing an encoding nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed. For instance, the amino acid sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques (see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, Calif. (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)). In vitro protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, Calif.) using manufacturer's instructions. Various portions of the stretches of consecutive amino acids or polypeptides of interest may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length stretches of consecutive amino acids or polypeptides of interest.

1. Selection and Transformation of Host Cells

[0558] Host cells are transfected or transformed with expression or cloning vectors described herein for production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

[0559] Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, $CaCl_2$, $CaPO_4$, liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with Agrobacterium tumefaciens is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859

published Jun. 29, 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946(1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

[0560] Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as E. coli. Various E. coli strains are publicly available, such as E. coli K12 strain MM294 (ATCC 31,446); E. coli X1776 (ATCC 31,537); E. coli strain W3110 (ATCC 27,325) and K5772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as Escherichia, e.g., E. coli, Enterobacter, Erwinia, Klebsiella, Proteus, Salmonella, e.g., Salmonella typhimurium, Serratia, e.g., Serratia marcescans, and Shigella, as well as Bacilli such as B. subtilis and B. licheniformis (e.g., B. licheniformis 41P disclosed in DD 266,710 published Apr. 12, 1989), Pseudomonas such as P. aeruginosa, and Streptomyces. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including E. coli W3110 strain 1A2, which has the complete genotype tonA; E. coli W3110 strain 9E4, which has the complete genotype tonA ptr3; E. coli W3110 strain 27C7 (ATCC 55,244), which has the complete genotype tonAptr3phoA E15 (argF-lac)169 degP ompT kan.sup.r ; E. coli W3110 strain 37D6, which has the complete genotype tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan.sup.r, E. coli W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant degP deletion mutation; and an E. coli strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued Aug. 7, 1990. Alternatively, in vitro methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

[0561] In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for encoding vectors. Saccharomyces cerevisiae is a commonly used lower eukaryotic host microorganism. Others include Schizosaccharomyces pombe (Beach and Nurse, Nature, 290:140 (1981); EP 139,383 published May 2, 1985); Kluyveromyces hosts (U.S. Pat. No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., K. lactis (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 737 (1983)), K. fragilis (ATCC 12,424), K. bulgaricus (ATCC 16,045), K. wickeramii (ATCC 24,178), K. waltii (ATCC 56,500), K. drosophilarum (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), K. thermotolerans, and K. marxianus; yarrowia (EP 402,226); Pichia pastoris (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 (1988)); Candida; Trichoderma reesia (EP 244,234); Neurospora crassa (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 (1979)); Schwanniomyces such as Schwanniomyces occidentalis (EP 394,538 published Oct. 31, 1990); and filamentous fungi such as, e.g., Neurospora, Penicillium, Tolypocladium (WO 91/00357 published Jan. 10, 1991), and Aspergillus hosts such as A. nidulans (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 (1983); Tilburn et al., Gene, 26:205-221 (1983); Yelton et al., Proc. Natl. Acad. Sci. USA, 81:1470-1474 (1984)) and A. niger (Kelly and Hynes, EMBO J., 4:475479 (1985)). Methylotropic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of Hansenula, Candida, Kloeckera, Pichia, Saccharomyces, Torulopsis, and

Rhodotorula. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

[0562] Suitable host cells for the expression of glycosylated stretches of consecutive amino acids or polypeptides of interest are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as Drosophila S2 and Spodoptera Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J. Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

2. Selection and Use of a Replicable Vector

[0563] The nucleic acid (e.g., cDNA or genomic DNA) encoding the stretch of consecutive amino acids or polypeptides of interest may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

[0564] The stretches of consecutive amino acids or polypeptides of interest may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, 1pp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including Saccharomyces and Kluyveromyces alpha-factor leaders, the latter described in U.S. Pat. No. 5,010,182), or acid phosphatase leader, the C. albicans glucoamylase leader (EP 362,179 published Apr. 4, 1990), or the signal described in WO 90/13646 published Nov. 15, 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

[0565] Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2mu plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

[0566] Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins,

e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for Bacilli.

[0567] An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the trp1 gene present in the yeast plasmid YRp7 (Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)). The trp1 gene provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 (Jones, Genetics, 85:12 (1977)).

[0568] Expression and cloning vectors usually contain a promoter operably linked to the encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the beta-lactamase and lactose promoter systems (Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)), alkaline phosphatase, a tryptophan (trp) promoter system (Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776), and hybrid promoters such as the tac promoter (deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)). Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the encoding DNA.

[0569] Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase (Hitzeman et al., J. Biol. Chem., 255:2073 (1980)) or other glycolytic enzymes (Hess et al., J. Adv. Enzyme Re.g., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)), such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

[0570] Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

[0571] Transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published Jul. 5, 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

[0572] Transcription of a DNA encoding the stretches of consecutive amino acids or polypeptides of interest by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, alpha-fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp

100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the coding sequence, but is preferably located at a site 5' from the promoter.

[0573] Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding stretches of consecutive amino acids or polypeptides of interest.

[0574] Still other methods, vectors, and host cells suitable for adaptation to the synthesis of stretches of consecutive amino acids or polypeptides in recombinant vertebrate cell culture are described in Gething et al., Nature 293:620-625 (1981); Mantei et al., Nature, 281:4046 (1979); EP 117,060; and EP 117,058.

3. Detecting Gene Amplification/Expression

[0575] Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA (Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)), dot blotting (DNA analysis), or in situ hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

[0576] Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence stretches of consecutive amino acids or polypeptides of interest or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to DNA encoding a stretch of consecutive amino acids or polypeptide of interest and encoding a specific antibody epitope.

4. Purification of Polypeptide

[0577] Forms of the stretches of consecutive amino acids or polypeptides of interest may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of the stretches of consecutive amino acids or polypeptides of interest can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

[0578] It may be desired to purify the stretches of consecutive amino acids or polypeptides of interest from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase

HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular stretches of consecutive amino acids or polypeptides of interest produced.

Example of Expression of Stretch of Consecutive Amino Acids or Polypeptide Component of Interest in E. coli

[0579] The DNA sequence encoding the desired amino acid sequence of interest or polypeptide is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from E. coli; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the specific amino acid sequence of interest / polypeptide coding region, lambda transcriptional terminator, and an argU gene.

[0580] The ligation mixture is then used to transform a selected E. coli strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

[0581] Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

[0582] After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized amino acid sequence of interest or polypeptide can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

[0583] The primers can contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences can be ligated into an expression vector used to transform an E. coli host based on, for example, strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(laclq). Transformants can first be grown in LB containing 50 mg/ml carbenicillin at 30◦C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into C RAP media (prepared by mixing 3.57 g $(NH_4)_2$ SO_4, 0.71 g sodium citrate-$2H_2O$, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM $MgSO_4$) and grown for approximately 20-30 hours at 30◦C. with shaking. Samples

were removed to verify expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets were frozen until purification and refolding.

[0584] E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) was resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution was stirred overnight at 4◦C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution was centrifuged at 40,000 rpm in a Beckman Ultracentifuge for 30 min. The supernatant was diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. Depending the clarified extract was loaded onto a 5 mil Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column was washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein was eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein were pooled and stored at 4.degree. C. Protein concentration was estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

Expression of Stretch of Consecutive Amino Acids or Polypeptides in Mammalian Cells

[0585] This general example illustrates a preparation of a glycosylated form of a desired amino acid sequence of interest or polypeptide component by recombinant expression in mammalian cells.

[0586] The vector pRK5 (see EP 307,247, published Mar. 15, 1989) can be employed as the expression vector. Optionally, the encoding DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the DNA using ligation methods such as described in Sambrook et al., supra.

[0587] In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 µg of the ligated vector DNA is mixed with about 1 µg DNA encoding the VA RNA gene [Thimmappaya et al., Cell 31:543 (1982)] and dissolved in 500 µl of I mM Tris-HCl, 0.1 mM EDTA, 0.227 M $CaCl_2$ To this mixture is added, dropwise, 500 µl of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM $NaPO_4$, and a precipitate is allowed to form for 10 minutes at 25◦C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37◦C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

[0588] Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 µCi/ml ^{35}S-cysteine and 200 µCi/ml ^{35}S-methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of amino acid sequence of interest or polypeptide component. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

[0589] In an alternative technique, the nucleic acid amino acid sequence of interest or polypeptide component may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a

spinner flask and 700 µg of the ligated vector is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 µg/ml bovine insulin and 0.1 µg/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed amino acid sequence of interest or polypeptide component can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

[0590] In another embodiment, the amino acid sequence of interest or polypeptide component can be expressed in CHO cells. The amino acid sequence of interest or polypeptide component can be transfected into CHO cells using known reagents such as $CaPO_4$ or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ^{35}S-methionine. After determining the presence of amino acid sequence of interest or polypeptide component, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed amino acid sequence of interest or polypeptide component can then be concentrated and purified by any selected method.

[0591] Epitope-tagged amino acid sequence of interest or polypeptide component may also be expressed in host CHO cells. The amino acid sequence of interest or polypeptide component may be subcloned out of a pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged amino acid sequence of interest or polypeptide component insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged amino acid sequence of interest or polypeptide component can then be concentrated and purified by any selected method, such as by Ni^{2+}-chelate affinity chromatography.

[0592] In an embodiment the amino acid sequence of interest or polypeptide component are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

[0593] Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used in expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Expression of Stretch of Consecutive Amino Acids or Polypeptides in Yeast

[0594] The following method describes recombinant expression of a desired amino acid sequence of interest or polypeptide component in yeast.

[0595] First, yeast expression vectors are constructed for intracellular production or secretion of a stretch of consecutive amino acids from the ADH2/GAPDH promoter. DNA encoding a desired amino acid sequence of interest or polypeptide component, a selected signal peptide and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of the amino acid sequence of interest or polypeptide component. For secretion, DNA encoding the stretch of consecutive amino acids can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, the yeast alpha-factor secretory signal/leader sequence, and linker sequences (if needed) for expression of the stretch of consecutive amino acids.

[0596] Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

[0597] Recombinant amino acid sequence of interest or polypeptide component can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing the amino acid sequence of interest or polypeptide component may further be purified using selected column chromatography resins.

Expression of Stretches of Stretch of Consecutive Amino Acids or Polypeptides in Baculovirus-Infected Insect Cells

[0598] The following method describes recombinant expression of stretches of consecutive amino acids in Baculovirus-infected insect cells.

[0599] The desired nucleic acid encoding the stretch of consecutive amino acids is fused upstream of an epitope tag contained with a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the amino acid sequence of interest or polypeptide component or the desired portion of the amino acid sequence of interest or polypeptide component (such as the sequence encoding the extracellular domain of a transmembrane protein) is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into

[0600] Spodoptera frugiperda ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4-5 days of incubation at 28◦C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression is performed as described by O'Reilley et al., Baculovirus expression vectors: A laboratory Manual, Oxford: Oxford University Press (1994).

[0601] Expressed poly-his tagged amino acid sequence of interest or polypeptide component can then be

purified, for example, by Ni^{2+}-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM $MgCl_2$; 0.1 mM EDTA; 10% Glycerol; 0.1% NP40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% Glycerol, pH 7.8) and filtered through a 0.45 µm filter. A Ni^{2+}-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A_{280} with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% Glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A_{280} baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or western blot with Ni^{2+} -NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His_{10} -tagged sequence are pooled and dialyzed against loading buffer.

[0602] Alternatively, purification of the IgG tagged (or Fc tagged) amino acid sequence can be performed using known chromatography techniques, including for instance, Protein A or Protein G column chromatography.

[0603] Fc containing constructs of proteins can be purified from conditioned media as follows. The conditioned media is pumped onto a 5 ml Protein A column (Pharmacia) which is equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 mL of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity of the proteins is verified by SDS polyacrylamide gel (PEG) electrophoresis and N-terminal amino acid sequencing by Edman degradation.

[0604] Examples of Pharmaceutical Compositions (not claimed) Non-limiting examples of such compositions and dosages are set forth as follows:
Compositions comprising a compound comprising a stretch of consecutive amino acids which comprises consecutive amino acids having the sequence of etanercept (e.g. Enbrel) may comprise mannitol, sucrose, and tromethamine. In an embodiment, the composition is in the form of a lyophilizate. In an embodiment, the composition is reconstituted with, for example, Sterile Bacteriostatic Water for Injection (BWFI), USP (containing 0.9% benzyl alcohol). In an embodiment the compound is administered to a subject for reducing signs and symptoms, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function in subjects with moderately to severely active rheumatoid arthritis. The compound may be initiated in combination with methotrexate (MTX) or used alone. In an embodiment the compound is administered to a subject for reducing signs and symptoms of moderately to severely active polyarticular-course juvenile rheumatoid arthritis in subjects who have had an inadequate response to one or more DMARDs. In an embodiment the compound is administered to a subject for reducing signs and symptoms, inhibiting the progression of structural damage of active arthritis, and improving physical function in subjects with psoriatic arthritis. In an embodiment the compound is administered to a subject for reducing signs and symptoms in subjects with active ankylosing spondylitis. In an embodiment the compound is administered to a subject for the treatment of chronic moderate to severe plaque psoriasis. In an embodiment wherein the subject has rheumatoid arthritis, psoriatic arthritis, or ankylosing spondylitis the compound is administered at 25-75mg per week given as

one or more subcutaneous (SC) injections. In a further embodiment the compound is administered at 50mg per week in a single SC injection. In an embodiment wherein the subject has plaque psoriasis the compound is administered at 25-75mg twice weekly or 4 days apart for 3 months followed by a reduction to a maintenance dose of 25-75mg per week. In a further embodiment the compound is administered at a dose of at 50 mg twice weekly or 4 days apart for 3 months followed by a reduction to a maintenance dose of 50mg per week. In an embodiment the dose is between 2x and 100x less than the doses set forth herein. In an embodiment wherein the subject has active polyarticular-course JRA the compound may be administered at a dose of 0.2-1.2 mg/kg per week (up to a maximum of 75 mg per week). In a further embodiment the compound is administered at a dose of 0.8 mg/kg per week (up to a maximum of 50 mg per week) . In some embodiments the dose is between 2x and 100x less than the doses set forth hereinabove.

[0605] Compositions comprising a compound comprising a stretch of consecutive amino acids which comprises consecutive amino acids having the sequence of infliximab (e.g. Remicade) may comprise sucrose, polysorbate 80, monobasic sodium phosphate, monohydrate, and dibasic sodium phosphate, dihydrate. Preservatives are not present in one embodiment. In an embodiment, the composition is in the form of a lyophilizate. In an embodiment, the composition is reconstituted with, for example, Water for Injection (BWFI), USP. In an embodiment the pH of the composition is 7.2 or is about 7.2. In one embodiment the compound is administered is administered to a subject with rheumatoid arthritis in a dose of 2-4 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion then every 8 weeks thereafter. In a further embodiment the compound is administered in a dose of 3 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion then every 8 weeks thereafter. In an embodiment the dose is adjusted up to 10 mg/kg or treating as often as every 4 weeks. In an embodiment the compound is administered in combination with methotrexate. In one embodiment the compound is administered is administered to a subject with Crohn's disease or fistulizing Crohn's disease at dose of 2-7 mg/kg given as an induction regimen at 0, 2 and 6 weeks followed by a maintenance regimen of 4-6 mg/kg every 8 weeks thereafter for the treatment of moderately to severely active Crohn's disease or fistulizing disease. In a further embodiment the compound is administered at a dose of 5 mg/kg given as an induction regimen at 0, 2 and 6 weeks followed by a maintenance regimen of 5 mg/kg every 8 weeks thereafter for the treatment of moderately to severely active Crohn's disease or fistulizing disease. In an embodiment the dose is adjusted up to 10 mg/kg. In one embodiment the compound is administered to a subject with ankylosing spondylitis at a dose of 2-7 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion, then every 6 weeks thereafter. In a further embodiment the compound is administered at a dose of 5 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion, then every 6 weeks thereafter. In one embodiment the compound is administered to a subject with psoriatic arthritis at a dose of 2-7 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion then every 8 weeks thereafter. In a further embodiment the compound is administered at a dose of 5 mg/kg given as an intravenous infusion followed with additional similar doses at 2 and 6 weeks after the first infusion then every 8 weeks thereafter. In an embodiment the compound is administered with methotrexate. In one embodiment the compound is administered to a subject with ulcerative colitis at a dose of 2-7 mg/kg given as an induction regimen at 0, 2 and 6 weeks followed by a maintenance regimen of 2-7 mg/kg every 8 weeks thereafter for the treatment of moderately to severely active ulcerative colitis. In a further embodiment the compound is administered to a subject with ulcerative colitis at a dose of 5 mg/kg given as an induction regimen at 0, 2 and 6 weeks followed by a maintenance regimen of 5 mg/kg every 8 weeks thereafter. In some embodiments the dose is between 2x and 100× less than the doses set forth hereinabove for treating the indivisual diseases.

[0606] In each of the embodiments of the compositions described herein, the compositions, when in the form of a lyophilizate, may be reconstituted with, for example, sterile aqueous solutions, sterile water, Sterile Water for Injections (USP), Sterile Bacteriostatic Water for Injections (USP), and equivalents thereof known to those skilled in the art.

[0607] It is understood that in administration of any of the instant compounds, the compound may be administered in isolation, in a carrier, as part of a pharmaceutical composition, or in any appropriate vehicle.

Dosage

[0608] It is understood that where a dosage range is stated herein, e.g. 1-10mg/kg per week, the invention disclosed herein also contemplates each integer dose, and tenth thereof, between the upper and lower limits. In the case of the example given, therefore, the invention contemplates 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4 etc. mg/kg up to 10mg/kg.

[0609] In embodiments, the compounds can be administered as a single dose or may be administered as multiple doses.

[0610] In general, the daily dosage for treating a disorder or condition according to the methods described above will generally range from about 0.01 to about 10.0 mg/kg body weight of the subject to be treated.

[0611] Variations based on the aforementioned dosage ranges may be made by a physician of ordinary skill taking into account known considerations such as the weight, age, and condition of the person being treated, the severity of the affliction, and the particular route of administration chosen.

[0612] It is also expected that the compounds disclosed will effect cooperative binding with attendant consequences on effective dosages required.

Pharmaceuticals

[0613] The term "pharmaceutically acceptable carrier" is understood to include excipients, carriers or diluents. The particular carrier, diluent or excipient used will depend upon the means and purpose for which the active ingredient is being applied. For parenteral administration, solutions containing a compound or a pharmaceutically acceptable salt thereof in sterile aqueous solution may be employed. Such aqueous solutions should be suitably buffered if necessary and the liquid diluent first rendered isotonic with sufficient saline or glucose. These particular aqueous solutions are especially suitable for intravenous, intramuscular, subcutaneous and intraperitoneal administration. The sterile aqueous media employed are all readily available by standard techniques known to those skilled in the art.

[0614] The compositions may be in a variety of forms. These include, for example, liquid, semi-solid and solid dosage forms, such as liquid solutions (e.g., injectable and infusible solutions), dispersions or suspensions. The preferred form depends on the intended mode of administration and therapeutic application. Some compositions are in the form of injectable or infusible solutions. A mode of administration is parenteral (e.g., intravenous, subcutaneous, intraperitoneal, intramuscular). In an embodiment, the compound is administered by intravenous infusion or injection. In another embodiment,

the compound is administered by intramuscular or subcutaneous injection.

[0615] For therapeutic use, the compositions disclosed here can be administered in various manners, including soluble form by bolus injection, continuous infusion, sustained release from implants, oral ingestion, local injection (e.g. intracrdiac, intramuscular), systemic injection, or other suitable techniques well known in the pharmaceutical arts. Other methods of pharmaceutical administration include, but are not limited to oral, subcutaneously, transdermal, intravenous, intramuscular and parenteral methods of administration. Typically, a soluble composition will comprise a purified compound in conjunction with physiologically acceptable carriers, excipients or diluents. Such carriers will be nontoxic to recipients at the dosages and concentrations employed. The preparation of such compositions can entail combining a compound with buffers, antioxidants, carbohydrates including glucose, sucrose or dextrins, chelating agents such as EDTA, glutathione and other stabilizers and excipients. Neutral buffered saline or saline mixed with conspecific serum albumin are exemplary appropriate diluents. The product can be formulated as a lyophilizate using appropriate excipient solutions (e.g., sucrose) as diluents.

[0616] Other derivatives comprise the compounds/compositions covalently bonded to a nonproteinaceous polymer. The bonding to the polymer is generally conducted so as not to interfere with the preferred biological activity of the compound, e.g. the binding activity of the compound to a target. The nonproteinaceous polymer ordinarily is a hydrophilic synthetic polymer, i.e., a polymer not otherwise found in nature. However, polymers which exist in nature and are produced by recombinant or in vitro methods are useful, as are polymers which are isolated from nature. Hydrophilic polyvinyl polymers fall within the scope of this invention, e.g. polyvinylalcohol and polyvinylpyrrolidone. Particularly useful are polyalkylene ethers such as polyethylene glycol, polypropylene glycol, polyoxyethylene esters or methoxy polyethylene glycol; polyoxyalkylenes such as polyoxyethylene, polyoxypropylene, and block copolymers of polyoxyethylene and polyoxypropylene (Pluronics); polymethacrylates; carbomers; branched or unbranched polysaccharides which comprise the saccharide monomers D-mannose, D- and L-galactose, fucose, fructose, D-xylose, L-arabinose, D-glucuronic acid, sialic acid, D-galacturontc acid, D-mannuronic acid (e.g. polymannuronic acid, or alginic acid), D-glucosamine, D-galactosamine, D-glucose and neuraminic acid including homopolysaccharides and heteropolysaccharides such as lactose, amylopectin, starch, hydroxyethyl starch, amylose, dextran sulfate, dextran, dextrins, glycogen, or the polysaccharide subunit of acid mucopolysaccharides, e.g. hyaluronic acid; polymers of sugar alcohols such as polysorbitol and polymannitol; as well as heparin or heparon.

[0617] The pharmaceutical compositions may include a "therapeutically effective amount" or a "prophylactically effective amount" of a compound of the invention. A "therapeutically effective amount" refers to an amount effective, at dosages and for periods of time necessary, to achieve the desired therapeutic result. A therapeutically effective amount of the compound may vary according to factors such as the disease state, age, sex, and weight of the individual. A therapeutically effective amount is also one in which any toxic or detrimental effects of the compound are outweighed by the therapeutically beneficial effects. A "prophylactically effective amount" refers to an amount effective, at dosages and for periods of time necessary, to achieve the desired prophylactic result. Typically, since a prophylactic dose is used in subjects prior to or at an earlier stage of disease, the prophylactically effective amount will be less than the therapeutically effective amount.

Experimental Details

EXAMPLE 1: TNR1B-alkyne-azide-Fc6

[0618] TNR1B-alkyne-azide-Fc6 was prepared via the reaction of alkyne-modified TNR1B (TNF receptor 1B) with azide-modified Fc6 as follows. TNR1B-azide-alkyne-Fc6 is prepared using the same principles via the reaction of azide-modified TNR1B with alkyne-modified Fc6.

[0619] Alkyne-modified TNFR1B (TNR1B-Alk) was prepared by cleavage of TNR1B-intein (TNR1B-Mth fusion protein) with cystyl-propargylamide, $HSCH_2CH[NH_2]CONHCH_2C{\equiv}CH_3$ (Figure 1) and azide-modified TNR1B (TNR1B-Az) was prepared by cleavage of TNR1B-intein with cystyl-3-azidopropylamide, $HSCH_2CH[NH_2]CONH(CH_2)_3NH_2$.

[0620] TNR1B-intein and Fc6 are described in U.S. Serial No. 11/982085, published October 16, 2008.

[0621] TNR1B-intein fusion protein was produced using vector pCDNA3-TNR1B-Mth, the sequence of which is shown in SEQ ID NO: 100. The pre-TNR1B-intein chimeric polypeptide that is initially expressed, containing the TNR1B extracellular domain joined at its C-terminus by a peptide bond to the N-terminus of an Mth RIR1 self-splicing intein at the autocleavage site, is shown in SEQ ID NO: 101. Cleavage of the homologous TNR signal sequences by the cellular signal peptidase provides the mature TNR1B-intein fusion protein that is secreted into the cell culture fluid, the sequence of which is shown in SEQ ID NO: 102.

[0622] Fc6 protein was expressed using vector pCDNA3-SHH-IgG1-Fc11, the sequence of which is shown in SEQ ID NO: 103. The pre-Fc6 polypeptide that is initially expressed is shown in SEQ ID NO: 104. Cleavage of the heterologous sonic hedgehog (SHH) signal sequences by the cellular signal peptidase provides the mature Fc6 protein that is secreted into the cell culture fluid, the sequence of which is shown in SEQ ID NO: 105.

[0623] Protein production was executed by transient expression in CHO-DG44 cells, adapted to serum-free suspension culture. Transient transfections were done with polyethylenimine as transfection agent, complexed with DNA, under high density conditions as described by Rajendra et al., J. Biotechnol. 153, 22-26 (2011). Seed train cultures were maintained in TubeSpin® bioreactor 50 tubes obtained from TPP (Trasadingen, CH) and scaled up in volume to generate sufficient biomass for transfection. Transfections were carried out in cultures of 0.5-1.0 L. Cultures at this scale were maintained in 2 L or 5 L Schott-bottles with a ventilated cap. The bottles were shaken at 180rpm in a Kühner incubator shaker with humidification and CO_2 control at 5%. The cell culture fluid was harvested after 10 days, centrifuged and sterile-filtered, prior to purification.

[0624] Cystyl-propargylamide and cystyl-3-azidopropylamide were prepared as follows. Boc-Cys(Trt)-OH, $(C_6H_5)_3CSCH_2CH[NHCO_2C(CH_3)_3]CO_2H$; propargylamine, $HC{\equiv}CCH_2NH$; 3-azidopropylamine, $NH_2CH_2CH_2CH_2N_3$; EDC, N-(3-Dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride; and HOBt, 1-Hydroxybenzotriazole, and were obtained from AnaSpec (Freemont, CA) or CPC Scientific (San Jose, CA). All other chemicals were obtained from Sigma-Aldrich (St. Louis, MO). For the synthesis of cystyl-propargylamide, a solution of Boc-Cys(Trt)-OH (100 mM) and propargylamine (100 mM) in CH2Cl2 was made 100 mM each in EDC, HOBt, and triethylamine. For the synthesis of cystyl-3-azidopropylamide, 3-azidopropylamine (100 mM) was substituted for propargylamine. Both reactions were worked up by the following procedure. After stirring overnight at room temperature, the reaction was stopped with an excess of saturated NaHCO3 in water, extracted with CH2Cl2, dried over MgSO4, filtered, evaporated, and purified by column chromatography. To remove the Boc/Trt protecting groups, the intermediate product was dissolved at a concentration of 0.05M in TFA/triisopropylsilane/H2O (90:5:5) and stirred for 30

minutes at room temperature. The reaction was then dried by evaporation and extracted with CH2Cl2. The organic layer was then extracted with water, yielding the final cystyl-propargylamide product as a yellowish oil, and the final cystyl-3-azidopropylamide product as a yellowish solid.

[0625] To prepare the alkyne-modified TNR1B (Figure 1) or the azide-modified TNR1B, the TNR1B-intein protein in the cell culture fluid was applied to a column packed with chitin beads obtained from New England BioLabs (Beverley, MA) that was pre-equilibrated with buffer A (20 mM Tris-HCl, 500 mM NaCl, pH 7.5). Unbound protein was washed from the column with buffer A. Cleavage was initiated by rapidly equilibrating the chitin resin in buffer B (20 mM Tris-HCl, 500 mM NaCl, pH 8.0) containing either 50 mM cystyl-propargylamide (for alkyne-modified TNR1B) or 50 mM cystyl-3-azidopropylamide (for azide-modified TNR1B) and incubation was carried out for 24 to 96 hours at room temperature. The cleaved alkyne-modified TNR1B (SEQ ID NO: 106) or azide-modified TNR1B proteins (SEQ ID NO: 107) were eluted from the column with buffer A, concentrated using an Amicon Ultracel-3 Centrifugal Filter Unit from Millipore (Billerica, MA), dialyzed against Dulbecco's phosphate buffered saline without Ca or Mg salts (PBS) obtained from the UCSF Cell Culture Facility (San Francisco, CA), and stored at 4◦C prior to use.

[0626] Figure 2 shows SDS-polyacrylamide gel electrophoresis (SDS-PAGE) analysis of the alkyne-modified TNR1B, compared with cysteine-modified TNR1B (SEQ ID NO: 108) prepared using 50 mM cysteine instead of cystyl-propargylamide. SDS-PAGE was carried out using NuPAGE® Novex Bis-Tris Midi Gels (10%) obtained from Invitrogen (Carlsbad, CA). Proteins were visualized using Silver Stain Plus or Bio-Safe Coomassie Stain obtained from Bio-Rad (Hercules, CA). The alkyne-modified TNR1B (lane 3) and the cysteine-modified TNR1B (lane 1) had the same Mr ~43,000. In addition, the alkyne-modified TNR1B had comparable biological activity to cysteine-modified TNR1B as measured using a Human sTNFRII/TNFRSF1B Quantikine ELISA obtained from R&D Systems (Minneapolis, MN). Preparations of the cysteine-modified TNR1B (lane 2), alkyne-modified TNR1B (lane 4), or thioester-modified TNR1B (SEQ ID NO: 109) (lane 5) made in the presence of 50 mM MESNA had a similar Mr, but had less than 5% of the biological activity observed for preparations made in the absence of MESNA. Thus, alkyne-modified TNR1B prepared in the absence of MESNA was employed in further studies.

[0627] Azide-modified Fc6 (Az-Fc6) was prepared by the reaction of Fc6 protein with various azide-containing peptide thioesters (Figure 3) and azide-containing PEG thioesters (Figure 4). Alkyne-modified Fc6 (Alk-Fc6) was prepared by the reaction of alkyne-containing thioesters with Fc6 protein.

[0628] Recombinant Fc6 protein was expressed in Chinese hamster ovary (CHO) cells as described for TNR1B-intein (see above) and purified by Protein A affinity chromatography. The culture supernatant was applied to a column packed with rProtein A Fast Flow from Pharmacia (Uppsala, Sweden) pre-equilibrated with PBS. The column was washed extensively with PBS and the Fc6 protein then eluted with 0.1 M glycine buffer pH 2.7. Fractions were collected into tubes containing 0.05 vol/vol of 1.0 M Tris-HCl pH 9.0 (giving a final pH of 7.5), pooled, dialyzed against PBS, and stored at 4◦C prior to use.

[0629] Table 1 shows representative azide-containing and alkyne-containing peptide/PEG thioesters. Thioesters were synthesized by an Fmoc/t-Butyl solid-phase strategy on a 2-chlorotrityl chloride resin preloaded with the Fmoc-Thr(tBu)-OH. Amino acid derivatives were obtained from CPC Scientific (Sunnyvale, CA), Fmoc-PEG_n-OH derivatives were obtained from Quanta BioDesign (Powell, OH), and 2-(1H-benzotriazole-1-yl)-1,1,3,3-tetramethylaminium hexafluorophosphate (HBTU), dichloromethane (DCM), trichloroacetic acid (TFA), N,N'-diisopropylcarbodiimide (DIC), 1-hydroxybenzotriazole (HOBt), N,N'-diisopropylethylamine (DIEA) and triisopropylsilane (TIS) were obtained from Sigma (St. Louis, MO). The standard HBTU activation was employed for peptide elongation. Peptides containing PEG required

the insertion of a Fmoc-PEG_n-OH. As a final step in peptide elongation, the terminal α-Fmoc (9-fluorenylmethoxycarbonyl) protecting group was converted to Boc (tert-butoxycarbonyl). The peptide resin was washed with DCM and cleaved with 1% TFA/DCM to yield the fully protected peptide with a free carboxylic acid on the C-terminus. The thioester of the peptides was formed by treating the crude protected peptide with DIC/HOBt/DIEA and benzyl mercaptan or thiophenol in DCM overnight. After concentration, the crude protected peptide thioester was precipitated by multiple triturations with cold ether followed by centrifugation. Deprotection was carried out by treatment of the crude protected product with 95:2.5:2.5 TFA/TIS/H_2O for 2hours at room temperature. After precipitation with ice-cold ether the deprotected peptide thioester was purified by preparative RP-HPLC in a H_2O-acetonitrile (0.1% TFA) system to afford the final product with 91-95% purity and the desired MS.

[0630] Azide-modified Fc6 and alkyne-modified Fc6 were prepared by native chemical ligation as follows. 2-(N-morpholino)ethanesulfonic acid (MES) was obtained from Acros (Morris Plains, NJ), tris(2-carboxyethyl)phosphine (TCEP) was obtained from Pierce (Rockford, IL), and 4-mercaptophenylacetic acid (MPAA) was obtained from Sigma-Aldrich (St. Louis, MO). Reactions were carried out by ligating the various thioesters shown in Table 1 with the Fc6 protein as follows. Reactions (100 uL) contained 50 mM MES buffer, pH 6.5, 0.8 mM TCEP, 10 mM MPAA, 4 mg/ml of the peptide thioester, and 0.5 mg/ml of the Fc6 protein. Following overnight incubation at room temperature, reactions were adjusted to pH 7.0 with 0.05 vol/vol of 1.0 M Tris-HCl pH 9.0, purified using Protein A Magnetic Beads from New England BioLabs, dialyzed in 0.1 M phosphate pH 8.0, and concentrated. Figure 5 shows SDS-PAGE analysis demonstrating that Fc6 protein (lane 1) reacted quantitatively with azide-DKTHT-thioester to yield the Az-DKTHT-Fc6 protein (lane 2) and azide-PEG_4-DKTHT-thioester to yield the Az-PEG_4-DKTHT-Fc6 protein (lane 3). The sequence of the Az-DKTHT-Fc6 protein is shown in SEQ ID NO: 110 and the sequence of the Az-PEG_4-DKTHT-Fc6 is hown in SEQ ID NO: 111. The PEG_4 oligomer gave an incremental size increase comparable to the 5 amino acid DKTHTDsequence. This shows that a single oxyethylene monomer unit makes a contribution to contour length similar to a single amino acid residue, consistent with their having comparable fully extended conformations of ~3.5 to 4Å (Flory (1969) Statistical Mechanics of Chain Molecules (Interscience Publishers, New York).

[0631] TNR1B-alkyne-azide-Fc6 was prepared via the reaction of the alkyne-modified TNR1B with the Az-DKTHT-Fc6 protein (Figure 6) and the Az-PEG_4-DKTHT-Fc6 protein (Figure7). Sodium phosphate, dibasic (anhydrous) and sodium phosphate, monobasic (monohydrate) were obtained from Acros, TCEP was from Pierce, $CuSO_4$ (pentahydrate) was from Sigma-Aldrich, and Tris[1-benzyl-1H-1,2,3-triazol-4-yl)methyl]amine (TBTA) from AnaSpec (Freemont, CA). Reactions (60 uL) contained 0.1 M sodium phoshate, pH 8.0, 1.0 mM $CuSO_4$, 2.0 mM TBTA, the alkyne-modified TNR1B (30 ug), and either the unmodified Fc6 protein, the Az-DKTHT-Fc6 protein, or the Az-PEG_4-DKTHT-Fc6 protein (10 ug). Reactions were initiated by the addition of 2.0 mM TCEP, and incubated overnight at room temperature. The reaction products were purified using Protein A Magnetic Beads to remove any unreacted alkyne-modified TNR1B.

[0632] Figure 8 shows SDS-PAGE analysis of the TNR1B-alkyne-azide-Fc6 products under reducing conditions. In the absence of $CuSO_4$, TBTA and TCEP, both Az-DKTHT-Fc6 (lane 2) and Az-PEG_4-DKTHT-Fc6 (lane 5) gave a single band of Mr ~ 28-30,000 daltons (arrow d) corresponding to the input azide-modified Fc6 proteins, with no sign of any product formation. In addition, there was no evidence of any carryover of the input alkyne-modified TNR1B (shown in lane 1) following the Protein A purification. However, in the presence of $CuSO_4$, TBTA and TCEP, the reaction between alkyne-modified TNR1B and Az-DKTHT-Fc6 (lane 3) and the reaction between alkyne-modified TNR1B and Az-PEG_4-DKTHT-Fc6

(lane 6) both yielded two new products of Mr ~75,000 daltons (arrow a) and ~65,000 daltons (arrow b). Reactions carried out using a preparation of alkyne-modified TNR1B following buffer-exchange in 0.1 M phosphate pH 8.0 to remove salt gave essentially similar reaction products with both Az-DKTHT-Fc6 (lane 4) and Az-PEG_4-DKTHT-Fc6 (lane 6), although there was a significant increase in the yield of the Mr ~75,000 dalton product over the Mr ~65,000 dalton product.

[0633] Figure 9 shows SDS-PAGE analysis comparing the TNR1B-alkyne-azide-Fc6 reaction products (left panel) and the TNR1B-alkyne-azide-PEG_4-Fc6 reaction products (right panel) with TNR1B-Fc fusion protein (etanercept). The TNR1B-alkyne-azide-Fc6 product of Mr ~75,000 daltons (lane 2), having the predicted sequence shown in SEQ ID NO: 112, and the TNR1B-alkyne-azide-PEG_4-Fc6 product of Mr ~75,000 daltons (lane 4), having the predicted sequence of shown in SEQ ID NO: 113, are essentially indistinguishable in size from etanercept (lanes 1, 3), the sequence of which is shown in SEQ ID NO: 114.

[0634] Figure 10 shows SDS-PAGE analysis providing further evidence confirming the requirement of the alkyne and azide groups for reactivity. Reaction mixtures that contained alkyne-modified TNR1B with unmodified Fc6 protein gave no reaction product (lane 2) compared with Fc6 alone (lane 1), while alkyne-modified TNR1B with Az-DKTHT-Fc6 gave the expected products (lane 4) compared with Az-DKTHT-Fc6 alone (lane 3). Again, no carryover of the input alkyne-modified TNR1B (shown in lane 5) was apparent following the Protein A purification.

[0635] The TNR1B-alkyne-azide-Fc6 products of Figure 10 were further characterized by sequencing of their tryptic peptide by LC-MS. Following SDS-PAGE, the gel was Coomassie stained and four gel regions were excised, corresponding to the Mr ~75,000 product (arrow a), the Mr ~65,000 product (arrow b), the unstained region where alkyne-modified TNR1B would migrate (arrow c), and the unreacted Az-DKTHT-Fc6 protein of Mr ~28,000 (arrow d). The four gel slices were diced into small small pieces (~0.5-1.0 mm^3) and processed as follows. Ammonium bicarbonate, acetonitrile, dithiothreitol, and iodoacetamide were obtained from Sigma-Aldrich, formic acid was obtained from Pierce, and porcine trypsin (sequencing grade) was obtained from Promega (Madison, WI). To remove the Coomassie stain, each gel slice was extracted with 200 uL of 25 mM NH_4HCO_3 in 50% acetonitrile by vortexing, centrifuged to remove the supernatant, and dehydrated by adding acetonitrile for a few minutes until the gel pieces shrank and turned white. The acetonitrile was discarded, and the gel slices dried in a Speed Vac (Savant Instruments, Farmingdale, NY). Reduction and alkylation was then carried out by rehydrating the gel slices in 40 ul of 10 mM dithiothreitol in 25 mM NH_4HCO_3, vortexing, and incubated at 56◦C for 45 minutes. The supernatant was then discarded, 40 uL of 55 mM iodoacetamide in 25 mM NH_4HCO_3 was added, the gel slices vortexed and incubated in the dark for 30 minutes at room temperature. The supernatant was discarded, the gel slices again dehydrated in acetonitrile and dried in a Speed Vac. Trypsin digestion was then carried out by rehydrating the gel slices in 25 uL of trypsin (12.5 ug/mL) in 25 mM NH_4HCO_3 on ice for 60 minutes. Excess trypsin solution was then removed, the gel slices covered with 25 mM NH_4HCO_3 and incubated at 37◦C overnight. The supernatant was removed, and the gel then extracted twice with 30 uL of 50% acetonitrile/0.1% formic acid in water. The organic extracts were combined with the aqueous supernatant, reduced to a volume of 10 uL in a Speed Vac, then analysed by LC-MS using a Q-Star Elite mass spectrometer (AB SCIEX, Foster City, CA).

[0636] Figure 11 summarizes the characterization of the structure of the TNR1B-alkyne-azide-Fc6 reaction product by mass spectrometry. The Mr ~75,000 product, as expected for the full-length TNR1B-alkyne-azide-Fc6 product, contained peptides from both the alkyne-modified TNR1B and azide-modified Fc6 parent proteins. In addition, the peptide coverage of the alkyne-modified TNR1B sequence (upper panel) extended from the N-terminal region (EYYDQTAQMCCSK) to the C-terminal region

(SMAPGAVHLPQPVST). Similarly, the peptide coverage of the azide-modified Fc6 protein sequence (lower panel) extended from the N-terminal region (DTLMISR) to the C-terminal region (TTPPPVLDSDGSFFLYSK). In contrast, the Mr ~65,000 lacked the EYYDQTAQMCCSK peptide, suggesting it was an N-terminally deleted version of the expected full-length TNR1B-alkyne-azide-Fc6 product. Sequences derived from the TNR1B protein were not detected in the unstained region of Mr ~43,000 where the alkyne-modified TNR1B would normally migrate (arrow c), while only sequences derived from the Fc6 protein were detected in the unreacted Az-DKTHT-Fc6 protein of Mr ~28,000 (arrow d).

[0637] The TNR1B-alkyne-azide-Fc6 and TNR1B-alkyne-azide-PEG_4-Fc6 products of Figure 10 were further characterized for their biological activity by measuring their ability to bind TNF-α using surface plasmon resonance (SPR). Recombinant human TNF-α protein (carrier-free) was obtained from R&D Systems and reconstituted in PBS. SPR studies were carried out using a Biacore T100 instrument from Biacore AB (Uppsala, Sweden). The surface-bound ligands, TNR1B-alkyne-azide-Fc6 and TNR1B-alkyne-azide-PEG_4-Fc6, were immobilized onto a CM5 sensor chip, Series S, using a Amine Coupling Kit (BR-1000-50) obtained from GE Healthcare (Piscataway, NJ) according to the manufacturer's instructions. Binding of TNF-α was carried out at 25°C in 10 mM Hepes buffer pH 7.4, 150 mM NaCl, 3mM EDTA, and 0.005% Tween-20. Binding was evaluated in duplicate at TNF-α concentrations of 0.156 nM, 0.312 nM, 0.625 nM, 1.25 nM, 2.5 nM, 5.0 nM, 10.0 nM, 20.0 nM and 40 nM. Data was evaluated using Biacore T100 Evaluation Software, version 2.0.3.

[0638] Figure 12 shows the kinetic binding curves for TNR1B-alkyne-azide-Fc6 (left panel) and TNR1B-alkyne-azide-PEG_4-Fc6 (right panel). Both products showed saturable TNF-α binding, and an excellent fit was obtained employing a two-exponential model (Chi^2 ~0.05). Table 2 summarizes the kinetic binding data. Approximately 40% of the binding sites for each product were higher affinity, with a 1.6-fold greater dissociation constant for TNR1B-alkyne-azide-PEG_4-Fc6 (K_D = 1.86×10^{-10} M) than for TNR1B-alkyne-azide-Fc6 (K_D = 2.99×10^{-10} M). The remaining 60% of the binding sites were of lower affinity, with the dissociation constants about the same for TNR1B-alkyne-azide-PEG_4-Fc6 (K_D = 5.12×10^{-9} M) and TNR1B-alkyne-azide-Fc6 (K_D = 5.17×10^{-9} M). The association of the PEG_4 linker with increased high affinity binding, but equal low affinity binding, provides compelling evidence for a higher degree of cooperative (two-handed) binding of TNF-α by TNR1B-alkyne-azide-PEG_4-Fc6 compared with TNR1B-alkyne-azide-Fc6.

Table 1. Azide-containing and Alkyne-Containing Thioesters

Name	Formula	Mr	MH^+	Sequence
Az-DKTHT	$C_{33}H_{47}O_{10}N_{11}S$	789.86	780.60	Azide-DKTHT-thioester
Az-PEG_4-DKTHT	$C_{44}H_{68}O_{15}N_{12}S$	1037.14	1038.20	Azide-PEG_4-DKTHT-thioester
Az-PEG_{12}-DKTHT	$C_{59}H_{93}O_{23}N_{12}S$	1375.55	1376.26	Azide-PEG_{12}-DKTHT-thioester
Az-PEG_{24}-DKTHT	$C_{83}H_{146}O_{35}N_{12}S$	1904.18	1904.80	Azide-PEG_{24}-DKTHT-thioester
Az-PEG_{36}-DKTHT	$C_{107}H_{194}O_{47}N_{12}S$	2432.82	2434.40	Azide-PEG_{36}-DKTHT-thioester
Alk-PEG_{12}	$C_{53}H_{74}O_{15}N_2S$	1011.22	1011.80	DIBAC-PEG_{12}-thioester

Mr, relative molecular mass; MH^+, monoisotypic mass value.

Table 2. TNF-α binding measured by surface plasmon resonance

Surface-bound ligand	ka1 (1/Ms)	kd1 (1/s)	KD1 (M)	Rmax1	ka2 (1/Ms)	kd2 (1/s)	KD2 (M)	Rmax2	Chi^2
TNR1B-Alk-Az-DKTHT-Fc6	1.252E+7	0.003744	2.990E-10	2.5	5.176E+6	0.03392	6.553E-9	3.9	0.0514
TNR1B-Alk-Az-PEG4-DKTHT-Fc6	1.400E+7	0.002613	1.866E-10	3.0	5.129E+6	0.03021	5.890E-9	4.8	0.0503

Abbreviations: ka, on-rate (measured); kd, off-rate (measured); K_D, dissociation constant (calculated).

EXAMPLE 2: Fab'-alkyne-azide-Fc6

[0639] Fab'-alkyne-azide-Fc6 was prepared via the reaction of cycloalkyne-modified Fab' with azide-modified Fc6 as follows.

[0640] Adalimumab (Humira) was obtained as a liquid formulation (50 mg/ml) from Abbott (Abbott Park, IL). The Fab' fragment was prepared using IdesS protease to first generate Fab'2 fragment followed by selective reduction of the interchain disulfides with 2-mercaptoethylamine (Figure 13). Antibody (10 mg) was exchanged into cleavage buffer (50 mM sodium phosphate, 150 mM NaCl, pH 6.6) using a Slide-A-Lyzer Mini Dialysis Unit, 10K MWCO from Pierce (Rockford, IL), then incubated with his-tagged recombinant IdeS immobilized on agarose beads (FragIT MidiSpin column) from Genovis (Lund, Sweden) for 1 hour at room temperature with constant mixing. The beads were removed from the digest solution by centrifugation, washed twice with cleavage buffer, and the digest and wash solutions then combined and applied to a HiTrap Protein A HP column from GE Life Sciences (Piscataway, NJ) to remove Fc' fragment and undigested antibody. Flow-through fractions containing the Fab'2 fragment were reduced to the Fab' fragment by adding 1 mL aliquots to a vial containing 6 mg 2-mercaptoethylamine (MEA) from Pierce. Reductions were carried out with 10 mM EDTA to minimize re-oxidation of the interchain disulfides. Following incubation at 37°C for 110 min, excess MEA was removed by buffer-exchange into PBS containing 10 mM EDTA using a PD-10 desalting column from GE Life Sciences (Piscataway, NJ). The eluate containing the Fab' fragment was concentrated using an Amicon Ultracel-3 Centrifugal Filter Unit from Millipore (Billerica, MA).

[0641] Figure 14 shows SDS-PAGE analysis of adalimumab after cleavage with IdeS (panel A), followed by Protein A chromatography and mild reduction with MEA (panel B). In the presence of a strong reducing agent (dithiothreitol) in the polyacrylamide gel, the whole antibody (lane 1) migrated as a heavy chain of

[0642] Mr ~55,000 (arrow a) and a light chain of Mr ~25,000 (arrow d). IdeS cleaved the heavy chain (lane 2) into a C-terminal fragment of Mr ~29,000 (arrow b) and an N-terminal fragment of Mr ~26,000

(arrow c). The light chain and the N-terminal heavy chain fragment comprise the Fab'2 domain, while the C-terminal heavy chain fragment comprises the Fc' domain. The Protein A column efficiently removed the Fc' domain from the Fab' domain (compare lane 2 with lanes 5 and 6). Under non-reducing conditions, the Fab'2 domain migrated as a single species of Mr ~110,000 (lane 3), while the Fab' domain produced by mild reduction with MEA migrated as a single species of Mr ~55,000 (lane 4). Under reducing conditions, the Fab'2 domain (lane 5) and the Fab' domain (lane 6) both yielded the same light chain (arrow d) and N-terminal heavy chain fragment (arrow c), as expected. Thus, the Fab' domain obtained by this procedure was essentially free of the Fab' 2 and Fc' domains.

[0643] Cycloalkyne-modified Fab' was prepared from the adalimumab Fab' domain using a bifunctional linker, DIBAC-PEG_{12}-Lys(Mal), which contains a maleimide group capable of reacting with the free thiol groups on the Fab' fragment (Figure 15). DIBAC-PEG_{12}-Lys(Mal) was prepared using an Fmoc solid-phase synthesis strategy. Lys(Mtt)-Wang resin and succinimido 3-maleimidopropanoate (Mpa-OSu) were obtained from CPC Scientific (Sunnyvale, CA), Fmoc-*N*-amido-dPEG$_{12}$-acid was obtained from Quanta BioDesign (Powell, OH), and 5-(11,12-Didehydrodibenzo[*b,f*]azocin-5(6*H*)-yl)-5-oxopentanoic acid, an acid-functionalised aza-dibenzocyclooctyne (DIBAC-acid), was synthesized as described by Debets, M. F. et al., Chem. Commun. 46, 97-99 (2010). Fmoc-*N*-amido-dPEG$_{12}$-acid and DIBAC-acid were sequentially reacted with Lys(Mtt)-Wang resin to obtain DIBAC-PEG_{12}-Lys(Mtt)-Wang resin, then treated with TFA/DCM/TIS(1:96:3) to remove the Mtt group. The deprotected resin was reacted with Mpa-OSu on the free amino group on the lysine side chain to obtain DIBAC-PEG12-Lys(Mpa)-Wang resin. Following cleavage with TFA/water (95:5), the crude product was purified by preparative RP-HPLC to afford the DIBAC-PEG_{12}-Lys(Mal) product (DPKM) with 93% purity and the desired MS spectra.

[0644] Figure 16 shows the chemical modification of adalimumab Fab' fragment with the DIBAC-PEG_{12}-Lys(Mal) linker and the purification of the resulting cycloalkyne-modified Fab'. For purification, reactions (0.535 mL) were carried out in 0.1 M sodium phosphate at pH 7.0 and pH 7.4, each containing 5 mg of Fab' fragment and 10 mg of DIBAC-PEG_{12}-Lys (Mal) . After 30 hours incubation at room temperature, the two reactions were combined and buffered-exchanged into 20 mM sodium acetate, 20 mM NaCl, pH 5.5 using a PD-10 column. The eluate (3.5 mL) was applied to a HiTrap SP HP cation-exchange column from GE Life Sciences which retained all the unmodified Fab' and residual Fab'2. The flow-through fractions (5.5 mL) containing the purified cycloalkyne-modified Fab' (Figure 16b) were pooled, adjusted to pH 7.0 with 10x PBS (0.55 mL), and concentrated by affinity chromatography on a Protein L column (Capto L) from GE Life Sciences. The cycloalkyne-modified Fab' was eluted from the Protein L column with 0.1 M glycine HCl pH 2.7 (2.4 mL), neutralized with 1/20 volume 1.0 M Tris HCl pH 9.0, buffered-exchanged into PBS using a PD-10 column (3.5 mL) and concentrated using Amicon Ultracel-3 Centrifugal Filter Unit to a final volume of 70 uL at a concentration of 9.5 mg/mL.

[0645] Various azide-modified Fc6 proteins with PEG linkers of different lengths were used in the preparation of the adalimumab Fab'-cycloalkyne-azide-Fc6. Az-DKTHT-Fc6 (Figure 3) and Az-DKTHT-PEG_X-Fc6 derivatives with x = 12, 24, and 36 (Figure 4) were prepared in reactions (2 ml) that contained 50 mM MES pH 6.5, 0.8 mM TCEP, 10 mM MPAA, 5 mg/ml of each of the four Az-DKTHT-PEG_X-thioesters, and 2.36 mg/ml of Fc6 protein. After 20 hours at room temperature, the reactions were neutralized with 100 uL of Tris HCl pH 9.0, clarified by centrigugation at 12,000xg, and applied to a 1 ml HiTrap Protein A HP column. The columns were washed with 12 vol of PBS, the azide-modified Fc6 proteins were then eluted with 0.1 M glycine HCl pH 2.7 (2.0 mL), neutralized with 1/20 volume 1.0 M Tris HCl pH 9.0, dialysed against three changes of PBS for 12 hours each using a Slide-A-Lyzer Mini Dialysis Unit, 10K MWCO, and concentrated using Amicon Ultracel-3 Centrifugal Filter Units.

[0646] Figure 17 shows analysis by SDS-PAGE under reducing conditions of the Fc6 (lane 1) Az-DKTHT-Fc6 (lane 2), Az-DKTHT-PEG_{12}-Fc6 (lane 3), Az-DKTHT-PEG_{24}-Fc6 (lane 4), and Az-DKTHT-PEG_{36}-Fc6 (lane 5) proteins by SDS-PAGE. The Fc6 protein reacted quantitatively (> 90%) with all four thioesters, yielding a ladder of products of increasing size.

[0647] Figure 18 shows analysis by size-exclusion chromatography (SEC) to confirm that the four azide-modified Fc6 protein products had the same dimeric structure as the parent Fc6 molecule. SEC was carried out using a Prominence HPLC System (Shimadzu Corp, Kyoto, Japan). TSKgel Super SW3000 columns (4.6 mm × 30 cm column, 4.6 mm × 5 cm guard column) were obtained from TOSOH Bioscience (Tokyo, Japan). Mobile phase, flow rate, column temperature, and detection wavelength used were 50 mM sodium phosphate, 300mM NaCl, pH 7.4, 0.35 mL/min., 30◦C, and 280 nm, respectively. The four azide-modified Fc6 protein products displayed a retention time that decreased as the size of PEG linker increased, confirming their dimer structure. All four products also gave essentially a single peak, demonstrating a two-handed structure in which both N-termini of the parent Fc6 dimer were modified by the PEG linker that was confirmed by SDS-PAGE analysis under non-reducing conditions (see below).

[0648] The cyclooctyne-modified Fab' was reacted with all four azide-modified Fc6 molecules (Figure 19), yielding a family of Fab'-PEG_y-cycloalkyne-azide-PEG_x-Fc6 structures with arms of increasing length (Figure 20). The overall lengths of the resulting arms were Fab'-PEG_{12}-Fc6 (for x = 0, y = 12), Fab'-PEG_{24}-Fc6 (for x = 12, y = 12), Fab' -PEG_{36}-Fc6 (for x = 24, y = 12), and Fab'-PEG_{48}-Fc6 (for x = 36, y = 12). The reactions (8 uL) were carried out in 0.1 M sodium phosphate pH 7.0 overnight at room temperature with each of the four azide-modified Fc6 proteins (2.5 mg/ml) in the presence or the absence of the cycloalkyne-modified Fab' (5 mg/ml).

[0649] Figure 21 shows SDS-PAGE analysis of the Fab'-cycloalkyne-azide-Fc6 reaction under reducing and non-reducing conditions. In the absence of the cycloalkyne-modified Fab' (lanes 5, 7, 9, and 11), all four of the azide-modified Fc6 proteins gave a single band on both reducing and non-reducing gels, confirming their dimeric, two-handed handed structure. In the presence of the cycloalkyne-modified Fab' (lanes 4, 6, 8, and 10), all four of the azide-modified Fc6 proteins were largely consumed in the resulting reaction. Under reducing conditions, all four reactions gave a product with Mr ~57,000 to 62,000 (arrow a). The size of the Fab'-PEG_{12}-Fc6 product (lane 4) was approximately 1-2 kD greater than the wild-type adalimumab heavy chain (lane 1), while the sizes of the Fab'-PEG_{24}-Fc6 (lane 6), Fab'-PEG_{36}-Fc6 (lane 8), and Fab'-PEG_{48}-Fc6 (lane 10) products further increased with the overall length of the PEG linker. Under non-reducing conditions, two products were observed, a first product of Mr ~ 155,000 to 160,000 (arrow a), and a second of Mr ~ 110,000 to 115,000 (arrow b). The larger Fab'-PEG_{12}-Fc6 product (lane 4) was approximately 5 kD greater than the adalimumab whole antibody (lane 1), consistent with the expected two-handed product, while the larger Fab-PEG_{24}-Fc6 (lane 6), Fab-PEG_{36}-Fc6 (lane 8), and Fab'-PEG_{48}-Fc6 (lane 10) products still further increased in size as the overall length of the PEG linker increased.

[0650] Figure 22 shows analysis by SEC to confirm the two-handed structure (ie, two Fab' hands attached to one Fc6 domain) of the larger reaction product with Mr ~ 155,000 to 160,000 of the Fab' -PEG_{12}-Fc6, Fab' -PEG_{24}-Fc6, Fab' -PEG_{36}-Fc6, and Fab'-PEG_{48}-Fc6 reactions. All four reaction products displayed a shorter retention time than the adalimumab whole antibody that further decreased as the size of PEG linker increased, confirming the two-handed structure observed by SDS-PAGE analysis.

[0651] The biological activity of the Fab'-cycloalkyne-azide-Fc6 products evaluated by their ability to

neutralize TNF-α-mediated cytotoxicity on murine WEHI cells treated with actinomycin D. The mouse WEHI-13VAR cell line (ATCC CRL-2148) was obtained from the American Type Culture Collection (Rockville, MD) and grown in Gibco RPMI media 1640 (RPMI-1640) supplemented with 10% fetal bovine serum (FBS) and penicillin and streptomycin (10 U/ml), obtained from Life Technologies (Grand Island, NY). TNF-α cytotoxity assays were carried out as follows. WEHI-13VAR cells were plated in 96-well Nunc white cell culture plates obtained from Thermo Fisher (Waltham, MA) at 2×10^4 cells per well overnight and then treated with actinomycin D (0.5 pg/ml) obtained from Sigma (St Louis, MO) and TNF-α (0.2 ng/ml) in the absence or presence of TNFR-IgG or other inhibitors. After 24 hr of incubation at 37°C/5% CO2, the cell viability was determined with CellTiter-Glo Luminescent Cell Viability Assay Systems (Promega, Madison, WI) measuring the quantity of the ATP present in metabolically active cells and luminescence measured using a POLARstar luminometer (BMG LABTECH Inc., Cary, NC). Each inhibitor was diluted by ten 3-fold serial dilutions starting at 10 µg/ml and measured in duplicate or triplicate. Cytotoxicity data were calculated using the following equations: (1-sample luciferase reading/luciferase reading from cells treated with actinomycin D alone) × 100%, and presented as the mean ± standard deviation. Enbrel was used as a cytotoxicity positive control and Fc6 as a negative control.

[0652] Figure 23 shows the neutralization of TNF-α-mediated cytotoxicity by Fab'-PEG_{12}-Fc6, Fab'-PEG_{24}-Fc6, Fab'-PEG_{36}-Fc6, and Fab'-PEG_{48}-Fc6 reaction mixtures compared with the cycloalkyne-modified Fab' (based upon an equal amounts of input cycloalkyne-modified Fab'). The Fab'-PEG_{12}-Fc6 and Fab'-PEG_{24}-Fc6 reaction mixtures both displayed comparable TNF-α neutralization activity compared with that of the input cycloalkyne-modified Fab' (upper panel), whereas the Fab'-PEG_{36}-Fc6 and Fab'-PEG_{48}-Fc6 reaction mixtures displayed a 1.5-fold and 2.0-fold increase, respectively, in their TNF-α neutralization activity compared with the input cycloalkyne-modified Fab' (lower panel). Since the amount of two-handed product represented only 10-20% of the total cycloalkyne-modified Fab' in each reaction as estimated by SDS-PAGE (Figure 22), the two-handed products of the Fab'-PEG_{36}-Fc6 and Fab'-PEG_{48}-Fc6 reactions are estimated to be at least 7.5-fold and 10-fold greater than the input cycloalkyne-modified Fab', respectively.

EXAMPLE 3: Fab-alkyne-azide-Fc6

[0653] Fab-alkyne-azide-Fc6 is prepared by reacting azide-modified Fc6 with an alkyne-modified or cycloalkyne-modified Fab protein that is produced by cleavage of an Fab-intein fusion protein as follows. Similarly, Fab-azide-alkyne-Fc6 is prepared by reacting alkyne-modified or cycloalkyne-modified Fc6 with an azide-modified Fab protein that is produced by cleavage of an Fab-intein fusion protein.

[0654] Adalimumab Fab-intein fusion protein is produced by cotransfecting expression vector pFUSE2ss-DE27-VK-CLIg-hk (SEQ ID NO: 115) with pPUSEss-DE27-Vγ1-CHIg-hG1-Mth-1 (SEQ ID NO: 116) or pFUSEss-DE27-VγI-CHIg-hGI-Mth-2 (SEQ ID NO: 117).

[0655] Vector pFUSE2ss-DE27-VK-CLIg-hk directs the expression of the pre-kappa light chain of adalimumab shown in SEQ ID NO: 118. Cleavage of the heterologous IL-2 signal sequence by the cellular signal peptidase provides the mature kappa light chain of adalimumab shown in SEQ ID NO: 119.

[0656] Vector pFUSEss-DE27-Vγ1-CHIg-hG1-Mth-1 directs the expression of a first type of pre-heavy chain-intein chimeric polypeptide shown in SEQ ID NO: 120, in which the adalimumab heavy chain VH and CH1 domains are joined at their C-terminus to the N-terminus of an RIR1 self-splicing intein at the autocleavage site. Cleavage of the heterologous IL-2 signal sequence by the cellular signal peptidase

provides the mature heavy chain-intein fusion protein shown in SEQ ID NO: 121. Together, the proteins of SEQ ID NO: 119 and SEQ ID NO: 121 comprise the adalimumab Fab-1-intein fusion protein that is secreted into the cell culture fluid.

[0657] Vector pFUSEss-DE27-V□1-CHIg-hG1-Mth-2 directs the expression of a second type of pre-heavy chain-intein chimeric polypeptide shown in SEQ ID NO: 122, in which the adalimumab heavy chain VH and CH1 domains are joined at their C-terminus to the N-terminus of an RIR1 self-splicing intein at the autocleavage site. Cleavage of the heterologous IL-2 signal sequence by the cellular signal peptidase provides the mature heavy chain-intein fusion protein shown in SEQ ID NO: 123. Together, the proteins of SEQ ID NO: 119 and SEQ ID NO: 123 comprise the adalimumab Fab-2-intein fusion protein that is secreted into the cell culture fluid.

[0658] Protein production is executed by transient expression in CHO-DG44 cells essentially as described in Example 1, by the cotransfection of SEQ ID NO: 115 with SEQ ID NO: 116 to produce the adalimumab Fab-1-intein fusion protein, and by cotransfection of SEQ ID NO: 115 with SEQ ID NO: 117 to produce adalimumab Fab-2-intein fusion protein.

[0659] Alkyne-modified adalimumab Fab proteins are produced by cleavage of adalimumab Fab-intein fusion proteins with 50 mM cystyl-propargylamide essentially as described in Example 1. The adalimumab Fab-1-intein fusion protein is cleaved with cystyl-propargylamide to produce alkyne-modified adalimumab Fab-1 protein which is a heterodimer protein of SEQ ID NO: 119 and SEQ ID NO: 124. The adalimumab Fab-2-intein fusion protein is cleaved with cystyl-propargylamide to produce alkyne-modified adalimumab Fab-2 protein which is a heterodimer protein of SEQ ID NO: 119 and SEQ ID NO: 125.

[0660] Azide-modified adalimumab Fab proteins are produced by cleavage of adalimumab Fab-intein fusion proteins with 50 mM cystyl-3-azidopropylamide essentially as described in Example 1. The adalimumab Fab-1-intein fusion protein is cleaved with cystyl-3-azidopropylamide to produce azide-modified adalimumab Fab-1 protein which is a heterodimer protein of SEQ ID NO: 119 and SEQ ID NO: 126. The adalimumab Fab-2-intein fusion protein is cleaved with cystyl-3-azidopropylamide to produce azide-modified adalimumab Fab-2 protein which is a heterodimer protein of SEQ ID NO: 119 and SEQ ID NO: 127.

[0661] Adalimumab Fab-1-alkyne-azide-Fc6 and Adalimumab Fab-2-alkyne-azide-Fc6 are prepared via the reaction of alkyne-modified adalimumab Fab-1 protein or alkyne-modified adalimumab Fab-2 protein with Az-DKTHT-Fc6 protein (Figure 6) or Az-PEG_X-DKTHT-Fc6 proteins (Figure 7).

[0662] Tris(3-hydroxypropyltriazolylmethyl)amine (THTPA) is prepared as described by Hong et al., Angew. Chem. Int. Ed. 48, 1-7 (2009). Reactions are carried out in 0.1 M sodium phosphate, pH 7.0, with the Linker-Fc at a concentration of 5 mgs/mL or greater, and a molar ratio of > 2:1 of Fab-A:Linker-Fc. To the reaction is added a final concentration of 0.0001 M $CuSO_4$, 0.0005 M THTPA. The reaction is initiated by adding to a final concentration 0.005 M aminoguanidine and 0.005 M sodium ascorbate. Following incubation at room temperature for 12-18 hours in a closed tube, the reaction mixture is applied to a chromatographic column packed with Protein A (GE Lifesciences, NJ) to remove excess reagent and unreacted Fab-A, washed with PBS, eluted with 0.1 M Glycine-HCl, pH 2.7, and immediately neutralized by adding 1.0 M Tris-HCl, pH 9.0. The eluted Adalimumab Fab-1-alkyne-azide-Fc6 and Adalimumab Fab-2-alkyne-azide-Fc6 products are dialysed against PBS.

[0663] Adalimumab Fab-1-azide-alkyne-Fc6 and Adalimumab Fab-2-azide-alkyne-Fc6 are prepared via the reaction of azide-modified adalimumab Fab-1 protein or azide-modified adalimumab Fab-2 protein

with cycloalkyne-modified Fc6 protein.

[0664] Cycloalkyne-modified Fc6 proteins are prepared essentially as described in Example 1 using DIBAC-PEG_{12}-thioester (Table 1) and other DIBAC-PEG_x-thioesters and DIBAC-PEG_x-DKTHT-thioesters similarly prepared.

Example 4: N-terminal Azide-modified Fc proteins

[0665] A series of azide-modified Fc proteins (N_3-Px-Fc), each having an azide functional group at its N-terminus, and optionally a PEG linker, was prepared by reacting the Fc6 protein with five thioesters having the sequence azidoacetyl-Px-DKTHT-thiophenol (x = 0, 12, 24, 36, 48). Reactions were carried out in the absence of TCEP to minimize any reduction of the azide group to a primary amine. The azidoacetyl-Px-DKTHT-thiophenol thioesters with x = 12, 24, 36 are shown in Table 1. Azidoacetyl-DKTHT-thiophenol was prepared as described in Example 1 (calculated for $C_{32}H_{45}O_{10}N_{11}S$ $[M+H]^+$ 776.8, found 776.3) . Azidoacetyl-PEG48-DKTHT-thiophenol was prepared by solid-phase by the sequential condensation of Fmoc-PEG12-OH and Fmoc-PEG36-OH obtained from Quanta BioDesign (calculated for $C_{134}H_{247}N_{13}O_{60}S$ [M+H]+ 3032.5, found 3032.8). The structural formulas are as follows:
Each reaction (2 mL) contained 50 mM MES pH 6.5, 10 mM mercaptophenylacetic acid, 2.2 mg of Fc6, and one of the five thioesters as follows: azidoacetyl-DKTHT-thiophenol (5mg), azidoacetyl-PEG12-DKTHT-thiophenol (5mg), azidoacetyl-PEG24-DKTHT-thiophenol (10mg), azidoacetyl-PEG36-DKTHT-thiophenol (10mg), or azidoacetyl-PEG48-DKTHT-thiophenol (20mg). Reactions were carried out for 20 hours at room temperature, neutralized with 0.1 mL of Tris HCl pH 9.0, centrifuged at 12,000 x g, and applied to a HiTrap Protein A HP column. The columns were washed with 12 vol of PBS, and the N_3-Px-Fc proteins were then eluted with 0.1 M glycine HCl pH 2.7 and neutralized with 1/20 volume of 1.0 M Tris HCl pH 9.0. The peak fractions by A280 were combined, desalted on PD-10 columns, and concentrated using Amicon Ultracel-3 Centrifugal Filter Units.

[0666] Figure 24 shows the purified N_3-Px-Fc proteins by SDS-PAGE under reducing (left) and non-reducing conditions (right): Fc6 control (lanes a), N_3-P0-Fc (lanes b), N_3-P12-Fc (lanes c), N_3-P24-Fc (lanes d), N_3-P36-Fc (lanes e), and N_3-P48-Fc (lanes f). The size of N_3-Px-Fc proteins increased with PEG linker length. In addition, the size of N_3-Px-Fc proteins prepared without TCEP (Figure 24) were indistinguishable by SDS-PAGE from the size of N_3-Px-Fc proteins prepared with TCEP (Figure 17) .

Example 5: GLP1-triazole-Fc hybrid immunoglobulins

[0667] A series of GLP1-triazole-Fc hybrid immunoglobulins (GLP1-P4-DN-Px-Fc) were prepared by reacting a GLP-1 (glucagon-like peptide 1) analog, further modified to have a cyclooctyne functional group, with each of the five N_3-Px-Fc proteins of Example 4. The sequence of the GLP-1 analog, HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG-PEG_3-C-NH_2 (HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG is SEQ ID NO:202), corresponds to residues 7-37 of the native GLP-1 peptide, in which glycine is substituted for alanine at position 8 and glutamic acid is substituted for glycine at position 22. In addition, the GLP-1 analog has a PEG3 linker and cysteine residue at its C-terminus used to attach the cyclooctyne functional group. This GLP-1 analog, gly8-glu22-GLP-1(7-37)-PEG3-cys-NH_2, was prepared by SPPS (calculated for $C_{165}H_{253}N_{43}O_{53}S$ $[M+H]^+$ 3720.3, found 3721.3).

[0668] A cyclooctyne functional group was added to gly8-glu22-GLP-1(7-37)-PEG3-cys-NH_2 using a heterobifunctional linker, DBCO-PEG4-Maleimide, containing a maleimide group capable of reacting with the free thiol group on the C-terminal cysteine residue (Figure 25). DBCO-PEG4-Maleimide ($C_{50}H_{54}N_4O_9$, mol weight 854.92), was obtained from Click Chemistry Tools (Scottsdale, AZ). Prior to use, the linker was dissolved at a concentration of 25 mg/mL in dimethysulfoxide (DMSO) obtained from Sigma-Aldrich (St. Louis, MO). Reactions (0.4 mL) contained 50 mM MES pH 6.5, 5 mM EDTA, 0.45 mg of gly8-glu22-GLP-1(7-37)-PEG3-cys-NH_2 peptide and 0.9 mg/mL of the DBCO-PEG4-Maleimide linker. Reactions were carried out for 30 minutes at room temperature. Excess unreacted linker was removed using a 5 mL HiTrap Desalting Column obtained from GE Life Sciences. Figure 25 shows the structure of the resulting cyclooctyne-modified GLP-1 analog reaction product (GLP1-P7-DBCO).

[0669] GLP1-P7-DBCO was reacted individually with each one of the five N_3-Px-Fc proteins (Figure 26), to generate a series of GLP1-P7-triazole-Px-Fc hybrid immunoglobulins (Figure 27). Each reaction (1.5 mL) contained 0.1 M sodium phosphate pH 7.0, 0.375 mg of the GLP1-P7-DBCO peptide, and 0.5 mg of one of the five N_3-Px-Fc proteins. Reactions were carried out for 3.5 hours at room temperature, the reactions were purified by HiTrap Protein A HP chromatography, desalted and concentrated as described in Example 4.

[0670] Figure 28 shows the purified GLP1-triazole-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions (left) and non-reducing conditions (right): Fc6 control (lanes a), GLP1-P4-DN-P0-Fc (lanes b), GLP1-P4-DN-P12-Fc (lanes c), GLP1-P4-DN-P24-Fc (lanes d), GLP1-P4-DN-P36-Fc (lanes e), and GLP1-P4-DN-P48-Fc (lanes f). The size of GLP1-triazole-Fc hybrid immunoglobulins increased with PEG linker length comparable to the N_3-Px-Fc proteins.

[0671] Figure 29 directly compares the GLP1-triazole-Fc hybrid immunoglobulins and N_3-Px-Fc proteins by SDS-PAGE under reducing conditions: Fc6 control (lane a), N_3-P0-Fc (lane b), GLP1-P4-DN-P0-Fc (lane c), N_3-P12-Fc (lane d), GLP1-P4-DN-P12-Fc (lane e), N_3-P24-Fc (lane f), GLP1-P4-DN-P24-Fc (lane g), N_3-P36-Fc (lane h), GLP1-P4-DN-P36-Fc (lane i), N_3-P48-Fc (lane j), GLP1-P4-DN-P48-Fc (lane k). The conversion of each N_3-Px-Fc protein to the corresponding GLP1-P4-DN-Px-Fc hybrid immunoglobulin was approximately 95%.

Example 6: Biological activity of GLP1-triazole-Fc hybrid immunoglobulins

[0672] The biological activity of the GLP1-P7-triazole-Px-Fc hybrid immunoglobulins was evaluated in a cell-based assay that measured the induction of cAMP synthesis in cells expressing the human GLP-1 receptor (GLP-1R). For isolation of GLP-1R expressing cells, Dulbecco's Modified Eagle Medium (DMEM) from Invitrogen (Grand Island, NY), fetal bovine serum (FBS), penicillin, streptomycin, and geneticin sulfate (G418) were obtained from Corning (Manassas, VA), the CalPhos transfection kit was obtained from Clontech (Mountain View, CA), human GLP-1 receptor expression plasmid was obtained from GeneCopoeia (Rockville, MD), and anti-human GLP-1R-phycoerythrin monoclonal antibody was obtained from R&D Systems (Minneapolis, MN). For cAMP assays, 3-isobutyl-1-methylxanthine (IBMX) was obtained from Sigma-Aldrich (No. 15879), the cAMP dynamic 2 kit was obtained from Cisbio Bioassays (Bedford, MA), and the GLP-1(7-37) peptide was obtained from AnaSpec (No. 20761).

[0673] GLP-1R-expressing cells were prepared by transfecting a GLP-1R expression vector (EX-A0510-M02) into human 293T embryonic kidney cells using a CalPho mammalian transfection kit. Transfected

cells were grown in DMEM supplemented with 10% FBS and penicillin and streptomycin (10 IU/ml), and selection for stable transfectants was carried out in same media containing 2 mg/ml G418. GLP-1R expression was evaluated by flow cytometric analysis using a anti-human GLP-1R-phycoerythrin monoclonal antibody.

[0674] For cAMP assays, 293T-GLP-1R cells were plated overnight into 384-well tissue culture treated white microtiter plates (Corning No. 3704) at a density of 5,000, 8,000 or 10,000 cells/well in 20uL medium/well. The following day, serial dilutions of agonist (GLP-1 peptide or the GLP1-triazole-Fc hybrid immunoglobulins) in 20uL PBS containing 0.5 mM IBMX were added to the cells, and the cells then incubated at 37°C for 1, 4 or 24 hours. Following stimulation, cAMP levels were determined by Homogeneous Time-Resolved Fluorescence (HTRF) in a ClarioStar microplate reader (BMG Labtech) using a Cisbio cAMP dynamic 2 kit according to the manufacturer's instructions. Following addition of HTRF detection reagents, anti-cAMP Mab labeled with Cryptate (20uL) and the cAMP labeled with d2 dye (20uL), the plates were incubated for 1 hour at room temperature and the fluorescence ratio (665nm/620nm) calculated and used to determine the cAMP concentration in the cell lysates by four-parameter fit to a cAMP standard curve.

[0675] Figure 30 shows the results for GLP-1(7-37) peptide and the GLP1-P7-DN-Px-Fc proteins (x = 0, 12, 24, 36, 48). All five GLP1-triazole-Fc hybrid immunoglobulins induced cAMP levels comparable to GLP-1(7-37) peptide. Stimulation by GLP-1(7-37) was similar whether cells were exposed to agonist for 1, 4 or 24 hours, with an EC50 of ~2 nM at 24 hours, whereas stimulation by the GLP1-triazole-Fc hybrid immunoglobulins increased dramatically as cells were exposed to agonist for longer times, with an EC50 of ~0.4 nM at 24 hours.

Example 7: N-terminal Cyclooctyne-Fc proteins

[0676] A series of cyclooctyne-modified Fc proteins (DIBAC-P11-DN-Px-Fc), each having a cyclooctyne functional group at its N-terminus is prepared by reacting a homobifunctional cyclooctyne linker with the azide-modified N_3-Px-Fc proteins of Example 4. The linker, DIBAC-PEG11-DIBAC, shown in Figure 31, was obtained from CPC Scientific (calculated for $C_{74}H_{102}N_6O_{17}$ [M+H]+ 1346.6, found 1346.4). The PEG11 portion of this linker was derived from diamido-dPEG11-diamine (Quanta Biodesigns No. 10361) having the structure: [-NH-CH_2-(CH_2-CH_2-O)$_3$-(CH_2)$_3$-CO-NH-(CH_2-CH_2-O)$_5$-(CH_2)$_2$-CO-NH-CH_2-(CH_2-CH_2-O)$_3$-(CH_2)$_3$-NH-] .

[0677] DIBAC-PEG11-DIBAC is reacted individually with each one of the five N_3-Px-Fc proteins (Figure 31), to generate a series of DIBAC-P11-DN-Px-Fc proteins (Figure 32). Representative results are shown for the reaction of DIBAC-PEG11-DIBAC with the N_3-P0-Fc protein to generate DIBAC-P11-DN-P0-Fc. The reaction (1 mL) was initiated by adding 84 mg of the N_3-Px-Fc protein to 11.25 mg of the DIBAC-PEG11-DIBAC linker in 0.02 M sodium phosphate pH 7.0 in water-ethanol (0.64:0.36 vol/vol). The reaction was carried out for 12 hours at room temperature, and the DIBAC-PEG11-DIBAC linker was then extracted by adding 1 mL of PBS, mixing well, and centrifuging at 12,000 x g which separated out the linker as an denser, oily phase. The desired DIBAC-P11-DN-P0-Fc product contained within the upper aqueous phase was purified by HiTrap Protein A HP chromatography, desalted and concentrated as described in Example 4.

[0678] Figure 33 shows the DIBAC-P11-DN-P0-Fc reaction product by SDS-PAGE under reducing conditions: Fc6 control (lane b), unpurified reaction product (lanes c-e), the purified N_3-P0-Fc protein

(lane f), and the purified DIBAC-P11-DN-P0-Fc protein (lane g). Approximately, 70% of the N_3-P0-Fc (I) protein was converted into a product having the expected size of the DIBAC-P11-DN-P0-Fc (II) protein.

Example 8: DNA-triazole-Fc hybrid immunoglobulins

[0679] A series of DNA-triazole-Fc hybrid immunoglobulins (DNA-P11-DN-Px-Fc) are prepared by reacting an azide-modified DNA or RNA, with each of the five DIBAC-P11-DN-Px-Fc proteins of Example 7. Figure 34 shows the structure of the azide-modified DNA, 5AzD-let7d, having the sequence 5'-AGAGGTAGTAGGTTGCATAGTT-3' (SEQ ID NO:203) of the DNA coding strand for the mature human hsa-let-7d-5p miRNA (www.mirbase.org, Accession No. MIMAT0000065). The 5AzD-let7d oligonucleotide (5AzD-let7d) was obtained from Integrated DNA Technologies (Coralville, IA). Prior to use, 5AzD-let7d (molecular weight 7187.8) was dissolved in 10 mM Tris HCl, 1 mM EDTA.

[0680] 5AzD-let7d was reacted individually with each of the DIBAC-P11-DN-Px-Fc proteins (Figure 34) to generate a series of DNA-triazole-Fc hybrid immunoglobulins (Figure 35). Representative results are shown for the reaction of 5AzDlet7d with the DIBAC-P11-DN-P0-Fc protein. Reactions (20 ul) contained 0.1 M sodium phosphate pH 7.0, 50 ug of 5AzD-let7d or a series of two-fold dilutions thereof, and 5.7 ug of the DNA-P11-DN-Px-Fc protein. Reactions were carried out at room temperature for 2 hours.

[0681] Figure 36 shows the reaction products by SDS-PAGE under reducing conditions: the 5AzD-let7d oligonucleotide concentration (mg/ml) was as follows: markers (lane a), 0 (lane b), 2.5 (lane c), 1.25 (lane d), 0.063 (lane e), 0.031 (lane f), 0.016 (lane g), 0.08 (lane h). Approximately 90% of the DIBAC-P11-DN-P0-Fc (II) protein was converted into a product having the expected size of the DNA-ND-P11-DN-PEG0-Fc (III) hybrid immunoglobulin.

Example 9: N-terminal Azide-Mab proteins

[0682] A series of azide-modified trastuzumab proteins (N_3-Px-Hc), each having an azide functional group at the N-terminus of its heavy chain, and optionally a PEG linker, is prepared by reacting a trastuzumab protein variant, cys1H-IgG1, with thioesters having the sequence azidoacetyl-Px-DKTHT-thiophenol (Figure 37).

[0683] Cys1H-IgG1 consists of the wild-type trastuzumab light chain shown in SEQ ID NO: 128, and a variant trastuzumab heavy chain, having at its heavy chain N-terminus a cysteine residue. The cys1H-IgG1 heavy chain is initially initially expressed as the variant trastuzumab pre-heavy chains shown in SEQ ID NO: 167, SEQ ID NO: 168, and SEQ ID NO: 169, having a SHH signal peptide, IFN signal peptide, and CETP signal peptide, respectively. Cleavage of the heterologous signal sequences by the cellular signal peptidase provides the mature heavy chain protein having an N-terminal cysteine, the sequence of which is shown in SEQ ID NO: 166.

[0684] A second series of azide-modified trastuzumab proteins (N3-Px-Lc), each having an azide functional group at the N-terminus of its light chain, and optionally a PEG linker, is prepared by reacting a trastuzumab protein variant, cys1L-IgG1, with thioesters having the sequence azidoacetyl-Px-DKTHT-thiophenol (Figure 38).

[0685] Cys1L-IgG1 consists of the wild-type trastuzumab heavy chain shown in SEQ ID NO: 129, and a

variant trastuzumab light chain, having at its heavy chain N-terminus a cysteine residue. The cys1L-IgG1 light chain is initially initially expressed as the variant trastuzumab pre-light chains shown in SEQ ID NO: 131, SEQ ID NO: 132, and SEQ ID NO: 133 having a SHH signal peptide, IFN signal peptide, and CETP signal peptide, respectively. Cleavage of the heterologous signal sequences by the cellular signal peptidase provides the mature light chain protein having an N-terminal cysteine, the sequence of which is shown in SEQ ID NO: 130.

[0686] Appropriate light and heavy chain expression vectors are co-transfected to produce the cys1H-IgG1 and cysL-IgG proteins. Protein production is executed by transient expression in CHO-DG44 cells, adapted to serum-free suspension culture followed by Protein A purification, as described in Example 1.

Example 10: Mertansine-triazole-trastuzumab hybrid immunoglobulins

[0687] A series of mertansine-triazole-trastuzumab hybrid immunoglobulins are prepared by reacting the maytansinoid DM1 (mertansine), further modified to have a cyclooctyne functional group, with each of the N_3-Px-Hc and N_3-Px-Lc proteins of Example 9.

[0688] DM1 (free thiol form; M.W. 737.5 g/mole) is prepared as described previously in U.S. Patent Nos. 5,208,020 and 6,333,410 B1. A cyclooctyne functional group is added to DM1 using the DBCO-PEG4-Maleimide heterobifunctional linker which contains a maleimide group capable of reacting with the free thiol group of DM1 (Figure 39). DM1 is reacted with DBCO-PEG4-Maleimide in DMSO using the procedures of Example 5. The cycloctyne-modified-DM1 product (DM1-P4-DBCO) is purified by HPLC, and dissolved in DMSO prior to use.

[0689] DM1-P4-DBCO is reacted individually with each one of the five N3-Px-Hc proteins (Figure 40), to generate a series of mertansine-triazole-trastuzumab hybrid immunoglobulins modified with DM1 at the N-terminus of the trastuzumab heavy chain (DM1-P4-triazole-Px-Hc) (Figure 41).

[0690] DM1-P4-DBCO is reacted individually with each one of the five N3-Px-Lc proteins (Figure 42), to generate a series of mertansine-triazole-trastuzumab hybrid immunoglobulins modified with DM1 at the N-terminus of the trastuzumab light chain (DM1-P4-triazole-Px-Lc) (Figure 43).

[0691] The efficacy of the mertansine-triazole-trastuzumab hybrid immunoglobulins as novel antibody drug conjugates is evaluated and compared with ado-trastuzumab emtansine, obtained from Genentech (South San Francisco, CA), using in vitro cell proliferation assays and in vivo tumor growth inhibition assays as described in U.S. Patent No. 7,521,541B2.

Example 11 (according to the invention): N-terminal Tetrazine-Fc proteins

[0692] A series of tetrazine-modified Fc proteins (Tet-Px-Fc), each having a tetrazine group at its N-terminus and optionally a PEGx linker was prepared by reacting a heterobifunctional linker with the azide-modified N_3-Px-Fc proteins of Example 4. Figure 44 shows the Tetrazine-DBCO heterobifunctional linker, which has a cycloctyne group at one end capable reacting with the azide group of the N_3-Px-Fc proteins, and a tetrazine group at the other end. The Tetrazine-DBCO linker was obtained from Click Chemistry Tools (Item No. 1022; $C_{32}H_{29}N_7O_6S$, protonated; molecular weight 639.68, protonated). Prior to use, Tetrazine-DBCO was dissolved at a concentration of 25 mg/mL in water.

[0693] Tetrazine-DBCO was reacted individually with each N_3-Px-Fc protein (Figure 44) to generate the corresponding series of Tet-Px-Fc proteins (Figure 45). Reactions (0.72 mL) contained 0.1 M sodium phosphate pH 7.0, 0.1875 mg of the Tetrazine-DBCO linker, and 0.6 mg of the N_3-Px-Fc protein. Reactions were carried out for 3.5 hours at room temperature. Excess unreacted linker was removed by HiTrap ProteinA HP chromatography.

[0694] Figure 46 shows the purified Tet-Px-Fc proteins by SDS-PAGE under reducing (left) and non-reducing conditions (right): Fc6 control (lanes a), Tet-P0-Fc (lanes b), Tet-P12-Fc (lanes c), Tet-P24-Fc (lanes d), Tet-P36-Fc (lanes e), and Tet-P48-Fc (lanes f). The size on SDS-PAGE of the Tet-Px-Fc proteins increased as the PEG linker length increased, under both reducing and non-reducing conditions. In addition, each of the Tet-Px-Fc proteins was larger than the corresponding N_3-Px-Fc protein by SDS-PAGE under reducing conditions (Figure 50).

Example 12(according to the invention): N-terminal Trancyclooctene-Fc proteins

[0695] A series of transcyclooctene-modified Fc proteins (Tco-Px-Fc), each having a transcyclooctene group at its N-terminus and optionally a PEGx linker, is prepared by reacting a heterobifunctional linker with the azide-modified N_3-Px-Fc proteins of Example 4. Figure 47 shows the TCO-PEG12-DBCO heterobifunctional linker, which has a cycloctyne group at one end capable reacting with the azide group of the N_3-Px-Fc proteins, and a transcyclooctene group at the other end. The TCO-PEG12-DBCO linker was obtained from Click Chemistry Tools (Item No. 1005; $C_{54}H_{81}N_3O_{16}$; molecular weight 1028.23) . Prior to use, TCO-PEG12-DBCO was dissolved at a concentration of 100 mg/mL in DMSO.

[0696] TCO-PEG12-DBCO is reacted individually with each N_3-Px-Fc protein (Figure 47) to generate the corresponding series of Tco-P12-Px-Fc proteins (Figure 48). Representative results are shown for the reaction of TCO-PEG12-DBCO with the N_3-P36-Fc protein. Reactions (6 uL) contained 0.1 M sodium phosphate pH 7.0, 0.2 mg of the TCO-PEG12-DBCO linker or a series of two-fold dilutions thereof in DMSO, and 5 ug of the N_3-P36-Fc protein. Reactions were carried out for 3.5 hours at room temperature.

[0697] Figure 49 shows the Tco-P12-Px-Fc proteins by SDS-PAGE under reducing conditions: the Tco-P12-DBCO linker concentration (mg/ml) was as follows: 32 (lane a), 16 (lane b), 8 (lane c), 4 (lane d), 2 (lane e), 1 (lane f), 0.5 (lane g), 0.25 (lane h), 0.125 (lane i), and 0 (lane j). The conversion the N_3-P36-Fc (I) protein into the Tco-P12-P36-Fc (II) protein was essentially complete at a Tco-P12-DBCO linker concentration of 1 mg/ml (lane f). In further studies, the Tco-P12-P36-Fc protein thereby obtained was purified by HiTrap ProteinA HP chromatography, desalted and concentrated as described in Example 4.

[0698] To test the reactivity of the Tco-P12-P36-Fc protein with a tetrazine functional group, purified Tco-P12-P36-Fc protein was first reacted with the heterobifunctional Tetrazine-DBCO linker to prepare DBCO-TT-P12-P36-Fc protein, which was purified by Protein A and then tested for its ability to react with an azido-PEG-amine linker, NH_2-PEG23-N_3, obtained from Quanta Biodesigns (Item No. 10525, $C_{48}H_{98}N_4O_{23}$, molecular weight 1099.30). The test reactions (6 uL) contained 0.1 M sodium phosphate pH 7.0, 0.2 mg of the NH_2-PEG23-N_3 linker or a series of two-fold dilutions thereof, and 5 ug of the DBCO-TT-P12-P36-Fc protein. Reactions were carried out for 1 hour at room temperature.

[0699] Figure 50 shows the reaction products by SDS-PAGE under reducing conditions: the NH_2-PEG23-

N_3 linker concentration (mg/ml) was as follows: 0.12 (lane a), 0.06 (lane b), 0.03 (lane c), 0.015 (lane d), 0.0075 (lane e), 0.0038 (lane f), 0.002 (lane g), 0.001 (lane h), 0 (lane i). The DBCO-TT-P12-P36-Fc (III) protein, but not the Tco-P12-P36-Fc protein (not shown), was converted into the expected NH_2-P23-ND-TT-P12-P36-Fc (IV) protein, confirming the reactivity of the Tco-P12-P36-Fc protein with a tetrazine functional group.

Example 13 (according to the invention): GLP1-dihydropyridizine-Fc hybrid immunoglobulins

[0700] A series of GLP1-dihydropyridizine-Fc hybrid immunoglobulins (GLP1-P3-TT-Px-Fc) were prepared by reacting a transcyclooctene-modified GLP-1 analog with the Tet-Px-Fc proteins of Example 11. GLP1-dihydropyridizine-Fc hybrid immunoglobulins are also prepared by reacting a tetrazine-modified GLP-1 analog with the Tco-Px-Fc proteins of Example 12.

[0701] To prepare the transcyclooctene-modified GLP-1 analog, the gly8-glu22-GLP-1(7-37)-PEG3-cys-NH2 peptide was reacted with a heterobifunctional linker, TCO-PEG3-Maleimide, which contains a maleimide group capable of reacting with the free thiol group on the C-terminal cysteine residue (Figure 51). TCO-PEG3-Maleimide ($C_{26}H_{41}N_3O_8$, mol weight 523.62) was obtained from Click Chemistry Tools (Item No. 1002). Prior to use, the linker was dissolved at a concentration of 25 mg/mL in DMSO. Reactions (0.42 ml) contained 50 mM MES pH 6.5, 5mM EDTA, 0.45 mg of gly8-glu22-GLP-1(7-37)-PEG3-cys-NH2 peptide and 0.375 mg of the TCO-PEG3-Maleimide linker. Reactions were carried out at room temperature for 60 minutes. Excess unreacted linker was removed by buffer-exchange into 0.02 M sodium phosphate pH 7.0 using a 5 mL HiTrap Desalting Column. Figure 51 shows the structure of the transcyclooctene-modified GLP-1 analog (GLP1-P6-Tco) .

[0702] The GLP1-P6-Tco peptide was reacted individually with each of the Tet-Px-Fc proteins (Figure 52), to generate the GLP1-P3-TT-Px-Fc series of hybrid immunoglobulins (Figure 53). Reactions (0.99 ml) contained 0.1 M sodium phosphate pH 7.0, 0.145 mg of GLP1-P6-Tco peptide and 0.33 mg of each Tet-Px-Fc proteins. Reactions were carried out at room temperature for 30 minutes. The GLP1-P6-TT-Px-Fc hybrid immunoglobulins were then purified by chromatography on HiTrap Protein A HP.

[0703] To prepare the tetrazine-modified GLP-1 analog, the gly8-glu22-GLP-1(7-37)-PEG3-cys-NH2 peptide is reacted with a heterobifunctional linker, Tetrazine-PEG4-Maleimide, which contains a maleimide group capable of reacting with the free thiol group on the C-terminal cysteine residue (Figure 54). Tetrazine-PEG4-Maleimide ($C_{29}H_{39}N_7O$, mol weight 613.66) was obtained from Click Chemistry Tools (Item No. A139). Prior to use, the linker is dissolved at a concentration of 25 mg/mL in DMSO. Reactions (0.42 ml) contain 50 mM MES pH 6.5, 5mM EDTA, 0.45 mg of gly8-glu22-GLP-1(7-37)-PEG3-cys-NH2 peptide and 0.375 mg of the Tetrazine-PEG4-Maleimide linker. Reactions are carried out at room temperature for 60 minutes. Excess unreacted linker is removed by buffer-exchange into 0.02 M sodium phosphate pH 7.0 using a 5 mL HiTrap Desalting Column. Figure 54 shows the structure of the tetrazine-modified GLP-1 analog (GLP1-P7-Tet).

[0704] The GLP1-P7-Tet peptide is reacted individually with each of the Tco-Px-Fc proteins (Figure 55), to generate the GLP1-P7-TetTco-Px-Fc series of hybrid immunoglobulins (Figure 56). Reactions (0.99 ml) contain 0.1 M sodium phosphate pH 7.0, 0.145 mg of GLP1-P7-Tet peptide and 0.33 mg of each Tco-Px-Fc protein. Reactions are carried out at room temperature for 30 minutes. The GLP1-P7-Tet/Tco-Px-Fc hybrid immunoglobulins are then purified by chromatography on HiTrap Protein A HP.

[0705] Figure 57 shows the purified GLP1-dihydropyridizine-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions (left) and non-reducing conditions (right): Fc6 control (lanes a), GLP1-P6-TT-P0-Fc (lanes b), GLP1-P6-TT-P12-Fc (lanes c), GLP1-P6-TT-P24-Fc (lanes d), GLP1-P6-TT-P36-Fc (lanes e), and GLP1-P6-TT-P48-Fc (lanes f). The size of GLP1-dihydropyridizine-Fc hybrid immunoglobulins increased with PEG linker length comparable to the Tet-Px-Fc proteins.

[0706] Figure 58 directly compares the N3-Px-Fc (I) proteins, the Tet-Px-Fc (II) proteins, and the GLP1-dihydropyridizine-Fc (III) hybrid immunoglobulins by SDS-PAGE under reducing conditions: Fc6 control (lane a), N_3-P0-Fc (lane b), Tet-P0-Fc (lane c), GLP1-P6-TT-P0-Fc (lane d), N_3-P12-Fc (lane e), Tet-P12-Fc (lane f), GLP1-P6-TT-P12-Fc (lane g), N_3-P24-Fc (lane h), Tet-P24-Fc (lane i), GLP1-P6-TT-P24-Fc (lane j), N_3-P36-Fc (lane k), Tet-P36-Fc (lane l), GLP1-P6-TT-P36-Fc (lane m), N_3-P48-Fc (lane n), Tet-P48-Fc (lane o), GLP1-P6-TT-P48-Fc (lane p). The conversion of each Tet-Px-Fc protein to the corresponding GLP1-P6-TT-Px-Fc hybrid immunoglobulin was approximately 92%.

[0707] Figure 59 shows a time course for the reaction of GLP1-P7-DBCO with N_3-P36-Fc and a time course for the reaction of GLP1-P6-Tco with Tet-P36-Fc. Reactions were carried out as described above for the various times indicated, except that each reaction was terminated by the addition of an excess of competitor. For the reaction of GLP1-P7-DBCO with N_3-P36-Fc, sodium azide was added to a final concentration of 0.1%; for the reaction of GLP1-P6-Tco with Tet-P36-Fc, TCO-PEG3-Maleimide was added to a final concentration of 3.5 mg/ml. Each reaction was analyzed SDS-PAGE under reducing conditions: (upper panel) N_3-P36-Fc alone (lane a), N_3-P36-Fc + GLP1-P7-DBCO for the following times, 0, 1, 2, 4, 6, 24, 48, 72 hours; (lower panel) Tet-P36-Fc alone (lane a), Tet-P36-Fc + TCO-PEG3-Maleimide alone (lane b), Tet-P36-Fc + GLP1-P6-Tco for the following times, -4, -2, -1, 0, 1, 2, 4 minutes. The reaction of GLP1-P6-Tco with Tet-P36-Fc (I) leading to the formation of GLP1-P7-DN-P36-Fc (II) is much faster, reaching completion within 1 minute, whereas the reaction of the GLP1-P7-DBCO with N_3-P36-Fc (I) leading to the formation of GLP1-P7-DN-P36-Fc (II) is only 50% complete after 6 hours.

[0708] The biological activity of GLP1-P6-dihydropyridizine-Px-Fc hybrid immunoglobulins was evaluated in a cell-based assay as described in Example 6. Figure 60 shows the results for GLP-1(7-37) peptide and the GLP1-P6-TT-Px-Fc proteins (x = 0, 12, 24, 36, 48). All five GLP1-dihydropyridizine-Fc hybrid immunoglobulins induced cAMP levels comparable to GLP-1(7-37) peptide. Stimulation by GLP-1(7-37) was similar whether cells were exposed to agonist for 1, 4 or 24 hours, with an EC50 of ~2 nM at 24 hours, whereas stimulation by the GLP1-dihydropyridizine-Fc hybrid immunoglobulins increased dramatically as cells were exposed to agonist for longer times, with an EC50 of ~0.2 nM at 24 hours.

Example 14 (according to the invention): Adalimumab Fab-dihydropyridizine-Fc hybrid immunoglobulins

[0709] A series of Fab-dihydropyridizine-Fc hybrid immunoglobulins (Fab-P3-TT-Px-Fc) were prepared by reacting a transcyclooctene-modified Fab fragment with the Tet-Px-Fc proteins of Example 11. Fab-dihydropyridizine-Fc hybrid immunoglobulins are also prepared by reacting a a tetrazine-modified Fab fragment with the Tco-Px-Fc proteins of Example 12.

[0710] To prepare the transcyclooctene-modified Fab, TCEP-treated Fab was reacted with a heterobifunctional linker, TCO-PEG3-Maleimide, which contains a maleimide group capable of reacting with a free thiol group on the TCEP-treated Fab (Figure 61). The Fab fragment was generated by papain digestion of 10 mg of adalimumab (Humira™) obtained from Abbott using a Pierce™ Fab Preparation Kit

(Cat. No. 44985) according to the manufacturer's instructions. Following digestion, the Fab fragment was purified by chromatography on HiTrap Protein A HP to remove the Fc fragment and undigested antibody. The flow-through fractions, containing the Fab fragment, were buffer-exchanged into PBS, and concentrated to 5 mg/ml.

[0711] For the partial reduction of the Fab fragment with TCEP, reactions (0.26 ml) contained 0.1 M sodium phosphate pH 7.0, 0.5 mg of Fab, and 0.08 mg/ml TCEP. Following incubation for at room temperature for 60 minutes, the reaction was brought to 0.72 ml with the addition of 0.24 ml of 0.3 M sodium phosphate pH 7.0 and 0.22 ml of water. The TCO-PEG3-Maleimide linker was then added to the reaction (0.12 ml of at a concentration of 50 ug/ml in DMSO) and the reaction incubated for 20 minutes at room temperature. The transcyclooctene-modified Fab was buffered-exchanged on a PD-10 column into 0.02 M sodium phosphate pH 7.0 to remove excess linker, and the final product concentrated to 2.7 mg/ml. Under these conditions, greater than 90% of the Fab heavy chain and less than 10% of the Fab light chain was modified by the TCO-PEG3-Maleimide linker. Figure 61 shows the structure of the transcyclooctene-modified Fab protein (Fab-P3-Tco).

[0712] The Fab-P3-Tco protein was reacted individually with each of the Tet-Px-Fc proteins (Figure 62), to generate the Fab-P3-TT-Px-Fc series of hybrid immunoglobulins (Figure 63). Reactions (6 ul) contained 0.1 M sodium phosphate pH 7.0, 3.6 ug of the Fab-P3-Tco protein and 1ug of each Tet-Px-Fc protein. Reactions were carried out at room temperature for 60 minutes.

[0713] Figure 64 shows the Fab-dihydropyridizine-Fc hybrid immunoglobulins by SDS-PAGE under reducing conditions: markers (lanes a), adalimumab (lane b), Fab-P3-TT-P0-Fc (lane c), Fab-P3-TT-P12-Fc (lane d), Fab-P3-TT-P24-Fc (lanes e), Fab-P3-TT-P36-Fc (lanes f), Fab-P3-TT-P48-Fc (lane g), Fab-P3-Tco (lane h), Tet-P0-Fc (lane i), Tet-P12-Fc (lane j), Tet-P24-Fc (lane k), Tet-P36-Fc (lane l)m Tet-P48-Fc (lane m). By comparison with adalimumab (lane b), the Fab-dihydropyridizine-Fc hybrid immunoglobulins had the expected size, showing an increase with PEG linker length comparable to the Tet-Px-Fc proteins. The conversion of each Tet-Px-Fc protein to the corresponding Fab-P3-TT-Px-Fc hybrid immunoglobulin was approximately 75%.

Example 15 (according to the invention): Olanzapine-dihydropyridizine-Fc hybrid immunoglobulins

[0714] In this example, hybrid immunoglobulins are prepared with an azide-derivative of a primary amine, secondary amine or alcohol compound. The azide-derivatized compond may be prepared as described in Pothukanuri, S. and Winssinger, N., Org Lett. 2007; 9(11) :2223-5. The primary amine, secondary amine or alcohol compound is first reacted with chloroalkyl chloroformate to obtain the chloroalkyl carbamate, followed by an azide displacement of the chloride, affording the azidoalkyl carbamate. All chemicals are obtained from Sigma-Aldrich.

[0715] Olanzapine (Sigma Cat. No. 01141) is first reacted with chloromethyl chloroformate as described in U.S. Patent application 13/801,344, published October 10, 2013, Publication No. US20130267505 A1. A solution of olazapine (60 mmoles) and triethylamine (120 mmoles) in anhydrous dichloromethane (250 ml) is warmed to 35°C until a clear solution is formed, then cooled to 5°C. Chloromethyl chloroformate (90 mmoles) is then added over 20 minutes. Other suitable chloroalkyl chloroformates include 2-chloroethyl chloroformate, 3-chloropropyl chloroformate, and 4-chlorobutyl chloroformate. The reaction is stirred at room temperature for 30 min and allowed to warm to room temperature. After 15 min at room temperature the reaction mixture is diluted with dichloromethane (100 ml) then washed with aqueous

saturated $NaHCO_3$ (75 ml) and water (350 ml). The organic phase is dried over MgSO4 and filtered. The organic phase is then concentrated under vacuum at 45°C to a volume of 150 ml. The mixture is diluted with 30 ml ethyl acetate and is further evaporated (20-30 ml) under vacuum. The mixture is cooled to room temperature and the resulting solid precipitate is filtered and washed with ethyl acetate. After drying under vacuum at 35°C for 90 min, chloromethyl 2-methyl-4-(4-methylpiperazin-1-yl)-5H-benzo[b]thieno[2,3-e] [1,4]diazepine-5-carboxylate is obtained. This compound (1.5 eq) is then treated with NaN3 (1.5 eq) in CH_3CN:H2O (1:1, 0.3 M) at room temperature for 8 to 36 hours. The reaction mixture is diluted with ethyl acetate and the organic phase is washed with water, brine then dried over Na_2SO_4 and concentrated in vacuo. Purification by HPLC affords the azide-olanzapine derivative, azidomethyl 2-methyl-4-(4-methylpiperazin-1-yl)-5H-benzo[b]thieno[2,3-e][1,4]diazepine-5-carboxylate (Figure 65) .

[0716] The azide-olanzapine derivative is then used to prepare series of olanzapine-dihydropyridizine-Fc hybrid immunoglobulins (Ola-P12-TT-Px-Fc) as follows. In a first step, the azide-olanzapine derivative is modified with a transcyclooctene functional group using a heterobifunctional linker. In a second step, the transcycloctene-modified olanzapine is reacted with the Tet-Px-Fc proteins of Example 11.

[0717] To prepare the transcyclooctene-modified olanzapine, the azide-olanzapine derivative is reacted with the heterobifunctional linker TCO-PEG12-DBCO which contains a cyclooctyne group capable of reacting with the azide group (Figure 65). Reactions (1 ml) contain 0.5 mg of the azide-olanzapine deivative and 5 mg of the TCO-PEG12-DBCO linker in DMSO. Reactions are carried out at room temperature for 3 to 20 hours. The transcycloctene-modified olanzapine (Ola-P12-Tco) is purified by HPLC to remove excess unreacted TCO-PEG12-DBCO linker. Prior to use, Ola-P12-Tco is dissolved at a concentration of 1 mg/mL in DMSO.

[0718] Ola-P12-Tco is reacted individually with each of the Tet-Px-Fc proteins (Figure 66), to generate the Ola-P12-TT-Px-Fc series of hybrid immunoglobulins (Figure 67). Reactions (1 ml) contain 0.1 mg of GLP1-P7-Tet peptide and 0.33 mg of each Tco-Px-Fc protein in DMSO. Reactions are carried out at room temperature for 60 minutes. The Ola-P12-TT-Px-Fc hybrid immunoglobulins are then purified by chromatography on HiTrap Protein A HP.

Discussion

[0719] Aspects of the present invention provide the chemical semisynthesis of antibodies with nonprotein hinges that incorporate large binding domains such as the Fab itself or receptor extracellular domains. The present invention relates to the identification of ligation reactions that are compatible with the native structure and function of the cognate proteins and proceed efficiently. Aspects of the present invention provide compounds having nonprotein chains that are both flexible and extendible. Antibody-like molecules provided in embodiments of the invention have enormous potential as therapeutic candidates with improved binding affinity for their disease targets.

SEQUENCE LISTING

[0720]

<110> Capon, Daniel J.

<120> HYBRID IMMUNOGLOBULIN CONTAINING NON-PEPTIDYL LINKAGE

<130> B12141WOEP.1 CA

<150> 61/953,650
<151> 2014-03-14

<160> 203

<170> PatentIn version 3.5

<210> 1
<211> 228
<212> PRT
<213> Artificial Sequence

<220>
<223> Human IgG1 Fc domain having the N-terminal sequence CDKTHTCPPCPAPE

<400> 1

```
Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        35                  40                  45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    50                  55                  60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65                  70                  75                  80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            100                 105                 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        115                 120                 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    130                 135                 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val

145                 150                 155                 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205
```

```
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

Ser Pro Gly Lys
225
```

<210> 2

<211> 684

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG1 Fc domain having the N-terminal sequence CDKTHTCPPCPAPE

<400> 2

```
tgtgacaaaa ctcacacatg cccaccgtgc ccagcacctg aactcctggg ggggccctca       60

gtcttcctct tcccccaaa acccaaggac accctcatga tctcccggac ccctgaggtc      120

acatgcgtgg tggtggacgt gagccacgaa gaccctgagg tcaagttcaa ctggtacgtg      180

gacggcgtgg aggtgcataa tgccaagaca aagccgcggg aggagcagta caacagcacg      240

taccgtgtgg tcagcgtcct caccgtcctg caccaggact ggctgaatgg caaggagtac      300

aagtgcaagg tctccaacaa agccctccca gcccccatcg agaaaaccat ctccaaagcc      360

aaagggcagc cccgagaacc acaggtgtac accctgcccc catcccggga tgagctgacc      420

aagaaccagg tcagcctgac ctgcctggtc aaaggcttct atcccagcga catcgccgtg      480

gagtgggaga gcaatgggca gccggagaac aactacaaga ccacgcctcc cgtgctggac      540

tccgacggct ccttcttcct ctacagcaag ctcaccgtgg acaagagcag gtggcagcag      600

gggaacgtct tctcatgctc cgtgatgcat gaggctctgc acaaccacta cacgcagaag      660

agcctctccc tgtctccggg taaa                                             684
```

<210> 3

<211> 251

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 3

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Lys Thr His Thr Cys Pro Pro
            20                  25                  30

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
        35                  40                  45

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
    50                  55                  60

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
65                  70                  75                  80

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
                85                  90                  95
```

```
Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
            100                 105                 110

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
        115                 120                 125

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
    130                 135                 140

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
145                 150                 155                 160

Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
                165                 170                 175

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
            180                 185                 190

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
        195                 200                 205

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
    210                 215                 220

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
225                 230                 235                 240

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
                245                 250
```

<210> 4

<211> 785

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 4

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgtg acaaaactca cacatgccca ccgtgcccag      120

cacctgaact cctgggggga ccctcagtct tcctcttccc cccaaaaccc aaggacaccc      180

tcatgatctc ccggacccct gaggtcacat gcgtggtggt ggacgtgagc cacgaagacc      240

ctgaggtcaa gttcaactgg tacgtggacg gcgtggaggt gcataatgcc aagacaaagc      300

cgcgggagga gcagtacaac agcacgtacc gtgtggtcag cgtcctcacc gtcctgcacc      360

aggactggct gaatggcaag gagtacaagt gcaaggtctc caacaaagcc ctcccagccc      420

ccatcgagaa aaccatctcc aaagccaaag ggcagccccg agaaccacag gtgtacaccc      480

tgccccatc ccgggatgag ctgaccaaga accaggtcag cctgacctgc ctggtcaaag      540

gcttctatcc cagcgacatc gccgtggagt gggagagcaa tgggcagccg gagaacaact      600

acaagaccac gcctcccgtg ctggactccg acggctcctt cttcctctac agcaagctca      660

ccgtggacaa gagcaggtgg cagcagggga acgtcttctc atgctccgtg atgcatgagg      720

ctctgcacaa ccactacacg cagaagagcc tctccctgtc tccgggtaaa tgactcgagc      780

ggccg                                                                  785
```

<210> 5

<211> 251

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 5

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Lys Thr His Thr Cys Pro Pro
            20                  25                  30

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
        35                  40                  45

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
    50                  55                  60

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
65                  70                  75                  80

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
                85                  90                  95

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
            100                 105                 110

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
        115                 120                 125

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
    130                 135                 140

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
145                 150                 155                 160

Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
                165                 170                 175

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
            180                 185                 190

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
        195                 200                 205

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
    210                 215                 220

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
225                 230                 235                 240

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
                245                 250
```

<210> 6

<211> 785

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 6

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgtg acaaaactca cacatgccca ccgtgcccag      120

cacctgaact cctgggggga ccctcagtct tcctcttccc cccaaaaccc aaggacaccc      180

tcatgatctc ccggacccct gaggtcacat gcgtggtggt ggacgtgagc cacgaagacc      240

ctgaggtcaa gttcaactgg tacgtggacg gcgtggaggt gcataatgcc aagacaaagc      300

cgcgggagga gcagtacaac agcacgtacc gtgtggtcag cgtcctcacc gtcctgcacc      360

aggactggct gaatggcaag gagtacaagt gcaaggtctc caacaaagcc ctcccagccc      420

ccatcgagaa aaccatctcc aaagccaaag ggcagccccg agaaccacag gtgtacaccc      480

tgccccatc ccgggatgag ctgaccaaga accaggtcag cctgacctgc ctggtcaaag      540

gcttctatcc cagcgacatc gccgtggagt gggagagcaa tgggcagccg gagaacaact      600

acaagaccac gcctcccgtg ctggactccg acggctcctt cttcctctac agcaagctca      660

ccgtggacaa gagcaggtgg cagcagggga acgtcttctc atgctccgtg atgcatgagg      720

ctctgcacaa ccactacacg cagaagagcc tctccctgtc tccgggtaaa tgactcgagc      780

ggccg                                                                  785
```

<210> 7

<211> 245

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 7

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
    50                  55                  60

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser

                85                  90                  95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
        115                 120                 125
```

```
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys
                245
```

<210> 8

<211> 767

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 8

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg tgacaaaact cacacatgcc caccgtgccc agcacctgaa ctcctggggg      120

ggccctcagt cttcctcttc cccccaaaac ccaaggacac cctcatgatc tcccggaccc      180

ctgaggtcac atgcgtggtg gtggacgtga gccacgaaga ccctgaggtc aagttcaact      240

ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca      300

acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaatggca      360

aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct      420

ccaaagccaa agggcagccc cgagaaccac aggtgtacac cctgccccca tcccgggatg      480

agctgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctat cccagcgaca      540

tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg      600

tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac aagagcaggt      660

ggcagcaggg gaacgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca      720

cgcagaagag cctctccctg tctccgggta aatgactcga gcggccg                    767
```

<210> 9

<211> 222

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG1 Fc domain having the N-terminal sequence CPPCPAPE

<400> 9

```
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
1               5                  10                  15

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
            20                  25                  30

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
        35                  40                  45

Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
    50                  55                  60

Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
65                  70                  75                  80

Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
                85                  90                  95

Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
            100                 105                 110

Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
        115                 120                 125

Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
    130                 135                 140

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
145                 150                 155                 160

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
                165                 170                 175

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
            180                 185                 190

Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
        195                 200                 205

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215                 220
```

<210> 10

<211> 666

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG1 Fc domain having the N-terminal sequence CPPCPAPE

<400> 10

```
tgcccaccgt gcccagcacc tgaactcctg gggggccct cagtcttcct cttccccca       60

aaacccaagg acaccctcat gatctcccgg acccctgagg tcacatgcgt ggtggtggac      120

gtgagccacg aagaccctga ggtcaagttc aactggtacg tggacggcgt ggaggtgcat      180

aatgccaaga caaagccgcg ggaggagcag tacaacagca cgtaccgtgt ggtcagcgtc      240
```

```
ctcaccgtcc tgcaccagga ctggctgaat ggcaaggagt acaagtgcaa ggtctccaac      300

aaagccctcc cagccccccat cgagaaaacc atctccaaag ccaaagggca gccccgagaa      360

ccacaggtgt acaccctgcc cccatcccgg gatgagctga ccaagaacca ggtcagcctg      420

acctgcctgg tcaaaggctt ctatcccagc gacatcgccg tggagtggga gagcaatggg      480

cagccggaga acaactacaa gaccacgcct cccgtgctgg actccgacgg ctccttcttc      540

ctctacagca agctcaccgt ggacaagagc aggtggcagc aggggaacgt cttctcatgc      600

tccgtgatgc atgaggctct gcacaaccac tacacgcaga agagcctctc cctgtctccg      660

ggtaaa                                                                 666
```

<210> 11

<211> 245

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 11

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Pro Cys Pro Ala Pro Glu Leu
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
    50                  55                  60

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
                85                  90                  95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
        115                 120                 125

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
```

```
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys

                245
```

<210> 12
<211> 767
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 12

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc caccgtgccc agcacctgaa ctcctggggg      120

ggccctcagt cttcctcttc cccccaaaac ccaaggacac cctcatgatc tcccggaccc      180

ctgaggtcac atgcgtggtg gtggacgtga gccacgaaga ccctgaggtc aagttcaact      240

ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca      300

acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaatggca      360

aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct      420

ccaaagccaa agggcagccc cgagaaccac aggtgtacac cctgccccca tcccgggatg      480

agctgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctat cccagcgaca      540

tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg      600

tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac aagagcaggt      660

ggcagcaggg gaacgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca      720

cgcagaagag cctctccctg tctccgggta aatgactcga gcggccg                    767
```

<210> 13
<211> 245
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 13

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Pro Cys Pro Ala Pro Glu Leu
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
```

```
    50                  55                  60

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
                85                  90                  95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
        115                 120                 125

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys
                245
```

<210> 14

<211> 767

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 14

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc caccgtgccc agcacctgaa ctcctggggg      120

ggccctcagt cttcctcttc cccccaaaac ccaaggacac cctcatgatc tcccggaccc      180

ctgaggtcac atgcgtggtg gtggacgtga gccacgaaga ccctgaggtc aagttcaact      240

ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca      300

acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaatggca      360

aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct      420

ccaaagccaa agggcagccc cgagaaccac aggtgtacac cctgccccca tcccgggatg      480

agctgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctat cccagcgaca      540
```

tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg 600

tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac aagagcaggt 660

ggcagcaggg gaacgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca 720

cgcagaagag cctctccctg tctccgggta aatgactcga gcggccg 767

<210> 15

<211> 239

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 15

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            20                  25                  30

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        35                  40                  45

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    50                  55                  60

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
65                  70                  75                  80

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
                85                  90                  95

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            100                 105                 110

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        115                 120                 125

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    130                 135                 140

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
145                 150                 155                 160

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                165                 170                 175

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            180                 185                 190

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        195                 200                 205

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    210                 215                 220

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
225                 230                 235
```

<210> 16
<211> 749
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 16
```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccaccgtgc ccagcacctg aactcctggg ggggccctca gtcttcctct      120

tcccccaaa acccaaggac accctcatga tctcccggac ccctgaggtc acatgcgtgg       180

tggtggacgt gagccacgaa gaccctgagg tcaagttcaa ctggtacgtg gacggcgtgg      240

aggtgcataa tgccaagaca aagccgcggg aggagcagta caacagcacg taccgtgtgg      300

tcagcgtcct caccgtcctg caccaggact ggctgaatgg caaggagtac aagtgcaagg      360

tctccaacaa agccctccca gcccccatcg agaaaaccat ctccaaagcc aaagggcagc      420

cccgagaacc acaggtgtac accctgcccc catcccggga tgagctgacc aagaaccagg      480

tcagcctgac ctgcctggtc aaaggcttct atcccagcga catcgccgtg gagtgggaga      540

gcaatgggca gccggagaac aactacaaga ccacgcctcc cgtgctggac tccgacggct      600

ccttcttcct ctacagcaag ctcaccgtgg acaagagcag gtggcagcag gggaacgtct      660

tctcatgctc cgtgatgcat gaggctctgc acaaccacta cacgcagaag agcctctccc      720

tgtctccggg taaatgactc gagcggccg                                        749
```

<210> 17
<211> 219
<212> PRT
<213> Artificial Sequence

<220>
<223> Human IgG1 Fc domain having the N-terminal sequence CPAPE

<400> 17
```
Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
1               5                  10                  15

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
            20                  25                  30

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
        35                  40                  45

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
    50                  55                  60

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
65                  70                  75                  80

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
                85                  90                  95

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
            100                 105                 110
```

```
Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
        115                 120                 125

Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
    130                 135                 140

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
145                 150                 155                 160

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
                165                 170                 175

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
            180                 185                 190

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
        195                 200                 205

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215
```

<210> 18

<211> 657

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG1 Fc domain having the N-terminal sequence CPAPE

<400> 18

```
tgcccagcac ctgaactcct gggggggccc tcagtcttcc tcttcccccc aaaacccaag       60

gacaccctca tgatctcccg gacccctgag gtcacatgcg tggtggtgga cgtgagccac      120

gaagaccctg aggtcaagtt caactggtac gtggacggcg tggaggtgca taatgccaag      180

acaaagccgc gggaggagca gtacaacagc acgtaccgtg tggtcagcgt cctcaccgtc      240

ctgcaccagg actggctgaa tggcaaggag tacaagtgca aggtctccaa caaagccctc      300

ccagccccca tcgagaaaac catctccaaa gccaaagggc agccccgaga accacaggtg      360

tacaccctgc ccccatcccg ggatgagctg accaagaacc aggtcagcct gacctgcctg      420

gtcaaaggct tctatcccag cgacatcgcc gtggagtggg agagcaatgg gcagccggag      480

aacaactaca agaccacgcc tcccgtgctg gactccgacg gctccttctt cctctacagc      540

aagctcaccg tggacaagag caggtggcag caggggaacg tcttctcatg ctccgtgatg      600

catgaggctc tgcacaacca ctacacgcag aagagcctct ccctgtctcc gggtaaa         657
```

<210> 19

<211> 242

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 19

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ala Pro Glu Leu Leu Gly Gly
```

```
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
    50                  55                  60

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
    210                 215                 220

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
225                 230                 235                 240

Gly Lys
```

<210> 20

<211> 758

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 20

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc cagcacctga actcctgggg gggccctcag      120

tcttcctctt ccccccaaaa cccaaggaca ccctcatgat ctcccggacc cctgaggtca      180

catgcgtggt ggtggacgtg agccacgaag accctgaggt caagttcaac tggtacgtgg      240

acggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagtac aacagcacgt      300

accgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaatggc aaggagtaca      360
```

```
agtgcaaggt ctccaacaaa gccctcccag cccccatcga gaaaaccatc tccaaagcca      420

aagggcagcc ccgagaacca caggtgtaca ccctgccccc atcccgggat gagctgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta tcccagcgac atcgccgtgg      540

agtgggagag caatgggcag ccggagaaca actacaagac cacgcctccc gtgctggact      600

ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg tggcagcagg      660

ggaacgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac acgcagaaga      720

gcctctccct gtctccgggt aaatgactcg agcggccg                              758
```

<210> 21

<211> 242

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 21

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ala Pro Glu Leu Leu Gly Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
    50                  55                  60

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
    210                 215                 220
```

```
Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
225                 230                 235                 240

Gly Lys
```

<210> 22
<211> 758
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 22

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc cagcacctga actcctgggg gggccctcag      120

tcttcctctt ccccccaaaa cccaaggaca ccctcatgat ctcccggacc cctgaggtca      180

catgcgtggt ggtggacgtg agccacgaag accctgaggt caagttcaac tggtacgtgg      240

acggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagtac aacagcacgt      300

accgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaatggc aaggagtaca      360

agtgcaaggt ctccaacaaa gccctcccag ccccatcga gaaaaccatc tccaaagcca      420

aagggcagcc ccgagaacca caggtgtaca ccctgccccc atcccgggat gagctgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta tcccagcgac atcgccgtgg      540

agtgggagag caatgggcag ccggagaaca actacaagac cacgcctccc gtgctggact      600

ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg tggcagcagg      660

ggaacgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac acgcagaaga      720

gcctctccct gtctccgggt aaatgactcg agcggccg                              758
```

<210> 23
<211> 236
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 23

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            20                  25                  30

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        35                  40                  45

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    50                  55                  60

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
65                  70                  75                  80
```

```
Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                85                  90                  95

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            100                 105                 110

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        115                 120                 125

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    130                 135                 140

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
145                 150                 155                 160

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro

                165                 170                 175

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            180                 185                 190

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        195                 200                 205

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    210                 215                 220

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
225                 230                 235
```

<210> 24

<211> 740

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 24

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccagcacct gaactcctgg gggggccctc agtcttcctc ttcccccaa       120

aacccaagga caccctcatg atctcccgga cccctgaggt cacatgcgtg gtggtggacg      180

tgagccacga agaccctgag gtcaagttca actggtacgt ggacggcgtg gaggtgcata      240

atgccaagac aaagccgcgg gaggagcagt acaacagcac gtaccgtgtg gtcagcgtcc      300

tcaccgtcct gcaccaggac tggctgaatg gcaaggagta caagtgcaag gtctccaaca      360

aagccctccc agcccccatc gagaaaacca tctccaaagc caaagggcag ccccgagaac      420

cacaggtgta caccctgccc ccatcccggg atgagctgac caagaaccag gtcagcctga      480

cctgcctggt caaaggcttc tatcccagcg acatcgccgt ggagtgggag agcaatgggc      540

agccggagaa caactacaag accacgcctc ccgtgctgga ctccgacggc tccttcttcc      600

tctacagcaa gctcaccgtg gacaagagca ggtggcagca ggggaacgtc ttctcatgct      660

ccgtgatgca tgaggctctg cacaaccact acacgcagaa gagcctctcc ctgtctccgg      720

gtaaatgact cgagcggccg                                                  740
```

<210> 25

<211> 225

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG2 Fc domain having the N-terminal sequence CCVECPPCPAPE

<400> 25

```
Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro
1               5                  10                  15

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
            20                  25                  30

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
        35                  40                  45

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
    50                  55                  60

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
65                  70                  75                  80

Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
                85                  90                  95

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
            100                 105                 110

Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
        115                 120                 125

Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
    130                 135                 140

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
145                 150                 155                 160

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
                165                 170                 175

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
            180                 185                 190

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
        195                 200                 205

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
    210                 215                 220

Lys
225
```

<210> 26

<211> 675

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG2 Fc domain having the N-terminal sequence CCVECPPCPAPE

<400> 26

```
tgttgtgtcg agtgcccacc gtgcccagca ccacctgtgg caggaccgtc agtcttcctc       60

ttcccccaa aacccaagga caccctcatg atctcccgga cccctgaggt cacgtgcgtg      120

gtggtggacg tgagccacga agaccccgag gtccagttca actggtacgt ggacggcgtg      180

gaggtgcata atgccaagac aaagccacgg gaggagcagt tcaacagcac gttccgtgtg      240

gtcagcgtcc tcaccgttgt gcaccaggac tggctgaacg gcaaggagta caagtgcaag      300

gtctccaaca aaggcctccc agcccccatc gagaaaacca tctccaaaac caaagggcag      360

ccccgagaac cacaggtgta caccctgccc ccatcccggg aggagatgac caagaaccag      420

gtcagcctga cctgcctggt caaaggcttc taccccagcg acatcgccgt ggagtgggag      480

agcaatgggc agccggagaa caactacaag accacacctc ccatgctgga ctccgacggc      540

tccttcttcc tctacagcaa gctcaccgtg gacaagagca ggtggcagca ggggaacgtc      600

ttctcatgct ccgtgatgca tgaggctctg cacaaccact acacgcagaa gagcctctcc      660

ctgtctccgg gtaaa                                                       675
```

<210> 27

<211> 248

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 27

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Cys Val Glu Cys Pro Pro Cys Pro
            20                  25                  30

Ala Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
        35                  40                  45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
    50                  55                  60

Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val
65                  70                  75                  80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
                85                  90                  95

Phe Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val His Gln
            100                 105                 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
        115                 120                 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro
    130                 135                 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
145                 150                 155                 160
```

```
Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
                165                 170                 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
            180                 185                 190

Lys Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
        195                 200                 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
    210                 215                 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
225                 230                 235                 240

Ser Leu Ser Leu Ser Pro Gly Lys
                245
```

<210> 28

<211> 776

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 28

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgtt gtgtcgagtg cccaccgtgc ccagcaccac      120

ctgtggcagg accgtcagtc ttcctcttcc ccccaaaacc caaggacacc ctcatgatct      180

cccggacccc tgaggtcacg tgcgtggtgg tggacgtgag ccacgaagac cccgaggtcc      240

agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag ccacgggagg      300

agcagttcaa cagcacgttc cgtgtggtca gcgtcctcac cgttgtgcac caggactggc      360

tgaacggcaa ggagtacaag tgcaaggtct ccaacaaagg cctcccagcc cccatcgaga      420

aaaccatctc caaaaccaaa gggcagcccc gagaaccaca ggtgtacacc ctgcccccat      480

cccgggagga gatgaccaag aaccaggtca gcctgacctg cctggtcaaa ggcttctacc      540

ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac tacaagacca      600

cacctcccat gctggactcc gacggctcct tcttcctcta cagcaagctc accgtggaca      660

agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag gctctgcaca      720

accactacac gcagaagagc ctctccctgt ctccgggtaa atgactcgag cggccg          776
```

<210> 29

<211> 248

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 29

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15
```

```
Lys Ser Ser Cys Ser Val Gly Cys Cys Val Glu Cys Pro Pro Cys Pro
            20                  25                  30

Ala Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
        35                  40                  45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
    50                  55                  60

Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val
65                  70                  75                  80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
                85                  90                  95

Phe Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val His Gln
            100                 105                 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
        115                 120                 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro

    130                 135                 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
145                 150                 155                 160

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
                165                 170                 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
            180                 185                 190

Lys Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
        195                 200                 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
    210                 215                 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
225                 230                 235                 240

Ser Leu Ser Leu Ser Pro Gly Lys
                245
```

<210> 30

<211> 776

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 30

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgtt gtgtcgagtg cccaccgtgc ccagcaccac      120

ctgtggcagg accgtcagtc ttcctcttcc ccccaaaacc caaggacacc ctcatgatct      180

cccggacccc tgaggtcacg tgcgtggtgg tggacgtgag ccacgaagac cccgaggtcc      240
```

```
agttcaactg gtacgtggac ggcgtggagg tgcataatgc caagacaaag ccacgggagg      300

agcagttcaa cagcacgttc cgtgtggtca gcgtcctcac cgttgtgcac caggactggc      360

tgaacggcaa ggagtacaag tgcaaggtct ccaacaaagg cctcccagcc cccatcgaga      420

aaaccatctc caaaaccaaa gggcagcccc gagaaccaca ggtgtacacc ctgccccccat      480

cccgggagga gatgaccaag aaccaggtca gcctgacctg cctggtcaaa ggcttctacc      540

ccagcgacat cgccgtggag tgggagagca atgggcagcc ggagaacaac tacaagacca      600

cacctcccat gctggactcc gacggctcct tcttcctcta cagcaagctc accgtggaca      660

agagcaggtg gcagcagggg aacgtcttct catgctccgt gatgcatgag gctctgcaca      720

accactacac gcagaagagc ctctccctgt ctccgggtaa atgactcgag cggccg          776
```

<210> 31

<211> 242

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 31

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
    50                  55                  60

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
        195                 200                 205
```

195 200 205

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
210 215 220

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
225 230 235 240

Gly Lys

<210> 32
<211> 758
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 32
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg 60

cccatgcctg ttgtgtcgag tgcccaccgt gcccagcacc acctgtggca ggaccgtcag 120

tcttcctctt ccccccaaaa cccaaggaca ccctcatgat ctcccggacc cctgaggtca 180

cgtgcgtggt ggtggacgtg agccacgaag accccgaggt ccagttcaac tggtacgtgg 240

acggcgtgga ggtgcataat gccaagacaa agccacggga ggagcagttc aacagcacgt 300

tccgtgtggt cagcgtcctc accgttgtgc accaggactg gctgaacggc aaggagtaca 360

agtgcaaggt ctccaacaaa ggcctcccag ccccatcga gaaaaccatc tccaaaacca 420

aagggcagcc ccgagaacca caggtgtaca ccctgccccc atcccgggag gagatgacca 480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta ccccagcgac atcgccgtgg 540

agtgggagag caatgggcag ccggagaaca actacaagac cacacctccc atgctggact 600

ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg tggcagcagg 660

ggaacgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac acgcagaaga 720

gcctctccct gtctccgggt aaatgactcg agcggccg 758

<210> 33
<211> 224
<212> PRT
<213> Artificial Sequence

<220>
<223> Human IgG2 Fc domain having the N-terminal sequence CVECPPCPAPE

<400> 33
Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser
1 5 10 15

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
20 25 30

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
35 40 45

Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
50 55 60

```
Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val
65                  70                  75                  80

Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
                85                  90                  95

Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr
            100                 105                 110

Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
        115                 120                 125

Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys
    130                 135                 140

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
145                 150                 155                 160

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp
                165                 170                 175

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
            180                 185                 190

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
        195                 200                 205

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215                 220
```

<210> 34

<211> 672

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG2 Fc domain having the N-terminal sequence CVECPPCPAPE

<400> 34

```
tgtgtcgagt gcccaccgtg cccagcacca cctgtggcag gaccgtcagt cttcctcttc       60

cccccaaaac ccaaggacac cctcatgatc tcccggaccc ctgaggtcac gtgcgtggtg      120

gtggacgtga gccacgaaga ccccgaggtc cagttcaact ggtacgtgga cggcgtggag      180

gtgcataatg ccaagacaaa gccacgggag gagcagttca acagcacgtt ccgtgtggtc      240

agcgtcctca ccgttgtgca ccaggactgg ctgaacggca aggagtacaa gtgcaaggtc      300

tccaacaaag gcctcccagc ccccatcgag aaaaccatct ccaaaaccaa agggcagccc      360

cgagaaccac aggtgtacac cctgccccca tcccgggagg agatgaccaa gaaccaggtc      420

agcctgacct gcctggtcaa aggcttctac cccagcgaca tcgccgtgga gtgggagagc      480

aatgggcagc cggagaacaa ctacaagacc acacctccca tgctggactc cgacggctcc      540

ttcttcctct acagcaagct caccgtggac aagagcaggt ggcagcaggg gaacgtcttc      600

tcatgctccg tgatgcatga ggctctgcac aaccactaca cgcagaagag cctctccctg      660

tctccgggta aa                                                          672
```

<210> 35

<211> 247

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 35

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Val Glu Cys Pro Pro Cys Pro Ala
            20                  25                  30

Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
        35                  40                  45

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
    50                  55                  60

Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
65                  70                  75                  80

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
                85                  90                  95

Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val His Gln Asp

            100                 105                 110

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
        115                 120                 125

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg
    130                 135                 140

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
145                 150                 155                 160

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
                165                 170                 175

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
            180                 185                 190

Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
        195                 200                 205

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
    210                 215                 220

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
225                 230                 235                 240

Leu Ser Leu Ser Pro Gly Lys
                245
```

<210> 36

<211> 773

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 36

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgtg tcgagtgccc accgtgccca gcaccacctg      120

tggcaggacc gtcagtcttc ctcttccccc caaaacccaa ggacaccctc atgatctccc      180

ggaccctga ggtcacgtgc gtggtggtgg acgtgagcca cgaagacccc gaggtccagt       240

tcaactggta cgtggacggc gtggaggtgc ataatgccaa gacaaagcca cgggaggagc      300

agttcaacag cacgttccgt gtggtcagcg tcctcaccgt tgtgcaccag gactggctga      360

acggcaagga gtacaagtgc aaggtctcca acaaaggcct cccagccccc atcgagaaaa      420

ccatctccaa aaccaaaggg cagccccgag aaccacaggt gtacaccctg cccccatccc      480

gggaggagat gaccaagaac caggtcagcc tgacctgcct ggtcaaaggc ttctacccca      540

gcgacatcgc cgtggagtgg gagagcaatg ggcagccgga gaacaactac aagaccacac      600

ctcccatgct ggactccgac ggctccttct tcctctacag caagctcacc gtggacaaga      660

gcaggtggca gcaggggaac gtcttctcat gctccgtgat gcatgaggct ctgcacaacc      720

actacacgca gaagagcctc tccctgtctc cgggtaaatg actcgagcgg ccg             773
```

<210> 37

<211> 247

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 37

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Val Glu Cys Pro Pro Cys Pro Ala
            20                  25                  30

Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
        35                  40                  45

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
    50                  55                  60

Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
65                  70                  75                  80

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
                85                  90                  95

Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val His Gln Asp
            100                 105                 110

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
        115                 120                 125

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg
    130                 135                 140
```

```
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
145                 150                 155                 160

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
                165                 170                 175

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
            180                 185                 190

Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
        195                 200                 205

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
    210                 215                 220

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
225                 230                 235                 240

Leu Ser Leu Ser Pro Gly Lys
                245
```

<210> 38

<211> 773

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 38

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgtg tcgagtgccc accgtgccca gcaccacctg      120

tggcaggacc gtcagtcttc ctcttccccc caaaacccaa ggacaccctc atgatctccc      180

ggaccctga ggtcacgtgc gtggtggtgg acgtgagcca cgaagacccc gaggtccagt      240

tcaactggta cgtggacggc gtggaggtgc ataatgccaa gacaaagcca cgggaggagc      300

agttcaacag cacgttccgt gtggtcagcg tcctcaccgt tgtgcaccag gactggctga      360

acggcaagga gtacaagtgc aaggtctcca acaaaggcct cccagccccc atcgagaaaa      420

ccatctccaa aaccaaaggg cagccccgag aaccacaggt gtacaccctg cccccatccc      480

gggaggagat gaccaagaac caggtcagcc tgacctgcct ggtcaaaggc ttctacccca      540

gcgacatcgc cgtggagtgg gagagcaatg ggcagccgga gaacaactac aagaccacac      600

ctcccatgct ggactccgac ggctccttct tcctctacag caagctcacc gtggacaaga      660

gcaggtggca gcaggggaac gtcttctcat gctccgtgat gcatgaggct ctgcacaacc      720

actacacgca gaagagcctc tccctgtctc cgggtaaatg actcgagcgg ccg             773
```

<210> 39

<211> 241

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 39

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro
            20                  25                  30

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
        35                  40                  45

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
    50                  55                  60

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
65                  70                  75                  80

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
                85                  90                  95

Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
            100                 105                 110

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
        115                 120                 125

Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
    130                 135                 140

Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
145                 150                 155                 160

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
                165                 170                 175

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
            180                 185                 190

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
        195                 200                 205

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
    210                 215                 220

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
225                 230                 235                 240

Lys
```

<210> 40

<211> 755

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 40

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg tgtcgagtgc ccaccgtgcc cagcaccacc tgtggcagga ccgtcagtct      120

tcctcttccc cccaaaaccc aaggacaccc tcatgatctc ccggacccct gaggtcacgt      180

gcgtggtggt ggacgtgagc cacgaagacc ccgaggtcca gttcaactgg tacgtggacg      240
```

gcgtggaggt gcataatgcc aagacaaagc cacgggagga gcagttcaac agcacgttcc 300

gtgtggtcag cgtcctcacc gttgtgcacc aggactggct gaacggcaag gagtacaagt 360

gcaaggtctc caacaaaggc ctcccagccc ccatcgagaa aaccatctcc aaaaccaaag 420

ggcagccccg agaaccacag gtgtacaccc tgcccccatc ccgggaggag atgaccaaga 480

accaggtcag cctgacctgc ctggtcaaag gcttctaccc cagcgacatc gccgtggagt 540

gggagagcaa tgggcagccg gagaacaact acaagaccac acctcccatg ctggactccg 600

acggctcctt cttcctctac agcaagctca ccgtggacaa gagcaggtgg cagcagggga 660

acgtcttctc atgctccgtg atgcatgagg ctctgcacaa ccactacacg cagaagagcc 720

tctccctgtc tccgggtaaa tgactcgagc ggccg 755

<210> 41

<211> 221

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG2 Fc domain having the N-terminal sequence CPPCPAPE

<400> 41

```
Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val Phe Leu
1               5                  10                  15

Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
            20                  25                  30

Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln
        35                  40                  45

Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
    50                  55                  60

Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser Val Leu
65                  70                  75                  80

Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
                85                  90                  95

Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
            100                 105                 110

Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
        115                 120                 125

Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
    130                 135                 140

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
145                 150                 155                 160

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser Asp Gly
                165                 170                 175

Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
            180                 185                 190

Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
```

```
        195                 200                 205

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215                 220
```

<210> 42

<211> 663

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG2 Fc domain having the N-terminal sequence CPPCPAPE

<400> 42

```
tgcccaccgt gcccagcacc acctgtggca ggaccgtcag tcttcctctt ccccccaaaa       60

cccaaggaca ccctcatgat ctcccggacc cctgaggtca cgtgcgtggt ggtggacgtg      120

agccacgaag accccgaggt ccagttcaac tggtacgtgg acggcgtgga ggtgcataat      180

gccaagacaa agccacggga ggagcagttc aacagcacgt tccgtgtggt cagcgtcctc      240

accgttgtgc accaggactg gctgaacggc aaggagtaca agtgcaaggt ctccaacaaa      300

ggcctcccag ccccccatcga gaaaaccatc tccaaaacca aagggcagcc ccgagaacca      360

caggtgtaca ccctgccccc atcccgggag gagatgacca agaaccaggt cagcctgacc      420

tgcctggtca aaggcttcta ccccagcgac atcgccgtgg agtgggagag caatgggcag      480

ccggagaaca actacaagac cacacctccc atgctggact ccgacggctc cttcttcctc      540

tacagcaagc tcaccgtgga caagagcagg tggcagcagg ggaacgtctt ctcatgctcc      600

gtgatgcatg aggctctgca caaccactac acgcagaaga gcctctccct gtctccgggt      660

aaa                                                                    663
```

<210> 43

<211> 244

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 43

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Pro Cys Pro Ala Pro Pro Val
            20                  25                  30

Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
        35                  40                  45

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
    50                  55                  60

His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
65                  70                  75                  80

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
                85                  90                  95
```

```
Phe Arg Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn
            100                 105                 110

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro
        115                 120                 125

Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln
    130                 135                 140

Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val
145                 150                 155                 160

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
                165                 170                 175

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
            180                 185                 190

Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
        195                 200                 205

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
    210                 215                 220

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
225                 230                 235                 240

Ser Pro Gly Lys
```

<210> 44

<211> 764

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 44

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc caccgtgccc agcaccacct gtggcaggac      120

cgtcagtctt cctcttcccc ccaaaaccca aggacaccct catgatctcc cggacccctg      180

aggtcacgtg cgtggtggtg gacgtgagcc acgaagaccc cgaggtccag ttcaactggt      240

acgtggacgg cgtggaggtg cataatgcca agacaaagcc acgggaggag cagttcaaca      300

gcacgttccg tgtggtcagc gtcctcaccg ttgtgcacca ggactggctg aacggcaagg      360

agtacaagtg caaggtctcc aacaaaggcc tcccagcccc catcgagaaa accatctcca      420

aaaccaaagg gcagccccga gaaccacagg tgtacaccct gccccatcc cgggaggaga       480

tgaccaagaa ccaggtcagc ctgacctgcc tggtcaaagg cttctacccc agcgacatcg      540

ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccaca cctcccatgc      600

tggactccga cggctccttc ttcctctaca gcaagctcac cgtggacaag agcaggtggc      660

agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac cactacacgc      720

agaagagcct ctccctgtct ccgggtaaat gactcgagcg gccg                       764
```

<210> 45

<211> 244

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 45

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Pro Cys Pro Ala Pro Pro Val
            20                  25                  30

Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
        35                  40                  45

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
    50                  55                  60

His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
65                  70                  75                  80

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
                85                  90                  95

Phe Arg Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn
            100                 105                 110

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro
        115                 120                 125

Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln
    130                 135                 140

Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val
145                 150                 155                 160

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
                165                 170                 175

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
            180                 185                 190

Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
        195                 200                 205

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
    210                 215                 220

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
225                 230                 235                 240

Ser Pro Gly Lys
```

<210> 46

<211> 764

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 46

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc caccgtgccc agcaccacct gtggcaggac      120

cgtcagtctt cctcttcccc ccaaaaccca aggacaccct catgatctcc cggacccctg      180

aggtcacgtg cgtggtggtg gacgtgagcc acgaagaccc cgaggtccag ttcaactggt      240

acgtggacgg cgtggaggtg cataatgcca agacaaagcc acgggaggag cagttcaaca      300

gcacgttccg tgtggtcagc gtcctcaccg ttgtgcacca ggactggctg aacggcaagg      360

agtacaagtg caaggtctcc aacaaaggcc tcccagcccc catcgagaaa accatctcca      420

aaaccaaagg gcagccccga gaaccacagg tgtacaccct gcccccatcc cgggaggaga      480

tgaccaagaa ccaggtcagc ctgacctgcc tggtcaaagg cttctacccc agcgacatcg      540

ccgtggagtg ggagagcaat gggcagccgg agaacaacta caagaccaca cctcccatgc      600

tggactccga cggctccttc ttcctctaca gcaagctcac cgtggacaag agcaggtggc      660

agcaggggaa cgtcttctca tgctccgtga tgcatgaggc tctgcacaac cactacacgc      720

agaagagcct ctccctgtct ccgggtaaat gactcgagcg gccg                       764
```

<210> 47

<211> 238

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 47

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val Phe
            20                  25                  30

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
        35                  40                  45

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
    50                  55                  60

Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
65                  70                  75                  80

Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser Val
                85                  90                  95

Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
            100                 105                 110

Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
        115                 120                 125

Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
    130                 135                 140

Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
145                 150                 155                 160
```

```
---                 ---                 ---                 ---

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
                165                 170                 175

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser Asp
            180                 185                 190

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
        195                 200                 205

Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
    210                 215                 220

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
225                 230                 235
```

<210> 48

<211> 746

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 48

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccaccgtgc ccagcaccac ctgtggcagg accgtcagtc ttcctcttcc      120

ccccaaaacc caaggacacc ctcatgatct cccggacccc tgaggtcacg tgcgtggtgg      180

tggacgtgag ccacgaagac cccgaggtcc agttcaactg gtacgtggac ggcgtggagg      240

tgcataatgc caagacaaag ccacgggagg agcagttcaa cagcacgttc cgtgtggtca      300

gcgtcctcac cgttgtgcac caggactggc tgaacggcaa ggagtacaag tgcaaggtct      360

ccaacaaagg cctcccagcc cccatcgaga aaaccatctc caaaaccaaa gggcagcccc      420

gagaaccaca ggtgtacacc ctgcccccat cccgggagga gatgaccaag aaccaggtca      480

gcctgacctg cctggtcaaa ggcttctacc ccagcgacat cgccgtggag tgggagagca      540

atgggcagcc ggagaacaac tacaagacca cacctcccat gctggactcc gacggctcct      600

tcttcctcta cagcaagctc accgtggaca agagcaggtg gcagcagggg aacgtcttct      660

catgctccgt gatgcatgag gctctgcaca accactacac gcagaagagc ctctccctgt      720

ctccgggtaa atgactcgag cggccg                                           746
```

<210> 49

<211> 218

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG2 Fc domain having the N-terminal sequence CPAPE

<400> 49

```
Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro
1               5                   10                  15

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
            20                  25                  30
```

```
Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp
        35                  40                  45

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
    50                  55                  60

Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val
65                  70                  75                  80

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
                85                  90                  95

Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly
            100                 105                 110

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
        115                 120                 125

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
    130                 135                 140

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
145                 150                 155                 160

Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe
                165                 170                 175

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
            180                 185                 190

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
        195                 200                 205

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215
```

<210> 50

<211> 654

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG2 Fc domain having the N-terminal sequence CPAPE

<400> 50

```
tgcccagcac cacctgtggc aggaccgtca gtcttcctct tccccccaaa acccaaggac       60

accctcatga tctcccggac ccctgaggtc acgtgcgtgg tggtggacgt gagccacgaa      120

gaccccgagg tccagttcaa ctggtacgtg gacggcgtgg aggtgcataa tgccaagaca      180

aagccacggg aggagcagtt caacagcacg ttccgtgtgg tcagcgtcct caccgttgtg      240

caccaggact ggctgaacgg caaggagtac aagtgcaagg tctccaacaa aggcctccca      300

gcccccatcg agaaaaccat ctccaaaacc aaagggcagc cccgagaacc acaggtgtac      360

accctgcccc catcccggga ggagatgacc aagaaccagg tcagcctgac ctgcctggtc      420

aaaggcttct accccagcga catcgccgtg gagtgggaga gcaatgggca gccggagaac      480

aactacaaga ccacacctcc catgctggac tccgacggct ccttcttcct ctacagcaag      540

ctcaccgtgg acaagagcag gtggcagcag gggaacgtct tctcatgctc cgtgatgcat      600
```

gaggctctgc acaaccacta cacgcagaag agcctctccc tgtctccggg taaa 654

<210> 51

<211> 241

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 51

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ala Pro Pro Val Ala Gly Pro
            20                  25                  30

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
        35                  40                  45

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
    50                  55                  60

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
65                  70                  75                  80

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
                85                  90                  95

Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
            100                 105                 110

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
        115                 120                 125

Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
    130                 135                 140

Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
145                 150                 155                 160

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
                165                 170                 175

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu

            180                 185                 190

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
        195                 200                 205

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
    210                 215                 220

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
225                 230                 235                 240

Lys
```

<210> 52

<211> 755
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 52
```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc cagcaccacc tgtggcagga ccgtcagtct      120

tcctcttccc cccaaaaccc aaggacaccc tcatgatctc ccggacccct gaggtcacgt      180

gcgtggtggt ggacgtgagc cacgaagacc ccgaggtcca gttcaactgg tacgtggacg      240

gcgtggaggt gcataatgcc aagacaaagc cacgggagga gcagttcaac agcacgttcc      300

gtgtggtcag cgtcctcacc gttgtgcacc aggactggct gaacggcaag gagtacaagt      360

gcaaggtctc caacaaaggc ctcccagccc ccatcgagaa aaccatctcc aaaaccaaag      420

ggcagccccg agaaccacag gtgtacaccc tgcccccatc ccgggaggag atgaccaaga      480

accaggtcag cctgacctgc ctggtcaaag gcttctaccc cagcgacatc gccgtggagt      540

gggagagcaa tgggcagccg gagaacaact acaagaccac acctcccatg ctggactccg      600

acggctcctt cttcctctac agcaagctca ccgtggacaa gagcaggtgg cagcagggga      660

acgtcttctc atgctccgtg atgcatgagg ctctgcacaa ccactacacg cagaagagcc      720

tctccctgtc tccgggtaaa tgactcgagc ggccg                                 755
```

<210> 53
<211> 241
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 53
```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ala Pro Pro Val Ala Gly Pro
            20                  25                  30

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
        35                  40                  45

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
    50                  55                  60

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
65                  70                  75                  80

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
                85                  90                  95

Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
            100                 105                 110

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
        115                 120                 125
```

```
Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
    130                 135                 140

Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
145                 150                 155                 160

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
                165                 170                 175

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
            180                 185                 190

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
        195                 200                 205

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
    210                 215                 220

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
225                 230                 235                 240

    Lys
```

<210> 54
<211> 755
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 54

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc cagcaccacc tgtggcagga ccgtcagtct      120

tcctcttccc cccaaaaccc aaggacaccc tcatgatctc ccggacccct gaggtcacgt      180

gcgtggtggt ggacgtgagc cacgaagacc ccgaggtcca gttcaactgg tacgtggacg      240

gcgtggaggt gcataatgcc aagacaaagc cacgggagga gcagttcaac agcacgttcc      300

gtgtggtcag cgtcctcacc gttgtgcacc aggactggct gaacggcaag gagtacaagt      360

gcaaggtctc caacaaaggc ctcccagccc ccatcgagaa aaccatctcc aaaaccaaag      420

ggcagccccg agaaccacag gtgtacaccc tgcccccatc ccgggaggag atgaccaaga      480

accaggtcag cctgacctgc ctggtcaaag gcttctaccc cagcgacatc gccgtggagt      540

gggagagcaa tgggcagccg gagaacaact acaagaccac acctcccatg ctggactccg      600

acggctcctt cttcctctac agcaagctca ccgtggacaa gagcaggtgg cagcagggga      660

acgtcttctc atgctccgtg atgcatgagg ctctgcacaa ccactacacg cagaagagcc      720

tctccctgtc tccgggtaaa tgactcgagc ggccg                                 755
```

<210> 55
<211> 235
<212> PRT
<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 55

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro
            20                  25                  30

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
        35                  40                  45

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Asn
    50                  55                  60

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
65                  70                  75                  80

Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val
                85                  90                  95

Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
            100                 105                 110

Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys
        115                 120                 125

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
    130                 135                 140

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
145                 150                 155                 160

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
                165                 170                 175

Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe
            180                 185                 190

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
        195                 200                 205

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
    210                 215                 220

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
225                 230                 235
```

<210> 56

<211> 737

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 56

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccagcacca cctgtggcag gaccgtcagt cttcctcttc cccccaaaac      120

ccaaggacac cctcatgatc tcccggaccc ctgaggtcac gtgcgtggtg gtggacgtga      180
```

```
gccacgaaga ccccgaggtc cagttcaact ggtacgtgga cggcgtggag gtgcataatg      240

ccaagacaaa gccacgggag gagcagttca acagcacgtt ccgtgtggtc agcgtcctca      300

ccgttgtgca ccaggactgg ctgaacggca aggagtacaa gtgcaaggtc tccaacaaag      360

gcctcccagc ccccatcgag aaaaccatct ccaaaaccaa agggcagccc cgagaaccac      420

aggtgtacac cctgccccca tcccgggagg agatgaccaa gaaccaggtc agcctgacct      480

gcctggtcaa aggcttctac cccagcgaca tcgccgtgga gtgggagagc aatgggcagc      540

cggagaacaa ctacaagacc acacctccca tgctggactc cgacggctcc ttcttcctct      600

acagcaagct caccgtggac aagagcaggt ggcagcaggg gaacgtcttc tcatgctccg      660

tgatgcatga ggctctgcac aaccactaca cgcagaagag cctctccctg tctccgggta      720

aatgactcga gcggccg                                                     737
```

<210> 57

<211> 267

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG3 Fc domain having the N-terminal sequence (CPRCPEPKSDTPPP)3-CPRCPAPE

<400> 57

```
Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro Cys
1               5                   10                  15

Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro Cys Pro
            20                  25                  30

Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro Cys Pro Arg
        35                  40                  45

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
    50                  55                  60

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
65                  70                  75                  80

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Lys
                85                  90                  95

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
            100                 105                 110

Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val
        115                 120                 125

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
    130                 135                 140

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys
145                 150                 155                 160

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
                165                 170                 175

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
            180                 185                 190
```

```
Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser Gly Gln Pro Glu
        195                 200                 205

Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe
    210                 215                 220

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
225                 230                 235                 240

Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn Arg Phe
                245                 250                 255

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
            260                 265
```

<210> 58

<211> 801

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG3 Fc domain having the N-terminal sequence (CPRCPEPKSDTPPP)3-CPRCPAPE

<400> 58

```
tgcccacggt gcccagagcc caaatcttgt gacacacctc ccccgtgccc acggtgccca       60

gagcccaaat cttgtgacac acctcccccа tgcccacggt gcccagagcc caaatcttgt      120

gacacacctc ccccgtgccc aaggtgccca gcacctgaac tcctgggagg accgtcagtc      180

ttcctcttcc ccccaaaacc caaggatacc cttatgattt cccggacccc tgaggtcacg      240

tgcgtggtgg tggacgtgag ccacgaagac cccgaggtcc agttcaagtg gtacgtggac      300

ggcgtggagg tgcataatgc caagacaaag ccgcgggagg agcagtacaa cagcacgttc      360

cgtgtggtca gcgtcctcac cgtcctgcac caggactggc tgaacggcaa ggagtacaag      420

tgcaaggtct ccaacaaagc cctcccagcc cccatcgaga aaaccatctc caaaaccaaa      480

ggacagcccc gagaaccaca ggtgtacacc ctgcccccat cccgggagga gatgaccaag      540

aaccaggtca gcctgacctg cctggtcaaa ggcttctacc ccagcgacat cgccgtggag      600

tgggagagca gcgggcagcc ggagaacaac tacaacacca cgcctcccat gctggactcc      660

gacggctcct tcttcctcta cagcaagctc accgtggaca agagcaggtg gcagcagggg      720

aacatcttct catgctccgt gatgcatgag gctctgcaca accgcttcac gcagaagagc      780

ctctccctgt ctccgggtaa a                                                801
```

<210> 59

<211> 290

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 59

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15
```

```
Leu Val Cys Ser Gly Leu Ala Cys Pro Arg Cys Pro Glu Pro Lys Ser
            20                  25                  30

Cys Asp Thr Pro Pro Pro Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys
        35                  40                  45

Asp Thr Pro Pro Pro Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp
    50                  55                  60

Thr Pro Pro Pro Cys Pro Arg Cys Pro Ala Pro Glu Leu Leu Gly Gly
65                  70                  75                  80

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
                85                  90                  95

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
            100                 105                 110

Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His
        115                 120                 125

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg
    130                 135                 140

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
145                 150                 155                 160

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
                165                 170                 175

Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
            180                 185                 190

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
        195                 200                 205

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
    210                 215                 220

Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met
225                 230                 235                 240

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
                245                 250                 255

Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His
            260                 265                 270

Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro
        275                 280                 285

Gly Lys
    290
```

<210> 60

<211> 902

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 60

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc cacggtgccc agagcccaaa tcttgtgaca      120

cacctccccc gtgcccacgg tgcccagagc ccaaatcttg tgacacacct cccccatgcc      180

cacggtgccc agagcccaaa tcttgtgaca cacctccccc gtgcccaagg tgcccagcac      240

ctgaactcct gggaggaccg tcagtcttcc tcttcccccc aaaacccaag gataccctta      300

tgatttcccg gacccctgag gtcacgtgcg tggtggtgga cgtgagccac gaagaccccg      360

aggtccagtt caagtggtac gtggacggcg tggaggtgca taatgccaag acaaagccgc      420

gggaggagca gtacaacagc acgttccgtg tggtcagcgt cctcaccgtc ctgcaccagg      480

actggctgaa cggcaaggag tacaagtgca aggtctccaa caaagccctc ccagccccca      540

tcgagaaaac catctccaaa accaaaggac agccccgaga accacaggtg tacaccctgc      600

ccccatcccg ggaggagatg accaagaacc aggtcagcct gacctgcctg gtcaaaggct      660

tctaccccag cgacatcgcc gtggagtggg agagcagcgg gcagccggag aacaactaca      720

acaccacgcc tcccatgctg gactccgacg gctccttctt cctctacagc aagctcaccg      780

tggacaagag caggtggcag caggggaaca tcttctcatg ctccgtgatg catgaggctc      840

tgcacaaccg cttcacgcag aagagcctct ccctgtctcc gggtaaatga ctcgagcggc      900

cg                                                                     902
```

<210> 61

<211> 290

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 61

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Arg Cys Pro Glu Pro Lys Ser
            20                  25                  30

Cys Asp Thr Pro Pro Pro Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys
        35                  40                  45

Asp Thr Pro Pro Pro Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp
    50                  55                  60

Thr Pro Pro Pro Cys Pro Arg Cys Pro Ala Pro Glu Leu Leu Gly Gly
65                  70                  75                  80

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
                85                  90                  95

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
            100                 105                 110

Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His
        115                 120                 125
```

```
Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg
    130                 135                 140

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
145                 150                 155                 160

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
                165                 170                 175

Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
            180                 185                 190

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
        195                 200                 205

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
    210                 215                 220

Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met
225                 230                 235                 240

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
                245                 250                 255

Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His
            260                 265                 270

Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro
        275                 280                 285

Gly Lys
    290
```

<210> 62

<211> 902

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 62

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc cacggtgccc agagcccaaa tcttgtgaca      120

cacctccccc gtgcccacgg tgcccagagc ccaaatcttg tgacacacct cccccatgcc      180

cacggtgccc agagcccaaa tcttgtgaca cacctccccc gtgcccaagg tgcccagcac      240

ctgaactcct gggaggaccg tcagtcttcc tcttcccccc aaaacccaag gataccctta      300

tgatttcccg gacccctgag gtcacgtgcg tggtggtgga cgtgagccac gaagaccccg      360

aggtccagtt caagtggtac gtggacggcg tggaggtgca taatgccaag acaaagccgc      420

gggaggagca gtacaacagc acgttccgtg tggtcagcgt cctcaccgtc ctgcaccagg      480

actggctgaa cggcaaggag tacaagtgca aggtctccaa caaagccctc ccagccccca      540

tcgagaaaac catctccaaa accaaaggac agccccgaga accacaggtg tacaccctgc      600

ccccatcccg ggaggagatg accaagaacc aggtcagcct gacctgcctg gtcaaaggct      660

tctaccccag cgacatcgcc gtggagtggg agagcagcgg gcagccggag aacaactaca      720

acaccacgcc tcccatgctg gactccgacg gctccttctt cctctacagc aagctcaccg      780
```

tggacaagag caggtggcag caggggaaca tcttctcatg ctccgtgatg catgaggctc 840

tgcacaaccg cttcacgcag aagagcctct ccctgtctcc gggtaaatga ctcgagcggc 900

cg 902

<210> 63

<211> 284

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 63

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro
            20                  25                  30

Cys Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro Cys
        35                  40                  45

Pro Arg Cys Pro Glu Pro Lys Ser Cys Asp Thr Pro Pro Pro Cys Pro
    50                  55                  60

Arg Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
65                  70                  75                  80

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
                85                  90                  95

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe
            100                 105                 110

Lys Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
        115                 120                 125

Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr

    130                 135                 140

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
145                 150                 155                 160

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr
                165                 170                 175

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
            180                 185                 190

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
        195                 200                 205

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser Gly Gln Pro
    210                 215                 220

Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser
225                 230                 235                 240
```

```
Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
                245                 250                 255

Gly Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn Arg
            260                 265                 270

Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
        275                 280
```

<210> 64

<211> 884

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 64

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccacggtgc ccagagccca aatcttgtga cacacctccc ccgtgcccac      120

ggtgcccaga gcccaaatct tgtgacacac ctcccccatg cccacggtgc ccagagccca      180

aatcttgtga cacacctccc ccgtgcccaa ggtgcccagc acctgaactc ctgggaggac      240

cgtcagtctt cctcttcccc ccaaaaccca aggataccct tatgatttcc cggacccctg      300

aggtcacgtg cgtggtggtg gacgtgagcc acgaagaccc cgaggtccag ttcaagtggt      360

acgtggacgg cgtggaggtg cataatgcca agacaaagcc gcgggaggag cagtacaaca      420

gcacgttccg tgtggtcagc gtcctcaccg tcctgcacca ggactggctg aacggcaagg      480

agtacaagtg caaggtctcc aacaaagccc tcccagcccc catcgagaaa accatctcca      540

aaaccaaagg acagccccga gaaccacagg tgtacaccct gcccccatcc cgggaggaga      600

tgaccaagaa ccaggtcagc ctgacctgcc tggtcaaagg cttctacccc agcgacatcg      660

ccgtggagtg ggagagcagc gggcagccgg agaacaacta caacaccacg cctcccatgc      720

tggactccga cggctccttc ttcctctaca gcaagctcac cgtggacaag agcaggtggc      780

agcaggggaa catcttctca tgctccgtga tgcatgaggc tctgcacaac cgcttcacgc      840

agaagagcct ctccctgtct ccgggtaaat gactcgagcg gccg                       884
```

<210> 65

<211> 222

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG3 Fc domain having the N-terminal sequence CPRCPAPE

<400> 65

```
Cys Pro Arg Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
1               5                   10                  15

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
            20                  25                  30

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
        35                  40                  45
```

```
Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
    50                  55                  60

Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser Val
65                  70                  75                  80

Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
                85                  90                  95

Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
            100                 105                 110

Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
        115                 120                 125

Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
    130                 135                 140

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser Gly
145                 150                 155                 160

Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser Asp
                165                 170                 175

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
            180                 185                 190

Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu His
        195                 200                 205

Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215                 220
```

<210> 66

<211> 681

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG3 Fc domain having the N-terminal sequence CPRCPAPE

<400> 66

```
tgcccaaggt gcccagcacc tgaactcctg ggaggaccgt cagtcttcct cttccccca       60

aaacccaagg ataccttat gatttcccgg acccctgagg tcacgtgcgt ggtggtggac      120

gtgagccacg aagaccccga ggtccagttc aagtggtacg tggacggcgt ggaggtgcat      180

aatgccaaga caaagccgcg ggaggagcag tacaacagca cgttccgtgt ggtcagcgtc      240

ctcaccgtcc tgcaccagga ctggctgaac ggcaaggagt acaagtgcaa ggtctccaac      300

aaagccctcc cagccccat cgagaaaacc atctccaaaa ccaaaggaca gccccgagaa      360

ccacaggtgt acaccctgcc cccatcccgg gaggagatga ccaagaacca ggtcagcctg      420

acctgcctgg tcaaaggctt ctaccccagc gacatcgccg tggagtggga gagcagcggg      480

cagccggaga acaactacaa caccacgcct cccatgctgg actccgacgg ctccttcttc      540

ctctacagca agctcaccgt ggacaagagc aggtggcagc aggggaacat cttctcatgc      600

tccgtgatgc atgaggctct gcacaaccgc ttcacgcaga agagcctctc cctgtctccg      660

ggtaaatgac tcgagcggcc g                                                681
```

<210> 67

<211> 245

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 67

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Arg Cys Pro Ala Pro Glu Leu
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
    50                  55                  60

Ser His Glu Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
                85                  90                  95

Thr Phe Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
        115                 120                 125

Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr
            180                 185                 190

Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys

                245
```

<210> 68

<211> 767

<212> DNA

<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 68
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct 60

cgctgctggt atgctcggga ctggcgtgcc caaggtgccc agcacctgaa ctcctgggag 120

gaccgtcagt cttcctcttc cccccaaaac ccaaggatac ccttatgatt tcccggaccc 180

ctgaggtcac gtgcgtggtg gtggacgtga gccacgaaga ccccgaggtc cagttcaagt 240

ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca 300

acagcacgtt ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaacggca 360

aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct 420

ccaaaaccaa aggacagccc cgagaaccac aggtgtacac cctgccccca tcccgggagg 480

agatgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctac cccagcgaca 540

tcgccgtgga gtgggagagc agcgggcagc cggagaacaa ctacaacacc acgcctccca 600

tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac aagagcaggt 660

ggcagcaggg gaacatcttc tcatgctccg tgatgcatga ggctctgcac aaccgcttca 720

cgcagaagag cctctccctg tctccgggta aatgactcga gcggccg 767

<210> 69
<211> 245
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 69
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1 5 10 15

Lys Ser Ser Cys Ser Val Gly Cys Pro Arg Cys Pro Ala Pro Glu Leu
20 25 30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
35 40 45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val

50 55 60

Ser His Glu Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val
65 70 75 80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
85 90 95

Thr Phe Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
100 105 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
115 120 125

```
Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr
            180                 185                 190

Pro Pro Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys
                245
```

<210> 70

<211> 767

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 70

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc caaggtgccc agcacctgaa ctcctgggag      120

gaccgtcagt cttcctcttc cccccaaaac ccaaggatac ccttatgatt tcccggaccc      180

ctgaggtcac gtgcgtggtg gtggacgtga gccacgaaga ccccgaggtc cagttcaagt      240

ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca      300

acagcacgtt ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaacggca      360

aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct      420

ccaaaaccaa aggacagccc cgagaaccac aggtgtacac cctgccccca tcccgggagg      480

agatgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctac cccagcgaca      540

tcgccgtgga gtgggagagc agcgggcagc cggagaacaa ctacaacacc acgcctccca      600

tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac aagagcaggt      660

ggcagcaggg gaacatcttc tcatgctccg tgatgcatga ggctctgcac aaccgcttca      720

cgcagaagag cctctccctg tctccgggta aatgactcga gcggccg                    767
```

<210> 71

<211> 239

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 71

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Arg Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            20                  25                  30

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        35                  40                  45

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    50                  55                  60

Val Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
65                  70                  75                  80

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser
                85                  90                  95

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            100                 105                 110

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        115                 120                 125

Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    130                 135                 140

Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
145                 150                 155                 160

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser
                165                 170                 175

Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser
            180                 185                 190

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        195                 200                 205

Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu
    210                 215                 220

His Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
225                 230                 235
```

<210> 72

<211> 749

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 72

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccaaggtgc ccagcacctg aactcctggg aggaccgtca gtcttcctct      120

tccccccaaa acccaaggat acccttatga tttcccggac ccctgaggtc acgtgcgtgg      180
```

```
tggtggacgt gagccacgaa gaccccgagg tccagttcaa gtggtacgtg gacggcgtgg      240

aggtgcataa tgccaagaca aagccgcggg aggagcagta caacagcacg ttccgtgtgg      300

tcagcgtcct caccgtcctg caccaggact ggctgaacgg caaggagtac aagtgcaagg      360

tctccaacaa agccctccca gcccccatcg agaaaaccat ctccaaaacc aaaggacagc      420

cccgagaacc acaggtgtac accctgcccc catcccggga ggagatgacc aagaaccagg      480

tcagcctgac ctgcctggtc aaaggcttct accccagcga catcgccgtg gagtgggaga      540

gcagcgggca gccggagaac aactacaaca ccacgcctcc catgctggac tccgacggct      600

ccttcttcct ctacagcaag ctcaccgtgg acaagagcag gtggcagcag gggaacatct      660

tctcatgctc cgtgatgcat gaggctctgc acaaccgctt cacgcagaag agcctctccc      720

tgtctccggg taaatgactc gagcggccg                                        749
```

<210> 73

<211> 219

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG3 Fc domain having the N-terminal sequence CPAPE

<400> 73

```
Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
1               5                  10                  15

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
            20                  25                  30

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe Lys
        35                  40                  45

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
    50                  55                  60

Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr Val
65                  70                  75                  80

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
                85                  90                  95

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys
            100                 105                 110

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
        115                 120                 125

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
    130                 135                 140

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser Gly Gln Pro Glu
145                 150                 155                 160

Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser Phe
                165                 170                 175

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
            180                 185                 190
```

```
Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn Arg Phe
        195                 200                 205

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215
```

<210> 74
<211> 672
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding human IgG3 Fc domain having the N-terminal sequence CPAPE

<400> 74

```
tgcccagcac ctgaactcct gggaggaccg tcagtcttcc tcttcccccc aaaacccaag       60

gataccctta tgatttcccg gacccctgag gtcacgtgcg tggtggtgga cgtgagccac      120

gaagaccccg aggtccagtt caagtggtac gtggacggcg tggaggtgca taatgccaag      180

acaaagccgc gggaggagca gtacaacagc acgttccgtg tggtcagcgt cctcaccgtc      240

ctgcaccagg actggctgaa cggcaaggag tacaagtgca aggtctccaa caaagccctc      300

ccagccccca tcgagaaaac catctccaaa accaaaggac agccccgaga accacaggtg      360

tacaccctgc ccccatcccg ggaggagatg accaagaacc aggtcagcct gacctgcctg      420

gtcaaaggct tctaccccag cgacatcgcc gtggagtggg agagcagcgg gcagccggag      480

aacaactaca acaccacgcc tcccatgctg gactccgacg gctccttctt cctctacagc      540

aagctcaccg tggacaagag caggtggcag caggggaaca tcttctcatg ctccgtgatg      600

catgaggctc tgcacaaccg cttcacgcag aagagcctct ccctgtctcc gggtaaatga      660

ctcgagcggc cg                                                          672
```

<210> 75
<211> 242
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having SHH signal peptide

<400> 75

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ala Pro Glu Leu Leu Gly Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile

        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
    50                  55                  60

Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg
```

```
Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His
    210                 215                 220

Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro
225                 230                 235                 240

Gly Lys
```

<210> 76

<211> 758

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having SHH signal peptide

<400> 76

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc cagcacctga actcctggga ggaccgtcag      120

tcttcctctt ccccccaaaa cccaaggata cccttatgat ttcccggacc cctgaggtca      180

cgtgcgtggt ggtggacgtg agccacgaag accccgaggt ccagttcaag tggtacgtgg      240

acggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagtac aacagcacgt      300

tccgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaacggc aaggagtaca      360

agtgcaaggt ctccaacaaa gccctcccag ccccccatcga gaaaaccatc tccaaaacca      420

aaggacagcc ccgagaacca caggtgtaca ccctgccccc atcccgggag gagatgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta ccccagcgac atcgccgtgg      540

agtgggagag cagcgggcag ccggagaaca actacaacac cacgcctccc atgctggact      600

ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg tggcagcagg      660

ggaacatctt ctcatgctcc gtgatgcatg aggctctgca caaccgcttc acgcagaaga      720

gcctctccct gtctccgggt aaatgactcg agcggccg                              758
```

<210> 77

<211> 242

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having IFN signal peptide

<400> 77

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ala Pro Glu Leu Leu Gly Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
    50                  55                  60

Asp Pro Glu Val Gln Phe Lys Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Ser Gly Gln Pro Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Gln Gly Asn Ile Phe Ser Cys Ser Val Met His
    210                 215                 220

Glu Ala Leu His Asn Arg Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro
225                 230                 235                 240

Gly Lys
```

<210> 78

<211> 758

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having IFN signal peptide

<400> 78

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc cagcacctga actcctggga ggaccgtcag      120

tcttcctctt ccccccaaaa cccaaggata cccttatgat ttcccggacc cctgaggtca      180

cgtgcgtggt ggtggacgtg agccacgaag accccgaggt ccagttcaag tggtacgtgg      240

acggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagtac aacagcacgt      300

tccgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaacggc aaggagtaca      360

agtgcaaggt ctccaacaaa gccctcccag ccccccatcga gaaaaccatc tccaaaacca      420

aaggacagcc ccgagaacca caggtgtaca ccctgccccc atcccgggag gagatgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta ccccagcgac atcgccgtgg      540

agtgggagag cagcgggcag ccggagaaca actacaacac cacgcctccc atgctggact      600

ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg tggcagcagg      660

ggaacatctt ctcatgctcc gtgatgcatg aggctctgca caaccgcttc acgcagaaga      720

gcctctccct gtctccgggt aaatgactcg agcggccg                              758
```

<210> 79

<211> 235

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having CETP signal peptide

<400> 79

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            20                  25                  30

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        35                  40                  45

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Gln Phe
    50                  55                  60

Lys Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
65                  70                  75                  80

Arg Glu Glu Gln Tyr Asn Ser Thr Phe Arg Val Val Ser Val Leu Thr
                85                  90                  95

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            100                 105                 110

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr
        115                 120                 125

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    130                 135                 140
```

```
Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
145                 150                 155                 160

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Ser Gly Gln Pro
                165                 170                 175

Glu Asn Asn Tyr Asn Thr Thr Pro Pro Met Leu Asp Ser Asp Gly Ser
            180                 185                 190

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        195                 200                 205

Gly Asn Ile Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn Arg
    210                 215                 220

Phe Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
225                 230                 235
```

<210> 80

<211> 740

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having CETP signal peptide

<400> 80

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccagcacct gaactcctgg gaggaccgtc agtcttcctc ttcccccaa       120

aacccaagga tacccttatg atttcccgga cccctgaggt cacgtgcgtg gtggtggacg      180

tgagccacga agaccccgag gtccagttca agtggtacgt ggacggcgtg gaggtgcata      240

atgccaagac aaagccgcgg gaggagcagt acaacagcac gttccgtgtg gtcagcgtcc      300

tcaccgtcct gcaccaggac tggctgaacg gcaaggagta caagtgcaag gtctccaaca      360

aagccctccc agcccccatc gagaaaacca tctccaaaac caaaggacag ccccgagaac      420

cacaggtgta caccctgccc ccatcccggg aggagatgac caagaaccag gtcagcctga      480

cctgcctggt caaaggcttc taccccagcg acatcgccgt ggagtgggag agcagcgggc      540

agccggagaa caactacaac accacgcctc ccatgctgga ctccgacggc tccttcttcc      600

tctacagcaa gctcaccgtg gacaagagca ggtggcagca ggggaacatc ttctcatgct      660

ccgtgatgca tgaggctctg cacaaccgct tcacgcagaa gagcctctcc ctgtctccgg      720

gtaaatgact cgagcggccg                                                  740
```

<210> 81

<211> 222

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG4 Fc domain having the N-terminal sequence CPSCPAPE

<400> 81

```
Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val Phe
1               5                   10                  15
```

```
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
            20                  25                  30

Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu Val
        35                  40                  45

Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
    50                  55                  60

Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val
65                  70                  75                  80

Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
                85                  90                  95

Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser
            100                 105                 110

Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
        115                 120                 125

Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
    130                 135                 140

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
145                 150                 155                 160

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
                165                 170                 175

Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp
            180                 185                 190

Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
        195                 200                 205

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
    210                 215                 220
```

<210> 82

<211> 666

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding human IgG4 Fc domain having the N-terminal sequence CPSCPAPE

<400> 82

```
tgcccatcat gcccagcacc tgagttcctg gggggaccat cagtcttcct gttcccccca       60

aaacccaagg acactctcat gatctcccgg acccctgagg tcacgtgcgt ggtggtggac      120

gtgagccagg aagaccccga ggtccagttc aactggtacg tggatggcgt ggaggtgcat      180

aatgccaaga caaagccgcg ggaggagcag ttcaacagca cgtaccgtgt ggtcagcgtc      240

ctcaccgtcc tgcaccagga ctggctgaac ggcaaggagt acaagtgcaa ggtctccaac      300

aaaggcctcc cgtcctccat cgagaaaacc atctccaaag ccaaagggca gccccgagag      360

ccacaggtgt acaccctgcc cccatcccag gaggagatga ccaagaacca ggtcagcctg      420

acctgcctgg tcaaaggctt ctaccccagc gacatcgccg tggagtggga gagcaatggg      480

cagccggaga acaactacaa gaccacgcct cccgtgctgg actccgacgg ctccttcttc      540
```

```
ctctacagca ggctaaccgt ggacaagagc aggtggcagg aggggaatgt cttctcatgc      600

tccgtgatgc atgaggctct gcacaaccac tacacacaga agagcctctc cctgtctctg      660

ggtaaa                                                                 666
```

<210> 83

<211> 245

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having a SHH signal peptide

<400> 83

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ser Cys Pro Ala Pro Glu Phe
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
    50                  55                  60

Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
                85                  90                  95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
        115                 120                 125

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Leu Gly Lys
                245
```

245

<210> 84
<211> 767
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having a SHH signal peptide

<400> 84
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct 60

cgctgctggt atgctcggga ctggcgtgcc catcatgccc agcacctgag ttcctggggg 120

gaccatcagt cttcctgttc cccccaaaac ccaaggacac tctcatgatc tcccggaccc 180

ctgaggtcac gtgcgtggtg gtggacgtga gccaggaaga ccccgaggtc cagttcaact 240

ggtacgtgga tggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagttca 300

acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaacggca 360

aggagtacaa gtgcaaggtc tccaacaaag gcctcccgtc ctccatcgag aaaaccatct 420

ccaaagccaa agggcagccc cgagagccac aggtgtacac cctgccccca tcccaggagg 480

agatgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctac cccagcgaca 540

tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg 600

tgctggactc cgacggctcc ttcttcctct acagcaggct aaccgtggac aagagcaggt 660

ggcaggaggg gaatgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca 720

cacagaagag cctctccctg tctctgggta aatgactcga gcggccg 767

<210> 85
<211> 245
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having a IFN signal peptide

<400> 85
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1 5 10 15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ser Cys Pro Ala Pro Glu Phe
20 25 30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
35 40 45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
50 55 60

Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val
65 70 75 80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
85 90 95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
100 105 110

```
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
        115                 120                 125

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Leu Gly Lys
                245
```

<210> 86

<211> 767

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having a IFN signal peptide

<400> 86

```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc catcatgccc agcacctgag ttcctggggg      120

gaccatcagt cttcctgttc cccccaaaac ccaaggacac tctcatgatc tcccggaccc      180

ctgaggtcac gtgcgtggtg gtggacgtga gccaggaaga ccccgaggtc cagttcaact      240

ggtacgtgga tggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagttca      300

acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaacggca      360

aggagtacaa gtgcaaggtc tccaacaaag gcctcccgtc ctccatcgag aaaaccatct      420

ccaaagccaa agggcagccc cgagagccac aggtgtacac cctgccccca tcccaggagg      480

agatgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctac cccagcgaca      540

tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg      600

tgctggactc cgacggctcc ttcttcctct acagcaggct aaccgtggac aagagcaggt      660

ggcaggaggg gaatgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca      720

cacagaagag cctctccctg tctctgggta aatgactcga gcggccg                    767
```

<210> 87

<211> 239

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having a CETP signal peptide

<400> 87

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val
            20                  25                  30

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        35                  40                  45

Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu
    50                  55                  60

Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
65                  70                  75                  80

Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser
                85                  90                  95

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            100                 105                 110

Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile
        115                 120                 125

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    130                 135                 140

Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
145                 150                 155                 160

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                165                 170                 175

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            180                 185                 190

Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg
        195                 200                 205

Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    210                 215                 220

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
225                 230                 235
```

<210> 88

<211> 749

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having a CETP signal peptide

<400> 88

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg      60

cccatgcctg cccatcatgc ccagcacctg agttcctggg gggaccatca gtcttcctgt     120

tccccccaaa acccaaggac actctcatga tctcccggac ccctgaggtc acgtgcgtgg     180

tggtggacgt gagccaggaa gaccccgagg tccagttcaa ctggtacgtg gatggcgtgg     240

aggtgcataa tgccaagaca aagccgcggg aggagcagtt caacagcacg taccgtgtgg     300

tcagcgtcct caccgtcctg caccaggact ggctgaacgg caaggagtac aagtgcaagg     360

tctccaacaa aggcctcccg tcctccatcg agaaaaccat ctccaaagcc aaagggcagc     420

cccgagagcc acaggtgtac accctgcccc catcccagga ggagatgacc aagaaccagg     480

tcagcctgac ctgcctggtc aaaggcttct accccagcga catcgccgtg gagtgggaga     540

gcaatgggca gccggagaac aactacaaga ccacgcctcc cgtgctggac tccgacggct     600

ccttcttcct ctacagcagg ctaaccgtgg acaagagcag gtggcaggag gggaatgtct     660

tctcatgctc cgtgatgcat gaggctctgc acaaccacta cacacagaag agcctctccc     720

tgtctctggg taaatgactc gagcggccg                                       749
```

<210> 89

<211> 219

<212> PRT

<213> Artificial Sequence

<220>

<223> Human IgG4 Fc domain having the N-terminal sequence CPAPE

<400> 89

```
Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
1               5                  10                  15

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
            20                  25                  30

Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn
        35                  40                  45

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
    50                  55                  60

Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
65                  70                  75                  80

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
                85                  90                  95

Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys
            100                 105                 110

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu
        115                 120                 125

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
    130                 135                 140

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
145                 150                 155                 160

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
```

```
                165                 170                 175

Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly
            180                 185                 190

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
        195                 200                 205

Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
    210                 215
```

<210> 90
<211> 657
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding human IgG4 Fc domain having the N-terminal sequence CPAPE

<400> 90
```
tgcccagcac ctgagttcct gggggggacca tcagtcttcc tgttcccccc aaaacccaag       60

gacactctca tgatctcccg gacccctgag gtcacgtgcg tggtggtgga cgtgagccag      120

gaagaccccg aggtccagtt caactggtac gtggatggcg tggaggtgca taatgccaag      180

acaaagccgc gggaggagca gttcaacagc acgtaccgtg tggtcagcgt cctcaccgtc      240

ctgcaccagg actggctgaa cggcaaggag tacaagtgca aggtctccaa caaaggcctc      300

ccgtcctcca tcgagaaaac catctccaaa gccaaagggc agccccgaga gccacaggtg      360

tacaccctgc ccccatccca ggaggagatg accaagaacc aggtcagcct gacctgcctg      420

gtcaaaggct tctaccccag cgacatcgcc gtggagtggg agagcaatgg gcagccggag      480

aacaactaca agaccacgcc tcccgtgctg gactccgacg gctccttctt cctctacagc      540

aggctaaccg tggacaagag caggtggcag gaggggaatg tcttctcatg ctccgtgatg      600

catgaggctc tgcacaacca ctacacacag aagagcctct ccctgtctct gggtaaa         657
```

<210> 91
<211> 242
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having a SHH signal peptide

<400> 91
```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ala Pro Glu Phe Leu Gly Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
    50                  55                  60

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80
```

```
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr

    130                 135                 140

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
    210                 215                 220

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu
225                 230                 235                 240

Gly Lys
```

<210> 92

<211> 758

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having a SHH signal peptide

<400> 92

```
aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc ctcgtctcct       60

cgctgctggt atgctcggga ctggcgtgcc cagcacctga gttcctgggg ggaccatcag      120

tcttcctgtt ccccccaaaa cccaaggaca ctctcatgat ctcccggacc cctgaggtca      180

cgtgcgtggt ggtggacgtg agccaggaag accccgaggt ccagttcaac tggtacgtgg      240

atggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagttc aacagcacgt      300

accgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaacggc aaggagtaca      360

agtgcaaggt ctccaacaaa ggcctcccgt cctccatcga gaaaaccatc tccaaagcca      420

aagggcagcc ccgagagcca caggtgtaca ccctgccccc atcccaggag gagatgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta ccccagcgac atcgccgtgg      540

agtgggagag caatgggcag ccggagaaca actacaagac cacgcctccc gtgctggact      600

ccgacggctc cttcttcctc tacagcaggc taaccgtgga caagagcagg tggcaggagg      660
```

ggaatgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac acacagaaga 720

gcctctccct gtctctgggt aaatgactcg agcggccg 758

<210> 93

<211> 242

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc chimeric polypeptide having a IFN signal peptide

<400> 93

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ala Pro Glu Phe Leu Gly Gly
            20                  25                  30

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
        35                  40                  45

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
    50                  55                  60

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
65                  70                  75                  80

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
                85                  90                  95

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
            100                 105                 110

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
        115                 120                 125

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
    130                 135                 140

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
145                 150                 155                 160

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
                165                 170                 175

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
            180                 185                 190

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
        195                 200                 205

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
    210                 215                 220

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu
225                 230                 235                 240

Gly Lys
```

<210> 94

<211> 758
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA encoding pre-Fc chimeric polypeptide having a IFN signal peptide

<400> 94
```
aagcttgaat tcccaccatg gccttgacct ttgctttact ggtggccctc ctggtgctca       60

gctgcaagtc aagctgctct gtgggctgcc cagcacctga gttcctgggg ggaccatcag      120

tcttcctgtt ccccccaaaa cccaaggaca ctctcatgat ctcccggacc cctgaggtca      180

cgtgcgtggt ggtggacgtg agccaggaag accccgaggt ccagttcaac tggtacgtgg      240

atggcgtgga ggtgcataat gccaagacaa agccgcggga ggagcagttc aacagcacgt      300

accgtgtggt cagcgtcctc accgtcctgc accaggactg gctgaacggc aaggagtaca      360

agtgcaaggt ctccaacaaa ggcctcccgt cctccatcga gaaaaccatc tccaaagcca      420

aagggcagcc ccgagagcca caggtgtaca ccctgccccc atcccaggag gagatgacca      480

agaaccaggt cagcctgacc tgcctggtca aaggcttcta ccccagcgac atcgccgtgg      540

agtgggagag caatgggcag ccggagaaca actacaagac cacgcctccc gtgctggact      600

ccgacggctc cttcttcctc tacagcaggc taaccgtgga caagagcagg tggcaggagg      660

ggaatgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac acacagaaga      720

gcctctccct gtctctgggt aaatgactcg agcggccg                              758
```

<210> 95
<211> 236
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-Fc chimeric polypeptide having a CETP signal peptide

<400> 95
```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe
            20                  25                  30

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        35                  40                  45

Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe
    50                  55                  60

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
65                  70                  75                  80

Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                85                  90                  95

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            100                 105                 110

Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala
        115                 120                 125
```

```
        115                 120                 125

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln
    130                 135                 140

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
145                 150                 155                 160

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                165                 170                 175

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            180                 185                 190

Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu
        195                 200                 205

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    210                 215                 220

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Leu Gly Lys
225                 230                 235
```

<210> 96

<211> 740

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA encoding pre-Fc chimeric polypeptide having a CETP signal peptide

<400> 96

```
aagcttgaat tcccaccatg ctggctgcca cagtcctgac cctggccctg ctgggcaatg       60

cccatgcctg cccagcacct gagttcctgg ggggaccatc agtcttcctg ttcccccaa       120

aacccaagga cactctcatg atctcccgga cccctgaggt cacgtgcgtg gtggtggacg      180

tgagccagga agaccccgag gtccagttca actggtacgt ggatggcgtg gaggtgcata      240

atgccaagac aaagccgcgg gaggagcagt tcaacagcac gtaccgtgtg gtcagcgtcc      300

tcaccgtcct gcaccaggac tggctgaacg gcaaggagta caagtgcaag gtctccaaca      360

aaggcctccc gtcctccatc gagaaaacca tctccaaagc caaagggcag ccccgagagc      420

cacaggtgta caccctgccc ccatcccagg aggagatgac caagaaccag gtcagcctga      480

cctgcctggt caaaggcttc taccccagcg acatcgccgt ggagtgggag agcaatgggc      540

agccggagaa caactacaag accacgcctc ccgtgctgga ctccgacggc tccttcttcc      600

tctacagcag gctaaccgtg gacaagagca ggtggcagga ggggaatgtc ttctcatgct      660

ccgtgatgca tgaggctctg cacaaccact acacacagaa gagcctctcc ctgtctctgg      720

gtaaatgact cgagcggccg                                                  740
```

<210> 97

<211> 5428

<212> DNA

<213> Artificial Sequence

<220>

<223> pCDNA3.1(+)

<400> 97

gacggatcgg gagatctccc gatcccctat ggtgcactct cagtacaatc tgctctgatg 60

ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg 120

cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180

ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240

gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 300

tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360

cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420

attgacgtca atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt 480

atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540

atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca 600

tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660

actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720

aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780

gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 840

ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gctggctagc 900

gtttaaactt aagcttggta ccgagctcgg atccactagt ccagtgtggt ggaattctgc 960

agatatccag cacagtggcg gccgctcgag tctagagggc ccgtttaaac ccgctgatca 1020

gcctcgactg tgccttctag ttgccagcca tctgttgttt gccctcccc cgtgccttcc 1080

ttgaccctgg aaggtgccac tcccactgtc ctttcctaat aaaatgagga aattgcatcg 1140

cattgtctga gtaggtgtca ttctattctg gggggtgggg tggggcagga cagcaagggg 1200

gaggattggg aagacaatag caggcatgct ggggatgcgg tgggctctat ggcttctgag 1260

gcggaaagaa ccagctgggg ctctaggggg tatccccacg cgccctgtag cggcgcatta 1320

agcgcggcgg gtgtggtggt tacgcgcagc gtgaccgcta cacttgccag cgccctagcg 1380

cccgctcctt tcgctttctt cccttcctttctcgccacgt tcgccggctt tccccgtcaa 1440

gctctaaatc gggggctccc tttagggttc cgatttagtg ctttacggca cctcgacccc 1500

aaaaaacttg attagggtga tggttcacgt agtgggccat cgccctgata gacggttttt 1560

cgcccctttga cgttggagtc cacgttcttt aatagtggac tcttgttcca aactggaaca 1620

acactcaacc ctatctcggt ctattctttt gatttataag ggattttgcc gatttcggcc 1680

tattggttaa aaaatgagct gatttaacaa aaatttaacg cgaattaatt ctgtggaatg 1740

tgtgtcagtt agggtgtgga aagtccccag gctccccagc aggcagaagt atgcaaagca 1800

tgcatctcaa ttagtcagca accaggtgtg gaaagtcccc aggctcccca gcaggcagaa 1860

gtatgcaaag catgcatctc aattagtcag caaccatagt cccgccccta actccgccca 1920

tcccgccccc aactccgccc agttccgccc attctccgcc ccatggctga ctaatttttt 1980

ttatttatgc agaggccgag gccgcctctg cctctgagct attccagaag tagtgaggag 2040

gcttttttgg aggcctaggc ttttgcaaaa agctcccggg agcttgtata tccattttcg 2100

gatctgatca agagacagga tgaggatcgt ttcgcatgat tgaacaagat ggattgcacg 2160

caggttctcc ggccgcttgg gtggagaggc tattcggcta tgactgggca caacagacaa 2220

tcggctgctc tgatgccgcc gtgttccggc tgtcagcgca ggggcgcccg gttcttttttg 2280

tcaagaccga cctgtccggt gccctgaatg aactgcagga cgaggcagcg cggctatcgt 2340

ggctggccac gacgggcgtt ccttgcgcag ctgtgctcga cgttgtcact gaagcgggaa 2400

gggactggct gctattgggc gaagtgccgg ggcaggatct cctgtcatct caccttgctc 2460

ctgccgagaa agtatccatc atggctgatg caatgcggcg gctgcatacg cttgatccgg 2520

ctacctgccc attcgaccac caagcgaaac atcgcatcga gcgagcacgt actcggatgg 2580

aagccggtct tgtcgatcag gatgatctgg acgaagagca tcaggggctc gcgccagccg 2640

aactgttcgc caggctcaag gcgcgcatgc ccgacggcga ggatctcgtc gtgacccatg 2700

gcgatgcctg cttgccgaat atcatggtgg aaaatggccg cttttctgga ttcatcgact 2760

gtggccggct gggtgtggcg gaccgctatc aggacatagc gttggctacc cgtgatattg 2820

ctgaagagct tggcggcgaa tgggctgacc gcttcctcgt gctttacggt atcgccgctc 2880

ccgattcgca gcgcatcgcc ttctatcgcc ttcttgacga gttcttctga gcgggactct 2940

ggggttcgaa atgaccgacc aagcgacgcc caacctgcca tcacgagatt tcgattccac 3000

cgccgccttc tatgaaaggt tgggcttcgg aatcgttttc cgggacgccg gctggatgat 3060

cctccagcgc ggggatctca tgctggagtt cttcgcccac cccaacttgt ttattgcagc 3120

ttataatggt tacaaataaa gcaatagcat cacaaatttc acaaataaag catttttttc 3180

actgcattct agttgtggtt tgtccaaact catcaatgta tcttatcatg tctgtatacc 3240

gtcgacctct agctagagct tggcgtaatc atggtcatag ctgtttcctg tgtgaaattg 3300

ttatccgctc acaattccac acaacatacg agccggaagc ataaagtgta aagcctgggg 3360

tgcctaatga gtgagctaac tcacattaat tgcgttgcgc tcactgcccg ctttccagtc 3420

gggaaacctg tcgtgccagc tgcattaatg aatcggccaa cgcgcgggga gaggcggttt 3480

gcgtattggg cgctcttccg cttcctcgct cactgactcg ctgcgctcgg tcgttcggct 3540

gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg ttatccacag aatcagggga 3600

taacgcagga aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc 3660

cgcgttgctg gcgtttttcc ataggctccg cccccctgac gagcatcaca aaaatcgacg 3720

ctcaagtcag aggtggcgaa acccgacagg actataaaga taccaggcgt ttcccccctgg 3780

aagctccctc gtgcgctctc ctgttccgac cctgccgctt accggatacc tgtccgcctt 3840

tctcccttcg ggaagcgtgg cgctttctca tagctcacgc tgtaggtatc tcagttcggt 3900

gtaggtcgtt cgctccaagc tgggctgtgt gcacgaaccc cccgttcagc ccgaccgctg 3960

cgccttatcc ggtaactatc gtcttgagtc caacccggta agacacgact tatcgccact 4020

ggcagcagcc actggtaaca ggattagcag agcgaggtat gtaggcggtg ctacagagtt 4080

cttgaagtgg tggcctaact acggctacac tagaagaaca gtatttggta tctgcgctct 4140

gctgaagcca gttaccttcg gaaaaagagt tggtagctct tgatccggca aacaaaccac 4200

cgctggtagc ggtttttttg tttgcaagca gcagattacg cgcagaaaaa aaggatctca 4260

agaagatcct ttgatctttt ctacggggtc tgacgctcag tggaacgaaa actcacgtta 4320

agggattttg gtcatgagat tatcaaaaag gatcttcacc tagatccttt taaattaaaa 4380

atgaagtttt aaatcaatct aaagtatata tgagtaaact tggtctgaca gttaccaatg 4440

cttaatcagt gaggcaccta tctcagcgat ctgtctattt cgttcatcca tagttgcctg 4500

actccccgtc gtgtagataa ctacgatacg ggagggctta ccatctggcc ccagtgctgc 4560

aatgataccg cgagacccac gctcaccggc tccagattta tcagcaataa accagccagc 4620

cggaagggcc gagcgcagaa gtggtcctgc aactttatcc gcctccatcc agtctattaa 4680

ttgttgccgg gaagctagag taagtagttc gccagttaat agtttgcgca acgttgttgc 4740

cattgctaca ggcatcgtgg tgtcacgctc gtcgtttggt atggcttcat tcagctccgg 4800

ttcccaacga tcaaggcgag ttacatgatc ccccatgttg tgcaaaaaag cggttagctc 4860

cttcggtcct ccgatcgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat 4920

ggcagcactg cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg 4980

tgagtactca accaagtcat tctgagaata gtgtatgcgg cgaccgagtt gctcttgccc 5040

ggcgtcaata cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg 5100

aaaacgttct tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat 5160

gtaacccact cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg 5220

gtgagcaaaa acaggaaggc aaaatgccgc aaaaaaggga ataagggcga cacggaaatg 5280

ttgaatactc atactcttcc tttttcaata ttattgaagc atttatcagg gttattgtct 5340

catgagcgga tacatatttg aatgtattta gaaaaataaa caaatagggg ttccgcgcac 5400

atttccccga aaagtgccac ctgacgtc 5428

<210> 98
<211> 4195
<212> DNA
<213> Artificial Sequence

<220>
<223> pSA

<400> 98
ctaaattgta agcgttaata ttttgttaaa attcgcgtta aatttttgtt aaatcagctc 60

atttttaac caataggccg aaatcggcaa aatcccttat aaatcaaaag aatagaccga 120

gatagggttg agtgttgttc cagtttggaa caagagtcca ctattaaaga acgtggactc 180

caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc ccactacgtg aaccatcacc 240

ctaatcaagt tttttggggt cgaggtgccg taaagcacta aatcggaacc ctaaagggag 300

cccccgattt agagcttgac ggggaaagcc ggcgaacgtg gcgagaaagg aagggaagaa 360

agcgaaagga gcgggcgcta gggcgctggc aagtgtagcg gtcacgctgc gcgtaaccac 420

cacacccgcc gcgcttaatg cgccgctaca gggcgcgtcc cattcgccat tcaggctgcg 480

caactgttgg gaagggcgat cggtgcgggc ctcttcgcta ttacgccagc tggcgaaagg 540

gggatgtgct gcaaggcgat taagttgggt aacgccaggg ttttcccagt cacgacgttg 600

taaaacgacg gccagtgagc gcgcaagcgg ccgcaacccg ggaaaagctt ggccattgca 660

tacgttgtat ccatatcata atatgtacat ttatattggc tcatgtccaa cattaccgcc 720

atgttgacat tgattattga ctagttatta atagtaatca attacggggt cattagttca 780

tagcccatat atggagttcc gcgttacata acttacggta aatggcccgc ctggctgacc 840

gcccaacgac ccccgcccat tgacgtcaat aatgacgtat gttcccatag taacgccaat 900

agggactttc cattgacgtc aatgggtgga gtatttacgg taaactgccc acttggcagt 960

acatcaagtg tatcatatgc caagtacgcc ccctattgac gtcaatgacg gtaaatggcc 1020

cgcctggcat tatgcccagt acatgacctt atgggacttt cctacttggc agtacatcta 1080

cgtattagtc atcgctatta ccatggtgat gcggttttgg cagtacatca atgggcgtgg 1140

atagcggttt gactcacggg gatttccaag tctccacccc attgacgtca atgggagttt 1200

gttttggcac caaaatcaac gggactttcc aaaatgtcgt aacaactccg ccccattgac 1260

gcaaatgggc ggtaggcgtg tacggtggga ggtctatata agcagagctc gtttagtgaa 1320

ccgtcagatc gcctggagac gccatccacg ctgttttgac ctccatagaa gacaccggga 1380

ccgatccagc ctccgcggcc gggaacggtg cattggaacg cggattcccc gtgccaagag 1440

tgacgtaagt accgcctata gagtctatag gcccaccccc ttggcttctt atgcatgctc 1500

ccctgctccg acccgggctc ctcgcccgcc cggacccaca ggccaccctc aaccgtcctg 1560

gccccggacc caaaccccac ccctcactct gcttctcccc gcaggagaat tcaatcgcga 1620

aagggcccaa agatctgcca taccacattt gtagaggttt tacttgcttt aaaaaacctc 1680

ccacacctcc ccctgaacct gaaacataaa atgaatgcaa ttgttgttgt taacttgttt 1740

attgcagctt ataatggtta caaataaagc aatagcatca caaatttcac aaataaagca 1800

ttttttttcac tgcattctag ttgtggtttg tccaaactca tcaatgtatc ttatcatgtc 1860

tggagctagc atcccgcccc taactccgcc ctgttccgcc cattctccgc cccatggctg 1920

actaattttt tttatttatg cagaggccga ggccgcctcg gcctctgagc tattccagaa 1980

gtagtgagga ggctttttg gaggcctagg cttttgcgtc gagaagcgcg cttggcgtaa 2040

tcatggtcat agctgtttcc tgtgtgaaat tgttatccgc tcacaattcc acacaacata 2100

cgagccggaa gcataaagtg taaagcctgg ggtgcctaat gagtgagcta actcacatta 2160

attgcgttgc gctcactgcc cgctttccag tcgggaaacc tgtcgtgcca gctgcattaa 2220

tgaatcggcc aacgcgcggg gagaggcggt ttgcgtattg ggcgctcttc cgcttcctcg 2280

ctcactgact cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc tcactcaaag 2340

gcggtaatac ggttatccac agaatcaggg gataacgcag gaaagaacat gtgagcaaaa 2400

ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc 2460

cgccccccctg acgagcatca caaaaatcga cgctcaagtc agaggtggcg aaacccgaca 2520

ggactataaa gataccaggc gtttcccccct ggaagctccc tcgtgcgctc tcctgttccg 2580

accctgccgc ttaccggata cctgtccgcc tttctcccttt cgggaagcgt ggcgctttct 2640

catagctcac gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt 2700

gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag 2760

tccaacccgg taagacacga cttatcgcca ctggcagcag ccactggtaa caggattagc 2820

agagcgaggt atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac 2880

actagaagga cagtatttgg tatctgcgct ctgctgaagc cagttacctt cggaaaaaga 2940

gttggtagct cttgatccgg caaacaaacc accgctggta gcggtggttt ttttgtttgc 3000

aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg 3060

gggtctgacg ctcagtggaa cgaaaactca cgttaaggga ttttggtcat gagattatca 3120

aaaaggatct tcacctagat ccttttaaat taaaaatgaa gttttaaatc aatctaaagt 3180

atatatgagt aaacttggtc tgacagttac caatgcttaa tcagtgaggc acctatctca 3240

gcgatctgtc tatttcgttc atccatagtt gcctgactcc ccgtcgtgta gataactacg 3300

atacgggagg gcttaccatc tggccccagt gctgcaatga taccgcgaga cccacgctca 3360

ccggctccag atttatcagc aataaaccag ccagccggaa gggccgagcg cagaagtggt 3420

cctgcaactt tatccgcctc catccagtct attaattgtt gccgggaagc tagagtaagt 3480

agttcgccag ttaatagttt gcgcaacgtt gttgccattg ctacaggcat cgtggtgtca 3540

cgctcgtcgt ttggtatggc ttcattcagc tccggttccc aacgatcaag gcgagttaca 3600

tgatccccca tgttgtgcaa aaaagcggtt agctccttcg gtcctccgat cgttgtcaga 3660

agtaagttgg ccgcagtgtt atcactcatg gttatggcag cactgcataa ttctcttact 3720

gtcatgccat ccgtaagatg cttttctgtg actggtgagt actcaaccaa gtcattctga 3780

gaatagtgta tgcggcgacc gagttgctct tgcccggcgt caatacggga taataccgcg 3840

ccacatagca gaactttaaa agtgctcatc attggaaaac gttcttcggg gcgaaaactc 3900

tcaaggatct taccgctgtt gagatccagt tcgatgtaac ccactcgtgc acccaactga 3960

tcttcagcat cttttacttt caccagcgtt tctgggtgag caaaaacagg aaggcaaaat 4020

gccgcaaaaa agggaataag ggcgacacgg aaatgttgaa tactcatact cttccttttt 4080

caatattatt gaagcattta tcagggttat tgtctcatga gcggatacat atttgaatgt 4140

atttagaaaa ataaacaaat aggggttccg cgcacatttc cccgaaaagt gccac 4195

<210> 99
<211> 824
<212> DNA
<213> Artificial Sequence

<220>
<223> Artificial Construct

<400> 99
gttaacgaat tcccaccatg attgaacaag atggattgca cgcaggttct ccggccgctt 60

gggtggagag gctattcggc tatgactggg cacaacagac aatcggctgc tctgatgccg 120

ccgtgttccg gctgtcagcg caggggcgcc cggttctttt tgtcaagacc gacctgtccg 180

gtgccctgaa tgaactgcag gacgaggcag cgcggctatc gtggctggcc acgacgggcg 240

ttccttgcgc agctgtgctc gacgttgtca ctgaagcggg aagggactgg ctgctattgg 300

gcgaagtgcc ggggcaggat ctcctgtcat ctcaccttgc tcctgccgag aaagtatcca 360

tcatggctga tgcaatgcgg cggctgcata cgcttgatcc ggctacctgc ccattcgacc 420

accaagcgaa acatcgcatc gagcgagcac gtactcggat ggaagccggt cttgtcgatc 480

aggatgatct ggacgaagag catcaggggc tcgcgccagc cgaactgttc gccaggctca 540

aggcgcgcat gcccgacggc gaggatctcg tcgtgaccca tggcgatgcc tgcttgccga 600

atatcatggt ggaaaatggc cgcttttctg gattcatcga ctgtggccgg ctgggtgtgg 660

cggaccgcta tcaggacata gcgttggcta cccgtgatat tgctgaagag cttggcggcg 720

aatgggctga ccgcttcctc gtgctttacg gtatcgccgc tcccgattcg cagcgcatcg 780

ccttctatcg ccttcttgac gagttcttct gaagatctgt taac 824

<210> 100
<211> 6739
<212> DNA
<213> Artificial Sequence

<220>
<223> pCDNA3-TNR1B-Mth

<400> 100
gacggatcgg gagatctccc gatcccctat ggtgcactct cagtacaatc tgctctgatg 60

ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg 120

cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180

ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240

gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 300

tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360

cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420

attgacgtca atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt 480

atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540

atgcccagta catgaccttа tgggactttc ctacttggca gtacatctac gtattagtca 600

tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660

actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720

aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780

gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 840

ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gctggctagc 900

gtttaaactt aagcttgaat tcccaccatg gcgcccgtcg ccgtctgggc cgcgctggcc 960

gtcggactgg agctctgggc tgcggcgcac gccttgcccg cccaggtggc atttacaccc 1020

tacgccccgg agcccgggag cacatgccgg ctcagagaat actatgacca gacagctcag 1080

atgtgctgca gcaaatgctc gccgggccaa catgcaaaag tcttctgtac caagacctcg 1140

gacaccgtgt gtgactcctg tgaggacagc acatacaccc agctctggaa ctgggttccc 1200

gagtgcttga gctgtggctc ccgctgtagc tctgaccagg tggaaactca agcctgcact 1260

cgggaacaga accgcatctg cacctgcagg cccggctggt actgcgcgct gagcaagcag 1320

gaggggtgcc ggctgtgcgc gccgctgcgc aagtgccgcc cgggcttcgg cgtggccaga 1380

ccaggaactg aaacatcaga cgtggtgtgc aagccctgtg ccccggggac gttctccaac 1440

acgacttcat ccacggatat ttgcaggccc caccagatct gtaacgtggt ggccatccct 1500

gggaatgcaa gcatggatgc agtctgcacg tccacgtccc ccacccggag tatggcccca 1560

ggggcagtac acttacccca gccagtgtcc acacgatccc aacacacgca gccaactcca 1620

gaacccagca ctgctccaag cacctccttc ctgctcccaa tggggcccag ccccccagct 1680

gaagggagca ctggcgacgg gtgcgtatcc ggtgacacca ttgtaatgac tagtggcggg 1740

ccccgcactg tggctgaact ggagggcaaa ccgttcaccg cactgattcg cggctctggc 1800

tacccatgcc cctcaggttt cttccgcacc tgtgaacgtg acgtatatga tctgcgtaca 1860

cgtgagggtc attgcttacg tttgacccat gatcaccgtg ttctggtgat ggatggtggc 1920

ctggaatggc gtgccgcggg tgaactggaa cgcggcgacc gcctggtgat ggatgatgca 1980

gctggcgagt ttccggcact ggcaaccttc cgtggcctgc gtggcgctgg ccgccaggat 2040

gtttatgacg ctactgttta cggtgctagc gcattcactg ctaatggctt cattgtacac 2100

gcatgtggcg agcagcccgg gaccggtctg aactcaggcc tcacgacaaa tcctggtgta 2160

tccgcttggc aggtcaacac agcttatact gcgggacaat tggtcacata taacggcaag 2220

acgtataaat gtttgcagcc ccacacctcc ttggcaggat gggaaccatc caacgttcct 2280

gccttgtggc agcttcaatg actcgagcgg cccgtttaaa cccgctgatc agcctcgact 2340

gtgccttcta gttgccagcc atctgttgtt tgcccctccc ccgtgccttc cttgaccctg 2400

gaaggtgcca ctcccactgt cctttcctaa taaaatgagg aaattgcatc gcattgtctg 2460

agtaggtgtc attctattct gggggggtggg gtggggcagg acagcaaggg ggaggattgg 2520

gaagacaata gcaggcatgc tggggatgcg gtgggctcta tggcttctga ggcggaaaga 2580

accagctggg gctctagggg gtatccccac gcgccctgta gcggcgcatt aagcgcggcg 2640

ggtgtggtgg ttacgcgcag cgtgaccgct acacttgcca gcgccctagc gcccgctcct 2700

ttcgctttct tcccttcctt tctcgccacg ttcgccggct ttccccgtca agctctaaat 2760

cgggggctcc ctttagggtt ccgatttagt gctttacggc acctcgaccc caaaaaactt 2820

gattagggtg atggttcacg tagtgggcca tcgccctgat agacggtttt tcgccctttg 2880

acgttggagt ccacgttctt taatagtgga ctcttgttcc aaactggaac aacactcaac 2940

cctatctcgg tctattcttt tgatttataa gggattttgc cgatttcggc ctattggtta 3000

aaaaatgagc tgatttaaca aaaatttaac gcgaattaat tctgtggaat gtgtgtcagt 3060

tagggtgtgg aaagtcccca ggctccccag caggcagaag tatgcaaagc atgcatctca 3120

attagtcagc aaccaggtgt ggaaagtccc caggctcccc agcaggcaga agtatgcaaa 3180

gcatgcatct caattagtca gcaaccatag tcccgccccc aactccgccc atcccgcccc 3240

taactccgcc cagttccgcc cattctccgc cccatggctg actaattttt tttatttatg 3300

cagaggccga ggccgcctct gcctctgagc tattccagaa gtagtgagga ggctttttg 3360

gaggcctagg cttttgcaaa aagctcccgg gagcttgtat atccattttc ggatctgatc 3420

aagagacagg atgaggatcg tttcgcatga ttgaacaaga tggattgcac gcaggttctc 3480

cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 3540

ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 3600

acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 3660

cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 3720

tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 3780

aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 3840

cattcgacca ccaagcgaaa catcgcatcg agcgagcacg tactcggatg gaagccggtc 3900

ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 3960

ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 4020

gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 4080

tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 4140

ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 4200

agcgcatcgc cttctatcgc cttcttgacg agttcttctg agcgggactc tggggttcga 4260

aatgaccgac caagcgacgc ccaacctgcc atcacgagat ttcgattcca ccgccgcctt 4320

ctatgaaagg ttgggcttcg gaatcgtttt ccgggacgcc ggctggatga tcctccagcg 4380

cggggatctc atgctggagt tcttcgccca ccccaacttg tttattgcag cttataatgg 4440

ttacaaataa agcaatagca tcacaaattt cacaaataaa gcatttttt cactgcattc 4500

tagttgtggt ttgtccaaac tcatcaatgt atcttatcat gtctgtatac cgtcgacctc 4560

tagctagagc ttggcgtaat catggtcata gctgtttcct gtgtgaaatt gttatccgct 4620

cacaattcca cacaacatac gagccggaag cataaagtgt aaagcctggg gtgcctaatg 4680

agtgagctaa ctcacattaa ttgcgttgcg ctcactgccc gctttccagt cgggaaacct 4740

gtcgtgccag ctgcattaat gaatcggcca acgcgcgggg agaggcggtt tgcgtattgg 4800

gcgctcttcc gcttcctcgc tcactgactc gctgcgctcg gtcgttcggc tgcggcgagc 4860

ggtatcagct cactcaaagg cggtaatacg gttatccaca gaatcagggg ataacgcagg 4920

aaagaacatg tgagcaaaag gccagcaaaa ggccaggaac cgtaaaaagg ccgcgttgct 4980

ggcgtttttc cataggctcc gcccccctga cgagcatcac aaaaatcgac gctcaagtca 5040

gaggtggcga aacccgacag gactataaag ataccaggcg tttccccctg gaagctccct 5100

cgtgcgctct cctgttccga ccctgccgct taccggatac ctgtccgcct ttctcccttc 5160

gggaagcgtg gcgctttctc atagctcacg ctgtaggtat ctcagttcgg tgtaggtcgt 5220

tcgctccaag ctgggctgtg tgcacgaacc ccccgttcag cccgaccgct gcgccttatc 5280

cggtaactat cgtcttgagt ccaacccggt aagacacgac ttatcgccac tggcagcagc 5340

cactggtaac aggattagca gagcgaggta tgtaggcggt gctacagagt tcttgaagtg 5400

gtggcctaac tacggctaca ctagaagaac agtatttggt atctgcgctc tgctgaagcc 5460

agttaccttc ggaaaaagag ttggtagctc ttgatccggc aaacaaacca ccgctggtag 5520

cggttttttt gtttgcaagc agcagattac gcgcagaaaa aaaggatctc aagaagatcc 5580

tttgatcttt tctacggggt ctgacgctca gtggaacgaa aactcacgtt aagggatttt 5640

```
ggtcatgaga ttatcaaaaa ggatcttcac ctagatcctt ttaaattaaa aatgaagttt     5700

taaatcaatc taaagtatat atgagtaaac ttggtctgac agttaccaat gcttaatcag     5760

tgaggcacct atctcagcga tctgtctatt tcgttcatcc atagttgcct gactccccgt     5820

cgtgtagata actacgatac gggagggctt accatctggc cccagtgctg caatgatacc     5880

gcgagaccca cgctcaccgg ctccagattt atcagcaata aaccagccag ccggaagggc     5940

cgagcgcaga agtggtcctg caactttatc cgcctccatc cagtctatta attgttgccg     6000

ggaagctaga gtaagtagtt cgccagttaa tagtttgcgc aacgttgttg ccattgctac     6060

aggcatcgtg gtgtcacgct cgtcgtttgg tatggcttca ttcagctccg gttcccaacg     6120

atcaaggcga gttacatgat cccccatgtt gtgcaaaaaa gcggttagct ccttcggtcc     6180

tccgatcgtt gtcagaagta agttggccgc agtgttatca ctcatggtta tggcagcact     6240

gcataattct cttactgtca tgccatccgt aagatgcttt tctgtgactg gtgagtactc     6300

aaccaagtca ttctgagaat agtgtatgcg gcgaccgagt tgctcttgcc cggcgtcaat     6360

acgggataat accgcgccac atagcagaac tttaaaagtg ctcatcattg gaaaacgttc     6420

ttcggggcga aaactctcaa ggatcttacc gctgttgaga tccagttcga tgtaacccac     6480

tcgtgcaccc aactgatctt cagcatcttt tactttcacc agcgtttctg ggtgagcaaa     6540

aacaggaagg caaaatgccg caaaaaaggg aataagggcg acacggaaat gttgaatact     6600

catactcttc ctttttcaat attattgaag catttatcag ggttattgtc tcatgagcgg     6660

atacatattt gaatgtattt agaaaaataa acaaataggg gttccgcgca catttccccg     6720

aaaagtgcca cctgacgtc                                                  6739
```

<210> 101

<211> 457

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-TNR1B-intein chimeric polypeptide

<400> 101

```
Met Ala Pro Val Ala Val Trp Ala Ala Leu Ala Val Gly Leu Glu Leu
1               5                  10                  15

Trp Ala Ala Ala His Ala Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr
            20                  25                  30

Ala Pro Glu Pro Gly Ser Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln
        35                  40                  45

Thr Ala Gln Met Cys Cys Ser Lys Cys Ser Pro Gly Gln His Ala Lys
    50                  55                  60

Val Phe Cys Thr Lys Thr Ser Asp Thr Val Cys Asp Ser Cys Glu Asp
65                  70                  75                  80

Ser Thr Tyr Thr Gln Leu Trp Asn Trp Val Pro Glu Cys Leu Ser Cys
                85                  90                  95

Gly Ser Arg Cys Ser Ser Asp Gln Val Glu Thr Gln Ala Cys Thr Arg
            100                 105                 110

Glu Gln Asn Arg Ile Cys Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu
        115                 120                 125
```

```
Ser Lys Gln Glu Gly Cys Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg

    130                 135                 140

Pro Gly Phe Gly Val Ala Arg Pro Gly Thr Glu Thr Ser Asp Val Val
145                 150                 155                 160

Cys Lys Pro Cys Ala Pro Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr
                165                 170                 175

Asp Ile Cys Arg Pro His Gln Ile Cys Asn Val Val Ala Ile Pro Gly
            180                 185                 190

Asn Ala Ser Met Asp Ala Val Cys Thr Ser Thr Ser Pro Thr Arg Ser
        195                 200                 205

Met Ala Pro Gly Ala Val His Leu Pro Gln Pro Val Ser Thr Arg Ser
    210                 215                 220

Gln His Thr Gln Pro Thr Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser
225                 230                 235                 240

Phe Leu Leu Pro Met Gly Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly
                245                 250                 255

Asp Gly Cys Val Ser Gly Asp Thr Ile Val Met Thr Ser Gly Gly Pro
            260                 265                 270

Arg Thr Val Ala Glu Leu Glu Gly Lys Pro Phe Thr Ala Leu Ile Arg
        275                 280                 285

Gly Ser Gly Tyr Pro Cys Pro Ser Gly Phe Phe Arg Thr Cys Glu Arg
    290                 295                 300

Asp Val Tyr Asp Leu Arg Thr Arg Glu Gly His Cys Leu Arg Leu Thr
305                 310                 315                 320

His Asp His Arg Val Leu Val Met Asp Gly Gly Leu Glu Trp Arg Ala
                325                 330                 335

Ala Gly Glu Leu Glu Arg Gly Asp Arg Leu Val Met Asp Asp Ala Ala
            340                 345                 350

Gly Glu Phe Pro Ala Leu Ala Thr Phe Arg Gly Leu Arg Gly Ala Gly
        355                 360                 365

Arg Gln Asp Val Tyr Asp Ala Thr Val Tyr Gly Ala Ser Ala Phe Thr
    370                 375                 380

Ala Asn Gly Phe Ile Val His Ala Cys Gly Glu Gln Pro Gly Thr Gly
385                 390                 395                 400

Leu Asn Ser Gly Leu Thr Thr Asn Pro Gly Val Ser Ala Trp Gln Val
                405                 410                 415

Asn Thr Ala Tyr Thr Ala Gly Gln Leu Val Thr Tyr Asn Gly Lys Thr
            420                 425                 430

Tyr Lys Cys Leu Gln Pro His Thr Ser Leu Ala Gly Trp Glu Pro Ser
        435                 440                 445
```

```
Asn Val Pro Ala Leu Trp Gln Leu Gln
    450                 455
```

<210> 102

<211> 435

<212> PRT

<213> Artificial Sequence

<220>

<223> mature TNR1B-intein fusion protein

<400> 102

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro

    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Cys Val Ser Gly
225                 230                 235                 240

Asp Thr Ile Val Met Thr Ser Gly Gly Pro Arg Thr Val Ala Glu Leu
                245                 250                 255
```

```
Glu Gly Lys Pro Phe Thr Ala Leu Ile Arg Gly Ser Gly Tyr Pro Cys
            260                 265                 270

Pro Ser Gly Phe Phe Arg Thr Cys Glu Arg Asp Val Tyr Asp Leu Arg
        275                 280                 285

Thr Arg Glu Gly His Cys Leu Arg Leu Thr His Asp His Arg Val Leu
    290                 295                 300

Val Met Asp Gly Gly Leu Glu Trp Arg Ala Ala Gly Glu Leu Glu Arg
305                 310                 315                 320

Gly Asp Arg Leu Val Met Asp Asp Ala Ala Gly Glu Phe Pro Ala Leu
                325                 330                 335

Ala Thr Phe Arg Gly Leu Arg Gly Ala Gly Arg Gln Asp Val Tyr Asp
            340                 345                 350

Ala Thr Val Tyr Gly Ala Ser Ala Phe Thr Ala Asn Gly Phe Ile Val
        355                 360                 365

His Ala Cys Gly Glu Gln Pro Gly Thr Gly Leu Asn Ser Gly Leu Thr
    370                 375                 380

Thr Asn Pro Gly Val Ser Ala Trp Gln Val Asn Thr Ala Tyr Thr Ala
385                 390                 395                 400

Gly Gln Leu Val Thr Tyr Asn Gly Lys Thr Tyr Lys Cys Leu Gln Pro
                405                 410                 415

His Thr Ser Leu Ala Gly Trp Glu Pro Ser Asn Val Pro Ala Leu Trp
            420                 425                 430

Gln Leu Gln
        435
```

<210> 103

<211> 6103

<212> DNA

<213> Artificial Sequence

<220>

<223> pCDNA3-SHH-IgG1-Fc11

<400> 103

```
gacggatcgg gagatctccc gatcccctat ggtgcactct cagtacaatc tgctctgatg       60

ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg      120

cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc      180

ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt      240

gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata      300

tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc      360

cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc      420

attgacgtca atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt      480

atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt      540

atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca      600

tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg      660
```

actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720

aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780

gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 840

ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gctggctagc 900

gtttaaactt aagcttgaat tcccaccatg ctgctgctgg cgagatgtct gctgctagtc 960

ctcgtctcct cgctgctggt atgctcggga ctggcgtgcc caccgtgccc agcacctgaa 1020

ctcctggggg ggccctcagt cttcctcttc cccccaaaac ccaaggacac cctcatgatc 1080

tcccggaccc ctgaggtcac atgcgtggtg gtggacgtga gccacgaaga ccctgaggtc 1140

aagttcaact ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag 1200

gagcagtaca acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca ccaggactgg 1260

ctgaatggca aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag 1320

aaaaccatct ccaaagccaa agggcagccc cgagaaccac aggtgtacac cctgccccca 1380

tcccgggatg agctgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctat 1440

cccagcgaca tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc 1500

acgcctcccg tgctggactc cgacggctcc ttcttcctct acagcaagct caccgtggac 1560

aagagcaggt ggcagcaggg gaacgtcttc tcatgctccg tgatgcatga ggctctgcac 1620

aaccactaca cgcagaagag cctctccctg tctccgggta aatgactcga gcggcccgtt 1680

taaacccgct gatcagcctc gactgtgcct tctagttgcc agccatctgt tgtttgcccc 1740

tcccccgtgc cttccttgac cctggaaggt gccactccca ctgtcctttc ctaataaaat 1800

gaggaaattg catcgcattg tctgagtagg tgtcattcta ttctgggggg tggggtgggg 1860

caggacagca agggggagga ttgggaagac aatagcaggc atgctgggga tgcggtgggc 1920

tctatggctt ctgaggcgga aagaaccagc tggggctcta ggggqtatcc ccacgcgccc 1980

tgtagcggcg cattaagcgc ggcgggtgtg gtggttacgc gcagcgtgac cgctacactt 2040

gccagcgccc tagcgcccgc tcctttcgct ttcttcccct cctttctcgc cacgttcgcc 2100

ggctttcccc gtcaagctct aaatcggggg ctccctttag ggttccgatt tagtgcttta 2160

cggcacctcg accccaaaaa acttgattag ggtgatggtt cacgtagtgg gccatcgccc 2220

tgatagacgg tttttcgccc tttgacgttg gagtccacgt tctttaatag tggactcttg 2280

ttccaaactg gaacaacact caaccctatc tcggtctatt cttttgattt ataagggatt 2340

ttgccgattt cggcctattg gttaaaaaat gagctgattt aacaaaaatt taacgcgaat 2400

taattctgtg gaatgtgtgt cagttagggt gtggaaagtc cccaggctcc ccagcaggca 2460

gaagtatgca aagcatgcat ctcaattagt cagcaaccag gtgtggaaag tccccaggct 2520

ccccagcagg cagaagtatg caaagcatgc atctcaatta gtcagcaacc atagtccccgc 2580

ccctaactcc gcccatcccg cccctaactc cgcccagttc cgcccattct ccgccccatg 2640

gctgactaat ttttttatt tatgcagagg ccgaggccgc ctctgcctct gagctattcc 2700

agaagtagtg aggaggcttt tttggaggcc taggcttttg caaaaagctc ccgggagctt 2760

gtatatccat tttcggatct gatcaagaga caggatgagg atcgtttcgc atgattgaac 2820

aagatggatt gcacgcaggt tctccggccg cttgggtgga gaggctattc ggctatgact 2880

gggcacaaca gacaatcggc tgctctgatg ccgccgtgtt ccggctgtca gcgcaggggc 2940

gcccggttct ttttgtcaag accgacctgt ccggtgccct gaatgaactg caggacgagg 3000

cagcgcggct atcgtggctg gccacgacgg gcgttccttg cgcagctgtg ctcgacgttg 3060

tcactgaagc gggaagggac tggctgctat tgggcgaagt gccggggcag gatctcctgt 3120

catctcacct tgctcctgcc gagaaagtat ccatcatggc tgatgcaatg cggcggctgc 3180

atacgcttga tccggctacc tgcccattcg accaccaagc gaaacatcgc atcgagcgag 3240
cacgtactcg gatggaagcc ggtcttgtcg atcaggatga tctggacgaa gagcatcagg 3300
ggctcgcgcc agccgaactg ttcgccaggc tcaaggcgcg catgcccgac ggcgaggatc 3360
tcgtcgtgac ccatggcgat gcctgcttgc cgaatatcat ggtggaaaat ggccgctttt 3420
ctggattcat cgactgtggc cggctgggtg tggcggaccg ctatcaggac atagcgttgg 3480
ctacccgtga tattgctgaa gagcttggcg gcgaatgggc tgaccgcttc ctcgtgcttt 3540
acggtatcgc cgctcccgat tcgcagcgca tcgccttcta tcgccttctt gacgagttct 3600
tctgagcggg actctggggt tcgaaatgac cgaccaagcg acgcccaacc tgccatcacg 3660
agatttcgat tccaccgccg ccttctatga aaggttgggc ttcggaatcg ttttccggga 3720
cgccggctgg atgatcctcc agcgcgggga tctcatgctg gagttcttcg cccaccccaa 3780
cttgtttatt gcagcttata atggttacaa ataaagcaat agcatcacaa atttcacaaa 3840
taaagcattt ttttcactgc attctagttg tggtttgtcc aaactcatca atgtatctta 3900
tcatgtctgt ataccgtcga cctctagcta gagcttggcg taatcatggt catagctgtt 3960
tcctgtgtga aattgttatc cgctcacaat tccacacaac atacgagccg gaagcataaa 4020
gtgtaaagcc tggggtgcct aatgagtgag ctaactcaca ttaattgcgt tgcgctcact 4080
gcccgctttc cagtcgggaa acctgtcgtg ccagctgcat taatgaatcg gccaacgcgc 4140
ggggagaggc ggtttgcgta ttgggcgctc ttccgcttcc tcgctcactg actcgctgcg 4200
ctcggtcgtt cggctgcggc gagcggtatc agctcactca aaggcggtaa tacggttatc 4260
cacagaatca ggggataacg caggaaagaa catgtgagca aaaggccagc aaaaggccag 4320
gaaccgtaaa aaggccgcgt tgctggcgtt tttccatagg ctccgccccc ctgacgagca 4380
tcacaaaaat cgacgctcaa gtcagaggtg gcgaaacccg acaggactat aaagatacca 4440
ggcgtttccc cctggaagct ccctcgtgcg ctctcctgtt ccgaccctgc cgcttaccgg 4500
atacctgtcc gcctttctcc cttcgggaag cgtggcgctt tctcatagct cacgctgtag 4560
gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg aacccccccgt 4620
tcagcccgac cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc cggtaagaca 4680
cgacttatcg ccactggcag cagccactgg taacaggatt agcagagcga ggtatgtagg 4740
cggtgctaca gagttcttga agtggtggcc taactacggc tacactagaa gaacagtatt 4800
tggtatctgc gctctgctga agccagttac cttcggaaaa agagttggta gctcttgatc 4860
cggcaaacaa accaccgctg gtagcggttt ttttgtttgc aagcagcaga ttacgcgcag 4920

aaaaaaagga tctcaagaag atcctttgat cttttctacg gggtctgacg ctcagtggaa 4980
cgaaaactca cgttaaggga ttttggtcat gagattatca aaaaggatct tcacctagat 5040
ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc 5100
tgacagttac caatgcttaa tcagtgaggc acctatctca gcgatctgtc tatttcgttc 5160
atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg gcttaccatc 5220
tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc 5280
aataaaccag ccagccggaa gggccgagcg cagaagtggt cctgcaactt tatccgcctc 5340
catccagtct attaattgtt gccgggaagc tagagtaagt agttcgccag ttaatagttt 5400
gcgcaacgtt gttgccattg ctacaggcat cgtggtgtca cgctcgtcgt ttggtatggc 5460
ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca tgttgtgcaa 5520
aaaagcggtt agctccttcg gtcctccgat cgttgtcaga agtaagttgg ccgcagtgtt 5580
atcactcatg gttatggcag cactgcataa ttctcttact gtcatgccat ccgtaagatg 5640
cttttctgtg actggtgagt actcaaccaa gtcattctga gaatagtgta tgcggcgacc 5700

gagttgctct tgcccggcgt caatacggga taataccgcg ccacatagca gaactttaaa 5760

agtgctcatc attggaaaac gttcttcggg gcgaaaactc tcaaggatct taccgctgtt 5820

gagatccagt tcgatgtaac ccactcgtgc acccaactga tcttcagcat cttttacttt 5880

caccagcgtt tctgggtgag caaaaacagg aaggcaaaat gccgcaaaaa agggaataag 5940

ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt gaagcattta 6000

tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat 6060

aggggttccg cgcacatttc cccgaaaagt gccacctgac gtc 6103

<210> 104

<211> 245

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-Fc6 polypeptide

<400> 104

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Pro Cys Pro Ala Pro Glu Leu
            20                  25                  30

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
        35                  40                  45

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
    50                  55                  60

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
65                  70                  75                  80

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
                85                  90                  95

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
            100                 105                 110

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
        115                 120                 125

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
    130                 135                 140

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
145                 150                 155                 160

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
                165                 170                 175

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
            180                 185                 190

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
        195                 200                 205

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
```

```
    210                 215                 220

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
225                 230                 235                 240

Leu Ser Pro Gly Lys
                245
```

<210> 105

<211> 222

<212> PRT

<213> Artificial Sequence

<220>

<223> mature Fc6 protein

<400> 105

```
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe

1               5                   10                  15

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
            20                  25                  30

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
        35                  40                  45

Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
    50                  55                  60

Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
65                  70                  75                  80

Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
                85                  90                  95

Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
            100                 105                 110

Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
        115                 120                 125

Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
    130                 135                 140

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
145                 150                 155                 160

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
                165                 170                 175

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
            180                 185                 190

Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
        195                 200                 205

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
    210                 215                 220
```

<210> 106

<211> 237

<212> PRT

<213> Artificial Sequence

<220>

<223> cleaved alkyne-modified TNR1B

<220>

<221> SITE

<222> (237)..(237)

<223> Xaa = cysteine-alkyne

<400> 106

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                  10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Xaa
225                 230                 235
```

<210> 107

<211> 237

<212> PRT
<213> Artificial Sequence

<220>
<223> azide-modified TNR1B protein

<220>
<221> SITE
<222> (237)..(237)
<223> Xaa = cysteine-azide

<400> 107

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Xaa
225                 230                 235
```

<210> 108
<211> 237
<212> PRT

<213> Artificial Sequence

<220>

<223> cysteine-modified TNR1B

<400> 108

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Cys
225                 230                 235
```

<210> 109

<211> 236

<212> PRT

<213> Artificial Sequence

<220>

<223> thioester-modified TNR1B

<220>

<221> SITE

<222> (236)..(236)

<223> Xaa = glycine-thioester

<400> 109

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                  10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Xaa
225                 230                 235
```

<210> 110

<211> 227

<212> PRT

<213> Artificial Sequence

<220>

<223> Az-DKTHT-Fc6 protein

<220>

<221> SITE

<222> (1)..(1)
<223> Xaa = azide-aspartic acid

<400> 110

```
Xaa Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
1               5                  10                  15

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
            20                  25                  30

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His

        35                  40                  45

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
    50                  55                  60

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
65                  70                  75                  80

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
                85                  90                  95

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
            100                 105                 110

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
        115                 120                 125

Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser
    130                 135                 140

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
145                 150                 155                 160

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
                165                 170                 175

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
            180                 185                 190

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
        195                 200                 205

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
    210                 215                 220

Pro Gly Lys
225
```

<210> 111
<211> 227
<212> PRT
<213> Artificial Sequence

<220>
<223> Az-PEG4-DKTHT-Fc6

<220>
<221> SITE

<222> (1)..(1)

<223> Xaa = azide-PEG4-aspartic acid

<400> 111

```
Xaa Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
1               5                  10                  15

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
            20                  25                  30

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
        35                  40                  45

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
    50                  55                  60

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
65                  70                  75                  80

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
                85                  90                  95

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
            100                 105                 110

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
        115                 120                 125

Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser
    130                 135                 140

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
145                 150                 155                 160

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
                165                 170                 175

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
            180                 185                 190

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
        195                 200                 205

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
    210                 215                 220

Pro Gly Lys
225
```

<210> 112

<211> 465

<212> PRT

<213> Artificial Sequence

<220>

<223> Polypeptide with internal non-peptidyl moiety. TNR1B-alkyne-azide-Fc6

<220>

<221> SITE

<222> (238)..(238)

<223> Xaa = non-peptidyl moiety

<400> 112

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val

            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Cys Xaa Asp Lys
225                 230                 235                 240

Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro
                245                 250                 255

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
            260                 265                 270

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
        275                 280                 285

Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
    290                 295                 300

Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
```

```
Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
305                 310                 315                 320

Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
                325                 330                 335

Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys
            340                 345                 350

Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
        355                 360                 365

Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr
    370                 375                 380

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
385                 390                 395                 400

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
                405                 410                 415

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
            420                 425                 430

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
        435                 440                 445

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
    450                 455                 460

Lys
465
```

<210> 113

<211> 465

<212> PRT

<213> Artificial Sequence

<220>

<223> Polypeptide with internal non-peptidyl moiety. TNR1B-alkyne-azide-PEG4-Fc6

<220>

<221> SITE

<222> (238)..(238)

<223> Xaa = non-peptidyl moiety containing PEG4 linker

<400> 113

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80
```

```
Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Gly Cys Xaa Asp Lys
225                 230                 235                 240

Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro
                245                 250                 255

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
            260                 265                 270

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
        275                 280                 285

Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
    290                 295                 300

Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
305                 310                 315                 320

Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
                325                 330                 335

Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys
            340                 345                 350

Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
        355                 360                 365

Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr
    370                 375                 380

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu

385                 390                 395                 400

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
```

```
                405                 410                 415

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
            420                 425                 430

Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
        435                 440                 445

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
    450                 455                 460

Lys
465
```

<210> 114

<211> 467

<212> PRT

<213> Artificial Sequence

<220>

<223> Etanercept

<400> 114

```
Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
1               5                   10                  15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
            20                  25                  30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
        35                  40                  45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
    50                  55                  60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65                  70                  75                  80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
                85                  90                  95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
            100                 105                 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
        115                 120                 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
    130                 135                 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145                 150                 155                 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
                165                 170                 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
            180                 185                 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
        195                 200                 205
```

```
Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
    210                 215                 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp Glu Pro Lys Ser Cys
225                 230                 235                 240

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
                245                 250                 255

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
            260                 265                 270

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
        275                 280                 285

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
    290                 295                 300

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
305                 310                 315                 320

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
                325                 330                 335

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
            340                 345                 350

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
        355                 360                 365

Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser

    370                 375                 380

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
385                 390                 395                 400

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
                405                 410                 415

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
            420                 425                 430

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
        435                 440                 445

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
    450                 455                 460

Pro Gly Lys
465
```

<210> 115

<211> 4175

<212> DNA

<213> Artificial Sequence

<220>

<223> pFUSE2ss-DE27-V -CLIg-hk

<400> 115

ggatctgcga tcgctccggt gcccgtcagt gggcagagcg cacatcgccc acagtccccg 60

agaagttggg gggaggggtc ggcaattgaa cgggtgccta gagaaggtgg cgcggggtaa 120

actgggaaag tgatgtcgtg tactggctcc gccttttcc cgagggtggg ggagaaccgt 180

atataagtgc agtagtcgcc gtgaacgttc tttttcgcaa cgggtttgcc gccagaacac 240

agctgaagct tcgaggggct cgcatctctc cttcacgcgc ccgccgccct acctgaggcc 300

gccatccacg ccggttgagt cgcgttctgc cgcctcccgc ctgtggtgcc tcctgaactg 360

cgtccgccgt ctaggtaagt ttaaagctca ggtcgagacc gggcctttgt ccggcgctcc 420

cttggagcct acctagactc agccggctct ccacgctttg cctgaccctg cttgctcaac 480

tctacgtctt tgtttcgttt tctgttctgc gccgttacag atccaagctg tgaccggcgc 540

ctacctgaga tcaacatgta caggatgcaa ctcctgtctt gcattgcact aagtcttgca 600

cttgtcacga attcagacat ccagatgacc cagtctccat cctccctgtc tgcatctgta 660

ggggacagag tcaccatcac ttgtcgggca agtcagggca tcagaaatta cttagcctgg 720

tatcagcaaa aaccagggaa agcccctaag ctcctgatct atgctgcatc cactttgcaa 780

tcaggggtcc catctcggtt cagtggcagt ggatctggga cagatttcac tctcaccatc 840

agcagcctac agcctgaaga tgttgcaact tattactgtc aaaggtataa ccgtgcaccg 900

tatacttttg gccaggggac caaggtggaa atcaaacgta cggtggctgc accatctgtc 960

ttcatcttcc cgccatctga tgagcagttg aaatctggaa ctgcctctgt tgtgtgcctg 1020

ctgaataact tctatcccag agaggccaaa gtacagtgga aggtggataa cgccctccaa 1080

tcgggtaact cccaggagag tgtcacagag caggacagca aggacagcac ctacagcctc 1140

agcagcaccc tgacgctgag caaagcagac tacgagaaac acaaagtcta cgcctgcgaa 1200

gtcacccatc agggcctgag ctcgcccgtc acaaagagct tcaacagggg agagtgttag 1260

agggagctag ctcgacatga taagatacat tgatgagttt ggacaaacca caactagaat 1320

gcagtgaaaa aaatgcttta tttgtgaaat ttgtgatgct attgctttat ttgtgaaatt 1380

tgtgatgcta ttgctttatt tgtaaccatt ataagctgca ataaacaagt taacaacaac 1440

aattgcattc attttatgtt tcaggttcag ggggaggtgt gggaggtttt ttaaagcaag 1500

taaaacctct acaaatgtgg tatggaatta attctaaaat acagcatagc aaaactttaa 1560

cctccaaatc aagcctctac ttgaatcctt ttctgaggga tgaataaggc ataggcatca 1620

ggggctgttg ccaatgtgca ttagctgttt gcagcctcac cttctttcat ggagtttaag 1680

atatagtgta ttttcccaag gtttgaacta gctcttcatt tctttatgtt ttaaatgcac 1740

tgacctccca cattcccttt ttagtaaaat attcagaaat aatttaaata catcattgca 1800

atgaaaataa atgtttttta ttaggcagaa tccagatgct caaggccctt cataatatcc 1860

cccagtttag tagttggact tagggaacaa aggaaccttt aatagaaatt ggacagcaag 1920

aaagcgagct tctagcttta gttcctggtg tacttgaggg ggatgagttc ctcaatggtg 1980

gttttgacca gcttgccatt catctcaatg agcacaaagc agtcaggagc atagtcagag 2040

atgagctctc tgcacatgcc acaggggctg accaccctga tggatctgtc cacctcatca 2100

gagtaggggt gcctgacagc cacaatggtg tcaaagtcct tctgcccgtt gctcacagca 2160

gacccaatgg caatggcttc agcacagaca gtgaccctgc caatgtaggc ctcaatgtgg 2220

acagcagaga tgatctcccc agtcttggtc ctgatggccg ccccgacatg gtgcttgttg 2280

tcctcataga gcatggtgat cttctcagtg gcgacctcca ccagctccag atcctgctga 2340

gagatgttga aggtcttcat gatggctcct cctgtcagga gaggaaagag aagaaggtta 2400

gtacaattgc tatagtgagt tgtattatac tatgcttatg attaattgtc aaactagggc 2460

tgcagggttc atagtgccac ttttcctgca ctgccccatc tcctgcccac cctttcccag 2520

gcatagacag tcagtgactt accaaactca caggagggag aaggcagaag cttgagacag 2580

acccgcggga ccgccgaact gcgaggggac gtggctaggg cggcttcttt tatggtgcgc 2640

cggccctcgg aggcagggcg ctcggggagg cctagcggcc aatctgcggt ggcaggaggc 2700

ggggccgaag gccgtgcctg accaatccgg agcacatagg agtctcagcc ccccgcccca 2760

aagcaagggg aagtcacgcg cctgtagcgc cagcgtgttg tgaaatgggg gcttgggggg 2820

gttggggccc tgactagtca aaacaaactc ccattgacgt caatggggtg gagacttgga 2880

aatccccgtg agtcaaaccg ctatccacgc ccattgatgt actgccaaaa ccgcatcatc 2940

atggtaatag cgatgactaa tacgtagatg tactgccaag taggaaagtc ccataaggtc 3000

atgtactggg cataatgcca ggcgggccat ttaccgtcat tgacgtcaat agggggcgta 3060

cttggcatat gatacacttg atgtactgcc aagtgggcag tttaccgtaa atactccacc 3120

cattgacgtc aatggaaagt ccctattggc gttactatgg gaacatacgt cattattgac 3180

gtcaatgggc gggggtcgtt gggcggtcag ccaggcgggc catttaccgt aagttatgta 3240

acgcctgcag gttaattaag aacatgtgag caaaaggcca gcaaaaggcc aggaaccgta 3300

aaaaggccgc gttgctggcg tttttccata ggctccgccc ccctgacgag catcacaaaa 3360

atcgacgctc aagtcagagg tggcgaaacc cgacaggact ataaagatac caggcgtttc 3420

cccctggaag ctccctcgtg cgctctcctg ttccgaccct gccgcttacc ggatacctgt 3480

ccgcctttct cccttcggga agcgtggcgc tttctcatag ctcacgctgt aggtatctca 3540

gttcggtgta ggtcgttcgc tccaagctgg gctgtgtgca cgaacccccc gttcagcccg 3600

accgctgcgc cttatccggt aactatcgtc ttgagtccaa cccggtaaga cacgacttat 3660

cgccactggc agcagccact ggtaacagga ttagcagagc gaggtatgta ggcggtgcta 3720

cagagttctt gaagtggtgg cctaactacg gctacactag aagaacagta tttggtatct 3780

gcgctctgct gaagccagtt accttcggaa aaagagttgg tagctcttga tccggcaaac 3840

aaaccaccgc tggtagcggt ggtttttttg tttgcaagca gcagattacg cgcagaaaaa 3900

aaggatctca agaagatcct ttgatctttt ctacggggtc tgacgctcag tggaacgaaa 3960

actcacgtta agggattttg gtcatggcta gttaattaac atttaaatca gcggccgcaa 4020

taaaatatct ttattttcat tacatctgtg tgttggtttt ttgtgtgaat cgtaactaac 4080

atacgctctc catcaaaaca aaacgaaaca aaacaaacta gcaaaatagg ctgtccccag 4140

tgcaagtgca ggtgccagaa catttctcta tcgaa 4175

<210> 116
<211> 4776
<212> DNA
<213> Artificial Sequence

<220>
<223> pPUSEss-DE27-V 1-CHIg-hG1-Mth-1

<400> 116
ggatctgcga tcgctccggt gcccgtcagt gggcagagcg cacatcgccc acagtccccg 60

agaagttggg gggaggggtc ggcaattgaa cgggtgccta gagaaggtgg cgcggggtaa 120

actgggaaag tgatgtcgtg tactggctcc gccttttcc cgagggtggg ggagaaccgt 180

atataagtgc agtagtcgcc gtgaacgttc tttttcgcaa cgggtttgcc gccagaacac 240

agctgaagct tcgaggggct cgcatctctc cttcacgcgc ccgccgccct acctgaggcc 300

gccatccacg ccggttgagt cgcgttctgc cgcctcccgc ctgtggtgcc tcctgaactg 360

cgtccgccgt ctaggtaagt ttaaagctca ggtcgagacc gggcctttgt ccggcgctcc 420

cttggagcct acctagactc agccggctct ccacgctttg cctgaccctg cttgctcaac 480

tctacgtctt tgtttcgttt tctgttctgc gccgttacag atccaagctg tgaccggcgc 540

ctacctgaga tcaccggcga aggagggcca ccatgtacag gatgcaactc ctgtcttgca 600

ttgcactaag tcttgcactt gtcacgaatt cggaggtgca gctggtggag tctgggggag 660

gcttggtaca gcccggcagg tccctgagac tctcctgtgc ggcctctgga ttcacctttg 720

atgattatgc catgcactgg gtccggcaag ctccagggaa gggcctggaa tgggtctcag 780

ctatcacttg gaatagtggt cacatagact atgcggactc tgtggagggc cgattcacca 840

tctccagaga caacgccaag aactccctgt atctgcaaat gaacagtctg agagctgagg 900

atacggccgt atattactgt gcgaaagtct cgtaccttag caccgcgtcc tcccttgact 960

attggggcca aggtaccctg gtcaccgtct cgagtgctag caccaagggc ccatcggtct 1020

tcccccctggc accctcctcc aagagcacct ctgggggcac agcggccctg ggctgcctgg 1080

tcaaggacta cttccccgaa ccggtgacgg tgtcgtggaa ctcaggcgcc ctgaccagcg 1140

gcgtgcacac cttcccggct gtcctacagt cctcaggact ctactccctc agcagcgtgg 1200

tgaccgtgcc ctccagcagc ttgggcaccc agacctacat ctgcaacgtg aatcacaagc 1260

ccagcaacac caaggtggac aagaaagttg agcccaaatc ttgtgacaaa actcacacat 1320

gcgtatccgg tgacaccatt gtaatgacta gtggcgggcc ccgcactgtg gctgaactgg 1380

agggcaaacc gttcaccgca ctgattcgcg gctctggcta cccatgcccc tcaggtttct 1440

tccgcacctg tgaacgtgac gtatatgatc tgcgtacacg tgagggtcat tgcttacgtt 1500

tgacccatga tcaccgtgtt ctggtgatgg atggtggcct ggaatggcgt gccgcgggtg 1560

aactggaacg cggcgaccgc ctggtgatgg atgatgcagc tggcgagttt ccggcactgg 1620

caaccttccg tggcctgcgt ggcgctggcc gccaggatgt ttatgacgct actgtttacg 1680

gtgctagcgc attcactgct aatggcttca ttgtacacgc atgtggcgag cagcccggga 1740

ccggtctgaa ctcaggcctc acgacaaatc ctggtgtatc cgcttggcag gtcaacacag 1800

cttatactgc gggacaattg gtcacatata acggcaagac gtataaatgt ttgcagcccc 1860

acacctcctt ggcaggatgg gaaccatcca acgttcctgc cttgtggcag cttcaatgag 1920

tcctagctgg ccagacatga taagatacat tgatgagttt ggacaaacca caactagaat 1980

gcagtgaaaa aaatgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat 2040

tataagctgc aataaacaag ttaacaacaa caattgcatt cattttatgt ttcaggttca 2100

gggggaggtg tgggaggttt tttaaagcaa gtaaaacctc tacaaatgtg gtatggaatt 2160

aattctaaaa tacagcatag caaaacttta acctccaaat caagcctcta cttgaatcct 2220

tttctgaggg atgaataagg cataggcatc aggggctgtt gccaatgtgc attagctgtt 2280

tgcagcctca ccttctttca tggagtttaa gatatagtgt attttcccaa ggtttgaact 2340

agctcttcat ttctttatgt tttaaatgca ctgacctccc acattccctt tttagtaaaa 2400

tattcagaaa taatttaaat acatcattgc aatgaaaata aatgtttttt attaggcaga 2460

atccagatgc tcaaggccct tcataatatc ccccagttta gtagttggac ttagggaaca 2520

aaggaacctt taatagaaat tggacagcaa gaaagcgagc ttctagctta tcctcagtcc 2580

tgctcctctg ccacaaagtg cacgcagttg ccggccgggt cgcgcagggc gaactcccgc 2640

ccccacggct gctcgccgat ctcggtcatg gccggcccgg aggcgtcccg gaagttcgtg 2700

gacacgacct ccgaccactc ggcgtacagc tcgtccaggc cgcgcaccca cacccaggcc 2760

agggtgttgt ccggcaccac ctggtcctgg accgcgctga tgaacagggt cacgtcgtcc 2820

cggaccacac cggcgaagtc gtcctccacg aagtcccggg agaacccgag ccggtcggtc 2880

cagaactcga ccgctccggc gacgtcgcgc gcggtgagca ccggaacggc actggtcaac 2940

ttggccatga tggctcctcc tgtcaggaga ggaaagagaa gaaggttagt acaattgcta 3000

tagtgagttg tattatacta tgcagatata ctatgccaat gattaattgt caaactaggg 3060

ctgcagggtt catagtgcca cttttcctgc actgccccat ctcctgccca ccctttccca 3120

ggcatagaca gtcagtgact taccaaactc acaggaggga gaaggcagaa gcttgagaca 3180

gacccgcggg accgccgaac tgcgagggga cgtggctagg gcggcttctt ttatggtgcg 3240

ccggccctcg gaggcagggc gctcggggag gcctagcggc caatctgcgg tggcaggagg 3300

cggggccgaa ggccgtgcct gaccaatccg gagcacatag gagtctcagc cccccgcccc 3360

aaagcaaggg gaagtcacgc gcctgtagcg ccagcgtgtt gtgaaatggg ggcttggggg 3420

ggttggggcc ctgactagtc aaaacaaact cccattgacg tcaatggggt ggagacttgg 3480

aaatccccgt gagtcaaacc gctatccacg cccattgatg tactgccaaa accgcatcat 3540

catggtaata gcgatgacta atacgtagat gtactgccaa gtaggaaagt cccataaggt 3600

catgtactgg gcataatgcc aggcgggcca tttaccgtca ttgacgtcaa taggggcgt 3660

acttggcata tgatacactt gatgtactgc caagtgggca gtttaccgta aatactccac 3720

ccattgacgt caatggaaag tccctattgg cgttactatg ggaacatacg tcattattga 3780

cgtcaatggg cgggggtcgt tgggcggtca gccaggcggg ccatttaccg taagttatgt 3840

aacgcctgca ggttaattaa gaacatgtga gcaaaaggcc agcaaaaggc caggaaccgt 3900

aaaaaggccg cgttgctggc gtttttccat aggctccgcc cccctgacga gcatcacaaa 3960

aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcgttt 4020

cccccctggaa gctccctcgt gcgctctcct gttccgaccc tgccgcttac cggatacctg 4080

tccgcctttc tcccttcggg aagcgtggcg ctttctcata gctcacgctg taggtatctc 4140

agttcggtgt aggtcgttcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc 4200

gaccgctgcg ccttatccgg taactatcgt cttgagtcca acccggtaag acacgactta 4260

tcgccactgg cagcagccac tggtaacagg attagcagag cgaggtatgt aggcggtgct 4320

acagagttct tgaagtggtg gcctaactac ggctacacta gaagaacagt atttggtatc 4380

tgcgctctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa 4440

caaaccaccg ctggtagcgg tggtttttt gtttgcaagc agcagattac gcgcagaaaa 4500

aaaggatctc aagaagatcc tttgatcttt tctacggggt ctgacgctca gtggaacgaa 4560

aactcacgtt aagggatttt ggtcatggct agttaattaa catttaaatc agcggccgca 4620

ataaaatatc tttattttca ttacatctgt gtgttggttt tttgtgtgaa tcgtaactaa 4680

catacgctct ccatcaaaac aaaacgaaac aaaacaaact agcaaaatag gctgtcccca 4740

gtgcaagtgc aggtgccaga acatttctct atcgaa 4776

<210> 117
<211> 4779
<212> DNA
<213> Artificial Sequence

<220>
<223> pFUSEss-DE27-V 1-CHIg-hG1-Mth-2

<400> 117
ggatctgcga tcgctccggt gcccgtcagt gggcagagcg cacatcgccc acagtccccg 60

agaagttggg gggaggggtc ggcaattgaa cgggtgccta gagaaggtgg cgcggggtaa 120

actgggaaag tgatgtcgtg tactggctcc gccttttcc cgagggtggg ggagaaccgt 180

atataagtgc agtagtcgcc gtgaacgttc tttttcgcaa cgggtttgcc gccagaacac 240

agctgaagct tcgaggggct cgcatctctc cttcacgcgc ccgccgccct acctgaggcc 300

gccatccacg ccggttgagt cgcgttctgc cgcctcccgc ctgtggtgcc tcctgaactg 360

cgtccgccgt ctaggtaagt ttaaagctca ggtcgagacc gggcctttgt ccggcgctcc 420

cttggagcct acctagactc agccggctct ccacgctttg cctgaccctg cttgctcaac 480

tctacgtctt tgtttcgttt tctgttctgc gccgttacag atccaagctg tgaccggcgc 540

ctacctgaga tcaccggcga aggagggcca ccatgtacag gatgcaactc ctgtcttgca 600

ttgcactaag tcttgcactt gtcacgaatt cggaggtgca gctggtggag tctgggggag 660

gcttggtaca gcccggcagg tccctgagac tctcctgtgc ggcctctgga ttcacctttg 720

atgattatgc catgcactgg gtccggcaag ctccagggaa gggcctggaa tgggtctcag 780

ctatcacttg gaatagtggt cacatagact atgcggactc tgtggagggc cgattcacca 840

tctccagaga caacgccaag aactccctgt atctgcaaat gaacagtctg agagctgagg 900

atacggccgt atattactgt gcgaaagtct cgtaccttag caccgcgtcc tcccttgact 960

attggggcca aggtaccctg gtcaccgtct cgagtgctag caccaagggc ccatcggtct 1020

tcccccctggc accctcctcc aagagcacct ctgggggcac agcggccctg ggctgcctgg 1080

tcaaggacta cttccccgaa ccggtgacgg tgtcgtggaa ctcaggcgcc ctgaccagcg 1140

gcgtgcacac cttcccggct gtcctacagt cctcaggact ctactccctc agcagcgtgg 1200

tgaccgtgcc ctccagcagc ttgggcaccc agacctacat ctgcaacgtg aatcacaagc 1260

ccagcaacac caaggtggac aagaaagttg agcccaaatc ttgtgacaaa actcacacag 1320

ggtgcgtatc cggtgacacc attgtaatga ctagtggcgg gccccgcact gtggctgaac 1380

tggagggcaa accgttcacc gcactgattc gcggctctgg ctacccatgc ccctcaggtt 1440

tcttccgcac ctgtgaacgt gacgtatatg atctgcgtac acgtgagggt cattgcttac 1500

gtttgaccca tgatcaccgt gttctggtga tggatggtgg cctggaatgg cgtgccgcgg 1560

gtgaactgga acgcggcgac cgcctggtga tggatgatgc agctggcgag tttccggcac 1620

tggcaacctt ccgtggcctg cgtggcgctg gccgccagga tgtttatgac gctactgttt 1680

acggtgctag cgcattcact gctaatggct tcattgtaca cgcatgtggc gagcagcccg 1740

ggaccggtct gaactcaggc ctcacgacaa atcctggtgt atccgcttgg caggtcaaca 1800

cagcttatac tgcgggacaa ttggtcacat ataacggcaa gacgtataaa tgtttgcagc 1860

cccacacctc cttggcagga tgggaaccat ccaacgttcc tgccttgtgg cagcttcaat 1920

gagtcctagc tggccagaca tgataagata cattgatgag tttggacaaa ccacaactag 1980

aatgcagtga aaaaaatgct ttatttgtga aatttgtgat gctattgctt tatttgtaac 2040

cattataagc tgcaataaac aagttaacaa caacaattgc attcatttta tgtttcaggt 2100

tcaggggggag gtgtgggagg ttttttaaag caagtaaaac ctctacaaat gtggtatgga 2160

attaattcta aaatacagca tagcaaaact ttaacctcca aatcaagcct ctacttgaat 2220

ccttttctga gggatgaata aggcataggc atcaggggct gttgccaatg tgcattagct 2280

gtttgcagcc tcaccttctt tcatggagtt taagatatag tgtattttcc caaggtttga 2340

actagctctt catttcttta tgttttaaat gcactgacct cccacattcc ctttttagta 2400

aaatattcag aaataattta aatacatcat tgcaatgaaa ataaatgttt tttattaggc 2460

agaatccaga tgctcaaggc ccttcataat atcccccagt ttagtagttg gacttaggga 2520

acaaaggaac ctttaataga aattggacag caagaaagcg agcttctagc ttatcctcag 2580

tcctgctcct ctgccacaaa gtgcacgcag ttgccggccg ggtcgcgcag ggcgaactcc 2640

cgcccccacg gctgctcgcc gatctcggtc atggccggcc cggaggcgtc ccggaagttc 2700

gtggacacga cctccgacca ctcggcgtac agctcgtcca ggccgcgcac ccacacccag 2760

gccagggtgt tgtccggcac cacctggtcc tggaccgcgc tgatgaacag ggtcacgtcg 2820

tcccggacca caccggcgaa gtcgtcctcc acgaagtccc gggagaaccc gagccggtcg 2880

gtccagaact cgaccgctcc ggcgacgtcg cgcgcggtga gcaccggaac ggcactggtc 2940

aacttggcca tgatggctcc tcctgtcagg agaggaaaga gaagaaggtt agtacaattg 3000

ctatagtgag ttgtattata ctatgcagat atactatgcc aatgattaat tgtcaaacta 3060

gggctgcagg gttcatagtg ccacttttcc tgcactgccc catctcctgc ccacccttc 3120

ccaggcatag acagtcagtg acttaccaaa ctcacaggag ggagaaggca gaagcttgag 3180

acagacccgc gggaccgccg aactgcgagg ggacgtggct agggcggctt cttttatggt 3240

gcgccggccc tcggaggcag ggcgctcggg gaggcctagc ggccaatctg cggtggcagg 3300

aggcggggcc gaaggccgtg cctgaccaat ccggagcaca taggagtctc agccccccgc 3360

cccaaagcaa ggggaagtca cgcgcctgta gcgccagcgt gttgtgaaat gggggcttgg 3420

gggggttggg gccctgacta gtcaaaacaa actcccattg acgtcaatgg ggtggagact 3480

tggaaatccc cgtgagtcaa accgctatcc acgcccattg atgtactgcc aaaaccgcat 3540

catcatggta atagcgatga ctaatacgta gatgtactgc caagtaggaa agtcccataa 3600

ggtcatgtac tgggcataat gccaggcggg ccatttaccg tcattgacgt caatagggg 3660

cgtacttggc atatgataca cttgatgtac tgccaagtgg gcagtttacc gtaaatactc 3720

cacccattga cgtcaatgga aagtccctat tggcgttact atgggaacat acgtcattat 3780

tgacgtcaat gggcgggggt cgttgggcgg tcagccaggc gggccattta ccgtaagtta 3840

tgtaacgcct gcaggttaat taagaacatg tgagcaaaag gccagcaaaa ggccaggaac 3900

cgtaaaaagg ccgcgttgct ggcgtttttc cataggctcc gccccctga cgagcatcac 3960

aaaaatcgac gctcaagtca gaggtggcga aacccgacag gactataaag ataccaggcg 4020

tttccccctg gaagctccct cgtgcgctct cctgttccga ccctgccgct taccggatac 4080

ctgtccgcct ttctcccttc gggaagcgtg gcgctttctc atagctcacg ctgtaggtat 4140

ctcagttcgg tgtaggtcgt tcgctccaag ctgggctgtg tgcacgaacc ccccgttcag 4200

cccgaccgct gcgccttatc cggtaactat cgtcttgagt ccaacccggt aagacacgac 4260

ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt 4320

gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaagaac agtatttggt 4380

atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc 4440

aaacaaacca ccgctggtag cggtggtttt tttgtttgca agcagcagat tacgcgcaga 4500

aaaaaaggat ctcaagaaga tcctttgatc ttttctacgg ggtctgacgc tcagtggaac 4560

gaaaactcac gttaagggat tttggtcatg gctagttaat taacatttaa atcagcggcc 4620

gcaataaaat atctttattt tcattacatc tgtgtgttgg ttttttgtgt gaatcgtaac 4680

taacatacgc tctccatcaa aacaaaacga aacaaaacaa actagcaaaa taggctgtcc 4740

ccagtgcaag tgcaggtgcc agaacatttc tctatcgaa 4779

<210> 118
<211> 234
<212> PRT
<213> Artificial Sequence

<220>

<223> pre-kappa light chain of adalimumab

<400> 118

```
Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu
1               5                  10                  15

Val Thr Asn Ser Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
            20                  25                  30

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly
        35                  40                  45

Ile Arg Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                  55                  60

Lys Leu Leu Ile Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser
65                  70                  75                  80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
                85                  90                  95

Ser Leu Gln Pro Glu Asp Val Ala Thr Tyr Tyr Cys Gln Arg Tyr Asn
            100                 105                 110

Arg Ala Pro Tyr Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
        115                 120                 125

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
    130                 135                 140

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
145                 150                 155                 160

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
                165                 170                 175

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
            180                 185                 190

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
        195                 200                 205

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
    210                 215                 220

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 119

<211> 214

<212> PRT

<213> Artificial Sequence

<220>

<223> mature kappa light chain of adalimumab

<400> 119

```
Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1               5                  10                  15
```

```
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Arg Asn Tyr
            20                  25                  30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35                  40                  45

Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
    50                  55                  60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65                  70                  75                  80

Glu Asp Val Ala Thr Tyr Tyr Cys Gln Arg Tyr Asn Arg Ala Pro Tyr
                85                  90                  95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
            100                 105                 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
        115                 120                 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala

    130                 135                 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145                 150                 155                 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
                165                 170                 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
            180                 185                 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
        195                 200                 205

Phe Asn Arg Gly Glu Cys
    210
```

<210> 120

<211> 448

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain-intein chimeric polypeptide

<400> 120

```
Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu
1               5                   10                  15

Val Thr Asn Ser Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr
        35                  40                  45

Phe Asp Asp Tyr Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60
```

```
Leu Glu Trp Val Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr
65                  70                  75                  80

Ala Asp Ser Val Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys
                85                  90                  95

Asn Ser Leu Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu
        115                 120                 125

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
    130                 135                 140

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
145                 150                 155                 160

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
                165                 170                 175

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
            180                 185                 190

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
        195                 200                 205

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
    210                 215                 220

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
225                 230                 235                 240

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Val Ser Gly Asp Thr Ile
                245                 250                 255

Val Met Thr Ser Gly Gly Pro Arg Thr Val Ala Glu Leu Glu Gly Lys
            260                 265                 270

Pro Phe Thr Ala Leu Ile Arg Gly Ser Gly Tyr Pro Cys Pro Ser Gly
        275                 280                 285

Phe Phe Arg Thr Cys Glu Arg Asp Val Tyr Asp Leu Arg Thr Arg Glu
    290                 295                 300

Gly His Cys Leu Arg Leu Thr His Asp His Arg Val Leu Val Met Asp
305                 310                 315                 320

Gly Gly Leu Glu Trp Arg Ala Ala Gly Glu Leu Glu Arg Gly Asp Arg
                325                 330                 335

Leu Val Met Asp Asp Ala Ala Gly Glu Phe Pro Ala Leu Ala Thr Phe
            340                 345                 350

Arg Gly Leu Arg Gly Ala Gly Arg Gln Asp Val Tyr Asp Ala Thr Val
        355                 360                 365

Tyr Gly Ala Ser Ala Phe Thr Ala Asn Gly Phe Ile Val His Ala Cys

    370                 375                 380

Gly Glu Gln Pro Glu Thr Glu Leu Asn Ser Glu Leu Thr Thr Asn Pro
```

```
Gly Glu Gln Pro Gly Thr Gly Leu Asn Ser Gly Leu Thr Thr Asn Pro
385                 390                 395                 400

Gly Val Ser Ala Trp Gln Val Asn Thr Ala Tyr Thr Ala Gly Gln Leu
                405                 410                 415

Val Thr Tyr Asn Gly Lys Thr Tyr Lys Cys Leu Gln Pro His Thr Ser
            420                 425                 430

Leu Ala Gly Trp Glu Pro Ser Asn Val Pro Ala Leu Trp Gln Leu Gln
        435                 440                 445
```

<210> 121

<211> 428

<212> PRT

<213> Artificial Sequence

<220>

<223> mature heavy chain-intein fusion protein

<400> 121

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                   10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220
```

```
Asp Lys Thr His Thr Cys Val Ser Gly Asp Thr Ile Val Met Thr Ser
225                 230                 235                 240

Gly Gly Pro Arg Thr Val Ala Glu Leu Glu Gly Lys Pro Phe Thr Ala
                245                 250                 255

Leu Ile Arg Gly Ser Gly Tyr Pro Cys Pro Ser Gly Phe Phe Arg Thr
            260                 265                 270

Cys Glu Arg Asp Val Tyr Asp Leu Arg Thr Arg Glu Gly His Cys Leu
        275                 280                 285

Arg Leu Thr His Asp His Arg Val Leu Val Met Asp Gly Gly Leu Glu
    290                 295                 300

Trp Arg Ala Ala Gly Glu Leu Glu Arg Gly Asp Arg Leu Val Met Asp
305                 310                 315                 320

Asp Ala Ala Gly Glu Phe Pro Ala Leu Ala Thr Phe Arg Gly Leu Arg
                325                 330                 335

Gly Ala Gly Arg Gln Asp Val Tyr Asp Ala Thr Val Tyr Gly Ala Ser
            340                 345                 350

Ala Phe Thr Ala Asn Gly Phe Ile Val His Ala Cys Gly Glu Gln Pro
        355                 360                 365

Gly Thr Gly Leu Asn Ser Gly Leu Thr Thr Asn Pro Gly Val Ser Ala
    370                 375                 380

Trp Gln Val Asn Thr Ala Tyr Thr Ala Gly Gln Leu Val Thr Tyr Asn

385                 390                 395                 400

Gly Lys Thr Tyr Lys Cys Leu Gln Pro His Thr Ser Leu Ala Gly Trp
                405                 410                 415

Glu Pro Ser Asn Val Pro Ala Leu Trp Gln Leu Gln
            420                 425
```

<210> 122

<211> 449

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain-intein chimeric polypeptide

<400> 122

```
Met Tyr Arg Met Gln Leu Leu Ser Cys Ile Ala Leu Ser Leu Ala Leu
1               5                   10                  15

Val Thr Asn Ser Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr
        35                  40                  45

Phe Asp Asp Tyr Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60
```

```
Leu Glu Trp Val Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr
65                  70                  75                  80

Ala Asp Ser Val Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys
                85                  90                  95

Asn Ser Leu Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu
        115                 120                 125

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
    130                 135                 140

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
145                 150                 155                 160

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
                165                 170                 175

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
            180                 185                 190

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
        195                 200                 205

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
    210                 215                 220

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
225                 230                 235                 240

Pro Lys Ser Cys Asp Lys Thr His Thr Gly Cys Val Ser Gly Asp Thr
                245                 250                 255

Ile Val Met Thr Ser Gly Gly Pro Arg Thr Val Ala Glu Leu Glu Gly
            260                 265                 270

Lys Pro Phe Thr Ala Leu Ile Arg Gly Ser Gly Tyr Pro Cys Pro Ser
        275                 280                 285

Gly Phe Phe Arg Thr Cys Glu Arg Asp Val Tyr Asp Leu Arg Thr Arg
    290                 295                 300

Glu Gly His Cys Leu Arg Leu Thr His Asp His Arg Val Leu Val Met
305                 310                 315                 320

Asp Gly Gly Leu Glu Trp Arg Ala Ala Gly Glu Leu Glu Arg Gly Asp
                325                 330                 335

Arg Leu Val Met Asp Asp Ala Ala Gly Glu Phe Pro Ala Leu Ala Thr
            340                 345                 350

Phe Arg Gly Leu Arg Gly Ala Gly Arg Gln Asp Val Tyr Asp Ala Thr
        355                 360                 365

Val Tyr Gly Ala Ser Ala Phe Thr Ala Asn Gly Phe Ile Val His Ala
    370                 375                 380

Cys Gly Glu Gln Pro Gly Thr Gly Leu Asn Ser Gly Leu Thr Thr Asn
385                 390                 395                 400
```

```
Pro Gly Val Ser Ala Trp Gln Val Asn Thr Ala Tyr Thr Ala Gly Gln
                405                 410                 415

Leu Val Thr Tyr Asn Gly Lys Thr Tyr Lys Cys Leu Gln Pro His Thr

            420                 425                 430

Ser Leu Ala Gly Trp Glu Pro Ser Asn Val Pro Ala Leu Trp Gln Leu
        435                 440                 445

Gln
```

<210> 123

<211> 429

<212> PRT

<213> Artificial Sequence

<220>

<223> mature heavy chain-intein fusion protein

<400> 123

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                   10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205
```

```
Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Gly Cys Val Ser Gly Asp Thr Ile Val Met Thr
225                 230                 235                 240

Ser Gly Gly Pro Arg Thr Val Ala Glu Leu Glu Gly Lys Pro Phe Thr
                245                 250                 255

Ala Leu Ile Arg Gly Ser Gly Tyr Pro Cys Pro Ser Gly Phe Phe Arg
            260                 265                 270

Thr Cys Glu Arg Asp Val Tyr Asp Leu Arg Thr Arg Glu Gly His Cys
        275                 280                 285

Leu Arg Leu Thr His Asp His Arg Val Leu Val Met Asp Gly Gly Leu
    290                 295                 300

Glu Trp Arg Ala Ala Gly Glu Leu Glu Arg Gly Asp Arg Leu Val Met
305                 310                 315                 320

Asp Asp Ala Ala Gly Glu Phe Pro Ala Leu Ala Thr Phe Arg Gly Leu
                325                 330                 335

Arg Gly Ala Gly Arg Gln Asp Val Tyr Asp Ala Thr Val Tyr Gly Ala
            340                 345                 350

Ser Ala Phe Thr Ala Asn Gly Phe Ile Val His Ala Cys Gly Glu Gln
        355                 360                 365

Pro Gly Thr Gly Leu Asn Ser Gly Leu Thr Thr Asn Pro Gly Val Ser
    370                 375                 380

Ala Trp Gln Val Asn Thr Ala Tyr Thr Ala Gly Gln Leu Val Thr Tyr
385                 390                 395                 400

Asn Gly Lys Thr Tyr Lys Cys Leu Gln Pro His Thr Ser Leu Ala Gly
                405                 410                 415

Trp Glu Pro Ser Asn Val Pro Ala Leu Trp Gln Leu Gln

420                 425
```

<210> 124

<211> 230

<212> PRT

<213> Artificial Sequence

<220>

<223> Part of alkyne-modified adalimumab Fab-1 protein. Modified at C-Terminus.

<220>

<221> SITE

<222> (230)..(230)

<223> Xaa = cysteine-alkyne

<400> 124

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                   10                  15
```

```
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Xaa
225                 230
```

<210> 125

<211> 231

<212> PRT

<213> Artificial Sequence

<220>

<223> Part of alkyne-modified adalimumab Fab-2 protein. Motified at C-Terminus

<220>

<221> SITE

<222> (131)..(131)

<223> Xaa = cysteine-alkyne

<220>

<221> misc_feature

<222> (231)..(231)

<223> Xaa can be any naturally occurring amino acid

<400> 125

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                  10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Gly Xaa
225                 230
```

<210> 126

<211> 230

<212> PRT

<213> Artificial Sequence

<220>

<223> Part of azide-modified adalimumab Fab-1 protein. Modified C-Terminus

<220>

<221> SITE

<222> (230)..(230)

<223> Xaa = cysteine-azide

<400> 126

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                   10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Xaa
225                 230
```

<210> 127

<211> 231

<212> PRT

<213> Artificial Sequence

<220>

<223> Part of azide-modified adalimumab Fab-2 protein. Modified C-Terminus

<220>

<221> SITE

<222> (231)..(231)

<223> Xaa = cysteine-azide

<400> 127

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1               5                   10                  15
```

```
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
            20                  25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
    50                  55                  60

Glu Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ala Lys Val Ser Tyr Leu Ser Thr Ala Ser Ser Leu Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Gly Xaa
225                 230
```

<210> 128

<211> 214

<212> PRT

<213> Homo sapiens

<400> 128

```
Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1               5                   10                  15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala
            20                  25                  30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35                  40                  45

Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
    50                  55                  60
```

```
Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65                  70                  75                  80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro
                85                  90                  95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
            100                 105                 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
        115                 120                 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
    130                 135                 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145                 150                 155                 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
                165                 170                 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
            180                 185                 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
        195                 200                 205

Phe Asn Arg Gly Glu Cys
    210
```

<210> 129

<211> 450

<212> PRT

<213> Homo sapiens

<400> 129

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1               5                   10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr
            20                  25                  30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35                  40                  45

Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val
    50                  55                  60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
                85                  90                  95

Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln
            100                 105                 110

Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
        115                 120                 125

Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala
    130                 135                 140
```

```
Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
145                 150                 155                 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
                165                 170                 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
            180                 185                 190

Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys
        195                 200                 205

Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp
    210                 215                 220

Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly
225                 230                 235                 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
                245                 250                 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
            260                 265                 270

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
        275                 280                 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
    290                 295                 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305                 310                 315                 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
                325                 330                 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
            340                 345                 350

Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu
        355                 360                 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
    370                 375                 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385                 390                 395                 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
                405                 410                 415

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
            420                 425                 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
        435                 440                 445

Gly Lys
    450
```

<210> 130

<211> 215

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence C

<400> 130

```
Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val
1               5                   10                  15

Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr
            20                  25                  30

Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu
        35                  40                  45

Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser
    50                  55                  60

Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln
65                  70                  75                  80

Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro
                85                  90                  95

Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
            100                 105                 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
        115                 120                 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
    130                 135                 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145                 150                 155                 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
                165                 170                 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
            180                 185                 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
        195                 200                 205

Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 131

<211> 238

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 131

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
```

```
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Ile Gln Met Thr Gln Ser Pro
            20                  25                  30

Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg
        35                  40                  45

Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro
    50                  55                  60

Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser
65                  70                  75                  80

Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr
                85                  90                  95

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys
            100                 105                 110

Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val
        115                 120                 125

Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro
    130                 135                 140

Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu
145                 150                 155                 160

Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn
                165                 170                 175

Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser
            180                 185                 190

Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala
        195                 200                 205

Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly
    210                 215                 220

Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 132

<211> 238

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 132

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Ile Gln Met Thr Gln Ser Pro
            20                  25                  30

Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg
        35                  40                  45
```

```
Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro
    50                  55                  60

Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser
65                  70                  75                  80

Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr
                85                  90                  95

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys
            100                 105                 110

Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val
        115                 120                 125

Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro
    130                 135                 140

Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu
145                 150                 155                 160

Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn
                165                 170                 175

Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser

            180                 185                 190

Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala
        195                 200                 205

Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly
    210                 215                 220

Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 133

<211> 232

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 133

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser
            20                  25                  30

Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn
        35                  40                  45

Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu
    50                  55                  60

Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe
65                  70                  75                  80
```

```
Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu
                85                  90                  95

Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr
            100                 105                 110

Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
        115                 120                 125

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
    130                 135                 140

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
145                 150                 155                 160

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
                165                 170                 175

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
            180                 185                 190

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
        195                 200                 205

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
    210                 215                 220

Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 134

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CP

<400> 134

```
Cys Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser
1               5                   10                  15

Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn
            20                  25                  30

Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu
        35                  40                  45

Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe
    50                  55                  60

Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu
65                  70                  75                  80

Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr
                85                  90                  95

Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
            100                 105                 110
```

```
Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
        115                 120                 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
    130                 135                 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145                 150                 155                 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
                165                 170                 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
            180                 185                 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
        195                 200                 205

Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 135

<211> 239

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 135

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Asp Ile Gln Met Thr Gln Ser
            20                  25                  30

Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys
        35                  40                  45

Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys
    50                  55                  60

Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr
65                  70                  75                  80

Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe
                85                  90                  95

Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr
            100                 105                 110

Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys
        115                 120                 125

Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro
    130                 135                 140

Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu
145                 150                 155                 160

Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp
                165                 170                 175
```

```
Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp
            180                 185                 190

Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys
        195                 200                 205

Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln
    210                 215                 220

Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 136

<211> 239

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 136

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Asp Ile Gln Met Thr Gln Ser
            20                  25                  30

Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys
        35                  40                  45

Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys
    50                  55                  60

Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr
65                  70                  75                  80

Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe

                85                  90                  95

Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr
            100                 105                 110

Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys
        115                 120                 125

Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro
    130                 135                 140

Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu
145                 150                 155                 160

Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp

                165                 170                 175

Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp
            180                 185                 190

Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys
        195                 200                 205
```

```
Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln
    210                 215                 220

Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 137

<211> 233

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 137

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala
            20                  25                  30

Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val
        35                  40                  45

Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys
    50                  55                  60

Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg
65                  70                  75                  80

Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser
                85                  90                  95

Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr
            100                 105                 110

Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr
        115                 120                 125

Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu
    130                 135                 140

Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro
145                 150                 155                 160

Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly
                165                 170                 175

Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr
            180                 185                 190

Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His
        195                 200                 205

Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val
    210                 215                 220

Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 138

<211> 217

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CPP

<400> 138

```
Cys Pro Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala
1               5                  10                  15

Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val
            20                  25                  30

Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys
        35                  40                  45

Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg
    50                  55                  60

Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser
65                  70                  75                  80

Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr
                85                  90                  95

Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr
            100                 105                 110

Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu
        115                 120                 125

Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro
    130                 135                 140

Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly
145                 150                 155                 160

Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr
                165                 170                 175

Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His
            180                 185                 190

Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val
        195                 200                 205

Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 139

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 139

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Pro Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 140

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 140

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Pro Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45
```

```
Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 141

<211> 234

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 141

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
            20                  25                  30

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
        35                  40                  45

Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                  55                  60

Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser
65                  70                  75                  80
```

```
Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
                85                  90                  95

Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr
            100                 105                 110

Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
        115                 120                 125

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
    130                 135                 140

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
145                 150                 155                 160

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
                165                 170                 175

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
            180                 185                 190

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
        195                 200                 205

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro

    210                 215                 220

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 142

<211> 217

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CPR

<400> 142

```
Cys Pro Arg Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala
1               5                   10                  15

Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val
            20                  25                  30

Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys
        35                  40                  45

Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg
    50                  55                  60

Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser
65                  70                  75                  80

Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr
                85                  90                  95

Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr
            100                 105                 110
```

```
Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu
        115                 120                 125

Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro
    130                 135                 140

Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly
145                 150                 155                 160

Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr
                165                 170                 175

Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His
            180                 185                 190

Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val
        195                 200                 205

Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 143

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 143

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Arg Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160
```

```
Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 144

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 144

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Arg Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205
```

```
Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 145

<211> 234

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 145

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Arg Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
            20                  25                  30

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
        35                  40                  45

Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                  55                  60

Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser
65                  70                  75                  80

Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
                85                  90                  95

Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr
            100                 105                 110

Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg

        115                 120                 125

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
    130                 135                 140

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
145                 150                 155                 160

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
                165                 170                 175

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
            180                 185                 190

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
        195                 200                 205

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
    210                 215                 220

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 146

<211> 217

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CPS

<400> 146

```
Cys Pro Ser Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala
1               5                   10                  15

Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val
            20                  25                  30

Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys
        35                  40                  45

Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg
    50                  55                  60

Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser
65                  70                  75                  80

Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr
                85                  90                  95

Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr
            100                 105                 110

Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu
        115                 120                 125

Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro
    130                 135                 140

Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly
145                 150                 155                 160

Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr
                165                 170                 175

Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His
            180                 185                 190

Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val
        195                 200                 205

Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 147

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 147

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ser Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 148

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 148

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ser Asp Ile Gln Met Thr Gln
            20                  25                  30
```

```
Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 149

<211> 234

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 149

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Ser Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser

            20                  25                  30

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
        35                  40                  45

Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                  55                  60
```

```
Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser
65                  70                  75                  80

Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
                85                  90                  95

Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr
            100                 105                 110

Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
        115                 120                 125

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
    130                 135                 140

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
145                 150                 155                 160

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
                165                 170                 175

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
            180                 185                 190

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
        195                 200                 205

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
    210                 215                 220

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 150

<211> 218

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CDKT

<400> 150

```
Cys Asp Lys Thr Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
1               5                   10                  15

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
            20                  25                  30

Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
        35                  40                  45

Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser
    50                  55                  60

Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
65                  70                  75                  80

Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr
                85                  90                  95

Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
```

```
            100                 105                 110

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
        115                 120                 125

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
    130                 135                 140

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
145                 150                 155                 160

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
                165                 170                 175

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
            180                 185                 190

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
        195                 200                 205

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 151

<211> 241

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 151

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Lys Thr Asp Ile Gln Met Thr
            20                  25                  30

Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile
        35                  40                  45

Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln
    50                  55                  60

Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe
65                  70                  75                  80

Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr
                85                  90                  95

Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr
            100                 105                 110

Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly
        115                 120                 125

Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile
    130                 135                 140

Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val
145                 150                 155                 160
```

```
Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys
                165                 170                 175

Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu
            180                 185                 190

Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu
        195                 200                 205

Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr
    210                 215                 220

His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu
225                 230                 235                 240

    Cys
```

<210> 152

<211> 241

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 152

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Lys Thr Asp Ile Gln Met Thr
            20                  25                  30

Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile
        35                  40                  45

Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln
    50                  55                  60

Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe
65                  70                  75                  80

Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr
                85                  90                  95

Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr
            100                 105                 110

Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly
        115                 120                 125

Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile
    130                 135                 140

Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val
145                 150                 155                 160

Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys
                165                 170                 175
```

```
Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu
            180                 185                 190

Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu
        195                 200                 205

Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr
    210                 215                 220

His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu
225                 230                 235                 240

Cys
```

<210> 153

<211> 235

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 153

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Asp Lys Thr Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu
            20                  25                  30

Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln
        35                  40                  45

Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala
    50                  55                  60

Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro
65                  70                  75                  80

Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile
                85                  90                  95

Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His
            100                 105                 110

Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
        115                 120                 125

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
    130                 135                 140

Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
145                 150                 155                 160

Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
                165                 170                 175

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
            180                 185                 190

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
```

```
        195                 200                 205

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
    210                 215                 220

Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 154

<211> 220

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CDKTHT

<400> 154

```
Cys Asp Lys Thr His Thr Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
1               5                   10                  15

Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
            20                  25                  30

Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys
        35                  40                  45

Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val
    50                  55                  60

Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr
65                  70                  75                  80

Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
                85                  90                  95

His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile
            100                 105                 110

Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp

        115                 120                 125

Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn
    130                 135                 140

Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu
145                 150                 155                 160

Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp
                165                 170                 175

Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr
            180                 185                 190

Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser
        195                 200                 205

Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215                 220
```

<210> 155

<211> 243

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 155

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Lys Thr His Thr Asp Ile Gln
            20                  25                  30

Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val
        35                  40                  45

Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp
    50                  55                  60

Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala
65                  70                  75                  80

Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser
                85                  90                  95

Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe
            100                 105                 110

Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly
        115                 120                 125

Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val
    130                 135                 140

Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser
145                 150                 155                 160

Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln
                165                 170                 175

Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val
            180                 185                 190

Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu
        195                 200                 205

Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu
    210                 215                 220

Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg
225                 230                 235                 240

Gly Glu Cys
```

<210> 156

<211> 243

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 156

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Lys Thr His Thr Asp Ile Gln
            20                  25                  30

Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val
        35                  40                  45

Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp
    50                  55                  60

Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala
65                  70                  75                  80

Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser
                85                  90                  95

Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe
            100                 105                 110

Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly
        115                 120                 125

Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val
    130                 135                 140

Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser
145                 150                 155                 160

Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln
                165                 170                 175

Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val
            180                 185                 190

Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu
        195                 200                 205

Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu
    210                 215                 220

Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg
225                 230                 235                 240

Gly Glu Cys
```

<210> 157

<211> 237

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 157

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
```

```
                                                                  Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala Ala
1               5                   10                  15

Ala Cys Asp Lys Thr His Thr Asp Ile Gln Met Thr Gln Ser Pro Ser
            20                  25                  30

Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala
        35                  40                  45

Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly
    50                  55                  60

Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly
65                  70                  75                  80

Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu
                85                  90                  95

Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln
            100                 105                 110

Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu
        115                 120                 125

Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
    130                 135                 140

Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn
145                 150                 155                 160

Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala
                165                 170                 175

Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys
            180                 185                 190

Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp
        195                 200                 205

Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu
    210                 215                 220

Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 158

<211> 217

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CVE

<400> 158

```
Cys Val Glu Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala
1               5                   10                  15

Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Val
            20                  25                  30

Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys
        35                  40                  45
```

```
Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg
    50                  55                  60

Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser
65                  70                  75                  80

Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr
                85                  90                  95

Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr
            100                 105                 110

Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu
        115                 120                 125

Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro
    130                 135                 140

Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly
145                 150                 155                 160

Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr
                165                 170                 175

Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His
            180                 185                 190

Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val
        195                 200                 205

Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215
```

<210> 159

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 159

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Val Glu Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95
```

```
Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125

Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys

225                 230                 235                 240
```

<210> 160

<211> 240

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 160

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Val Glu Asp Ile Gln Met Thr Gln
            20                  25                  30

Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr
        35                  40                  45

Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln
    50                  55                  60

Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu
65                  70                  75                  80

Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp
                85                  90                  95

Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr
            100                 105                 110

Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr
        115                 120                 125
```

```
Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe
    130                 135                 140

Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys
145                 150                 155                 160

Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val
                165                 170                 175

Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln
            180                 185                 190

Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser
        195                 200                 205

Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His
    210                 215                 220

Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235                 240
```

<210> 161

<211> 234

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 161

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Val Glu Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
            20                  25                  30

Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
        35                  40                  45

Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                  55                  60

Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val Pro Ser
65                  70                  75                  80

Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
                85                  90                  95

Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr
            100                 105                 110

Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
        115                 120                 125

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
    130                 135                 140

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
145                 150                 155                 160

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
```

```
                165                 170                 175

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
            180                 185                 190

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
        195                 200                 205

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
    210                 215                 220

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230
```

<210> 162

<211> 220

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab light chain having the N-terminal sequence CDTPPP

<400> 162

```
Cys Asp Thr Pro Pro Pro Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
1               5                   10                  15

Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
            20                  25                  30

Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys
        35                  40                  45

Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly Val
    50                  55                  60

Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr
65                  70                  75                  80

Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
                85                  90                  95

His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile
            100                 105                 110

Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp
        115                 120                 125

Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn
    130                 135                 140

Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu
145                 150                 155                 160

Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp
                165                 170                 175

Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr
            180                 185                 190

Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser
        195                 200                 205
```

```
Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
    210                 215                 220
```

<210> 163

<211> 243

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having SHH signal peptide

<400> 163

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Thr Pro Pro Pro Asp Ile Gln
            20                  25                  30

Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val
        35                  40                  45

Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp
    50                  55                  60

Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala
65                  70                  75                  80

Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser
                85                  90                  95

Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe
            100                 105                 110

Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly
        115                 120                 125

Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val

    130                 135                 140

Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser
145                 150                 155                 160

Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln
                165                 170                 175

Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val
            180                 185                 190

Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu
        195                 200                 205

Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu
    210                 215                 220

Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg
225                 230                 235                 240

Gly Glu Cys
```

<210> 164

<211> 243

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having IFN signal peptide

<400> 164

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Thr Pro Pro Pro Asp Ile Gln
            20                  25                  30

Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg Val
        35                  40                  45

Thr Ile Thr Cys Arg Ala Ser Gln Asp Val Asn Thr Ala Val Ala Trp
    50                  55                  60

Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala
65                  70                  75                  80

Ser Phe Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Arg Ser
                85                  90                  95

Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe
            100                 105                 110

Ala Thr Tyr Tyr Cys Gln Gln His Tyr Thr Thr Pro Pro Thr Phe Gly
        115                 120                 125

Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro Ser Val
    130                 135                 140

Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser
145                 150                 155                 160

Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln
                165                 170                 175

Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val
            180                 185                 190

Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu
        195                 200                 205

Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu
    210                 215                 220

Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg
225                 230                 235                 240

Gly Glu Cys
```

<210> 165

<211> 237

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-light chimeric polypeptide having CETP signal peptide

<400> 165

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Asp Thr Pro Pro Pro Asp Ile Gln Met Thr Gln Ser Pro Ser
            20                  25                  30

Ser Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala
        35                  40                  45

Ser Gln Asp Val Asn Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly
    50                  55                  60

Lys Ala Pro Lys Leu Leu Ile Tyr Ser Ala Ser Phe Leu Tyr Ser Gly
65                  70                  75                  80

Val Pro Ser Arg Phe Ser Gly Ser Arg Ser Gly Thr Asp Phe Thr Leu
                85                  90                  95

Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln
            100                 105                 110

Gln His Tyr Thr Thr Pro Pro Thr Phe Gly Gln Gly Thr Lys Val Glu
        115                 120                 125

Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
    130                 135                 140

Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn
145                 150                 155                 160

Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala
                165                 170                 175

Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys
            180                 185                 190

Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp
        195                 200                 205

Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu
    210                 215                 220

Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
225                 230                 235
```

<210> 166

<211> 451

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence C

<400> 166

```
Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly
1               5                  10                  15
```

```
Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp
            20                  25                  30

Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp
        35                  40                  45

Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser
    50                  55                  60

Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala
65                  70                  75                  80

Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr
                85                  90                  95

Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly
            100                 105                 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
        115                 120                 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
    130                 135                 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145                 150                 155                 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
                165                 170                 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
            180                 185                 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
        195                 200                 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
    210                 215                 220

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
225                 230                 235                 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
                245                 250                 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
            260                 265                 270

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
        275                 280                 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
    290                 295                 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305                 310                 315                 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
                325                 330                 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
            340                 345                 350
```

```
Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser
        355                 360                 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
    370                 375                 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385                 390                 395                 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
                405                 410                 415

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
            420                 425                 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
        435                 440                 445

Pro Gly Lys
    450
```

<210> 167

<211> 474

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 167

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Glu Val Gln Leu Val Glu Ser Gly
            20                  25                  30

Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala
        35                  40                  45

Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala
    50                  55                  60

Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly
65                  70                  75                  80

Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala
                85                  90                  95

Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala
            100                 105                 110

Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe
        115                 120                 125

Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
    130                 135                 140

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
145                 150                 155                 160

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
                165                 170                 175
```

```
Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
            180                 185                 190

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
        195                 200                 205

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
    210                 215                 220

Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys
225                 230                 235                 240

Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys
                245                 250                 255

Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro
            260                 265                 270

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
        275                 280                 285

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
    290                 295                 300

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
305                 310                 315                 320

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
                325                 330                 335

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
            340                 345                 350

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
        355                 360                 365

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu
    370                 375                 380

Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
385                 390                 395                 400

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
                405                 410                 415

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
            420                 425                 430

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
        435                 440                 445

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
    450                 455                 460

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 168

<211> 474

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 168

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Glu Val Gln Leu Val Glu Ser Gly
            20                  25                  30

Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala
        35                  40                  45

Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala
    50                  55                  60

Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly
65                  70                  75                  80

Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala
                85                  90                  95

Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala
            100                 105                 110

Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe
        115                 120                 125

Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
    130                 135                 140

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
145                 150                 155                 160

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
                165                 170                 175

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
            180                 185                 190

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
        195                 200                 205

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
    210                 215                 220

Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys
225                 230                 235                 240

Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys
                245                 250                 255

Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro
            260                 265                 270

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
        275                 280                 285

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
    290                 295                 300

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
```

```
305                 310                 315                 320

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
                325                 330                 335

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
            340                 345                 350

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
        355                 360                 365

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu
    370                 375                 380

Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
385                 390                 395                 400

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
                405                 410                 415

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
            420                 425                 430

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
        435                 440                 445

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
    450                 455                 460

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 169

<211> 468

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 169

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro
            20                  25                  30

Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys
        35                  40                  45

Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu
    50                  55                  60

Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp
65                  70                  75                  80

Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr
                85                  90                  95

Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr
            100                 105                 110
```

```
Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp
        115                 120                 125

Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
    130                 135                 140

Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr
145                 150                 155                 160

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr
                165                 170                 175

Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro
            180                 185                 190

Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr
        195                 200                 205

Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn
    210                 215                 220

His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser
225                 230                 235                 240

Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
                245                 250                 255

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            260                 265                 270

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        275                 280                 285

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    290                 295                 300

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
305                 310                 315                 320

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                325                 330                 335

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            340                 345                 350

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        355                 360                 365

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    370                 375                 380

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
385                 390                 395                 400

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                405                 410                 415

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            420                 425                 430

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        435                 440                 445
```

435 440 445

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
450 455 460

Ser Pro Gly Lys
465

<210> 170

<211> 452

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CP

<400> 170

Cys Pro Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro
1 5 10 15

Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys
20 25 30

Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu
35 40 45

Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp
50 55 60

Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr
65 70 75 80

Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr
85 90 95

Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
115 120 125

Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr
130 135 140

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr
145 150 155 160

Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro
165 170 175

Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr
180 185 190

Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn
195 200 205

His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser
210 215 220

Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
225 230 235 240

```
Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
                245                 250                 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
            260                 265                 270

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
        275                 280                 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
    290                 295                 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305                 310                 315                 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
                325                 330                 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
            340                 345                 350

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
        355                 360                 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
    370                 375                 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385                 390                 395                 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
                405                 410                 415

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
            420                 425                 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
        435                 440                 445

Ser Pro Gly Lys
    450
```

<210> 171

<211> 475

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 171

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Glu Val Gln Leu Val Glu Ser
            20                  25                  30

Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala
        35                  40                  45

Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln
```

```
    50                  55                  60

Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn
65                  70                  75                  80

Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser
                85                  90                  95

Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg
            100                 105                 110

Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly
        115                 120                 125

Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
    130                 135                 140

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
145                 150                 155                 160

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
                165                 170                 175

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
            180                 185                 190

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
        195                 200                 205

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
    210                 215                 220

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
225                 230                 235                 240

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
                245                 250                 255

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
            260                 265                 270

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
        275                 280                 285

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
    290                 295                 300

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
305                 310                 315                 320

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
                325                 330                 335

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
            340                 345                 350

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
        355                 360                 365

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
    370                 375                 380

Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
```

```
385                 390                 395                 400

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
                405                 410                 415

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
            420                 425                 430

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
        435                 440                 445

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
    450                 455                 460

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 172

<211> 475

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 172

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Glu Val Gln Leu Val Glu Ser
            20                  25                  30

Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala
        35                  40                  45

Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln
    50                  55                  60

Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn
65                  70                  75                  80

Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser
                85                  90                  95

Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg
            100                 105                 110

Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly
        115                 120                 125

Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
    130                 135                 140

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
145                 150                 155                 160

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
                165                 170                 175

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
            180                 185                 190
```

```
Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
        195                 200                 205

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
    210                 215                 220

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
225                 230                 235                 240

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
                245                 250                 255

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
            260                 265                 270

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
        275                 280                 285

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
    290                 295                 300

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
305                 310                 315                 320

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
                325                 330                 335

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
            340                 345                 350

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
        355                 360                 365

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
    370                 375                 380

Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
385                 390                 395                 400

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
                405                 410                 415

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
            420                 425                 430

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
        435                 440                 445

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
    450                 455                 460

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 173

<211> 469

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 173

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Pro Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
            20                  25                  30

Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile
        35                  40                  45

Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
    50                  55                  60

Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala
65                  70                  75                  80

Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn
                85                  90                  95

Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val
            100                 105                 110

Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr
        115                 120                 125

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
    130                 135                 140

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
145                 150                 155                 160

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
                165                 170                 175

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
            180                 185                 190

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
        195                 200                 205

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
    210                 215                 220

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
225                 230                 235                 240

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
                245                 250                 255

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
            260                 265                 270

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
        275                 280                 285

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
    290                 295                 300

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
305                 310                 315                 320

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
                325                 330                 335
```

```
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
            340                 345                 350

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
        355                 360                 365

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
    370                 375                 380

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
385                 390                 395                 400

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
                405                 410                 415

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
            420                 425                 430

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
        435                 440                 445

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
    450                 455                 460

Leu Ser Pro Gly Lys
465
```

<210> 174

<211> 453

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CPP

<400> 174

```
Cys Pro Pro Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
1               5                   10                  15

Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile
            20                  25                  30

Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
        35                  40                  45

Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala
    50                  55                  60

Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn
65                  70                  75                  80

Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val
                85                  90                  95

Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr
            100                 105                 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
        115                 120                 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
```

```
    130                 135                 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145                 150                 155                 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
                165                 170                 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
            180                 185                 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
        195                 200                 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
    210                 215                 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225                 230                 235                 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                245                 250                 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
            260                 265                 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
        275                 280                 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
    290                 295                 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305                 310                 315                 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                325                 330                 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            340                 345                 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        355                 360                 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    370                 375                 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385                 390                 395                 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                405                 410                 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            420                 425                 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        435                 440                 445

Leu Ser Pro Gly Lys
    450
```

<210> 175

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 175

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Pro Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285
```

```
Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 176

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 176

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Pro Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95
```

```
Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430
```

```
Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 177

<211> 470

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 177

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Pro Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn
        35                  40                  45

Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60

Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr
65                  70                  75                  80

Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
                85                  90                  95

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp
        115                 120                 125

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
    130                 135                 140

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
145                 150                 155                 160

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
                165                 170                 175

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
            180                 185                 190

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
        195                 200                 205

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
    210                 215                 220

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
225                 230                 235                 240
```

```
225                 230                 235                 240

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
                245                 250                 255

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
            260                 265                 270

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
        275                 280                 285

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
    290                 295                 300

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
305                 310                 315                 320

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
                325                 330                 335

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
            340                 345                 350

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
        355                 360                 365

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn
    370                 375                 380

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
385                 390                 395                 400

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
                405                 410                 415

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
            420                 425                 430

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
        435                 440                 445

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
    450                 455                 460

Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 178

<211> 453

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CPR

<400> 178

```
Cys Pro Arg Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
1               5                   10                  15

Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile
            20                  25                  30

Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Glu Leu
```

```
Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
        35                  40                  45

Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala
    50                  55                  60

Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn
65                  70                  75                  80

Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val
                85                  90                  95

Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr
            100                 105                 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
        115                 120                 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
    130                 135                 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145                 150                 155                 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
                165                 170                 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
            180                 185                 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
        195                 200                 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
    210                 215                 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225                 230                 235                 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                245                 250                 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
            260                 265                 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
        275                 280                 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
    290                 295                 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305                 310                 315                 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                325                 330                 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            340                 345                 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        355                 360                 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
```

```
    370                 375                 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385                 390                 395                 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                405                 410                 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            420                 425                 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        435                 440                 445

Leu Ser Pro Gly Lys
    450
```

<210> 179

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 179

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Arg Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190
```

```
Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 180

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 180

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                  10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Arg Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335
```

```
Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 181

<211> 470

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 181

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Arg Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn
        35                  40                  45

Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60

Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr
65                  70                  75                  80

Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
                85                  90                  95

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp
        115                 120                 125

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
    130                 135                 140
```

```
    130                 135                 140

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
145                 150                 155                 160

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
                165                 170                 175

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
            180                 185                 190

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
        195                 200                 205

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
    210                 215                 220

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
225                 230                 235                 240

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
                245                 250                 255

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
            260                 265                 270

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
        275                 280                 285

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
    290                 295                 300

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
305                 310                 315                 320

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
                325                 330                 335

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
            340                 345                 350

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
        355                 360                 365

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn
    370                 375                 380

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
385                 390                 395                 400

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
                405                 410                 415

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
            420                 425                 430

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
        435                 440                 445

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
    450                 455                 460

Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 182

<211> 453

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CPS

<400> 182

```
Cys Pro Ser Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
1               5                  10                  15

Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile
            20                  25                  30

Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
        35                  40                  45

Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala
    50                  55                  60

Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn
65                  70                  75                  80

Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val
                85                  90                  95

Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr
            100                 105                 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
        115                 120                 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
    130                 135                 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145                 150                 155                 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
                165                 170                 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
            180                 185                 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
        195                 200                 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
    210                 215                 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225                 230                 235                 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                245                 250                 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
            260                 265                 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
```

```
        275                 280                 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
    290                 295                 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305                 310                 315                 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                325                 330                 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            340                 345                 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        355                 360                 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    370                 375                 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385                 390                 395                 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                405                 410                 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            420                 425                 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        435                 440                 445

Leu Ser Pro Gly Lys
    450
```

<210> 183

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 183

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Pro Ser Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95
```

```
Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430
```

```
Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 184

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 184

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Pro Ser Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240
```

```
Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 185

<211> 470

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 185

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Pro Ser Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn
```

```
        35                  40                  45

Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60

Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr
65                  70                  75                  80

Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
                85                  90                  95

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp
        115                 120                 125

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
    130                 135                 140

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
145                 150                 155                 160

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
                165                 170                 175

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
            180                 185                 190

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
        195                 200                 205

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
    210                 215                 220

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
225                 230                 235                 240

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
                245                 250                 255

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
            260                 265                 270

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
        275                 280                 285

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
    290                 295                 300

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
305                 310                 315                 320

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
                325                 330                 335

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
            340                 345                 350

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
        355                 360                 365

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn
    370                 375                 380
```

```
Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
385                 390                 395                 400

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
                405                 410                 415

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
            420                 425                 430

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
        435                 440                 445

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
    450                 455                 460

Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 186

<211> 454

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CDKT

<400> 186

```
Cys Asp Lys Thr Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
1               5                   10                  15

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn
            20                  25                  30

Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly
        35                  40                  45

Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr
    50                  55                  60

Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
65                  70                  75                  80

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
                85                  90                  95

Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp
            100                 105                 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
        115                 120                 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
    130                 135                 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145                 150                 155                 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
                165                 170                 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
```

```
            180                 185                 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
        195                 200                 205

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
    210                 215                 220

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
225                 230                 235                 240

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
                245                 250                 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
            260                 265                 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
        275                 280                 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
    290                 295                 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305                 310                 315                 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
                325                 330                 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
            340                 345                 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn
        355                 360                 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
    370                 375                 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385                 390                 395                 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
                405                 410                 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
            420                 425                 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
        435                 440                 445

Ser Leu Ser Pro Gly Lys
    450
```

<210> 187

<211> 477

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 187

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Lys Thr Glu Val Gln Leu Val
            20                  25                  30

Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser
        35                  40                  45

Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val
    50                  55                  60

Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro
65                  70                  75                  80

Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr
                85                  90                  95

Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser
            100                 105                 110

Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly
        115                 120                 125

Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr
    130                 135                 140

Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro
145                 150                 155                 160

Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val
                165                 170                 175

Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala
            180                 185                 190

Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly
        195                 200                 205

Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly
    210                 215                 220

Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys
225                 230                 235                 240

Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys
                245                 250                 255

Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu
            260                 265                 270

Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
        275                 280                 285

Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys
    290                 295                 300

Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
305                 310                 315                 320

Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu
                325                 330                 335
```

```
Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
            340                 345                 350

Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
        355                 360                 365

Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
    370                 375                 380

Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
385                 390                 395                 400

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
                405                 410                 415

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
            420                 425                 430

Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
        435                 440                 445

Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
    450                 455                 460

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 188

<211> 477

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 188

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Lys Thr Glu Val Gln Leu Val
            20                  25                  30

Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser
        35                  40                  45

Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val
    50                  55                  60

Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro
65                  70                  75                  80

Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr
                85                  90                  95

Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser
            100                 105                 110

Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly
        115                 120                 125

Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr
    130                 135                 140
```

```
Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro
145                 150                 155                 160

Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val
                165                 170                 175

Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala
            180                 185                 190

Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly
        195                 200                 205

Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly
    210                 215                 220

Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys
225                 230                 235                 240

Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys
                245                 250                 255

Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu
            260                 265                 270

Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
        275                 280                 285

Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys
    290                 295                 300

Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
305                 310                 315                 320

Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu
                325                 330                 335

Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
            340                 345                 350

Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
        355                 360                 365

Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
    370                 375                 380

Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
385                 390                 395                 400

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
                405                 410                 415

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
            420                 425                 430

Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
        435                 440                 445

Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
    450                 455                 460

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 189
<211> 471
<212> PRT
<213> Artificial Sequence

<220>
<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 189

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Asp Lys Thr Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu
            20                  25                  30

Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe
        35                  40                  45

Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys
    50                  55                  60

Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg
65                  70                  75                  80

Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser
                85                  90                  95

Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr
            100                 105                 110

Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met
        115                 120                 125

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
    130                 135                 140

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
145                 150                 155                 160

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
                165                 170                 175

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
            180                 185                 190

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
        195                 200                 205

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
    210                 215                 220

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
225                 230                 235                 240

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
                245                 250                 255

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
            260                 265                 270

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
        275                 280                 285
```

```
        275                 280                 285

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
    290                 295                 300

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
305                 310                 315                 320

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
                325                 330                 335

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
            340                 345                 350

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
        355                 360                 365

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys
    370                 375                 380

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
385                 390                 395                 400

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
                405                 410                 415

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
            420                 425                 430

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
        435                 440                 445

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
    450                 455                 460

Leu Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 190

<211> 456

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CDKTHT

<400> 190

```
Cys Asp Lys Thr His Thr Glu Val Gln Leu Val Glu Ser Gly Gly Gly
1               5                   10                  15

Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly
            20                  25                  30

Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly
        35                  40                  45

Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr
    50                  55                  60

Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr
65                  70                  75                  80
```

```
Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
                85                  90                  95

Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala
            100                 105                 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
        115                 120                 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
    130                 135                 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145                 150                 155                 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
                165                 170                 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
            180                 185                 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile
        195                 200                 205

Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val
    210                 215                 220

Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
225                 230                 235                 240

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
                245                 250                 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
            260                 265                 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
        275                 280                 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
    290                 295                 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305                 310                 315                 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
                325                 330                 335

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
            340                 345                 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr
        355                 360                 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
    370                 375                 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385                 390                 395                 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
                405                 410                 415
```

```
                405                 410                 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
            420                 425                 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
        435                 440                 445

Ser Leu Ser Leu Ser Pro Gly Lys
    450                 455
```

<210> 191

<211> 479

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 191

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Lys Thr His Thr Glu Val Gln
            20                  25                  30

Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg
        35                  40                  45

Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His
    50                  55                  60

Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile
65                  70                  75                  80

Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg
                85                  90                  95

Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met
            100                 105                 110

Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp
        115                 120                 125

Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu
    130                 135                 140

Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu
145                 150                 155                 160

Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys
                165                 170                 175

Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser
            180                 185                 190

Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser
        195                 200                 205

Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser
    210                 215                 220
```

```
Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn
225                 230                 235                 240

Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His
                245                 250                 255

Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            260                 265                 270

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        275                 280                 285

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    290                 295                 300

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
305                 310                 315                 320

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
                325                 330                 335

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            340                 345                 350

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        355                 360                 365

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    370                 375                 380

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
385                 390                 395                 400

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                405                 410                 415

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            420                 425                 430

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        435                 440                 445

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    450                 455                 460

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 192

<211> 479

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 192

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Lys Thr His Thr Glu Val Gln
```

```
                20                  25                  30

Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg
        35                  40                  45

Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His
    50                  55                  60

Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile
65                  70                  75                  80

Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg
                85                  90                  95

Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met
            100                 105                 110

Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp
        115                 120                 125

Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu
    130                 135                 140

Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu
145                 150                 155                 160

Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys
                165                 170                 175

Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser
            180                 185                 190

Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser
        195                 200                 205

Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser
    210                 215                 220

Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn
225                 230                 235                 240

Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His
                245                 250                 255

Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            260                 265                 270

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        275                 280                 285

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    290                 295                 300

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
305                 310                 315                 320

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
                325                 330                 335

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            340                 345                 350
```

```
Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        355                 360                 365

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    370                 375                 380

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
385                 390                 395                 400

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                405                 410                 415

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            420                 425                 430

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        435                 440                 445

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    450                 455                 460

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys

465                 470                 475
```

<210> 193

<211> 473

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 193

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Asp Lys Thr His Thr Glu Val Gln Leu Val Glu Ser Gly Gly
            20                  25                  30

Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser
        35                  40                  45

Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro
    50                  55                  60

Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr
65                  70                  75                  80

Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp
                85                  90                  95

Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu
            100                 105                 110

Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr
        115                 120                 125

Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
    130                 135                 140
```

```
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
145                 150                 155                 160

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
                165                 170                 175

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
            180                 185                 190

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
        195                 200                 205

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
    210                 215                 220

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
225                 230                 235                 240

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
                245                 250                 255

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
            260                 265                 270

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
        275                 280                 285

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
    290                 295                 300

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
305                 310                 315                 320

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
                325                 330                 335

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
            340                 345                 350

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
        355                 360                 365

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
    370                 375                 380

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
385                 390                 395                 400

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
                405                 410                 415

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
            420                 425                 430

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
        435                 440                 445

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln

    450                 455                 460

Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 194

<211> 453

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CVE

<400> 194

```
Cys Val Glu Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln
1               5                  10                  15

Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile
            20                  25                  30

Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
        35                  40                  45

Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala
    50                  55                  60

Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn
65                  70                  75                  80

Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val
                85                  90                  95

Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr
            100                 105                 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
        115                 120                 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
    130                 135                 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145                 150                 155                 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
                165                 170                 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
            180                 185                 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
        195                 200                 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
    210                 215                 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225                 230                 235                 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                245                 250                 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
            260                 265                 270
```

```
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
        275                 280                 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
    290                 295                 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305                 310                 315                 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                325                 330                 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            340                 345                 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        355                 360                 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    370                 375                 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385                 390                 395                 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                405                 410                 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            420                 425                 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser

        435                 440                 445

Leu Ser Pro Gly Lys
    450
```

<210> 195

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 195

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                   10                  15

Leu Val Cys Ser Gly Leu Ala Cys Val Glu Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80
```

```
Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415
```

```
Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln

        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 196

<211> 476

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 196

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Val Glu Glu Val Gln Leu Val Glu
            20                  25                  30

Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
        35                  40                  45

Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg
    50                  55                  60

Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr
65                  70                  75                  80

Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile
                85                  90                  95

Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu
            100                 105                 110

Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp
        115                 120                 125

Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
    130                 135                 140

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
145                 150                 155                 160

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
                165                 170                 175

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
            180                 185                 190

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
        195                 200                 205
```

```
Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
    210                 215                 220

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
225                 230                 235                 240

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
                245                 250                 255

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
            260                 265                 270

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
        275                 280                 285

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
    290                 295                 300

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
305                 310                 315                 320

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
                325                 330                 335

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
            340                 345                 350

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
        355                 360                 365

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
    370                 375                 380

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
385                 390                 395                 400

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
                405                 410                 415

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser

            420                 425                 430

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
        435                 440                 445

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
    450                 455                 460

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 197

<211> 470

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 197

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
```

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                  10                  15

Ala Cys Val Glu Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val
            20                  25                  30

Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Asn
        35                  40                  45

Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly
    50                  55                  60

Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr
65                  70                  75                  80

Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys
                85                  90                  95

Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala
            100                 105                 110

Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala Met Asp
        115                 120                 125

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
    130                 135                 140

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
145                 150                 155                 160

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
                165                 170                 175

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
            180                 185                 190

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
        195                 200                 205

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
    210                 215                 220

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
225                 230                 235                 240

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
                245                 250                 255

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
            260                 265                 270

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
        275                 280                 285

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
    290                 295                 300

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
305                 310                 315                 320

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
                325                 330                 335
```

```
Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
            340                 345                 350

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
        355                 360                 365

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn
    370                 375                 380

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
385                 390                 395                 400

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr

                405                 410                 415

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
            420                 425                 430

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
        435                 440                 445

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
    450                 455                 460

Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 198

<211> 456

<212> PRT

<213> Artificial Sequence

<220>

<223> Trastuzumab heavy chain having the N-terminal sequence CDTPPP

<400> 198

```
Cys Asp Thr Pro Pro Pro Glu Val Gln Leu Val Glu Ser Gly Gly Gly
1               5                   10                  15

Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly
            20                  25                  30

Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro Gly
        35                  40                  45

Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr Thr
    50                  55                  60

Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr
65                  70                  75                  80

Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
                85                  90                  95

Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr Ala
            100                 105                 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
        115                 120                 125
```

```
Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
    130                 135                 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145                 150                 155                 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
                165                 170                 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
            180                 185                 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile
        195                 200                 205

Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val
    210                 215                 220

Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
225                 230                 235                 240

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
                245                 250                 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
            260                 265                 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
        275                 280                 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
    290                 295                 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305                 310                 315                 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
                325                 330                 335

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
            340                 345                 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr
        355                 360                 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
    370                 375                 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr

385                 390                 395                 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
                405                 410                 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
            420                 425                 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
        435                 440                 445

Ser Leu Ser Leu Ser Pro Gly Lys
    450                 455
```

<210> 199

<211> 479

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having SHH signal peptide

<400> 199

```
Met Leu Leu Leu Ala Arg Cys Leu Leu Leu Val Leu Val Ser Ser Leu
1               5                  10                  15

Leu Val Cys Ser Gly Leu Ala Cys Asp Thr Pro Pro Pro Glu Val Gln
            20                  25                  30

Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg
        35                  40                  45

Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His
    50                  55                  60

Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile
65                  70                  75                  80

Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg
                85                  90                  95

Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met
            100                 105                 110

Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp
        115                 120                 125

Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu
    130                 135                 140

Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu
145                 150                 155                 160

Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys
                165                 170                 175

Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser
            180                 185                 190

Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser
        195                 200                 205

Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser
    210                 215                 220

Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn
225                 230                 235                 240

Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His
                245                 250                 255

Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            260                 265                 270
```

```
Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        275                 280                 285

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    290                 295                 300

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
305                 310                 315                 320

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
                325                 330                 335

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            340                 345                 350

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        355                 360                 365

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
    370                 375                 380

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu

385                 390                 395                 400

Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                405                 410                 415

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            420                 425                 430

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        435                 440                 445

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    450                 455                 460

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 200

<211> 479

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having IFN signal peptide

<400> 200

```
Met Ala Leu Thr Phe Ala Leu Leu Val Ala Leu Leu Val Leu Ser Cys
1               5                   10                  15

Lys Ser Ser Cys Ser Val Gly Cys Asp Thr Pro Pro Pro Glu Val Gln
            20                  25                  30

Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg
        35                  40                  45

Leu Ser Cys Ala Ala Ser Gly Phe Asn Ile Lys Asp Thr Tyr Ile His
    50                  55                  60
```

```
Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala Arg Ile
65                  70                  75                  80

Tyr Pro Thr Asn Gly Tyr Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg
                85                  90                  95

Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met
            100                 105                 110

Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp
        115                 120                 125

Gly Gly Asp Gly Phe Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu
    130                 135                 140

Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu
145                 150                 155                 160

Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys
                165                 170                 175

Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser
            180                 185                 190

Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser
        195                 200                 205

Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser
    210                 215                 220

Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn
225                 230                 235                 240

Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His
                245                 250                 255

Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val
            260                 265                 270

Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
        275                 280                 285

Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
    290                 295                 300

Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
305                 310                 315                 320

Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser
                325                 330                 335

Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
            340                 345                 350

Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile
        355                 360                 365

Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro

    370                 375                 380

Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
385                 390                 395                 400
```

```
Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
                405                 410                 415

Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser
            420                 425                 430

Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
        435                 440                 445

Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
    450                 455                 460

His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470                 475
```

<210> 201

<211> 473

<212> PRT

<213> Artificial Sequence

<220>

<223> pre-heavy chain chimeric polypeptide having CETP signal peptide

<400> 201

```
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His
1               5                   10                  15

Ala Cys Asp Thr Pro Pro Pro Glu Val Gln Leu Val Glu Ser Gly Gly
            20                  25                  30

Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser
        35                  40                  45

Gly Phe Asn Ile Lys Asp Thr Tyr Ile His Trp Val Arg Gln Ala Pro
    50                  55                  60

Gly Lys Gly Leu Glu Trp Val Ala Arg Ile Tyr Pro Thr Asn Gly Tyr
65                  70                  75                  80

Thr Arg Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Ala Asp
                85                  90                  95

Thr Ser Lys Asn Thr Ala Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu
            100                 105                 110

Asp Thr Ala Val Tyr Tyr Cys Ser Arg Trp Gly Gly Asp Gly Phe Tyr
        115                 120                 125

Ala Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
    130                 135                 140

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
145                 150                 155                 160

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
                165                 170                 175

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
            180                 185                 190
```

```
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
        195                 200                 205

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
    210                 215                 220

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
225                 230                 235                 240

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
                245                 250                 255

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
            260                 265                 270

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
        275                 280                 285

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
    290                 295                 300

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
305                 310                 315                 320

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
                325                 330                 335

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
            340                 345                 350

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln

        355                 360                 365

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
    370                 375                 380

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
385                 390                 395                 400

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
                405                 410                 415

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
            420                 425                 430

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
        435                 440                 445

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
    450                 455                 460

Lys Ser Leu Ser Leu Ser Pro Gly Lys
465                 470
```

<210> 202

<211> 31

<212> PRT

<213> Homo sapiens

<400> 202

```
His Gly Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Glu
```

```
1               5                  10                  15

Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Arg Gly
            20                  25                  30
```

<210> 203
<211> 22
<212> DNA
<213> Homo sapiens

<400> 203
agaggtagta ggttgcatag tt 22

REFERENCES CITED IN THE DESCRIPTION

Cited references

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US5364934A [0429]
- WO8705330A [0447]
- US4640835A [0449]
- US4496689A [0449]
- US4301144A [0449]
- US4670417A [0449]
- US4791192A [0449]
- US4179337A [0449]
- WO2005046575A [0482]
- US5821337A [0500]
- US258152 [0504] [0505]
- US5336603A [0505]
- US5359046A [0505]
- US5638464A [0505]
- WO200492219A [0523]
- WO200042072A [0524]
- EP404097A [0531]
- WO9311161A [0531]
- US20050186208 [0542]
- US6723535B [0545]

- US5536637A [0547]
- US6849428B [0550] [0553] [0554]
- US6897285B [0554]
- US20080254512A [0555]
- WO8905859A [0559]
- US4399216A [0559]
- DD266710 [0560]
- US4946783A [0560]
- EP139383A [0561]
- US4943529A [0561]
- EP402226A [0561]
- EP183070A [0561]
- EP244234A [0561]
- EP394538A [0561]
- WO9100357A [0561]
- US5010182A [0564]
- EP362179A [0564]
- WO9013646A [0564]
- EP36776A [0568]
- EP73657A [0570]
- GB2211504A [0571]
- EP117060A [0574]
- EP117058A [0574]
- EP307247A [0586]
- US98208508 [0620]
- US5208020A [0688]
- US6333410B1 [0688]
- US7521541B2 [0691]
- US80134413 [0715]
- US20130267505A1 [0715]
- WO61953650A [0720]

Non-patent literature cited in the description

- **ROBERT et al.**Engineered antibody intervention strategies for Alzheimer's disease and related dementias by targeting amyloid and toxic oligomersProtein Eng. Des. Sel., 2009, vol. 22, 199-208 [0001]
- **THOMAS et al.**Bioconjugate Chemistry, 2012, vol. 23, 2007-2013 [0002]
- **ALTSCHUL et al.**Methods in Enzymology, 1996, vol. 266, 460-480 [0434]
- **CARTER et al.**Nucl. Acids Res., 1986, vol. 13, 4331- [0441]
- **ZOLLER et al.**Nucl. Acids Res., 1987, vol. 10, 6487- [0441]
- **WELLS et al.**Gene, 1985, vol. 34, 315- [0441]
- **WELLS et al.**Philos. Trans. R. Soc. London SerA, 1986, vol. 317, 415- [0441]
- **CUNNINGHAMWELLS**Science, 1989, vol. 244, 1081-1085 [0442]
- **CREIGHTON**The ProteinsW.H. Freeman & Co. [0442]
- **CHOTHIA**J. Mol. Biol., 1976, vol. 150, 1- [0442]

- **T. E. CREIGHTON**Proteins: Structure and Molecular PropertiesW.H. Freeman & Co.1983000079-86 [0444]
- **APLINWRISTON**CRC Crit. Rev. Biochem., 1981, 259-306 [0447]
- **HAKIMUDDIN et al.**Arch. Biochem. Biophys., 1987, vol. 259, 52- [0448]
- **EDGE et al.**Anal. Biochem., 1981, vol. 118, 131- [0448]
- **THOTAKURA et al.**Meth. Enzymol., 1987, vol. 138, 350- [0448]
- **FRANCIS CAREYRICHARD SUNDBERG**Advanced Organic Chemistry: Part B: Reaction and SynthesisSpringer20070000 [0483]
- **A.I. VOGELA.R. TATCHELLB.S. FURNISA.J. HANNAFORDP.W.G. SMITH**Vogel's Textbook of Practical Organic ChemistryPrentice Hall19960000 [0484]
- **MICHAEL B. SMITHJERRY MARCH**March's Advanced Organic Chemistry: Reactions, Mechanisms, and StructureWiley-Interscience20070000 [0484]
- **REDDY et al.**Science, 1978, vol. 200, 494-502 [0505]
- **SOUTHERNBERG**J. Mol. Appl. Gen., 1982, vol. 1, 327-341 [0507]
- **LUCAS et al.**Nucl. Acids Res., 1996, vol. 24, 1774-1779 [0507]
- **KOZAK**J. Biol. Chem, 1991, vol. 266, 19867-19870 [0507]
- **MULLIGANBERG**Science, 1980, vol. 209, 1422-1427 [0507]
- **SUGDEN et al.**Mol. Cell. Biol., 1985, vol. 5, 410-413 [0507]
- **GRAHAM et al.**J. Gen. Virol., 1977, vol. 36, 59-74 [0508] [0511] [0511]
- **THIMMAPPAYA et al.**Cell, 1982, vol. 31, 543-551 [0508]
- **SOMPARYRAC et al.**Proc. Nat. Acad. Sci., 1981, vol. 12, 7575-7579 [0509]
- **GORMAN et al.**DNA Prot. Eng. Tech., 1990, vol. 2, 3-10 [0511] [0511]
- **KINDT et al.**Kuby ImmunologyW.H. Freeman and Co.2007000091- [0518]
- **PORTOLANO et al.**J. Immunol., 1993, vol. 150, 880-887 [0518]
- **CLARKSON et al.**Nature, 1991, vol. 352, 624-628 [0518]
- **CHOTHIALESK**J. Mol. Biol., 1987, vol. 196, 901-917 [0519]
- **KABAT et al.**Sequences of Proteins of Immunological InterestPublic Health Service, National Institutes of Health19910000 [0519]
- **ALMAGROFRANSSON**Front. Biosci., 2008, vol. 13, 1619-1633 [0519]
- **DAERON**Annu. Rev. Immunol., 1997, vol. 15, 203-234 [0522]
- **RAVETCHKINET**Annu. Rev. Immunol, 1991, vol. 9, 457-92 [0522]
- **CAPEL et al.**Immunomethods, 1994, vol. 4, 25-34 [0522]
- **DE HAAS et al.**J. Lab. Clin. Med., 1995, vol. 126, 330-41 [0522]
- **GUYER et al.**J. Immunol., 1976, vol. 117, 587- [0523]
- **KIM et al.**J. Immunol., 1994, vol. 24, 249- [0523]
- **GHETIEWARD**Immunol. Today, 1997, vol. 18, 12592-598 [0523]
- **GHETIE et al.**Nature Biotechnology, 1997, vol. 15, 7637-640 [0523]
- **HINTON et al.**J. Biol. Chem., 2004, vol. 279, 86213-6216 [0523]
- **SHIELDS et al.**J. Biol. Chem., 2001, vol. 9, 26591-6604 [0524]
- **JANEWAY et al.**Immuno Biology: the immune system in health and diseaseElsevier Science Ltd.19990000 [0525]
- **BLOOM et al.**Protein Science, 1997, vol. 6, 407-415 [0525]
- **HUMPHREYS et al.**J. Immunol. Methods, 1997, vol. 209, 193-202 [0525]
- **PLUCKTHUN**The Pharmacology of Monoclonal AntibodiesSpringer-Verlag19940000vol. 113, 269-315 [0530]
- **HOLLINGER et al.**Proc. Natl. Acad. Sci. USA, 1993, vol. 90, 6444-6448 [0531]
- **ZAPATA et al.**Protein Eng., 1995, vol. 8, 101057-1062 [0532]
- **FLATMAN et al.**J. Chromatogr. B, 2007, vol. 848, 79-87 [0544]
- **KLEIN et al.**Proc. Natl. Acad. Sci., 1996, vol. 93, 7108-7113 [0547]

- **PERLER et al.**Nucleic Acids Res., 1994, vol. 22, 1125-1127 [0550]
- **PERLER et al.**Curr. Opin. Chem. Biol., 1997, vol. 1, 292-299 [0550]
- **PERLER, F. B.**Cell, 1998, vol. 92, 11-4 [0550]
- **XU et al.**EMBO J., 1996, vol. 15, 195146-5153 [0550]
- **CHONG et al.**Gene, 1997, vol. 192, 2271-281 [0551]
- **EVANS et al.**Protein Sci., 1998, vol. 7, 2256-2264 [0551]
- **MUIR et al.**Proc. Natl. Acad. Sci. USA, 1998, vol. 95, 6705-6710 [0551]
- **STEWART et al.**Solid-Phase Peptide SynthesisW.H. Freeman Co.19690000 [0557]
- **MERRIFIELD**J. Am. Chem. Soc., 1963, vol. 85, 2149-2154 [0557]
- **MAMMALIAN**Cell Biotechnology: a Practical ApproachIRL Press19910000 [0558]
- **SHAW et al.**Gene, 1983, vol. 23, 315- [0559]
- **GRAHAMVAN DER EB**Virology, 1978, vol. 52, 456-457 [0559]
- **VAN SOLINGEN et al.**J. Bact., 1977, vol. 130, 946- [0559]
- **HSIAO et al.**Proc. Natl. Acad. Sci. (USA), 1979, vol. 76, 3829- [0559]
- **KEOWN et al.**Methods in Enzymology, 1990, vol. 185, 527-537 [0559]
- **MANSOUR et al.**Nature, 1988, vol. 336, 348-352 [0559]
- **BEACHNURSE**Nature, 1981, vol. 290, 140- [0561]
- **FLEER et al.**Bio/Technology, 1991, vol. 9, 968-975 [0561]
- **LOUVENCOURT et al.**J. Bacteriol., 1983, 737- [0561]
- **VAN DEN BERG et al.**Bio/Technology, 1990, vol. 8, 135- [0561]
- **SREEKRISHNA et al.**J. Basic Microbiol., 1988, vol. 28, 265-278 [0561]
- **CASE et al.**Proc. Natl. Acad. Sci. USA, 1979, vol. 76, 5259-5263 [0561]
- **BALLANCE et al.**Biochem. Biophys. Res. Commun., 1983, vol. 112, 284-289 [0561]
- **TILBURN et al.**Gene, 1983, vol. 26, 205-221 [0561]
- **YELTON et al.**Proc. Natl. Acad. Sci. USA, 1984, vol. 81, 1470-1474 [0561]
- **KELLYHYNES**EMBO J., 1985, vol. 4, 475479- [0561]
- **C. ANTHONY**The Biochemistry of Methylotrophs, 1982, 269- [0561]
- **GRAHAM et al.**J. Gen Virol., 1977, vol. 36, 59- [0562]
- **URLAUBCHASIN**Proc. Natl. Acad. Sci. USA, 1980, vol. 77, 4216- [0562]
- Mather, Biol. Reprod., 1980, vol. 23, 243-251 [0562]
- **URLAUB et al.**Proc. Natl. Acad. Sci. USA, 1980, vol. 77, 4216- [0567]
- **STINCHCOMB et al.**Nature, 1979, vol. 282, 39- [0567]
- **KINGSMAN et al.**Gene, 1979, vol. 7, 141- [0567]
- **TSCHEMPER et al.**Gene, 1980, vol. 10, 157- [0567]
- **JONES**Genetics, 1977, vol. 85, 12- [0567]
- **CHANG et al.**Nature, 1978, vol. 275, 615- [0568]
- **GOEDDEL et al.**Nature, 1979, vol. 281, 544- [0568]
- **GOEDDEL**Nucleic Acids Res., 1980, vol. 8, 4057- [0568]
- **DEBOER et al.**Proc. Natl. Acad. Sci. USA, 1983, vol. 80, 21-25 [0568]
- **HITZEMAN et al.**J. Biol. Chem., 1980, vol. 255, 2073- [0569]
- **HESS et al.**J. Adv. Enzyme Re.g., 1968, vol. 7, 149- [0569]
- **HOLLAND**Biochemistry, 1978, vol. 17, 4900- [0569]
- **GETHING et al.**Nature, 1981, vol. 293, 620-625 [0574]
- **MANTEI et al.**Nature, 1979, vol. 281, 4046- [0574]
- **THOMAS**Proc. Natl. Acad. Sci. USA, 1980, vol. 77, 5201-5205 [0575]
- **DEUTSCHER**Methods in Enzymology, 1990, vol. 182, [0578]
- **SCOPES**Protein Purification: Principles and PracticeSpringer-Verlag19820000 [0578]
- **BOLIVAR et al.**Gene, 1977, vol. 2, 95- [0579]
- **THIMMAPPAYA et al.**Cell, 1982, vol. 31, 543- [0587]

- **SOMPARYRAC et al.**Proc. Natl. Acad. Sci., 1981, vol. 12, 7575- [0589]
- **AUSUBEL et al.**Current Protocols of Molecular BiologyJohn Wiley and Sons19970000 [0593]
- **LUCAS et al.**Nucl. Acids Res., 1996, vol. 24, 91774-1779 [0593]
- **O'REILLEY et al.**Baculovirus expression vectors: A laboratory ManualOxford University Press19940000 [0600]
- **RUPERT et al.**Nature, 1993, vol. 362, 175-179 [0601]
- **RAJENDRA et al.**J. Biotechnol., 2011, vol. 153, 22-26 [0623]
- **FLORY**Statistical Mechanics of Chain MoleculesInterscience Publishers19690000 [0630]
- **DEBETS, M. F. et al.**Chem. Commun., 2010, vol. 46, 97-99 [0643]
- **HONG et al.**Angew. Chem. Int. Ed., 2009, vol. 48, 1-7 [0662]
- **POTHUKANURI, S.WINSSINGER, N.**Org Lett., 2007, vol. 9, 112223-5 [0714]

P A T E N T K R A V

1. Forbindelse som har strukturen:

L-R_a-B-----Z


hvor Z er en proteinkomponent af forbindelsen, hvilken proteinkomponent omfatter én eller flere polypeptider, hvor mindst én af den ene eller flere polypeptider omfatter på hinanden følgende aminosyrer som (i) er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof; (ii) binder til en F_c-receptor; og (iii) har ved deres N-terminus en cystein eller en selenocystein;

hvor B er en organisk syrerest, eller en streng af 1-50 aminosyrerester der forbinder R_a og Z;

hvor den stiplede linje mellem B og Z betegner en peptidylbinding mellem en N-terminal cystein eller selenocystein af et polypeptid af Z og en aminosyrerest eller en organisk syrerest af B;


hvor L er valgt fra gruppen bestående af: en tetrazin og en trans-cycloocten; og

hvor R_a er en binding eller en organisk struktur bestående af en kæde af 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 eller flere dele, hvor hver del er uafhængigt valgt fra en gruppe bestående af [PEG(y)]z, polyalkylenglycol, polyoxyalkyleret polyol, polyvinylalkohol, polyvinylalkylether, poly(mælkesyre), poly(mælke-glycolsyre), polysakkarid, en forgrenet rest, C_1-C_{10}-alkyl, C_3-C_{10}-cycloalkan, C_2-C_{10}-alken, C_5-C_{10}-cycloalken, amin, svovl, oxygen, succinimid, maleimid, glycerol, triazol, isoxazolidin, C_5-C_5-acyl, C_2-C_5-acylamino, C_2-C_5-acyloxy, succinyl, malonyl, glutaryl, ftalyl, adipoyl, en aminosyre, en arylgruppe, en heteroarylgruppe, en carbamat, en kemisk struktur indeholdende en cyclooctan kondenseret til en dihydropyradazin, en kemisk struktur indeholdende en cycloocten kondenseret til en triazol, en kemisk struktur indeholdende en cycloocten kondenseret til en isoxazolidin, en dibenzocycloocten, en dibenzoazacycloocten,




hvor X_1 er CH eller N, X_2 er CH_2 eller en carbonylgruppe, og R_5 er en aryl- eller alkyl-gruppe;

hvor [PEG(y)]z er:




hvor y= 1-100 og z=1-10.

2. Forbindelse ifølge krav 1, hvor L er en tetrazin, og tetrazinen har strukturen:




hvor R_c er H, alkyl eller aryl.

3. Forbindelse ifølge krav 1, hvor L er trans-cycloocten, og trans-cyclooctenen har strukturen:



4. Forbindelse ifølge et hvilket som helst af krav 1-3, hvor B er en streng af 1-50 aminosyrerester i sekvensen EPKSCDKTHTCPPCP, ERKCCVECPPCP, ELKTPLGDTTHTCPRCP(EPKSCDTPPPCPRCP)3, eller ESKYGPPCPSCP.

5. Forbindelse ifølge et hvilket som helst af de foregående krav 1-4, hvor R_a er en organisk struktur som omfatter



fortrinsvis hvor X_1 er CH eller N og X_2 er CH_2 eller en carbonylgruppe.

6. Forbindelse ifølge et hvilket som helst af krav 1-4, hvor R_a

i) er en organisk struktur som omfatter en [PEG(y)]z-gruppe;

ii) er en organisk struktur som omfatter en polyalkylenglycol-, polyoxyalkyleret polyol-, polyvinylalkohol-, polyvinylalkylether-, poly(mælkesyre)-, poly(mælke-glykolsyre)-, eller polysakkaridgruppe;

iii) er en organisk struktur som omfatter en C_1-C_4-alkylgruppe

iv) er en organisk struktur som omfatter en succinimid

v) er en organisk struktur som omfatter en amin;

vi) er en organisk struktur som omfatter en succinyl, malonyl, glutaryl, ftalyl eller adipoyl;


vii) er en organisk struktur som omfatter en malonyl;

viii) er en organisk struktur som omfatter en aminosyre;


ix) er en organisk struktur som omfatter en cystein;


x) er en organisk struktur som omfatter en lysin;


xi) er en organisk struktur bestående af en kæde af 3 dele valgt fra gruppen bestående af [PEG(y)]z, polyalkylenglycol, polyoxyalkyleret polyol, polyvinylalkohol, polyvinylalkylether, poly(mælkesyre), poly(mælkeglycolsyre), polysakkarid, en forgrenet rest, C_1-C_{10}-alkyl, C_3-C_{10}-cycloalkan, C_2-C_{10}-alken, C_5-C_{10}-cycloalkene, amin, svovl, oxygen, succinimid, maleimid, glycerol, triazol, isoxazolidin, C_5-C_5-acyl, C_2-C_5-acylamino, C_2-C_5-acyloxy, succinyl, malonyl, glutaryl, ftalyl, adipoyl, en aminosyre, en arylgruppe, en heteroarylgruppe, en carbamat, en kemisk struktur indeholdende en cyclooctan kondenseret til en dihydropyradazin, en kemisk struktur indeholdende en cycloocten kondenseret til en triazol, en kemisk struktur indeholdende en cycloocten kondenseret til en isoxazolidin, en dibenzocycloocten, en dibenzoazacycloocten,





,


,



,



,



,



,



,



,



,



,


,


,



,


,


og



;


xii) er en organisk struktur bestående af en kæde af fire dele valgt fra gruppen bestående af [PEG(y)]z, polyalkylenglycol, polyoxyalkyleret polyol, polyvinylalkohol, polyvinylalkylether, poly(mælkesyre), poly(mælkeglycolsyre), polysakkarid, en forgrenet rest, C_1-C_{10}-alkyl, C_3-C_{10}-cycloalkan, C_2-C_{10}-alken, C_5-C_{10}-cycloalkene, amin, svovl, oxygen, succinimid, maleimid, glycerol, triazol, isoxazolidin, C_5-C_5-acyl, C_2-C_5-acylamino, C_2-C_5-acyloxy, succinyl, malonyl, glutaryl, ftalyl, adipoyl, en aminosyre, en arylgruppe, en heteroarylgruppe, en carbamat, en kemisk struktur indeholdende en cyclooctan kondenseret til en dihydropyradazin, en kemisk struktur indeholdende en cycloocten kondenseret til en triazol, en kemisk struktur indeholdende en cycloocten kondenseret til en isoxazolidin, en dibenzocycloocten, en dibenzoazacycloocten,




xiii) er en organisk struktur bestående af en kæde af fem dele valgt fra gruppen bestående af [PEG(y)]z, polyalkylenglycol, polyoxyalkyleret polyol, polyvinylalkohol, polyvinylalkylether, poly(mælkesyre), poly(mælkeglycolsyre), polysakkarid, en forgrenet rest, C_1-C_{10}-alkyl, C_3-C_{10}-cycloalkan, C_2-C_{10}-alken, C_5-C_{10}-cycloalkene, amin, svovl, oxygen, succinimid, maleimid, glycerol, triazol, isoxazolidin, C_5-C_5-acyl, C_2-C_5-acylamino, C_2-C_5 acyloxy, succinyl, malonyl, glutaryl, ftalyl, adipoyl, en aminosyre, en arylgruppe, en heteroarylgruppe, en carbamat, en kemisk struktur indeholdende en cyclooctan kondenseret til en dihydropyradazin, en kemisk struktur en cycloocten


kondenseret til en triazol, en kemisk struktur indeholdende en cycloocten kondenseret til en isoxazolidin, en dibenzocycloocten, en dibenzoazacycloocten,




,



,





,



,


,





,



,


,


,





,



,


,


10



,


,


og



;

xiv) omfatter en [PEG(y)]z-gruppe forbundet til en lysin;


15 xv) omfatter en C_1-C_4-acylgruppe forbundet til en succinimidgruppe;


xvi) omfatter en lysin forbundet til en C_1-C_4-acyl;

xvii) omfatter en [PEG(y)]-gruppe som er forbundet til en glutaryl;


xviii) er en organisk struktur bestående af en kæde af tre, fire eller fem dele valgt fra gruppen bestående af [PEG(y)]z, C_2-C_5-acyl, succinyl, malonyl, glutaryl, en aminosyre, en kemisk struktur indeholdende en cyclooctan


kondenseret til dihydropyridazin, en kemisk struktur indeholdende en cycloocten kondenseret til en triazol, en kemisk struktur indeholdende en cycloocten kondenseret til en isoxazolidin, en dibenzocycloocten, og dibenzo-azacycloocten,




,



,





,



,


,





,



,


,



,





,


,



,



,


,



og



;

hvor X_1 er CH eller N, X_2 er CH_2 eller en carbonylgruppe, og R_5 er en aryl- eller alkylgruppe;

hvor [PEG(y)]z er:



;

hvor y = 1-100 og z = 1-10;


ixx) er en binding;

xx) er en cystein;

xxi) har en lineær struktur; eller


xxii) har en forgrenet struktur;

xxiii) har strukturen:



;


xxiv) er:



,

hvor n er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50;


xxv) er:



,

hvor n er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50, x er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50 og z er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50.


xxvi) er:



,

hvor x er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50 og z er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50; eller

xxvii) er:



hvor n er 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 1-30, 1-40, eller 1-50.

7. Forbindelse ifølge et hvilket som helst af krav 1-6, hvor Z

i) omfatter et antistof eller en del deraf;

ii) omfatter mindst én Fab eller Fab' af et antistof, eller en del af den mindst ene Fab eller Fab';

iii) omfatter Fab-1 eller Fab'1, eller en del deraf af et antistof;

iv) omfatter Fab-2 eller Fab'2, eller en del deraf af et antistof;

v) omfatter to Fab- eller Fab'-hænder af et antistof; eller

vi) omfatter mindst én streng af på hinanden følgende aminosyrer som er identiske med en streng af på hinanden følgende aminosyrer som er til stede i et enkeltkædet antistof.

8. Forbindelse ifølge et hvilket som helst af krav 1-7, hvor Z omfatter ét C, hvor C er et første polypeptid, hvilket første polypeptid omfatter på hinanden følgende aminosyrer som (i) er identiske med en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof; (ii) binder til en F_c-receptor; og (iii) har ved deres N-terminus en sekvens valgt fra gruppen bestående af en cystein, selenocystein, CP, CPXCP (hvor X = P, R, eller S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP og CDTPPPCPRCP.

9. Forbindelse ifølge krav 8, hvor C

i) omfatter på hinanden følgende aminosyrer som (i) er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof; (ii) binder til en F_c-receptor; og (iii) har ved deres N-terminus en sekvens som omfatter en naturligt forekommende cystein valgt fra gruppen bestående af CP, CPXCP (hvor X = P, R, eller S), CDKTHTCPPCP, CVECPPCP, CCVECPPCP og CDTPPPCPRCP;

ii) er en polypeptidkomponent af forbindelsen, hvilken polypeptidkomponent omfatter på hinanden følgende aminosyrer som (i) er identiske med en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof; (ii) binder til en F_c-receptor; og (iii) har ved deres N-terminus en sekvens som omfatter en ikke-naturligt forekommende cyctein eller selenocystein;

iii) omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof valgt fra gruppen bestående af IgG, IgM, IgA, IgD, og IgE;

iv) omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i kæden af et Fc6-domæne af et antistof

v) omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et antistof som er forskellig fra en kæde af et F_c-domæne af antistoffet;

vi) omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en tungkæde af en Fab eller en Fab' af et antistof; eller

vii) omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i letkæden af en Fab eller en Fab' af et antistof.

10. Forbindelse ifølge krav 8 eller 9, hvor Z yderligere omfatter et andet polypeptid, hvilket andet polypeptid omfatter på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et antistof som er forskellig fra en kæde af et F_c-domæne af antistoffet, fortrinsvis hvor det andet polypeptid omfatter

i) på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i en tungkæde af en Fab eller en Fab' af et antistof; eller

ii) på hinanden følgende aminosyrer som er identiske til en streng af på hinanden følgende aminosyrer som er til stede i letkæden af en Fab eller en Fab' af et antistof.

11. Forbindelse ifølge et hvilket som helst af krav 8-10, hvor C-terminussen af C

i) omfatter en streng af på hinanden følgende aminosyrer som er til stede i en kæde af et F_c-domæne af et antistof der er blevet modificeret; eller

ii) er en cystein, selenocystein, homocystein, eller homoselenosystein, eller et derivat af cystein, selenocystein, homocystein, eller homoselenosystein.

12. Forbindelse ifølge et hvilket som helst af krav 8-11, hvor:

i) B er forbundet til C via en peptidylbinding mellem den N-terminale cystein eller selenocystein af C og en aminosyrerest eller en organisk syrerest af B; eller

ii) Z omfatter et andet polypeptid, og B er forbundet til Z via en peptidylbinding mellem den N-terminale cyctein eller selenocystein af det andet polypeptid af Z og en aminosyrerest eller en organisk syrerest af B.

13. Homodimer eller heterodimer omfattende forbindelsen ifølge et hvilket som helst af krav 1-12.

14. Homodimer eller heterodimer ifølge krav 13, hvor hver forbindelse af homodimeren eller heterodimeren

i) er i stand til at binde til den øvrige ved mindst én disulfidbinding;

ii) er bundet til den øvrige ved mindst én disulfidbinding.

15. Homodimer eller heterodimer omfattende forbindelsen ifølge et hvilket som helst af krav 8-12, hvor

i) hver forbindelse af homodimeren eller heterodimeren er i stand til at binde til den øvrige ved mindst én disulfidbinding mellem nævnte C af hver forbindelse;

ii) Z omfatter et andet polypeptid og hver forbindelse af homodimeren eller heterodimeren er i stand til at binde til den øvrige ved mindst én disulfidbinding mellem nævnte C eller andet polypeptid af hver forbindelse;

iii) hver forbindelse af homodimeren eller heterodimeren er bundet til den øvrige ved mindst én disulfidbinding mellem nævnte C af hver forbindelse; eller

iv) Z omfatter et andet polypeptid og hver forbindelse af homodimeren eller heterodimeren er bundet til den øvrige ved mindst én disulfidbinding mellem nævnte C eller det andet polypeptid af hver forbindelse.

DRAWINGS




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7



a
b
c
d
1
2
3
4
5
6
7
TNR1B-Alk
TNR1B-Alk
+
Az-DKTHT-Fc6
TNR1B-Alk
+
Az-PEG4-DKTHT-Fc6

Figure 8



a
b
c
d
1
2
3
4
TNR1B-Fc
TNR1B-Alk + Az-DKTHT-Fc6
TNR1B-Fc
TNR1B-Alk + Az-PEG4-DKTHT-Fc6

Figure 9



a
b
c
d
e
1
2
3
4
5
Fc6
Fc6 + TNR1B-Alk
Az-DKTHT-Fc6
Az-DKTHT-Fc6 + TNR1B-Alk
TNR1B-Alk

Figure 10

TNR1B

LPAQVAFTPY APEPGSTCRL REYYDQTAQM CCSKCSPGQH
AKVFCTKTSD TVCDSCEDST YTQLWNWVPE CLSCGSRCSS
DQVETQACTR EQNRICTCRP GWYCALSKQE GCRLCAPLRK
CRPGFGVARP GTETSDVVCK PCAPGTFSNT TSSTDICRPH
QICNVVAIPG NASMDAVCTS TSPTRSMAPG AVHLPQPVST
RSQHTQPTPE PSTAPSTSFL LPMGPSPPAE GSTGDGC

Fc6

CPPCPAPELL GGPSVFLFPP KPKDTLMISR TPEVTCVVVD
VSHEDPEVKF NWYVDGVEVH NAKTKPREEQ YNSTYRVVSV
LTVLHQDWLN GKEYKCKVSN KALPAPIEKT ISKAKGQPRE
PQVYTLPPSR DELTKNQVSL TCLVKGFYPS DIAVEWESNG
QPENNYKTTP PVLDSDGSFF LYSKLTVDKS RWQQGNVFSC
SVMHEALHNH YTQKSLSLSP GK

TNR1B-Alk-Az-DKTHT-Fc6

Figure 11




Figure 12




Figure 13



A) IdeS
B) Protein A / MEA
a
b
c
d
1 2
Mab Fab'2 + Fc'
3 4
Fab'2 Fab' (-DTT)
5 6
Fab'2 Fab' (+DTT)
Adalimumab-Fab'

Figure 14




Figure 15



a) Synthesis
b) Purification
a
b
c
1 2 3 4 5 6 7 8 9 10 11 12
Adalimumab-Fab' + DIBAC-PEG12-Lys(Mal)

Figure 16



1
2
3
4
5
Fc6
Fc6 + Az-DKTHT
Fc6 + Az-PEG12-DKTHT
Fc6 + Az-PEG24-DKTHT
Fc6 + Az-PEG36-DKTHT
Az-PEGx-DKTHT-Fc6

Figure 17



a) Az-PEG36-DKTHT-Fc6
b) Az-PEG24-DKTHT-Fc6
c) Az-PEG12-DKTHT-Fc6
d) Az-DKTHT-Fc6
e) Fc6
a b c d e
% Intensity
100
75
50
25
0
12.25 12.50 12.75 13.00 13.25 13.50 13.75 14.00 14.25 min
retention time

Figure 18



VL
CL
C
CDKTHTCPPCPAPELLG
CH1
VH
K-PEGy
PEGx-DKTHTC
CH2
CH3
N3

Figure 19






Figure 20




Adalimumab-Fab'-PEGy-Alk + Az-PEGx-DKTHT-Fc6

Figure 21



Fab'-PEGy-Alk-Az-PEGx-DKTHT-Fc6

Figure 22



Fab'-PEGy-Alk + Az-PEGx-DKTHT-Fc6

Figure 23




Figure 24

DK/EP 3701971 T3



HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)

Figure 25



gly8-glu22-GLP-1(7-27)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc
gly8-glu22-GLP-1(7-37)

Figure 26



gly8-glu22-GLP-1(7-27)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc
gly8-glu22-GLP-1(7-37)

Figure 27




Figure 28

DK/EP 3701971 T3




Figure 29

DK/EP 3701971 T3



a) 1 hr stimulation
b) 4 hr stimulation
c) 24 hr stimulation
cAMP (nmoles)
Agonist (nM)
0.01
0.1
1
10
100
375
300
225
150
75
600
480
360
240
120
GLP-1
GLP1-P7-DN-P0-Fc
GLP1-P7-DN-P12-Fc
GLP1-P7-DN-P24-Fc
GLP1-P7-DN-P36-Fc
GLP1-P7-DN-P48-Fc

Figure 30



CH3
CH2
PEGx-DKTHTC
S-S
S-S
PEGx-DKTHTC
CH2
CH3
IgG1-Fc
N3
N3
PEG11
PEG11

Figure 31



CH3
CH2
S-S
PEGx-DKTHTC
S-S
S-S
PEGx-DKTHTC
S-S
CH2
CH3
IgG1-Fc
N=N
N=N
PEG11
PEG11

Figure 32




Figure 33



5'-AGAGGTAGTAGGTTGCATAGTT-3'
PEG11
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 34



5'-AGAGGTAGTAGGTTGCATAGTT-3'
PEG11
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 35



N3-DNA + DIBAC-PEG11-DN-PEGx-Fc (II) --> DNA-ND-PEG11-DN-PEGx-Fc (III)
III
II
a b c d e f g h

Figure 36




Figure 37




Figure 38




Figure 39




Figure 40




Figure 41



PEGx =
PEGy =
DKTHTC
IgG1
VL
CL
VH
CH1
CH2
CH3
PEGx
PEGy
N3
HN
S
O
N
Cl
OH

Figure 42




Figure 43




Figure 44




Figure 45




Figure 46

DK/EP 3701971 T3




Figure 47



CH3
CH2
S-S
PEGx-DKTHTC
S-S
S-S
PEGx-DKTHTC
S-S
CH2
CH3
IgG1-Fc
N=N
N
N
N
O
HN
12
O
O
H
N
O
O

Figure 48




Figure 49



N3-P23-NH4 + DBCO-TT-P12-P36-Fc (III) --> NH4-P23-ND-TT-P12-P36-Fc (IV)
IV
III
a
b
c
d
e
f
g
h
i
j

Figure 50



HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)

Figure 51



gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 52



gly8-glu22-GLP-1(7-27)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 53



HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
gly8-glu22-GLP-1(7-37)

Figure 54



gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 55



gly8-glu22-GLP-1(7-37)
HGEGTFTSDVSSYLEEQAAKEFIAWLVKGRG
PEGx-DKTHTC
CH2
CH3
IgG1-Fc

Figure 56



GLP1-P6-Tco + Tet-Px-Fc ---> GLP1-P6-TT-Px-Fc
a b c d e f
a b c d e f
P0 P12 P24 P36 P48
P0 P12 P24 P36 P48
Fc6
GLP1-P6-TT-Px-Fc
Fc6
GLP1-P6-TT-Px-Fc
reducing
non-reducing

Figure 57




Figure 58

DK/EP 3701971 T3




Figure 59

DK/EP 3701971 T3



a) 1 hr stimulation
b) 4 hr stimulation
c) 24 hr stimulation
cAMP (nmoles)
Agonist (nM)
0.01
0.1
1
10
100
25
50
75
100
125
150
200
250
GLP-1
GLP1-P6-TT-P0-Fc
GLP1-P6-TT-P12-Fc
GLP1-P6-TT-P24-Fc
GLP1-P6-TT-P36-Fc
GLP1-P6-TT-P48-Fc

Figure 60



VL
CL
C
S-S
S-S
CDKTH
VH
CH1
TCEP
VH
CH1
CDKTH
HS
HS
C
VL
CL
VH
CH1
CDKTH
HS
C
VL
CL

Figure 61




Figure 62



CH3
CH2
PEGx-DKTHTC
PEGx-DKTHTC
CH2
CH3
IgG1-Fc
CL
VL
CDKTH
CH1
VH
VH
CH1
CDKTH
VL
CL

Figure 63




Figure 64

DK/EP 3701971 T3




Figure 65




Figure 66




Figure 67