

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2018355588 C1**

(54) Title
Anti-Galectin-9 antibodies and uses thereof

(51) International Patent Classification(s)
C07K 16/28 (2006.01) **G01N 33/574** (2006.01)
A61K 39/395 (2006.01)

(21) Application No: **2018355588** (22) Date of Filing: **2018.10.29**

(87) WIPO No: **WO19/084553**

(30) Priority Data

(31) Number	(32) Date	(33) Country
62/736,317	2018.09.25	US
62/665,175	2018.05.01	US
62/578,111	2017.10.27	US

(43) Publication Date: **2019.05.02**

(44) Accepted Journal Date: **2020.10.15**

(44) Amended Journal Date: **2023.04.27**

(71) Applicant(s)
New York University;PureTech Health, LLC

(72) Inventor(s)
KOIDE, Shohei;MILLER, George;KOIDE, Akiko;CHEN, Linxiao;FILIPOVIC, Aleksandra;ELENKO, Eric;BOLEN, Joseph

(74) Agent / Attorney
Spruson & Ferguson, GPO Box 3898, Sydney, NSW, 2001, AU

(56) Related Art
WO 2016061504 A2

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property

Organization

International Bureau

(43) International Publication Date

02 May 2019 (02.05.2019)



(10) International Publication Number

WO 2019/084553 A1

(51) International Patent Classification:

C07K 16/28 (2006.01) G01N 33/574 (2006.01)

A61K 39/395 (2006.01)

EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(21) International Application Number:

PCT/US2018/058028

(22) International Filing Date:

29 October 2018 (29.10.2018)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/578,111 27 October 2017 (27.10.2017) US

62/665,175 01 May 2018 (01.05.2018) US

62/736,317 25 September 2018 (25.09.2018) US

(71) Applicants: NEW YORK UNIVERSITY [US/US]; 70

Washington Square South, New York, NY 10012 (US).

PURETECH HEALTH, LLC [US/US]; 501 Boylston Street, Suite 6102, Boston, MA 02116 (US).

(72) Inventors: KOIDE, Shohei; 309 East 49th Street, New

York, NY 10017 (US). MILLER, George; 127 Dwight

Place, Englewood, NJ 07631 (US). KOIDE, Akiko; 309

E. 49th Street, New York, NY 10017 (US). CHEN, Lin-

iao; 1029 Boulevard East, Weehawken, NJ 07086 (US).

FILIPOVIC, Aleksandra; 87 Fulham Palace Road, Lon-

don W6 8JA (GB). ELENKO, Eric; 1 Franklin St., Apt.

1903, Boston, MA 02110 (US). BOLEN, Joseph; 135

Clarendon Street, Apartment 11v, Boston, MA 02116 (US).

(74) Agent: WATT, Rachel, S. et al.; Hodgson Russ LLP, The

Guaranty Building, 140 Pearl Street, Suite 100, Buffalo, NY

14202-4040 (US).

(81) Designated States (unless otherwise indicated, for every

kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,

CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO,

DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,

HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP,

KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME,

MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,

OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,

SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN,

TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every

kind of regional protection available): ARIPO (BW, GH,

GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,

UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,

TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,

(54) Title: ANTI-GALECTIN-9 ANTIBODIES AND USES THEREOF

(57) Abstract: Disclosed herein are anti-Galectin-9 antibodies and methods of using such for inhibiting a signaling pathway mediated by Galectin-9 or eliminating pathologic cells expressing Galectin-9. Such anti-Galectin-9 antibodies may also be used to diagnose and/or to treat diseases associated with Galectin-9, such as autoimmune diseases and solid tumors.

WO 2019/084553 A1

ANTI-GALECTIN-9 ANTIBODIES AND USES THEREOF

BACKGROUND OF INVENTION

5 Immune checkpoint blockade has demonstrated unprecedented success in the past few years as cancer treatment. Often antibodies are used to block immune inhibitory pathways, such as the cytotoxic T-lymphocyte-associated protein 4 (CTLA-4) and programmed death 1 (PD-1) pathways. While therapies targeting those two pathways have shown success in treating several cancer types, anti-CTLA-4 and anti-PD-1 therapies have a response rate of 10 to 60% of treated
10 patients, depending on cancer type, and have not yet shown the ability to exceed a response rate of 60%, even when used in combination (Kyvistborg et al., Enhancing responses to cancer immunotherapy; Science. 2018 Feb 2;359(6375):516-517). Additionally, a large number of cancer types are refractory to these therapies. As part of efforts to improve existing immunotherapies in the clinic, the field has started to focus on the role of abnormalities in
15 interferon signaling and upregulation of alternative checkpoints as potential causes for the limitation of current therapies. One such potential alternate checkpoint is T-cell immunoglobulin mucin-3 (Tim-3) /Galectin-9 (e.g., reviewed in Yang and Hung; The role of T-cell immunoglobulin mucin-3 and its ligand galectin-9 in antitumor immunity and cancer immunotherapy; Cancer biology and cancer treatment; Oct 2017, Vol.60 No.10: 1058–1064, and
20 references therein).

Galectin-9 is a tandem-repeat lectin consisting of two carbohydrate recognition domains (CRDs) and was discovered and described for the first time in 1997 in patients suffering from Hodgkin's lymphoma (HL) (Tureci et al., J. Biol. Chem. 1997, 272, 6416–6422). Three isoforms exist, and can be located within the cell or extracellularly. Elevated Galectin-9 levels have been
25 in observed a wide range of cancers, including melanoma, Hodgkin's lymphoma, hepatocellular, pancreatic, gastric, colon and clear cell renal cell cancers (Wdowiak et al. Int. J. Mol. Sci. 2018, 19, 210). In renal cancer, patients with high Galectin-9 expression showed more advanced progression of the disease with larger tumor size and necrosis (Kawashima et al.; BJU Int. 2014;113:320–332). In melanoma - a cancer considered as one of the most lethal cancers due to
30 its aggressive metastasis and resistance to therapy - Galectin-9 was expressed in 57% of tumors and was significantly increased in the plasma of patients with advanced melanoma compared to healthy controls (Enninga et al., Melanoma Res. 2016 Oct; 26(5): 429–441). A number of studies have shown utility for Gal-9 as a prognostic marker, and more recently as a potential

new drug target (Enninga et al., 2016; Kawashima et al. *BJU Int* 2014; 113: 320–332; Kageshita et al., *Int J Cancer*. 2002 Jun 20;99(6):809-16, and references therein). Galectin-9 has been described to play an important role in a number of cellular processes such as adhesion, cancer cell aggregation, apoptosis, and chemotaxis. Recent studies have shown a role for Galectin-9 in immune modulation in support of the tumor, e.g., through negative regulation of Th1 type responses, Th2 polarization and polarization of macrophages to the M2 phenotype. This work also includes studies that have shown that Galectin-9 participates in direct inactivation of T cells through interactions with the T-cell immunoglobulin and mucin protein 3 (TIM-3) receptor (Dardalhon et al., *J Immunol.*, 2010, 185, 1383-1392; Sanchez-Fueyo et al., *Nat Immunol.*, 2003, 4, 1093-1101). Galectin-9 has also been found to play a role in polarizing T cell differentiation into tumor suppressive phenotypes), as well as promoting tolerogenic macrophage programming and adaptive immune suppression (Daley et al., *Nat Med.*, 2017, 23, 556-567). In mouse models of pancreatic ductal adenocarcinoma (PDA), blockade of the checkpoint interaction between Galectin-9 and the receptor Dectin-1 found on innate immune cells in the tumor microenvironment (TME) has been shown to increase anti-tumor immune responses in the TME and to slow tumor progression (Daley et al., *Nat Med.*, 2017, 23, 556-567). Galectin-9 also has been found to bind to CD206, a surface marker of M2 type macrophages, resulting in a reduced secretion of CCL22 (MDC), a macrophage derived chemokine which has been associated with longer survival and lower recurrence risk in lung cancer (Enninga et al, *J Pathol*. 2018 Aug;245(4):468-477).

Accordingly, modulating the activity of Galectin-9 and/or one or more of its receptors may provide a novel cancer therapy approach, alone or in combination with existing therapies. Described herein are novel human antibodies which bind to human Galectin-9 and their therapeutic use in the treatment of cancer.

SUMMARY OF INVENTION

The present disclosure is based, at least in part, on the development of anti-Galectin-9 antibodies that potently suppress signaling triggered by Galectin-9. Such antibodies are capable of suppressing Galectin-9 signaling and/or eliminating Galectin-9 positive pathologic cells, thereby benefiting treatment of diseases associated with Galectin-9.

Accordingly, one aspect of the present disclosure provides an isolated anti-Galectin-9 antibody, which binds to an epitope in a carbohydrate recognition domain (CRD) of a Galectin-9 polypeptide, for example, a human Galectin-9 polypeptide. In some embodiments, the anti-

Galactin-9 antibody described herein may bind to both a human Galactin-9 polypeptide and a non-human Galactin-9 polypeptide (e.g., a mouse Galactin-9, a rat Galactin-9, or a primate Galactin-9). In some embodiments, the anti-Galactin-9 antibody binds exclusively to one of the Galectin-9 CRDs. In some embodiments, the anti-Galactin-9 antibody binds to both of the Galectin-9 CRDs, e.g., with similar or different affinities. In some embodiments, the anti-Galectin-9 antibody disclosed herein binds an epitope within the CRD1 region, which CRD1 region may have the amino acid sequence of SEQ ID NO: 3. In some embodiments, the anti-Galectin-9 antibody disclosed herein binds an epitope within the CRD1 region having the amino acid sequence of SEQ ID NO: 3. In some embodiments, the anti-Galectin-9 antibody binds to the same epitope as a reference antibody selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, G9.1-8m14, G9.1-9, G9.1-10, and G9.1-11 antibodies, and/or competes against the reference antibody from binding to the CRD1 region. In some embodiments, the anti-Galectin-9 antibody binds to the same epitope as antibody G9.1-8 or antibody G9.1-8m13 and/or competes against antibody G9.1-8 or antibody G9.1-8m13 from binding to the CRD1 region.

In some embodiments, the anti-Galectin-9 antibody disclosed herein is an antibody selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, G9.1-8m14, G9.1-9, G9.1-10, and G9.1-11 antibodies. In some embodiments, the anti-Galectin-9 antibody is G9.1-8 antibody. In some embodiments, the antibody is G9.1-8m13 antibody. In some examples, the anti-Galectin-9 antibody may comprise the same heavy chain complementarity determining regions (CDRs) and the same light chain CDRs as the reference antibody, e.g., any of the reference antibodies provided herein. In one specific example, the anti-Galectin-9 antibody comprises the same heavy chain variable region and the same light chain variable region as the reference antibody, e.g., any of the reference antibodies provided above and elsewhere herein.

In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising SEQ ID NO: 21 or consisting essentially of SEQ ID NO: 21 or consisting of SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody has a V_H sequence comprising SEQ ID NO: 86 or consisting essentially of SEQ ID NO: 86 or consisting of SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising SEQ ID NO: 21 and a

V_H sequence comprising SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting essentially of SEQ ID NO: 21 and a V_H sequence consisting essentially of SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting of SEQ ID NO: 21 and a V_H sequence consisting of SEQ ID NO: 86.

5 In some embodiments, the anti-Galectin antibody has a V_H sequence comprising SEQ ID NO: 22 or consisting essentially of SEQ ID NO: 22 or consisting of SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising SEQ ID NO: 21 and a V_H sequence comprising SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting essentially of SEQ ID NO: 21 and a V_H sequence consisting essentially of SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting of SEQ ID NO: 21 and a V_H sequence consisting of SEQ ID NO: 22.

In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and 337. In some embodiments, the anti-Galectin-9 antibody has a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 364, 374, 366, and 383. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and 337, and a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 364, and 374. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and 337, and a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 366, and 383.

In some embodiments, the anti-Galectin-9 antibody disclosed herein binds an epitope within the Galectin-9 CRD2 region. In some embodiments, the anti-Galectin-9 antibody disclosed herein binds an epitope within the Galectin-9 CRD2 region, which CRD2 region may have the amino acid sequence of SEQ ID NO: 4. In some embodiments, the anti-Galectin-9 antibody disclosed herein binds an epitope within the CRD2 region having the amino acid sequence of SEQ ID NO: 4. In some embodiments, the anti-Galectin-9 antibody binds an epitope within the Galectin-9 CRD2 region that comprises a tryptophan residue corresponding with residue W309 of SEQ ID NO: 1. In some embodiments, the anti-Galectin-9 antibody binds an epitope within the Galectin-9 CRD2 region that does not comprise one or more residues corresponding with R253, R271, Y330, R334, R341 and Y236 of SEQ ID NO: 1. In some embodiments, the anti-Galectin-9 antibody may bind an epitope within the Galectin-9 CRD2 region that comprises a tryptophan residue corresponding with residue W309 of SEQ ID NO: 1 and additionally does not comprise one or more residues corresponding to R253, R271, Y330, R334, R341 and Y236 of SEQ ID NO: 1. In some embodiments, the anti-Galectin-9 antibody

binds to the same epitope as a reference antibody selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and/or competes against the reference antibody from binding to the CRD2 region. In some embodiments, the anti-Galectin-9 antibody binds to the same epitope as antibody G9.2-17 or antibody G9.2-17mut6 and/or competes against antibody G9.2-17 or antibody G9.2-17mut6 from binding to the CRD2 region. In some embodiments, the anti-Galectin-9 antibody is an antibody selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, and G9.2-26 antibodies. In some embodiments, the anti-Galectin-9 antibody is G9.2-17 antibody or G9.2-17mut6 antibody. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising SEQ ID NO: 54 or consisting essentially of SEQ ID NO: 54 or consisting of SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody has a V_H sequence comprising SEQ ID NO: 55 or consisting essentially of SEQ ID NO: 55 or consisting of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising SEQ ID NO: 54 and a V_H sequence comprising SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting essentially of SEQ ID NO: 54 and a V_H sequence consisting essentially of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence consisting of SEQ ID NO: 54 and a V_H sequence consisting of SEQ ID NO: 55. In some embodiments, the antibody has a V_H sequence comprising SEQ ID NO: 56. In some embodiments, the antibody has a V_H sequence consisting essentially of SEQ ID NO: 56 or consisting of SEQ ID NO: 56. In some embodiments, the isolated antibody has a V_L sequence comprising SEQ ID NO: 54 and a V_H sequence comprising SEQ ID NO: 56. In some embodiments, the isolated antibody has a V_L sequence consisting essentially of SEQ ID NO: 54 and a V_H sequence consisting essentially of SEQ ID NO: 56. In some embodiments, the isolated antibody has a V_L sequence consisting of SEQ ID NO: 54 and a V_H sequence consisting of SEQ ID NO: 56.

In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and 352. In some embodiments, the anti-Galectin-9 antibody has a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 388, 406, and 407. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and

352, and a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 388, and 406. In some embodiments, the anti-Galectin-9 antibody has a V_L sequence comprising one or more of the sequences set forth in SEQ ID NOs: 328, 329, and 352, and a V_H sequence comprising one or more of the sequences set forth in SEQ ID NOs: 361, 388, and 407.

5 In some examples, the anti-Galectin-9 antibody may comprise the same heavy chain complementarity determining regions (CDRs) and the same light chain CDRs as the reference antibody, e.g., any of the reference antibodies provided herein. In one specific example, the anti-Galectin-9 antibody comprises the same heavy chain variable region and the same light chain variable region as a reference antibody, e.g., any of the reference antibodies provided
10 herein. In some embodiments, the anti-Galectin-9 antibody comprises a heavy chain complementarity determining region 1 (CDR1), a heavy chain complementary determining region 2 (CDR2), and a heavy chain complementary determining region 3 (CDR3), which collectively are at least 90% (e.g., 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99%) identical to the heavy chain CDRs of a reference antibody, e.g., any of the reference antibodies
15 provided herein. In some embodiments, the anti-Galectin-9 antibody comprises a light chain CDR1, a light chain CDR2, and a light chain CDR3, which collectively are at least 90% (e.g., 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99%) identical to the light chain CDRs of a reference antibody, e.g., any of the reference antibodies provided herein.

In some embodiments, the anti-Galectin-9 antibody comprises both a heavy chain
20 complementarity determining region 1 (CDR1), a heavy chain complementary determining region 2 (CDR2), and a heavy chain complementary determining region 3 (CDR3), which collectively are at least 90% (e.g., 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99%) identical to the heavy chain CDRs of a reference antibody, e.g., any of the reference antibodies provided herein and a light chain CDR1, a light chain CDR2, and a light chain CDR3, which
25 collectively are at least 90% (e.g., 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99%) identical to the light chain CDRs of a reference antibody, e.g., any of the reference antibodies provided herein. In some examples, the anti-Galectin-9 antibody may comprise the same heavy chain CDRs and the same light chain CDRs as the reference antibodies noted above. In one specific example, the anti-Galectin-9 antibody may comprise the same heavy chain variable
30 region and the same light chain variable region as of a reference antibody, e.g., any of the reference antibodies provided herein. In some embodiments, the exemplary isolated anti-Galectin 9 antibodies which bind to CRD1 include G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-

8m12, G9.1-8m13, and G9.1-8m14. In some embodiments, the exemplary isolated anti-Galectin 9 antibodies which bind to CRD2 include G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder.

In some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portion thereof, comprise heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. In some embodiments, the light chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. In some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portions thereof, comprise heavy and light chain variable regions, wherein the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some embodiments, the heavy chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73.

In some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portion thereof, comprise heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71, and the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portion thereof, comprise heavy and light chain variable regions, wherein the light chain variable region consists of an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71, and the heavy chain variable region consists of an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73.

In some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portions thereof, comprise heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. In some embodiments, the light chain variable regions consist of an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. In

some embodiments, the isolated anti-Galectin 9 antibodies, or antigen binding portions thereof, comprise heavy and light chain variable regions, wherein the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the heavy chain variable regions consist of an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. Accordingly, in some embodiments, provided herein are isolated anti-Galectin 9 antibodies, or antigen binding portions thereof, comprising heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27 and the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the light chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27, and the heavy chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87.

In some embodiments, any of the anti-Galectin-9 antibody disclosed herein may comprise a heavy chain variable domain (V_H) that is at least 85% identical to the V_H of a reference antibody disclosed herein. Alternatively or in addition, the anti-Galectin-9 antibody may comprise a light chain variable domain (V_L) that is at least 85% identical to the V_L of the reference antibody.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region comprising SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region comprising SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VL region consisting of SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region consisting of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region comprising SEQ ID NO: 54 and 55, respectively. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region consisting of SEQ ID NO: 54 and 55, respectively. In some embodiments, the anti-Galectin-9 antibody is clone 9.2-17. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region comprising SEQ ID NO: 56. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region comprising SEQ ID NO: 54 and 56, respectively. In some

specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region consisting of SEQ ID NO: 54 and 56, respectively. In some embodiments, the anti-Galectin-9 antibody is clone 9.2-17 mut6.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region comprising
5 SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody comprises a VL region consisting of SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody comprises a V_H region comprising SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region consisting of SEQ ID NO: 86. In some
10 embodiments, the anti-Galectin-9 antibody comprises a VL and VH region comprising SEQ ID NO: 21 and 86, respectively. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region consisting of SEQ ID NO: 21 and 86, respectively. In some embodiments, the anti-Galectin-9 antibody is clone G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody comprises a V_H region comprising SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region consisting of SEQ
15 ID NO: 22. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region comprising SEQ ID NO: 21 and 22, respectively. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region consisting of SEQ ID NO: 21 and 22, respectively. In some embodiments, the anti-Galectin-9 antibody is clone G9.1-8.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof
20 comprises a VL region which has the same amino acid sequence as the VL region of antibody 9.1-8m13 (SEQ ID NO: 21). In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region which has the same amino acid sequence as the VH region of antibody 9.1-8m13 (SEQ ID NO: 86). In some embodiments, the anti-Galectin-9 antibody comprises VL and VH regions which have the same amino acid sequences as the VL
25 and VH regions of antibody 9.1-8m13 (SEQ ID NO: 21 and 86, respectively).

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region which has the same amino acid sequence as the VL region of antibody 9.2-17 (SEQ ID NO: 54). In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region which has the same amino acid sequence as the VH
30 region of antibody 9.2-17 (SEQ ID NO: 55). In some embodiments, the anti-Galectin-9 antibody comprises VL and VH regions which have the same amino acid sequences as the VL and VH regions of 9.2-17 (SEQ ID NO: 54 and 55, respectively).

In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. In some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NOs: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27 and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NOs: 13, 29, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. In some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NOs: 13, 29, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71 and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region set forth in SEQ ID NO: 21.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH region set forth in SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL

and VH region that have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL and VH regions set forth in SEQ ID NO: 21 and 86, respectively.

In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VL that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NO: 54. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NO: 55. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VL and/or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL and/or VH region set forth in SEQ ID NO: 54 and 55, respectively. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region of G9.1-8m13. In some specific embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH region of G9.1-8m13. In some specific embodiments, the anti-Galectin-9 antibody comprises VL and VH regions that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to VL and VH regions of G9.1-8m13. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region of G9.2-17. In some specific embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH region of G9.2-17. In some specific embodiments, the anti-Galectin-9 antibody comprises VL and VH regions that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to VL and VH regions of G9.2-17.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360; (d) VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437; (d) VH CDR2s amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466; (e) VH CDR3 amino acid sequence selected

from SEQ ID NO: 390-417. Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence selected from SEQ ID NO: 330-340; (d) VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 424-434; (e) VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366 and 438-445; (f) VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 comprises SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises $X_1X_2X_3X_4X_5SX_6X_7X_8SYADSVKG$ (SEQ ID NO: 467), in which $X_1 = Y$ or S , $X_2 = I$ or S , $X_3 = Y$ or S , $X_4 = P$ or S , $X_5 = Y$ or S , $X_6 = G$ or S , $X_7 = Y$ or S , and $X_8 = T$ or S . In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises $X_1SX_2X_3X_4X_5X_6X_7X_8X_9X_{10}KX_{11}X_{12}X_{13}GMDY$ (SEQ ID NO: 468), in which $X_1 = Y$ or S , $X_2 = T$, S , or absent, $X_3 = Y$, S , or absent, $X_4 = S$ or absent, $X_5 = W$, S , or absent, $X_6 = S$ or absent, $X_7 = G$, S , or absent, $X_8 = G$, T , S , or absent, $X_9 = I$, Y , S , or absent, $X_{10} = G$, S , or Y , $X_{11} = W$ or S , $X_{12} = V$ or S , and $X_{13} = W$ or S . In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 consists of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 consists of $X_1X_2X_3X_4X_5SX_6X_7X_8SYADSVKG$ (SEQ ID NO: 467), in which $X_1 = Y$ or S , $X_2 = I$ or S , $X_3 = Y$ or S , $X_4 = P$ or S , $X_5 = Y$ or S , $X_6 = G$ or S , $X_7 = Y$ or S , and $X_8 = T$ or S . In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 consists of $X_1SX_2X_3X_4X_5X_6X_7X_8X_9X_{10}KX_{11}X_{12}X_{13}GMDY$ (SEQ ID NO: 468), in which $X_1 = Y$ or S , $X_2 = T$, S , or absent, $X_3 = Y$, S , or absent, $X_4 = S$ or absent, $X_5 = W$, S , or absent, $X_6 = S$ or absent, $X_7 = G$, S , or absent, $X_8 = G$, T , S , or absent, $X_9 = I$, Y , S , or absent, $X_{10} = G$, S , or Y , $X_{11} = W$ or S , $X_{12} = V$ or S , and $X_{13} = W$ or S .

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 comprises SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof

comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 337. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 consists of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 consists of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 consists of SEQ ID NO: 337. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1 comprises SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR2 comprises SEQ ID NO: 366. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR3 region comprises SEQ ID NO: 383. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1 consists of SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR2 consists of SEQ ID NO: 366. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR3 region consists of SEQ ID NO: 383. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the anti-Galectin-9 antibody comprises the same VH CDRs

as G9.1-8m13. In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, respectively, and SEQ ID NO: 361, 366, and 383, respectively. In one specific embodiment, the anti-Galectin-9 antibody comprises the same VL and VH CDRs as G9.1-8m13.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 comprises SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 consists of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 consists of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof consists of heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the anti-Galectin-9 antibody comprises the same VL CDRs as G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO:

328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively, and SEQ ID NO: 361, 388, and 406, respectively. In one specific

5 embodiment, the anti-Galectin-9 antibody comprises the same VL and VH CDRs as G9.2-17.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence that has

10 at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL CDR3 amino acid sequence selected from SEQ ID NO: 330-340; (d) VH CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%,

15 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437; (e) VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366 and 438-445; (f) VH CDR3 amino acid sequence that has at least 80%

20 (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386. Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1 amino acid sequence set forth in

25 SEQ ID NO: 328; (b) VL CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360; (d) VH

30 CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 424-434; (d) VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466; (e) VH CDR3

amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 390-417.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the antibody VL CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 amino acid sequences of G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the antibody VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1, CDR2, and CDR3 amino acid sequences of G9.1-8m13. In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 366, and 383, respectively. In one specific embodiment, the antibody VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences as G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least

80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the antibody VL CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the antibody VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 388, and 406, respectively. In one specific embodiment, the antibody VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17.

In some embodiments of any of the anti-Galectin antibodies provided herein, the heavy chain constant region of the anti-Galectin-9 antibody is from a human IgG (a gamma heavy chain) of any IgG subfamily as described herein, *e.g.*, IgG1 or IgG4.

In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody light chains correspond to sequences set forth in SEQ ID NO: 88-98 and SEQ ID NO: 99-115. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (*e.g.*, 85%,

90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions). In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions). In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody heavy chains correspond to sequences set forth in SEQ ID NO: 116-140; 169-193; 222-246; 275-299 (anti-Galectin-9 antibodies binding to CRD1) and SEQ ID NO: 141-168; 194-220; 247-274; 300-327 (anti-Galectin-9 antibodies binding to CRD2). In some embodiments, the heavy chain constant region of the anti-Galectin-9 antibody is from a human IgG1. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 136. In some embodiments, the IgG1 is a mutant with minimal Fc receptor engagement. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 189. In some embodiments, the heavy chain constant region of the anti-Galectin-9 antibody is from a human IgG4. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 242. In some embodiments, the IgG4 is IgG4 exchange mutant. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 295.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 157. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 210. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 263. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 316.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 136 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 189 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%,

97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 242 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 295 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 157 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 210 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 263 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 316 (or its variable region). In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and a heavy chain sequence of SEQ ID NO: 136. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and a heavy chain sequence of SEQ ID NO: 189. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and a heavy chain sequence of SEQ ID NO: 242.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and a heavy chain sequence of SEQ ID NO: 295. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108 and a heavy chain sequence of SEQ ID NO: 157.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108 and a heavy chain sequence of SEQ ID NO: 210.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108 and a heavy chain sequence of SEQ ID NO: 263.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof
5 comprise a light chain sequence of SEQ ID NO: 108 and a heavy chain sequence of SEQ ID NO: 316.

In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 95 and a heavy chain amino acid sequence that has at
10 least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 136. In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 95 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment
15 therein) sequence identity to SEQ ID NO: 189. In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 95 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 242. In one
20 embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 95 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 295.

In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 108 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence
25 identity to f SEQ ID NO: 157. In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 108 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 210. In one embodiment, the anti-
30 Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g.,

85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 108 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 263. In one embodiment, the anti-Galectin-9 antibody comprises a light chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 108 and a heavy chain amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 316.

Any of the anti-Galectin-9 antibodies provided herein may comprise a heavy chain variable region framework of VH 3-48; and/or a light chain variable region framework of V κ 1-39. In some embodiments, any of the VH and/or VL frameworks described herein are germline VH and/or VL genes. In some embodiments, the anti-Galectin-9 antibodies described herein is a full-length antibody (e.g., an IgG molecule) or an antigen-binding fragment thereof. In some examples, the antibody is a Fab or a single-chain antibody. In any instances, the antibody can be a human antibody or a humanized antibody.

In another aspect, the present disclosure provides an isolated nucleic acid or set of nucleic acids which encode or collectively encode any of the anti-Galectin-9 antibodies disclosed herein. In some instances, the heavy chain and light chain of the antibody are encoded by two separate nucleic acid molecules (a set of nucleic acids). In other instances, the heavy chain and light chain of the antibody are encoded by one nucleic acid molecule, which may be in multicistronic format, or under the control of distinct promoters. In some embodiments, the nucleic acid or set of nucleic acids are located on one or two vectors. In some examples, the one or two vectors can be one or two expression vectors. Further, the present disclosure provides a host cell comprising any of the isolated nucleic acid or set of nucleic acids coding for the anti-Galectin-9 antibodies described herein.

Also provided herein is a method for producing the anti-Galectin-9 antibody, comprising culturing the host cell described herein under suitable conditions allowing for expressing of the antibody, and harvesting the antibody thus produced from the cell culture (e.g., from the culture medium).

Further, the present disclosure provides a pharmaceutical composition, comprising any of the anti-Galectin-9 antibodies or a nucleic acid(s) encoding such, and a pharmaceutically acceptable carrier.

In yet another aspect, the present disclosure features a method of inhibiting Galectin-9-mediated cell signaling in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody or a pharmaceutical composition comprising an anti-Galectin-9 antibody. In some embodiments, the anti-Galectin-9 antibody is any of the anti-Galectin-9 antibodies disclosed herein or a pharmaceutical composition comprising such. In some embodiments, the subject in need thereof is a human patient having, suspected of having, or at risk for having, an autoimmune disease, a solid cancer, a microbial disease, a hematological malignancy, or an allergic disorder. Exemplary autoimmune diseases include, but are not limited to, a rheumatoid condition (*e.g.*, rheumatoid arthritis), an autoimmune respiratory disease, an autoimmune metabolic and/or endocrine disorder (*e.g.*, type I diabetes), or a fibrotic condition. Exemplary solid tumors include, but are not limited to, pancreatic ductal adenocarcinoma (PDA), colorectal cancer (CRC), melanoma, cholangiocarcinoma, breast cancer, small cell and non small cell lung cancer, upper and lower gastrointestinal malignancies, gastric cancer, squamous cell head and neck cancer, genitourinary cancer, hepatocellular carcinoma, ovarian cancer, sarcomas, mesothelioma, glioblastoma, esophageal cancer, bladder cancer, urothelial cancer, renal cancer, cervical and endometrial cancer. Exemplary hematological malignancies include, but are not limited to, acute lymphoblastic leukemia, chronic lymphocytic leukemia, lymphomas, multiple myeloma, and acute myelogenous leukemia, chronic myelogenous leukemia, myelodysplastic syndromes, or myeloproliferative neoplasms and other myeloproliferative and myelodysplastic disorders. In some examples, the effective amount of the pharmaceutical composition is sufficient to block interaction between Galectin-9 and Dectin-1. In some embodiments, the effective amount of the pharmaceutical composition is sufficient to block interaction between Galectin-9 and CD206. Alternatively, or in addition, but not limited to, the effective amount of the pharmaceutical composition is sufficient to block interaction between Galactin-9 and Tim-3.

Further, the present disclosure provides a method for modifying, eliminating and/or reducing pathologic cells expressing Galectin-9 (*e.g.*, via antibody-dependent cell cytotoxicity or ADCC), the method comprising administering to a subject having pathologic cells expressing Galectin-9 an effective amount of an anti-Galectin-9 antibody, such as any of the anti-Galectin-9 antibodies described herein, or a pharmaceutical composition thereof. In some embodiments, the subject is a human patient having cancer cells expressing Galectin-9 and/or pathologic immune cells expressing Galectin-9. In some embodiments, the effective amount of the pharmaceutical composition is sufficient to initiate antibody-dependent cell cytotoxicity (ADCC) and/or block against pathologic cells expressing Galectin-9.

Any of the treatment methods described herein may further comprise administering to the subject an inhibitor of a checkpoint molecule, an activator of a co-stimulatory receptor, or an inhibitor of an innate immune cell target. Examples of checkpoint molecules include, but are not limited to, PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM-3 and A2aR. Examples of co-stimulatory receptors include, but are not limited to, OX40, GITR, CD137, CD40, CD27, and ICOS. Examples of innate immune cell targets include, but are not limited to, KIR, NKG2A, CD96, TLR, and IDO.

The present disclosure also provides pharmaceutical compositions for use in treating a disease associated with Galectin-9 (*e.g.*, those described herein), wherein the pharmaceutical composition comprises an anti-Galectin-9 antibody, such as any of the anti-Galectin-9 antibodies described herein, or a nucleic acid(s) encoding such antibody, and a pharmaceutically acceptable carrier. Also, the present disclosure provides uses of the anti-Galectin-9 antibodies or the encoding nucleic acids for manufacturing a medicament for use in treating the target diseases as described herein.

The details of one or more embodiments of the invention are set forth in the description below. Other features or advantages of the present invention will be apparent from the following drawing and detailed description of several embodiments, and also from the appended claims.

BRIEF DESCRIPTION OF DRAWINGS

The following drawings form part of the present specification and are included to further demonstrate certain aspects of the present disclosure, which can be better understood by reference to the drawing in combination with the detailed description of specific embodiments presented herein.

Figs. 1A-1B include charts showing a binding characterization of Fabs for Galectin-9 CRD2 using phage ELISAs. Fig. 1A: binding to human and mouse Galectin-9 shown by phage ELISA. Fig. 1B: affinity of Fabs clones to Galectin-9 CRD2 determined by competition phage ELISA.

Figs. 2A-2B include charts showing a binding characterization of Fabs for Galectin-9 CRD1 using phage ELISA. Fig. 2A: binding of Fab clones to human and mouse Galectin-9 CRD1 shown by phage ELISA. Fig. 2B: affinity of Fabs clones to Galectin-9 CRD1 determined by competition phage ELISA.

Figs. 3A-3B include charts showing epitope binning of G.9-2 Fab clones (binding to CRD2) using competition phage ELISA. Fig. 3A: mouse Galectin-9 CRD2-coated wells pre-

incubated with purified G9.2-1 or G9.2-3 Fabs prior to addition of phage-displayed Galectin-9 CRD2 binding Fab clones. Fig. 3B: human Galectin-9 CRD2-coated wells pre-incubated with purified G9.2-15 or G9.2-17 Fabs prior to addition of phage-displayed Galectin-9 CRD2 binding Fab clones.

5 **Fig. 4** includes diagrams showing the affinity of purified G9.2 Fabs to Galectin-9 CRD2, characterized using a bead-based binding assay. The curves show the best fit of the one-to-one binding model. Top left: G9.2-1 Fab. Top right: G9.2-3 Fab. Bottom left: G9.2-15 Fab. Bottom right: G9.2-17 Fab. Apparent K_d values are shown in the table.

10 **Fig. 5** includes diagrams showing the affinity of purified G9.1 Fabs to Galectin-9 CRD1, characterized using a bead-based binding assay. Experiments were performed in the same manner as in Fig. 4. Top left: G9.1-6 Fab. Top right: G9.1-5 Fab. Bottom left: G9.1-8 Fab. Bottom right: G9.1-11 Fab. Apparent K_d values are shown in the table.

15 **Fig. 6** includes diagrams showing a surface plasmon resonance analysis of Fab G9.2-15 and Fab G9.2-17 binding to CRD2 of human (top) and mouse (bottom) Galectin-9. The binding and dissociation phases of the experiments are marked in the top panels. Left: G9.2-15 Fab. Right: G9.2-17 Fab.

Fig. 7 includes diagrams showing an SPR analysis of G9.2-17 human IgG4 binding to CRD2 of human (top) and mouse (bottom) Galectin-9. The gray lines show the sensorgrams for the non-binding negative control, G9.2-iso human IgG4.

20 **Fig. 8** includes diagrams showing the staining of cell line samples with Fabs for Galectin-9 CRD2. Histograms for flow cytometry data are shown. Top left: G9.2-1 Fab. Top right: G9.2-3 Fab. Bottom left: G9.2-15 Fab. Bottom right: G9.2-17 Fab.

Fig. 9 is a chart showing the inhibitory effects of G9.2-17 and G9.1-8 on Galectin-9 mediated activation of Dectin-1 signaling.

25 **Figs. 10A-10B** include diagrams showing epitope mapping of G.9-2.17 on human Galectin-9 CRD2 by systematic mutagenesis. Fig. 10A: A diagram showing the binding activity of G9.2-17 to Galectin-9 CRD2 mutants as determined by phage ELISA. The reduction in ELISA signal indicates a site on the Galectin-9 CRD2 that is critical to G9.2-17 binding. Fig. 10B: a diagram depicting the location of W309 as mapped on the crystal structure of human Galectin-9 CRD2 (PDB ID 3NV2), which is opposite to the binding site of the sugar ligand as mapped on the crystal structure (W309 corresponds with W277 in UniProt ID 000182-2; PDB ID 3NV2).

30

Fig. 11 contains charts showing size-exclusion chromatography analyses of Fab G9.2-17 (top), Fab G9.2-17mut6 (middle) and Fab G9.2-Iso (bottom). Purified Fab samples were run on TOSOH TSK Bioassist G2WXL Column in PBS and detected using absorbance at 280 nm.

Fig. 12 contains charts showing surface plasmon resonance analyses of Fab G9.2-17 (top) and Fab G9.2.17mut6 (bottom) binding to the CRD2 of human (left) and mouse (right) Galectin-9. Human or mouse Galectin-9 CRD2 was immobilized on an Avicap chip preloaded with neutravidin on a Pall ForteBio Pioneer instrument. Fab samples were then flowed using the OneStep method. The binding and dissociation phases of the experiments are marked in the top panels.

Fig. 13 is a graph showing a binding characterization of G9.2 Fab clone for wild-type Galectin-9 CRD2 or the W3039K mutant using phage ELISA. Binding of Fab clones to human Galectin-9 CRD2 assayed using phage ELISA. Either biotinylated wild type human Galectin-9 CRD2, the W309K Galectin-9 CRD2 mutant, or Galectin-9 CRD2 pre-incubated with G9.2-17 IgG was immobilized to neutravidin-coated wells and incubated with individual phage-displayed Fab clones.

Fig. 14 is a Kaplan–Meier plot showing that blocking Galectin-9 results in significant extension of survival in animal models of pancreatic cancer (KPC mice).

Fig. 15 is a photograph of mouse tumors showing that blocking galectin-9 and anti-PD1 generates a superior response.

Fig. 16 is a bar graph showing the tumor mass of mice treated with G9.2-17 mIgG1. Mice (n=10/group) with orthotopically implanted KPC tumors were treated with commercial isotype (200µg) or commercial αGal9 (200µg) mAb or G9.2-Iso mIgG1 (200µg) or G9.2-17 mIgG1 at two doses (200µg or 400µg) once weekly for three weeks. Tumors were removed and weighed, and subsequently processed and stained for flow cytometry.

Figs. 17 depicts a bar graph showing tumor weight of mice treated with G9.2-17 mIgG2a alone or in combination with αPD1 mAb. Mice (n=10/group) with orthotopically implanted KPC tumors were treated with commercial αPD-1 (200µg) mAb or G9.2-17 mIg2a (200µg), or a combination of G9.2-17 and αPD-1, or matched isotype once weekly for three weeks. Tumors were removed and weighed and subsequently processed and stained for flow cytometry. Each point represents one mouse; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$; **** $p < 0.0001$; by unpaired Student's *t*-test.

Figs. 18A-18C depict graphs showing binding of purified G9.1-8m1-5 mIgG1 to human Galectin-9 CRD1 as characterized using a bead-based binding assay.

Figs. 19A-19G depict graphs showing binding of purified G9.1-8m6-11 Fabs to human Galectin-9 CRD1 as characterized using a bead-based binding assay.

Figs. 20A-20C depict graphs showing the affinity of purified G9.1-8m8, 9, and 11 mIgG2a antibodies to human Galectin-9 CRD1 as characterized using a bead-based binding assay.

Figs. 21A-21D depict graphs showing binding of purified G9.1-8m11-14 Fabs to human Galectin-9 CRD1 as characterized using a bead-based binding assay.

Figs. 22A-22D depict graphs showing binding of purified G9.1-8m12-14 mIgG2a antibodies to human Galectin-9 CRD1 as characterized using a bead-based binding assay.

Figs. 23A and 23B depict graphs showing the results of an apoptosis assay demonstrating that Gal-9 antibodies inhibit Galectin-9 induced apoptosis of Jurkat cells. Jurkat cells were treated with or without Galectin-9 (280 nM), G9.2-17 IgG (1 μ M), and/or G9.1-8m13 IgG (1 μ M) for 6 hours (Fig. 23A). Cells were then stained with annexin-V and PI followed by flow cytometry analysis. AnnexinV positive cells represent cells in both early and late stage apoptosis. Bars represent average of three replicates, represented as individual data points. Statistical analysis performed by unpaired Student's *t*-test. (* p <0.05; ** p <0.01; *** p <0.001; **** p <0.0001).

Fig. 24 depicts a graph showing the readout of assays demonstrating anti-Galectin-9 antibodies disclosed herein disrupt the interaction between Galectin-9 and CD206. Fig. 24A depicts a graph showing an ELISA measuring the interaction between immobilized human Galectin-9 and soluble CD206 in the absence and presence of the addition of G9.1-8m13, or G9.2-17 antibody. Isotype antibody wells serves as control. Galectin-9 coated wells were incubated with CD206 with or without G9.1-8m13, G9.2-17, a combination of both antibodies, or an isotype. (Experiments performed in triplicate; * p <0.05; ** p <0.01; *** p <0.001; **** p <0.0001; by unpaired Student's *t*-test). These results indicate that both G9.1-8m13 and G9.2-17 antibodies inhibit the interaction between Galectin-9 and CD206 and their effects are additive.

Fig. 25 depicts a line graph showing binding of purified G9.1-8m12-14 mIgG2a antibodies to human Galectin-9 CRD2 as compared to G9.18 (WT) as characterized using a bead-based binding assay.

Figs. 26A and 26B depict bar graphs showing TNF-alpha (Fig. 26A) and IFNgamma (Fig. 26B) expression in CD3+ T cells in pancreatic adenocarcinoma primary tumor sample patient-derived organotypic tumor spheroids (PDOTs) treated with 9.2-17 IgG4 (100 nM) as compared to isotype control (100 nM).

Figs. 27A - 27C depict bar graphs showing CD44 (Fig. 27A), TNF-alpha (Fig. 27B) and IFNgamma (Fig. 27C) expression in CD3+ T cells in pancreatic adenocarcinoma primary tumor sample patient-derived organotypic tumor spheroids (PDOTS) treated with 9.2-17 IgG1 (100 nM) or 9.2-17 IgG4 (100 nM) as compared to IgG1 or IgG4 isotype control (100 nM).

Figs. 28A – 28F depict bar graphs showing immune profile expression in a Gall Bladder Cancer tumor sample (PDOTS) treated with 9.2-17 IgG4 (100 nM) as compared to IgG4 isotype control (100 nM); CD44 in CD3+ T cells (Fig. 28A), TNF-alpha in CD3+ T cells (Fig. 28B), CD44 in CD4+ T cells (Fig. 28C), TNF-alpha in CD4+ T cells (Fig. 28D), CD44 in CD8+ T cells (Fig. 28E), TNF-alpha in CD8+ T cells (Fig. 28F).

Figs. 29A - 29C depict bar graphs showing CD44 (Fig. 29A), TNF-alpha (Fig. 29B) and IFNgamma (Fig. 29C) expression in CD3+ T cells in a sample of liver metastasis from a colorectal cancer patient (PDOTs) treated with 9.2-17 IgG1 (100 nM) or 9.2-17 IgG4 (100 nM) as compared to IgG1 (100 nM) or untreated control (Utx).

Fig. 30 depicts a line graph showing the effect of 9.2-17 in a B16F10 subcutaneous syngeneic model. Tumors were engrafted subcutaneously and treated with G9.2-17 IgG1 mouse mAb. Animals were dosed on day 0 and day 4 intravenously (i.v.) unless otherwise specified in the legend.

Fig. 31 depicts a line graph showing the effect of 9.2-17 in a B16F10 subcutaneous syngeneic model. Tumors were engrafted subcutaneously and treated with G9.2-17 IgG2a mouse mAb. Animals were dosed on day 0 and once every 4 days thereafter until the end of the experiment. mAbs were administered i.v. unless otherwise specified in the legend.

Fig. 32 depicts a graph showing a cell based binding assay CRL-2134 cell lines were incubated with a biotinylated Fab, and bound Fab was detected using neutravidin conjugated with DyLight 650. Samples were then analyzed using flow cytometry. Strong signals were observed for the Galectin-9 antibody 9.2-17, but not for the isotype controls. The K_D (nM) values for the Gal-9 antibodies in the two formats were as follows: G9.2-17 hIgG1: 0.41 ± 0.07 ; G9.2-17 mIgG1: 2.91 ± 0.66 .

Fig. 33A and 33B depict graphs showing a thermal stability determination of anti-Galectin-9 antibodies. The first derivative of the fluorescence emission plotted as a function of temperature ($-dF/dT$). The melting temperature is represented as the temperature at which a peak is observed. Thermal transition was determined using change in binding of fluorophor SYPRO Orange (ThermoFisher) using a real-time PCR instrument with a heating rate of 1°C per minute, essentially following a method as described in Vedadi et al., Chemical screening

methods to identify ligands that promote protein stability, protein crystallization, and structure determination; Proc Natl Acad Sci U S A. 2006 Oct 24;103(43):15835-40.

DETAILED DESCRIPTION OF INVENTION

5 Provided herein are antibodies capable of binding to Galectin-9 (*e.g.*, human, mouse, or both). In some embodiments, the anti-Galectin-9 antibodies bind to one or more epitopes in the CRD1 and/or CRD2 domains. Such anti-Galectin-9 antibodies are capable of suppressing the signaling mediated by Galectin-9 (*e.g.*, the signaling pathway mediated by Galectin-9/Dectin-1 or Galectin-9/Tim-3) or eliminating pathologic cells expressing Galectin-9 via, *e.g.*, ADCC.

10 Accordingly, the anti-Galectin-9 antibodies described herein can be used for inhibiting any of the Galectin-9 signaling and/or eliminating Galectin-9 positive pathologic cells, thereby benefiting treatment of diseases associated with Galectin-9, for example, autoimmune diseases, solid tumors, allergic disorders, or hematological disorders such as hematological malignancies.

15 Galectin-9, a tandem-repeat lectin, is a beta-galactoside-binding protein, which has been shown to have a role in modulating cell-cell and cell-matrix interactions. It is found to be strongly overexpressed in Hodgkin's disease tissue and in other pathologic states. It may also be found circulating in the tumor microenvironment (TME).

20 Galectin-9 is found to interact with Dectin-1, an innate immune receptor which is highly expressed on macrophages in PDA, as well as on cancer cells (Daley D, et al. Dectin 1 activation on macrophages by galectin 9 promotes pancreatic carcinoma and peritumoral immune tolerance; *Nat Med.* 2017;23(5):556-6). Regardless of the source of Galectin-9, disruption of its interaction with Dectin-1 has been shown to lead to the reprogramming of CD4⁺ and CD8⁺ cells into indispensable mediators of anti-tumor immunity. Thus, Galectin-9 serves as a valuable therapeutic target for blocking the signaling mediated by Dectin-1. Accordingly, in
25 some embodiments, the anti-Galectin-9 antibodies describe herein disrupt the interaction between Galectin-9 and Dectin-1.

30 Galectin-9 is also found to interact with TIM-3, a type I cell surface glycoprotein expressed on the surface of leukemic stem cells in all varieties of acute myeloid leukemia (except for M3 (acute promyelocytic leukemia)), but not expressed in normal human hematopoietic stem cells (HSCs). TIM-3 signaling resulting from Galectin-9 ligation has been found to have a pleiotropic effect on immune cells, inducing apoptosis in Th1 cells (Zhu et al., *Nat Immunol.*, 2005, 6:1245-1252) and stimulating the secretion of tumor necrosis factor- α (TNF- α), leading to the maturation of monocytes into dendritic cells, resulting in inflammation by innate immunity (Kuchroo et al., *Nat Rev Immunol.*, 2008, 8:577-580). Further Galectin-

9/TIM-3 signaling has been found to co-activate NF- κ B and β -catenin signaling, two pathways that promote LSC self-renewal (Kikushige et al., *Cell Stem Cell*, 2015, 17(3):341-352). An anti-Galectin-9 antibody that interferes with Galectin-9/TIM-3 binding could have a therapeutic effect, especially with respect to leukemia and other hematological malignancies. Accordingly, in some embodiments, the anti-Galectin-9 antibodies described herein disrupt the interaction between Galectin-9 and TIM-3.

Galectin-9 is also found to interact with CD206, a mannose receptor highly expressed on M2 polarized macrophages, thereby promoting tumor survival (Enninga et al., CD206-positive myeloid cells bind galectin-9 and promote a tumor-supportive microenvironment. *J Pathol*. 2018 Aug;245(4):468-477). Tumor-associated macrophages expressing CD206 are mediators of tumor immunosuppression, angiogenesis, metastasis, and relapse (see, e.g., Scodeller et al., Precision Targeting of Tumor Macrophages with a CD206 Binding Peptide. M1 and M2 had been described as the functional states of macrophages; *Sci Rep*. 2017 Nov 7;7(1):14655, and references therein). Specifically, M1 (also termed classically activated macrophages) are triggered by Th1-related cytokines and bacterial products, express high levels of IL-12, and are tumoricidal. By contrast, M2 (so-called alternatively activated macrophages) are activated by Th2-related factors, express high level of anti-inflammatory cytokines, such as IL-10, and facilitate tumor progression (Biswas and Mantovani; Macrophage plasticity and interaction with lymphocyte subsets: cancer as a paradigm; *Nat Immunol*. 2010 Oct; 11(10):889-96). The protumoral effects of M2 include the promotion of angiogenesis, advancement of invasion and metastasis, and the protection of the tumor cells from chemotherapy-induced apoptosis (Hu et al., Functional significance of macrophages in pancreatic cancer biology; *Tumour Biol*. 2015 Dec; 36(12): 9119-9126, and references therein). Tumor-associated macrophages are thought to be of M2-like phenotype and have a protumor role. Galectin-9 has been shown to mediate myeloid cell differentiation toward an M2 phenotype (Enninga et al., Galectin-9 modulates immunity by promoting Th2/M2 differentiation and impacts survival in patients with metastatic melanoma; *Melanoma Res*. 2016 Oct;26(5):429-41). It is possible that Galectin-9 binding CD206 may result in reprogramming TAMs towards the M2 phenotype, similar to what has been previously shown for Dectin. Without wishing to be bound by theory, blocking the interaction of Galectin-9 with CD206 may provide one mechanism by which an anti-Galectin antibody, e.g., as described herein in Table 1 and Table 2, such as antibody 9.1-8m13 and/or antibody 9.2-17, can be therapeutically beneficial. Accordingly, in some embodiments, the anti-Galectin-9 antibodies described herein disrupt the interaction between Galectin-9 and CD206.

Galectin-9 has also been shown to interact with protein disulfide isomerase (PDI) and 4-1BB (Bi S, et al. Galectin-9 binding to cell surface protein disulfide isomerase regulates the redox environment to enhance T-cell migration and HIV entry; Proc Natl Acad Sci U S A. 2011;108(26):10650-5; Madireddi et al. Galectin-9 controls the therapeutic activity of 4-1BB-targeting antibodies. J Exp Med. 2014;211(7):1433-48).

Anti-Galectin-9 antibodies can serve as therapeutic agents for treating diseases associated with Galectin-9 (*e.g.*, those in which a Galectin-9 signaling plays a role). Without being bound by theory, an anti-Galectin-9 antibody may block a signaling pathway mediated by Galectin-9. For example, the antibody may interfere with the interaction between Galectin-9 and its binding partner (*e.g.*, Dectin-1, TIM-3 or CD206), thereby blocking the signaling triggered by the Galectin-9/Ligand interaction. Alternatively, or in addition, an anti-Galectin-9 antibody may also exert its therapeutic effect by inducing blockade and/or cytotoxicity, for example, ADCC, CDC, or ADCP against pathologic cells that express Galectin-9. A pathologic cell refers to a cell that contributes to the initiation and/or development of a disease, either directly or indirectly.

Accordingly, described herein are anti-Galectin-9 antibodies and therapeutic uses thereof for treating diseases associated with Galectin-9.

Antibodies Binding to Galectin-9

The present disclosure provides antibodies that bind Galectin-9, for example, human and/or mouse Galectin-9.

In some instances, the anti-Galectin antibody described herein binds to an epitope in a carbohydrate recognition domain (CRD) of Galectin-9, *e.g.*, CRD1 or CRD2. . In some instances, the anti-Galectin antibody may bind to CRD1 and CRD2. Galectin-9 is a protein well known in the art. For example, NCBI GenBank Accession Nos. BAB83625.1 and NP_034838.2 provide information for human and mouse Galectin-1, respectively. Provided herein are exemplary human and mouse Galectin-9 polypeptides; Human galectin-9 (isoform 1; aka “long;”) is provided as SEQ ID NO: 1; human CRD1 and CRD2 are provided herein as SEQ ID NO: 3 and SEQ ID NO: 4, respectively; mouse galectin-9 (isoform 1; aka “long;”) is provided as SEQ ID NO: 2; human and mouse CRD1 and CRD2 are provided herein as SEQ ID NO: 5 and SEQ ID NO: 6, respectively.

The CRD1 domain of human Galectin-9 (SEQ ID NO: 3) encompasses residues 1-148 of SEQ ID NO:1, and the CRD2 domain (SEQ ID NO: 4) spans residues 218-355 of SEQ ID NO: 1. Similarly, the CRD1 domain of murine Galectin-9 (SEQ ID NO: 5) spans residues 1-147 of

SEQ ID NO:2, and the CRD2 domain (SEQ ID NO: 6) spans residues 226-353 of SEQ ID NO: 2.

Galectin-9 polypeptides from other species are known in the art and can be obtained from publicly available gene database, for example, GenBank, using either the human sequence or the mouse sequence as a query. The CRD1 and CRD2 domains of a Galectin-9 polypeptide can be identified by aligning the sequence of that Galectin-9 polypeptide with that of the human or mouse Galectin-9 as described herein.

The antibodies described herein bind Galectin-9 or a fragment thereof (*e.g.*, CRD1 or CRD2). As used herein, the term “anti-Galectin-9 antibody” refers to any antibody capable of binding to a Galectin-9 polypeptide, which can be of a suitable source, for example, human or a non-human mammal (*e.g.*, mouse, rat, rabbit, primate such as monkey, etc.). In some embodiments, the anti-Galectin-9 antibody can be used therapeutically to suppress the bioactivity of Galectin-9. In some embodiments, the anti-Galectin-9 antibody may be used in research or may be used in diagnostic/prognostic methods, *e.g.*, for the detection of cells expressing Galectin-9 in an assessment of treatment eligibility and/or efficacy. Alternatively, or in addition, an anti-Galectin-9 antibody may block the interaction between Galectin-9 and its ligand (*e.g.*, Dectin-1, TIM-3), thereby suppressing the signaling pathway triggered by, for example, the Galectin-9/Dectin-1 or Galectin-9/TIM-3 interaction. An anti-Galectin-9 antibody may also elicit the death of cells expressing Galectin-9, for example, through an antibody-dependent cellular cytotoxicity (ADCC) mechanism.

An antibody (interchangeably used in plural form) is an immunoglobulin molecule capable of specific binding to a target, such as a carbohydrate, polynucleotide, lipid, polypeptide, etc., through at least one antigen recognition site, located in the variable region of the immunoglobulin molecule. As used herein, the term “antibody”, *e.g.*, anti-Galectin-9 antibody, encompasses not only intact (*e.g.*, full-length) polyclonal or monoclonal antibodies, but also antigen-binding fragments thereof (such as Fab, Fab', F(ab')₂, Fv), single chain (scFv), mutants thereof, fusion proteins comprising an antibody portion, humanized antibodies, chimeric antibodies, diabodies, nanobodies, linear antibodies, single chain antibodies, multispecific antibodies (*e.g.*, bispecific antibodies) and any other modified configuration of the immunoglobulin molecule that comprises an antigen recognition site of the required specificity, including glycosylation variants of antibodies, amino acid sequence variants of antibodies, and covalently modified antibodies. An antibody, *e.g.*, anti-Galectin-9 antibody, includes an antibody of any class, such as IgD, IgE, IgG, IgA, or IgM (or sub-class thereof), and the antibody need not be of any particular class. Depending on the antibody amino acid sequence of

the constant domain of its heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), *e.g.*, IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2. The heavy-chain constant domains that correspond to the different classes of immunoglobulins are called alpha, delta, epsilon, gamma, and mu, respectively. The subunit structures and three-dimensional configurations of different classes of immunoglobulins are well known.

A typical antibody molecule comprises a heavy chain variable region (V_H) and a light chain variable region (V_L), which are usually involved in antigen binding. The V_H and V_L regions can be further subdivided into regions of hypervariability, also known as “complementarity determining regions” (“CDR”), interspersed with regions that are more conserved, which are known as “framework regions” (“FR”). Each V_H and V_L is typically composed of three CDRs and four FRs, arranged from amino-terminus to carboxy-terminus in the following order: FR1, CDR1, FR2, CDR2, FR3, CDR3, FR4. The extent of the framework region and CDRs can be precisely identified using methodology known in the art, for example, by the Kabat definition, the Chothia definition, the AbM definition, and/or the contact definition, all of which are well known in the art. See, *e.g.*, Kabat, E.A., *et al.* (1991) *Sequences of Proteins of Immunological Interest, Fifth Edition*, U.S. Department of Health and Human Services, NIH Publication No. 91-3242, Chothia *et al.*, (1989) *Nature* 342:877; Chothia, C. *et al.* (1987) *J. Mol. Biol.* 196:901-917, Al-lazikani *et al.* (1997) *J. Molec. Biol.* 273:927-948; and Almagro, *J. Mol. Recognit.* 17:132-143 (2004). See also hgmp.mrc.ac.uk and bioinf.org.uk/abs.

The anti-Galectin-9 antibody described herein may be a full-length antibody, which contains two heavy chains and two light chains, each including a variable domain and a constant domain. Alternatively, the anti-Galectin-9 antibody can be an antigen-binding fragment of a full-length antibody. Examples of binding fragments encompassed within the term “antigen-binding fragment” of a full length antibody include (i) a Fab fragment, a monovalent fragment consisting of the V_L , V_H , C_L and C_H1 domains; (ii) a $F(ab')_2$ fragment, a bivalent fragment including two Fab fragments linked by a disulfide bridge at the hinge region; (iii) a F_d fragment consisting of the V_H and C_H1 domains; (iv) a F_v fragment consisting of the V_L and V_H domains of a single arm of an antibody, (v) a dAb fragment (Ward *et al.*, (1989) *Nature* 341:544-546), which consists of a V_H domain; and (vi) an isolated complementarity determining region (CDR) that retains functionality. Furthermore, although the two domains of the F_v fragment, V_L and V_H , are coded for by separate genes, they can be joined, using recombinant methods, by a

synthetic linker that enables them to be made as a single protein chain in which the V_L and V_H regions pair to form monovalent molecules known as single chain Fv (scFv). See *e.g.*, Bird *et al.* (1988) *Science* 242:423-426; and Huston *et al.* (1988) *Proc. Natl. Acad. Sci. USA* 85:5879-5883.

The anti-Galectin-9 antibody as described herein, *e.g.*, in Table 1 and/or Table 2, can bind and inhibit (*e.g.*, reduce or eliminate) the activity of Galectin-9. In some embodiments, the anti-Galectin-9 antibody as described herein can bind and inhibit the activity of Galectin-9 by at least 30% (*e.g.*, 31%, 35%, 40%, 45%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). The apparent inhibition constant (K_i^{app} or K_{i,app}), which provides a measure of inhibitor potency, is related to the concentration of inhibitor required to reduce enzyme activity and is not dependent on enzyme concentrations. The inhibitory activity of an anti-Galectin-9 antibody described herein can be determined by routine methods known in the art.

The K_i^{app} value of an antibody may be determined by measuring the inhibitory effect of different concentrations of the antibody on the extent of the reaction (*e.g.*, enzyme activity); fitting the change in pseudo-first order rate constant (*v*) as a function of inhibitor concentration to the modified Morrison equation (Equation 1) yields an estimate of the apparent K_i value. For a competitive inhibitor, the K_i^{app} can be obtained from the y-intercept extracted from a linear regression analysis of a plot of K_i^{app} versus substrate concentration.

$$v = A \cdot \frac{([E] - [I] - K_i^{app}) + \sqrt{([E] - [I] - K_i^{app})^2 + 4[E] \cdot K_i^{app}}}{2} \quad (\text{Equation 1})$$

Where *A* is equivalent to *v*₀/*E*, the initial velocity (*v*₀) of the enzymatic reaction in the absence of inhibitor (*I*) divided by the total enzyme concentration (*E*). In some embodiments, the anti-Galectin-9 antibody described herein may have a K_i^{app} value of 1000, 900, 800, 700, 600, 500, 400, 300, 200, 100, 50, 40, 30, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5 pM or less for the target antigen or antigen epitope. In some embodiments, the anti-Galectin-9 antibody may have a lower K_i^{app} for a first target (*e.g.*, the CRD2 of Galectin-9) relative to a second target (*e.g.*, CRD1 of Galectin-9). Differences in K_i^{app} (*e.g.*, for specificity or other comparisons) can be at least 1.5, 2, 3, 4, 5, 10, 15, 20, 37.5, 50, 70, 80, 91, 100, 500, 1000, 10,000 or 10⁵ fold. In some examples, the anti-Galectin-9 antibody inhibits a first antigen (*e.g.*, a first protein in a first conformation or mimic thereof) greater relative to a second antigen (*e.g.*,

the same first protein in a second conformation or mimic thereof; or a second protein). In some embodiments, any of the anti-Galectin-9 antibodies may be further affinity matured to reduce the K_i^{app} of the antibody to the target antigen or antigenic epitope thereof.

In some embodiments, the anti-Galectin-9 antibody suppresses the Dectin-1 signaling, e.g., in tumor infiltrating immune cells, such as macrophages. In some embodiments, the anti-Galectin-9 antibody suppresses the Dectin-1 signaling triggered by Galectin-9 by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). Such inhibitory activity can be determined by conventional methods or the assays described herein, for example, Example 2. Alternatively or in addition, the anti-Galectin-9 antibody may suppress the T cell immunoglobulin mucin-3 (TIM-3) signaling initiated by Galectin-9. In some embodiments, the anti-Galectin-9 antibody suppresses the T cell immunoglobulin mucin-3 (TIM-3) signaling, e.g., in tumor infiltrating immune cells, e.g., in some embodiments by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). Such inhibitory activity can be determined by conventional methods or the assays described herein, for example, Example 2.

In some embodiments, the anti-Galectin-9 antibody suppresses the CD206 signaling, e.g., in tumor infiltrating immune cells. In some embodiments, the anti-Galectin-9 antibody suppresses the CD206 signaling triggered by Galectin-9 by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). Such inhibitory activity can be determined by conventional methods or the assays described herein, for example, Example 13. In some embodiments, the anti-Galectin-9 antibody blocks or prevents binding of Galectin-9 to CD206 by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). Such inhibitory activity can be determined by conventional methods or the assays described herein, for example, Example 13.

In some embodiments, any of the anti-Galectin-9 antibodies described herein induce cell cytotoxicity, such as ADCC, in target cells expressing Galectin-9, e.g., wherein the target cells are cancer cells or immune suppressive immune cells. In some embodiments, the anti-Galectin-9 antibody induces apoptosis in immune cells, such as T cells, or cancer cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). Such inhibitory activity can be determined by conventional methods or the assays described herein, for example, Example 14. In some embodiments, any of the anti-Galectin-9 antibodies described herein induce cell cytotoxicity such as complement-dependent cytotoxicity (CDC) against target cells expressing Galectin-9.

Antibody-dependent cell-mediated phagocytosis (ADCP) is an important mechanism of action for antibodies that mediate part or all of their action through phagocytosis. In that case, antibodies mediate uptake of specific antigens by antigen presenting cells. ADCP can be mediated by monocytes, macrophages, neutrophils, and dendritic cells, through FcγRIIa, FcγRI, and FcγRIIIa, of which FcγRIIa (CD32a) on macrophages represent the predominant pathway.

In some embodiments, any of the anti-Galectin-9 antibodies described herein induce cell phagocytosis of target cells, e.g., cancer cells or immune suppressive immune cells expressing Galectin-9 (ADCP). In some embodiments, the anti-Galectin-9 antibody increases phagocytosis of target cells, e.g., cancer cells or immune suppressive immune cells, by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, any of the anti-Galectin-9 antibodies described herein induce cell cytotoxicity such as complement-dependent cytotoxicity (CDC) against target cells, e.g., cancer cells or immune suppressive immune cells. In some embodiments, the anti-Galectin-9 antibody increases CDC against target cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, any of the anti-Galectin-9 antibodies described herein induce T cell activation, e.g., in tumor infiltrating T cells, i.e., suppress Galectin-9 mediated inhibition of T cell activation, either directly or indirectly. In some embodiments, the anti-Galectin-9 antibody promotes T cell activation by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). T cell activation can be determined by conventional methods or the assays described herein, for example, Example 6 (*e.g.*, measurement of CD44, OX40, IFNγ, PD-1). In some embodiments, the anti-Galectin-9 antibody promotes CD4⁺ cell activation by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). In a non-limiting example, the anti-Galectin antibody induces CD44 expression in CD4⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases CD44 expression in CD4⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). In a non-limiting example, the anti-Galectin antibody induces IFNγ expression in CD4⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases IFNγ expression in CD4⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). In a non-limiting example, the anti-Galectin antibody induces TNFα expression in CD4⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases TNFα expression in CD4⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the anti-Galectin-9 antibody promotes CD8⁺ cell activation by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater), including any increment therein). In a non-limiting example, the anti-Galectin antibody induces CD44 expression in CD8⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases CD44 expression in CD8⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). In a non-limiting example, the anti-Galectin antibody induces IFN γ expression in CD8⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases IFN γ expression in CD8⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein). In a non-limiting example, the anti-Galectin antibody induces TNF α expression in CD8⁺ cells. In some embodiments, the anti-Galectin-9 antibody increases TNF α expression in CD8⁺ cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

The antibodies described herein can be murine, rat, human, or any other origin (including chimeric or humanized antibodies). Such antibodies are non-naturally occurring, *i.e.*, would not be produced in an animal without human act (*e.g.*, immunizing such an animal with a desired antigen or fragment thereof or isolated from antibody libraries).

Any of the antibodies described herein, *e.g.*, anti-Galectin-9 antibody, can be either monoclonal or polyclonal. A “monoclonal antibody” refers to a homogenous antibody population and a “polyclonal antibody” refers to a heterogeneous antibody population. These two terms do not limit the source of an antibody or the manner in which it is made.

In some embodiments, the anti-Galectin-9 antibody is a humanized antibody. In some embodiments, the anti-Galectin-9 antibody is a humanized antibody having one of more of the elements or characteristics described below or elsewhere herein. Humanized antibodies refer to forms of non-human (*e.g.*, murine) antibodies that are specific chimeric immunoglobulins, immunoglobulin chains, or antigen-binding fragments thereof that contain minimal sequence derived from non-human immunoglobulin. In general, humanized antibodies are human immunoglobulins (recipient antibody) in which residues from a CDR of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat, or rabbit having the desired specificity, affinity, and capacity. In some instances, Fv framework region (FR) residues of the human immunoglobulin are replaced by corresponding non-human residues. Furthermore, the humanized antibody may comprise residues that are found neither in the recipient antibody nor in the imported CDR or framework sequences, but are included to further refine and optimize antibody performance. In some instances, the humanized antibody

may comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region or domain (Fc), typically that of a human immunoglobulin. Antibodies may have Fc regions modified as described in WO 99/58572. Other forms of humanized antibodies have one or more CDRs (one, two, three, four, five, or six) which are altered with respect to the original antibody, which are also termed one or more CDRs “derived from” one or more CDRs from the original antibody. Humanized antibodies may also involve affinity maturation.

Methods for constructing humanized antibodies are also well known in the art. See, *e.g.*, Queen *et al.*, Proc. Natl. Acad. Sci. USA, 86:10029-10033 (1989). In one example, variable regions of V_H and V_L of a parent non-human antibody are subjected to three-dimensional molecular modeling analysis following methods known in the art. Next, framework amino acid residues predicted to be important for the formation of the correct CDR structures are identified using the same molecular modeling analysis. In parallel, human V_H and V_L chains having amino acid sequences that are homologous to those of the parent non-human antibody are identified from any antibody gene database using the parent V_H and V_L sequences as search queries. Human V_H and V_L acceptor genes are then selected.

The CDR regions within the selected human acceptor genes can be replaced with the CDR regions from the parent non-human antibody or functional variants thereof. When necessary, residues within the framework regions of the parent chain that are predicted to be important in interacting with the CDR regions can be used to substitute for the corresponding residues in the human acceptor genes.

In some embodiments, the anti-Galectin-9 antibody is a chimeric antibody. In some embodiments, the anti-Galectin-9 antibody is a chimeric antibody which may include a heavy constant region and a light constant region from a human antibody. Chimeric antibodies refer to antibodies having a variable region or part of variable region from a first species and a constant region from a second species. Typically, in these chimeric antibodies, the variable region of both light and heavy chains mimics the variable regions of antibodies derived from one species of mammals (*e.g.*, a non-human mammal such as mouse, rabbit, and rat), while the constant portions are homologous to the sequences in antibodies derived from another mammal such as human. In some embodiments, amino acid modifications can be made in the variable region and/or the constant region.

In some embodiments, the anti-Galectin-9 antibodies described herein specifically bind to the corresponding target antigen or an epitope thereof, e.g., Galectin-9 antigen or epitope. An antibody that “specifically binds” to an antigen or an epitope is a term well understood in the art. A molecule is said to exhibit “specific binding” if it reacts more frequently, more rapidly, with greater duration and/or with greater affinity with a particular target antigen than it does with alternative targets. An antibody “specifically binds” to a target antigen or epitope if it binds with greater affinity, avidity, more readily, and/or with greater duration than it binds to other substances. For example, an antibody that specifically (or preferentially) binds to an antigen (Galectin-9) or an antigenic epitope therein is an antibody that binds this target antigen with greater affinity, avidity, more readily, and/or with greater duration than it binds to other antigens or other epitopes in the same antigen. It is also understood with this definition that, for example, an antibody that specifically binds to a first target antigen may or may not specifically or preferentially bind to a second target antigen. As such, “specific binding” or “preferential binding” does not necessarily require (although it can include) exclusive binding. In some examples, an antibody that “specifically binds” to a target antigen or an epitope thereof may not bind to other antigens or other epitopes in the same antigen (*i.e.*, only baseline binding activity can be detected in a conventional method). In some embodiments, the anti-Galectin-9 antibodies described herein specifically bind to Galectin-9. In some embodiments, the anti-Galectin-9 antibodies described herein specifically bind to the CRD2 of Galectin-9. In some embodiments, the anti-Galectin-9 antibodies described herein specifically bind to the CRD1 of Galectin-9. Alternatively, or in addition, the anti-Galectin-9 antibody described herein specifically binds human Galectin-9 or a fragment thereof as relative to the mouse counterpart, or *vice versa* (e.g., having a binding affinity at least 10-fold higher to one antigen than the other as determined in the same assay under the same assay conditions).

In some embodiments, the anti-Galectin -9 antibody binds only to CRD1 (and not CRD2), for example, meaningful binding to CRD2 or binding to CRD2 is not detectable by a routine assay method. In some embodiments, the anti-Galectin -9 or a fragment thereof binds only to CRD2 (and not CRD1). In some embodiments, certain antibodies described herein may bind to both CRD1 and CRD2. In some embodiments, certain antibodies or fragments thereof described herein may bind to both CRD1 and CRD2, but with a lower affinity to CRD2. In some embodiments, certain antibodies or fragments thereof described herein may bind to both CRD1 and CRD2, but with a lower affinity to CRD1.

In some embodiments, the effect of a CRD1 binding Gal-9 antibody and a CRD2 binding Gal-9 antibody may be additive. In some embodiments, the effect of a CRD1 binding Gal-9

antibody and a CRD2 binding Gal-9 antibody may be synergistic. In some embodiments, a “cocktail” *i.e.*, a mixture of two or more antibodies may be used in a composition. Such compositions may comprise one or more antibodies that bind to CRD1 described herein and one or more antibodies that bind to CRD2 described herein. In a non-limiting example, an antibody comprising the variable region of clone 9.1-8m13 (*e.g.*, SEQ ID NO: 21 (light chain and SEQ ID NO: 86) can be combined with an antibody comprising the variable region of clone 9.2-17 (SEQ ID NO: 54 (light chain and SEQ ID NO: 55) in a composition. Antibodies may be mixed in equimolar amounts or in other ratios, as determined optimal for performance.

In some embodiments, an antibody might bind to both CRD1 and CRD2. In other instances, the anti-Galectin-9 antibody described herein may cross-react to human and a non-human Galectin-9 (*e.g.*, mouse), *e.g.*, the difference in binding affinity to the human and the non-human Galectin-9 is less than 5-fold, *e.g.*, less than 2-fold, or substantially similar.

In some embodiments, an anti-Galectin-9 antibody as described herein has a suitable binding affinity for the target antigen (*e.g.*, Galectin-9) or antigenic epitopes thereof. As used herein, “binding affinity” refers to the apparent association constant or K_A . The K_A is the reciprocal of the dissociation constant (K_D). The anti-Galectin-9 antibody described herein may have a binding affinity (K_D) of at least 10^{-5} , 10^{-6} , 10^{-7} , 10^{-8} , 10^{-9} , 10^{-10} M, or lower for the target antigen or antigenic epitope. An increased binding affinity corresponds to a decreased K_D . Higher affinity binding of an antibody for a first antigen relative to a second antigen can be indicated by a higher K_A (or a smaller numerical value K_D) for binding the first antigen than the K_A (or numerical value K_D) for binding the second antigen. In such cases, the antibody has specificity for the first antigen (*e.g.*, a first protein in a first conformation or mimic thereof) relative to the second antigen (*e.g.*, the same first protein in a second conformation or mimic thereof; or a second protein). In some embodiments, the anti-Galectin-9 antibodies described herein have a higher binding affinity (a higher K_A or smaller K_D) to the CRD1 of Galectin-9 as compared to the binding affinity to the CRD2 of Galectin-9. In some embodiments, the anti-Galectin-9 antibodies described herein have a higher binding affinity (a higher K_A or smaller K_D) to the CRD2 of Galectin-9 as compared to the binding affinity to the CRD1 of Galectin-9. Differences in binding affinity (*e.g.*, for specificity or other comparisons) can be at least 1.5, 2, 3, 4, 5, 10, 15, 20, 37.5, 50, 70, 80, 91, 100, 500, 1000, 10,000 or 10^5 fold. In some embodiments, any of the anti-Galectin-9 antibodies may be further affinity matured to increase the binding affinity of the antibody to the target antigen or antigenic epitope thereof.

Binding affinity (or binding specificity) can be determined by a variety of methods including equilibrium dialysis, equilibrium binding, gel filtration, ELISA, surface plasmon

resonance, or spectroscopy (*e.g.*, using a fluorescence assay). Exemplary conditions for evaluating binding affinity are in HBS-P buffer (10 mM HEPES pH7.4, 150 mM NaCl, 0.005% (v/v) Surfactant P20).

These techniques can be used to measure the concentration of bound binding protein as a function of target protein concentration. Under certain conditions, the fractional concentration of bound binding protein ($[Bound]/[Total]$) is generally related to the concentration of total target protein ($[Target]$) by the following equation:

$$[Bound]/[Total] = [Target]/(K_d + [Target])$$

It is not always necessary to make an exact determination of K_A , though, since sometimes it is sufficient to obtain a quantitative measurement of affinity, *e.g.*, determined using a method such as ELISA or FACS analysis, is proportional to K_A , and thus can be used for comparisons, such as determining whether a higher affinity is, *e.g.*, 2-fold higher, to obtain a qualitative measurement of affinity, or to obtain an inference of affinity, *e.g.*, by activity in a functional assay, *e.g.*, an *in vitro* or *in vivo* assay. In some cases, the *in vitro* binding assay is indicative of *in vivo* activity. In other cases, the *in vitro* binding assay is not necessarily indicative of *in vivo* activity. In some cases tight binding is beneficial, but in other cases tight binding may not be as desirable *in vivo*, and an antibody with lower binding affinity may be more desirable. A number of exemplary anti-Galectin-9 antibodies (specific to CRD1 or CRD2) are provided herein.

Exemplary antibody clones (reference antibodies) of the disclosure binding to CRD1 include G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14.

Exemplary antibody clones (reference antibodies) of the disclosure binding to CRD2 include G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder.

Variable regions

Exemplary anti-Galectin-9 antibodies described herein binding to CRD1 are antibodies, *e.g.*, monoclonal, recombinant, and/or human antibodies, having the CDR and/or variable region sequences of antibodies G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-

8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14. Exemplary anti-Galectin-9 antibodies described herein binding to CRD2 are antibodies, e.g., monoclonal, recombinant, and/or human antibodies, having the CDR and/or variable region sequences of antibodies G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder. Exemplary sequences and SEQ ID NOs are listed in Table 1 and 2. CDRs determined using the Kabat methodology are shown in boldface. Table 3 presents the CDRs, determined with Kabat methodology, of selected clones. Herein the terms “m” and “mut”, e.g., “9.1-8m” and “9.1-8mut” are used interchangeably. For example, the “G9.1-8m1”, “G9.1-8m2”, “G9.1-8m3”, “G9.1-8m4”, “G9.1-8m5”, “G9.1-8m6”, “G9.1-8m7”, “G9.1-8m8”, “G9.1-8m9”, “G9.1-8m10”, “G9.1-8m11”, “G9.1-8m12”, “G9.1-8m13”, and “G9.1-8m14” are used interchangeably with “G9.1-8mut1”, “G9.1-8mut2”, “G9.1-8mut3”, “G9.1-8mut4”, “G9.1-8mut5”, “G9.1-8mut6”, “G9.1-8mut7”, “G9.1-8mut8”, “G9.1-8mut9”, “G9.1-8mut10”, “G9.1-8mut11”, “G9.1-8mut12”, “G9.1-8mut13”, and “G9.1-8mut14, respectively.

Table 1. Antibodies directed against CRD1

Clone	Sequence	VR	CDR 1	CDR 2	CDR 3	LC/HC IgG1	IgG1 LALA	IgG4	IgG 4 mut
		SEQ ID NO:							
G9.1-1	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQSWVGSLLITFGQGTKV EIKR	7	328	329	330	88	88	88	88
G9.1-1	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASIYSSYGITYYA DSVKGRFTISADTSKNTAYLQ MNSLRAEDTAVYYCARYYW GWSQNQGFWWYGLDYWGQ GTLTVTVSS	8	431	438	367	116	169	222	275
G9.1-2	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQWQWGYSLVTFGQGT KVEIKR	9	328	329	331	89	89	89	89
G9.1-2	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTISSSIHWVRQAP GKGLEWVASISSYYGSTYYAD SVKGRFTISADTSKNTAYLQM NSLRAEDTAVYYCARSWSSSF WYNWALDYWGQGTTLTVTVSS	10	435	439	368	117	170	223	276

G9.1-3	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQSWYSNKPITFGQGTK VEIKR	11	328	329	332	90	90	90	90
G9.1-3	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTIYSSSIHWVRQAP GKGLEWVAIYSSSGYTSYAD SVKGRFTISADTSKNTAYLQM NSLRAEDTAVYYCARYSHSSL YYSWIWALDYWGQGLTVTS S	12	436	363	369	118	171	224	277
G9.1-4	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQSSSLITFGQGTKVEIK R	13	328	329	333	91	91	91	91
G9.1-4	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTIYSSSIHWVRQA PGKGLEWVASISSSSGSTSYA DSVKGRFTISADTSKNTAYLQ MNSLRAEDTAVYYCARSYRP YSSYYWGMDYWGQGLTVTV SS	14	437	440	370	119	172	225	278
G9.1-5	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQYYGWFYPTFGQGT KVEIKR	15	328	329	334	92	92	92	92
G9.1-5	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTIYSSSIHWVRQA PGKGLEWVASISSSYGSTYYA DSVKGRFTISADTSKNTAYLQ MNSLRAEDTAVYYCARSVSW YPYYYYYGYGSGLDYWGQ GLTVTVSS	16	437	441	371	120	173	226	279
G9.1-6	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQYHSSLFTFGQGTKVEI KR	17	328	329	335	93	93	93	93
G9.1-6	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTLSSSIHWVRQA PGKGLEWVASIYSSYGSTSYA DSVKGRFTISADTSKNTAYLQ MNSLRAEDTAVYYCARSSHW YMYWSYWGWIYIGMDYWGQ GLTVTVSS	18	427	442	372	121	174	227	280
G9.1-7	V _L :DIQMTQSPSSLSASVGDRV TITCRASQSVSSAVAWYQQKP GKAPKLLIYSASSLYSGVPSRF SGSRSGTDFLTITSLQPEDFAT YYCQQYPGYRGLITFGQGTK VEIKR	19	328	329	336	94	94	94	94
G9.1-7	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSIHWVRQA	20	361	443	373	122	175	228	281

	PGKGLEWVASISSYYGYTYAA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCARS SY GYDYFVKYYTMDYWGQ GLT VTVSS								
G9.1-8	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQKP GKAPKLLIY SASSLYSGVPSRF SGSRSGTDFTLTISLQPEDFAT YYC QQSY YDSNPITFGQ GTKV EIKR	21	328	329	337	95	95	95	95
G9.1-8	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVKGR FTISADTSKNTAYL QMNSLRAEDTAVYYCARY ST YSWGGIGKWWGMDYWGQ GTLTVSS	22	361	364	374	123	176	229	282
G9.1-9	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQKP GKAPKLLIY SASSLYSGVPSRF SGSRSGTDFTLTISLQPEDFAT YYC QQSYFHKIPITFGQ GTKV EIKR	23	328	329	338	96	96	96	96
G9.1-9	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSIH WVRQA PGKGLEWVA YIYSSSGYTSYA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCARY SSY HYPYWLFAMDYWGQ GLTVT VSS	24	361	363	384	138	191	244	297
G9.1-10	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQKP GKAPKLLIY SASSLYSGVPSRF SGSRSGTDFTLTISLQPEDFAT YYC QQWYWYYPVTFGQ GTK VEIKR	25	328	329	339	97	97	97	97
G9.1-10	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSYSSI HWVRQA PGKGLEWVA SIYSYYGSTYYA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCARG HYQ EGRKSGFSYWSPALDYWGQ GTLTVSS	26	429	444	385	139	192	245	298
G9.1-11	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQKP GKAPKLLIY SASSLYSGVPSRF SGSRSGTDFTLTISLQPEDFAT YYC QQTYWGLITFGQ GTKVE IKR	27	328	329	340	98	98	98	98
G9.1-11	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVYSSSIH WVRQA PGKGLEWVA SIYSYYGYTSYA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCAR STEG YDRWGYYSYSSWSSGLDYWG QGLTVTVSS	28	428	445	386	140	193	246	299
G9.1-8ml	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQKP GKAPKLLIY SASSLYSGVPSRF	21	328	329	337	95	95	95	95

	SGSRSGTDFTLTISSLQPEDFAT YYC QQSYDSNP ITFGQGTKV EIKR								
G9.1- 8m1	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQA PGKGLEWVA SSSSSGYTSYA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCARY STY SWGIGKWWGMDYWGQG TLVTVSS	74	361	365	374	124	177	230	283
G9.1- 8m2	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSSA VAWYQQKP GKAPKLLIYS ASSLYSGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSYDSNP ITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m2	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQA PGKGLEWVA YIYPYSSSSYA DSVKGR FTISADTSKNTAYLQ MNSLRAEDTAVYYCARY STY SWGIGKWWGMDYWGQG TLVTVSS	75	361	366	374	125	178	231	284
G9.1- 8m3	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSSA VAWYQQKP GKAPKLLIYS ASSLYSGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSYDSNP ITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m3	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVKGR FTISADTSKNTAYL QMNSLRAEDTAVYYCAR SSSS SWGIGKWWGMDYWGQG TLVTVSS	76	361	364	375	126	179	232	285
G9.1- 8m4	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSSA VAWYQQKP GKAPKLLIYS ASSLYSGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSYDSNP ITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m4	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVKGR FTISADTSKNTAYL QMNSLRAEDTAVYYCARY ST YSSSSSKWWGMDYWGQG TLVTVSS	77	361	364	376	127	180	233	286
G9.1- 8m5	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSSA VAWYQQKP GKAPKLLIYS ASSLYSGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSYDSNP ITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m5	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVKGR FTISADTSKNTAYL QMNSLRAEDTAVYYCARY ST	78	361	364	377	128	181	234	287

	<u>YSWGGIGSSSSMDY</u> WGQGT LTVSS								
G9.1- 8m6	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQQKP GKAPKLLIYS ASSLY SGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSY YDSNPITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m6	V _H :EVQLVESGGGLVQPGGSLR LSCAAS GFTVSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVK GRFTISADTSKNTAYL QMNSLRAEDTAVYYCARY YST <u>YSSSSKWWGMDY</u> WGQGT LTVSS	79	361	364	378	129	182	235	288
G9.1- 8m7	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQQKP GKAPKLLIYS ASSLY SGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSY YDSNPITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m7	V _H :EVQLVESGGGLVQPGGSLR LSCAAS GFTVSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVK GRFTISADTSKNTAYL QMNSLRAEDTAVYYCARY YST <u>YSSSSKWWGMDY</u> WGQGT LTVSS	80	361	364	379	130	183	236	289
G9.1- 8m8	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQQKP GKAPKLLIYS ASSLY SGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSY YDSNPITFGQGTKV EIKR	21	328	329	f337	95	95	95	95
G9.1- 8m8	V _H :EVQLVESGGGLVQPGGSLR LSCAAS GFTVSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVK GRFTISADTSKNTAYL QMNSLRAEDTAVYYCARY YST <u>YSSSKWWGMDY</u> WGQGT LTVSS	81	361	364	380	131	184	237	290
G9.1- 8m9	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQQKP GKAPKLLIYS ASSLY SGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSY YDSNPITFGQGTKV EIKR	21	328	329	337	95	95	95	95
G9.1- 8m9	V _H :EVQLVESGGGLVQPGGSLR LSCAAS GFTVSSSIH WVRQA PGKGLEWVA YIYPYSGYTSY ADSVK GRFTISADTSKNTAYL QMNSLRAEDTAVYYCARY YST <u>YSSKWWGMDY</u> WGQGT LTVSS	82	361	364	383	132	185	238	291
G9.1- 8m10	V _L :DIQMTQSPSSLSASVGDRV TIT CRASQSVSS AVAWYQQKP GKAPKLLIYS ASSLY SGVPSRF SGSRSGTDFTLTISSLQPEDFAT YYC QQSY YDSNPITFGQGTKV EIKR	21	328	329	337	95	95	95	95

G9.1-8m10	V _H :EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWRQAPGKGLEWVAIYIPYSGYTSY ADSVKGR FTISADTSKNTAYLQMNSLRAEDTAVYYCARY YSTY YSKWVWGMDY WGQGTLLTVSS	83	361	364	381	133	186	239	292
G9.1-8m11	V _L :DIQMTQSPSSLSASVGDRVITITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSGTDFTLTISLQPEDFATYYC QQSY YDSNPITFGQGTKVEIKR	21	328	329	337	95	95	95	95
G9.1-8m11	V _H :EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWRQAPGKGLEWVAIYIPYSGYTSY ADSVKGR FTISADTSKNTAYLQMNSLRAEDTAVYYCARY YSTY YKWVWGMDY WGQGTLLTVSS	84	361	364	382	134	187	240	293
G9.1-8m12	V _L :DIQMTQSPSSLSASVGDRVITITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSGTDFTLTISLQPEDFATYYC QQSY YDSNPITFGQGTKVEIKR	21	328	329	337	95	95	95	95
G9.1-8m12	V _H :EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWRQAPGKGLEWVAIYIPYSSSSSYA DSVKGR FTISADTSKNTAYLQMNSLRAEDTAVYYCARY YSTY SSSKWVWGMDY WGQGTLLTVSS	85	361	366	380	135	188	241	294
G9.1-8m13	V _L :DIQMTQSPSSLSASVGDRVITITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSGTDFTLTISLQPEDFATYYC QQSY YDSNPITFGQGTKVEIKR	21	328	329	337	95	95	95	95
G9.1-8m13	V _H :EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWRQAPGKGLEWVAIYIPYSSSSSYA DSVKGR FTISADTSKNTAYLQMNSLRAEDTAVYYCARY YSTY SSKWVWGMDY WGQGTLLTVSS	86	361	366	383	136	189	242	295
G9.1-8m14	V _L :DIQMTQSPSSLSASVGDRVITITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSGTDFTLTISLQPEDFATYYC QQSY YDSNPITFGQGTKVEIKR	21	328	329	337	95	95	95	95
G9.1-8m14	V _H :EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWRQAPGKGLEWVAIYIPYSSSSSYA DSVKGR FTISADTSKNTAYLQMNSLRAEDTAVYYCARY YSTY KWVWGMDY WGQGTLLTVSS	87	361	366	382	137	190	243	296

Table 2. Antibodies directed against CRD2

Clone	Sequence	VR	CDR 1	CDR 2	CDR 3	LC /HC IgG1	IgG1 LAL A	IgG4	IgG4 mut
		SEQ ID NO:							
G9.2-1	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQYKSKYPFTFGQGTKVEIKR	29	328	329	341	99	99	99	99
G9.2-1	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTLYSSSIHWVRQAP GKGLEWVASIYSSSGYTTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARTYTWKSS WSYQTGYGLDYWGQGLVTVSS	30	424	446	390	141	194	247	300
G9.2-2	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSSSLITFGQGTKVEIKR	13	328	329	333	91	91	91	91
G9.2-2	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASISPYYGSTYYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARAVYYVY NRSWYWWSGGFDYWGQGLVTVSS	31	431	447	391	142	195	248	301
G9.2-3	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSSSLITFGQGTKVEIKR	13	328	329	333	91	91	91	91
G9.2-3	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASISSSGSTSYADS VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARPAYSPYY YFHYGAMDYWGQGLVTVSS	32	431	448	392	143	196	249	302
G9.2-4	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSSSLITFGQGTKVEIKR	13	328	329	342	91	91	91	91
G9.2-4	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASIYPSYGYTSYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARAWYHHE YWGHYSGMDYWGQGLVTVSS	33	431	449	393	144	197	250	303
G9.2-5	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC OOSWGLITFGQGTKVEIKR	34	328	329	343	100	100	100	100

G9.2-5	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASIYSSYGSTYYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARS GYSHPY YSYYSGMDYWGQGLTVTVSS	35	431	450	394	145	198	251	304
G9.2-6	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQFWGSKLFTFGQGTKVEIKR	36	328	329	344	101	101	101	101
G9.2-6	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSSSIHWVRQAP GKGLEWVASIYSSYGSTYYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARTY MAGY KYYFISGYGFDYWGQGLTVTV SS	37	431	451	395	146	199	252	305
G9.2-7	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQMYYPGYLITFGQGTKVEIK R	38	328	329	345	102	102	102	102
G9.2-7	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSYSSSIHWVRQAP GKGLEWVASIYPSYGYTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARY WDYGW MYFDPAMDYWGQGLTVTVSS	39	425	452	396	147	200	253	306
G9.2-8	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQDRWWSALTFGQGTKVEIK R	40	328	329	346	103	103	103	103
G9.2-8	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFSYSSSIHWVRQAP GKGLEWVASIYSSGYTSYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARY MENWE WPYHSAMDYWGQGLTVTVSS	41	425	453	397	148	201	254	307
G9.2-9	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQSYGSWYPITFGQGTKVEIKR	42	328	329	347	104	104	104	104
G9.2-9	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFYSSSIHWVRQAP GKGLEWVASIYSSYGSTYYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARS WWYPY WQYYPPGGWHSSGFDYWGQ TLTVTVSS	43	426	454	398	149	202	255	308
G9.2-10	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQGWYASPITFGQGTKVEIKR	44	328	329	348	105	105	105	105

G9.2-10	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTFYSSSIHWVRQAP GKGLEWVAYISPSSGYTSYADS VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARYTMTYQY YPSGAMDYWGQGLTVTVSS	45	426	387	399	150	203	256	309
G9.2-11	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQYSSHKYPFTFGQGTKVEIKR	46	328	329	349	106	106	106	106
G9.2-11	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTIYSSSIHWVRQAP GKGLEWVASIYSSSGYTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARSYIYMW QYNYGMSGYGLDYWGQGLTV TVSS	47	432	455	400	151	204	257	310
G9.2-12	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQWVYPGSLITFGQGTKVEIK R	48	328	329	350	107	107	107	107
G9.2-12	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTLSYSSSIHWVRQAP GKGLEWVASISSYGYTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARHSPYYLH SWWWSGLDYWGQGLTVTVSS	49	433	456	401	152	205	258	311
G9.2-13	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQYKSKYPFTFGQGTKVEIKR	29	328	329	341	99	99	99	99
G9.2-13	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTLYYSSSIHWVRQAP GKGLEWVASISPSYGSTSYADS VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARHSWYYPY YYYALDYWGQGLTVTVSS	50	434	362	402	153	206	259	312
G9.2-14	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSSLITFGQGTKVEIKR	13	328	329	333	91	91	91	91
G9.2-14	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSIHWVRQAP GKGLEWVASISSSGYTYADS VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARYWSYPYVY FLAFDYWGQGLTVTVSS	51	361	457	403	154	207	260	313
G9.2-15	V _L :DIQMTQSPSSLSASVGDRVTI TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSWGLITFGQGTKVEIKR	34	328	329	343	100	100	100	100
G9.2-15	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSIHWVRQAP GKGLEWVASIYSSSGYTSYADS	52	361	458	404	155	208	261	314

	VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARN VENYPY WAWPWGYYGAIDYWGQGT LTVSS								
G9.2-16	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISLQPEDFATYYC QQSSSSLITFGQGTKVEIKR	13	328	329	333	91	91	91	91
G9.2-16	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSS SIHWVRQAP GKGLEWVAS ISSSGYTTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARTY KWSYY TGYGFDYWGQGT LTVSS	53	361	459	405	156	209	262	315
G9.2-17	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISLQPEDFATYYC QQSSTDPIITFGQGTKVEIKR	54	328	329	352	108	108	108	108
G9.2-17	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSS SIHWVRQAP GKGLEWVAY ISSSGYTTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARY WSYPSW WPYRGMDYWGQGT LTVSS	55	361	388	406	157	210	263	316
G9.2-17mut6	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISLQPEDFATYYC QQSSTDPIITFGQGTKVEIKR	54	328	329	352	108	108	108	108
G9.2-17mut6 (mutation is underlined)	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSSSS SIHWVRQAP GKGLEWVAY ISSSGYTTYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCARY WSYPSW SPYRGMDYWGQGT LTVSS	56	361	388	407	158	211	264	317
G9.2-18	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISLQPEDFATYYC QQSSSSLITFGQGTKVEIKR	13	328	329	333	91	91	91	91
G9.2-18	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSS YSIHWVRQAP GKGLEWVAY ISSSGYTSYAD SVKGRFTISADTSKNTAYLQMN SLRAEDTAVYYCAR VGYYPY LYLGDGLDYWGQGT LTVSS	57	430	363	408	159	212	265	318
G9.2-19	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFSGS RSGTDFTLTISLQPEDFATYYC QQSSQYDLITFGQGTKVEIKR	58	328	329	354	109	109	109	109
G9.2-19	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSS YSIHWVRQAP GKGLEWVAS ISSSGSTSYADS VKGRFTISADTSKNTAYLQMNS LRAEDTAVYYCARN AWHYEPS YWYGNYATYGFDYWGQGT LTVSS	59	430	460	409	160	213	266	319

G9.2-20	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQSSTDPI TFGQGTKVEIKR	54	328	329	352	108	108	108	108
G9.2-20	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSYSSIHWRQAP GKGLEWVASISSSSSSTYYADS VKGR FTISADTSKNTAYLQMNS LRAEDTAVYYCARG QQYYPD QYWGLD YWGQGTLLTVSS	60	429	461	410	161	214	267	320
G9.2-21	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQSSSSSL TFGQGTKVEIKR	61	328	329	355	110	110	110	110
G9.2-21	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVSYSSIHWRQAP GKGLEWVASISSSSGYTYAD SVKGR FTISADTSKNTAYLQMN SLRAEDTAVYYCARTYYTYFD WWRTA VYYGFDYWGQGTLLV TVSS	62	429	462	411	162	215	268	321
G9.2-22	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQRWYP GLITFGQGTKVEIK R	63	328	329	356	111	111	111	111
G9.2-22	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVYSSSIHWVRQAP GKGLEWVASISSSYGYTSYADS VKGR FTISADTSKNTAYLQMNS LRAEDTAVYYCARDYYNYMSS YWWYSALD YWGQGTLLTVSS	64	428	463	412	163	216	269	322
G9.2-23	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQSYF PSLVTFGQGTKVEIKR	65	328	329	357	112	112	112	112
G9.2-23	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVYSSSIHWVRQAP GKGLEWVASIYPYYGYTSYAD SVKGR FTISADTSKNTAYLQMN SLRAEDTAVYYCARKIFWPVS LMWQGY YPALDYWGQGTLLV TVSS	66	428	464	413	164	217	270	323
G9.2-24	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK APKLLIYSASSLYSGVPSRFGSGS RSGTDFTLTISSLQPEDFATYYC QQWSQ SPVTFGQGTKVEIKR	67	328	329	358	113	113	113	113
G9.2-24	V _H :EVQLVESGGGLVQPGGSLR LSCAASGFTVYSSSIHWVRQAP GKGLEWVASIYSSYGYTSYAD SVKGR FTISADTSKNTAYLQMN SLRAEDTAVYYCARSYSSETHY GWAM DYWGQGTLLTVSS	68	428	465	414	165	218	271	324
G9.2-25	V _L :DIQMTQSPSSLSASVGDRVIT TCRASQSVSSAVAWYQQKPGK	69	328	329	359	114	114	114	114

	APKLLIYS SASSLY SGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSYYVYPIT FGQGTKVEIKR								
G9.2-25	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQAP GKGLEWV AYISSY SGTSY ADSVK GRFTISADTSKNTAYLQMN SLRAEDTAVYYCAR QYYTYFE WYMGWGYALDY WGQGTLLVTVSS	70	427	466	415	166	219	272	325
G9.2-26	V _L :DIQMTQSPSSLSASVGDRVTI TCRAS QSVSSA VAWYQKPGK APKLLIYS SASSLY SGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQGGWYYGPIT FGQGTKVEIKR	71	328	329	360	115	115	115	115
G9.2-26	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQAP GKGLEWV AYISSY SGTSY ADSVK GRFTISADTSKNTAYLQMN SLRAEDTAVYYCAR SSALYWM DFSYSALDY WGQGTLLVTVSS	72	361	389	416	167	220	273	326
G9.2-low affinity binder	V _L :DIQMTQSPSSLSASVGDRVTI TCRAS QSVSSA VAWYQKPGK APKLLIYS SASSLY SGVPSRFSGS RSGTDFTLTISSLQPEDFATYYC QQSSTDPIT FGQGTKVEIKR	54	328	329	352	108	108	108	108
G9.2-low affinity binder	V _H :EVQLVESGGGLVQPGGSLR LSCAASG FTVSSSSIH WVRQAP GKGLEWV AYISSSSGY TY ADSVK GRFTISADTSKNTAYLQMN SLRAEDTAVYYCAR SSSSSSSSSS SSSSDY WGQGTLLVTVSS	73	361	388	417	168	221	274	327

Table 3. Selected Antibody CDR Sequences

Clone		Sequence	SEQ ID NO:
G9.1-8	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYYDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSWGGIGKWVWGMDY	374
G9.1-8m1	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYYDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	SSSSSSGYTSYADSVKG	365
	V _H CDR3	YSTYSWGGIGKWVWGMDY	374
G9.1-8m2	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYYDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSSSSSYADSVKG	366

	V _H CDR3	YSTYSWGGIGKWVWGMDY	374
G9.1-8m3	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	SSSSSWGGIGKWVWGMDY	375
G9.1-8m4	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSSSSSSKWVWGMDY	376
G9.1-8m5	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSWGGIGSSSSMDY	377
G9.1-8m6	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSSSSSSKWVWGMDY	378
G9.1-8m7	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSSSSKWVWGMDY	379
G9.1-8m8	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSSSKWVWGMDY	380
G9.1-8m9	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYSSKWVWGMDY	383
G9.1-8m10	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYDSDNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364

	V _H CDR3	YSTYSKWVWGMDY	381
G9.1-8m11	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYSDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSGYTSYADSVKG	364
	V _H CDR3	YSTYKWVWGMDY	382
G9.1-8m12	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYSDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSSSSSYADSVKG	366
	V _H CDR3	YSTYSSSKWVWGMDY	380
G9.1-8m13	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYSDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSSSSSYADSVKG	366
	V _H CDR3	YSTYSSKWVWGMDY	383
G9.1-8m14	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSYSDSNPIT	337
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YIYPYSSSSSYADSVKG	366
	V _H CDR3	YSTYKWVWGMDY	382
G9.2-17	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSSTDPIIT	352
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YISSSSGYTTYADSVKG	388
	V _H CDR3	YWSYPSWWPYRGMDY	406
G9.2-17m6	V _L CDR1	RASQSVSSAVA	328
	V _L CDR2	SASSLYS	329
	V _L CDR3	QQSSTDPIIT	352
	V _H CDR1	FTVSSSSIH	361
	V _H CDR2	YISSSSGYTTYADSVKG	388
	V _H CDR3	YWSYPSWSPYRGMDY	407

Such CRD1 and CRD2 binding anti-Galectin-9 antibodies are isolated and structurally characterized as described herein. The disclosure also contemplates antibodies having at least 80% identity (e.g., at least 85%, at least 90%, at least 95%, or at least 99% identity) to their variable region or CDR sequences. The VL amino acid sequences of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, G9.2-low affinity binder are set forth in SEQ ID NO: 29,

13, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. The VH amino acid sequences of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, G9.2-low affinity binder are set forth in SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. Accordingly, provided herein are isolated anti-Galectin-9 antibodies, or antigen binding portion thereof, comprising heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. In some embodiments, the light chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. Also provided are isolated anti-Galectin-9 antibodies, or antigen binding portions thereof, comprising heavy and light chain variable regions, wherein the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some embodiments, the heavy chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. Accordingly, provided herein are isolated anti-Galectin-9 antibodies, or antigen binding portion thereof, comprising heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71, and the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. Accordingly, provided herein are isolated anti-Galectin-9 antibodies, or antigen binding portion thereof, comprising heavy and light chain variable regions, wherein the light chain variable region consists of an amino acid sequence selected from SEQ ID NO: 29, 13, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71, and the heavy chain variable region consists of an amino acid sequence selected from SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody comprises a VH region having the sequence of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VH region having the sequence of SEQ ID NO: 56. In some

embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 54 and a VH region having the sequence of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 54 and a VH region having the sequence of SEQ ID NO: 56.

5 The VL amino acid sequences of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, G9.1-8m14 are set forth in SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27, respectively. The VH amino acid sequences of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, 10 G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, G9.1-8m14 are set forth in SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. Accordingly, provided herein are isolated anti-Galectin-9 antibodies, or antigen binding portions thereof, comprising heavy and light chain 15 variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. In some embodiments, the light chain variable region consists of an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. Also provided are isolated anti-Galectin-9 antibodies, or antigen binding portions thereof, comprising heavy and light chain variable regions, wherein 20 the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the heavy chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. Accordingly, provided herein are isolated anti-Galectin-9 25 antibodies, or antigen binding portions thereof, comprising heavy and light chain variable regions, wherein the light chain variable region comprises an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27 and the heavy chain variable region comprises an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the light 30 chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27, and the heavy chain variable regions consists of an amino acid sequence selected from SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody comprises a VH region having the sequence of SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody comprises a VH region having the sequence of SEQ ID NO: 86. In some

5 embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 21 and a VH region having the sequence of SEQ ID NO: 22. In some embodiments, the anti-Galectin-9 antibody comprises a VL region having the sequence of SEQ ID NO: 21 and a VH region having the sequence of SEQ ID NO: 86.

10 In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises any of SEQ ID NO: 7-87. In some specific embodiments, the anti-Galectin-9 antibody comprises one or more sequences of any sequence(s) selected from SEQ ID NO: 7-87 and any combination(s) thereof.

15 In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises any of SEQ ID NOs: 7-28 and 74-87. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises one or more sequences of any sequence(s) selected from SEQ ID NO: 7-28 and 74-87 and any combination(s) thereof.

20 In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises any of SEQ ID NOs: 13, 29-73. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises one or more sequences of any sequence(s) selected from SEQ ID NO: 13, 29-73 and any combination(s) thereof. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises any of SEQ ID NOs: 54, 55, or 54 and 56. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises one or more sequences of any sequence(s) selected from SEQ ID NO: 54, 55, or 54 and 56 and any combination(s) thereof.

25 In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region comprising SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region comprising SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VL region consisting of SEQ ID NO: 54. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion
30 thereof comprises a VH region consisting of SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody comprises a VL and VH region comprising SEQ ID NO: 54 and 55. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region consisting of SEQ ID NO: 54 and 55.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region comprising SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region consisting of SEQ ID NO: 21. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region comprising SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region consisting of SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region comprising SEQ ID NO: 21 and 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region consisting of SEQ ID NO: 21 and 86.

In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL or VH region comprising any of SEQ ID NOs: 21, 22 and 74-87. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL or VH region consisting of SEQ ID NOs: 21, 22 and 74-87. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and/or VH region comprising sequence(s) selected from SEQ ID NO: 21, 22 and 74-87 and any combination(s) thereof. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and/or VH region consisting of sequence(s) selected from SEQ ID NO: 21, 22 and 74-87 and any combination(s) thereof.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 7 and SEQ ID NO: 8. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 9 and SEQ ID NO: 10. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 11 and SEQ ID NO: 12. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 14. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 15 and SEQ ID NO: 16. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 17 and SEQ ID NO: 18. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 19 and SEQ ID NO: 20. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO:

22. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 23 and SEQ ID NO: 24. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 25 and SEQ ID NO: 26. In some
5 embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 27 and SEQ ID NO: 28. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 74. In some embodiments, the anti-
10 Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 75. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 76. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 77. In some embodiments, the anti-Galectin-9 antibody or antigen
15 binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 78. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 79. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 80. In
20 some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 81. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 82. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 83. In some embodiments, the anti-
25 Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 84. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 108 and SEQ ID NO: 85. In some embodiments, the anti-Galectin-9 antibody or
30 antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 21 and SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 29 and SEQ ID NO: 30. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO:

31. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 32. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 33. In some
5 embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 34 and SEQ ID NO: 35. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 36 and SEQ ID NO: 37. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region
10 comprising SEQ ID NO: 38 and SEQ ID NO: 39. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 40 and SEQ ID NO: 41. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 42 and SEQ ID NO: 43. In some embodiments, the anti-Galectin-9 antibody or antigen
15 binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 44 and SEQ ID NO: 45. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 46 and SEQ ID NO: 47. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 48 and SEQ ID NO: 49. In
20 some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 29 and SEQ ID NO: 50. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 51. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH
25 region comprising SEQ ID NO: 34 and SEQ ID NO: 52. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 53. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 54 and SEQ ID NO: 55. In some embodiments, the anti-Galectin-9 antibody or
30 antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 13 and SEQ ID NO: 57. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 58 and SEQ ID NO: 59. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 54 and SEQ ID NO:

60. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 61 and SEQ ID NO: 62. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 63 and SEQ ID NO: 64. In some
5 embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 65 and SEQ ID NO: 66. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 54 and SEQ ID NO: 56. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region
10 comprising SEQ ID NO: 67 and SEQ ID NO: 68. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 69 and SEQ ID NO: 70. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 71 and SEQ ID NO: 72. In some embodiments, the anti-Galectin-9 antibody or antigen
15 binding portion thereof comprises a VL region and a VH region comprising SEQ ID NO: 54 and SEQ ID NO: 73. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 7 and SEQ ID NO: 8. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 9 and SEQ
20 ID NO: 10. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 11 and SEQ ID NO: 12. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 14. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding
25 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 15 and SEQ ID NO: 16. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 17 and SEQ ID NO: 18. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 19 and SEQ
30 ID NO: 20. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 22. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 23 and SEQ ID NO: 24. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 25 and SEQ ID NO: 26. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 27 and SEQ ID NO: 28. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

5 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 74. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 75. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

10 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 76. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 77. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

15 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 79. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 80. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

20 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 81. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 82. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

25 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 84. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 108 and SEQ ID NO: 85. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

30 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 21 and SEQ ID NO: 86. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 29 and SEQ ID NO: 30. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 31. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 32. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 33. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

5 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 34 and SEQ ID NO: 35. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 36 and SEQ ID NO: 37. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

10 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 38 and SEQ ID NO: 39. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 40 and SEQ ID NO: 41. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

15 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 42 and SEQ ID NO: 43. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 44 and SEQ ID NO: 45. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

20 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 46 and SEQ ID NO: 47. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 48 and SEQ ID NO: 49. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

25 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 29 and SEQ ID NO: 50. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 51. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

30 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 34 and SEQ ID NO: 52. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 53. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 54 and SEQ ID NO: 55. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 13 and SEQ ID NO: 57. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 58 and SEQ ID NO: 59. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 54 and SEQ ID NO: 60. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 61 and SEQ ID NO: 62. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

5 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 63 and SEQ ID NO: 64. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 65 and SEQ ID NO: 66. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

10 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 54 and SEQ ID NO: 56. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 67 and SEQ ID NO: 68. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

15 portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 69 and SEQ ID NO: 70. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 71 and SEQ ID NO: 72. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding

portion thereof comprises a VL region and a VH region consisting of SEQ ID NO: 54 and SEQ ID NO: 73.

In some embodiments, the anti-Galectin-9 antibody comprises sequence having at least

20 80% (e.g., 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any incremental percent therein) sequence identity with any of the anti-Galectin-9 antibodies described in the previous paragraphs. In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NOs: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27. In

25 some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the anti-Galectin-9 antibody

30 comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NOs: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, and 27 and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NOs: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87. In some embodiments, the anti-Galectin-9 antibody comprises a VL or VH region

that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in SEQ ID NOs: 7-288 and 74-87. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence

identity to a VL or VH region set forth in SEQ ID NO: 7-288 and 74-87 and any combination(s) thereof.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region of an antibody selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14. In some embodiments, the anti-Galectin-9 antibody

comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region of an antibody selected from G9.1-1,

G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14. In some embodiments, the anti-Galectin-9 antibody comprises a VL and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region of an antibody selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14.

In some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in any of SEQ ID NOs: 21, 22 and 74-87. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in SEQ ID NO: 21, 22 and 74-87 and any combination(s) thereof.

In some specific embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region of G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%,

99% and any increment therein) sequence identity to the VH region of G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody comprises a VL and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL or VH region of G9.1-8m13.

5 In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region set forth in SEQ ID NO: 21. In some
10 embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH region set forth in SEQ ID NO: 86. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises a VL and VH region that have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL and VH regions set forth in SEQ ID NO: 21 and 86.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at
15 least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NO: 13, 29, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71. In some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NO: 30, 31, 32, 33,
20 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NO: 13, 29, 34, 36, 38, 40, 42, 44, 46, 48, 29, 34, 54, 58, 61, 63, 65, 73, 67, 69, and 71 and a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%,
25 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NO: 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72 and 73. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in SEQ ID NO: 29-75 and 77-85. In
30 some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in SEQ ID NO: 13, 29-73 and any combination(s) thereof. In some specific embodiments, the anti-Galectin-9 antibody comprises a VL or VH

region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL or VH region set forth in any of SEQ ID NOs: 54, 55, and 56.

In some embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region of an antibody selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder. In some embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region of an antibody selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder. In some embodiments, the anti-Galectin-9 antibody comprises VL and VH regions that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to VL and VH regions of an antibody selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder.

In some embodiments, the anti-Galectin-9 antibody comprises a heavy chain CDR having at least 80% (e.g., 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any incremental percent therein) sequence identity with a sequence selected from any of SEQ ID NO: 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 31, 32, 33, 35, 37, 39, 41, 43, 45, 47, 49, 50, 51, 52, 53, 55, 56, 57, 59, 60, 62, 64, 66, 68, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, and 87.

Alternatively or in addition, the anti-Galectin-9 antibody comprises a light chain CDR having at least 80% (e.g., 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any incremental percent therein) sequence identity with a sequence selected from any of SEQ ID NO: 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 34, 36, 38, 40, 42, 44, 46, 48, 54, 58, 61, 63, 65, 67, 69, 71, and 73.

In some specific embodiments, the anti-Galectin-9 antibody comprises a VL region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL region of G9.2-17. In some specific embodiments, the anti-Galectin-9 antibody comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH region of G9.2-17. In some specific embodiments, the anti-Galectin-9 antibody comprises VL and VH regions that has at least 80%

(e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to VL and VH regions of G9.2-17.

In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VL that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL region set forth in SEQ ID NO: 54. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH region set forth in SEQ ID NO: 55. In some specific embodiments, the anti-Galectin-9 antibody or antigen binding fragment thereof comprises a VL and/or VH region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL and/or VH region set forth in SEQ ID NO: 54 and 55.

Complementarity Determining Regions (CDRs)

Anti-Galectin-9 antibodies, e.g., binding to CRD1, can comprise the light and heavy chain CDR1s, CDR2s and CDR3s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14, or combinations thereof. The amino acid sequence of the VL CDR1s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 is set forth in SEQ ID NO: 328. The amino acid sequence of the VL CDR2s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 is set forth in SEQ ID NO: 329. The amino acid sequences of the VL CDR3s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 are set forth in SEQ ID NO: 330-340. The amino acid sequences of the VH CDR1s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 are set forth in SEQ ID NO: 361, 427,

428, 431, 435, 436, 437. The amino acid sequences of the VH CDR2s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 are set forth in SEQ ID NO: 362-366, and
 5 438-445. The amino acid sequences of the VH CDR3s of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 are set forth in SEQ ID NO: 367-386.

In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the
 10 sequence of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR2 having the sequence of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR3 having a sequence selected from any of SEQ ID NOs: 330-340. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR3 having the sequence of SEQ ID NO: 337. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1
 15 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, and a VL CDR3 having a sequence selected from any of SEQ ID NOs: 330-340. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, and a VL CDR3 having the sequence of SEQ ID NO: 337. In some embodiments, the anti-Galectin-9 antibody comprises a
 20 VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, 427, 428, 431, 435, 436, and 437. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having the sequence of SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR2 having a sequence selected from any of SEQ ID NOs: 362-366, and 438-445. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR2 having a sequence
 25 selected from SEQ ID NO: 364 or 366. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR3 having a sequence selected from any of SEQ ID NOs: 367-386. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR3 having the sequence of SEQ ID NO: 374 or 383. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, 427, 428, 431, 435, 436, and 437, a
 30 VH CDR2 having a sequence selected from any of SEQ ID NOs: 362-366 and 438-445, and a VH CDR3 having a sequence selected from any of SEQ ID NOs: 367-386. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 364, and a VH CDR3 having the sequence of SEQ ID NO: 374. In some embodiments, the anti-Galectin-9 antibody comprises a

VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 366, and a VH CDR3 having the sequence of SEQ ID NO: 383. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having a sequence selected from any of SEQ ID NOs: 330-340, a VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, 427, 428, 431, 435, 436, and 437, a VH CDR2 having a sequence selected from any of SEQ ID NOs: 362-366 and 438-445, and a VH CDR3 having a sequence selected from any of SEQ ID NOs: 367-386. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having the sequence of SEQ ID NO: 337, a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 364, and a VH CDR3 having the sequence of SEQ ID NO: 374. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having the sequence of SEQ ID NO: 337, a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 366, and a VH CDR3 having the sequence of SEQ ID NO: 383. In any of these embodiments, the anti-Galectin-9 antibody binds to CRD1.

In some embodiments, the anti-Galectin-9 antibodies, e.g., binding to CRD2, comprise the light and heavy chain CDR1s, CDR2s and CDR3s of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder, or combinations thereof. The amino acid sequence of the VL CDR1s of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder is set forth in SEQ ID NO: 328. The amino acid sequence of the VL CDR2s of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder is set forth in SEQ ID NO: 329. The amino acid sequences of the VL CDR3s of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder are set forth in SEQ ID NO: 341-360. The amino acid sequences of the VH CDR1 of G9.2-1,

G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder are set forth in SEQ ID NO: 361, 424-434. The amino acid sequences of the VH CDR2s of G9.2-1, G9.2-2, 5 G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder are set forth in SEQ ID NO: 362, 363, 387-389 and 446-466. The amino acid sequences of the VH CDR3s of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, 10 G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder are set forth in SEQ ID NO: 390-417.

In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody comprises a 15 VL CDR2 having the sequence of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR3 having a sequence selected from any of SEQ ID NOs: 341-360. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR3 having the sequence of SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, 20 and a VL CDR3 having a sequence selected from any of SEQ ID NOs: 341-360. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, and a VL CDR3 having the sequence of SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, and 424-434. In some 25 embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having the sequence of SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR2 having a sequence selected from any of SEQ ID NOs: 362, 363, 387-389 and 446-466. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR2 having the sequence of SEQ ID NO: 388. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR3 having 30 a sequence selected from any of SEQ ID NOs: 390-417. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR3 having the sequence of SEQ ID NO: 406 or 407. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, and 424-434, a VH CDR2 having a sequence selected from any of SEQ ID NOs: 362, 363, 387-389 and 446-466, and a VH CDR3 having a sequence

selected from any of SEQ ID NOs: 390-417. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 388, and a VH CDR3 having the sequence of SEQ ID NO: 406. In some embodiments, the anti-Galectin-9 antibody comprises a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 388, and a VH CDR3 having the sequence of SEQ ID NO: 407. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having a sequence selected from any of SEQ ID NOs: 341-360, a VH CDR1 having a sequence selected from any of SEQ ID NOs: 361, and 424-434, a VH CDR2 having a sequence selected from any of SEQ ID NOs: 362, 363, 387-389 and 446-466, and a VH CDR3 having a sequence selected from any of SEQ ID NOs: 390-417. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having the sequence of SEQ ID NO: 352, a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 388, and a VH CDR3 having the sequence of SEQ ID NO: 406. In some embodiments, the anti-Galectin-9 antibody comprises a VL CDR1 having the sequence of SEQ ID NO: 328, a VL CDR2 having the sequence of SEQ ID NO: 329, a VL CDR3 having the sequence of SEQ ID NO: 352, a VH CDR1 having the sequence of SEQ ID NO: 361, a VH CDR2 having the sequence of SEQ ID NO: 388, and a VH CDR3 having the sequence of SEQ ID NO: 407. In any of these embodiments, the anti-Galectin-9 antibody binds to CRD1.

Because Galectin-9 binding specificity is dictated essentially by the CDR1, 2 and 3 regions, the VH CDR1, 2 and 3 sequences and the VL CDR1, 2 and 3 sequences disclosed above, can be mixed and matched to generate new Galectin-9 binding antibodies, as long as each resulting new antibody has a VL CDR1, 2 and 3 and a VH CDR1, 2 and 3. Such antibodies resulting from a new combination of CDRs described herein can be tested using the binding assays described herein. In some embodiments, the CDR1, CDR2 and/or CDR3 sequence from a particular VH or VL sequence is replaced with a structurally similar CDR sequence(s). Novel VH and VL sequences can be created by substituting one or more VH and/or VL CDR sequence(s) with structurally similar sequences from the CDR sequences disclosed herein, according to methods known in the art.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid

sequence selected from SEQ ID NO: 330-340 and 341-360 (d) VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437; and SEQ ID NO: 361, 424-434 (e) VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366 and 438-445, 362, 363, and 387-389 and 446-466; (f) VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386 and 390-417.

In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR1 amino acid sequence set forth in SEQ ID NO: 328. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR2 amino acid sequence set forth in SEQ ID NO: 329. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR3 amino acid sequence selected from SEQ ID NO: 330-340. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366, and 438-445. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386. Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence selected from SEQ ID NO: 330-340; (d) VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437; (e) VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366 and 438-445; (f) VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386.

In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR1 amino acid sequence set forth in SEQ ID NO: 328. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR2 amino acid sequence set forth in SEQ ID NO: 329. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 424-434. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR2 amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466. In some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise a VH CDR3 amino acid sequence selected from SEQ ID NO: 390-417.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360; (d) VH CDR1 amino acid sequence set forth in SEQ ID NO: 361; (e) VH CDR2s amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466; (f) VH CDR3 amino acid sequence selected from SEQ ID NO: 390-417.

9.1 Antibody Clones and Related CDRs

Clone 9.1-derived Light Chain Variable Regions

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 330, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 330, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-1.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 331, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 331, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-2.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 332, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 332, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-3.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-4.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 334, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 334, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-5.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 335, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 335, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-6.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 336, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 336, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-7.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-8.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 338, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 338, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-9.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 339, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO:

328, 329, and 339, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-10.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 340, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 340, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.1-11.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 comprises SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 337. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 consists of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 consists of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 consists of SEQ ID NO: 337. In some embodiments, the antibody comprises the same VL CDRs as 9.1-8, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, or G9.1-8m14. In some embodiments, the antibody comprises the same VL CDRs as G9.1-8m12. In some embodiments, the antibody comprises the same VL CDRs as G9.1-8m13.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1 comprises SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises X₁X₂X₃X₄X₅SX₆X₇X₈SYADSVKG (SEQ ID NO: 467), in which X₁ = Y or S, X₂ = I or S, X₃ = Y or S, X₄ = P or S, X₅ = Y or S, X₆ = G or S, X₇ = Y or S, and X₈ = T or S. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof

comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises $X_1SX_2X_3X_4X_5X_6X_7X_8X_9X_{10}KX_{11}X_{12}X_{13}GMDY$ (SEQ ID NO: 468), in which $X_1 = Y$ or S, $X_2 = T$, S, or absent, $X_3 = Y$, S, or absent, $X_4 = S$ or absent, $X_5 = W$, S, or absent, $X_6 = S$ or absent, $X_7 = G$, S, or absent, $X_8 = G$, T, S, or absent, $X_9 = I$, Y, S, or absent, $X_{10} = G$, S, or Y, $X_{11} = W$ or S, $X_{12} = V$ or S, and $X_{13} = W$ or S. In some examples, the anti-Galectin-9 antibody contains G at X_7 , Y at X_8 , and/or T at X_9 in the heavy chain CDR2 domain. Alternatively, or in addition, the anti-Galectin-9 antibody contains deletions at one or more of $X_4 - X_7$ in the heavy chain CDR3 domain. In other examples, the anti-Galectin-9 antibody contains S at one or more of $X_6 - X_8$ in the heavy chain CDR2 domain. Alternatively or in addition, the anti-Galectin-9 antibody contains deletions at one or more of $X_5 - X_7$ in the heavy chain CDR3 domain. In a further example, the anti-Galectin-9 antibody contains S at one or more of $X_6 - X_8$ in the heavy chain CDR2 domain. Alternatively or in addition, the anti-Galectin-9 antibody contains deletions at one or more of $X_3 - X_9$ and/or X_{10} is Y in the heavy chain CDR3 domain.

15 Clone 9.1-derived Heavy Chain Variable Regions

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 438, and 367, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 431, 438, and 367, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-1.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 435, 439, and 368, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 435, 439, and 368, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-2.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 436, 363, and 369, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 436, 363, and 369, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-3.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 437, 440, and 370, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 437, 440, and 370, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-4.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 437, 441, and 371, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 437, 441, and 371, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-5.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 427, 442, and 372, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 427, 442, and 372, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-6.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 443, and 373, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 443, and 373, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-7.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 374, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 374, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 363, and 384, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO:

361, 363, and 384, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-9.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 429, 444, and 385, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 429, 444, and 385, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-10. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 428, 445, and 386, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 445, and 386, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-11.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 365, and 374, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 365, and 374, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m1.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 374, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 366, and 374, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m2.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 375, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 375, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m3.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 376, respectively. In some

embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 364, and 376, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m4.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 377, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 377, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m5.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 378, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 378, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m6.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 379, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 379, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m7.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 380, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 380, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m8.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 383, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 383, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m9.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 381, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 381, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m10.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 382, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 364, and 382, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m11.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 380, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 366, and 380, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m12.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1 comprises SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR2 comprises SEQ ID NO: 366. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR3 region comprises SEQ ID NO: 383. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1 consists of SEQ ID NO: 361. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR2 consists of SEQ ID NO: 366. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR3 region consists of SEQ ID NO: 383. In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and

CDR3 comprise SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 366, and 383, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m13.

In some embodiments, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 382, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 361, 366, and 382, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.1-8m14.

Clone 9.1-9.1 Heavy and Light Chain Variable Regions

In one specific embodiment, the anti-Galectin-9 antibody or antigen binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 330, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 438, and 367, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 consist of SEQ ID NO: 328, 329, and 330 and SEQ ID NO: 431, 438, and 367, respectively. In some embodiments, the antibody comprises the same VL and VH CDRs as G9.1-1.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 331, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 435, 439, and 368, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 331 and SEQ ID NO: 435, 439, and 368. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-2. In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 332, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 436, 363, and 369, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 332 and SEQ ID NO: 436, 363, and 369. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-3.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 437, 440, and 370, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 437, 440, and 370. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-4.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 334, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 437, 441, and 371, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 334, and SEQ ID NO: 437, 441, and 371. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-5.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 335, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 427, 442, and 372, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 335, and SEQ ID NO: 427, 442, and 372. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-6.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 336, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 443, and 373, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 336, and SEQ ID NO: 361, 443, and 373. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-7.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 374. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions

consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 374. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 338, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 363, and 384. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 338, and SEQ ID NO: 361, 363, and 384. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-9.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 339, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 429, 444, and 385. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 339, and SEQ ID NO: 429, 444, and 385. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-10.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 340, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 428, 445, and 386. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 340, and SEQ ID NO: 428, 445, and 386. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-11.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 365, and 374. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 365, and 374. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m1.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 374. In

some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 366, and 374. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m2.

5 In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 375. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 375. In one specific
10 embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m3.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 376. In
15 some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 376. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m4.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region
20 CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 377. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 377. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m5.

25 In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 378. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions
30 consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 378. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m6.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy

chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 379. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 379. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m7.

5 In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 380. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions
10 consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 380. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m8.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy
15 chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 383. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 383. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m9.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof
20 comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 381. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 381. In one specific
25 embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m10.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 364, and 382. In
30 some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 364, and 382. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m11.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region

CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 380. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 366, and 380. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m12.

In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 383. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 366, and 383.

In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m13. In one specific embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 328, 329, and 337, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 366, and 382, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 337, and SEQ ID NO: 361, 366, and 382. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.1-8m14.

Sequence Identity

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise light chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding VL CDRs of an exemplary antibody described herein. Alternatively or in addition, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 or CRD2) may comprise heavy chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the VH CDRs as an exemplary antibody described herein.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise light chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding VL CDRs of an antibody or antigen binding portion thereof

selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise heavy chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding V_H CDRs of an antibody or antigen binding portion thereof selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise light chain CDRs and heavy chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding V_L CDRs and V_H CDRs of an antibody or antigen binding portion thereof selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to VL CDR1 amino acid sequence set forth in SEQ ID NO: 374. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL CDR3 amino acid sequence selected from SEQ ID NO: 330-340.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a V_H CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a V_H CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise

a VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362-366 and 438-445. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VH CDR3 amino acid sequence that has
 5 at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1
 10 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VL CDR3 amino acid sequence selected from SEQ ID
 15 NO: 330-340; (d) VH CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 427, 428, 431, 435, 436, 437; (e) VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362-
 20 366 and 438-445; (f) VH CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 367-386.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2,
 25 and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 337, respectively. In some embodiments, the antibody VL CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment
 30 therein) sequence identity to the VL CDR1, CDR2, and CDR3 amino acid sequences of G9.1-8m13. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1,

CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 366, and 383. In some embodiments, the antibody VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1, CDR2, and CDR3 amino acid sequences of G9.1-8m13. In one specific

5 embodiment, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein: the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 337, respectively, and the heavy

10 chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 366, and 383. In one specific embodiment, the antibody VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%,

15 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences as G9.1-8m13.

9.2 Antibody Clones and Related CDRs

Clone 9.2-derived Light Chain Variable Region

20 In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 341, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 341, respectively. In some embodiments, the antibody comprises the same

25 VL CDRs as G9.2-1.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively. In some

embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ

30 ID NO: 328, 329, and 333, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-2.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2,

and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-3.

5 In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 342, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 342, respectively. In some embodiments, the antibody comprises the same
10 VL CDRs as G9.2-4.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 343, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ
15 ID NO: 328, 329, and 343, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-5.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 344, respectively. In some
20 embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 344, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 345, respectively. In some
25 embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 345, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-7. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region
30 CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 346, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 346. In some embodiments, the antibody comprises the same VL CDRs as G9.2-8.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 347, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 347, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-9.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 348, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 348, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-10.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 349, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 349, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-11.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 350, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 350, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-12.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 341, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 341. In some embodiments, the antibody comprises the same VL CDRs as G9.2-13.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ

ID NO: 328, 329, and 333, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-14.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2,
5 and CDR3 regions comprise SEQ ID NO: 328, 329, and 343, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 343, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-15.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises
10 heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333. In some embodiments, the antibody comprises the same VL CDRs as G9.2-16.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 comprises
15 SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR2 comprises SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding
20 portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1 consists of SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable
25 regions, wherein the light chain variable region CDR2 consists of SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof consists of heavy and light chain variable regions, wherein the light chain variable region CDR3 comprises SEQ ID NO: 352. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2,
30 and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-17.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-17mut6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-18.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 354, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 354. In some embodiments, the antibody comprises the same VL CDRs as G9.2-19.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-20.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 355, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 355, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-21.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 356, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ

ID NO: 328, 329, and 356, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-22.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 357, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 357, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-23.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 358, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 358, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-24.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 359, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 359, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-25.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 360, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 360, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-26.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the light chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, respectively. In some embodiments, the antibody comprises the same VL CDRs as G9.2-low affinity binder.

Clone 9.2-derived Heavy Chain Variable Region

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 424, 446, and 390, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 424, 446, and 390, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-1.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 431, 447, and 391, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 431, 447, and 391, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-2.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 431, 448, and 392, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 431, 448, and 392. In some embodiments, the antibody comprises the same VH CDRs as G9.2-3.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 431, 449, and 393, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 431, 449, and 393, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-4.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 431, 450, and 394, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 431, 450, and 394, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-5.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 431, 451, and 395, respectively. In

some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 431, 452, and 395. In some embodiments, the antibody comprises the same VH CDRs as G9.2-6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 425, 453, and 396, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 425, 453, and 396, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-7.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 425, 453, and 397, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 425, 453, and 397, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-8.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 426, 454, and 398, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 426, 454, and 398, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-9.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 426, 387, and 399, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 426, 387, and 399, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-10.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 432, 455, and 400, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 432, 455, and 400, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-11.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 433, 456, and 401, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of
5 SEQ ID NO: 433, 456, and 401, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-12.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 434, 362, and 402, respectively. In some
10 embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 434, 362, and 402, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-13.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2,
15 and CDR3 regions comprise SEQ ID NO: 361, 457, and 403, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 457, and 403, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-14.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises
20 heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 458, and 404, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 458, and 404, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-15.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises
25 heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 459, and 405, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 459, and 405, respectively. In some embodiments, the antibody comprises the same
30 VH CDRs as G9.2-16.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 388, and 406, respectively. In some
embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ

ID NO: 361, 388, and 406. In some embodiments, the antibody comprises the same VH CDRs as G9.2-17.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 388, and 407, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 388, and 407, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-17mut6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 430, 363, and 408, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 430, 363, and 408, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-18.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 430, 460, and 409, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 430, 460, and 409, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-19.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 429, 461, and 410, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 429, 461, and 410, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-20.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 429, 462, and 411, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 429, 462, and 411, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-21.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2,

and CDR3 regions comprise SEQ ID NO: 428, 463, and 412, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 428, 463, and 412, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-22.

5 In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 428, 464, and 413, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 428, 464, and 413, respectively. In some embodiments, the antibody comprises the same
10 VH CDRs as G9.2-23.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 428, 465, and 414, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ
15 ID NO: 428, 465, and 414, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-24.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 427, 466, and 415, respectively. In some
20 embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 427, 466, and 415. In some embodiments, the antibody comprises the same VH CDRs as G9.2-25.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2,
25 and CDR3 regions comprise SEQ ID NO: 361, 389, and 416, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 389, and 416, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-26.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises
30 heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 361, 388, and 417, respectively. In some embodiments, the heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 361, 388, and 417, respectively. In some embodiments, the antibody comprises the same VH CDRs as G9.2-low affinity binder.

Clone 9.2-derived Heavy and light chain variable regions

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 341, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 424, 446, and 390 respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 341, and SEQ ID NO: 424, 446, and 390. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-1.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 447, and 391, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 431, 447, and 391. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-2.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 448, and 392, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 431, 448, and 392. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-3.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 342, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 449, and 393, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 342, and SEQ ID NO: 431, 449, and 393. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-4.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 343, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 450, and 394, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and

CDR3 regions consist of SEQ ID NO: 328, 329, and 343, and SEQ ID NO: 431, 450, and 394. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-5.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 344, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 431, 451, and 395, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 344, and SEQ ID NO: 431, 451, and 395. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 345, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 425, 452, and 396, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 345, and SEQ ID NO: 425, 452, and 396. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-7.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 346, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 245, 453, and 397, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 346, and SEQ ID NO: 245, 453, and 397. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-8.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 347, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 426, 454, and 398, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 347, and SEQ ID NO: 426, 454, and 398. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-9.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 348, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 426, 387, and 399,

respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 348, and SEQ ID NO: 426, 387, and 399. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-10.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 349, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 432, 455, and 400, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 349, and SEQ ID NO: 432, 455, and 400.

In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-11.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 350, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 433, 456, and 401,

respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 350, and SEQ ID NO: 433, 456, and 401.

In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-12.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 341, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 434, 362, and 402, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 341, and SEQ ID NO: 434, 362, and 402.

In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-13.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 457, and 403,

respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 361, 457, and 403.

In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-14.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 343, respectively, and the heavy chain

variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 458, and 404, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 343, and SEQ ID NO: 361, 458, and 404. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-15.

5 In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 459, and 405, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and
10 CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 361, 459, and 405. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-16.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain
15 variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, and SEQ ID NO: 361, 388, and 406. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-17.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises
20 heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 388, and 404, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, and SEQ ID NO: 361, 388, and 404.
25 In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-17mut6.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 333, respectively, and the heavy chain
30 variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 430, 363, and 408, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 333, and SEQ ID NO: 430, 363, and 408. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-18.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 354, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 430, 460, and 409, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 354, and SEQ ID NO: 430, 460, and 409. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-19.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 429, 461, and 410, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, and SEQ ID NO: 429, 461, and 410. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-20.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 355, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 429, 462, and 411, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 355, and SEQ ID NO: 429, 462, and 411. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-21.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 356, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 428, 463, and 412, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 356, and SEQ ID NO: 428, 463, and 412. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-22.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 357, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 428, 464, and 413, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and

CDR3 regions consist of SEQ ID NO: 328, 329, and 357, and SEQ ID NO: 428, 464, and 413. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-23.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 358, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 428, 465, and 414, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 358, and SEQ ID NO: 428, 465, and 414. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-24.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 359, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 427, 466, and 415, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 359, and SEQ ID NO: 427, 466, and 415. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-25.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 360, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 389, and 416, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 360, and SEQ ID NO: 361, 389, and 416. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-26.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 regions comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 comprise SEQ ID NO: 361, 388, and 417, respectively. In some embodiments, the light and heavy chain variable region CDR1, CDR2, and CDR3 regions consist of SEQ ID NO: 328, 329, and 352, and SEQ ID NO: 361, 388, and 417. In one specific embodiment, the antibody comprises the same VL and VH CDRs as G9.2-low affinity binder.

Sequence Identity

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise light chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding V_L CDRs of an antibody or antigen binding portion thereof selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise heavy chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding V_H CDRs of an antibody or antigen binding portion thereof selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise light chain CDRs and heavy chain CDRs that have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity, individually or collectively, as compared with the corresponding V_L CDRs and V_H CDRs of an antibody or antigen binding portion thereof selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1 amino acid sequence set forth in SEQ ID NO: 328. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%,

99% and any increment therein) sequence identity to a VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360.

In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VH CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 424-434. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466. In some embodiments, the anti-Galectin-9 antibody (*e.g.*, specific to CRD1 and/or CRD2) may comprise a VH CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 390-417.

Accordingly, in some embodiments, anti-Galectin-9 antibodies or antigen binding portions thereof comprise (a) VL CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1 amino acid sequence set forth in SEQ ID NO: 328; (b) VL CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR2 amino acid sequence set forth in SEQ ID NO: 329; (c) VL CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR3 amino acid sequence selected from SEQ ID NO: 341-360; (d) VH CDR1 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1 amino acid sequence set forth in SEQ ID NO: 361, 424-434; (e) VH CDR2 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR2 amino acid sequence selected from SEQ ID NO: 362, 363, 387-389 and 446-466; (f) VH CDR3 amino acid sequence that has at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to a VH CDR3 amino acid sequence selected from SEQ ID NO: 390-417.

In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (*e.g.*, 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 328, 329, and 352,

respectively. In some embodiments, the antibody VL CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 388, and 406, respectively. In some embodiments, the antibody VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VH CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17. In some embodiments, the anti-Galectin-9 antibody or binding portion thereof comprises heavy and light chain variable regions, wherein the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in comprise SEQ ID NO: 328, 329, and 352, respectively, and the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain variable region CDR1, CDR2, and CDR3 amino acid sequences set forth in SEQ ID NO: 361, 388, and 406, respectively. In one specific embodiment, the antibody VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences have at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the VL CDR1, CDR2, and CDR3 and VH CDR1, CDR2, and CDR3 amino acid sequences of G9.2-17.

Epitopes and Constant Regions

In some embodiments, the anti-Galectin-9 antibodies described herein bind to the same epitope as any of the exemplary antibodies described herein (e.g., antibody comprising any of SEQ ID NO: 7-87 or the CDRs thereof) or competes against the exemplary antibody from binding to the Galectin-9 antigen. An “epitope” refers to the site on a target antigen that is recognized and bound by an antibody. The site can be entirely composed of amino acid components, entirely composed of chemical modifications of amino acids of the protein (e.g., glycosyl moieties), or composed of combinations thereof. Overlapping epitopes include at least one common amino acid residue. An epitope can be linear, which is typically 6-15 amino acids

in length. Alternatively, the epitope can be conformational. The epitope to which an antibody binds can be determined by routine technology, for example, the epitope mapping method (see, *e.g.*, descriptions below). An antibody that binds the same epitope as an exemplary antibody described herein may bind to exactly the same epitope or a substantially overlapping epitope (*e.g.*, containing less than 3 non-overlapping amino acid residue, less than 2 non-overlapping amino acid residues, or only 1 non-overlapping amino acid residue) as the exemplary antibody. Whether two antibodies compete against each other from binding to the cognate antigen can be determined by a competition assay, which is well known in the art.

In some embodiments, the anti-Galectin-9 antibody may bind to an epitope at least a segment of which is in CRD1 of a galectin-9 protein (*e.g.*, a human galectin-9 or a mouse galectin-9). In some embodiments, the antibody may bind an epitope which is entirely within the CRD1 of the Galectin-9 protein. In some embodiments, the antibody may bind an epitope which is partially within the CRD1 of the Galectin-9 protein. In some embodiments, the epitope to which the anti-Galectin antibody binds is a linear epitope. In some embodiments, the epitope to which the anti-Galectin antibody binds is a conformational epitope.

In some embodiments, the anti-Galectin-9 antibody may bind an epitope at least a segment of which is in CRD2 of a Galectin-9 protein (*e.g.*, a human galectin-9 or a mouse galectin-9). In some embodiments, the anti-Galectin-9 antibody may bind an epitope which is entirely within the CRD2 of the Galectin-9 protein. In some specific embodiments in which the anti-Galectin-9 antibody binds an epitope partially or entirely within CDR2, the antibody binds an epitope comprising at least residue W309. In some specific embodiments, in which the anti-Galectin-9 antibody binds an epitope partially or entirely within CDR2, the epitope to which the anti-Galectin-9 antibody binds does not contain one or more of R253, R271, Y330, R334, R341, and Y236 of SEQ ID NO:1. In some embodiments, the epitope to which the anti-Galectin antibody binds is a linear epitope encompassing residue W309. In some embodiments, the epitope to which the anti-Galectin antibody binds is a conformational epitope comprising W309.

In some examples, the anti-Galectin-9 antibody comprises the same V_H and/or V_L CDRs as an exemplary antibody described herein. Two antibodies having the same V_H and/or V_L CDRs means that their CDRs are identical when determined by the same approach (*e.g.*, the Kabat approach or the Chothia approach as known in the art). Such anti-Galectin-9 antibodies may have the same V_H , the same V_L , or both as compared to an exemplary antibody described herein.

Two heavy chain variable regions (or two light chain variable regions) having the same CDRs means that the CDRs in the two heavy chain variable regions (or light chain variable

regions) as determined by the same numbering scheme are identical. Exemplary numbering schemes for determining antibody CDRs include the “Kabat” numbering scheme (Kabat et al. (1991), 5th Ed. Public Health Service, National Institutes of Health, Bethesda, Md.), the “Chothia” numbering scheme (Al-Lazikani et al., (1997) JMB 273,927-948), the “Contact” numbering scheme (MacCallum et al., J. Mol. Biol. 262:732-745 (1996)), the “IMGT” numbering scheme (Lefranc M P et al., Dev Comp Immunol, 2003 January; 27(1):55-77), and the “Aho” numbering scheme (Honegger A and Pluckthun A, J Mol Biol, 2001 Jun. 8; 309(3):657-70). As known to those skilled in the art, the CDR regions of the exemplary anti-pKal and anti-FXII antibodies identified herein are determined by the “Chothia” numbering scheme, which is used as an example.

Also within the scope of the present disclosure are functional variants of any of the exemplary anti-Galectin-9 antibodies as disclosed herein. Such functional variants are substantially similar to the exemplary antibody, both structurally and functionally. A functional variant comprises substantially the same V_H and V_L CDRs as the exemplary antibody. For example, it may comprise only up to 5 (*e.g.*, 4, 3, 2, or 1) amino acid residue variations in the total CDR regions of the antibody and binds the same epitope of Galectin-9 with substantially similar affinity (*e.g.*, having a K_D value in the same order). Alternatively or in addition, the amino acid residue variations are conservative amino acid residue substitutions. As used herein, a “conservative amino acid substitution” refers to an amino acid substitution that does not alter the relative charge or size characteristics of the protein in which the amino acid substitution is made. Variants can be prepared according to methods for altering polypeptide sequence known to one of ordinary skill in the art such as are found in references which compile such methods, *e.g.* Molecular Cloning: A Laboratory Manual, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or Current Protocols in Molecular Biology, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. Conservative substitutions of amino acids include substitutions made amongst amino acids within the following groups: (a) M, I, L, V; (b) F, Y, W; (c) K, R, H; (d) A, G; (e) S, T; (f) Q, N; and (g) E, D.

The “percent identity” of two amino acid sequences is determined using the algorithm of Karlin and Altschul Proc. Natl. Acad. Sci. USA 87:2264-68, 1990, modified as in Karlin and Altschul Proc. Natl. Acad. Sci. USA 90:5873-77, 1993. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, et al. J. Mol. Biol. 215:403-10, 1990. BLAST protein searches can be performed with the XBLAST program, score=50, wordlength=3 to obtain amino acid sequences homologous to the protein molecules of interest.

Where gaps exist between two sequences, Gapped BLAST can be utilized as described in Altschul et al., *Nucleic Acids Res.* 25(17):3389-3402, 1997. When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (*e.g.*, XBLAST and NBLAST) can be used. The anti-Galectin-9 antibody may comprise a heavy chain variable region framework derived from a subclass of germline VH fragment. Such germline VH regions are well known in the art. See, *e.g.*, the IMGT database (www.imgt.org) or at www.vbase2.org/vbstat.php. Examples include the IGHV1 subfamily (*e.g.*, IGHV1-2, IGHV1-3, IGHV1-8, IGHV1-18, IGHV1-24, IGHV1-45, IGHV1-46, IGHV1-58, and IGHV1-69), the IGHV2 subfamily (*e.g.*, IGHV2-5, IGHV2-26, and IGHV2-70), the IGHV3 subfamily (*e.g.*, IGHV3-7, IGHV3-9, IGHV3-11, IGHV3-13, IGHV3-15, IGHV3-20, IGHV3-21, IGHV3-23, IGHV3-30, IGHV3-33, IGHV3-43, IGHV3-48, IGHV3-49, IGHV3-53, IGHV3-64, IGHV3-66, IGHV3-72, and IGHV3-73, IGHV3-74), the IGHV4 subfamily (*e.g.*, IGHV4-4, IGHV4-28, IGHV4-31, IGHV4-34, IGHV4-39, IGHV4-59, IGHV4-61, and IGHV4-B), the IGHV subfamily (*e.g.*, IGHV5-51, or IGHV6-1), and the IGHV7 subfamily (*e.g.*, IGHV7-4-1).

Alternatively or in addition, the anti-Galectin-9 antibody may comprise a light chain variable region that contains a framework derived from a germline Vk fragment. Examples include an IGKV1 framework (*e.g.*, IGKV1-05, IGKV1-12, IGKV1-27, IGKV1-33, or IGKV1-39), an IGKV2 framework (*e.g.*, IGKV2-28), an IGKV3 framework (*e.g.*, IGKV3-11, IGKV3-15, or IGKV3-20), and an IGKV4 framework (*e.g.*, IGKV4-1). In other instances, the anti-Galectin-9 antibody may comprise a light chain variable region that contains a framework derived from a germline Vλ fragment. Examples include an IGλ1 framework (*e.g.*, IGλV1-36, IGλV1-40, IGλV1-44, IGλV1-47, IGλV1-51), an IGλ2 framework (*e.g.*, IGλV2-8, IGλV2-11, IGλV2-14, IGλV2-18, IGλV2-23), an IGλ3 framework (*e.g.*, IGλV3-1, IGλV3-9, IGλV3-10, IGλV3-12, IGλV3-16, IGλV3-19, IGλV3-21, IGλV3-25, IGλV3-27), an IGλ4 framework (*e.g.*, IGλV4-3, IGλV4-60, IGλV4-69), an IGλ5 framework (*e.g.*, IGλV5-39, IGλV5-45), an IGλ6 framework (*e.g.*, IGλV6-57), an IGλ7 framework (*e.g.*, IGλV7-43, IGλV7-46), an IGλ8 framework (*e.g.*, IGλV8-61), an IGλ9 framework (*e.g.*, IGλV9-49), or an IGλ10 framework (*e.g.*, IGλV10-54).

In some embodiments, the heavy chain of any of the anti-Galectin-9 antibodies as described herein may further comprise a heavy chain constant region (CH) or a portion thereof (*e.g.*, CH1, CH2, CH3, or a combination thereof). The heavy chain constant region can be of any suitable origin, *e.g.*, human, mouse, rat, or rabbit. In one specific example, the heavy chain

constant region is from a human IgG (a gamma heavy chain) of any IgG subfamily as described herein.

In some embodiments, the heavy chain constant region of the antibodies described herein may comprise a single domain (*e.g.*, CH1, CH2, or CH3) or a combination of any of the single domains, of a constant region (*e.g.*, SEQ ID NO: 419-423). In some embodiments, the light chain constant region of the antibodies described herein may comprise a single domain (*e.g.*, CL), of a constant region (*e.g.*, SEQ ID NO: 418). Exemplary light and heavy chain sequences are listed below. The hIgG1 LALA sequence includes two mutations, L234A and L235A, which suppress FcγR binding as well as a P329G mutation to abolish complement C1q binding, thus abolishing all immune effector functions. These mutations are underlined and bolded in the sequences listed below. The hIgG4 Fab Arm Exchange Mutant sequence includes a mutation to suppress Fab Arm Exchange (S228P), underlined and bolded. The light chain sequence for G9.2-17 is identical among all G9.2-17 constructs. Similarly, the light chain sequence for G9.1-8m13 is identical among all G9.1-8m13 constructs. **Bolded** residues are the VH and VL regions. A IL2 signal sequence (MYRMQLLSICALSLALVTNS; SEQ ID NO: 469) is located N-terminally of the variable region. It is used in expression vectors, which is cleaved during secretion and thus not in the mature antibody molecule. The mature protein (after secretion) starts with "EVQ" for the heavy chain and "DIM" for the light chain.

Exemplary Heavy and Light Chain sequences

G9.2-17 hIgG1 Heavy Chain (SEQ ID NO: 157)

**EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYISSSSGYTTYADSVKGRF
TISADTSKNTAYLQMNSLRAEDTAVYYCARYWSYPSWWPYRGMDYWGQGT**LVTVSSASTKGPSVFPLA
PSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQT
YICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVD
VSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIE
KTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSD
GSFFLYSKLTVDKSRWQQGNVVFSCSVMHEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 108)

**DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
TDF**TLTISLQPEDFATYYCQQSSSTDPITFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLL
NNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSP
VTKSFNRGEC*

G9.2-17 hIgG1 LALA Heavy Chain (SEQ ID NO: 210)

**EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYISSSSGYTTYADSVKGRF
TISADTSKNTAYLQMNSLRAEDTAVYYCARYWSYPSWWPYRGMDYWGQGT**LVTVSSASTKGPSVFPLA
PSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQT
YICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPE**AA**GGPSVFLFPPKPKDTLMISRTPEVTCVVD
VSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKAL**G**APIE
KTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSD
GSFFLYSKLTVDKSRWQQGNVVFSCSVMHEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 108)

DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
 TDFTLTISSLQPEDFATYYCQQSSSTDPITFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLL
 NNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSYSTLSSTLTLSKADYEKHKVYACEVTHQGLSSP
 VTKSFNRGEC*

G9.2-17 hIgG4 Heavy Chain (SEQ ID NO: 263)

EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYISSSSGYTTYADSVKGRF
 TISADTSKNTAYLQMNSLRAEDTAVYYCARYWSYPSWWPYRGMDYWGQGTLLTVTVSSASTKGPSVFPLA
 PCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVTPSSSLGTKT
 YTCNVDPKPSNTKVDKRVESKYGPPCPSCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVDSQ
 EDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVSVLTVTLHQLDNLNGKEYKCKVSNKGLPSSIEKTI
 SKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSF
 FLYSRLTVDKSRWQEGNVFSCSVMEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 108)

DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
 TDFTLTISSLQPEDFATYYCQQSSSTDPITFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLL
 NNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSYSTLSSTLTLSKADYEKHKVYACEVTHQGLSSP
 VTKSFNRGEC*

G9.2-17 hIgG4 Fab Arm Exchange mut Heavy Chain (SEQ ID NO: 316)

EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYISSSSGYTTYAD
 SVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCARYWSYPSWWPYRGMDYWGQGTLLTVTVSSASTKGP
 SVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVTPSS
 SLGKTYTCNVDPKPSNTKVDKRVESKYGPPCPPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCV
 VVDVSDQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVSVLTVTLHQLDNLNGKEYKCKVSNKGLPS
 SIEKTISKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVVL
 DSDGSFFLYSRLTVDKSRWQEGNVFSCSVMEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 108)

DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
 TDFTLTISSLQPEDFATYYCQQSSSTDPITFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLL
 NNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSYSTLSSTLTLSKADYEKHKVYACEVTHQGLSSP
 VTKSFNRGEC*

G9.1-8m13 hIgG1 Heavy Chain (SEQ ID NO: 136)

EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYIYPYSSSSSYADSVKGRF
 TISADTSKNTAYLQMNSLRAEDTAVYYCARYSTYSSKWWGMDYWGQGTLLTVTVSSASTKGPSVFPLAP
 SSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVTPSSSLGTQTY
 ICNVNHPKPSNTKVDKKVEPKSCDKHTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDV
 SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVSVLTVTLHQLDNLNGKEYKCKVSNKALPAPIEK
 TISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDG
 SFFLYSKLTVDKSRWQQGNVFSCSVMEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 95)

DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
 TDFTLTISSLQPEDFATYYCQQSYDSNPITFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVC
 LLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSYSTLSSTLTLSKADYEKHKVYACEVTHQGLS
 SPVTKSFNRGEC*

2018355588 10 Oct 2022

G9.1-8m13 hIgG1 LALA Heavy Chain (SEQ ID NO: 189)
EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYIIPYSSSSSYADSVKGRF
TISADTSKNTAYLQMNSLRAEDTAVYYCARYSTYSSKWWGMDYWGQGLTVTVSSASTKGPSVFPLAP
SSKSTSGGTAALGCLVKDYFPEPTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTY
ICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDV
SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALGAPIEK
TISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDG
SFFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 95)
DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
TDFTLTISSLQPEDFATYYCQQSYSDNPITFGQGTKEIKRTVAAPSVFIFPPSDEQLKSGTASVVC
LLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS
SPVTKSFNRGEC*

G9.1-8m13 hIgG4 Heavy Chain (SEQ ID NO: 242)
EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYIIPYSSSSSYADSVKGRF
TISADTSKNTAYLQMNSLRAEDTAVYYCARYSTYSSKWWGMDYWGQGLTVTVSSASTKGPSVFPLAP
CSRSTSESTAALGCLVKDYFPEPTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTY
TCNVDHKPSNTKVDKRVESKYGPPCPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVDSQE
DPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTIS
KAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFF
LYSRLTVDKSRWQEGNVFSCFSVMHEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 95)
DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
TDFTLTISSLQPEDFATYYCQQSYSDNPITFGQGTKEIKRTVAAPSVFIFPPSDEQLKSGTASVVC
LLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS
SPVTKSFNRGEC*

G9.1-8m13 hIgG4 Fab Arm Exchange mut Heavy Chain (SEQ ID NO: 295)
EVQLVESGGGLVQPGGSLRLSCAASGFTVSSSSIHWVRQAPGKGLEWVAYIIPYSSSSSYADSVKGRF
TISADTSKNTAYLQMNSLRAEDTAVYYCARYSTYSSKWWGMDYWGQGLTVTVSSASTKGPSVFPLAP
CSRSTSESTAALGCLVKDYFPEPTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTY
TCNVDHKPSNTKVDKRVESKYGPPCPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVDSQE
DPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTIS
KAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFF
LYSRLTVDKSRWQEGNVFSCFSVMHEALHNHYTQKSLSLSPGK*

Light Chain (SEQ ID NO: 95)
DIQMTQSPSSLSASVGDRVTITCRASQSVSSAVAWYQQKPGKAPKLLIYSASSLYSGVPSRFSGSRSG
TDFTLTISSLQPEDFATYYCQQSYSDNPITFGQGTKEIKRTVAAPSVFIFPPSDEQLKSGTASVVC
LLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS
SPVTKSFNRGEC

In some embodiments, the anti-Galectin 9 antibody has a light chain comprising,
consisting essentially of, or consisting of SEQ ID NO: 108. In some embodiments, the anti-
Galectin 9 antibody has a heavy chain comprising, consisting essentially of, or consisting of any
one of the sequences selected from the group consisting of SEQ ID NO: 295, 242, 189, 157,

210, 263, 316, and 136. In some embodiments, the anti-Galectin 9 antibody has a light chain comprising, consisting essentially of, or consisting of SEQ ID NO: 108 and a heavy chain comprising, consisting essentially of, or consisting of any one of the sequences selected from the group consisting of SEQ ID NO: 295, 242, 189, 157, 210, 263, 316, and 136. In some

5 embodiments, the anti-Galectin 9 antibody has a light chain comprising SEQ ID NO: 108 and a heavy chain comprising any one of the sequences selected from the group consisting of SEQ ID NO: 295, 242, 189, 157, 210, 263, 316, and 136. In some embodiments, the anti-Galectin 9 antibody has a light chain consisting essentially of SEQ ID NO: 108 and a heavy chain consisting essentially of any one of the sequences selected from the group consisting of SEQ ID

10 NO: 295, 242, 189, 157, 210, 263, 316, and 136. In some embodiments, the anti-Galectin 9 antibody has a light chain consisting of SEQ ID NO: 108 and a heavy chain consisting of any one of the sequences selected from the group consisting of SEQ ID NO: 295, 242, 189, 157, 210, 263, 316, and 136.

In some embodiments, the constant region is from human IgG4. In one embodiment, the

15 constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 423. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region comprising SEQ ID NO: 423. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy

20 chain IgG4 constant region consisting of SEQ ID NO: 423. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 421. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region comprising SEQ ID NO: 421. In one

25 embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region consisting of SEQ ID NO: 421.

In some embodiments, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 418. In one embodiment, the

30 constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region comprising SEQ ID No: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region consisting of SEQ ID NO: 418. In some embodiments, the constant region is from a human IgG1. In some embodiments, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG1 constant region that has at

least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 419. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG1 constant region comprising SEQ ID NO: 419. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region consisting of SEQ ID NO: 419. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG1 constant region comprising SEQ ID NO: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region consisting of SEQ ID NO: 418.

In some embodiments, the anti-Galectin-9 antibody comprises a modified constant region. In some embodiments, the anti-Galectin-9 antibody comprise a modified constant region that is immunologically inert, *e.g.*, does not trigger complement mediated lysis, or does not stimulate antibody-dependent cell mediated cytotoxicity (ADCC). ADCC activity can be assessed using methods disclosed in U.S. Pat. No. 5,500,362. In other embodiments, the constant region is modified as described in *Eur. J. Immunol.* (1999) 29:2613-2624; PCT Application No. PCT/GB99/01441; and/or UK Patent Application No. 9809951.8. In some embodiments, the IgG4 constant region is a mutant with reduced heavy chain exchange. In some embodiments, the constant region is from a human IgG4 Fab Arm Exchange mutant S229P. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 422. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region comprising SEQ ID NO: 422. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG4 constant region consisting of SEQ ID NO: 422. In some embodiments, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region comprising SEQ ID NO: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region consisting of SEQ ID NO: 418. In some embodiments, the IgG is a mutant with minimal Fc receptor engagement. In one example, the constant region is from a human IgG1 LALA. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG1 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 420. In one embodiment, the constant region of the anti-Galectin-9 antibody

comprises a heavy chain IgG1 constant region comprising SEQ ID NO: 420. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a heavy chain IgG1 constant region consisting of SEQ ID NO: 420. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG1 constant region that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to SEQ ID NO: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG1 constant region comprising SEQ ID NO: 418. In one embodiment, the constant region of the anti-Galectin-9 antibody comprises a light chain IgG4 constant region consisting of SEQ ID NO: 418.

In some embodiments, the anti-Galectin -9 antibody has chains corresponding to SEQ ID NO: 88-98 (anti-Galectin-9 antibodies binding to CRD1) and SEQ ID NO: 99-115 (anti-Galectin-9 antibodies binding to CRD2) for the light chains; The amino acid sequences of exemplary heavy chains correspond to SEQ ID NO: 116-140 (hIgG1); 169-193 (hIgG1 LALA); 222-246 (hIgG4); 275-299 (hIgG4 exchange mut) (anti-Galectin-9 antibodies binding to CRD1) and SEQ ID NO: 141-168 (hIgG1); 194-221(hIgG1 LALA); 247-274 (hIgG4); 300-327 (hIgG4 exchange mut) (anti-Galectin-9 antibodies binding to CRD2) for the heavy chains. IgG LALA, IgG4 exchange mut are located in the heavy chains; accordingly the light chains are the same for all IgG1 and IgG4 sequences disclosed herein. In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody light chains correspond to sequences set forth in SEQ ID NO: 88-98 and SEQ ID NO: 99-115.

Clone 9.1-derived Light Chains

In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the light chains set forth herein (or their variable regions), (e.g., light chain sequences set forth in SEQ ID NO: 88-98. In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the light chains set forth herein, (e.g., light chain sequences set forth in SEQ ID NO: 88-98. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 88-98. In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 88-98.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 88. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 89. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof
 5 comprise a light chain sequence of SEQ ID NO: 90. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 91. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 92. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO:
 10 93. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 94. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 96. In some embodiments, the anti-Galectin-9
 15 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 97. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 98.

In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment
 20 therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence
 25 set forth in SEQ ID NO: 95 (or their variable regions). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 95.

Clone 9.1-derived Heavy chains

In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody
 30 heavy chains correspond to sequences set forth in SEQ ID NO: 116-140 (hIgG1); 169-193 (hIgG1 LALA); 222-246 (hIgG4); 275-299 (hIgG4 exchange mut) (anti-Galectin-9 antibodies binding to CRD1). In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and

any increment therein) sequence identity to any of the heavy chains set forth herein (or their variable regions), e.g., sequences set forth in SEQ ID NO: 116-140; 169-193; 222-246; 275-299 (anti-Galectin-9 antibodies binding to CRD1). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the heavy chains set forth herein, e.g., sequences set forth in SEQ ID NO: 116-140; 169-193; 222-246; 275-299 (anti-Galectin-9 antibodies binding to CRD1).

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an heavy chain amino acid sequence set forth in SEQ ID NO: 116-140; 169-193; 222-246; 275-299 (anti-Galectin-9 antibodies binding to CRD1). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 116-140; 169-193; 222-246; 275-299 (anti-Galectin-9 antibodies binding to CRD1).

In some embodiments, the constant region is IgG1. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 116. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 117. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 118. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 119. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 120. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 121. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 122. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 123. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 124. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 125. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 126. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 127. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 128. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 129. In

heavy chain sequence of SEQ ID NO: 132. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 133. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 134. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 135. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 136. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 137. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 138. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 139. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 140.

of SEQ ID NO: 169. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 170. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 171. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 172. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 173. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 174. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 175. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 176. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 177. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 178. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a

or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 229. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 230. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 231. In
5 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 232. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 233. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 234. In some embodiments, the anti-Galectin-9 antibodies
10 or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 235. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 236. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 237. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a
15 heavy chain sequence of SEQ ID NO: 238. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 29. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 240. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 241. In
20 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 242. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 243. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 244. In some embodiments, the anti-Galectin-9 antibodies
25 or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 245. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 246.

In some embodiments, the constant region is IgG4mut. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 275. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 276. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 277. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 278. In some

embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 279. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 280. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 281. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 282. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 283. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 284. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 285. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 286. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 287. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 288. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 289. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 290. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 291. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 292. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 293. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 294. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 295. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 296. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 297. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 298. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 299.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any

increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 136 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 136. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 136 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 136.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 189 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 189. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 189 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 189.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 242 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 242. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 242 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 242.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 295 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID

NO: 295. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 295. In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 295.

5 **Clone 9.1 derived heavy and light chains**

A VH domain can comprise the amino acid sequence of any VH domain described herein fused to a human IgG, e.g., an IgG1, constant region, such as human IgG1 constant domain amino acid sequence, hIgG LALA, hIgG4, or IgG4mut .

10 In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody light chains correspond to SEQ ID NO: 88 -98, or the amino acid sequences of the exemplary anti-Galectin antibody heavy chains correspond to SEQ ID NO: 116-140; 169-193; 222-246; 275-299.

15 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 88 and a heavy chain having a sequence selected from of SEQ ID NO: 116, 169, 222, or 275.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 89 and a heavy chain having a sequence selected from of SEQ ID NO: 117, 170, 223, or 276.

20 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 90 and a heavy chain having a sequence selected from of SEQ ID NO: 118, 171, 224, or 277.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from of SEQ ID NO: 119, 172, 225, or 278.

25 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 92 and a heavy chain having a sequence selected from of SEQ ID NO: 120, 173, 226, or 279.

30 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 93 and a heavy chain having a sequence selected from of SEQ ID NO: 121, 174, 227, or 280.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 94 and a heavy chain having a sequence selected from of SEQ ID NO: 122, 175, 228, or 281.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 123, 176, 229, or 282.

5 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 96 and a heavy chain having a sequence selected from of SEQ ID NO: 138, 191, 244, or 297.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 97 and a heavy chain having a sequence selected from of SEQ ID NO: 139, 192, 245, or 298.

10 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 98 and a heavy chain having a sequence selected from of SEQ ID NO: 140, 193, 246, or 299.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a
15 sequence selected from of SEQ ID NO: 124, 177, 230, or 283.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 125, 178, 231, or 284.

20 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 126, 179, 232, or 285.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 127, 180, 233, or 286,

25 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 128, 181, 234, or 287.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a
30 sequence selected from of SEQ ID NO: 129, 182, 235, or 288.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 130, 183, 236, or 289.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 131, 184, 237, or 290.

5 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 132, 185, 238, or 291.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 133, 186, 239, or 292.

10 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 137, 187, 240, or 293.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a
15 sequence selected from of SEQ ID NO: 138, 188, 241, or 294.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 139, 189, 242, or 295.

20 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 95 and a heavy chain having a sequence selected from of SEQ ID NO: 140, 190, 243, or 296.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and comprise a heavy chain sequence of SEQ ID NO: 136. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an
25 amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions), and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 136 (or its
30 variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity

to the heavy chain sequence set forth in SEQ ID NO: 136. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 95 (or their variable regions) heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 136 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 136.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and comprise a heavy chain sequence of SEQ ID NO: 189. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 189 (or its variable region) and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 189. In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 189 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 189.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and comprise a heavy chain sequence of SEQ ID NO: 242. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment

therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 242 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 242. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 242 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 242.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 95 and comprise a heavy chain sequence of SEQ ID NO: 295. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 295 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 295. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 95 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 295. In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 95 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 295.

Clone 9.2-derived Light Chains

In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the light chains set forth herein (or their variable regions),
5 (e.g., light chain sequences set forth in SEQ ID NO: 99-115). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the light chains set forth herein, (e.g., light chain sequences set forth in SEQ ID NO: 99-115).

10 In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 99-115. In some embodiments, light chains of anti-Galectin-9 antibodies consist of a sequence set forth in SEQ ID NO: 99-115.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 99. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO:
15 100. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 101. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 102. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 103. In some embodiments, the anti-Galectin-9
20 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 104. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 105. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 106. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof
25 comprise a light chain sequence of SEQ ID NO: 107. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 109. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO:
30 110. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 111. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 112. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 113. In some embodiments, the anti-Galectin-9

antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 114. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 115. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108.

In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 108 (or their variable regions). In some embodiments, light chains of anti-Galectin-9 antibodies consist set forth in SEQ ID NO: 108.

Clone 9.2-derived Heavy Chains

In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody heavy chains correspond to sequences set forth in SEQ ID NO: 141-168 (hIgG1); 194-221(hIgG1 LALA); 247-274 (hIgG4); 300-327 (hIgG4 exchange mut) (anti-Galectin-9 antibodies binding to CRD2) for the heavy chains.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the heavy chains set forth herein (or their variable regions), e.g., sequences set forth in SEQ ID NO: 141-168; 194-220; 247-274; 300-327 (anti-Galectin-9 antibodies binding to CRD2). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to any of the heavy chains set forth herein, e.g., sequences set forth in SEQ ID NO: 141-168; 194-220; 247-274; 300-327 (anti-Galectin-9 antibodies binding to CRD2).

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an heavy chain amino acid sequence set forth in SEQ ID NO: 141-168; 194-220; 247-274; 300-327 (anti-Galectin-9 antibodies binding to CRD2). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 141-168; 194-220; 247-274; 300-327 (anti-Galectin-9 antibodies binding to CRD2).

[illegible]

some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 257. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 258. In
5 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 259. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 260. In
some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 261. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 262. In
10 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 263. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 264. In
some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 265. In some embodiments, the anti-Galectin-9 antibodies
or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 266. In
15 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 267. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 268. In
some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a
20 heavy chain sequence of SEQ ID NO: 269. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 270. In
some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 271. In some embodiments, the anti-Galectin-9 antibodies
or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 272. In
25 some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 273. In some embodiments, the anti-Galectin-9 antibodies
or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 274.

In some embodiments, the constant region is IgG4 mut. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 300. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 301. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 302. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 303. In some

comprise a heavy chain sequence of SEQ ID NO: 306. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 307. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 308. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 309. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 310. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 311. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 312. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 313. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 314. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 315. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 316. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 317. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 318. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 319. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 320. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 321. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 322. In some embodiments, the anti-Galectin-9

NO: 325. In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a heavy chain sequence of SEQ ID NO: 326.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any
5 increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 157 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID
10 NO: 157. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 157 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 157.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any
15 increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 210 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID
20 NO: 210. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 210 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 210. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any
25 increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 263 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID
NO: 263.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino
30 acid sequence set forth in SEQ ID NO: 263 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 263.

In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any

increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 316 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 316. In some embodiments, heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 316 (or its variable region). In some embodiments, heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 316.

Clone 9.2 Derived Heavy and Light Chains

In some embodiments, the amino acid sequences of exemplary anti-Galectin antibody light chains correspond to SEQ ID NO: 99-108, and the amino acid sequences of the exemplary anti-Galectin antibody heavy chains correspond to SEQ ID NO: 141-168; 194-221; 249-274; 300-327.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 99 and a heavy chain having a sequence selected from SEQ ID NO: 141, 194, 247, or 300.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 142, 195, 248, or 301.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 143, 196, 249, or 302.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 144, 197, 250, or 303.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 100 and a heavy chain having a sequence selected from SEQ ID NO: 145, 198, 251, or 304.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 101 and a heavy chain having a sequence selected from SEQ ID NO: 146, 199, 252, or 305.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 102 and a heavy chain having a sequence selected from SEQ ID NO: 147, 200, 253, or 306.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 103 and a heavy chain having a sequence selected from SEQ ID NO: 148, 201, 254, or 307.

5 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 104 and a heavy chain having a sequence selected from SEQ ID NO: 149, 202, 255, or 308.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 105 and a heavy chain having a sequence selected from SEQ ID NO: 150, 203, 256, or 309.

10 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 106 and a heavy chain having a sequence selected from SEQ ID NO: 151, 204, 257, or 310.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 107 and a heavy chain having a
15 sequence selected from SEQ ID NO: 152, 205, 258, or 311.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 99 and a heavy chain having a sequence selected from SEQ ID NO: 153, 206, 259, or 312.

20 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 154, 207, 260, or 313.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 100 and a heavy chain having a sequence selected from SEQ ID NO: 155, 208, 261, or 314.

25 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 156, 209, 262, or 315.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 108 and a heavy chain having a
30 sequence selected from SEQ ID NO: 157, 210, 263, or 316.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 108 and a heavy chain having a sequence selected from SEQ ID NO: 158, 211, 264, or 317.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 91 and a heavy chain having a sequence selected from SEQ ID NO: 159, 212, 265, or 318.

5 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 109 and a heavy chain having a sequence selected from SEQ ID NO: 160, 213, 266, or 319.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 108 and a heavy chain having a sequence selected from SEQ ID NO: 161, 214, 267, or 320.

10 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 110 and a heavy chain having a sequence selected from SEQ ID NO: 162, 215, 268, or 321.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 111 and a heavy chain having a
15 sequence selected from SEQ ID NO: 163, 216, 269, or 322.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 112 and a heavy chain having a sequence selected from SEQ ID NO: 164, 217, 270, or 323.

20 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 113 and a heavy chain having a sequence selected from SEQ ID NO: 165, 218, 271, or 324.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 114 and a heavy chain having a sequence selected from SEQ ID NO: 166, 219, 272, or 325.

25 In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 115 and a heavy chain having a sequence selected from SEQ ID NO: 167, 220, 273, or 326.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain having the sequence of SEQ ID NO: 108 and a heavy chain having a
30 sequence selected from SEQ ID NO: 168, 221, 274, or 327.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108 and comprise a heavy chain sequence of SEQ ID NO: 157. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any

increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions), and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 157 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 157. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 108 (or their variable regions) heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 157 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 157.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof comprise a light chain sequence of SEQ ID NO: 108 and comprise a heavy chain sequence of SEQ ID NO: 210. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 210 (or its variable region) and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 210. In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 210 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino

acid sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 210.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof

comprise a light chain sequence of SEQ ID NO: 108 and comprise a heavy chain sequence of

5 SEQ ID NO: 263. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment
10 therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 263 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at
15 least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 263. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 263 (or its variable region). In some embodiments, light
20 chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 263.

In some embodiments, the anti-Galectin-9 antibodies or antigen-binding portion thereof

comprise a light chain sequence of SEQ ID NO: 108 and comprise a heavy chain sequence of

25 SEQ ID NO: 316. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment
30 therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 316 (or its variable region). In some embodiments, light chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the light chain sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence that has at

least 80% (e.g., 85%, 90%, 95%, 96%, 97%, 98%, 99% and any increment therein) sequence identity to the heavy chain sequence set forth in SEQ ID NO: 316. In some embodiments, light chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 108 (or their variable regions) and heavy chains of anti-Galectin-9 antibodies comprise an amino acid sequence set forth in SEQ ID NO: 316. In some embodiments, light chains of anti-Galectin-9 antibodies consist of the amino acid sequence set forth in SEQ ID NO: 108 and heavy chains of anti-Galectin-9 antibodies consist of an amino acid sequence set forth in SEQ ID NO: 316.

In some embodiments, the anti-Galectin-9 antibody comprises an IgG1 heavy chain having the sequence of SEQ ID NO: 157 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG1 heavy chain having the sequence of SEQ ID NO: 210 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG4 heavy chain having the sequence of SEQ ID NO: 263 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG4 heavy chain having the sequence of SEQ ID NO: 316 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG1 heavy chain having the sequence of SEQ ID NO: 136 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG1 heavy chain having the sequence of SEQ ID NO: 189 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG4 heavy chain having the sequence of SEQ ID NO: 242 and a light chain having the sequence of SEQ ID NO: 108. In some embodiments, the anti-Galectin-9 antibody comprises an IgG4 heavy chain having the sequence of SEQ ID NO: 295 and a light chain having the sequence of SEQ ID NO: 108.

Antibody heavy and light chain constant regions are well known in the art, e.g., those provided in the IMGT database (www.imgt.org) or at www.vbase2.org/vbstat.php, both of which are incorporated by reference herein.

Preparation of Anti-Galectin-9 Antibodies

Antibodies capable of binding Galectin-9 as described herein can be made by any method known in the art. See, for example, Harlow and Lane, (1998) *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, New York.

In some embodiments, antibodies specific to a target antigen (e.g., Galectin-9 or a CRD thereof) are made by conventional hybridoma technology. The full-length target antigen or a fragment thereof, optionally coupled to a carrier protein such as KLH, can be used to immunize

a host animal for generating antibodies binding to that antigen. The route and schedule of immunization of the host animal are generally in keeping with established and conventional techniques for antibody stimulation and production, as further described herein. General techniques for production of mouse, humanized, and human antibodies are known in the art and are described herein. It is contemplated that any mammalian subject including humans or antibody producing cells therefrom can be manipulated to serve as the basis for production of mammalian, including human hybridoma cell lines. Typically, the host animal is inoculated intraperitoneally, intramuscularly, orally, subcutaneously, intraplantar, and/or intradermally with an amount of immunogen, including as described herein.

Hybridomas can be prepared from the lymphocytes and immortalized myeloma cells using the general somatic cell hybridization technique of Kohler, B. and Milstein, C. (1975) *Nature* 256:495-497 or as modified by Buck, D. W., et al., *In Vitro*, 18:377-381 (1982).

Available myeloma lines, including, but not limited to, X63-Ag8.653 and those from the Salk Institute, Cell Distribution Center, San Diego, Calif., USA, may be used in the hybridization.

Generally, the technique involves fusing myeloma cells and lymphoid cells using a fusogen such as polyethylene glycol, or by electrical means well known to those skilled in the art. After the fusion, the cells are separated from the fusion medium and grown in a selective growth medium, such as hypoxanthine-aminopterin-thymidine (HAT) medium, to eliminate unhybridized parent cells. Any of the media described herein, supplemented with or without serum, can be used for culturing hybridomas that secrete monoclonal antibodies. As another alternative to the cell fusion technique, EBV immortalized B cells may be used to produce the anti-Galectin-9 monoclonal antibodies described herein. The hybridomas are expanded and subcloned, if desired, and supernatants are assayed for anti-immunogen activity by conventional immunoassay procedures (e.g., radioimmunoassay, enzyme immunoassay, or fluorescence immunoassay).

Hybridomas that may be used as source of antibodies encompass all derivatives, progeny cells of the parent hybridomas that produce monoclonal antibodies capable of interfering with the Galectin-9 activity. Hybridomas that produce such antibodies may be grown *in vitro* or *in vivo* using known procedures. The monoclonal antibodies may be isolated from the culture media or body fluids, by conventional immunoglobulin purification procedures such as ammonium sulfate precipitation, gel electrophoresis, dialysis, chromatography, and ultrafiltration, if desired. Undesired activity if present, can be removed, for example, by running the preparation over adsorbents made of the immunogen attached to a solid phase and eluting or releasing the desired antibodies off the immunogen. Immunization of a host animal with a target

antigen or a fragment containing the target amino acid sequence conjugated to a protein that is immunogenic in the species to be immunized, *e.g.*, keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, or soybean trypsin inhibitor using a bifunctional or derivatizing agent, for example maleimidobenzoyl sulfosuccinimide ester (conjugation through cysteine residues), N-hydroxysuccinimide (through lysine residues), glutaraldehyde, succinic anhydride, SOCl₂, or R₁N=C=NR, where R and R₁ are different alkyl groups, can yield a population of antibodies (*e.g.*, monoclonal antibodies).

If desired, an antibody (monoclonal or polyclonal) of interest (*e.g.*, produced by a hybridoma) may be sequenced and the polynucleotide sequence may then be cloned into a vector for expression or propagation. The sequence encoding the antibody of interest may be maintained in vector in a host cell and the host cell can then be expanded and frozen for future use. In an alternative, the polynucleotide sequence may be used for genetic manipulation to "humanize" the antibody or to improve the affinity (affinity maturation), or other characteristics of the antibody. For example, the constant region may be engineered to more resemble human constant regions to avoid immune response if the antibody is used in clinical trials and treatments in humans. It may be desirable to genetically manipulate the antibody sequence to obtain greater affinity to the target antigen and greater efficacy in inhibiting the activity of Galectin-9. It will be apparent to one of skill in the art that one or more polynucleotide changes can be made to the antibody and still maintain its binding specificity to the target antigen.

In other embodiments, fully human antibodies are obtained using commercially available mice that have been engineered to express specific human immunoglobulin proteins. Transgenic animals that are designed to produce a more desirable (*e.g.*, fully human antibodies) or more robust immune response may also be used for generation of humanized or human antibodies. Examples of such technology are Xenomouse^{RTM} from Amgen, Inc. (Fremont, Calif.) and HuMAb-Mouse^{RTM} and TC MouseTM from Medarex, Inc. (Princeton, N.J.). In other embodiments, antibodies are made recombinantly by phage display or yeast technology. See, for example, U.S. Pat. Nos. 5,565,332; 5,580,717; 5,733,743; and 6,265,150; and Winter et al., (1994) *Annu. Rev. Immunol.* 12:433-455. In alternate embodiments, phage display technology (McCafferty et al., (1990) *Nature* 348:552-553) is used to produce human antibodies and antibody fragments *in vitro*, from immunoglobulin variable (V) domain gene repertoires from unimmunized donors.

In alternate embodiments, antibodies capable of binding to the target antigens as described herein are isolated from a suitable antibody library. Antibody libraries, which contain a plurality of antibody components, can be used to identify antibodies that bind to a specific

target antigen (*e.g.*, the CRD1 or CRD2 of Galectin-9 in this case) following routine selection processes as known in the art. In the selection process, an antibody library can be probed with the target antigen or a fragment thereof and members of the library that are capable of binding to the target antigen can be isolated, typically by retention on a support. Such screening process
5 may be performed by multiple rounds (*e.g.*, including both positive and negative selections) to enrich the pool of antibodies capable of binding to the target antigen. Individual clones of the enriched pool can then be isolated and further characterized to identify those having desired binding activity and biological activity. Sequences of the heavy chain and light chain variable domains can also be determined via conventional methodology. There are a number of routine
10 methods known in the art to identify and isolate antibodies capable of binding to the target antigens described herein, including phage display, yeast display, ribosomal display, or mammalian display technology.

As an example, phage displays typically use a covalent linkage to bind the protein (*e.g.*, antibody) component to a bacteriophage coat protein. The linkage results from translation of a
15 nucleic acid encoding the antibody component fused to the coat protein. The linkage can include a flexible peptide linker, a protease site, or an amino acid incorporated as a result of suppression of a stop codon. Phage display is described, for example, in U.S. Pat. No. 5,223,409; Smith (1985) *Science* 228:1315-1317; WO 92/18619; WO 91/17271; WO 92/20791; WO 92/15679; WO 93/01288; WO 92/01047; WO 92/09690; WO 90/02809; de Haard et al.
20 (1999) *J. Biol. Chem* 274:18218-30; Hoogenboom et al. (1998) *Immunotechnology* 4:1-20; Hoogenboom et al. (2000) *Immunol Today* 2:371-8 and Hoet et al. (2005) *Nat Biotechnol.* 23(3):344-8. Additional suitable methods are described in Miller et al., *PloS One*, 2012, 7, e43746; Fellouse et al., *J Mol Biol*, 2007, 373, 924-940. Bacteriophage displaying the protein component can be grown and harvested using standard phage preparatory methods, *e.g.* PEG
25 precipitation from growth media. After selection of individual display phages, the nucleic acid encoding the selected protein components can be isolated from cells infected with the selected phages or from the phage themselves, after amplification. Individual colonies or plaques can be selected, and then the nucleic acid may be isolated and sequenced.

Other display formats include cell-based display (see, *e.g.*, WO 03/029456), protein-
30 nucleic acid fusions (see, *e.g.*, U.S. Pat. No. 6,207,446), ribosome display (See, *e.g.*, Mattheakis et al. (1994) *Proc. Natl. Acad. Sci. USA* 91:9022 and Hanes et al. (2000) *Nat Biotechnol.* 18:1287-92; Hanes et al. (2000) *Methods Enzymol.* 328:404-30; and Schaffitzel et al. (1999) *J Immunol Methods.* 231(1-2):119-35), and *E. coli* periplasmic display (*J Immunol Methods.* 2005 Nov 22; PMID: 16337958).

After display library members are isolated for binding to the target antigen, each isolated library member can be also tested for its ability to bind to a non-target molecule to evaluate its binding specificity. Examples of non-target molecules include streptavidin on magnetic beads, blocking agents such as bovine serum albumin, non-fat bovine milk, soy protein, any capturing or target immobilizing monoclonal antibody, or non-transfected cells which do not express the target. A high-throughput ELISA screen can be used to obtain the data, for example. The ELISA screen can also be used to obtain quantitative data for binding of each library member to the target as well as for cross species reactivity to related targets or subunits of the target antigen and also under different condition such as pH 6 or pH 7.5. The non-target and target binding data are compared (*e.g.*, using a computer and software) to identify library members that specifically bind to the target.

After selecting candidate library members that bind to a target, each candidate library member can be further analyzed, *e.g.*, to further characterize its binding properties for the target, *e.g.*, Galectin-9. Each candidate library member can be subjected to one or more secondary screening assays. The assay can be for a binding property, a catalytic property, an inhibitory property, a physiological property (*e.g.*, cytotoxicity, renal clearance, immunogenicity), a structural property (*e.g.*, stability, conformation, oligomerization state) or another functional property. The same assay can be used repeatedly, but with varying conditions, *e.g.*, to determine pH, ionic, or thermal sensitivities.

As appropriate, the assays can use a display library member directly, a recombinant polypeptide produced from the nucleic acid encoding the selected polypeptide, or a synthetic peptide synthesized based on the sequence of the selected polypeptide. In the case of selected Fabs, the Fabs can be evaluated or can be modified and produced as intact IgG proteins. Exemplary assays for binding properties are described below.

Binding proteins can also be evaluated using an ELISA assay. For example, each protein is contacted to a microtitre plate whose bottom surface has been coated with the target, *e.g.*, a limiting amount of the target. The plate is washed with buffer to remove non-specifically bound polypeptides. Then the amount of the binding protein bound to the target on the plate is determined by probing the plate with an antibody that can recognize the binding protein, *e.g.*, a tag or constant portion of the binding protein. The antibody is linked to a detection system (*e.g.*, an enzyme such as alkaline phosphatase or horse radish peroxidase (HRP) which produces a colorimetric product when appropriate substrates are provided).

Alternatively, the ability of a binding protein described herein to bind a target antigen can be analyzed using a homogenous assay, *i.e.*, after all components of the assay are added,

additional fluid manipulations are not required. For example, fluorescence resonance energy transfer (FRET) can be used as a homogenous assay (see, for example, Lakowicz et al., U.S. Patent No. 5,631,169; Stavrianopoulos, et al., U.S. Patent No. 4,868,103). A fluorophore label on the first molecule (*e.g.*, the molecule identified in the fraction) is selected such that its
5 emitted fluorescent energy can be absorbed by a fluorescent label on a second molecule (*e.g.*, the target) if the second molecule is in proximity to the first molecule. The fluorescent label on the second molecule fluoresces when it absorbs to the transferred energy. Since the efficiency of energy transfer between the labels is related to the distance separating the molecules, the spatial relationship between the molecules can be assessed. In a situation in which binding
10 occurs between the molecules, the fluorescent emission of the 'acceptor' molecule label in the assay should be maximal. A binding event that is configured for monitoring by FRET can be conveniently measured through standard fluorometric detection means, *e.g.*, using a fluorimeter. By titrating the amount of the first or second binding molecule, a binding curve can be generated to estimate the equilibrium binding constant.

15 Surface plasmon resonance (SPR) can be used to analyze the interaction of a binding protein and a target antigen. SPR or Biomolecular Interaction Analysis (BIA) detects biospecific interactions in real time, without labeling any of the interactants. Changes in the mass at the binding surface (indicative of a binding event) of the BIA chip result in alterations of the refractive index of light near the surface (the optical phenomenon of SPR). The changes in
20 the refractivity generate a detectable signal, which are measured as an indication of real-time reactions between biological molecules. Methods for using SPR are described, for example, in U.S. Patent No. 5,641,640; Raether, 1988, *Surface Plasmons* Springer Verlag; Sjolander and Urbaniczky, 1991, *Anal. Chem.* 63:2338-2345; Szabo et al., 1995, *Curr. Opin. Struct. Biol.* 5:699-705 and on-line resources provide by BIAcore International AB (Uppsala, Sweden).

25 Information from SPR can be used to provide an accurate and quantitative measure of the equilibrium dissociation constant (K_D), and kinetic parameters, including K_{on} and K_{off} , for the binding of a binding protein to a target. Such data can be used to compare different biomolecules. For example, selected proteins from an expression library can be compared to identify proteins that have high affinity for the target or that have a slow K_{off} . This information
30 can also be used to develop structure-activity relationships (SAR). For example, the kinetic and equilibrium binding parameters of matured versions of a parent protein can be compared to the parameters of the parent protein. Variant amino acids at given positions can be identified that correlate with particular binding parameters, *e.g.*, high affinity and slow K_{off} . This information can be combined with structural modeling (*e.g.*, using homology modeling, energy

minimization, or structure determination by x-ray crystallography or NMR). As a result, an understanding of the physical interaction between the protein and its target can be formulated and used to guide other design processes.

As a further example, cellular assays may be used. Binding proteins can be screened for ability to bind to cells which transiently or stably express and display the target of interest on the cell surface. For example, Galectin-9 binding proteins can be fluorescently labeled and binding to Galectin-9 in the presence or absence of antagonistic antibody can be detected by a change in fluorescence intensity using flow cytometry *e.g.*, a FACS machine.

Antigen-binding fragments of an intact antibody (full-length antibody) can be prepared via routine methods. For example, F(ab')₂ fragments can be produced by pepsin digestion of an antibody molecule, and Fab fragments that can be generated by reducing the disulfide bridges of F(ab')₂ fragments.

Genetically engineered antibodies, such as humanized antibodies, chimeric antibodies, single-chain antibodies, and bi-specific antibodies, can be produced via, *e.g.*, conventional recombinant technology. In one example, DNA encoding a monoclonal antibodies specific to a target antigen can be readily isolated and sequenced using conventional procedures (*e.g.*, by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of the monoclonal antibodies). Once isolated, the DNA may be placed into one or more expression vectors, which are then transfected into host cells such as *E. coli* cells, simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. See, *e.g.*, PCT Publication No. WO 87/04462. The DNA can then be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences, Morrison et al., (1984) *Proc. Nat. Acad. Sci.* 81:6851, or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. In that manner, genetically engineered antibodies, such as “chimeric” or “hybrid” antibodies; can be prepared that have the binding specificity of a target antigen.

Techniques developed for the production of “chimeric antibodies” are well known in the art. See, *e.g.*, Morrison et al. (1984) *Proc. Natl. Acad. Sci. USA* 81, 6851; Neuberger et al. (1984) *Nature* 312, 604; and Takeda et al. (1984) *Nature* 314:452.

Methods for constructing humanized antibodies are also well known in the art. See, *e.g.*, Queen et al., *Proc. Natl. Acad. Sci. USA*, 86:10029-10033 (1989). In one example, variable regions of V_H and V_L of a parent non-human antibody are subjected to three-dimensional

molecular modeling analysis following methods known in the art. Next, framework amino acid residues predicted to be important for the formation of the correct CDR structures are identified using the same molecular modeling analysis. In parallel, human V_H and V_L chains having amino acid sequences that are homologous to those of the parent non-human antibody are identified from any antibody gene database using the parent V_H and V_L sequences as search queries. Human V_H and V_L acceptor genes are then selected.

The CDR regions within the selected human acceptor genes can be replaced with the CDR regions from the parent non-human antibody or functional variants thereof. When necessary, residues within the framework regions of the parent chain that are predicted to be important in interacting with the CDR regions (see above description) can be used to substitute for the corresponding residues in the human acceptor genes.

A single-chain antibody can be prepared via recombinant technology by linking a nucleotide sequence coding for a heavy chain variable region and a nucleotide sequence coding for a light chain variable region. Preferably, a flexible linker is incorporated between the two variable regions. Alternatively, techniques described for the production of single chain antibodies (U.S. Patent Nos. 4,946,778 and 4,704,692) can be adapted to produce a phage or yeast scFv library and scFv clones specific to Galectin-9 can be identified from the library following routine procedures. Positive clones can be subjected to further screening to identify those that inhibit Galectin-9 activity.

Antibodies obtained following a method known in the art and described herein can be characterized using methods well known in the art. For example, one method is to identify the epitope to which the antigen binds, or “epitope mapping.” There are many methods known in the art for mapping and characterizing the location of epitopes on proteins, including solving the crystal structure of an antibody-antigen complex, competition assays, gene fragment expression assays, and synthetic peptide-based assays, as described, for example, in Chapter 11 of Harlow and Lane, *Using Antibodies, a Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1999. In an additional example, epitope mapping can be used to determine the sequence, to which an antibody binds. The epitope can be a linear epitope, *i.e.*, contained in a single stretch of amino acids, or a conformational epitope formed by a three-dimensional interaction of amino acids that may not necessarily be contained in a single stretch (primary structure linear sequence). Peptides of varying lengths (*e.g.*, at least 4-6 amino acids long) can be isolated or synthesized (*e.g.*, recombinantly) and used for binding assays with an antibody. In another example, the epitope to which the antibody binds can be determined in a systematic screening by using overlapping peptides derived from the target antigen sequence and

determining binding by the antibody. According to the gene fragment expression assays, the open reading frame encoding the target antigen is fragmented either randomly or by specific genetic constructions and the reactivity of the expressed fragments of the antigen with the antibody to be tested is determined. The gene fragments may, for example, be produced by PCR and then transcribed and translated into protein in vitro, in the presence of radioactive amino acids. The binding of the antibody to the radioactively labeled antigen fragments is then determined by immunoprecipitation and gel electrophoresis. Certain epitopes can also be identified by using large libraries of random peptide sequences displayed on the surface of phage particles (phage libraries). Alternatively, a defined library of overlapping peptide fragments can be tested for binding to the test antibody in simple binding assays. In an additional example, mutagenesis of an antigen binding domain, domain swapping experiments and alanine scanning mutagenesis can be performed to identify residues required, sufficient, and/or necessary for epitope binding. For example, domain swapping experiments can be performed using a mutant of a target antigen in which various fragments of the Galectin-9 polypeptide have been replaced (swapped) with sequences from a closely related, but antigenically distinct protein (such as another member of the β -galactoside-binding soluble lectin family). By assessing binding of the antibody to the mutant Galectin-9, the importance of the particular antigen fragment to antibody binding can be assessed.

Alternatively, competition assays can be performed using other antibodies known to bind to the same antigen to determine whether an antibody binds to the same epitope as the other antibodies. Competition assays are well known to those of skill in the art.

In some examples, an anti-Galectin-9 antibody is prepared by recombinant technology as exemplified below.

Nucleic acids encoding the heavy and light chain of an anti-Galectin-9 antibody as described herein can be cloned into one expression vector, each nucleotide sequence being in operable linkage to a suitable promoter. In one example, each of the nucleotide sequences encoding the heavy chain and light chain is in operable linkage to a distinct promoter. Alternatively, the nucleotide sequences encoding the heavy chain and the light chain can be in operable linkage with a single promoter, such that both heavy and light chains are expressed from the same promoter. When necessary, an internal ribosomal entry site (IRES) can be inserted between the heavy chain and light chain encoding sequences.

In some examples, the nucleotide sequences encoding the two chains of the antibody are cloned into two vectors, which can be introduced into the same or different cells. When the two chains are expressed in different cells, each of them can be isolated from the host cells

expressing such and the isolated heavy chains and light chains can be mixed and incubated under suitable conditions allowing for the formation of the antibody.

Generally, a nucleic acid sequence encoding one or all chains of an antibody can be cloned into a suitable expression vector in operable linkage with a suitable promoter using methods known in the art. For example, the nucleotide sequence and vector can be contacted, under suitable conditions, with a restriction enzyme to create complementary ends on each molecule that can pair with each other and be joined together with a ligase. Alternatively, synthetic nucleic acid linkers can be ligated to the termini of a gene. These synthetic linkers contain nucleic acid sequences that correspond to a particular restriction site in the vector. The selection of expression vectors/promoter would depend on the type of host cells for use in producing the antibodies.

A variety of promoters can be used for expression of the antibodies described herein, including, but not limited to, cytomegalovirus (CMV) intermediate early promoter, a viral LTR such as the *Rous sarcoma* virus LTR, HIV-LTR, HTLV-1 LTR, the simian virus 40 (SV40) early promoter, *E. coli* lac UV5 promoter, and the herpes simplex tk virus promoter.

Regulatable promoters can also be used. Such regulatable promoters include those using the lac repressor from *E. coli* as a transcription modulator to regulate transcription from lac operator-bearing mammalian cell promoters [Brown, M. et al., *Cell*, 49:603-612 (1987)], those using the tetracycline repressor (tetR) [Gossen, M., and Bujard, H., *Proc. Natl. Acad. Sci. USA* 89:5547-5551 (1992); Yao, F. et al., *Human Gene Therapy*, 9:1939-1950 (1998); Shockelt, P., et al., *Proc. Natl. Acad. Sci. USA*, 92:6522-6526 (1995)]. Other systems include FK506 dimer, VP16 or p65 using estradiol, RU486, diphenol murislerone, or rapamycin. Inducible systems are available from Invitrogen, Clontech and Ariad.

Regulatable promoters that include a repressor with the operon can be used. In one embodiment, the lac repressor from *E. coli* can function as a transcriptional modulator to regulate transcription from lac operator-bearing mammalian cell promoters (M. Brown et al., *Cell*, 49:603-612 (1987); Gossen and Bujard (1992); M. Gossen et al., *Natl. Acad. Sci. USA*, 89:5547-5551 (1992)) combined the tetracycline repressor (tetR) with the transcription activator (VP 16) to create a tetR-mammalian cell transcription activator fusion protein, tTa (tetR-VP 16), with the tetO-bearing minimal promoter derived from the human cytomegalovirus (hCMV) major immediate-early promoter to create a tetR-tet operator system to control gene expression in mammalian cells. In one embodiment, a tetracycline inducible switch is used. The tetracycline repressor (tetR) alone, rather than the tetR-mammalian cell transcription factor fusion derivatives can function as potent trans-modulator to regulate gene expression in

mammalian cells when the tetracycline operator is properly positioned downstream for the TATA element of the CMVIE promoter (Yao et al., *Human Gene Therapy*, 10(16):1392-1399 (2003)). One particular advantage of this tetracycline inducible switch is that it does not require the use of a tetracycline repressor-mammalian cells transactivator or repressor fusion protein, which in some instances can be toxic to cells (Gossen et al., *Natl. Acad. Sci. USA*, 89:5547-5551 (1992); Shockett et al., *Proc. Natl. Acad. Sci. USA*, 92:6522-6526 (1995)), to achieve its regulatable effects.

Additionally, the vector can contain, for example, some or all of the following: a selectable marker gene, such as the neomycin gene for selection of stable or transient transfectants in mammalian cells; enhancer/promoter sequences from the immediate early gene of human CMV for high levels of transcription; transcription termination and RNA processing signals from SV40 for mRNA stability; SV40 polyoma origins of replication and ColE1 for proper episomal replication; internal ribosome binding sites (IRESes), versatile multiple cloning sites; and T7 and SP6 RNA promoters for *in vitro* transcription of sense and antisense RNA. Suitable vectors and methods for producing vectors containing transgenes are well known and available in the art.

Examples of polyadenylation signals useful to practice the methods described herein include, but are not limited to, human collagen I polyadenylation signal, human collagen II polyadenylation signal, and SV40 polyadenylation signal.

One or more vectors (*e.g.*, expression vectors) comprising nucleic acids encoding any of the antibodies may be introduced into suitable host cells for producing the antibodies. The host cells can be cultured under suitable conditions for expression of the antibody or any polypeptide chain thereof. Such antibodies or polypeptide chains thereof can be recovered by the cultured cells (*e.g.*, from the cells or the culture supernatant) via a conventional method, *e.g.*, affinity purification. If necessary, polypeptide chains of the antibody can be incubated under suitable conditions for a suitable period of time allowing for production of the antibody.

In some embodiments, methods for preparing an antibody described herein involve a recombinant expression vector that encodes both the heavy chain and the light chain of an anti-Galectin-9 antibody, as also described herein. The recombinant expression vector can be introduced into a suitable host cell (*e.g.*, a dhfr- CHO cell) by a conventional method, *e.g.*, calcium phosphate-mediated transfection. Positive transformant host cells can be selected and cultured under suitable conditions allowing for the expression of the two polypeptide chains that form the antibody, which can be recovered from the cells or from the culture medium. When

necessary, the two chains recovered from the host cells can be incubated under suitable conditions allowing for the formation of the antibody.

In one example, two recombinant expression vectors are provided, one encoding the heavy chain of the anti-Galectin-9 antibody and the other encoding the light chain of the anti-Galectin-9 antibody. Both of the two recombinant expression vectors can be introduced into a suitable host cell (*e.g.*, dhfr- CHO cell) by a conventional method, *e.g.*, calcium phosphate-mediated transfection. Alternatively, each of the expression vectors can be introduced into a suitable host cells. Positive transformants can be selected and cultured under suitable conditions allowing for the expression of the polypeptide chains of the antibody. When the two expression vectors are introduced into the same host cells, the antibody produced therein can be recovered from the host cells or from the culture medium. If necessary, the polypeptide chains can be recovered from the host cells or from the culture medium and then incubated under suitable conditions allowing for formation of the antibody. When the two expression vectors are introduced into different host cells, each of them can be recovered from the corresponding host cells or from the corresponding culture media. The two polypeptide chains can then be incubated under suitable conditions for formation of the antibody.

Standard molecular biology techniques are used to prepare the recombinant expression vector, transfect the host cells, select for transformants, culture the host cells and recovery of the antibodies from the culture medium. For example, some antibodies can be isolated by affinity chromatography with a Protein A or Protein G coupled matrix.

Any of the nucleic acids encoding the heavy chain, the light chain, or both of an anti-Galectin-9 antibody as described herein, vectors (*e.g.*, expression vectors) containing such; and host cells comprising the vectors are within the scope of the present disclosure.

Anti-Galectin-9 antibodies thus prepared can be characterized using methods known in the art, whereby reduction, amelioration, or neutralization of Galectin-9 biological activity is detected and/or measured. For example, an ELISA-type assay may be suitable for qualitative or quantitative measurement of Galectin-9 inhibition of Dectin-1 or TIM-3 signaling.

The bioactivity of an anti-Galectin-9 antibody can be verified by incubating a candidate antibody with Dectin-1 and Galectin-9, and monitoring any one or more of the following characteristics: (a) binding between Dectin-1 and Galectin-9 and inhibition of the signaling transduction mediated by the binding; (b) preventing, ameliorating, or treating any aspect of a solid tumor; (c) blocking or decreasing Dectin-1 activation; (d) inhibiting (reducing) synthesis, production or release of Galectin-9. Alternatively, TIM-3 can be used to verify the bioactivity

of an anti-Galectin-9 antibody using the protocol described above. Alternatively, CD206 can be used to verify the bioactivity of an anti-Galectin-9 antibody using the protocol described above.

Additional assays to determine bioactivity of an anti-Galectin-9 antibody include measurement of CD8⁺ and CD4⁺ (conventional) T-cell activation (in an in vitro or in vivo assay, e.g., by measuring inflammatory cytokine levels, e.g., IFN γ , TNF α , CD44, ICOS granzymeB, Perforin, IL2 (upregulation); CD26L and IL-10 (downregulation)); measurement of reprogramming of macrophages (in vitro or in vivo), e.g., from the M2 to the M1 phenotype (e.g., increased MHCII, reduced CD206, increased TNF- α and iNOS). Alternatively, levels of ADCC can be assessed, e.g., in an in vitro assay, as described herein.

Methods of Treatment

The present disclosure provides pharmaceutical compositions comprising at least one anti-Galectin-9 antibody described herein or antigen binding fragment thereof and uses of such for inhibiting or reducing a signaling mediated by Galectin-9 or eliminating or reducing Galectin-9 positive cells. Any of the anti-Galectin-9 antibodies described herein can be used in any of the methods described herein. In some embodiments, the anti-Galectin-9 antibody is selected from G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14, or combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder, or combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. Such antibodies can be used for treating diseases associated with Galectin-9. In some aspects, the invention provides methods of treating cancer. In some embodiments, the present disclosure methods for reducing, ameliorating, or eliminating one or more symptom(s) associated with cancer.

In some embodiments, the disclosure provides a method for treating cancer in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the disclosure provides a method for treating cancer in a subject, the method comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition comprising an anti-Galectin-9 antibody described herein or antigen binding

fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, or combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, or combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13.

Given that pro-tumor action of Galectin-9 is mediated through interaction with immune cells (i.e., interactions with lymphoid cells via TIM-3, CD44, and 41BB, and with macrophages via dectin-1 and CD206) and given that Galectin-9 is expressed in a large number of tumors, targeting Galectin-9, e.g., using a Galectin-9 binding antibody to inhibit interaction with its receptors, provides a therapeutic approach that can be applied across a variety of different tumor types.

In some embodiments, the cancer is selected from adrenal cancer, adrenocortical carcinoma, anal cancer, appendix cancer, bile duct cancer, bladder cancer, bone cancer (e.g., Ewing sarcoma tumors, osteosarcoma, malignant fibrous histiocytoma), brain cancer (e.g., astrocytomas, brain stem glioma, craniopharyngioma, ependymoma), bronchial tumors, cholangiocarcinoma, cholangiosarcoma, central nervous system tumors, breast cancer, Castleman disease, cervical cancer, colon cancer, rectal cancer, colorectal cancer, endometrial cancer, esophageal cancer, eye cancer, gallbladder cancer, gastrointestinal cancer, gastrointestinal carcinoid tumors, gastrointestinal stromal tumors, genitourinary cancers, gestational trophoblastic disease, heart cancer, Kaposi sarcoma, kidney cancer, laryngeal cancer, hypopharyngeal cancer, leukemia (e.g., acute lymphoblastic leukemia, acute myeloid leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia), liver cancer, lung cancer (for example, non-small cell lung cancer, NSCLC, and small cell lung cancer, SCLC), lymphoma (e.g., AIDS-related lymphoma, Burkitt lymphoma, cutaneous T cell lymphoma, Hodgkin lymphoma, Non-Hodgkin lymphoma, primary central nervous system lymphoma), malignant mesothelioma, multiple myeloma, myelodysplastic syndrome, nasal cavity cancer, paranasal sinus cancer, pancreatic duct adenocarcinoma (PDA) nasopharyngeal cancer, neuroblastoma, oral cavity cancer, oropharyngeal cancer, osteosarcoma, ovarian cancer, pancreatic cancer, penile cancer, pituitary tumors, prostate cancer, retinoblastoma, rhabdomyosarcoma, rhabdoid

tumor, salivary gland cancer, sarcoma, skin cancer (e.g., basal cell carcinoma, melanoma), squamous cell head and neck cancer, small intestine cancer, stomach cancer, teratoid tumor, testicular cancer, throat cancer, thymus cancer, thyroid cancer, unusual childhood cancers, upper and lower gastrointestinal malignancies (including, but not limited to, esophageal, gastric, and hepatobiliary cancer), urethral cancer, uterine cancer, uterine sarcoma, vaginal cancer, vulvar cancer, Waldenstrom macroglobulinemia, and Wilms tumor. In some embodiments, the cancer is selected from hematological malignancies include acute lymphoblastic leukemia, chronic lymphocytic leukemia, lymphomas, multiple myeloma, acute myelogenous leukemia, chronic myelogenous leukemia, myelodysplastic syndromes and the myeloproliferative neoplasms, such as essential thrombocythemia, polycythemia vera, myelofibrosis, and gallbladder cancer (adenocarcinomas or squamous cell carcinoma). In some embodiments, the symptom(s) associated thereof include, but are not limited to, anemia, loss of appetite, irritation of bladder lining, bleeding and bruising (thrombocytopenia), changes in taste or smell, constipation, diarrhea, dry mouth, dysphagia, edema, fatigue, hair loss (alopecia), infection, infertility, lymphedema, mouth sores, nausea, pain, peripheral neuropathy, tooth decay, urinary tract infections, and/or problems with memory and concentration. The method may comprise preparing a pharmaceutical composition with an anti-Galectin-9 antibody described herein, and administering the pharmaceutical composition to a subject in a therapeutically effective amount.

In some embodiments, the disclosure provides a method for treating gall bladder cancer in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein, e.g., in Table 1 or Table 2 herein, including but not limited to, 9.1-8m13 and/or 9.2-17, or an antigen binding fragment thereof.

In certain embodiments, administering the pharmaceutical composition, e.g., one or more of the anti-Galectin-9 antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8m13, to the subject reduces cell proliferation, tumor growth, and/or tumor volume in a subject, or reduces the number of metastatic lesions over time. In some embodiments, administering the composition results in complete response, partial response, or stable disease.

Pancreatic ductal adenocarcinoma (PDA) is a devastating disease with few long-term survivors (Yadav et al., *Gastroenterology*, 2013, 144, 1252-1261). Inflammation is paramount in PDA progression as oncogenic mutations alone, in the absence of concomitant inflammation, are insufficient for tumorigenesis (Guerra et al., *Cancer Cell*, 2007, 11, 291-302). Innate and adaptive immunity cooperate to promote tumor progression in PDA. In particular, specific innate immune subsets within the tumor microenvironment (TME) are apt at educating adaptive

immune effector cells towards a tumor-permissive phenotype. Antigen presenting cell (APC) populations, including M2-polarized tumor-associated macrophages (TAMs) and myeloid dendritic cells (DC), induce the generation of immune suppressive Th2 cells in favor of tumor-protective Th1 cells (Ochi et al., *J of Exp Med.*, 2012, 209, 1671-1687; Zhu et al., *Cancer Res.*, 2014, 74, 5057-5069). Similarly, it has been shown that myeloid derived suppressor cells (MDSC) negate anti-tumor CD8⁺ cytotoxic T-Lymphocyte (CTL) responses in PDA and promote metastatic progression (Connolly et al., *J Leuk Biol.*, 2010, 87, 713-725; Pylayeva-Gupta et al., *Cancer Cell*, 2012, 21, 836-847; Bayne et al., *Cancer Cell*, 2012, 21, 822-835).

Recently, dectin-1 on macrophages was shown to bind galectin-9 in pancreatic ductal adenocarcinoma (PDA) (Daley et al., 2017). Removal of dectin-1 signaling (in Dectin-/- mice) resulted in a decrease in tumor infiltration of M2 type (suppressive CD206⁺) macrophages. Additionally, antibody-based Galectin-9 neutralization only enhanced T cell activation in Dectin-1^{+/+} hosts, indicating that Galectin-9 exerts primary immune-suppressive effects specific to Dectin-1 signaling. Upon interruption of the Dectin-1–Galectin-9 axis, CD4⁺ and CD8⁺ T cells – which are dispensable to PDA progression in hosts with an intact signaling axis – became reprogrammed into indispensable mediators of anti-tumor immunity. Without wishing to be bound by theory, blocking Galectin-9-Dectin-1 signaling presents one exemplary mechanism (in addition to TIM-3 and other signaling pathways) that could underlie a strong anti-tumor response a Galectin-9 targeting immunotherapy approach in PDA e.g., by administering an antibody that binds to Galectin-9, such as those described herein.

In some embodiments, the disclosure provides a method for treating pancreatic ductal adenocarcinoma (PDA) in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is pancreatic ductal adenocarcinoma (PDA). In some embodiments, the disclosure provides the use of an anti-
5 Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is pancreatic ductal adenocarcinoma (PDA). Colorectal cancer (CRC), also known as bowel cancer, colon cancer, or rectal cancer, is any cancer affecting the colon and the rectum. CRC is known to be driven by genetic alterations of tumor cells and is also influenced by tumor-host interactions. Recent
10 reports have demonstrated a direct correlation between the densities of certain T lymphocyte subpopulations and a favorable clinical outcome in CRC, supporting a major role of T-cell-mediated immunity in repressing tumor progression of CRC.

Tim-3, as noted elsewhere herein, is an immune regulatory molecule, which triggers downstream cascade events upon stimulation by galectin-9 (Zhu C, et al. The Tim-3 ligand
15 galectin-9 negatively regulates T helper type 1 immunity; Nature immunology. 2005; 6:1245–1252). Tim-3 has been found to be a critical mediator in CRC progression (Yu et al.; Tim-3 is upregulated in human colorectal carcinoma and associated with tumor progression; Mol Med Rep. 2017 Feb; 15(2): 689–695). In this study, expression of Tim-3 was significantly associated with tumor size ($P=0.007$), tumor-node-metastasis staging ($P<0.0001$) and distant metastasis
20 ($P<0.0001$). Additionally, increased Tim-3 expression is associated with M2 macrophage polarization in colon cancer and promotes tumor growth. Blockade of the Tim-3 pathway inhibited both the polarization of tumor-supporting macrophages and colon cancer growth (Jiang et al., Tim-3 promotes tumor-promoting M2 macrophage polarization by binding to STAT1 and suppressing the STAT1-miR-155 signaling axis; Oncoimmunology, 2016 Aug
25 3;5(9):e1211219). Given these findings and high expression of Galectin-9 observed in colorectal cancers (Lahm et al., J. Cancer Res. Clin. Oncol. 2001; 127:375–386), modulating the Galectin-9/TIM-3 axis by inhibiting the interaction between Galectin-9 and TIM-3, e.g., by administering an antibody that binds to Galectin-9, is a novel approach to treating such cancers in the clinic which may result in improved outcomes.

30 In some embodiments, the disclosure provides a method for treating colorectal cancer (CRC) in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group

consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is colorectal cancer (CRC). In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is colorectal cancer (CRC).

Melanoma is the deadliest form of skin cancer and has been increasing in incidence for the past 30 years, especially in young adults. Recent advances have resulted in the development of numerous immune-activating therapies that have greatly improved patient survival.

Accumulation of genetic disorders, most frequently mutations in B-Raf and N-Ras, in the melanocyte are a hallmark of melanoma (Rodríguez-Cerdeira et al., *Advances in Immunotherapy for Melanoma: A Comprehensive Review*; *Mediators Inflamm.* 2017; 2017: 3264217, and references therein). However, the interaction between the microenvironment is necessary for these alterations to result in the transformation of a dysplastic melanocyte into a melanoma cell. The microenvironment then also further promotes invasion and metastasis. New therapeutic strategies including CTLA-4, PD-1 and PD-L1/2 blockers, have been developed and have dramatically improved outcomes for melanoma patients (Farkona et al., *Cancer immunotherapy: the beginning of the end of cancer?* *BMC Med.* 2016;14:73). However, these therapies depend on the presence of a functional immune system, which is suppressed in patients with advanced cancer, and new methods to reactivate this suppressed systemic immunity are needed to further improve outcomes for melanoma patients.

In patients with metastatic melanoma, high blood levels of galectin-9 are correlated with worse overall survival and a bias towards a Th2 inflammatory state supportive of tumor growth. Additionally, galectin-9 is co-localized with the M2 macrophage population in metastatic

melanoma and soluble forms of galectin-9 in the blood correspond with poor survival (Enninga et al., *Melanoma Res.* 2016 Oct;26(5):429-41). Association of Galectin-9 with M2 macrophages was found to be due to Galectin-9 ligation to CD206 on M2 macrophages, which resulted in pro-tumor phenotype in the local microenvironment. Accordingly, both Galectin-9/dectin-1 and Galectin-9/CD206 interactions may promote macrophage mediated immune suppressive effects. Without wishing to be bound by theory, these findings indicate that inhibiting Galectin-9/dectin-1 and Galectin-9/CD206 interactions, e.g., by administering an antibody that binds to Galectin-9, may present a rationale for employing anti-Galectin-9 antibodies in a therapeutic approach in melanoma, which will lead to improved overall survival, in patients, including but not limited to those refractory to anti-CTLA-4, PD-1 and PD-L1/2 therapies.

In some embodiments, the disclosure provides a method for treating melanoma in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is melanoma. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is melanoma.

Cholangiocarcinoma (CCA) is an epithelial cancer that forms in the bile ducts and is the most common biliary malignancy and the second most common hepatic malignancy after hepatocellular carcinoma and the overall incidence of cholangiocarcinoma has increased progressively worldwide over the past four decades. CCAs are classified into three subtypes

based on their anatomic location, intrahepatic cholangiocarcinoma (iCCA), perihilar CCA (pCCA), and distal CCA (dCCA) (see, e.g., Loeuillard et al., Animal models of cholangiocarcinoma; Biochim Biophys Acta Mol Basis Dis. 2018 Apr 5., and Rizvi et al., Cholangiocarcinoma — evolving concepts and therapeutic strategies; Nat Rev Clin Oncol. 2018 Feb; 15(2): 95–111).

In a retrospective immune profiling study in of 99 surgically resected iHCC, TIM-3-positive staining of centrally located, tumor infiltrative lymphocytes was observed, at levels 3 times greater than PD-1 staining. Overall survival was significantly associated with lower numbers of TIM-3 tumor infiltrating lymphocytes

(ascopubs.org/doi/abs/10.1200/JCO.2018.36.15_suppl.12049). Accordingly, reducing TIM-3 activity or signaling, e.g., by inhibiting the Gal-9/Tim-3 interaction in an immunotherapeutic approach, e.g., by administering an anti-Galectin-9 antibody such as one or more of the anti-Galectin-9 antibodies described herein, may have a positive impact on overall survival.

In some embodiments, the disclosure provides a method for treating cholangiocarcinoma in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is cholangiocarcinoma. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is cholangiocarcinoma.

Renal Cell Carcinoma (RCC) has the highest mortality rate of the genitourinary cancers and the incidence of RCC has risen steadily, while the outcome remains poor. Approximately 273,000 new cases of kidney cancer are diagnosed worldwide each year. About one third of patients with localized disease will suffer recurrence or metastasis. Once metastasis occurs, malignancy metastasize, the 5-year survival for patients is less than 10 %. Clear-cell renal cell carcinoma (ccRCC) is the major histological subtype, which accounts for 80–90 % of all the RCCs. RCC is sensitive to immunotherapy and targeted therapy while highly resistant to both chemotherapy and radiation therapy.

In RCC patients, Gal-9 is expressed at much higher levels in cancerous lesions than the surrounding normal tissue, and patients with high Galectin-9 expression showed more advanced progression of the disease with larger tumor size and necrosis (Kawashima et al.; BJU Int. 2014;113:320–332). Gal-9 in tumor tissue of ccRCC patients was significantly positively associated with tumor size, Fuhrman grade, necrosis, and impaired clinical outcome including poor survival and early recurrence (Fu et al., Galectin-9 predicts postoperative recurrence and survival of patients with clear-cell renal cell carcinoma; Tumour Biol. 2015 Aug;36(8):5791-9). TIM-3 is also associated with poor prognosis in RCC, and knockdown of TIM-3 suppresses the proliferation and invasion capacity of ccRCC cell lines (Yuan et al., Prognostic implication of Tim-3 in clear cell renal cell carcinoma. Neoplasma. 2014;61:35–40). Accordingly, the Gal-9/TIM-3 axis might play an important role in the development of renal cell carcinoma and administration of immunotherapeutic agents which inhibit Gal-9 binding to TIM-3, such as the anti-Galectin-9 antibodies described herein, e.g., in Table 1 and/or Table 2, may result in increased survival and lower reoccurrence in RCC.

In some embodiments, the disclosure provides a method for treating renal cancer in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low

affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or antibody 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is renal cell carcinoma (RCC). In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is renal cell carcinoma (RCC).

Hepatocellular carcinoma (HCC) is the most common type of primary liver cancer. Hepatocellular carcinoma occurs most often in people with chronic liver diseases, such as cirrhosis caused by hepatitis B or hepatitis C infection. HCC is usually accompanied by cirrhotic liver with extensive lymphocyte infiltration due to chronic viral infection. Many studies have demonstrated that tumor-infiltrating effector CD8⁺ T cells and T helper 17 (Th17) cells correlate with improved survival after surgical resection of tumors. However, tumor-infiltrating effector T cells fail to control tumor growth and metastasis Pang et al., The immunosuppressive tumor microenvironment in hepatocellular carcinoma; Cancer Immunol Immunother 2009;58:877-886).

The TIM-3/galectin-9 interaction contributes to immune dysfunction in human HCC (Li, et al., Tim-3/galectin-9 signaling pathway mediates T-cell dysfunction and predicts poor prognosis in patients with hepatitis B virus-associated hepatocellular carcinoma; Hepatology. 2012 Oct;56(4):1342-51). High Galectin-9 expression is found on myeloid APCs and high numbers of Tim-3⁺ T cells are found in HBV-associated HCC, and blocking Tim-3/galectin-9 signaling using TIM-3 antibodies recovers effector T-cell function in T cells isolated from human HCC. Thus, the targeting Tim-3/Galectin-9 axis, e.g., by administering anti-Galectin-9 antibodies, e.g., such as anti-Galectin-9 antibodies shown in Table 1 and Table 2 herein, including, but not limited to, antibody 9.1-8mut13 and/or antibody 9.2-17, constitutes a novel immune therapeutic strategy for treating patients with HBV-associated HCC.

In some embodiments, the disclosure provides a method for treating hepatocellular carcinoma in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment

thereof. In some embodiments, the anti-Galentin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13. Acute myeloid leukemia (AML) is the most common form of acute leukemia, with an incidence that increases with advanced age. Commonly of unknown etiology, AML can also occur as a result of exposure to genotoxic agents or following a previous hematologic disorder. AML is complex, with genetic, epigenetic, and phenotypic heterogeneity (Lowenberg and Rowe, Introduction to the review series on advances in acute myeloid leukemia (AML); Blood 2016 127:1).

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is hepatocellular carcinoma (HCC). In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is hepatocellular carcinoma (HCC).

Recent studies suggest that the TIM-3/Gal-9 axis that TIM-3 and Gal-9 are connected to the establishment of AML. Malignant stem cells achieve dominant clonal selection through acquisition of multiple genetic abnormalities. These genetic abnormalities progressively accumulate in self-renewing hematopoietic stem cells (HSCs), and, as a consequence, these genetically impaired preleukemic HSCs transform into leukemic stem cells (LSCs). As part of this process, preleukemic HSCs outgrow normal HSCs, and finally self-renew at a hematopoietic progenitor cell stage to become myeloid LSCs (Walter et al., Clonal architecture of secondary acute myeloid leukemia; N. Engl. J. Med., 366 (2012), pp. 1090-1098). Kikshige et al., (Kikshige et al., A TIM-3/Gal-9 Autocrine Stimulatory Loop Drives Self-Renewal of Human Myeloid Leukemia Stem Cells and Leukemic Progression (Cell Stem Cell 17; 3(2015), 341-352) observed that serum Galectin-9 levels were significantly elevated in AML patients and

that the Tim3/Gal-9 axis stimulates an autocrine loop which functions to allow clonal dominance and self-renewal of LSCs. Gal-9-mediated TIM-3 stimulation lead to the induction of LSC self renewal pathways. Of note, since significant upregulation of TIM-3 in HSC and HPC populations, as well as elevation of serum Gal-9, was observed in patients with preleukemic myeloid disorders, acquisition of Galectin-9 secretion likely occurs early during leukemia progression. Accordingly, targeting the Gal-9/TIM-3 axis, e.g., through the administration of an anti-Galectin-9 antibody, such as one or more of the anti-Galectin-9 antibodies described herein, e.g., in Table 1 and/or Table 2, including antibody 9.1-8mut13 and/or antibody 9.2-17, may constitute a novel approach to cancer stem cell therapy common to human myeloid malignancies, and moreover, such therapies may be useful not only to eradicate LSCs in AMLs, but also to prevent progression of preleukemic disorders into overt AML. Such preleukemic disorders include the refractory cytopenia with multilineage dysplasia (RCMD) stage in myelodysplastic syndromes (MDS) or the chronic phase of myeloproliferative neoplasms (MPN), including chronic myelogenous leukemia.

In some embodiments, the disclosure provides a method for treating a hematological malignancy in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the disclosure provides a method for treating acute lymphoblastic leukemia in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the disclosure provides a method for treating acute myeloid leukemia in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof.

In some embodiments, the disclosure provides a method for preventing progression of preleukemic disorders into acute myeloid leukemia in a subject, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof. In some embodiments, the preleukemic disorders comprise RCMD stage in MDS or the chronic phase of MPN, including chronic myelogenous leukemia. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14

antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is a hematological malignancy. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is hematological malignancy.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is AML. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is AML.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2, and wherein the cancer is ALL. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer, wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17, and wherein the cancer is ALL. In any of the above-described methods, the treatment method further comprises administering to the subject an inhibitor of a checkpoint molecule, an activator of a co-stimulatory receptor, and/or an inhibitor of an innate immune cell target. In some embodiments, the treatment method further comprises administering to the subject an inhibitor of a checkpoint molecule. In some embodiments, the checkpoint molecule is selected from the group consisting of PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM-3 and A2aR. In some embodiments, the treatment method further comprises administering to the subject an inhibitor of an activator of a co-stimulatory receptor, and/or an inhibitor of an innate immune cell target. In some embodiments, the co-stimulatory receptor is selected from the group consisting of

OX40, GITR, CD137, CD40, CD27, and ICOS. In some embodiments, the treatment method further comprises administering to the subject an inhibitor of an innate immune cell target. In some embodiments, the innate immune cell target is selected from the group consisting of KIR, NKG2A, CD96, TLR, and IDO. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.1-1, G9.1-2, G9.1-3, G9.1-4, G9.1-5, G9.1-6, G9.1-7, G9.1-8, G9.1-9, G9.1-10, G9.1-11, G9.1-8m1, G9.1-8m2, G9.1-8m3, G9.1-8m4, G9.1-8m5, G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, G9.1-8m11, G9.1-8m12, G9.1-8m13, and G9.1-8m14 antibodies, and combinations thereof. In some embodiments, the anti-Galectin-9 antibody is selected from the group consisting of G9.2-1, G9.2-2, G9.2-3, G9.2-4, G9.2-5, G9.2-6, G9.2-7, G9.2-8, G9.2-9, G9.2-10, G9.2-11, G9.2-12, G9.2-13, G9.2-14, G9.2-15, G9.2-16, G9.2-17, G9.2-17mut6, G9.2-18, G9.2-19, G9.2-20, G9.2-21, G9.2-22, G9.2-23, G9.2-24, G9.2-25, G9.2-26, and G9.2-low affinity binder antibodies, and combinations thereof. Non-limiting examples of such antibodies include for example antibody 9.2-17 or 9.1-8mut13. In any of these methods of treatment, the anti-Galectin-9 antibody is antibody 9.2-17 and/or antibody 9.1-8mut13. In some embodiments, the cancer is selected from pancreatic cancer, e.g., pancreatic ductal adenocarcinoma, cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer in combination with a checkpoint inhibitor molecule, e.g., wherein the checkpoint inhibitor molecule is selected from the group consisting of PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM-3 and A2aR, wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer in combination with a checkpoint molecule, wherein the checkpoint inhibitor molecule is selected from the group consisting of PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM-3 and A2aR, and wherein the anti-Galectin-9 antibody is antibody 9.1-8m13 and/or 9.2-17.

In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer in combination with a co-stimulatory molecule, e.g., wherein the co-stimulatory molecule is selected from the group consisting of OX40, GITR, CD137, CD40, CD27, and ICOS, and wherein the anti-Galectin-9 antibody is any of the antibodies described herein in Table 1 and/or Table 2. In some embodiments, the disclosure provides the use of an anti-Galectin-9 antibody as a medicament for the treatment of cancer in combination with a co-stimulatory, wherein the co-stimulatory molecule is selected from the group consisting of OX40, GITR, CD137, CD40, CD27, and ICOS, wherein the anti-Galectin-9

antibody is antibody 9.1-8m13 and/or 9.2-17. In some embodiments, the methods of the present disclosure may increase anti-tumor activity (e.g., reduce cell proliferation, tumor growth, tumor volume, and/or tumor burden or load or reduce the number of metastatic lesions over time) by at least about 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to levels prior to treatment or in a control subject. In some embodiments, reduction is measured by comparing cell proliferation, tumor growth, and/or tumor volume in a subject before and after administration of the pharmaceutical composition. In some embodiments, the method of treating or ameliorating a cancer in a subject allows one or more symptoms of the cancer to improve by at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, or more. Before, during, and after the administration of the pharmaceutical composition, cancerous cells and/or biomarkers in a subject may be measured in a biological sample, such as blood, serum, plasma, urine, peritoneal fluid, and/or a biopsy from a tissue or organ. In some embodiments, the methods may include administration of the compositions of the invention to reduce tumor volume, size, load or burden in a subject to an undetectable size, or to less than about 1%, 2%, 5%, 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, or 90% of the subject's tumor volume, size, load or burden prior to treatment. In other embodiments, the methods may include administration of the compositions of the invention to reduce the cell proliferation rate or tumor growth rate in a subject to an undetectable rate, or to less than about 1%, 2%, 5%, 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, or 90% of the rate prior to treatment. In other embodiments, the methods may include administration of the compositions of the invention to reduce the development of or the number or size of metastatic lesions in a subject to an undetectable rate, or to less than about 1%, 2%, 5%, 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, or 90% of the rate prior to treatment.

In some embodiments, compositions are provided comprising one or more anti-Galectin-9 antibodies, which may be used to treat, manage, ameliorate, and/or prevent cancer. In some embodiments, compositions of the disclosure comprise two or more anti-Galectin-9 antibodies, alone or in combination with prophylactic agents, therapeutic agents (e.g., chemotherapy or immunotherapy), and/or pharmaceutically acceptable carriers and the use thereof are provided. In some embodiments, the one or more antibodies bind to CRD1. In some embodiments, the one or more antibodies bind to CRD2. In some embodiments, the one or more antibodies bind to CRD1. In some embodiments, the compositions can comprise a combination of antibodies, some of which bind to CRD1, and some of which bind to CRD2. A non-limiting example of a combination is a combination comprising 9.2-17 and 9.1-8mut1. Antibodies can be combined in equimolar or non-equimolar amounts.

Pharmaceutical Compositions

The anti-Galectin-9 antibodies, as well as the encoding nucleic acids or nucleic acid sets, vectors comprising such, or host cells comprising the vectors, as described herein can be mixed
5 with a pharmaceutically acceptable carrier (excipient) to form a pharmaceutical composition for use in treating a target disease. "Acceptable" means that the carrier must be compatible with the active ingredient of the composition (and preferably, capable of stabilizing the active ingredient) and not deleterious to the subject to be treated. Pharmaceutically acceptable excipients (carriers) including buffers, which are well known in the art. See, e.g., Remington: The Science and
10 Practice of Pharmacy 20th Ed. (2000) Lippincott Williams and Wilkins, Ed. K. E. Hoover.

The pharmaceutical compositions to be used in the present methods can comprise pharmaceutically acceptable carriers, excipients, or stabilizers in the form of lyophilized formulations or aqueous solutions. (Remington: The Science and Practice of Pharmacy 20th Ed. (2000) Lippincott Williams and Wilkins, Ed. K. E. Hoover). Acceptable carriers, excipients, or
15 stabilizers are nontoxic to recipients at the dosages and concentrations used, and may comprise buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid and methionine; preservatives (such as octadecyldimethylbenzyl ammonium chloride; hexamethonium chloride; benzalkonium chloride, benzethonium chloride; phenol, butyl or benzyl alcohol; alkyl parabens such as methyl or propyl paraben; catechol; resorcinol;
20 cyclohexanol; 3-pentanol; and m-cresol); low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, histidine, arginine, or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugars such as sucrose,
25 mannitol, trehalose or sorbitol; salt-forming counter-ions such as sodium; metal complexes (e.g. Zn-protein complexes); and/or non-ionic surfactants such as TWEENTM, PLURONICSTM or polyethylene glycol (PEG). In some examples, the pharmaceutical composition described herein comprises liposomes containing the antibodies (or the encoding nucleic acids) which can be prepared by methods known in the art, such as described in Epstein, et al., Proc. Natl. Acad.
30 Sci. USA 82:3688 (1985); Hwang, et al., Proc. Natl. Acad. Sci. USA 77:4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Pat. No. 5,013,556. Particularly useful liposomes can be generated by the reverse phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol and

PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter.

The anti-Galectin-9 antibodies, or the encoding nucleic acid(s), may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial

5 polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles and nanocapsules) or in macroemulsions. Such techniques are known in the art, see, e.g., Remington, The Science and Practice of Pharmacy 20th Ed. Mack Publishing (2000).

10 In other examples, the pharmaceutical composition described herein can be formulated in sustained-release format. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, e.g. films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or
15 poly(vinyl alcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and 7 ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOT™ (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), sucrose acetate isobutyrate, and poly-D-(-)-3-hydroxybutyric acid.

20 The pharmaceutical compositions to be used for in vivo administration must be sterile. This is readily accomplished by, for example, filtration through sterile filtration membranes. Therapeutic antibody compositions are generally placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

25 The pharmaceutical compositions described herein can be in unit dosage forms such as tablets, pills, capsules, powders, granules, solutions or suspensions, or suppositories, for oral, parenteral or rectal administration, or administration by inhalation or insufflation.

For preparing solid compositions such as tablets, the principal active ingredient can be mixed with a pharmaceutical carrier, e.g., conventional tableting ingredients such as corn starch,
30 lactose, sucrose, sorbitol, talc, stearic acid, magnesium stearate, dicalcium phosphate or gums, and other pharmaceutical diluents, e.g., water, to form a solid preformulation composition containing a homogeneous mixture of a compound of the present invention, or a non-toxic pharmaceutically acceptable salt thereof. When referring to these preformulation compositions as homogeneous, it is meant that the active ingredient is dispersed evenly throughout the

composition so that the composition may be readily subdivided into equally effective unit dosage forms such as tablets, pills and capsules. This solid preformulation composition is then subdivided into unit dosage forms of the type described above containing from 0.1 to about 500 mg of the active ingredient of the present invention. The tablets or pills of the novel composition
5 can be coated or otherwise compounded to provide a dosage form affording the advantage of prolonged action. For example, the tablet or pill can comprise an inner dosage and an outer dosage component, the latter being in the form of an envelope over the former. The two components can be separated by an enteric layer that serves to resist disintegration in the stomach and permits the inner component to pass intact into the duodenum or to be delayed in
10 release. A variety of materials can be used for such enteric layers or coatings, such materials including a number of polymeric acids and mixtures of polymeric acids with such materials as shellac, cetyl alcohol and cellulose acetate. Suitable surface-active agents include, in particular, non-ionic agents, such as polyoxyethylenesorbitans (e.g., TweenTM 20, 40, 60, 80 or 85) and other sorbitans (e.g., SpanTM 20, 40, 60, 80 or 85). Compositions with a surface-active agent will
15 conveniently comprise between 0.05 and 5% surface-active agent, and can be between 0.1 and 2.5%. It will be appreciated that other ingredients may be added, for example mannitol or other pharmaceutically acceptable vehicles, if necessary.

Suitable emulsions may be prepared using commercially available fat emulsions, such as IntralipidTM, LiposynTM, InfonutrolTM, LipofundinTM and LipiphysanTM. The active ingredient
20 may be either dissolved in a pre-mixed emulsion composition or alternatively it may be dissolved in an oil (e.g., soybean oil, safflower oil, cottonseed oil, sesame oil, corn oil or almond oil) and an emulsion formed upon mixing with a phospholipid (e.g. egg phospholipids, soybean phospholipids or soybean lecithin) and water. It will be appreciated that other ingredients may be added, for example glycerol or glucose, to adjust the tonicity of the emulsion. Suitable
25 emulsions will typically contain up to 20% oil, for example, between 5 and 20%. The fat emulsion can comprise fat droplets between 0.1 and 1.0 μm , particularly 0.1 and 0.5 μm , and have a pH in the range of 5.5 to 8.0.

The emulsion compositions can be those prepared by mixing an antibody with IntralipidTM or the components thereof (soybean oil, egg phospholipids, glycerol and water).

30 Pharmaceutical compositions for inhalation or insufflation include solutions and suspensions in pharmaceutically acceptable, aqueous or organic solvents, or mixtures thereof, and powders. The liquid or solid compositions may contain suitable pharmaceutically acceptable excipients as set out above. In some embodiments, the compositions are administered by the oral or nasal respiratory route for local or systemic effect.

Compositions in preferably sterile pharmaceutically acceptable solvents may be nebulized by use of gases. Nebulized solutions may be breathed directly from the nebulizing device or the nebulizing device may be attached to a face mask, tent or intermittent positive pressure breathing machine. Solution, suspension or powder compositions may be administered, preferably orally or nasally, from devices which deliver the formulation in an appropriate manner.

Therapeutic Applications

The present disclosure provides methods of eliminating pathologic cells expressing Galectin-9, the method comprising administering to a subject having pathologic cells expressing Galectin-9 an effective amount of a pharmaceutical composition comprising an anti-Galectin-9 antibody described herein. The present disclosure also provides methods of inhibiting Galectin-9-mediated cell signaling in a subject, the method comprising administering to a subject in need thereof an effective amount of a pharmaceutical composition comprising an anti-Galectin-9 antibody described herein.

To practice the methods disclosed herein, an effective amount of the pharmaceutical composition described herein can be administered to a subject (*e.g.*, a human) in need of the treatment via a suitable route, systemically or locally. In some embodiments, the anti-Galectin-9 antibodies are administered by intravenous administration, *e.g.*, as a bolus or by continuous infusion over a period of time, by intramuscular, intraperitoneal, intracerebrospinal, subcutaneous, intra-arterial, intra-articular, intrasynovial, intrathecal, intratumoral, oral, inhalation or topical routes. Commercially available nebulizers for liquid formulations, including jet nebulizers and ultrasonic nebulizers are useful for administration. Liquid formulations can be directly nebulized and lyophilized powder can be nebulized after reconstitution. Alternatively, the antibodies as described herein can be aerosolized using a fluorocarbon formulation and a metered dose inhaler, or inhaled as a lyophilized and milled powder.

The subject to be treated by the methods described herein can be a mammal, more preferably a human. Mammals include, but are not limited to, farm animals, sport animals, pets, primates, horses, dogs, cats, mice and rats. A human subject who needs the treatment may be a human patient having, at risk for, or suspected of having a target disease/disorder, such as a solid tumor, hematological malignancy, autoimmune disease (such as an allergic disorder), microbial disease, and fibrotic condition.

Examples of solid tumor cancers include pancreatic duct adenocarcinoma (PDA), colorectal cancer (CRC), melanoma, cholangiocarcinoma, breast cancer, lung cancer (for example, non-small cell lung cancer, NSCLC, and small cell lung cancer, SCLC), upper and lower gastrointestinal malignancies (including, but not limited to, esophageal, gastric, and hepatobiliary cancer), squamous cell head and neck cancer, genitourinary cancers, ovarian cancer, and sarcomas. Hematological malignancies include acute lymphoblastic leukemia, chronic lymphocytic leukemia, lymphomas, multiple myeloma, acute myelogenous leukemia, chronic myelogenous leukemia, myelodysplastic syndromes and the myeloproliferative neoplasms, such as essential thrombocythemia, polycythemia vera and myelofibrosis. A subject having a solid tumor or a hematological malignancy can be identified by routine medical examination, *e.g.*, laboratory tests, organ functional tests, CT scans, or ultrasounds. In some embodiments, the subject to be treated by the method described herein may be a human cancer patient who has undergone or is subjecting to an anti-cancer therapy, for example, chemotherapy, radiotherapy, immunotherapy, or surgery.

Examples of autoimmune diseases include rheumatoid conditions, metabolic and endocrine conditions, as well as respiratory and allergic conditions. A subject having an autoimmune disease can be identified by routine medical examination, *e.g.*, with laboratory tests, such as antinuclear antibodies, anti-mitochondrial autoantibodies, anti-neutrophil cytoplasmic antibody, anti-phospholipid antibodies, anti-citrullinated peptide (anti-CCP), anti-rheumatoid factor, immunoglobulin A, C-reactive protein test, complement test, erythrocyte sedimentation rate (ESR) test, blood clotting profile, and protein electrophoresis/immunofixation electrophoresis, among others. In some embodiments, the subject to be treated by the method described herein may be a human subject with an autoimmune disease who has undergone or is subjecting to an autoimmune disease treatment, for example, immunosuppressive medication, hormone replacement therapy, blood transfusions, anti-inflammatory medication, and/or pain medication.

Microbial diseases can be caused by a variety of pathogens, including bacteria, fungi, protozoa and viruses. Exemplary infectious bacteria include *Streptococcus pyogenes*, *Streptococcus pneumoniae*, *Neisseria gonorrhoeae*, *Neisseria meningitidis*, *Corynebacterium diphtheriae*, *Clostridium botulinum*, *Clostridium perfringens*, *Clostridium tetani*, *Hemophilus influenzae*, *Klebsiella pneumoniae*, *Klebsiella ozaenas*, *Klebsiella rhinoscleromatis*, *Staphylococcus aureus*, *Vibrio cholerae*, *Escherichia coli*, *Pseudomonas aeruginosa*, *Campylobacter (Vibrio) fetus*, *Aeromonas hydrophila*, *Bacillus cereus*, *Edwardsiella tarda*, *Yersinia enterocolitica*, *Yersinia pestis*, *Yersinia pseudotuberculosis*, *Shigella dysenteriae*,

Shigella flexneri, *Shigella sonnei*, *Salmonella typhimurium*, *Treponema pallidum*, *Treponema pertenu*, *Treponema carateneum*, *Borrelia vincentii*, *Borrelia burgdorferi*, *Leptospira icterohemorrhagiae*, *Mycobacterium tuberculosis*, *Pneumocystis carinii*, *Francisella tularensis*, *Brucella abortus*, *Brucella suis*, *Brucella melitensis*, *Mycoplasma spp.*, *Rickettsia prowazeki*,
5 *Rickettsia tsutsugumushi*, and *Chlamydia spp.* Examples of pathologic fungi include *Coccidioides immitis*, *Aspergillus fumigatus*, *Candida albicans*, *Blastomyces dermatitidis*, *Cryptococcus neoformans*, and *Histoplasma capsulatum*. Pathologic protozoa include *Entamoeba histolytica*, *Toxoplasma gondii*, *Trichomonas tenax*, *Trichomonas hominis*, *Trichomonas vaginalis*, *Trypanosoma gambiense*, *Trypanosoma rhodesiense*, *Trypanosoma cruzi*,
10 *Leishmania donovani*, *Leishmania tropica*, *Leishmania braziliensis*, *Pneumocystis pneumonia*, *Plasmodium vivax*, *Plasmodium falciparum*, and *Plasmodium malaria*. Examples of helminths include *Enterobius vermicularis*, *Trichuris trichiura*, *Ascaris lumbricoides*, *Trichinella spiralis*, *Strongyloides stercoralis*, *Schistosoma japonicum*, *Schistosoma mansoni*, *Schistosoma haematobium*, and hookworms. Viral infectious diseases include those caused by
15 Adenovirus, Lassa fever virus (Arenavirus), Astrovirus, Hantavirus, Rift Valley Fever virus (Phlebovirus), Calicivirus, Ebola virus, Marburg Virus, Japanese encephalitis virus, Dengue virus, Yellow fever virus, Hepatitis C virus, Hepatitis G virus, Hepatitis B virus, Hepatitis D virus, Herpes simplex virus 1, Herpes simplex virus 2, Cytomegalovirus, Epstein Barr virus, Varicella Zoster Virus, Human Herpesvirus 7, Human Herpesvirus 8, Influenza virus,
20 Parainfluenza virus, Rubella virus, Mumps virus, Morbillivirus, Measles virus, Respiratory Syncytial virus, Papillomaviruses, JC virus (Polyomavirus), BK virus (Polyomavirus), Parvovirus, Coxsackie virus (A and B), Hepatitis A virus, Polioviruses, Rhinoviruses, Reovirus, Rabies Virus (Lyssavirus), Human Immunodeficiency virus 1 and 2, and Human T-cell Leukemia virus. A subject having a microbial disease can be identified by routine medical
25 examination, e.g., laboratory tests. For example, microscopy (e.g., Gram-positive and/or Gram-negative staining), sample culturing, biochemical tests (e.g., tests for metabolic and/or enzymatic products, such as fermentation products, acids, alcohol, or gases), and molecular diagnostics (e.g., PCR) may be used. In some embodiments, the subject to be treated by the method described herein may be a human infectious disease patient who has undergone or is
30 subjecting to an antimicrobial therapy, for example, immunotherapy.

Examples of fibrotic conditions include pulmonary fibrosis (e.g., cystic fibrosis, idiopathic pulmonary fibrosis), cirrhosis, biliary atresia, atrial fibrosis, endomyocardial fibrosis, glial scar, arthrofibrosis, Crohn's disease, Dupuytren's contracture, keloid, mediastinal fibrosis, myelofibrosis, nephrogenic systemic fibrosis, progressive massive fibrosis, retroperitoneal

fibrosis, and scleroderma/systemic sclerosis. A subject having a fibrotic condition can be identified by routine medical examination, *e.g.*, laboratory tests, CT scans, X-rays, echocardiograms, or ultrasounds. In some embodiments, the subject to be treated by the method described herein may be a human fibrotic patient who has undergone or is subjecting to an anti-
5 fibrotic therapy, for example medication, physical therapy, oxygen therapy, or surgery.

A subject suspected of having any of such target disease/disorder might show one or more symptoms of the disease/disorder. A subject at risk for the disease/disorder can be a subject having one or more of the risk factors for that disease/disorder.

As used herein, “an effective amount” refers to the amount of each active agent required
10 to confer therapeutic effect on the subject, either alone or in combination with one or more other active agents. In some embodiments, the therapeutic effect is reduced Galectin-9 activity and/or amount/expression, reduced Dectin-1 signaling, reduced TIM-3 signaling, reduced CD206 signaling, or increased anti-tumor immune responses in the tumor microenvironment. Non-limiting examples of increased anti-tumor responses include increased activation levels of
15 effector T cells, or switching of the TAMs from the M2 to the M1 phenotype, and increased ADCC responses. Determination of whether an amount of the antibody achieved the therapeutic effect would be evident to one of skill in the art. Effective amounts vary, as recognized by those skilled in the art, depending on the particular condition being treated, the severity of the condition, the individual patient parameters including age, physical condition, size, gender and
20 weight, the duration of the treatment, the nature of concurrent therapy (if any), the specific route of administration and like factors within the knowledge and expertise of the health practitioner. These factors are well known to those of ordinary skill in the art and can be addressed with no more than routine experimentation. It is generally preferred that a maximum dose of the individual components or combinations thereof be used, that is, the highest safe dose according
25 to sound medical judgment.

Empirical considerations, such as the half-life, generally will contribute to the determination of the dosage. For example, antibodies that are compatible with the human immune system, such as humanized antibodies or fully human antibodies, may be used to prolong half-life of the antibody and to prevent the antibody being attacked by the host's
30 immune system. Frequency of administration may be determined and adjusted over the course of therapy, and is generally, but not necessarily, based on treatment and/or suppression and/or amelioration and/or delay of a target disease/disorder. Alternatively, sustained continuous release formulations of an antibody may be appropriate. Various formulations and devices for achieving sustained release are known in the art.

In one example, dosages for an antibody as described herein may be determined empirically in individuals who have been given one or more administration(s) of the antibody. Individuals are given incremental dosages of the antagonist. To assess efficacy of the antagonist, an indicator of the disease/disorder can be followed.

5 Generally, for administration of any of the antibodies described herein, such as those described in Table 1 or Table 2 herein, such as for example, antibody 9.2-17 and antibody 9.1-8mut1, an initial candidate dosage can be about 2 mg/kg. For the purpose of the present disclosure, a typical daily dosage might range from about any of 0.1 µg/kg to 3 µg/kg to 30 µg/kg to 300 µg/kg to 3 mg/kg, to 30 mg/kg to 100 mg/kg or more, depending on the factors
10 mentioned above. For repeated administrations over several days or longer, depending on the condition, the treatment is sustained until a desired suppression of symptoms occurs or until sufficient therapeutic levels are achieved to alleviate a target disease or disorder, or a symptom thereof. An exemplary dosing regimen comprises administering an initial dose of about 2 mg/kg, followed by a weekly maintenance dose of about 1 mg/kg of the antibody, or followed
15 by a maintenance dose of about 1 mg/kg every other week. However, other dosage regimens may be useful, depending on the pattern of pharmacokinetic decay that the practitioner wishes to achieve. For example, dosing from one-four times a week is contemplated. In some embodiments, dosing ranging from about 3 µg/mg to about 2 mg/kg (such as about 3 µg/mg, about 10 µg/mg, about 30 µg/mg, about 100 µg/mg, about 300 µg/mg, about 1 mg/kg, and about
20 2 mg/kg) may be used. In some embodiments, dosing frequency is once every week, every 2 weeks, every 4 weeks, every 5 weeks, every 6 weeks, every 7 weeks, every 8 weeks, every 9 weeks, or every 10 weeks; or once every month, every 2 months, or every 3 months, or longer. The progress of this therapy is easily monitored by conventional techniques and assays. The dosing regimen (including the antibody used) can vary over time.

25 In some embodiments, for an adult patient of normal weight, doses ranging from about 0.3 to 5.00 mg/kg may be administered. In some examples, the dosage of the anti-Galectin-9 antibody described herein can be 10 mg/kg. The particular dosage regimen, *i.e.*, dose, timing and repetition, will depend on the particular individual and that individual's medical history, as well as the properties of the individual agents (such as the half-life of the agent, and other
30 considerations well known in the art).

For the purpose of the present disclosure, the appropriate dosage of an antibody as described herein will depend on the specific antibody, antibodies, and/or non-antibody peptide (or compositions thereof) employed, the type and severity of the disease/disorder, whether the antibody is administered for preventive or therapeutic purposes, previous therapy, the patient's

clinical history and response to the antagonist, and the discretion of the attending physician. Typically, the clinician will administer an antibody, until a dosage is reached that achieves the desired result. In some embodiments, the desired result is an increase in anti-tumor immune response in the tumor microenvironment. Methods of determining whether a dosage resulted in the desired result would be evident to one of skill in the art. Administration of one or more antibodies can be continuous or intermittent, depending, for example, upon the recipient's physiological condition, whether the purpose of the administration is therapeutic or prophylactic, and other factors known to skilled practitioners. The administration of an antibody may be essentially continuous over a preselected period of time or may be in a series of spaced dose, *e.g.*, either before, during, or after developing a target disease or disorder.

As used herein, the term “treating” refers to the application or administration of a composition including one or more active agents to a subject, who has a target disease or disorder, a symptom of the disease/disorder, or a predisposition toward the disease/disorder, with the purpose to cure, heal, alleviate, relieve, alter, remedy, ameliorate, improve, or affect the disorder, the symptom of the disease, or the predisposition toward the disease or disorder.

Alleviating a target disease/disorder includes delaying the development or progression of the disease, or reducing disease severity or prolonging survival. Alleviating the disease or prolonging survival does not necessarily require curative results. As used therein, “delaying” the development of a target disease or disorder means to defer, hinder, slow, retard, stabilize, and/or postpone progression of the disease. This delay can be of varying lengths of time, depending on the history of the disease and/or individuals being treated. A method that “delays” or alleviates the development of a disease, or delays the onset of the disease, is a method that reduces probability of developing one or more symptoms of the disease in a given time frame and/or reduces extent of the symptoms in a given time frame, when compared to not using the method. Such comparisons are typically based on clinical studies, using a number of subjects sufficient to give a statistically significant result.

“Development” or “progression” of a disease means initial manifestations and/or ensuing progression of the disease. Development of the disease can be detectable and assessed using standard clinical techniques as well known in the art. However, development also refers to progression that may be undetectable. For purpose of this disclosure, development or progression refers to the biological course of the symptoms. “Development” includes occurrence, recurrence, and onset. As used herein “onset” or “occurrence” of a target disease or disorder includes initial onset and/or recurrence.

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to inhibit the activity of Galectin-9 (and/or Dectin-1 or TIM-3 or CD206) in immune suppressive immune cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo*. In other embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered in an amount effective in reducing the activity level of Galectin-9 (and/or Dectin-1 or TIM-3 or CD206) in immune suppressive immune cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) (as compared to levels prior to treatment or in a control subject). In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote M1-like programming in TAMs by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need thereof at an amount sufficient to promote ADCC in target cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote ADCC in target cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote CDC in target cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote CDC in target cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote ADCP in target cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not

limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote ADCP in target cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

5 In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote T cell activation in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount
10 sufficient to promote T cell activation in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the
15 treatment at an amount sufficient to promote CD4⁺ T cell activation in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote CD4⁺ T cell activation in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a
20 control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce CD44 expression in CD4⁺ cells in a tumor. In some
25 embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce CD44 expression in CD4⁺ cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2,
30 including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce TNF α expression in CD4⁺ cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce TNF α expression in CD4⁺ cells in a tumor by at least 20%

(*e.g.*, 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote CD8⁺ T cell activation in a tumor. In some
 5 embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to promote CD8⁺ T cell activation in a tumor by at least 20% (*e.g.*, 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a
 10 control subject).

In some embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce CD44 expression in CD8⁺ cells in a tumor. In some
 15 embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce CD44 expression in CD8⁺ cells in a tumor by at least 20% (*e.g.*, 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the
 20 treatment at an amount sufficient to induce TNF α expression in CD8⁺ cells in a tumor. In some embodiments, the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce TNF α expression in CD8⁺ cells in a tumor by at least 20%
 25 (*e.g.*, 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In any of these embodiments, , the antibodies described herein, *e.g.*, in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject having
 30 cancer, wherein the cancer is selected from pancreatic cancer, *e.g.*, pancreatic ductal adenocarcinoma, cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia.

An analysis was conducted by the inventors using TCGA (The Cancer Genome Atlas) RNA Seq data from 29 different types of solid tumors utilizing approximately 40,000 individual samples, to analyze the correlation between T cell infiltration in a particular tumor type and

levels of PD1, PD-L1, IFN γ and TNF α expression. Tumor types were ranked by median expression for a given gene. Gene expression for 4 TCR components (CD3d, CD3e, CD3g, CD3z) and the T cell specific effector protein kinase ZAP70 were used to establish the relative level of T cell association with a given tumor type. TBX21, a Th1 cell-specific transcription factor that controls the expression of the hallmark Th1 cytokines interferon- γ (IFN γ) and tumor necrosis factor (TNF) was also evaluated.

According to the analysis, T cell association levels (surrogate for T cell infiltration) with individual tumor types is generally proportional to the ranking of IFN γ expression with the exception of pancreatic cancer (PDA). In PDA the level of IFN γ transcription is significantly suppressed suggesting over that observed in other solid tumors implying that the immunosuppressive environment of PDA is particularly robust. In this dataset, the expression of TNF does not generally correlate with the degree of T cell infiltration. Of note, under most conditions TNF is produced by activated macrophages with less contribution by Th1 T cells, NK cells, neutrophils, mast cells, and eosinophils.

Without wishing to be bound by theory, increasing levels of IFN γ may be particularly useful to combat the immunosuppressive environment and re-activate myeloid and lymphoid response particularly in PDA. Accordingly, in one embodiment, methods of increasing levels of IFN γ in a cancer are provided herein, wherein the method comprises administering an anti-Galectin-9 antibody, e.g., as described herein in Table 1 and/or Table 2, including, but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, and wherein the levels of IFN γ in the cancer are low prior to the administration, e.g., as assessed relative to levels of expression of T cell markers. In some embodiments the cancer is PDA.

Accordingly, in some embodiments, methods of increasing levels of IFN γ in a cancer are provided herein, wherein the method comprises administering an anti-Galectin-9 antibody, e.g., as described herein in Table 1 and/or Table 2, including, but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, and wherein the cancer is PDA. In some embodiments, methods are provided herein, wherein the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in effector T cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in effector T cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered

to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD4 $^{+}$ cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, methods are provided herein, wherein the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD4 $^{+}$ cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD4 $^{+}$ cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD4 $^{+}$ cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, methods are provided herein, wherein the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD8 $^{+}$ cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD8 $^{+}$ cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are administered to a subject in need of the treatment at an amount sufficient to induce IFN γ expression in CD8 $^{+}$ cells in a tumor by at least 20% (e.g., 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vivo* (as compared to levels prior to treatment or in a control subject).

In some embodiments, methods are provided herein, wherein immune cell populations in tumor samples are analyzed *in vitro* or *ex vivo*. Accordingly methods are provided herein, wherein the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are provided *in vitro* or *ex vivo* at an amount sufficient to induce IFN γ expression in effector T cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, are provided *in vitro* or *ex vivo* at an amount sufficient to induce IFN γ expression in effector T cells in a tumor. In some embodiments, the antibodies described herein, e.g., in Table 1 and/or Table 2, including, but not limited to, 9.2-17 and 9.1-8mut13, induce

IFN γ expression in CD4⁺ cells in a tumor by at least 20% (*e.g.*, 30%, 40%, 50%, 60%, 70%, 80%, 90% or greater) *in vitro* or *ex vivo*. In some embodiments, administration of one or more of the antibodies described herein results in a reduction in tumor size, reduction in tumor growth, elimination of the tumor, reduction in number of metastatic lesions over time, complete response, partial response, or stable disease. Conventional methods, known to those of ordinary skill in the art of medicine, can be used to administer the pharmaceutical composition to the subject, depending upon the type of disease to be treated or the site of the disease. This composition can also be administered via other conventional routes, *e.g.*, administered orally, parenterally, by inhalation spray, topically, rectally, nasally, buccally, vaginally or via an implanted reservoir. The term "parenteral" as used herein includes subcutaneous, intracutaneous, intravenous, intramuscular, intraarticular, intraarterial, intrasynovial, intrasternal, intrathecal, intralesional, intratumoral, and intracranial injection or infusion techniques. In addition, it can be administered to the subject via injectable depot routes of administration such as using 1-, 3-, or 6-month depot injectable or biodegradable materials and methods. In some examples, the pharmaceutical composition is administered intraocularly or intravitreally.

Injectable compositions may contain various carriers such as vegetable oils, dimethylactamide, dimethylformamide, ethyl lactate, ethyl carbonate, isopropyl myristate, ethanol, and polyols (glycerol, propylene glycol, liquid polyethylene glycol, and the like). For intravenous injection, water soluble antibodies can be administered by the drip method, whereby a pharmaceutical formulation containing the antibody and a physiologically acceptable excipient is infused. Physiologically acceptable excipients may include, for example, 5% dextrose, 0.9% saline, Ringer's solution or other suitable excipients. Intramuscular preparations, *e.g.*, a sterile formulation of a suitable soluble salt form of the antibody, can be dissolved and administered in a pharmaceutical excipient such as Water-for-Injection, 0.9% saline, or 5% glucose solution.

In one embodiment, an antibody is administered via site-specific or targeted local delivery techniques. Examples of site-specific or targeted local delivery techniques include various implantable depot sources of the antibody or local delivery catheters, such as infusion catheters, an indwelling catheter, or a needle catheter, synthetic grafts, adventitial wraps, shunts and stents or other implantable devices, site specific carriers, direct injection, or direct application. See, *e.g.*, PCT Publication No. WO 00/53211 and U.S. Pat. No. 5,981,568.

Targeted delivery of therapeutic compositions containing an antisense polynucleotide, expression vector, or subgenomic polynucleotides can also be used. Receptor-mediated DNA delivery techniques are described in, for example, Findeis et al., *Trends Biotechnol.* (1993) 11:202; Chiou et al., *Gene Therapeutics: Methods And Applications Of Direct Gene Transfer* (J.

A. Wolff, ed.) (1994); Wu et al., *J. Biol. Chem.* (1988) 263:621; Wu et al., *J. Biol. Chem.* (1994) 269:542; Zenke et al., *Proc. Natl. Acad. Sci. USA* (1990) 87:3655; Wu et al., *J. Biol. Chem.* (1991) 266:338.

Therapeutic compositions containing a polynucleotide (e.g., those encoding the antibodies described herein) are administered in a range of about 100 ng to about 200 mg of DNA for local administration in a gene therapy protocol. In some embodiments, concentration ranges of about 500 ng to about 50 mg, about 1 µg to about 2 mg, about 5 µg to about 500 µg, and about 20 µg to about 100 µg of DNA or more can also be used during a gene therapy protocol.

The therapeutic polynucleotides and polypeptides described herein can be delivered using gene delivery vehicles. The gene delivery vehicle can be of viral or non-viral origin (see generally, Jolly, *Cancer Gene Therapy* (1994) 1:51; Kimura, *Human Gene Therapy* (1994) 5:845; Connelly, *Human Gene Therapy* (1995) 1:185; and Kaplitt, *Nature Genetics* (1994) 6:148). Expression of such coding sequences can be induced using endogenous mammalian or heterologous promoters and/or enhancers. Expression of the coding sequence can be either constitutive or regulated.

Viral-based vectors for delivery of a desired polynucleotide and expression in a desired cell are well known in the art. Exemplary viral-based vehicles include, but are not limited to, recombinant retroviruses (see, e.g., PCT Publication Nos. WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; WO 93/11230; WO 93/10218; WO 91/02805; U.S. Pat. Nos. 5,219,740 and 4,777,127; GB Patent No. 2,200,651; and EP Patent No. 0 345 242), alphavirus-based vectors (e.g., Sindbis virus vectors, Semliki forest virus (ATCC VR-67; ATCC VR-1247), Ross River virus (ATCC VR-373; ATCC VR-1246) and Venezuelan equine encephalitis virus (ATCC VR-923; ATCC VR-1250; ATCC VR 1249; ATCC VR-532)), and adeno-associated virus (AAV) vectors (see, e.g., PCT Publication Nos. WO 94/12649, WO 93/03769; WO 93/19191; WO 94/28938; WO 95/11984 and WO 95/00655). Administration of DNA linked to killed adenovirus as described in Curiel, *Hum. Gene Ther.* (1992) 3:147 can also be employed.

Non-viral delivery vehicles and methods can also be employed, including, but not limited to, polycationic condensed DNA linked or unlinked to killed adenovirus alone (see, e.g., Curiel, *Hum. Gene Ther.* (1992) 3:147); ligand-linked DNA (see, e.g., Wu, *J. Biol. Chem.* (1989) 264:16985); eukaryotic cell delivery vehicles cells (see, e.g., U.S. Pat. No. 5,814,482; PCT Publication Nos. WO 95/07994; WO 96/17072; WO 95/30763; and WO 97/42338) and nucleic charge neutralization or fusion with cell membranes. Naked DNA can also be employed. Exemplary naked DNA introduction methods are described in PCT Publication No.

WO 90/11092 and U.S. Pat. No. 5,580,859. Liposomes that can act as gene delivery vehicles are described in U.S. Pat. No. 5,422,120; PCT Publication Nos. WO 95/13796; WO 94/23697; WO 91/14445; and EP Patent No. 0524968. Additional approaches are described in Philip, *Mol. Cell. Biol.* (1994) 14:2411, and in Woffendin, *Proc. Natl. Acad. Sci.* (1994) 91:1581.

5 The particular dosage regimen, *i.e.*, dose, timing and repetition, used in the method described herein will depend on the particular subject and that subject's medical history.

 In some embodiments, more than one antibody, or a combination of an antibody and another suitable therapeutic agent, may be administered to a subject in need of the treatment. The antibody can also be used in conjunction with other agents that serve to enhance and/or
10 complement the effectiveness of the agents. Treatment efficacy for a target disease/disorder can be assessed by methods well-known in the art.

 In some embodiments, the disclosure provides a method for suppressing Dectin-1 signaling *e.g.*, in immune suppressive immune cells, *e.g.*, tumor infiltrating immune cells, such as macrophages, the method comprising providing or administering an anti-Galectin-9 antibody
15 described herein, *e.g.*, in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method suppresses Dectin-1 signaling, *e.g.*, in immune suppressive immune cells, by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

20 In some embodiments, the disclosure provides a method for suppressing TIM-3 signaling *e.g.*, in tumor infiltrating immune cells, the method comprising providing or administering an anti-Galectin-9 antibody described herein, *e.g.*, in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method suppresses the
25 TIM-3 signaling, *e.g.*, in tumor infiltrating immune cells by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

 In some embodiments, the disclosure provides a method for suppressing CD206 signaling, *e.g.*, in tumor infiltrating immune cells, *e.g.*, in macrophages, the method comprising providing or administering an anti-Galectin-9 antibody described herein, *e.g.*, in Table 1 and/or
30 Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method suppresses the CD206 signaling, *e.g.*, in tumor infiltrating immune cells, *e.g.*, macrophages, by at least 30% (*e.g.*, 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing cell cytotoxicity, such as ADCC, in target cells expressing Galectin-9, e.g., wherein the target cells are cancer cells or immune suppressive immune cells, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding
5 fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method induces apoptosis in immune cells such as T cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing cell cytotoxicity
10 such as complement-dependent cytotoxicity (CDC) against target cells expressing Galectin-9 in a subject, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method induces cell cytotoxicity such as
15 complement-dependent cytotoxicity (CDC) against target cells expressing Galectin-9 at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing cell cytotoxicity, such as ADCC, e.g., against target cells expressing Galectin-9 in a subject, the method
20 comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method induces cell cytotoxicity by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing phagocytosis of target cells expressing Galectin-9 (ADCP), the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding
25 fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the anti-Galectin-9 antibody
30 increases phagocytosis of target cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing cell cytotoxicity such as complement-dependent cytotoxicity (CDC) against target cells expressing Galectin-9, the method comprising providing or administering an anti-Galectin-9 antibody described herein,

e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method induces cell cytotoxicity against target cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment
5 therein).

In some embodiments, the disclosure provides a method for inducing T cell activation, e.g., in tumor infiltrating T cells, i.e., suppress Galectin-9 mediated inhibition of T cell activation, either directly or indirectly., the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding
10 fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method promotes T cell activation by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for promoting CD4+ cell
15 activation, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method promotes CD4+ cell activation by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any
20 increment therein).

In some embodiments, the disclosure provides a method for inducing CD44 expression in CD4+ cells, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a
25 9.2-17 antibody. In some embodiments, the method increases CD44 expression in CD4+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing IFNgamma expression in CD4+ cells, the method comprising providing or administering an anti-Galectin-9
30 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method increases IFNgamma expression in CD4+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing TNFalpha expression in CD4+ cells, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method increases TNFalpha expression in CD4+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing CD44 expression in CD8+ cells, the method comprising providing or administering an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method increases CD44 expression in CD8+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing IFNgamma expression in CD8+ cells, the method comprising providing or administering an effective amount of an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method increases IFNgamma expression in CD8+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some embodiments, the disclosure provides a method for inducing TNFalpha expression in CD8+ cells, the method comprising providing or administering an effective amount of an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof to a subject. In some embodiments, the anti-Galectin-9 antibody is a 9.1-8mut13 antibody and/or a 9.2-17 antibody. In some embodiments, the method increases TNFalpha expression in CD8+ cells by at least 30% (e.g., 31%, 35%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or greater, including any increment therein).

In some of these embodiments, the methods comprising providing or administering an effective amount of an anti-Galectin-9 antibody described herein, induce CD44, IFNgamma, and/or TNFalpha in CD4+ and CD8+ cells. The method embodiments described supra, for suppressing Dectin-1 signaling, for suppressing TIM-3 signaling, for suppressing CD206 signaling, for inducing ADCC against target cells, for inducing CDC against target cell, for inducing ADCP against target cells, for inducing T cell activation, for promoting CD4+ cell

activation, for inducing CD44 expression in CD4⁺ cells, for inducing IFN γ expression in CD4⁺ cells, for inducing TNF α expression in CD4⁺ cells, for inducing CD44 expression in CD8⁺ cells, for inducing IFN γ expression in CD8⁺ cells, method for inducing TNF α expression in CD8⁺ cells, wherein the method includes administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof.

The method embodiments described supra (for suppressing Dectin-1 signaling, for suppressing TIM-3 signaling, for suppressing CD206 signaling, for inducing ADCC against target cells, for inducing CDC against target cell, for inducing ADCP against target cells, for inducing T cell activation, for promoting CD4⁺ cell activation, for inducing CD44 expression in CD4⁺ cells, for inducing IFN γ expression in CD4⁺ cells, for inducing TNF α expression in CD4⁺ cells, for inducing CD44 expression in CD8⁺ cells, for inducing IFN γ expression in CD8⁺ cells, for inducing TNF α expression in CD8⁺ cells), wherein the method includes providing an effective amount of an anti-Galectin-9 antibody described herein, e.g., in Table 1 and/or Table 2, or antigen binding fragment thereof, to a sample isolated from a tumor, and measuring *in vitro* or *ex vivo* one or more parameters selected from Dectin-1 suppression, for TIM-3 suppression, for CD206 suppression, ADCC induction, CDC induction, ADCP induction, induction of T cell activation, promotion of CD4⁺ cell activation, induction of CD44 expression in CD4⁺ cells, induction of IFN γ expression in CD4⁺ cells, induction of TNF α expression in CD4⁺ cells, induction of CD44 expression in CD8⁺ cells, induction of IFN γ expression in CD8⁺ cells, induction of TNF α expression in CD8⁺ cells.

The *in vivo* methods embodiments described supra, wherein the subject in need of administration has cancer, and wherein the cancer is selected from pancreatic cancer, e.g., pancreatic ductal adenocarcinoma, cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia. In some embodiments, cancer low levels of IFN γ expression, relative to expression of T cell markers. In some embodiments, the cancer is PDA.

The *in vitro* or *ex vivo* method embodiments described supra, wherein the sample isolated from a tumor is from a cancer selected from pancreatic cancer, e.g., pancreatic ductal adenocarcinoma, cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia.

Combination Therapy

Any of the anti-Galectin-9 antibodies described herein may be utilized in conjunction with other types of therapy for cancer or autoimmune diseases, such as chemotherapy, surgery, radiation, gene therapy, or in conjunction with other types of therapy for autoimmune diseases, such as immunosuppressive mediation, hormone replacement therapy, blood transfusions, anti-inflammatory medication, and/or pain medication and so forth. Such therapies can be administered simultaneously or sequentially (in any order) with the immunotherapy according to the present disclosure.

In some embodiments, methods are provided herein, wherein the anti-Galectin-9 antibodies described herein are utilized in conjunction with other types of therapy for cancer or autoimmune diseases, such as chemotherapy, surgery, radiation, gene therapy, or in conjunction with other types of therapy for autoimmune diseases, such as immunosuppressive mediation, hormone replacement therapy, blood transfusions, anti-inflammatory medication, and/or pain medication and so forth. In some embodiments, the methods include the steps of administering the anti-Galectin-9 antibodies, such as any of the anti-Galectin-9 antibodies described herein, e.g., in Table 1 and/or Table 2, simultaneously or sequentially (in any order) with the immunotherapy according to the present disclosure. When co-administered with an additional therapeutic agent, suitable therapeutically effective dosages for each agent may be lowered due to the additive action or synergy.

In some embodiments, the methods are provided herein, wherein the anti-Galectin-9 antibody, for example antibody 9.2-17 or 9.1-8mut13, is combined with other immunomodulatory treatments such as, e.g., inhibitors of a checkpoint molecule (e.g., PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM3, or A2aR), activators of a co-stimulatory receptor (e.g., DX40, GITR, CD137, CD40, CD27, and ICOS), and/or inhibitors of an innate immune cell target (e.g., KIR, NKG2A, CD96, TLR, and IDO). Without being bound by theory, it is thought that anti-Galectin-9 antibodies, through their inhibition of Dectin-1, can reprogram immune responses against tumor cells *via*, e.g., inhibiting the activity of $\gamma\delta$ T cells infiltrated into tumor microenvironment, and/or enhancing immune surveillance against tumor cells by, e.g., activating CD4⁺ and/or CD8⁺ T cells. Thus, combined use of an anti-Galectin-9 antibody and an immunomodulatory agent such as those described herein would be expected to significantly enhance anti-tumor efficacy.

In some embodiments, the methods are provided, wherein the anti-Galectin-9 antibody is administered concurrently with a checkpoint inhibitor. In some embodiments, wherein the anti-Galectin-9 antibody is administered before or after a checkpoint inhibitor. In some

embodiments, the checkpoint inhibitor is administered systemically. In some embodiments, the checkpoint inhibitor is administered locally.

In some embodiments, the methods are provided, wherein the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, such as 9.2-17 or 9.1-8mut13, is capable of improving anti-tumor activity (e.g., reduced tumor proliferation, size, volume, weight, burden or load, reduction in number of metastatic lesions over time) of the co-administered checkpoint inhibitors (e.g., PD-1, PD-L1 and/or CTLA-4 or others listed herein or known in the art), e.g., by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to a checkpoint inhibitor therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, for example antibody 9.2-17 or antibody 9.1-8mut13, is capable of improving antitumor activity (e.g., tumor proliferation, size, volume, weight, load or burden, or reduction in number of metastatic lesions over time) of the co-administered checkpoint inhibitors (e.g., PD-1 and/or CTLA-4 e.g., PD-1, PD-L1 and/or CTLA-4 or others listed herein or known in the art), e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to a checkpoint inhibitor therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to antibody 9.1-8m13 and/or antibody 9.2-17, is capable of improving antitumor activity (e.g., tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic lesions over time) of the co-administered checkpoint inhibitor (e.g., PD-1, PD-L1 and/or CTLA-4 or others listed herein or known in the art), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to a checkpoint inhibitor therapy alone under the same conditions. In some embodiments, the co-administered checkpoint inhibitors (e.g., PD-1, PD-L1 and/or CTLA-4 or others listed herein or known in the art) are capable of improving anti-tumor activity of the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to antibody 9.1-8m13 and/or antibody 9.2-17, (e.g., tumor proliferation, size, volume, weight, burden or load or reduction in number of metastatic lesions), e.g., by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered checkpoint inhibitors (e.g., PD-1, PD-L1 and/or CTLA-4 or others listed herein or known in the art) are capable of improving antitumor activity (e.g., tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic lesions over time) of

the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to antibody 9.1-8m13 and/or antibody 9.2-17, e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered checkpoint inhibitors (e.g., PD-1, PD-L1 and/or CTLA-4 or others described herein or known in the art) are capable of improving antitumor activity (e.g., tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic lesions over time) of the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to a anti-Galectin-9 therapy alone under the same conditions.

In some embodiments, the methods are provided, wherein the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, is capable of improving the ability of the immunotherapy to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to a immunotherapy therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody is capable of improving the ability of the immunotherapy to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to a immunotherapy therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, is capable of improving the ability of the immunotherapy to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to a immunotherapy therapy alone under the same conditions.

In some embodiments, the methods are provided, wherein the co-administered immunotherapies (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, to activate T cells (e.g., as measured by cytokine markers described herein), e.g., by 10%,

20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered immunotherapies (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody to activate T cells (e.g., as measured by cytokine markers described herein), e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered immunotherapies (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody to activate T cells (e.g., as measured by cytokine markers described herein), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to an anti-Galectin-9 therapy alone under the same conditions.

In other embodiments, the methods are provided herein, wherein the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, is administered in combination with one or more of the existing modalities for treating autoimmune disorders including, but not limited to: intravenous Ig therapy, nonsteroidal anti-inflammatory drugs (NSAID), and corticosteroids; and anti-inflammatory treatments such as cyclosporins, rapamycins or ascomycins, or their immunosuppressive analogs, *e.g.*, cyclosporin A, cyclosporin G, FK-506, rapamycin, 40-O-(2-hydroxy)ethyl-rapamycin etc.; cyclophosphamide; azathioprene; methotrexate; brequinar; FTY 720; leflunomide; mnizoribine; mycophenolic acid; mycophenolate mofetil; 15-deoxyspergualine; immunosuppressive monoclonal antibodies, *e.g.*, monoclonal antibodies to leukocyte receptors, *e.g.*, MHC, CD2, CD3, CD4, CD7, CD25, CD28, B7, CD45, or CD58 or their ligands; or other immunomodulatory compounds, *e.g.*, CTLA4Ig, or other adhesion molecule inhibitors, *e.g.* mAbs or low molecular weight inhibitors including selectin antagonists and VLA-4 antagonists. These combination therapies can be part of an immunomodulating regimens or a regimen for the treatment or prevention of inflammatory disorders or autoimmune disorders.

In some embodiments, the methods are provided, wherein the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, can also be co-used with a chemotherapeutic agent, including alkylating agents, anthracyclines, cytoskeletal disruptors (Taxanes), epothilones, histone deacetylase inhibitors, inhibitors of topoisomerase I, inhibitors of topoisomerase II, kinase inhibitors, nucleotide analogs and precursor analogs, peptide

antibiotics, platinum-based agents, retinoids, vinca alkaloids and derivatives thereof.

Non-limiting examples include: (i) anti-angiogenic agents (*e.g.*, TNP-470, platelet factor 4, thrombospondin-1, tissue inhibitors of metalloproteases (TIMP1 and TIMP2), prolactin (16-Kd fragment), angiostatin (38-Kd fragment of plasminogen), endostatin, bFGF soluble receptor, transforming growth factor beta, interferon alpha, soluble KDR and FLT-1 receptors, placental proliferin-related protein, as well as those listed by Carmeliet and Jain (2000)); (ii) a VEGF antagonist or a VEGF receptor antagonist such as anti-VEGF antibodies, VEGF variants, soluble VEGF receptor fragments, aptamers capable of blocking VEGF or VEGFR, neutralizing anti-VEGFR antibodies, inhibitors of VEGFR tyrosine kinases and any combinations thereof; and (iii) chemotherapeutic compounds such as, *e.g.*, pyrimidine analogs (5-fluorouracil, floxuridine, capecitabine, gemcitabine and cytarabine), purine analogs, folate antagonists and related inhibitors (mercaptopurine, thioguanine, pentostatin and 2-chlorodeoxyadenosine (cladribine)); antiproliferative/antimitotic agents including natural products such as vinca alkaloids (vinblastine, vincristine, and vinorelbine), microtubule disruptors such as taxane (paclitaxel, docetaxel), vincristine, vinblastine, nocodazole, epothilones, and navelbine, epididodophyllotoxins (etoposide and teniposide), DNA damaging agents (actinomycin, amsacrine, anthracyclines, bleomycin, busulfan, camptothecin, carboplatin, chlorambucil, cisplatin, cyclophosphamide, cytoxan, dactinomycin, daunorubicin, doxorubicin, epirubicin, hexamethylnelamineoxaliplatin, iphosphamide, melphalan, merchloroethamine, mitomycin, mitoxantrone, nitrosourea, plicamycin, procarbazine, taxol, taxotere, teniposide, triethylenethiophosphoramidate and etoposide (VP16)); antibiotics such as dactinomycin (actinomycin D), daunorubicin, doxorubicin (adriamycin), idarubicin, anthracyclines, mitoxantrone, bleomycin, plicamycin (mithramycin) and mitomycin; enzymes (L-asparaginase which systemically metabolizes L-asparagine and deprives cells which do not have the capacity to synthesize their own asparagine); antiplatelet agents; antiproliferative/antimitotic alkylating agents such as nitrogen mustards (mechlorethamine, cyclophosphamide and analogs, melphalan, chlorambucil), ethylenimines and methylmelamines (hexamethylmelamine and thiotepa), alkyl sulfonates-busulfan, nitrosoureas (carmustine (BCNU) and analogs, streptozocin), trazenes-dacarbazine (DTIC); antiproliferative/antimitotic antimetabolites such as folic acid analogs (methotrexate); platinum coordination complexes (cisplatin, carboplatin), procarbazine, hydroxyurea, mitotane, aminoglutethimide; hormones, hormone analogs (estrogen, tamoxifen, goserelin, bicalutamide, nilutamide) and aromatase inhibitors (letrozole, anastrozole); anticoagulants (heparin, synthetic heparin salts and other inhibitors of thrombin); fibrinolytic agents (such as tissue plasminogen activator, streptokinase and urokinase), aspirin,

dipyridamole, ticlopidine, clopidogrel, abciximab; antimigratory agents; antisecretory agents (breveldin); immunosuppressives (cyclosporine, tacrolimus (FK-506), sirolimus (rapamycin), azathioprine, mycophenolate mofetil); anti-angiogenic compounds (*e.g.*, TNP-470, genistein, bevacizumab) and growth factor inhibitors (*e.g.*, fibroblast growth factor (FGF) inhibitors);
 5 angiotensin receptor blocker; nitric oxide donors; anti-sense oligonucleotides; antibodies (trastuzumab); cell cycle inhibitors and differentiation inducers (tretinoin); mTOR inhibitors, topoisomerase inhibitors (doxorubicin (adriamycin), amsacrine, camptothecin, daunorubicin, dactinomycin, eniposide, epirubicin, etoposide, idarubicin, mitoxantrone, topotecan, and irinotecan), corticosteroids (cortisone, dexamethasone, hydrocortisone, methylprednisolone,
 10 prednisone, and prednisolone); growth factor signal transduction kinase inhibitors; mitochondrial dysfunction inducers and caspase activators; and chromatin disruptors.

In some embodiments, methods are provided herein wherein the anti-Galectin-9 antibody, such as any of the Galectin-9 antibodies described herein in Table 1 and/or Table 2, including but not limited to, antibody 9.1-8m13 and/or antibody 9.2-17, is administered
 15 concurrently with a chemotherapeutic agent. In some embodiments, methods are provided herein, wherein the anti-Galectin-9 antibody is administered before or after a chemotherapeutic agent. In some embodiments, methods are provided herein, wherein the chemotherapeutic agent is administered systemically. In some embodiments, methods are provided herein, wherein the chemotherapeutic agent is administered locally.

In some embodiments, the methods are provided, wherein the anti-Galectin-9 antibody, such as any of the antibodies described herein in Table 1 and/or Table 2, for example antibody 9.2-17 or antibody 9.1-8mut13, is capable of improving anti-tumor activity (*e.g.*, tumor proliferation, size, volume, weight, burden load or reduction in number of metastatic lesions over time) of the co-administered chemotherapeutic agents (*e.g.*, as described herein or
 25 known in the art), *e.g.*, by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to a chemotherapeutic agent therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody is capable of improving antitumor activity (*e.g.*, tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic lesions over time) of the co-administered chemotherapeutic agents (*e.g.*,
 30 as described herein or known in the art), *e.g.*, 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to a chemotherapeutic agent therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody is capable of improving antitumor activity (*e.g.*, tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic lesions over time) of the co-administered

chemotherapeutic agent (e.g., as described herein or known in the art), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to a chemotherapeutic agent therapy alone under the same conditions.

5 In some embodiments, the methods are provided, wherein the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving anti-tumor activity of the anti-Galectin-9 antibody, , such as any of the antibodies described herein in Table 1 and/or Table 2, for example antibody 9.2-17 or antibody 9.1-8mut13, (e.g., tumor proliferation, size, volume, weight, burden or load or reduction in number of metastatic
10 lesions over time) of, e.g., by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving anti-tumor activity (e.g., tumor proliferation, size, volume, weight, burden or load or reduction in number of metastatic lesions over time) of the
15 anti-Galectin-9 antibody, e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving antitumor activity (e.g., tumor proliferation, size, volume, weight, load or burden or reduction in number of metastatic
20 lesions over time) of the anti-Galectin-9 antibody, e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to an anti-Galectin-9 therapy alone under the same conditions.

In some embodiments methods are provided herein, wherein the anti-Galectin-9 antibody, such as any of the antibodies described herein in Table 1 and/or Table 2, for example
25 antibody 9.2-17 or antibody 9.1-8mut13, is capable of improving the ability of the chemotherapeutic agent to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., by 10%, 20%, 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to a chemotherapeutic agent therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody is
30 capable of improving the ability of the chemotherapeutic agent to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold, or two-fold more or more as compared to a chemotherapeutic agent therapy alone under the same conditions. In some embodiments, the anti-Galectin-9 antibody is capable of improving the ability of the

chemotherapeutic agent to activate T cells (e.g., as measured by cytokine markers described herein) (e.g., as described herein or known in the art), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-fold, ten-fold, or more as compared to a chemotherapeutic agent therapy alone under the same conditions.

5 In some embodiments, methods are provided herein, wherein the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody, such as any of the antibodies described herein in Table 1 and/or Table 2, for example antibody 9.2-17 or antibody 9.1-8mut13, to activate T cells (e.g., as measured by cytokine markers described herein), e.g., by 10%, 20%,
10 25%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody to activate T cells (e.g., as measured by cytokine markers described herein), e.g., 1.0-1.2-fold, 1.2-1.4-fold, 1.4-1.6-fold, 1.6-1.8-fold, 1.8-2-fold,
15 or two-fold more or more as compared to an anti-Galectin-9 therapy alone under the same conditions. In some embodiments, the co-administered chemotherapeutic agents (e.g., as described herein or known in the art) are capable of improving the ability of the anti-Galectin-9 antibody to activate T cells (e.g., as measured by cytokine markers described herein), e.g., about three-fold, four-fold, about threefold, four-fold, five-fold, six-fold, seven-fold, eight-fold, nine-
20 fold, ten-fold, or more as compared to an anti-Galectin-9 therapy alone under the same conditions.

In some these method embodiments, wherein the administration of an anti-Galectin-9 antibody is combined with the administration of a checkpoint inhibitor, the subject has a cancer selected from the group consisting of pancreatic cancer, e.g., pancreatic ductal adenocarcinoma,
25 cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia. In some embodiments, methods are provided herein, wherein the anti-Galectin-9 antibody is administered to a patient who is refractory to a previous treatment, e.g., checkpoint inhibitor therapy, such as PD-1.

In some embodiments, the disclosure provides a method for treating a cancer in a subject
30 who is refractory to checkpoint inhibitor therapy, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof, wherein the checkpoint inhibitor molecule is selected from the group consisting of PD-1, PD-L1, PD-L2, CTLA-4, LAG3, TIM3 and A2aR. In some embodiments, the disclosure provides a method for treating a cancer in a subject who is

refractory to checkpoint inhibitor therapy, the method comprising administering to a subject in need thereof an effective amount of an anti-Galectin-9 antibody described herein or antigen binding fragment thereof, wherein the checkpoint inhibitor molecule is PD-1. In some embodiments, the cancer is selected from the group consisting of pancreatic cancer, e.g., pancreatic ductal adenocarcinoma, cholangiocarcinoma, hepatocellular carcinoma, colorectal cancer, melanoma, renal cell carcinoma, and acute myeloid leukemia. Additional useful agents can be found in, e.g., Physician's Desk Reference, 59th edition, (2005), Thomson P D R, Montvale N.J.; Gennaro et al., Eds. Remington's The Science and Practice of Pharmacy 20th edition, (2000), Lippincott Williams and Wilkins, Baltimore Md.; Braunwald et al., Eds. Harrison's Principles of Internal Medicine, 15th edition, (2001), McGraw Hill, NY; Berkow et al., Eds. The Merck Manual of Diagnosis and Therapy, (1992), Merck Research Laboratories, Rahway N.J.

It was reported that chemotherapy and/or immune therapy of solid tumors could enhance the level of immune modulators such as checkpoint molecules, resulting in suppressed immunity against tumor cells. Erisson et al., *J. Translational Medicine* (2016), 14:282; Grabosch et al., *J. ImmunoTherapy of Cancer* (2015), 3(suppl 2): P302; and Azad et al., *EMBO J.* (2016). Anti-Galectin-9 antibodies have been found to reprogram immune responses targeting tumor cells, particularly in PDA. As such, the co-use of an anti-Galectin-9 antibody and a chemotherapeutic agent (e.g., gemcitabine) or immunotherapeutic agent (e.g., anti-PD-L1 antibody) would be expected to result in significantly enhanced therapeutic activity against solid tumors, such as PDA.

In any of the described combination therapies, the additional therapeutic agent or therapy can be administered prior to, simultaneously with, or following administration of the anti-Galectin-9 antibody.

Kits for Use in Treatment of Diseases Associated with Galectin-9

The present disclosure also provides kits for use in treating or alleviating a disease associated with Galectin-9, for example associated with Galectin-9 binding to a cell surface glycoprotein (e.g., Dectin-1, TIM3, etc.), or pathologic cells (e.g., cancer cells) expressing Galectin-9. Examples include solid tumors such as PDA and others described herein, and autoimmune diseases, such as rheumatoid arthritis, systemic lupus erythematosus (SLE), autoimmune endocrine disorders, autoimmune blood disorders, and others described herein. Such kits can include one or more containers comprising an anti-Galectin-9 antibody, e.g., any

of those described herein, and optionally a second therapeutic agent to be co-used with the anti-Galectin-9 antibody, which is also described herein.

In some embodiments, the kit can comprise instructions for use in accordance with any of the methods described herein. The included instructions can comprise a description of administration of the anti-Galectin-9 antibody, and optionally the second therapeutic agent, to treat, delay the onset, or alleviate a target disease as those described herein. The kit may further comprise a description of selecting an individual suitable for treatment based on identifying whether that individual has the target disease, *e.g.*, applying the diagnostic method as described herein. In still other embodiments, the instructions comprise a description of administering an antibody to an individual at risk of the target disease.

The instructions relating to the use of an anti-Galectin-9 antibody generally include information as to dosage, dosing schedule, and route of administration for the intended treatment. The containers may be unit doses, bulk packages (*e.g.*, multi-dose packages) or sub-unit doses. Instructions supplied in the kits of the invention are typically written instructions on a label or package insert (*e.g.*, a paper sheet included in the kit), but machine-readable instructions (*e.g.*, instructions carried on a magnetic or optical storage disk) are also acceptable.

The label or package insert indicates that the composition is used for treating, delaying the onset and/or alleviating the disease associated with Galectin-9 (*e.g.*, Dectin-1 or TIM-3 signaling). Instructions may be provided for practicing any of the methods described herein.

The kits of this invention are in suitable packaging. Suitable packaging includes, but is not limited to, vials, bottles, jars, flexible packaging (*e.g.*, sealed Mylar or plastic bags), and the like. Also contemplated are packages for use in combination with a specific device, such as an inhaler, nasal administration device (*e.g.*, an atomizer) or an infusion device such as a minipump. A kit may have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). The container may also have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). At least one active agent in the composition is an anti-Galectin-9 antibody as those described herein.

Kits may optionally provide additional components such as buffers and interpretive information. Normally, the kit comprises a container and a label or package insert(s) on or associated with the container. In some embodiments, the invention provides articles of manufacture comprising contents of the kits described above.

General Techniques

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of molecular biology (including recombinant techniques), microbiology, cell biology, biochemistry and immunology, which are within the skill of the art.

5 Such techniques are explained fully in the literature, such as, Molecular Cloning: A Laboratory Manual, second edition (Sambrook, et al., 1989) Cold Spring Harbor Press; Oligonucleotide Synthesis (M. J. Gait, ed., 1984); Methods in Molecular Biology, Humana Press; Cell Biology: A Laboratory Notebook (J. E. Cellis, ed., 1998) Academic Press; Animal Cell Culture (R. I. Freshney, ed., 1987); Introduction to Cell and Tissue Culture (J. P. Mather and P. E. Roberts, 10 1998) Plenum Press; Cell and Tissue Culture: Laboratory Procedures (A. Doyle, J. B. Griffiths, and D. G. Newell, eds., 1993-8) J. Wiley and Sons; Methods in Enzymology (Academic Press, Inc.); Handbook of Experimental Immunology (D. M. Weir and C. C. Blackwell, eds.); Gene Transfer Vectors for Mammalian Cells (J. M. Miller and M. P. Calos, eds., 1987); Current Protocols in Molecular Biology (F. M. Ausubel, et al., eds., 1987); PCR: The Polymerase Chain 15 Reaction, (Mullis, et al., eds., 1994); Current Protocols in Immunology (J. E. Coligan et al., eds., 1991); Short Protocols in Molecular Biology (Wiley and Sons, 1999); Immunobiology (C. A. Janeway and P. Travers, 1997); Antibodies (P. Finch, 1997); Antibodies: a practical approach (D. Catty., ed., IRL Press, 1988-1989); Monoclonal antibodies: a practical approach (P. Shepherd and C. Dean, eds., Oxford University Press, 2000); Using antibodies: a laboratory 20 manual (E. Harlow and D. Lane (Cold Spring Harbor Laboratory Press, 1999); The Antibodies (M. Zanetti and J. D. Capra, eds., Harwood Academic Publishers, 1995).

Without further elaboration, it is believed that one skilled in the art can, based on the above description, utilize the present invention to its fullest extent. The following specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the 25 remainder of the disclosure in any way whatsoever. All publications cited herein are incorporated by reference for the purposes or subject matter referenced herein.

EXAMPLES

Example 1: Generation of Anti-Galectin-9 Antibodies

Codon-optimized genes encoding human Galectin-9 CRD1 (residues 1-148; SEQ ID NO: 3) and mouse Galectin-9 CRD1 (residues 1-147; SEQ ID NO: 5) were cloned as GST fusions using the pGEX vector including thrombin cleavage site and Avitag upstream of the cloned gene. Human Galectin-9 CRD2 (residues 218-355; SEQ ID NO: 4) and mouse Galectin-

9 CRD2 (residues 226-353; SEQ ID NO: 6) were cloned into the pHBT vector, an IPTG inducible expression vector that contains a hexahistidine tag, Avitag and TEV cleavage site upstream of the cloned gene (Sha et al., *Proc Natl Acad Sci USA*, 2013, 110: 14924-14929). Human and mouse Galectin-9 CRD2 samples were then purified *via* Ni-Sepharose columns followed by gel filtration to apparent homogeneity and biotinylated *in vitro* using recombinant BirA. Human and mouse Galectin-9 CRD1 samples were purified *via* GST affinity chromatography followed by thrombin cleavage. Samples were further purified using gel filtration chromatography and biotinylated in a similar manner to Galectin-9 CRD2. Recombinant full-length mouse Galectin-9 (R&D Systems) was used as a control where necessary.

Antibody clones capable of binding to the human or mouse Galectin-9 fragments as noted above were isolated from a phage-display Fab library. The library follows the design of highly successful "Library E" (Miller et al., *PloS One*, 2012, 7, e43746) with improvements. A total of four rounds of phage library sorting were performed using CRD1 and CRD2 samples as the targets, essentially following published procedures (Miller et al., *PloS One*, 2012, 7, e43746; Fellouse et al., *J Mol Biol*, 2007, 373, 924-940). For CRD2, selection campaigns were performed using (a) only either mouse or human CRD2 as the target or (b) using human and mouse CRD2 samples alternately in successive rounds of library sorting. For CRD1, only human CRD1 samples were used.

Binding to Galectin-9 CRDs was determined by phage ELISA (Sidhu et al., *Methods Enzymol*, 2000, 328, 333-363). Biotinylated CRD samples were immobilized to neutravidin-coated wells and blocked with an excess of biotin. The wells were incubated with phage displaying single Fab clones and then bound phages were detected with HRP-conjugated anti-M13 phage antibody.

Then, phage-displayed Fab clones were pre-incubated with 50 nM non-biotinylated Galectin-9 CRD2 or CRD1 prior to addition to ELISA plates. Reduction in the ELISA signal of clones with competitor compared to those without competitor indicated a high affinity and high specificity for Galectin-9 CRD1 or CRD2.

From enriched pools of antibody clones, a total of 23 clones that bind to CRD2 (Figs. 1A-1B) and a total of 11 clones to CRD1 (Figs. 2A-2B) were identified. Their amino acid sequences were deduced by determining the DNA sequences of the Fab genes in the phage clones (which are provided herein as SEQ ID NO: 7-75 and 77-85).

The genes for a subset of identified antibody clones were transferred into an *E. coli* expression vector that has previously been described (Zhang et al., *Proc Natl Acad Sci USA*,

2012, 109, 8534-8539). Fab proteins were expressed in *E. coli* BL21 (EMD Millipore) and purified using HiTrap Protein G HP column (GE Healthcare) as described (Hattori et al., *Nat Methods*, 2013, 10, 992-995) followed by Superdex S200 or ResourceS column (GE Healthcare). When required, purified Fab was biotinylated via the Avitag attached to the C-terminus of the heavy chain using BirA.

Antibodies in the human IgG1, human IgG4, mouse IgG1 and mouse IgG2a formats were produced by cloning the genes for the V_H and V_L regions into mammalian expression vectors for IgG production (Invivogen). Accordingly, mIgG1 and mIgG2a are human/mouse hybrids, because the Fc (*i.e.* CH2 and CH2) is mouse IgG1, whereas CH1 and CL are human. The proteins were produced by transient transfection of ExpiCHO cells (ThermoFisher) and purified using Protein G Sepharose chromatography followed by Superdex S200 or ResourceS chromatography (GE Healthcare).

Example 2: Characterization of Anti-Galectin-9 Antibody Clones

Epitope Binning

Whether the antibody clones bind to distinct (non-overlapping) epitopes in Galectin-9 was examined using competition phage ELISA. The binding of all the CRD2-binding clones were significantly inhibited by pre-incubation of the purified G9.2-1, G9.2-3, G9.2-15 or G9.2-17 Fab clone (Figs. 3A-3B), indicating that the isolated clones bind to an overlapping epitope within CRD2. Clones G9.2-15 and G9.2-17 were selected as representative clones for further characterization because of their strong binding activity and good cross-reactivity between human and mouse Galectin-9 (Figs. 1A-1B).

Epitope Mapping

The G9.2-17 clone was selected for further epitope analysis. To determine its epitope on Galectin-9 CRD2, a series of point mutants were constructed. Their ability to bind to G9.2-17 was assayed using phage ELISA, as shown in Fig. 10A. Reductions in ELISA signal indicates sites on Galectin-9 CRD2 that are critical to G9.2-17 binding. Notably, the W309K mutation (residue numbering is according to isoform 1, NCBI GenBank Accession No. BAB83625.1) dramatically reduced the binding, while the other mutations had marginal effects, suggesting that G9.2-17 binds to a region including W309. Crystal structure analysis of the region showed that it is located opposite the sugar-binding site (Fig. 10B). The term “W309” or “residue W309” refers to the tryptophan residue found at position 309 in SEQ ID NO: 1 (Galectin-9) or to the tryptophan residue located at position 277 in the sequence of Galectin-9 isoform 2,

UniProt ID O00182-2 or to a residue in CRD2 of Galectin-9 that corresponds to the residue found at position 309 in SEQ ID NO: 1 or at position 277 in the sequence of the isoform of UniProt ID O00182-2. The terms “R253”, “R271”, “R334”, and “R341” refer to the arginine residue found at positions 253, 271, 334, and 341, respectively, in SEQ ID NO: 1 or the arginine residue found at positions 221, 239, 302, 309, respectively, in the sequence of Galectin-9 isoform 2, UniProt ID O00182-2. The terms “Y330” and “Y236” refer to the tyrosine residue found at positions 330 and 236, respectively, in SEQ ID NO: 1 or the tyrosine residue found at positions 298 and 204, respectively, in the sequence of Galectin-9 isoform 2, UniProt ID O00182-2.

Mutation that suppresses the interaction of G9.2-17 Fab with chromatography matrix

Purified antibody (Fab or IgG) samples were run on TOSOH TSKgel Bioassist G2WXL columns in PBS and detected using absorbance at 280 nm. The Fab sample of G9.2-17 was found to exhibit a longer retention time than expected for its size, suggesting it interacts with the chromatography column material (Fig. 11). In comparison, the Fab sample of G9.2-Iso eluted with the expected time. A point mutant of G9.2-17, termed G9.2.17mut6, was found to have an improved chromatography profile while retaining the affinity to human and mouse Galectin-9 CRD2 (Fig. 12), suggesting that this mutant has a reduced level of off-target binding.

Antibodies that bind to a distinct epitope within CRD2

Potential additional epitopes were explored using additional clones that bind to Galectin-9 CRD2. A phage display library selection using a modified scheme so as to enrich clones that bind to an epitope that is distinct from that of G9.2-17 was performed. Wild type human biotinylated Galectin-9 CRD2, the W309K Galectin-9 CRD2 mutant, or Galectin-9 CRD2 preincubated with G9.2-17 IgG was immobilized to neutravidin-coated wells and incubated with individual phage-displayed Fab clones. The results are shown in Fig. 13. Three clones (G9.2-24, G9.2-25, and G9.2-26) exhibited similar levels of binding to the three targets tested, wild-type Galectin-9 CRD2, the W309K mutant, and wild-type CRD2 in complex with G9.2-17. Their binding profiles suggest that they bind to an epitope that is distinct from that of G9.2-17.

Affinity Measurements

The affinities of the antibodies were assessed using a bead-based assay as previously described (Nishikori et al., *J Mol Biol*, 2012, 424, 391-399) and surface plasmon resonance (SPR). In the bead-based assay, a biotinylated protein (either a Galectin-9 sample or a Fab

sample) was immobilized on streptavidin-coated Dynabeads M280 via the biotin-streptavidin interaction. After blocking the excess biotin-binding sites on the beads using unconjugated biotin, binding titration was performed by incubating the second component (*i.e.*, Fab for immobilized Galectin-9 or vice versa), followed by quantification using a dye-labeled neutravidin (ThermoFisher) and flow cytometry analysis. The results obtained from this experiment are provided in Figs. 4 and 5. In experiments where the second component is an IgG, a dye-labeled anti-human IgG or anti-mouse IgG antibody was used for detection.

In SPR experiments, a biotinylated Galectin-9 sample was immobilized on an Avicap chip (Pall ForteBio) that had been preloaded with neutravidin (ThermoFisher). Antibody samples were flowed using the OneStep method on a Pioneer SPR instrument (Pall ForteBio) and the results are provided in Fig. 6.

The above-noted two assays revealed that the analyzed Fab samples had dissociation constant (K_D) values in the low or sub nanomolar range to their respective targets, as provided in Figs. 4-6.

Conversion of G9.2-17 into the human IgG4 format substantially reduced the dissociation rate, as expected from the bivalent nature of IgG4 (Fig. 7). This was demonstrated using the OneStep method described above.

Detection of Endogenous Galectin-9 on Cells

To confirm that the antibodies bind to endogenous Galectin-9 produced in human cells, HEK293T and CRL-2134 cell lines were incubated with a biotinylated Fab, and bound Fab was detected using neutravidin conjugated with DyLight 650. Samples were then analyzed using flow cytometry. Strong signals were observed for CRL-2134 that expresses Galectin-9 but not for HEK293T that does not express Galectin-9 (Lahm et al., *J Cancer Res Clin Oncol*, 2001, 127, 375-386) (Fig. 8).

The data demonstrates that these antibodies recognize endogenous Galectin-9 and also show that they have minimal cross-reactivity for other cell surface proteins. To measure antibody binding to endogenous Galectin-9 produced in human cells, CRL-2134 cells were stained using varying concentrations of anti-Galectin-9 antibody or a negative control. Samples were then washed and bound antibodies were detected using anti-Mouse IgG conjugated to Dylight 650 (Invitrogen, Carlsbad, CA). Prior to flow cytometry analysis, propidium iodide (1 μ g/mL) was added to each sample. Samples were then analyzed using flow cytometry. Percentage of galectin-9 positive cells was determined using unstained cells as a negative control. Cell-based

dissociation constant (K_D) was calculated from a saturation curve generated based on percentage of galectin-9 positive cells as a function of antibody concentration and the 1:1 binding model

Inhibition of Galectin-9-mediated Activation of Dectin-1 Signaling

Using a reporter cell line for human Dectin-1 signaling (Invivogen), the effects of the anti-Galectin-9 antibodies on the signaling activation mediated by Galectin-9 were examined. In this assay, activation of the Dectin-1 signaling pathway leads to the secretion of alkaline phosphatase into the cell media, which is detected as quantifiable colorimetric changes. Cell lines were incubated with the indicated molecules for 16 hours. In the absence of an antibody, Galectin-9 (R&D Systems) robustly activated the reporter on par with depleted zymosan, a known ligand for Dectin-1, as shown in Fig. 9. As expected, Galectin-9 exhibited no activation on the matched cell line that did not express Dectin-1.

The antibodies inhibited the activation effect of Galectin-9, suggesting that they block the interaction of Galectin-9 with Dectin-1 on the cell surface.

Example 3: Evaluation of anti-Gal-9 antibodies in a mouse model of ductal adenocarcinoma (PDA)

To test the effect of treatment with an anti-Gal9 antibody to pancreatic ductal adenocarcinoma (PDA), two PDA mouse models can be used: the slowly progressive PDA model p48Cre;LSL-KrasG12D (KC) in which mice express oncogenic Kras in their pancreatic progenitor cells, and a more aggressive orthotopic PDA model utilizing tumor cells from Pdx1Cre;LSL-KrasG12D;Tp53R172H (KPC) mice, which expresses mutant Kras and p53; as well as in human PDA^{42,43}. A combination of immunohistochemical analysis, flow cytometry, or immune-fluorescent microscopy can be used to conduct immune profiling and assess the effect of treatment with anti-galectin antibodies as compared to isotype controls. Similar techniques are used to study human samples derived from PDA patients.

In one example of a mouse study, six week-old KC mice are treated with the anti-galectin antibody, e.g., G9.2-17, to test the ability of anti-galectin antibody to reduce or prevent tumor growth. Tumor progression is assessed, one, two, three, four, five, six, seven, and eight weeks later compared to vehicle-treated animals. Animals are sacrificed and acinar architecture in the pancreata is assessed and scored. Immune profiling is performed according to FACS methods known in the art.

Example 4: Spheroid Preparation and Microfluidic Culture of Patient Tumor Samples

Fresh tumor specimens (human patients) are received in media (DMEM) on ice and minced in a 10-cm dish (on ice) using sterile forceps and scalpel. Minced tumor is resuspended in DMEM (4.5 mmol/L glucose, 100 mmol/L Na pyruvate, 1:100 penicillin–streptomycin; Corning CellGro) + 10% FBS (Gemini Bio- Products), 100 U/mL collagenase type IV (Life Technologies), and 15 mmol/L HEPES (Life Technologies). Samples are pelleted and resuspended in 10 to 20 mL media. Red blood cells (RBC) are removed from visibly bloody samples using RBC lysis buffer (Boston Bio-Products). Samples are pelleted and then resuspended in fresh DMEM + 10% FBS and strained over 100- μ m filter and 40- μ m filters to generate S1 (>100 μ m), S2 (40–100 μ m), and S3 (<40 μ m) spheroid fractions, which are subsequently maintained in ultralow-attachment tissue culture plates. S2 fractions are used for *ex vivo* culture. An aliquot of the S2 fraction is pelleted and resuspended in type I rat tail collagen (Corning) at a concentration of 2.5 mg/mL following the addition of 10 $\times$ PBS with phenol red with pH adjusted using NaOH. pH 7.0–7.5 is confirmed using PANPEHA Whatman paper (Sigma-Aldrich). The spheroid–collagen mixture is then injected into the center gel region of a 3-D microfluidic culture device as described in Jenkins et al., Cancer Discov. 2018 Feb;8(2):196-215; Ex Vivo Profiling of PD-1 Blockade Using Organotypic Tumor Spheroids, the contents of which is herein incorporated by reference in its entirety. Collagen hydrogels containing patient-derived organotypic tumor spheroids (PDOTS) are hydrated with media with or without anti-Gal-9 monoclonal antibodies after 30 minutes at 37°C.

In some cases, to test synergy with checkpoint inhibitors or other immunotherapy agents, PDOTS are treated with anti–PD-1 (pembrolizumab, 250 μ g/mL), anti-CTLA4 (ipilimumab, 50 μ g/mL), or combination (250 μ g/mL pembrolizumab + 50 μ g/mL ipilimumab). For indicated PDOTS studies, anti-human PD-L1 (atezolizumab at 600 μ g/mL + human IFN γ). Immune profiling is performed by flow cytometry as described in Jenkins et al.

Example 5: Generation and Analysis of Variants of Clone G9.1-8

Mutants of clone G9.1-8 were designed by replacing CDR residues with Ser or by truncation of the CDR regions. The mutant genes were constructed using standard site-directed mutagenesis methods and produced as described in Example 1. A total of 14 mutants were designated as G9.1-8m1- G9.1-8m14 (see Table 4-9). G9.1-8m1 and G9.1-8m2 have mutations to CDR-H2. G9.1-8m3, G9.1-8m4 and G9.1-8m5 mutations to CDR-H3. G9.1-8m6, G9.1-8m7, G9.1-8m8, G9.1-8m9, G9.1-8m10, and G9.1-8m11 have truncations to CDR-H3. G9.1-8m12, G9.1-8m13, and G9.1-8m14 have mutations in CDR-H2 and CDR-H3. G9.1-8m12 comprises a combination of G9.1-8m2 and G9.1-8m8 mutations; G9.1-8m13 comprises a combination of

G9.1-8m2 and G9.1-8m9 mutations; G9.1-m14 comprises a combination of G9.1-8m2 and G9.1-8m11 mutations.

Table 4. Light and Heavy Chain Sequences for G9.1-8 mutants

Clone Name	Light chain SEQ ID	Heavy Chain SEQ ID
G9.1-8m1	21	74
G9.1-8m2	21	75
G9.1-8m3	21	76
G9.1-8m4	21	77
G9.1-8m5	21	78
G9.1-8m6	21	79
G9.1-8m7	21	80
G9.1-8m8	21	81
G9.1-8m9	21	82
G9.1-8m10	21	83
G9.1-8m11	21	84
G9.1-8m12	21	85
G9.1-8m13	21	86
G9.1-8m14	21	87

Figs. 18-22 depict graphs showing binding data for these clones as measured using the bead binding assay as described in Example 2. Table 5-Table XXX list the KD for various clones. As described above, antibodies mouse IgG1 and mouse IgG2a formats were produced by cloning the genes for the V_H and V_L regions into mammalian expression vectors for IgG production (Invivogen).

Table 5. Binding of purified G9.1-8 mutant mIgG1 clones as characterized using a bead-based binding assay

Clone Designation	KD (nM)
G9.1-8 WT mIgG1	2.4±1.1
G9.1-8m2 mIgG1	6.51±0.65
G9.1-8m4 mIgG1	12.0±4.2
G9.1-8m1 mIgG1	no detectable binding
G9.1-8m3 mIgG1	no detectable binding

G9.1-8m5 mIgG1	no detectable binding

Table 6. Binding of purified G9.1-8 mutant Fab as characterized using a bead-based binding assay

Clone Designation	KD (nM)
G9.1-8 WT Fab	0.45±0.03
G9.1-8m6 Fab	0.52±0.05
G9.1-8m7 Fab	0.93±0.05
G9.1-8m8 Fab	0.56±0.04
G9.1-8m9 Fab	1.57±0.16
G9.1-8m10 Fab	58.4±3.4
G9.1-8m11 Fab	52.7±8.8

5 **Table 7. Binding of purified G9.1-8 mutant mIgG2a as characterized using a bead-based binding assay**

Clone Designation	KD (nM)
G9.1-8m8 mIgG2a	0.51±0.05
G9.1-8m9 mIgG2a	0.71±0.04
G9.1-8m11 mIgG2a	1.46±0.05

Table 8. Binding of purified G9.1-8 mutant Fab as characterized using a bead-based binding assay

Clone Designation	KD(nM)
G9.1-8 WT Fab	2.13±0.13
G9.1-8m12 Fab	2.48±0.21
G9.1-8m13 Fab	20.7±0.8
G9.1-8m14 Fab	58.5±7.7

10

Table 9. Binding of purified G9.1-8 mutant mIgG2a as characterized using a bead-based binding assay

Clone Designation	KD(nM)
G9.1-8 WT mIgG1	0.63±0.07
G9.1-8m12 mIgG2a	0.32±0.04

G9.1-8m13 mIgG2a	0.30±0.04
G9.1-8m14 mIgG2a	2.01±0.11

These results show that certain residues within CDR-H2 and CDR-H3 of the G9.1-8 clone can be replaced or truncated with minimal effects on antigen binding. Conversion of G9.1-8 mutant clones from the Fab into the IgG2A format can reduce the dissociation rate, as expected from the bivalent nature of IgG (see, e.g., **Fig. 21** and **Fig. 22**, for example, G9.1-8m13 and G9.1-8m14). Of note, with the original G9.1-8 clone and G9.1-8m8 reactivity with CRD2 was observed (**Fig. 25** and data not shown). G9.1-8m12, G9.1-8m13, and G9.1-8m14 do not bind to CRD2 in a bead based assay.

Example 6: Cellular Preparation and Flow Cytometry for Analysis of Mouse and Human Tissues

Fresh PDA tumors were placed in cold FACS buffer (PBS with 2 % FBS) with Collagenase IV (1 mg/mL; Worthington Biochemical, Lakewood, NJ), Trypsin inhibitor (1 mg/mL; EMD Millipore, Billerica, MA) and DNase I (2 U/mL; Promega, Madison, WI), and minced with scissors to sub-millimeter pieces. Tissues were then incubated at 37 °C for 20 min with gentle shaking every 5 min. Specimens were passed through a 70 µm mesh and centrifuged at 350 g for 5 min. Cell pellets were re-suspended in the FACS buffer and 1x10⁶ cells were first stained with zombie yellow (BioLegend) to exclude dead cells. After viability staining, cells were incubated with an anti-CD16/CD32 mAb (eBiosciences, San Diego, CA) for blocking FcγRIII/II followed by antibody staining with 1 µg of fluorescently conjugated extracellular mAbs. Intracellular staining for cytokines and transcription factors was performed using the Fixation/ Permeabilization Solution Kit (eBiosciences). For mouse specimens, we used mouse CD44 (IM7), PD-1 (29F.1A12), CD3 (17A2), CD4 (RM4-5), CD8 (53-6.7), CD45 (30-F11), CD11b (M1/70), Gr1 (RB6-8C5), MHC II (M5/114.15.2), IL-10 (JES5-16E3), IFNγ (XMG1.2), TNFα (MP6-XT22), ICOS (15F9), CD69 (H1.2F3), IL-17A (TC11-18H10.1), TGFα (TW7-16B4), LFA-1 (H155-78), T-bet (eBio4B10), RORγt (AFKJS-9), and FoxP3 (FJK-16s; all eBiosciences). The antibodies were from BioLegend unless otherwise noted. Human flow cytometry antibodies included CD45 (HI30), CD3 (UCHT1), CD4 (A161A1), CD8 (HIT8a), CD44 (BJ18), TNFα (MAb11), IFNγ (4S.B3; all Biolegend). Flow cytometry was carried out on the LSR-II flow cytometer (BD Biosciences). Data were analyzed using FlowJo v.10.1 (Treestar, Ashland, OR).

Example 7: Evaluation of Gal-9 Antibodies alone or in combination with Checkpoint Inhibition in a Mouse Model of Pancreatic Cancer and Tumor Mass and Immune Profile of Mice Treated with G9.2-17 mIgG1

The effect of G9.2-17 mIgG1 on tumor weight and on immune profile was assessed in a mouse model of pancreatic cancer. 8-week old C57BL/6 male (Jackson Laboratory, Bar Harbor, ME) mice were administered intra-pancreatic injections of FC1242 PDA cells derived from Pdx1Cre; KrasG12D; Trp53R172H (KPC) mice (Zambirinis CP, et al., TLR9 ligation in pancreatic stellate cells promotes tumorigenesis. J Exp Med. 2015;212:2077-94). Tumor cells were suspended in PBS with 50% Matrigel (BD Biosciences, Franklin Lakes, NJ) and 1x10⁵ tumor cells were injected into the body of the pancreas via laparotomy. Mice (n=10/group) received one pre-treatment dose i.p. followed by 3 doses (q.w.) of commercial α Galectin 9 mAb (RG9-1, 200ug, BioXcell, Lebanon, NH) or G9.2-17 mIgG1 (200 μ g), or paired isotype, either G9.2-Iso or rat IgG2a (LTF-2, BioXcell, Lebanon, NH) (200 μ g) (one dose per week for three weeks). Mice were sacrificed 3 weeks later and tumors were harvested for analyses by flow cytometry. Tissue was processed and prepared and flow cytometric analysis was performed as described in Example 5.

Tumor Mass and Immune Profile of Mice Treated with G9.2-17 mIgG2a alone or in combination with α PD1 mAb

The effect of G9.2-17 mIgG2a on tumor weight and on immune profile was assessed in a mouse model of pancreatic cancer, alone or in combination with immunotherapy. 8-week old C57BL/6 male mice (Jackson Laboratory, Bar Harbor, ME) were administered intra-pancreatic injections of FC1242 PDA cells derived from Pdx1Cre; KrasG12D; Trp53R172H (KPC) mice. Tumor cells were suspended in PBS with 50% Matrigel (BD Biosciences, Franklin Lakes, NJ) and 1x10⁵ tumor cells were injected into the body of the pancreas via laparotomy. Mice received one pre-treatment dose i.p. followed by 3 doses (q.w.) of G9.2-17 mIgG2a (200 μ g) or a neutralizing α PD-1 mAb (29F.1A12, 200 μ g, BioXcell, Lebanon, NH), separately or in combination, or paired isotype (LTF-2 and C1.18.4, BioXcell, Lebanon, NH) as indicated. Mice were sacrificed on day 26 and tumors were harvested for analyses. Tissue was processed and prepared and flow cytometric analysis was performed as described in Example 5. Results are shown in Figs. 17A-17C. Each point represents one mouse; *p<0.05; **p<0.01; ***p<0.001; ****p<0.0001; by unpaired Student's t-test. These results show single-agent treatment with G9.2-17 mIgG2a reduces tumor growth at both of the dose levels, whereas anti-PD-1 alone had no effect on tumor size.

Example 8: Spheroid Preparation and Analysis of Effect of Anti-Gal9 Antibody In Tumor Spheroids Derived from Patient Samples

Patient-derived organotypic tumor spheroids (PDOTS) were prepared from fresh patient tumor specimens (pancreatic adenocarcinoma, gall bladder cancer, and liver metastasis from a colorectal cancer). Briefly, specimens were received in media on ice and minced in 10cm dishes and resuspended in DMEM +10% FBS + 100 U/mL collagenase type IV. Partially digested samples were pelleted, re-suspended, and strained over both 100 μ m and 40 μ m filters to generate S1 (>100 μ m), S2 (40-100 μ m), and S3 (<40 μ m) spheroid fractions, which were subsequently maintained in low-attachment tissue culture plates. An aliquot of the S2 fraction was pelleted and resuspended in type I rat tail collagen at a concentration of 2.5 mg/mL following addition of 10x PBS with phenol red with pH adjusted using NaOH. The spheroid-collagen mixture was injected into the center gel region of the DAX-1 3D microfluidic cell culture chip. After 30 minutes at 37°C, collagen hydrogels containing PDOTS were hydrated with media and treated with Gal9 antibody (G9.2-17). Three days later, PDOTS were harvested and were flowed for immune changes. Preliminary results on single patient samples are shown in Figs. 26-29. If more than 100 cells were obtained, then cells were sorted for CD3+, CD4+ and CD8+, otherwise cells were only sorted for CD3+.

Example 9: Characterization of Effector function, Cross-reactivity and Immunogenicity of Gal-9 Antibodies

Antibody-dependent cell-mediated cytotoxicity (ADCC) Assay

In antibody-dependent cell-mediated cytotoxicity (ADCC), effector cells lyse target cells on which antibodies have bound to specific antigens on the target cell membrane. The ADCC which is developed is designed to characterize the Fc effector function of antibodies and measure ADCC activity. Although the initial assay developed relied on both target and effector cells, the assay is further improved by directly coating the antigen of interest onto plates, bypassing the need for target cells. A recombinant Jurkat T-cell line expressing firefly luciferase gene under the control of NFAT response elements with constitutive expression of human Fc γ RIIIa is used as an effector cell line. Antigen coated onto sterile ELISA plates is used as a target and the test antibody is incubated with the antigen to allow binding through the Fab fragment. Effector cells displaying the correct type of Fc γ R are then incubated with the antigen/antibody complex on the plate. When the Fc portion of the antibody binds to the Fc γ RIIIa on the surface of effector cells, receptor cross-linking leads to activation of the NFAT

pathway, resulting in luciferase expression. Gene expression is allowed to proceed for 5-6 hours and luciferase activity is measured using a luminometer. A dose-response curve is generated for each antibody.

5 *Antibody-dependent cell-mediated phagocytosis (ADCP) Assay*

Antibody-dependent cell-mediated phagocytosis (ADCP) is an important mechanism of action for antibodies that mediate part or all of their action through phagocytosis. In that case, antibodies mediate uptake of specific antigens by antigen presenting cells. ADCP can be mediated by monocytes, macrophages, neutrophils, and dendritic cells, through FcγRIIa, FcγRI, 10 and FcγRIIIa, of which FcγRIIa (CD32a) on macrophages represent the predominant pathway. In the ADCP assay being employed, THP-1 cells (human monocytic cell line derived from an acute monocytic leukemia patient) are used to measure ADCP. Fluorescently labeled beads are conjugated with the target antigen, then incubated with the test antibody. THP-1 cells are then added to the plate to allow their binding to the Fc fraction of antibodies bound to antigen-coated 15 fluorescent beads. Antibody binding to the beads and engagement of the Fc-receptor results in an uptake of the beads by the THP-1 cells through a phagocytic mechanism. Phagocytosis events are analyzed using flow cytometry. Total amount of fluorescence in each cell (representing the number of beads phagocytosed) and the percentage of fluorescence-positive cells (representing the frequency of phagocytosis) are measured. A dose-dependent curve is generated to assess the 20 ADCP activity mediated by each test antibody.

Cross Reactivity Assay

Off-target toxicity can present a significant problem during drug development of a therapeutic monoclonal antibody. As such, specificity is a critical factor to assess as part the 25 characterization of any new monoclonal candidate and an important indicator of its predicted safety. In order to assess antibody specificity and cross-reactivity, test antibodies and test samples are tested for binding against a human proteomic array consisting of an extensive collection of human proteins – both native and denatured – and at two working concentrations. Antibody specificity is evaluated using CDI's HuProt Human Proteome Microarray (~75% of 30 the human proteome). The microarray is incubated with the primary antibody, rinsed, incubated with a fluorescently-labelled secondary antibody and subsequently analyzed for the amount of fluorescence detected for each target protein. Results are compiled as microarray images.

Detection of anti-drug antibodies (ADA)

Detection of anti-drug antibodies is performed on mouse sera from animals treated with the anti-Gal9 mAbs *in vivo*. The ADA assay is run on the Mesoscale Discovery (MSD) platform due to its increased sensitivity and dynamic range over standard ELISA methods. Biotin-conjugated Gal9 and sulfo-tagged anti-Gal9 antibodies (drug) will be incubated with test sera to form a bridge complex. ADA bridging complexes will be bound to streptavidin plates and the presence of ADA in the test serum samples will be detected by electrochemiluminescence detection.

Example 10: Evaluation of CRD2 clone 17 IgG1 and IgG4 human Galectin 9 monoclonal antibodies in a model of Acute Myeloid Leukemia (AML) in Humanized Mice.

A study is conducted to evaluate CRD2 clone 17 IgG1 and IgG4 human Galectin 9 monoclonal antibodies in a model of Acute Myeloid Leukemia in humanized mice (CTG-2243, Champions). The study protocol is depicted in Table 10.

Table 10. AML Efficacy Study Design:

Group	-n-	Agent	Dose (ug/dose)	ROA/ Schedule
1	10	Vehicle Control	-	p.o./qwx4
2	10	Control IgG1/4	100	p.o./qwx4
3	10	Control IgG1/4	200	p.o./qwx4
4	10	Control IgG 1/4	400	p.o./qwx4
5	10	Anti-Gal9 1/4	100	p.o./qwx4
6	10	Anti-Gal9 1/4	200	p.o./qwx4
7	10	Anti- Gal9 1/4	400	p.o./qwx4
8	10	Cytarabine	50	QDx5
9	10	Cytarabine vehicle	-	QDx5

Study Animal Preparation

Animals are sublethally irradiated and reconstituted with 1-5 million primary AML cells via tail vein injection. In-life blood collection is performed once monthly and flow cytometry is conducted using the following flow panel: huCD45/muCD45/huCD3/huCD33 for determination of engraftment. Once human CD33+ levels reach 20-1000 counts/ul, 6 surrogate animals are euthanized for comprehensive immunophenotyping and spleen, bone marrow and peripheral blood is analyzed by the flow panel above. Animals are randomized into treatment groups based on peripheral blood counts. Disseminated Tumor growth/burden analysis is conducted up to 42

days dosing and observation. Terminal half whole blood is processed and analyzed for immune parameters and serum is used for Gal9 ELISA.

Terminal blood and bone marrow is collected for flow cytometry. 8-color cell surface flow cytometry is performed from terminal bone marrow and peripheral blood from all animals:

5 The flow panels are:

LD/huCD45/huCD3/huCD33/huGalectin9/huTim9/huPD1/huCD34/huCD38/huCD117.

Fresh fecal samples are collected from all animals (1 pellet/mouse) in a polypropylene tube at baseline (prior to treatment initiation), at the end of Week1 of treatment, and at study endpoint. The collected samples will be snap frozen and stored at -80°C. If possible, a
10 terminal blood sample and tissues described is collected to assess drug toxicity.

Data Analysis

To assess animal toxicity, beginning on Day 0, animals are observed daily and weighed 3x weekly using a digital scale; data including individual and mean gram weights (Mean We $\pm$ SEM), mean percent weight change versus Day 0 (%vD₀) are recorded for each group and %vD₀
15 is plotted at study completion. Any animal deaths are recorded daily and designated as drug-related (D), technical (T), tumor-related (B), or unknown (U) based on weight loss and gross observation; single agent or combination groups reporting a mean %vD₀ >20% and/or >10% mortality are considered above the maximum tolerated dose (MTD) for that treatment on the
20 evaluated regimen. Maximum mean %vD₀ (weight nadir) for each treatment group is reported at study completion. To assess efficacy of the Gal-9 antibody, tumor growth inhibition is measured. Beginning on Day 0, tumor dimensions are measured 3x weekly by digital caliper and data, including individual and mean estimated tumor volumes (Mean TV $\pm$ SEM), are recorded for each group; tumor volume (TV) is calculated using the formula $TV = width^2 \times length \times 0.52$.
25 At study completion, percent tumor growth inhibition (%TGI) values are calculated and reported for each treatment group (T) versus control (C) using initial (i) and final (f) tumor measurements by the formula $\%TGI = 1 - (T_f - T_i) / (C_f - C_i)$. Individual mice reporting a tumor volume $\leq 30\%$ of the Day 0 measurement for two consecutive measurements are considered partial responders (PR). Individual mice lacking palpable tumors (0.00 mm³ for two consecutive measurements)
30 are classified as complete responders (CR); a CR that persists until study completion is considered a tumor-free survivor (TFS). Tumor doubling time (DT) is determined for the vehicle treated groups using the formula $DT = (D_f - D_i) * \log^2 / (\log TV_f - \log TV_i)$ where D = Day and TV = Tumor Volume. All data collected in this study is managed electronically and stored on a redundant server system.

Example 11: Evaluation of Gal-9 Antibody in a B16F10 Melanoma Syngeneic Tumor Model in Immunocompetent Mice

Gal-9 antibody G9.2-17 was evaluated in the B16F10 syngeneic mouse model of melanoma immunocompetent mice. Pre-study animals (female C57BL/6, 6-8 weeks of age (Charles River Labs)) were unilaterally implanted subcutaneously on the left flank with 5e5 B16.F10 in 100 μ l PBS. Pre-study tumor volumes were recorded for each experiment beginning 2-3 days after implantation. When tumors reached an average tumor volume of 50-100mm³ (preferably 50-75 mm³) animals were matched by tumor volume into treatment or control groups (n=8) to be used for dosing and dosing was initiated on Day 0. Animals were dosed on day 0 and day 4 i.v. The study design for testing of Anti-Gal9 G9.2-17 IgG1 and Anti-Gal9 G9.2-17 IgG2 is summarized in Table 11 and Table 12.

Table 11. Anti-Gal9 IgG1

<u>Group</u>	<u>-n-</u>	<u>Test Agent</u>	<u>Dose</u> <u>(ug/mouse)</u>	<u>Dose</u> <u>Volume</u>	<u>Route of</u> <u>Adminis</u> <u>tration</u> <u>(ROA)</u>
1	8	Control Untreated	-	-	-
2	8	Control mIgG1	200 ug	200 ul	IV
7	8	Anti-Gal9 mIgG1 (G9.2-17)	200 ug	200 ul	IV

15

Table 12. Anti-Gal9 IgG2

<u>Group</u>	<u>-n-</u>	<u>Test Agent</u>	<u>Dose</u> <u>(ug/mouse)</u>	<u>Dose</u> <u>Volume</u>	<u>Route of</u> <u>Adminis</u> <u>tration</u> <u>(ROA)</u>	<u>Schedule</u>	<u>Total</u> <u>Number</u> <u>of Doses</u>
1	10	Control Untreated	-	-	-	-	-
2	10	Control mIgG2	200 ug	200 ul	IV	Q4Dx6	6
3	10	Control mIgG2	200 ug	200 ul	IP	BIWx4	8

4	10	Anti-Gal9 mIgG2 (G9.2-17)	200 ug	200 ul	IV	Q4Dx6	6

Tumor volumes were taken and animals were weighed three times weekly. The study endpoint was set when the mean tumor volume of the control group (uncensored) reached 1500mm³. A final tumor volume was taken on the day the study reached endpoint. A final weight was taken on the day the study reached end point (day 10). Tumor volume is shown in *Fig. 30* and *Fig. 31*.

5

Example 12: Jurkat Apoptosis Assay

The ability of Galectin-9 G9.2-17 and G9.1-8m9 antibodies to prevent Galectin-9-induced apoptosis of Jurkat cells was assessed. Jurkat cells (TIB-152, ATCC, Manassas, VA) were grown in modified RPMI (2mM L-glutamine, 10mM HEPES, 1mM sodium pyruvate, 4.5 g/L glucose, 1.5 g/L sodium bicarbonate) with 10% FBS, 100mU/mL penicillin and 100 µg/mL streptomycin at 37 °C with 5% CO₂. Cells (2x10⁵ cells/well) were incubated in the wells of a 96-well culture plate with or without the addition of 280 nM Galectin-9 (2045-GA, RnD Systems, Minneapolis, MN), 1 µM G9.2-17 IgG, and/or 1 µM G9.1-8m9 IgG. Cells were incubated at 37 °C, 5% CO₂ for 5 hours and then resuspended in annexinV-binding buffer. Cells were then stained with AnnexinV-AlexaFluor488 (Invitrogen, Carlsbad, CA) at 4 °C for 30 minutes in the dark. Prior to flow cytometry, propidium iodide (PI) was added (1 µg/mL). Cells were run on Guava easyCyte flow cytometer (MilliporeSigma, Burlington, MA) and analyzed using FlowJo (Treestar, Ashland, OR). Cell population was gated via forward and side scatter, then analyzed on AnnexinV for all apoptotic cells and PI for late apoptotic cell populations. Results are shown in *Fig. 23*.

20

Example 13. Anti-Galectin-9 antibodies disrupt the interaction between Galectin-9 and CD206

Microolon high binding 96 well plates (Greiner Bio-One, Kremsmünster, Austria) were coated with hGalectin-9 (RnD Systems, Minneapolis, MN) (50µL, 4µg/mL in TBS) at room temperature for 1 hour. Plates were then blocked with TBS+0.5% BSA (150µL) at room temperature for 1 hour. Wells were washed three times with TBS+0.1% BSA. G9.1-8m13, and/or G9.2-17 antibodies were added to each well (50µL, 100nM in TBS+0.1% BSA) and incubated at room temperature for 30 minutes. CD206-His (RnD Systems, Minneapolis, MN) was then spiked in to a final concentration of 13nM and incubated for an additional 30 minutes at room temperature. Wells were then washed 3 times with TBS+0.05% Tween20. aHis-HRP (ab1187, Abcam, Cambridge, MA) was added to each well (50µL, 1:2500 in TBS+0.05% Tween20, 0.1%

30

BSA) and incubated an additional 30 minutes at room temperature. Wells were washed three times with TBS+0.05% Tween20 and once with TBS. 1Step TMB-Ultra ELISA substrate (ThermoFisher, Waltham, MA) (50 μ L) was added to each well.

The reaction was neutralized with 2M H₂SO₄ (50 μ L) and absorbance signal at 450nm was read using an Epoch2 spectrophotometer (BioTek, Winooski, VT). Experiments were performed in triplicate; *p<0.05; **p<0.01; ***p<0.001; ****p<0.0001; by unpaired Student's t-test). Results are shown in **Fig. 24A** and **Fig. 24B** and indicate that both G9.1-8m13 and G9.2-17 antibodies inhibit the interaction between Galectin-9 and CD206 and their effects are additive.

Example 14. Evaluation of cytotoxic activity

To evaluate complement-induced cytotoxic activity of 9.1-8mut13 and 9.2-17, complement-dependent cytotoxicity (CDC) assays are performed and compared with 2 mouse monoclonal antibodies (mouse monoclonal forms of g9.2-17 and g9.1-8m9). Antibodies are incubated with the appropriate target cells expressing either gal-9, and species-specific serum is added as a source of complement proteins to bind to the cell-bound monoclonal antibodies and initiate complement-dependent cytolysis of the target cell. Cell death of target cells is determined by the differential staining obtained in cells with permeable vs. non-permeable membranes (*i.e.*, lysed vs. unlysed cells) after incubation with a fluorescent cell viability dye and assessed by flow cytometry.

Example 15: Evaluation of Gal-9 Antibody in Two Syngeneic Models of Colorectal and Melanoma Cancer in Immunocompetent Mice

Gal-9 antibodies G9.2-17 and G9.1-8m13 are evaluated in syngeneic models of colorectal and melanoma cancer in immunocompetent mice. Test articles are formulated and prepared on a weekly basis for the duration of the study according to Table 13.

Table 13. Test articles

<u>Agent</u>	<u>Master Stock Storage</u>	<u>Master Stock Stability</u>	<u>State</u>	<u>Working Stock Storage</u>	<u>Working Stock Stability</u>
Control mIgG1	4°C, Dark	For the duration of study	Liquid	4°C, Dark	For the duration of study

Control mIgG2	4°C, Dark	For the duration of study	Liquid	4°C, Dark	For the duration of study
Gal9-IgG1 (G9.2-17)	-80°C	For the duration of study	Liquid	-20°C	For the duration of study
Gal9-IgG2 (G9.2-17)	-80°C	For the duration of study	Liquid	-20°C	For the duration of study
Gal9-IgG1 (G9.1-8m13)	-80°C	For the duration of study	Liquid	-20°C	For the duration of study
mGal9-IgG2 (G9.1-8m13)	-80°C	For the duration of study	Liquid	-20°C	For the duration of study
anti-mPD-1	4°C, Dark	For the duration of study	Liquid	4°C, Dark	For the duration of study

Vehicle Control: mGal9-IgG1, and mGal9-IgG2; Control mIgG1, Control mIgG2, and anti-mPD-1: Sterile PBS

Experimental Design

Pre-study animals (female C57BL/6, 6-8 weeks of age (Charles River Labs) are acclimatized for 3 days and then are unilaterally implanted subcutaneously on the left flank with 5e5 B16.F10 (melanoma cell line) or MC38 cells (colorectal cancer cell line) resuspended in 100 µl PBS. Pre-study tumor volumes are recorded for each experiment beginning 2-3 days after implantation. When tumors reach an average tumor volume of 50-100mm³ (preferably 50-75 mm³) animals are matched by tumor volume into treatment or control groups to be used for dosing and dosing initiated on Day 0. The study design for testing of Anti-Gal9 IgG1 and Anti-Gal9 IgG2 is summarized in Table 14 and Table 15.

Table 14. Anti-Gal9 IgG1 (B16F10 and MC38)

<u>Group</u>	<u>-n-</u>	<u>Test Agent</u>	<u>Dose</u> <u>(ug/mouse)</u>	<u>Dose</u> <u>Volume</u>	<u>Route of</u> <u>Adminis</u> <u>tration</u> <u>(ROA)</u>	<u>Schedule</u>	<u>Total</u> <u>Number</u> <u>of Doses</u>

1	8	Control Untreated	-	-	-	-	-
2	8	Control mIgG1	200 ug	200 ul	IV	Q4Dx6	6
3	8	Control mIgG1	400 ug	200 ul	IV	Q4Dx6	6
4	8	Control mIgG2	200 ug	200 ul	IP	BIWx4	8
5	8	Anti-Gal9 mIgG1	200 ug	200 ul	IV	Q4Dx6	6
6	8	Anti-Gal9 mIgG1	400 ug	200 ul	IV	Q4Dx6	6
7	8	Anti-Gal9 mIgG1 (G9.1-8m13)	200 ug	200 ul	IV	Q4Dx6	6
8	8	Anti-Gal9 mIgG1 (G9.1-8m13)	400 ug	200 ul	IV	Q4Dx6	6
9	8	Anti-Gal9 mIgG1 + mAnti-PD1	200 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
10	8	Anti-Gal9 mIgG1 + mAnti-PD1	400 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
11	8	Anti-Gal9 mIgG1 (G9.1-8m13) + mAnti-PD1	200 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
12	8	Anti-Gal9 mIgG1 (G9.1-8m13) + mAnti-PD1	400 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
13	8	mAnti-PD1	200 ug	200 ul	IP	BIWx4	8

Table 15. Anti-Gal9 IgG2 (B16F10 and MC38)

<u>Group</u>	<u>-n-</u>	<u>Test Agent</u>	<u>Dose (ug/mouse)</u>	<u>Dose Volume</u>	<u>Route of Administ ration (ROA)</u>	<u>Schedule</u>	<u>Total Number of Doses</u>
1	10	Control Untreated	-	-	-	-	-
2	10	Control mIgG2	200 ug	200 ul	IV	Q4Dx6	6
3	10	Control mIgG2	400 ug	200 ul	IV	Q4Dx6	6
4	10	Control mIgG2	200 ug	200 ul	IP	BIWx4	8
5	10	Anti-Gal9 mIgG2	200 ug	200 ul	IV	Q4Dx6	6
6	10	Anti-Gal9 mIgG2	400 ug	200 ul	IV	Q4Dx6	6
5	10	Anti-Gal9 mIgG2 (G9.1-8m13)	200 ug	200 ul	IV	Q4Dx6	6
6	10	Anti-Gal9 mIgG2 (G9.1-8m13)	400 ug	200 ul	IV	Q4Dx6	6
7	10	Anti-Gal9 mIgG2 + mAnti-PD1	200 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8

8	10	Anti-Gal9 mIgG2 + mAnti-PD1	400 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
7	10	Anti-Gal9 mIgG2 (G9.1-8m13) + mAnti-PD1	200 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
8	10	Anti-Gal9 mIgG2 (G9.1-8m13) + mAnti-PD1	400 ug 200 ug	200 ul 200 ul	IV IP	Q4Dx6 BIWx4	6 8
9	10	mAnti-PD1	200 ug	200 ul	IP	BIWx4	8

Tumor volumes are taken three times weekly. A final tumor volume is taken on the day the study reaches endpoint. A final tumor volume is taken if an animal is found moribund. Animals are weighed three times weekly. A final weight is taken on the day the study reaches end point or if animal is found moribund. Animals exhibiting $\geq 10\%$ weight loss when compared to Day 0 are provided DietGel® ad libitum. Any animal exhibiting $>20\%$ net weight loss for a period lasting 7 days or if mice display $>30\%$ net weight loss when compared to Day 0 is considered moribund and is euthanized. The study endpoint is set when the mean tumor volume of the control group (uncensored) reaches 1500mm³. If this occurs before Day 28, treatment groups and individual mice are dosed and measured up to Day 28. If the mean tumor volume of the control group (uncensored) does not reach 1500mm³ by Day 28, then the endpoint for all animals is the day when the mean tumor volume of the control group (uncensored) reaches 1500mm³ up to a maximum of Day 60. Blood is collected from all animals from each group. For blood collection, as much blood as possible is collected via a cardiac puncture into K₂EDTA tubes (400 ul) and serum separator tubes (remaining) under deep anesthesia induced by isoflurane inhalation. The blood collected into K₂EDTA tubes is placed on wet ice until used for performing immune panel flow as shown in Table 16.

Table 16. Flow Cytometry Panel 1

Antibody Description	Conjugate	Clone	Supplier
mCD3	FITC	17A2	BioLegend
mCD4	APC-Fire 750	RM4-4	BioLegend
mGamma Delta	BV605	GL3	BioLegend
mCD8	APC-R700	53-6.7	BioLegend

mCD44	BV786	IM7	BioLegend
mCD11b	APC	M1/70	BioLegend
mCD45	BV510	30-F11	BioLegend
Live Dead	7AAD	-	BioLegend
mCD62L	PE-Cy7	MEL-14	BioLegend
mPD-1	BV711	29F.1A12	BioLegend
mCTLA4	PE	UC10-4B9	BioLegend
mCD27	BV421	LG.3A10	BioLegend

Blood collected into serum separator tubes is allowed to clot at room temperature for at least 15 minutes. Samples are centrifuged at 3500 for 10 minutes at room temperature. The resultant serum is separated, transferred to uniquely labeled clear polypropylene tubes, and frozen immediately over dry ice or in a freezer set to maintain -80°C until shipment for the bridging ADA assay (shipped within one week).

Tumors from all animals are collected as follows. Tumors less than 400 mm³ in size are snap frozen, placed on dry ice, and stored at -80C until used for RT-qPCR analysis. For tumors of 400-500 mm³ in size, whole tumors are collected into MACS media for use in the Flow Panel (shown in **Table 16A** below). For tumors greater than 500 mm³ in size, a small piece (about 50 mm³) is snap frozen placed on dry ice, and stored at -80C for RT-qPCR, and the remaining tumor is collected in MACS media for flow cytometry (as shown in **Table 16A**). For flow cytometry, tumors are placed in MACS media and stored on wet ice until processed. A summary of the flow cytometry analysis performed is shown in **Table 16A**.

Table 16A. Flow cytometry Panel 2

Antibody Description	Conjugate	Clone	Supplier
mCD3	FITC	17A2	BioLegend
mCD4	APC-Fire 750	RM4-4	BioLegend
mGamma Delta	BV605	GL3	BioLegend
mCD8	APC-R700	53-6.7	BioLegend
mCD69	BV421	H1.2F3	BioLegend

mCD11b	APC	M1/70	BioLegend
mCD45	BV510	30-F11	BioLegend
Live Dead	7AAD	-	BioLegend
mCD62L	PE-Cy7	MEL-14	BioLegend
mPD-1	BV711	29F.1A12	BioLegend
mCTLA4	PE	UC10-4B9	BioLegend
mNk1.1	BV786	PK136	BioLegend

Spleen, liver, colon, lungs, heart, and kidneys from all animals are retained in 10% neutral buffered formalin (NBF) for 18-24 hours, transferred to 70% ethanol and stored at room temperature. Formalin fixed samples are paraffin embedded.

5 **Example 16: Evaluation of Gal-9 Antibody in a Models of Cholangiocarcinoma**

The efficacy of Gal-9 antibody is assessed in a mouse model of cholangiocarcinoma as described in S. Rizvi, et al. (YAP-associated chromosomal instability and cholangiocarcinoma in mice, *Oncotarget*, 9 (2018) 5892-5905), the contents of which is herein incorporated by reference in its entirety. In this transduction model, in which oncogenes (AKT/YAP) are
 10 instilled directly into the biliary tree, tumors arise from the biliary tract in immunocompetent hosts with species-matched tumor microenvironment. Dosing is described in Table 17.

Table 17. Dosing

<u>Group</u>	<u>-n-</u>	<u>Test Agent</u>	<u>Dose (ug/mouse)</u>	<u>Dose Volume</u>	<u>Route of Administ ration (ROA)</u>	<u>Schedule</u>	<u>Total Number of Doses</u>
1	10	Control Untreated	-	-	-	-	-
2	10	Control mIgG2	200 ug	200 ul	IV	Q4Dx6	6
3	10	Control mIgG2	400 ug	200 ul	IV	Q4Dx6	6
4	10	Control mIgG2	200 ug	200 ul	IP	BIWx4	8
5	10	Anti-Gal9 mIgG2 (G9.2-17)	200 ug	200 ul	IV	Q4Dx6	6
6	10	Anti-Gal9 mIgG2 (G9.2-17)	400 ug	200 ul	IV	Q4Dx6	6
7	10	Anti-Gal9 mIgG2 (G9.1.8-m13)	200 ug	200 ul	IV	Q4Dx6	6

8	10	Anti-Gal9 mIgG2 (G9.1.8-m13)	400 ug	200 ul	IV	Q4Dx6	6

In brief, murine CCA cells (described in S. Rizvi, et al) are harvested and washed in DMEM. Male C57BL/6 mice from Jackson Labs are anesthetized using 1.5–3% isoflurane. Under deep anesthesia, the abdominal cavity is opened by a 1 cm incision below the xiphoid process. A sterile cotton tipped applicator is used to expose the superolateral aspect of the medial lobe of the liver. Using a 27-gauge needle, 40 μ L of standard media containing 1×10^6 cells is injected into the lateral aspect of the medial lobe. Cotton tipped applicator is held over the injection site to prevent cell leakage and blood loss. Subsequently, the abdominal wall and skin are closed in separate layers with absorbable chromic 3–0 gut suture material.

Two weeks post implantation, animals are matched by tumor volume into treatment or control groups to be used for dosing and dosing initiated on Day 0. Tumor volumes are measured and animals weighed three times weekly. A final tumor volume and weight is taken on the day the study reaches endpoint (4 weeks or when tumor burden of control becomes 1500mm³). Blood is collected from all animals from each group. Tumors from all animals are collected essentially as described in Example 15. Analysis is performed essentially as described in Example 15.

EQUIVALENTS

From the above description, one skilled in the art can easily ascertain the essential characteristics of the present invention, and without departing from the spirit and scope thereof, can make various changes and modifications of the invention to adapt it to various usages and conditions. Thus, other embodiments are also within the claims.

While several inventive embodiments have been described and illustrated herein, those of ordinary skill in the art will readily envision a variety of other means and/or structures for performing the function and/or obtaining the results and/or one or more of the advantages described herein, and each of such variations and/or modifications is deemed to be within the scope of the inventive embodiments described herein. More generally, those skilled in the art will readily appreciate that all parameters, dimensions, materials, and configurations described herein are meant to be exemplary and that the actual parameters, dimensions, materials, and/or configurations will depend upon the specific application or applications for which the inventive teachings is/are used. Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific inventive embodiments

described herein. It is, therefore, to be understood that the foregoing embodiments are presented by way of example only and that, within the scope of the appended claims and equivalents thereto, inventive embodiments may be practiced otherwise than as specifically described and claimed. Inventive embodiments of the present disclosure are directed to each individual
5 feature, system, article, material, kit, and/or method described herein. In addition, any combination of two or more such features, systems, articles, materials, kits, and/or methods, if such features, systems, articles, materials, kits, and/or methods are not mutually inconsistent, is included within the inventive scope of the present disclosure.

10 All definitions, as defined and used herein, should be understood to control over dictionary definitions, definitions in documents incorporated by reference, and/or ordinary meanings of the defined terms.

All references, patents and patent applications disclosed herein are incorporated by reference with respect to the subject matter for which each is cited, which in some cases may encompass the entirety of the document.

15 The indefinite articles “a” and “an,” as used herein in the specification and in the claims, unless clearly indicated to the contrary, should be understood to mean “at least one.”

The phrase “and/or,” as used herein in the specification and in the claims, should be understood to mean “either or both” of the elements so conjoined, *i.e.*, elements that are conjunctively present in some cases and disjunctively present in other cases. Multiple elements
20 listed with “and/or” should be construed in the same fashion, *i.e.*, “one or more” of the elements so conjoined. Other elements may optionally be present other than the elements specifically identified by the “and/or” clause, whether related or unrelated to those elements specifically identified. Thus, as a non-limiting example, a reference to “A and/or B”, when used in conjunction with open-ended language such as “comprising” can refer, in one embodiment, to A
25 only (optionally including elements other than B); in another embodiment, to B only (optionally including elements other than A); in yet another embodiment, to both A and B (optionally including other elements); etc.

As used herein in the specification and in the claims, “or” should be understood to have the same meaning as “and/or” as defined above. For example, when separating items in a list,
30 “or” or “and/or” shall be interpreted as being inclusive, *i.e.*, the inclusion of at least one, but also including more than one, of a number or list of elements, and, optionally, additional unlisted items. Only terms clearly indicated to the contrary, such as “only one of” or “exactly one of,” or, when used in the claims, “consisting of,” will refer to the inclusion of exactly one element of a number or list of elements. In general, the term “or” as used herein shall only be interpreted as

indicating exclusive alternatives (*i.e.*, “one or the other but not both”) when preceded by terms of exclusivity, such as “either,” “one of,” “only one of,” or “exactly one of.” “Consisting essentially of,” when used in the claims, shall have its ordinary meaning as used in the field of patent law.

As used herein in the specification and in the claims, the phrase “at least one,” in reference to a list of one or more elements, should be understood to mean at least one element selected from any one or more of the elements in the list of elements, but not necessarily including at least one of each and every element specifically listed within the list of elements and not excluding any combinations of elements in the list of elements. This definition also allows that elements may optionally be present other than the elements specifically identified within the list of elements to which the phrase “at least one” refers, whether related or unrelated to those elements specifically identified. Thus, as a non-limiting example, “at least one of A and B” (or, equivalently, “at least one of A or B,” or, equivalently “at least one of A and/or B”) can refer, in one embodiment, to at least one, optionally including more than one, A, with no B present (and optionally including elements other than B); in another embodiment, to at least one, optionally including more than one, B, with no A present (and optionally including elements other than A); in yet another embodiment, to at least one, optionally including more than one, A, and at least one, optionally including more than one, B (and optionally including other elements); etc.

It should also be understood that, unless clearly indicated to the contrary, in any methods claimed herein that include more than one step or act, the order of the steps or acts of the method is not necessarily limited to the order in which the steps or acts of the method are recited.

Definitions of specific embodiments of the invention as claimed herein follow.

According to a first embodiment of the invention, there is provided an isolated antibody, which binds human galectin-9 polypeptide, wherein the antibody comprises a heavy chain complementarity determining region 1 (CDR1) set forth as SEQ ID NO: 361, a heavy chain complementarity determining region 2 (CDR2) set forth as SEQ ID NO: 388, and a heavy chain complementarity determining region 3 (CDR3) set forth as SEQ ID NO: 406 and comprises a light chain complementarity determining region 1 (CDR1) set forth as SEQ ID NO: 328, a light chain complementarity determining region 2 (CDR2) set forth as SEQ ID NO: 329, and a light chain complementarity determining region 3 (CDR3) set forth as SEQ ID NO: 352.

According to a second embodiment of the invention, there is provided a pharmaceutical composition comprising the antibody of the first embodiment and a pharmaceutically acceptable carrier.

According to a third embodiment of the invention, there is provided a method for inhibiting the activity of galectin-9 in a subject, the method comprising administering to the subject in need thereof an effective amount of the isolated antibody of the first embodiment or the pharmaceutical composition of the second embodiment.

According to a fourth embodiment of the invention, there is provided a method for treating a solid tumor that expresses galectin-9 in a human subject, comprising administering to the human subject in need thereof an effective amount of the isolated antibody of the first embodiment or the pharmaceutical composition of the second embodiment.

According to a fifth embodiment of the invention, there is provided the use of the isolated antibody of the first embodiment in the manufacture of a medicament for the inhibition of galectin-9 activity in a subject.

According to a sixth embodiment of the invention, there is provided the use of the isolated antibody of the first embodiment in the manufacture of a medicament for treating a solid tumor that expresses galectin-9 in a human subject.

In the present specification and claims, the word 'comprising' and its derivatives including 'comprises' and 'comprise' include each of the stated integers but does not exclude the inclusion of one or more further integers.

The reference to any prior art in this specification is not, and should not be taken as an acknowledgement or any form of suggestion that the prior art forms part of the common general knowledge.

Claims

1. An isolated antibody, which binds human galectin-9, wherein the antibody comprises a heavy chain complementarity determining region 1 (CDR1) set forth as SEQ ID NO: 361, a heavy chain complementarity determining region 2 (CDR2) set forth as SEQ ID NO: 388, and a heavy chain complementarity determining region 3 (CDR3) set forth as SEQ ID NO: 406 and comprises a light chain complementarity determining region 1 (CDR1) set forth as SEQ ID NO: 328, a light chain complementarity determining region 2 (CDR2) set forth as SEQ ID NO: 329, and a light chain complementarity determining region 3 (CDR3) set forth as SEQ ID NO: 352.

2. The isolated antibody of claim 1, wherein the antibody binds to an epitope in a carbohydrate recognition domain (CRD) of galectin-9.

3. The isolated antibody of claim 2, wherein the CRD is CRD2.

4. The isolated antibody of claim 3, wherein the CRD2 consists of the amino acid sequence of SEQ ID NO: 4.

5. The isolated antibody of any one of claims 1 to 4, which is a full-length antibody or an antigen-binding fragment thereof.

6. The isolated antibody of any one of claims 1 to 5, which is a single chain antibody.

7. The isolated antibody of any one of claims 1 to 6, which is a human antibody or a humanized antibody.

8. The isolated antibody of any one of claims 1 to 7, which is an IgG molecule.

9. The isolated antibody of any one of claims 1 to 8, wherein the antibody is an IgG1 or IgG4 molecule.

10. The isolated antibody of any one of claims 1 to 9, wherein the antibody is an IgG4 molecule, wherein the IgG4 has a S228P mutation.

11. The isolated antibody of any one of claims 1 to 10, wherein the antibody comprises a V_H set forth as SEQ ID NO: 55 and/or a V_L set forth as SEQ ID NO: 54.

12. The isolated antibody of any one of claims 1 to 11, wherein the antibody comprises a heavy chain constant region set forth as SEQ ID NO: 422, and/or a light chain constant region set forth as SEQ ID NO: 418.

13. The isolated antibody of any one of claims 1 to 11, wherein the antibody comprises a V_H set forth as SEQ ID NO: 55 and a V_L set forth as SEQ ID NO: 54, and has a heavy chain constant region set forth as SEQ ID NO: 422 and a light chain constant region set forth as SEQ ID NO: 418.

14. The isolated antibody of claim 13, wherein the antibody comprises a heavy chain set forth as SEQ ID NO: 316 and a light chain set forth as SEQ ID NO: 108.

15. The isolated antibody of claim 14, wherein the antibody is G9.2-17.

16. The isolated antibody of any one of claims 1 to 10, wherein the antibody has a V_L CDR1 set forth as SEQ ID NO: 328, a V_L CDR2 set forth as SEQ ID NO: 329, a V_L CDR3 set forth as SEQ ID NO: 352, a V_H CDR1 set forth as SEQ ID NO: 361, a V_H CDR2 set forth as SEQ ID NO: 388, a V_H CDR3 set forth as SEQ ID NO: 406, and has a heavy chain constant region set forth as SEQ ID NO: 422 and a light chain constant region set forth as SEQ ID NO: 418.

17. The isolated antibody of any one of claims 1 to 10, wherein the antibody comprises a heavy chain set forth as SEQ ID NO: 316 and/or a light chain set forth as SEQ ID NO: 108.

18. A pharmaceutical composition comprising the antibody of any one of claims 1 to 17 and a pharmaceutically acceptable carrier.

19. A method for inhibiting the activity of galectin-9 in a subject, the method comprising administering to the subject in need thereof an effective amount of the isolated antibody of any one of claims 1 to 17 or the pharmaceutical composition of claim 18.

20. A method for treating a solid tumor that expresses galectin-9 in a human subject, comprising administering to the human subject in need thereof an effective amount of the isolated antibody of any one of claims 1 to 17 or the pharmaceutical composition of claim 18.

21. The method of claim 19, wherein the subject is suspected of having, or is at risk for a solid tumor.

22. The method of claim 20 or claim 21, wherein the solid tumor is selected from the group consisting of glioblastoma, glioma, melanoma, skin squamous cell carcinoma, sarcoma, upper and lower gastrointestinal cancers, carcinoid tumors, neuroendocrine tumors, breast cancers, lung cancers, head and neck cancers, and genitourinary cancers.

23. The method of claim 22, wherein the upper and lower intestinal disorders are selected from the group consisting of esophageal cancer, gastric cancer, pancreatic cancer, colorectal cancer, biliary tract cancers, cholangiocarcinoma, gall bladder cancer, liver cancer, and duodenal cancer.

24. The method of any one of claims 19 to 23, wherein the method further comprises administering to the human subject an effective amount of a checkpoint inhibitor.

25. The method of claim 24, wherein the checkpoint inhibitor is an anti-PD-1 antibody.

26. Use of the isolated antibody of any one of claims 1 to 17 in the manufacture of a medicament for the inhibition of galectin-9 activity in a subject.

27. Use of the isolated antibody of any one of claims 1 to 17 in the manufacture of a medicament for treating a solid tumor that expresses galectin-9 in a human subject.

Fig. 1A




Fig. 1B




Fig. 2A





Fig. 2B







Fig. 4






Fig. 5



G9.1 Fabs Apparent Kd	
Clone	hGal9-2
5	30.4±2.1 nM
6	29.2±8.5 nM
8	9.8±1.0 nM
11	20.4±1.7 nM

Fig. 6

Fab G9.2-17



Fab G9.2-15





Fig. 7

hGalectin-9 CRD2 Immobilized



mGalectin-9 CRD2 Immobilized




Fig. 8




Fig. 9




Fig. 10A





Fig. 10B



11/43

Fig. 11




Fig. 12

human Galectin-9 CRD2

mouse Galectin-9 CRD2





Fig. 13



14/43

Fig. 14






Fig. 15



15/43


Fig. 16



16/43

Fig. 17

Tumor Weight



17/43

Fig. 18A






Fig. 18B



18/43

Fig. 18C



19/43

Fig. 19A





Fig. 19B



20/43

Fig. 19C





Fig. 19D



21/43

Fig. 19E




Fig. 19F





Fig. 19G



23/43

Fig. 20A

G9.1-8m8 mlgG2a






Fig. 20B

G9.1-8m9 mlgG2a



24/43

Fig. 20C



25/43

Fig. 21A





Fig. 21B



26/43

Fig. 21C





Fig. 21D



27/43

Fig. 22A





Fig. 22B



28/43

Fig. 22C




Fig. 22D




Fig. 23




Fig. 24





Fig. 25



32/43

Fig. 26A




Fig. 26B




Fig. 27A





Fig. 27B



34/43

Fig. 27C




Fig. 28A




Fig. 28B




Fig. 28C




Fig. 28D




Fig. 28E




Fig. 28F




Fig. 29A






Fig. 29B



39/43

Fig. 29C



40/43

Fig. 30






Fig. 31



42/43

Fig. 32



43/43

Fig. 33A





Fig. 33B



SEQUENCE LISTING

<110> New York University
Puretech Health, LLC.

<120> ANTI-GALECTIN-9 ANTIBODIES AND USES THEREOF

<130> 112174-0077-N002US05

<140> US 16/576,719
<141> 2019-09-19

<150> US 16/406,713
<151> 2019-05-08

<150> US 16/173,970
<151> 2018-10-29

<150> US 62/736,317
<151> 2018-09-25

<150> US 62/665,175
<151> 2018-05-01

<150> US 62/578,111
<151> 2017-10-27

<160> 469

<170> PatentIn version 3.5

<210> 1
<211> 355
<212> PRT
<213> Homo sapiens

<400> 1

Met Ala Phe Ser Gly Ser Gln Ala Pro Tyr Leu Ser Pro Ala Val Pro
1 5 10 15

Phe Ser Gly Thr Ile Gln Gly Gly Leu Gln Asp Gly Leu Gln Ile Thr
20 25 30

Val Asn Gly Thr Val Leu Ser Ser Ser Gly Thr Arg Phe Ala Val Asn
35 40 45

Phe Gln Thr Gly Phe Ser Gly Asn Asp Ile Ala Phe His Phe Asn Pro
50 55 60

2018355588 10 Oct 2022

Arg 65	Phe	Glu	Asp	Gly	Gly 70	Tyr	Val	Val	Cys	Asn 75	Thr	Arg	Gln	Asn	Gly 80
Ser	Trp	Gly	Pro	Glu 85	Glu	Arg	Lys	Thr	His 90	Met	Pro	Phe	Gln	Lys 95	Gly
Met	Pro	Phe	Asp 100	Leu	Cys	Phe	Leu	Val 105	Gln	Ser	Ser	Asp	Phe	Lys	Val
Met	Val	Asn 115	Gly	Ile	Leu	Phe	Val	Gln	Tyr	Phe	His	Arg	Val	Pro	Phe
His	Arg 130	Val	Asp	Thr	Ile	Ser 135	Val	Asn	Gly	Ser	Val 140	Gln	Leu	Ser	Tyr
Ile 145	Ser	Phe	Gln	Asn	Pro 150	Arg	Thr	Val	Pro	Val 155	Gln	Pro	Ala	Phe	Ser 160
Thr	Val	Pro	Phe	Ser 165	Gln	Pro	Val	Cys	Phe	Pro	Pro	Arg	Pro	Arg	Gly
Arg	Arg	Gln	Lys 180	Pro	Pro	Gly	Val	Trp 185	Pro	Ala	Asn	Pro	Ala	Pro	Ile
Thr	Gln	Thr	Val	Ile	His	Thr	Val	Gln	Ser	Ala	Pro	Gly 205	Gln	Met	Phe
Ser 210	Thr	Pro	Ala	Ile	Pro	Pro	Met	Met	Tyr	Pro	His 220	Pro	Ala	Tyr	Pro
Met 225	Pro	Phe	Ile	Thr	Thr 230	Ile	Leu	Gly	Gly	Leu 235	Tyr	Pro	Ser	Lys	Ser 240
Ile	Leu	Leu	Ser	Gly 245	Thr	Val	Leu	Pro	Ser	Ala	Gln	Arg	Phe	His	Ile
Asn	Leu	Cys	Ser 260	Gly	Asn	His	Ile	Ala 265	Phe	His	Leu	Asn	Pro	Arg	Phe
Asp	Glu	Asn 275	Ala	Val	Val	Arg	Asn 280	Thr	Gln	Ile	Asp	Asn 285	Ser	Trp	Gly

10 Oct 2022
2018355588

Ser Glu Glu Arg Ser Leu Pro Arg Lys Met Pro Phe Val Arg Gly Gln
290 295 300

Ser Phe Ser Val Trp Ile Leu Cys Glu Ala His Cys Leu Lys Val Ala
305 310 315 320

Val Asp Gly Gln His Leu Phe Glu Tyr Tyr His Arg Leu Arg Asn Leu
325 330 335

Pro Thr Ile Asn Arg Leu Glu Val Gly Gly Asp Ile Gln Leu Thr His
340 345 350

Val Gln Thr
355

<210> 2
<211> 293
<212> PRT
<213> Mus musculus

<400> 2

Met Ala Leu Phe Ser Ala Gln Ser Pro Tyr Ile Asn Pro Ile Ile Pro
1 5 10 15

Phe Thr Gly Pro Ile Gln Gly Gly Leu Gln Glu Gly Leu Gln Val Thr
20 25 30

Leu Gln Gly Thr Thr Lys Ser Phe Ala Gln Arg Phe Val Val Asn Phe
35 40 45

Gln Asn Ser Phe Asn Gly Asn Asp Ile Ala Phe His Phe Asn Pro Arg
50 55 60

Phe Glu Glu Gly Gly Tyr Val Val Cys Asn Thr Lys Gln Asn Gly Gln
65 70 75 80

Trp Gly Pro Glu Glu Arg Lys Met Gln Met Pro Phe Gln Lys Gly Met
85 90 95

Pro Phe Glu Leu Cys Phe Leu Val Gln Arg Ser Glu Phe Lys Val Met

2018355588 10 Oct 2022

	100	105	110
Val	Asn Lys Lys Phe Phe Val	Gln Tyr Gln His Arg	Val Pro Tyr His
	115	120	125
Leu	Val Asp Thr Ile Ala Val	Ser Gly Cys Leu Lys	Leu Ser Phe Ile
	130	135	140
Thr	Phe Gln Asn Ser Ala Ala	Pro Val Gln His Val	Phe Ser Thr Leu
	145	150	155
Gln	Phe Ser Gln Pro Val Gln	Phe Pro Arg Thr Pro	Lys Gly Arg Lys
	165	170	175
Gln	Lys Thr Gln Asn Phe Arg	Pro Ala His Gln Ala	Pro Met Ala Gln
	180	185	190
Thr	Thr Ile His Met Val His	Ser Thr Pro Gly Gln	Met Phe Ser Thr
	195	200	205
Pro	Gly Ile Pro Pro Val Val	Tyr Pro Thr Pro Ala	Tyr Thr Ile Pro
	210	215	220
Phe	Tyr Thr Pro Ile Pro Asn	Gly Leu Tyr Pro Ser	Lys Ser Ile Met
	225	230	235
Ile	Ser Gly Asn Val Leu Pro	Asp Ala Thr Arg Phe	His Ile Asn Leu
	245	250	255
Arg	Cys Gly Gly Asp Ile Ala	Phe His Leu Asn Pro	Arg Phe Asn Glu
	260	265	270
Asn	Ala Val Val Arg Asn Thr	Gln Ile Asn Asn Ser	Trp Gly Gln Glu
	275	280	285
Glu	Arg Ser Leu Leu		
	290		

<210> 3
<211> 149
<212> PRT

2018355588 10 Oct 2022

<213> Homo sapiens

<400> 3

Met Ala Phe Ser Gly Ser Gln Ala Pro Tyr Leu Ser Pro Ala Val Pro
1 5 10 15

Phe Ser Gly Thr Ile Gln Gly Gly Leu Gln Asp Gly Leu Gln Ile Thr
20 25 30

Val Asn Gly Thr Val Leu Ser Ser Ser Gly Thr Arg Phe Ala Val Asn
35 40 45

Phe Gln Thr Gly Phe Ser Gly Asn Asp Ile Ala Phe His Phe Asn Pro
50 55 60

Arg Phe Glu Asp Gly Gly Tyr Val Val Cys Asn Thr Arg Gln Asn Gly
65 70 75 80

Ser Trp Gly Pro Glu Glu Arg Lys Thr His Met Pro Phe Gln Lys Gly
85 90 95

Met Pro Phe Asp Leu Cys Phe Leu Val Gln Ser Ser Asp Phe Lys Val
100 105 110

Met Val Asn Gly Ile Leu Phe Val Gln Tyr Phe His Arg Val Pro Phe
115 120 125

His Arg Val Asp Thr Ile Ser Val Asn Gly Ser Val Gln Leu Ser Tyr
130 135 140

Ile Ser Phe Gln Asn
145

<210> 4

<211> 138

<212> PRT

<213> Homo sapiens

<400> 4

Tyr Pro His Pro Ala Tyr Pro Met Pro Phe Ile Thr Thr Ile Leu Gly
1 5 10 15

2018355588 10 Oct 2022

Gly Leu Tyr Pro Ser Lys Ser Ile Leu Leu Ser Gly Thr Val Leu Pro
20 25 30

Ser Ala Gln Arg Phe His Ile Asn Leu Cys Ser Gly Asn His Ile Ala
35 40 45

Phe His Leu Asn Pro Arg Phe Asp Glu Asn Ala Val Val Arg Asn Thr
50 55 60

Gln Ile Asp Asn Ser Trp Gly Ser Glu Glu Arg Ser Leu Pro Arg Lys
65 70 75 80

Met Pro Phe Val Arg Gly Gln Ser Phe Ser Val Trp Ile Leu Cys Glu
85 90 95

Ala His Cys Leu Lys Val Ala Val Asp Gly Gln His Leu Phe Glu Tyr
100 105 110

Tyr His Arg Leu Arg Asn Leu Pro Thr Ile Asn Arg Leu Glu Val Gly
115 120 125

Gly Asp Ile Gln Leu Thr His Val Gln Thr
130 135

<210> 5
<211> 147
<212> PRT
<213> Mus musculus

<400> 5

Met Ala Leu Phe Ser Ala Gln Ser Pro Tyr Ile Asn Pro Ile Ile Pro
1 5 10 15

Phe Thr Gly Pro Ile Gln Gly Gly Leu Gln Glu Gly Leu Gln Val Thr
20 25 30

Leu Gln Gly Thr Thr Lys Ser Phe Ala Gln Arg Phe Val Val Asn Phe
35 40 45

Gln Asn Ser Phe Asn Gly Asn Asp Ile Ala Phe His Phe Asn Pro Arg
50 55 60

10 Oct 2022

201835588

Phe Glu Glu Gly Gly Tyr Val Val Cys Asn Thr Lys Gln Asn Gly Gln
65 70 75 80

Trp Gly Pro Glu Glu Arg Lys Met Gln Met Pro Phe Gln Lys Gly Met
85 90 95

Pro Phe Glu Leu Cys Phe Leu Val Gln Arg Ser Glu Phe Lys Val Met
100 105 110

Val Asn Lys Lys Phe Phe Val Gln Tyr Gln His Arg Val Pro Tyr His
115 120 125

Leu Val Asp Thr Ile Ala Val Ser Gly Cys Leu Lys Leu Ser Phe Ile
130 135 140

Thr Phe Gln
145

<210> 6
<211> 68
<212> PRT
<213> Mus musculus

<400> 6

Tyr Thr Pro Ile Pro Asn Gly Leu Tyr Pro Ser Lys Ser Ile Met Ile
1 5 10 15

Ser Gly Asn Val Leu Pro Asp Ala Thr Arg Phe His Ile Asn Leu Arg
20 25 30

Cys Gly Gly Asp Ile Ala Phe His Leu Asn Pro Arg Phe Asn Glu Asn
35 40 45

Ala Val Val Arg Asn Thr Gln Ile Asn Asn Ser Trp Gly Gln Glu Glu
50 55 60

Arg Ser Leu Leu
65

<210> 7

2018355588 10 Oct 2022

<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 7

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Trp Val Gly Ser Leu
85 90 95

Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 8
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 8

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Tyr Trp Gly Trp Ser Gln Asn Gln Gly Phe Trp Trp Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 9

<211> 110

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 9

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

2018355588 10 Oct 2022

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Gln Trp Gly Tyr Ser
85 90 95

Leu Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 10
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 10

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Ser Ser Ser Phe Trp Tyr Asn Trp Ala Leu Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 11
<211> 110
<212> PRT

2018355588 10 Oct 2022

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 11

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Trp Tyr Ser Asn Lys
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 12

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 12

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

35 40 45
Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Tyr Ser His Ser Ser Leu Tyr Tyr Ser Trp Ile Trp Ala Leu
100 105 110
Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 13
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 13

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Ser Ser Leu Ile

2018355588 10 Oct 2022

85

90

95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 14
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 14

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Arg Pro Tyr Ser Ser Tyr Tyr Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 15
<211> 110
<212> PRT
<213> Artificial Sequence

2018355588 10 Oct 2022

<220>

<223> Synthetic Polypeptide

<400> 15

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Tyr Gly Trp Phe Tyr
85 90 95

Pro Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 16

<211> 128

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 16

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

2018355588 10 Oct 2022

Ala Ser Ile Ser Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Val Ser Trp Tyr Pro Tyr Tyr Tyr Tyr Tyr Gly Tyr Gly
100 105 110

Ser Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 17
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 17

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr His Ser Ser Leu Phe
85 90 95

2018355588 10 Oct 2022

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 18
<211> 128
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 18

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser His Trp Tyr Met Tyr Trp Ser Tyr Trp Gly Trp Tyr
100 105 110

Ile Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 19
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 19

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Pro Gly Tyr Arg Gly
85 90 95

Leu Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 20

<211> 126

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 20

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val

2018355588 10 Oct 2022

50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Tyr Gly Tyr Asp Tyr Phe Val Lys Tyr Tyr Thr
100 105 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 21
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 21

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Tyr Asp Ser Asn
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg

2018355588 10 Oct 2022

100

105

110

<210> 22
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 22

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 23
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 23

2018355588 10 Oct 2022

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Phe His Lys Ile
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 24
<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 24

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Ser Tyr His Tyr Pro Tyr Trp Leu Phe Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 25

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 25

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Tyr Trp Tyr Tyr Pro
85 90 95

Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

2018355588 10 Oct 2022

<210> 26
<211> 129
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 26

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly His Tyr Gln Glu Gly Arg Lys Ser Gly Phe Ser Tyr Trp
100 105 110

Ser Pro Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser

<210> 27
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 27

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Thr Tyr Trp Gly Leu Ile
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 28

<211> 130

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 28

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val

2018355588 10 Oct 2022

50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Thr Glu Gly Tyr Asp Arg Trp Gly Tyr Tyr Ser Ser Tyr
100 105 110

Trp Ser Ser Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser
130

<210> 29
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 29

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Lys Ser Lys Tyr Pro

2018355588 10 Oct 2022

85

90

95

Phe Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 30

<211> 127

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 30

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Thr Trp Lys Ser Ser Trp Ser Tyr Gln Thr Gly Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 31

<211> 129

<212> PRT

<213> Artificial Sequence

2018355588 10 Oct 2022

<220>

<223> Synthetic Polypeptide

<400> 31

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Val Tyr Tyr Tyr Val Tyr Asn Arg Ser Trp Tyr Trp Trp
100 105 110

Ser Gly Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser

<210> 32

<211> 126

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 32

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

2018355588 10 Oct 2022

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Ala Tyr Ser Tyr Pro Tyr Tyr Tyr Phe His Tyr Gly Ala
100 105 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 33
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 33

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Trp Tyr His His Glu Tyr Trp Gly His Tyr Ser Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 34
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 34

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Trp Gly Leu Ile
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

2018355588 10 Oct 2022

<210> 35
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 35

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Tyr Ser His Pro Tyr Tyr Ser Tyr Tyr Ser Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 36
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 36

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly

2018355588 10 Oct 2022

1	5	10	15												
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala
			20					25					30		
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
		35					40					45			
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
65					70					75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Phe	Trp	Gly	Ser	Lys	Leu
				85					90					95	
Phe	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg			
			100					105							

<210> 37
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 37

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Ser
			20					25					30		
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ala	Ser	Ile	Tyr	Ser	Tyr	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
			85						90					95			
Ala	Arg	Thr	Tyr	Met	Ala	Gly	Tyr	Lys	Tyr	Tyr	Phe	Ile	Ser	Gly	Tyr		
			100					105					110				
Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser			
		115					120					125					
<210>	38																
<211>	110																
<212>	PRT																
<213>	Artificial Sequence																
<220>																	
<223>	Synthetic Polypeptide																
<400>	38																
Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly		
1				5				10						15			
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala		
			20					25					30				
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile		
		35					40					45					
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly		
	50					55					60						
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro		
65					70					75					80		
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Met	Tyr	Tyr	Pro	Gly	Tyr		
				85					90					95			
Leu	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg				
			100					105					110				

<210> 39

2018355588 10 Oct 2022

<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 39

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Asp Tyr Gly Trp Met Tyr Phe Asp Pro Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 40
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 40

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

2018355588 10 Oct 2022

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Arg Trp Trp Ser Ala
85 90 95

Leu Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 41

<211> 124

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 41

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

2018355588 10 Oct 2022

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Met Glu Asn Trp Glu Trp Pro Tyr His Ser Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 42
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 42

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Gly Ser Trp Tyr
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 43
<211> 130
<212> PRT

2018355588 10 Oct 2022

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 43

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Trp Tyr Pro Tyr Trp Gln Tyr Tyr Pro Gly Gly Trp
100 105 110

His Ser Ser Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser
130

<210> 44

<211> 109

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 44

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly

2018355588 10 Oct 2022

1 5 10 15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30
Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45
Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60
Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Trp Tyr Ala Ser Pro
85 90 95
Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 45
<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 45

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Tyr Ile Ser Pro Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

201835588

65						70						75						80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys			
				85					90					95				
Ala	Arg	Tyr	Thr	Met	Thr	Tyr	Gln	Tyr	Tyr	Pro	Ser	Gly	Ala	Met	Asp			
			100					105					110					
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser							
		115					120											
<210> 46																		
<211> 110																		
<212> PRT																		
<213> Artificial Sequence																		
<220>																		
<223> Synthetic Polypeptide																		
<400> 46																		
Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly			
1				5					10					15				
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala			
			20					25					30					
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile			
		35					40					45						
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly			
	50					55					60							
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro			
65					70					75					80			
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ser	Ser	His	Lys	Tyr			
				85					90					95				
Pro	Phe	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg					
			100					105					110					

<210> 47

2018355588 10 Oct 2022

<211> 129
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 47

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ile Tyr Tyr Met Trp Gln Tyr Asn Tyr Gly Met Ser
100 105 110

Gly Tyr Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser

<210> 48
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 48

2018355588 10 Oct 2022

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Val Tyr Pro Gly Ser
85 90 95

Leu Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105 110

<210> 49
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 49

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Pro Tyr Tyr Leu His Ser Trp Trp Trp Ser Gly Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 50

<211> 123

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 50

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Trp Tyr Tyr Pro Tyr Tyr Tyr Tyr Ala Leu Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 51
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 51

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Tyr Val Tyr Phe Leu Ala Phe Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 52
<211> 129
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 52

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Val Glu Asn Tyr Pro Tyr Trp Ala Trp Pro Trp Gly Tyr
100 105 110

Tyr Gly Ala Ile Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser

<210> 53

<211> 123

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 53

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser

2018355588 10 Oct 2022

	20	25	30												
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
	35						40					45			
Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
65					70					75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
			85						90					95	
Ala	Arg	Thr	Tyr	Lys	Trp	Ser	Tyr	Tyr	Thr	Gly	Tyr	Gly	Phe	Asp	Tyr
		100						105					110		
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser					
	115						120								

<210> 54
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 54

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly
1				5				10						15	
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala
		20						25					30		
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
	35						40					45			
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro

10 Oct 2022

65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Thr Asp Pro Ile
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210>	55
<211>	124
<212>	PRT
<213>	Artificial Sequence
<220>	
<223>	Synthetic Polypeptide

<400> 55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Trp Pro Tyr Arg Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 56

2018355588 10 Oct 2022

<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 56

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Ser Pro Tyr Arg Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 57
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 57

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

2018355588 10 Oct 2022

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Val Gly Tyr Tyr Tyr Pro Tyr Leu Tyr Leu Gly Asp Gly Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 58
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 58

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

2018355588 10 Oct 2022

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Gln Tyr Asp Leu
85 90 95

Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 59

<211> 130

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 59

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Ala Trp His Tyr Glu Pro Ser Tyr Trp Tyr Gly Asn Tyr
100 105 110

Ala Thr Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

2018355588 10 Oct 2022

Ser Ser
130

<210> 60
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 60

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Ser Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gln Gln Tyr Tyr Pro Asp Gln Tyr Trp Gly Leu Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 61
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 61

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Ser Ser Ser Leu
85 90 95

Phe Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 62

<211> 128

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 62

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val

2018355588 10 Oct 2022

50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Tyr Thr Tyr Phe Asp Trp Trp Arg Thr Ala Val Tyr
100 105 110

Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 63
<211> 110
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 63

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Arg Trp Tyr Pro Gly Asp
85 90 95

Leu Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg

2018355588 10 Oct 2022

100

105

110

<210> 64
<211> 126
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 64

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Tyr Tyr Asn Tyr Met Ser Ser Tyr Trp Trp Tyr Ser Ala
100 105 110

Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 65
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 65

2018355588 10 Oct 2022

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Phe Pro Ser Leu
85 90 95

Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 66
<211> 128
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 66

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Lys Ile Phe Trp Pro Val Ser Trp Met Trp Gln Gly Tyr Tyr
100 105 110

Pro Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 67
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 67

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Gln Ser Pro Val
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

2018355588 10 Oct 2022

<210> 68
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 68

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Ser Glu Thr His Tyr Gly Trp Ala Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 69
<211> 109
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 69

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly

2018355588 10 Oct 2022

1	5	10	15												
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala
			20					25					30		
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
		35					40					45			
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
65					70					75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Ser	Tyr	Val	Tyr	Tyr	Pro
				85					90					95	
Phe	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg			
			100					105							

<210> 70
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 70

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Ser
			20					25					30		
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
			85						90					95			
Ala	Arg	Gln	Tyr	Tyr	Thr	Tyr	Phe	Glu	Trp	Tyr	Met	Gly	Trp	Gly	Tyr		
			100					105					110				
Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser			
		115					120					125					
<210>	71																
<211>	110																
<212>	PRT																
<213>	Artificial Sequence																
<220>																	
<223>	Synthetic Polypeptide																
<400>	71																
Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly		
1				5				10						15			
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala		
			20					25					30				
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile		
		35					40					45					
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly		
	50					55					60						
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro		
65					70					75					80		
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Gly	Gly	Trp	Tyr	Tyr	Gly		
				85					90					95			
Pro	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg				
			100					105					110				

<210> 72

2018355588 10 Oct 2022

<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 72

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Tyr Ser Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ala Leu Tyr Trp Met Asp Phe Ser Tyr Ser Ala Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 73
<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 73

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

2018355588 10 Oct 2022

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 74
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 74

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ser Ser Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 75

<211> 127

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 75

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 76
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 76

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 77
<211> 127
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 77

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Ser Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 78

<211> 127

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 78

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

35 40 45
Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Ser Ser Ser Ser
100 105 110
Ser Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 79
<211> 126
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 79

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys

10 Oct 2022

95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Lys Trp Val Trp Gly
100 105 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<211> 125

<213> Artificial Sequence

<223> Synthetic Polypeptide

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Lys Trp Val Trp Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

<210> 81

2018355588 10 Oct 2022

<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 81

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 82
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 82

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

2018355588 10 Oct 2022

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 83
<211> 122
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 83

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

2018355588 10 Oct 2022

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Lys Trp Val Trp Gly Met Asp Tyr Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 84

<211> 121

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 84

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110

2018355588 10 Oct 2022

Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 85
<211> 124
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 85

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 86
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 86

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 87

<211> 121

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 87

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

35 40 45
Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110
Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 88
<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 88

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Trp Val Gly Ser Leu

2018355588 10 Oct 2022

					85					90						95	
Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Thr	Val	Ala	Ala		
			100					105					110				
Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	Ser	Gly		
		115					120					125					
Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	Glu	Ala		
	130					135					140						
Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn	Ser	Gln		
145					150					155					160		
Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser	Leu	Ser		
				165					170					175			
Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys	Val	Tyr		
			180					185					190				
Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr	Lys	Ser		
		195					200					205					
Phe	Asn	Arg	Gly	Glu	Cys												
		210															

<210> 89
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 89

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly
1				5					10					15	
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala
			20					25					30		
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile

2018355588 10 Oct 2022

	35		40		45										
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
65					70					75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Trp	Gln	Trp	Gly	Tyr	Ser
				85					90					95	
Leu	Val	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Thr	Val	Ala
			100					105					110		
Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	Ser
		115					120					125			
Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	Glu
	130					135					140				
Ala	Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn	Ser
145					150					155					160
Gln	Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser	Leu
				165					170					175	
Ser	Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys	Val
			180					185					190		
Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr	Lys
		195					200					205			
Ser	Phe	Asn	Arg	Gly	Glu	Cys									
	210					215									

<210> 90
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 90

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Trp Tyr Ser Asn Lys
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Thr Val Ala
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

2018355588 10 Oct 2022

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 91

<211> 214

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 91

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Ser Ser Leu Ile
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

2018355588 10 Oct 2022

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

Phe Asn Arg Gly Glu Cys
210

<210> 92

<211> 216

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 92

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Tyr Gly Trp Phe Tyr
85 90 95

Pro Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

2018355588 10 Oct 2022

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 93
<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 93

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

2018355588 10 Oct 2022

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr His Ser Ser Leu Phe
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

Phe Asn Arg Gly Glu Cys
210

<210> 94
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 94

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

2018355588 10 Oct 2022

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala	
			20					25					30			
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile	
		35					40					45				
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly	
	50					55					60					
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro	
65					70					75					80	
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Pro	Gly	Tyr	Arg	Gly	
				85					90					95		
Leu	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val	
			100					105					110			
Ala	Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	
		115					120					125				
Ser	Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	
	130					135					140					
Glu	Ala	Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn	
145					150					155					160	
Ser	Gln	Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser	
				165					170					175		
Leu	Ser	Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys	
			180					185					190			
Val	Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr	
		195					200					205				
Lys	Ser	Phe	Asn	Arg	Gly	Glu	Cys									
	210					215										

<210> 95

2018355588 10 Oct 2022

<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 95

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Tyr Asp Ser Asn
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys

2018355588 10 Oct 2022

				180					185					190			
Val	Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr		
		195					200					205					
Lys	Ser	Phe	Asn	Arg	Gly	Glu	Cys										
	210					215											
<210>	96																
<211>	216																
<212>	PRT																
<213>	Artificial Sequence																
<220>																	
<223>	Synthetic Polypeptide																
<400>	96																
Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly		
1				5					10					15			
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala		
			20					25					30				
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile		
		35					40					45					
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly		
	50					55					60						
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro		
65					70					75					80		
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Ser	Tyr	Phe	His	Lys	Ile		
				85					90					95			
Pro	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val		
			100					105						110			
Ala	Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys		
		115					120					125					
Ser	Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg		

2018355588 10 Oct 2022

130 135 140
Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160
Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175
Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190
Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205
Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 97
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 97

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Tyr Trp Tyr Tyr Pro

2018355588 10 Oct 2022

	85	90	95
Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala	100	105	110
Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser	115	120	125
Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu	130	135	140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser	145	150	155
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu	165	170	175
Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val	180	185	190
Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys	195	200	205
Ser Phe Asn Arg Gly Glu Cys	210	215	

<210> 98
<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 98

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly	1	5	10	15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala	20	25	30	
Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile				

2018355588 10 Oct 2022

	35		40		45										
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
65					70					75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Thr	Tyr	Trp	Gly	Leu	Ile
				85					90					95	
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val	Ala	Ala
			100					105					110		
Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	Ser	Gly
		115					120					125			
Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	Glu	Ala
	130					135					140				
Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn	Ser	Gln
145					150					155					160
Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser	Leu	Ser
				165					170					175	
Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys	Val	Tyr
			180					185					190		
Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr	Lys	Ser
		195					200					205			
Phe	Asn	Arg	Gly	Glu	Cys										
	210														

<210> 99
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 99

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Lys Ser Lys Tyr Pro
85 90 95

Phe Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

2018355588 10 Oct 2022

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 100

<211> 214

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 100

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Trp Gly Leu Ile
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

2018355588 10 Oct 2022

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

Phe Asn Arg Gly Glu Cys
210

<210> 101
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 101

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Phe Trp Gly Ser Lys Leu
85 90 95

Phe Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

2018355588 10 Oct 2022

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 102
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 102

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

2018355588 10 Oct 2022

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Met Tyr Tyr Pro Gly Tyr
85 90 95

Leu Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 103
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 103

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Arg Trp Trp Ser Ala
85 90 95

Leu Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 104

2018355588 10 Oct 2022

<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 104

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Gly Ser Trp Tyr
85 90 95

Pro Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys

2018355588 10 Oct 2022

				180					185					190			
Val	Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr		
		195					200					205					
Lys	Ser	Phe	Asn	Arg	Gly	Glu	Cys										
	210					215											
<210>	105																
<211>	215																
<212>	PRT																
<213>	Artificial Sequence																
<220>																	
<223>	Synthetic Polypeptide																
<400>	105																
Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly		
1				5					10					15			
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala		
			20					25					30				
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile		
		35					40					45					
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly		
	50					55					60						
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro		
65					70					75				80			
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Gly	Trp	Tyr	Ala	Ser	Pro		
				85					90					95			
Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val	Ala		
			100					105					110				
Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	Ser		
		115					120					125					
Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	Glu		

2018355588 10 Oct 2022

130 135 140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175
Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190
Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205
Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 106
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 106

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ser Ser His Lys Tyr

2018355588 10 Oct 2022

				85					90					95			
Pro	Phe	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Thr	Val	Ala		
			100					105					110				
Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys	Ser		
		115					120					125					
Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg	Glu		
	130					135					140						
Ala	Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn	Ser		
145					150					155					160		
Gln	Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser	Leu		
				165					170					175			
Ser	Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys	Val		
			180					185					190				
Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr	Lys		
		195					200					205					
Ser	Phe	Asn	Arg	Gly	Glu	Cys											
	210					215											

<210> 107
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 107

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly		
1				5				10						15			
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Ala		
			20					25					30				
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile		

2018355588 10 Oct 2022

	35		40		45										
Tyr	Ser	Ala	Ser	Ser	Leu	Tyr	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Arg	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
65					70					75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Trp	Val	Tyr	Pro	Gly	Ser
				85					90					95	
Leu	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val
			100					105					110		
Ala	Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys
		115					120					125			
Ser	Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg
	130					135					140				
Glu	Ala	Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn
145					150					155					160
Ser	Gln	Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser
			165						170					175	
Leu	Ser	Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys
			180					185					190		
Val	Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr
		195					200					205			
Lys	Ser	Phe	Asn	Arg	Gly	Glu	Cys								
	210					215									

<210> 108
<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 108

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Thr Asp Pro Ile
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

2018355588 10 Oct 2022

Phe Asn Arg Gly Glu Cys
210

<210> 109

<211> 215

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 109

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Gln Tyr Asp Leu
85 90 95

Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

2018355588 10 Oct 2022

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 110
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 110

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Ser Ser Ser Ser Leu
85 90 95

Phe Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

2018355588 10 Oct 2022

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 111
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 111

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

2018355588 10 Oct 2022

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Arg Trp Tyr Pro Gly Asp
85 90 95

Leu Ile Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val
100 105 110

Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys
115 120 125

Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg
130 135 140

Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn
145 150 155 160

Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser
165 170 175

Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys
180 185 190

Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr
195 200 205

Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 112
<211> 215
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 112

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Phe Pro Ser Leu
85 90 95

Val Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
100 105 110

Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
115 120 125

Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
130 135 140

Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160

Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175

Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190

Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205

Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 113

2018355588 10 Oct 2022

<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 113

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Gln Ser Pro Val
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr

10 Oct 2022

[illegible]

2018355588 10 Oct 2022

130 135 140
Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
145 150 155 160
Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
165 170 175
Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
180 185 190
Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
195 200 205
Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 115
<211> 216
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 115

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Val Ser Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ser Ala Ser Ser Leu Tyr Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Gly Trp Tyr Tyr Gly

2018355588 10 Oct 2022

	85	90	95												
Pro	Ile	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg	Thr	Val
			100					105					110		
Ala	Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln	Leu	Lys
		115					120					125			
Ser	Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr	Pro	Arg
	130					135					140				
Glu	Ala	Lys	Val	Gln	Trp	Lys	Val	Asp	Asn	Ala	Leu	Gln	Ser	Gly	Asn
145					150					155					160
Ser	Gln	Glu	Ser	Val	Thr	Glu	Gln	Asp	Ser	Lys	Asp	Ser	Thr	Tyr	Ser
			165						170					175	
Leu	Ser	Ser	Thr	Leu	Thr	Leu	Ser	Lys	Ala	Asp	Tyr	Glu	Lys	His	Lys
			180					185					190		
Val	Tyr	Ala	Cys	Glu	Val	Thr	His	Gln	Gly	Leu	Ser	Ser	Pro	Val	Thr
		195					200					205			
Lys	Ser	Phe	Asn	Arg	Gly	Glu	Cys								
	210					215									

<210> 116
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 116

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Ser
			20					25					30		
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val

10 Oct 2022

201835588

35					40					45						
Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
85					90					95						
Ala	Arg	Tyr	Tyr	Trp	Gly	Trp	Ser	Gln	Asn	Gln	Gly	Phe	Trp	Trp	Tyr	
100					105					110						
Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
115					120					125						
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
130					135					140						
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
165					170					175						
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
180					185					190						
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
195					200					205						
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
245					250					255						

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 117

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 117

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Ser Ser Ser Phe Trp Tyr Asn Trp Ala Leu Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu		
	225	230	235
	Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
		245	250
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
		260	265
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
		275	280
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
		290	295
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala		
		325	330
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
		340	345
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
		355	360
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
		370	375
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 118
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 118

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser His Ser Ser Leu Tyr Tyr Ser Trp Ile Trp Ala Leu
100 105 110

2018355588 10 Oct 2022

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu

2018355588 10 Oct 2022

325 330 335
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445
Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 119
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 119

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35							40								45
	Ala	Ser	Ile	Ser	Ser	Ser	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Tyr	Arg	Pro	Tyr	Ser	Ser	Tyr	Tyr	Trp	Gly	Met	Asp	Tyr
				100					105					110		
	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly
			115					120					125			
	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly
		130					135					140				
	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val
	145					150					155					160
	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe
					165					170					175	
	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val
				180					185					190		
	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val
			195					200					205			
	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys
		210					215					220				
	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu
	225					230					235					240
	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
					245					250					255	

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 120

2018355588 10 Oct 2022

<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 120

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Val Ser Trp Tyr Pro Tyr Tyr Tyr Tyr Tyr Gly Tyr Gly
100 105 110

Ser Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
130 135 140

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
145 150 155 160

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
165 170 175

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser

2018355588 10 Oct 2022

				180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr		
		195					200					205					
Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys		
	210					215					220						
Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys		
	225				230					235					240		
Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro		
				245					250					255			
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys		
			260					265					270				
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp		
		275					280					285					
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu		
	290					295					300						
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu		
	305				310					315					320		
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn		
				325					330					335			
Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly		
			340					345					350				
Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu		
		355					360					365					
Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr		
	370					375					380						
Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn		
	385				390					395					400		

2018355588 10 Oct 2022

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 121
<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 121

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser His Trp Tyr Met Tyr Trp Ser Tyr Trp Gly Trp Tyr
100 105 110

2018355588 10 Oct 2022

Ile	Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	
		130				135					140					
Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170					175		
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	
		195					200					205				
Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
	210					215					220					
Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	
225					230					235					240	
Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	
				245					250					255		
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	
			260					265					270			
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	
		275					280					285				
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	
	290					295					300					
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	
305					310					315					320	
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	

2018355588 10 Oct 2022

325 330 335

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
340 345 350

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
355 360 365

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
370 375 380

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
385 390 395 400

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 122
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 122

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Ser	Ser	Tyr	Tyr	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Tyr	Ser	Tyr	Gly	Tyr	Asp	Tyr	Phe	Val	Lys	Tyr	Tyr	Thr
				100					105					110		
	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser
			115					120					125			
	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr
		130					135					140				
	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro
	145					150					155					160
	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val
					165					170					175	
	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser
				180					185					190		
	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile
			195					200					205			
	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val
		210					215					220				
	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala
	225					230					235					240
	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro
					245					250					255	

2018355588 10 Oct 2022

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
325 330 335

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 123

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 123

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
	210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250						255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
	290					295					300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 124
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 124

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ser Ser Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
225 230 235 240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys

2018355588 10 Oct 2022

				325					330					335			
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		
Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu		
				405					410					415			
Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val		
			420				425						430				
Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln		
		435					440					445					
Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys									
	450					455											

<210> 125
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 125

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly		
1				5					10					15			
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser		
			20					25					30				
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val		

10 Oct 2022

201835588

35					40					45						
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Ser	Ser	Ser	Ser	Tyr	Ala	Asp	Ser	Val	
50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
85					90					95						
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Lys	Trp	Val	Trp	
100					105					110						
Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
115					120					125						
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
130					135					140						
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
165					170					175						
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
180					185					190						
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
195					200					205						
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
245					250					255						

2018355588 10 Oct 2022

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 126

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 126

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
	210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250						255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
	290					295					300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 127
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 127

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
225 230 235 240

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys

2018355588 10 Oct 2022

325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 128
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 128

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Ser	Ser	Ser	Ser
				100					105					110		
	Ser	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala
			115					120					125			
	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
	130						135					140				
	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
	145					150					155					160
	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
					165					170					175	
	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
				180					185					190		
	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
			195					200					205			
	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210						215					220				
	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
	225					230					235					240
	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
					245					250					255	

2018355588 10 Oct 2022

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 129

2018355588 10 Oct 2022

<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 129

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Lys Trp Val Trp Gly
100 105 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
130 135 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser

2018355588 10 Oct 2022

					180					185						190			
Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile				
		195					200					205							
Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val				
	210					215					220								
Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala				
225					230					235					240				
Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro				
				245					250					255					
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val				
			260					265					270						
Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val				
		275					280					285							
Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln				
	290					295					300								
Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln				
305					310					315					320				
Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala				
				325					330					335					
Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro				
			340					345					350						
Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr				
		355					360					365							
Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser				
	370					375					380								
Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr				
385					390					395					400				

2018355588 10 Oct 2022

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 130
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 130

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Lys Trp Val Trp Gly Met
100 105 110

2018355588 10 Oct 2022

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu

2018355588 10 Oct 2022

325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 131
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 131

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45					
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50						55					60					
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
	65					70					75					80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	
				100					105					110			
	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	
			115					120					125				
	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	
	130						135					140					
	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
	145					150					155					160	
	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
					165					170					175		
	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
				180					185					190			
	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	
			195					200					205				
	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	
	210						215					220					
	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	
	225					230					235					240	
	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
					245					250					255		

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 132

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 132

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu		
	225	230	235
	Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
		245	250
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
		260	265
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
		275	280
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
		290	295
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala		
		325	330
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
		340	345
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
		355	360
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
		370	375
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 133
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 133

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Lys Trp Val Trp Gly Met Asp Tyr Trp
100 105 110

2018355588 10 Oct 2022

Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	
		115					120					125				
Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	Thr	
	130					135					140					
Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	
145					150					155					160	
Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	
			165						170					175		
Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	
		180						185					190			
Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	Asn	
		195					200					205				
His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	Ser	
	210					215					220					
Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	
225					230					235					240	
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	
				245					250					255		
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	
			260					265					270			
His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	
		275					280					285				
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	
	290					295					300					
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	
305					310					315					320	
Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro	

2018355588 10 Oct 2022

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 134
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 134

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Ser	Thr	Tyr	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	Trp	Gly
				100					105					110		
	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser
			115					120					125			
	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	Thr	Ala
	130						135					140				
	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val
	145					150					155					160
	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala
					165					170					175	
	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val
				180					185					190		
	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	Asn	His
			195					200					205			
	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys
	210						215					220				
	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly
	225					230					235					240
	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met
					245					250					255	

2018355588 10 Oct 2022

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
260 265 270

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 135

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 135

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 136
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 136

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	
		115					120					125				
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	
	130					135					140					
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	
145					150					155					160	
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	
				165					170					175		
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	
			180					185					190			
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	
		195					200					205				
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	
	210					215					220					
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	
225					230					235					240	
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	
				245					250					255		
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	
			260					265					270			
Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	
		275					280					285				
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	
	290					295					300					
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	
305					310					315					320	
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	

2018355588 10 Oct 2022

325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 137
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 137

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40						45					
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Ser	Ser	Ser	Ser	Tyr	Ala	Asp	Ser	Val		
	50						55					60						
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr		
	65					70					75					80		
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
					85					90					95			
	Ala	Arg	Tyr	Ser	Thr	Tyr	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	Trp	Gly		
				100					105					110				
	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser		
			115					120					125					
	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	Thr	Ala		
	130						135					140						
	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val		
	145					150					155					160		
	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala		
					165					170					175			
	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val		
				180					185					190				
	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	Asn	His		
								200					205					
	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys		
	210						215					220						
	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly		
	225					230					235					240		
	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
					245					250					255			

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
260 265 270

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 138

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 138

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Ser Tyr His Tyr Pro Tyr Trp Leu Phe Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 139
<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 139

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly His Tyr Gln Glu Gly Arg Lys Ser Gly Phe Ser Tyr Trp
100 105 110

2018355588 10 Oct 2022

Ser Pro Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
195 200 205

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
225 230 235 240

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
245 250 255

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
260 265 270

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
275 280 285

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
290 295 300

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
305 310 315 320

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser

2018355588 10 Oct 2022

325 330 335

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
340 345 350

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
355 360 365

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
370 375 380

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
385 390 395 400

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 140
<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 140

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

10 Oct 2022

201835588

35				40				45							
Ala	Ser	Ile	Tyr	Ser	Tyr	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
50						55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
65					70					75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85					90					95	
Ala	Arg	Ser	Thr	Glu	Gly	Tyr	Asp	Arg	Trp	Gly	Tyr	Tyr	Ser	Ser	Tyr
			100					105					110		
Trp	Ser	Ser	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val
		115					120					125			
Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser
130						135					140				
Ser	Lys	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys
145					150					155					160
Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu
				165					170					175	
Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu
			180					185					190		
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr
		195					200					205			
Gln	Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val
210						215					220				
Asp	Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro
225					230					235					240
Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe
				245					250					255	

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
325 330 335

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
340 345 350

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
355 360 365

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
370 375 380

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
385 390 395 400

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
405 410 415

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
420 425 430

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
435 440 445

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455 460

<210> 141

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 141

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Thr Trp Lys Ser Ser Trp Ser Tyr Gln Thr Gly Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
	210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250						255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
	290					295					300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 142
<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 142

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Val Tyr Tyr Tyr Val Tyr Asn Arg Ser Trp Tyr Trp Trp
100 105 110

2018355588 10 Oct 2022

Ser Gly Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
195 200 205

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
225 230 235 240

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
245 250 255

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
260 265 270

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
275 280 285

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
290 295 300

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
305 310 315 320

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser

2018355588 10 Oct 2022

325 330 335

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
340 345 350

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
355 360 365

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
370 375 380

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
385 390 395 400

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 143
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 143

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35							40								45
	Ala	Ser	Ile	Ser	Ser	Ser	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Pro	Ala	Tyr	Ser	Tyr	Pro	Tyr	Tyr	Tyr	Phe	His	Tyr	Gly	Ala
				100					105					110		
	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser
			115					120					125			
	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr
		130					135					140				
	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro
	145					150					155					160
	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val
					165					170					175	
	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser
				180					185					190		
	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile
			195					200					205			
	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val
		210					215					220				
	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala
	225					230					235					240
	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro
					245					250					255	

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
325 330 335

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 144

2018355588 10 Oct 2022

<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 144

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Trp Tyr His His Glu Tyr Trp Gly His Tyr Ser Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser

2018355588 10 Oct 2022

				180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys		
		195					200					205					
Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu		
	210					215					220						
Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
225					230					235					240		
Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			245						250					255			
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val		
			260					265					270				
Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp		
		275					280					285					
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr		
	290					295					300						
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp		
305					310					315					320		
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu		
			325						330					335			
Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg		
			340					345					350				
Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys		
		355					360					365					
Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp		
	370					375					380						
Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys		
385					390					395					400		

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 145
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 145

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Tyr Ser His Pro Tyr Tyr Ser Tyr Tyr Ser Gly Met
100 105 110

2018355588 10 Oct 2022

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu

2018355588 10 Oct 2022

325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 146
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 146

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

35	40	45
Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val		
50	55	60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr		
65	70	75
80		
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys		
85	90	95
Ala Arg Thr Tyr Met Ala Gly Tyr Lys Tyr Tyr Phe Ile Ser Gly Tyr		
100	105	110
Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala		
115	120	125
Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser		
130	135	140
Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe		
145	150	155
160		
Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly		
165	170	175
Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu		
180	185	190
Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr		
195	200	205
Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys		
210	215	220
Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro		
225	230	235
240		
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys		
245	250	255

2018355588 10 Oct 2022

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 147

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 147

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Asp Tyr Gly Trp Met Tyr Phe Asp Pro Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 148
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 148

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Met Glu Asn Trp Glu Trp Pro Tyr His Ser Ala Met Asp
100 105 110

2018355588 10 Oct 2022

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
195 200 205

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
210 215 220

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro

2018355588 10 Oct 2022

325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 149
<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 149

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Trp	Trp	Tyr	Pro	Tyr	Trp	Gln	Tyr	Tyr	Pro	Gly	Gly	Trp
				100					105					110		
	His	Ser	Ser	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val
				115				120					125			
	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser
							135					140				
	Ser	Lys	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys
	145					150					155					160
	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu
					165					170					175	
	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu
				180					185						190	
	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr
								200					205			
	Gln	Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val
							215					220				
	Asp	Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro
	225					230					235					240
	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe
						245				250					255	

2018355588 10 Oct 2022

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
325 330 335

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
340 345 350

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
355 360 365

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
370 375 380

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
385 390 395 400

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
405 410 415

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
420 425 430

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
435 440 445

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455 460

<210> 150

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 150

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Pro Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Thr Met Thr Tyr Gln Tyr Tyr Pro Ser Gly Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 151
<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 151

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ile Tyr Tyr Met Trp Gln Tyr Asn Tyr Gly Met Ser
100 105 110

2018355588 10 Oct 2022

Gly Tyr Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
195 200 205

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
225 230 235 240

Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
245 250 255

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
260 265 270

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
275 280 285

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
290 295 300

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
305 310 315 320

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser

2018355588 10 Oct 2022

325 330 335

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
340 345 350

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
355 360 365

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
370 375 380

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
385 390 395 400

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 152
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 152

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45														
	Ala	Ser	Ile	Ser	Ser	Ser	Tyr	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val			
	50						55					60							
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr			
	65					70					75					80			
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys			
					85					90					95				
	Ala	Arg	His	Ser	Pro	Tyr	Tyr	Leu	His	Ser	Trp	Trp	Trp	Ser	Gly	Leu			
				100					105					110					
	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr			
			115					120					125						
	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser			
		130					135					140							
	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu			
	145					150					155					160			
	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His			
					165					170					175				
	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser			
				180					185					190					
	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys			
			195					200					205						
	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu			
	210						215					220							
	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro			
	225					230					235					240			
	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys			
				245						250					255				

2018355588 10 Oct 2022

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 153

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 153

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Trp Tyr Tyr Pro Tyr Tyr Tyr Tyr Ala Leu Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu		
	225	230	235
	Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
		245	250
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
		260	265
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
		275	280
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
		290	295
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala		
		325	330
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
		340	345
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
		355	360
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
		370	375
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 154
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 154

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Tyr Val Tyr Phe Leu Ala Phe Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	
		115					120					125				
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	
	130					135					140					
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	
145					150					155					160	
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	
				165					170					175		
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	
			180					185					190			
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	
		195					200					205				
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	
	210					215					220					
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	
225					230					235					240	
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	
				245					250					255		
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	
			260					265					270			
Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	
		275					280					285				
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	
	290					295					300					
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	
305					310					315					320	
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	

2018355588 10 Oct 2022

325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 155
<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 155

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Asn	Val	Glu	Asn	Tyr	Pro	Tyr	Trp	Ala	Trp	Pro	Trp	Gly	Tyr
				100					105					110		
	Tyr	Gly	Ala	Ile	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser
			115					120					125			
	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser
		130					135					140				
	Lys	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp
	145					150					155					160
	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr
					165					170					175	
	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr
				180					185					190		
	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln
		195						200					205			
	Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp
		210					215					220				
	Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro
	225					230					235					240
	Cys	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro
					245					250					255	

2018355588 10 Oct 2022

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
260 265 270

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
275 280 285

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
290 295 300

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
305 310 315 320

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
325 330 335

Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
340 345 350

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
355 360 365

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
370 375 380

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
385 390 395 400

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 156

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 156

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Lys Trp Ser Tyr Tyr Thr Gly Tyr Gly Phe Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu		
	225	230	235
	Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
		245	250
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
		260	265
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
		275	280
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
		290	295
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala		
		325	330
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
		340	345
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
		355	360
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
		370	375
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 157
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 157

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Trp Pro Tyr Arg Gly Met Asp
100 105 110

2018355588 10 Oct 2022

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
195 200 205

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
210 215 220

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro

2018355588 10 Oct 2022

325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 158
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 158

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35							40								45
	Ala	Tyr	Ile	Ser	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Trp	Ser	Tyr	Pro	Ser	Trp	Ser	Pro	Tyr	Arg	Gly	Met	Asp
				100					105					110		
	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys
			115					120					125			
	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly
		130					135					140				
	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro
	145					150					155					160
	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr
					165					170					175	
	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val
				180					185					190		
	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn
			195					200					205			
	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro
		210					215					220				
	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu
	225					230					235					240
	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp
					245					250					255	

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 159

2018355588 10 Oct 2022

<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 159

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Val Gly Tyr Tyr Tyr Pro Tyr Leu Tyr Leu Gly Asp Gly Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser

2018355588 10 Oct 2022

				180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys		
		195					200					205					
Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu		
	210					215					220						
Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
225					230					235					240		
Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			245						250					255			
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val		
			260					265					270				
Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp		
		275					280					285					
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr		
	290					295					300						
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp		
305					310					315					320		
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu		
			325						330					335			
Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg		
			340					345					350				
Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys		
		355					360					365					
Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp		
	370					375					380						
Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys		
385					390					395					400		

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 160
<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 160

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Ala Trp His Tyr Glu Pro Ser Tyr Trp Tyr Gly Asn Tyr
100 105 110

2018355588 10 Oct 2022

Ala Thr Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
130 135 140

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
145 150 155 160

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
165 170 175

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
180 185 190

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
195 200 205

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
210 215 220

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
225 230 235 240

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
245 250 255

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val

2018355588 10 Oct 2022

325 330 335

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
340 345 350

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
355 360 365

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
370 375 380

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
385 390 395 400

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
405 410 415

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
420 425 430

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
435 440 445

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455 460

<210> 161
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 161

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45												
Ala	Ser	Ile	Ser	Ser	Ser	Ser	Ser	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val		
	50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr		
65					70					75					80		
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Gly	Gln	Gln	Tyr	Tyr	Pro	Asp	Gln	Tyr	Trp	Gly	Leu	Asp	Tyr		
			100					105					110				
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly		
		115					120					125					
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly		
	130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val		
145					150					155					160		
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe		
				165					170					175			
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val		
			180					185					190				
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val		
		195					200					205					
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys		
	210					215					220						
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu		
225					230					235					240		
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr		
				245					250					255			

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 162

2018355588 10 Oct 2022

<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 162

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Tyr Thr Tyr Phe Asp Trp Trp Arg Thr Ala Val Tyr
100 105 110

Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
130 135 140

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
145 150 155 160

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
165 170 175

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser

2018355588 10 Oct 2022

				180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr		
		195					200					205					
Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys		
	210					215					220						
Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys		
225					230					235					240		
Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro		
				245					250					255			
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys		
			260					265					270				
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp		
		275					280					285					
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu		
	290					295					300						
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu		
305					310					315					320		
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn		
				325					330					335			
Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly		
			340					345					350				
Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu		
		355					360					365					
Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr		
	370					375					380						
Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 163
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 163

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Tyr Tyr Asn Tyr Met Ser Ser Tyr Trp Trp Tyr Ser Ala
100 105 110

2018355588 10 Oct 2022

Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	
		115					120					125				
Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	
	130					135					140					
Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	
145					150					155					160	
Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	
				165					170					175		
His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	
			180					185					190			
Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	
		195					200					205				
Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	
	210					215					220					
Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	
225					230					235					240	
Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	
				245					250					255		
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	
			260					265					270			
Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	
		275					280					285				
Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	
	290					295					300					
Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	
305					310					315					320	
Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	

2018355588 10 Oct 2022

325

330

335

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 164
<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 164

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Pro	Tyr	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Lys	Ile	Phe	Trp	Pro	Val	Ser	Trp	Met	Trp	Gln	Gly	Tyr	Tyr
				100					105					110		
	Pro	Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
			115					120						125		
	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys
			130				135					140				
	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr
	145					150					155					160
	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser
					165					170					175	
	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser
				180					185					190		
	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr
			195					200					205			
	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys
		210					215					220				
	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys
	225					230					235					240
	Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro
					245					250					255	

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
260 265 270

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
275 280 285

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
290 295 300

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
305 310 315 320

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
325 330 335

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
340 345 350

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
355 360 365

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
370 375 380

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
385 390 395 400

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 165

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 165

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Ser Glu Thr His Tyr Gly Trp Ala Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu		
	225	230	235
	Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
		245	250
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
		260	265
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
		275	280
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
		290	295
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala		
		325	330
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
		340	345
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
		355	360
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
		370	375
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 166
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 166

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gln Tyr Tyr Thr Tyr Phe Glu Trp Tyr Met Gly Trp Gly Tyr
100 105 110

2018355588 10 Oct 2022

Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
		115					120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
	130					135					140					
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
		195					200					205				
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
	210					215					220					
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
				245					250					255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
			260					265					270			
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	
		275					280					285				
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
	290					295					300					
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
305					310					315					320	
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	

2018355588 10 Oct 2022

325 330 335

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 167
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 167

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45														
	Ala	Tyr	Ile	Ser	Ser	Tyr	Ser	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val			
	50						55					60							
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr			
	65					70					75					80			
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys			
					85					90					95				
	Ala	Arg	Ser	Ser	Ala	Leu	Tyr	Trp	Met	Asp	Phe	Ser	Tyr	Ser	Ala	Leu			
				100					105					110					
	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr			
			115					120					125						
	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser			
		130					135					140							
	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu			
	145					150					155					160			
	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His			
					165					170					175				
	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser			
				180					185					190					
	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys			
			195					200					205						
	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu			
		210					215					220							
	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro			
	225					230					235					240			
	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys			
				245						250					255				

2018355588 10 Oct 2022

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 168

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 168

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 169
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 169

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Tyr Trp Gly Trp Ser Gln Asn Gln Gly Phe Trp Trp Tyr
100 105 110

2018355588 10 Oct 2022

Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
		115					120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
	130					135					140					
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
		195					200					205				
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
	210					215					220					
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
			245						250					255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
			260				265						270			
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	
		275					280					285				
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
	290					295					300					
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
305					310					315					320	
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	

2018355588 10 Oct 2022

325 330 335
Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445
Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 170
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 170

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45														
Ala	Ser	Ile	Ser	Ser	Tyr	Tyr	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val				
	50					55					60								
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr				
	65				70					75					80				
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys				
				85					90					95					
Ala	Arg	Ser	Trp	Ser	Ser	Ser	Phe	Trp	Tyr	Asn	Trp	Ala	Leu	Asp	Tyr				
			100					105					110						
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly				
		115					120					125							
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly				
	130					135					140								
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val				
	145				150					155					160				
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe				
				165					170					175					
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val				
			180					185					190						
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val				
		195					200					205							
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys				
	210					215					220								
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala				
	225				230					235					240				
Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr				
				245					250					255					

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 171

2018355588 10 Oct 2022

<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 171

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser His Ser Ser Leu Tyr Tyr Ser Trp Ile Trp Ala Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser

2018355588 10 Oct 2022

				180					185					190			
	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	
			195					200					205				
	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	
		210					215					220					
	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
		225				230					235					240	
	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
				245						250					255		
	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
				260					265					270			
	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	
		275						280					285				
	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	
		290					295					300					
	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	
		305				310					315					320	
	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	
				325						330					335		
	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	
				340					345					350			
	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	
			355					360					365				
	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	
		370					375					380					
	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	
		385				390					395					400	

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 172
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 172

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Arg Pro Tyr Ser Ser Tyr Tyr Trp Gly Met Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala
225 230 235 240

Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala

2018355588 10 Oct 2022

325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 173
<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 173

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Ser	Ser	Ser	Tyr	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Val	Ser	Trp	Tyr	Pro	Tyr	Tyr	Tyr	Tyr	Tyr	Gly	Tyr	Gly
				100					105					110		
	Ser	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
			115					120						125		
	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys
							135					140				
	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr
	145					150					155					160
	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser
					165					170					175	
	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser
				180					185					190		
	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr
			195					200					205			
	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys
		210					215					220				
	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys
	225					230					235					240
	Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro
					245					250					255	

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
260 265 270

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
275 280 285

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
290 295 300

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
305 310 315 320

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
325 330 335

Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
340 345 350

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
355 360 365

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
370 375 380

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
385 390 395 400

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 174

2018355588 10 Oct 2022

<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 174

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser His Trp Tyr Met Tyr Trp Ser Tyr Trp Gly Trp Tyr
100 105 110

Ile Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
130 135 140

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
145 150 155 160

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
165 170 175

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser

2018355588 10 Oct 2022

				180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr		
		195					200					205					
Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys		
	210					215					220						
Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys		
	225				230					235					240		
Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro		
				245					250					255			
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys		
			260					265					270				
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp		
		275					280					285					
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu		
	290					295					300						
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu		
	305				310					315					320		
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn		
				325					330					335			
Lys	Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly		
			340					345					350				
Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu		
		355					360					365					
Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr		
	370					375					380						
Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn		
	385				390					395					400		

2018355588 10 Oct 2022

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 175
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 175

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Tyr Gly Tyr Asp Tyr Phe Val Lys Tyr Tyr Thr
100 105 110

2018355588 10 Oct 2022

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
130 135 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
180 185 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile
195 200 205

Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val
210 215 220

Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
225 230 235 240

Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
245 250 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala

2018355588 10 Oct 2022

325

330

335

Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 176
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 176

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Lys	Trp	Val	Trp
				100					105					110		
	Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala
			115					120					125			
	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
		130					135					140				
	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
	145					150					155					160
	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
					165					170					175	
	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
				180					185					190		
	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
			195					200					205			
	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
		210					215					220				
	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
	225					230					235					240
	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
					245					250					255	

2018355588 10 Oct 2022

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 177

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 177

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ser Ser Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
	210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250						255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
	290					295					300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 178
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 178

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
	115						120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
	130					135					140					
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
		195					200					205				
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
	210					215					220					
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
			245						250					255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
			260				265						270			
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	
		275					280					285				
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
	290					295					300					
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
305					310					315					320	
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	

2018355588 10 Oct 2022

325 330 335

Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 179
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 179

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

35					40					45					
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
50						55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
65					70					75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85					90					95	
Ala	Arg	Ser	Ser	Ser	Ser	Ser	Trp	Gly	Gly	Ile	Gly	Lys	Trp	Val	Trp
			100					105					110		
Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala
		115					120					125			
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
	130					135					140				
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
145					150					155					160
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
				165					170					175	
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
			180					185					190		
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
		195					200					205			
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
	210					215					220				
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
225					230					235					240
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
				245					250					255	

2018355588 10 Oct 2022

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 180

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 180

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Ser Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr				
		195					200					205							
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys				
	210					215					220								
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro				
225					230					235					240				
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys				
				245					250					255					
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val				
			260					265					270						
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr				
		275					280					285							
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu				
	290					295					300								
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His				
305					310					315					320				
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys				
				325					330					335					
Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln				
			340					345					350						
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met				
		355					360					365							
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro				
	370					375					380								
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn				
385					390					395					400				

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 181
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 181

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Ser Ser Ser Ser
100 105 110

2018355588 10 Oct 2022

Ser Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr
195 200 205

Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys
210 215 220

Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro
225 230 235 240

Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys

2018355588 10 Oct 2022

325 330 335
Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445
Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 182
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 182

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45					
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50						55					60					
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
	65					70					75					80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	
				100					105					110			
	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	
			115					120					125				
	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	
		130					135					140					
	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	
	145					150					155					160	
	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	
					165					170					175		
	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	
				180				185						190			
	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	
			195					200					205				
	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	
		210					215					220					
	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	
	225					230					235					240	
	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	
					245					250					255		

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
325 330 335

Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 183

2018355588 10 Oct 2022

<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 183

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Lys Trp Val Trp Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser

2018355588 10 Oct 2022

				180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys		
		195					200					205					
Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu		
	210					215					220						
Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
225					230					235					240		
Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			245						250					255			
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val		
			260					265					270				
Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp		
		275					280					285					
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr		
	290					295					300						
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp		
305					310					315					320		
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu		
			325						330					335			
Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg		
			340					345					350				
Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys		
		355					360					365					
Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp		
	370					375					380						
Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys		
385					390					395					400		

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 184
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 184

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

2018355588 10 Oct 2022

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
195 200 205

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
210 215 220

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly

2018355588 10 Oct 2022

325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 185
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 185

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

10 Oct 2022

201835588

35					40					45						
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
85					90					95						
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	
100					105					110						
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	
115					120					125						
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly	
130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	
145					150					155					160	
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	
165					170					175						
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	
180					185					190						
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val	
195					200					205						
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys	
210					215					220						
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala	
225					230					235					240	
Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	
245					250					255						

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 186

2018355588 10 Oct 2022

<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 186

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Lys Trp Val Trp Gly Met Asp Tyr Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
115 120 125

Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr
130 135 140

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr
145 150 155 160

Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro
165 170 175

Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr

10 Oct 2022

201835588

180

185

190

Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn
195 200 205

His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser
210 215 220

Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala Ala
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr
290						295						300			

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala Pro
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

2018355588 10 Oct 2022

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 187
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 187

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110

2018355588 10 Oct 2022

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
115 120 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
130 135 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145 150 155 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
165 170 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
180 185 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
195 200 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
210 215 220

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala Ala Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
260 265 270

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala Pro Ile

2018355588 10 Oct 2022

325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 188
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 188

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40						45				
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Ser	Ser	Ser	Ser	Tyr	Ala	Asp	Ser	Val	
	50						55					60					
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
	65					70					75					80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	
				100					105					110			
	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	
			115					120					125				
	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	
	130						135					140					
	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
	145					150					155					160	
	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
					165					170					175		
	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
				180					185					190			
	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	
			195					200					205				
	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	
	210						215					220					
	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	
	225					230					235					240	
	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
					245					250					255		

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 189

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 189

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

10 Oct 2022

201835588

180							185							190						
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val					
		195					200					205								
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys					
	210					215					220									
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala					
225					230					235					240					
Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr					
				245					250					255						
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val					
			260					265					270							
Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val					
		275					280					285								
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser					
	290					295					300									
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu					
305					310					315					320					
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Gly	Ala					
				325					330					335						
Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro					
			340					345					350							
Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn	Gln					
		355					360					365								
Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala					
	370					375					380									
Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr					
385					390					395					400					

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 190
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 190

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110

2018355588 10 Oct 2022

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
115 120 125

Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala
130 135 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145 150 155 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
165 170 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
180 185 190

Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His
195 200 205

Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys
210 215 220

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala Ala Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
260 265 270

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala Pro Ile

2018355588 10 Oct 2022

325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 191
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 191

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

10 Oct 2022

201835588

35					40					45						
Ala	Tyr	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
85					90					95						
Ala	Arg	Tyr	Ser	Ser	Tyr	His	Tyr	Pro	Tyr	Trp	Leu	Phe	Ala	Met	Asp	
100					105					110						
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	
115					120					125						
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	
130					135					140						
Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
145					150					155					160	
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
165					170					175						
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
180					185					190						
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	
195					200					205						
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	
210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	
225					230					235					240	
Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
245					250					255						

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 192

2018355588 10 Oct 2022

<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 192

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly His Tyr Gln Glu Gly Arg Lys Ser Gly Phe Ser Tyr Trp
100 105 110

Ser Pro Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr

2018355588 10 Oct 2022

				180					185					190			
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln		
	195						200					205					
Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp		
	210					215					220						
Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro		
225					230					235					240		
Cys	Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro		
				245					250					255			
Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr		
			260					265					270				
Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn		
		275					280					285					
Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg		
	290					295					300						
Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val		
305					310					315					320		
Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser		
				325					330					335			
Asn	Lys	Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys		
			340					345					350				
Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu		
		355					360					365					
Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe		
	370					375					380						
Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu		
385					390					395					400		

2018355588 10 Oct 2022

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 193
<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 193

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Thr Glu Gly Tyr Asp Arg Trp Gly Tyr Tyr Ser Ser Tyr
100 105 110

2018355588 10 Oct 2022

Trp Ser Ser Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
130 135 140

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
145 150 155 160

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
165 170 175

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
180 185 190

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
195 200 205

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
210 215 220

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
225 230 235 240

Pro Cys Pro Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe
245 250 255

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val

2018355588 10 Oct 2022

					325					330						335
Ser	Asn	Lys	Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	
			340					345					350			
Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	
		355					360					365				
Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	
	370					375					380					
Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	
385					390					395					400	
Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	
				405					410					415		
Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	
			420					425					430			
Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	
		435					440					445				
Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys					
	450					455					460					

<210> 194
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 194

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5				10					15			
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Tyr	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Thr	Tyr	Thr	Trp	Lys	Ser	Ser	Trp	Ser	Tyr	Gln	Thr	Gly	Tyr
				100					105					110		
	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala
			115					120					125			
	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser
		130					135					140				
	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
	145					150					155					160
	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
					165					170					175	
	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
				180					185					190		
	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr
			195					200					205			
	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys
		210					215					220				
	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro
	225					230					235					240
	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys
					245					250					255	

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 195

2018355588 10 Oct 2022

<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 195

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Val Tyr Tyr Tyr Val Tyr Asn Arg Ser Trp Tyr Trp Trp
100 105 110

Ser Gly Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr

2018355588 10 Oct 2022

				180					185					190			
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln		
	195						200					205					
Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp		
	210					215					220						
Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro		
225					230					235					240		
Cys	Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro		
				245					250					255			
Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr		
			260					265					270				
Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn		
		275					280					285					
Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg		
	290					295					300						
Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val		
305					310					315					320		
Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser		
				325					330					335			
Asn	Lys	Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys		
			340					345					350				
Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu		
		355					360					365					
Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe		
	370					375					380						
Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu		
385					390					395					400		

2018355588 10 Oct 2022

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 196
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 196

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Ala Tyr Ser Tyr Pro Tyr Tyr Tyr Phe His Tyr Gly Ala
100 105 110

2018355588 10 Oct 2022

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
130 135 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
180 185 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile
195 200 205

Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val
210 215 220

Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
225 230 235 240

Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
245 250 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala

2018355588 10 Oct 2022

325

330

335

Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 197
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 197

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Pro	Ser	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ala	Trp	Tyr	His	His	Glu	Tyr	Trp	Gly	His	Tyr	Ser	Gly	Met
				100					105					110		
	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr
			115					120					125			
	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser
		130					135					140				
	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu
	145					150					155					160
	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His
					165					170					175	
	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser
				180					185					190		
	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys
			195					200					205			
	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu
		210					215					220				
	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro
	225					230					235					240
	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys
					245					250					255	

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 198

2018355588 10 Oct 2022

<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 198

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Tyr Ser His Pro Tyr Tyr Ser Tyr Tyr Ser Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser

2018355588 10 Oct 2022

				180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys		
		195					200					205					
Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu		
	210					215					220						
Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
225					230					235					240		
Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			245						250					255			
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val		
			260					265					270				
Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp		
		275					280					285					
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr		
	290					295					300						
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp		
305					310					315					320		
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu		
			325						330					335			
Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg		
			340					345					350				
Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys		
		355					360					365					
Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp		
	370					375					380						
Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys		
385					390					395					400		

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 199
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 199

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Met Ala Gly Tyr Lys Tyr Tyr Phe Ile Ser Gly Tyr
100 105 110

2018355588 10 Oct 2022

Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
		115					120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	
	130					135					140					
Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	
		195					200					205				
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	
	210					215					220					
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	
225					230					235					240	
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
			245						250					255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
			260					265					270			
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	
		275					280					285				
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
	290					295					300					
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
305					310					315					320	
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	

2018355588 10 Oct 2022

325 330 335
Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met
355 360 365
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445
Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 200
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 200

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

10 Oct 2022

201835588

35				40				45							
Ala	Ser	Ile	Tyr	Pro	Ser	Tyr	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
50				55				60							
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
65				70				75				80			
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
85				90				95							
Ala	Arg	Tyr	Trp	Asp	Tyr	Gly	Trp	Met	Tyr	Phe	Asp	Pro	Ala	Met	Asp
100				105				110							
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys
115				120				125							
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly
130				135				140							
Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro
145				150				155				160			
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr
165				170				175							
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val
180				185				190							
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn
195				200				205							
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro
210				215				220							
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu
225				230				235				240			
Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp
245				250				255							

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 201

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 201

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Met Glu Asn Trp Glu Trp Pro Tyr His Ser Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Gly		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 202
<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 202

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Trp Tyr Pro Tyr Trp Gln Tyr Tyr Pro Gly Gly Trp
100 105 110

2018355588 10 Oct 2022

His Ser Ser Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
130 135 140

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
145 150 155 160

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
165 170 175

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
180 185 190

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
195 200 205

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
210 215 220

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
225 230 235 240

Pro Cys Pro Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe
245 250 255

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val

2018355588 10 Oct 2022

325 330 335

Ser Asn Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
340 345 350

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
355 360 365

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
370 375 380

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
385 390 395 400

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
405 410 415

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
420 425 430

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
435 440 445

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455 460

<210> 203
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 203

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Tyr	Ile	Ser	Pro	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Thr	Met	Thr	Tyr	Gln	Tyr	Tyr	Pro	Ser	Gly	Ala	Met	Asp
				100					105					110		
	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys
			115					120					125			
	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly
		130					135					140				
	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro
	145					150					155					160
	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr
					165					170					175	
	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val
				180					185					190		
	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn
			195					200					205			
	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro
		210					215					220				
	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu
	225					230					235					240
	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp
					245					250					255	

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 204

2018355588 10 Oct 2022

<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 204

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ile Tyr Tyr Met Trp Gln Tyr Asn Tyr Gly Met Ser
100 105 110

Gly Tyr Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr

2018355588 10 Oct 2022

				180					185					190			
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln		
	195						200					205					
Thr	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp		
	210					215					220						
Lys	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro		
225					230					235					240		
Cys	Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro		
				245					250					255			
Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr		
			260					265					270				
Cys	Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn		
		275					280					285					
Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg		
	290					295					300						
Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val		
305					310					315					320		
Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser		
				325					330					335			
Asn	Lys	Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys		
			340					345					350				
Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu		
		355					360					365					
Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe		
	370					375					380						
Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu		
385					390					395					400		

2018355588 10 Oct 2022

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 205
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 205

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Pro Tyr Tyr Leu His Ser Trp Trp Trp Ser Gly Leu
100 105 110

2018355588 10 Oct 2022

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu

2018355588 10 Oct 2022

325 330 335

Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 206
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 206

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Ser	Pro	Ser	Tyr	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	His	Ser	Trp	Tyr	Tyr	Pro	Tyr	Tyr	Tyr	Tyr	Ala	Leu	Asp	Tyr
				100					105					110		
	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly
			115					120					125			
	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly
		130					135					140				
	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val
	145					150					155					160
	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe
					165					170					175	
	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val
				180					185					190		
	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val
			195					200					205			
	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys
		210					215					220				
	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala
	225					230					235					240
	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
					245					250					255	

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 207

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 207

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Tyr Val Tyr Phe Leu Ala Phe Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

2018355588 10 Oct 2022

	180	185	190
	Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val		
	195	200	205
	Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys		
	210	215	220
	Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala		
	225	230	235
	Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr		
	245	250	255
	Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val		
	260	265	270
	Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val		
	275	280	285
	Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser		
	290	295	300
	Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu		
	305	310	315
	Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala		
	325	330	335
	Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro		
	340	345	350
	Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln		
	355	360	365
	Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala		
	370	375	380
	Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr		
	385	390	395
			400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 208
<211> 459
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 208

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Val Glu Asn Tyr Pro Tyr Trp Ala Trp Pro Trp Gly Tyr
100 105 110

2018355588 10 Oct 2022

Tyr Gly Ala Ile Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser
130 135 140

Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln
195 200 205

Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro
225 230 235 240

Cys Pro Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro
245 250 255

Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
260 265 270

Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
275 280 285

Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
290 295 300

Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
305 310 315 320

Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser

2018355588 10 Oct 2022

325 330 335

Asn Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
340 345 350

Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu
355 360 365

Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
370 375 380

Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
385 390 395 400

Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
405 410 415

Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
420 425 430

Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
435 440 445

Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 209
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 209

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45												
Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val		
	50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr		
65					70					75					80		
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Thr	Tyr	Lys	Trp	Ser	Tyr	Tyr	Thr	Gly	Tyr	Gly	Phe	Asp	Tyr		
			100					105					110				
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly		
		115					120					125					
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly		
	130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val		
145					150					155					160		
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe		
				165					170					175			
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val		
			180					185					190				
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val		
		195					200					205					
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys		
	210					215					220						
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala		
225					230					235					240		
Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr		
				245					250					255			

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 210

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 210

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Trp Pro Tyr Arg Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190	
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn		
		195					200					205					
Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro		
	210					215					220						
Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Gly		
				325					330					335			
Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 211
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 211

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Ser Pro Tyr Arg Gly Met Asp
100 105 110

2018355588 10 Oct 2022

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly
130 135 140

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn
195 200 205

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro
210 215 220

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly

2018355588 10 Oct 2022

325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 212
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 212

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35		40		45												
Ala	Tyr	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val		
50						55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr		
65					70					75					80		
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Val	Gly	Tyr	Tyr	Tyr	Pro	Tyr	Leu	Tyr	Leu	Gly	Asp	Gly	Leu		
			100					105					110				
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr		
		115					120					125					
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser		
	130					135					140						
Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu		
145					150					155					160		
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His		
				165					170					175			
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser		
			180					185					190				
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys		
		195					200					205					
Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu		
	210					215					220						
Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
225					230					235					240		
Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			245						250					255			

2018355588 10 Oct 2022

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
325 330 335

Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 213

2018355588 10 Oct 2022

<211> 460
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 213

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Ala Trp His Tyr Glu Pro Ser Tyr Trp Tyr Gly Asn Tyr
100 105 110

Ala Thr Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser
130 135 140

Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys
145 150 155 160

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
165 170 175

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu

10 Oct 2022

201835588

180

185

190

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
195 200 205

Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val
210 215 220

Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro
225 230 235 240

Pro Cys Pro Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe
245 250 255

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
260 265 270

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
275 280 285

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
290 295 300

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
305 310 315 320

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
325 330 335

Ser Asn Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
340 345 350

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
355 360 365

Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
370 375 380

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
385 390 395 400

2018355588 10 Oct 2022

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
405 410 415

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
420 425 430

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
435 440 445

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455 460

<210> 214
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 214

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gln Gln Tyr Tyr Pro Asp Gln Tyr Trp Gly Leu Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Ala
225 230 235 240

Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala

2018355588 10 Oct 2022

325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 215
<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 215

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Thr	Tyr	Tyr	Thr	Tyr	Phe	Asp	Trp	Trp	Arg	Thr	Ala	Val	Tyr
				100					105					110		
	Tyr	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
			115					120					125			
	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys
		130					135					140				
	Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr
	145					150					155					160
	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser
					165					170					175	
	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser
				180					185					190		
	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr
			195					200					205			
	Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys
		210					215					220				
	Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys
	225					230					235					240
	Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro
					245					250					255	

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
260 265 270

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
275 280 285

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
290 295 300

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
305 310 315 320

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
325 330 335

Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
340 345 350

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
355 360 365

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
370 375 380

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
385 390 395 400

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 216

2018355588 10 Oct 2022

<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 216

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Tyr Tyr Asn Tyr Met Ser Ser Tyr Trp Trp Tyr Ser Ala
100 105 110

Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr
130 135 140

Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser

2018355588 10 Oct 2022

				180					185					190			
Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile		
		195					200					205					
Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val		
	210					215					220						
Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala		
225					230					235					240		
Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro		
				245					250					255			
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val		
			260					265					270				
Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val		
		275					280					285					
Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln		
	290					295					300						
Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln		
305					310					315					320		
Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala		
				325					330					335			
Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro		
			340					345					350				
Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr		
		355					360					365					
Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser		
	370					375					380						
Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr		
385					390					395					400		

2018355588 10 Oct 2022

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 217
<211> 458
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 217

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Lys Ile Phe Trp Pro Val Ser Trp Met Trp Gln Gly Tyr Tyr
100 105 110

2018355588 10 Oct 2022

Pro	Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	
	130					135					140					
Ser	Thr	Ser	Gly	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170					175		
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	
		195					200					205				
Tyr	Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
	210					215					220					
Lys	Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	
225					230					235					240	
Pro	Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	
				245					250					255		
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	
			260					265					270			
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	
		275					280					285				
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	
	290					295					300					
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	
305					310					315					320	
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	

2018355588 10 Oct 2022

325 330 335

Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
340 345 350

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
355 360 365

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
370 375 380

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
385 390 395 400

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
405 410 415

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
420 425 430

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
435 440 445

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 218
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 218

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Tyr	Ser	Ser	Glu	Thr	His	Tyr	Gly	Trp	Ala	Met	Asp	Tyr
				100					105					110		
	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly
			115					120					125			
	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly
		130					135					140				
	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val
	145					150					155					160
	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe
					165					170					175	
	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val
				180					185					190		
	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val
			195					200					205			
	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys
		210					215					220				
	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Ala
	225					230					235					240
	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
					245					250					255	

2018355588 10 Oct 2022

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 219

2018355588 10 Oct 2022

<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 219

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gln Tyr Tyr Thr Tyr Phe Glu Trp Tyr Met Gly Trp Gly Tyr
100 105 110

Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser
130 135 140

Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr		
		195					200					205					
Ile	Cys	Asn	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys		
	210					215					220						
Val	Glu	Pro	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250						255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
	290					295					300						
Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		
Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys		
				325					330					335			
Ala	Leu	Gly	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln		
			340					345					350				
Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met		
		355					360					365					
Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro		
	370					375					380						
Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn		
385					390					395					400		

2018355588 10 Oct 2022

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 220
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 220

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Tyr Ser Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ala Leu Tyr Trp Met Asp Phe Ser Tyr Ser Ala Leu
100 105 110

2018355588 10 Oct 2022

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser
130 135 140

Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys
195 200 205

Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu
210 215 220

Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu

2018355588 10 Oct 2022

325 330 335

Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 221
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 221

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35							40								45
	Ala	Tyr	Ile	Ser	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Asp
				100					105					110		
	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys
			115					120					125			
	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly
	130						135					140				
	Gly	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro
	145					150					155					160
	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr
					165					170					175	
	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val
				180					185					190		
	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn
			195					200					205			
	Val	Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro
	210						215					220				
	Lys	Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu
	225					230					235					240
	Ala	Ala	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp
					245					250					255	

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Gly
325 330 335

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 222

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 222

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Tyr Trp Gly Trp Ser Gln Asn Gln Gly Phe Trp Trp Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190	
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr		
		195					200					205					
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg		
	210					215					220						
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn		
	290					295					300						
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp		
305					310					315					320		
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro		
				325					330					335			
Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu		
			340					345					350				
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn		
		355					360					365					
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile		
	370					375					380						
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr		
385					390					395					400		

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 223
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 223

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Ser Ser Ser Phe Trp Tyr Asn Trp Ala Leu Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu

2018355588 10 Oct 2022

325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 224
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 224

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45					
	Ala	Tyr	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50						55					60					
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
	65					70					75					80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Tyr	Ser	His	Ser	Ser	Leu	Tyr	Tyr	Ser	Trp	Ile	Trp	Ala	Leu	
				100					105					110			
	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	
			115					120					125				
	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	
		130					135					140					
	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	
	145					150					155					160	
	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	
					165					170					175		
	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	
				180					185					190			
	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	
			195					200					205				
	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	
		210					215					220					
	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	
	225					230					235					240	
	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	
					245					250					255		

2018355588 10 Oct 2022

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 225

2018355588 10 Oct 2022

<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 225

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Arg Pro Tyr Ser Ser Tyr Tyr Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val

10 Oct 2022

201835588

180

185

190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

2018355588 10 Oct 2022

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 226
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 226

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Val Ser Trp Tyr Pro Tyr Tyr Tyr Tyr Tyr Gly Tyr Gly
100 105 110

2018355588 10 Oct 2022

Ser	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	130					135					140					
Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170					175		
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
		195					200					205				
Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
	210					215					220					
Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	
225					230					235					240	
Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
			245						250					255		
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
			260					265					270			
Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	
		275					280					285				
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	
	290					295					300					
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	
305					310					315					320	
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	

2018355588 10 Oct 2022

325 330 335
Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
355 360 365
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415
Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
420 425 430
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445
Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 227
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 227

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75				80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Ser	Ser	His	Trp	Tyr	Met	Tyr	Trp	Ser	Tyr	Trp	Gly	Trp	Tyr
				100					105					110		
	Ile	Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
			115					120					125			
	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg
		130					135					140				
	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr
	145					150					155					160
	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser
					165					170					175	
	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser
				180					185					190		
	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr
			195					200					205			
	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys
		210					215					220				
	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro
	225					230					235					240
	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys
					245					250					255	

2018355588 10 Oct 2022

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
325 330 335

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 228

2018355588 10 Oct 2022

<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 228

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Tyr Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Tyr Gly Tyr Asp Tyr Phe Val Lys Tyr Tyr Thr
100 105 110

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr
130 135 140

Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser

2018355588 10 Oct 2022

	180		185		190										
Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr
		195					200					205			
Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val
	210					215					220				
Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe
225					230					235					240
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
				245					250					255	
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val
			260					265					270		
Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val
		275					280					285			
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser
	290					295					300				
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu
305					310					315					320
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser
				325					330					335	
Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro
			340					345					350		
Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln
		355					360					365			
Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala
		370				375					380				
Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr
385					390					395					400

2018355588 10 Oct 2022

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 229
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 229

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
	115						120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
	130					135					140					
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
		195					200					205				
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	
	210					215					220					
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	
225					230					235					240	
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
				245					250					255		
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	
			260					265					270			
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	
		275					280					285				
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	
	290					295					300					
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	
305					310					315					320	
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	

2018355588 10 Oct 2022

325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 230
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 230

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35							40					45				
	Ala	Ser	Ser	Ser	Ser	Ser	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50						55					60					
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
	65					70					75					80	
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Lys	Trp	Val	Trp	
				100					105					110			
	Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
			115					120					125				
	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
		130					135					140					
	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
	145					150					155					160	
	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
					165					170					175		
	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
				180					185					190			
	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
			195					200					205				
	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	
		210					215					220					
	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	
	225					230					235					240	
	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
					245					250					255		

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 231

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 231

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr				
		195					200					205							
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg				
	210					215					220								
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu				
225					230					235					240				
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp				
				245					250					255					
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp				
			260					265					270						
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly				
		275					280					285							
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn				
	290					295					300								
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp				
305					310					315					320				
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro				
				325					330					335					
Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu				
			340					345					350						
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn				
		355					360					365							
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile				
	370					375					380								
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr				
385					390					395					400				

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 232
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 232

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
100 105 110

2018355588 10 Oct 2022

Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
	115						120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
	130					135					140					
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
		195					200					205				
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	
	210					215					220					
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	
225					230					235					240	
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
				245					250					255		
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	
			260					265					270			
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	
		275					280					285				
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	
	290					295					300					
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	
305					310					315					320	
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	

2018355588 10 Oct 2022

325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 233
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 233

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

10 Oct 2022

201835588

35					40					45						
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
50					55					60						
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
85					90					95						
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Ser	Ser	Ser	Lys	Trp	Val	Trp	
100					105					110						
Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
115					120					125						
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
130					135					140						
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
165					170					175						
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
180					185					190						
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
195					200					205						
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	
210					215					220						
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	
225					230					235					240	
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
245					250					255						

2018355588 10 Oct 2022

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 234

2018355588 10 Oct 2022

<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 234

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Ser Ser Ser Ser
100 105 110

Ser Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu

2018355588 10 Oct 2022

				180						185						190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr				
		195					200					205							
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg				
	210					215					220								
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu				
225					230					235					240				
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp				
				245					250					255					
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp				
			260					265					270						
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly				
		275					280					285							
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn				
	290					295					300								
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp				
305					310					315					320				
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro				
				325					330					335					
Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu				
			340					345					350						
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn				
		355					360					365							
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile				
	370					375					380								
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr				
385					390					395					400				

2018355588 10 Oct 2022

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 235
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 235

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Lys Trp Val Trp Gly
100 105 110

2018355588 10 Oct 2022

Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125

Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr
130 135 140

Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160

Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
180 185 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr
195 200 205

Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val
210 215 220

Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe
225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser

2018355588 10 Oct 2022

325 330 335

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 236
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 236

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

				35					40							45
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
50						55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	
			100					105					110			
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	
		115					120					125				
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	
	130					135					140					
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	
145					150					155					160	
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	
				165					170					175		
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	
			180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	
		195					200					205				
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	
	210					215					220					
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	
225					230					235					240	
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	
				245					250					255		

2018355588 10 Oct 2022

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 237

2018355588 10 Oct 2022

<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 237

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val

2018355588 10 Oct 2022

				180						185						190
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	
		195					200					205				
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	
	210					215					220					
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	
225					230					235					240	
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	
				245					250					255		
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	
			260					265					270			
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	
		275					280					285				
His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	
	290					295					300					
Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	
305					310					315					320	
Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	
				325					330					335		
Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	
			340					345					350			
Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	
		355					360					365				
Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	
	370					375					380					
Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	
385					390					395					400	

2018355588 10 Oct 2022

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 238
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 238

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

2018355588 10 Oct 2022

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu

2018355588 10 Oct 2022

325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 239
<211> 449
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 239

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val

2018355588 10 Oct 2022

	35						40					45				
	Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50						55					60				
	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr
	65					70					75					80
	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
	Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	Trp
				100					105					110		
	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro
			115					120					125			
	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr
		130					135					140				
	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr
	145					150					155					160
	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro
				165						170					175	
	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr
			180						185					190		
	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp
			195					200					205			
	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr
		210					215					220				
	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro
	225					230					235					240
	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser
					245					250					255	

2018355588 10 Oct 2022

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp
260 265 270

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
275 280 285

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val
290 295 300

Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
305 310 315 320

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys
325 330 335

Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
340 345 350

Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
355 360 365

Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
370 375 380

Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
385 390 395 400

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys
405 410 415

Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu
420 425 430

Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
435 440 445

Lys

<210> 240

2018355588 10 Oct 2022

<211> 448
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 240

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
115 120 125

Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
130 135 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145 150 155 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
165 170 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val

2018355588 10 Oct 2022

					180					185						190	
Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His		
		195					200					205					
Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly		
	210					215					220						
Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser		
225					230					235					240		
Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg		
				245					250					255			
Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro		
			260					265					270				
Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala		
		275					280					285					
Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val		
	290					295					300						
Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr		
305					310					315					320		
Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	Glu	Lys	Thr		
				325					330					335			
Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu		
			340					345					350				
Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys		
		355					360					365					
Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser		
	370					375					380						
Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp		
385					390					395					400		

2018355588 10 Oct 2022

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

<210> 241
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 241

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Lys Trp Val Trp Gly Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

2018355588 10 Oct 2022

Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	
130						135					140					
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
145					150					155					160	
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
				165					170					175		
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
			180					185					190			
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	
		195					200					205				
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	
	210					215					220					
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	
225					230					235					240	
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	
				245					250					255		
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	
			260					265					270			
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	
		275					280					285				
His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	
	290					295					300					
Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	
305					310					315					320	
Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	
				325					330					335		
Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	

2018355588 10 Oct 2022

340 345 350
Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365
Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380
Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400
Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415
Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430
His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445
Pro Gly Lys
450

<210> 242
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 242

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val

2018355588 10 Oct 2022

50	55	60
Lys 65	Gly Arg Phe Thr Ile 70	Ser Ala Asp Thr Ser 75
Lys Asn Thr Ala Tyr 80		
Leu Gln Met Asn 85	Ser Leu Arg Ala Glu 90	Asp Thr Ala Val Tyr 95
Tyr Tyr Cys 95		
Ala Arg Tyr Ser 100	Thr Tyr Ser Ser Lys 105	Trp Val Trp Gly Met Asp Tyr 110
Trp Gly Gln Gly 115	Thr Leu Val Thr 120	Val Ser Ser Ala Ser Thr Lys Gly 125
Pro Ser Val Phe Pro 130	Leu Ala Pro Cys Ser Arg 135	Ser Thr Ser Glu Ser 140
Thr Ala Ala Leu Gly 145	Cys Leu Val Lys Asp Tyr 150	Phe Pro Glu Pro Val 160
Thr Val Ser Trp Asn 165	Ser Gly Ala Leu Thr 170	Ser Gly Val His Thr Phe 175
Pro Ala Val Leu 180	Gln Ser Ser Gly Leu 185	Tyr Ser Leu Ser Ser Val Val 190
Thr Val Pro Ser 195	Ser Ser Leu Gly 200	Thr Lys Thr Tyr Thr Cys Asn Val 205
Asp His Lys Pro 210	Ser Asn Thr Lys 215	Val Asp Lys Arg Val Glu Ser Lys 220
Tyr Gly Pro Pro 225	Cys Pro Ser Cys Pro 230	Ala Pro Glu Phe Leu Gly Gly 240
Pro Ser Val Phe 245	Leu Phe Pro Pro Lys 250	Pro Lys Asp Thr Leu Met Ile 255
Ser Arg Thr Pro 260	Glu Val Thr Cys Val 265	Val Val Asp Val Ser Gln Glu 270

2018355588 10 Oct 2022

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 243
<211> 448
<212> PRT
<213> Artificial Sequence

2018355588 10 Oct 2022

<220>

<223> Synthetic Polypeptide

<400> 243

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr Trp Gly
100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
115 120 125

Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
130 135 140

Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
145 150 155 160

Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
165 170 175

Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
180 185 190

Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His

10 Oct 2022

201835588

195					200					205						
Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	
210					215					220						
Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	
225					230					235					240	
Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	
245					250					255						
Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	
260					265					270						
Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	
275					280					285						
Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val	
290					295					300						
Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	
305					310					315					320	
Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	Glu	Lys	Thr	
325					330					335						
Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	
340					345					350						
Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	
355					360					365						
Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	
370					375					380						
Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	
385					390					395					400	
Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Arg	Leu	Thr	Val	Asp	Lys	Ser	
405					410					415						

Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
 420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
 435 440 445

<210> 244
 <211> 451
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Synthetic Polypeptide
 <400> 244

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
 20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Tyr Ser Ser Tyr His Tyr Pro Tyr Trp Leu Phe Ala Met Asp
 100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
 115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
 130 135 140

2018355588 10 Oct 2022

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser

2018355588 10 Oct 2022

355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 245
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 245

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

10 Oct 2022

201835588

65					70					75					80				
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys				
Ala	Arg	Gly	His 100	Tyr	Gln	Glu	Gly	Arg 105	Lys	Ser	Gly	Phe	Ser 110	Tyr	Trp				
Ser	Pro	Ala 115	Leu	Asp	Tyr	Trp	Gly 120	Gln	Gly	Thr	Leu	Val 125	Thr	Val	Ser				
Ser	Ala 130	Ser	Thr	Lys	Gly	Pro 135	Ser	Val	Phe	Pro	Leu 140	Ala	Pro	Cys	Ser				
Arg 145	Ser	Thr	Ser	Glu	Ser 150	Thr	Ala	Ala	Leu	Gly 155	Cys	Leu	Val	Lys	Asp 160				
Tyr	Phe	Pro	Glu 165	Pro	Val	Thr	Val	Ser	Trp 170	Asn	Ser	Gly	Ala	Leu 175	Thr				
Ser	Gly	Val 180	His	Thr	Phe	Pro	Ala 185	Val	Leu	Gln	Ser	Ser	Gly 190	Leu	Tyr				
Ser	Leu 195	Ser	Ser	Val	Val	Thr	Val 200	Pro	Ser	Ser	Ser	Leu 205	Gly	Thr	Lys				
Thr 210	Tyr	Thr	Cys	Asn	Val	Asp 215	His	Lys	Pro	Ser	Asn 220	Thr	Lys	Val	Asp				
Lys 225	Arg	Val	Glu	Ser 230	Lys	Tyr	Gly	Pro	Pro	Cys 235	Pro	Ser	Cys	Pro	Ala 240				
Pro	Glu	Phe	Leu	Gly 245	Gly	Pro	Ser	Val	Phe 250	Leu	Phe	Pro	Pro	Lys 255	Pro				
Lys	Asp	Thr	Leu 260	Met	Ile	Ser	Arg	Thr 265	Pro	Glu	Val	Thr	Cys 270	Val	Val				
Val	Asp 275	Val	Ser	Gln	Glu	Asp 280	Pro	Glu	Val	Gln	Phe	Asn 285	Trp	Tyr	Val				

2018355588 10 Oct 2022

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 246
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 246

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Tyr 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Ser 50	Ile	Tyr	Ser	Tyr	Tyr 55	Gly	Tyr	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys
Ala	Arg	Ser	Thr 100	Glu	Gly	Tyr	Asp	Arg 105	Trp	Gly	Tyr	Tyr	Ser 110	Ser	Tyr
Trp	Ser	Ser	Gly 115	Leu	Asp	Tyr	Trp	Gly 120	Gln	Gly	Thr	Leu 125	Val	Thr	Val
Ser	Ser 130	Ala	Ser	Thr	Lys	Gly 135	Pro	Ser	Val	Phe	Pro 140	Leu	Ala	Pro	Cys
Ser 145	Arg	Ser	Thr	Ser	Glu 150	Ser	Thr	Ala	Ala 155	Leu	Gly	Cys	Leu	Val	Lys 160
Asp	Tyr	Phe	Pro	Glu 165	Pro	Val	Thr	Val	Ser 170	Trp	Asn	Ser	Gly	Ala 175	Leu
Thr	Ser	Gly	Val 180	His	Thr	Phe	Pro	Ala 185	Val	Leu	Gln	Ser	Ser 190	Gly	Leu
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr 200	Val	Pro	Ser	Ser	Ser 205	Leu	Gly	Thr
Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val

2018355588 10 Oct 2022

210	215	220
Asp 225	Lys Arg Val Glu Ser 230	Lys Tyr Gly Pro Pro 235 Cys Pro Ser Cys Pro 240
Ala	Pro Glu Phe Leu 245 Gly Gly Pro Ser Val 250 Phe Leu Phe Pro Pro 255 Lys	
Pro	Lys Asp Thr 260 Leu Met Ile Ser Arg Thr 265 Pro Glu Val Thr 270 Cys Val	
Val	Val Asp 275 Val Ser Gln Glu Asp 280 Pro Glu Val Gln Phe Asn Trp Tyr	
Val	Asp Gly Val Glu Val His 295 Asn Ala Lys Thr Lys 300 Pro Arg Glu Glu	
Gln 305	Phe Asn Ser Thr 310 Tyr Arg Val Val Ser Val 315 Leu Thr Val Leu His 320	
Gln	Asp Trp Leu Asn 325 Gly Lys Glu Tyr Lys 330 Cys Lys Val Ser Asn Lys 335	
Gly	Leu Pro Ser 340 Ser Ile Glu Lys Thr 345 Ile Ser Lys Ala Lys 350 Gly Gln	
Pro	Arg Glu Pro Gln Val Tyr Thr 360 Leu Pro Pro Ser Gln 365 Glu Glu Met	
Thr	Lys Asn Gln Val Ser 375 Leu Thr Cys Leu Val Lys 380 Gly Phe Tyr Pro	
Ser 385	Asp Ile Ala Val Glu 390 Trp Glu Ser Asn Gly 395 Gln Pro Glu Asn Asn 400	
Tyr	Lys Thr Thr Pro 405 Pro Val Leu Asp Ser 410 Asp Gly Ser Phe Phe Leu 415	
Tyr	Ser Arg Leu Thr Val Asp 420 Lys Ser Arg Trp Gln Glu Gly 430 Asn Val	

2018355588 10 Oct 2022

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 247
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 247

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Thr Trp Lys Ser Ser Trp Ser Tyr Gln Thr Gly Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

2018355588 10 Oct 2022

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr
195 200 205

Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg
210 215 220

Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu
225 230 235 240

Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn

2018355588 10 Oct 2022

355 360 365
Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380
Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400
Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415
Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430
Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445
Ser Leu Ser Pro Gly Lys
450

<210> 248
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 248

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

10 Oct 2022

201835588

65					70					75					80				
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys				
Ala	Arg	Ala	Val 100	Tyr	Tyr	Tyr	Val	Tyr 105	Asn	Arg	Ser	Trp	Tyr 110	Trp	Trp				
Ser	Gly	Gly 115	Phe	Asp	Tyr	Trp	Gly 120	Gln	Gly	Thr	Leu	Val 125	Thr	Val	Ser				
Ser	Ala 130	Ser	Thr	Lys	Gly	Pro 135	Ser	Val	Phe	Pro	Leu 140	Ala	Pro	Cys	Ser				
Arg 145	Ser	Thr	Ser	Glu	Ser 150	Thr	Ala	Ala	Leu	Gly 155	Cys	Leu	Val	Lys	Asp 160				
Tyr	Phe	Pro	Glu 165	Pro	Val	Thr	Val	Ser	Trp 170	Asn	Ser	Gly	Ala	Leu 175	Thr				
Ser	Gly	Val 180	His	Thr	Phe	Pro	Ala 185	Val	Leu	Gln	Ser	Ser	Gly 190	Leu	Tyr				
Ser	Leu 195	Ser	Ser	Val	Val	Thr	Val 200	Pro	Ser	Ser	Ser	Leu 205	Gly	Thr	Lys				
Thr 210	Tyr	Thr	Cys	Asn	Val	Asp 215	His	Lys	Pro	Ser	Asn 220	Thr	Lys	Val	Asp				
Lys 225	Arg	Val	Glu	Ser 230	Lys	Tyr	Gly	Pro	Pro	Cys 235	Pro	Ser	Cys	Pro	Ala 240				
Pro	Glu	Phe	Leu	Gly 245	Gly	Pro	Ser	Val	Phe 250	Leu	Phe	Pro	Pro	Lys 255	Pro				
Lys	Asp	Thr	Leu 260	Met	Ile	Ser	Arg	Thr 265	Pro	Glu	Val	Thr	Cys 270	Val	Val				
Val	Asp 275	Val	Ser	Gln	Glu	Asp 280	Pro	Glu	Val	Gln	Phe	Asn 285	Trp	Tyr	Val				

2018355588 10 Oct 2022

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 249
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 249

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Phe	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Ser 50	Ile	Ser	Ser	Ser	Ser 55	Gly	Ser	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr 95	Tyr	Cys
Ala	Arg	Pro	Ala 100	Tyr	Ser	Tyr	Pro	Tyr 105	Tyr	Tyr	Phe	His	Tyr 110	Gly	Ala
Met	Asp	Tyr 115	Trp	Gly	Gln	Gly	Thr 120	Leu	Val	Thr	Val	Ser 125	Ser	Ala	Ser
Thr 130	Lys	Gly	Pro	Ser	Val	Phe 135	Pro	Leu	Ala	Pro	Cys 140	Ser	Arg	Ser	Thr
Ser 145	Glu	Ser	Thr	Ala	Ala 150	Leu	Gly	Cys	Leu 155	Val	Lys	Asp	Tyr	Phe	Pro 160
Glu	Pro	Val	Thr	Val 165	Ser	Trp	Asn	Ser	Gly 170	Ala	Leu	Thr	Ser	Gly 175	Val
His	Thr	Phe	Pro 180	Ala	Val	Leu	Gln 185	Ser	Ser	Gly	Leu	Tyr	Ser 190	Leu	Ser
Ser	Val	Val	Thr	Val	Pro	Ser	Ser 200	Ser	Leu	Gly	Thr	Lys 205	Thr	Tyr	Thr
Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val

2018355588 10 Oct 2022

210	215	220
Glu 225	Ser Lys Tyr Gly 230	Pro Pro Cys Pro Ser Cys 235
Leu 240	Gly Gly Pro Ser 245	Val Phe Leu Phe Pro 250
Leu 255	Met Ile Ser Arg Thr 260	Pro Glu Val Thr Cys Val 265
Ser 270	Gln Glu Asp Pro Glu Val 275	Gln Phe Asn Trp Tyr Val 280
Glu 285	Val His Asn Ala Lys Thr 290	Lys Pro Arg Glu Glu 295
Thr 300	Tyr Arg Val Val Ser Val 305	Leu Thr Val Leu His 310
Asn 315	Gly Lys Glu Tyr Lys Cys Lys 320	Val Ser Asn Lys Gly 325
Ser 330	Ile Glu Lys Thr Ile Ser Lys 335	Ala Lys Gly Gln Pro 340
Gln 345	Val Tyr Thr Leu Pro Pro 350	Ser Gln Glu Glu Met 355
Val 360	Ser Leu Thr Cys Leu Val 365	Lys Gly Phe Tyr Pro 370
Val 375	Glu Trp Glu Ser Asn Gly 380	Gln Pro Glu Asn Asn 385
Pro 390	Pro Val Leu Asp Ser Asp 395	Gly Ser Phe Phe Leu 400
Thr 405	Val Asp Lys Ser Arg Trp 410	Gln Glu Gly Asn Val 415
Thr 420	Val Asp Lys Ser Arg Trp 425	Gln Glu Gly Asn Val 430
Thr 430	Val Asp Lys Ser Arg Trp 435	Gln Glu Gly Asn Val 440

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 250
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 250

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Trp Tyr His His Glu Tyr Trp Gly His Tyr Ser Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

2018355588 10 Oct 2022

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val

2018355588 10 Oct 2022

	355		360		365
Ser	Leu Thr Cys Leu Val	Lys Gly Phe Tyr Pro	Ser Asp Ile Ala Val		
370		375	380		
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro					
385		390	395		400
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr					
	405		410		415
Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val					
	420		425		430
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu					
	435		440		445
Ser Pro Gly Lys					
	450				

<210> 251
 <211> 452
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic Polypeptide

 <400> 251

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly	
1 5 10 15	
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser	
20 25 30	
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35 40 45	
Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val	
50 55 60	
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr	

10 Oct 2022

65					70					75					80				
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys				
85					90					95									
Ala	Arg	Ser	Gly	Tyr	Ser	His	Pro	Tyr	Tyr	Ser	Tyr	Tyr	Ser	Gly	Met				
100					105					110									
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr				
115					120					125									
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser				
130					135					140									
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu				
145					150					155					160				
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His				
165					170					175									
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser				
180					185					190									
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys				
195					200					205									
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu				
210					215					220									
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu				
225					230					235					240				
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu				
245					250					255									
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser				
260					265					270									
Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu				
275					280					285									

2018355588 10 Oct 2022

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 252
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 252

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Ser	Tyr	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Thr	Tyr	Met	Ala	Gly	Tyr	Lys	Tyr	Tyr	Phe	Ile	Ser	Gly	Tyr	
			100					105					110			
Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
		115					120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
	130					135					140					
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
		195					200					205				
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	

2018355588 10 Oct 2022

210	215	220
Val 225	Glu Ser Lys Tyr Gly 230	Pro Pro Cys Pro Ser 235 Cys Pro Ala Pro Glu 240
Phe	Leu Gly Gly Pro 245 Ser Val Phe Leu 250 Phe Pro Pro Lys Pro Lys 255 Asp	
Thr	Leu Met Ile 260 Ser Arg Thr Pro Glu 265 Val Thr Cys Val Val 270 Val Asp	
Val	Ser Gln 275 Glu Asp Pro Glu 280 Val Gln Phe Asn Trp Tyr 285 Val Asp Gly	
Val 290	Glu Val His Asn Ala Lys 295 Thr Lys Pro Arg Glu 300 Glu Gln Phe Asn	
Ser 305	Thr Tyr Arg Val 310 Val Ser Val Leu Thr Val 315 Leu His Gln Asp Trp 320	
Leu	Asn Gly Lys 325 Glu Tyr Lys Cys Lys Val 330 Ser Asn Lys Gly Leu 335 Pro	
Ser	Ser Ile 340 Glu Lys Thr Ile Ser Lys 345 Ala Lys Gly Gln Pro 350 Arg Glu	
Pro	Gln Val 355 Tyr Thr Leu Pro Pro 360 Ser Gln Glu Glu Met Thr Lys Asn	
Gln 370	Val Ser Leu Thr Cys 375 Leu Val Lys Gly Phe Tyr 380 Pro Ser Asp Ile	
Ala 385	Val Glu Trp Glu Ser 390 Asn Gly Gln Pro Glu 395 Asn Asn Tyr Lys Thr 400	
Thr	Pro Pro Val 405 Leu Asp Ser Asp Gly Ser 410 Phe Phe Leu Tyr Ser 415 Arg	
Leu	Thr Val 420 Asp Lys Ser Arg Trp Gln 425 Glu Gly Asn Val 430 Phe Ser Cys	

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 253
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 253

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Asp Tyr Gly Trp Met Tyr Phe Asp Pro Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

2018355588 10 Oct 2022

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser

2018355588 10 Oct 2022

355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 254
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 254

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Met	Glu	Asn	Trp	Glu	Trp	Pro	Tyr	His	Ser	Ala	Met	Asp		
			100					105					110				
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys		
		115					120					125					
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu		
	130					135					140						
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro		
145					150					155					160		
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr		
				165					170					175			
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val		
			180					185					190				
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn		
		195					200					205					
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser		
	210					215					220						
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly		
225					230					235					240		
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
				245					250					255			
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln		
			260					265					270				
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val		
		275					280					285					

2018355588 10 Oct 2022

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 255
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 255

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Tyr	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Ser	Ser	Tyr	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Ser	Trp	Trp	Tyr	Pro	Tyr	Trp	Gln	Tyr	Tyr	Pro	Gly	Gly	Trp	
			100					105					110			
His	Ser	Ser	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	
		115					120					125				
Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	
	130					135					140					
Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	
145					150					155					160	
Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	
				165					170					175		
Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	
			180					185					190			
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	
		195					200					205				
Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	

2018355588 10 Oct 2022

210	215	220
Asp 225	Lys Arg Val Glu Ser 230	Lys Tyr Gly Pro Pro 235
Cys Pro Ser Cys Pro 240		
Ala Pro Glu Phe Leu 245	Gly Gly Pro Ser Val 250	Phe Leu Phe Pro Pro 255
Lys		
Pro Lys Asp Thr 260	Leu Met Ile Ser Arg Thr 265	Pro Glu Val Thr Cys Val 270
Val Val Asp Val Ser Gln Glu Asp 280	Pro Glu Val Gln Phe Asn Trp Tyr	
Val Asp Gly Val Glu Val His 295	Asn Ala Lys Thr Lys 300	Pro Arg Glu Glu
Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val 315	Leu Thr Val Leu His 320	
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys 335		
Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln 350		
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met 365		
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro 380		
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn 400		
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu 415		
Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val 430		

2018355588 10 Oct 2022

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 256
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 256

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Pro Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Thr Met Thr Tyr Gln Tyr Tyr Pro Ser Gly Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

2018355588 10 Oct 2022

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser

2018355588 10 Oct 2022

355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 257
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 257

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
			85						90				95				
Ala	Arg	Ser	Tyr	Ile	Tyr	Tyr	Met	Trp	Gln	Tyr	Asn	Tyr	Gly	Met	Ser		
			100					105					110				
Gly	Tyr	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser		
		115					120					125					
Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser		
	130					135					140						
Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp		
145					150					155					160		
Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr		
			165						170					175			
Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr		
			180					185					190				
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys		
	195						200					205					
Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp		
	210					215					220						
Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala		
225					230					235					240		
Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro		
			245						250					255			
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val		
			260					265					270				
Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val		
	275						280					285					

2018355588 10 Oct 2022

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 258
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 258

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Tyr	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Ser	Ser	Ser	Tyr	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	His	Ser	Pro	Tyr	Tyr	Leu	His	Ser	Trp	Trp	Trp	Ser	Gly	Leu	
			100					105					110			
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	
		115					120					125				
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	
	130					135					140					
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	
145					150					155					160	
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	
				165					170					175		
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	
			180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	
		195					200					205				
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	

2018355588 10 Oct 2022

210	215	220
Ser 225	Lys Tyr Gly Pro Pro 230	Cys Pro Ser Cys Pro 235
Gly Gly Pro Ser 245	Val Phe Leu Phe Pro 250	Lys Pro Lys Asp Thr 255
Met Ile Ser 260	Arg Thr Pro Glu Val Thr 265	Cys Val Val Val Asp Val Ser 270
Gln Glu Asp 275	Pro Glu Val Gln Phe Asn Trp Tyr Val 280	Asp Gly Val Glu 285
Val His 290	Asn Ala Lys Thr Lys Pro Arg Glu Glu 295	Gln Phe Asn Ser Thr 300
Tyr 305	Arg Val Val Ser 310	Leu Thr Val Leu His 315
Gly Lys Glu Tyr 325	Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser 330	
Ile Glu Lys Thr 340	Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln 345	
Val Tyr Thr 355	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val 360	
Ser 370	Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val 375	
Glu Trp Glu Ser 385	Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro 390	
Pro Val Leu Asp 405	Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr 410	
Val Asp Lys 420	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val 425	

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
 435 440 445

Ser Pro Gly Lys
 450

<210> 259
 <211> 450
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Synthetic Polypeptide
 <400> 259

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Tyr Ser
 20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Ser Ile Ser Pro Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg His Ser Trp Tyr Tyr Pro Tyr Tyr Tyr Tyr Ala Leu Asp Tyr
 100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
 115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
 130 135 140

2018355588 10 Oct 2022

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu

2018355588 10 Oct 2022

355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 260
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 260

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Trp	Ser	Tyr	Pro	Tyr	Val	Tyr	Phe	Leu	Ala	Phe	Asp	Tyr		
			100					105					110				
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly		
		115					120					125					
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser		
	130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val		
145					150					155					160		
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe		
				165					170					175			
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val		
			180					185					190				
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val		
		195					200					205					
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys		
	210					215					220						
Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly		
225					230					235					240		
Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile		
				245					250					255			
Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu		
			260					265					270				
Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His		
		275					280					285					

2018355588 10 Oct 2022

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 261
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 261

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Ser 50	Ile	Tyr	Ser	Ser	Ser 55	Gly	Tyr	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys
Ala	Arg	Asn	Val 100	Glu	Asn	Tyr	Pro	Tyr 105	Trp	Ala	Trp	Pro	Trp 110	Gly	Tyr
Tyr	Gly	Ala	Ile	Asp	Tyr	Trp	Gly 115	Gln	Gly 120	Thr	Leu	Val 125	Thr	Val	Ser
Ser 130	Ala	Ser	Thr	Lys	Gly	Pro 135	Ser	Val	Phe	Pro	Leu 140	Ala	Pro	Cys	Ser
Arg 145	Ser	Thr	Ser	Glu	Ser 150	Thr	Ala	Ala	Leu	Gly 155	Cys	Leu	Val	Lys	Asp 160
Tyr	Phe	Pro	Glu	Pro 165	Val	Thr	Val	Ser	Trp 170	Asn	Ser	Gly	Ala	Leu 175	Thr
Ser	Gly	Val	His 180	Thr	Phe	Pro	Ala	Val 185	Leu	Gln	Ser	Ser	Gly 190	Leu	Tyr
Ser	Leu	Ser	Ser	Val	Val	Thr	Val 200	Pro	Ser	Ser	Ser	Leu 205	Gly	Thr	Lys
Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp

2018355588 10 Oct 2022

210	215	220
Lys 225	Arg Val Glu Ser Lys 230	Tyr Gly Pro Pro Cys 235
Pro	Glu Phe Leu Gly 245	Gly Pro Ser Val Phe 250
Lys	Asp Thr Leu Met Ile Ser Arg Thr 265	Pro Glu Val Thr Cys 270
Val	Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val	275 280 285
Asp	Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln	290 295 300
Phe 305	Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln	310 315 320
Asp	Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly	325 330 335
Leu	Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro	340 345 350
Arg	Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr	355 360 365
Lys	Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser	370 375 380
Asp	Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr	385 390 395 400
Lys	Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr	405 410 415
Ser	Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe	420 425 430

2018355588 10 Oct 2022

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 262
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 262

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Lys Trp Ser Tyr Tyr Thr Gly Tyr Gly Phe Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

2018355588 10 Oct 2022

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu

2018355588 10 Oct 2022

355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 263
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 263

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

10 Oct 2022

65				70				75				80					
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Trp	Ser	Tyr	Pro	Ser	Trp	Trp	Pro	Tyr	Arg	Gly	Met	Asp		
				100					105					110			
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys		
				115					120					125			
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu		
				130					135					140			
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro		
145					150					155					160		
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr		
				165					170					175			
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val		
				180					185					190			
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn		
				195					200					205			
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser		
				210					215					220			
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly		
225					230					235					240		
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
				245					250					255			
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln		
				260					265					270			
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val		
				275					280					285			

2018355588 10 Oct 2022

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 264
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 264

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Tyr	Ile	Ser	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Tyr	Trp	Ser	Tyr	Pro	Ser	Trp	Ser	Pro	Tyr	Arg	Gly	Met	Asp	
			100					105					110			
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	
		115					120					125				
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	
	130					135					140					
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
145					150					155					160	
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
				165					170					175		
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
			180					185					190			
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	
		195					200					205				
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	

2018355588 10 Oct 2022

210	215	220
Lys 225	Tyr Gly Pro Pro Cys 230	Pro Ser Cys Pro Ala 235
Gly 240	Pro Ser Val Phe 245	Leu Phe Leu Met 255
Ile 260	Ser Arg Thr Pro Glu Val Thr Cys 265	Val Val Val Asp Val Ser Gln 270
Glu 275	Asp Pro Glu Val Gln Phe Asn 280	Trp Tyr Val Asp Gly Val Glu Val 285
His 290	Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe 300	Asn Ser Thr Tyr 305
Arg 310	Val Val Ser Val Leu Thr Val Leu His Gln 315	Asp Trp Leu Asn Gly 320
Lys 325	Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly 330	Leu Pro Ser Ser Ile 335
Glu 340	Lys Thr Ile Ser Lys Ala Lys Gly 345	Gln Pro Arg Glu Pro Gln Val 350
Tyr 355	Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys 360	Asn Gln Val Ser 365
Leu 370	Thr Cys Leu Val Lys Gly 375	Phe Tyr Pro Ser Asp Ile Ala Val Glu 380
Trp 385	Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro 390	400
Val 405	Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val 410	415
Asp 420	Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met 425	430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 265
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 265

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Val Gly Tyr Tyr Tyr Pro Tyr Leu Tyr Leu Gly Asp Gly Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

2018355588 10 Oct 2022

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val

2018355588 10 Oct 2022

355 360 365
Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415
Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445
Ser Pro Gly Lys
450

<210> 266
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 266

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Asn	Ala	Trp	His	Tyr	Glu	Pro	Ser	Tyr	Trp	Tyr	Gly	Asn	Tyr		
			100					105					110				
Ala	Thr	Tyr	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val		
		115					120					125					
Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys		
	130					135					140						
Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys		
145					150					155					160		
Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu		
				165					170					175			
Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu		
			180					185						190			
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr		
		195					200					205					
Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val		
	210					215					220						
Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Ser	Cys	Pro		
225					230					235					240		
Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250					255			
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265						270			
Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr		
		275					280					285					

2018355588 10 Oct 2022

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 267
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 267

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Ser 30	Tyr	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Ser 50	Ile	Ser	Ser	Ser	Ser 55	Ser	Ser	Thr	Tyr	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys
Ala	Arg	Gly	Gln 100	Gln	Tyr	Tyr	Pro	Asp 105	Gln	Tyr	Trp	Gly	Leu 110	Asp	Tyr
Trp	Gly	Gln 115	Gly	Thr	Leu	Val	Thr 120	Val	Ser	Ser	Ala	Ser 125	Thr	Lys	Gly
Pro 130	Ser	Val	Phe	Pro	Leu	Ala 135	Pro	Cys	Ser	Arg	Ser 140	Thr	Ser	Glu	Ser
Thr 145	Ala	Ala	Leu	Gly 150	Cys	Leu	Val	Lys	Asp 155	Tyr	Phe	Pro	Glu	Pro 160	Val
Thr	Val	Ser	Trp	Asn 165	Ser	Gly	Ala	Leu	Thr 170	Ser	Gly	Val	His	Thr 175	Phe
Pro	Ala	Val 180	Leu	Gln	Ser	Ser	Gly	Leu 185	Tyr	Ser	Leu	Ser	Ser 190	Val	Val
Thr	Val	Pro 195	Ser	Ser	Ser	Leu	Gly 200	Thr	Lys	Thr	Tyr	Thr 205	Cys	Asn	Val
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys

2018355588 10 Oct 2022

210	215	220
Tyr 225	Gly Pro Pro Cys 230	Pro Ser Cys Pro Ala 235
Pro 240	Glu Phe Leu Gly 245	Pro Lys Asp Thr Leu Met Ile 255
Ser 260	Arg Thr Pro Glu Val Thr Cys 265	Val Val Asp Val Ser Gln Glu 270
Asp 275	Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly 280	Val Glu Val His 285
Asn 290	Ala Lys Thr Lys Pro Arg 295	Glu Glu Gln Phe Asn Ser Thr Tyr Arg 300
Val 305	Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys 310	315 320
Glu 325	Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu 330	335
Lys 340	Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr 345	350
Thr 355	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu 360	365
Thr 370	Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp 375	380
Glu 385	Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val 390	395 400
Leu 405	Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp 410	415
Lys 420	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His 425	430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 268
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 268

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Tyr Thr Tyr Phe Asp Trp Trp Arg Thr Ala Val Tyr
100 105 110

Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
130 135 140

2018355588 10 Oct 2022

Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
145 150 155 160

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
165 170 175

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
180 185 190

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
195 200 205

Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
210 215 220

Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro
225 230 235 240

Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
325 330 335

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys

2018355588 10 Oct 2022

355 360 365
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415
Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
420 425 430
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445
Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 269
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 269

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

10 Oct 2022

201835588

65					70					75					80				
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys				
Ala	Arg	Asp	Tyr 100	Tyr	Asn	Tyr	Met	Ser 105	Ser	Tyr	Trp	Trp	Tyr 110	Ser	Ala				
Leu	Asp	Tyr 115	Trp	Gly	Gln	Gly	Thr 120	Leu	Val	Thr	Val	Ser 125	Ser	Ala	Ser				
Thr	Lys 130	Gly	Pro	Ser	Val	Phe 135	Pro	Leu	Ala	Pro	Cys 140	Ser	Arg	Ser	Thr				
Ser 145	Glu	Ser	Thr	Ala	Ala 150	Leu	Gly	Cys	Leu	Val 155	Lys	Asp	Tyr	Phe	Pro 160				
Glu	Pro	Val	Thr	Val 165	Ser	Trp	Asn	Ser	Gly 170	Ala	Leu	Thr	Ser	Gly 175	Val				
His	Thr	Phe	Pro 180	Ala	Val	Leu	Gln	Ser 185	Ser	Gly	Leu	Tyr	Ser 190	Leu	Ser				
Ser	Val	Val 195	Thr	Val	Pro	Ser	Ser 200	Ser	Leu	Gly	Thr	Lys 205	Thr	Tyr	Thr				
Cys	Asn 210	Val	Asp	His	Lys	Pro 215	Ser	Asn	Thr	Lys	Val 220	Asp	Lys	Arg	Val				
Glu 225	Ser	Lys	Tyr	Gly	Pro 230	Pro	Cys	Pro	Ser	Cys 235	Pro	Ala	Pro	Glu	Phe 240				
Leu	Gly	Gly	Pro	Ser 245	Val	Phe	Leu	Phe	Pro 250	Pro	Lys	Pro	Lys	Asp 255	Thr				
Leu	Met	Ile	Ser 260	Arg	Thr	Pro	Glu	Val 265	Thr	Cys	Val	Val	Val 270	Asp	Val				
Ser	Gln	Glu 275	Asp	Pro	Glu	Val	Gln 280	Phe	Asn	Trp	Tyr	Val 285	Asp	Gly	Val				

2018355588 10 Oct 2022

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
325 330 335

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 270
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 270

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Tyr	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Pro	Tyr	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Lys	Ile	Phe	Trp	Pro	Val	Ser	Trp	Met	Trp	Gln	Gly	Tyr	Tyr	
			100					105					110			
Pro	Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	130					135					140					
Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170					175		
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
		195					200					205				
Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	

2018355588 10 Oct 2022

210	215	220
Arg 225	Val Glu Ser Lys Tyr 230	Gly Pro Pro Cys 235
		Ser Cys Pro Ala Pro 240
Glu	Phe Leu Gly 245	Gly Pro Ser Val Phe 250
		Leu Phe Pro Pro Lys 255
Asp	Thr Leu Met 260	Ile Ser Arg Thr 265
		Glu Val Thr Cys 270
Asp	Val Ser 275	Gln Glu Asp Pro 280
		Glu Val Gln Phe Asn 285
		Trp Tyr Val Asp
Gly 290	Val Glu Val His Asn 295	Ala Lys Thr Lys 300
		Pro Arg Glu Glu Gln Phe
Asn 305	Ser Thr Tyr Arg 310	Val Val Ser Val 315
		Leu Thr Val Leu His Gln Asp 320
Trp	Leu Asn Gly 325	Lys Glu Tyr Lys 330
		Cys Lys Val Ser Asn 335
Pro	Ser Ser 340	Ile Glu Lys Thr 345
		Ile Ser Lys Ala Lys 350
		Gly Gln Pro Arg
Glu	Pro Gln 355	Val Tyr Thr Leu 360
		Pro Pro Ser Gln Glu 365
		Glu Met Thr Lys
Asn 370	Gln Val Ser 375	Leu Thr Cys 380
		Leu Val Lys Gly 385
		Phe Tyr Pro Ser Asp
Ile 385	Ala Val Glu 390	Trp Glu Ser Asn 395
		Gly Gln Pro Glu 400
		Asn Asn Tyr Lys
Thr	Thr Pro 405	Pro Val Leu Asp 410
		Ser Ser Asp Gly 415
		Ser Phe Phe Leu Tyr
Arg	Leu Thr 420	Val Asp Lys Ser 425
		Arg Trp Gln Glu Gly 430
		Asn Val Phe Ser

2018355588 10 Oct 2022

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 271
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 271

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Ser Glu Thr His Tyr Gly Trp Ala Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

2018355588 10 Oct 2022

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu

2018355588 10 Oct 2022

355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 272
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 272

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

10 Oct 2022

201835588

65					70					75					80				
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys				
Ala	Arg	Gln	Tyr 100	Tyr	Thr	Tyr	Phe	Glu 105	Trp	Tyr	Met	Gly	Trp 110	Gly	Tyr				
Ala	Leu	Asp 115	Tyr	Trp	Gly	Gln	Gly 120	Thr	Leu	Val	Thr	Val 125	Ser	Ser	Ala				
Ser	Thr 130	Lys	Gly	Pro	Ser	Val 135	Phe	Pro	Leu	Ala	Pro 140	Cys	Ser	Arg	Ser				
Thr 145	Ser	Glu	Ser	Thr	Ala 150	Ala	Leu	Gly	Cys	Leu 155	Val	Lys	Asp	Tyr	Phe 160				
Pro	Glu	Pro	Val	Thr 165	Val	Ser	Trp	Asn	Ser 170	Gly	Ala	Leu	Thr	Ser 175	Gly				
Val	His	Thr	Phe 180	Pro	Ala	Val	Leu	Gln 185	Ser	Ser	Gly	Leu 190	Tyr	Ser	Leu				
Ser	Ser	Val 195	Val	Thr	Val	Pro	Ser 200	Ser	Ser	Leu	Gly	Thr 205	Lys	Thr	Tyr				
Thr	Cys 210	Asn	Val	Asp	His	Lys 215	Pro	Ser	Asn	Thr	Lys 220	Val	Asp	Lys	Arg				
Val 225	Glu	Ser	Lys	Tyr	Gly 230	Pro	Pro	Cys	Pro	Ser 235	Cys	Pro	Ala	Pro	Glu 240				
Phe	Leu	Gly	Gly	Pro 245	Ser	Val	Phe	Leu	Phe 250	Pro	Pro	Lys	Pro	Lys 255	Asp				
Thr	Leu	Met	Ile 260	Ser	Arg	Thr	Pro	Glu 265	Val	Thr	Cys	Val	Val 270	Val	Asp				
Val	Ser	Gln 275	Glu	Asp	Pro	Glu	Val 280	Gln	Phe	Asn	Trp	Tyr 285	Val	Asp	Gly				

2018355588 10 Oct 2022

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 273
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 273

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Tyr	Ile	Ser	Ser	Tyr	Ser	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Ser	Ser	Ala	Leu	Tyr	Trp	Met	Asp	Phe	Ser	Tyr	Ser	Ala	Leu	
			100					105					110			
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	
		115					120					125				
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	
	130					135					140					
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	
145					150					155					160	
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	
				165					170					175		
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	
			180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	
		195					200					205				
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	

2018355588 10 Oct 2022

210	215	220
Ser 225	Lys Tyr Gly Pro 230	Pro Cys Pro Ser Cys 235
Gly 240	Ala Pro Glu Phe Leu 245	Gly Gly Pro Ser Val 250
Met 255	Ile Ser Arg Thr Pro Glu Val 260	Thr Cys Val Val Val 265
Gln 270	Glu Asp Pro Glu Val Gln Phe 275	Asn Trp Tyr Val Asp 280
Val 285	His Asn Ala Lys Thr Lys Pro 290	Arg Glu Glu Gln Phe 295
Tyr 300	Arg Val Val Ser Val Leu Thr 305	Val Leu His Gln Asp 310
Gly 315	Lys Glu Tyr Lys Cys Lys Val 320	Ser Asn Lys Gly Leu Pro 325
Ile 330	Glu Lys Thr Ile Ser Lys Ala 335	Lys Gly Gln Pro Arg 340
Val 345	Tyr Thr Leu Pro Pro Ser Gln 350	Glu Glu Met Thr Lys 355
Ser 360	Leu Thr Cys Leu Val Lys Gly 365	Phe Tyr Pro Ser Asp 370
Glu 375	Trp Glu Ser Asn Gly Gln Pro 380	Glu Asn Asn Tyr Lys Thr 385
Pro 390	Val Leu Asp Ser Asp Gly Ser 395	Phe Phe Leu Tyr Ser 400
Val 405	Asp Lys Ser Arg Trp Gln Glu 410	Gly Asn Val Phe Ser 415
		Cys Ser Val 420

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 274
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 274

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

2018355588 10 Oct 2022

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser

10 Oct 2022

201835588

355

360

365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

$\langle 210 \rangle$ 275

<211> 454

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$

<223> Synthetic Polypeptide

<400> 275

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Tyr	Trp	Gly	Trp	Ser	Gln	Asn	Gln	Gly	Phe	Trp	Trp	Tyr		
			100					105					110				
Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala		
		115					120					125					
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser		
	130					135					140						
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe		
145					150					155					160		
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly		
				165					170					175			
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu		
			180					185					190				
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr		
		195					200					205					
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg		
	210					215					220						
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					

2018355588 10 Oct 2022

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 276
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 276

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Ile	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Ser 50	Ile	Ser	Ser	Tyr	Tyr 55	Gly	Ser	Thr	Tyr	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys
Ala	Arg	Ser	Trp 100	Ser	Ser	Ser	Phe	Trp 105	Tyr	Asn	Trp	Ala	Leu 110	Asp	Tyr
Trp	Gly	Gln	Gly 115	Thr	Leu	Val	Thr 120	Val	Ser	Ser	Ala	Ser 125	Thr	Lys	Gly
Pro 130	Ser	Val	Phe	Pro	Leu	Ala 135	Pro	Cys	Ser	Arg	Ser 140	Thr	Ser	Glu	Ser
Thr 145	Ala	Ala	Leu	Gly	Cys 150	Leu	Val	Lys	Asp	Tyr 155	Phe	Pro	Glu	Pro	Val 160
Thr	Val	Ser	Trp	Asn 165	Ser	Gly	Ala	Leu	Thr 170	Ser	Gly	Val	His	Thr 175	Phe
Pro	Ala	Val	Leu 180	Gln	Ser	Ser	Gly	Leu 185	Tyr	Ser	Leu	Ser	Ser 190	Val	Val
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly 200	Thr	Lys	Thr	Tyr	Thr 205	Cys	Asn	Val
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys

2018355588 10 Oct 2022

210	215	220
Tyr 225	Gly Pro Pro Cys 230	Pro Ala Pro 235
Pro 240	Gly Phe Leu Met Ile 255	
Pro 260	Ser Val Phe Leu Phe Pro Pro Lys 265	Pro Lys Asp Thr Leu 270
Ser 275	Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu 285	
Asp 290	Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His 300	
Asn 305	Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg 315	
Val 320	Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys 325	
Glu 330	Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu 335	
Lys 340	Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr 345	
Thr 350	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu 355	
Thr 360	Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp 365	
Glu 370	Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val 375	
Leu 380	Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp 385	
Lys 390	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His 395	

2018355588 10 Oct 2022

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 277
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 277

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser His Ser Ser Leu Tyr Tyr Ser Trp Ile Trp Ala Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

2018355588 10 Oct 2022

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val

2018355588 10 Oct 2022

355 360 365
Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415
Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445
Ser Pro Gly Lys
450

<210> 278
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 278

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Tyr Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Ser	Tyr	Arg	Pro	Tyr	Ser	Ser	Tyr	Tyr	Trp	Gly	Met	Asp	Tyr		
			100					105					110				
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly		
		115					120					125					
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser		
	130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val		
145					150					155					160		
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe		
				165					170					175			
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val		
			180					185					190				
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val		
		195					200					205					
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys		
	210					215					220						
Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly		
225					230					235					240		
Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile		
				245					250					255			
Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu		
			260					265						270			
Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His		
		275					280					285					

2018355588 10 Oct 2022

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 279
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 279

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Ile	Tyr	Tyr	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Ser	Ser	Ser	Tyr	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Ser	Val	Ser	Trp	Tyr	Pro	Tyr	Tyr	Tyr	Tyr	Tyr	Gly	Tyr	Gly	
			100					105					110			
Ser	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	130					135					140					
Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170					175		
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
		195					200					205				
Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	

10 Oct 2022

201835588

210					215					220					
Arg 225	Val	Glu	Ser	Lys	Tyr 230	Gly	Pro	Pro	Cys	Pro 235	Pro	Cys	Pro	Ala	Pro 240
Glu	Phe	Leu	Gly	Gly 245	Pro	Ser	Val	Phe	Leu 250	Phe	Pro	Pro	Lys	Pro 255	Lys
Asp	Thr	Leu	Met 260	Ile	Ser	Arg	Thr	Pro 265	Glu	Val	Thr	Cys	Val 270	Val	Val
Asp	Val	Ser 275	Gln	Glu	Asp	Pro	Glu 280	Val	Gln	Phe	Asn	Trp 285	Tyr	Val	Asp
Gly 290	Val	Glu	Val	His	Asn	Ala 295	Lys	Thr	Lys	Pro	Arg 300	Glu	Glu	Gln	Phe
Asn 305	Ser	Thr	Tyr	Arg	Val 310	Val	Ser	Val	Leu	Thr 315	Val	Leu	His	Gln	Asp 320
Trp	Leu	Asn	Gly	Lys 325	Glu	Tyr	Lys	Cys	Lys 330	Val	Ser	Asn	Lys	Gly 335	Leu
Pro	Ser	Ser	Ile 340	Glu	Lys	Thr	Ile	Ser 345	Lys	Ala	Lys	Gly	Gln 350	Pro	Arg
Glu	Pro	Gln 355	Val	Tyr	Thr	Leu	Pro 360	Pro	Ser	Gln	Glu	Glu 365	Met	Thr	Lys
Asn 370	Gln	Val	Ser	Leu	Thr	Cys 375	Leu	Val	Lys	Gly	Phe 380	Tyr	Pro	Ser	Asp
Ile 385	Ala	Val	Glu	Trp	Glu 390	Ser	Asn	Gly	Gln	Pro 395	Glu	Asn	Asn	Tyr	Lys 400
Thr	Thr	Pro	Pro	Val 405	Leu	Asp	Ser	Asp	Gly 410	Ser	Phe	Phe	Leu	Tyr 415	Ser
Arg	Leu	Thr	Val 420	Asp	Lys	Ser	Arg	Trp 425	Gln	Glu	Gly	Asn	Val 430	Phe	Ser

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 280
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 280

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser His Trp Tyr Met Tyr Trp Ser Tyr Trp Gly Trp Tyr
100 105 110

Ile Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120 125

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
130 135 140

2018355588 10 Oct 2022

Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
145 150 155 160

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
165 170 175

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
180 185 190

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
195 200 205

Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
210 215 220

Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro
225 230 235 240

Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
245 250 255

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
260 265 270

Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
275 280 285

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
290 295 300

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
305 310 315 320

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
325 330 335

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys

2018355588 10 Oct 2022

355 360 365
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415
Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
420 425 430
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445
Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 281
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 281

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Ser Tyr Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
			85						90					95			
Ala	Arg	Ser	Tyr	Ser	Tyr	Gly	Tyr	Asp	Tyr	Phe	Val	Lys	Tyr	Tyr	Thr		
			100					105					110				
Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser		
		115					120					125					
Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr		
	130					135					140						
Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro		
145					150					155					160		
Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val		
				165					170					175			
His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser		
			180					185					190				
Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr		
		195					200					205					
Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val		
	210					215					220						
Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe		
225					230					235					240		
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr		
				245					250					255			
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val		
			260					265						270			
Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val		
		275					280					285					

2018355588 10 Oct 2022

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
325 330 335

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 282
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 282

2018355588 10 Oct 2022

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Lys	Trp	Val	Trp	
			100					105					110			
Gly	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	
		115					120					125				
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	
	130					135					140					
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	
145					150					155					160	
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	
				165					170					175		
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
		195					200					205				
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	

2018355588 10 Oct 2022

210	215	220
Val 225	Glu Ser Lys Tyr Gly 230	Pro Pro Cys Pro 235
Phe	Leu Gly Gly Pro 245	Ser Val Phe Leu Phe 250
Thr	Leu Met Ile 260	Ser Arg Thr Pro Glu 265
Val	Ser Gln Glu Asp Pro Glu 275	Val Gln Phe Asn Trp Tyr 285
Val 290	Glu Val His Asn Ala Lys 295	Thr Lys Pro Arg Glu 300
Ser 305	Thr Tyr Arg Val Val 310	Ser Val Leu Thr Val 315
Leu	Asn Gly Lys Glu Tyr Lys Cys Lys 325	Val Ser Asn Lys Gly 330
Ser	Ser Ile Glu Lys Thr Ile Ser Lys 340	Ala Lys Gly Gln Pro 350
Pro	Gln Val Tyr Thr Leu Pro Pro 355	Ser Gln Glu Glu Met 365
Gln 370	Val Ser Leu Thr Cys Leu Val Lys 375	Gly Phe Tyr Pro 380
Ala 385	Val Glu Trp Glu Ser Asn Gly 390	Gln Pro Glu Asn Asn Tyr 395
Thr	Pro Pro Val Leu Asp Ser Asp Gly 405	Ser Phe Phe Leu Tyr 410
Leu	Thr Val Asp Lys Ser Arg Trp 420	Gln Glu Gly Asn Val 425

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
 435 440 445

Ser Leu Ser Pro Gly Lys
 450

<210> 283
 <211> 454
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic Polypeptide

 <400> 283

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
 20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Ser Ser Ser Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp
 100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
 115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
 130 135 140

2018355588 10 Oct 2022

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr
195 200 205

Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg
210 215 220

Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn

2018355588 10 Oct 2022

	355		360		365										
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile
	370					375					380				
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr
385					390					395					400
Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Arg
				405					410					415	
Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys
			420					425					430		
Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu
		435					440					445			
Ser	Leu	Ser	Pro	Gly	Lys										
	450														

<210> 284
 <211> 454
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Synthetic Polypeptide
 <400> 284

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser
			20					25					30		
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Ser	Ser	Ser	Ser	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr

10 Oct 2022

201835588

65					70					75					80				
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys				
Ala	Arg	Tyr	Ser 100	Thr	Tyr	Ser	Trp	Gly 105	Gly	Ile	Gly	Lys	Trp 110	Val	Trp				
Gly	Met	Asp 115	Tyr	Trp	Gly	Gln	Gly 120	Thr	Leu	Val	Thr	Val 125	Ser	Ser	Ala				
Ser	Thr 130	Lys	Gly	Pro	Ser	Val 135	Phe	Pro	Leu	Ala	Pro 140	Cys	Ser	Arg	Ser				
Thr 145	Ser	Glu	Ser	Thr	Ala 150	Ala	Leu	Gly	Cys	Leu 155	Val	Lys	Asp	Tyr	Phe 160				
Pro	Glu	Pro	Val	Thr 165	Val	Ser	Trp	Asn	Ser 170	Gly	Ala	Leu	Thr	Ser 175	Gly				
Val	His	Thr	Phe 180	Pro	Ala	Val	Leu	Gln 185	Ser	Ser	Gly	Leu	Tyr 190	Ser	Leu				
Ser	Ser	Val 195	Val	Thr	Val	Pro	Ser 200	Ser	Ser	Leu	Gly	Thr 205	Lys	Thr	Tyr				
Thr	Cys 210	Asn	Val	Asp	His	Lys 215	Pro	Ser	Asn	Thr	Lys 220	Val	Asp	Lys	Arg				
Val 225	Glu	Ser	Lys	Tyr	Gly 230	Pro	Pro	Cys	Pro	Pro 235	Cys	Pro	Ala	Pro	Glu 240				
Phe	Leu	Gly	Gly	Pro 245	Ser	Val	Phe	Leu	Phe 250	Pro	Pro	Lys	Pro	Lys 255	Asp				
Thr	Leu	Met	Ile 260	Ser	Arg	Thr	Pro	Glu 265	Val	Thr	Cys	Val	Val 270	Val	Asp				
Val	Ser	Gln 275	Glu	Asp	Pro	Glu	Val 280	Gln	Phe	Asn	Trp	Tyr 285	Val	Asp	Gly				

2018355588 10 Oct 2022

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 285
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 285

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Tyr 50	Ile	Tyr	Pro	Tyr	Ser 55	Gly	Tyr	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr 95	Tyr	Cys
Ala	Arg	Ser	Ser 100	Ser	Ser	Ser	Trp	Gly 105	Gly	Ile	Gly	Lys	Trp 110	Val	Trp
Gly	Met	Asp 115	Tyr	Trp	Gly	Gln	Gly 120	Thr	Leu	Val	Thr	Val 125	Ser	Ser	Ala
Ser 130	Thr	Lys	Gly	Pro	Ser	Val 135	Phe	Pro	Leu	Ala	Pro 140	Cys	Ser	Arg	Ser
Thr 145	Ser	Glu	Ser	Thr	Ala 150	Ala	Leu	Gly	Cys	Leu 155	Val	Lys	Asp	Tyr	Phe 160
Pro	Glu	Pro	Val	Thr 165	Val	Ser	Trp	Asn	Ser 170	Gly	Ala	Leu	Thr	Ser 175	Gly
Val	His	Thr	Phe 180	Pro	Ala	Val	Leu	Gln 185	Ser	Ser	Gly	Leu	Tyr 190	Ser	Leu
Ser	Ser	Val 195	Val	Thr	Val	Pro	Ser 200	Ser	Ser	Leu	Gly	Thr 205	Lys	Thr	Tyr
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg

2018355588 10 Oct 2022

210	215	220
Val 225	Glu Ser Lys Tyr Gly 230	Pro Pro Cys Pro 235
Phe	Leu Gly Gly Pro 245	Ser Val Phe Leu Phe 250
Thr	Leu Met Ile 260	Ser Arg Thr Pro Glu 265
Val	Ser Gln Glu Asp Pro Glu 275	Val Gln Phe Asn Trp Tyr 285
Val 290	Glu Val His Asn Ala Lys 295	Thr Lys Pro Arg Glu 300
Ser 305	Thr Tyr Arg Val Val 310	Ser Val Leu Thr Val 315
Leu	Asn Gly Lys Glu Tyr Lys Cys Lys 325	Val Ser Asn Lys Gly 330
Ser	Ser Ile Glu Lys Thr Ile Ser Lys 340	Ala Lys Gly Gln Pro 350
Pro	Gln Val Tyr Thr Leu Pro Pro 355	Ser Gln Glu Glu Met 365
Gln 370	Val Ser Leu Thr Cys Leu Val Lys 375	Gly Phe Tyr Pro 380
Ala 385	Val Glu Trp Glu Ser Asn Gly 390	Gln Pro Glu Asn Asn Tyr 395
Thr	Pro Pro Val Leu Asp Ser Asp Gly 405	Ser Phe Phe Leu Tyr 410
Leu	Thr Val Asp Lys Ser Arg Trp 420	Gln Glu Gly Asn Val 425

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
 435 440 445

Ser Leu Ser Pro Gly Lys
 450

<210> 286
 <211> 454
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Synthetic Polypeptide
 <400> 286

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
 20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Ser Lys Trp Val Trp
 100 105 110

Gly Met Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
 115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
 130 135 140

2018355588 10 Oct 2022

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr
195 200 205

Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg
210 215 220

Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
245 250 255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn

10 Oct 2022

[illegible]

<210>	287
<211>	454
<212>	PRT
<213>	Artificial Sequence
<220>	
<223>	Synthetic Polypeptide
<400>	287

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1			5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser
			20					25					30		
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Trp	Gly	Gly	Ile	Gly	Ser	Ser	Ser	Ser		
			100					105					110				
Ser	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala		
		115					120					125					
Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser		
	130					135					140						
Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe		
145					150					155					160		
Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly		
				165					170					175			
Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu		
			180					185					190				
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr		
		195					200					205					
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg		
	210					215					220						
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu		
225					230					235					240		
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp		
				245					250					255			
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp		
			260					265					270				
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly		
		275					280					285					

2018355588 10 Oct 2022

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 288
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 288

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Tyr 50	Ile	Tyr	Pro	Tyr	Ser 55	Gly	Tyr	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr 95	Tyr	Cys
Ala	Arg	Tyr	Ser 100	Thr	Tyr	Ser	Ser	Ser 105	Ser	Ser	Lys	Trp	Val 110	Trp	Gly
Met	Asp 115	Tyr	Trp	Gly	Gln	Gly	Thr 120	Leu	Val	Thr	Val	Ser 125	Ser	Ala	Ser
Thr 130	Lys	Gly	Pro	Ser	Val	Phe 135	Pro	Leu	Ala	Pro	Cys 140	Ser	Arg	Ser	Thr
Ser 145	Glu	Ser	Thr	Ala	Ala 150	Leu	Gly	Cys	Leu	Val 155	Lys	Asp	Tyr	Phe	Pro 160
Glu	Pro	Val	Thr	Val 165	Ser	Trp	Asn	Ser	Gly 170	Ala	Leu	Thr	Ser	Gly 175	Val
His	Thr	Phe	Pro 180	Ala	Val	Leu	Gln 185	Ser	Ser	Gly	Leu	Tyr	Ser 190	Leu	Ser
Ser	Val	Val	Thr 195	Val	Pro	Ser	Ser 200	Ser	Leu	Gly	Thr	Lys 205	Thr	Tyr	Thr
Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val

2018355588 10 Oct 2022

210	215	220
Glu 225	Ser Lys Tyr Gly 230	Pro Pro Cys Pro Pro Cys 235
Ala Pro Glu Phe 240		
Leu Gly Gly Pro 245	Ser Val Phe Leu Phe 250	Pro Pro Lys Pro Lys Asp Thr 255
Leu Met Ile Ser 260	Arg Thr Pro Glu Val Thr 265	Cys Val Val Val Asp Val 270
Ser Gln Glu Asp 275	Pro Glu Val Gln Phe Asn Trp Tyr 280	Val Asp Gly Val 285
Glu Val His Asn Ala Lys Thr 290	Lys Pro Arg Glu Glu Gln Phe Asn Ser 295	
Thr Tyr Arg Val Val 305	Ser Val Leu Thr Val Leu His Gln Asp Trp Leu 310	
Asn Gly Lys Glu Tyr 315	Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser 320	
Ser Ile Glu Lys Thr 325	Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro 330	
Gln Val Tyr Thr 335	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln 340	
Val Ser Leu Thr Cys 345	Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala 350	
Val Glu Trp Glu Ser 355	Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr 360	
Pro Pro Val Leu Asp 365	Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu 370	
Thr Val Asp Lys 375	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser 380	

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 289
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 289

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Ser Ser Lys Trp Val Trp Gly Met
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

2018355588 10 Oct 2022

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val

2018355588 10 Oct 2022

	355		360		365
Ser	Leu Thr Cys Leu Val	Lys Gly Phe Tyr Pro	Ser Asp Ile Ala Val		
370		375	380		
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro					
385		390	395		400
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr					
	405		410		415
Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val					
	420		425		430
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu					
	435		440		445
Ser Pro Gly Lys					
	450				

<210> 290
 <211> 451
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic Polypeptide

 <400> 290

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly	
1 5 10 15	
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser	
20 25 30	
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35 40 45	
Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val	
50 55 60	
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr	

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp		
			100					105					110				
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys		
		115					120					125					
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu		
	130					135					140						
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro		
145					150					155					160		
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr		
			165						170					175			
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val		
			180					185					190				
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn		
		195					200					205					
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser		
	210					215					220						
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly		
225					230					235					240		
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
			245						250					255			
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln		
			260					265					270				
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val		
		275					280					285					

2018355588 10 Oct 2022

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 291
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 291

2018355588 10 Oct 2022

Glu 1	Val	Gln	Leu	Val 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly
Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Ala	Ser 25	Gly	Phe	Thr	Val	Ser 30	Ser	Ser
Ser	Ile	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
Ala	Tyr 50	Ile	Tyr	Pro	Tyr	Ser 55	Gly	Tyr	Thr	Ser	Tyr 60	Ala	Asp	Ser	Val
Lys 65	Gly	Arg	Phe	Thr	Ile 70	Ser	Ala	Asp	Thr	Ser 75	Lys	Asn	Thr	Ala	Tyr 80
Leu	Gln	Met	Asn	Ser 85	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr 95	Tyr	Cys
Ala	Arg	Tyr	Ser 100	Thr	Tyr	Ser	Ser	Lys 105	Trp	Val	Trp	Gly	Met 110	Asp	Tyr
Trp	Gly	Gln	Gly 115	Thr	Leu	Val	Thr 120	Val	Ser	Ser	Ala	Ser 125	Thr	Lys	Gly
Pro	Ser 130	Val	Phe	Pro	Leu	Ala 135	Pro	Cys	Ser	Arg	Ser 140	Thr	Ser	Glu	Ser
Thr 145	Ala	Ala	Leu	Gly 150	Cys	Leu	Val	Lys	Asp 155	Tyr	Phe	Pro	Glu	Pro	Val 160
Thr	Val	Ser	Trp	Asn 165	Ser	Gly	Ala	Leu 170	Thr	Ser	Gly	Val	His 175	Thr	Phe
Pro	Ala	Val 180	Leu	Gln	Ser	Ser	Gly	Leu 185	Tyr	Ser	Leu	Ser 190	Ser	Val	Val
Thr	Val 195	Pro	Ser	Ser	Ser	Leu	Gly 200	Thr	Lys	Thr	Tyr	Thr 205	Cys	Asn	Val
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys

2018355588 10 Oct 2022

210	215	220
Tyr 225	Gly Pro Pro Cys 230	Pro Ala Pro 235
Pro 240	Gly Phe Leu 245	Met Ile 255
Ser 260	Arg Thr Pro 265	Gln Glu 270
Asp 275	Pro Glu Val Gln Phe Asn Trp Tyr Val 280	Asp Gly Val Glu Val His 285
Asn 290	Ala Lys Thr Lys Pro Arg 295	Asn Ser Thr Tyr Arg 300
Val 305	Val Ser Val Leu Thr Val Leu His Gln 310	Asp Trp Leu Asn Gly Lys 320
Glu 325	Tyr Lys Cys Lys Val Ser Asn Lys 330	Gly Leu Pro Ser Ser Ile Glu 335
Lys 340	Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro 345	Gln Val Tyr 350
Thr 355	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn 360	Gln Val Ser Leu 365
Thr 370	Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp 375	Ile Ala Val Glu Trp 380
Glu 385	Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro 390	Val 400
Leu 405	Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr 410	Val Asp 415
Lys 420	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser 425	Val Met His 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 292
<211> 449
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 292

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Lys Trp Val Trp Gly Met Asp Tyr Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
115 120 125

Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr
130 135 140

2018355588 10 Oct 2022

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr
145 150 155 160

Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro
165 170 175

Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr
180 185 190

Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp
195 200 205

His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys Tyr
210 215 220

Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro
225 230 235 240

Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
245 250 255

Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp
260 265 270

Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
275 280 285

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val
290 295 300

Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
305 310 315 320

Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys
325 330 335

Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
340 345 350

Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr

2018355588 10 Oct 2022

355 360 365
Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
370 375 380
Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
385 390 395 400
Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys
405 410 415
Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu
420 425 430
Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
435 440 445

Lys

<210> 293
<211> 448
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 293

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr

2018355588 10 Oct 2022

65						70						75					80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
				85					90					95			
Ala	Arg	Tyr	Ser	Thr	Tyr	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	Trp	Gly		
			100					105					110				
Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser		
		115					120					125					
Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala		
	130					135					140						
Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val		
145					150					155					160		
Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala		
				165					170					175			
Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val		
			180					185					190				
Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His		
		195					200					205					
Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly		
	210					215					220						
Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser		
225					230					235					240		
Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg		
				245					250					255			
Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro		
			260					265					270				
Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala		
		275					280					285					

2018355588 10 Oct 2022

Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

<210> 294
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 294

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

2018355588 10 Oct 2022

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Val	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Tyr	Ile	Tyr	Pro	Tyr	Ser	Ser	Ser	Ser	Ser	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	
			100					105					110			
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	
		115					120					125				
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	
	130					135					140					
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	
145					150					155					160	
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	
				165					170					175		
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	
			180					185					190			
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	
		195					200					205				
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	
	210					215					220					
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	

2018355588 10 Oct 2022

225						230						235					240
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
				245					250					255			
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln		
			260					265					270				
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val		
		275					280					285					
His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr		
	290					295					300						
Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly		
305					310					315					320		
Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile		
				325					330					335			
Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val		
			340					345					350				
Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser		
		355					360					365					
Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu		
	370					375					380						
Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro		
385					390				395						400		
Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Arg	Leu	Thr	Val		
				405					410					415			
Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met		
			420					425					430				
His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser		
		435					440					445					

2018355588 10 Oct 2022

Pro Gly Lys
450

<210> 295
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 295

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

2018355588 10 Oct 2022

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp

2018355588 10 Oct 2022

370 375 380
Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400
Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415
Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430
Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445
Gly Lys
450

<210> 296
<211> 448
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 296

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys

2018355588 10 Oct 2022

				85					90					95			
Ala	Arg	Tyr	Ser	Thr	Tyr	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr	Trp	Gly		
			100					105					110				
Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser		
		115					120					125					
Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala		
	130					135					140						
Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val		
145					150					155					160		
Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala		
				165					170					175			
Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val		
			180					185					190				
Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His		
		195					200					205					
Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly		
	210					215					220						
Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser		
225					230					235					240		
Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg		
				245					250					255			
Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro		
			260					265					270				
Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala		
		275					280					285					
Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val		
	290					295					300						

2018355588 10 Oct 2022

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

<210> 297
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 297

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Ser Ser Tyr His Tyr Pro Tyr Trp Leu Phe Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met

10 Oct 2022

201835588

245

250

255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly
305					310					315					320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 298
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 298
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Gly His Tyr Gln Glu Gly Arg Lys Ser Gly Phe Ser Tyr Trp
100 105 110
Ser Pro Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125
Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser
130 135 140
Arg Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160
Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

2018355588 10 Oct 2022

Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	
			180					185					190			
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	
		195					200					205				
Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	
	210					215					220					
Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	
225					230					235					240	
Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	
				245					250					255		
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	
			260					265					270			
Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	
		275					280					285				
Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	
	290					295					300					
Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	
305					310					315					320	
Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	
				325					330					335		
Leu	Pro	Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	
			340					345					350			
Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	
		355					360					365				
Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	
	370					375					380					
Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	

2018355588 10 Oct 2022

385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 299
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 299

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Thr Glu Gly Tyr Asp Arg Trp Gly Tyr Tyr Ser Ser Tyr

10 Oct 2022

201835588

100							105					110				
Trp	Ser	Ser	Gly	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	
		115					120				125					
Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	
130						135	140									
Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	
145					150	155									160	
Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	
				165	170									175		
Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	
			180	185									190			
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	
195						200	205									
Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	
210						215	220									
Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	
225					230	235									240	
Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	
				245	250									255		
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	
			260	265									270			
Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	
275						280	285									
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	
290						295	300									
Gln	Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	
305					310	315									320	

2018355588 10 Oct 2022

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 300
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 300

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Thr Trp Lys Ser Ser Trp Ser Tyr Gln Thr Gly Tyr
100 105 110

Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu
180 185 190

Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr
195 200 205

Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg
210 215 220

Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu
225 230 235 240

Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp

10 Oct 2022

201835588

245

250

255

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
260 265 270

Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
275 280 285

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
290 295 300

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp
305 310 315 320

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 301
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 301

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Val Tyr Tyr Tyr Val Tyr Asn Arg Ser Trp Tyr Trp Trp
100 105 110

Ser Gly Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125

Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser
130 135 140

Arg Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160

Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

2018355588 10 Oct 2022

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys
195 200 205

Thr Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala
225 230 235 240

Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
245 250 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr

201835588

385						390					395					400
Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	
				405					410					415		
Ser	Arg	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	
			420					425					430			
Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	
		435					440					445				
Ser	Leu	Ser	Leu	Ser	Pro	Gly	Lys									
	450					455										
<210>	302															
<211>	453															
<212>	PRT															
<213>	Artificial Sequence															
<220>																
<223>	Synthetic Polypeptide															
<400>	302															
Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Ser	
			20					25					30			
Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Ser	Ser	Ser	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Pro	Ala	Tyr	Ser	Tyr	Pro	Tyr	Tyr	Tyr	Phe	His	Tyr	Gly	Ala	

2018355588 10 Oct 2022

	100							105								110
	Met	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser
			115					120					125			
	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr
		130					135					140				
	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro
	145					150					155					160
	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val
					165					170					175	
	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser
				180					185					190		
	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr
			195					200					205			
	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val
		210					215					220				
	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe
	225					230					235					240
	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
					245					250					255	
	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val
				260					265					270		
	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val
			275					280					285			
	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser
		290					295					300				
	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu
	305					310					315					320

2018355588 10 Oct 2022

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
325 330 335

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 303
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 303

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Pro	Ser	Tyr	Gly	Tyr	Thr	Ser	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Ala	Trp	Tyr	His	His	Glu	Tyr	Trp	Gly	His	Tyr	Ser	Gly	Met	
			100					105						110		
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	
		115					120					125				
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	
	130					135					140					
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	
145					150					155					160	
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	
				165					170					175		
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	
			180					185					190			
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	
		195					200					205				
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	
	210					215					220					
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	
225					230					235					240	
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	

201835588

245

250

255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr
	290					295					300				

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val
			420					425					430		

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 304
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 304
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Ser Gly Tyr Ser His Pro Tyr Tyr Ser Tyr Tyr Ser Gly Met
100 105 110
Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125
Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140
Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160
Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

2018355588 10 Oct 2022

Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser		180	185	190
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys		195	200	205
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu		210	215	220
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu		225	230	235
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu		245	250	255
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser		260	265	270
Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu		275	280	285
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr		290	295	300
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn		305	310	315
Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser		325	330	335
Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln		340	345	350
Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val		355	360	365
Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val		370	375	380
Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro				

2018355588 10 Oct 2022

385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 305
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 305

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Thr Tyr Met Ala Gly Tyr Lys Tyr Tyr Phe Ile Ser Gly Tyr

2018355588 10 Oct 2022

	100							105								110
	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala
			115					120					125			
	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser
		130					135					140				
	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe
	145					150					155					160
	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly
					165					170					175	
	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu
				180					185					190		
	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr
			195					200					205			
	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg
		210					215					220				
	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu
	225					230					235					240
	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp
					245					250					255	
	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp
				260					265					270		
	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly
			275					280					285			
	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn
		290					295					300				
	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp
	305					310					315					320

2018355588 10 Oct 2022

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
325 330 335

Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu
340 345 350

Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn
355 360 365

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
370 375 380

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr
385 390 395 400

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg
405 410 415

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

<210> 306
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 306

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Asp Tyr Gly Trp Met Tyr Phe Asp Pro Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met

10 Oct 2022

201835588

245

250

255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly
305					310					315					320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 307
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 307
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Tyr Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Tyr Met Glu Asn Trp Glu Trp Pro Tyr His Ser Ala Met Asp
100 105 110
Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125
Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140
Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160
Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

2018355588 10 Oct 2022

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro

2018355588 10 Oct 2022

385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 308
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 308

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Trp Trp Tyr Pro Tyr Trp Gln Tyr Tyr Pro Gly Gly Trp

2018355588 10 Oct 2022

				100					105					110			
His	Ser	Ser	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val		
		115					120					125					
Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys		
		130				135					140						
Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys		
145					150					155					160		
Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu		
				165					170					175			
Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu		
			180					185					190				
Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr		
		195					200					205					
Lys	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val		
		210				215					220						
Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro		
225					230				235						240		
Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys		
				245					250					255			
Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val		
			260					265					270				
Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr		
		275					280					285					
Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu		
		290				295					300						
Gln	Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His		
305					310					315					320		

2018355588 10 Oct 2022

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 309
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 309

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Tyr Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Pro Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Thr Met Thr Tyr Gln Tyr Tyr Pro Ser Gly Ala Met Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met

10 Oct 2022

201835588

245

250

255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly
305					310					315					320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 310
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 310
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Ile Tyr Ser Ser
20 25 30
Tyr Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Ser Tyr Ile Tyr Tyr Met Trp Gln Tyr Asn Tyr Gly Met Ser
100 105 110
Gly Tyr Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser
115 120 125
Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser
130 135 140
Arg Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp
145 150 155 160
Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr
165 170 175

2018355588 10 Oct 2022

Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr
180 185 190

Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys
195 200 205

Thr Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp
210 215 220

Lys Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala
225 230 235 240

Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
245 250 255

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
260 265 270

Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val
275 280 285

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
290 295 300

Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
305 310 315 320

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr

10 Oct 2022

10 Oct 2022

385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
 405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210>	311
<211>	452
<212>	PRT
<213>	Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 311

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Pro Tyr Tyr Leu His Ser Trp Trp Trp Ser Gly Leu

2018355588 10 Oct 2022

				100					105					110			
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr		
		115					120					125					
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser		
	130					135					140						
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu		
145					150					155					160		
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His		
				165					170					175			
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser		
			180					185					190				
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys		
		195					200					205					
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu		
	210					215					220						
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu		
225					230					235					240		
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu		
				245					250					255			
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser		
			260					265					270				
Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu		
		275					280					285					
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr		
		290				295					300						
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn		
305					310					315					320		

2018355588 10 Oct 2022

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 312
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 312

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Tyr Tyr Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Pro Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Ser Trp Tyr Tyr Pro Tyr Tyr Tyr Tyr Ala Leu Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile

10 Oct 2022

201835588

245

250

255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

2018355588 10 Oct 2022

<210> 313
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 313

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Tyr Val Tyr Phe Leu Ala Phe Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

2018355588 10 Oct 2022

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val

2018355588 10 Oct 2022

385 390 395 400
Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415
Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430
Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445
Gly Lys
450

<210> 314
<211> 456
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 314

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Val Glu Asn Tyr Pro Tyr Trp Ala Trp Pro Trp Gly Tyr

2018355588 10 Oct 2022

				100					105					110			
Tyr	Gly	Ala	Ile	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser		
		115					120					125					
Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser		
	130					135					140						
Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp		
145					150					155					160		
Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr		
				165					170					175			
Ser	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr		
			180					185					190				
Ser	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys		
	195						200					205					
Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp		
	210					215					220						
Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala		
225					230					235					240		
Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro		
				245					250					255			
Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val		
			260					265					270				
Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val		
		275					280					285					
Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln		
	290					295					300						
Phe	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln		
305					310					315					320		

2018355588 10 Oct 2022

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly
325 330 335

Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
340 345 350

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr
355 360 365

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
370 375 380

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
385 390 395 400

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
405 410 415

Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe
420 425 430

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
435 440 445

Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 315
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 315

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Thr	Tyr	Lys	Trp	Ser	Tyr	Tyr	Thr	Gly	Tyr	Gly	Phe	Asp	Tyr	
			100					105					110			
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	
		115					120					125				
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	
	130					135					140					
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	
145					150					155					160	
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	
				165					170					175		
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	
			180					185					190			
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val	
		195					200					205				
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	
	210					215					220					
Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	
225					230					235					240	
Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	

201835588

245

250

255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

2018355588 10 Oct 2022

<210> 316
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 316
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Trp Pro Tyr Arg Gly Met Asp
100 105 110
Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125
Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140
Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160
Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

2018355588 10 Oct 2022

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
245 250 255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
305 310 315 320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro

2018355588 10 Oct 2022

385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 317
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 317

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Tyr Trp Ser Tyr Pro Ser Trp Ser Pro Tyr Arg Gly Met Asp

2018355588 10 Oct 2022

				100					105					110			
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys		
		115					120					125					
Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu		
	130					135					140						
Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro		
145					150					155					160		
Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr		
				165					170					175			
Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val		
			180					185					190				
Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn		
	195						200					205					
Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser		
	210					215				220							
Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly		
225					230					235					240		
Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met		
				245					250					255			
Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln		
			260					265					270				
Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val		
	275						280					285					
His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr		
	290					295					300						
Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly		
305					310					315					320		

2018355588 10 Oct 2022

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

<210> 318
<211> 452
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 318

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Val Gly Tyr Tyr Tyr Pro Tyr Leu Tyr Leu Gly Asp Gly Leu
100 105 110

Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
115 120 125

Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
130 135 140

Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
145 150 155 160

Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
165 170 175

Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
180 185 190

Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys
195 200 205

Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu
210 215 220

Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu

201835588

255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr
	290					295					300				

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val
			420					425					430		

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 319
<211> 457
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 319

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Tyr
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Ala Trp His Tyr Glu Pro Ser Tyr Trp Tyr Gly Asn Tyr
100 105 110

Ala Thr Tyr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val
115 120 125

Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys
130 135 140

Ser Arg Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys
145 150 155 160

Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu
165 170 175

2018355588 10 Oct 2022

Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu
180 185 190

Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr
195 200 205

Lys Thr Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val
210 215 220

Asp Lys Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro
225 230 235 240

Ala Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
245 250 255

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
260 265 270

Val Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr
275 280 285

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
290 295 300

Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
305 310 315 320

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
325 330 335

Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
340 345 350

Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met
355 360 365

Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
370 375 380

Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn

2018355588 10 Oct 2022

385 390 395 400

Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
405 410 415

Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val
420 425 430

Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
435 440 445

Lys Ser Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 320
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 320

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Ser Ser Ser Ser Ser Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gln Gln Tyr Tyr Pro Asp Gln Tyr Trp Gly Leu Asp Tyr

2018355588 10 Oct 2022

				100					105					110			
Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly		
		115					120					125					
Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser		
	130					135					140						
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val		
145					150					155					160		
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe		
				165					170					175			
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val		
			180					185					190				
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys	Asn	Val		
		195					200					205					
Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys		
	210					215					220						
Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly		
225				230						235					240		
Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile		
				245					250					255			
Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu		
			260					265					270				
Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His		
		275					280					285					
Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Tyr	Arg		
		290				295					300						
Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys		
305				310						315					320		

2018355588 10 Oct 2022

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

<210> 321
<211> 455
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 321

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Tyr Ser
20 25 30

2018355588 10 Oct 2022

Ser	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35					40					45				
Ala	Ser	Ile	Tyr	Ser	Ser	Ser	Gly	Tyr	Thr	Tyr	Tyr	Ala	Asp	Ser	Val	
	50					55					60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Thr	Ala	Tyr	
65					70					75					80	
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85					90					95		
Ala	Arg	Thr	Tyr	Tyr	Thr	Tyr	Phe	Asp	Trp	Trp	Arg	Thr	Ala	Val	Tyr	
			100					105					110			
Tyr	Gly	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	130					135					140					
Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170						175	
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
		195					200					205				
Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
	210					215					220					
Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
225					230					235					240	
Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	

10 Oct 2022

201835588

245					250					255					
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val
			260				265						270		
Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp
			275				280						285		
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe
			290				295						300		
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp
305			310						315			320			
Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu
			325						330			335			
Pro	Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg
			340						345			350			
Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys
			355			360						365			
Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp
370						375						380			
Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys
385			390						395			400			
Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser
			405						410			415			
Arg	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser
			420			425						430			
Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser
435						440						445			
Leu	Ser	Leu	Ser	Pro	Gly	Lys									
450			455												

2018355588 10 Oct 2022

<210> 322
<211> 453
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 322
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30
Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45
Ala Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60
Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Asp Tyr Tyr Asn Tyr Met Ser Ser Tyr Trp Trp Tyr Ser Ala
100 105 110
Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser
115 120 125
Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr
130 135 140
Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro
145 150 155 160
Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val
165 170 175

2018355588 10 Oct 2022

His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser
180 185 190

Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr
195 200 205

Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val
210 215 220

Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe
225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser
290 295 300

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser
325 330 335

Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr

201835588

385					390					395					400
Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Arg	Leu
				405					410					415	

Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

$\langle 210 \rangle$	323
$\langle 211 \rangle$	455
$\langle 212 \rangle$	PRT
$\langle 213 \rangle$	Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 323

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Pro Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Lys Ile Phe Trp Pro Val Ser Trp Met Trp Gln Gly Tyr Tyr

2018355588 10 Oct 2022

				100						105						110
Pro	Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	
		115					120					125				
Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	130					135					140					
Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
145					150					155					160	
Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
				165					170						175	
Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
			180					185					190			
Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
		195					200					205				
Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
	210					215					220					
Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
225					230					235					240	
Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
			245						250					255		
Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
			260					265					270			
Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	
		275					280					285				
Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	
	290					295					300					
Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	
305					310					315					320	

2018355588 10 Oct 2022

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
325 330 335

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
340 345 350

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
355 360 365

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
370 375 380

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
385 390 395 400

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
405 410 415

Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
420 425 430

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
435 440 445

Leu Ser Leu Ser Pro Gly Lys
450 455

<210> 324
<211> 450
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 324

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Tyr Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Tyr Ser Ser Glu Thr His Tyr Gly Trp Ala Met Asp Tyr
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val
195 200 205

Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys
210 215 220

Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile

10 Oct 2022

201835588

245

250

255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu
260 265 270

Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
340 345 350

Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Lys
450

2018355588 10 Oct 2022

<210> 325
<211> 454
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 325

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gln Tyr Tyr Thr Tyr Phe Glu Trp Tyr Met Gly Trp Gly Tyr
100 105 110

Ala Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala
115 120 125

Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser
130 135 140

Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe
145 150 155 160

Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly
165 170 175

2018355588 10 Oct 2022

Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	
			180					185					190			
Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	
		195					200					205				
Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	
	210					215					220					
Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	
225					230					235					240	
Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	
				245					250					255		
Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	
			260					265					270			
Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	
		275					280					285				
Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	
	290					295					300					
Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	
305					310					315					320	
Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	
				325					330					335		
Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	
			340					345					350			
Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	
		355					360					365				
Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	
	370					375					380					
Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	

201835588

385				390				395				400				
Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Arg	
				405					410					415		

Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys
420 425 430

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
435 440 445

Ser Leu Ser Pro Gly Lys
450

$\langle 210 \rangle$	326
$\langle 211 \rangle$	452
$\langle 212 \rangle$	PRT
$\langle 213 \rangle$	Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 326

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Tyr Ser Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ala Leu Tyr Trp Met Asp Phe Ser Tyr Ser Ala Leu

2018355588 10 Oct 2022

				100					105					110			
Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr		
		115					120					125					
Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser		
	130					135					140						
Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu		
145					150					155					160		
Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His		
				165					170					175			
Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser		
			180					185					190				
Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	Tyr	Thr	Cys		
		195					200					205					
Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu		
	210					215					220						
Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu		
225					230					235					240		
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu		
				245					250					255			
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser		
			260					265					270				
Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu		
		275					280					285					
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr		
		290				295					300						
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn		
305					310					315					320		

2018355588 10 Oct 2022

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly Lys
450

<210> 327
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 327

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Val Ser Ser Ser
20 25 30

2018355588 10 Oct 2022

Ser Ile His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Ala Asp Thr Ser Lys Asn Thr Ala Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Asp
100 105 110

Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
115 120 125

Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
130 135 140

Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
145 150 155 160

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
165 170 175

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
180 185 190

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn
195 200 205

Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser
210 215 220

Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly
225 230 235 240

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met

10 Oct 2022

201835588

245

250

255

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln
260 265 270

Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
275 280 285

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr
290 295 300

Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly
305					310					315					320

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile
325 330 335

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val
340 345 350

Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser
355 360 365

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
370 375 380

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
385 390 395 400

Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val
405 410 415

Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met
420 425 430

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
435 440 445

Pro Gly Lys
450

2018355588 10 Oct 2022

<210> 328
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 328
Arg Ala Ser Gln Ser Val Ser Ser Ala Val Ala
1 5 10

<210> 329
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 329
Ser Ala Ser Ser Leu Tyr Ser
1 5

<210> 330
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 330
Gln Gln Ser Trp Val Gly Ser Leu Ile Thr
1 5 10

<210> 331
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 331
Gln Gln Trp Gln Trp Gly Tyr Ser Leu Val Thr

2018355588 10 Oct 2022

1	5	10

<210> 332
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 332

Gln	Gln	Ser	Trp	Tyr	Ser	Asn	Lys	Pro	Ile	Thr
1				5					10	

<210> 333
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 333

Gln	Gln	Ser	Ser	Ser	Ser	Leu	Ile	Thr
1				5				

<210> 334
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 334

Gln	Gln	Tyr	Tyr	Gly	Trp	Phe	Tyr	Pro	Val	Thr
1				5					10	

<210> 335
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 335

2018355588 10 Oct 2022

Gln Gln Tyr His Ser Ser Leu Phe Thr
1 5

<210> 336
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 336

Gln Gln Tyr Pro Gly Tyr Arg Gly Leu Ile Thr
1 5 10

<210> 337
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 337

Gln Gln Ser Tyr Tyr Asp Ser Asn Pro Ile Thr
1 5 10

<210> 338
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 338

Gln Gln Ser Tyr Phe His Lys Ile Pro Ile Thr
1 5 10

<210> 339
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 339

Gln Gln Trp Tyr Trp Tyr Tyr Pro Val Thr
1 5 10

<210> 340

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 340

Gln Gln Thr Tyr Trp Gly Leu Ile Thr
1 5

<210> 341

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 341

Gln Gln Tyr Lys Ser Lys Tyr Pro Phe Thr
1 5 10

<210> 342

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 342

Cys Gln Gln Ser Ser Ser Ser Leu Ile Thr
1 5 10

<210> 343

<211> 9

<212> PRT

<213> Artificial Sequence

2018355588 10 Oct 2022

<220>

<223> Synthetic Polypeptide

<400> 343

Gln Gln Ser Ser Trp Gly Leu Ile Thr
1 5

<210> 344

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 344

Gln Gln Phe Trp Gly Ser Lys Leu Phe Thr
1 5 10

<210> 345

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 345

Gln Gln Met Tyr Tyr Pro Gly Tyr Leu Ile Thr
1 5 10

<210> 346

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 346

Gln Gln Asp Arg Trp Trp Ser Ala Leu Thr
1 5 10

<210> 347

<211> 11

<212> PRT

10 Oct 2022

2018355588

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 347

Gln Gln Ser Tyr Gly Ser Trp Tyr Pro Ile Thr
1 5 10

<210> 348

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 348

Gln Gln Gly Trp Tyr Ala Ser Pro Ile Thr
1 5 10

<210> 349

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 349

Gln Gln Tyr Ser Ser His Lys Tyr Pro Phe Thr
1 5 10

<210> 350

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 350

Gln Gln Trp Val Tyr Pro Gly Ser Leu Ile Thr
1 5 10

<210> 351

2018355588 10 Oct 2022

<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 351

Gln Gln Tyr Lys Ser Lys Tyr Pro Phe Thr
1 5 10

<210> 352
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 352

Gln Gln Ser Ser Thr Asp Pro Ile Thr
1 5

<210> 353
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 353

Gln Gln Ser Ser Thr Asp Pro Ile Thr
1 5

<210> 354
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 354

Gln Gln Ser Ser Gln Tyr Asp Leu Ile Thr
1 5 10

2018355588 10 Oct 2022

<210> 355
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 355

Gln Gln Ser Ser Ser Ser Ser Leu Phe Thr
1 5 10

<210> 356
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 356

Gln Gln Arg Trp Tyr Pro Gly Asp Leu Ile Thr
1 5 10

<210> 357
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 357

Gln Gln Ser Tyr Phe Pro Ser Leu Val Thr
1 5 10

<210> 358
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 358

Gln Gln Trp Ser Gln Ser Pro Val Thr

1 5

<210> 359
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 359

Gln Gln Ser Tyr Val Tyr Tyr Pro Phe Thr
1 5 10

<210> 360
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 360

Gln Gln Gly Gly Trp Tyr Tyr Gly Pro Ile Thr
1 5 10

<210> 361
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 361

Phe Thr Val Ser Ser Ser Ser Ile His
1 5

<210> 362
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 362

Ser Ile Ser Pro Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 363
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 363

Tyr Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 364
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 364

Tyr Ile Tyr Pro Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 365
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 365

Ser Ser Ser Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 366
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 366

Tyr Ile Tyr Pro Tyr Ser Ser Ser Ser Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 367
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 367

Tyr Tyr Trp Gly Trp Ser Gln Asn Gln Gly Phe Trp Trp Tyr Gly Leu
1 5 10 15

Asp Tyr

<210> 368
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 368

2018355588 10 Oct 2022

Ser Trp Ser Ser Ser Phe Trp Tyr Asn Trp Ala Leu Asp Tyr
1 5 10

<210> 369
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 369

Tyr Ser His Ser Ser Leu Tyr Tyr Ser Trp Ile Trp Ala Leu Asp Tyr
1 5 10 15

<210> 370
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 370

Ser Tyr Arg Pro Tyr Ser Ser Tyr Tyr Trp Gly Met Asp Tyr
1 5 10

<210> 371
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 371

Ser Val Ser Trp Tyr Pro Tyr Tyr Tyr Tyr Tyr Gly Tyr Gly Ser Gly
1 5 10 15

Leu Asp Tyr

<210> 372
<211> 19
<212> PRT

2018355588 10 Oct 2022

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 372

Ser Ser His Trp Tyr Met Tyr Trp Ser Tyr Trp Gly Trp Tyr Ile Gly
1 5 10 15

Met Asp Tyr

<210> 373

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 373

Ser Tyr Ser Tyr Gly Tyr Asp Tyr Phe Val Lys Tyr Tyr Thr Met Asp
1 5 10 15

Tyr

<210> 374

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 374

Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Lys Trp Val Trp Gly Met
1 5 10 15

Asp Tyr

<210> 375

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 375

Ser Ser Ser Ser Ser Trp Gly Gly Ile Gly Lys Trp Val Trp Gly Met
1 5 10 15

Asp Tyr

<210> 376

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 376

Tyr Ser Thr Tyr Ser Ser Ser Ser Ser Ser Lys Trp Val Trp Gly Met
1 5 10 15

Asp Tyr

<210> 377

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 377

Tyr Ser Thr Tyr Ser Trp Gly Gly Ile Gly Ser Ser Ser Ser Ser Met
1 5 10 15

Asp Tyr

<210> 378

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 378

Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp
1				5					10					15	

Tyr

<210> 379

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 379

Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr
1				5				10					15		

<210> 380

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 380

Tyr	Ser	Thr	Tyr	Ser	Ser	Ser	Lys	Trp	Val	Trp	Gly	Met	Asp	Tyr
1				5			10					15		

<210> 381

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 381

Tyr Ser Thr Tyr Ser Lys Trp Val Trp Gly Met Asp Tyr

2018355588 10 Oct 2022

1 5 10
<210> 382
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 382
Tyr Ser Thr Tyr Lys Trp Val Trp Gly Met Asp Tyr
1 5 10

<210> 383
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 383
Tyr Ser Thr Tyr Ser Ser Lys Trp Val Trp Gly Met Asp Tyr
1 5 10

<210> 384
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 384
Tyr Ser Ser Tyr His Tyr Pro Tyr Trp Leu Phe Ala Met Asp Tyr
1 5 10 15

<210> 385
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 385

Gly His Tyr Gln Glu Gly Arg Lys Ser Gly Phe Ser Tyr Trp Ser Pro
1 5 10 15

Ala Leu Asp Tyr
20

<210> 386
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 386

Ser Thr Glu Gly Tyr Asp Arg Trp Gly Tyr Tyr Ser Ser Tyr Trp Ser
1 5 10 15

Ser Gly Leu Asp Tyr
20

<210> 387
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 387

Tyr Ile Ser Pro Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 388
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 388

Tyr Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 389
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 389

Tyr Ile Ser Ser Tyr Ser Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 390
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 390

Thr Tyr Thr Trp Lys Ser Ser Trp Ser Tyr Gln Thr Gly Tyr Gly Leu
1 5 10 15

Asp Tyr

<210> 391
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 391

Ala Val Tyr Tyr Tyr Val Tyr Asn Arg Ser Trp Tyr Trp Trp Ser Gly
1 5 10 15

Gly Phe Asp Tyr
20

<210> 392
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 392

Pro Ala Tyr Ser Tyr Pro Tyr Tyr Tyr Phe His Tyr Gly Ala Met Asp
1 5 10 15

Tyr

<210> 393
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 393

Ala Trp Tyr His His Glu Tyr Trp Gly His Tyr Ser Gly Met Asp Tyr
1 5 10 15

<210> 394
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 394

Ser Gly Tyr Ser His Pro Tyr Tyr Ser Tyr Tyr Ser Gly Met Asp Tyr
1 5 10 15

2018355588 10 Oct 2022

<210> 395
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 395
Thr Tyr Met Ala Gly Tyr Lys Tyr Tyr Phe Ile Ser Gly Tyr Gly Phe
1 5 10 15

Asp Tyr

<210> 396
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 396
Tyr Trp Asp Tyr Gly Trp Met Tyr Phe Asp Pro Ala Met Asp Tyr
1 5 10 15

<210> 397
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 397
Tyr Met Glu Asn Trp Glu Trp Pro Tyr His Ser Ala Met Asp Tyr
1 5 10 15

<210> 398
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

2018355588 10 Oct 2022

<400> 398

Ser Trp Trp Tyr Pro Tyr Trp Gln Tyr Tyr Pro Gly Gly Trp His Ser
1 5 10 15

Ser Gly Phe Asp Tyr
20

<210> 399

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 399

Tyr Thr Met Thr Tyr Gln Tyr Tyr Pro Ser Gly Ala Met Asp Tyr
1 5 10 15

<210> 400

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 400

Ser Tyr Ile Tyr Tyr Met Trp Gln Tyr Asn Tyr Gly Met Ser Gly Tyr
1 5 10 15

Gly Leu Asp Tyr
20

<210> 401

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 401

His Ser Pro Tyr Tyr Leu His Ser Trp Trp Trp Ser Gly Leu Asp Tyr

1 5 10 15

<210> 402
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 402

His Ser Trp Tyr Tyr Pro Tyr Tyr Tyr Tyr Ala Leu Asp Tyr
 1 5 10

<210> 403
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 403

Tyr Trp Ser Tyr Pro Tyr Val Tyr Phe Leu Ala Phe Asp Tyr
 1 5 10

<210> 404
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 404

Asn Val Glu Asn Tyr Pro Tyr Trp Ala Trp Pro Trp Gly Tyr Tyr Gly
 1 5 10 15

Ala Ile Asp Tyr
 20

<210> 405
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 405

Thr	Tyr	Lys	Trp	Ser	Tyr	Tyr	Thr	Gly	Tyr	Gly	Phe	Asp	Tyr
1				5					10				

<210> 406

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 406

Tyr	Trp	Ser	Tyr	Pro	Ser	Trp	Trp	Pro	Tyr	Arg	Gly	Met	Asp	Tyr
1				5					10					15

<210> 407

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 407

Tyr	Trp	Ser	Tyr	Pro	Ser	Trp	Ser	Pro	Tyr	Arg	Gly	Met	Asp	Tyr
1				5					10					15

<210> 408

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 408

Val	Gly	Tyr	Tyr	Tyr	Pro	Tyr	Leu	Tyr	Leu	Gly	Asp	Gly	Leu	Asp	Tyr
1				5					10					15	

<210> 409

<211> 21

<212> PRT

2018355588 10 Oct 2022

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 409

Asn Ala Trp His Tyr Glu Pro Ser Tyr Trp Tyr Gly Asn Tyr Ala Thr
1 5 10 15

Tyr Gly Phe Asp Tyr
20

<210> 410

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 410

Gly Gln Gln Tyr Tyr Pro Asp Gln Tyr Trp Gly Leu Asp Tyr
1 5 10

<210> 411

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 411

Thr Tyr Tyr Thr Tyr Phe Asp Trp Trp Arg Thr Ala Val Tyr Tyr Gly
1 5 10 15

Phe Asp Tyr

<210> 412

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

10 Oct 2022

2018355588

<400> 412

Asp Tyr Tyr Asn Tyr Met Ser Ser Tyr Trp Trp Tyr Ser Ala Leu Asp
1 5 10 15

Tyr

<210> 413

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 413

Lys Ile Phe Trp Pro Val Ser Trp Met Trp Gln Gly Tyr Tyr Pro Ala
1 5 10 15

Leu Asp Tyr

<210> 414

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 414

Ser Tyr Ser Ser Glu Thr His Tyr Gly Trp Ala Met Asp Tyr
1 5 10

<210> 415

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 415

Gln Tyr Tyr Thr Tyr Phe Glu Trp Tyr Met Gly Trp Gly Tyr Ala Leu

1	5	10	15

Asp Tyr

<210> 416
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 416

Ser	Ser	Ala	Leu	Tyr	Trp	Met	Asp	Phe	Ser	Tyr	Ser	Ala	Leu	Asp	Tyr
1				5					10					15	

<210> 417
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 417

Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Asp	Tyr
1				5					10					15	

<210> 418
 <211> 106
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Polypeptide

<400> 418

Thr	Val	Ala	Ala	Pro	Ser	Val	Phe	Ile	Phe	Pro	Pro	Ser	Asp	Glu	Gln
1				5					10					15	

Leu	Lys	Ser	Gly	Thr	Ala	Ser	Val	Val	Cys	Leu	Leu	Asn	Asn	Phe	Tyr
			20					25					30		

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser

2018355588 10 Oct 2022

35 40 45
Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
50 55 60
Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
65 70 75 80
His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
85 90 95
Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
100 105

<210> 419
<211> 330
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 419

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
1 5 10 15

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20 25 30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35 40 45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50 55 60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
65 70 75 80

Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys
85 90 95

Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys

10 Oct 2022

201835588

				100				105				110			
Pro	Ala	Pro	Glu	Leu	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro
		115					120					125			
Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys
		130				135					140				
Val	Val	Val	Asp	Val	Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp
145					150					155					160
Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu
				165					170					175	
Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu
			180					185					190		
His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn
		195					200					205			
Lys	Ala	Leu	Pro	Ala	Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly
		210				215					220				
Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu
225					230					235					240
Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr
				245					250					255	
Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn
			260					265					270		
Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe
		275					280					285			
Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn
		290				295					300				
Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr
305					310					315					320

2018355588 10 Oct 2022

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
325 330

<210> 420
<211> 330
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 420

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
1 5 10 15

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20 25 30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35 40 45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50 55 60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
65 70 75 80

Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys
85 90 95

Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys
100 105 110

Pro Ala Pro Glu Ala Ala Gly Gly Pro Ser Val Phe Leu Phe Pro Pro
115 120 125

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
130 135 140

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
145 150 155 160

2018355588 10 Oct 2022

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
165 170 175

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
180 185 190

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
195 200 205

Lys Ala Leu Gly Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
210 215 220

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Glu Glu
225 230 235 240

Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
245 250 255

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
260 265 270

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
275 280 285

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
290 295 300

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
305 310 315 320

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
325 330

<210> 421
<211> 327
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 421

2018355588 10 Oct 2022

Ala 1	Ser	Thr	Lys	Gly 5	Pro	Ser	Val	Phe	Pro 10	Leu	Ala	Pro	Cys	Ser 15	Arg
Ser	Thr	Ser	Glu 20	Ser	Thr	Ala	Ala	Leu 25	Gly	Cys	Leu	Val	Lys 30	Asp	Tyr
Phe	Pro	Glu 35	Pro	Val	Thr	Val	Ser 40	Trp	Asn	Ser	Gly	Ala 45	Leu	Thr	Ser
Gly 50	Val	His	Thr	Phe	Pro	Ala 55	Val	Leu	Gln	Ser	Ser 60	Gly	Leu	Tyr	Ser
Leu 65	Ser	Ser	Val	Val	Thr 70	Val	Pro	Ser	Ser 75	Ser	Leu	Gly	Thr	Lys	Thr 80
Tyr	Thr	Cys	Asn 85	Val	Asp	His	Lys	Pro	Ser 90	Asn	Thr	Lys	Val 95	Asp	Lys
Arg	Val	Glu	Ser 100	Lys	Tyr	Gly	Pro	Pro 105	Cys	Pro	Ser	Cys	Pro 110	Ala	Pro
Glu	Phe	Leu	Gly 115	Gly	Pro	Ser	Val 120	Phe	Leu	Phe	Pro	Pro 125	Lys	Pro	Lys
Asp 130	Thr	Leu	Met	Ile	Ser	Arg 135	Thr	Pro	Glu	Val	Thr 140	Cys	Val	Val	Val
Asp 145	Val	Ser	Gln	Glu	Asp 150	Pro	Glu	Val	Gln	Phe 155	Asn	Trp	Tyr	Val	Asp 160
Gly	Val	Glu	Val	His 165	Asn	Ala	Lys	Thr	Lys 170	Pro	Arg	Glu	Glu	Gln	Phe 175
Asn	Ser	Thr	Tyr 180	Arg	Val	Val	Ser	Val 185	Leu	Thr	Val	Leu	His 190	Gln	Asp
Trp	Leu	Asn	Gly 195	Lys	Glu	Tyr	Lys 200	Cys	Lys	Val	Ser	Asn 205	Lys	Gly	Leu
Pro	Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg

2018355588 10 Oct 2022

210 215 220
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
225 230 235 240
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
245 250 255
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
260 265 270
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
275 280 285
Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
290 295 300
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
305 310 315 320
Leu Ser Leu Ser Pro Gly Lys
325

<210> 422
<211> 327
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 422

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
1 5 10 15
Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20 25 30
Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35 40 45
Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser

2018355588 10 Oct 2022

50	55	60
Leu 65	Ser Ser Val Val Thr 70	Val Pro Ser Ser 75
		Leu Gly Thr Lys Thr 80
Tyr	Thr Cys Asn 85	Val Asp His Lys Pro Ser 90
		Asn Thr Lys Val Asp Lys 95
Arg	Val Glu Ser 100	Lys Tyr Gly Pro Pro 105
		Cys Pro Pro Cys Pro Ala Pro 110
Glu	Phe Leu Gly Gly Pro Ser 120	Val Phe Leu Phe Pro Pro 125
		Lys Pro Lys
Asp	Thr Leu Met Ile Ser 130	Arg Thr Pro Glu Val Thr 140
		Cys Val Val Val
Asp 145	Val Ser Gln Glu 150	Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp 160
Gly	Val Glu Val His 165	Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe 175
Asn	Ser Thr Tyr Arg Val Val Ser 180	Val Leu Thr Val Leu His Gln Asp 190
Trp	Leu Asn Gly Lys Glu Tyr 195	Lys Cys Lys Val Ser Asn Lys Gly Leu 205
Pro	Ser Ser Ile Glu Lys Thr 210	Ile Ser Lys Ala Lys Gly Gln Pro Arg 220
Glu 225	Pro Gln Val Tyr Thr Leu Pro Pro Ser 230	Gln Glu Glu Met Thr Lys 240
Asn	Gln Val Ser Leu Thr Cys Leu Val 245	Lys Gly Phe Tyr Pro Ser Asp 255
Ile	Ala Val Glu Trp Glu Ser Asn 260	Gly Gln Pro Glu Asn Asn Tyr Lys 270

2018355588 10 Oct 2022

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
275 280 285

Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
290 295 300

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
305 310 315 320

Leu Ser Leu Ser Pro Gly Lys
325

<210> 423
<211> 327
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 423

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
1 5 10 15

Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20 25 30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35 40 45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50 55 60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
65 70 75 80

Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
85 90 95

Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro
100 105 110

2018355588 10 Oct 2022

Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
115 120 125

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
130 135 140

Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
145 150 155 160

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
165 170 175

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
180 185 190

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
195 200 205

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
210 215 220

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
225 230 235 240

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
245 250 255

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
260 265 270

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
275 280 285

Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
290 295 300

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
305 310 315 320

Leu Ser Leu Ser Leu Gly Lys

325

<210> 424
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 424

Phe Thr Leu Tyr Ser Ser Ser Ile His
1 5

<210> 425
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 425

Phe Thr Phe Ser Tyr Ser Ser Ile His
1 5

<210> 426
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 426

Phe Thr Phe Tyr Ser Ser Ser Ile His
1 5

<210> 427
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 427

2018355588 10 Oct 2022

Phe Thr Leu Ser Ser Ser Ser Ile His
1 5

<210> 428
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 428

Phe Thr Val Tyr Ser Ser Ser Ile His
1 5

<210> 429
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 429

Phe Thr Val Ser Tyr Ser Ser Ile His
1 5

<210> 430
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 430

Phe Thr Val Ser Ser Tyr Ser Ile His
1 5

<210> 431
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 431

Phe Thr Phe Ser Ser Ser Ser Ile His
1 5

<210> 432

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 432

Phe Thr Ile Tyr Ser Ser Tyr Ile His
1 5

<210> 433

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 433

Phe Thr Leu Ser Tyr Ser Ser Ile His
1 5

<210> 434

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 434

Phe Thr Leu Tyr Tyr Ser Ser Ile His
1 5

<210> 435

<211> 9

<212> PRT

<213> Artificial Sequence

2018355588 10 Oct 2022

<220>

<223> Synthetic Polypeptide

<400> 435

Phe Thr Ile Ser Ser Ser Ser Ile His
1 5

<210> 436

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 436

Phe Thr Ile Tyr Ser Ser Ser Ile His
1 5

<210> 437

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 437

Phe Thr Ile Tyr Tyr Ser Ser Ile His
1 5

<210> 438

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Polypeptide

<400> 438

Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 439
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 439
Ser Ile Ser Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 440
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 440
Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 441
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 441
Ser Ile Ser Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 442
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 442
Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 443
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 443
Ser Ile Ser Ser Tyr Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 444
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 444
Ser Ile Tyr Ser Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 445
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 445
Ser Ile Tyr Ser Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 446
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 446
Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 447
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 447
Ser Ile Ser Pro Tyr Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 448
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 448
Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 449
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 449
Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 450
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 450
Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 451
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 451
Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 452
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 452
Ser Ile Tyr Pro Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 453
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 453
Ser Ile Tyr Ser Tyr Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 454
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 454
Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 455
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 455
Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 456
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 456
Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 457
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 457
Ser Ile Ser Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 458
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 458
Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 459
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 459
Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 460
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 460
Ser Ile Ser Ser Ser Ser Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 461
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 461
Ser Ile Ser Ser Ser Ser Ser Ser Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 462
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 462
Ser Ile Tyr Ser Ser Ser Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 463
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 463
Ser Ile Ser Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 464
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 464
Ser Ile Tyr Pro Tyr Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 465
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 465
Ser Ile Tyr Ser Ser Tyr Gly Tyr Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

2018355588 10 Oct 2022

<210> 466
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<400> 466
Ser Ile Tyr Ser Ser Tyr Gly Ser Thr Ser Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 467
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<220>
<221> misc_feature
<222> (1)..(1)
<223> Xaa is Tyr or Ser

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa is Ile or Ser

<220>
<221> misc_feature
<222> (3)..(3)
<223> Xaa is Tyr or Ser

<220>
<221> misc_feature
<222> (4)..(4)
<223> Xaa is Pro or Ser

<220>
<221> misc_feature
<222> (5)..(5)
<223> Xaa is Tyr or Ser

<220>

2018355588 10 Oct 2022

<221> misc_feature
<222> (7)..(7)
<223> Xaa is Gly or Ser

<220>
<221> misc_feature
<222> (8)..(8)
<223> Xaa is Tyr or Ser

<220>
<221> misc_feature
<222> (9)..(9)
<223> Xaa is Thr or Ser

<400> 467

Xaa	Xaa	Xaa	Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Ser	Tyr	Ala	Asp	Ser	Val	Lys
1				5					10					15	

Gly

<210> 468
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Polypeptide

<220>
<221> misc_feature
<222> (1)..(1)
<223> Xaa is Tyr or Ser

<220>
<221> misc_feature
<222> (3)..(3)
<223> Xaa is Thr, Ser, or absent

<220>
<221> misc_feature
<222> (4)..(4)
<223> Xaa is Tyr, Ser, or absent

<220>
<221> misc_feature
<222> (5)..(5)
<223> Xaa is Ser or absent

<220>

2018355588 10 Oct 2022

```
<221> misc_feature
<222> (6)..(6)
<223> Xaa is Trp, Ser, or absent

<220>
<221> misc_feature
<222> (7)..(7)
<223> Xaa is Ser or absent

<220>
<221> misc_feature
<222> (8)..(8)
<223> Xaa is Gly, Ser, or absent

<220>
<221> misc_feature
<222> (9)..(9)
<223> Xaa is Gly, Thr, Ser, or absent

<220>
<221> misc_feature
<222> (10)..(10)
<223> Xaa is Ile, Tyr, Ser, or absent

<220>
<221> misc_feature
<222> (11)..(11)
<223> Xaa is Gly, Ser, or Tyr

<220>
<221> misc_feature
<222> (13)..(13)
<223> Xaa is Trp or Ser

<220>
<221> misc_feature
<222> (14)..(14)
<223> Xaa is Val or Ser

<220>
<221> misc_feature
<222> (15)..(15)
<223> Xaa is Trp or Ser

<400> 468
```

Xaa Ser Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Gly
1 5 10 15

Met Asp Tyr

2018355588 10 Oct 2022

<210> 469
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<400> 469

Met	Tyr	Arg	Met	Gln	Leu	Leu	Ser	Cys	Ile	Ala	Leu	Ser	Leu	Ala	Leu
1				5					10					15	
Val	Thr	Asn	Ser												
			20												