



US00D770979S

(12) **United States Design Patent**
Willette

(10) **Patent No.:** **US D770,979 S**

(45) **Date of Patent:** **** Nov. 8, 2016**

- (54) **MALE KEYED LAMP PLUG**
- (71) Applicant: **Christopher C. Willette**, Tequesta, FL (US)
- (72) Inventor: **Christopher C. Willette**, Tequesta, FL (US)

D558,673 S *	1/2008	Easley	D13/133
D577,337 S	9/2008	Zayas	
D583,761 S *	12/2008	Schenck	D13/134
D585,837 S	2/2009	Kuehne et al.	
D593,706 S *	6/2009	Zayas	D26/142
D616,822 S	6/2010	Zayas	
D625,438 S	10/2010	Lai et al.	
D632,833 S *	2/2011	Lee	D26/123
D638,572 S *	5/2011	Lee	D26/113

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/500,237**

Primary Examiner — Thomas Johannes
Assistant Examiner — Shawn T Gingrich
 (74) *Attorney, Agent, or Firm* — Akerman LLP; Michael K. Dixon

(22) Filed: **Aug. 22, 2014**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/134**

(58) **Field of Classification Search**
 USPC D13/101, 103, 110, 118, 123, 133–136, D13/146, 147, 149, 151–156, 173, 182, 184, D13/199; D26/1–3, 27, 113, 142
 CPC A61L 9/20; B01J 19/12; F21S 8/00; F21V 19/00; H01H 85/00; H01J 5/48; H01J 5/50; H01J 5/54; H01J 19/48; H01R 4/24; H01R 13/00; H01R 13/66; H01R 24/00; H01R 33/00; H01R 33/05; H01R 33/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,925,511 A	2/1960	Skellett	
D289,206 S *	4/1987	Scoville, Jr. D26/113
D296,325 S	6/1988	Hugin	
D316,611 S *	4/1991	Spina D26/113
D452,214 S	12/2001	Vieno et al.	
D459,301 S	6/2002	Fang Wong	
D487,252 S *	3/2004	Schweitzer D13/134
D518,778 S *	4/2006	Wardenburg D13/134
D527,346 S	8/2006	Brodin	
D537,414 S	2/2007	Saito	
D542,735 S	5/2007	Keilholz et al.	
D546,762 S	7/2007	Kovacs	
D547,724 S *	7/2007	Ciancanelli D13/134

(57) **CLAIM**

The ornamental design for a male keyed lamp plug, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a male keyed lamp plug according to the invention.

FIG. 2 is a top view of the male keyed lamp plug of FIG. 1.

FIG. 3 is a front view of the male keyed lamp plug of FIG. 1.

FIG. 4 is a bottom view of the male keyed lamp plug of FIG. 1.


FIG. 5 is a left side view of the male keyed lamp plug of FIG. 1. The right side view is identical to the left side view; and,

FIG. 6 is a rear view of the male keyed lamp plug of FIG. 1.

The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design. The undulating break lines shown at the rear of the article indicate a symbolic break in its length, the appearance of any portion of the article beyond the break line forms no part of the claimed design.

This design is directed to a male keyed lamp plug for electrical devices.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D647,226	S	10/2011	Huang et al.						
D679,413	S *	4/2013	Bucher	D24/224					
D694,189	S	11/2013	Ledinger et al.						
D700,577	S	3/2014	Ding et al.						
D709,643	S	7/2014	Kohler et al.						
9,062,870	B2 *	6/2015	Hoang	F21V 23/06					
					D751,506	S	3/2016	Liu	
					2004/0150998	A1	8/2004	Fan	
					2005/0052867	A1 *	3/2005	Wardenburg	F21S 8/04 362/269
					2008/0076281	A1	3/2008	Ciancanelli et al.	
					2008/0188131	A1	8/2008	Zayas	
					2009/0156037	A1	6/2009	Zayas et al.	
					2013/0340460	A1	12/2013	Andros et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6