

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
18 November 2010 (18.11.2010)

(10) International Publication Number  
**WO 2010/131187 A1**

(51) International Patent Classification:  
*G01R 33/04* (2006.01)    *G01R 33/00* (2006.01)

AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(21) International Application Number:  
PCT/IB2010/052059

(22) International Filing Date:  
10 May 2010 (10.05.2010)

(25) Filing Language:  
English

(26) Publication Language:  
English

(30) Priority Data:  
09159946.4    11 May 2009 (11.05.2009)    EP

(71) Applicant (for all designated States except US): **LI-AISONS ELECTRONIQUES-MECANIQUES LEM S.A. [CH/CH]**; 8, Chemin des Aulx, CH-1228 Plan-les-Ouates (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **TEPPAN, Wolfram** [AT/FR]; 150 route de Crêts, FR- 74160 Collonges-sous-Salève (FR). **AZZONI, Davide** [CH/CH]; Ch. Edmond Rochat 20-B, CH-1217 Meyrin (CH).

(74) Agent: **REUTELER & CIE SA**; Chemin de la Vuarpillière 29, CH-1260 Nyon (CH).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:


— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))

— of inventorship (Rule 4.17(iv))

Published:

— with international search report (Art. 21(3))

(54) Title: CLOSED-LOOP FLUXGATE CURRENT SENSOR



**Fig 1**

(57) Abstract: Electrical current sensor comprising a measuring circuit (6) and an inductor (4) for measuring a primary current  $I_p$  flowing in a primary conductor (2), the inductor comprising a saturable magnetic core (10) made of a highly permeable magnetic material and a secondary coil (12) for carrying an alternating excitation  $i$  configured to alternately saturate the magnetic core, the coil being connected to the measuring circuit. The measuring circuit is configured to supply a positive or negative voltage to the inductor, to switch off the voltage when a condition signalling saturation is reached, to measure the time to saturation  $t_1$  in one direction and the time to saturation  $t_2$  in the other direction of the magnetic core and determine therefrom a value of the primary current for small current amplitudes, the measuring circuit being further configured for evaluating the average value of the excitation current  $i$  and determining therefrom the value of the primary current for large currents.

## Closed-Loop Fluxgate Current Sensor

The present invention relates to a closed-loop current sensor, in particular of the  
5 fluxgate type.

A conventional fluxgate sensor typically comprises a core in a soft magnetic material of high magnetic permeability that is subjected to an alternating magnetic field by an excitation coil of the fluxgate. The magnetic field of the excitation coil  
10 saturates the core in an alternating manner. In the presence of a magnetic field, for example an external magnetic field generated by a current flowing in a primary conductor, the saturation characteristic of the soft magnetic core becomes (apparently, as seen from the secondary side) asymmetric and generates a corresponding signal in the circuit driving the fluxgate coil. The resulting signal is  
15 correlated to the amplitude of the external magnetic field. In a closed-loop sensor, this signal is used in a feedback loop to drive a secondary coil on a magnetic circuit configured to cancel the effect of the external magnetic field. The main advantage of closed-loop fluxgate sensors is their measurement sensitivity and ability to accurately measure currents of small amplitude. On the other hand, such  
20 sensors are generally not best suited for the measurement of currents of large amplitude, and like other sensors, have a limited measurement range.

Certain applications require however the measurement of a large range of currents. An example of an application requiring the accurate measurement of  
25 small amplitude currents and a large measurement range, is monitoring of batteries. Battery monitoring may include measuring different parameters of a battery system, temperature, voltage, impedance and current, in order to evaluate the status (charge, health) of the battery [2]. Often it is necessary to monitor complex systems made of several hundreds of blocks, e.g. at industrial UPS,  
30 telecommunications systems, or battery storage systems. One of the difficulties

concerning battery monitoring applications is the current measurement, where the measurement range (DC) may typically vary from 10 mA up to 1000 A. Today's available low cost current transducers are not well adapted to work with sufficient accuracy for the small amplitude currents while supporting the very large measurement range, which may vary from a few milliamperes of trickle charging (float) currents to several hundreds of amperes of battery discharge and recharge currents.

Certain electrical motors, generators and other electrical drives may also require the measurement of currents over a very large range for accurate and reliable control of the drive or generator.

An object of the invention is to provide a current sensor that accurately measures small currents, yet has a large measurement range.

It is advantageous to provide a current sensor that is economical to produce.

It is advantageous to provide a current sensor for battery monitoring that is accurate and economical to produce.

It is advantageous to provide a current sensor that is easy to implement.

It is advantageous to provide a current sensor that is compact and reliable.

Objects of the invention have been achieved by providing the closed-loop fluxgate sensor according to claim 6 and a current measuring method according to claim 1.

Disclosed herein is a fluxgate electrical current sensor comprising a measuring circuit and an inductor for measuring a primary current  $I_P$  flowing in a primary conductor over a current range from a minimum measurable or specified current

amplitude ( $I_{\min}$ ) to a maximum measurable or specified current amplitude ( $I_{\max}$ ), the inductor comprising a saturable magnetic core made of a highly permeable magnetic material and a secondary coil for applying an alternating excitation current  $i$  configured to alternately saturate the magnetic core, the coil being connected to the measuring circuit. The measuring circuit is configured to measure the saturation times  $t_1$  and  $t_2$  of the magnetic core in opposing magnetic field directions and determine therefrom a value of the primary current for small current amplitudes, the measuring circuit being further configured for evaluating the average value of the excitation current  $i$  and determining therefrom the value of the primary current for large currents.

A method of measuring an electrical current flowing in a primary conductor over a current range from a minimum specified current amplitude to a maximum specified current amplitude according to this invention includes:

- providing a current sensor including a measuring circuit and an inductor, the inductor comprising a secondary coil wound around a saturable magnetic core,
- applying an excitation voltage to the secondary coil configured to alternately saturate the magnetic core,
- evaluating the average value of the excitation current flowing through the inductor during the phases when the voltage source is turned on for measurement of large primary currents, and
- measuring the times to saturation  $t_1$ ,  $t_2$  of the magnetic core of the negative respectively positive signal of the alternating excitation current and for small currents determining the primary current based on the relationship of alternating saturation times  $t_1$ ,  $t_2$ .

Small primary currents have amplitude in a first portion of the current range from the minimum specified current  $I_{\min}$  to a transition or intermediate amplitude, and large primary currents have an amplitude in a second portion of the current range

from the transition amplitude to the maximum specified current amplitude  $I_{\max}$ . The value of the intermediate amplitude, where the transition from the first measurement method to the second measurement method, may vary as a function of the values of  $I_{\min}$  and  $I_{\max}$ .

5

The current sensor according to this invention, which is based on a technology of type "fluxgate", is economical to produce and implement yet has a wide measurement range while providing excellent accuracy. The sensor uses the magnetic field created by a primary current acting on a saturable inductor. By measuring the intervals to reach saturation and the inductor load current and making use of a suitable microcontroller it is possible to accurately evaluate the value of the primary current for both high and low current levels.

15 For primary currents  $I_P$  that are small, the primary current value may be determined based on a value of the saturation time in one direction divided by the sum of the saturation times in both directions ( $I_P$  is proportional to  $t_1 / (t_1 + t_2)$ ).

The measuring method for small currents is preferably employed for primary currents respecting the following condition:

$$20 \quad \left| \frac{I_P}{N} \right| < i_{s0}$$

where  $I_P$  is primary current,  $N$  the number of turns of the secondary coil, and  $i_{s0}$  the value of the saturation excitation current for a primary current that is 0.

25 For large primary currents the measurement of the primary current may be based on an evaluation of the average value of the excitation current.

Further objects and advantageous features of the invention will be apparent from the claims and the following detailed description of embodiments of the invention and the annexed drawings in which:

Figure 1 is a simplified illustration of a battery monitoring system indicating the measured parameters;

5 Figure 2 illustrates a saturable inductor of a current sensor according to an embodiment of this invention and its main parameters;

Figure 3 is a graphical illustration of an idealized characteristic  $B(H)$  of the inductor;

10

Figure 4 is a graphical illustration of an idealized characteristic of flux linkage  $\Psi(i)$  as a function of current  $i$  flowing in a secondary coil of the inductor;

15

Figure 6 is a graphical illustration of a shifting of the inductance value for a primary current (current to be measured) greater than zero ( $I_P > 0$ );

Figure 7 illustrates a circuit diagram of an embodiment of a measuring circuit of a current sensor according to this invention;

20

Figures 8a and 8b are simplified graphs illustrating the shifting of the inductance value, respectively the saturation times  $t_1$  and  $t_2$  for a positive primary current ( $I_P > 0$ );

25

Figures 9a and 9b are graphical illustrations of the inductance as a function of current respectively the current as a function of time for a positive primary current to depict the relationship between the primary current and the excitation current;

Figures 10a and 10b are similar to figures 9a, 9b but for a negative primary current;

Figure 11 is a screen-shot of an oscilloscope illustrating saturation times for a positive excitation current signal P and a negative excitation current signal N for a primary current that is 0;

5

Figure 12 is a screen-shot of an oscilloscope for a voltage  $U_m$  at a primary current of 1000 Ampere;

10 Figure 13 to 15 illustrate test results of a prototype current sensor made according to the invention where figure 13 illustrates measured current error in milliamperes for a primary current in the range of -1 to +1 amperes, figure 14 illustrates the sensor error in percentage for a primary current ranging from -15 to +15 amperes, and figure 15 illustrates the sensor error in percentage for a primary current in the range of -1000 to +1000 amperes.

15

Referring to figures 1, 2 and 7, an embodiment of a current sensor according to this invention, for measuring a primary current  $I_p$  flowing in a primary conductor 2, for example connected to a battery 1 or other electrical device or motor, the primary current corresponding to the charge or discharge current of the battery, or 20 a drive current of an electrical motor. The sensor comprises an inductor 4 (representing an inductance  $L$ ) connected to a measuring circuit 6. The inductor comprises a magnetic circuit 8 comprising a magnetic core 10 made of a high magnetic permeability material (soft magnetic material), and a secondary coil (also called herein excitation coil) 12 wound around at least a portion of the 25 saturable magnetic core 10. The secondary coil 12 is connected to the measuring circuit 6 which feeds an excitation current  $+i$ ,  $-i$  through the secondary coil, the excitation current being configured to alternatingly saturate the magnetic core in one direction and then in the opposed direction. In the embodiment shown, the magnetic core is in the form of an annular closed ring having a central passage 14 30 through which the primary conductor extends.

The primary conductor is shown as a single conductor passing straight through the central passage of the magnetic core, however it is also possible to have a primary conductor with one or more turns (windings) around a portion of the 5 saturable core. The portion of primary conductor may be integrated to the current sensor and comprises connection terminals for connection to an external primary conductor of the system to be measured. The primary conductor may also be separate from the sensor and inserted through the sensor. The magnetic core may have other shapes than circular, for example rectangular, square, polygonal 10 or other shapes. Moreover, the magnetic core of the inductor may also form a non-closed circuit, for example in the form of a bar or an almost closed magnetic core with an air gap. The magnetic core may also be formed of more than one part, for example of two halves or two parts that are assembled together around 15 the primary conductor. Also, the current sensor may comprise a magnetic core that does not have a central passage through which the primary conductor extends whereby the primary conductor can be positioned in proximity of the magnetic core or wound around in one or more turns around a portion of the magnetic core. In these various configurations, the functioning principle remains 20 essentially the same whereby the excitation in the secondary coil is an alternating current that saturates the magnetic core in alternating directions, and where the primary current generates a magnetic field that affects the saturation characteristic of the magnetic core.

In the present invention, for small currents the measuring circuit measures the 25 shift of the inductance characteristic as a function of the excitation current, this shift being essentially proportional to the amplitude of the primary current. For large primary currents however, this measuring principle is no longer employed because the core is already completely saturated without any secondary (excitation) current and the result of the relationship  $t_1 / (t_1 + t_2)$  does not change 30 any more. For high currents the measuring circuit thus employs another measurement method, this method comprising evaluating the average value of the

secondary coil excitation current during the time the excitation voltage is supplied, i.e.  $t_1$  or  $t_2$  which corresponds to the amplitude of the primary current as described in more detail hereafter.

5 Advantageously, a single, simple and low cost sensor can thus be used for measuring a very large current range.

Figures 1 and 2 illustrate parameters of a battery monitoring system with a closed-loop current sensor, where:

10  $N$  is the number of secondary turns  
 $l_{Fe}$  is the average magnetic circuit length  
 $S_{Fe}$  is the magnetic circuit cross section  
 $i$  is the excitation current  
 $I_P$  is the primary current (to be measured), and  
15  $\Phi$  is the magnetic flux.

The main difficulty in this type of application is the measurement of the current, because it can vary in a very large range, from the few milliamperes of the trickle charging (float) currents to the several hundreds of ampere of the battery discharge and recharge currents.

20

The main parameters of the saturable inductor are defined in fig. 2. While knowing the characteristics  $B(H)$  of the core, as well as the geometric parameters of the magnetic circuit, the inductance value can be defined as a function of the excitation current  $i$ .

25

The ideal characteristic  $B(H)$  (magnetic induction  $B$  as a function of the magnetic field  $H$ ) of the magnetic circuit can be approximated as shown in fig. 3. For a magnetic field value varying between  $+H_s$  and  $-H_s$  the core is not saturated, so  $B(H)$  is represented by the well known equation (1):

$$B(H) = \mu_0 \cdot \mu_r \cdot H \quad \text{if } -H_s < H < +H_s \quad (1)$$

where  $\mu_0$  is the permeability coefficient of air, and  $\mu_r$  is the relative permeability coefficient of the magnetic material of the circuit.

5 Figure 4 illustrates an idealized characteristic  $\Psi(i)$ , the flux linkage, as a function of current. The geometric parameters of the magnetic circuit as well as the number of turns  $N$  allow to determine the relationship between the flux linkage  $\Psi$  and the excitation current  $i$ .

$$H = \frac{N}{l_{Fe}} \cdot i \quad (2)$$

$$10 \quad \Psi = \phi \cdot N = B \cdot S_f \cdot N \quad (3)$$

By replacing (2) in (1) we can obtain:

$$B = \mu_0 \cdot \mu_r \cdot \frac{N}{l_f} \cdot i \quad (4)$$

And by replacing (4) in (3) we obtain:

$$\Psi = \left( \mu_0 \cdot \mu_r \cdot \frac{N}{l_f} \cdot i \right) \cdot S_f \cdot N \quad (5)$$

15 and finally:

$$\boxed{\Psi(i) = \frac{\mu_0 \cdot \mu_r \cdot S_f \cdot N^2}{l_f} \cdot i} \quad (6)$$

By deriving (6) as a function of the current we obtain the inductance value as (7):

$$L_f(i) = \frac{\mu_0 \cdot \mu_r \cdot S_f \cdot N^2}{l_f} \quad \text{if } -i_s < i < +i_s \quad (7)$$

20 Figure 5 illustrates an idealized inductance value as a function of the excitation current. When the magnetic material is not saturated, this value can be obtained from

$$L_f = \frac{\mu_0 \cdot \mu_r \cdot S_f \cdot N^2}{l_f} \quad (8)$$

Once saturation is reached, the inductance value is described by:

$$L_e = \frac{\mu_0 \cdot S_f \cdot N^2}{I_f} \quad (9)$$

The inductance value  $L_f$  is  $\mu_r$  times higher than  $L_e$ . For example, in the case of a test prototype,  $L_f = 22$  H while  $L_e = 2$  mH. In the following, we will make the

5 hypothesis that the saturated value of the inductance  $L_e$  is zero. Taking the current flow directions shown in fig. 2, the characteristic  $L(i)$  shifts to the left by applying a positive current to the primary and in case of negative primary current, the characteristic shifts to the right. This shifting is correlated to the primary current, and theoretically proportional to the primary current as demonstrated

10 below.

*Shifting of the inductance characteristic:*

Let us consider  $H_P$ , the magnetic field strength created by the primary current. We can write:

15  $B(H) = \mu_0 \cdot \mu_r \cdot (H - H_P) \quad (10)$

By replacing (2) into (10) we obtain:

$$B = \mu_0 \cdot \mu_r \cdot \left( \frac{N}{I_f} i - \frac{1}{I_f} \cdot I_P \right) \quad (11)$$

And replacing (11) into (3) we obtain:

$$\Psi = \mu_0 \cdot \mu_r \cdot \left( \frac{N}{I_f} i - \frac{1}{I_f} \cdot I_P \right) \cdot S_f \cdot N \quad (12)$$

20 
$$\boxed{\Psi(i) = \frac{\mu_0 \cdot \mu_r \cdot S_f \cdot N^2}{I_f} \cdot \left( i - \frac{I_P}{N} \right)} \quad (13)$$

From (13) it can be seen that the amount of shifting of the flux characteristics is  $I_P/N$ .

Figure 6 illustrates a shifting of the inductance value for a positive primary current  
25 ( $I_P > 0$ ). The current  $i_{s0}$  is the value of the saturation excitation current for  $I_P = 0$ . In

this case the characteristic  $L(i)$  is symmetrical and  $+i_{s0} = -i_{s0}$ . For a non-zero primary current  $I_P$  the positive saturation current is  $i_1$ , while the negative saturation current is  $i_2$ . In this case the characteristic  $L(i)$  is not symmetrical any more. With a positive primary current:  $i_1 < |i_2|$ , the characteristic's parameters can be

5 calculated as:

$$i_{s0} = \frac{\Psi_s}{L_f} = \frac{B_s \cdot S_f \cdot N \cdot I_f}{\mu_0 \cdot \mu_r \cdot S_f \cdot N^2} = \frac{B_s \cdot I_f}{\mu_0 \cdot \mu_r \cdot N} \quad (14)$$

$$|i_1| = i_{s0} - \frac{I_P}{N} \quad (15); \quad |i_2| = i_{s0} + \frac{I_P}{N} \quad (16)$$

As an example, in a prototype tested with  $+i_{s0} = 7$  mA and  $N = 1000$ , a primary

10 current of 1 A caused a positive saturation limit of  $i_1 = (0.007 - 1/1000)$  A = 6 mA.

### *Measuring circuit*

Figure 7 illustrates a measuring circuit layout of an embodiment of a sensor according to this invention. The current to be measured is the primary current of a

15 current transformer built with a suitable toroidal core. The secondary (measuring) circuit is made of a DC voltage source  $V_C = 12$  V, supplying an H-bridge circuit design made of MOSFETs. The H-bridge excites the secondary coil alternatively with a positive and a negative voltage. The coil resistance is  $R_s$ . The excitation current is measured with the resistance  $R_m$ . A measurement cycle may comprise 20 four steps. At the beginning of the measuring sequence, the inductance is “unloaded”, i.e. the current in the winding is zero, and all switches are open.

Step 1) The MOSFETs “P” are switched on. The inductor 4 which represents an inductance  $L$  is charged with a positive current  $+i$ , according to the directions shown in fig. 7. Once saturation is reached, the transistors are switched off.

Step 2) The inductance discharges itself through the free-wheeling diodes of the “N” switches. Before passing to next step, the inductance is preferably completely discharged.

Step 3) The MOSFETs "N" are switched on. This time a negative current in the inductance builds up. When saturation is reached, the switches are turned off.

Step 4) The inductance discharge itself through the free-wheeling diodes of the "P" switches. Again the discharge of the inductance is preferably completed

5 before the beginning of next sequence.

The measured values of the times  $t_1$ ,  $t_2$  to reach saturation and of the average excitation current  $i_{average}$  during phases P resp. N are used to calculate the primary current. These operations may be performed by a microcontroller (not shown) to

10 which the measuring circuit is connected, during the two charging periods, for example making use of an ADC unit and a timer of the microcontroller. When saturation is reached, the rapid increase of the excitation current  $i$  through the measuring resistance  $R_m$  may be detected through a comparator. The saturation time  $t_1$ ,  $t_2$  is calculated between the closing of the switches and the detection of 15 saturation. The average value of the excitation current  $i_{average}$  can then be calculated. For a zero primary current, a measuring sequence requires for example about 180 ms.

#### *Measuring method for low primary currents*

20 By applying a positive primary current, taking the current flow directions shown in fig. 2, the inductance characteristic  $L=L(i)$  shifts toward the left. It can be demonstrated that this shift is proportional to the primary current  $I_p$ . If the primary current ( $I_p/N$ ) is negative, the inductance characteristic shifts toward the right. In fig. 8,  $t_1$  is the saturation time for a positive current,  $t_2$  is the saturation time for a 25 negative current,  $i_1$  is the positive saturation current and  $i_2$  is the negative saturation current. This shift has a consequence on the time to saturation of the inductor (fig.8).

In order to calculate the time domain behavior of this circuit, the resistive part of 30 the circuit ( $R = R_s + R_m$ ) can be neglected. Indeed the saturation times are small

(typically 20 ms) in comparison with the time constant ( $L_f = 22 \text{ H}$  and  $R = 5 \Omega$ ). Then, after applying the voltage step we obtain the linear relationship:

$$i(t) = \frac{V_C}{L_f} \cdot t \quad (17)$$

The excitation current is linearly and directly related to the primary current. Once saturation is reached, the current increases instantaneously ( $L_e = 0$ ) up to its steady-state value:

$$i(t) = \frac{V_C}{R} \quad (18)$$

The primary current is a function of the times to saturation. In fig. 8 the behaviour for a positive primary current is shown. Figure 8 illustrates saturation times  $t_1$  and  $t_2$  for a positive primary current

$$\frac{|i_1|}{t_1} = \frac{|i_2|}{t_2} \quad (19)$$

By replacing (15) and (16) into (19) we obtain

$$\frac{i_{s0} - \frac{I_p}{N}}{t_1} = \frac{i_{s0} + \frac{I_p}{N}}{t_2} \quad (20)$$

and by replacing (14) into (20) we obtain

$$I_p = \frac{B_s \cdot I_f}{\mu_0 \cdot \mu_r} \cdot \left(1 - 2 \cdot \frac{t_1}{t_1 + t_2}\right) \quad (21)$$

The H-bridge supply voltage  $V_C$  doesn't appear explicitly in this equation, so a precise stabilization of this voltage is not required. Once saturation is reached, the excitation current attains the steady-state value of  $V_C/R$ . As an example, in a test

prototype, this value was  $V_C/R = 2.4 \text{ A}$ , however, the MOSFETs were switched off at about 1.25 A ( $i_{threshold}$ ) because the application didn't require a higher current value.

The above measuring method for small primary currents can be used for primary currents respecting the following condition:

$$\left| \frac{I_P}{N} \right| < i_{s0} \quad (22)$$

As an example, in a test prototype this condition means a measuring range (primary current) of  $\pm 7$  A. For higher primary current values, a different measuring method is used.

5

#### *Measuring method for high primary currents*

If  $|I_P/N| > i_{s0}$ , the characteristics  $L(i)$  translate far to the left. This means that the inductance is already saturated without any excitation current flowing. With a large negative primary current, the phenomenon is the same but reversed (shift to the right). Figure 9 illustrates relationships between  $I_P$  and  $i_{\text{average}}$ . The relationships established for the measurement of small primary currents discussed above can no longer be used. In this case, the measurement is made by evaluating the average value of the excitation current during the phases "P" or "N". The average value  $i_{\text{average}}$  of the characteristics illustrated in fig. 9, which corresponds to the inductor current when the magnetic core 10 is not saturated, represents  $I_P/N$ . In order to obtain the primary current, we can calculate the average value of the excitation current (value between  $i_n$  and  $i_n'$ ) and multiply it by the number of turns.

$$|I_P| = i_{\text{average}} \cdot N \quad (23)$$

20

#### *Example*

An exemplary embodiment has the following characteristics

Measuring range : 0.. $\pm 1000$  A DC

Error @ $T_a = 25^\circ\text{C}$  :  $\pm 10$  mA for  $I_P = 0$  to  $\pm 1$  A

25 :  $\pm 1\%$  for  $I_P = 1\pm 1000$  A

Supply voltage : 12 V

Supply current : 250 mA (average)

Settling time :  $\leq 1$  s

Ouput type : digital

*Measuring signals*

The fig. 11 shows the times to saturation for zero primary current. The P (respectively N) signal imposes the beginning of the positive (respectively negative) charging phase. The  $U_m$  signal is the voltage on the measuring resistance  $R_m$ .

From (17) in our case we can find:

$$t_1 = t_2 = \frac{i_{s0}}{\frac{V_C}{L_f}} = \frac{7 \cdot 10^{-3}}{\frac{12}{20}} = 12.8 \text{ ms}$$

for  $I_P = 0$ :

10 After this time, due to the saturation of the inductor, the voltage  $U_m$  reaches the opening voltage of the switches

$$U_m = i \cdot R_m \quad (24)$$

$$U_{moff} = i_{off} \cdot R_m = 1.25 \cdot 2 = 2.5 \text{ V}$$

After that, the diodes' free-wheeling current imposes a negative voltage  $U_m$ .

15 Figure 11 illustrates saturation times for  $I_P=0$ .

Figure 12 shows the measuring voltage with a primary current of +1000 A and illustrates Voltage  $U_m$  at  $I_P = +1000$  A. For the positive excitation current, the threshold is reached immediately, and this allows to determine the flow direction of the primary current. For a negative excitation current, relation (23) allows the calculation of its average value:

$$i_{\text{average}} = \frac{|I_P|}{N} = \frac{1000}{1000} = 1 \text{ A}$$

According to (24), the voltage  $U_m$  is

$$U_m = 1 \cdot 2 = 2 \text{ V}$$

Each measuring cycle, the transducer's digital output transmits the value of the primary current. Fig. 13, 14 and 15 represent the error of the transducer current as a function of the primary current ( $T_a=25\text{ }^{\circ}\text{C}$ ) for the tested prototype discussed above. Figure 13 illustrates a transducer current error (mA) for

5  $-1\text{ A} \leq I_p \leq 1\text{ A}$ ;

Figure 13 illustrates a transducer current error (%) for  
 $-15\text{ A} \leq I_p \leq 15\text{ A}$ ; and

Figure 15 illustrates a transducer current error (%) for  
 $-1000\text{ A} \leq I_p \leq 1000\text{ A}$ .

10

### References

[1] W. Teppan, "Transfer Functions of Current Sensors", 5th Int. IMEKO, TC-4 Symposium on Electrical Measuring Instruments for Low and Medium Frequencies, Vienna, Austria, 8-10 April 1992

[2] Waltari, T. Suntio: "Survey and evaluation of battery monitoring methods and results from user's viewpoint", 21st International Telecommunications Energy Conference, 1999. INTELEC '99, 6-9 June 1999 Page(s):7 pp.

20

**Claims**

1. Electrical current sensor comprising a measuring circuit (6) and an inductor (4) for measuring a primary current  $I_P$  flowing in a primary conductor (2) over a current range from a minimum specified current amplitude to a maximum specified current amplitude, the inductor comprising a saturable magnetic core (10) made of a highly permeable magnetic material and a secondary coil (12) for carrying an alternating excitation  $i$  configured to alternately saturate the magnetic core, the coil being connected to the measuring circuit, wherein the measuring circuit is configured to supply a positive or negative voltage to the inductor, to switch off the voltage when a condition signalling saturation is reached, to measure the time to saturation  $t_1$  in one direction and the time to saturation  $t_2$  in the other direction of the magnetic core and determine therefrom a value of the primary current for primary currents having an amplitude in a first portion of the current range from the minimum specified current to a transition amplitude, the measuring circuit being further configured for evaluating the average value of the excitation current  $i$  during the phases when a voltage is supplied to the inductor and before the saturation condition is reached, and determining therefrom the value of the primary current for primary currents having an amplitude in a second portion of the current range from the transition amplitude to the maximum specified current amplitude.
2. Electrical current sensor according to claim 1 wherein the measuring circuit includes a DC voltage source  $V_C$ , and an H-bridge circuit supplied by the DC voltage source configured to excite the secondary coil alternatively with a positive and a negative voltage.
3. Electrical current sensor according to claim 2 wherein switches of the H-bridge comprise MOSFETs.

4. Electrical current sensor according to claim 1, 2 or 3 wherein the measuring circuit comprises a resistance  $R_m$  to measure the excitation current.

5 5. Electrical current sensor according to any one of the preceding claims wherein the saturable magnetic core is annular and closed.

10 6. Electrical current sensor according to any one of the preceding claims further including a microcontroller to which the measuring circuit is connected, the microcontroller comprising a timer for measuring the saturation times  $t_1, t_2$ .

7. A method of measuring an electrical current flowing in a primary conductor over a current range from a minimum specified current amplitude to a maximum specified current amplitude comprising:

15 - providing a current sensor including a measuring circuit and an inductor, the inductor comprising a secondary coil wound around a saturable magnetic core,

- applying an excitation voltage to the secondary coil to alternately saturate the magnetic core,

20 - evaluating the average value of the excitation current during the phases the excitation voltage is applied for measurement of large primary currents, and

25 - measuring the times to saturation  $t_1, t_2$  of the magnetic core of the negative respectively positive signal of the alternating excitation current and for small currents determining the primary current based on the relationship of alternating saturation times  $t_1, t_2$ ,

where small primary currents have amplitudes in a first portion of the current range from the minimum specified current  $I_{min}$  to a transition or intermediate amplitude, and large primary currents have an amplitude in a second portion of

the current range from the transition amplitude to the maximum specified current amplitude  $I_{\max}$ .

8. Method according to the preceding claim, wherein for primary currents  $I_P$

5 that are small, the primary current is based on a value of the saturation time in one direction divided by the sum of the saturation times in both directions.

9. Measuring method according to claim 7 or 8, wherein the measuring

method for small currents is employed for primary currents respecting the

10 following condition:

$$\left| \frac{I_P}{N} \right| < i_{s0} \quad (22)$$

where  $I_P$  is primary current,  $N$  the number of turns of the secondary coil, and  $i_{s0}$  the value of the saturation excitation current for a primary current that is 0.

15 10. Method according to anyone of the preceding claims, wherein for large primary currents the measurement of the primary current is based on an evaluation of the average value of the excitation current during the phases when an excitation voltage is supplied.

20 11. Method according to anyone of the preceding claims, wherein the measuring circuit includes a DC voltage source  $V_C$ , and an H-bridge circuit with transistor switches supplied by the DC voltage source configured to excite the secondary coil alternatively with a positive (P) and a negative (N) voltage, comprising the steps of:

25 - switching on the transistors configured to supply a positive voltage to the excitation coil thus charging the inductor (4) with a positive current  $+i$  until saturation of the magnetic core is reached, switching off the transistors;

- measuring the time  $t_1$  to reach saturation;

- discharging the inductance;
- switching on the transistors configured to supply a negative voltage to the excitation coil thus charging the inductor (4) with a negative current  $-i$ , and once saturation of the magnetic core is reached, switching off the transistors;

5 - measuring the time  $t_2$  to reach saturation;

- discharging the inductance.

12. Method according to the preceding claim wherein saturation of the magnetic core is detected through a comparator by determining reaching a 10 certain threshold of the excitation current  $i$  through a measuring resistance  $R_m$ .

13. Method according to the preceding claim wherein the saturation times  $t_1$ ,  $t_2$  are determined between the closing of the switches and the detection of saturation.

15

14. Method according to the preceding claim wherein the value of the saturation times are calculated by a microcontroller to which the measuring circuit is connected, making use of a timer unit of the microcontroller

20




Fig 1




Fig 4




Fig 2




Fig 5




Fig 3




Fig 6

6




Fig 7

Fig 8a




Fig 8b

Fig 9a

$$I_p > 0$$




Fig 9b

Fig 10a

$$I_p < 0$$




Fig 10b




Fig 11







Fig 12

Fig 13: Sensor current error (mA) for  $-1 \text{ A} \leq I_p \leq 1 \text{ A}$ .Fig 14: Transducer current error (%) for  $-15 \text{ A} \leq I_p \leq 15 \text{ A}$ .Fig 15: Transducer current error (%) for  $-1000 \text{ A} \leq I_p \leq 1000 \text{ A}$ .

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/IB2010/052059

A. CLASSIFICATION OF SUBJECT MATTER  
INV. G01R33/04 G01R33/00  
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
G01R

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, INSPEC, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 626 280 A (ENGLEHOVEN CLARENCE A VAN; RICKTER DAVID L) 7 December 1971 (1971-12-07) * abstract; figures 1,2A_2P column 1 - column 3, line 58 -----	1-14
A	PRIMDAHL F; DANISH SPACE RES INST LYNGBY DENMARK; RIPKA P; DANISH SPACE RES INST LYNGBY DENMARK; PETERSEN J R; DANISH SPACE RES IN: "The sensitivity parameters of the short-circuited fluxgate" MEASUREMENT SCIENCE AND TECHNOLOGY, IOP, BRISTOL, GB, vol. 2, no. 11, 1 November 1991 (1991-11-01), pages 1039-1045, XP020065124 ISSN: 0957-0233 Section 1- Section 3 ----- -/-	1-14

Further documents are listed in the continuation of Box C.

See patent family annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

2 August 2010

10/08/2010

Name and mailing address of the ISA/  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040,  
Fax: (+31-70) 340-3016

Authorized officer

Böhm-Pélissier, A

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/IB2010/052059

## C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6 166 539 A (DAHLBERG E DAN [US]; MORAN TIMOTHY J [US]) 26 December 2000 (2000-12-26) * abstract -----	1-14

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No

PCT/IB2010/052059

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 3626280	A 07-12-1971	GB 1277703 A	14-06-1972
US 6166539	A 26-12-2000	NONE	