United States Patent [19]

Inaba

[11] **Patent Number: Des. 280,617**

[45] **Date of Patent: ** Sep. 17, 1985**

[54] **TELEPHONE SET**

[75] Inventor: **Hiroshi Inaba,** Yokohama, Japan

[73] Assignee: **Nippon Tsushin Kogyo Kabushiki Kaisha,** Kanagawa, Japan

[**] Term: **14 Years**

[21] Appl. No.: **490,133**

[22] Filed: **Apr. 29, 1983**

[30] **Foreign Application Priority Data**

Feb. 1, 1983 [JP] Japan 58-3328

[52] **U.S. Cl.** **D14/58;** D14/53; D14/63; D14/62

[58] **Field of Search** ..... D14/53, 58, 59, 60, D14/62, 63, 64; 179/179, 100 R, 100 C, 100 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 210,378	3/1968	Perkins	D14/63
D. 227,782	7/1973	Hazell	D14/63
D. 229,837	1/1974	Genaro	D14/63
D. 236,627	9/1975	Henshaw et al.	D14/63
D. 245,602	8/1977	Genaro	D14/63
D. 251,843	5/1979	Knoll et al.	D14/53
D. 257,978	1/1981	Festa et al.	D14/60
D. 268,181	3/1983	Banko	D14/60
D. 269,089	5/1983	Foggia et al.	D14/53
D. 269,268	6/1983	Ko	D14/53
D. 269,613	7/1983	Foggia et al.	D14/53
D. 272,442	1/1984	Trussler	D14/53
D. 273,381	4/1984	Abe et al.	D14/53
D. 274,515	7/1984	Kraemer	D14/53
D. 276,338	11/1984	Pardo	D14/60
4,153,822	5/1979	Ueda et al.	D14/63
4,286,124	8/1981	Guttman	179/179

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis

[57] **CLAIM**

The ornamental design for a telephone set, substantially as shown and described.

DESCRIPTION

FIG. **1** is a front elevational view of a telephone set showing my new design, with the handset cradled in the stand and with the pliable convolutional cord normally connecting the end of the handset to the stand being shown in FIG. **7,** but being omitted in FIGS. **1-6** for convenience of illustration;

FIG. **2** is a rear elevational view thereof;

FIG. **3** is a left side elevational view thereof;

FIG. **4** is a right side elevational view thereof;

FIG. **5** is a top plan view thereof;

FIG. **6** is a bottom plan view thereof; and

FIG. **7** is a front perspective view thereof from above with the handset removed from the stand and shown with its transceiver surface faced up, and with the cradle of the stand exposed.





Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7

