

(19) (KR)
(12) (A)

(51) 。 Int. Cl.⁷ (11) 10-2004-0013013
B60R 1/06 (43) 2004 02 11

(21) 10-2003-7017267
(22) 2003 12 30
2003 12 30
(86) PCT/AU2002/000862 (87) WO 2003/004312
(86) 2002 07 02 (87) 2003 01 16

(30) PR6021 2001 07 02 (AU)
(71) , 5160, ,
(72) 5042
5042
(74) :
:

(54)

(I) (21), (21) 가 ,
(I) (20), (I) (20) (2)
- (35) (A) (I) (I)
0) (40) , , (I) (I)
(A) (20) . , (I) - (35)
.

('dim')

가 (, 가) .

가 . ' . 가

가 . () .

가 :

가 ;

;

- ;

,

가 .

() .

(. ,)

,

.

()

,

-

,

.

,

-

,

-

.

,

-

,

.

1, 1a 1b

2 가

3 가

4 ,

5 7 ,

8 10 1 7 .

1 , 10 20 21, 12 .

20 가 (LCD 가) .

21 60% 21 40% 35 ,

35 35 20 27 36 22 26' 35

32 36(20)

1 , 36 35 35 가 ()

35

30 32 22 35 36

1 , 30 'I'가 e+/-b(21 30)

35 35 ,

가 .

($-b = 20^\circ$, 30° 60° 21°). 76° (1° e)
 $e = 76^\circ (60^\circ) +$.

20
 32° 36° , 20 36° , 32° 'A'가
) 가 20 () 36° ($c+/-g$ (21°)
 20 , ()) -

1 , 32° 32°
 , , , 32°

2 21° , 12 , (fresnel) 20° 24° 10
 5 30 35° 가 가 가 3
 . (가 가 1) .

3 가 21° 가
 가 - 가 -

2 3 , 21°
 , 1

35° ($1, 2, 3$) 35° 21° .
 , ($1a$ $1b$) 35° 35° (20°)
 , 35° 가

$1a$, 가 35°
 35° 가 , 가 ,

$1b$, 31° 37° . 가
 20° 35° 가 . ,

4
 42° () (35°) 가

40 . 40° 50° 50° 52° 52°
 , 52°

, 60° 40° /
 가 .

. , 1 27' 40 .

(, 가)

1 3 20 21 .

20 40% (가

). 5, 6 7 35 (36) 38 14(5

) 15(6 (7)

가

8 10 35 36 가

8 35 36 24 25(

) 25 36

9 10 35 36 30 32

()가

가

PCT/AU02/00352

PCT/AU02/00352

PCT/AU02/00352

PCT/AU02/00353

PCT/AU02/00353

PCT/AU00/00413

가 PR6683

가 PR6683

PR6683

가 PR6204 가

가

PR6204

()

가

(57)

2. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

9.

6 , - , .

10.

9 , .

11.

9 , .

12.

가 ;
;
;
- ;
,

13.

12 , 가 .

14.

13 , .

15.

12 , 가 .

16.

14 , - .

17.

16 , .

18.

16 , .

19.

가 ;
;
- ,
;

,

,

.

20.

19

, -

.

21.

20

,

가

.

22.

21

,

.

23.

20

,

가

.

24.

,

가 ;

;

;

-

,

;

,

,

.

25.

24

,

가

.

26.

25

,

.

27.

25

,

가

.











