

A&A Ref: 152010

PUBLICATION PARTICULARS AND ABSTRACT  
(Section 32(3)(a) - Regulations 22(1)(g) and 31)

21	01	PATENT APPLICATION NO	22	LODGING DATE	43	ACCEPTANCE DATE
----	----	-----------------------	----	--------------	----	-----------------

2005/01422

17 February 2005

2-6-06

51	INTERNATIONAL CLASSIFICATION	NOT FOR PUBLICATION
----	------------------------------	---------------------

A23L

CLASSIFIED BY: ISA

71	FULL NAME(S) OF APPLICANT(S)
----	------------------------------

Rich Products Corporation

72	FULL NAME(S) OF INVENTOR(S)
----	-----------------------------

HUSSEIN, Ahmed

MALHOTRA, Anupam

EARLIEST PRIORITY CLAIMED	COUNTRY	NUMBER	DATE
33	US	31 10/235,501	32 6 September 2002

NOTE: The country must be indicated by its International Abbreviation - see schedule 4 of the Regulations

54	TITLE OF INVENTION
----	--------------------

Cooking cream

57	ABSTRACT (NOT MORE THAN 150 WORDS)
----	------------------------------------

NUMBER OF SHEETS	25
------------------	----

The sheet(s) containing the abstract is/are attached.

If no classification is furnished, Form P.9 should accompany this form.

~~The figure of the drawing to which the abstract refers is attached.~~

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
18 March 2004 (18.03.2004)

PCT

(10) International Publication Number  
WO 2004/021804 A1

- (51) International Patent Classification<sup>7</sup>: A23L 1/19
- (21) International Application Number: PCT/US2003/024506
- (22) International Filing Date: 6 August 2003 (06.08.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
10/235,501 6 September 2002 (06.09.2002) US
- (71) Applicant (for all designated States except US): RICH PRODUCTS CORPORATION [US/US]; One Robert Rich Way, Buffalo, NY 14213 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): HUSSEIN, Ahmed [CA/CA]; 4849 Tara Avenue, Niagara Falls, Ontario L2H 2V7 (CA). MALHOTRA, Anupam [IN/US]; 2402 Colvin Blvd Ext., Apt. #1, Tonawanda, NY 14150 (US).
- (74) Agents: WALLACE, David, W. et al.; Kenyon & Kenyon, 1500 K Street, N.W., Suite 700, Washington, DC 20005 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 2004/021804 A1

(54) Title: COOKING CREAM

**Abstract:** A cooking cream was prepared that is useful for cooking and preferably has a good whipping capability also. The cream comprises about 55 to 93% by weight water, about 5 to 45% by weight fat, about 1 to 10% by weight protein, about 0.5 to 10% by weight starch, and an effective amount of emulsifier. Preferably, the cream also contains an effective amount of stabilizer and an effective amount of buffer.

# Cooking Cream

## Field of the Invention

The invention relates to cooking creams. More particularly, the invention relates to  
5 non-dairy creams that are stable at cooking temperatures. Preferably, the cooking  
creams are whippable.

## Background of the Invention

Cooking creams have become popular substitutes for dairy creams in part because a  
10 large number of people are either unable or unwilling to consume dairy products.  
Cooking creams also offer certain advantages over dairy creams, such as better shelf  
life and consistent quality and price. Cooking creams also commonly lack high  
temperature stability, which is an important characteristic for creams that are used in  
cooking.

15

## Summary of the Invention

The invention is a cooking cream that is useful for cooking and preferably has a  
good whipping capability also. The cream comprises about 55 to 93% by weight  
water, about 5 to 45% by weight fat, about 1 to 10% by weight protein, about 0.5 to  
20 10% by weight starch, and an effective amount of emulsifier. Preferably, the cream  
also contains an effective amount of stabilizer and an effective amount of buffer.

## Detailed Description of the Invention

The invention relates to edible oil-in-water cooking creams comprising about 55 to  
25 93% by weight water, about 5 to 45% by weight fat, about 1 to 10% by weight  
protein, about 0.5 to 10% by weight starch, and an effective amount of emulsifier.  
Preferably, the cream also contains an effective amount of stabilizer and an effective  
amount of buffer.

A "cooking cream" composition, as the term is used herein, describes a cream that  
30 can be used for cooking at elevated temperatures; however, the term is not limited to  
creams of the invention that are used for other purposes, such as a cream used as a  
whip topping.

An "effective amount" of emulsifier is one that is capable of inducing the formation of a stable emulsion. Preferably, it also improves the rate and total aeration obtained. Preferably, the amount of emulsifier is about 0.1 to 2% by weight of the cream.

- 5 An "effective amount" of stabilizer is one that is capable improving the body and texture of toppings. Preferably, it can also reduce separation and aid in providing freeze-thaw stability. Preferably, the amount of stabilizer is about 0.01 to 2% by weight of the cream.

An "effective amount" of buffer is one that is capable of controlling the pH.

- 10 Preferably, it also increases the stability of the cream. Preferably, the amount of buffer is about 0.05 to 2% by weight of the cream.

Preferably, a cream according to the invention comprises the following components:

<i>Component</i>	<i>Weight % (preferred)</i>	<i>Weight % (more preferred)</i>
Fat	5-45	8-40
Stabilizer	0.01-2	0.2-0.6
Emulsifier	0.1-2	0.5-1
Protein	1-10	2-7
Starch	0.5-10	1-6
Buffer	0.05-2	0.1-1
Water	55-93	60-80

- 15 More preferably, the cream comprises the following components:

<i>Ingredient</i>	<i>Weight %</i>
Hydrogenated Palm Kernel Oil or Anhydrous Milk Fat	10-45
Butter Milk Powder or Non-Fat Dry Milk	2-5
Starch	1-5
Malto Dextrin 15 DE or Maltrin 180	0.5-3
Soy lecithin E 322 or Mono and diglycerides or Sorbitan monostearate	0.1-1
Guar Gum E-412 or Xanthan Gum	0.1-1

Polysorbate 60 or Polysorbate 65 or Polysorbate 80	0.1-1
Locust bean gum or Methyl cellulose	0.05-0.5
Disodium Phosphate or Dipotassium phosphate	0.1-1
Water	Balance to 100

More preferably, the cream comprises the following components:

5

<i>Ingredients</i>	<i>Weight %</i>
Hydrogenated Palm Kernel Oil or Anhydrous Milk Fat	20-35
Butter Milk Powder	4
Starch	1
Malto Dextrin 15 DE	1-1.5
Soy lecithin E 322	0.1-0.2
Guar Gum E-412	0.1-0.2
Polysorbate 60	0.15-0.25
Mono and diglycerides	0.15-0.25
Locust bean gum E 410	0.05-0.1
Disodium Phosphate	0.10
Water	Balance to 100

The cream preferably contains about 10% to about 60% total solids, more preferably about 20% to about 45% total solids, more preferably about 30% total solids.

The protein component may also be selected from numerous sources. Sources  
 10 include egg proteins, non-fat dry milk (low heat), non-fat dry milk (high heat),  
 caseinates, whey protein isolates, butter milk powder, soy proteins, and milk protein  
 concentrate. Preferred protein sources include non-fat dry milk, caseinates and  
 butter milk powder. More than one protein component may be selected as desired.  
 The fat component may be selected from numerous sources. The term "fat" is not  
 15 intended to exclude oils or to impart any meaning as to the physical state (*i.e.*, liquid

or solid) of the component used as the fat. The fat component may be selected from plant oils, such as soybean oil, sunflower oil, canola oil, palm oil, palm kernel oil, coconut oil, safflower oil, corn oil, olive oil, peanut oil and cottonseed oil; it may also be selected from animal fats, such as, lard, tallow, and dairy fat. Combinations  
5 of more than one fat is also possible in the present invention.

The fat may also be modified for use in the present invention. The possible modification includes fractionation, complete hydrogenation, partial hydrogenation and interesterification. Such modifications are well known in the art.

The stabilizer may also be selected from numerous sources. Sources include  
10 carageenan, locust bean gum, guar gum, xanthan gum, sodium alginate, carboxy methylcellulose, hydroxy propyl methyl cellulose, hydroxy propyl cellulose and modified cellulose. Preferred stabilizer sources include guar gum, locust bean gum and xanthan gum.

Numerous emulsifiers may be used in the present invention. Preferred emulsifiers  
15 include sucrose esters, propylene glycol alginate (PGA), polysorbate 60, polysorbate 65, polysorbate 80, lecithin, steryl lactalates, monoglycerides, diglycerides, polyglycerides, sorbitan monostearate and diacetyl ester of tartaric acid. As is demonstrated in the examples given below, it is often preferable to use more than one emulsifier.

20 The starch component may also be selected from numerous sources. Sources of starch include corn, potato, maize, wheat, rice, tapioca and sorghum. One of ordinary skill in the art will appreciate that it is common practice to modify starches to enhance characteristics such as storability or purity. More than one starch may be used in the present invention.

25 Numerous buffers may also be used in the present invention. Preferred buffering salts include disodium phosphate, dipotassium phosphate, disodium hexaphosphate, and sodium citrate. More than one buffer may be used in the present invention.

In one embodiment of the invention, the cream is used as a cooking cream. In this embodiment, the invention is stable at about 90°C for at least 5 minutes, preferably  
30 at least 10 minutes. The cooking cream is not only stable at high temperatures as an end-product, but also as it is being processed. The cooking cream is able to withstand an ultra high temperature (UHT) treatment of about 280-290°F.

Production using UHT increases many favorable attributes, such as a longer shelf

life. It should be apparent that the present invention may be made using means other than UHT, such as pasteurization, but may not have a marked increase in attributes.

In another embodiment of the invention, the cream is used as a whip topping. This aspect of the invention may consist of a base composition that is substantially free of sugar. Alternatively, the whip topping could contain sugar or other sweeteners. For the base composition, it is envisioned that consumers would add sugar to achieve desired sweetness and the whipped product would preferably have an overrun of at least about 180%, preferably at least about 210%. More preferably, the topping is capable of an overrun of about 210-290%.

There are numerous components whose levels and types may be changed or added to the present invention to tailor it to the desires of the end user. Such components include emulsifiers to control overrun and whipping time, stabilizers to stabilize the emulsion and to achieve the desired texture, starch to give consistency to the cream, proteins for the dairy flavor and emulsification and buffer to control pH. pH is preferably maintained in the range of about 5-8, preferably 6.5-7.

In a preferred embodiment, the present invention is also either free of, or substantially free of, dairy fat.

**Examples**

The following examples are not intended to be limiting, but rather illustrative of some approaches taken and, of course, which may be varied in accordance with the spirit and scope of this description.

**EXAMPLE 1**

<i>Ingredient</i>	<i>Weight %</i>
Hydrogenated Palm Kernel Oil	20
Butter Milk Powder	4
Waxy Maize Starch ("Thin n Thik 99")	1
Malto Dextrin 15 DE	1.3
Soy lecithin E 322	0.15
Guar Gum E-412	0.15

Polysorbate 60	0.2
Locust bean gum	0.075
Disodium Phosphate	0.1
Water	Balance to 100

A 600 kg quantity of the above-described finished product was prepared according to the following procedure. A 437 kg quantity of water was metered into a steam-jacketed kettle with a medium agitator speed. 1.7 kg of premix (the premix  
 5 contained (w/w) 35.39% starch, 46.02 % maltodextrin, 5.31 % guar gum, 7.08% mono and diglycerides, 2.65 % locust bean gum and 3.54 % disodium phosphate) were dispersed completely into the water. To this solution, 24 kg of butter milk powder and 1.2 kg of polysorbate 60 was added with a thorough mixing. 120 kg of melted palm kernel oil (165° F) was then pumped into the kettle and mixed  
 10 thoroughly. 0.9 kg of lecithin was then added. The resultant mixture was brought to 150° F.

This mixture was then preheated in a tube heat exchanger to a temperature of about 170-200° F before UHT treatment of about 280-290° F, using either a steam injection or a tube heat exchanger. The mixture was flash cooled and homogenized  
 15 in a two stage homogenizer (first stage: about 500 psi; second stage: about 1000 psi) and then finally cooled in two stages in a tube heat exchangers to a temperature of about 50 to 60° F prior to packaging for storage at about 40 to 60° F.

The resulting product from Example 1 has creamy yellow/off white color, pourable consistency and creamy mouth feel. The product has (w/w) 27.9 % total solids, 6.5  
 20 pH, 1.021 specific gravity, 475 Cp viscosity.

The product was tested for the performance on a refrigerated cake and in a refrigerated container. The product performed well for 5 days, according to typical standards known and used in the art, such as stability and spreadability.

Additionally, rosettes were formed at an interval of 15 minutes for 1 hour and were  
 25 observed for sharpness, smoothness and firmness. Rosettes remained good for one hour.

The product was stable in cooking applications at 90° C for 10 minutes. Moreover, the product has a shelf life of 180 days at 5-10° C and 30 days at 27° C.

The following whipping test results were obtained:

<u>Machine</u>	<u>Speed</u>	<u>Sugar (weight %)</u>	<u>Overrun % / Whip Time</u> <u>(Mins)</u>
5 Hobart Machine	2	10	275 / 15
Kitchen Aid Mixer	6	10	295 / 15
Hand Electric Blender	N/A	10	155 / 12

10

**EXAMPLE 2**

<i>Ingredient</i>	<i>Weight %</i>
Anhydrous milk fat	35
Butter Milk Powder	4
Waxy Maize Starch ("Thin n Thik 99")	1
Malto Dextrin 15 DE	1.3
Soy lecithin E 322	0.15
Guar Gum E-412	0.15
Polysorbate 60	0.2
Locust bean gum	0.075
Disodium Phosphate	0.1
Water	Balance to 100

A 600 kg quantity of the above-described finished product was prepared according to the following procedure. A 346 kg quantity of water was metered into a steam-jacketed kettle with a medium agitator speed. 17 kg of premix (the premix is  
 15 comprised of (w/w) 35.39% starch, 46.02 % maltodextrin, 5.31 % guar gum, 7.08% mono and diglycerides, 2.65 % locust bean gum and 3.54 % disodium phosphate) were dispersed completely into the water. To this solution, 24 kg of butter milk powder and 1.2 kg of polysorbate 60 was added with a thorough mixing. 210 kg of anhydrous milk fat was then pumped into the kettle and mixed thoroughly. 0.9 kg of  
 20 lecithin was then added. The resultant mixture was brought to 150° F.

This mixture was then preheated in a tube heat exchanger to a temperature of about 170-200° F before UHT treatment of about 280-290° F, using either a steam injection or a tube heat exchanger. The mixture was flash cooled and homogenized in a two stage homogenizer (first stage: about 500 psi; second stage: about 1000 psi) and then finally cooled in two stages in a tube heat exchangers to a temperature of about 50 to 60°F prior to packaging for storage at about 40 to 60° F.

CLAIMS:

1. A cooking cream comprising about 55 to 93% by weight water, about 5 to 45% by weight fat, about 1 to 10% by weight protein, about 0.5 to 10% by weight starch, and an effective amount of emulsifier.  
5
2. The cooking cream of claim 1, further comprising an effective amount of stabilizer, and an effective amount of buffer.
3. The cooking cream of claim 2, wherein the cooking cream comprises about  
10 0.01 to 2% by weight stabilizer, about 0.1 to 2% by weight emulsifier, and about 0.05 to 2% by weight buffer.
4. The cooking cream of any of claims 1 to 3, wherein the cooking cream  
15 comprises about 55 to 87% by weight water, about 8 to 40% by weight fat, about 2 to 7% by weight protein, about 1 to 6% by weight starch, about 0.2 to 0.6% by weight stabilizer, about 0.5 to 1% by weight emulsifier, and about 0.1 to 1% by weight buffer.
5. The cooking cream of claim 1, wherein the cooking cream comprises about  
20 55 to about 87% by weight water, about 20 to about 35% by weight fat, about 2 to about 7% by weight protein, about 0.5 to about 5% by weight starch, and an effective amount of emulsifier.
6. The cooking cream of claim 5, wherein the cooking cream comprises about  
25 0.5 to about 1% by weight starch.
7. The cooking cream of claim 6, wherein the cooking cream further comprises  
about 0.2 to about 0.6% by weight stabilizer, about 0.5 to about 1% by weight emulsifier, and about 0.1 to about 1% by weight buffer.
- 30 8. The cooking cream of any of claims 1 to 7, wherein the fat is a non-dairy fat.

9. The cooking cream of any of claims 1 to 7, wherein the fat is selected from the group consisting of plant oil, soy bean oil, sunflower oil, canola oil, palm oil, palm kernel oil, coconut oil, safflower oil, corn oil, olive oil, peanut oil, cottonseed oil, dairy fat, lard, tallow, and mixtures thereof.
- 5
10. The cooking cream of any of claims 1 to 9, wherein the protein is selected from the group consisting of non-fat dry milk, caseinates, whey protein isolates, butter milk powder, soy proteins, milk protein concentrate, and mixtures thereof.
- 10
11. The cooking cream of any of claims 2 to 10, wherein the stabilizer is selected from the group consisting of carageenan, locust bean gum, guar gum, xanthan gum, sodium alginate, carboxy methyl cellulose, hydroxy propyl methyl cellulose, hydroxy propyl cellulose, modified cellulose, and mixtures thereof.
- 15
12. The cooking cream of any of claims 1 to 11, wherein the emulsifier is selected from the group consisting of polysorbate 60, polysorbate 65, polysorbate 80, lecithin, steryl lactalates, monoglycerides, diglycerides, polyglycerides, sorbitan monosterate, diacetyl ester of tartaric acid and mixtures thereof.
- 20
13. The cooking cream of any of claims 2 to 4 or 7 to 12, wherein the buffer is selected from the group consisting of disodium phosphate, dipotassium phosphate, disodium hexaphosphate, sodium citrate, and mixtures thereof.
- 25
14. The cooking cream of any of claims 1 to 13, wherein the cream has an overrun of at least about 180% when whipped.
- 30
15. The cooking cream of any of claims 1 to 14, wherein the cream has an overrun of at least about 210% when whipped.

16. The cooking cream of any of claims 1 to 15, wherein the cream has an overrun of about 210 - 290% when whipped.
17. The cooking cream of any of claims 1 to 16, further comprising a sweetener.
- 5
18. The cooking cream of claim 17, wherein the sweetener is selected from the group consisting of corn syrup, fructose, sucrose, and dextrose.
19. The cooking cream of any of claims 1 to 18, wherein the composition is stable for at least 5 minutes at 90°C.
- 10
20. The cooking cream of any of claims 1 to 19, wherein the composition is stable for at least 10 minutes at 90°C.
- 15
21. The cooking cream of any of claims 1 to 20, wherein the cream is miscible with an aqueous solution.
22. The cooking cream of any of claims 1 to 21, wherein the cooking cream is suitable as a whip cream, and, when whipped, is stable for up to 5 days at 5 - 10°C.
- 20
23. A method for preparing a cooking cream comprising the steps of  
dissolving in about 55 to 93% heated water, based on the total weight of the cooking cream, about 5 to 45% fat, about 1 to 10% protein, about 0.5 to 10% starch, an effective amount of emulsifier, to form a solution; and  
25 processing the solution,  
thereby forming a cooking cream.
24. The method of claim 23, further comprising about 0.01 to 2% of a stabilizer, wherein the cooking cream comprises about 0.05 to 2% buffering agent and about 0.1 to 2% of an emulsifier.
- 30

25. The method of any of claims 23 to 24, wherein the processing step comprises preheating the solution followed by heating the solution to an ultra high temperature.
- 5 26. The method of claim 25, wherein the preheating step comprises heating the solution to about 170-200°F (about 77-93°C) and the ultra high temperature is about 280-290°F (about 138-143°C).
- 10 27. The method of any of claims 23 to 26, wherein the processing step comprises homogenizing the solution.
28. The method of claim 27, wherein the homogenizing step comprises a first stage pressure exerting on the solution about 500 psi, exerting a second stage pressure about 1000 psi and cooling the solution.
- 15 29. A cream according to any one of claims 1 to 22, substantially as herein described and illustrated.
- 20 30. A method according to any one of claims 23 to 28, substantially as herein described and illustrated.
31. A new cooking cream or a new method for preparing a cooking cream, substantially as herein described.