



(86) Date de dépôt PCT/PCT Filing Date: 2011/01/07  
(87) Date publication PCT/PCT Publication Date: 2011/07/14  
(85) Entrée phase nationale/National Entry: 2012/07/03  
(86) N° demande PCT/PCT Application No.: US 2011/020570  
(87) N° publication PCT/PCT Publication No.: 2011/085241  
(30) Priorité/Priority: 2010/01/08 (US61/293,413)

(51) Cl.Int./Int.Cl. *G06Q 30/00* (2012.01)  
(71) Demandeur/Applicant:  
BLACKHAWK NETWORK, INC., US  
(72) Inventeur/Inventor:  
LLACH, TERI, US  
(74) Agent: DEETH WILLIAMS WALL LLP

(54) Titre : SYSTEME DE TRAITEMENT, D'ACTIVATION ET DE REMBOURSEMENT DE CARTES PREPAYEES A  
VALEUR AJOUTEE

(54) Title: A SYSTEM FOR PROCESSING, ACTIVATING AND REDEEMING VALUE ADDED PREPAID CARDS




Figure 1

(57) **Abrégé/Abstract:**

A computer implemented method for adding value to stored value cards in excess of the purchase price for the stored value card is provided. In one embodiment a stored value card transaction processor receives an activation or redemption request for a stored value card from a point of sale terminal. The activation or redemption request comprises at least one of a card identification, a point of sale terminal identification, a merchant identification, and a time of activation which is compared to data stored in a stored value card datastore to determine if the stored value card to be activated is eligible for a value added award. The processor then determines the value added award and modifies the request to include the value added award. The processor then transmits the modified request to the card issuer authorization system and receives a response which is forwarded to the point of sale terminal.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
14 July 2011 (14.07.2011)(10) International Publication Number  
**WO 2011/085241 A1**

PCT

(51) International Patent Classification:  
*G06Q 30/00* (2006.01)(21) International Application Number:  
PCT/US2011/020570(22) International Filing Date:  
7 January 2011 (07.01.2011)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
61/293,413 8 January 2010 (08.01.2010) US(71) Applicant (for all designated States except US):  
**BLACKHAWK NETWORK, INC.** [US/US]; 5918 Stoneridge Mall Road, Pleasanton, California 94588 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **LLACH, Teri** [US/US]; 36 Churchill Avenue, Palo Alto, California 94306 (US).(74) Agents: **CONLEY ROSE, P.C.** et al.; 5601 Granite Parkway Suite 750, Plano, Texas 75024 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,

DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

## Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))
- of inventorship (Rule 4.17(iv))

## Published:

- with international search report (Art. 21(3))

(54) Title: A SYSTEM FOR PROCESSING, ACTIVATING AND REDEEMING VALUE ADDED PREPAID CARDS




Figure 1

(57) **Abstract:** A computer implemented method for adding value to stored value cards in excess of the purchase price for the stored value card is provided. In one embodiment a stored value card transaction processor receives an activation or redemption request for a stored value card from a point of sale terminal. The activation or redemption request comprises at least one of a card identification, a point of sale terminal identification, a merchant identification, and a time of activation which is compared to data stored in a stored value card datastore to determine if the stored value card to be activated is eligible for a value added award. The processor then determines the value added award and modifies the request to include the value added award. The processor then transmits the modified request to the card issuer authorization system and receives a response which is forwarded to the point of sale terminal.



**A SYSTEM FOR PROCESSING,  
ACTIVATING AND REDEEMING VALUE ADDED PREPAID CARDS**

**BACKGROUND**

[0001] The present invention generally relates to a processing and activation system providing consumers with the ability to purchase a stored value card, i.e., a gift card, of various affiliated or non-affiliated service providers with additional value added beyond the purchase price.

[0002] The market for stored value cards such as merchant gift cards continues to grow. The marketplace is currently filled with many types of stored value cards offered by numerous card issuers. Some of the cards are tailored to be redeemed from a single merchant while others may be redeemed by several merchants. Because the consumer has numerous choices in selecting a stored value card, such as a gift card, it is becoming increasingly difficult for card issuers to distinguish themselves in the marketplace from other issuers of stored value cards. Therefore, it would be desirable to have a method and system that provided card issuers and redeeming merchants a mechanism for promoting their card and/or store in order to encourage a consumer to purchase a stored value card from them or redeem a stored value card with them.

**SUMMARY**

[0003] Disclosed herein is a computer implemented method and system for adding value to a stored value card in excess of the purchase price for the stored value card. In one embodiment a stored value card transaction processor receives an activation or redemption request for a stored value card from a point of sale terminal. The request comprises an activation or redemption amount and at least one of a card identification, a point of sale terminal identification, a merchant identification, and a time of activation. The stored value card transaction processor compares at least one of the card identification, the point of sale terminal identification, the merchant identification, and the time of activation to data stored in a stored value card datastore to determine if the stored value card to be activated or redeemed is eligible for a value added award. The processor then determines the value added award to be added to an account associated with the stored value card to be activated or redeemed when the stored value card is determined to be eligible for the value added award and modifies the request to include the value added award. The processor then transmits the modified request to the card issuer authorization system and receives a response from the card issuer authorization system. The processor transmits the response to the

point of sale terminal wherein the response includes a value added award reference when the stored value card has been determined to be eligible for the value added award and the value added award has been authorized.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0004] Figure 1 is a schematic representation of the stored value card transaction system.

[0005] Figures 2A and 2B are front perspective views of representative individual stored value cards.

[0006] Figure 3AA is a flowchart depicting an exemplary process utilized by a stored value card transaction computer for processing a stored value card with value differentiation.

[0007] Figures 3A and 3B are flowcharts depicting exemplary processes utilized by a stored value card transaction computer for activating a stored value card with a value added bonus.

[0008] Figures 4A and 4B are flowcharts depicting exemplary processes utilized by a stored value card transaction computer for redeeming a stored value card and awarding a value added bonus during the redemption process.

[0009] Figure 5 is a flowchart depicting an exemplary process for redeeming a specific product and/or service that has been awarded to a stored value card.

[0010] Figure 6 illustrates an exemplary general purpose computer system suitable for implementing the several embodiments of the disclosure.

#### DETAILED DESCRIPTION

[0011] As used herein, stored value card refers to a card that may be used to transact business with a party willing to accept the card, for example as tender for a purchase. Examples of such cards include gift cards, prepaid telephone cards, loyalty cards, membership cards, ticket cards, entertainment cards, sports cards, prepaid cards, and the like. Typically, such cards are wallet-sized and made of plastic. In various embodiments, the transaction card may be a type of card such as a gift or prepaid card that requires activation at a point of sale. For example, a stored value card may be purchased and activated at a point of sale by a consumer and subsequently used by the consumer or another (e.g., the recipient of the card as a gift) to transact business.

[0012] Consumer use of stored value cards typically involves a card vendor, a redeeming merchant, and a card issuer. In various embodiments, the card vendor, redeeming merchant and card issuer may be the same, different, or related entities. The point of sale where stored value



cards are purchased and activated may be referred to as the card vendor or simply vendor. An entity that will accept a stored value card for business transactions, for example as tender for a purchase, may be referred to as a redeeming merchant. An entity that provides the financial backing and/or payment processing accessed via the stored value card may be referred to as the card issuer or simply issuer.

[0013] Typically, the issuer is identified on the stored value card and associates a unique issuer account code with each stored value card. Card issuers include direct issuers of cards such as store-branded cards, and in some embodiments the card vendor may also be the card issuer and/or the redeeming merchant. Card issuers also include banks, financial institutions, and transaction processors such as VISA, Mastercard, American Express, etc., and cards issued by such institutions may be readily accepted by a number of redeeming merchants to conduct transactions such as purchases. In some instances, the redeeming merchant may be identified on the stored value card (for example, a retailer branded card such as Store X), and such cards may be sold at the same or different card vendor (e.g., card vendor is Store X or a different or unrelated Store Z). In such instances, the Store X branded stored value card may be issued by Store X, by Store Z, or by a third party such as bank or financial institution.

[0014] Customers may be offered incentives to purchase and/or redeem a card (or cards) via value differentiation between the purchase and redemption values of said card (or cards).

[0015] In an embodiment, a card with a face value of \$25 may be purchased by a customer for \$25, but the card may be activated for \$30 – the \$25 purchase price plus an additional \$5 added as an incentive to purchase the card. Alternatively, rather than adding cash value to the card, the card may be encoded, in addition to the face value of the card, with a redemption coupon for a specific product or service. For example, a \$15 gift card to a coffee house may have an electronic redemption coupon for a free shot of the customer's syrup of choice to be added to any coffee purchased at the coffee house. The free shot of syrup may be redeemed in connection with redeeming a portion or all of the gift card amount or the free shot of syrup may be redeemed separately.

[0016] In another embodiment, a card vendor is able to offer customers incentives to redeem a stored value card, such as a gift card, by adding value in addition to the value of the stored value card at the time the customer redeems the stored value card. For example, a merchant could run a

promotion in which it offers customers an additional \$5 credit when the customer uses a gift card for a purchase at one of the merchant's retail stores during a specified period of time.

[0017] Figure 1 illustrates an exemplary stored value card transaction system 100 in accordance with one embodiment of the present invention. In one embodiment, the stored value card transaction system comprises: (a) at least one point of sale component 111; (b) a stored value card transaction computer 150; (c) a datastore 180 containing stored value card identifiers, stored value card account information, value added award conditions (herein "value added award" is synonymous with "value added bonus," "value added bonus award," "value added award bonus," and "value differentiation"), and other information related to activating, redeeming, and managing stored value cards; (d) at least one individual card issuers' authorization system 160; and (e) any other component included in the system by the stored-value card transaction computer administrator 151. In one embodiment, the stored value card transaction computer 150 comprises a value added determination component 153, a POS interface 152, a message modification component 154, a reconciliation component 155, a card issuer system interface 156, and an authorization component 157. The POS Interface 152 provides a means for the stored value card transaction computer 150 to communicate with the point of sale component 111 via, for example, the Internet, a Public Switched Telephone Network (PSTN), or an independent dedicated network. Likewise, the stored value card transaction computer 150 may communicate with the card issuers' authorization system 160 via, for example, the Internet, a Public Switched Telephone Network (PSTN), or an independent dedicated network. Communications 106, 107 between the POS interface 152 and the point of sale component 111 and communications 109, 110 between the card issuer system interface 156 and the card issuers' authorization systems 160 may be encrypted for added security and/or may utilize a virtual private network (VPN).

[0018] As can be seen in Figure 1, at the point of sale component 111 (typically located at a vendor and/or redeeming merchant), the card identifier on the stored value card is interpreted 102 by a point of sale interpretation component 101 (e.g., a card reader). The point of sale interpretation component 101 can comprise a human, a bar code scanner, magnetic strip reader, optical character recognition device, or other device configured to interpret the data encoded in the card identifier on the stored value card.

[0019] Contemporaneously with the interpretation of the card identifier, a request for activation, deactivation, or redemption 103 by a point of sale transaction component 104 is made.



The point of sale transaction component 104 can comprise a human, an electronic input device, a register, a computer processing unit (“CPU”), or other means of requesting the activation or deactivation of the stored value card identifier interpreted by the point of sale interpretation component 101. In some embodiments, the actions performed by the point of sale interpretation component 101 and the point of sale transaction component 104 may be performed by one component capable of performing both actions that would be performed by the individual components.

**[0020]** The point of sale interpretation component 101 and the point of sale transaction component 104 communicate with the point of sale processing component 105. The point of sale processing component 105 can comprise a CPU or other type of processing device accepted for use in the industry. The point of sale interpretation component 101 communicates the card identifier to the point of sale processing component 105. The point of sale transaction component 104 communicates the request for activation or deactivation of the card identifier interpreted by the point of sale interpretation component 101 to the point of sale processing component 105. The point of sale processing component 105 communicates 106 with the stored value card transaction computer 150 (e.g., transmits a message requesting card activation, deactivation or redemption). In some embodiments, the actions performed by the point of sale interpretation component 101, the point of sale transaction component 104, and the point of sale processing component 105 may all be performed by one component (e.g., an integrated POS device such as a computerized register) capable of performing all the actions that would be performed by the individual components.

**[0021]** The point of sale processing component 105 is connectable to the stored value card transaction computer 150 via a suitable network, such as the Internet, the public switched telephone network (PSTN), or an independent dedicated network. Each point of sale processing component 105 has an associated identifier that may be transmitted to the stored value card transaction computer 150 during the course of connecting the point of sale processing component 105 to the stored value card transaction computer 150. Each point of sale processing component 105 may include multiple point of sale transaction components 101, 104 corresponding to individual terminals each with its own terminal identification.

**[0022]** As depicted in Figure 1, the stored value card transaction computer 150 is configured to: (a) form a secure connection with the card vendor (e.g., via the point of sale component 111), the card issuers’ authorization systems 160, and any other entities 190 authorized to access the

stored value card transaction computer 150 by the stored value card transaction computer administrator 151; (b) to communicate with card issuers' authorization systems 160 to request and receive activation or deactivation of stored value cards as well as receive value added information for stored-value cards that are eligible for incentives; (c) to communicate with card issuers' authorization systems 160 to redeem all or a portion of the value, services, or products associated with the stored-value card; (d) generate and maintain a transaction log 170 of all activities performed; (e) generate and maintain an error log 175 of all activities unsuccessfully completed and reasons therefor; (f) communicate to the card vendor (e.g., via the POS component 111) the activation or deactivation of the stored value card and any information concomitant with the activation or deactivation of individual stored value card, i.e. the communication of PINs associated with activated stored value cards; and (g) communicate to the card vendor (e.g., via the POS component 111) any reasons why requested transactions cannot not be completed.

**[0023]** The stored value card transaction computer 150 may comprise a singular processing unit (e.g., a centralized server or data center), a plurality of processing units (e.g., a distributed computing system with various components distributed and in communication with each other), or combinations thereof, with concomitant storage capabilities, each capable of or designated for: accessing the datastore 180; creating a transaction log 170; creating and maintaining an error log 175; communicating with card vendors; communicating with the individual card issuers' authorization systems 160; processing individual transaction card activation and or deactivation requests; processing stored value card redemption requests, processing value added functions to add additional cash value or add an electronic redemption coupon for a specific product(s) or service(s), processing redemption request for electronic redemption coupons for specific product(s) and/or service(s), and communicating with other systems 190 capable of and authorized to communicate with the stored value card transaction computer 150.

**[0024]** Datastore 180 maintains records of accounts associated with each stored value card indicating: (a) whether each individual card has been activated or deactivated, (b) whether the card has been redeemed, (c) records and details of each individual redemption request, (d) the amount remaining on the card, (e) conditions required for activation and redeeming the card, (f) identity of the card issuer, (f) value added bonus awards, (g) conditions for redeeming value added bonus awards, and (h) any combination thereof. The datastore may also maintain records of conditions required for granting a value added bonus award to a stored value card.



[0025] The stored value card transaction computer 150 is also configured to generate and maintain a transaction log 170 of all activity involving the stored value card transaction computer 150. The transaction log may comprise a detailed summary of: (a) requested stored-value card activations; (b) requested stored-value card deactivations; (c) the monetary amount ascribed to card activations; (d) the monetary amount ascribed to card deactivations; (e) the value added amounts, products, or services ascribed card activations; (f) the value added amounts, products, or services ascribed to card deactivations; (g) the time the cards were activated; (h) the time the cards were deactivated; (i) the transaction or communication performed with the card issuer to activate the cards; (j) the transaction or communication performed with the card issuer to deactivate the cards; (k) the PIN communicated to the card vendor in response to a request to activate a card requiring the input of a PIN for use; (l) any other information the stored value card transaction computer administrator 151 directs the stored value card transaction computer 150 to maintain as a log entry; and (m) any combination thereof.

[0026] The information contained in the transaction log 170 may be used to generate reconciliation reports, settlement reports, payment reports, audit reports, or other forms of information aggregation for the benefit of, use by, or for provision to, the stored value card transaction administrator 151, the datastore administrator 181, card vendors, card issuers, card issuers' authorization systems 160, redeeming merchants, or other interested parties. For example, the transaction log 170 contains information about each transaction performed by stored value card transaction computer 150 and may be utilized by the reconciliation component 155 when reconciling accounts belonging to various vendors, merchants, card issuers and the stored value card transaction system administrator.

[0027] Oversight and maintenance of the stored value card transaction computer is performed by the stored value card transaction computer administrator 151. Although not required, in an alternative embodiment, the stored value card transaction computer administrator 151 may also function as the datastore administrator 181. The stored value card transaction computer 150 is configured to generate and maintain an error log of all transactions that were not completed and reasons therefor. In some embodiments, the error log is administered by the stored value card transaction computer administrator 151.

[0028] As noted above, the stored value card transaction computer 150 communicates with the datastore 180 and/or the card issuers' authorization systems 160 to determine whether the stored

value card to be activated is eligible for a value added award. The stored value card transaction computer 150 may compare one or more of the card identification, the terminal identification, vendor identification, and the time and date of the activation request contained within the activation request to data contained in the datastore 180 to determine whether the stored value card to be activated is eligible for a value added award. For example, a particular card issuer may run a promotion to encourage customers to purchase its stored value card in which cards issued by that card issuer that are purchased within a specified period of time receive a \$5 bonus added to the stored value card in addition to the purchase price for the card. Thus, a \$25 gift card may be purchased for \$25, but be authorized for \$30. In another example, a vendor may run a promotion to encourage customers to purchase a stored value card, wherein stored value cards purchased within a specified period of time may be purchased for a price less than the value designated by the stored value card's markings and/or packaging. Thus, a customer could purchase a \$25 gift card for some amount less than \$25, e.g., \$20. In either of the above examples, the value differentiators, e.g., bonus added to a redemption value of a stored value card and reduction of purchase price for a designated value of a stored value card, may be applicable to bundled stored value card packages and the value differentiators distributed amongst and/or across the cards, either equally or disproportionately.

**[0029]** Upon receipt of an activation or deactivation request for a stored-value card from the card vendor, the stored value card transaction computer 150 accesses the datastore 180 of stored value card identifier data. The stored value card transaction computer 150 processes the information contained in the datastore 180 and communicates 109, 110 with the individual card issuers' authorization systems 160 to effectuate activation or deactivation of the transaction cards secured by the package as well as to effectuate the addition of a value added service, product, or cash value amount. The stored value card transaction computer's 150 communication with the individual card issuers' authorization systems 160 may occur simultaneously or independently. The stored value card transaction computer 150 is connectable to the individual card issuers' authorization systems as via a suitable network, such as the PSTN, the Internet, or an independent dedicated network. The stored value card transaction computer 150 is configured to receive communication 110 from the card issuers' authorization systems 160 concerning the status of the activation or deactivation of individual transaction cards.



[0030] The stored value card transaction computer 150 is also configured to communicate to the card vendor 107 the status of a request for activation or deactivation of a stored-value card and to communicate any necessary PIN information required by activated stored value cards to the card vendor in order for the card purchaser to be apprised of that information for use of the purchased individual transaction card. As previously discussed, is connectable to the individual card issuers' authorization systems as via a suitable network, such as the PSTN, the Internet, or an independent dedicated network.

[0031] The stored value card transaction computer 150 is also configured to communicate with other entities 190 authorized to access the stored value card transaction system and specifically authorized to access the stored value card transaction computer 150. These other entities may comprise third party payment management systems, third party audit systems, card issuer affiliated entities, card vendor affiliated entities, redeeming merchants or redeeming merchant affiliated entities, financial institutions, such as banks and credit unions, or any other entity provided access by the stored value card transaction computer administrator 151.

[0032] There may arise situations where an activation, deactivation, or redemption request is received by the stored value card transaction computer 150, but the information in the datastore 180 pertaining to the stored value card identifier received by stored value card transaction computer 150 precludes completion of the request. For example, a card may have been previously activated, returned to the point of sale for a refund, but not deactivated prior to reshelving. In that case, when a subsequent customer purchases that card, and an activation request is communicated to the stored value card transaction computer 150, the datastore 180 file accessed by the stored value card transaction computer 150 will indicate that the card is already activated. In another example, the stored value card identifier received by the stored value card transaction computer 150 may have already been redeemed for the entire amount associated with the stored value card. In these and other similar situations, the stored value card transaction computer 150 will communicate a message to the card vendor that the transaction cannot be completed.

[0033] The value added determination component 153 uses information contained within the activation request or redemption request received from the point of sale component 111 as well as information contained in datastore 180 to determine whether the stored value card which the point of sale component 111 is attempted to have activated or redeemed is eligible for a value added award. The activation request from the point of sale component 111 may contain one or more of

the following pieces of information: (a) stored value card identification, (b) point of sale terminal identification, (c) amount to be credited to an account associated with the stored value card, (d) the time of the activation request, (e) the date of the activation request, (f) identification of the card issuer for the stored value card, (g) identification of the activating vendor, (h) location of activating vendor, and (i) any combination thereof. The redemption request from the point of sale component 111 may contain one or more of the following pieces of information: (a) stored value card identification, (b) point of sale terminal identification, (c) amount to be debited from the account associated with the stored value card, (d) the time of the redemption request, (e) the date of the redemption request, (f) identification of the card issuer for the stored value card, (g) identification of the redeeming merchant, (h) location of the redeeming merchant, (i) identification of the product(s) and/or service(s) being purchased, (j) and any combination thereof. However, the information contained within the activation and redemption requests is not limited to the enumerated list but may other items in addition to the items enumerated or in place of the items enumerated above.

**[0034]** For an activation request, the value added determination component 153 compares the information received in the activation request to information in the datastore 180 to determine if any of the criteria for adding additional value to the stored value card or discounting the price of the stored value card to be activated are met. For example, the card issuer may have provided that stored value cards purchased during a certain period of time should receive an additional value added to the purchase amount. Alternatively, the card issuer may provide that stored value cards of a certain value or purchased during a specified time period be discounted such that the card selling vendor is only required to obtain an amount less than the face value of the card. For example, the face value of the stored value card may be \$50, but the card issuer is running a promotion to encourage customers to purchase its cards by giving a \$5 discount such that the purchase amount for the \$50 card is only \$45, but the card is activated for \$50. Such a promotion may encourage a consumer to purchase the card issuer's card or encourage the consumer to purchase the card issuer's card rather than a competitor's card. Alternatively, the vendor selling the card could run a promotion in which cards purchased during a specified period of time receive an additional value added to the purchase amount of the stored value card. The vendor selling the card may not be related to the card issuer. However, by running such a promotion, the vendor selling stored value cards may encourage a consumer to purchase the stored value card from them rather than another



vendor. The value added to the stored value card in excess of the purchase amount of the stored value card may be a monetary amount. For example, a \$25 gift card purchased for \$25 may be activated for \$30 - \$25 purchase amount plus a \$5 value added award. Thus, the gift card may be used to purchase items totaling \$30 even though the consumer only paid \$25 for the gift card. However, the value added to the card need not be a monetary amount, but could be an award of a specific product or service. For example, the value added could be an electronic coupon for a free product or service if the stored value card is redeemed for a specified product or service or is redeemed during a specified period of time or is redeemed with a specified merchant. Furthermore, the value added, whether it be a monetary amount or for a specific product or service, may have an expiration date that is different from the purchased amount of the stored value card. Also, the value added, may be tied to other specific redemption criteria that are different from the redemption criteria of the purchase amount of the stored value card. For example, the value added portion of the stored value card may be required to be redeemed at a specific location(s), specific merchant(s), a specific time(s), or credited toward the purchase of a specific product(s) or service(s) while the remaining portion of the stored value card may have no limitations on redemption or have different limitations on redemption..

**[0035]** For a redemption request, the value added determination component 153 compares the information received in the redemption request to information in the datastore 180 to determine if any of the criteria for adding additional value to the stored value card to be redeemed are met. Depending on the type of value added award specified by the card issuer or redeeming merchant, the value added, if a monetary amount, could be subtracted from the redemption amount requested or, alternatively, could be added to the account associated with the stored value card to be redeemed at a later time during a separate transaction.

**[0036]** The message modification component 154 modifies the messages 106 and 110 to add value added information into the messages. For example, if it is determined by the value added determination component 153 that a stored value card to be activated is eligible for a value added bonus, the activation message 106 received from the point of sale component 111 is modified by the message modification component 154 to include the determined value added bonus and is then forwarded as message 109 to the appropriate card issuers' authorization system 160 for authorizing the activation request for the amount specified in the activation request plus the value added bonus. As another example, if it is determined that the stored value card is eligible to be purchased at a

discount, the activation message 106 received from the point of sale component 111 is modified by the message modification component 154 (and forwarded as message 109) to indicate to the appropriate card issuers' authorization system 160 that the stored value card to be activated will be activated for one amount, but that the customer will be charged a lesser amount reflecting the discount associated with the stored value card.

[0037] The message modification component 154 also modifies messages 110 from the card issuers' authorization systems 160 intended for the point of sale component 111 to include any information regarding value added to the stored value card that may be printed on the receipt generated for the customer as well as information that may be presented to a cashier on a terminal 101 or 104 that the cashier may communicate to the customer, and such modified messages are forwarded as messages 107 to the point of sale component 111.

[0038] The reconciliation component 155 reconciles the accounts of various card issuers, selling vendors, and/or redeeming merchants, to credit and debit appropriate merchants, vendors, the stored value card transaction system administrator, and card issuers with the value of various transactions to reflect which entities received value from which other entities. For example, if a vendor A sells a stored value card issued by card issuer B for a specified amount and receives payment from a customer, then an account associated with the stored value card is credited with the payment amount, the selling vendor receives a percentage (e.g., retains a percentage) of the purchase amount and/or a predetermined amount, the stored value card system administrator receives a percentage of the purchase amount and/or predetermined amount, and the card issuer receives the remainder. If a stored value card issued by card issuer Y is redeemed at merchant X to purchase items, then the amount redeemed is debited to the card issuer Y and credited to the merchant X, sometimes minus a transaction fee collected by the card issuer and/or a transaction fee collected by the stored value card transaction system administrator.

[0039] Authorization component 157 is utilized when the stored value card transaction computer 150 is also the authorizing system such that the stored value card transaction computer 150 authorizes activation, deactivation, and redemption requests rather than transmitting the request to the card issuers' authorization systems 160 for authorization. When the authorization component 157 is utilized, the stored value card transaction computer 150 may transmit details of transactions to the card issuers' authorization systems rather than authorization requests. Also, in some embodiments, the card issuer, the authorizing system, and the transaction computer are part



of the same entity and, in such an embodiment, there would be no a card issuers' authorization systems 160 or the card issuers' authorization systems 160 would be under common control with the other components of the stored value card transaction computer 150 (for example, a commonly owned and operated computing system, that may be centralized (e.g., part of a centralized data center) and/or distributed within a commonly owned or controlled system or network). Furthermore, it should be noted that although components associated with the stored value card transaction computer 150 (e.g., components 152-157) are depicted as various components within a single data processing system for illustration and conceptual purposes, one or more of components 152-157 could be implemented on separate computers, systems, or servers in a distributed data processing environment.

**[0040]** Examples of stored value cards are depicted in Figures 2A and 2B. Figure 2A depicts a stored value card 200 in which the identification 211 is encoded on the card 200 by means of a bar code capable of being read by an optical scanner. Figure 2B depicts a stored value card 201 in which the card identification 211 is encoded on a magnetic strip located on the card 201. In some embodiments, the stored value card may have a magnetic strip and a bar code (or a plurality of magnetic strips and/or bar codes), and one or more of such may contain the identification 211. The stored value cards 200, 201 are fabricated from a suitable first material, such as plastic, paper, a plastic-coated paper, laminates, or combinations thereof. The stored value cards 200, 201 are typically made in a thickness range of from about 0.005 to about 0.040 inch. The stored value cards 200, 201 each bear an identifier 211. The stored value card identifier 211 is unique to the stored value card and associates the stored value card to a unique account maintained by the card issuer. The stored value card identifier 211 may be encoded in a bar code as depicted in Figure 2A on stored value card 200, a magnetic strip as depicted in Figure 2B on stored value card 201, a series of numerals, a series of letters, or a combination thereof. The stored value cards 200, 201 may also be fashioned with personal identification numbers, or PINs, to be entered during the course of the transaction, that correspond to the particular stored value card identifier 211 and allows access and/or use of the stored value card account. The PIN may be encoded in a bar code, a magnetic strip, a series of numeral, a series of letters, or a combination thereof. The PIN may be obscured from view by packaging, by an obscuring material such as a scratch-off strip or peel-off label, or combinations thereof. In some embodiments, the stored value card may comprise a card security code (CSC), a card verification value (CVV or CV2), a card verification value code

(CVVC), card verification code (CVC), verification code (V-code or V code), card code verification (CCV), credit card ID (CCID), or combinations thereof.

**[0041]** Figure 2B depicts a stored value card 201 in which the card identification 211 is encoded on a magnetic strip located on the card 201. The magnetic strip may be made conventional construction, such as one deposited from a slurry, positioned on the card 201 so that it can be scanned in well-known magnetic strip reading equipment. A terminal such as a Tranz 380 made by Verifone is suitable in this application. For additional security, the card identification 211 may also be subjected to an encryption algorithm, many of which are well-known in the art, prior to encoding on the magnetic strip.

**[0042]** In an embodiment of the stored value card identifier 211, the stored value card 200 comprises a bar code of conventional construction, such as a UPC code (e.g., a GS1-128 or UCC/EAN-128), positioned on the stored value card 201 so that it can be scanned by well-known bar code reading equipment. Encoded in the bar code on the stored value card is a representation of the stored value card identifier 211.

**[0043]** In other embodiments of the stored value card identifier, radio frequency identification (RFID) tags, microprocessors, and/or microchips may be placed on the stored value card 200 and 201 to be interpreted by specifically configured devices. The RFID tags, microprocessors, and/or microchips may be used in addition to or in place of the bar code 255 on stored value card 200 and magnetic strip 256 on stored value card 201, or may be used in combination with these or other means of encoding the stored value card identifier on the stored value card.

**[0044]** In further embodiments, series of numerals, series of letters, or combinations thereof, may be placed on the stored value cards 200 and 201 to be read or interpreted by a human or a device, i.e. optical character recognition device, configured to interpret a series of shapes corresponding to the package identifier.

**[0045]** An exemplary process utilized by a stored value card transaction computer 150 for activating a stored value card with a value differentiation in accordance with one embodiment of the present invention is depicted in Figure 3AA. To begin, in block 3002, the stored value card transaction computer 150 receives a transaction request from a point of sale terminal. The transaction request comprises one or more of the following: (a) identity of the terminal, (b) the identity of the stored value card, (c) a request for activation of the stored value card, (d) a request for redemption of the stored value card, (e) an amount of the card activation, (f) an amount of the



card redemption, (g) the identity of the stored value card issuer, (h) the identity of the activating vendor, (i) the identity of the requesting location, (j) the time of the transaction request, (k) the date of the transaction request, and (l) any combination thereof. The transaction request may comprise other information in addition to or in place of the above enumerated items. Using information contained within the transaction request received from the point of sale component 111 and on information obtained from datastore 180, in block 3004, the stored value card transaction computer 150 determines whether the card to be transacted is eligible for value differentiation. The value differentiation may be an additional monetary value credited to an account associated with the stored value card (e.g., a monetary redemption value amount) in excess of the purchase price of the stored value card, an award of a specific product(s) or service(s) to the purchaser or redeemer of the stored value card (e.g., a non-monetary redemption value), a discount on the purchase price of the stored value card, or combinations thereof. The value differentiation portion of the transaction may have conditions of use that are different from the primary purchased amount of the stored value card. For example, the value differentiation amount/offering may have an expiration date or specified dates of use that are different from any expiration dates associated with the primary stored value card. Furthermore, the value differentiation amount/offering may specify specific merchants, locations, and/or products that the value differentiation amount/offering may be utilized with which may be different from any conditions associated with the primary purchased amount of the stored value card.

**[0046]** If the stored value card is not eligible for value differentiation, then in block 3006, the stored value card transaction computer 150 forwards the transaction request as received from the point of sale component 111 to the appropriate one of the card issuers' authorization systems 160 without modifying the request to include value differentiation. The transaction request, however, may be modified for other reasons unrelated to the value differentiation decision prior to forwarding to the appropriate one of the card issuers' authorization systems 160. The method proceeds to block 3012 as described in more detail below.

**[0047]** If the stored value card is eligible for value differentiation, then in block 3008, the stored value card transaction computer 150 modifies the transaction request to add the value differentiation amount/offering to the transaction request. In block 3010, the stored value card transaction computer 150 then forwards the modified transaction request with the value differentiation to the appropriate one of the card issuers' authorization systems 160, which receives

the modified transaction request and acts upon same, for example authorizing and/or processing the request to activate or redeem the card along with the appropriate value differentiation amount/offering and updating a datastore accordingly. The card issuers' authorization systems 160 sends a response message back to the stored value card transaction computer 150. In an alternative embodiment where the stored value card transaction computer 150 performs the functions of the card issuers' authorization systems 160, the method may proceed directly from block 3004 or 3008 to block 3014.

**[0048]** The stored value card transaction computer 150 receives the response message from the appropriate one of the card issuers' authorization systems 160 in block 3012. At block 3014, the stored value card transaction computer 150 optionally updates an account associated with the stored value card in the datastore to reflect the concomitant changes in the status of the stored value card. For example, the datastore is updated to include any value differentiation amount/offering associated with the stored value card and the conditions for redeeming the stored value card's principal balance as well as for redeeming the value differentiation amount/offering, if any. In an alternative embodiment, such updates are performed additionally or alternatively by the card issuer's authorization systems 160 and stored in a datastore associated therewith. A transaction log 170 may be updated by the stored value card transaction computer 150 in block 3016 to record the details about the transaction. The account information to be stored in the datastore 180 (or alternatively or additionally in a datastore associated with the card issuer's authorization systems 160) as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the transaction, (b) whether the stored value card was activated, (c) the reason the stored value card was not activated if the activation request was denied, (d) the amount credited to the stored value card account when activated, (e) conditions associated with redeeming the stored value card, (f) the type and amount of any value differentiation, (g) the conditions for redeeming the value differentiation amount/offering, (h) the identity of the activating vendor, (i) the identity of the card issuer, (j) the location of the activating vendor, (k) the identity of the terminal activating the stored value card, (l) the identity of the entity granting the value differentiation amount/offering, (m) the identity of the account to be debited for the value differentiation amount/offering, (n) the requested redemption amount, (o) the reason the stored value card was not redeemed if the transaction request was denied, (p) the amount debited from the stored value card account when redeemed, (q) the identity of the redeeming merchant vendor, (r) the location of the



redeeming merchant, (s) the identity of the terminal redeeming the stored value card, and (t) any combination thereof. The transaction log may include other information in addition to or in place of the items enumerated above.

[0049] The stored value card transaction computer 150, in block 3018, then forwards the response message to the point of sale component 111. The stored value card transaction computer 150, prior to forwarding the response message to the point of sale component 111, may modify the response message as necessary to include information that may be printed on a receipt for the customer and/or presented on a display to the store clerk operating the point of sale component 111. At block 3020, the stored value card transaction computer 150 reconciles the accounts of the various vendors, merchants, card issuers, the stored value card transaction system administrator, and other entities involved with issuing, selling, redeeming, and marketing the stored value card to debit and credit appropriate accounts and, in some embodiments, initiate funds transfers between appropriate bank accounts belonging to the various entities. Alternatively, reconciliation of accounts may be performed periodically (e.g., daily, weekly, monthly, etc.) rather than after each transaction. In such an embodiment, the information from the transaction log 170 may be utilized to reconcile the various entities involved with the sale or redemption of various stored value cards thus requiring fewer funds transfers to be initiated. In various embodiments, the sequence of events depicted in blocks 3014, 3016, 3018, and 3020 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously. Moreover, the requested transaction may involve multiple stored value cards and multiple value differentiators. In such a scenario, the transaction process proceeds as described above, however the transaction request will comprise multiple sets of transaction information, i.e., information such: (a) identity of the terminal, (b) the identity of the stored value card, (c) a request for activation of the stored value card, (d) a request for redemption of the stored value card, (e) an amount of the card activation, (f) an amount of the card redemption, (g) the identity of the stored value card issuer, (h) the identity of the activating vendor, (i) the identity of the requesting location, (j) the time of the transaction request, (k) the date of the transaction request, and (l) any combination thereof, for each of the multiple of stored value cards comprising the instant transaction request. Further, in the multiple stored value card transaction scenario, any activation amount, redemption amount, or value differentiation amount/offering may be allocated across the multiple stored value cards equally or

disproportionately as desired by any of the card transaction interested parties and/or card purchasers/redeemers.

**[0050]** An exemplary process utilized by a stored value card transaction computer 150 for activating a stored value card with a value added bonus in accordance with one embodiment of the present invention is depicted in Figure 3A. To begin, in block 302, the stored value card transaction computer 150 receives an activation request from a point of sale terminal. The activation request comprises one or more of the following: (a) identity of the terminal, (b) the identity of the stored value card to be activated, (c) the amount of the card activation, (d) the identity of the stored value card issuer, (e) the identity of the activating vendor, (f) the identity of the activating location, (g) the time of the activation request, (h) the date of the activating request, and (i) any combination thereof. The activation request may comprise other information in addition to or in place of the above enumerated items. Using information contained within the activation request received from the point of sale component 111 and on information obtained from datastore 180, in block 304, the stored value card transaction computer 150 determines whether the card to be activated is eligible for a value added bonus. The value added bonus may be an additional monetary value credited to an account associated with the stored value card to be activated, an award of a specific product(s) or service(s), or a discount on the purchase price of the stored value card. The value added portion of the activation may have conditions of use that are different from the primary purchased amount of the stored value card. For example, the value added bonus may have an expiration date or specified dates of use that are different from any expiration dates associated with the primary stored value card. Furthermore, the value added bonus may specify specific merchants, locations, and/or products that the value added bonus may be utilized with which may be different from any conditions associated with the primary purchased amount of the stored value card.

**[0051]** If the stored value card is not eligible for a value added bonus, then in block 306, the stored value card transaction computer 150 forwards the activation request as received from the point of sale component 111 to the appropriate one of the card issuers' authorization systems 160 without modifying the request to include a value added bonus. The activation request, however, may be modified for other reasons unrelated to the value added bonus decision prior to forwarding to the appropriate one of the card issuers' authorization systems 160. The method proceeds to block 312 as described in more detail below.



**[0052]** If the stored value card is eligible for a value added bonus, then in block 308, the stored value card transaction computer 150 modifies the activation request to add the additional value added bonus to the activation request. In block 310, the stored value card transaction computer 150 then forwards the modified activation request with the value added bonus to the appropriate one of the card issuers' authorization systems 160, which receives the modified activation request and acts upon same, for example authorizing and/or processing the request to activate the card along with the appropriate value added bonus and updating a datastore accordingly. The card issuers' authorization systems 160 sends a response message back to the stored value card transaction computer 150. In an alternative embodiment where the stored value card transaction computer 150 performs the functions of the card issuers' authorization systems 160, the method may proceed directly from block 304 or 308 to block 314.

**[0053]** The stored value card transaction computer 150 receives the activation message from the appropriate one of the card issuers' authorization systems 160 in block 312. At block 314, the stored value card transaction computer 150 optionally updates an account associated with the stored value card in the datastore to reflect that the stored value card is activated and the amount for which the stored value card is activated. Additionally, the datastore is updated to include any value added bonus awarded to the stored value card and the conditions for redeeming the stored value card's principal balance as well as for redeeming the value added bonus, if any. In an alternative embodiment, such updates are performed additionally or alternatively by the card issuer's authorization systems 160 and stored in a datastore associated therewith. A transaction log 170 may be updated by the stored value card transaction computer 150 in block 316 to record the details about the activation transaction. The account information to be stored in the datastore 180 (or alternatively or additionally in a datastore associated with the card issuer's authorization systems 160) as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the activation, (b) whether the stored value card was activated, (c) the reason the stored value card was not activated if the activation request was denied, (d) the amount credited to the stored value card account when activated, (e) conditions associated with redeeming the stored value card, (f) the type and amount of any value added bonus, (g) the conditions for redeeming the value added bonus, (h) the identity of the activating vendor, (i) the identity of the card issuer, (j) the location of the activating vendor, (k) the identity of the terminal activating the stored value card, (l) the identity of the entity granting the value added bonus, (m) the identity of

the account to be debited for the value added bonus, and (n) any combination thereof. The transaction log may include other information in addition to or in place of the items enumerated above.

**[0054]** The stored value card transaction computer 150, in block 318, then forwards the activation message to the point of sale component 111. The stored value card transaction computer 150, prior to forwarding the activation message to the point of sale component 111, may modify the activation message as necessary to include information that may be printed on a receipt for the customer and/or presented on a display to the store clerk operating the point of sale component 111. At block 320, the stored value card transaction computer 150 reconciles the accounts of the various vendors, merchants, card issuers, the stored value card transaction system administrator, and other entities involved with issuing, selling, and marketing the stored value card to debit and credit appropriate accounts and, in some embodiments, initiate funds transfers between appropriate bank accounts belonging to the various entities. Alternatively, reconciliation of accounts may be performed periodically (e.g., daily, weekly, monthly, etc.) rather than after each transaction. In such an embodiment, the information from the transaction log 170 may be utilized to reconcile the various entities involved with the sale or redemption of various stored value cards thus requiring fewer funds transfers to be initiated. In various embodiments, the sequence of events depicted in blocks 314, 316, 318, and 320 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously. Moreover, the requested transaction may involve multiple stored value cards and multiple value added awards. In such a scenario, the transaction process proceeds as described above, however the transaction request will comprise multiple sets of transaction information, i.e., information such: (a) identity of the terminal, (b) the identity of the stored value card, (c) a request for activation of the stored value card, (d) a request for redemption of the stored value card, (e) an amount of the card activation, (f) an amount of the card redemption, (g) the identity of the stored value card issuer, (h) the identity of the activating vendor, (i) the identity of the requesting location, (j) the time of the transaction request, (k) the date of the transaction request, and (l) any combination thereof, for each of the multiple of stored value cards comprising the instant transaction request. Further, in the multiple stored value card transaction scenario, any activation amount, redemption amount, or value added awards may be allocated across the multiple stored value cards equally or disproportionately as desired by any of the card transaction interested parties and/or card purchasers/redeemers.



[0055] An exemplary process utilized by a stored value card transaction computer for activating a stored value card with a value added bonus in accordance with another embodiment of the present invention is depicted in Figure 3B. In the example depicted in Figure 3B, the stored value card transaction computer 150 also serves to authorize activation. The process begins in block 352 with the receipt of an activation request by the stored value card transaction computer 150 from the point of sale component 111. In block 354, the stored value card transaction computer 150 determines whether to activate the card based on the information contained in the activation request as compared to information stored in datastore 180. If the stored value card transaction computer 150 determines that the activation is denied, an activation denied (or rejected) response message is generated in block 356. The activation denied response is then transmitted to the point of sale component 111 in block 366 and the datastore and transaction log are updated to reflect the details of the transaction in block 368. The stored value card transaction computer 150 then notifies the card issuer of the details of the transaction in block 370 and, if necessary, reconciles the various accounts among the appropriate vendors, merchants, card issuers, stored value card transaction system administrator, and other entities involved in block 372.

[0056] If the stored value card transaction computer 150 determines that the card should be activated based upon the information received in the activation request, then the stored value card transaction computer 150 determines whether the card is eligible for a value added bonus in block 358. If the card is not eligible for a value added bonus, then, in block 360, the stored value card transaction computer 150 generates an activation approval response message and transmits this activation approval message back to the point of sale component 111 in block 366. The account associated with the stored data card in the datastore and the transaction log are updated by the stored value card transaction computer 150 in block 368 and the card issuer is notified of the transaction details in block 370. At block 370, the stored value card transaction computer 150 reconciles the various accounts among the appropriate vendors, merchants, card issuers, stored value card transaction system administrator, and other entities involved with issuing, selling, and marketing the stored value card to debit and credit appropriate accounts and, in some embodiments, initiate funds transfers between appropriate bank accounts. Alternatively, reconciliation of accounts may be performed periodically (e.g., daily, weekly, monthly, etc.) rather than after each transaction. In such an embodiment, the information from the transaction log 170

may be utilized to reconcile the various entities involved with the sale or redemption of various stored value cards thus requiring fewer funds transfers to be initiated.

**[0057]** If the stored value card transaction computer 150 determines in block 358 that the stored value card is eligible for a value added bonus, then the appropriate bonus is determined in block 362. An activation approval message including the value added bonus information is generated in block 364. The activation approval message may include information to be printed onto the customer's receipt at the point of sale component 111 that provides the details of the value added bonus that has been added to the stored value card and the redemption details for redeeming the value added bonus. The activation approval response is then transmitted to the point of sale component 111 by the stored value card transaction computer 150 in block 366. In block 368, the account associated with the stored value card that has been activated is updated in datastore 180 as well as the transaction log is updated to reflect the details of the transaction. The account information to be stored in the datastore 180 as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the activation, (b) whether the stored value card was activated, (c) the reason the stored value card was not activated if the activation request was denied, (d) the amount credited to the stored value card account when activated, (e) conditions associated with redeeming the stored value card, (f) the type and amount of any value added bonus, (g) the conditions for redeeming the value added bonus, (h) the identity of the activating vendor, (i) the identity of the card issuer, (j) the location of the activating vendor, (k) the identity of the terminal activating the stored value card, (l) the identity of the entity granting the value added bonus, (m) the identity of the account to be debited for the value added bonus, and (n) any combination thereof. The account associated with the stored value card and the transaction log may include other information in addition to or in place of the items enumerated above. In various embodiments, the sequence of events depicted in blocks 366, 368, 370, and 372 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously.

**[0058]** An exemplary process utilized by a stored value card transaction computer for adding a value added bonus to a stored value card during a redemption request in accordance with one embodiment of the present invention is depicted in Figure 4A. To begin, in block 402, the stored value card transaction computer 150 receives a redemption request from a point of sale component 111. The redemption request includes at least one of the following items of information: (a) an amount to be deducted from the stored value card toward the purchase, (b) an identity of the



redeeming terminal, (c) an identity of the redeeming merchant, (d) an identity of the location of the redeeming merchant, (e) an indication of the identity of the item(s) to be purchased with the stored value card, (f) a stored value card identification, (g) the identity of the stored value card issuer, (h) the date of the redemption request, (i) the time of the redemption request, and (j) any combination thereof. Using the information contained in the redemption request as well as information obtained from datastore 180, the stored value card transaction computer 150, in block 404, determines whether the stored value card is eligible for a value added bonus. The value added bonus may be an award of additional cash value to be added to the stored value card, a reduction in the amount to be debited to the account associated with the stored value card, and/or an award of a specific product(s) or service(s).

**[0059]** If the card is not eligible for a value added bonus, then in block 406, the stored value card transaction computer 150 forwards the redemption request (e.g., forwards an unmodified redemption request) to the appropriate card issuers' authorization system 160 for authorization to redeem the card. The redemption request, however, may be modified for other reasons unrelated to the value added bonus decision prior to forwarding to the appropriate one of the card issuers' authorization systems 160. The method proceeds to block 412 as described in more detail below.

**[0060]** If the stored value card is eligible for a value added bonus, then in block 408, the stored value card transaction computer 150 modifies the redemption request to add the additional value added bonus to the redemption request. In block 410, the stored value card transaction computer 150 then forwards the modified redemption request with the value added bonus to the appropriate one of the card issuers' authorization systems 160, which receives the modified redemption request and acts upon same, for example authorizing and/or processing the request to redeem the card along with the appropriate value added bonus and updating a datastore accordingly. The card issuers' authorization systems 160 sends a response message back to the stored value card transaction computer 150. In an alternative embodiment where the stored value card transaction computer 150 performs the functions of the card issuers' authorization systems 160, the method may proceed directly from block 404 or 408 to block 414.

**[0061]** The stored value card transaction computer 150 then receives a redemption message from the card issuer either authorizing redemption or denying redemption in block 412. The redemption message is then forwarded to the point of sale component 111 by the stored value card transaction computer 150 in block 414. The stored value card transaction computer 150, prior to

forwarding the redemption message to the point of sale component 111, may modify the redemption message as necessary to include information that may be printed on a receipt for the customer and/or presented on a display to the store clerk operating the point of sale component 111. At block 416, the stored value card transaction computer 150 optionally updates an account in datastore 180 associated with the stored value card to be redeemed to include the details of the redemption approval or denial. In an alternative embodiment, such account updates are performed additionally or alternatively by the card issuer's authorization systems 160 and stored in a datastore associated therewith. The transaction log is also updated to include appropriate details in block 418. The account information to be stored in the datastore 180 as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the redemption, (b) whether the stored value card was redeemed, (c) the reason the stored value card was not redeemed if the redemption request was denied, (d) the amount debited to the stored value card account when redeemed, (e) conditions associated with redeeming the stored value card, (f) the type and amount of any value added bonus, (g) the conditions for redeeming the value added bonus, (h) the identity of the redeeming merchant, (i) the identity of the card issuer, (j) the location of the redeeming merchant, (k) the identity of the terminal redeeming the stored value card, (l) the identity of the entity granting the value added bonus, (m) the identity of the account to be debited for the value added bonus, and (n) any combination thereof. The account associated with the stored value card and the transaction log may include other information in addition to or in place of the items enumerated above. The stored value card transaction computer 150 at block 420 then reconciles the various accounts among the appropriate vendors, merchants, card issuers, stored value card transaction system administrator, and other entities involved in selling, issuing, or redeeming the stored value card (collectively "card transaction interested parties") and may initiate funds transfers between bank accounts belonging to the various vendors, merchants, card issuers, stored value card transaction system administrator, and other involved entities as appropriate. In various embodiments, the sequence of events depicted in blocks 414, 416, 418, and 420 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously.

**[0062]** In an alternative embodiment, an exemplary process utilized by a stored value card transaction computer for adding a value added bonus to a stored value card during an activation request in which the stored value card transaction computer also makes the authorization determination in accordance with the method shown in Figure 4B, with the understanding that each



reference to redemption within the method is generally replaced with a corresponding reference to activation.

**[0063]** An exemplary process utilized by a stored value card transaction computer for adding a value added bonus to a stored value card during a redemption request in which the stored value card transaction computer also makes the authorization determination in accordance with another embodiment of the present invention is depicted in Figure 4B. The process begins in block 452 with the receipt of a redemption request from a point of sale component 111 by the stored value card transaction computer 150. The stored value card transaction computer 150 determines if the card is eligible for a value added bonus in block 454 and, if not, proceeds with a normal redemption process based on the redemption request amount in block 456, followed by block 460. The stored value card transaction computer 150 then determines whether to authorize redemption in the amount requested in block 460 and generates and sends a redemption message to the point of sale terminal either authorizing or denying the redemption request in block 462. The stored value card transaction computer 150 then modifies the account information associated with the stored value card in the datastore 180 to reflect the details of the redemption request and response in block 464. If the redemption request was approved, then the account associated with the stored value card is debited by the amount of the activation request. The stored value card transaction computer 150 notifies the card issuer of the details of the transaction in block 468. In block 470, the stored value card transaction computer 150 reconciles the accounts of the various vendors, merchants, card issuers, stored value card transaction system administrator, financial institutions, and other entities that were involved in the issuing, selling, or redeeming of the stored value card to credit and debit the appropriate accounts. The stored value card transaction computer 150 may initiate funds transfers between bank accounts belonging to the various vendors, merchants, card issuers, stored value card transaction system administrator, and other entities as appropriate.

**[0064]** If the stored value card transaction computer 150 determines that the stored value card is eligible for a value added bonus at block 454, then the stored value card transaction computer 150 determines the specific value added bonus to be applied to the stored value card in block 458. The value added bonus may be an additional monetary value credited to an account associated with the stored value card to be activated, an award of a specific product(s) or service(s), or reduce the amount to be debited to the account associated with the stored value card by a specified amount during the redemption process. For example, if the stored value card is used to purchase items

totaling \$50, but is eligible for a \$5 discount, then the purchase is approved, but the account associated with the stored value card is only debited by \$45 rather than the entire \$50 of the purchase. Depending on the entity granting the bonus award, the merchant with which the stored value card is used to purchase items may receive the difference between the amount debited from the stored value card and the actual amount of the purchase from the entity granting the bonus award. If the entity granting the bonus award is also the merchant whose product(s) and/or service(s) are being purchased using the stored value card, then the transaction may merely require reconciliation of various accounting books without a transfer of funds between entities.

[0065] It should also be noted that the value added portion of the activation may have conditions of use that are different from the primary purchased amount of the stored value card. For example, the value added bonus may have an expiration date or specified dates of use that are different from any expiration dates associated with the primary stored value card. Furthermore, the value added bonus may specify specific merchants, locations, and/or products that the value added bonus may be utilized with which may be different from any conditions associated with the primary purchased amount of the stored value card.

[0066] The process then proceeds with determining whether to authorize redemption in block 460, and generating and sending a redemption message to the point of sale component 111 in block 462. The redemption message may include information indicating the amount and/or type of value added bonus that the customer is receiving to be printed on the customer's receipt. The redemption message may also include the conditions associated with redeeming the value added bonus if the value added bonus was not used during the current redemption process. For example, the value added bonus may be a coupon for a free item during a subsequent visit by the customer to the merchant. In block 464, the stored value card transaction computer 150 then modifies the account information associated with the stored value card in datastore 180 to debit the account by the appropriate amount in cases where the transaction was approved and to store other information associated with the transaction. The stored value card transaction computer 150 also updates the transaction log in block 466 with the details of the transaction. The account information to be stored in the datastore 180 as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the redemption, (b) whether the stored value card was redeemed, (c) the reason the stored value card was not redeemed if the redemption request was denied, (d) the amount debited to the stored value card account when redeemed, (e) conditions



associated with redeeming the stored value card, (f) the type and amount of any value added bonus, (g) the conditions for redeeming the value added bonus, (h) the identity of the redeeming merchant, (i) the identity of the card issuer, (j) the location of the redeeming merchant, (k) the identity of the terminal redeeming the stored value card, (l) the identity of the entity granting the value added bonus, (m) the identity of the account to be debited for the value added bonus, and (n) any combination thereof. The account associated with the stored value card and the transaction log may include other information in addition to or in place of the items enumerated above. The stored value card transaction computer 150 then reconciles the various accounts among the appropriate vendors, merchants, card issuers, stored value card transaction system administrator, and other entities involved in selling, issuing, or redeeming the stored value card and may initiate funds transfers between bank accounts belonging to the various vendors, merchants, card issuers, stored value card transaction system administrator, and other entities as appropriate in block 470. In various embodiments, the sequence of events depicted in blocks 462, 464, 466, 468, and 470 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously.

[0067] In an alternative embodiment, an exemplary process utilized by a stored value card transaction computer for adding a value added bonus to a stored value card during a redemption request in which the stored value card transaction computer also makes the authorization determination in accordance with the method shown in Figure 3B, with the understanding that each reference to activation within the method is generally replaced with a corresponding reference to redemption.

[0068] An exemplary process utilized by a stored value card transaction computer for redeeming a stored value card for a specific product or service that has been awarded to the stored value card in accordance with one embodiment of the present invention is depicted in Figure 5. To begin, in block 502, the stored value card transaction computer 150 receives a redemption request for a value added bonus of a specific product and/or service for a stored value card from a point of sale component 111. In block 504, the stored value card transaction computer 150 determines whether to authorize the request. If it is determined that the request should be denied, then the stored value card transaction computer 150 generated a redemption denied message in block 506 and transmits the redemption denied message to the point of sale component 111 in block 518. The redemption denied message may include a reason for denying the redemption request. Reasons for denial of the redemption request may include one or more of: (a) the specific items

has already been redeemed previously, (b) the time and/or date that the bonus is attempted to be redeemed fall outside the date and time windows specified for redemption of the bonus, (c) the item attempted to be redeemed using the bonus differs from the item associated with the bonus, (d) the location and/or identity of the merchant does not correspond to the location and/or identity of the merchant required for redemption of the bonus award, (e) the account associated with the stored value card in datastore 180 does not contain the requested bonus award; and (f) any combination thereof. The method continues at block 520 as described in more detail below.

**[0069]** If the stored value card transaction computer 150 determines that the redemption request is to be authorized in block 504, then the stored value transaction computer 150 determines the identity of the entity granting the value added bonus in block 508. The stored value card transaction computer 150 then determines if the entity granting the value added bonus is different from the redeeming merchant in block 510. If the entity granting the value added bonus is the same as the redeeming merchant, the method proceeds to block 512 et seq. as described herein. If the entity granting the value added bonus is different from the redeeming merchant, then the stored value card transaction computer 150 determines a reimbursement monetary value for service(s) and/or product(s) being redeemed with the value added bonus on the stored value card in block 514. The stored value card transaction computer 150 then reconciles the accounts between the redeeming merchant and the value added bonus authorizing entity to credit the redeeming merchant with the monetary amount associated with the redemption and debit the value added bonus authorizing entity in block 516. The stored value card transaction computer 150 may also initiate a transfer of funds between an account associated with the value added bonus authorizing entity and the redeeming merchant for the appropriate amount. Alternatively, funds transfers may be the responsibility of other entities or may be performed periodically (e.g., daily, weekly, monthly) using information from the transaction log in order to minimize the number of funds transfers between entities.

**[0070]** The stored value card transaction computer 150 then generates a redemption accepted message in block 512 and transmits this response message to the point of sale terminal 101, 104 in block 518. The stored value card transaction computer 150 then updates the transaction log with the details of the redemption transaction in block 520, notifies the card issuer of the details of the transaction in block 522, and, in block 524, updates the account associated with the stored value card in the datastore 180 to reflect the details of the transaction and indicate that the specific value



added bonus has been redeemed. The account information to be stored in the datastore 180 as well as the details of the transaction recorded in the transaction log may include (a) the time and date of the redemption, (b) whether the stored value card was redeemed, (c) the reason the stored value card was not redeemed if the redemption request was denied, (d) the product(s) and/or services redeemed with the stored value card account when redeemed, (e) the identity of the redeeming merchant, (f) the identity of the entity granting the value added bonus, (g) the identity of the card issuer, (h) the location of the redeeming merchant, (i) the identity of the terminal redeeming the stored value card, (k) the identity of the account to be debited for the value added bonus, and (l) any combination thereof. The account associated with the stored value card and the transaction log may include other information in addition to or in place of the items enumerated above. In various embodiments, the sequence of events depicted in blocks 512, 518, 520, 522, and 524 may be varied, and thus may be carried out in any desired order, sequentially or simultaneously.

[0071] In an alternative embodiment, an exemplary process utilized by a stored value card transaction computer for activating a stored value card for a specific product or service that has been awarded to the stored value card in accordance with the method shown in Figure 5, with the understanding that each reference to redemption within the method is generally replaced with a corresponding reference to activation.

[0072] An exemplary process utilized by a stored value card transaction computer for activating a stored value card for a specific product or service that has been awarded to the stored value card in accordance with one embodiment

[0073] The stored value card transaction computer 150 above may be implemented on any general-purpose computer with sufficient processing power, memory resources, and network throughput capability to handle the necessary workload placed upon it. Figure 5 illustrates a typical, general-purpose computer system suitable for implementing one or more embodiments disclosed herein. The computer system 580 includes a processor 582 (which may be referred to as a central processor unit or CPU) that is in communication with memory devices including secondary storage 584, read only memory (ROM) 586, random access memory (RAM) 588, input/output (I/O) 590 devices, and network connectivity devices 592. The processor may be implemented as one or more CPU chips.

[0074] It is understood that by programming and/or loading executable instructions onto the computer system 580, at least one of the CPU 582, the RAM 588, and the ROM 586 are changed,

transforming the computer system 580 in part into a particular machine or apparatus having the novel functionality taught by the present disclosure. It is fundamental to the electrical engineering and software engineering arts that functionality that can be implemented by loading executable software into a computer can be converted to a hardware implementation by well known design rules. Decisions between implementing a concept in software versus hardware typically hinge on considerations of stability of the design and numbers of units to be produced rather than any issues involved in translating from the software domain to the hardware domain. Generally, a design that is still subject to frequent change may be preferred to be implemented in software, because re-spinning a hardware implementation is more expensive than re-spinning a software design. Generally, a design that is stable that will be produced in large volume may be preferred to be implemented in hardware, for example in an application specific integrated circuit (ASIC), because for large production runs the hardware implementation may be less expensive than the software implementation. Often a design may be developed and tested in a software form and later transformed, by well known design rules, to an equivalent hardware implementation in an application specific integrated circuit that hardwires the instructions of the software. In the same manner as a machine controlled by a new ASIC is a particular machine or apparatus, likewise a computer that has been programmed and/or loaded with executable instructions may be viewed as a particular machine or apparatus.

[0075] The secondary storage 584 is typically comprised of one or more disk drives or tape drives and is used for non-volatile storage of data and as an over-flow data storage device if RAM 588 is not large enough to hold all working data. Secondary storage 584 may be used to store programs which are loaded into RAM 588 when such programs are selected for execution. The ROM 586 is used to store instructions and perhaps data which are read during program execution. ROM 586 is a non-volatile memory device which typically has a small memory capacity relative to the larger memory capacity of secondary storage. The RAM 588 is used to store volatile data and perhaps to store instructions. Access to both ROM 586 and RAM 588 is typically faster than to secondary storage 584.

[0076] I/O 590 devices may include printers, video monitors, liquid crystal displays (LCDs), touch screen displays, keyboards, keypads, switches, dials, mice, track balls, voice recognizers, card readers, paper tape readers, or other well-known input devices. The network connectivity devices 592 may take the form of modems, modem banks, ethernet cards, universal serial bus



(USB) interface cards, serial interfaces, token ring cards, fiber distributed data interface (FDDI) cards, wireless local area network (WLAN) cards, radio transceiver cards such as code division multiple access (CDMA) and/or global system for mobile communications (GSM) radio transceiver cards, and other well-known network devices. These network connectivity 592 devices may enable the processor 582 to communicate with an Internet or one or more intranets. With such a network connection, it is contemplated that the processor 582 might receive information from the network, or might output information to the network in the course of performing the above-described method steps. Such information, which is often represented as a sequence of instructions to be executed using processor 582, may be received from and outputted to the network, for example, in the form of a computer data signal embodied in a carrier wave

[0077] Such information, which may include data or instructions to be executed using processor 582 for example, may be received from and outputted to the network, for example, in the form of a computer data baseband signal or signal embodied in a carrier wave. The baseband signal or signal embodied in the carrier wave generated by the network connectivity 592 devices may propagate in or on the surface of electrical conductors, in coaxial cables, in waveguides, in optical media, for example optical fiber, or in the air or free space. The information contained in the baseband signal or signal embedded in the carrier wave may be ordered according to different sequences, as may be desirable for either processing or generating the information or transmitting or receiving the information. The baseband signal or signal embedded in the carrier wave, or other types of signals currently used or hereafter developed, referred to herein as the transmission medium, may be generated according to several methods well known to one skilled in the art.

[0078] The processor 582 executes instructions, codes, computer programs, scripts which it accesses from hard disk, floppy disk, optical disk (these various disk based systems may all be considered secondary storage 584), ROM 586, RAM 588, or the network connectivity devices 592.

[0079] While several embodiments have been provided in the present disclosure, it should be understood that the disclosed systems and methods may be embodied in many other specific forms without departing from the spirit or scope of the present disclosure. The present examples are to be considered as illustrative and not restrictive, and the intention is not to be limited to the details given herein. For example, the various elements or components may be combined or integrated in another system or certain features may be omitted, or not implemented.

[0080] The ordering of steps in the various processes, data flows, and flowcharts presented are for illustration purposes and do not necessarily reflect the order that various steps must be performed. The steps may be rearranged in different orders in different embodiments to reflect the needs, desires and preferences of the entity implementing the systems. Furthermore, many steps may be performed simultaneously with other steps in some embodiments.

[0081] Also, techniques, systems, subsystems and methods described and illustrated in the various embodiments as discrete or separate may be combined or integrated with other systems, modules, techniques, or methods without departing from the scope of the present disclosure. Other items shown or discussed as directly coupled or communicating with each other may be coupled through some interface or device, such that the items may no longer be considered directly coupled to each other but may still be indirectly coupled and in communication, whether electrically, mechanically, or otherwise with one another. Other examples of changes, substitutions, and alterations are ascertainable by one skilled in the art and could be made without departing from the spirit and scope disclosed herein.

[0082] There has been described herein a stored value card transaction system that allows stored value card vendors to add additional value to a card at the time the card is purchased or redeemed in order to provide incentives to customers to purchase or redeem a particular card. It will be apparent to those skilled in the art that modifications may be made without departing from the spirit and scope of the invention. The embodiments described are representative only, and are not intended to be limiting. Many variations, combinations, and modifications of the applications disclosed herein are possible and are within the scope of the invention. Accordingly, the scope of protection is not limited by the description set out above, but is defined by the claims which follow, that scope including all equivalents of the subject matter of the claims.

[0083] Reference is further made to the following specific embodiments:

1. A computer implemented method for conducting a stored value card transaction comprising:

receiving in a stored value card transaction computer a transaction request for a stored value card from a point of sale terminal, wherein the transaction request comprises at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;



comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card is eligible for a value differentiation;

determining the value differentiation to be attributed to an account associated with the stored value card when the stored value card is determined to be eligible for the value differentiation;

transmitting the transaction request to the card issuer authorization system;

receiving a response from the card issuer authorization system; and

transmitting the response to the point of sale terminal.

2. The computer implemented method for conducting a stored value card transaction of embodiment 1, wherein the transaction request further comprises an activation request.

3. The computer implemented method for conducting a stored value card transaction of embodiment 1, wherein the transaction request further comprises a redemption request.

4. The computer implemented method for conducting a stored value card transaction of embodiment 1, 2, or 3 further comprising:

modifying the transaction request to include the value differentiation when the stored value card is determined to be eligible for the value differentiation; and

transmitting a modified transaction request to the card issuer authorization system.

5. The computer implemented method for conducting a stored value card transaction of embodiment 1, 2, 3, or 4, wherein the response comprises a reference to the value differentiation.

6. The computer implemented method for conducting a stored value card transaction of embodiment 1, 2, 3, 4, or 5, wherein the value differentiation comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

7. The computer implemented method for conducting a stored value card transaction of embodiment 6, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

8. The computer implemented method for conducting a stored value card transaction of embodiment 6, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

9. The computer implemented method for conducting a stored value card transaction of embodiment 1, 2, 3, 4, 5, 6, 7, or 8, wherein the value differentiation comprises a non-monetary redemption value.

10. The computer implemented method for conducting a stored value card transaction of embodiment 1, 2, 3, 4, 5, 6, 7, 8, or 9, further comprising reconciling accounts of card transaction interested parties.

11. The computer implemented method for conducting a stored value card transaction of embodiment 10, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

12. A computer implemented method for conducting a stored value card transaction comprising:

receiving in a stored value card transaction computer a transaction request for a stored value card from a point of sale terminal, wherein the transaction request comprises at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;

comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card is eligible for a value added award;

determining the value added award to be attributed to an account associated with the stored value card when the stored value card is determined to be eligible for the value added award;

transmitting the transaction request to the card issuer authorization system;

receiving a response from the card issuer authorization system; and

transmitting the response to the point of sale terminal.

13. The computer implemented method for conducting a stored value card transaction of embodiment 12, wherein the transaction request further comprises an activation request.

14. The computer implemented method for conducting a stored value card transaction of embodiment 12, wherein the transaction request further comprises a redemption request.

15. The computer implemented method for conducting a stored value card transaction of embodiment 12, 13, or 14 further comprising:



modifying the transaction request to include the value added award when the stored value card is determined to be eligible for the value added award; and

transmitting a modified transaction request to the card issuer authorization system.

16. The computer implemented method for conducting a stored value card transaction of embodiment 12, 13, 14, or 15, wherein the response comprises a reference to the value added award.

17. The computer implemented method for conducting a stored value card transaction of embodiment 12, 13, 14, 15, or 16, wherein the value added award comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

18. The computer implemented method for conducting a stored value card transaction of embodiment 17, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

19. The computer implemented method for conducting a stored value card transaction of embodiment 17, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

20. The computer implemented method for conducting a stored value card transaction of embodiment 12, 13, 14, 15, 16, 17, 18, or 19, wherein the value added award comprises a non-monetary redemption value.

21. The computer implemented method for conducting a stored value card transaction of embodiment 12, 13, 14, 15, 16, 17, 18, 19, or 20, further comprising reconciling accounts of card transaction interested parties.

22. The computer implemented method for conducting a stored value card transaction of embodiment 21, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

23. A stored value card transaction system comprising:

a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value differentiation, and conditions for redeeming the value differentiation;

a point of sale interface for receiving and transmitting a transaction message with a point of sale terminal;

a value added determination component to determine whether a stored value card is eligible for value differentiation and a type of value differentiation to be awarded to an account associated with a stored value card when the stored value card is eligible for the value differentiation;

a card issuer system interface for transmitting the transaction message to, and receiving a response to the transaction message from, the card issuer system;

an authorization component for authorizing the stored value card transaction.

24. The stored value card transaction system of embodiment 23, wherein the transaction message comprises an activation request.

25. The stored value card transaction system of embodiment 23, wherein the transaction message comprises a redemption request.

26. The stored value card transaction system of embodiment 23, 24, or 25 further comprising a message modification component for modifying messages to at least one of the point of sale terminal and the card issuer system to indicate information about the value differentiation associated with a stored value card transaction.

27. The stored value card transaction system of embodiment 23, 24, 25, or 26, wherein the response comprises a reference to the value differentiation.

28. The stored value card transaction system of embodiment 23, 24, 25, 26, or 27, wherein the value differentiation comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

29. The stored value card transaction system of embodiment 28, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

30. The stored value card transaction system of embodiment 28, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

31. The stored value card transaction system of embodiment 23, 24, 25, 26, 27, 28, 29, or 30, wherein the value differentiation comprises, and when applicable further comprises, a non-monetary redemption value.

32. The stored value card transaction system of embodiment 23, 24, 25, 26, 27, 28, 29, 30, or 31, further comprising a reconciliation component for reconciling accounts of card transaction interested parties.



33. The stored value card transaction system of embodiment 32, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

34. A stored value card transaction system comprising:

a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value added award, and conditions for redeeming the value added award;

a point of sale interface for receiving and transmitting a transaction message with a point of sale terminal;

a value added determination component to determine whether a stored value card is eligible for the value added award and a type of value added award to be awarded to an account associated with a stored value card when the stored value card is eligible for the value added award;

a card issuer system interface for transmitting the transaction message to, and receiving a response to the transaction message from, the card issuer system;

an authorization component for authorizing the stored value card transaction.

35. The stored value card transaction system of embodiment 34, wherein the transaction message comprises an activation request.

36. The stored value card transaction system of embodiment 34, wherein the transaction message comprises a redemption request.

37. The stored value card transaction system of embodiment 34, 35, or 36 further comprising a message modification component for modifying messages to at least one of the point of sale terminal and the card issuer system to indicate information about the value added award associated with a stored value card transaction.

38. The stored value card transaction system of embodiment 34, 35, 36, or 37, wherein the response comprises a reference to the value added award.

39. The stored value card transaction system of embodiment 34, 35, 36, 37, or 38, wherein the value added award comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

40. The stored value card transaction system of embodiment 39, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

41. The stored value card transaction system of embodiment 39, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.
42. The stored value card transaction system of embodiment 34, 35, 36, 37, 38, 39, 40, or 41, wherein the value added award comprises, and when applicable further comprises, a non-monetary redemption value.
43. The stored value card transaction system of embodiment 34, 35, 36, 37, 38, 39, 40, 41, or 42, further comprising a reconciliation component for reconciling accounts of card transaction interested parties.
44. The stored value card transaction system of embodiment 43, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.
45. A computer implemented method for conducting the stored value card transaction of embodiment 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, or 22, wherein the stored value card transaction request further comprises transaction information for at least two stored value cards.
46. The computer implemented method for conducting the stored value card transaction of embodiment 45, wherein the value differentiation, when present, is allocated equally between the at least two stored value cards.
47. The computer implemented method for conducting the stored value card transaction of embodiment 45, wherein the value differentiation, when present, is allocated disproportionately between the at least two stored value cards.
48. The computer implemented method for conducting the stored value card transaction of embodiment 46 or 47, wherein value differentiation allocation, when performed, is directed by card transaction interested parties, card purchasers, card redeemers, or a combination thereof.
49. The computer implemented method for conducting the stored value card transaction of embodiment 45, wherein the value added award, when present, is allocated equally between the at least two stored value cards.
50. The computer implemented method for conducting the stored value card transaction of embodiment 45, wherein the value added award, when present, is allocated disproportionately between the at least two stored value cards.



51. The computer implemented method for conducting the stored value card transaction of embodiment 46 or 47, wherein value added award allocation, when performed, is directed by card transaction interested parties, card purchasers, card redeemers, or a combination thereof.

52. The stored value card transaction system of embodiment 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, or 44, wherein the stored value card transaction system comprises a component for allocating, when present, an activation amount, a redemption amount, the value added award, the value differentiation, or combinations thereof across multiple stored value cards.

53. A computer implemented method for adding value to a stored value card in excess of the purchase price for the stored value card, comprising:

- receiving in a stored value card transaction processor an activation request for a stored value card from a point of sale terminal, wherein the activation request comprises an activation amount and at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;

- comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card to be activated is eligible for a value added award, wherein the stored value card datastore comprises a computer readable media;

- determining the value added award to be added to an account associated with the stored value card to be activated when the stored value card is determined to be eligible for the value added award;

- modifying the activation request to include the value added award when the stored value card is determined to be eligible for the value added award;

- transmitting the modified activation request to the card issuer authorization system;

- receiving an activation response from the card issuer authorization system; and

- transmitting the activation response to the point of sale terminal.

54. A stored value card transaction system for activating and redeeming stored value cards with value added bonuses, comprising:

- a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value added bonus, and conditions for redeeming a value added bonus;

a point of sale interface for receiving and transmitting activation and redemption messages with a point of sale terminal;

a value added determination component to determine whether a stored value card is eligible for a value added bonus and the type of value added bonus to be awarded to an account associated with a stored value card when the stored value card is eligible for a value added bonus;

a card issuer system interface for transmitting and receiving messages with a card issuer system;

a message modification component for modifying messages to one of the point of sale terminal and the card issuer system to indicate information about a value added bonus associated with one of an activation and a redemption of the stored value card; and

an authorization component for authorizing at least one of the awarding of a value added bonus, the redemption of a value added bonus, the activating of the stored value card, and the redemption of the stored value card.



## CLAIMS

What is claimed is:

1. A computer implemented method for conducting a stored value card transaction comprising:

receiving in a stored value card transaction computer a transaction request for a stored value card from a point of sale terminal, wherein the transaction request comprises at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;

comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card is eligible for a value differentiation;

determining the value differentiation to be attributed to an account associated with the stored value card when the stored value card is determined to be eligible for the value differentiation;

transmitting the transaction request to the card issuer authorization system;

receiving a response from the card issuer authorization system; and

transmitting the response to the point of sale terminal.

2. The computer implemented method for conducting a stored value card transaction of claim 1, wherein the transaction request further comprises an activation request.

3. The computer implemented method for conducting a stored value card transaction of claim 1, wherein the transaction request further comprises a redemption request.

4. The computer implemented method for conducting a stored value card transaction of claim 1, 2, or 3 further comprising:

modifying the transaction request to include the value differentiation when the stored value card is determined to be eligible for the value differentiation; and

transmitting a modified transaction request to the card issuer authorization system.

5. The computer implemented method for conducting a stored value card transaction of claim 1, 2, 3, or 4, wherein the response comprises a reference to the value differentiation.

6. The computer implemented method for conducting a stored value card transaction of claim 1, 2, 3, 4, or 5, wherein the value differentiation comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

7. The computer implemented method for conducting a stored value card transaction of claim 6, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

8. The computer implemented method for conducting a stored value card transaction of claim 6, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

9. The computer implemented method for conducting a stored value card transaction of claim 1, 2, 3, 4, 5, 6, 7, or 8, wherein the value differentiation comprises a non-monetary redemption value.

10. The computer implemented method for conducting a stored value card transaction of claim 1, 2, 3, 4, 5, 6, 7, 8, or 9, further comprising reconciling accounts of card transaction interested parties.

11. The computer implemented method for conducting a stored value card transaction of claim 10, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

12. A computer implemented method for conducting a stored value card transaction comprising:

receiving in a stored value card transaction computer a transaction request for a stored value card from a point of sale terminal, wherein the transaction request comprises at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;

comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card is eligible for a value added award;

determining the value added award to be attributed to an account associated with the stored value card when the stored value card is determined to be eligible for the value added award;

transmitting the transaction request to the card issuer authorization system;

receiving a response from the card issuer authorization system; and



transmitting the response to the point of sale terminal.

13. The computer implemented method for conducting a stored value card transaction of claim 12, wherein the transaction request further comprises an activation request.

14. The computer implemented method for conducting a stored value card transaction of claim 12, wherein the transaction request further comprises a redemption request.

15. The computer implemented method for conducting a stored value card transaction of claim 12, 13, or 14 further comprising:

modifying the transaction request to include the value added award when the stored value card is determined to be eligible for the value added award; and

transmitting a modified transaction request to the card issuer authorization system.

16. The computer implemented method for conducting a stored value card transaction of claim 12, 13, 14, or 15, wherein the response comprises a reference to the value added award.

17. The computer implemented method for conducting a stored value card transaction of claim 12, 13, 14, 15, or 16, wherein the value added award comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

18. The computer implemented method for conducting a stored value card transaction of claim 17, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

19. The computer implemented method for conducting a stored value card transaction of claim 17, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

20. The computer implemented method for conducting a stored value card transaction of claim 12, 13, 14, 15, 16, 17, 18, or 19, wherein the value added award comprises a non-monetary redemption value.

21. The computer implemented method for conducting a stored value card transaction of claim 12, 13, 14, 15, 16, 17, 18, 19, or 20, further comprising reconciling accounts of card transaction interested parties.

22. The computer implemented method for conducting a stored value card transaction of claim 21, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

23. A stored value card transaction system comprising:

a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value differentiation, and conditions for redeeming the value differentiation;

a point of sale interface for receiving and transmitting a transaction message with a point of sale terminal;

a value added determination component to determine whether a stored value card is eligible for value differentiation and a type of value differentiation to be awarded to an account associated with a stored value card when the stored value card is eligible for the value differentiation;

a card issuer system interface for transmitting the transaction message to, and receiving a response to the transaction message from, the card issuer system;

an authorization component for authorizing the stored value card transaction.

24. The stored value card transaction system of claim 23, wherein the transaction message comprises an activation request.

25. The stored value card transaction system of claim 23, wherein the transaction message comprises a redemption request.

26. The stored value card transaction system of claim 23, 24, or 25 further comprising a message modification component for modifying messages to at least one of the point of sale terminal and the card issuer system to indicate information about the value differentiation associated with a stored value card transaction.

27. The stored value card transaction system of claim 23, 24, 25, or 26, wherein the response comprises a reference to the value differentiation.

28. The stored value card transaction system of claim 23, 24, 25, 26, or 27, wherein the value differentiation comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

29. The stored value card transaction system of claim 28, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.

30. The stored value card transaction system of claim 28, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.

31. The stored value card transaction system of claim 23, 24, 25, 26, 27, 28, 29, or 30, wherein the value differentiation comprises, and when applicable further comprises, a non-monetary redemption value.



32. The stored value card transaction system of claim 23, 24, 25, 26, 27, 28, 29, 30, or 31, further comprising a reconciliation component for reconciling accounts of card transaction interested parties.

33. The stored value card transaction system of claim 32, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.

34. A stored value card transaction system comprising:

- a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value added award, and conditions for redeeming the value added award;

- a point of sale interface for receiving and transmitting a transaction message with a point of sale terminal;

- a value added determination component to determine whether a stored value card is eligible for the value added award and a type of value added award to be awarded to an account associated with a stored value card when the stored value card is eligible for the value added award;

- a card issuer system interface for transmitting the transaction message to, and receiving a response to the transaction message from, the card issuer system;

- an authorization component for authorizing the stored value card transaction.

35. The stored value card transaction system of claim 34, wherein the transaction message comprises an activation request.

36. The stored value card transaction system of claim 34, wherein the transaction message comprises a redemption request.

37. The stored value card transaction system of claim 34, 35, or 36 further comprising a message modification component for modifying messages to at least one of the point of sale terminal and the card issuer system to indicate information about the value added award associated with a stored value card transaction.

38. The stored value card transaction system of claim 34, 35, 36, or 37, wherein the response comprises a reference to the value added award.

39. The stored value card transaction system of claim 34, 35, 36, 37, or 38, wherein the value added award comprises a monetary redemption value amount for the stored value card that differs from a purchase price of the stored value card.

40. The stored value card transaction system of claim 39, wherein the monetary redemption value amount for the stored value card exceeds the purchase price of the stored value card.
41. The stored value card transaction system of claim 39, wherein the purchase price of the stored value card is less than the monetary redemption value for the stored value card.
42. The stored value card transaction system of claim 34, 35, 36, 37, 38, 39, 40, or 41, wherein the value added award comprises, and when applicable further comprises, a non-monetary redemption value.
43. The stored value card transaction system of claim 34, 35, 36, 37, 38, 39, 40, 41, or 42, further comprising a reconciliation component for reconciling accounts of card transaction interested parties.
44. The stored value card transaction system of claim 43, wherein the card transaction interested parties comprise card vendors, card merchants, card issuers, a stored value card transaction system administrator, and combinations thereof.
45. A computer implemented method for conducting the stored value card transaction of claim 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, or 22, wherein the stored value card transaction request further comprises transaction information for at least two stored value cards.
46. The computer implemented method for conducting the stored value card transaction of claim 45, wherein the value differentiation, when present, is allocated equally between the at least two stored value cards.
47. The computer implemented method for conducting the stored value card transaction of claim 45, wherein the value differentiation, when present, is allocated disproportionately between the at least two stored value cards.
48. The computer implemented method for conducting the stored value card transaction of claim 46 or 47, wherein value differentiation allocation, when performed, is directed by card transaction interested parties, card purchasers, card redeemers, or a combination thereof.
49. The computer implemented method for conducting the stored value card transaction of claim 45, wherein the value added award, when present, is allocated equally between the at least two stored value cards.



50. The computer implemented method for conducting the stored value card transaction of claim 45, wherein the value added award, when present, is allocated disproportionately between the at least two stored value cards.

51. The computer implemented method for conducting the stored value card transaction of claim 46 or 47, wherein value added award allocation, when performed, is directed by card transaction interested parties, card purchasers, card redeemers, or a combination thereof.

52. The stored value card transaction system of claim 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, or 44, wherein the stored value card transaction system comprises a component for allocating, when present, an activation amount, a redemption amount, the value added award, the value differentiation, or combinations thereof across multiple stored value cards.

53. A computer implemented method for adding value to a stored value card in excess of the purchase price for the stored value card, comprising:

- receiving in a stored value card transaction processor an activation request for a stored value card from a point of sale terminal, wherein the activation request comprises an activation amount and at least one of a card identification, a point of sale terminal identification, a vendor identification, a merchant identification, and a time of activation;

- comparing at least one of the card identification, the point of sale terminal identification, the vendor identification, the merchant identification, and the time of activation to stored data in a stored value card datastore to determine if the stored value card to be activated is eligible for a value added award, wherein the stored value card datastore comprises a computer readable media;

- determining the value added award to be added to an account associated with the stored value card to be activated when the stored value card is determined to be eligible for the value added award;

- modifying the activation request to include the value added award when the stored value card is determined to be eligible for the value added award;

- transmitting the modified activation request to the card issuer authorization system;

- receiving an activation response from the card issuer authorization system; and

- transmitting the activation response to the point of sale terminal.

54. A stored value card transaction system for activating and redeeming stored value cards with value added bonuses, comprising:

a datastore maintaining account information for a plurality of stored value cards, conditions for receiving a value added bonus, and conditions for redeeming a value added bonus;

a point of sale interface for receiving and transmitting activation and redemption messages with a point of sale terminal;

a value added determination component to determine whether a stored value card is eligible for a value added bonus and the type of value added bonus to be awarded to an account associated with a stored value card when the stored value card is eligible for a value added bonus;

a card issuer system interface for transmitting and receiving messages with a card issuer system;

a message modification component for modifying messages to one of the point of sale terminal and the card issuer system to indicate information about a value added bonus associated with one of an activation and a redemption of the stored value card; and

an authorization component for authorizing at least one of the awarding of a value added bonus, the redemption of a value added bonus, the activating of the stored value card, and the redemption of the stored value card.






Figure 1

2/9




Figure 2A

211




Figure 2B



3/9




Figure 3AA

4/9





Figure 3A



5/9

Figure 3B



6/9






Figure 4A



7/9



8/9





9/9




Figure 6




Figure 1