



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 394 241 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
03.03.2004 Bulletin 2004/10

(51) Int Cl.7: **C10M 135/16**

(21) Application number: **03254689.7**

(22) Date of filing: **28.07.2003**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**
Designated Extension States:
AL LT LV MK

(72) Inventor: **Mukkamala, Ravindranath
Lansdale, Pennsylvania 19446 (US)**


(74) Representative: **Kent, Venetia Katherine
Rohm and Haas (UK) Ltd
European Operations Patent Dept.
Lennig House
2 Mason's Avenue
Croydon, CR9 3NB (GB)**

(30) Priority: **07.08.2002 US 401540 P**

(71) Applicant: **ROHM AND HAAS COMPANY
Philadelphia, Pennsylvania 19106-2399 (US)**

(54) **Cyclic thioureas as additives for lubricating oils**

(57) A composition comprising: (a) from 0.1% to 20% of at least one cyclic thiourea compound of formula I:



wherein W is O or S; R¹ and R² independently are hydrogen, alkyl, alkenyl, aryl or aralkyl; R³ and R⁴ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl, or R³ and R⁴ groups combine with ring carbon atoms to which they are attached to form a five- to seven-membered heterocyclic ring; and (b) a lubricating oil.

EP 1 394 241 A1


DescriptionBackground

- 5 **[0001]** This invention relates generally to cyclic thioureas useful as additives for lubricating oils.
- [0002]** Zinc dialkyldithiophosphates (ZDDP) are widely used as lubricant additives. The principal disadvantages of these compounds are that an ash residue is produced by the zinc as the additive is consumed, and that phosphorus is known to affect the efficiency of catalytic converters in motor vehicles, thereby causing emissions problems. Cyclic thiourea compounds useful as lubricant additives are disclosed in U.S. Patent No. 5,935,913. However, the compounds
- 10 disclosed therein are not within the scope of the present invention.
- [0003]** The problem addressed by this invention is to find additional non-metallic, non-phosphorus-containing oil-soluble additives for lubricating oils.

Statement of Invention

- 15 **[0004]** The present invention is directed to a composition comprising:

(a) from 0.1% to 20% of at least one cyclic thiourea compound of formula I:



wherein W is O or S; R¹ and R² independently are hydrogen, alkyl, alkenyl, aryl or aralkyl; R³ and R⁴ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl, or R³ and R⁴ groups combine with ring carbon atoms to which they are attached to form a five- to seven-membered heterocyclic ring; and

(b) a lubricating oil.

35

- [0005]** The present invention is further directed to a method for improving the anti-wear characteristics of a lubricating oil by adding from 0.1% to 20% of a compound of formula I.


Detailed Description

- 40 **[0006]** All percentages are weight percentages based on the entire composition described, unless specified otherwise. An "alkyl" group is a saturated hydrocarbonyl group having from one to twenty-two carbon atoms in a linear, branched or cyclic arrangement, and having from 0 to 2 oxygen, nitrogen or sulfur atoms. Substitution on alkyl groups of one or more halo, hydroxy, alkoxy, alkanoyl or amido groups is permitted; alkoxy, alkanoyl and amido groups may in turn be
- 45 substituted by one or more halo substituents. In one preferred embodiment, alkyl groups contain from one to twelve carbon atoms and from 0 to 1 oxygen, nitrogen or sulfur atoms; in another preferred embodiment, alkyl groups contain from 12 to 22 carbon atoms, and more preferably, no heteroatoms. An "alkenyl" group is an "alkyl" group in which at least one single bond has been replaced with a double bond. An "aryl" group is a substituent derived from an aromatic compound, including heterocyclic aromatic compounds having heteroatoms chosen from among nitrogen, oxygen and sulfur. An aryl group has a total of from five to twenty ring atoms, and has one or more rings which are separate or fused. Substitution on aryl groups of one or more halo, alkyl, alkenyl, hydroxy, alkoxy, alkanoyl or amido groups is permitted, with substitution by one or more halo groups being possible on alkyl, alkenyl, alkoxy, alkanoyl or amido groups. An "aralkyl" group is an "alkyl" group substituted by an "aryl" group. A "lubricating oil" is a natural or synthetic
- 50 oil, or a mixture thereof, having suitable viscosity for use as a lubricant, e.g., as crankcase oil in an internal combustion engine, automatic transmission fluid, turbine lubricant, gear lubricant, compressor lubricant, metal-working lubricant, hydraulic fluid, etc.


- [0007]** In one embodiment of the invention, preferably formula (I) has R¹, R², R³ and R⁴ which independently are hydrogen, alkyl, alkenyl, aryl or aralkyl, i.e., the compound is not bicyclic. Preferably, R¹, R², R³ and R⁴ independently
- 55

are hydrogen, alkyl or alkenyl, more preferably at least one of R¹, R², R³ and R⁴ is C₆-C₂₂ alkyl or alkenyl, more preferably at least one of R¹, R², R³ and R⁴ is C₁₀-C₂₂ alkyl, and most preferably at least one of R¹, R², R³ and R⁴ is C₁₆-C₂₂ alkyl.


[0008] In another embodiment of the invention R³ and R⁴ groups in formula I combine with ring carbon atoms to which they are attached to form a five- to seven-membered heterocyclic ring. In a preferred embodiment R³ and R⁴ groups combine to form the following bicyclic system of formula (II):



wherein R⁵ and R⁶ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl. In a preferred embodiment of the invention, in which W is O, R¹ and R⁶ are the same, and R² and R⁵ are the same, the compound is a symmetric bicyclic compound of formula (III):



[0009] In one embodiment of the invention, a compound of formula (I) is prepared from a 2-amino alkyl nitrile and carbon disulfide, as shown below:




Preferably, R² is C₆-C₂₂ alkyl or alkenyl, more preferably C₁₀-C₂₂ alkyl, and most preferably C₁₆-C₂₂ alkyl. Preferably, R² is derived from an unsubstituted C₁₆-C₂₂ alkyl amine, R²NH₂, preferably one which is an oil-soluble amine. In one preferred embodiment, the alkyl amine is a tertiary alkyl primary amine, i.e., a primary amine in which the alkyl group is attached to the amino group through a tertiary carbon. Examples of commercially available tertiary alkyl primary amines are the PrimeneTM amines available from Rohm and Haas Company, Philadelphia, PA.

[0010] In one embodiment of the invention, a compound of formula (III) is prepared from a substituted thiourea and a di-ester of acetylenedicarboxylic acid, as shown below:

5

10




15 The R groups are alkyl, alkenyl, or aralkyl groups, preferably C₁-C₄ alkyl groups. Preferably, R¹ and R² are hydrogen, alkyl or alkenyl, more preferably at least one of R¹ and R² is C₆-C₂₂ alkyl or alkenyl, more preferably at least one of R¹ and R² is C₁₀-C₂₂ alkyl, and most preferably at least one of R¹ and R² is C₁₆-C₂₂ alkyl.

20

[0011] In one embodiment of the invention, a compound of formula (I) is prepared from a substituted thiourea and an ester of a α,β -unsaturated carboxylic acid, as shown below:

25

30



35 Preferably, R³ and R⁴ are hydrogen or C₁-C₄ alkyl. Preferably, R¹ and R² are hydrogen, alkyl or alkenyl, more preferably at least one of R¹ and R² is C₆-C₂₂ alkyl or alkenyl, more preferably at least one of R¹ and R² is C₁₀-C₂₂ alkyl, and most preferably at least one of R¹ and R² is C₁₆-C₂₂ alkyl.

[0012] Preferably, the compound(s) of formula (I) is present in a lubricating oil in a total amount of at least 0.2%, more preferably at least 0.3%, and most preferably at least 0.4%. Preferably, the compound(s) of formula (I) is present in a lubricating oil in a total amount no greater than 10%, more preferably no greater than 5%, and most preferably no greater than 2%. Preferably, the compounds are soluble at the aforementioned levels.


40 [0013] Optionally, other additives typically used in lubricating oils are present in the composition. Such additives include, but are not limited to, other anti-wear additives, anti-corrosion additives, dispersants, detergents, antioxidants, antifoamants, friction modifiers, seal swell agents, demulsifiers, viscosity index improvers and pour point depressants. Other anti-wear additives that can be used in combination with the compound of formula (I) include the commercial products known as ZDDP, which are zinc dialkyldithiophosphates. In addition to improving the anti-wear characteristics of lubricating oils, the compound of formula (I) typically also improves anti-corrosion characteristics and functions as an anti-oxidant.

50 Claims

1. A composition comprising:

(a) from 0.1% to 20% of at least one cyclic thiourea compound of formula I:

55



15 wherein W is O or S; R¹ and R² independently are hydrogen, alkyl, alkenyl, aryl or aralkyl; R³ and R⁴ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl, or R³ and R⁴ groups combine with ring carbon atoms to which they are attached to form a five- to seven-membered heterocyclic ring; and
 (b) a lubricating oil.

20 2. The composition of claim 1 in which W is O, and R¹, R², R³ and R⁴ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl.


25 3. The composition of claim 2 in which R¹, R², R³ and R⁴ independently are hydrogen or alkyl.

4. The composition of claim 3 in which at least one of R¹, R², R³ and R⁴ is C₆-C₂₂ alkyl.

5. The composition of claim 1 in which W is S, and R¹, R², R³ and R⁴ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl.

6. The composition of claim 1 in which R³ and R⁴ groups combine with ring carbon atoms to which they are attached to form a five- to seven-membered heterocyclic ring.

30 7. The composition of claim 6 in which the cyclic thiourea has formula



wherein R⁵ and R⁶ independently are hydrogen, alkyl, alkenyl, aryl or aralkyl.

45 8. The composition of claim 7 in which W is O, R¹ and R⁶ are the same, and R² and R⁵ are the same.

9. The composition of claim 8 in which R¹ and R² independently are hydrogen or alkyl.

50 10. The composition of claim 9 in which at least one of R¹ and R² is C₆-C₂₂ alkyl.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 25 4689

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 3 939 084 A (SULLIVAN JAMES D) 17 February 1976 (1976-02-17)	1,6	C10M135/16
Y	* column 15; table II *	1-10	
Y	--- US 4 189 587 A (LEE PETER I ET AL) 19 February 1980 (1980-02-19)	1-10	
D,Y	--- WO 00 53703 A (UNIROYAL CHEM CO INC) 14 September 2000 (2000-09-14)	1-10	
Y	--- US 3 901 815 A (REALE JR JOHN) 26 August 1975 (1975-08-26)	1-10	

The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 20 November 2003	Examiner Steendijk, M
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03 82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 03 25 4689

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

20-11-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 3939084	A	17-02-1976	BE 696664 A	05-10-1967
			DE 1644909 A1	19-05-1971
			ES 338687 A1	01-04-1968
			FR 1517601 A	15-03-1968
			GB 1188813 A	22-04-1970
			GB 1192910 A	28-05-1970
			IL 27743 A	28-01-1971
			NL 6704601 A	09-10-1967
			US 3591500 A	06-07-1971
			US 3752764 A	14-08-1973
			US 3759829 A	18-09-1973
			US 3788992 A	29-01-1974
US 4189587	A	19-02-1980	DE 2814256 A1	12-10-1978
			FR 2386602 A1	03-11-1978
			JP 53137961 A	01-12-1978
WO 0053703	A	14-09-2000	US 5935913 A	10-08-1999
			AU 760946 B2	22-05-2003
			AU 3854800 A	28-09-2000
			BR 9914574 A	30-10-2001
			CA 2346485 A1	14-09-2000
			CN 1326497 T	12-12-2001
			EP 1124920 A1	22-08-2001
			JP 2002538287 A	12-11-2002
			WO 0053703 A1	14-09-2000
			US 3901815	A