

(19)
(12)(KR)
(A)(51) 。 Int. Cl. ⁷
B27N 3/04(11)
(43)2002 - 0007276
2002 01 26(21) 10 - 2001 - 0088861
(22) 2001 12 31

(71) 1 1 1 507

(72) 1 1 1 507

:

(54)

2

가 가 , ,

, , , 가 가 , , ,

가

가

, ,

가

가

가

가

20

가

가

가

가

가

가

603782

3978

179

가

가 가

2

2
가

가 가

가

가

가

가

0.2wt%
가 0.5g/cm³

50wt%
3g/cm³

가

50wt%

98wt%

0.1wt%

20wt%

%

98wt%
0.1wt%

20wt%,

가

가

1wt%

98wt%,
0.2wt% 50wt%,

가 1wt

가	가	가	0wt%	10wt%
---	---	---	------	-------

•

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

가 가 .

10 100 2 20
, , 가 가

Figure 1: Schematic representation of the experimental design. The figure shows a timeline of events for two groups: 1wt% and 70wt%. Group 1 (1wt%) includes a '1' at the start, followed by '2' and '3' at later points. Group 2 (70wt%) includes '1' and '2' at the start, followed by '3' and '4' at later points. A legend indicates that '1' represents '1wt%' and '2' represents '70wt%'.

0.1wt% 50wt%

1 2

1wt% 40wt%
1wt% 10wt%
1

가 .

가

30, 가 10 95 1
5% 30%

(web) 가

가 . 가

[illegible]

가 가 .

(57)

1.

가	50wt%	98wt%	가	0.2wt%	50w
t%		0.1wt%	20wt%	가 0.5g/cm3	3g/cm3

2.

1	가	1wt%	98wt%,	가 1wt%	98wt%
	가	0.2wt%	50wt%,		0.1wt%
t%, 가	0wt%	10wt%			20w

3.

1 2 2 가 , , , , , , ,

, , , , , , , , , , , ,

가 가 , 가 ,

4.

[illegible]


5.

2 가 4 , , , , , , 가 가


6.

$$2 \quad \text{가} \quad \text{가} \quad \text{가}$$

1



2



3

