



(72) DUBBERKE, Karin, US

(71) SOCIETE DES PRODUITS NESTLE S.A., CH

(51) Int.Cl.⁶ A23G 1/00, A23G 9/02

(30) 1998/03/12 (09/042,687) US

(54) **CHOCOLAT A TENEUR REDUITE EN GRAS**

(54) **REDUCED FAT AGGLOMERATED CHOCOLATE**

(57) A low fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate and a reduced fat milk chocolate bar comprising a mixture of from 60 to 90% of a reduced fat chocolate containing less than 27% fat and from 40 to 10% of a reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate. The products have a unique crunchy texture, melt easily and have a smooth texture in the mouth.

ABSTRACT

A low fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate and a reduced fat milk chocolate bar comprising a mixture of from 60 to 90% of a reduced fat chocolate containing less than 27% fat and from 40 to 10% of a reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate. The products have a unique crunchy texture, melt easily and have a smooth texture in the mouth.

REDUCED FAT AGGLOMERATED CHOCOLATE

FIELD OF THE INVENTION

5 The present invention relates to a reduced fat agglomerated chocolate and to a process for its preparation.

BACKGROUND OF THE INVENTION

10 Conventional milk chocolate contains about 30-31% fat. It may contain more or less but rarely less than 27% fat. Calorie-conscious consumers demand a chocolate with lower calories and one way of reducing the calories in chocolate is by reducing the fat content. However, there are technical difficulties in reducing the fat content of milk chocolate causing the quality, taste and texture to be
15 inferior to that of conventional milk chocolate. For example, reduced fat milk chocolates usually give a dry and coarse mouthfeel and the viscosity is too high for normal handling during preparation.

In my co-pending Patent Application (NO6240/GF), the entirety of which is
20 hereby incorporated by reference, I have described a reduced fat milk chocolate which has the same or better physical characteristics such as texture, mouthfeel (lubrication), snap, viscosity, handling (tempering, mould, enrobing), and gloss than a conventional milk chocolate , e.g. containing 30-31% by weight fat.

25 The reduced fat chocolate described in the above co-pending Patent Application is obtained by preparing a powdered premix of substantially all the non-fat ingredients (non-fat dry milk, non-fat cocoa powder and sucrose), adding up to 96% of the fat containing ingredients (cocoa butter, milk fat, cocoa liquor and up to 60% of the total lecithin) to the powdered premix and mixing to give a mass
30 containing from 18% to 24% by weight fat based on the total weight of the mass, refining the mass on refining rollers to give a particle size of from 25 to 35 microns, adding the remainder of the fat containing ingredients and lecithin, conching and tempering to give a reduced fat milk chocolate containing less than 27% by weight of fat.

SUMMARY OF THE INVENTION

I have now found that if water is added to the above refined mass of milk chocolate ingredients having a particle size of from 25 to 35 microns containing
5 from 18% to 24% by weight fat based on the total weight of the refined mass and freeze drying the mass, an agglomerated chocolate having an average particle size up to 5mm is produced which surprisingly has a crunchy and light texture as well as having a unique eating sensation which melts easily and is smooth in the mouth.

10

According to the present invention there is provided a reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18% to 24% by weight fat based on the total weight of the chocolate.

15

DETAILED DESCRIPTION OF THE INVENTION

The average particle size of the agglomerate is preferably from 1 to 4mm, especially from 2 to 3mm.

20

The amount of fat contained in the reduced fat agglomerated chocolate is preferably from 19 to 20% by weight fat based on the total weight of the chocolate.

25

The reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18% to 24% by weight fat based on the total weight of the chocolate may be produced by preparing a powdered premix of substantially all the non-fat ingredients, adding up to 96% of the fat containing ingredients to the powdered premix and mixing to give a mass containing from 18% to 24% by weight fat based on the total weight of the mass, refining the mass on refining
30 rollers to give a particle size of from 25 to 35 microns, adding water to the refined mass and mixing to form a homogeneous mass, freezing the mass, grinding the frozen mass into pieces having an average particle size of up to 30mm, and freeze drying the pieces to give the reduced fat agglomerated chocolate.

35

The non-fat ingredients are conveniently non-fat dry milk, non-fat cocoa powder and sucrose, preferably used in conventional proportions, e.g. from about 7.5 to

22.5% by weight of non-fat dry milk, from about 1 to 5% by weight of non-fat cocoa powder and from about 40-55% by weight of sucrose.

Conveniently, lecithin is added to the powdered premix with the fat containing ingredients, preferably in an amount of up to 60% and more preferably from 20 to 40% by weight of the total lecithin normally used in a milk chocolate, e.g. 0.05 to 0.2% by weight based on the weight of the chocolate.

The fat containing ingredients are conveniently cocoa butter, milk fat, cocoa liquor.

The fat containing ingredients may be added in conventional proportions, e.g. from about 10 to 25% by weight of cocoa butter, 3 to 7% by weight of milk fat and from 5 to 15% by weight of cocoa liquor. Preferably, the fat containing ingredients are blended before adding to the premix.

The mass containing from 18% to 24% by weight fat based on the total weight of the mass, may be refined on 2, 3, or 5-roll refiners.

The amount of water added water to the refined mass is preferably from 10 to 50%, more preferably from 20 to 40% and especially from 25 to 35% by weight based on the weight of the refined mass. Preferably, the refined mass and water are mixed until a smooth homogeneous mass is obtained. The duration of the mixing may be, for example, from 2 to 60 minutes, preferably from 5 to 40 minutes and more preferably from 10 to 30 minutes.

After mixing the refined mass and water, the homogeneous mass is advantageously laid out in a sheet before being frozen. The thickness of the sheet may be from 5mm to 40mm and preferably from 7.5 to 15mm. The frozen mass is preferably ground into pieces having an average particle size of from 1 to 6mm.

The freeze drying may be carried out by any conventional freeze drying process under high vacuum, usually less than 5mmHg to give the reduced fat agglomerated chocolate.

The reduced fat agglomerated chocolate is extremely versatile and can be used as a finished product or as an ingredient. Examples of possible applications for the reduced fat agglomerated chocolate are as follows:

- 5 - in confectionery and chocolate inclusions or centers using larger pieces, for example, making 10 to 40mm agglomerates which can be enrobed with chocolate or making 100mm long sticks as a center for a candy bar. The characteristics are a unique light crunchy texture which melts like chocolate.
- 10 - ice cream inclusions or toppings for instance, for desserts, ice cream and cakes, etc.
- dry ice cream coating. The characteristics are a different appearance, crunchy pieces and reduced fat.
- 15 - hot "real chocolate" mix. The characteristics are rich mouthfeel and flavor without adding milk.
- out of the bag morsels with added vitamins and minerals (using larger
20 agglomerates of from, for example, 10 to 40mm.
- in admixture with any other kind of chocolate in any proportions.

25 In particular, the reduced fat agglomerated chocolate may be added to a reduced fat chocolate such as described in my co-pending Patent Application (NO6240/GF) and molded into a bar to give a crunchy chocolate bar having a reduced fat content and a unique crunchy texture and which melts easily giving a desirable soft mouthfeel.

30 Accordingly, the present invention also provides a reduced fat chocolate bar comprising a mixture of from 60 to 90% of a reduced fat chocolate containing less than 27% fat and from 40 to 10% of a reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate.

The reduced fat chocolate is preferably a product obtainable by a process as described and claimed in my co-pending Patent Application (NO6240/GF).

5 Preferably, the reduced fat chocolate bar comprises a mixture of from 75 to 85% of the reduced fat chocolate containing less than 27% fat and from 25 to 15% of the reduced fat agglomerated chocolate

10 The present invention further provides a process for preparing a reduced fat milk chocolate bar which comprises preparing a reduced fat agglomerated chocolate by the hereinbefore described process of the present invention, mixing from 10 to 40% by weight of the reduced fat agglomerated chocolate with from 90 to 60% of a tempered reduced fat chocolate containing less than 27% fat and molding the mixture into the reduced fat milk chocolate bar

15 The tempered reduced fat chocolate is obtained by preparing a powdered premix of substantially all the non-fat ingredients, adding up to 96% of the fat containing ingredients to the powdered premix and mixing to give a mass containing from 18 to 24% by weight fat based on the total weight of the mass, refining the mass on refining rollers to give a particle size of from 25 to 35 microns, adding the
20 remainder of the fat containing ingredients and lecithin, conching, tempering to give a reduced fat chocolate containing less than 27% by weight of fat. Further details of the preparation of the reduced fat chocolate are described in my copending Patent Application (NO6240/GF).

25 EXAMPLES

The following Examples further illustrate the present invention. Parts and percentages are given by weight.

30 Example 1

PREPARATION OF THE LOW FAT AGGLOMERATED CHOCOLATE

35 50.16 parts of sucrose, 18.72 parts of skimmed milk powder and 1.51 parts of non-fat cocoa powder are blended in a Hobart mixer to form a premix. 10.01 parts of cocoa liquor, 15.17 parts of deodorized cocoa butter and 4.11 parts of anhydrous

milk fat are mixed in a Hobart mixer to give a fat blend. 77% of the fat blend together with 0.1 parts of lecithin are added to the premix and the whole blended in a Hobart mixer to give a mass containing 19.15% fat. The mass is refined on a 3-roll refiner to give a refined reduced fat material having a particle size of 29
5 microns.

Water is added to the refined reduced fat material in an amount of 30% and mixed for 10 minutes to give a smooth homogeneous mass. The mass is laid out in a sheet having a thickness of 10 to 20mm which is then frozen. The frozen mass is
10 ground into pieces having an average particle size of 2.5mm which are then freeze-dried under a vacuum of less than 5mm Hg to give dry agglomerates of chocolate having a fat content of 19.15% and an average particle size of 2.5mm.

The freeze dried chocolate contains 54.15 parts sucrose, 20.21 parts skimmed milk powder, 10.80 parts cocoa liquor, 13.11 parts of cocoa butter and milk fat, 1.63
15 parts of non-fat cocoa powder and 0.11 parts lecithin.

The agglomerates have a crunchy and light texture, they melt easily and are smooth in the mouth giving a unique eating sensation.

20

Example 2

PREPARATION OF A REDUCED FAT CRUNCHY MILK CHOCOLATE BAR

50.16 parts of sucrose, 18.72 parts of skimmed milk powder and 1.51 parts of non-fat cocoa powder are blended in a Hobart mixer to form a premix. 10.01 parts of cocoa liquor, 15.17 parts of deodorized cocoa butter and 4.11 parts of anhydrous milk fat are mixed in a Hobart mixer to give a fat blend. 77% of the fat blend together with 0.1 parts of lecithin are added to the premix and the whole blended
30 in a Hobart mixer to give a mass containing 19.15% fat.

The mass is refined on a 3-roll refiner to give a refined reduced fat material having a particle size of 29 microns. The refined reduced fat material is loaded into the conche, together with a further 17% of the total fat blend and 0.03parts of lecithin.
35 The material is conched at 178°F (80°C) for 5.5 hours and then the remainder of the fat blend, 0.17 parts of lecithin and 0.02 parts of vanillin is added and the

whole material conched for a further 0.5 hours, and finally tempered to give a reduced fat chocolate having a fat content of 25.41%.

5 25 parts of the agglomerates prepared in Example 1 (75% of which have an average particle size of 2.36-3.36mm and 25% of which have an average particle size larger than 3.36mm) are added to 75 parts of the above tempered reduced fat chocolate. The materials are mixed together in a bowl to avoid damaging the agglomerates and then molded into a chocolate bar to give a milk chocolate having a fat content of 23.83%.

10

The crunchy chocolate bar has a unique crunchy texture and which melts easily giving a desirable soft mouthfeel.

CLAIMS

1. A reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate.
2. A reduced fat agglomerated chocolate according to claim 1 wherein the average particle size of the agglomerate is from 1 to 4mm.
3. A reduced fat agglomerated chocolate according to claim 1 wherein the amount of fat contained in the chocolate is from 19 to 20% by weight based on the total weight of the chocolate.
4. A process of preparing a reduced fat agglomerated chocolate having an average particle size up to 5mm and containing from 18 to 24% by weight fat based on the total weight of the chocolate which comprises preparing a powdered premix of substantially all the non-fat ingredients, adding up to 96% of the fat containing ingredients to the powdered premix and mixing to give a mass containing from 18 to 24% by weight fat based on the total weight of the mass, refining the mass on refining rollers to give a particle size of from 25 to 35 microns, adding water to the refined mass and mixing to form a homogeneous mass, freezing the mass, grinding the frozen mass into pieces having an average particle size of up to 10mm, and freeze drying the pieces to give the low fat agglomerated chocolate.
5. A process according to claim 4 wherein the non-fat ingredients are non-fat dry milk, non-fat cocoa powder and sucrose.
6. A process according to claim 4 wherein lecithin is added to the powdered premix with the fat containing ingredients in an amount of up to 60% by weight of the total lecithin normally used in a milk chocolate.
7. A process according to claim 4 wherein the fat containing ingredients are cocoa butter, milk fat, cocoa liquor.

8. A process according to claim 4 wherein the amount of water added to the refined mass is from 10 to 50% by weight based on the weight of the refined mass.
9. A process according to claim 4 wherein the refined mass and water are mixed
5 until a smooth homogeneous mass is obtained.
10. A process according to claim 4 wherein the duration of the mixing is from 2 to 60 minutes.
- 10 11. A process according to claim 4 wherein after mixing the refined mass and water, the homogeneous mass is laid out in a sheet and then frozen.
12. A process according to claim 4 wherein the frozen mass is ground into pieces having an average particle size of from 1 to 6mm.
- 15 13. A confectionery or chocolate product containing a reduced fat agglomerated chocolate according to claim 1 as inclusions or centers.
14. A dessert, ice cream or cake containing a reduced fat agglomerated chocolate
20 according to claim 1 as inclusions or a topping.
15. An ice cream provided with a reduced fat agglomerated chocolate according to claim 1 as a dry coating.
- 25 16. A hot "real chocolate" mix comprising a reduced fat agglomerated chocolate according to claim 1.
17. Chocolate morsels comprising a reduced fat agglomerated chocolate according to claim 1 with added vitamins and minerals .
- 30 18. A mixture comprising a reduced fat agglomerated chocolate according to claim 1 with any other chocolate.
19. A reduced fat milk chocolate bar comprising a mixture of from 60 to 90% of a
35 reduced fat chocolate containing less than 27% fat and from 40 to 10% of a reduced fat agglomerated chocolate having an average particle size up to 5mm and

containing from 18 to 24% by weight fat based on the total weight of the chocolate.

- 5 20. A process for preparing a reduced fat milk chocolate bar which comprises preparing a reduced fat agglomerated chocolate by a process according to claim 4 and mixing from 10 to 40% by weight of the low fat agglomerated chocolate with from 90 to 60% of a tempered reduced fat chocolate containing less than 27% fat and molding the mixture into the reduced fat milk chocolate bar
- 10 21. A process according to claim 20 wherein the reduced fat chocolate is obtained by preparing a powdered premix of substantially all the non-fat ingredients, adding up to 96% of the fat containing ingredients to the powdered premix and mixing to give a mass containing from 18 to 24% by weight fat based on the total weight of the mass, refining the mass on refining rollers to give a particle size of
- 15 from 25 to 35 microns, adding the remainder of the fat containing ingredients and lecithin, conching, tempering to give a reduced fat milk chocolate containing less than 27% by weight of fat.