

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 237 372 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
04.09.2002 Bulletin 2002/36

(51) Int Cl.7: **H04N 7/16, H04N 7/173,
H04N 5/445**

(21) Application number: 02011429.4

(22) Date of filing: 13.05.1999

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

(72) Inventor: **The designation of the inventor has not
yet been filed**

(30) Priority: 15.05.1998 US 85750 P
25.08.1998 US 139777

(74) Representative: **Hibbert, Juliet Jane Grace et al
Kilburn & Strode,
20 Red Lion Street
London WC1R 4PJ (GB)**

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
99924223.3 / 1 078 525

Remarks:

This application was filed on 24 - 05 - 2002 as a
divisional application to the application mentioned
under INID code 62.

(71) Applicant: **United Video Properties, Inc.
Tulsa, OK 74136 (US)**

(54) **Interactive television program guide system for determining user values for demographic categories**

(57) A system for targeting actions to a user of an interactive television program guide, characterised by:

user television equipment on which the interactive television program guide is implemented, wherein the user television equipment is configured to receive a plurality of demographic categories associated with a plurality of program guide actions, preselected values being associated with the demographic categories that are associated with each program guide action, utilize user input to the inter-

active television program guide to determine user values for the plurality of demographic categories, store the user values, and compare the preselected values for the demographic categories associated with the actions with the stored user values of corresponding demographic categories to determine which actions should be taken in the interactive television program guide.

EP 1 237 372 A1

DescriptionBackground of the Invention

5 **[0001]** This invention relates to interactive television program guides, and more particularly, to an interactive television program guide system for determining user values for demographic categories such that the determined values can be utilized for specified uses, such as for targeting advertisements.

[0002] Cable, satellite, and broadcast television systems provide viewers with a large number of television channels. (A substantive discussion on the various issues relating to increasing the programming capacity of television program delivery systems is provided in Hendricks et al. U.S. Patent 5,559,549.) Viewers have traditionally consulted printed television program schedules to determine the programs being broadcast at a particular time. More recently, interactive electronic television program guides have been developed that allow television program information to be displayed on a viewer's television.

10 **[0003]** Interactive program guides are typically implemented on set-top boxes. Such program guides allow users to view television program listings in different display formats. For example, a user may instruct the program guide to display a grid of program listings organized in a channel-ordered or a time-ordered list. Users may also search and sort program listings by theme (e.g., movies, sports, etc.) or by title (i.e., alphabetically). A user may obtain additional information for a program by placing a highlight region on a desired program listing and pressing an "info" button. The user may purchase a pay program from the program guide by placing the highlight region on a program listing and pressing an "OK" button. Some systems allow the user to select a program for recording by placing the highlight region on a program listing and pressing a "record" button.

15 **[0004]** The user's interactions with the program guide are indicative of the user's interests. For example, if the user purchases a pay-per-view movie, making that purchase shows that the user is interested in movies of that type. Searching for program listings in the category "sports" indicates that the user is interested in sports. Although the user's interactions with the program guide indicate the user's interests, previously known program guide systems did not monitor or use this information.

20 **[0005]** In commonly-assigned co-pending U.S. patent application No. 09/034,939, filed March 4, 1998, which is incorporated herein by reference in its entirety, there is described a program guide system for determining a user's interests by monitoring the user's interactions with the program guide. The '939 application also describes utilizing the user's interests to present advertisements or to take actions in the program guide.

25 **[0006]** It would be desirable to be able to provide a systematic approach for categorizing user information into demographic categories that could then be used for specified purposes, such as for targeting advertisements or taking certain actions in the program guide. As used throughout in the present application, "demographic categories" means categories of user information, such as income, age, hobbies, etc., which serve as a basis for identification and selection. Advantages that would be offered by such a systematic approach include greater effectiveness and less cost in achieving a specified purpose. For example, to target advertisements, the use of demographic categories means more effective targeting of advertisements and consequently lower costs. Advertisers could select demographic categories to ensure that the advertisements target only those users who would most likely be interested in the products or services they offer.

30 **[0007]** It is therefore an object of the present invention to provide a program guide system which categorizes information obtained from a user's interaction with the program guide into demographic categories. Another object of the invention is to determine user values for the demographic categories. Still another object of the invention is to provide an interactive television program guide system which determines user values for the demographic categories such that advertisers can select specific demographic categories of significance to ensure that the products or services they offer will be targeted to those users who will most likely be interested in purchasing the products or services.

Summary of the Invention

35 **[0008]** This and other objects of the invention are accomplished in accordance with the principles of the present invention by an interactive television program guide system for determining user input values for demographic categories. The system includes user television equipment having a receiver for receiving program guide information for the interactive television program guide, a user input receiver for receiving user input from user interface, such as a remote control, a microprocessor which utilizes the user input received to determine user values for demographic categories, and memory for storing the user values determined.

40 **[0009]** In one illustrative use of the system for targeting advertisements to a user of the interactive television program guide, the receiver also receives advertisements, where the advertisements have preselected values for specified demographic categories. The user television equipment, preferably using microprocessor, compares the preselected values for the specified demographic categories associated with the advertisements with values of corresponding

demographic categories stored in memory to determine which advertisements should be displayed. Those advertisements determined to be displayable based upon the comparison are then displayed.

[0010] Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

5

Brief Description of the Drawings

[0011]

10 FIG. 1 is a diagram of an illustrative system for targeting advertisements to a user of an interactive television program guide in accordance with the present invention.

FIG. 2 is a list of ten exemplary demographic categories and their values, as well as preselected values for two advertisements received by the user television equipment of FIG. 1 in accordance with the present invention.

15 FIG. 3 is a table showing four exemplary user inputs and their predetermined weight values to be utilized by the user television equipment of FIG. 1 to determine values for demographic categories in accordance with the present invention.

FIG. 4 is a table showing exemplary demographic categories and preselected value and weight factor for each of the channels to be utilized by the user television equipment of FIG. 1 to determine values for demographic categories in accordance with the present invention.

20 FIG. 5 is a flowchart showing steps involved in displaying advertisements based on demographic information in accordance with the present invention.

Detailed Description of the Preferred Embodiments

25 [0012] An illustrative program guide system 30 for use in targeting advertisements to specified users in accordance with the present invention is shown in FIG. 1. Although the specified purpose for which user demographic information is to be utilized is illustratively shown to be for targeting advertisements, it will be apparent to one skilled in the art that user demographic information may also be used for other specified purposes.

30 [0013] A main facility 32 includes a program guide database 34 for storing program guide information, such as television program guide listings data, pay-per-view ordering information, television program promotional information, etc. The main facility 32 also includes an advertising database 36 for storing advertising information. Information from databases 34 and 36 may be transmitted to a television distribution facility 38 via communications link 40. There are typically numerous television distribution facilities 38 to which information from main facility 32 is transmitted in parallel, although only one such television distribution facility 38 is shown in FIG. 1 to avoid over-complicating the drawings.

35 Link 40 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or any other suitable communications path. If it is desired to transmit video signals (e.g., for advertising and promotional videos) over link 40 in addition to data signals, a relatively high bandwidth link such as a satellite link is generally preferable to a relatively low bandwidth link such as a telephone line.

40 [0014] The television distribution facility 38 is a facility for distributing television signals to users, such as a cable system headend, a broadcast distribution facility, or a satellite television distribution facility.

[0015] The program guide information transmitted by the main facility 32 to the television distribution facility 38 includes television program listings data, such as program times, channels, titles, descriptions, etc. Transmitted program information also includes pay program data, such as pricing information for individual programs and subscription channels, time windows for ordering programs and channels, telephone numbers for placing orders that cannot be impulse ordered, etc. The advertising information transmitted by the main facility 32 to the television distribution facility 38 includes text, graphics, video and/or other (e.g., audio) advertisements for various products and services. As will be described in greater detail later, the advertising information may also include preselected values for demographic categories associated with each advertisement.

50 [0016] If desired, some of the program guide and advertising information may be provided using data sources at facilities other than the main facility 32. For example, data related to pay program order processing (e.g., billing data and the like) may be generated by an order processing and billing system that is separate from the main facility 32 and separate from the television distribution facility 38.

Similarly, advertising information may be generated by an advertising facility that is separate from the main facility 32 and the television distribution facility 38.

55 [0017] Regardless of its source, advertising information may be maintained on a server 42 within the television distribution facility 38, if desired. Server 42 may be capable of handling text, graphics, and video.

[0018] Television distribution facility 38 distributes program guide and advertising information to user television equipment 44 via communications paths 46. User television equipment may include a set-top box or may be an advanced

television receiver or personal computer television (PC/TV), if desired. Each communications path 46 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or any other suitable communications path. Program guide data may be distributed over an out-of-band channel on path 46, an in-band digital channel, or any other suitable technique. Advertising information may be distributed using any of a number of suitable techniques. For example, text and graphics advertisements may be distributed over an out-of-band channel using an out-of-band modulator. Video advertisements may also be distributed in this manner, although large quantities of video information may be more efficiently distributed using one or more digital channels on path 46. Such digital channels may also be used for distributing text and graphics.

[0019] Each user has a receiver unit, which is typically a set-top box 48, but which may be other suitable television equipment into which set-top box functionality as will be described herein has been integrated. Program guide data is distributed to the set-top boxes 48 periodically. The television distribution facility 38 may also poll the set-top boxes 48 periodically for certain information (e.g., pay program account information or information regarding programs that have been purchased and viewed using locally-generated authorization techniques).

[0020] Each set-top box 48 is typically connected to an optional videocassette recorder 50 so that selected television programs may be recorded. The videocassette recorder 50 is connected to a television 52. To record a program, the set-top box 48 tunes to a particular channel and sends control signals to the videocassette recorder 50 (e.g., using an infrared transmitter) that directs the videocassette recorder 50 to start and stop recording at appropriate times.

[0021] An interactive television program guide is implemented on user television equipment 44 (e.g., on set-top box 48). During use of the interactive television program guide implemented on the set-top box 48, television program listings may be displayed on the television 52. Each set-top box 48, videocassette recorder 50, and television 52 may be controlled by one or more remote controls 54 or any other suitable user input interface, such as a wireless keyboard, mouse, trackball, dedicated set of buttons, etc.

[0022] The set-top box 48 includes a microprocessor 60, a user input receiver 62, and memory 64. Other components of the set-top box which are needed for implementing a program guide are not specifically described herein since they are not part of the present invention. The user input receiver 62 receives user input from remote control 54 or other user input interfaces. For example, if user input is to be transmitted by an infrared remote control signal, then the user input receiver would be an infrared signal receiver. As will be described in greater detail later, the microprocessor 60 utilizes the user input signals received by the user input receiver 62 to calculate values for different demographic categories.

[0023] The microprocessor 60 also compares the values of the relevant demographic categories for the user stored in memory 64 with the preselected values associated with each advertisement received by the set-top box 48 to determine whether the advertisement is to be displayed on the television 52. Memory 64, which is preferably non-volatile memory, stores values of the demographic categories for the user. Memory 64 may also store information necessary to calculate the values of the demographic categories for the user. For example, memory 64 may store information such as the likelihood that a viewer watching the ESPN channel is a fan of sports. Such information may also be stored in another memory electrically coupled to the microprocessor 60.

[0024] FIG. 2 is a sample list of the demographic categories and the values of the demographic categories for the user stored in memory 64. FIG. 2 also shows the preselected values for two advertisements received by the set-top box 48. Under the demographic categories heading, there are shown ten exemplary predefined demographic categories. These categories are: (1) sports fan, (2) science fiction fan, (3) parent, (4) dog-lover, (5) cat-lover, (6) annual income over \$20,000, (7) annual income over \$30,000, (8) annual income over \$50,000, (9) female age range of 20-35, and (10) male age range of 18-40.

[0025] The value for each of the demographic categories is from 0 to 1. Zero indicates that the user does not fit the demographic category (or the probability that the user fits the category is zero). One indicates that the user fully fits the demographic category (or the probability that the user fits the category is one). Any value between 0 and 1 indicates that the user partially fits the demographic category, with a higher number indicating a correspondingly better fit. The selection of this range is not significant and any other range (e.g., 1-10) or representation of the demographic information (e.g., codes, tags, characters or the like) may be used to carry out the objects of the present invention. The determination of the values for the demographic categories will be described later.

[0026] For the exemplary user of FIG. 2, the values for the demographic categories indicates that the user is a male in the age group of 18-40, his annual income is over \$20,000 but not over \$30,000, he is an unmitigated sports fan, and he is a greater cat-lover (0.7 value) than a dog-lover (0.5 value).

[0027] Advertisement #1, which for purposes of illustration only will be assumed to be for a sports utility vehicle, has preselected values of at least 0.5 for the sports fan demographic category and 1 for the annual income over \$30,000 demographic category. Note that FIG. 2 is not necessarily indicative of what a real advertiser of sports utility vehicles would select in terms of values or even demographic categories, but is suitable for purposes of illustration. The 0.5 preselected value for the sports fan category means that the advertiser desires to target advertisement #1 to someone who is at least moderately interested in sports. In addition, the advertiser desires to target someone who is at least

making \$30,000 a year. Since the user in the example of FIG. 2 does not fit the income category, advertisement #1 would not be displayed on the user's television 52.

[0028] Advertisement #2, which for purposes of illustration only will be assumed to be for beer, has preselected values of at least 0.7 for the sports fan demographic category and 1 for the male in the age group of 18-40 demographic category. The 0.7 preselected value for the sports fan category means that the advertiser desires to target advertisement #2 to someone who has at least fairly significant interest in sports. In addition, the advertiser desires to target someone who is a male in the age group of 18-40. Since the user in FIG. 2 fits both categories as demonstrated by the values, advertisement #2 would be displayed on the user's television 52.

[0029] The value for each demographic category is reflective of the characteristics of the user. There are many different ways to calculate or determine values for such demographic categories. Any suitable technique for generating information representing the demographic characteristics of the user may be used if desired. For example, demographic information on users may be gathered using surveys (on-line, telephone, door-to-door, mail, program-guide-based, etc.) or other type of market research. The following describes one suitable technique for calculating or determining the values for the demographic categories based on user inputs in the program guide.

[0030] User inputs received by the user input receiver 62 have predetermined weight values (WV) associated with them. In FIG. 3, there are shown four such exemplary user inputs with corresponding weight values (the selection of value range 0-1 for the weight values is not significant in and of itself): recording a program with weight value of 1.0; setting a reminder with weight value of 0.5; tuning to a program and watching for at least five minutes with weight value of 0.5; and retrieving information about a program with weight value of 0.25. The weight values are indicative of the effect the corresponding user inputs have on the values of the demographic categories. The greater the weight value of a user input, the greater the values of the demographic categories associated with such user input. Therefore, according to the example of FIG. 3, a user who records a program will have greater values for the pertinent demographic categories than she will retrieving information about the same program. This is because the act of recording a program generally indicates a greater level of interest in the program than just retrieving information for the program.

[0031] Each channel and program having a bearing on at least one of the demographic categories may have a preselected value (PV) for each demographic category associated with it. This preselected value is indicative of the channel or program's indication of how well a user fits the demographic category. For example as shown in FIG. 4, the ESPN channel may have a preselected value of 0.95 (from value range of 0-1) associated with the sports fan demographic category since there is a very strong likelihood that a viewer of ESPN is a sports fan. However, the ESPN channel may have a preselected value of 0.5 associated with the cat-lover demographic category since there likely is not a strong connection between the two. The preselected values may be determined from research, survey, poll, or any other reliable means. Again, it should be noted that the selection of value range 0-1 for the preselected values is not significant in and of itself.

[0032] There is preferably a default value assigned for each demographic category. For example, the sports fan demographic category may have a default value of 0.5. The default value may represent the value for a "typical" user and is utilized in calculating the value of the demographic category for the user as will be discussed below.

[0033] Each demographic category may have a period (P), which is the minimum number of user inputs necessary before the demographic category value is deemed to be meaningful and reflective of the user. For example, the sports fan demographic category may have a period of five.

[0034] Each channel or program having a preselected value for an associated demographic category may have a predetermined weight factor (WF). For example, the ESPN channel may have a weight factor of 2 for the sports fan demographic category as shown in FIG. 4. The weight factor represents the significance of the channel or program relative to the period for the demographic category.

[0035] For each user input involving a relevant channel or program, the value for a demographic category is as follows:

$$V_d(i) = \frac{(WV * WF * PV) + ((P - (WV * WF)) * V_d(i-1))}{P}$$

$V_d(i-1)$ is the previous value for the demographic category and i represents the number of user inputs. Where $i=1$ (i.e., the first user input involving a relevant channel or program associated with the demographic category), the $V_d(i-1)$ used above is the default value for the demographic category. It should be noted that any other equation or function which properly reflects the user's interests based on user inputs into the system can be used to determine values for demographic categories in accordance with the present invention.

[0036] As an example, the determination of value for the sports fan demographic category given three user inputs is described. Let's assume that the three user inputs are as follows: (1) retrieve information about a sporting event on ESPN; (2) tune in and watch ESPN for at least five minutes; and (3) record a sporting event from ESPN. Using the

values set forth in the examples provided above and in FIG. 3.

$$V_{\text{sports fan}}(1) = \frac{(0.25 * 2 * 0.95) + ((5 - 0.25 * 2) * 0.5)}{5}$$

$$= (0.475 + 2.25) / 5 = 0.545$$

$$V_{\text{sports fan}}(2) = \frac{(0.5 * 2 * 0.95) + ((5 - 0.5 * 2) * 0.545)}{5}$$

$$= (0.95 + 2.18) / 5 = 0.626$$

$$V_{\text{sports fan}}(3) = \frac{(1 * 2 * 0.95) + ((5 - 1 * 2) * 0.626)}{5}$$

$$= (1.9 + 1.878) / 5 = 0.7556$$

[0037] After the three user inputs involving ESPN, the value of the sports fan demographic category is 0.7556, indicating that the user is very much a sports fan. However, because there have only been three user inputs received and the predefined period for the sports fan demographic category is five, the calculated value may not be significant enough for purposes of targeting advertisements (note that the calculated value may still be used if desired). If the calculated value is not to be used for this reason, then the default value may be used instead.

[0038] It is preferable to target advertisements to users based on current user information. Therefore, the present invention provides a decay function to "refresh" the values of the demographic categories for the user on a periodic basis, such as every seven days, or based on a specified number of user inputs.

[0039] As an example, let's assume that the value for the sports fan demographic category stored in memory 64 is 0.8 and the decay function refreshes the value for the sports fan demographic category every seven days during which no input action has been received. If it has been seven days since the last user input affecting the sports fan demographic category has been received, the decay function will refresh the value for the sports fan category to a predetermined value, such as the default value for the demographic category. The decay function may also use the formula given above for $v_d(i)$, with different values/parameters. Note that it is preferable to have the microprocessor 60 perform the decay function.

[0040] In FIG. 2, there is illustrated what may be called the threshold approach of targeting advertisements to users. That is, if the preselected value(s) of a demographic category for an advertisement is met by the value of the demographic category for the user, then the advertisement is displayed to the user by the program guide.

[0041] Another approach of targeting advertisements to users may be called the best fit or closest approach. In this approach, the "closeness" of the preselected values of the demographic categories for an advertisement is determined from the values of the demographic categories for the user. This closeness may be determined by, for example, calculating the absolute difference between the preselected value and the user value for each demographic category, and then adding all of the absolute differences. Root-mean-square may also be used. The best fit approach is particularly useful where it is desired to select the advertisement(s) to be displayed from among many advertisements transmitted to the user's set-top box.

[0042] It should be noted that the values of the demographic categories may be based on user information from an external source. For example, if the user's annual income is determined from publicly available information or from a form filled out by the user, then this information can be transmitted to the set-top box and stored in memory.

[0043] In the illustrative program guide system 30 of FIG. 1, the set-top box 48 calculates values for the demographic

categories, stores the calculated values and other information necessary to calculate the values, and compares the values of the relevant demographic categories for the user with the preselected values associated with each advertisement to determine whether the advertisement is to be displayed. The program guide system of the present invention can be modified in a manner apparent to those skilled in the art reading the description herein such that any of these operations performed of the set-top box can be performed instead at the television distribution facility 38 or the main facility 32 or at any other location (not shown in FIG. 1).

[0044] Steps involved in displaying advertisements based on demographic information are shown in FIG. 5. At step 66, demographic category information for the user is determined using a suitable technique such as a survey, or by monitoring the user's actions with the program guide and calculating the demographic category information based upon the user's actions and preselected information stored in memory. At step 68, the demographic category information that is representative of the user's demographic profile is stored in the user's television equipment 44. At step 70, advertisements with associated demographic category information (representative of the audiences to which the advertisers desire to target the advertisements) are distributed to the user television equipment (e.g., by transmission from main facility 32 and distribution via television distribution facility 38). At step 72, the program guide determines which advertisements are to be displayed for the user by comparing the demographic category information associated with the advertisements with the user's demographic category information.

[0045] The foregoing is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

[0046] The system for targeting advertisements to a user of an interactive television program guide, may comprise:

user television equipment, including:

a receiver for receiving television program guide information and advertisements for said interactive television program guide, said advertisements having preselected values for specified demographic categories;

a user input receiver for receiving user input;

a microprocessor which utilizes said user input received to determine user values for demographic categories; and memory for storing said user values for the demographic categories; and

said user television equipment comparing said preselected values for specified demographic categories associated with said advertisements with values of corresponding demographic categories stored in said memory to determine which advertisements should be displayed by said interactive television program guide.

[0047] The memory may be non-volatile memory.

[0048] The user television equipment may further comprise a remote control for transmitting user input for reception by said user input receiver.

[0049] The comparison of said preselected values with said values stored in memory may be performed by said microprocessor.

[0050] The method for targeting advertisements to a user of an interactive television program guide, may comprise:

receiving advertisements for said interactive television program guide, said advertisements having preselected values for specified demographic categories;

receiving user input from user interface;

determining user values for demographic categories utilizing said user input;

storing said user values determined for the demographic categories;

comparing said preselected values for specified demographic categories associated with said advertisements with stored values of corresponding demographic categories to determine which advertisements should be displayed by said interactive program guide; and

displaying the advertisements determined to be displayable based upon the comparison.

[0051] The method may further comprise storing information concerning television channels and programs necessary for determining values for demographic categories.

[0052] Determining user values for demographic categories may further comprise providing to each television channel and program having a bearing on at least one demographic category a predetermined value indicative of said channel or program's indication of how well the user fits said demographic category.

[0053] Determining user values for demographic categories may further comprise providing to said user input a weight value indicative of the effect said user input has on the user values for the demographic categories.

[0054] Default values for the demographic categories may be provided.

[0055] Determining user values for demographic categories may further comprise providing a period for each demo-

graphic category.

[0056] A decay procedure may be used to refresh user values for demographic categories.

[0057] A method for targeting advertisements to a user of an interactive television program guide, may comprise:

- 5 providing user television equipment for receiving television program guide information and advertisements for said interactive television program guide, said advertisements having preselected values for specified demographic categories:
- receiving user input;
- calculating user values for demographic categories utilizing said user input;
- 10 storing said user values calculated; and comparing said preselected values for specified demographic categories associated with said advertisements with stored user values of corresponding demographic categories to determine which advertisements should be displayed.

[0058] A system for selectively displaying advertisements to users of user television equipment on which an interactive television program guide is implemented, may comprise:

- means for determining demographic category data for each user individually;*
- means for storing said demographic category data for each user in said user television equipment of that user;*
- 20 *means for receiving advertisements and associated demographic category data with said user television equipment; and*
- means for displaying certain ones of the advertisements for each user with said interactive television program guide based on a comparison between said demographic category data for the user and said demographic category data associated with said advertisements.*

[0059] A method for selectively displaying advertisements to users of user television equipment on which an interactive television program guide is implemented may comprise:

- determining demographic category data for each user individually;
- storing said demographic category data for each user in said user television equipment of that user;
- 30 receiving advertisements and associated demographic category data with said user television equipment;
- comparing between said demographic category data for the user and said demographic category data associated with said advertisements; and
- displaying certain ones of the advertisements for each user with said interactive television program guide based on the comparison.

[0060] An interactive television program guide system for determining user values for demographic categories, may comprise:

- User television equipment, including:
- 40 a receiver for receiving television program guide information for said interactive television program guide;
- a user input receiver for receiving user input;
- a microprocessor which utilizes said user input received to determine user values for demographic categories; and
- 45 memory for storing said user values for the demographic categories.

[0061] The user television equipment may further comprise a remote control for transmitting user input for reception by said user input receiver.

50 **Claims**

1. A system for targeting actions to a user of an interactive television program guide, **characterised by:**
- 55 user television equipment on which the interactive television program guide is implemented, wherein the user television equipment is configured to receive a plurality of demographic categories associated with a plurality of program guide actions, preselected values being associated with the demographic categories that are associated with each program guide action, utilize user input to the interactive television program guide to de-

termine user values for the plurality of demographic categories, store the user values, and compare the preselected values for the demographic categories associated with the actions with the stored user values of corresponding demographic categories to determine which actions should be taken in the interactive television program guide.

- 5
2. The system of claim 1, wherein the user television equipment comprises a memory on which the user values are stored.
- 10 3. The system of claim 1 or 2, wherein the user television equipment comprises a remote control with which the user transmits the user input for the interactive television program guide to the user television equipment.
4. The system of claim 1, 2 or 3, wherein the user television equipment comprises a microprocessor for determining the user values from the user input and for comparing the preselected values with the user values.
- 15 5. The system of any preceding claim, wherein the user television equipment is further configured to use preselected demographic category data associated with each television channel and program having a bearing on at least one of the plurality of demographic categories in determining the user values.
- 20 6. The system of any preceding claim, wherein each user input that is received by the user television equipment has a corresponding weight value that is used in determining the user values.
7. The system of any preceding claim, wherein the user television equipment is further configured to use default values associated with the demographic categories when determining user values.
- 25 8. The system of any preceding claim, wherein each demographic category is associated with a period, wherein the period is a minimum number of user inputs necessary before the user value determined by the user television equipment for that demographic category is deemed to be meaningful and reflective of the user.
- 30 9. The system of any preceding claim, wherein the user television equipment is further configured to periodically refresh the user values for the demographic categories to a predetermined refresh value.
10. A method for targeting actions to a user of an interactive television program guide implemented on user television equipment, **characterized by:**
- 35 receiving a plurality of demographic categories associated with a plurality of program guide actions;
preselected values being associated with the demographic categories that are associated with each program guide action;
receiving user input for the interactive television program guide;
determining user values for the plurality of demographic categories using the user input to the interactive
40 television program guide;
storing the user values; and
comparing the preselected values for the demographic categories associated with the actions with the stored user values of corresponding demographic categories in selecting the actions to be displayed in the interactive television program guide.
- 45 11. The method of claim 10, wherein the storing of the user values comprises storing the user values on a memory in the user television equipment.
- 50 12. The method of claim 10 or 11, further **characterized by** using a remote control to transmit the user input for the interactive television program guide to the user television equipment.
13. The method of claim 10, 11 or 12, wherein the determining of the user values comprises using a microprocessor on the user television equipment for determining the user values using the user input and for comparing the preselected values with the user values.
- 55 14. The method of any of claims 10 to 13, wherein the determining of the user values comprises using preselected demographic category data associated with each television channel and program having a bearing on at least one of the plurality of demographic categories.

15. The method of any of claims 10 to 14, wherein the determining of the user values comprises using weight values that correspond to the user inputs.
- 5 16. The method of any of claims 10 to 15, wherein the determining of the user values comprises using default values associated with the demographic categories.
- 10 17. The method of any of claims 10 to 16, wherein the determining of the user values comprises using a period associated with each of the demographic categories, wherein the period is indicative of a minimum number of user inputs necessary before the user value is deemed to be meaningful and reflective of the user.
- 15 18. The method of any of claims 10 to 17, further **characterized by** periodically refreshing the user values for the demographic categories to a predetermined refresh value.

15

20

25

30


35

40

45

50

55



| DEMOGRAPHIC CATEGORIES | VALUE | PRESELECTED VALUE ADVERTISEMENT 1 | PRESELECTED VALUE ADVERTISEMENT 2 |
|-------------------------------|-------|--------------------------------------|--------------------------------------|
| ① SPORTS FAN | 1 | 0.5 | 0.7 |
| ② SCIENCE FICTION FAN | 0.7 | | |
| ③ PARENT | 0 | | |
| ④ DOG-LOVER | 0.5 | | |
| ⑤ CAT-LOVER | 0.7 | | |
| ⑥ ANNUAL INCOME OVER \$20,000 | 1 | | |
| ⑦ ANNUAL INCOME OVER \$30,000 | 0 | 1 | |
| ⑧ ANNUAL INCOME OVER \$50,000 | 0 | | |
| ⑨ FEMALE AGE 20-30 | 0 | | |
| ⑩ MALE AGE 18-40 | 1 | | 1 |

FIG. 2

| USER INPUT | WEIGHT VALUE |
|-----------------------------------|--------------|
| ① RECORD PROGRAM | 1.0 |
| ② SET REMINDER | 0.5 |
| ③ TUNE/WATCH MINIMUM 5 MINUTES | 0.5 |
| ④ RETRIEVE INFORMATION | 0.25 |

FIG. 3

DEMOGRAPHIC CATEGORIES

| CHANNEL | SPORTS FAN | | SCIENCE FICTION FAN | | ... |
|-------------|------------------------|--------------------|------------------------|--------------------|-----|
| | PRESELECTED VALUE (PV) | WEIGHT FACTOR (WF) | PRESELECTED VALUE (PV) | WEIGHT FACTOR (WF) | |
| ESPN | 0.95 | 2 | 0.6 | 1.5 | |
| CHANNEL XYZ | 0.5 | 1 | 0.8 | 1.8 | |
| ⋮ | | | | | |

FIG. 4




FIG. 5



European Patent Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 01 1429

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|---|--|--|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int.Cl.7) |
| Y | WO 97 49242 A (HUNWICH KEITH ; SCHEIN STEVEN (US); ALBA THERESA (US); FOLKER DAVID) 24 December 1997 (1997-12-24) | 1, 10 | H04N7/16 H04N7/173 H04N5/445 |
| A | * page 4, line 21 - page 8, line 23 * | 2-9, 11-18 | |
| Y | WO 97 17774 A (SEIKO COMMUNICATIONS SYSTEMS I) 15 May 1997 (1997-05-15) | 1, 10 | |
| A | * page 3, line 7 - page 5, line 2 * | 2-9, 11-18 | |
| A | EP 0 725 539 A (SONY CORP) 7 August 1996 (1996-08-07) | 1-18 | TECHNICAL FIELDS SEARCHED (Int.Cl.7) H04N |
| A | * column 2, line 15 - column 3, line 34 * | | |
| A | US 5 579 055 A (CHRISTENSEN JAN L ET AL) 25 November 1996 (1996-11-26) | 1-18 | |
| | * column 2, line 58 - column 3, line 9 * | | |
| The present search report has been drawn up for all claims | | | |
| Place of search BERLIN | | Date of completion of the search 9 July 2002 | Examiner Greve, M |
| CATEGORY OF CITED DOCUMENTS | | <ul style="list-style-type: none"> T: theory or principle underlying the invention E: earlier patent document, but published on or after the filing date D: document cited in the application I: document cited for other reasons A: member of the same patent family, corresponding document | |
| <ul style="list-style-type: none"> A: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document | | | |

EP 02 01 1429 A1 (2.02)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 01 1429

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

09-07-2002

| Patent document cited in search report | | Publication date | | Patent family member(s) | Publication date |
|---|---|---------------------|----|----------------------------|---------------------|
| WO 9749242 | A | 24-12-1997 | US | 6323911 B1 | 27-11-2001 |
| | | | US | 6075575 A | 13-06-2000 |
| | | | AU | 3223097 A | 07-01-1998 |
| | | | WO | 9749242 A1 | 24-12-1997 |
| | | | US | 2002019981 A1 | 14-02-2002 |
| | | | US | 6151356 A | 21-11-2000 |
| WO 9717774 | A | 15-05-1997 | AU | 7606696 A | 29-05-1997 |
| | | | WO | 9717774 A1 | 15-05-1997 |
| EP 0725539 | A | 07-08-1996 | JP | 8279966 A | 22-10-1996 |
| | | | EP | 0725539 A2 | 07-08-1996 |
| | | | US | 5903314 A | 11-05-1999 |
| US 5579055 | A | 26-11-1996 | AU | 6963894 A | 03-01-1995 |
| | | | EP | 0702316 A1 | 27-03-1995 |
| | | | JP | 8511140 T | 19-11-1996 |
| | | | JP | 2001309320 A | 02-11-2001 |
| | | | WO | 9429811 A1 | 22-12-1994 |

For more details about this annex, see Official Journal of the European Patent Office, No. 12/82

用來測定用戶值來進行統計分類的 交互性電視節目指導系統

撮 錄

一種對交互性電視節目指導用戶靶向作用的系統，其特徵在於：執行交互性電視節目指導的用戶電視設備，其中將用戶電視設備配置成能接收許多與許多節目指導行為有關的統計分類，與每一個節目指導行為有關的統計分類有關的預選值，利用用戶輸入所述的交互電視節目指導以判斷許多統計分類的用戶值，儲存這些用戶值，並將與這些行為有關的統計分類的預選值同儲存相應的統計分類用戶值比較，以判斷在交互電視節目指導中如何採取行動。