



(11)

EP 2 325 199 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
25.05.2011 Bulletin 2011/21

(51) Int Cl.:
C07K 14/51 (2006.01) A61K 38/10 (2006.01)
A61K 38/17 (2006.01)

(21) Application number: **10014362.7**

(22) Date of filing: **28.04.2006**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR
Designated Extension States:
AL BA HR MK YU

(30) Priority: **03.05.2005 US 677583 P**
24.02.2006 US 776847 P
13.03.2006 US 782244 P
17.04.2006 US 792645 P
25.04.2006 US 411003

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:
06751903.3 / 1 891 101

(71) Applicants:
• **UCB Pharma S.A.**
1070 Brussels (BE)
• **Amgen, Inc**
Thousand Oaks, CA 91320-1799 (US)

(72) Inventors:
• **Paszty, Christopher**
Ventura, CA 93003 (US)
• **Robinson, Martyn Kim**
Harvey Hill, Woodburn Green
Buckinghamshire
HP10 0JH (GB)
• **Graham, Kevin**
Thousand Oaks, CA 91362 (US)

- **Henry, Alistair James**
Uxbridge
Middlesex UB 8 2LX (GB)
- **Hoffmann, Kelly Sue**
Newbury Park, CA 91320 (US)
- **Latham, John**
Seattle, WA 98119 (US)
- **Lawson, Alastair**
Slough
Berkshire SL1 3WE (GB)
- **Lu, Hsieng Sen**
Westlake Village, CA 91362 (US)
- **Winters, Aaron George**
Ventura, CA 93001 (US)
- **Winkler, David**
Arlington, MA 02476-7326 (US)
- **Shen, Wenyan**
Thousand Oaks, CA 91362 (US)
- **Popplewell, Andy**
Slough
Berkshire SL1 3WE (GB)

(74) Representative: **Campbell, Patrick John Henry**
J.A. Kemp & Co.
14 South Square
Gray's Inn
London WC1R 5JJ (GB)

Remarks:

This application was filed on 08-11-2010 as a divisional application to the application mentioned under INID code 62.

(54) **Sclerostin binding agents**

(57) Compositions and methods relating to epitopes of sclerostin protein, and sclerostin-binding agents, such as antibodies capable of binding to sclerostin, are provided.




Figure 5

Description

TECHNICAL FIELD

- 5 **[0001]** The present invention relates generally to epitopes of sclerostin protein, including human sclerostin protein, and binding agents (such as antibodies) capable of binding to sclerostin or fragments thereof.

BACKGROUND OF THE INVENTION

- 10 **[0002]** Two or three distinct phases of changes to bone mass occur over the life of an individual (*see* Riggs, West J. Med. 154:63-77 (1991)). The first phase occurs in both men and women and proceeds to attainment of a peak bone mass. This first phase is achieved through linear growth of the endochondral growth plates and radial growth due to a rate of periosteal apposition. The second phase begins around age 30 for trabecular bone (flat bones such as the vertebrae and pelvis) and about age 40 for cortical bone (*e.g.*, long bones found in the limbs) and continues to old age.
- 15 This phase is characterized by slow bone loss and occurs in both men and women. In women, a third phase of bone loss also occurs, most likely due to postmenopausal estrogen deficiencies. During this phase alone, women may lose an additional bone mass from the cortical bone and from the trabecular compartment (*see* Riggs, *supra*).

- [0003]** Loss of bone mineral content can be caused by a wide variety of conditions and may result in significant medical problems. For example, osteoporosis is a debilitating disease in humans and is characterized by marked decreases in skeletal bone mass and mineral density, structural deterioration of bone, including degradation of bone microarchitecture and corresponding increases in bone fragility (*i.e.*, decreases in bone strength), and susceptibility to fracture in afflicted individuals. Osteoporosis in humans is generally preceded by clinical osteopenia (bone mineral density that is greater than one standard deviation but less than 2.5 standard deviations below the mean value for young adult bone), a condition found in approximately 25 million people in the United States. Another 7-8 million patients in the United States have been diagnosed with clinical osteoporosis (defined as bone mineral content greater than 2.5 standard deviations below that of mature young adult bone). The frequency of osteoporosis in the human population increases with age. Among Caucasians, osteoporosis is predominant in women who, in the United States, comprise 80% of the osteoporosis patient pool. The increased fragility and susceptibility to fracture of skeletal bone in the aged is aggravated by the greater risk of accidental falls in this population. Fractured hips, wrists, and vertebrae are among the most common injuries associated with osteoporosis. Hip fractures in particular are extremely uncomfortable and expensive for the patient, and for women, correlate with high rates of mortality and morbidity.

- [0004]** Although osteoporosis has been regarded as an increase in the risk of fracture due to decreased bone mass, few of the presently available treatments for skeletal disorders can increase the bone density of adults, and most of the presently available treatments work primarily by inhibiting further bone resorption rather than stimulating new bone formation. Estrogen is now being prescribed to retard bone loss. However, some controversy exists over whether patients gain any long-term benefit and whether estrogen has any effect on patients over 75 years old. Moreover, use of estrogen is believed to increase the risk of breast and endometrial cancer. Calcitonin, osteocalcin with vitamin K, or high doses of dietary calcium, with or without vitamin D, have also been suggested for postmenopausal women. High doses of calcium, however, often have undesired gastrointestinal side effects, and serum and urinary calcium levels must be continuously monitored (*e.g.*, Khosla and Riggs, Mayo Clin. Proc. 70:978982, 1995).

- [0005]** Other current therapeutic approaches to osteoporosis include bisphosphonates (*e.g.*, Fosamax[™], Actonel[™], Bonviva[™], Zometa[™], olpadronate, neridronate, skelid, bonefos), parathyroid hormone, calcilytics, calcimimetics (*e.g.*, cinacalcet), statins, anabolic steroids, lanthanum and strontium salts, and sodium fluoride. Such therapeutics, however, are often associated with undesirable side effects (*see* Khosla and Riggs, *supra*).

- 45 **[0006]** Sclerostin, the product of the SOST gene, is absent in sclerosteosis, a skeletal disease characterized by bone overgrowth and strong dense bones (Brunkow et al., Am. J. Hum. Genet., 68:577-589, 2001; Balemans et al., Hum. Mol. Genet., 10:537-543, 2001). The amino acid sequence of human sclerostin is reported by Brunkow *et al. ibid* and is disclosed herein as SEQ ID NO:1.

50 BRIEF SUMMARY OF THE INVENTION

- [0007]** Disclosed herein are compositions and methods that can be used to increase at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength, and that therefore may be used to treat a wide variety of conditions in which an increase in at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength is desirable. The present invention also offers other related advantages described herein.

- [0008]** The invention relates to regions (epitopes) of human sclerostin recognized by the binding agents disclosed herein, methods of using these epitopes, and methods of making such epitopes.

[0009] The invention also relates to epitopes specific to the region of sclerostin identified as Loop 2, and binding agents which specifically bind to that region.

[0010] The invention also relates to epitopes specific to the cystine-knot region of sclerostin, and binding agents such as antibodies specifically binding to that region.

[0011] The invention relates to binding agents, such as antibodies, that specifically bind to sclerostin. The binding agents can be characterized by their ability to cross-block the binding of at least one antibody disclosed herein to sclerostin and/or to be cross-blocked from binding sclerostin by at least one antibody disclosed herein. The antibodies and other binding agents can also be characterized by their binding pattern to human sclerostin peptides in a "human sclerostin peptide epitope competition binding assay" as disclosed herein.

[0012] The invention relates to binding agents, such as antibodies, that can increase at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength in a mammal.

[0013] The invention relates to binding agents, such as antibodies, that can block the inhibitory effect of sclerostin in a cell based mineralization assay.

[0014] The invention further relates to polypeptide constructs comprising two, three, or four polypeptide fragments linked by at least one disulfide bond, representing a core region of the cystine-knot of sclerostin, and antibodies capable of specifically binding thereto.

[0015] The invention relates to methods of obtaining epitopes suitable for use as immunogens for generating, in mammals, binding agents, such as antibodies capable of binding specifically to sclerostin; in certain embodiments the binding agents generated are capable of neutralizing sclerostin activity *in vivo*.

[0016] The invention relates to a composition for eliciting an antibody specific for sclerostin when the composition is administered to an animal, the composition comprising a polypeptide having the amino acid sequence of SEQ ID NO: 6, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, or SEQ ID NO:69.

[0017] The invention also relates to a composition for eliciting an antibody specific for sclerostin when the composition is administered to an animal, the composition comprising at least one polypeptide consisting essentially of the amino acid sequence of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 or SEQ ID NO:5; the composition may comprise at least two or at least three of the amino acid sequences of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 and SEQ ID NO:5, and the composition may comprise all four of the amino acid sequences of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 and SEQ ID NO:5.

[0018] The invention further relates to a composition for eliciting an antibody specific for sclerostin when the composition is administered to an animal, the composition comprising a polypeptide having the amino acid sequences of SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4 and SEQ ID NO:5, wherein SEQ ID NO:2 and 4 are joined by a disulfide bond at amino acid positions 57 and 111 with reference to SEQ ID NO:1, and SEQ ID NO:3 and 5 are joined by at least one of (a) a disulfide bond at amino acid positions 82 and 142 with reference to SEQ ID NO: 1, and (b) a disulfide bond at amino acid positions 86 and 144 with reference to SEQ ID NO:1; the polypeptide may retain the tertiary structure of the corresponding polypeptide region of human sclerostin of SEQ ID NO:1.

[0019] The invention also relates to polypeptide T20.6 consisting essentially of a multiply truncated human sclerostin protein of SEQ ID NO:1, wherein amino acids 1-50, 65-72, 91-100, 118-137, and 150-190 of SEQ ID NO:1 are absent from the polypeptide; this polypeptide may be obtained by tryptic digestion of human sclerostin, and the protein may be isolated by HPLC fractionation.

[0020] The invention further relates to immunogenic portion T20.6 of human sclerostin comprising amino acids 51-64, 73-90, 101-117, and 138-149 of SEQ ID NO:1, wherein the immunogenic portion comprises at least one of:

- (a) a disulfide bond between amino acids 57 and 111;
- (b) a disulfide bond between amino acids 82 and 142; and
- (c) a disulfide bond between amino acids 86 and 144;

the immunogenic portion may have at least two of these disulfide bonds; and the immunogenic portion may have all three disulfide bonds.

[0021] The invention further relates to an immunogenic portion T20.6 derivative of human sclerostin comprising amino acids 57-64, 73-86, 111-117, and 138-144 of SEQ ID NO:1, wherein the immunogenic portion comprises at least one of:

- (a) a disulfide bond between amino acids 57 and 111;
- (b) a disulfide bond between amino acids 82 and 142; and
- (c) a disulfide bond between amino acids 86 and 144;

the immunogenic portion may have at least two of these disulfide bonds; and the immunogenic portion may have all three disulfide bonds.

[0022] The invention yet further relates to a polypeptide consisting essentially of a human sclerostin protein of SEQ

ID NO:1 truncated at the C-terminal and N-terminal ends, wherein amino acids 1-85 and 112-190 of SEQ ID NO:1 are absent from the polypeptide.

[0023] The invention also relates to an immunogenic portion of human sclerostin, comprising amino acids 86-111 of SEQ ID NO:1; the immunogenic portion may consist essentially of contiguous amino acids CGPARLLPNAIGRGKW-WRPSGPDFRC (SEQ ID NO:6).

[0024] The invention further relates to an immunogenic portion of rat sclerostin, comprising amino acids 92-109 of SEQ ID NO:98; the immunogenic portion may consist essentially of contiguous amino acids PNAIGRVKWWRPNGPDFR (SEQ ID NO:96).

[0025] The invention still further relates to an immunogenic portion of rat sclerostin, comprising amino acids 99-120 of SEQ ID NO:98; the immunogenic portion may consist essentially of contiguous amino acids KWWRPNGPDFRCIP-DRYRAQRV (SEQ ID NO:97).

[0026] The invention relates to a method of producing an immunogenic portion of human sclerostin, comprising the steps of:

- (a) treating human sclerostin to achieve complete tryptic digestion;
- (b) collecting the tryptic digest sample having average molecular weight of 7,122.0 Daltons (theoretical mass 7121.5 Daltons) or retention time of about 20.6 minutes as determined by elution from a reverse-phase HPLC column with linear gradient from 0.05% trifluoroacetic acid to 90% acetonitrile in 0.05% TFA at a flow rate of 0.2ml/min; and
- (c) purifying the immunogenic portion.

[0027] The invention relates to a method of generating an antibody capable of specifically binding to sclerostin, comprising:

- (a) immunizing an animal with a composition comprising a polypeptide of SEQ ID NO:6, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:96, or SEQ ID NO:97;
- (b) collecting sera from the animal; and
- (c) isolating from the sera an antibody capable of specifically binding to sclerostin.

[0028] The invention also relates to a method of generating an antibody capable of specifically binding to sclerostin, the method comprising:

- (a) immunizing an animal with a composition comprising polypeptide T20.6 or a derivative of T20.6;
- (b) collecting sera from the animal; and
- (c) isolating from the sera an antibody capable of specifically binding to sclerostin.

[0029] The invention further relates to a method of detecting an anti-sclerostin antibody in a biological sample, comprising the steps of

- (a) contacting the biological sample with a polypeptide consisting essentially of SEQ ID NO:6, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:96, or SEQ ID NO:97 under conditions allowing a complex to form between the antibody and the polypeptide; and
- (b) detecting the presence or absence of the complex,

wherein the presence of the complex indicates that the biological sample contains an anti-sclerostin antibody.

[0030] The invention also relates to a method of detecting an anti-sclerostin antibody in a biological sample, comprising the steps of

- (a) contacting the biological sample with polypeptide T20.6 or a derivative of T20.6 under conditions allowing a complex to form between the antibody and the polypeptide; and
- (b) detecting the presence or absence of the complex,

wherein the presence of the complex indicates that the biological sample contains an anti-sclerostin antibody.

[0031] The invention further relates to a sclerostin binding agent, such as an antibody, that cross-blocks the binding of at least one of antibodies Ab-A, Ab-B, Ab-C, or Ab-D to a sclerostin protein. The sclerostin binding agent may also be cross-blocked from binding to sclerostin by at least one of antibodies Ab-A, Ab-B, Ab-C, or Ab-D. The isolated antibody, or an antigen-binding fragment thereof, may be a polyclonal antibody, a monoclonal antibody, a humanized antibody, a human antibody, a chimeric antibody or the like.

[0032] The invention further relates to a sclerostin binding agent, such as an antibody, that is cross-blocked from binding to sclerostin by at least one of antibodies Ab-A, Ab-B, Ab-C, or Ab-D. The isolated antibody, or an antigen-binding fragment thereof, may be a polyclonal antibody, a monoclonal antibody, a humanized antibody, a human antibody, a chimeric antibody or the like.

[0033] The invention further relates to a sclerostin binding agent, such as an isolated antibody, that cross-blocks the binding of at least one of antibodies 1-24 (Ab-1 to Ab-24) to a sclerostin protein. The sclerostin binding agent may also be cross-blocked from binding to sclerostin by at least one of antibodies 1-24 (Ab-1 to Ab-24). The isolated antibody, or an antigen-binding fragment thereof, may be a polyclonal antibody, a monoclonal antibody, a humanized antibody, a human antibody, or a chimeric antibody.

[0034] The invention further relates to a sclerostin binding agent, such as an isolated antibody, that is cross-blocked from binding to sclerostin by at least one of antibodies 1-24 (Ab-1 to Ab-24); the isolated antibody, or an antigen-binding fragment thereof, may be a polyclonal antibody, a monoclonal antibody, a humanized antibody, a human antibody, or a chimeric antibody.

[0035] The invention further relates to a binding agent, such as an isolated antibody that exhibits a similar binding pattern to human sclerostin peptides in a "human sclerostin peptide epitope competition binding assay" as that exhibited by at least one of the antibodies Ab-A, Ab-B, Ab-C or Ab-D; the isolated antibody, or an antigen-binding fragment thereof, may be a polyclonal antibody, a monoclonal antibody, a humanized antibody, a human antibody, or a chimeric antibody.

[0036] The invention still further relates to a method for treating a bone disorder associated with at least one of low bone formation, low bone mineral density, low bone mineral content, low bone mass, low bone quality and low bone strength in a mammalian subject which comprises providing to a subject in need of such treatment an amount of an anti-sclerostin binding agent sufficient to increase at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength wherein the anti-sclerostin binding agent comprises an antibody, or sclerostin-binding fragment thereof.

[0037] The invention also relates to an isolated sclerostin polypeptide or fragments thereof, wherein the polypeptide contains 6 conserved cysteine residues and the fragments thereof comprise from 7 to 14 amino acids of SEQ ID NO:2; 8 to 17 amino acids of SEQ ID NO:3; 8 to 18 residues of SEQ ID NO:4; and 6 to 12 residues of SEQ ID NO:5, and the polypeptide or fragments thereof are stabilized by disulfide bonds between SEQ ID NO:2 and 4, and between SEQ ID NO:3 and 5; the polypeptide or fragments may comprise 10-14 amino acids of SEQ ID NO:2; 14 to 17 amino acids of SEQ ID NO:3; 13 to 18 amino acids of SEQ ID NO:4; and 8 to 12 residues of SEQ ID NO:5; and the polypeptide or fragments may comprise SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, and SEQ ID NO:5.

[0038] Provided herein are antibodies that specifically bind to human sclerostin. The antibodies are characterized by their ability to cross-block the binding of at least one antibody disclosed herein to human sclerostin and/or to be cross-blocked from binding human sclerostin by at least one antibody disclosed herein.

[0039] Also provided is an isolated antibody, or an antigen-binding fragment thereof, that can increase at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength in a mammal.

[0040] Also provided is an isolated antibody, or an antigen-binding fragment thereof, that can block the inhibitory effect of sclerostin in a cell based mineralization assay.

[0041] Also provided is a binding agent, such as an antibody, that specifically binds to human sclerostin and has at least one CDR sequence selected from SEQ ID NOs: 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 78, 79, 80, 81, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 351, 352, 353, 358, 359, and 360, and variants thereof, wherein the antibody or antigen-binding fragment thereof neutralizes sclerostin.

[0042] Also provided is a binding agent, such as an antibody, that specifically binds to human sclerostin and has at least one CDR sequence selected from SEQ ID NOs:39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 78, 79, 80, 81, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 351, 352, 353, 358, 359, and 360, and variants thereof.

[0043] Also provided are regions of human sclerostin which are important for the *in vivo* activity of the protein.

[0044] These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entireties as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS

[0045]

Figure 1 depicts the amino acid sequences of the mature form (signal peptides cleaved off) of the light chain (Figure 1A) (SEQ ID NO:23) and heavy chain (Figure 1B) (SEQ ID NO:27) for the anti-human sclerostin and anti-mouse sclerostin antibody Ab-A.

Figure 2 depicts the amino acid sequences of the mature form (signal peptides cleaved off) of the light chain (Figure 2A) (SEQ ID NO:31) and heavy chain (Figure 2B) (SEQ ID NO:35) for the anti-human sclerostin and anti-mouse sclerostin antibody Ab-B.

Figure 3 depicts the amino acid sequences of the mature form (signal peptides cleaved off) of the light chain (Figure 3A) (SEQ ID NO:15) and heavy chain (Figure 3B) (SEQ ID NO:19) for the anti-human sclerostin and anti-mouse sclerostin antibody Ab-C.

Figure 4 depicts the amino acid sequences of the mature form (signal peptides cleaved off) of the light chain (Figure 4A) (SEQ ID NO:7) and heavy chain (Figure 4B) (SEQ ID NO:11) for the anti-human sclerostin and anti-mouse sclerostin antibody Ab-D.

Figure 5 depicts bone mineral density in mice measured at two skeletal sites (lumbar vertebrae and tibial metaphysis) after 3 weeks of treatment with vehicle, PTH (1-34), Ab-A or Ab-B.

Figure 6 shows bone mineral density in mice measured at two skeletal sites (lumbar vertebrae and tibial metaphysis) after 2 weeks of treatment with vehicle, PTH (1-34) or Ab-C.

Figure 7 depicts bone mineral density in mice measured at two skeletal sites (lumbar vertebrae and tibial metaphysis) after 3 weeks of treatment with vehicle or Ab-D.

Figure 8 depicts the amino acid sequence of the mature form (signal peptide cleaved off) of human sclerostin (SEQ ID NO:1). Also depicted is the nucleotide sequence of the human sclerostin coding region that encodes the mature form of human sclerostin. The eight cysteines are numbered C1 through C8. The cystine-knot is formed by three disulfide bonds (C1-C5; C3-C7; C4-C8). C2 and C6 also form a disulfide bond, however this disulfide is not part of the cystine-knot.

Figure 9 depicts a schematic of the basic structure of human sclerostin. There is an N-terminal arm (from the first Q to CI) and a C-terminal arm (from C8 to the terminal Y). In between these arms there is the cystine-knot structure (formed by three disulfides: C1-C5; C3-C7; C4-C8) and three loops which are designated Loop1, Loop 2 and Loop 3. The distal regions of Loop 1 and Loop 3 are linked by the C2-C6 disulfide. Potential trypsin cleavage sites are indicated (arginine=R and lysine=K). Some of the potential AspN cleavage sites are indicated (only aspartic acid (D) residues are shown).

Figure 10 depicts the HPLC peptide maps of human sclerostin after digestion with either trypsin or AspN. The human sclerostin peptides generated by trypsin digestion are indicated (T19.2, T20, T20.6 and T21-22) as are the human sclerostin peptides generated by AspN digestion (AspN14.6, AspN18.6 and AspN22.7-23.5).

Figure 11 depicts sequence and mass information for the isolated human sclerostin disulfide linked peptides generated by trypsin digestion. Seq. pos. = sequence position. Obs. = observed. Observed mass was determined by ESI-LC-MS analysis.

Figure 12 depicts sequence and mass information for the isolated human sclerostin peptides generated by AspN digestion. The AspN22.7-23.5 peptide contains the 4 disulfide bonds. Seq. pos. = sequence position. Obs. = observed. Observed mass was determined by ESI-LC-MS analysis.

Figure 13 shows a linear schematic of four human sclerostin peptides (T19.2, T20, T20.6 and T21-22) generated by trypsin digestion.

Figure 14 shows a linear schematic of five human sclerostin peptides (AspN14.6, AspN18.6 and AspN22.7-23.5) generated by AspN digestion. The AspN14.6 HPLC peak is composed of three peptides not linked by any disulfide bonds.

Figure 15 shows the resonance unit (Ru) signal from the Biacore-based "human sclerostin peptide epitope competition binding assay." Relative Mab binding to various human sclerostin-peptides (in solution) versus Mab binding to intact mature form human sclerostin (immobilized on Biacore chip) was assessed. Data shown is for Ab-A. Human sclerostin peptides used were T19.2, T20, T20.6, T21-22, AspN14.6, AspN18.6 and AspN22.7-23.5.

Figure 16 shows the resonance unit (Ru) signal from the Biacore-based "human sclerostin peptide epitope competition binding assay." Relative Mab binding to various human sclerostin-peptides (in solution) versus Mab binding to intact mature form human sclerostin (immobilized on Biacore chip) was assessed. Data shown is for Ab-B. Human sclerostin peptides used were T19.2, T20, T20.6, T21-22, AspN14.6, AspN18.6 and AspN22.7-23.5.

Figure 17 shows the resonance unit (Ru) signal from the Biacore-based "human sclerostin peptide epitope competition binding assay." Relative Mab binding to various human sclerostin-peptides (in solution) versus Mab binding to intact mature form human sclerostin (immobilized on Biacore chip) was assessed. Data shown is for Ab-C. Human

sclerostin peptides used were T19.2, T20, T20.6, T21-22, AspN14.6, AspN18.6 and AspN22.7-23.5.

Figure 18 shows the resonance unit (Ru) signal from Biacore-based "human sclerostin peptide epitope competition binding assay." Relative Mab binding to various human sclerostin-peptides (in solution) versus Mab binding to intact mature form human sclerostin (immobilized on Biacore chip) was assessed. Data shown is for Ab-D. Human sclerostin peptides used were T19.2, T20, T20.6, T21-22, AspN14.6, AspN18.6 and AspN22.7-23.5.

Figure 19 shows two Mab binding epitopes of human sclerostin. Figure 19A shows sequence of the Loop 2 epitope for binding of Ab-A and Ab-B to human sclerostin (SEQ ID NO:6). Figure 19B shows sequence, disulfide bonding and schematic of the T20.6 epitope for binding of Ab-C and Ab-D to human sclerostin (SEQ ID NO:2-5).

Figure 20 depicts the HPLC peptide maps of human sclerostin after digestion with trypsin. Figure 20A shows digestion of the human sclerostin Ab-D complex. Figure 20B shows digestion of human sclerostin alone. The T19.2, T20, T20.6 and T21-22 peptide peaks are indicated.

Figure 21 shows the sequence, disulfide bonding and schematic of the "T20.6 derivative 1 (cystine-knot + 4 arms)" epitope for binding of Ab-D to human sclerostin. (SEQ ID NO:70-73).

Figure 22 shows results from the MC3T3-E1-BF osteoblast cell line mineralization assay used for identifying anti-sclerostin neutralizing Mabs. Mouse sclerostin (Scl) was used at 1 μ g/ml. Monoclonal antibodies were used at 10 and 5 μ g/ml. Extent of mineralization (various types of insoluble calcium phosphate) was quantitated by measuring calcium.

Figure 23 depicts results from the MC3T3-E1-BF osteoblast cell line mineralization assay used for identifying anti-sclerostin neutralizing Mabs. Human sclerostin (Scl) was used at 1 μ g/ml. Monoclonal antibodies were used at 8 and 4 μ g/ml. Extent of mineralization (various types of insoluble calcium phosphate) was quantitated by measuring calcium.

Figure 24 shows results from the MC3T3-E1-BF osteoblast cell line mineralization assay used for identifying anti-sclerostin neutralizing Mabs. Human sclerostin (Scl) was used at 1 μ g/ml. Monoclonal antibodies were used at 10 μ g/ml. Extent of mineralization (various types of insoluble calcium phosphate) was quantitated by measuring calcium.

Figure 25 depicts results from an inflammation-induced bone loss SCID mouse model. Ab-A treatment protected mice from inflammation-related bone loss associated with colitis when measured as total bone mineral density (Figure 25A), vertebral bone density (Figure 25B), and femur bone density (Figure 25C).

DETAILED DESCRIPTION

[0046] The present invention relates to regions of the human sclerostin protein that contain epitopes recognized by antibodies that also bind to full-length sclerostin, and methods of making and using these epitopes. The invention also provides binding agents (such as antibodies) that specifically bind to sclerostin or portions of sclerostin, and methods for using such binding agents. The binding agents are useful to block or impair binding of human sclerostin to one or more ligand.

[0047] Recombinant human sclerostin/SOST is commercially available from R&D Systems (Minneapolis, MN, USA; 2006 cat# 1406-ST-025). Additionally, recombinant mouse sclerostin/SOST is commercially available from R&D Systems (Minneapolis, MN, USA; 2006 cat# 1589-ST-025). Research grade sclerostin binding monoclonal antibodies are commercially available from R&D Systems (Minneapolis, MN, USA; mouse monoclonal: 2006 cat# MAB1406; rat monoclonal: 2006 cat# MAB1589). U.S. Patent Nos. 6,395,511 and 6,803,453, and U.S. Patent Publications 2004000953 and 20050106683 refer to anti-sclerostin antibodies generally.

[0048] As used herein, the term human sclerostin is intended to include the protein of SEQ ID NO:1 and allelic variants thereof. Sclerostin can be purified from 293T host cells that have been transfected by a gene encoding sclerostin by elution of filtered supernatant of host cell culture fluid using a Heparin HP column, using a salt gradient. The preparation and further purification using cation exchange chromatography are described in Examples 1 and 2.

[0049] Binding agents of the invention are preferably antibodies, as defined herein. The term "antibody" refers to an intact antibody, or a binding fragment thereof. An antibody may comprise a complete antibody molecule (including polyclonal, monoclonal, chimeric, humanized, or human versions having full length heavy and/or light chains), or comprise an antigen binding fragment thereof. Antibody fragments include F(ab')₂, Fab, Fab', Fv, Fc, and Fd fragments, and can be incorporated into single domain antibodies, single-chain antibodies, maxibodies, minibodies, intrabodies, diabodies, triabodies, tetrabodies, v-NAR and bis-scFv (See e.g., Hollinger and Hudson, 2005, Nature Biotechnology, 23, 9,1126-1136). Antibody polypeptides are also disclosed in U. S. Patent No. 6,703,199, including fibronectin polypeptide monobodies. Other antibody polypeptides are disclosed in U.S. Patent Publication 2005/0238646, which are single-chain polypeptides.

[0050] Antigen binding fragments derived from an antibody can be obtained, for example, by proteolytic hydrolysis of the antibody, for example, pepsin or papain digestion of whole antibodies according to conventional methods. By way of example, antibody fragments can be produced by enzymatic cleavage of antibodies with pepsin to provide a 5S fragment termed F(ab)₂. This fragment can be further cleaved using a thiol reducing agent to produce 3.5S Fab' mono-

valent fragments. Optionally, the cleavage reaction can be performed using a blocking group for the sulfhydryl groups that result from cleavage of disulfide linkages. As an alternative, an enzymatic cleavage using papain produces two monovalent Fab fragments and an Fc fragment directly. These methods are described, for example, by Goldenberg, U.S. Patent No. 4,331,647, Nisonoff et al, Arch. Biochem. Biophys. 89:230,1960; Porter, Biochem. J. 73:119, 1959; Edelman et al., in Methods in Enzymology 1:422 (Academic Press 1967); and by Andrews, S.M. and Titus, J.A. in Current Protocols in Immunology (Coligan J.E., et al., eds), John Wiley & Sons, New York (2003). pages 2.8.1-2.8.10 and 2.10A. 1-2.10A.5. Other methods for cleaving antibodies, such as separating heavy chains to form monovalent light-heavy chain fragments (Fd), further cleaving of fragments, or other enzymatic, chemical, or genetic techniques may also be used, so long as the fragments bind to the antigen that is recognized by the intact antibody.

[0051] An antibody fragment may also be any synthetic or genetically engineered protein. For example, antibody fragments include isolated fragments consisting of the light chain variable region, "Fv" fragments consisting of the variable regions of the heavy and light chains, recombinant single chain polypeptide molecules in which light and heavy variable regions are connected by a peptide linker (scFv proteins).

[0052] Another form of an antibody fragment is a peptide comprising one or more complementarity determining regions (CDRs) of an antibody. CDRs (also termed "minimal recognition units", or "hypervariable region") can be obtained by constructing polynucleotides that encode the CDR of interest. Such polynucleotides are prepared, for example, by using the polymerase chain reaction to synthesize the variable region using mRNA of antibody-producing cells as a template (see, for example, Larrick et al., Methods: A Companion to Methods in Enzymology 2:106, 1991; Courtenay-Luck, "Genetic Manipulation of Monoclonal Antibodies," in Monoclonal Antibodies: Production, Engineering and Clinical Application, Ritter et al. (eds.), page 166 (Cambridge University Press 1995); and Ward et al., "Genetic Manipulation and Expression of Antibodies," in Monoclonal Antibodies: Principles and Applications, Birch et al., (eds.), page 137 (Wiley-Liss, Inc. 1995)).

[0053] Thus, in one embodiment, the binding agent comprises at least one CDR as described herein. The binding agent may comprise at least two, three, four, five or six CDR's as described herein. The binding agent further may comprise at least one variable region domain of an antibody described herein. The variable region domain may be of any size or amino acid composition and will generally comprise at least one CDR sequence responsible for binding to human sclerostin, for example CDR-H1, CDR-H2, CDR-H3 and/or the light chain CDRs specifically described herein and which is adjacent to or in frame with one or more framework sequences. In general terms, the variable (V) region domain may be any suitable arrangement of immunoglobulin heavy (V_H) and/or light (V_L) chain variable domains. Thus, for example, the V region domain may be monomeric and be a V_H or V_L domain, which is capable of independently binding human sclerostin with an affinity at least equal to $1 \times 10^{-7}M$ or less as described below. Alternatively, the V region domain may be dimeric and contain V_H - V_H , V_H - V_L , or V_L - V_L dimers. The V region dimer comprises at least one V_H and at least one V_L chain that may be non-covalently associated (hereinafter referred to as F_V). If desired, the chains may be covalently coupled either directly, for example via a disulfide bond between the two variable domains, or through a linker, for example a peptide linker, to form a single chain Fv (scFv).

[0054] The variable region domain may be any naturally occurring variable domain or an engineered version thereof. By engineered version is meant a variable region domain that has been created using recombinant DNA engineering techniques. Such engineered versions include those created, for example, from a specific antibody variable region by insertions, deletions, or changes in or to the amino acid sequences of the specific antibody. Particular examples include engineered variable region domains containing at least one CDR and optionally one or more framework amino acids from a first antibody and the remainder of the variable region domain from a second antibody.

[0055] The variable region domain may be covalently attached at a C-terminal amino acid to at least one other antibody domain or a fragment thereof. Thus, for example, a V_H domain that is present in the variable region domain may be linked to an immunoglobulin CH1 domain, or a fragment thereof. Similarly a V_L domain may be linked to a C_K domain or a fragment thereof. In this way, for example, the antibody may be a Fab fragment wherein the antigen binding domain contains associated V_H and V_L domains covalently linked at their C-termini to a CH1 and C_K domain, respectively. The CH1 domain may be extended with further amino acids, for example to provide a hinge region or a portion of a hinge region domain as found in a Fab' fragment, or to provide further domains, such as antibody CH2 and CH3 domains.

[0056] As described herein, binding agents comprise at least one of these CDRs. For example, one or more CDR may be incorporated into known antibody framework regions (IgG 1, IgG2, etc.), or conjugated to a suitable vehicle to enhance the half-life thereof. Suitable vehicles include, but are not limited to Fc, polyethylene glycol (PEG), albumin, transferrin, and the like. These and other suitable vehicles are known in the art. Such conjugated CDR peptides may be in monomeric, dimeric, tetrameric, or other form. In one embodiment, one or more water-soluble polymer is bonded at one or more specific position, for example at the amino terminus, of a binding agent.

[0057] In certain preferred embodiments, a binding agent comprises one or more water soluble polymer attachments, including, but not limited to, polyethylene glycol, polyoxyethylene glycol, or polypropylene glycol. See, e.g., U.S. Pat. Nos. 4,640,835, 4,496,689, 4,301,144, 4,670,417, 4,791,192 and 4,179,337. In certain embodiments, a derivative binding agent comprises one or more of monomethoxy-polyethylene glycol, dextran, cellulose, or other carbohydrate based

polymers, poly-(N-vinyl pyrrolidone)-polyethylene glycol, propylene glycol homopolymers, a polypropylene oxide/ethylene oxide co-polymer, polyoxyethylated polyols (*e.g.*, glycerol) and polyvinyl alcohol, as well as mixtures of such polymers. In certain embodiments, one or more water-soluble polymer is randomly attached to one or more side chains. In certain embodiments, PEG can act to improve the therapeutic capacity for a binding agent, such as an antibody. Certain such methods are discussed, for example, in U. S. Pat. No. 6,133,426, which is hereby incorporated by reference for any purpose.

[0058] It will be appreciated that a binding agent of the present invention may have at least one amino acid substitution, providing that the binding agent retains binding specificity. Therefore, modifications to the binding agent structures are encompassed within the scope of the invention. These may include amino acid substitutions, which may be conservative or non-conservative, that do not destroy the sclerostin binding capability of a binding agent. Conservative amino acid substitutions may encompass non-naturally occurring amino acid residues, which are typically incorporated by chemical peptide synthesis rather than by synthesis in biological systems. These include peptidomimetics and other reversed or inverted forms of amino acid moieties. A conservative amino acid substitution may also involve a substitution of a native amino acid residue with a normative residue such that there is little or no effect on the polarity or charge of the amino acid residue at that position.

[0059] Non-conservative substitutions may involve the exchange of a member of one class of amino acids or amino acid mimetics for a member from another class with different physical properties (*e.g.* size, polarity, hydrophobicity, charge). Such substituted residues may be introduced into regions of the human antibody that are homologous with non-human antibodies, or into the non-homologous regions of the molecule.

[0060] Moreover, one skilled in the art may generate test variants containing a single amino acid substitution at each desired amino acid residue. The variants can then be screened using activity assays known to those skilled in the art. Such variants could be used to gather information about suitable variants. For example, if one discovered that a change to a particular amino acid residue resulted in destroyed, undesirably reduced, or unsuitable activity, variants with such a change may be avoided. In other words, based on information gathered from such routine experiments, one skilled in the art can readily determine the amino acids where further substitutions should be avoided either alone or in combination with other mutations.

[0061] A skilled artisan will be able to determine suitable variants of the polypeptide as set forth herein using well-known techniques. In certain embodiments, one skilled in the art may identify suitable areas of the molecule that may be changed without destroying activity by targeting regions not believed to be important for activity. In certain embodiments, one can identify residues and portions of the molecules that are conserved among similar polypeptides. In certain embodiments, even areas that may be important for biological activity or for structure may be subject to conservative amino acid substitutions without destroying the biological activity or without adversely affecting the polypeptide structure.

[0062] Additionally, one skilled in the art can review structure-function studies identifying residues in similar polypeptides that are important for activity or structure. In view of such a comparison, one can predict the importance of amino acid residues in a protein that correspond to amino acid residues which are important for activity or structure in similar proteins. One skilled in the art may opt for chemically similar amino acid substitutions for such predicted important amino acid residues.

[0063] One skilled in the art can also analyze the three-dimensional structure and amino acid sequence in relation to that structure in similar polypeptides. In view of such information, one skilled in the art may predict the alignment of amino acid residues of an antibody with respect to its three dimensional structure. In certain embodiments, one skilled in the art may choose not to make radical changes to amino acid residues predicted to be on the surface of the protein, since such residues may be involved in important interactions with other molecules.

[0064] A number of scientific publications have been devoted to the prediction of secondary structure. See Moult J., *Curr. Op. in Biotech.*, 7(4):422-427 (1996); Chou et al., *Biochemistry*, 13(2):222-245 (1974); Chou et al., *Biochemistry*, 113(2):211-222 (1974); Chou et al., *Adv. Enzymol. Relat Areas Mol. Biol.*, 47:45-148 (1978); Chou et al., *Ann. Rev. Biochem.*, 47:251-276 and Chou et al., *Biophys. J.*, 26:367-384 (1979). Moreover, computer programs are currently available to assist with predicting secondary structure. One method of predicting secondary structure is based upon homology modeling. For example, two polypeptides or proteins which have a sequence identity of greater than 30%, or similarity greater than 40% often have similar structural topologies. The recent growth of the protein structural database (PDB) has provided enhanced predictability of secondary structure, including the potential number of folds within a polypeptide's or protein's structure. See Holm et al., *Nucl. Acid. Res.*, 27(1):244-247 (1999). It has been suggested (Brenner et al., *Curr. Op. Struct. Biol.*, 7(3):369-376 (1997)) that there are a limited number of folds in a given polypeptide or protein and that once a critical number of structures have been resolved, structural prediction will become dramatically more accurate.

[0065] Additional methods of predicting secondary structure include "threading" (Jones, D., *Curr. Opin. Struct. Biol.*, 7(3):377-87 (1997); Sippl et al., *Structure*, 4(1):15-19 (1996)), "profile analysis" (Bowie et al., *Science*, 253:164-170 (1991); Gribskov et al., *Meth. Enzym.*, 183:146-159 (1990); Gribskov et al., *Proc. Nat. Acad. Sci.*, 84(13):4355-4358 (1987)), and "evolutionary linkage" (See Holm, *supra* (1999), and Brenner, *supra* (1997)).

[0066] In certain embodiments, variants of binding agents include glycosylation variants wherein the number and/or type of glycosylation site has been altered compared to the amino acid sequences of a parent polypeptide. In certain embodiments, variants comprise a greater or a lesser number of N-linked glycosylation sites than the native protein. An N-linked glycosylation site is characterized by the sequence: Asn-X-Ser or Asn-X-Thr, wherein the amino acid residue designated as X may be any amino acid residue except proline. The substitution of amino acid residues to create this sequence provides a potential new site for the addition of an N-linked carbohydrate chain. Alternatively, substitutions which eliminate this sequence will remove an existing N-linked carbohydrate chain. Also provided is a rearrangement of N-linked carbohydrate chains wherein one or more N-linked glycosylation sites (typically those that are naturally occurring) are eliminated and one or more new N-linked sites are created. Additional preferred antibody variants include cysteine variants wherein one or more cysteine residues are deleted from or substituted for another amino acid (e.g., serine) as compared to the parent amino acid sequence. Cysteine variants may be useful when antibodies must be refolded into a biologically active conformation such as after the isolation of insoluble inclusion bodies. Cysteine variants generally have fewer cysteine residues than the native protein, and typically have an even number to minimize interactions resulting from unpaired cysteines.

[0067] Desired amino acid substitutions (whether conservative or non-conservative) can be determined by those skilled in the art at the time such substitutions are desired. In certain embodiments, amino acid substitutions can be used to identify important residues of antibodies to sclerostin, or to increase or decrease the affinity of the antibodies to sclerostin described herein.

[0068] According to certain embodiments, preferred amino acid substitutions are those which: (1) reduce susceptibility to proteolysis, (2) reduce susceptibility to oxidation, (3) alter binding affinity for forming protein complexes, (4) alter binding affinities, and/or (4) confer or modify other physiochemical or functional properties on such polypeptides. According to certain embodiments, single or multiple amino acid substitutions (in certain embodiments, conservative amino acid substitutions) may be made in the naturally-occurring sequence (in certain embodiments, in the portion of the polypeptide outside the domain(s) forming intermolecular contacts). In certain embodiments, a conservative amino acid substitution typically may not substantially change the structural characteristics of the parent sequence (e.g., a replacement amino acid should not tend to break a helix that occurs in the parent sequence, or disrupt other types of secondary structure that characterizes the parent sequence). Examples of art-recognized polypeptide secondary and tertiary structures are described in *Proteins, Structures and Molecular Principles* (Creighton, Ed., W. H. Freeman and Company, New York (1984)); *Introduction to Protein Structure* (C. Branden and J. Tooze, eds., Garland Publishing, New York, N.Y. (1991)); and Thornton et al. *Nature* 354:105 (1991), which are each incorporated herein by reference.

[0069] In certain embodiments, binding agents of the invention may be chemically bonded with polymers, lipids, or other moieties.

[0070] The binding agents may comprise at least one of the CDRs described herein incorporated into a biocompatible framework structure. In one example, the biocompatible framework structure comprises a polypeptide or portion thereof that is sufficient to form a conformationally stable structural support, or framework or scaffold, which is able to display one or more sequences of amino acids that bind to an antigen (e.g., CDRs, a variable region, etc.) in a localized surface region. Such structures can be a naturally occurring polypeptide or polypeptide "fold" (a structural motif), or can have one or more modifications, such as additions, deletions or substitutions of amino acids, relative to a naturally occurring polypeptide or fold. These scaffolds can be derived from a polypeptide of any species (or of more than one species), such as a human, other mammal, other vertebrate, invertebrate, plant, bacteria or virus.

[0071] Typically the biocompatible framework structures are based on protein scaffolds or skeletons other than immunoglobulin domains. For example, those based on fibronectin, ankyrin, lipocalin, neocarzinostatin, cytochrome b, CP1 zinc finger, PST1, coiled coil, LACI-D1, Z domain and tendramisat domains may be used (See e.g., Nygren and Uhlen, 1997, *Current Opinion in Structural Biology*, 7, 463-469).

[0072] In preferred embodiments, it will be appreciated that the binding agents of the invention include the humanized antibodies described herein. Humanized antibodies such as those described herein can be produced using techniques known to those skilled in the art (Zhang, W., et al., *Molecular Immunology*, 42(12):1445-1451, 2005; Hwang W. et al., *Methods*, 36(1):35-42, 2005; Dall'Aquila WF, et al., *Methods* 36(1):43-60, 2005; and Clark, M., *Immunology Today*, 21(8):397-402, 2000).

[0073] Additionally, one skilled in the art will recognize that suitable binding agents include portions of these antibodies, such as one or more of CDR-H1, CDR-H2, CDR-H3, CDR-L1, CDR-L2 and CDR-L3 as specifically disclosed herein. At least one of the regions of CDR-H1, CDR-H2, CDR-H3, CDR-L1, CDR-L2 and CDR-L3 may have at least one amino acid substitution, provided that the binding agent retains the binding specificity of the non substituted CDR. The non-CDR portion of the binding agent may be a non-protein molecule, wherein the binding agent cross-blocks the binding of an antibody disclosed herein to sclerostin and/or neutralizes sclerostin. The non-CDR portion of the binding agent may be a non-protein molecule in which the binding agent exhibits a similar binding pattern to human sclerostin peptides in a "human sclerostin peptide epitope competition binding assay" as that exhibited by at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15,

Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24, and/or neutralizes sclerostin. The non-CDR portion of the binding agent may be composed of amino acids, wherein the binding agent is a recombinant binding protein or a synthetic peptide, and the recombinant binding protein cross-blocks the binding of an antibody disclosed herein to sclerostin and/or neutralizes sclerostin. The non-CDR portion of the binding agent may be composed of amino acids, wherein the binding agent is a recombinant binding protein, and the recombinant binding protein exhibits a similar binding pattern to human sclerostin peptides in the human sclerostin peptide epitope competition binding assay (described hereinbelow) as that exhibited by at least one of the antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24, and/or neutralizes sclerostin.

[0074] Where an antibody comprises one or more of CDR-H1, CDR-H2, CDR-H3, CDR-L1, CDR-L2 and CDR-L3 as described above, it may be obtained by expression from a host cell containing DNA coding for these sequences. A DNA coding for each CDR sequence may be determined on the basis of the amino acid sequence of the CDR and synthesized together with any desired antibody variable region framework and constant region DNA sequences using oligonucleotide synthesis techniques, site-directed mutagenesis and polymerase chain reaction (PCR) techniques as appropriate. DNA coding for variable region frameworks and constant regions is widely available to those skilled in the art from genetic sequences databases such as GenBank®. Each of the above-mentioned CDRs will be typically located in a variable region framework at positions 31-35 (CDR-H1), 50-65 (CDR-H2) and 95-102 (CDR-H3) of the heavy chain and positions 24-34 (CDR-L1), 50-56 (CDR-L2) and 89-97 (CDR-L3) of the light chain according to the Kabat numbering system (Kabat *et al.*, 1987 in *Sequences of Proteins of Immunological Interest*, U.S. Department of Health and Human Services, NIH, USA).

[0075] Once synthesized, the DNA encoding an antibody of the invention or fragment thereof may be propagated and expressed according to any of a variety of well-known procedures for nucleic acid excision, ligation, transformation, and transfection using any number of known expression vectors. Thus, in certain embodiments expression of an antibody fragment may be preferred in a prokaryotic host, such as *Escherichia coli* (see, e.g., Pluckthun *et al.*, 1989 *Methods Enzymol.* 178:497-515). In certain other embodiments, expression of the antibody or a fragment thereof may be preferred in a eukaryotic host cell, including yeast (e.g., *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, and *Pichia pastoris*), animal cells (including mammalian cells) or plant cells. Examples of suitable animal cells include, but are not limited to, myeloma (such as a mouse NSO line), COS, CHO, or hybridoma cells. Examples of plant cells include tobacco, corn, soybean, and rice cells.

[0076] One or more replicable expression vectors containing DNA encoding an antibody variable and/or constant region may be prepared and used to transform an appropriate cell line, for example, a non-producing myeloma cell line, such as a mouse NSO line or a bacteria, such as *E. coli*, in which production of the antibody will occur. In order to obtain efficient transcription and translation, the DNA sequence in each vector should include appropriate regulatory sequences, particularly a promoter and leader sequence operatively linked to the variable domain sequence. Particular methods for producing antibodies in this way are generally well-known and routinely used. For example, basic molecular biology procedures are described by Maniatis *et al.* (*Molecular Cloning, A Laboratory Manual*, 2nd ed., Cold Spring Harbor Laboratory, New York, 1989; see also Maniatis *et al.*, 3rd ed., Cold Spring Harbor Laboratory, New York, (2001)). DNA sequencing can be performed as described in Sanger *et al.* (*PNAS* 74:5463, (1977)) and the Amersham International plc sequencing handbook, and site directed mutagenesis can be carried out according to methods known in the art (Kramer *et al.*, *Nucleic Acids Res.* 12:9441, (1984); Kunkel *Proc. Natl. Acad. Sci. USA* 82:488-92 (1985); Kunkel *et al.*, *Methods in Enzymol* 154:367-82 (1987); the Anglian Biotechnology Ltd handbook). Additionally, numerous publications describe techniques suitable for the preparation of antibodies by manipulation of DNA, creation of expression vectors, and transformation and culture of appropriate cells (Mountain A and Adair, J R in *Biotechnology and Genetic Engineering Reviews* (ed. Tombs, M P, 10, Chapter 1, 1992, Intercept, Andover, UK); "Current Protocols in Molecular Biology", 1999, F.M. Ausubel (ed.), Wiley Interscience, New York).

[0077] Where it is desired to improve the affinity of antibodies according to the invention containing one or more of the above-mentioned CDRs can be obtained by a number of affinity maturation protocols including maintaining the CDRs (Yang *et al.*, *J. Mol. Biol.*, 254, 392-403, 1995), chain shuffling (Marks *et al.*, *Bio/Technology*, 10, 779-783, 1992), use of mutation strains of *E. coli*. (Low *et al.*, *J. Mol. Biol.*, 250, 350-368, 1996), DNA shuffling (Patten *et al.*, *Curr. Opin. Biotechnol.*, 8, 724-733, 1997), phage display (Thompson *et al.*, *J. Mol. Biol.*, 256, 7-88, 1996) and sexual PCR (Cramer *et al.*, *Nature*, 391, 288-291, 1998). All of these methods of affinity maturation are discussed by Vaughan *et al.* (*Nature Biotechnology*, 16, 535-539, 1998).

[0078] Other antibodies according to the invention may be obtained by conventional immunization and cell fusion procedures as described herein and known in the art. Monoclonal antibodies of the invention may be generated using a variety of known techniques. In general, monoclonal antibodies that bind to specific antigens may be obtained by methods known to those skilled in the art (see, for example, Kohler *et al.*, *Nature* 256:495, 1975; Coligan *et al.* (eds.), *Current Protocols in Immunology*, 1:2.5.12.6.7 (John Wiley & Sons 1991); U.S. Patent Nos. RE 32,011, 4,902,614, 4,543,439, and 4,411,993; *Monoclonal Antibodies, Hybridomas: A New Dimension in Biological Analyses*, Plenum Press,

Kennett, McKearn, and Bechtol (eds.) (1980); and Antibodies: A Laboratory Manual, Harlow and Lane (eds.), Cold Spring Harbor Laboratory Press (1988); Picksley et al., "Production of monoclonal antibodies against proteins expressed in *E. coli*," in DNA Cloning 2: Expression Systems, 2nd Edition, Glover et al. (eds.), page 93 (Oxford University Press 1995)). Antibody fragments may be derived therefrom using any suitable standard technique such as proteolytic digestion, or optionally, by proteolytic digestion (for example, using papain or pepsin) followed by mild reduction of disulfide bonds and alkylation. Alternatively, such fragments may also be generated by recombinant genetic engineering techniques as described herein.

[0079] Monoclonal antibodies can be obtained by injecting an animal, for example, a rat, hamster, a rabbit, or preferably a mouse, including for example a transgenic or a knock-out, as known in the art, with an immunogen comprising human sclerostin of SEQ ID NO:1, or a fragment thereof, according to methods known in the art and described herein. The presence of specific antibody production may be monitored after the initial injection and/or after a booster injection by obtaining a serum sample and detecting the presence of an antibody that binds to human sclerostin or peptide using any one of several immunodetection methods known in the art and described herein. From animals producing the desired antibodies, lymphoid cells, most commonly cells from the spleen or lymph node, are removed to obtain B-lymphocytes. The B lymphocytes are then fused with a drug-sensitized myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal and that optionally has other desirable properties (*e.g.*, inability to express endogenous Ig gene products, *e.g.*, P3X63 - Ag 8.653 (ATCC No. CRL 1580); NSO, SP20) to produce hybridomas, which are immortal eukaryotic cell lines. The lymphoid (*e.g.*, spleen) cells and the myeloma cells may be combined for a few minutes with a membrane fusion-promoting agent, such as polyethylene glycol or a nonionic detergent, and then plated at low density on a selective medium that supports the growth of hybridoma cells but not unfused myeloma cells. A preferred selection media is HAT (hypoxanthine, aminopterin, thymidine). After a sufficient time, usually about one to two weeks, colonies of cells are observed. Single colonies are isolated, and antibodies produced by the cells may be tested for binding activity to human sclerostin, using any one of a variety of immunoassays known in the art and described herein. The hybridomas are cloned (*e.g.*, by limited dilution cloning or by soft agar plaque isolation) and positive clones that produce an antibody specific to sclerostin are selected and cultured. The monoclonal antibodies from the hybridoma cultures may be isolated from the supernatants of hybridoma cultures. An alternative method for production of a murine monoclonal antibody is to inject the hybridoma cells into the peritoneal cavity of a syngeneic mouse, for example, a mouse that has been treated (*e.g.*, pristane-primed) to promote formation of ascites fluid containing the monoclonal antibody. Monoclonal antibodies can be isolated and purified by a variety of well-established techniques. Such isolation techniques include affinity chromatography with Protein-A Sepharose, size-exclusion chromatography, and ion-exchange chromatography (see, for example, Coligan at pages 2.7.1-2.7.12 and pages 2.9.1-2.9.3; Baines et al., "Purification of Immunoglobulin G (IgG)," in Methods in Molecular Biology, Vol. 10, pages 79-104 (The Humana Press, Inc. 1992)). Monoclonal antibodies may be purified by affinity chromatography using an appropriate ligand selected based on particular properties of the antibody (*e.g.*, heavy or light chain isotype, binding specificity, etc.). Examples of a suitable ligand, immobilized on a solid support, include Protein A, Protein G, an anticonstant region (light chain or heavy chain) antibody, an anti-idiotypic antibody, and a TGF-beta binding protein, or fragment or variant thereof.

[0080] An antibody of the present invention may also be a human monoclonal antibody. Human monoclonal antibodies may be generated by any number of techniques with which those having ordinary skill in the art will be familiar. Such methods include, but are not limited to, Epstein Barr Virus (EBV) transformation of human peripheral blood cells (*e.g.*, containing B lymphocytes), *in vitro* immunization of human B cells, fusion of spleen cells from immunized transgenic mice carrying inserted human immunoglobulin genes, isolation from human immunoglobulin V region phage libraries, or other procedures as known in the art and based on the disclosure herein. For example, human monoclonal antibodies may be obtained from transgenic mice that have been engineered to produce specific human antibodies in response to antigenic challenge. Methods for obtaining human antibodies from transgenic mice are described, for example, by Green et al., Nature Genet. 7:13, 1994; Lonberg et al, Nature 368:856, 1994; Taylor et al., Int. Immun. 6:579, 1994; U.S. Patent No. 5,877,397; Bruggemann et al., 1997 Curr Opin. Biotechnol. 8:455-58; Jakobovits et al., 1995 Ann. N. Y. Acad Sci. 764:525-35. In this technique, elements of the human heavy and light chain locus are introduced into strains of mice derived from embryonic stem cell lines that contain targeted disruptions of the endogenous heavy chain and light chain loci (see also Bruggemann et al., Curr. Opin. Biotechnol. 8:455-58 (1997)). For example, human immunoglobulin transgenes may be mini-gene constructs, or transloci on yeast artificial chromosomes, which undergo B cell-specific DNA rearrangement and hypermutation in the mouse lymphoid tissue. Human monoclonal antibodies may be obtained by immunizing the transgenic mice, which may then produce human antibodies specific for sclerostin. Lymphoid cells of the immunized transgenic mice can be used to produce human antibody-secreting hybridomas according to the methods described herein. Polyclonal sera containing human antibodies may also be obtained from the blood of the immunized animals.

[0081] Another method for generating human antibodies of the invention includes immortalizing human peripheral blood cells by EBV transformation. See, *e.g.*, U.S. Patent No. 4,464,456. Such an immortalized B cell line (or lymphoblastoid cell line) producing a monoclonal antibody that specifically binds to sclerostin can be identified by immunodetection

methods as provided herein, for example, an ELISA, and then isolated by standard cloning techniques. The stability of the lymphoblastoid cell line producing an anti-sclerostin antibody may be improved by fusing the transformed cell line with a murine myeloma to produce a mouse-human hybrid cell line according to methods known in the art (*see, e.g.*, Glasky et al., Hybridoma 8:377-89 (1989)). Still another method to generate human monoclonal antibodies is *in vitro* immunization, which includes priming human splenic B cells with human sclerostin, followed by fusion of primed B cells with a heterohybrid fusion partner. *See, e.g.*, Boerner et al., 1991 J. Immunol. 147:86-95.

[0082] In certain embodiments, a B cell that is producing an anti-human sclerostin antibody is selected and the light chain and heavy chain variable regions are cloned from the B cell according to molecular biology techniques known in the art (WO 92/02551; US patent 5,627,052; Babcook et al., Proc. Natl Acad. Sci. USA 93:7843-48 (1996)) and described herein. B cells from an immunized animal may be isolated from the spleen, lymph node, or peripheral blood sample by selecting a cell that is producing an antibody that specifically binds to sclerostin. B cells may also be isolated from humans, for example, from a peripheral blood sample. Methods for detecting single B cells that are producing an antibody with the desired specificity are well known in the art, for example, by plaque formation, fluorescence-activated cell sorting, *in vitro* stimulation followed by detection of specific antibody, and the like. Methods for selection of specific antibody-producing B cells include, for example, preparing a single cell suspension of B cells in soft agar that contains human sclerostin. Binding of the specific antibody produced by the B cell to the antigen results in the formation of a complex, which may be visible as an immunoprecipitate. After the B cells producing the desired antibody are selected, the specific antibody genes may be cloned by isolating and amplifying DNA or mRNA according to methods known in the art and described herein.

[0083] An additional method for obtaining antibodies of the invention is by phage display. *See, e.g.*, Winter et al., 1994 Annu. Rev. Immunol. 12:433-55; Burton et al., 1994 Adv. Immunol. 57:191-280. Human or murine immunoglobulin variable region gene combinatorial libraries may be created in phage vectors that can be screened to select Ig fragments (Fab, Fv, sFv, or multimers thereof) that bind specifically to TGF-beta binding protein or variant or fragment thereof. *See, e.g.*, U.S. Patent No. 5,223,409; Huse et al., 1989 Science 246:1275-81; Sastry et al., Proc. Natl. Acad. Sci. USA 86:5728-32 (1989); Altling-Mees et al., Strategies in Molecular Biology 3:1-9 (1990); Kang et al., 1991 Proc. Natl. Acad. Sci. USA 88:4363-66; Hoogenboom et al., 1992 J. Molec. Biol. 227:381-388; Schlebusch et al., 1997 Hybridoma 16: 47-52 and references cited therein. For example, a library containing a plurality of polynucleotide sequences encoding Ig variable region fragments may be inserted into the genome of a filamentous bacteriophage, such as M13 or a variant thereof, in frame with the sequence encoding a phage coat protein. A fusion protein may be a fusion of the coat protein with the light chain variable region domain and/or with the heavy chain variable region domain. According to certain embodiments, immunoglobulin Fab fragments may also be displayed on a phage particle (*see, e.g.*, U.S. Patent No. 5,698,426).

[0084] Heavy and light chain immunoglobulin cDNA expression libraries may also be prepared in lambda phage, for example, using λ ImmunoZap™(H) and λ ImmunoZap™(L) vectors (Stratagene, La Jolla, California). Briefly, mRNA is isolated from a B cell population, and used to create heavy and light chain immunoglobulin cDNA expression libraries in the λ ImmunoZap(H) and λ ImmunoZap(L) vectors. These vectors may be screened individually or co-expressed to form Fab fragments or antibodies (*see Huse et al., supra; see also Sastry et al., supra*). Positive plaques may subsequently be converted to a non-lytic plasmid that allows high level expression of monoclonal antibody fragments from *E. coli*.

[0085] In one embodiment, in a hybridoma the variable regions of a gene expressing a monoclonal antibody of interest are amplified using nucleotide primers. These primers may be synthesized by one of ordinary skill in the art, or may be purchased from commercially available sources. (*See, e.g.*, Stratagene (La Jolla, California), which sells primers for mouse and human variable regions including, among others, primers for V_{Ha}, V_{Hb}, V_{Hc}, V_{Hd}, C_{H1}, V_L and C_L regions.) These primers may be used to amplify heavy or light chain variable regions, which may then be inserted into vectors such as ImmunoZAP™H or ImmunoZAP™L (Stratagene), respectively. These vectors may then be introduced into *E. coli*, yeast, or mammalian-based systems for expression. Large amounts of a single-chain protein containing a fusion of the V_H and V_L domains may be produced using these methods (*see Bird et al, Science 242:423-426, 1988*).

[0086] Once cells producing antibodies according to the invention have been obtained using any of the above-described immunization and other techniques, the specific antibody genes may be cloned by isolating and amplifying DNA or mRNA therefrom according to standard procedures as described herein. The antibodies produced therefrom may be sequenced and the CDRs identified and the DNA coding for the CDRs may be manipulated as described previously to generate other antibodies according to the invention.

[0087] Preferably the binding agents specifically bind to sclerostin. As with all binding agents and binding assays, one of skill in this art recognizes that the various moieties to which a binding agent should not detectably bind in order to be therapeutically effective and suitable would be exhaustive and impractical to list. Therefore, for a binding agent disclosed herein, the term "specifically binds" refers to the ability of a binding agent to bind to sclerostin, preferably human sclerostin, with greater affinity than it binds to an unrelated control protein. Preferably the control protein is hen egg white lysozyme. Preferably the binding agents bind to sclerostin with an affinity that is at least, 50, 100, 250, 500, 1000, or 10,000 times greater than the affinity for a control protein. A binding agent may have a binding affinity for human sclerostin of less

than or equal to $1 \times 10^{-7}\text{M}$, less than or equal to $1 \times 10^{-8}\text{M}$ less than or equal to $1 \times 10^{-9}\text{M}$, less than or equal to $1 \times 10^{-10}\text{M}$, less than or equal to $1 \times 10^{-11}\text{M}$, or less than or equal to $1 \times 10^{-12}\text{M}$.

[0088] Affinity may be determined by an affinity ELISA assay. In certain embodiments, affinity may be determined by a BIAcore assay. In certain embodiments, affinity may be determined by a kinetic method. In certain embodiments, affinity may be determined by an equilibrium/solution method. Such methods are described in further detail herein or known in the art.

[0089] Sclerostin binding agents of the present invention preferably modulate sclerostin function in the cell-based assay described herein and/or the *in vivo* assay described herein and/or bind to one or more of the epitopes described herein and/or cross-block the binding of one of the antibodies described in this application and/or are cross-blocked from binding sclerostin by one of the antibodies described in this application. Accordingly such binding agents can be identified using the assays described herein.

[0090] In certain embodiments, binding agents are generated by first identifying antibodies that bind to one more of the epitopes provided herein and/or neutralize in the cell-based and/or *in vivo* assays described herein and/or cross-block the antibodies described in this application and/or are cross-blocked from binding sclerostin by one of the antibodies described in this application. The CDR regions from these antibodies are then used to insert into appropriate biocompatible frameworks to generate sclerostin binding agents. The non-CDR portion of the binding agent may be composed of amino acids, or may be a non-protein molecule. The assays described herein allow the characterization of binding agents. Preferably the binding agents of the present invention are antibodies as defined herein.

[0091] It will be understood by one skilled in the art that some proteins, such as antibodies, may undergo a variety of posttranslational modifications. The type and extent of these modifications often depends on the host cell line used to express the protein as well as the culture conditions. Such modifications may include variations in glycosylation, methionine oxidation, diketopiperazine formation, aspartate isomerization and asparagine deamidation. A frequent modification is the loss of a carboxy-terminal basic residue (such as lysine or arginine) due to the action of carboxypeptidases (as described in Harris, R.J. Journal of Chromatography 705:129-134, 1995).

[0092] Antibodies referred to as Ab-A, Ab-B, Ab-C, Ab-D and Ab-1 are described below. "HC" refers to the heavy chain and "LC" refers to the light chain. For some antibodies below, the CDRs are box shaded and the constant (C) regions are shown in bold italics.

Ab-D

[0093] Antibody D (also referred to herein as Ab-D and Mab-D) is a mouse antibody which exhibits high affinity binding to sclerostin. The BIAcore binding pattern of Ab-D is shown in Figure 18.

[0094] The amino acid sequence of the mature form (signal peptide removed) of Ab-D light chain:

```

1 DVQMIQSPSS LSASLGDIVT MTCQASQGTSLNWNFQQKP GKAPKLLIYG
51 SSNLEDGVPS RFSGSRYGTD FTLTISSLED EDLATYFCLO HSYLPYTFGG
101 GTKLEIKRAD AAPTYSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
201 STSPIVKSFN RNEC (SEQ ID NO:7)

```

[0095] Nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-D LC is as follows:

1 GATGTCCAGA TGATTCAGTC TCCATCCTCC CTGTCTGCAT CTTTGGGAGA
 51 CATAGTCACC ATGACTTGCC AGGCAAGTCA GGGCACTAGC ATTAATTTAA
 101 ACTGGTTTCA GCAAAAACCA GGAAGGCTC CTAAGCTCCT GATCTATGGT
 5 151 TCAAGCAACT TGGAAGATGG GGTCCCATCA AGGTTCAAGT GCAGTAGATA
 201 TGGGACAGAT TCACTCTCA CCATCAGCAG CCTGGAGGAT GAAGATCTGG
 251 CAACTTATTT CTGTCTACAA CATAGTTATC TCCCGTACAC GTTCGGAGGG
 301 GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 351 CTTCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 10 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 15 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:8)

[0096] The amino acid sequence of Ab-D LC including signal peptide is as follows:

1 MNTRAPAEFL GFLLLWFLGA RCDVQMIQSP SLSASLGDI VTMTQCASQG
 51 TSINLNWFQQ KPGKAPKLLI YGSSNLEDGV PSRFGSRYG TDFTLTISL
 101 EDEDLATYFC LQHSYLPYTF GGGTKLEIKR ADAAPTVSIF PPSSEQLTSG
 151 GASVVCFLNN FYPKDINVKW KIDGSRQNG VLNSWTDQDS KDSTYSMSST
 201 LTLTKDEYER HNSYTCEATH KTSTSPIVKS FNRNEC (SEQ ID NO:9)

[0097] Nucleic acid sequence of Ab-D LC including signal peptide encoding sequence:

1 ATGAACACGA GGGCCCCTGC TGAGTTCCTT GGGTTCCTGT TGCTCTGGTT
 51 TTTAGGTGCC AGATGTGATG TCCAGATGAT TCAGTCTCCA TCCTCCCTGT
 101 CTGCATCTTT GGGAGACATA GTCACCATGA CTTGCCAGGC AAGTCAGGGC

151 ACTAGCATT AATTAACTG GTTTCAGCAA AAACCAGGGA AGGCTCCTAA
 201 GCTCCTGATC TATGGTTCAA GCAACTTGGA AGATGGGGTC CCATCAAGGT
 251 TCAGTGGCAG TAGATATGGG ACAGATTTC CTCTACCAT CAGCAGCCTG
 301 GAGGATGAAG ATCTGGCAAC TTATTTCTGT CTACAACATA GTTATCTCCC
 351 GTACACGTTT GGAGGGGGGA CCAAGCTGGA AATAAAACGG GCTGATGCTG
 401 CACCAACTGT ATCCATCTTC CCACCATCCA GTGAGCAGTT AACATCTGGA
 451 GGTGCCTCAG TCGTGTGCTT CTTGAACAAC TTCTACCCCA AAGACATCAA
 501 TGTCAAGTGG AAGATTGATG GCAGTGAACG ACAAATGGC GTCCTGAACA
 551 GTTGGACTGA TCAGGACAGC AAAGACAGCA CCTACAGCAT GAGCAGCACC
 601 CTCACGTTGA CCAAGGACGA GTATGAACGA CATAACAGCT ATACCTGTGA
 651 GGCCACTCAC AAGACATCAA CTTACCCAT TGTCAAGAGC TTCAACAGGA
 701 ATGAGTGTTA G (SEQ ID NO:10)

[0098] The amino acid sequence of the mature form (signal peptide removed) of Ab-D HC heavy chain is as follows:

1 EVQLQQSGPE LVTPGASVKI SCKASGYTFT DHYMSWVKQS HGKSLEWIGD
 51 INPYSGETTY NQKFKGTATL TVDKSSSIAY MEIRGLTSED SAVYYCARD
 101 YDASPFAYWG QGTLVTVSAA KTPPSVYPL APGSAAQTNS MVTLGCLVKG
 151 YFPEPVTVTW NSGSLSSGVH TFPAVLQSDL YTLSSSVTVP SSTWPSETVT
 201 CNVAHPASST KVDKKIVPRD CGCKPCICTV PEVSSVFIFP PKPKDVLIT
 251 LTPKVTCTVV DISKDDPEVQ FSWFVDDVEV HTAQTOPREE QFNSTFRSVS
 301 ELPMHQDWL NGKEFKCRVN SPAFPAPIEK TISKTKGRPK APQVYTIPPP
 351 KEQMAKDKVS LTCMITDFFP EDITVEWQWN GQPAENYKNT QPIMDTDGSY
 401 FIYSKLNVQK SNWEAGNTFT CSVLHEGLHN HHTEKSLSHS PGK (SEQ ID NO:11)

[0099] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-D HC is:

1 GAGGTCCAGC TGCAACAGTC TGGACCTGAA CTGGTGACGC CTGGGGCTTC
 51 AGTGAAGATA TCTTGTAAGG CTTCTGGATA CACATTCAC T GACCACTACA
 101 TGAGCTGGGT GAAGCAGAGT CATGGAAAA GCCTTGAGTG GATTGGAGAT
 151 ATTAATCCCT ATTCTGGTGA AACTACCTAC AACCAGAAGT TCAAGGGCAC
 201 GGCCACATTG ACTGTAGACA AGTCTTCCAG TATAGCCTAC ATGGAGATCC
 251 GCGGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGAGATGAT
 301 TACGACGCCT CTCCGTTTGC T TACTGGGGC CAAGGGACTC TGGTCACTGT
 351 CTCTGCAGCC AAAACGACAC CCCCATCTGT CTATCCACTG GCCCCTGGAT
 401 CTGCTGCCCC AACTAACTCC ATGGTGACCC TGGGATGCCT GGTCAAGGGC
 451 TATTTCCCTG AGCCAGTGAC AGTGACCTGG AACTCTGGAT CCCTGTCCAG
 501 CGGTGTGCAC ACCTTCCCAG CTGTCCTGCA GTCTGACCTC TACACTCTGA
 551 GCAGCTCAGT GACTGTCCCC TCCAGCACCT GGCCCAGCGA GACCGTCACC
 601 TGCAACGTTG CCCACCCGGC CAGCAGCACC AAGGTGGACA AGAAAATTGT
 651 GCCCAGGGAT TGTGGTTGTA AGCCTTGCAT ATGTACAGTC CCAGAAGTAT
 701 CATCTGTCTT CATCTTCCCC CCAAAGCCCA AGGATGTGCT CACCATTACT
 751 CTGACTCCTA AGGTCACGTG TGTGTGGTA GACATCAGCA AGGATGATCC
 801 CGAGGTCCAG TTCAGCTGGT TTGTAGATGA TGTGGAGGTG CACACAGCTC
 851 AGACGCAACC CCGGGAGGAG CAGTTCAACA GCACTTCCG CTCAGTCAGT
 901 GAACTTCCA TCATGCACCA GGACTGGCTC AATGGCAAGG AGTTCAAATG
 951 CAGGGTCAAC AGTCCAGCTT TCCCTGCCCC CATCGAGAAA ACCATCTCCA
 1001 AAACCAAAGG CAGACCGAAG GCTCCACAGG TGTACACCAT TCCACCTCCC
 1051 AAGGAGCAGA TGGCCAAGGA TAAAGTCAGT CTGACCTGCA TGATAACAGA

 1101 CTTCTTCCCT GAAGACATTA CTGTGGAGTG GCAGTGGAAT GGGCAGCCAG
 1151 CGGAGAACTA CAAGAACACT CAGCCCATCA TGGACACAGA TGGCTCTTAC
 1201 TTCATCTACA GCAAGCTCAA TGTGCAGAAG AGCAACTGGG AGGCAGGAAA
 1251 TACTTTCACC TGCTCTGTGT TACATGAGGG CCTGCACAAC CACCATACTG
 1301 AGAAGAGCCT CTCCCACTCT CCTGGTAAAT GA (SEQ ID NO:12)

[0100] The amino acid sequence of Ab-D HC including signal peptide is:

1 MRCRWIFLFL LSGTAGVLSE VQLQQSGPEL VTPGASVKIS CKASGYTFTD
 51 HYMSWVKQSH GKSLEWIGDI NPYSGETTYN QKFKGTATLT VDKSSSIAYM
 101 EIRGLTSEDS AVYYCARDY DASPFAYWGQ GTLVTVSAAK TTPPSVYPLA
 5 151 PGSAAQTNSM VTLGCLVKGY FPEPVTVTWN SGSLSSGVHT FPAVLQSDLY
 201 TLSSSVTVPS STWPSETVTC NVAHPASSTK VDKKIVPRDC GCKPCICTVP
 251 EVSSVFIFPP KPKDVLITL TPKVTCVVVD ISKDDPEVQF SWFVDDVEVH
 301 TAQTQPREEQ FNSTFRSVSE LPIMHQDWLN GKEFKCRVNS PAFPAPIEKT
 10 351 ISKTKGRPKA PQVYTIPPPK EQMAKDKVSL TCMITDFFPE DITVEWQWNG
 401 QPAENYKNTQ PIMDTDGSYF IYSKLVNPKS NWEAGNTFTC SVLHEGLHNH
 451 HTEKSLSHSP GK (SEQ ID NO:13)

[0101] The nucleic acid sequence of Ab-D HC including signal peptide encoding sequence is:

1 ATGAGATGCA GGTGGATCTT TCTCTTTCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAGCTGC AACAGTCTGG ACCTGAACTG GTGACGCCTG
 101 GGGCTTCAGT GAAGATATCT TGTAAGGCTT CTGGATACAC ATTCAGTGAC
 20 151 CACTACATGA GCTGGGTGAA GCAGAGTCAT GGAAAAAGCC TTGAGTGGAT
 201 TGGAGATATT AATCCCTATT CTGGTGAAAC TACCTACAAC CAGAAGTTCA
 251 AGGGCACGGC CACATTGACT GTAGACAAGT CTTCCAGTAT AGCCTACATG
 301 GAGATCCGCG GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 AGATGATTAC GACGCCTCTC CGTTTGCTTA CTGGGGCCAA GGGACTCTGG
 25 401 TCACTGTCTC TGCAGCCAAA ACGACACCCC CATCTGTCTA TCCACTGGCC
 451 CCTGGATCTG CTGCCCAAAC TAACTCCATG GTGACCCTGG GATGCCTGGT
 501 CAAGGGCTAT TTCCCTGAGC CAGTGACAGT GACCTGGAAC TCTGGATCCC
 551 TGTCCAGCGG TGTGCACACC TTCCAGCTG TCCTGCAGTC TGACCTCTAC
 30 601 ACTCTGAGCA GCTCAGTGAC TGTCCCCTCC AGCACCTGGC CCAGCGAGAC
 651 CGTCACCTGC AACGTTGCCC ACCCGGCCAG CAGCACCAAG GTGGACAAGA
 701 AAATTGTGCC CAGGGATTGT GGTGTGAAGC CTTGCATATG TACAGTCCCA
 751 GAAGTATCAT CTGTCTTCAT CTTCCCCCA AAGCCCAAGG ATGTGCTCAC
 801 CATTACTCTG ACTCCTAAGG TCACGTGTGT TGTGGTAGAC ATCAGCAAGG
 35 851 ATGATCCCGA GGTCCAGTTC AGCTGGTTTG TAGATGATGT GGAGGTGCAC
 901 ACAGCTCAGA CGCAACCCCG GGAGGAGCAG TTCAACAGCA CTTTCCGCTC
 951 AGTCAGTGAA CTTCCCATCA TGCACCAGGA CTGGCTCAAT GGCAAGGAGT
 1001 TCAAATGCAG GGTCAACAGT CCAGCTTTCC CTGCCCCCAT CGAGAAAACC
 40 1051 ATCTCCAAAA CCAAAGGCAG ACCGAAGGCT CCACAGGTGT ACACCATTC
 1101 ACCTCCCAAG GAGCAGATGG CCAAGGATAA AGTCAGTCTG ACCTGCATGA
 1151 TAACAGACTT CTTCCCTGAA GACATTACTG TGGAGTGGCA GTGGAATGGG
 1201 CAGCCAGCGG AGAACTACAA GAACACTCAG CCCATCATGG ACACAGATGG
 1251 CTCTTACTTC ATCTACAGCA AGCTCAATGT GCAGAAGAGC AACTGGGAGG
 45 1301 CAGGAAATAC TTTCACCTGC TCTGTGTTAC ATGAGGGCCT GCACAACCAC
 1351 CATACTGAGA AGAGCCTCTC CACTCTCCT GTAAATGA (SEQ ID NO:14)

[0102] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-D are as follows:

CDR-H1: DHYMS (SEQ ID NO:39)

CDR-H2: DINPYSGETTYNQKFKG (SEQ ID NO:40)

CDR-H3: DDYDASPFAY (SEQ ID NO:41)

[0103] The light chain variable region CDR sequences of Ab-D are:

CDR-L1: QASQGTSINLN (SEQ ID NO:42)

CDR-L2: GSSNLED (SEQ ID NO:43)

5 CDR-L3: LQHSYLPYT (SEQ ID NO:44)

Ab-C

10 **[0104]** Antibody C (also referred to herein as Ab-C and Mab-C) is a mouse antibody which exhibits high affinity binding to sclerostin. The BIAcore binding pattern of Ab-C is shown in Figure 17. The amino acid sequence of the mature form (signal peptide removed) of Ab-C Light Chain is as follows:

15 **1 DIVLTQSPAS LTVSLGLRAT ISCKASQSVD YDGDSYMNWY QOKPGQPPKL**
51 LIYAASNLES GIPARFSGNG SGTDFTLNIH PVEEEDAVTY YCQOSNEDPW
101 TFGGGTKLEI KRADAAPTVS IFPPSSEQLT SGGASVVCFL NNFYPKDINV
151 KWKIDGSERQ NGVLNSWTDQ DSKDSTYSMS STLTLTKDEY ERHNSYTCEA
201 THKTSTSPIV KSFNRNEC (SEQ ID NO:15)

20 **[0105]** The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-C LC is:

25 **1 GACATTGTGC TGACCCAATC TCCAGCTTCT TTGACTGTGT CTCTAGGCCT**
51 GAGGGCCACC ATCTCCTGCA AGGCCAGCCA AAGTGTTGAT TATGATGGTG
101 ATAGTTATAT GAACTGGTAC CAGCAGAAAC CAGGACAGCC ACCCAAATC
151 CTCATCTATG CTGCATCCAA TCTAGAATCT GGGATCCCAG CCAGGTTTAG
201 TGGCAATGGG TCTGGGACAG ACTTCACCCT CAACATCCAT CCTGTGGAGG
251 AGGAGGATGC TGTAACCTAT TACTGTCAAC AAAGTAATGA GGATCCGTGG
301 ACGTTCGGTG GAGGCACCAA GCTGGAAATC AAACGGGCTG ATGCTGCACC
351 AACTGTATCC ATCTTCCCAC CATCCAGTGA GCAGTTAACA TCTGGAGGTG
401 CCTCAGTCGT GTGCTTCTTG AACAACTTCT ACCCAAAGA CATCAATGTC
451 AAGTGGAAGA TTGATGGCAG TGAACGACAA AATGGCGTCC TGAACAGTTG
501 GACTGATCAG GACAGCAAAG ACAGCACCTA CAGCATGAGC AGCACCTCA
551 CGTTGACCAA GGACGAGTAT GAACGACATA ACAGCTATAC CTGTGAGGCC
601 ACTCACAAGA CATCAACTTC ACCCATTGTC AAGAGCTTCA ACAGGAATGA
651 GTGTTAG (SEQ ID NO:16)

40 **[0106]** The amino acid sequence of Ab-C LC including signal peptide is:

45 **1 METDTILLWV LLLWVPGSTG DIVLTQSPAS LTVSLGLRAT ISCKASQSVD**
51 YDGDSYMNWY QOKPGQPPKL LIYAASNLES GIPARFSGNG SGTDFTLNIH
101 PVEEEDAVTY YCQOSNEDPW TFGGGTKLEI KRADAAPTVS IFPPSSEQLT

50 **151 SGGASVVCFL NNFYPKDINV KWKIDGSERQ NGVLNSWTDQ DSKDSTYSMS**
201 STLTLTKDEY ERHNSYTCEA THKTSTSPIV KSFNRNEC (SEQ ID NO:17)

[0107] The nucleic acid sequence of Ab-C LC including signal peptide encoding sequence is:

55

1 ATGGAGACAG ACACAATCCT GCTATGGGTG CTGCTGCTCT GGGTTCCAGG
 51 CTCCACTGGT GACATTGTGC TGACCCAATC TCCAGCTTCT TTGACTGTGT
 101 CTCTAGGCCT GAGGGCCACC ATCTCCTGCA AGGCCAGCCA AAGTGTTGAT
 5 151 TATGATGGTG ATAGTTATAT GAACTGGTAC CAGCAGAAAC CAGGACAGCC
 201 ACCCAAACCT CTCATCTATG CTGCATCCAA TCTAGAATCT GGGATCCCAG
 251 CCAGGTTTAG TGGCAATGGG TCTGGGACAG ACTTCACCCT CAACATCCAT
 301 CCTGTGGAGG AGGAGGATGC TGTAACCTAT TACTGTCAAC AAAGTAATGA
 10 351 GGATCCGTGG ACGTTCGGTG GAGGCACCAA GCTGGAAATC AAACGGGCTG
 401 ATGCTGCACC AACTGTATCC ATCTTCCCAC CATCCAGTGA GCAGTTAACA
 451 TCTGGAGGTG CCTCAGTCGT GTGCTTCTTG AACAACTTCT ACCCCAAAGA
 501 CATCAATGTC AAGTGGAAGA TTGATGGCAG TGAACGACAA AATGGCGTCC
 551 TGAACAGTTG GACTGATCAG GACAGCAAAG ACAGCACCTA CAGCATGAGC
 15 601 AGCACCCCTCA CGTTGACCAA GGACGAGTAT GAACGACATA ACAGCTATAC
 651 CTGTGAGGCC ACTCACAAGA CATCAACTTC ACCCATTGTC AAGAGCTTCA
 701 ACAGGAATGA GTGTTAG (SEQ ID NO:18)

Ab-C Heavy Chain

[0108] The amino acid sequence of the mature form (signal peptide removed) of Ab-C HC is:

1 EVQLQDSGPE LVKPGTSVKM SCKASGYTFT DCYMNWVKQS HGKSLEWIGD
 51 NPFNGGTTY NQKFKGKATL TVDKSSSTAY MQLNSLTSDS SAVYYCARSH
 101 YFFDGRYPWD AMDYWGQGS VTVSSAKTTP PSVYPLAPGS AAQTNSMVTL
 151 GCLVKGYFPE PVTVTWNSGS LSSGVHTFPA VLQSDLYTSL SSVTVPSSTW
 201 PSETVTCNVA HPASSTKVDK KIVPRDCGCK PCICTVPEVS SVFIFPPKPK
 251 DVLITITLTPK VTCVVVDISK DDPEVQFSWF VDDVEVHTAQ TQPREEQFNS
 301 TFRSVSELPI MHQDWLNGKE FKCRVNSAAF PAPIEKTISK TKGRPKAPQV
 351 YTIPPPKEQM AKDKVSLTCM ITDFFPEDIT VEWQWNGQPA ENYKNTQPIM
 401 DTDGSYFIYS KLVNQKSNWE AGNTFTCSVL HEGLHNHHTTE KSLSHSPGK (SEQ
 35 ID NO:19)

[0109] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-C HC is as follows:

1 GAGGTCCAGC TGCAACAATC TGGACCTGAG CTGGTGAAGC CTGGGACTTC
 51 AGTGAAGATG TCCTGTAAGG CTTCTGGATA CACATTCACCT GACTGCTACA
 101 TGAACCTGGG GAAGCAGAGC CATGGGAAGA GCCTTGAATG GATTGGAGAT
 151 ATTAATCCTT TCAACGGTGG TACTACCTAC AACCAGAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AATCCTCCAG CACAGCCTAC ATGCAGCTCA
 251 ACAGCCTGAC ATCTGACGAC TCTGCAGTCT ATTACTGTGC AAGATCCCAT
 301 TATTACTTCG ATGGTAGAGT CCCTTGGGAT GCTATGGACT ACTGGGGTCA
 351 AGGAACCTCA GTCACCGTCT CCTCAGCCAA AACGACACCC CCATCTGTCT
 401 ATCCACTGGC CCCTGGATCT GCTGCCCAA CTAACCTCCAT GGTGACCCTG
 451 GGATGCCTGG TCAAGGGCTA TTTCCCTGAG CCAGTGACAG TGACCTGGAA

501 CTCTGGATCC CTGTCCAGCG GTGTGCACAC CTTCCCAGCT GTCCTGCAGT
 551 CTGACCTCTA CACTCTGAGC AGCTCAGTGA CTGTCCCCTC CAGCACCTGG
 601 CCCAGCGAGA CCGTCACCTG CAACGTTGCC CACCCGGCCA GCAGCACCAA
 651 GGTGGACAAG AAAATTGTGC CCAGGGATTG TGGTTGTAAG CCTTG CATAT
 701 GTACAGTCCC AGAAGTATCA TCTGTCTTCA TCTTCCCCC AAAGCCCAAG
 751 GATGTGCTCA CCATTACTCT GACTCCTAAG GTCACGTGTG TTGTGGTAGA
 801 CATCAGCAAG GATGATCCCG AGGTCCAGTT CAGCTGGTTT GTAGATGATG
 851 TGGAGGTGCA CACAGCTCAG ACGCAACCCC GGGAGGAGCA GTTCAACAGC
 901 ACTTTCCGCT CAGTCAGTGA ACTTCCCATC ATGCACCAGG ACTGGCTCAA
 951 TGGCAAGGAG TTCAAATGCA GGGTCAACAG TGCAGCTTTC CCTGCCCCCA
 1001 TCGAGAAAAC CATCTCCAAA ACCAAAGGCA GACCGAAGGC TCCACAGGTG
 1051 TACACCATTC CACCTCCCAA GGAGCAGATG GCCAAGGATA AAGTCAGTCT
 1101 GACCTGCATG ATAACAGACT TCTTCCCTGA AGACATTACT GTGGAGTGGC
 1151 AGTGGAATGG GCAGCCAGCG GAGAACTACA AGAACACTCA GCCCATCATG
 1201 GACACAGATG GCTCTTACTT CATCTACAGC AAGCTCAATG TGCAGAAGAG
 1251 CAACTGGGAG GCAGGAAATA CTTTCACCTG CTCTGTGTGA CATGAGGGCC
 1301 TGCACAACCA CCATACTGAG AAGAGCCTCT CCCACTCTCC TGGTAAATGA
 (SEQ ID NO:20)

[0110] The amino acid sequence of Ab-C HC including signal peptide is:

1 MGWNWIFLFL LSGTAGVYSE VQLQQSGPEL VKPGTSVKMS CKASGYTFTD
 51 CYMNWVKQSH GKSLEWIGDI NPFNGGITYN QKFKGKATLT VDKSSSTAYM
 101 QLNSLTSDDS AVYYCARSHY YFDGRVPWDA MDYWGQGTSV TVSSAKTTPP
 151 SVYPLAPGSA AQTNSMVTLG CLVKGYFPEP VTVTWNSGSL SSGVHTFPAV
 201 LQSDLYTLSS SVTVPSSTWP SETVTCNVAH PASSTKVDKK IVPRDCGCKP
 251 CICTVPEVSS VFIFPPKPKD VLTITLTPKV TCVVVDISKD DPEVQFSWFV
 301 DDVEVHTAQT QPREEQFNST FRSVSELPIM HQDWLNGKEF KCRVNSAAFP
 351 APIEKTISK T KGRPKAPQVY TIPPPKEQMA KDKVSLTCMI TDFFPEDITV
 401 EWQWNGQPAE NYKNTQPIMD TDGSYFIYSK LNVQKSNWEA GNTFTCSVLH
 451 EGLHNHHTEK SLSHSPGK (SEQ ID NO:21)

[0111] The nucleic acid sequence of Ab-C HC including signal peptide encoding sequence is:

1 ATGGGATGGA ACTGGATCTT TCTCTTCCTC TTGTCAGGAA CTGCAGGTGT
 5 51 CTACTCTGAG GTCCAGCTGC AACAATCTGG ACCTGAGCTG GTGAAGCCTG
 101 GGACTTCAGT GAAGATGTCC TGTAAGGCTT CTGGATACAC ATTCACTGAC
 151 TGCTACATGA ACTGGGTGAA GCAGAGCCAT GGGAAGAGCC TTGAATGGAT
 201 TGGAGATATT AATCCTTTCA ACGGTGGTAC TACCTACAAC CAGAAGTTCA
 251 AGGGCAAGGC CACATTGACT GTAGACAAAT CCTCCAGCAC AGCCTACATG
 301 CAGCTCAACA GCCTGACATC TGACGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATCCCATTAT TACTTCGATG GTAGAGTCCC TTGGGATGCT ATGGACTACT
 401 GGGGTCAAGG AACCTCAGTC ACCGTCTCCT CAGCCAAAAC GACACCCCCA
 451 TCTGTCTATC CACTGGCCCC TGGATCTGCT GCCCAAATA ACTCCATGGT
 501 GACCCTGGGA TGCCTGGTCA AGGGCTATTT CCCTGAGCCA GTGACAGTGA
 551 CCTGGAAGTC TGGATCCCTG TCCAGCGGTG TGCACACCTT CCCAGCTGTC
 601 CTGCAGTCTG ACCTCTACAC TCTGAGCAGC TCAGTGACTG TCCCCTCCAG
 651 CACCTGGCCC AGCGAGACCG TCACCTGCAA CGTTGCCAC CCGGCCAGCA
 701 GCACCAAGGT GGACAAGAAA ATTGTGCCCA GGGATTGTGG TTGTAAGCCT
 751 TGCATATGTA CAGTCCCAGA AGTATCATCT GTCTTCATCT TCCCCCAAA
 801 GCCCAAGGAT GTGCTACCA TTA CTCTGAC TCCTAAGGTC ACGTGTGTTG

851 TGGTAGACAT CAGCAAGGAT GATCCCGAGG TCCAGTTCAG CTGGTTTGTA
 901 GATGATGTGG AGGTGCACAC AGCTCAGACG CAACCCCGGG AGGAGCAGTT
 951 CAACAGCACT TTCCGCTCAG TCAGTGA ACT TCCATCATG CACCAGGACT
 1001 GGCTCAATGG CAAGGAGTTC AAATGCAGGG TCAACAGTGC AGCTTTCCCT
 1051 GCCCCATCG AGAAAACCAT CTCCAAAACC AAAGGCAGAC CGAAGGCTCC
 1101 ACAGGTGTAC ACCATTCCAC CTCCCAAGGA GCAGATGGCC AAGGATAAAG
 1151 TCAGTCTGAC CTGCATGATA ACAGACTTCT TCCCTGAAGA CATTACTGTG
 1201 GAGTGGCAGT GGAATGGGCA GCCAGCGGAG AACTACAAGA ACACTCAGCC
 1251 CATCATGGAC ACAGATGGCT CTTACTTCAT CTACAGCAAG CTCAATGTGC
 1301 AGAAGAGCAA CTGGGAGGCA GGAAATACTT TCACCTGCTC TGTGTTACAT
 1351 GAGGGCCTGC ACAACCACCA TACTGAGAAG AGCCTCTCCC ACTCTCCTGG
 1401 TAAATGA (SEQ ID NO:22)

[0112] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-C are as follows:

CDR-H1: DCYMN (SEQ ID NO:45)

CDR-H2: DINPFNGGTTYNQKFKG (SEQ ID NO:46)

CDR-H3: SHYYFDGRVPWDAMDY (SEQ ID NO:47)

[0113] The light chain variable region CDR sequences of Ab-C are:

CDR-L1: KASQSVDYDGDSYMN (SEQ ID NO:48)

CDR-L2: AASNLES (SEQ ID NO:49)

CDR-L3: QQSNEPWT (SEQ ID NO:50)

Ab-A

[0114] Antibody A (also referred to herein as Ab-A and Mab-A) is a rabbit-mouse chimeric antibody which exhibits high affinity binding to sclerostin. The BIAcore binding pattern of Ab-A is shown in Figure 15.

Ab-A Light Chain

[0115] The amino acid sequence of the mature form (signal peptide removed) of Ab-A LC:

1 AQVLTQTPAS VSAAVGGTVT INCQSSQSVY DNNWLA WFOQ KPGQPPKLLI
 51 YDASDLASGV PSRFSGSGSG TQFTLTISGV QCADAATYYC QGAYNDVIYA
 101 FGGGTEVVVK RTDAAPT~~V~~SI FPPSSEQLTS GGASVVCFLN NFYPKDINVK
 151 WKIDGSE~~R~~QN GVLNSWTDQD SKDSTYSMSS TLTLTKDEYE RHNSYTCEAT
 201 HKTSTSPIVK SFNRNEC (SEQ ID NO:23)

[0116] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-A LC:

1 GCGCAAGTGC TGACCCAGAC TCCAGCCTCC GTGTCTGCAG CTGTGGGAGG

51 CACAGTCACC ATCAATTGCC AGTCCAGTCA GAGTGTTTAT GATAACAAC
 101 GGTTAGCCTG GTTTCAGCAG AAACCAGGGC AGCCTCCCAA GCTCCTGATT
 151 TATGATGCAT CCGATCTGGC ATCTGGGGTC CCATCGCGGT TCAGTGGCAG
 201 TGGATCTGGG ACACAGTTCA CTCTACCAT CAGCGGCGTG CAGTGTGCCG
 251 ATGCTGCCAC TTACTACTGT CAAGGCGCTT ATAATGATGT TATTTATGCT
 301 TTCGGCGGAG GGACCGAGGT GGTGGTCAAA CGTACGGATG CTGCACCAAC
 351 TGTATCCATC TTCCACCAT CCAGTGAGCA GTTAACATCT GGAGGTGCCT
 401 CAGTCGTGTG CTTCTTGAAC AACTTCTACC CCAAAGACAT CAATGTCAAG
 451 TGGAAGATTG ATGGCAGTGA ACGACAAAAT GGCCTCCTGA ACAGTTGGAC
 501 TGATCAGGAC AGCAAAGACA GCACCTACAG CATGAGCAGC ACCCTCACGT
 551 TGACCAAGGA CGAGTATGAA CGACATAACA GCTATACCTG TGAGGCCACT
 601 CACAAGACAT CAACTTCACC CATTGTCAAG AGCTTCAACA GGAATGAGTG
 651 TTAG (SEQ ID NO:24)

[0117] The amino acid sequence of Ab-A LC including signal peptide is:

1 MDTRAPTQLL GLLLLWLPGA TFAQVLTQTP ASVSAAVGGT VTINCQSSQS
 51 VYDNNWLAWF QQKPGQPPKL LIYDASDLAS GVPSRFSGSG SGTQFTLTIS
 101 GVQCADAATY YCQGAYNDVI YAFGGGTEVV VKRTDAAPT~~V~~ SIFPPSSEQL
 151 TSGGASVVCFLNNFY~~P~~KDIN VKWKIDGSE~~R~~QNGVLNSWTD QDSKDSTYSM
 201 SSTLTLTKDE YERHNSYTCE ATHKTSTSPI VKSFNRNEC (SEQ ID NO:25)

[0118] The nucleic acid sequence of Ab-A LC including signal peptide encoding sequence is:

1 ATGGACACGA GGGCCCCCAC TCAGCTGCTG GGGCTCCTGC TGCTCTGGCT
 51 CCCAGGTGCC ACATTTGCGC AAGTGCTGAC CCAGACTCCA GCCTCCGTGT
 101 CTGCAGCTGT GGGAGGCACA GTCACCATCA ATTGCCAGTC CAGTCAGAGT
 151 GTTTATGATA ACAACTGGTT AGCCTGGTTT CAGCAGAAAC CAGGGCAGCC
 201 TCCAAGCTC CTGATTTATG ATGCATCCGA TCTGGCATCT GGGGTCCCAT
 251 CGCGGTTT CAG TGGCAGTGGA TCTGGGACAC AGTTCACTCT CACCATCAGC
 301 GCGGTG CAGT GTGCCGATGC TGCCACTTAC TACTGTCAAG GCGCTTATAA
 351 TGATGTTATT TATGCTTTCG GCGGAGGGAC CGAGGTGGTG GTCAAACGTA
 401 CGGATGCTGC ACCAACTGTA TCCATCTTCC CACCATCCAG TGAGCAGTTA
 451 ACATCTGGAG GTGCCTCAGT CGTGTGCTTC TTGAACAAC TCTACCCCAA
 501 AGACATCAAT GTCAAGTGGA AGATTGATGG CAGTGAACGA CAAAATGGCG
 551 TCCTGAACAG TTGGACTGAT CAGGACAGCA AAGACAGCAC CTACAGCATG
 601 AGCAGCACCC TCACGTTGAC CAAGGACGAG TATGAACGAC ATAACAGCTA
 651 TACCTGTGAG GCCACTCACA AGACATCAAC TTCACCCATT GTCAAGAGCT
 701 TCAACAGGAA TGAGTGTTAG (SEQ ID NO:26)

[0119] The amino acid sequence of the mature form (signal peptide removed) of Ab-A HC is:

1 QSLEESGGRL VTPGTPLTLT CTASGFSLS⁵ Y⁵WM⁵N⁵WVRQAP GEGLEWIG⁵T⁵
 51 DSGGR⁵TDY⁵AS WAKGRFTISR TSTIMDLKMT SLTTGDTARY FCARN⁵WNL⁵WG
 101 QGTLVTVSSA STKGPSVYPL APGSAAQTNS MVTLGCLVKG YFPEP⁵VT⁵VTW
 151 NSGSLSSGVH TFP⁵AVLQSDL YTLSSSVTVP SSTWPSETVT CNVAHPASST
 201 KVDKKIVPRD CGCKPCICTV PEVSSVFIFP PKPKDVL⁵TIT LTPKVTCVVV
 251 DISKDDPEVQ FSWFVDDVEV HTAQTOPREE QFNSTFRSVS ELPIMHQDWL
 301 NGKEFKCRVN SAAFPAPIEK TISKTKGRPK APQVYTIPPP KEQMAKDKVS
 351 LTCMITDFFP EDITVEWQWN GQPAENYKNT QPDMNTNGSY FVYSKLN⁵VQK

401 SNWEAGNTFT CSVLHEGLHN HHTEKSLSHS PGK (SEQ ID NO:27)

[0120] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-A HC:

1 CAGTCGCTGG AGGAGTCCGG GGGTCGCCTG GTCACGCCTG GGACACCCCT
 51 GACACTCACC TGCACAGCCT CTGGATTCTC CCTCAGTAGT TATTGGATGA
 101 ACTGGGTCCG CCAGGCTCCA GGGGAGGGGC TGGAAATGGAT CGGAACCATT
 5 151 GATTCTGGTG GTAGGACGGA CTACGCGAGC TGGGCAAAAG GCCGATTAC
 201 CATCTCCAGA ACCTCGACTA CGATGGATCT GAAAATGACC AGTCTGACGA
 251 CCGGGGACAC GGCCCGTTAT TTCTGTGCCA GAAATTGGAA CTTGTGGGGC
 301 CAAGGCACCC TCGTCACCGT CTCGAGCGCT TCTACAAAGG GCCCATCTGT
 10 351 CTATCCACTG GCCCCTGGAT CTGCTGCCCA AACTAACTCC ATGGTGACCC
 401 TGGGATGCCT GGTCAAGGGC TATTTCCCTG AGCCAGTGAC AGTGACCTGG
 451 AACTCTGGAT CCCTGTCCAG CGGTGTGCAC ACCTTCCCAG CTGTCTTGCA
 501 GTCTGACCTC TACACTCTGA GCAGCTCAGT GACTGTCCCC TCCAGCACCT
 551 GGCCCAGCGA GACCGTCACC TGCAACGTTG CCCACCCGGC CAGCAGCACC
 15 601 AAGGTGGACA AGAAAATTGT GCCCAGGGAT TGTGGTTGTA AGCCTTGCAT
 651 ATGTACAGTC CCAGAAGTAT CATCTGTCTT CATCTTCCCC CCAAAGCCCA
 701 AGGATGTGCT CACCATTACT CTGACTCCTA AGGTCACGTG TGTGTGGTA
 751 GACATCAGCA AGGATGATCC CGAGGTCCAG TTCAGCTGGT TTGTAGATGA
 801 TGTGGAGGTG CACACAGCTC AGACGCAACC CCGGGAGGAG CAGTTCAACA
 20 851 GCACTTTCCTG CTCAGTCAGT GAACTTCCA TCATGCACCA GGACTGGCTC
 901 AATGGCAAGG AGTTCAAATG CAGGGTCAAC AGTGCAAGCTT TCCCTGCCCC
 951 CATCGAGAAA ACCATCTCCA AAACCAAAGG CAGACCGAAG GCTCCACAGG
 1001 TGTACACCAT TCCACCTCCC AAGGAGCAGA TGGCCAAGGA TAAAGTCAGT
 25 1051 CTGACCTGCA TGATAACAGA CTTCTTCCCT GAAGACATTA CTGTGGAGTG
 1101 GCAGTGGAAT GGGCAGCCAG CGGAGAACTA CAAGAACACT CAGCCCATCA
 1151 TGGACACAGA TGGCTCTTAC TTCGTCTACA GCAAGCTCAA TGTGCAGAAG
 1201 AGCAACTGGG AGGCAGGAAA TACTTTCACC TGCTCTGTGT TACATGAGGG
 1251 CCTGCACAAC CACCATACTG AGAAGAGCCT CTCCCCTCT CCTGGTAAAT
 30 1301 GA (SEQ ID NO:28)

[0121] The amino acid sequence of the Ab-A HC including signal peptide is:

1 METGLRWLL VAVLKGVHCQ SLBESGGRLV TPGTPLILTC TASGFSLSY
 51 WMNWVRQAPG EGLEWIGTID SGRITDYASW AKGRFTISRT STTMDLKMTS
 101 LTTGDTARYF CARNWNLWGQ GTLTVSSAS TKGPSVYPLA PGSAAQTNSM
 151 VTLGCLVKGY FPEPVTVTWN SGSLSSGVHT FPAVLQSDLY TLSSSVTVPS
 201 STWPSETVTC NVAHPASSTK VDKKIVPRDC GCKPCICTVP EVSSVFIFPP
 251 KPKDVLITL TPKVTCVVVD ISKDDPEVQF SWFVDDVEVH TAQTQPREEQ
 301 FNSTFRSVSE LPIMHQDWLN GKEFKCRVNS AAFPAPIEKT ISKTKGRPKA
 351 PQVYTIPPPK EQMAKDKVSL TCMITDFFPE DITVEWQWNG QPAENYKNTQ
 401 PIMNTNGSYF VYSKLVNPKS NWEAGNTFTC SVLHEGLHNH HTEKSLSHSP
 45 451 GK (SEQ ID NO:29)

[0122] The nucleic acid sequence of Ab-A HC including signal peptide encoding sequence:

1 ATGGAGACTG GGCTGCGCTG GCTTCTCCTG GTCGCTGTGC TCAAAGGTGT
 51 CCACTGTCAG TCGCTGGAGG AGTCCGGGGG TCGCCTGGTC ACGCCTGGGA
 101 CACCCCTGAC ACTCACCTGC ACAGCCTCTG GATTCTCCCT CAGTAGTTAT

151 TGGATGAACT GGGTCCGCCA GGCTCCAGGG GAGGGGCTGG AATGGATCGG
 201 AACCATTGAT TCTGGTGGTA GGACGGACTA CGCGAGCTGG GCAAAAGGCC
 251 GATTCACCAT CTCCAGAACC TCGACTACGA TGGATCTGAA AATGACCAGT
 301 CTGACGACCG GGGACACGGC CCGTTATTTT TGTGCCAGAA ATTGGAACCT
 351 GTGGGGCCAA GGCACCCTCG TCACCGTCTC GAGCGCTTCT ACAAAGGGCC
 401 CATCTGTCTA TCCACTGGCC CCTGGATCTG CTGCCCAAAC TAACTCCATG
 451 GTGACCCTGG GATGCCTGGT CAAGGGCTAT TTCCCTGAGC CAGTGACAGT
 501 GACCTGGAAC TCTGGATCCC TGTCCAGCGG TGTGCACACC TTCCCAGCTG
 551 TCCTGCAGTC TGACCTCTAC ACTCTGAGCA GCTCAGTGAC TGTCCCCTCC
 601 AGCACCTGGC CCAGCGAGAC CGTCACCTGC AACGTTGCC ACCCGGCCAG
 651 CAGCACCAAG GTGGACAAGA AAATTGTGCC CAGGGATTGT GGTGTGAAGC
 701 CTTGCATATG TACAGTCCCA GAAGTATCAT CTGTCTTCAT CTTCCCCCA
 751 AAGCCCAAGG ATGTGCTCAC CATTACTCTG ACTCCTAAGG TCACGTGTGT
 801 TGTGGTAGAC ATCAGCAAGG ATGATCCCGA GGTCCAGTTC AGCTGGTTTG
 851 TAGATGATGT GGAGGTGCAC ACAGCTCAGA CGCAACCCCG GGAGGAGCAG
 901 TTCAACAGCA CTTTCCGCTC AGTCAGTGAA CTTCCCATCA TGCACCAGGA
 951 CTGGCTCAAT GGCAAGGAGT TCAAATGCAG GGTCAACAGT GCAGCTTTCC
 1001 CTGCCCCCAT CGAGAAAACC ATCTCCAAAA CCAAAGGCAG ACCGAAGGCT
 1051 CCACAGGTGT ACACCATTC ACCTCCCAAG GAGCAGATGG CCAAGGATAA
 1101 AGTCAGTCTG ACCTGCATGA TAACAGACTT CTTCCCTGAA GACATTACTG
 1151 TGGAGTGGCA GTGGAATGGG CAGCCAGCGG AGAACTACAA GAACACTCAG
 1201 CCCATCATGG ACACAGATGG CTCTTACTTC GTCTACAGCA AGCTCAATGT
 1251 GCAGAAGAGC AACTGGGAGG CAGGAAATAC TTTCACCTGC TCTGTGTTAC
 1301 ATGAGGGCCT GCACAACCAC CATACTGAGA AGAGCCTCTC CCACTCTCCT
 1351 GGTAAATGA (SEQ ID NO:30)

[0123] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-A are as follows:

CDR-H1: SYWMN (SEQ ID NO:51)

CDR-H2: TCDSGGRTDYASWAKG (SEQ ID NO:52)

CDR-H3: NWNL(SEQ ID NO:53)

[0124] The light chain variable region CDR sequences of Ab-A are:

CDR-L1: QSSQSVYDNNWLA (SEQ ID NO:54)

CDR-L2: DASDLAS (SEQ ID NO:55)

CDR-L3: QGAYNDVIYA (SEQ ID NO:56)

[0125] Ab-A was humanized, and is referred to as Antibody 1 (also referred to herein as Ab-1), having the following sequences:

[0126] The nucleic acid sequence of the Ab-1 LC variable region including signal peptide encoding sequence is

ATGGACACGAGGGCCCCCACTCAGCTGCTGGGGCTCCTGCTGCTCTGGCTCCCAGGT
 GCCACATTTGCTCAAGTTCTGACCCAGAGTCCAAGCAGTCTCTCCGCCAGCGTAGGC

GATCGTGTGACTATTACCTGTCAATCTAGTCAGAGCGTGTATGATAACAATTGGCTG
 GCGTGGTACCAGCAAAAACCGGGCAAAGCCCCGAAGCTGCTCATCTATGACGCGTC
 CGATCTGGCTAGCGGTGTGCCAAGCCGTTTCAGTGGCAGTGGCAGCGGTACTGACT
 TTACCCCTCACAATTTCTGCTCTCTCCAGCCGGAAGATTTGCCCACTTACTATTGTCAAG
 GTGCTTACAACGATGTGATTTATGCCTTCGGTCAGGGCACTAAAGTAGAAATCAAA
 CGT (SEQ ID NO:74)

[0127] The amino acid sequence of Ab-1 LC variable region including signal peptide is:

MDTRAPTOLLGLLLWLPGATFAQVLTQSPSSLSASVGDRVTTTCQSSQSVYDNNWLA
 WYQOKPGKAPKLLIYDASDLASGVPSRFSGSGSGTDFTLTISLQPEDFATYYCQGYN
 DVIYAFGQGTKVEIKR (SEQ ID NO:75)

[0128] The nucleic acid sequence of Ab-1 HC variable region including signal peptide encoding sequence is:

ATGGAGACTGGGCTGCGCTGGCTTCTCCTGGTCGCTGTGCTCAAAGGTGTCCACTGT
 GAGGTGCAGCTGTTGGAGTCTGGAGGCGGGCTTGTCCAGCCTGGAGGGAGCCTGCG
 TCTCTCTTGTGCAGCAAGCGGCTTCAGCTTATCCTCTTACTGGATGAATTGGGTGCG
 GCAGGCACCTGGGAAGGGCCTGGAGTGGGTGGGCACCATTGATTCCGGAGGCCGTA
 CAGACTACGCGTCTTGGGCAAAGGGCCGTTTCACCATTTCCTCGCGACAACCTCCAAA
 AATACCATGTACCTCCAGATGAACTCTCTCCGCGCAGAGGACACAGCACGTTATTA
 CTGTGCACGCAACTGGAATCTGTGGGGTCAAGGTACTCTTGTAACAGTCTCGAGC
 (SEQ ID NO:76)

Amino acid sequence of Ab-1 HC variable region including signal peptide

[0129]

METGLRWLLLVAVLKGVHCEVQLLESGGGLVQPGGSLRLSCAASGFSLSYWMNWVR
 QAPGKGLEWVGTTDSGGRTDYASWAKGRFTISRDN SKNTMYLQMNSLRAEDTARYYC
 ARNWNLWGQGTILVTVSS (SEQ ID NO:77)

[0130] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-1 are as follows:

CDR-H1: SYWMN (SEQ ID NO:51)

CDR-H2: TIDSGGRTDYASWAKG (SEQ ID NO:52)

CDR-H3: NWNL (SEQ ID NO:53)

[0131] The light chain variable region CDR sequences of Ab-1 are:

CDR-L1: QSSQSVYDNNWLA (SEQ ID NO:54)

CDR-L2: DASDLAS (SEQ ID NO:55)

CDR-L3: QGAYNDVIYA (SEQ ID NO:56)

Ab-B

[0132] Antibody B (also referred to herein as Ab-B and Mab-B) is a mouse antibody which exhibits high affinity binding to sclerostin. The BIAcore binding pattern of Ab-B is shown in Figure 16.

Ab-B Light Chain

[0133] The amino acid sequence of the mature form (signal peptide removed) of the Ab-B LC is:

```

1 QIVLTQSPTI VSASPGKVT LICSASSSVS FVDWFOQKPG TSPKRWIYRT
51 SNLGFGVPAR FSGGSGTSH SLTISRMEAE DAATYYCQQR STYPTFGAG
101 TKLELKRADA APTVSIFPPS SEQLTSGGAS VVCFLNNFYP KDINVKWKID
151 GSERQNGVLN SWTDQDSKDS TYSMSSTLTL TKDEYERHNS YTCEATHKTS
201 TSPIVKSENR NEC (SEQ ID NO:31)

```

[0134] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-B LC is:

```

1 CAAATTGTTT TCACCCAGTC TCCAACAATC GTGTCTGCAT CTCCAGGGGA
51 GAAGGTCACC CTAATCTGCA GTGCCAGTTC AAGTGTAAGT TTCGTGGACT
101 GGTTCCAGCA GAAGCCAGGC ACTTCTCCCA AACGCTGGAT TTACAGAACA
151 TCCAACCTGG GTTTTGGAGT CCCTGCTCGC TTCAGTGGCG GTGGATCTGG
201 GACCTCTCAC TCTCTCACA TCAGCCGAAT GGAGGCTGAA GATGCTGCCA
251 CTTATTACTG CCAGCAAAGG AGTACTTACC CACCCACGTT CGGTGCTGGG
301 ACCAAGCTGG AACTGAAACG GGCTGATGCT GCACCAACTG TATCCATCTT
351 CCCACCATCC AGTGAGCAGT TAACATCTGG AGGTGCCTCA GTCGTGTGCT
401 TCTTGAACAA CTTCTACCCC AAAGACATCA ATGTCAAGTG GAAGATTGAT
451 GGCAGTGAAC GACAAAATGG CGTCCTGAAC AGTTGGACTG ATCAGGACAG
501 CAAAGACAGC ACCTACAGCA TGAGCAGCAC CCTCACGTTG ACCAAGGACG
551 AGTATGAACG ACATAACAGC TATACCTGTG AGGCCACTCA CAAGACATCA
601 ACTTCACCCA TTGTCAAGAG CTTCAACAGG AATGAGTGTT AG (SEQ ID NO:32)

```

[0135] The amino acid sequence of Ab-B LC including signal peptide is:

```

1 MHFQVQIFSF LLISASVIVS RGQIVLTQSP TIVSASPGEK VTLICSASSSVS
51 VSFVDWFQOK PGTSPKRWIY RTSN LGFGVP ARFSGGSGT SHSLTISRME
101 AEDAATYYCQ QRSTYPPTFG AGTKLELKRA DAAPTVSIFP PSSEQLTSGG
151 ASVVCFLNNF YPKDINVKWK IDGSERQNGV LNSWTDQDSK DSTYSMSSTL
201 TLTKDEYERH NSYTCEATHK TSTSPIVKSF NRNEC (SEQ ID NO:33)

```

[0136] The nucleic acid sequence of Ab-B LC including signal peptide encoding sequence is:

```

1 ATGCATTTTC AAGTGCAGAT TTTCAGCTTC CTGCTAATCA GTGCCTCAGT
51 CATAGTGTCC AGAGGGCAAA TTGTTCTCAC CCAGTCTCCA ACAATCGTGT
101 CTGCATCTCC AGGGGAGAAG GTCACCCTAA TCTGCAGTGC CAGTTCAAGT
151 GTAAGTTTCG TGGACTGGTT CCAGCAGAAG CCAGGCACTT CTCCCAAACG
201 CTGGATTTAC AGAACATCCA ACCTGGGTTT TGGAGTCCCT GCTCGCTTCA
251 GTGGCGGTGG ATCTGGGACC TCTCACTCTC TCACAATCAG CCGAATGGAG
55 301 GCTGAAGATG CTGCCACTTA TTACTGCCAG CAAAGGAGTA CTTACCCACC

```

351 CACGTTCCGGT GCTGGGACCA AGCTGGAAC T GAAACGGGCT GATGCTGCAC
 401 CAACTGTATC CATCTTCCCA CCATCCAGTG AGCAGTTAAC ATCTGGAGGT
 451 GCCTCAGTCG TGTGCTTCTT GAACAACTTC TACCCCAAAG ACATCAATGT
 501 CAAGTGGAAG ATTGATGGCA GTGAACGACA AAATGGCGTC CTGAACAGTT
 551 GGA CTGATCA GGACAGCAA GACAGCACCT ACAGCATGAG CAGCACCTC
 601 ACGTTGACCA AGGACGAGTA TGAACGACAT AACAGCTATA CCTGTGAGGC
 651 CACTCACAAG ACATCAACTT CACCCATTGT CAAGAGCTTC AACAGGAATG
 701 AGTGTTAG (SEQ ID NO:34)

Ab-B Heavy Chain

[0137] The amino acid sequence of the mature form (signal peptide removed) of Ab-B HC:

1 QVTLKESGPG ILQPSQTL~~SL~~ TCSFSGFSL~~S~~ TSGMGVGV~~W~~IR HPSGKNLEWL
 51 AHIWWDV~~K~~R YNPVLK~~S~~R~~L~~T ISKDTNS~~S~~QV FLKIANV~~D~~TA DTATYYCARI
 101 E~~D~~F~~D~~Y~~D~~E~~E~~Y~~Y~~ AMDYWGQ~~G~~TS VIVSSAK~~T~~TP PSVYPLAPGS AAQTNSMV~~T~~L
 151 GCLVKG~~Y~~FPE PVTVTW~~N~~SGS LSSGVHT~~F~~PA VLQSDLY~~T~~LS SSVTVPS~~S~~STW
 201 PSEFVTC~~N~~VA HPASSTK~~V~~DK KIVPRDC~~G~~CK PCICTVPEVS SVFI~~F~~PPKPK
 251 DVL~~T~~ITLTPK VTCVV~~V~~DISK DDPEVQ~~F~~SWF VDDVEV~~H~~TAQ TQPREEQ~~F~~NS
 301 TFRSVSEL~~P~~I MHQDWL~~N~~GKE FKCRVNSA~~A~~F PAPIEKTISK TKGRPKAP~~Q~~V
 351 YTIPPPKE~~Q~~M AKDKVSL~~T~~CM ITDFFPEDIT VEWQWNG~~Q~~PA ENYKNTQ~~P~~IM
 401 DTDGSYFVYS KLN~~V~~QKSNWE AGNTFTCSVL HEGLHNH~~H~~TE KSLSHSPGK (SEQ
 ID NO:35)

[0138] The nucleic acid sequence encoding the mature form (signal peptide removed) of Ab-B HC:

1 CAGGTTACTC TGAAAGAGTC TGGCCCTGGG ATATTGCAGC CCTCCCAGAC
 51 CCTCAGTCTG ACTTGTTCTT TCTCTGGGTT TTCACTGAGC ACTTCTGGTA
 101 TGGGTGTAGG CTGGATTCGT CACCCATCAG GGAAGAATCT GGAGTGGCTG
 151 GCACACATTT GGTGGGATGA TGTCAGCGC TATAACCCAG TCCTGAAGAG
 201 CCGACTGACT ATCTCCAAGG ATACCTCAA CAGCCAGGTA TTCCTCAAGA
 251 TCGCCAATGT GGACACTGCA GATACTGCCA CATACTACTG TGCTCGAATA
 301 GAGGACTTTG ATTACGACGA GGAGTATTAT GCTATGGACT ACTGGGGTCA
 351 AGGAACCTCA GTCATCGTCT CCTCAGCCAA AACGACACCC CCATCTGTCT
 401 ATCCACTGGC CCCTGGATCT GCTGCCCAA CTA~~A~~CTCCAT GGTGACCCTG
 451 GGATGCCTGG TCAAGGGCTA TTTCCCTGAG CCAGTGACAG TGACCTGGAA
 501 CTCTGGATCC CTGTCCAGCG GTGTGCACAC CTTCCCAGCT GTCCTGCAGT
 551 CTGACCTCTA CACTCTGAGC AGCTCAGTGA CTGTCCCCTC CAGCACCTGG
 601 CCCAGCGAGA CCGTCACCTG CAACGTTGCC CACCCGGCCA GCAGACCAA
 651 GGTGGACAAG AAAATTGTGC CCAGGGATTG TGGTTGTAAG CCTTGCATAT
 701 GTACAGTCCC AGAAGTATCA TCTGTCTTCA TCTTCCCCC AAAGCCCAAG
 751 GATGTGCTCA CCATTACTCT GACTCCTAAG GTCACGTGTG TTGTGGTAGA
 801 CATCAGCAAG GATGATCCCG AGGTCCAGTT CAGCTGGTTT GTAGATGATG
 851 TGGAGGTGCA CACAGCTCAG ACGCAACCCC GGGAGGAGCA GTTCAACAGC
 901 ACTTTC~~C~~CGCT CAGTCAGTGA ACTTCCCATC ATGCACCAGG ACTGGCTCAA
 951 TGGCAAGGAG TTCAAATGCA GGGTCAACAG TGCAGCTTTC CCTGCC~~C~~CA
 1001 TCGAGAA~~A~~AC CATCTCCAA~~A~~ ACCAAAGGCA GACCGAAGGC TCCACAGGTG
 1051 TACACCATTC CACCTCCCAA GGAGCAGATG GCCAAGGATA AAGTCAGTCT
 1101 GACCTGCATG ATAACAGACT TCTTCCCTGA AGACATTACT GTGGAGTGGC
 1151 AGTGGAATGG GCAGCCAGCG GAGAACTACA AGA~~A~~ACTCA GCCCATCATG

1201 GACACAGATG GCTCTTACTT CGTCTACAGC AAGCTCAATG TGCAGAAGAG
 1251 CAACTGGGAG GCAGGAAATA CTTTCACCTG CTCTGTGTTA CATGAGGGCC
 1301 TGCACAACCA CCATACTGAG AAGAGCCTCT CCCACTCTCC TGGTAAATGA
 (SEQ ID NO:36)

[0139] The amino acid sequence of Ab-B HC including signal peptide:

1 MGRLTSSFLL LIVPAYVLSQ VTLKESGPGI LQPSQTLISLT CSFSGFSLST
 51 SGMGVGWIRH PSGKNLEWLA HIWDDVKRY NPVLKSRLTI SKDTSNSQVF
 101 LKIANVDTAD TATYYCARIE DFDYDEEYYA MDYWGQGTSV IVSSAKTTPP
 151 SVYPLAPGSA AQTNSMVTLG CLVKGYFPEP VVTWNNSGSL SSGVHTFPAV
 201 LQSDLYTLSS SVTVPSSTWP SETVTCNVAH PASSTKVDKK IVPKDCGCKP
 251 CICTVPEVSS VFIFPPKPKD VLTITLTPKV TCVVVDISKD DPEVQFSWFV
 301 DDVEVHTAQT QPREEQFNST FRSVSELPIM HQDWLNGKEF KCRVNSAAFP
 351 APIEKTISKI KGRPKAPQVY TIPPPKEQMA KDKVSLTCMI TDFFPEDITV
 401 EWQWNGQPAE NYKNTQPIMD TDGSYFVYSK LNVQKSNWEA GNTFTCSVLH
 451 EGLHNNHTEK SLSHSPGK (SEQ ID NO:37)

[0140] The nucleic acid sequence of Ab-B HC including signal peptide encoding sequence:

1 ATGGGCAGGC TTACTTCTTC ATTCCTGCTA CTGATTGTCC CTGCATATGT
 51 CCTGTCCCAG GTTACTCTGA AAGAGTCTGG CCCTGGGATA TTGCAGCCCT
 101 CCCAGACCCCT CAGTCTGACT TGTTCTTTCT CTGGGTTTTT ACTGAGCACT
 151 TCTGGTATGG GTGTAGGCTG GATTCGTCAC CCATCAGGGA AGAATCTGGA
 201 GTGGCTGGCA CACATTTGGT GGGATGATGT CAAGCGCTAT AACCAGTCC
 251 TGAAGAGCCG ACTGACTATC TCCAAGGATA CCTCCAACAG CCAGGTATTC
 301 CTCAAGATCG CCAATGTGGA CACTGCAGAT ACTGCCACAT ACTACTGTGC
 351 TCGAATAGAG GACTTTGATT ACGACGAGGA GTATTATGCT ATGGACTACT
 401 GGGGTCAAGG AACCTCAGTC ATCGTCTCCT CAGCCAAAAC GACACCCCCA
 451 TCTGTCTATC CACTGGCCCC TGGATCTGCT GCCCAAATA ACTCCATGGT
 501 GACCCTGGGA TGCCTGGTCA AGGGCTATTT CCCTGAGCCA GTGACAGTGA
 551 CCTGGAAGTC TGGATCCCTG TCCAGCGGTG TGCACACCTT CCCAGCTGTC
 601 CTGCAGTCTG ACCTCTACAC TCTGAGCAGC TCAGTGACTG TCCCCTCCAG
 651 CACCTGGCCC AGCGAGACCG TCACCTGCAA CGTTGCCAC CCGGCCAGCA
 701 GCACCAAGGT GGACAAGAAA ATTGTGCCA GGGATTGTGG TTGTAAGCCT
 751 TGCATATGTA CAGTCCAGA AGTATCATCT GTCTTCATCT TCCCCCAAA
 801 GCCCAAGGAT GTGCTACCA TTA CTCTGAC TCCTAAGGTC ACGTGTGTG
 851 TGGTAGACAT CAGCAAGGAT GATCCCGAGG TCCAGTTCAG CTGGTTTGTA
 901 GATGATGTGG AGGTGCACAC AGCTCAGACG CAACCCCGGG AGGAGCAGTT
 951 CAACAGCACT TTCCGCTCAG TCAGTGAAC TCCCATCATG CACCAGGACT
 1001 GGCTCAATGG CAAGGAGTTC AAATGCAGGG TCAACAGTGC AGCTTTCCCT
 1051 GCCCCATCG AGAAAACCAT CTCCAAAACC AAAGGCAGAC CGAAGGCTCC
 1101 ACAGGTGTAC ACCATTCCAC CTCCCAAGGA GCAGATGGCC AAGGATAAAG
 1151 TCAGTCTGAC CTGCATGATA ACAGACTTCT TCCCTGAAGA CATTACTGTG
 1201 GAGTGGCAGT GGAATGGGCA GCCAGCGGAG AACTACAAGA AACTCAGCC
 1251 CATCATGGAC ACAGATGGCT CTTACTTCGT CTACAGCAAG CTCAATGTGC
 1301 AGAAGAGCAA CTGGGAGGCA GGAAATACTT TCACCTGCTC TGTGTTACAT
 1351 GAGGGCCTGC ACAACCACCA TACTGAGAAG AGCCTCTCCC ACTCTCCTGG
 1401 TAAATGA (SEQ ID NO:38)

[0141] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-B are as follows:

CDR H1: TSGMGVG (SEQ ID NO:57)
 CDR-H2: HIWWDDVKRYNPVLKS (SEQ ID NO:58)
 CDR-H3: EDFDYDEEYYAMDY (SEQ ID NO:59)

[0142] The light chain variable region CDR sequences of Ab-B are:

CDR-L1: SASSSVSFVD (SEQ ID NO:60)
 CDR-L2: RTSNLGF (SEQ ID NO:61)
 CDR-L3: QQRSTYPPT (SEQ ID NO:62)

[0143] Antibodies disclosed herein bind to regions of human sclerostin which are important for the *in vivo* activity of the protein. Binding of an antibody to sclerostin can be correlated with increases in, for example, the bone mineral density achieved by use of the antibody *in vivo* such as described in Examples 5 and 9 (mice) and Example 12 (monkey). Increases in at least one of bone formation, bone mineral content, bone mass, bone quality and bone strength can also be achieved by use of the antibody *in vivo* such as described in Examples 5 and 9 (mice) and Example 12 (monkey). Since the binding of an antibody to sclerostin is primarily determined by its CDR sequences, an antibody for practicing the invention may be generated with all or some of the disclosed CDR sequences in an appropriate framework, wherein the antibody retains the ability to bind specifically to sclerostin, and can be expected to achieve increases in, for example, bone mineral density. Such antibodies are useful in the treatment of human or animal conditions that are caused by, associated with, or result in at least one of low bone formation, low bone mineral density, low bone mineral content, low bone mass, low bone quality and low bone strength. Methods of constructing and expressing antibodies and fragments thereof comprising CDR's of the present invention are known to those of skill in the art.

[0144] The present invention therefore relates in one embodiment to an isolated antibody, including Ab-A, or an antigen binding fragment thereof, which specifically binds to sclerostin and wherein the variable domain of the heavy chain comprises at least one CDR having the sequences given in SEQ ID NO:51 for CDR-H1, SEQ ID NO:52 for CDR-H2 and SEQ ID NO:53 for CDR-H3. The antibody or antigen binding fragment thereof may comprise a heavy chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:51 for CDR-H1, SEQ ID NO:52 for CDR-H2 and SEQ ID NO:53 for CDR-H3.

[0145] When in antibodies of the invention a light chain is present the light chain may be any suitable complementary chain and may in particular be selected from a light chain wherein the variable domain comprises at least one CDR having the sequences given in SEQ ID NO:54 for CDR-L1, SEQ ID NO:55 for CDR-L2 and SEQ ID NO:56 for CDR-L3. The antibody or antigen binding fragment thereof may comprise a light chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:54 for CDR-L1, SEQ ID NO:55 for CDR-L2 and SEQ ID NO:56 for CDR-L3.

[0146] The present invention further relates to an isolated antibody, including Ab-B, or an antigen binding fragment hereof, which specifically binds to sclerostin and wherein the variable domain of the heavy chain comprises at least one CDR having the sequences given in SEQ ID NO:57 for CDR-H1, SEQ ID NO:58 for CDR-H2 and SEQ ID NO:59 for CDR-H3. The antibody or antigen binding fragment thereof may comprise a heavy chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:57 for CDR-H1, SEQ ID NO:58 for CDR-H2 and SEQ ID NO:59 for CDR-H3.

[0147] When in antibodies of the invention a light chain is present the light chain may be any suitable complementary chain and may in particular be selected from a light chain wherein the variable domain comprises at least one CDR having the sequences given in SEQ ID NO:60 for CDR-L1, SEQ ID NO:61 for CDR-L2 and SEQ ID NO:62 for CDR-L3. The antibody or antigen binding fragment thereof may comprise a light chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:60 for CDR-L1, SEQ ID NO:61 for CDR-L2 and SEQ ID NO:62 for CDR-L3.

[0148] The present invention still further relates to an isolated antibody, including Ab-C, or an antigen binding fragment hereof, which specifically binds to sclerostin and wherein the variable domain of the heavy chain comprises at least one CDR having the sequences given in SEQ ID NO:45 for CDR-H1, SEQ ID NO:46 for CDR-H2 and SEQ ID NO:47 for CDR-H3. The antibody or antigen binding fragment thereof may comprise a heavy chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:45 for CDR-H1, SEQ ID NO:46 for CDR-H2 and SEQ ID NO:47 for CDR-H3.

[0149] When in antibodies of the invention a light chain is present the light chain may be any suitable complementary chain and may in particular be selected from a light chain wherein the variable domain comprises at least one CDR having the sequences given in SEQ ID NO:48 for CDR-L1, SEQ ID NO:49 for CDR-L2 and SEQ ID NO:50 for CDR-L3. The antibody or antigen binding fragment thereof may comprise a light chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:48 for CDR-L1, SEQ ID NO:49 for CDR-L2 and SEQ ID NO:50 for CDR-L3.

[0150] The present invention also relates to an isolated antibody, including Ab-D, or an antigen binding fragment hereof, which specifically binds to sclerostin and wherein the variable domain of the heavy chain comprises at least one CDR having the sequences given in SEQ ID NO:39 for CDR-H1, SEQ ID NO:40 for CDR-H2 and SEQ ID NO:41 for CDR-H3. The antibody or antigen binding fragment thereof may comprise a heavy chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:39 for CDR-H1, SEQ ID NO:40 for CDR-H2 and SEQ ID NO:41 for CDR-H3.

[0151] When in antibodies of the invention a light chain is present the light chain may be any suitable complementary chain and may in particular be selected from a light chain wherein the variable domain comprises at least one CDR having the sequences given in SEQ ID NO:42 for CDR-L1, SEQ ID NO:43 for CDR-L2 and SEQ ID NO:44 for CDR-L3. The antibody or antigen binding fragment thereof may comprise a light chain variable domain in which the CDRs consist of at least one of the peptides of SEQ ID NO:42 for CDR-L1, SEQ ID NO:43 for CDR-L2 and SEQ ID NO:44 for CDR-L3.

[0152] Additional anti-sclerostin antibodies are described below. For some of the amino acid sequences the complementarity-determining regions (CDRs) are boxed-shaded and the constant regions are in bold-italics.

Ab-2

[0153] The sequences of the Antibody 2 (also referred to as Ab-2) LC and HC are as follows:

Ab-2 Light Chain:

[0154] Amino acid sequence of the mature form (signal peptide removed) of the Ab-2 LC:

1 QIVLSQSPAI LSTSPGEKVT MTCRASSSVY YMHFWYQQKPG SSPKPWYIAT
 51 SNLASGVPVR FSGSGSGTSY SLTITRVEAE DAATYYCQQW SSDPLTFGAG
 101 TKLELKRA DA APTVSIFPPS SEQLTSGGAS VVCFLNFPY KDINVKWKID
 151 GSERQNGVLN SWTDQDSKDS TYSMSSTLTL TKDEYERHNS YTCEATHKTS
 201 TSPIVKSFNR NEC (SEQ ID NO:117)

[0155] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-2 LC:

1 CAAATTGTTT TCTCCCAGTC TCCAGCAATC CTGTCTACAT CTCCAGGGGA
 51 GAAGGTCACA ATGACTTGCA GGGCCAGCTC AAGTGTATAT TACATGCACT
 101 GGTACCAGCA GAAGCCAGGA TCCTCCCCCA AACCCTGGAT TTATGCCACA
 151 TCCAACCTGG CTTCTGGAGT CCCTGTTTCG CTTAGTGGCA GTGGGTCTGG
 201 GACCTCTTAC TCTCTCACA TCACCAGAGT GGAGGCTGAA GATGCTGCCA
 251 CTTATTACTG CCAGCAGTGG AGTAGTGACC CACTCACGTT CGGTGCTGGG

301 ACCAAGCTGG AGCTGAAACG GGCTGATGCT GCACCAACTG TATCCATCTT
 351 CCCACCATCC AGTGAGCAGT TAACATCTGG AGGTGCCTCA GTCGTGTGCT
 401 TCTTGAACAA CTTCTACCCC AAAGACATCA ATGTCAAGTG GAAGATTGAT
 451 GGCAGTGAAC GACAAAATGG CGTCCTGAAC AGTTGGACTG ATCAGGACAG
 501 CAAAGACAGC ACCTACAGCA TGAGCAGCAC CCTCACGTTG ACCAAGGACG
 551 AGTATGAACG ACATAACAGC TATACCTGTG AGGCCACTCA CAAGACATCA
 601 ACTTCACCCA TTGTCAAGAG CTTCAACAGG AATGAGTGTT AG (SEQ ID
 NO:118)

[0156] Amino acid sequence of the Ab-2 LC including signal peptide:

1 MDFQVQIFSF LLISASVIMS RGQIVLSQSP AILSTSPGEK VTMTCRASSS
 51 VYYMHWYQQK PGSSPKPWIY ATSNLASGVP VRFSGSGSGT SYSLTITRVE
 101 AEDAATYYCQ QWSSDPLTFG AGTKLELKRA DAAPTVSIFP PSSEQLTSGG
 5 151 ASVVCFLNNF YPKDINVKWK IDGSERQNGV LNSWTDQDSK DSTYSMSSTL
 201 TLTKDEYERH NSYTCEATHK TSTSPIVKSF NRNEC (SEQ ID NO:119)

[0157] Nucleic acid sequence of the Ab-2 LC including signal peptide encoding sequence:

1 ATGGATTTTC AAGTGCAGAT TTTCAGCTTC CTGCTAATCA GTGCTTCAGT
 51 CATTATGTCC AGGGGACAAA TTGTTCTCTC CCAGTCTCCA GCAATCCTGT
 101 CTACATCTCC AGGGGAGAAAG GTCACAATGA CTTGCAGGGC CAGCTCAAGT
 15 151 GTATATTACA TGCACTGGTA CCAGCAGAAG CCAGGATCCT CCCCCAAACC
 201 CTGGATTAT GCCACATCCA ACCTGGCTTC TGGAGTCCCT GTTCGCTTCA
 251 GTGGCAGTGG GTCTGGGACC TCTTACTCTC TCACAATCAC CAGAGTGGAG
 301 GCTGAAGATG CTGCCACTTA TTAAGTCCAG CAGTGGAGTA GTGACCCACT
 20 351 CACGTTCCGT GCTGGGACCA AGCTGGAGCT GAAACGGGCT GATGCTGCAC
 401 CAACTGTATC CATCTTCCCA CCATCCAGTG AGCAGTTAAC ATCTGGAGGT
 451 GCCTCAGTCG TGTGCTTCTT GAACAACCTC TACCCCAAAG ACATCAATGT
 501 CAAGTGGAAG ATTGATGGCA GTGAACGACA AAATGGCGTC CTGAACAGTT
 25 551 GGACTGATCA GGACAGCAAA GACAGCACCT ACAGCATGAG CAGCACCCCTC
 601 ACGTTGACCA AGGACGAGTA TGAACGACAT AACAGCTATA CCTGTGAGGC
 651 CACTCACAAG ACATCAACTT CACCCATTGT CAAGAGCTTC AACAGGAATG
 701 AGTGTTAG (SEQ ID NO:120)

Ab-2 Heavy Chain

[0158] Amino acid sequence of the mature form (signal peptide removed) of the Ab-2 HC:

1 EVQVQQSGPE LVKPGASVKL SCTASGFNIK DYFIHWVKQR PEQGLEWIGR
 51 LDPEDGESDY APKFQDKAIM TADTSSNTAY LQLRSLTSED TAIYYCERED
 101 YDGTFTFPY WGQGTILVTVS AAKTTPPSVY PLAPGSAAQT NSMVTLGCLV
 15 151 KGYFPEPVTW TWNSGSLSSG VHTFPAVLQS DLYTLSSSVT VPSSTWVSET
 20 201 VTCNVAHPAS STKVDDKIVP RDCGCKPCIC TVPEVSSVFI FPPKPKDVLV
 25 251 IITLTPKVTCTV VVDISKDDPE VQFSWFVDDV EVHTAQTPR EEQFNSTFRS
 30 301 VSELPIMHQD WLNGKEFKCR VNSAAFPAPI EKTISKTKGR PKAPQVYTIP
 35 351 PPKEQMAKDK VSLTCMITDF FPEDITVEWQ WNGQPAENYK NTQPIMDTDG
 40 401 SYFIYSKLVN QKSNWEAGNT FTCSVLHEGL HNHHTKSLK HSPGK (SEQ ID
 45 NO:121)

[0159] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-2 HC:

1 GAGGTTTCAGG TGCAGCAGTC TGGGCCAGAA CTTGTGAAGC CAGGGGCCTC
 51 AGTCAAGTTG TCCTGCACAG CTTCTGGCTT CAACATTAAA GACTACTTTA
 101 TACACTGGGT GAAGCAGAGG CCTGAACAGG GCCTGGAGTG GATTGGAAGG
 5 151 CTTGATCCTG AGGATGGTGA AAGTGATTAT GCCCCGAAGT TCCAGGACAA
 201 GGCCATTATG ACAGCAGACA CATCATCCAA CACAGCCTAT CTTCAGCTCA
 251 GAAGCCTGAC ATCTGAGGAC ACTGCCATCT ATTATTGTGA GAGAGAGGAC
 301 TACGATGGTA CCTACACCTT TTTTCCTTAC TGGGGCCAAG GGA CTCTGGT
 10 351 CACTGTCTCT GCAGCCAAAA CGACACCCCC ATCTGTCTAT CCACTGGCCC
 401 CTGGATCTGC TGCCCAAACCT AACTCCATGG TGACCCTGGG ATGCCTGGTC
 451 AAGGGCTATT TCCCTGAGCC AGTGACAGTG ACCTGGAACCT CTGGATCCCT
 501 GTCCAGCGGT GTGCACACCT TCCCAGCTGT CCTGCAGTCT GACCTCTACA
 15 551 CTCTGAGCAG CTCAGTGACT GTCCCCTCCA GCACCTGGCC CAGCGAGACC
 601 GTCACCTGCA ACGTTGCCCA CCCGGCCAGC AGCACCAAGG TGGACAAGAA
 651 AATTGTGCCC AGGGATTGTG GTTGTAAGCC TTGCATATGT ACAGTCCCAG
 701 AAGTATCATC TGTCTTCATC TTCCCCCAA AGCCCAAGGA TGTGCTCACC
 20 751 ATTACTCTGA CTCCTAAGGT CACGTGTGTT GTGGTAGACA TCAGCAAGGA
 801 TGATCCCGAG GTCCAGTTCA GCTGGTTTGT AGATGATGTG GAGGTGCACA
 851 CAGCTCAGAC GCAACCCCGG GAGGAGCAGT TCAACAGCAC TTTCCGCTCA
 901 GTCAGTGAAC TTCCCATCAT GCACCAGGAC TGGCTCAATG GCAAGGAGTT
 951 CAAATGCAGG GTCAACAGTG CAGCTTTCCC TGCCCCCATC GAGAAAACCA
 25 1001 TCTCCAAAAC CAAAGGCAGA CCGAAGGCTC CACAGGTGTA CACCATTCCA
 1051 CCTCCCAAGG AGCAGATGGC CAAGGATAAA GTCAGTCTGA CCTGCATGAT
 1101 AACAGACTTC TTCCCTGAAG ACATTACTGT GGAGTGGCAG TGGAATGGGC
 1151 AGCCAGCGGA GAACTACAAG AACACTCAGC CCATCATGGA CACAGATGGC
 30 1201 TCTTACTTCA TCTACAGCAA GCTCAATGTG CAGAAGAGCA ACTGGGAGGC
 1251 AGGAAATACT TTCACCTGCT CTGTGTTACA TGAGGGCCTG CACAACCACC
 1301 ATACTGAGAA GAGCCTCTCC CACTCTCCTG GTAAATGA (SEQ ID NO:122)

[0160] Amino acid sequence of the Ab-2 HC including signal peptide:

1 MKCSWVIFFL MAVVTGVNSE VQVQQSGPEL VKPGASVKLS CTASGFNIKD
 51 YFIHWVKQRP EQGLEWIGRL DPEDGESDYA PKFQDKA₁MT ADTSSNTAYL
 40 101 QLRLTSED₁T AIYYCEREDY DGT₁YTF₁FPY₁W GQGT₁LV₁TV₁SA AKTTPPSVYP
 151 LAPGSAAQTN SMVTLGCLVK GYFPEPVTVT WNSGSLSSGV HTFPAVLQSD
 201 LYTLSSSVTV PSSTWPSETV TCNVAHPASS TKVDKKIVPR DCGCKPCICT
 251 VPEVSSVFIF PPKPKDVLTI TLTPKVTCVV VDISKDDPEV QFSWFVDDVE
 45 301 VH₁TAQTQPRE EQFNSTFRSV SELPIMHQDW LNGKEFKCRV NSAAFPAPIE
 351 KTISKTKGRP KAPQVYTIPP PKEQMAKDKV SLTCMITDFF PEDITVEWQW
 401 NGQPAENYKN TQPIMDTDGS YFIYSKLNVQ KSNWEAGNTF TCSVLHEGLH
 451 NHHTEKSLSH SPGK (SEQ ID NO:123)

[0161] Nucleic acid sequence of the Ab-2 HC including signal peptide encoding sequence:

1 ATGAAATGCA GCTGGGTCAT CTTCTTCCTG ATGGCAGTGG TTACAGGGGT
 51 CAATTCAGAG GTTCAGGTGC AGCAGTCTGG GCCAGAACTT GTGAAGCCAG
 101 GGGCCTCAGT CAAGTTGTCC TGCACAGCTT CTGGCTTCAA CATTAAAGAC
 5 151 TACTTTATAC ACTGGGTGAA GCAGAGGCCT GAACAGGGCC TGGAGTGGAT
 201 TGGAAGGCTT GATCCTGAGG ATGGTGAAAG TGATTATGCC CCGAAGTTCC
 251 AGGACAAGGC CATTATGACA GCAGACACAT CATCCAACAC AGCCTATCTT
 301 CAGCTCAGAA GCCTGACATC TGAGGACACT GCCATCTATT ATTGTGAGAG
 10 351 AGAGGACTAC GATGGTACCT ACACCTTTTT TCCTTACTGG GGCCAAGGGA
 401 CTCTGGTCAC TGTCTCTGCA GCCAAAACGA CACCCCCATC TGTCTATCCA
 451 CTGGCCCCTG GATCTGCTGC CCAAACAAAC TCCATGGTGA CCCTGGGATG

15 501 CCTGGTCAAG GGCTATTTCC CTGAGCCAGT GACAGTGACC TGGAAGTCTG
 551 GATCCCTGTC CAGCGGTGTG CACACCTTCC CAGCTGTCCT GCAGTCTGAC
 601 CTCTACACTC TGAGCAGCTC AGTGACTGTC CCCTCCAGCA CCTGGCCCAG
 20 651 CGAGACCGTC ACCTGCAACG TTGCCACCCC GGCCAGCAGC ACCAAGGTGG
 701 ACAAGAAAAT TGTGCCCAGG GATTGTGGTT GTAAGCCTTG CATATGTACA
 751 GTCCCAGAAG TATCATCTGT CTTTCATCTTC CCCCCAAAGC CCAAGGATGT
 801 GCTCACCATT ACTCTGACTC CTAAGGTCAC GTGTGTTGTG GTAGACATCA
 851 GCAAGGATGA TCCCGAGGTC CAGTTCAGCT GGTTTGTAGA TGATGTGGAG
 25 901 GTGCACACAG CTCAGACGCA ACCCCGGGAG GAGCAGTTCA ACAGCACTTT
 951 CCGCTCAGTC AGTGAACCTC CCATCATGCA CCAGGACTGG CTCAATGGCA
 1001 AGGAGTTCAA ATGCAGGGTC AACAGTGCGAG CTTTCCCTGC CCCCATCGAG
 1051 AAAACCATCT CCAAAACCAA AGGCAGACCG AAGGCTCCAC AGGTGTACAC
 30 1101 CATTCCACCT CCAAGGAGC AGATGGCCAA GGATAAAGTC AGTCTGACCT
 1151 GCATGATAAC AGACTTCTTC CCTGAAGACA TTAAGTGTGA GTGGCAGTGG
 1201 AATGGGCAGC CAGCGGAGAA CTACAAGAAC ACTCAGCCCA TCATGGACAC
 1251 AGATGGCTCT TACTTCATCT ACAGCAAGCT CAATGTGCAG AAGAGCAACT
 35 1301 GGGAGGCAGG AAATACTTTC ACCTGCTCTG TGTTACATGA GGGCCTGCAC
 1351 AACCACCATA CTGAGAAGAG CCTCTCCAC TCTCCTGGTA AATGA (SEQ ID
 NO:124)

Ab-3

[0162] The sequences of the Antibody 3 (also referred to herein as Ab-3) LC and HC are as follows:

Ab-3 Light Chain

[0163] Amino acid sequence of the mature form (signal peptide removed) of the Ab-3 LC:

1 EIVLTQSPAL MAASPGEKVT ITC~~SV~~~~SS~~~~TI~~~~SN~~~~HL~~~~HW~~FQOK SDTSPKPWIY
 51 ~~GTS~~~~NLAS~~GVP VRFSGSGSGT SYSLTISSME AEDAATYYCQ QWSSYPLTFG
 101 AGTKLELRRA ~~DAAPTYSIFP PSSEQLTSGG ASVVCFLNNF YPKDINVKWK~~
 151 ~~IDGSE~~~~RQNGV~~ ~~LNSWTDQDSK~~ ~~DSTYSMSSTL~~ ~~TLTKDEYERH~~ ~~NSYTCEATHK~~
 201 ~~TSTSPIVKSF~~ ~~NRNEC~~ (SEQ ID NO:125)

[0164] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-3 LC:

1 GAAATTGTGC TCACCCAGTC TCCAGCACTC ATGGCTGCAT CTCCGGGGGA
 51 GAAGGTCACC ATCACCTGCA GTGTCAGTTC AACTATAAGT TCCAACCACT
 101 TGCACTGGTT CCAGCAGAAG TCAGACACCT CCCCCAAACC CTGGATTAT
 151 GGCACATCCA ACCTGGCTTC TGGAGTCCCT GTTCGCTTCA GTGGCAGTGG
 201 ATCTGGGACC TCTTATTCTC TCACAATCAG CAGCATGGAG GCTGAGGATG
 251 CTGCCACTTA TTACTGTCAA CAGTGGAGTA GTTACCCACT CACGTTCCGC
 301 GCTGGGACCA AGCTGGAGCT GAGACGGGCT GATGCTGCAC CAACTGTATC
 351 CATCTTCCCA CCATCCAGTG AGCAGTTAAC ATCTGGAGGT GCCTCAGTCG
 401 TGTGCTTCTT GAACAACCTC TACCCCAAAG ACATCAATGT CAAGTGGAAG
 451 ATTGATGGCA GTGAACGACA AAATGGCGTC CTGAACAGTT GGACTGATCA
 501 GGACAGCAAA GACAGCACCT ACAGCATGAG CAGCACCCCTC ACGTTGACCA
 551 AGGACGAGTA TGAACGACAT AACAGCTATA CCTGTGAGGC CACTCACAAG
 601 ACATCAACTT CACCCATTGT CAAGAGCTTC AACAGGAATG AGTGTTAG (SEQ
 ID NO:126)

[0165] Amino acid sequence of the Ab-3 LC including signal peptide:

1 M¹DFHVQ¹IFSF¹MLISVTVILS SGEIVLTQSP ALMAASPGEK VTITCSVSST
 51 ISSNHLHWFQ QKSDTSPKPW IYGTSNLAG VPVRFSGSGS GTSYSLTISS
 101 MEAEDAATYY CQQWSSYPLT FGAGTKLELR RADAAPT¹TVSI FPPSSEQLTS
 151 GGASVVCFLN NFYPKDINVK WKIDGSERQN GVLNSWTDQD SKDSTYSMSS
 201 TLTLTKDEYE RHNSYTCEAT HKTSTSPIVK SFNRNEC (SEQ ID NO:127)

[0166] Nucleic acid sequence of the Ab-3 LC including signal peptide encoding sequence:

1 ATGGATTTTC ATGTGCAGAT TTTCAGCTTC ATGCTAATCA GTGTCACAGT
 51 CATTTTGTCC AGTGGAGAAA TTGTGCTCAC CCAGTCTCCA GCACTCATGG
 101 CTGCATCTCC GGGGGAGAAG GTCACCATCA CCTGCAGTGT CAGTTCAACT
 151 ATAAGTTCCA ACCACTTGCA CTGGTTCCAG CAGAAGTCAG ACACCTCCCC
 201 CAAACCCTGG ATTTATGGCA CATCCAACCT GGCTTCTGGA GTCCCTGTTC
 251 GCTTCAGTGG CAGTGGATCT GGGACCTCTT ATTCTCTCAC AATCAGCAGC
 301 ATGGAGGCTG AGGATGCTGC CACTTATTAC TGTCAACAGT GGAGTAGTTA
 351 CCCACTCACG TTCGGCGCTG GGACCAAGCT GGAGCTGAGA CGGGCTGATG
 401 CTGCACCAAC TGTATCCATC TTCCCACCAT CCAGTGAGCA GTTAACATCT
 451 GGAGGTGCCT CAGTCGTGTG CTTCTTGAAC AACTTCTACC CCAAAGACAT
 501 CAATGTCAAG TGGAAGATTG ATGGCAGTGA ACGACAAAAT GGCCTCCTGA
 551 ACAGTTGGAC TGATCAGGAC AGCAAAGACA GCACCTACAG CATGAGCAGC
 601 ACCCTCACGT TGACCAAGGA CGAGTATGAA CGACATAACA GCTATACCTG
 651 TGAGGCCACT CACAAGACAT CAACTTCACC CATTGTCAAG AGCTTCAACA
 701 GGAATGAGTG TTAG (SEQ ID NO:128)

Ab-3 Heavy Chain

[0167] Amino acid sequence of the mature form (signal peptide removed) of the Ab-3 HC:

1 EVQLQQSGAE LVRPGALVKL SCTASDFNIK DEXLHWMRQR PEQGLDWIGR
 51 IDPENGDTLY DKFQDKATL TTDTSNTAY LQLSGLTSET TAVYYCSREA
 101 DYFHDGTSYW YEDVWGAGTT ITVSSAKTTP PSVYPLAPGS AAQTNSMVTL
 151 GCLVKGYFPE PVTVTWNSGS LSSGVHTFPA VLOSDLYTLS SSVTVPSSTW
 201 PSETVTCNVA HPASSTKVDK KIVPRDCGCK PCICTVPEVS SVFIFPPKPK
 251 DVLTTITLTPK VTCVVDISK DDPEVQFSWF VDDVEVHTAQ TQPREEQFNS
 301 TFRSVSELP MHQDWLNGKE FKCRVNSAAF PAPIEKTISK TKGRPKAPQV
 351 YTIPPPKEQM AKDKVSLTCM ITDFFPEDIT VEWQWNGQPA ENYKNTQPI
 401 DTDGSYFIYS KLVQKSNWE AGNTFTCSVL HEGLHNHHTE KSLSHSPGK (SEQ
 ID NO:129)

[0168] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-3 HC:

1 GAGGTTTCAGC TGCAGCAGTC TGGGGCTGAA CTTGTGAGGC CAGGGGCCTT
 51 AGTCAAGTTG TCCTGCACAG CTTCTGACTT CAACATTAAA GACTTCTATC
 101 TACACTGGAT GAGGCAGCGG CCTGAACAGG GCCTGGACTG GATTGGAAGG
 151 ATTGATCCTG AGAATGGTGA TACTTTATAT GACCCGAAGT TCCAGGACAA
 201 GGCCACTCTT ACAACAGACA CATCCTCCAA CACAGCCTAC CTGCAGCTCA
 251 GCGGCCTGAC ATCTGAGACC ACTGCCGTCT ATTACTGTTC TAGAGAGGCG
 301 GATTATTTC ACGATGGTAC CTCCTACTGG TACTTCGATG TCTGGGGCGC
 351 AGGGACCACA ATCACCGTCT CCTCAGCCAA AACGACACCC CCATCTGTCT
 401 ATCCACTGGC CCCTGGATCT GCTGCCCAA CTAACCTCAT GGTGACCCTG
 451 GGATGCCTGG TCAAGGGCTA TTTCCCTGAG CCAGTGACAG TGACCTGGAA
 501 CTCTGGATCC CTGTCCAGCG GTGTGCACAC CTTCCAGCT GTCCTGCAGT
 551 CTGACCTCTA CACTCTGAGC AGCTCAGTGA CTGTCCCCTC CAGCACCTGG
 601 CCCAGCGAGA CCGTCACCTG CAACGTTGCC CACCCGGCCA GCAGCACCAA
 651 GGTGGACAAG AAAATTGTGC CCAGGGATTG TGGTTGTAAG CCTTGCATAT
 701 GTACAGTCCC AGAAGTATCA TCTGTCTTCA TCTTCCCCC AAAGCCCAAG
 751 GATGTGCTCA CCATTACTCT GACTCCTAAG GTCACGTGTG TTGTGGTAGA
 801 CATCAGCAAG GATGATCCCG AGGTCCAGTT CAGCTGGTTT GTAGATGATG
 851 TGGAGGTGCA CACAGCTCAG ACGCAACCCC GGGAGGAGCA GTTCAACAGC
 901 ACTTTCCGCT CAGTCAGTGA ACTTCCCATC ATGCACCAGG ACTGGCTCAA
 951 TGGCAAGGAG TTCAAATGCA GGGTCAACAG TGCAGCTTTC CCTGCCCCCA
 1001 TCGAGAAAAC CATCTCCAAA ACCAAAGGCA GACCGAAGGC TCCACAGGTG
 1051 TACACCATTC CACCTCCCAA GGAGCAGATG GCCAAGGATA AAGTCAGTCT
 1101 GACCTGCATG ATAACAGACT TCTTCCCTGA AGACATTACT GTGGAGTGGC
 1151 AGTGGAATGG GCAGCCAGCG GAGAACTACA AGAACACTCA GCCCATCATG
 1201 GACACAGATG GCTCTTACTT CATCTACAGC AAGCTCAATG TGCAGAAGAG
 1251 CAACTGGGAG GCAGGAAATA CTTTCACCTG CTCTGTGTTA CATGAGGGCC
 1301 TGCACAACCA CCATACTGAG AAGAGCCTCT CCCACTCTCC TGGTAAATGA
 (SEQ ID NO:130)

[0169] Amino acid sequence of the Ab-3 HC including signal peptide:

1 MKCSWVIFFL MAVVTGVNSE VOLQQSGAEL VRPGALVKLS CTASDFNIKD
 51 FYLHWMRQRP EQGLDWIGRI DPENGDTLYD PKFQDKATLT TDTSSNTAYL
 101 QLSGLTSETT AVYYCSREAD YFHDGTSYWY FDVWGAGTTI TVSSAKTTPP
 5 151 SVYPLAPGSA AQTNSMVTLG CLVKGYFPEP VVTWNSGSL SSGVHTFPAV
 201 LQSDLYTLSS SVTVPSSTWP SETVTCNVAH PASSTKVDDK IVPRDCGCKP
 251 CICTVPEVSS VFIFPPKPKD VLTITLTPKV TCVVVDISKD DPEVQFSWFV
 301 DDVEVHTAQT QPREEQFNST FRSVSELPIM HQDWLNGKEF KCRVNSAAFP
 10 351 APIEKTISK TGRPKAPQVY TIPPPKEQMA KDKVSLTCMI TDFFPEDITV
 401 EWQWNGQPAE NYKNTQPIMD TDGSYFIYSK LNVQKSNWEA GNTFTCSVLH
 451 EGLHNHHTK SLSHSPGK (SEQ ID NO:131)

15 [0170] Nucleic acid sequence of the Ab-3 HC including signal peptide encoding sequence:

1 ATGAAATGCA GCTGGGTCAT CTTCTTCCTG ATGGCAGTGG TTACAGGGGT
 51 CAATTCAGAG GTTCAGCTGC AGCAGTCTGG GGCTGAACCT GTGAGGCCAG
 20 101 GGGCCTTAGT CAAGTTGTCC TGCACAGCTT CTGACTTCAA CATTAAAGAC
 151 TTCTATCTAC ACTGGATGAG GCAGCGGCCT GAACAGGGCC TGGACTGGAT
 201 TGGAAGGATT GATCCTGAGA ATGGTGATAC TTTATATGAC CCGAAGTTCC
 251 AGGACAAGGC CACTCTTACA ACAGACACAT CCTCCAACAC AGCCTACCTG
 25 301 CAGCTCAGCG GCCTGACATC TGAGACCACT GCCGTCTATT ACTGTTCTAG
 351 AGAGGCGGAT TATTTCCACG ATGGTACCTC CTACTGGTAC TTCGATGTCT
 401 GGGGCGCAGG GACCACAATC ACCGTCTCCT CAGCCAAAAC GACACCCCCA
 451 TCTGTCTATC CACTGGCCCC TGGATCTGCT GCCCAAATA ACTCCATGGT
 30 501 GACCCTGGGA TGCCTGGTCA AGGGCTATTT CCCTGAGCCA GTGACAGTGA
 551 CCTGGAACCT TGGATCCCTG TCCAGCGGTG TGCACACCTT CCCAGCTGTC
 601 CTGCAGTCTG ACCTCTACAC TCTGAGCAGC TCAGTGAAGT TCCCCTCCAG
 651 CACCTGGCCC AGCGAGACCG TCACCTGCAA CGTTGCCAC CCGGCCAGCA
 701 GCACCAAGGT GGACAAGAAA ATTGTGCCCA GGGATTGTGG TTGTAAGCCT
 35 751 TGCATATGTA CAGTCCCAGA AGTATCATCT GTCTTCATCT TCCCCCAAA
 801 GCCCAAGGAT GTGCTACCA TTAATCTGAC TCCTAAGGTC ACGTGTGTTG
 851 TGGTAGACAT CAGCAAGGAT GATCCCGAGG TCCAGTTCAG CTGGTTTGTA
 901 GATGATGTGG AGGTGCACAC AGCTCAGACG CAACCCCGGG AGGAGCAGTT
 40 951 CAACAGCACT TTCCGCTCAG TCAGTGAAGT TCCCATCATG CACCAGGACT

1001 GGCTCAATGG CAAGGAGTTC AAATGCAGGG TCAACAGTGC AGCTTTCCT
 45 1051 GCCCCATCG AGAAAACCAT CTCCAAAACC AAAGGCAGAC CGAAGGCTCC
 1101 ACAGGTGTAC ACCATTCCAC CTCCCAAGGA GCAGATGGCC AAGGATAAAG
 1151 TCAGTCTGAC CTGCATGATA ACAGACTTCT TCCCTGAAGA CATTACTGTG
 1201 GAGTGGCAGT GGAATGGGCA GCCAGCGGAG AACTACAAGA AACTCAGCC
 50 1251 CATCATGGAC ACAGATGGCT CTTACTTCAT CTACAGCAAG CTCAATGTGC
 1301 AGAAGAGCAA CTGGGAGGCA GGAAATACTT TCACCTGCTC TGTGTTACAT
 1351 GAGGGCCTGC ACAACCACCA TACTGAGAAG AGCCTCTCCC ACTCTCCTGG
 1401 TAAATGA (SEQ ID NO:132)

55 Ab-4

[0171] The sequences of the Antibody 4 (also referred to herein as Ab-4) LC and HC are as follows:

Ab-4 Light Chain:

[0172] Amino acid sequence of the mature form (signal peptide removed) of the Ab-4 LC:

1 DIQMTQITSS LSASLGDRVS ISCRASQDIS NYLNWYQOKP DGTFKLLIFY
 51 TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ EDFATYFCQQ GDTLPYTFGG
 101 GTKLEIKRAD APTVSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
 151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:133)

[0173] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-4 LC:

1 GATATCCAGA TGACACAGAT TACATCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC AATTATTTAA
 101 ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT TATCTTCTAC
 151 ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTTCAGTG GCAGTGGGTC
 201 TGGAACAGAT TATTCTCTCA CCATTACAA CCTGGAGCAA GAAGATTTTG
 251 CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC TTTCGGAGGG
 301 GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 351 CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:134)

[0174] Amino acid sequence of the Ab-4 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGTRC DIQMTQITSS LSASLGDRVS ISCRASQDIS
 51 NYLNWYQOKP DGTFKLLIFY TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ
 101 EDFATYFCQQ GDTLPYTFGG GTKLEIKRAD APTVSIFPP SSEQLTSGGA
 151 SVVCFLNNFY PKDINVKWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:135)

[0175] Nucleic acid sequence of the Ab-4 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 51 TACCAGATGT GATATCCAGA TGACACAGAT TACATCCTCC CTGTCTGCCT

101 CTCTGGGAGA CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC
 151 AATTATTTAA ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT
 201 TATCTTCTAC ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTCAAGT
 5 251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTTACAA CCTGGAGCAA
 301 GAAGATTTTG CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC
 351 TTTCGGAGGG GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 10 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 15 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GTTAG (SEQ ID NO:136)

Ab-4 Heavy Chain:

[0176] Amino acid sequence of the mature form (signal peptide removed) of the Ab-4 HC:

1 EVQLQQSGPE LMKPGASVKM SCKASGYTFT DYNMFWVKQN QGKILEWIGE
 51 INPNSGGAGY NQKFKGKATL TVDKSSTTAY MELRSLTSED SAVYYCARLG
 101 YDDIYDDWYF DVWGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNMVTLCG
 151 LVKGYFPEPV TVTWNSGSL SGVHTFPAVL QSDLYTLSSS VTVPSSTWPS
 201 ETVTCNVAHP ASSTKVDEKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTITLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQTQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAAFP AIEKTISKTK GRPKAPQVYT
 351 IPPPKQMAK DKVSLTCMIT DFFPEDITVE WQWNGQPAEN YKNTQPIMDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTKES LSHSPGK (SEQ ID
 NO:137)

[0177] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-4 HC:

1 GAGGTCCAAC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA TACATTCAC TACTACAACA
 101 TGCACCTGGT GAAGCAGAAC CAAGGAAAGA CCCTAGAGTG GATAGGAGAA
 5 151 ATTAATCCTA ACAGTGGTGG TGCTGGCTAC AACCAGAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAC CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGGC
 301 TACGATGATA TCTACGACGA CTGGTACTTC GATGTCTGGG GCGCAGGGAC
 10 351 CACGGTCACC GTCTCCTCAG CCAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAAACTAACT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAACCTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCCTG CAGTCTGACC
 15 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCAGC
 601 GAGACCGTCA CCTGCAACGT TGCCACCCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCCAGAAGT ATCATCTGTC TTCATCTTCC CCCCAGGCC CAAGGATGTG
 20 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAACTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAA TGCAGGGTCA ACAGTGCAGC TTTCCCTGCC CCCATCGAGA
 25 1001 AAACCATCTC CAAAACCAA GGCAGACCGA AGGCTCCACA GGTGTACACC

1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG
 30 1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 1251 GGAGGCAGGA AATACTTTCA CCTGCTCTGT GTTACATGAG GGCCTGCACA
 35 1301 ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA ATGA (SEQ ID
 NO:138)

[0178] Amino acid sequence of the Ab-4 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFD
 51 YNMHWVKQNN GKLEWIGEI NPNSGGAGYN QKFKGKATLT VDKSSTTAYM
 101 ELRSLTSEDV AVYYCARLGY DDIYDDWYFD VWGAGTTVTV SSAKTPPSV
 45 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ
 201 SDLYTLSSSV TVPSSTWPSE TVTCNVAHPA SSTKVDKKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVT VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFAP
 50 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMITD FFPEDITVEW
 401 QWNGQPAENY KNTQPMIDT GSYFIYSKLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHHTKSL SHSPGK (SEQ ID NO:139)

[0179] Nucleic acid sequence of the Ab-4 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAAGTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATATAC ATTCACTGAC
 5 151 TACAACATGC ACTGGGTGAA GCAGAACCAA GGAAAGACCC TAGAGTGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTGC TGGCTACAAC CAGAAGTTCA
 251 AGGGCAAGGC CACATTGACT GTAGACAAGT CCTCCACCAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 10 351 ATTGGGCTAC GATGATATCT ACGACGACTG GTACTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCACCGTC TCCTCAGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 15 551 ACTCTGGATC CCTGTCCAGC GGTGTGCACA CCTTCCCAGC TGTCTGTCAG
 601 TCTGACCTCT ACACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGCATA
 20 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCCA
 801 GGATGTGCTC ACCATTACTC TGACTCCTAA GGTCACGTGT GTTGTGGTAG
 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TGTAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCGC TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 25 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCCTG AAGACATTAC TGTGGAGTGG
 30 1201 CAGTGGAATG GGCAGCCAGC GGAGAACTAC AAGAACACTC AGCCCATCAT
 1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCCTCTC CTGGTAAATG

1401 A (SEQ ID NO:140)

[0180] Ab-4 was humanized to generate Ab-5.

Ab-5

[0181] The sequences of the Antibody 5 (also referred to herein as Ab-5) LC and HC are as follows:

Ab-5 Light Chain:

[0182] Amino acid sequence of the mature form (signal peptide removed) of the Ab-5 LC:

1 DIQMTQSPSS LSASVGDRVT ITCRA~~S~~QDIS NYLN~~N~~WYQQKP GKAPKLLIYY
 51 TSRL~~L~~SGVPS RFSGSGSGTD FTLTISSLQP EDFATYYCQQ GDTLPYTFGG
 101 GTKVEIKRTV AAPS~~V~~FIFPP SDEQLKSGTA SVVCLLN~~N~~FY PREAKVQWKV
 151 DNALQSGNSQ ESVTEQDSKD STYLSSTLT LSKADYEKHK VYACEVTHQG
 201 LSSPVTKSFN RGEK (SEQ ID NO:141)

[0183] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-5 LC:

1 GACATCCAGA TGACCCAGTC TCCATCCTCC CTCTCCGCAT CCGTAGGCCGA
 51 CCGCGTAACC ATAACATGTA GAGCATCTCA AGATATTTCC AACTATTTGA
 101 ATTGGTACCA AAAAAACCC GGCAAAGCAC CTAAACTCCT CATTTACTAT
 151 ACATCAAGAC TCCTCTCCGG CGTTCCATCA CGATTCTCAG GCTCCGGCTC
 201 CGGCACAGAT TTCACACTCA CTATTTCTCCT CCTCCAACCA GAAGATTTTG
 251 CAACCTATTA CTGTCAACAA GCGGATACAC TCCCATACAC ATTCGGCGGC
 301 GGCACAAAAG TTGAAATTA ACGTACGGTG GCTGCACCAT CTGTCTTCAT
 351 CTTCCCGCCA TCTGATGAGC AGTTGAAATC TGGAAGTACC TCTGTTGTGT
 401 GCCTGCTGAA TAACTTCTAT CCCAGAGAGG CCAAAGTACA GTGGAAGGTG
 451 GATAACGCC TCCAATCGGG TAACTCCAG GAGAGTGTCA CAGAGCAGGA
 501 CAGCAAGGAC AGCACCTACA GCCTCAGCAG CACCCTGACG CTGAGCAAAG
 551 CAGACTACGA GAAACACAAA GTCTACGCCT GCGAAGTCAC CCATCAGGGC
 601 CTGAGCTCGC CCGTCACAAA GAGCTTCAAC AGGGGAGAGT GT (SEQ ID
 NO:142)

[0184] Amino acid sequence of the Ab-5 LC including signal peptide:

1 MDMRVPAQLL GLLLLWLRGA RCDIQMTQSP SSLASVGDV VTITCRASQD
 51 ISNYLNWYQQ KPGKAPKLLI YYTSRLLSGV PSRFSGSGSG TDFILTISSL
 101 QPEDFATYYC QQGDTLPYTF GGGTKVEIKR TVAAPSVFIF PPSDEQLKSG
 151 TASVVCLLNN FYPREAKVQW KVDNALQSGN SQESVTEQDS KDSTYLSST
 201 LTLKADYEK HKVYACEVTH QGLSSPVTKS FNRGEC (SEQ ID NO:143)

[0185] Nucleic acid sequence of the Ab-5 LC including signal peptide encoding sequence:

1 ATGGACATGA GGGTCCCCGC TCAGCTCCTG GGGCTCCTGC TACTCTGGCT
 51 CCGAGGTGCC AGATGTGACA TCCAGATGAC CCAGTCTCCA TCCTCCCTCT
 101 CCGCATCCGT AGGCGACCGC GTAACCATAA CATGTAGAGC ATCTCAAGAT
 151 ATTTCCAAC TTTGAATTG GTACCAACAA AAACCCGGCA AAGCACCTAA
 201 ACTCCTCATT TACTATACAT CAAGACTCCT CTCCGGCGTT CCATCAGAT
 251 TCTCAGGCTC CGGCTCCGGC ACAGATTTC AACTCACTAT TTCTCCCTC
 301 CAACCAGAAG ATTTTGCAAC CTATTACTGT CAACAAGGCG ATACACTCCC
 351 ATACACATTC GCGGCGGCA CAAAAGTTGA AATTAAACGT ACGGTGGCTG
 401 CACCATCTGT CTTATCTTC CCGCATCTG ATGAGCAGTT GAAATCTGGA
 451 ACTGCCTCTG TTGTGTGCCT GCTGAATAAC TTCTATCCCA GAGAGGCCAA
 501 AGTACAGTGG AAGGTGGATA ACGCCCTCCA ATCGGGTAAC TCCCAGGAGA
 551 GTGTCACAGA GCAGGACAGC AAGGACAGCA CCTACAGCCT CAGCAGCACC
 601 CTGACGCTGA GCAAAGCAGA CTACGAGAAA CACAAAGTCT ACGCCTGCGA
 651 AGTCACCCAT CAGGGCCTGA GCTCGCCCGT CACAAAGAGC TTCAACAGGG
 701 GAGAGTGT (SEQ ID NO:144)

Ab-5 Heavy Chain:

[0186] Amino acid sequence of the mature form (signal peptide removed) of the Ab-5 HC:

1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DYNMHWVRQA PGQGLEWMGE
 51 INPNSGGAGY NQKFKGRVTM TTDSTSTAY MELRSLRSDD TAVYYCARLG
 101 YDDIYDDWYF DVWGQGTTVT VSSASTKGPS VFPLAPCSRS TSESTAALGC
 151 LVKDYFPEPV TVSWNSGALT SGVHTFPAVL QSSGLYSLSS VVTVPSSNFG
 201 TQTYTCNVDH KPSNTKVDKT VERKCCVECP PCPAPPVAGP SVFLFPPKPK
 251 DTLMISRTPE VTCVVVDVSH EDPEVQFNWY VDGVEVHNAK TKPREEQFNS
 301 TFRVVSVLTV VHQDWLNGKE YKCKVSNKGL PAPIEKTISK TKGQPREPQV
 351 YTLPPSREEM TKNQVSLTCL VKGFYPSDIA VEWESNGQPE NNYKTTTPML
 401 DSDGSFFLYS KLTVDKSRWQ QGNVFSCSVM HEALHNHYTQ KSLSLSPGK (SEQ
 ID NO:145)

[0187] Amino acid sequence of the mature form (signal peptide removed) of the Ab-5 HC without carboxy-terminal lysine:

1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DYNMHWVRQA PGQGLEWMGE
 51 INPNSGGAGY NQKFKGRVTM TTDSTSTAY MELRSLRSDD TAVYYCARLG
 101 YDDIYDDWYF DVWGQGTTVT VSSASTKGPS VFPLAPCSRS TSESTAALGC
 151 LVKDYFPEPV TVSWNSGALT SGVHTFPAVL QSSGLYSLSS VVTVPSSNFG
 201 TQTYTCNVDH KPSNTKVDKT VERKCCVECP PCPAPPVAGP SVFLFPPKPK
 251 DTLMISRTPE VTCVVVDVSH EDPEVQFNWY VDGVEVHNAK TKPREEQFNS
 301 TFRVVSVLTV VHQDWLNGKE YKCKVSNKGL PAPIEKTISK TKGQPREPQV
 351 YTLPPSREEM TKNQVSLTCL VKGFYPSDIA VEWESNGQPE NNYKTTTPML
 401 DSDGSFFLYS KLTVDKSRWQ QGNVFSCSVM HEALHNHYTQ KSLSLSPG (SEQ
 ID NO:392)

[0188] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-5 HC:

1 GAGGTGCAGC TGGTGCAGAG CGGCGCCGAG GTAAAAAAC CAGGAGCAAG
 51 CGTTAAAGTT TCTTGTAAG CAAGCGGATA TACATTTACA GATTACAACA
 101 TGCATTGGGT AAGACAAGCG CCAGGACAAG GATTGGAATG GATGGGCGAA
 151 ATTAACCCTA ATAGTGGAGG AGCAGGCTAC AATCAAAAAT TCAAAGGGAG
 201 AGTTACAATG ACAACAGACA CAAGCACTTC AACAGCATAT ATGGAAGTGC
 251 GATCACTTAG AAGCGACGAT ACAGCTGTAT ACTATTGCGC ACGACTTGGG
 301 TATGATGATA TATATGATGA CTGGTATTTT GATGTTTGGG GCCAGGGAAC
 351 AACAGTTACC GTCTCTAGTG CCTCCACCAA GGGCCCATCG GTCTTCCCCC
 401 TGGCGCCCTG CTCCAGGAGC ACCTCCGAGA GCACAGCGGC CCTGGGCTGC
 451 CTGGTCAAGG ACTACTTCCC CGAACCGGTG ACGGTGTCGT GGAAGTCAAG
 501 CGCTCTGACC AGCGGCGTGC ACACCTTCCC AGCTGTCCTA CAGTCCTCAG
 551 GACTCTACTC CCTCAGCAGC GTGGTGACCG TGCCCTCCAG CAACTTCGGC
 601 ACCCAGACCT ACACCTGCAA CGTAGATCAC AAGCCCAGCA ACACCAAGGT
 651 GGACAAGACA GTTGAGCGCA AATGTTGTGT CGAGTGCCCA CCGTGCCAG
 701 CACCACCTGT GGCAGGACCG TCAGTCTTCC TCTTCCCCC AAAACCCAAG

751 GACACCCCTCA TGATCTCCCG GACCCCTGAG GTCACGTGCG TGGTGGTGGA
 801 CGTGAGCCAC GAAGACCCCG AGGTCCAGTT CAACTGGTAC GTGGACGGCG
 851 TGGAGGTGCA TAATGCCAAG ACAAAGCCAC GGGAGGAGCA GTTCAACAGC
 901 ACGTTCCGTG TGGTCAGCGT CCTCACCGTT GTGCACCAGG ACTGGCTGAA
 951 CGGCAAGGAG TACAAGTGCA AGGTCTCCAA CAAAGGCCTC CCAGCCCCCA
 1001 TCGAGAAAAC CATCTCCAAA ACCAAAGGGC AGCCCCGAGA ACCACAGGTG
 1051 TACACCCTGC CCCCATCCCG GGAGGAGATG ACCAAGAACC AGGTCAGCCT
 1101 GACCTGCCTG GTCAAAGGCT TCTACCCAG CGACATCGCC GTGGAGTGGG
 1151 AGAGCAATGG GCAGCCGGAG AACAACTACA AGACCACACC TCCCATGCTG
 1201 GACTCCGACG GCTCCTTCTT CCTCTACAGC AAGCTCACCG TGGACAAGAG
 1251 CAGGTGGCAG CAGGGGAACG TCTTCTCATG CTCCGTGATG CATGAGGCTC
 1301 TGCACAACCA CTACACGCAG AAGAGCCTCT CCCTGTCTCC GGGTAAA (SEQ
 ID NO:146)

[0189] Amino acid sequence of the Ab-5 HC including signal peptide:

1 MDWTWRILFL VAAATGAHSE VQLVQSGAEV KKPGASVKVS CKASGYTFTD
 51 YNMHWVRQAP GQGLEWMGEI NPNSGGAGYN QKFKGRVTMT TDTSTSTAYM
 101 ELRSLRSDDT AVYYCARLGY DDIYDDWYFD VWGQGTTVTV SSASTKGPSV
 151 FPLAPCSRST SESTAALGCL VKDYFPEPVT VSWNSGALTS GVHTFPAVLQ
 201 SSGLYSLSSV VTPSSNFGT QTYTCNVDPK PSNTKVDKTV ERKCCVECP
 251 CPAPPVAGPS VFLFPPKPKD TLMISRTPEV TCVVVDVSHE DPEVQFNWYV
 301 DGVEVHNAKT KPREEQFNST FRVVSVLTVV HQDWLNGKEY KCKVSNKGLP
 351 APIEKTISKI KGQPREPQVY TLPPSREEMT KNQVSLTCLV KGFYPSDIIV
 401 EWESNGQPEN NYKTTTPMLD SDGSFFLYSK LTVDKSRWQQ GNVFSCSVMH
 451 EALHNHYTQK SLSLSPGK (SEQ ID NO:147)

[0190] Nucleic acid sequence of the Ab-5 HC including signal peptide encoding sequence:

1 ATGGA CTGGA CCTGGAGGAT CCTCTTCTTG GTGGCAGCAG CCACAGGAGC
 51 CCACTCCGAG GTGCAGCTGG TGCAGAGCGG CGCCGAGGTA AAAAAACCAG
 101 GAGCAAGCGT TAAAGTTTCT TGTAAGCAA GCGGATATAC ATTTACAGAT
 5 151 TACAACATGC ATTGGGTAAG ACAAGCGCCA GGACAAGGAT TGGGAATGGAT
 201 GGGCGAAATT AACCTAATA GTGGAGGAGC AGGCTACAAT CAAAAATTCA
 251 AAGGGAGAGT TACAATGACA ACAGACACAA GCACTTCAAC AGCATATATG
 301 GAACTGCGAT CACTTAGAAG CGACGATACA GCTGTATACT ATTGCGCACG
 10 351 ACTTGGGTAT GATGATATAT ATGATGACTG GTATTTTCGAT GTTTGGGGCC
 401 AGGGAACAAC AGTTACCGTC TCTAGTGCCT CCACCAAGGG CCCATCGGTC
 451 TTCCCCCTGG CGCCCTGCTC CAGGAGCACC TCCGAGAGCA CAGCGGCCCT
 501 GGGCTGCCTG GTCAAGGACT ACTTCCCCGA ACCGGTGACG GTGTCTGTGA
 15 551 ACTCAGGCGC TCTGACCAGC GCGGTGCACA CCTTCCCAGC TGTCCTACAG
 601 TCCTCAGGAC TCTACTCCCT CAGCAGCGTG GTGACCCTGC CCTCCAGCAA
 651 CTTCGGCACC CAGACCTACA CCTGCAACGT AGATCACAAG CCCAGCAACA
 701 CCAAGGTGGA CAAGACAGTT GAGCGCAAAT GTTGTGTCGA GTGCCACCG
 20 751 TGCCAGCAC CACCTGTGGC AGGACCGTCA GTCTTCCTCT TCCCCCAA
 801 ACCCAAGGAC ACCCTCATGA TCTCCCGGAC CCCTGAGGTC ACGTGCCTGG
 851 TGGTGGACGT GAGCCACGAA GACCCCGAGG TCCAGTTCAA CTGGTACGTG
 901 GACGGCGTGG AGGTGCATAA TGCCAAGACA AAGCCACGGG AGGAGCAGTT
 951 CAACAGCACG TTCCGTGTGG TCAGCGTCCT CACCGTTGTG CACCAGGACT
 25 1001 GGCTGAACGG CAAGGAGTAC AAGTGCAAGG TCTCCAACAA AGGCCTCCCA
 1051 GCCCCCATCG AGAAAACCAT CTCCAAAACC AAAGGGCAGC CCCGAGAACC

1101 ACAGGTGTAC ACCCTGCCCC CATCCCGGGA GGAGATGACC AAGAACCAGG
 30 1151 TCAGCCTGAC CTGCCTGGTC AAAGGCTTCT ACCCCAGCGA CATCGCCGTG
 1201 GAGTGGGAGA GCAATGGGCA GCCGGAGAAC AACTACAAGA CCACACCTCC
 1251 CATGCTGGAC TCCGACGGCT CCTTCTTCCT CTACAGCAAG CTCACCGTGG
 1301 ACAAGAGCAG GTGGCAGCAG GGAACGTCT TCTCATGCTC CGTGATGCAT
 35 1351 GAGGCTCTGC ACAACCACTA CACGCAGAAG AGCCTCTCCC TGTCTCCGGG
 1401 TAAA (SEQ ID NO:148)

Ab-5 Variable domains:

[0191] Ab-5 light chain variable domain amino acid sequence (without signal sequence):

1 DIQMTQSPSS LSASVGDRVT ITCRASQDIS NYLNWYQQKP GKAPKLLIY
 45 51 TSRLLSGVPS RFSGSGSGTD FTLTISSLQP EDFATYYCQQ GDTLPYTFGG
 101 GTKVEIK (SEQ ID NO:376)

[0192] Ab-5 light chain variable domain DNA sequence (without signal sequence):

1 GACATCCAGA TGACCCAGTC TCCATCCTCC CTCTCCGCAT CCGTAGGCGA
 51 CCGCGTAACC ATAACATGTA GAGCATCTCA AGATATTTCC AACTATTTGA
 101 ATTGGTACCA ACAAAAACCC GGCAAAGCAC CTAAACTCCT CATTACTAT
 151 ACATCAAGAC TCCTCTCCGG CGTTCCATCA CGATTCTCAG GCTCCGGCTC
 201 CGGCACAGAT TTCACACTCA CTATTTCTC CCTCCAACCA GAAGATTTTG
 251 CAACCTATTA CTGTCAACAA GCGGATACAC TCCCATACAC ATTCGGCGGC
 301 GGCACAAAAG TTGAAATTAA A (SEQ ID NO:377)

[0193] Ab-5 heavy chain variable domain amino acid sequence (without signal sequence):

1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DYNMHWVRQA PGQGLEWMGE
 51 INPNSGGAGY NQKFKGRVTM TTDSTSTAY MELRSLRSD TAVYYCARLG
 101 YDDIYDDWYFDVWGQGTITV VSS (SEQ ID NO:378)

[0194] Ab-5 heavy chain variable domain DNA sequence (without signal sequence):

1 GAGGTGCAGC TGGTGCAGAG CGGCGCCGAG GTAAAAAAAC CAGGAGCAAG
 51 CGTTAAAGTT TCTTGTAAG CAAGCGGATA TACATTTACA GATTACAACA
 101 TGCATTGGGT AAGACAAGCG CCAGGACAAG GATTGGAATG GATGGGCGAA
 151 ATTAACCCTA ATAGTGGAGG AGCAGGCTAC AATCAAAAAT TCAAAGGGAG
 201 AGTTACAATG ACAACAGACA CAAGCACTTC AACAGCATAT ATGGAAGTGC
 251 GATCACTTAG AAGCGACGAT ACAGCTGTAT ACTATTGCGC ACGACTTGGG
 301 TATGATGATA TATATGATGA CTGGTATTTT GATGTTTGGG GCCAGGGAAC
 351 AACAGTTACC GTCTCTAGT (SEQ ID NO:379)

[0195] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-5 are as follows:

CDR-H1: DYNMH (SEQ ID NO:245)

CDR-H2: EINPNSGGAGYNQKFKG (SEQ ID NO:246)

CDR-H3: LGYDDIYDDWYFDV (SEQ ID NO:247)

[0196] The light chain variable region CDR sequences of Ab-5 are:

CDR-L1: RASQDISNYLN (SEQ ID NO:78)

CDR-L2: YTSRLLS (SEQ ID NO:79)

CDR-L3: QQGDTLPYT (SEQ ID NO:80)

Ab-6

[0197] The sequences of the Antibody 6 (also referred to herein as Ab-6) LC and HC are as follows:

Ab-6 Light Chain:

[0198] Amino acid sequence of the mature form (signal peptide removed) of the Ab-6 LC:

1 DIQMTQTTSS LSASLGDRVT ISCRASQDIS NYLNWFQOKP DGTLKLLIFY
 51 TSRLHSGVPS RFSGSGSGTD YSLTISNLEQ EDIATYFCQQ GDTLPYTFGG
 101 GTKLEIRRAD APTVSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
 151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:149)

[0199] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-6 LC:

1 GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGAGTCACC ATCAGTTGCA GGGCAAGTCA GGACATTAGC AATTATTTAA
 101 ACTGGTTTCA GCAGAAACCA GATGGAAGTC TTAAACTCCT GATCTTCTAC
 151 ACATCAAGAT TACTCTCAGG AGTTCCATCA AGGTTCAAGT GCAGTGGGTC
 201 TGGAACAGAT TATTCTCTCA CCATTAGCAA CCTGGAGCAA GAAGATATTG
 251 CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC GTTCGGGGGG
 301 GGGACCAAGC TGGAAATAAG ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 351 CTTCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:150)

[0200] Amino acid sequence of the Ab-6 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGTRC DIQMTQTTSS LSASLGDRVT ISCRASQDIS
 51 NYLNWFQOKP DGTLKLLIFY TSRLHSGVPS RFSGSGSGTD YSLTISNLEQ
 101 EDIATYFCQQ GDTLPYTFGG GTKLEIRRAD APTVSIFPP SSEQLTSGGA
 151 SVVCFLNNFY PKDINVKWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:151)

[0201] Nucleic acid sequence of the Ab-6 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 51 TACCAGATGT GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT
 101 CTCTGGGAGA CAGAGTCACC ATCAGTTGCA GGGCAAGTCA GGACATTAGC
 151 AATTATTTAA ACTGGTTTCA GCAGAAACCA GATGGAAGTC TTAAACTCCT
 201 GATCTTCTAC ACATCAAGAT TACTCTCAGG AGTTCCATCA AGGTTCAAGT
 251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTAGCAA CCTGGAGCAA
 301 GAAGATATTG CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC
 351 GTTCGGGGGG GGGACCAAGC TGGAAATAAG ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GTTAG (SEQ ID NO:152)

Ab-6 Heavy Chain:

[0202] Amino acid sequence of the mature form (signal peptide removed) of the Ab-6 HC:

1 EVQLQDSGPE LMKPGASVKM SCKASGYTFT DYNMHFWVKQN QGKSLEWIGE
 51 INENSGGSGY NQKFKGKATL TVDKSSSTAY MELRSLTSED SAVYYCARLV
 101 YDGSYEDWYF DYWGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNMVTLG
 151 LVKGYFPEPV TVTWNSGSL SSVHTFPAVL QSDLYTLSSS VTPSSTWPS
 201 ETVTCNV AHP ASSTKVDKKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTTTLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQTQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAFAPIEKTISKTK GRPKAPQVYT
 351 IPPPKEQMAK DKVSLTCMIT DFFPEDITVE WQWNGQPAEN YKNTQPMIDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTEKS LSHSPGK (SEQ ID
 NO:153)

[0203] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-6 HC:

1 GAGGTCCAGC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA CACATTCAC TACTACAACA
 101 TGCACCTGGT GAAACAGAAC CAAGGAAAGA GCCTAGAGTG GATAGGAGAA
 151 ATTAATCCTA ACAGTGGTGG TAGTGGCTAC AACCAAAGT TCAAAGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCTTCCAG CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGTC
 301 TACGATGGCA GCTACGAGGA CTGGTACTTC GATGTCTGGG GCGCAGGGAC
 351 CACGGTCACC GTCTCCTCAG CCAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAACTAAGT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAAGTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCTTG CAGTCTGACC
 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCAGC
 601 GAGACCGTCA CCTGCAACGT TGCCACCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCCAGAAGT ATCATCTGTC TTCATCTTCC CCCCAGGCC CAAGGATGTG
 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAACTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAA TGCAGGGTCA ACAGTGCAGC TTTCCTGCC CCCATCGAGA
 1001 AAACCATCTC CAAAACCAA GGCAGACCGA AGGCTCCACA GGTGTACACC
 1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG
 1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 1251 GGAGGCAGGA AATACTTTCA CTGCTCTGT GTTACATGAG GGCCTGCACA
 1301 ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA ATGA (SEQ ID
 NO:154)

[0204] Amino acid sequence of the Ab-6 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFTD
 51 YNMHWVKQNO GKSLEWIGEI NPNSGGSGYN QKFKGKATLT VDKSSSTAYM
 101 ELRSLTSEDS AVYYCARLVY DGSYEDWYFD VWGAGTTVTV SSAKTTPPSV
 5 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ
 201 SDLYTLSSSV TVPSSTWPSE TVTCNVHPA SSTKVDKKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVTC VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTOP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFPAP
 10 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMITD FFPEDITVEW
 401 QWNGQPAENY KNTQPIMDTD GSYFIYSKLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHHTKSL SHSPGK (SEQ ID NO:155)

15 **[0205]** Nucleic acid sequence of the Ab-6 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAGCTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG
 20 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATAACAC ATTCACTGAC
 151 TACAACATGC ACTGGGTGAA ACAGAACCAA GGAAAGAGCC TAGAGTGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTAG TGGCTACAAC CAAAAGTTCA
 251 AAGGCAAGGC CACATTGACT GTAGACAAGT CTTCCAGCAC AGCCTACATG
 25 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATTGGTCTAC GATGGCAGCT ACGAGGACTG GTACTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCAACGTC TCCTCAGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 30 551 ACTCTGGATC CTTGTCCAGC GGTGTGCACA CCTTCCCAGC TGTCTGCAG
 601 TCTGACCTCT AACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGCATA
 35 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCAA
 801 GGATGTGCTC ACCATTACTC TGACTCCTAA GGTCACGTGT GTTGTGGTAG
 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TGTAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCGC TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 40 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCCTG AAGACATTAC TGTGGAGTGG
 45 1201 CAGTGGAATG GGCAGCCAGC GGAGAACTAC AAGAACAATC AGCCCATCAT

1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 50 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCACTCTC CTGGTAAATG
 1401 A (SEQ ID NO:156)

Ab-7

55 **[0206]** The sequences of the Antibody 7 (also referred to herein as Ab-7) LC and HC are as follows:

Ab-7 Light Chain:

[0207] Amino acid sequence of the mature form (signal peptide removed) of the Ab-7 LC:

5
1 DIQMTQTTSS LSASLGDRVT ICCRASQVIT NYLYWYQQKP DGTFKLLIYY
51 TSRLHSGVPS RFSGSGSGTD YSLTISNLEQ EDIATYFCQQ GDTLPYTFGG
101 GTKLEIKRAD APTVSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
201 STSPIVKSFN RNEC (SEQ ID NO:157)

[0208] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-7 LC:

15
1 GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT CTCTGGGAGA
51 CAGAGTCACC ATCTGTTGCA GGGCAAGTCA GGTCATTACC AATTATTTAT
101 ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT GATCTACTAC
20
151 ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTCAAGT GCAGTGGGTC
201 TGGAACAGAT TATTCTCTCA CCATTAGCAA CCTGGAACAG GAAGATATTG
251 CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC GTTCGGAGGG
301 GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
351 CTTCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
25
401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GT (SEQ ID
30 NO:158)

[0209] Amino acid sequence of the Ab-7 LC including signal peptide:

35
1 MMSSAQFLGL LLLCFQGTRC DIQMTQTTSS LSASLGDRVT ICCRASQVIT
51 NYLYWYQQKP DGTFKLLIYY TSRLHSGVPS RFSGSGSGTD YSLTISNLEQ
101 EDIATYFCQQ GDTLPYTFGG GTKLEIKRAD APTVSIFPP SSEQLTSGGA
151 SVVCFLNNFY PKDINVKWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
40
201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:159)

[0210] Nucleic acid sequence of the Ab-7 LC including signal peptide encoding sequence:

45
1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
51 TACCAGATGT GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT
101 CTCTGGGAGA CAGAGTCACC ATCTGTTGCA GGGCAAGTCA GGTCATTACC
151 AATTATTTAT ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT
50
201 GATCTACTAC ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTCAAGT
251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTAGCAA CCTGGAACAG
301 GAAGATATTG CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC

351 GTTCGGAGGG GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GT (SEQ ID NO:160)

Ab-7 Heavy Chain:

[0211] Amino acid sequence of the mature form (signal peptide removed) of the Ab-7 HC:

1 EVQLQQSGPE LMKPGASVKM SCKASGYTFT DYNMHWMKQN QGKSLEWIGE
 51 INPNSGGAGY NQQFKGKATL TVDKSSRTAY MELRSLTSED SAVYYCARLG
 101 YVGNYEDWYF DVWGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNMVTLG
 151 LVKGYFPEPV TVTWNSGSL SSGVHTFPAVL QSDLYTLSSS VTPSSTWPS
 201 ETVTCNVAHP ASSTKVDKKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTITLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQIQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAAFP APIEKTISKTK GRPKAPQVYT
 351 IPPPKEQMAK DKVSLTCMIT DFFPEDITVE WQWNGQPAEN YKNTQPIMDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTEKS LSHSPGK (SEQ ID
 NO:161)

[0212] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-7 HC:

1 GAGGTCCAGC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA CACATTCAC TACTACAACA
 101 TGCACTGGAT GAAGCAGAAC CAAGGAAAGA GCCTAGAATG GATAGGAGAA
 5 151 ATTAATCCTA ACAGTGGTGG TGCTGGCTAC AACCAGCAGT TCAAAGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAG GACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGGC
 301 TACGTTGGTA ATTACGAGGA CTGGTACTTC GATGTCTGGG GCGCAGGGAC
 10 351 CACGGTCACC GTCTCCTCAG CAAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAAACTAACT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAAGTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCCTG CAGTCTGACC
 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCAGC
 15 601 GAGACCGTCA CCTGCAACGT TGCCCACCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCAGAAAGT ATCATCTGTC TTCATCTTCC CCCCAAAGCC CAAGGATGTG
 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 20 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAACTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAAA TGCAGGGTCA ACAGTGCAGC TTTCCCTGCC CCCATCGAGA
 1001 AAACCATCTC CAAAACCAAA GGCAGACCGA AGGCTCCACA GGTGTACACC
 25 1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG
 1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 30 1251 GGAGGCAGGA AATACTTTCA CCTGCTCTGT GTTACATGAG GGCCTGCACA

130T ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA A (SEQ ID
 NO:162)

[0213] Amino acid sequence of the Ab-7 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFTD
 51 YNMHWKQNN GKSLEWIGEI NPNSGGAGYN QQFKGKATLT VDKSSRTAYM
 101 ELRSLTSEDS AVYYCARLGY VGNVEDWYFD VWGAGTTVTV SSAKTTPPSV
 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ
 201 SDLYTLSSSV TVPSSTWPSE TVTCNVAHPA SSTKVDKKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVTC VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFPAP
 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMITD FFPEDITVEW
 401 QWNGQPAENY KNTQPIMDTD GSYFIYSKLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHHTKSL SHSPGK (SEQ ID NO:163)

[0214] Nucleic acid sequence of the Ab-7 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAGCTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATACAC ATTCACTGAC
 5 151 TACAACATGC ACTGGATGAA GCAGAACCAA GGAAAGAGCC TAGAATGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTGC TGGCTACAAC CAGCAGTTCA
 251 AAGGCAAGGC CACATTGACT GTAGACAAGT CCTCCAGGAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATTGGGCTAC GTTGGTAATT ACGAGGACTG GTACTTCGAT GTCTGGGGCG
 10 401 CAGGGACCAC GGTCACCGTC TCCTCAGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 551 ACTCTGGATC CCTGTCCAGC GGTGTGCACA CTTCCCAGC TGTCTGCAG
 15 601 TCTGACCTCT ACACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGCATA
 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCCA
 801 GGATGTGCTC ACCATTACTC TGA CTCTCTAA GTTCACGTGT GTTGTGGTAG
 20 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TG TAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCGC TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 25 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCTG AAGACATTAC TGTGGAGTGG
 1201 CAGTGGAATG GGCAGCCAGC GGAGAACTAC AAGAACA CT AGCCCATCAT
 1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 30 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCCTCTC CTGGTAAA
 (SEQ ID NO:164)

Ab-8

[0215] The sequences of the Antibody 8 (also referred to herein as Ab-8) LC and HC are as follows:

Ab-8 Light Chain:

[0216] Amino acid sequence of the mature form (signal peptide removed) of the Ab-8 LC:

1 DIQMTQTSS LSASLGDRVS ISCRASQDIS NYLNWYQQKP DGTFKLLIFY
 51 TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ EDFATYFCQQ GDTLPYTFGG
 101 GTKLEIKRAD APTVSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
 151 DGSEKQNGVL NSWTDQDSK STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:165)

[0217] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-8 LC:

1 GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC AATTATTTAA
 101 ACTGGTATCA GCAGAAACCA GATGGAACCTT TTAAACTCCT TATCTTCTAC
 5 151 ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTTCAGTG GCAGTGGGTC
 201 TGGAACAGAT TATTCTCTCA CCATTACAA CCTGGAGCAA GAAGATTTTG
 251 CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC TTTCGGAGGG
 301 GGGACCAAAC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 10 351 CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 15 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:166)

[0218] Amino acid sequence of the Ab-8 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGTRC DIQMTQTTSS LSASLGDRVS ISCRASQDIS
 51 NYLNWYQQKP DGTFLKLLIFY TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ
 101 EDFATYFCQQ GDTLPYTFGG GTKLEIKRAD AAPTVSIFPP SSEQLTSGGA
 25 151 SVVCFLNNFY PKDINVKWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:167)

[0219] Nucleic acid sequence of the Ab-8 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 51 TACCAGATGT GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT
 101 CTCTGGGAGA CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC
 35 151 AATTATTTAA ACTGGTATCA GCAGAAACCA GATGGAACCTT TTAAACTCCT
 201 TATCTTCTAC ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTTCAGTG
 251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTACAA CCTGGAGCAA
 301 GAAGATTTTG CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC
 40 351 TTTCGGAGGG GGGACCAAAC TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 45 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GTTAG (SEQ ID NO:168)

Ab-8 Heavy Chain:

[0220] Amino acid sequence of the mature form (signal peptide removed) of the Ab-8 HC:

1 EVQLQQSGPE LMKPGASVKM SCKASGYTFT DYNMHWVKQN QGKTLDWIGE
 51 INPNSGGAGY NQFKGKATL TVDKSSTAY MELRSLTSED SAVYYCARLG
 101 YDDIYDDWYF DVWGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNMVTLGCL
 151 LVKGYFPEPV TVTWNSGSLSS SGVHTFPAVL QSDLYTLSSS VTVPSSTWPS
 201 ETVTCNVAHP ASSTKVDDKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTITLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQTQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAAFPV PIEKTISKTK GRPKAPQVYT
 10 351 IPPPKEQMAK DKVSLTCMIT DFFPEDITVE WQWNGQPAEN YKNTQPIMDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTEKS LSHSPGK (SEQ ID
 NO:169)

[0221] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-8 HC:

1 GAGGTCCAAC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA TACATTCAC TACTACAACA
 101 TGCACTGGGT GAAGCAGAAC CAAGGAAAGA CCCTAGACTG GATAGGAGAA
 151 ATTAATCCTA ACAGTGGTGG TGCTGGCTAC AACCAGAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAC CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGGC
 301 TACGATGATA TCTACGACGA CTGGTACTTC GATGTCTGGG GCGCAGGGAC
 25 351 CACGGTCACC GTCTCCTCAG CAAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAACTAACT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAACCTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCCTG CAGTCTGACC
 30 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCCAGC
 601 GAGACCGTCA CCTGCAACGT TGCCACCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCCAGAAGT ATCATCTGTC TTCATCTTCC CCCCAGGCC CAAGGATGTG
 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 35 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAACTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAAA TGCAGGGTCA ACAGTGCAGC TTTCCCTGCC CCCATCGAGA
 40 1001 AAACCATCTC CAAAACCAA GGCAGACCGA AGGCTCCACA GGTGTACACC
 1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG
 1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 45 1251 GGAGGCAGGA AATACTTTCA CCTGCTCTGT GTTACATGAG GGCCTGCACA
 1301 ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA ATGA (SEQ ID
 NO:170)

[0222] Amino acid sequence of the Ab-8 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFTD
 51 YNMHWVKQNN QKTLDWIGEI NPNSGGAGYN QKFKGKATLT VDKSSTTAYM
 101 ELRSLTSEDS AVYYCARLGY DDIYDDWYFD VWGAGTTVTV SSAKTTPPSV
 55 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ

201 SDLYTLSSSV TVPSSTWPSE TVTCNVAHPA SSTKVDKKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVTC VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTOP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFPAP
 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMITD FFPEDITVEW
 401 QWNGQPAENY KNTQPIMDTD GSYFYISKLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHHTEKSL SHSPGK (SEQ ID NO:171)

[0223] Nucleic acid sequence of the Ab-8 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAAGTGC AACAGTCTGG ACCTGAAC TAATGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATATAC ATTCAGTGAC
 151 TACAACATGC ACTGGGTGAA GCAGAACCAA GGAAAGACCC TAGACTGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTGC TGGCTACAAC CAGAAGTTCA
 251 AGGGCAAGGC CACATTGACT GTAGACAAGT CCTCCACCAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATTGGGCTAC GATGATATCT ACGACGACTG GTACTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCACCGTC TCCTCAGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 551 ACTCTGGATC CCTGTCCAGC GGTGTGCACA CCTTCCCAGC TGTCTGCAG
 601 TCTGACCTCT AACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGCATA
 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCAA
 801 GGATGTGCTC ACCATTACTC TGAATCCTAA GGTCACGTGT GTTGTGGTAG
 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TGTAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCGC TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCCTG AAGACATTAC TGTGGAGTGG
 1201 CAGTGGAATG GGCAGCCAGC GGAGAACTAC AAGAACA CTC AGCCCATCAT
 1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCACTCTC CTGGTAAATG
 1401 A (SEQ ID NO:172)

Ab-9

[0224] The sequences of the Antibody 9 (also referred to herein as Ab-9) LC and HC are as follows:

Ab-9 Light Chain:

[0225] Amino acid sequence of the mature form (signal peptide removed) of the Ab-9 LC:

1 DIQMTQITSS LSASLGDRVS ISCRASQDIS NYLNWYQQKP DGTFKLLIFY
 51 TSRLFSGVPS RFGSGSGTD YSLTIYNLEQ EDFATYFCQQ GDTLPYTFGG
 101 GTKVEIKRAD APTVSIFPP SSEQLTSGGA SVVCFLNIFY PKDINVWKI
 151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:173)

[0226] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-9 LC:

1 GATATCCAGA TGACACAGAT TACATCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC AATTATTTAA
 101 ATTGGTATCA GCAGAAACCA GATGGAACCT TTAACCTCCT TATCTTCTAC
 151 ACATCAAGAT TATTTTCAGG AGTCCCATCA AGGTTTCAGTG GCAGTGGGTC
 201 TGGAACAGAT TATTCTCTCA CCATTACAA CCTGGAGCAA GAAGATTTTG
 251 CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC TTTCGGAGGG
 301 GGGACCAAGG TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 351 CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GT (SEQ ID
 NO:174)

[0227] Amino acid sequence of the Ab-9 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGTRC DIQMTQITSS LSASLGDRVS ISCRASQDIS
 51 NYLNWYQQKP DGTFKLLIFY TSRLFSGVPS RFGSGSGTD YSLTIYNLEQ
 101 EDFATYFCQQ GDTLPYTFGG GTKVEIKRAD APTVSIFPP SSEQLTSGGA
 151 SVVCFLNIFY PKDINVWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:175)

[0228] Nucleic acid sequence of the Ab-9 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 51 TACCAGATGT GATATCCAGA TGACACAGAT TACATCCTCC CTGTCTGCCT
 101 CTCTGGGAGA CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC
 5 151 AATTATTAA ATTGGTATCA GCAGAAACCA GATGGAACCTT TAAACTCCT
 201 TATCTTCTAC ACATCAAGAT TATTTTCAGG AGTCCCATCA AGGTTCACTG
 251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTTACAA CCTGGAGCAA
 301 GAAGATTTTG CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC
 10 351 TTTCGGAGGG GGGACCAAGG TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 15 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GT (SEQ ID NO:176)

20 Ab-9 Heavy Chain:

[0229] Amino acid sequence of the mature form (signal peptide removed) of the Ab-9 HC:

25 1 EVQLQQSGPE LMKPGTSVKM SCKASGYTFT DYNMH³²³WVKQT QGK³²⁴LEWIG³²⁵E
 51 INPNSGGAGY NQKFKGKATL TVDKSSTTAY MELRSLTSED SAVYYCAKLG
 101 YDDIYDDWYF DVWGAGTTVT VSSAKTTAPS VYPLAPVCGD TTGSSVTLGC
 151 LVKGYFPEPV TLTWNSGSLSDVHTFPALL QSGLYTLSSS VTVTTWPSQT
 30 201 ITCNVAHPAS STKVDDKKIEP RGSPTHKPCP PCPAPNLLGG PSVFIFPPKI
 251 KDVLMISLSP MVTCVVDVS EDDPDVHVSF FVNNVEVHTA QTQTHREDYN

 301 STIRVVSALP IQHQDWMSGK EFKCKVNNKA LPAPIERTIS KPKG³²⁶PVRAPQ
 351 VYVLPPPEEE MTKKQVTLTC MITDFMPEDI YVEWTNNGQT ELNYKNTEPV
 35 401 LDSDGSYFMY SKLRVEKKNW VERNYSYSCSV VHEGLHNHHT TKSFSRTPGK
 (SEQ ID NO:177)

40 [0230] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-9 HC:

1 GAGGTCCAAC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGACTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA TACATTCACT GACTACAACA
 101 TGCACTGGGT GAAGCAGACC CAAGGAAAGA CCCTAGAGTG GATAGGAGAA
 151 ATTAATCCTA ACAGTGGTGG TGCTGGCTAC AACCAGAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAC CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAAATTGGGC
 301 TACGATGATA TCTACGACGA CTGGTATTTT GATGTCTGGG GCGCAGGGAC
 351 CACGGTCACC GTCTCCTCAG CCAAAACAAC AGCCCCATCG GTCTATCCAC
 401 TGGCCCCTGT GTGTGGAGAT ACAACTGGCT CCTCGGTGAC TCTAGGATGC
 451 CTGGTCAAGG GTTATTTCCC TGAGCCAGTG ACCTTGACCT GGAAGCTCTGG
 501 ATCCCTGTCC AGTGATGTGC ACACCTTCCC AGCTCTCCTG CAGTCTGGCC
 551 TCTACACCCT CAGCAGCTCA GTGACTGTAA CCACCTGGCC CAGCCAGACC
 601 ATCACCTGCA ATGTGGCCCA CCCGGCAAGC AGCACCAAAG TGGACAAGAA
 651 AATTGAGCCC AGAGGGTCCC CAACACATAA ACCCTGTCCT CCATGCCCAG
 701 CTCCTAACCT CTTGGGTGGA CCATCCGTCT TCATCTTCCC TCCAAAGATC
 751 AAGGATGTAC TCATGATCTC CCTGAGCCCC ATGGTCACGT GTGTGGTGGT
 801 GGATGTGAGC GAGGATGACC CAGATGTCCA TGTCAGCTGG TTCGTGAACA
 851 ACGTGGAAGT ACACACAGCT CAGACACAAA CCCATAGAGA GGATTACAAC
 901 AGTACTATCC GGGTGGTCAG TGCCCTCCCC ATCCAGCACC AGGACTGGAT
 951 GAGTGGCAAG GAGTTCAAAT GCAAGGTCAA CAACAAAGCC CTCCCAGCGC
 1001 CCATCGAGAG AACCATCTCA AAACCCAAAG GGCCAGTAAG AGCTCCACAG
 1051 GTATATGTCT TGCCTCCACC AGAAGAAGAG ATGACTAAGA AACAGGTCAC
 1101 TCTGACCTGC ATGATCACAG ACTTCATGCC TGAAGACATT TACGTGGAGT
 1151 GGACCAACAA CGGGCAAACA GAGCTAAACT ACAAGAACAC TGAACCAGTC
 1201 CTGGACTCTG ATGGTTCTTA CTTTCATGTAC AGCAAGCTGA GAGTGGAAAA
 1251 GAAGAACTGG GTGGAAAGAA ATAGCTACTC CTGTTTCAGTG GTCCACGAGG
 1301 GTCTGCACAA TCACCACACG ACTAAGAGCT TCTCCCGGAC TCCGGGTAAA
 (SEQ ID NO:178)

[0231] Amino acid sequence of the Ab-9 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGTSVKMS CKASGYTFTD
 51 YNMHWVKQTQ GKLEWIGEI NPNSGGAGYN QKFKGKATLT VDKSSTTAYM
 101 ELRSLTSEDS AVYYCAKLG YDDIYDDWYFD VWGAGTTVTV SSAKTTPSV
 151 YPLAPVCGDT TGSSVTLGCL VKGYFPEPVT LTWN SGLSS DVHTFPALLQ
 201 SGLYTLSSSV TVTTWPSQTI TCNVAHPASS TKVDKKIEPR GSPTHKPCPP
 251 CPAPNLLGGP SVFIFPPKIK DVLMSLSLSPM VTCVVVDVSE DDPDVHVSF
 301 VNNVEVHTAQ TQTHREDYNS TIRVVSALPI QH QDWMSGKE FKCKVNNKAL
 351 PAPIERTISK PKGPVRAPQV YVLPPPEEEM TTKQVTLTCM ITDFMPEDIY
 401 VEWTNNGQTE LNYKNTEPVL DSDGSYFMYS KLRVEKKNWV ERNSYSCSVV
 451 HEGLHNHHTT KSFSRTPGK (SEQ ID NO:179)

[0232] Nucleic acid sequence of the Ab-9 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAACCTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG

101 GGACTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATATAC ATTCACTGAC
 151 TACAACATGC ACTGGGTGAA GCAGACCCAA GGAAAGACCC TAGAGTGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTGC TGGCTACAAC CAGAAGTTCA
 5 251 AGGGCAAGGC CACATTGACT GTAGACAAGT CCTCCACCAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAA
 351 ATTGGGCTAC GATGATATCT ACGACGACTG GTATTTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCACCGTC TCCTCAGCCA AAACAACAGC CCCATCGGTC
 451 TATCCACTGG CCCCTGTGTG TGGAGATACA ACTGGCTCCT CGGTGACTCT
 10 501 AGGATGCCTG GTCAAGGGTT ATTTCCCTGA GCCAGTGACC TTGACCTGGA
 551 ACTCTGGATC CCTGTCCAGT GATGTGCACA CCTTCCCAGC TCTCCTGCAG
 601 TCTGGCCTCT ACACCCTCAG CAGCTCAGTG ACTGTAACCA CCTGGCCCAG
 651 CCAGACCATC ACCTGCAATG TGGCCCAACC GGCAAGCAGC ACCAAAGTGG
 15 701 ACAAGAAAAT TGAGCCCAGA GGGTCCCCAA CACATAAACC CTGTCCTCCA
 751 TGCCCAGCTC CTAACCTCTT GGGTGGACCA TCCGTCTTCA TCTTCCCTCC
 801 AAAGATCAAG GATGTACTCA TGATCTCCCT GAGCCCCATG GTCACGTGTG
 851 TGGTGGTGGG TGTGAGCGAG GATGACCCAG ATGTCCATGT CAGCTGGTTC
 901 GTGAACAACG TGGAAGTACA CACAGCTCAG ACACAAACCC ATAGAGAGGA
 20 951 TTACAACAGT ACTATCCGGG TGGTCAGTGC CCTCCCCATC CAGCACCAGG
 1001 ACTGGATGAG TGGCAAGGAG TTCAAATGCA AGGTCAACAA CAAAGCCCTC
 1051 CCAGCGCCCA TCGAGAGAAC CATCTCAAAA CCCAAAGGGC CAGTAAGAGC
 1101 TCCACAGGTA TATGTCTTGC CTCCACCAGA AGAAGAGATG ACTAAGAAAC
 25 1151 AGGTCACTCT GACCTGCATG ATCACAGACT TCATGCCTGA AGACATTTAC
 1201 GTGGAGTGGA CCAACAACGG GCAAACAGAG CTAAACTACA AGAACACTGA
 1251 ACCAGTCCTG GACTCTGATG GTTCTTACTT CATGTACAGC AAGCTGAGAG
 1301 TGGAAAAGAA GAACTGGGTG GAAAGAAATA GCTACTCCTG TTCAGTGGTC
 1351 CACGAGGGTC TGCACAATCA CCACACGACT AAGAGCTTCT CCCGGACTCC
 30 1401 GGGTAAA (SEQ ID NO:180)

Ab-10

[0233] The sequences of the Antibody 10 (also referred to herein as Ab-10) LC and HC are as follows:

Ab-10 Light Chain:

[0234] Amino acid sequence of the mature form (signal peptide removed) of the Ab-10 LC:

1 DIQMTQTTSS LSASLGDRVS ISCRASQDIS NYLNWYQOKP DGTFKLLIFY
 51 TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ EDFATYFCQQ GDTTPYTFGG
 101 GTKLEIKRAD AAPT~~VS~~IFPL SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
 45 151 DGSE~~RQ~~NGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:181)

[0235] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-10 LC:

1 GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC AATTATTTAA
 101 ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT TATCTTCTAC
 5 151 ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTCAAGT GCAGTGGGTC
 201 TGGAACAGAT TATTCTCTCA CCATTTACAA CCTGGAGCAA GAAGATTTTG
 251 CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC TTTCGGAGGG
 301 GGGACCAAAC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 10 351 CTTCCCACTA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT

451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 15 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:182)

[0236] Amino acid sequence of the Ab-10 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGTRC DIQMTQTTSS LSASLGDRVS ISCRASQDIS
 25 51 NYLNWYQQKP DGTFLKLLIFY TSRLLSGVPS RFSGSGSGTD YSLTIYNLEQ
 101 EDFATYFCQQ GDTLPYTFGG GTKLEIKRAD APTVSIFPL SSEQLTSGGA
 151 SVVCFLNNFY PKDINVKWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:183)

[0237] Nucleic acid sequence of the Ab-10 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 35 51 TACCAGATGT GATATCCAGA TGACACAGAC TACATCCTCC CTGTCTGCCT
 101 CTCTGGGAGA CAGGGTCTCC ATCAGTTGCA GGGCAAGTCA AGACATTAGC
 151 AATTATTTAA ACTGGTATCA GCAGAAACCA GATGGAACCT TAAACTCCT
 201 TATCTTCTAC ACATCAAGAT TACTCTCAGG AGTCCCATCA AGGTTCAAGT
 40 251 GCAGTGGGTC TGGAACAGAT TATTCTCTCA CCATTTACAA CCTGGAGCAA
 301 GAAGATTTTG CCACTTACTT TTGCCAACAG GGAGATACGC TTCCGTACAC
 351 TTTCGGAGGG GGGACCAAAC TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACTA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 50 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GTTAG (SEQ ID NO:184)

Ab-10 Heavy Chain:

[0238] Amino acid sequence of the mature form (signal peptide removed) of the Ab-10 HC:

1 EVQLQQSGPE LMKPGASVKM SCKASGYTFT DYNMHWVKQN QGKTLIEWIG
 51 INENSGGAGY NOKEKGKATL TVDKSSTAY MELRSLTSED SAVYYCARLG
 101 YDDIYDDWYF DVWAGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNMVTLG
 151 LVKGYFPEPV TVTWNSGSLG SGVHTFPAVL QSDLYTLSSS VTVPSSTWPS
 201 ETVTCNVAHP ASSTKVDDKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTITLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQDQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAAFPD PIEKTISKTK GRPKAPQVYT
 10 351 IPPPKEQMAK DKVSLTCMIT DFFPEDITVE WQWNGQPAEN YKNTQPIDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTEKS LSHSPGK (SEQ ID
 NO:185)

[0239] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-10 HC:

1 GAGGTCCAAC TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA TACATTCACT GACTACAACA
 101 TGCACTGGGT GAAGCAGAAC CAAGGAAAGA CCCTAGAATG GATAGGAGAA

151 ATTAATCCTA ACAGTGGTGG TGCTGGCTAC AACCAGAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAC CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGGC
 301 TACGATGATA TCTACGACGA CTGGTACTTC GATGTCTGGG GCGCAGGGAC
 351 CACGGTCACC GTCTCCTCAG CCAAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAACTAACT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAAGTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCCTG CAGTCTGACC
 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCAGC
 601 GAGACCGTCA CCTGCAACGT TGCCCACCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCAGAAAGT ATCATCTGTC TTCATCTTCC CCCCAGGCC CAAGGATGTG
 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAACTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAA TGCAGGGTCA ACAGTGCAGC TTTCCCTGCC CCCATCGAGA
 1001 AAACCATCTC CAAAACCAAA GGCAGACCGA AGGCTCCACA GGTGTACACC
 1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG
 1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 1251 GGAGGCAGGA AATACTTTCA CCTGCTCTGT GTTACATGAG GGCCTGCACA
 1301 ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA ATGA (SEQ ID
 NO:186)

[0240] Amino acid sequence of the Ab-10 HC including signal peptide:

1 MGWSWTFLL LSGTAGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFTD
 51 YNMHWVKQNO GKTLEWIGEI NPNSGGAGYN QKFKGKATLT VDKSSTTAYM
 101 ELRLTSEDS AVYYCARLGY DDIYDDWYFD VWGAGTTVTV SSAKTTPPSV
 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ
 201 SDLYTLSSSV TVPSSTWPSE TVTCNVAHPA SSTKVDDKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVTC VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFPAP
 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMTD FFPEDITVEW
 401 QWNGQPAENY KNTQPIMDTD GSYFIYSLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHTEKSL SHSPGK (SEQ ID NO:187)

[0241] Nucleic acid sequence of the Ab-10 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTGCAGGTGT
 51 CCTCTCTGAG GTCCAACCTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATATAC ATTCAGTGAC
 151 TACAACATGC ACTGGGTGAA GCAGAACCAA GGAAAGACCC TAGAATGGAT
 201 AGGAGAAATT AATCCTAACA GTGGTGGTGC TGGCTACAAC CAGAAGTTCA
 251 AGGGCAAGGC CACATTGACT GTAGACAAGT CCTCCACCAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATTGGGCTAC GATGATATCT ACGACGACTG GTACTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCACCGTC TCCTCAGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 551 ACTCTGGATC CCTGTCCAGC GGTGTGCACA CCTTCCCAGC TGTCCTGCAG
 601 TCTGACCTCT AACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGCATA
 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCCA
 801 GGATGTGCTC ACCATTACTC TGAATCCTAA GGTCACGTGT GTTGTGGTAG
 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TGTAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCTG TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCCTG AAGACATTAC TGTGGAGTGG
 1201 CAGTGAATG GGCAGCCAGC GGAGAACTAC AAGAACAATC AGCCCATCAT
 1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCACTCTC CTGGTAAATG
 1401 A (SEQ ID NO:188)

Ab-11

[0242] The sequences of the Antibody 11 (also referred to herein as Ab-11) LC and HC are as follows:

Ab-11 Light Chain:

[0243] Amino acid sequence of the mature form (signal peptide removed) of the Ab-11 LC:

5 1 QIVLSQSPAF LSVSPGDKVT MTCRASSIS YIHWFQKPG SSPRSWIYAT
 51 SNLASGVPGR FSGSGSGTSY SLTISRVEAE DAATYYCQW SSDPLTFGAG
 101 TKLELKRA DA APTVSIFPPS SEQLTSGGAS VVCFLNNFYP KDINVKWKID
 151 GSERQNGVLN SWTDQDSKDS TYSMSSTLTL TKDEYERHNS YTCEATHKTS
 201 TSPIVKSFNR NEC (SEQ ID NO:189)

[0244] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-11 LC:

15 1 CAAATTGTTTCTCTCCAGTCTCCAGCATTCCTGTCTGTATCTCCAGGGGA
 51 TAAGGTCACAATGACTTGCA GGGCCAGCTCAAGTATAAGT TACATACACT
 101 GGTTTCAGCA GAAGCCAGGA TCCTCCCCCA GATCCTGGAT TTATGCCACA
 20 151 TCCAACCTGG CTTCTGGAGT CCCTGGTCGC TTCAGTGGCA GTGGGTCTGG
 201 GACCTCTTAC TCTCTCACA TCAGCAGAGT GGAGGCTGAG GATGCTGCCA
 251 CTTATTACTG CCAGCAGTGG AGTAGTGACC CACTCACGTT CGGTGCTGGG
 301 ACCAAGCTGG AGCTGAAACG GGCTGATGCT GCACCAACTG TATCCATCTT
 351 CCCACCATCC AGTGAGCAGT TAACATCTGG AGGTGCCTCA GTCGTGTGCT
 25 401 TCTTGAACAA CTTCTACCCC AAAGACATCA ATGTCAAGTG GAAGATTGAT
 451 GGCAGTGAAC GACAAAATGG CGTCCTGAAC AGTTGGACTG ATCAGGACAG
 501 CAAAGACAGC ACCTACAGCA TGAGCAGCAC CCTCACGTTG ACCAAGGACG
 551 AGTATGAACG ACATAACAGC TATACCTGTG AGGCCACTCA CAAGACATCA
 30 601 ACTTCACCCA TTGTCAAGAG CTTCAACAGG AATGAGTGTT AG (SEQ ID
 NO:190)

[0245] Amino acid sequence of the Ab-11 LC including signal peptide:

35 1 MDFQVQIFS LLISASVIMS RGQIVLSQSP AFLSVSPGDK VTMTCRASSS
 51 ISYIHWFQK PGSSPRSWIY ATSNLASGVP GRFSGSGSGT SYSLTISRVE
 40 101 AEDAATYYCQ QWSSDPLTFG AGTKLELKRA DAAPTVSIFP PSSEQLTSGG
 151 ASVVCFLNNF YPKDINVKWK IDGSERQNGV LNSWTDQDSK DSTYSMSSTL
 201 TLTKDEYERH NSYTCEATHK TSTSPIVKSF NRNEC (SEQ ID NO:191)

45 **[0246]** Nucleic acid sequence of the Ab-11 LC including signal peptide encoding sequence:

50

55

1 ATGGATTTTC AAGTGCAGAT TTTCAGCTTC CTGCTAATCA GTGCTTCAGT
 51 CATAATGTCC AGAGGACAAA TTGTTCTCTC CCAGTCTCCA GCATTCCTGT
 101 CTGTATCTCC AGGGGATAAG GTCACAATGA CTTGCAGGGC CAGCTCAAGT
 5 151 ATAAGTTACA TACACTGGTT TCAGCAGAAG CCAGGATCCT CCCCCAGATC
 201 CTGGATTTAT GCCACATCCA ACCTGGCTTC TGGAGTCCCT GGTCGCTTCA
 251 GTGGCAGTGG GTCTGGGACC TCTTACTCTC TCACAATCAG CAGAGTGGAG
 301 GCTGAGGATG CTGCCACTTA TTA CTGCCAG CAGTGGAGTA GTGACCCACT
 10 351 CACGTTCCGGT GCTGGGACCA AGCTGGAGCT GAAACGGGCT GATGCTGCAC
 401 CAACTGTATC CATCTTCCCA CCATCCAGTG AGCAGTTAAC ATCTGGAGGT
 451 GCCTCAGTCG TGTGCTTCTT GAACAACCTC TACCCCAAAG ACATCAATGT
 501 CAAGTGGAAG ATTGATGGCA GTGAACGACA AAATGGCGTC CTGAACAGTT
 551 GGA CTGATCA GGACAGCAAA GACAGCACCT ACAGCATGAG CAGCACCCCTC
 15 601 ACGTTGACCA AGGACGAGTA TGAACGACAT AACAGCTATA CCTGTGAGGC
 651 CACTCACAAG ACATCAACTT CACCCATTGT CAAGAGCTTC AACAGGAATG
 701 AGTGTTAG (SEQ ID NO:192)

Ab-11 Heavy Chain:

[0247] Amino acid sequence of the mature form (signal peptide removed) of the Ab-11 HC:

1 EVQLQQSGAD LVQPGASVKV SCTASGFDIK DYYIHWMKQR PDQGLEWIGR
 51 VDPDNGETEF APKFP GKATF TTDTSNTAY LQLRGLTSED TAIYYCGRED
 101 YDGTYTWEPEY WGQGLVTVS AAKTTPPSVY PLAPGSAAQT NSMVTLGCLV
 151 KGYFPEPVTV TWNSGSLSSG VHTFPAVLQS DLYTLSSSVT VPSSTWPSET
 30 201 VTCNVAHPAS STKYDKKIVP RDCGCKPCIC TVPEVSSVFI FPPKPKDVLV
 251 ITLTPKVTCV VVDISKDDPE VQFSWFVDDV EVHTAQTPR EEQFNSTFRS
 301 VSELPIMHQD WLNGKEFKCR VNSAAFPAPI EKTISKTKGR PKAPQVYTIP
 351 PPKEQMAKDK VSLTCMITDF FPEDITVEWQ WNGQPAENYK NTQPIMDTDG
 401 SYFIYSKLVN QKSNWEAGNT FTCSVLHEGL HNHHTEKSLS HSPGK (SEQ ID
 35 NO:193)

[0248] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-11 HC:

1 GAAGTTCAGC TGCAACAGTC TGGGGCAGAC CTTGTGCAGC CAGGGGCCTC
 51 AGTCAAGGTG TCCTGCACAG CTTCTGGCTT CGACATTAAG GACTACTATA
 101 TACACTGGAT GAAACAGAGG CCTGACCAGG GCCTGGAGTG GATTGGAAGG
 151 GTTGATCCTG ACAATGGTGA GACTGAATTT GCCCCGAAGT TCCCGGGCAA
 45 201 GGCCACTTTT ACAACAGACA CATCTCCAA CACAGCCTAC CTACAACTCA
 251 GAGGCCTGAC ATCTGAGGAC ACTGCCATCT ATTACTGTGG GAGAGAAGAC
 301 TACGATGGTA CCTACACCTG GTTTCCTTAT TGGGGCCAAG GGACTCTGGT
 351 CACTGTCTCT GCAGCCAAAA CGACACCCCC ATCTGTCTAT CCACTGGCCC
 50 401 CTGGATCTGC TGCCCAAACCT AACTCCATGG TGACCCTGGG ATGCCTGGTC
 451 AAGGGCTATT TCCCTGAGCC AGTGACAGTG ACCTGGAACCT CTGGATCCCT
 501 GTCCAGCGGT GTGCACACCT TCCCAGCTGT CCTGCAGTCT GACCTCTACA
 55 551 CTCTGAGCAG CTCAGTGACT GTCCCCTCCA GCACCTGGCC CAGCGAGACC

601 GTCACCTGCA ACGTTGCCCA CCCGGCCAGC AGCACCAAGG TGGACAAGAA
 651 AATTGTGCCC AGGGATTGTG GTTGTAAGCC TTGCATATGT ACAGTCCCAG
 701 AAGTATCATC TGTCTTCATC TTCCCCCAA AGCCCAAGGA TGTGCTCACC
 5 751 ATTACTCTGA CTCCTAAGGT CACGTGTGTT GTGGTAGACA TCAGCAAGGA
 801 TGATCCCGAG GTCCAGTTCA GCTGGTTTGT AGATGATGTG GAGGTGCACA
 851 CAGCTCAGAC GCAACCCCGG GAGGAGCAGT TCAACAGCAC TTTCCGCTCA
 901 GTCAGTGAAC TTCCCATCAT GCACCAGGAC TGGCTCAATG GCAAGGAGTT
 10 951 CAAATGCAGG GTCAACAGTG CAGCTTTCCC TGCCCCCATC GAGAAAACCA
 1001 TCTCCAAAAC CAAAGGCAGA CCGAAGGCTC CACAGGTGTA CACCATTCCA
 1051 CCTCCCAAGG AGCAGATGGC CAAGGATAAA GTCAGTCTGA CCTGCATGAT
 1101 AACAGACTTC TTCCCTGAAG ACATTACTGT GGAGTGGCAG TGAATGGGC
 1151 AGCCAGCGGA GAACTACAAG AACACTCAGC CCATCATGGA CACAGATGGC
 15 1201 TCTTACTTCA TCTACAGCAA GCTCAATGTG CAGAAGAGCA ACTGGGAGGC
 1251 AGGAAATACT TTCACCTGCT CTGTGTTACA TGAGGGCCTG CACAACCACC
 1301 AACTGAGAA GAGCCTCTCC CACTCTCCTG GTAAATGA (SEQ ID NO:194)

20 **[0249]** Amino acid sequence of the Ab-11 HC including signal peptide:

1 MKCSWVIFFL MAVVTGVNSE VQLQQSGADL VQPGASVKVS CTASGFDIKD
 51 YYIHWMKQRP DQGLEWIGRV DPDNGETEFK PKFPGKATFT TDTSSNTAYL
 25 101 QLRGLTSEDY AIYYCGREDY DGTYTWFYVW GQGLVTVSA AKTTPPSVYP
 151 LAPGSAAQTN SMVTLGCLVK GYFPEPVTVT WNSGSLSSGV HTFPAVLQSD
 201 LYTLSSSVTV PSSTWPSETV TCNVAHPASS TKVDKKIVPR DCGCKPCICT
 251 VPEVSSVFIF PPKPKDVLTI TLTPKVTCTV VDISKDDPEV QFSWFVDDVE
 30 301 VHTAQTQPRE EQFNSTFRSV SELPIMHQDW LNGKEFKCRV NSAAFPAPIE
 351 KTISKTKGRP KAPQVYTIPP PKEQMAKDKV SLTCMITDFF PEDITVEWQW
 401 NGQPAENYKN TQPMDDTGS YFIYSKLVNQ KSNWEAGNTF TCSVLHEGLH
 451 NHHTEKSLSH SPGK (SEQ ID NO:195)

35 **[0250]** Nucleic acid sequence of the Ab-11 HC including signal peptide encoding sequence:

1 ATGAAATGCA GCTGGGTCAT CTTCTTCCTG ATGGCAGTGG TTACAGGGGT
 51 CAATTCAGAA GTTCAGCTGC AACAGTCTGG GGCAGACCTT GTGCAGCCAG
 101 GGGCCTCAGT CAAGGTGTCC TGCACAGCTT CTGGCTTCGA CATTAAAGGAC
 151 TACTATATAC ACTGGATGAA ACAGAGGCCT GACCAGGGCC TGGAGTGGAT
 201 TGGAAAGGGTT GATCCTGACA ATGGTGAGAC TGAATTITGCC CCGAAGTTCC
 251 CGGGCAAGGC CACTTTTACA ACAGACACAT CCTCCAACAC AGCCTACCTA
 301 CAACTCAGAG GCCTGACATC TGAGGACACT GCCATCTATT ACTGTGGGAG
 351 AGAAGACTAC GATGGTACCT ACACCTGGTT TCCTTATTGG GGCCAAGGGA
 401 CTCTGGTCAC TGTCTCTGCA GCCAAAACGA CACCCCCATC TGTCTATCCA
 451 CTGGCCCCCTG GATCTGCTGC CCAAACCTAAC TCCATGGTGA CCCTGGGATG
 501 CCTGGTCAAG GGCTATTTCC CTGAGCCAGT GACAGTGACC TGGAACTCTG
 551 GATCCCTGTC CAGCGGTGTG CACACCTTCC CAGCTGTCCT GCAGTCTGAC
 601 CTCTACACTC TGAGCAGCTC AGTGACTGTC CCCTCCAGCA CCTGGCCCAG
 651 CGAGACCGTC ACCTGCAACG TTGCCACCC GGCCAGCAGC ACCAAGGTGG
 701 ACAAGAAAAT TGTGCCCAGG GATTGTGGTT GTAAGCCTTG CATATGTACA
 751 GTCCCAGAAG TATCATCTGT CTTTCATCTC CCCCCAAAGC CCAAGGATGT
 801 GCTCACCATT ACTCTGACTC CTAAGGTCAC GTGTGTTGTG GTAGACATCA
 851 GCAAGGATGA TCCCGAGGTC CAGTTCAGCT GGTITGTAGA TGATGTGGAG
 901 GTGCACACAG CTCAGACGCA ACCCCGGGAG GAGCAGTTCA ACAGCACTTT
 951 CCGCTCAGTC AGTGAACCTC CCATCATGCA CCAGGACTGG CTCAATGGCA
 1001 AGGAGTTCAA ATGCAGGGTC AACAGTGCAG CTTTCCCTGC CCCCATCGAG

1051 AAAAACCATCT CCAAAACCAA AGGCAGACCG AAGGCTCCAC AGGTGTACAC
 1101 CATTCCACCT CCAAGGAGC AGATGGCCAA GGATAAAGTC AGTCTGACCT
 1151 GCATGATAAC AGACTTCTC CCTGAAGACA TTACTGTGGA GTGGCAGTGG
 1201 AATGGGCAGC CAGCGGAGAA CTACAAGAAC ACTCAGCCCA TCATGGACAC
 1251 AGATGGCTCT TACTTCATCT ACAGCAAGCT CAATGTGCAG AAGAGCAACT
 1301 GGGAGGCAGG AAATACTTTC ACCTGCTCTG TGTTACATGA GGGCCTGCAC
 1351 AACCACCATA CTGAGAAGAG CCTCTCCAC TCTCCTGGTA AATGA (SEQ ID
 NO:196)

Ab-12

[0251] The sequences of the Antibody 12 (also referred to herein as Ab-12) LC and HC are as follows:

Ab-12 Light Chain:

[0252] Amino acid sequence of the mature form (signal peptide removed) of the Ab-12 LC:

1 DLQMTQTSS LSASLGDRVT ISCRASQDIS NYLNWYQOKP DGTVKLLIFY
 51 TSTLQSGVPS RFSGSGSGTN YSLTITNLEQ DDAATYFCQQ GDTLPYTFGG
 101 GTKLEIKRAD AAPTVSIFPP SSEQLTSGGA SVVCFLNNFY PKDINVWKI
 151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC (SEQ ID NO:197)

[0253] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-12 LC:

1 GATCTCCAGA TGACACAGAC TACTTCCTCC CTGTCTGCCT CTCTGGGAGA
 51 CAGAGTCACC ATCAGTTGCA GGGCAAGTCA GGACATTAGC AATTATTTAA
 101 ACTGGTATCA GCAGAAACCA GATGGAAGTCA TTAAGCTCCT GATCTTCTAC
 5 151 ACATCAACAT TACAGTCAGG AGTCCCATCG AGGTTTCAGTG GCAGTGGGTC
 201 TGGAAACAAAT TATTCTCTCA CCATTACCAA CCTGGAGCAA GATGATGCTG
 251 CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC GTTCGGAGGG
 301 GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA CTGTATCCAT
 10 351 CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC TCAGTCGTGT
 401 GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA GTGGAAGATT
 451 GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA CTGATCAGGA
 501 CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG TTGACCAAGG
 551 ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC TCACAAGACA
 15 601 TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT GTTAG (SEQ ID
 NO:198)

[0254] Amino acid sequence of the Ab-12 LC including signal peptide:

1 MMSSAQFLGL LLLCFQGSRC DLQMTQTTSS LSASLGDRVT ISCRASQDIS
 51 NYLNWYQQKP DGTVKLLIFY TSTLQSGVPS RFGSGSGTN YSLTITNLEQ
 101 DDAATYFCQQ GDTLPYTFGG GTKLEIKRAD APTVSIFPP SSEQLTSGGA
 25 151 SVVCFLNNFY PKDINVWKI DGSERQNGVL NSWTDQDSKD STYSMSSTLT
 201 LTKDEYERHN SYTCEATHKT STSPIVKSFN RNEC (SEQ ID NO:199)

[0255] Nucleic acid sequence of the Ab-12 LC including signal peptide encoding sequence:

1 ATGATGTCCT CTGCTCAGTT CCTTGGTCTC CTGTTGCTCT GTTTTCAAGG
 51 TTCCAGATGT GATCTCCAGA TGACACAGAC TACTTCCTCC CTGTCTGCCT
 35 101 CTCTGGGAGA CAGAGTCACC ATCAGTTGCA GGGCAAGTCA GGACATTAGC

151 AATTATTTAA ACTGGTATCA GCAGAAACCA GATGGAAGTCA TTAAGCTCCT
 201 GATCTTCTAC ACATCAACAT TACAGTCAGG AGTCCCATCG AGGTTTCAGTG
 40 251 GCAGTGGGTC TGGAAACAAAT TATTCTCTCA CCATTACCAA CCTGGAGCAA
 301 GATGATGCTG CCACTTACTT TTGCCAACAG GGTGATACGC TTCCGTACAC
 351 GTTCGGAGGG GGGACCAAGC TGGAAATAAA ACGGGCTGAT GCTGCACCAA
 401 CTGTATCCAT CTTCCCACCA TCCAGTGAGC AGTTAACATC TGGAGGTGCC
 45 451 TCAGTCGTGT GCTTCTTGAA CAACTTCTAC CCCAAAGACA TCAATGTCAA
 501 GTGGAAGATT GATGGCAGTG AACGACAAAA TGGCGTCCTG AACAGTTGGA
 551 CTGATCAGGA CAGCAAAGAC AGCACCTACA GCATGAGCAG CACCCTCACG
 601 TTGACCAAGG ACGAGTATGA ACGACATAAC AGCTATACCT GTGAGGCCAC
 50 651 TCACAAGACA TCAACTTCAC CCATTGTCAA GAGCTTCAAC AGGAATGAGT
 701 GTTAG (SEQ ID NO:200)

Ab-12 Heavy Chain:

[0256] Amino acid sequence of the mature form (signal peptide removed) of the Ab-12 HC:

1 EVQLQDSGPE LMKPGASVKM SCKASGYTFT DYNMHWMKQN QGKSLEWIGE
 51 INPNSGGSGY NOKFKGKATL TVDKSSSTAY MELRSLTSED SAVVYCARLG
 101 YYGNYEDWYF DVWGAGTTVT VSSAKTTPPS VYPLAPGSAA QTNSMVTLGC
 151 LVKGYFPEPV TVTWNSGSL SSVHTFPVL QSDLYTLSSS VTPSSSTWPS
 201 ETVTCNVAHP ASSTKVDDKI VPRDCGCKPC ICTVPEVSSV FIFPPKPKDV
 251 LTITLTPKVT CVVVDISKDD PEVQFSWFVD DVEVHTAQTQ PREEQFNSTF
 301 RSVSELPIMH QDWLNGKEFK CRVNSAFAPIEKTISKTK GRPKAPQVYT
 351 IPPPKQMAK DKVSLTCLMIT DFFPEDITVE WQWNGQPAEN YKNTQPIMDT
 401 DGSYFIYSKL NVQKSNWEAG NTFTCSVLHE GLHNHHTEKS LSHSPGK (SEQ ID
 NO:201)

[0257] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-12 HC:

1 GAGGTCCAGT TGCAACAGTC TGGACCTGAA CTAATGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGCAAGG CTTCTGGATA CACATTCAC TACTACAACA
 101 TGCAGTGGAT GAAGCAGAAC CAAGGAAAGA GCCTAGAGTG GATAGGAGAG
 151 ATTAATCCTA ACAGTGGTGG TTCTGGTTAC AACCAGAAGT TCAAAGGCAA
 201 GGCCACATTG ACTGTAGACA AGTCCTCCAG CACAGCCTAC ATGGAGCTCC
 251 GCAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGATTGGGC
 301 TACTATGGTA ACTACGAGGA CTGGTATTTT GATGTCTGGG GCGCAGGGAC
 351 CACGGTCACC GTCTCCTCTG CAAAACGAC ACCCCCATCT GTCTATCCAC
 401 TGGCCCCTGG ATCTGCTGCC CAACTAACT CCATGGTGAC CCTGGGATGC
 451 CTGGTCAAGG GCTATTTCCC TGAGCCAGTG ACAGTGACCT GGAAGTCTGG
 501 ATCCCTGTCC AGCGGTGTGC ACACCTTCCC AGCTGTCTCT CAGTCTGACC
 551 TCTACACTCT GAGCAGCTCA GTGACTGTCC CCTCCAGCAC CTGGCCCAGC
 601 GAGACCGTCA CCTGCAACGT TGCCACCCG GCCAGCAGCA CCAAGGTGGA
 651 CAAGAAAATT GTGCCCAGGG ATTGTGGTTG TAAGCCTTGC ATATGTACAG
 701 TCCCAGAAGT ATCATCTGTC TTCATCTTCC CCCCAGGCC CAAGGATGTG
 751 CTCACCATTA CTCTGACTCC TAAGGTCACG TGTGTTGTGG TAGACATCAG
 801 CAAGGATGAT CCCGAGGTCC AGTTCAGCTG GTTTGTAGAT GATGTGGAGG
 851 TGCACACAGC TCAGACGCAA CCCCAGGAGG AGCAGTTCAA CAGCACTTTC
 901 CGCTCAGTCA GTGAAGTTCC CATCATGCAC CAGGACTGGC TCAATGGCAA
 951 GGAGTTCAA TGCAGGGTCA ACAGTGCAGC TTTCCCTGCC CCCATCGAGA
 1001 AAACCATCTC CAAAACCAA GGCAGACCGA AGGCTCCACA GGTGTACACC
 1051 ATTCCACCTC CCAAGGAGCA GATGGCCAAG GATAAAGTCA GTCTGACCTG

1101 CATGATAACA GACTTCTTCC CTGAAGACAT TACTGTGGAG TGGCAGTGGA
 1151 ATGGGCAGCC AGCGGAGAAC TACAAGAACA CTCAGCCCAT CATGGACACA
 1201 GATGGCTCTT ACTTCATCTA CAGCAAGCTC AATGTGCAGA AGAGCAACTG
 1251 GGAGGCAGGA AATACTTTCA CCTGCTCTGT GTTACATGAG GGCCTGCACA
 1301 ACCACCATAC TGAGAAGAGC CTCTCCCACT CTCCTGGTAA ATGA (SEQ ID
 NO:202)

[0258] Amino acid sequence of the Ab-12 HC including signal peptide:

1 MGWSWTFLEFL LSGTSGVLSE VQLQQSGPEL MKPGASVKMS CKASGYTFTD
 51 YNMHWMKQNG GKSLEWIGEI NPNSGGSGYN QKFKGKATLT VDKSSSTAYM
 101 ELRSLTSEDS AVYYCARLGY YGNYEDWYFD VWGAGTTVTV SSAKTTPPSV
 151 YPLAPGSAAQ TNSMVTLGCL VKGYFPEPVT VTWNSGSLSS GVHTFPAVLQ
 201 SDLYTLSSSV TVPSSTWPSE TVTCNVAHPA SSTKVDKKIV PRDCGCKPCI
 251 CTVPEVSSVF IFPPKPKDVL TITLTPKVTC VVVDISKDDP EVQFSWFVDD
 301 VEVHTAQTQP REEQFNSTFR SVSELPIMHQ DWLNGKEFKC RVNSAAFPAP
 351 IEKTISKTKG RPKAPQVYTI PPPKEQMAKD KVS LTCMITD FFPEDITVEW
 401 QWNGQPAENY KNTQPIMDTD GSYFIYSKLN VQKSNWEAGN TFTCSVLHEG
 451 LHNHHTKSL SHSPGK (SEQ ID NO:203)

[0259] Nucleic acid sequence of the Ab-12 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTGGACCTT TCTCTTCCTC CTGTCAGGAA CTTCGGGTGT
 51 CCTCTCTGAG GTCCAGTTGC AACAGTCTGG ACCTGAACTA ATGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGCAAGGCTT CTGGATACAC ATTCAGTGAC
 151 TACAACATGC ACTGGATGAA GCAGAACCAA GGAAAGAGCC TAGAGTGGAT
 201 AGGAGAGATT AATCCTAACA GTGGTGGTTC TGGTTACAAC CAGAAGTTCA
 251 AAGGCAAGGC CACATTGACT GTAGACAAGT CCTCCAGCAC AGCCTACATG
 301 GAGCTCCGCA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 ATTGGGCTAC TATGGTAACT ACGAGGACTG GTATTTTCGAT GTCTGGGGCG
 401 CAGGGACCAC GGTCACCGTC TCCTCTGCCA AAACGACACC CCCATCTGTC
 451 TATCCACTGG CCCCTGGATC TGCTGCCCAA ACTAACTCCA TGGTGACCCT
 501 GGGATGCCTG GTCAAGGGCT ATTTCCCTGA GCCAGTGACA GTGACCTGGA
 551 ACTCTGGATC CCTGTCCAGC GGTGTGCACA CCTTCCCAGC TGTCTGCAG
 601 TCTGACCTCT ACACTCTGAG CAGCTCAGTG ACTGTCCCCT CCAGCACCTG
 651 GCCCAGCGAG ACCGTCACCT GCAACGTTGC CCACCCGGCC AGCAGCACCA
 701 AGGTGGACAA GAAAATTGTG CCCAGGGATT GTGGTTGTAA GCCTTGATA
 751 TGTACAGTCC CAGAAGTATC ATCTGTCTTC ATCTTCCCCC CAAAGCCCAA
 801 GGATGTGCTC ACCATTACTC TGA CTCTAA GGTCACGTGT GTTGTGGTAG
 851 ACATCAGCAA GGATGATCCC GAGGTCCAGT TCAGCTGGTT TG TAGATGAT
 901 GTGGAGGTGC ACACAGCTCA GACGCAACCC CGGGAGGAGC AGTTCAACAG
 951 CACTTTCCGC TCAGTCAGTG AACTTCCCAT CATGCACCAG GACTGGCTCA
 1001 ATGGCAAGGA GTTCAAATGC AGGGTCAACA GTGCAGCTTT CCCTGCCCCC
 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGC AGACCGAAGG CTCCACAGGT
 1101 GTACACCATT CCACCTCCCA AGGAGCAGAT GGCCAAGGAT AAAGTCAGTC
 1151 TGACCTGCAT GATAACAGAC TTCTTCCCTG AAGACATTAC TGTGGAGTGG
 1201 CAGTGGAATG GGCAGCCAGC GGAGAACTAC AAGAACA CTG AGCCCATCAT
 1251 GGACACAGAT GGCTCTTACT TCATCTACAG CAAGCTCAAT GTGCAGAAGA
 1301 GCAACTGGGA GGCAGGAAAT ACTTTCACCT GCTCTGTGTT ACATGAGGGC
 1351 CTGCACAACC ACCATACTGA GAAGAGCCTC TCCCACTCTC CTGGTAAATG
 1401 A (SEQ ID NO:204)

Ab-13

[0260] The sequences of the Antibody 13 (also referred to herein as Ab-13) LC and HC are as follows:

Ab-13 Light Chain:

[0261] Amino acid sequence of the mature form (signal peptide removed) of the Ab-13 LC:

1 QIVLTQSPAI MSASPGEKVT MTCRASSSVT SSYLNWYQOK PGSSPKLWIY
 51 STSNLASGVP ARFSGSGSGT SYSLTISSVE AEDAATYYCQ QYDFFPSTFG
 101 GGTKLEIKRA DAAPT~~V~~SI~~F~~P PSSEQ~~L~~TS~~G~~G ASV~~V~~CF~~L~~NN~~F~~ YPKD~~I~~N~~V~~K~~W~~K
 151 IDG~~S~~ERQNGV LNSWTDQDSK DSTYSMSSTL TLTKDEYERH NSYTCEATHK
 201 TSTSPIVKSF NRNEC (SEQ ID NO:205)

[0262] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-13 LC:

1 CAGATTGTTT TCACCCAGTC TCCAGCAATC ATGTCTGCAT CTCCAGGGGA
 51 GAAGGTCACC ATGACCTGCA GGGCCAGCTC AAGTGTAAC TCCAGTTACT
 101 TGAAGTGGTA CCAGCAGAAG CCAGGATCTT CCCCCAAACT CTGGATTTAT
 151 AGCACATCCA ACCTGGCTTC AGGAGTCCCA GCTCGCTTCA GTGGCAGTGG
 201 GTCTGGGACC TCTTACTCTC TCACAATCAG CAGTGTGGAG GCTGAGGATG
 251 CTGCCACTTA TTA~~T~~GCCAG CAGTATGATT TTTTCCCATC GACGTTCCGT
 301 GGAGGCACCA AGCTGGAAAT CAAGCGGGCT GATGCTGCAC CAACTGTATC
 351 CATCTTCCCA CCATCCAGTG AGCAGTTAAC ATCTGGAGGT GCCTCAGTCG
 401 TGTGCTTCTT GAACAAC~~T~~TC TACCCCAAAG ACATCAATGT CAAGTGGAAG
 451 ATTGATGGCA GTGAACGACA AAATGGCGTC CTGAACAGTT GGA~~C~~TGATCA
 501 GGACAGCAAA GACAGCACCT ACAGCATGAG CAGCACCTC ACGTTGACCA
 551 AGGACGAGTA TGAACGACAT AACAGCTATA CCTGTGAGGC CACTCACAAG
 601 ACATCAACTT CACCCATCGT CAAGAGCTTC AACAGGAATG AGTGT (SEQ ID
 NO:206)

[0263] Amino acid sequence of the Ab-13 LC including signal peptide:

1 MDSQVQIFS~~F~~ LLISALVKMS RGQIVLTQSP AIMSASPGEK VTMTCRASSS
 51 VTSSYLNWYQ QKPGSSPKLW IYSTSNLASG VPARFSGSGS GTSYSLTISS
 101 VEAEDAATYY CQYDFFPST FGGGTKLEIK RADAAPT~~V~~SI FPPSSEQ~~L~~TS
 151 GGASVVCFLN NFYPKD~~I~~N~~V~~K WKIDG~~S~~ERQN GVLNSWTDQD SKDSTYSMS~~S~~
 201 TLTLTKDEYE RHNSYTCEAT HKTSTSPIVK SFNRNEC (SEQ ID NO:207)

[0264] Nucleic acid sequence of the Ab-13 LC including signal peptide encoding sequence:

1 ATGGATTCTC AAGTGCAGAT TTTCAGCTTC CTTCTAATCA GTGCCTTAGT
 51 CAAAATGTCC AGAGGACAGA TTGTTCTCAC CCAGTCTCCA GCAATCATGT
 101 CTGCATCTCC AGGGGAGAAAG GTCACCATGA CCTGCAGGGC CAGCTCAAGT
 151 GTAAC~~T~~TCCA GTTACTTGAA CTGGTACCAG CAGAAGCCAG GATCTTCCCC
 201 CAAACTCTGG ATTTATAGCA CATCCAACCT GGCTTCAGGA GTCCCAGCTC
 251 GCTTCAGTGG CAGTGGGTCT GGGACCTCTT ACTCTCTCAC AATCAGCAGT
 301 GTGGAGGCTG AGGATGCTGC CACTTATTAC TGCCAGCAGT ATGATTTTTT
 351 CCCATCGACG TTCGGTGGAG GCACCAAGCT GGAAATCAAG CGGGCTGATG
 401 CTGCACCAAC TGTATCCATC TTCCCACCAT CCAGTGAGCA GTTAACATCT
 451 GGAGGTGCCT CAGTCGTGTG CTTCTTGAAC AACTTCTACC CCAAAGACAT
 501 CAATGTCAAG TGGAAGATTG ATGGCAGTGA ACGACAAAAT GCGTCCTGA

551 ACAGTTGGAC TGATCAGGAC AGCAAAGACA GCACCTACAG CATGAGCAGC
 601 ACCCTCACGT TGACCAAGGA CGAGTATGAA CGACATAACA GCTATACCTG
 651 TGAGGCCACT CACAAGACAT CAACTTCACC CATCGTCAAG AGCTTCAACA
 701 GGAATGAGTG T (SEQ ID NO:208)

Ab-13 Heavy Chain:

[0265] Amino acid sequence of the mature form (signal peptide removed) of the Ab-13 HC:

1 EVQLQDSGPE LVKPGASVKM SCKASGYTFT DYYMNWVKQS HGESLEWIGD
 51 INPYNDDTTY NHKFKGKATL TVDKSSNTAY MQLNSLTSED SAVYYCARET
 101 AVITTNAMDY WGQGTSTVTS SAKTTPPSVY PLAPGSAAQT NSMVTLGCLV
 151 KGYFPEPVTV TWNSGSLSSG VHTFPAVLQS DLYTLSSSVT VPSSTWPSET
 201 VTCNVAHPAS STKVDKKIVP RDCGCKPCIC TVPEVSSVFI FPPKPKDVLV
 251 ITLTPKVTVC VVDISKDDPE VQFSWFVDDV EVHTAQTPR EEQFNSTFRS
 301 VSELPIMHQD WLNGKEFKCR VNSAAFPAPI EKTISKTKGR PKAPQVYTIP
 351 PPKEQMAKDK VSLTCMITDF FPEDITVEWQ WNGQPAENYK NTQPIMDTDG
 401 SYFIYSKLVN QKSNWEAGNT FTCSVLHEGL HNHHTEKSLS HSPGK (SEQ ID
 NO:209)

[0266] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-13 HC:

1 GAGGTCCAGC TGCAACAATC TGGACCTGAG CTGGTGAAGC CTGGGGCTTC
 51 AGTGAAGATG TCCTGTAAGG CTTCTGGATA CACATTCAC TACTACTACA
 101 TGAAGTGGGT GAAGCAGAGC CATGGAGAGA GCCTTGAGTG GATTGGAGAT
 151 ATTAATCCTT ACAACGATGA TACTACCTAC AACCACAAGT TCAAGGGCAA
 201 GGCCACATTG ACTGTAGACA AATCCTCCAA CACAGCCTAC ATGCAGCTCA
 251 ACAGCCTGAC ATCTGAGGAC TCTGCAGTCT ATTACTGTGC AAGAGAGACG
 301 GCCGTTATTA CTACGAATGC TATGGACTAC TGGGGTCAAG GAACCTCAGT
 351 CACCGTCTCC TCAGCCAAAA CGACACCCCC ATCTGTCTAT CCACTGGCCC
 401 CTGGATCTGC TGCCCAAAC TAACTCCATGG TGACCCTGGG ATGCCTGGTC
 451 AAGGGCTATT TCCCTGAGCC AGTGACAGTG ACCTGGAAC TGGGATCCCT
 501 GTCCAGCGGT GTGCACACCT TCCAGCTGT CCTGCAGTCT GACCTCTACA
 551 CTCTGAGCAG CTCAGTGA CTCCCTCCA GCACCTGGCC CAGCGAGACC
 601 GTCACCTGCA ACGTTGCCA CCCGGCCAGC AGCACCAAGG TGGACAAGAA
 651 AATTGTGCCC AGGGATTGTG GTTGTAAAGC TTGCATATGT ACAGTCCCAG
 701 AAGTATCATC TGTCTTCATC TTCCCCCAA AGCCCAAGGA TGTGCTCACC
 751 ATTACTCTGA CTCCTAAGGT CACGTGTGTT GTGGTAGACA TCAGCAAGGA
 801 TGATCCCGAG GTCCAGTTCA GCTGGTTTGT AGATGATGTG GAGGTGCACA
 851 CAGCTCAGAC GCAACCCCGG GAGGAGCAGT TCAACAGCAC TTTCCGCTCA
 901 GTCAGTGAAC TTCCCATCAT GCACCAGGAC TGGCTCAATG GCAAGGAGTT
 951 CAAATGCAGG GTCAACAGTG CAGCTTTCCC TGCCCCCATC GAGAAAACCA
 1001 TCTCCAAAAC CAAAGGCAGA CCGAAGGCTC CACAGGTGTA CACCATTCCA
 1051 CCTCCCAAGG AGCAGATGGC CAAGGATAAA GTCAGTCTGA CCTGCATGAT
 1101 AACAGACTTC TTCCCTGAAG ACATTACTGT GGAGTGGCAG TGGAATGGGC
 1151 AGCCAGCGGA GAACTACAAG AACACTCAGC CCATCATGGA CACAGATGGC
 1201 TCTTACTTCA TCTACAGCAA GCTCAATGTG CAGAAGAGCA ACTGGGAGGC
 1251 AGGAAATACT TTCACCTGCT CTGTGTTACA TGAGGGCCTG CACAACCACC
 1301 ATACTGAGAA GAGCCTCTCC CACTCTCCTG GTAAA (SEQ ID NO:210)

[0267] Amino acid sequence of the Ab-13 HC including signal peptide:

1 MGWNWIFLFL LSGTAGVYSE VQLQQSGPEL VKPGASVKMS CKASGYTFTD
 51 YYMNWVKQSH GESLEWIGDI NPYNDDTTYN HKFKGKATLT VDKSSNTAYM
 101 QLNSLTSEDS AVYYCARETA VITTNAMDYW GQGTSVTVSS AKTTPPSVYP
 151 LAPGSAAQTN SMVTLGCLVK GYFPEPVTVT WNSGSLSSGV HTFPAVLQSD
 201 LYTLSSSVTV PSSTWVSETV TCNVAHPASS TKVDKKIVPR DCGCKPCICT
 251 VPEVSSVFIF PPKPKDVLTI TLTPKVTCVV VDISKDDPEV QFSWFVDDVE
 301 VHQAQTQPRE EQFNSTFRSV SELPIMHQDW LNGKEFKCRV NSAAFPAPIE
 351 KTISKTKGRP KAPQVYTIPP PKEQMAKDKV SLTCMITDFF PEDITVEWQW
 401 NGQPAENYKN TQPIMDTDGS YFTYSKLNVQ KSNWEAGNTF TCSVLHEGLH
 451 NHHTEKSLSH SPGK (SEQ ID NO:211)

[0268] Nucleic acid sequence of the Ab-13 HC including signal peptide encoding sequence:

1 ATGGGATGGA ACTGGATCTT TCTCTTCCTC TTGTCAGGAA CTGCAGGTGT
 51 CTACTCTGAG GTCCAGCTGC AACAACTCTGG ACCTGAGCTG GTGAAGCCTG
 101 GGGCTTCAGT GAAGATGTCC TGTAAGGCTT CTGGATACAC ATTCAGTGAC
 151 TACTACATGA ACTGGGTGAA GCAGAGCCAT GGAGAGAGCC TTGAGTGGAT
 201 TGGAGATATT AATCCTTACA ACGATGATAC TACCTACAAC CACAAGTTCA
 251 AGGGCAAGGC CACATTGACT GTAGACAAAT CCTCCAACAC AGCCTACATG
 301 CAGCTCAACA GCCTGACATC TGAGGACTCT GCAGTCTATT ACTGTGCAAG
 351 AGAGACGGCC GTTATTACTA CGAATGCTAT GGACTIONGG GTTCAAGGAA
 401 CCTCAGTCAC CGTCTCCTCA GCCAAAACGA CACCCCCATC TGTCTATCCA
 451 CTGGCCCCCTG GATCTGCTGC CCAAATAAC TCCATGGTGA CCCTGGGATG
 501 CCTGGTCAAG GGCTATTTCC CTGAGCCAGT GACAGTGACC TGGAAGTCTG
 551 GATCCCTGTC CAGCGGTGTG CACACCTTCC CAGCTGTCCT GCAGTCTGAC
 601 CTCTACACTC TGAGCAGCTC AGTGACTGTC CCCTCCAGCA CCTGGCCCAG
 651 CGAGACCGTC ACCTGCAACG TTGCCACCCC GGCCAGCAGC ACCAAGGTGG
 701 ACAAGAAAAT TGTGCCCAGG GATTGTGGTT GTAAGCCTTG CATATGTACA
 751 GTCCCAGAAG TATCATCTGT CTTATCTTC CCCCCAAAGC CCAAGGATGT
 801 GCTACCATTT ACTCTGACTC CTAAGGTCAC GTGTGTTGTG GTAGACATCA
 851 GCAAGGATGA TCCCGAGGTC CAGTTCAGCT GGTTCGTAGA TGATGTGGAG
 901 GTGCACACAG CTCAGACGCA ACCCCGGGAG GAGCAGTTCA ACAGCACTTT
 951 CCGCTCAGTC AGTGAACCTC CCATCATGCA CCAGGACTGG CTCAATGGCA
 1001 AGGAGTTCAA ATGCAGGGTC AACAGTGCAG CTTTCCCTGC CCCCATCGAG
 1051 AAAACCATCT CAAAACCAA AGGCAGACCG AAGGCTCCAC AGGTGTACAC
 1101 CATTCCACCT CCAAGGAGC AGATGGCCAA GGATAAAGTC AGTCTGACCT
 1151 GCATGATAAC AGACTTCTTC CCTGAAGACA TTAAGTGTGA GTGGCAGTGG
 1201 AATGGGCAGC CAGCGGAGAA CTACAAGAAC ACTCAGCCCA TCATGGACAC
 1251 AGATGGCTCT TACTTCATCT ACAGCAAGCT CAATGTGCAG AAGAGCAACT
 1301 GGGAGGCAGG AAATACTTTC ACCTGCTCTG TGTTACATGA GGGCCTGCAC
 1351 AACCACCATA CTGAGAAGAG CCTCTCCAC TCTCCTGGTA AA (SEQ ID
 NO:212)

[0269] Ab-13 was humanized to generate Ab-14.

[0270] The sequences of the Antibody 14 (also referred to herein as Ab-14) LC and HC are as follows:

Ab-14 Light Chain:

[0271] Amino acid sequence of the mature form (signal peptide removed) of the Ab-14 LC:

5
1 DIQLTQSPSF LSASVGDRVT ITCRASSSVT SSYLNWYQOK PGKAPKLLIY
51 STSNLASGVP SRFSGSGSGT EFTLTISLQ PEDFATYYCQ QYDFFPSTFG
101 GGTKVEIKRT VAAPSVFIFP PSDEQLKSGT ASVVCLLNNF YPREAKVQWK
151 VDNALQSGNS QESVTEQDSK DSTYSLSSL TLSKADYEKH KVVACEVTHQ
201 GLSSPVTKSF NRGEC (SEQ ID NO:213)

[0272] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-14 LC:

15
1 GACATCCAGC TGACCCAGAG CCCAGCTTC CTTCCGCAT CCGTTGGTGA
51 CCGAGTAACA ATCACATGCC GCGCCTCATC TTCAGTTACA TCTTCTTATC
101 TTAATTGGTA TCAACAAAAA CCAGGAAAAG CACCTAAACT TCTTATATAC
151 TCTACATCTA ATCTCGCATC AGGAGTTCCC TCTCGATTTT CAGGATCTGG
201 ATCAGGCACA GAATTTACAC TTAATATATC ATCACTCCAA CCAGAAGACT
251 TCGCCACTTA TTAATGCCAA CAATACGATT TTTTCCAAG CACATTCGGA
301 GGAGGTACAA AAGTAGAAAT CAAGCGTACG GTGGCTGCAC CATCTGTCTT
351 CATCTTCCCG CCATCTGATG AGCAGTTGAA ATCTGGAAGT GCCTCTGTTG
25 401 TGTGCCTGCT GAATAACTTC TATCCAGAG AGGCCAAAGT ACAGTGGAAG
451 GTGGATAACG CCCTCCAATC GGGTAACTCC CAGGAGAGTG TCACAGAGCA
501 GGACAGCAAG GACAGCACCT ACAGCCTCAG CAGCACCTG ACGCTGAGCA
551 AAGCAGACTA CGAGAAACAC AAAGTCTACG CCTGCGAAGT CACCCATCAG
30 601 GGCCTGAGCT CGCCCGTCAC AAAGAGCTTC AACAGGGGAG AGTGT (SEQ ID
NO:214)

[0273] Amino acid sequence of the Ab-14 LC including signal peptide:

35
1 MDMRVPAQLL GLLLLWLPGA RCDIQLTQSP SFLSASVGDR VTITCRASSS
51 VTSSYLNWYQ QKPGKAPKLL IYSTSNLASG VPSRFSGSGS GTEFTLTISL
101 LQPEDFATYY CQYDFFPST FGGGTKVEIK RTVAAPSVFI FPPSDEQLKS
151 GTASVVCLLN NFYPREAKVQ WKVDNALQSG NSQESVTEQD SKDSTYSLSS
40 201 TLTLKADYE KHKVYACEVT HQGLSSPVTK SFNRGEC (SEQ ID NO:215)

[0274] Nucleic acid sequence of the Ab-14 LC including signal peptide encoding sequence:

1 ATGGACATGA GGGTCCCCGC TCAGCTCCTG GGGCTCCTGC TACTCTGGCT
 51 CCCAGGTGCC AGATGTGACA TCCAGCTGAC CCAGAGCCCC AGCTTCCTTT
 101 CCGCATCCGT TGGTGACCGA GTAACAATCA CATGCCGCGC CTCATCTTCA
 5 151 GTTACATCTT CTTATCTTAA TTGGTATCAA CAAAAACCAG GAAAAGCACC
 201 TAAACTTCTT ATATACTCTA CATCTAATCT CGCATCAGGA GTTCCCTCTC
 251 GATTTTCAGG ATCTGGATCA GGCACAGAAT TTACACTTAC TATATCATCA
 301 CTCCAACCAG AAGACTTCGC CACTTATTAC TGCCAACAAT ACGATTTTTT
 10 351 TCCAAGCACA TTCGGAGGAG GTACAAAAGT AGAAATCAAG CGTACGGTGG
 401 CTGCACCATC TGTCTTCATC TTCCCGCCAT CTGATGAGCA GTTGAAATCT
 451 GGAAGTGCCT CTGTTGTGTG CCTGCTGAAT AACTTCTATC CCAGAGAGGC
 501 CAAAGTACAG TGGAAGGTGG ATAACGCCCT CCAATCGGGT AACTCCCAGG
 551 AGAGTGTAC AGAGCAGGAC AGCAAGGACA GCACCTACAG CCTCAGCAGC
 15 601 ACCCTGACGC TGAGCAAAGC AGACTACGAG AAACACAAAG TCTACGCCTG
 651 CGAAGTCACC CATCAGGGCC TGAGCTCGCC CGTCACAAAG AGCTTCAACA
 701 GGGGAGAGTG T (SEQ ID NO:216)

20 Ab-14 Heavy Chain:

[0275] Amino acid sequence of the mature form (signal peptide removed) of the Ab-14 HC:

25 1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DY¹YM²N³WVRQA PGQRLEWMGD
 51 INPYNDDTTY⁴ NHKFKGRVTI⁵ TRDTSASTAY⁶ MELSSLRSED⁷ TAVYYCARET⁸
 101 AVITTNAMDY⁹ WGQGTIVTVS¹⁰ SASTKGPSVF¹¹ PLAPCSRSTS¹² ESTAALGCLV¹³
 151 KDYFPEPVTV¹⁴ SWNSGALTSG¹⁵ VHTFPAVLQS¹⁶ SGLYSLSSVV¹⁷ TVPSSNFGTQ¹⁸
 30 201 TYTCNVDHKP¹⁹ SNTKVDKIVE²⁰ RKCCVECPPC²¹ PAPPVAGPSV²² FLFPPKPKDT²³
 251 LMISRTPEVT²⁴ CVVVDVSHED²⁵ PEVQFNWYVD²⁶ GVEVHNAKTK²⁷ PREEQFNSTF²⁸
 301 RVVSVLTVVH²⁹ QDWLNGKEYK³⁰ CKVSNKGLPA³¹ PIEKTISKTK³² GOPREPOVYT³³
 351 LPPSREEMTK³⁴ NQVSLTCLVK³⁵ GFYPSDLAVE³⁶ WESNGQPENN³⁷ YKTTTPMLDS³⁸
 401 DGSFFLYSKL³⁹ TVDKSRWQQG⁴⁰ NVFSCSVMHE⁴¹ ALHNHYTQKS⁴² LSLSPGK (SEQ ID
 35 NO:217)

[0276] Amino acid sequence of the mature form (signal peptide removed) of the Ab-14 HC without carboxy-terminal lysine:

40 1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DY¹YM²N³WVRQA PGQRLEWMGD
 51 INPYNDDTTY⁴ NHKFKGRVTI⁵ TRDTSASTAY⁶ MELSSLRSED⁷ TAVYYCARET⁸
 101 AVITTNAMDY⁹ WGQGTIVTVS¹⁰ SASTKGPSVF¹¹ PLAPCSRSTS¹² ESTAALGCLV¹³
 45 151 KDYFPEPVTV¹⁴ SWNSGALTSG¹⁵ VHTFPAVLQS¹⁶ SGLYSLSSVV¹⁷ TVPSSNFGTQ¹⁸
 201 TYTCNVDHKP¹⁹ SNTKVDKIVE²⁰ RKCCVECPPC²¹ PAPPVAGPSV²² FLFPPKPKDT²³
 251 LMISRTPEVT²⁴ CVVVDVSHED²⁵ PEVQFNWYVD²⁶ GVEVHNAKTK²⁷ PREEQFNSTF²⁸
 301 RVVSVLTVVH²⁹ QDWLNGKEYK³⁰ CKVSNKGLPA³¹ PIEKTISKTK³² GOPREPOVYT³³
 50 351 LPPSREEMTK³⁴ NQVSLTCLVK³⁵ GFYPSDLAVE³⁶ WESNGQPENN³⁷ YKTTTPMLDS³⁸
 401 DGSFFLYSKL³⁹ TVDKSRWQQG⁴⁰ NVFSCSVMHE⁴¹ ALHNHYTQKS⁴² LSLSPG (SEQ ID
 NO:393)

[0277] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-14 HC:

1 GAGGTGCAGC TGGTGCAGAG CGGCGCCGAG GTCAAGAAAC CTGGAGCAAG
 51 CGTAAAGGTT AGTTGCAAAG CATCTGGATA CACATTACC GACTACTACA
 101 TGAATTGGGT ACGACAAGCC CCTGGACAAA GACTTGAATG GATGGGAGAC
 5 151 ATTAACCCTT ATAACGACGA CACTACATAC AATCATAAAT TTAAAGGAAG
 201 AGTTACAATT ACAAGAGATA CATCCGCATC AACCGCCTAT ATGGAACTTT
 251 CCTCATTGAG ATCTGAAGAC ACTGCTGTTT ATTACTGTGC AAGAGAAACT
 301 GCCGTTATTA CTAATAACGC TATGGATTAC TGGGGTCAAG GAACCACTGT
 351 TACCGTCTCT AGTGCCTCCA CCAAGGGCCC ATCGGTCTTC CCCCTGGCGC
 10 401 CCTGCTCCAG GAGCACCTCC GAGAGCACAG CGGCCCTGGG CTGCCTGGTC
 451 AAGGACTACT TCCCCGAACC GGTGACGGTG TCGTGGAAC T CAGGCGCTCT
 501 GACCAGCGGC GTGCACACCT TCCAGCTGT CCTACAGTCC TCAGGACTCT
 551 ACTCCCTCAG CAGCGTGGTG ACCGTGCCCT CCAGCAACTT CGGCACCCAG
 15 601 ACCTACACCT GCAACGTAGA TCACAAGCCC AGCAACACCA AGGTGGACAA
 651 GACAGTTGAG CGCAAATGTT GTGTGAGTG CCCACCGTGC CCAGCACCAC
 701 CTGTGGCAGG ACCGTCAGTC TTCCTCTTCC CCCCAAAACC CAAGGACACC
 751 CTCATGATCT CCCGGACCCC TGAGGTCACG TCGTGGTGG TGGACGTGAG
 801 CCACGAAGAC CCCGAGGTCC AGTTCAACTG GTACGTGGAC GGC GTGGAGG
 20 851 TGCATAATGC CAAGACAAAG CCACGGGAGG AGCAGTTCAA CAGCAGTTC
 901 CGTGTGGTCA GCGTCCTCAC CGTTGTGCAC CAGGACTGGC TGAACGGCAA
 951 GGAGTACAAG TGCAAGGTCT CCAACAAAGG CCTCCCAGCC CCATCGAGA
 1001 AAACCATCTC CAAAACAAA GGGCAGCCCC GAGAACCACA GGTGTACACC

1051 CTGCCCCCAT CCCGGGAGGA GATGACCAAG AACCAGGTCA GCCTGACCTG
 1101 CCTGGTCAAA GGCTTCTACC CCAGCGACAT CGCCGTGGAG TGGGAGAGCA
 1151 ATGGGCAGCC GGAGAACAAAC TACAAGACCA CACCTCCCAT GCTGGACTCC
 30 1201 GACGGCTCCT TCTTCTCTA CAGCAAGCTC ACCGTGGACA AGAGCAGGTG
 1251 GCAGCAGGGG AACGTCTTCT CATGCTCCGT GATGCATGAG GCTCTGCACA
 1301 ACCACTACAC GCAGAAGAGC CTCTCCCTGT CTCCGGGTAA A (SEQ ID
 NO:218)

[0278] Amino acid sequence of the Ab-14 HC including signal peptide:

1 MDWTWRILFL VAAATGAHSE VQLVQSGAEV KKPGASVKVS CKASGYTFTD
 51 YYMNWVRQAP GQRLEWMGDI NPYNDDITYN HKFKGRVTIT RDT SASTAYM
 101 ELSSLRSED TAVYYCARETA VITTNAMDYW GQGTTVTVSS ASTKGPSVFP
 151 LAPCSRSTSE STAALGCLVK DYFPEPVTVS WNSGALTSGV HTFPAVLQSS
 201 GLYSLSSVVT VPSSNFGTQT YTCNVDHKPS NTKVDKTVR KCCVECPPCP
 45 251 APPVAGPSVF LFPPKPKDTL MISRTPEVTC VVVDVSHEDP EVQFNWYVDG
 301 VEVHNAKTKP REEQFNSTFR VVSVLTVVHQ DWLNGKEYKC KVS NKGLPAP
 351 IEKTISKTKG QPREPQVYTL PPSREEMTKN QVSLTCLVKG FYPSDIAVEW
 401 ESNGQPENNY KTTTPMLDSD GSFFLYSKLT VDKSRWQQGN VFSCSV MHEA
 50 451 LHNHYTQKSL SLSPGK (SEQ ID NO:219)

[0279] Nucleic acid sequence of the Ab-14 HC including signal peptide encoding sequence:

1 ATGGA CTGGA CCTGGAGGAT CCTCTTCTTG GTGGCAGCAG CCACAGGAGC
 51 CCACTCCGAG GTGCAGCTGG TGCAGAGCGG CGCCGAGGTC AAGAAACCTG
 101 GAGCAAGCGT AAAGGTTAGT TGCAAAGCAT CTGGATACAC ATTTACCGAC
 5 151 TACTACATGA ATTGGGTACG ACAAGCCCCT GGACAAAGAC TTGAATGGAT
 201 GGGAGACATT AACCCCTTATA ACGACGACAC TACATACAAT CATAAATTTA
 251 AAGGAAGAGT TACAATTACA AGAGATACAT CCGCATCAAC CGCCTATATG
 301 GAACTTTCTT CATTGAGATC TGAAGACACT GCTGTTTATT ACTGTGCAAG
 351 AGAAACTGCC GTTATTACTA CTAACGCTAT GGATTACTGG GGTCAAGGAA
 10 401 CCACTGTTAC CGTCTCTAGT GCCTCCACCA AGGGCCCATC GGTCTTCCCC
 451 CTGGCGCCCT GCTCCAGGAG CACCTCCGAG AGCACAGCGG CCCTGGGCTG
 501 CCTGGTCAAG GACTACTTCC CCGAACCGGT GACGGTGTCG TGGAAGTCAAG
 551 GCGCTCTGAC CAGCGGCGTG CACACCTTCC CAGCTGTCCT ACAGTCCTCA
 15 601 GGACTCTACT CCCTCAGCAG CGTGGTGACC GTGCCCTCCA GCAACTTCGG
 651 CACCCAGACC TACACCTGCA ACGTAGATCA CAAGCCCAGC AACACCAAGG
 701 TGGACAAGAC AGTTGAGCGC AAATGTTGTG TCGAGTGCCC ACCGTGCCCCA
 751 GCACCACCTG TGGCAGGACC GTCAGTCTTC CTCTTCCCCC CAAAACCCAA
 801 GGACACCCTC ATGATCTCCC GGACCCCTGA GGTCACGTGC GTGGTGTTGG
 20 851 ACGTGAGCCA CGAAGACCCC GAGGTCCAGT TCAACTGGTA CGTGGACGGC
 901 GTGGAGGTGC ATAATGCCAA GACAAAGCCA CGGGAGGAGC AGTTCAACAG
 951 CACGTTCCGT GTGGTCAGCG TCCTCACCGT TGTGCACCAG GACTGGCTGA
 1001 ACGGCAAGGA GTACAAGTGC AAGGTCTCCA ACAAAGGCCT CCCAGCCCCC
 25 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGG CAGCCCCGAG AACCACAGGT
 1101 GTACACCCTG CCCCCATCCC GGGAGGAGAT GACCAAGAAC CAGGTCAGCC
 1151 TGACCTGCCT GGTCAAAGGC TTCTACCCCA GCGACATCGC CGTGGAGTGG
 1201 GAGAGCAATG GGCAGCCGGA GAACAACACTAC AAGACCACAC CTCCCATGCT
 1251 GGACTCCGAC GGCTCCTTCT TCCTCTACAG CAAGCTCACC GTGGACAAGA
 30 1301 GCAGGTGGCA GCAGGGGAAC GTCTTCTCAT GCTCCGTGAT GCATGAGGCT
 1351 CTGCACAACC ACTACACGCA GAAGAGCCTC TCCCTGTCTC CGGGTAAA

(SEQ ID NO:220) *

[0280] The CDR sequences in the variable region of the heavy chain of Ab-14 are:

CDR-H1: DYYMN (SEQ ID NO:296)

CDR-H2: DINPYNDTTYNHKFKG (SEQ ID NO:297)

CDR-H3: ETAVITTNAMD (SEQ ID NO:298)

[0281] The light chain variable region CDR sequences of Ab-14 are:

CDR-L1: RASSVTSSYLN (SEQ ID NO:284)

CDR-L2: STSNLAS (SEQ ID NO:285)

CDR-L3: QQYDFFPST (SEQ ID NO:286)

Ab-14 Variable domains:

[0282] Ab-14 light chain variable domain amino acid sequence (without signal sequence):

1 DIQLTQSPSF LSASVGDRVT ITCRASSSVT SSYLNWYQOK PGKAPKLLIY
 51 STSNLASGVP SRFSGSGSGT EFTLTSSLQ PEDFATYYCQ QYDFRPSTFG
 101 GGTKVEIK (SEQ ID NO:380)

[0283] Ab-14 light chain variable domain DNA sequence (without signal sequence):

1 GACATCCAGC TGACCCAGAG CCCAGCTTC CTTTCCGCAT CCGTTGGTGA
 51 CCGAGTAACA ATCACATGCC GCGCCTCATC TTCAGTTACA TCTTCTTATC
 101 TTAATTGGTA TCAACAAAAA CCAGGAAAAG CACCTAAACT TCTTATATAC
 151 TCTACATCTA ATCTCGCATC AGGAGTTCCC TCTCGATTTT CAGGATCTGG
 201 ATCAGGCACA GAATTTACAC TTACTATATC ATCACTCCAA CCAGAAGACT
 251 TCGCCACTTA TTACTGCCAA CAATACGATT TTTTTCCTAAG CACATTCGGA
 301 GGAGGTACAA AAGTAGAAAT CAAG (SEQ ID NO:381)

[0284] Ab-14 heavy chain variable domain amino acid sequence (without signal sequence):

1 EVQLVQSGAE VKKPGASVKV SCKASGYTFT DY~~Y~~MNWVRQA PGQRLEWMGD
 51 INPYNDDTTY NHKEKGRVTI TRDTSASTAY MELSSLRSED TAVYYCARET
 101 AVITTNAMDY WGQGTITVTVS S (SEQ ID NO:382)

[0285] Ab-14 heavy chain variable domain DNA sequence (without signal sequence):

1 GAGGTGCAGC TGGTGCAGAG CGGCGCCGAG GTCAAGAAAC CTGGAGCAAG
 51 CGTAAAGGTT AGTTGCAAAG CATCTGGATA CACATTTACC GACTACTACA
 101 TGAATTGGGT ACGACAAGCC CCTGGACAAA GACTTGAATG GATGGGAGAC
 151 ATTAACCCTT ATAACGACGA CACTACATAC AATCATAAAT TTAAAGGAAG
 201 AGTTACAATT ACAAGAGATA CATCCGCATC AACCGCCTAT ATGGAACCTT
 251 CCTCATTGAG ATCTGAAGAC ACTGCTGTTT ATTACTGTGC AAGAGAAACT
 301 GCCGTTATT~~A~~ CTACTAACGC TATGGATTAC TGGGGTCAAG GAACCACTGT
 351 TACCGTCTCT AGT (SEQ ID NO:383)

[0286] Ab-3 was humanized to generate Ab-15.

Ab-15

[0287] The sequences of the Antibody 15 (also referred to herein as Ab-15) LC and HC are as follows:

Ab-15 Light Chain:

[0288] Amino acid sequence of the mature form (signal peptide removed) of the Ab-15 LC:

1 DIQMTQSPSS LSASVGDRVT ITCSVSSTIS ~~SNHLHWFQOK~~ PGKAPKSLIY
 51 ~~GTSNLAGVPSRFSGSGSGT DFTLTISLQ~~ PEDFATYYCQ QWSSYPLTFG
 101 GGTKVEIKRT VAAPSVFIFP PSDEQLKSGT ASVVCLLNNF YPREAKVQWK
 151 VDNALQSGNS QESVTEQDSK DSTYLSSTL TLSKADYEKH KVIACEVTHQ
 201 GLSSPVTKSF NRGEC (SEQ ID NO:221)

[0289] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-15 LC:

1 GACATCCAGA TGACCCAGTC TCCATCCTCC CTCTCAGCAT CCGTAGGCGA
 51 TAGAGTTACA ATAACATGCA GCGTATCATC AACTATATCA TCAAATCATC
 101 TTCATTGGTT CCAACAGAAA CCCGGCAAAG CACCTAAATC ACTTATATAC
 151 GGCACATCAA ATCTCGCATC AGGCGTTCCT TCAAGATTTT CAGGCTCTGG
 201 CTCAGGCACC GACTTTACTC TTACAATATC CTCCCTCCAA CCCGAAGACT
 251 TCGCAACCTA TTA CTGTCAA CAATGGTCCT CATATCCACT CACATTGGC
 301 GCGGCACAA AAGTAGAAAT TAAACGTACG GTGGCTGCAC CATCTGTCTT
 351 CATCTTCCCG CCATCTGATG AGCAGTTGAA ATCTGGAACT GCCTCTGTTG
 401 TGTGCCTGCT GAATAACTTC TATCCCAGAG AGGCCAAAGT ACAGTGGAAG
 451 GTGGATAACG CCCTCCAATC GGGTAACTCC CAGGAGAGTG TCACAGAGCA
 501 GGACAGCAAG GACAGCACCT ACAGCCTCAG CAGCACCTG ACGCTGAGCA
 551 AAGCAGACTA CGAGAAACAC AAAGTCTACG CCTGCGAAGT CACCCATCAG
 601 GGCCTGAGCT CGCCCGTCAC AAAGAGCTTC AACAGGGGAG AGTGT (SEQ ID
 NO:222)

[0290] Amino acid sequence of the Ab-15 LC including signal peptide:

1 MDMRVPAQLL GLLLLWLRGA RCDIQMTQSP SLSASVGDR VTITCSVSST
 51 ISSNHLHWFQ QKPGKAPKSL IYGTSNLAG VPSRFSGSGS GTDFTLTISL
 101 LQPEDFATYY CQWSSYPLT FGGGTKVEIK RTVAAPSVFI FPPSDEQLKS
 151 GTASVVCLLN NFYPREAKVQ WKVDNALQSG NSQESVTEQD SKDSTYLSLSS
 201 TLTLKADYE KHKVIACEVT HQGLSSPVTK SFNRGEC (SEQ ID NO:223)

[0291] Nucleic acid sequence of the Ab-15 LC including signal peptide encoding sequence:

1 ATGGACATGA GGGTCCCCGC TCAGCTCCTG GGGCTCCTGC TACTCTGGCT
 51 CCGAGGTGCC AGATGTGACA TCCAGATGAC CCAGTCTCCA TCCTCCCTCT

101 CAGCATCCGT AGGCGATAGA GTTACAATAA CATGCAGCGT ATCATCAACT
 151 ATATCATCAA ATCATCTTCA TTGGTTCCAA CAGAAACCCG GCAAAGCACC
 201 TAAATCACTT ATACACGGCA CATCAAATCT CGCATCAGGC GTTCCTTCAA
 251 GATTTTCAGG CTCTGGCTCA GGCACCGACT TTA CTCTTAC AATATCCTCC
 301 CTCCAACCCG AAGACTTCGC AACCTATTAC TGTCAACAAT GGTCCTCATA
 351 TCCACTCACA TTTGGCGGCG GCACAAAAGT AGAAATTAAA CGTACGGTGG
 401 CTGCACCATC TGTCTTCATC TTCCCGCCAT CTGATGAGCA GTTGAAATCT
 451 GGAAGTGCCT CTGTTGTGTG CCTGCTGAAT AACTTCTATC CCAGAGAGGC
 501 CAAAGTACAG TGGAAGGTGG ATAACGCCCT CCAATCGGGT AACTCCCAGG
 551 AGAGTGTAC AGAGCAGGAC AGCAAGGACA GCACCTACAG CCTCAGCAGC
 601 ACCCTGACGC TGAGCAAAGC AGACTACGAG AAACACAAAG TCTACGCCTG
 651 CGAAGTCACC CATCAGGGCC TGAGCTCGCC CGTCACAAAG AGCTTCAACA
 701 GGGGAGAGTG T (SEQ ID NO:224)

Ab-15 Heavy Chain

[0292] Amino acid sequence of the mature form (signal peptide removed) of Ab-15 HC.

1 EVQLVQSGAE VKKPGASVKV SCKASDFNIK DEYLHWVRQA PGQGLEWIGR
 51 IDPENGDTLY DPKEDQKVTM TTDSTSTAY MELRSLRSDD TAVYYCAREA
 101 DYFHDGTSYW YFDVWGRGTL VTVSSASTKG PSVFPLAPCS RSTSESTAAL
 151 GCLVKDYFPE PVTVSWNSGA LTSGVHTFPA VLQSSGLYSL SSVVTVPSSN
 201 FGTQTYTCNV DHKPSNTKVD KTV ERKCCVE CPPCPAPPVA GPSVFLFPPK
 251 PKDTLMISRT PEVTCVVVDV SHEDPEVQFN WYVDGVEVHN AKTKPREEQF
 301 NSTFRVSVL TVVHQDWLNG KEYKCKVSNK GLPAPIEKTI SKTKGQPREP
 351 QVYTLPPSRE EMTKNQVSLT CLVKG FYPSD LAVEWESNGQ PENNYKTPP
 401 MLDSDGSFFL YSKLTVDKSR WQQGNVFSCS VMHEALHNHY TQKSLSLSPG
 451 K (SEQ ID NO:225)

[0293] Amino acid sequence of the mature form (signal peptide removed) of Ab-15 HC without carboxy-terminal lysine:

1 EVQLVQSGAE VKKPGASVKV SCKASDFNIK DEYLHWVRQA PGQGLEWIGR
 51 IDPENGDTLY DPKEDQKVTM TTDSTSTAY MELRSLRSDD TAVYYCAREA
 101 DYFHDGTSYW YFDVWGRGTL VTVSSASTKG PSVFPLAPCS RSTSESTAAL
 151 GCLVKDYFPE PVTVSWNSGA LTSGVHTFPA VLQSSGLYSL SSVVTVPSSN
 201 FGTQTYTCNV DHKPSNTKVD KTV ERKCCVE CPPCPAPPVA GPSVFLFPPK
 251 PKDTLMISRT PEVTCVVVDV SHEDPEVQFN WYVDGVEVHN AKTKPREEQF
 301 NSTFRVSVL TVVHQDWLNG KEYKCKVSNK GLPAPIEKTI SKTKGQPREP
 351 QVYTLPPSRE EMTKNQVSLT CLVKG FYPSD LAVEWESNGQ PENNYKTPP
 401 MLDSDGSFFL YSKLTVDKSR WQQGNVFSCS VMHEALHNHY TQKSLSLSPG
 451 (SEQ ID NO:394)

[0294] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-15 HC:

1 GAGGTGCAGC TGGTGCAGTC TGGGGCTGAG GTGAAGAAGC CTGGGGCCTC

51 AGTGAAGGTC TCCTGCAAGG CTTCTGACTT CAACATTAAA GACTTCTATC
 101 TACACTGGGT GCGACAGGCC CCTGGACAAG GGCTTGAGTG GATTGGAAGG
 151 ATTGATCCTG AGAATGGTGA TACTTTATAT GACCCGAAGT TCCAGGACAA
 201 GGTCACCATG ACCACAGACA CGTCCACCAG CACAGCCTAC ATGGAGCTGA
 251 GGAGCCTGAG ATCTGACGAC ACGGCCGTGT ATTACTGTGC GAGAGAGGCG
 301 GATTATTTCC ACGATGGTAC CTCCTACTGG TACTTCGATG TCTGGGGCCG
 351 TGGCACCCCTG GTCACCGTCT CTAGTGCCTC CACCAAGGGC CCATCGGTCT
 401 TCCCCCTGGC GCCCTGCTCC AGGAGCACCT CCGAGAGCAC AGCGGCCCTG
 451 GGCTGCCTGG TCAAGGACTA CTTCCCCGAA CCGGTGACGG TGTCGTGGAA
 501 CTCAGGCGCT CTGACCAGCG GCGTGCACAC CTTCCCAGCT GTCCTACAGT
 551 CCTCAGGACT CTA TCTCCCTC AGCAGCGTGG TGACCGTGCC CTCCAGCAAC
 601 TTCGGCACCC AGACCTACAC CTGCAACGTA GATCACAAGC CCAGCAACAC
 651 CAAGGTGGAC AAGACAGTTG AGCGCAAATG TTGTGTCGAG TGCCACCGT
 701 GCCCAGCACC ACCTGTGGCA GGACCGTCAG TCTTCCTCTT CCCCCAAAA
 751 CCAAGGACA CCCTCATGAT CTCCCGGACC CTGAGGTCA CGTGCCTGGT
 801 GGTGGACGTG AGCCACGAAG ACCCGAGGT CCAGTTCAAC TGGTACGTGG
 851 ACGGCGTGGA GGTGCATAAT GCCAAGACAA AGCCACGGGA GGAGCAGTTC
 901 AACAGCACGT TCCGTGTGGT CAGCGTCCTC ACCGTTGTGC ACCAGGACTG
 951 GCTGAACGGC AAGGAGTACA AGTGCAAGGT CTCCAACAAA GGCCTCCAG
 1001 CCCCATCGA GAAAACCATC TCCAAAACCA AAGGGCAGCC CCGAGAACCA
 1051 CAGGTGTACA CCCTGCCCCC ATCCCGGGAG GAGATGACCA AGAACCAGGT
 1101 CAGCCTGACC TGCCTGGTCA AAGGCTTCTA CCCCAGCGAC ATCGCCGTGG
 1151 AGTGGGAGAG CAATGGGCAG CCGGAGAACA ACTACAAGAC CACACCTCCC
 1201 ATGCTGGACT CCGACGGCTC CTTCTTCTC TACAGCAAGC TCACCGTGGA
 1251 CAAGAGCAGG TGGCAGCAGG GGAACGTCTT CTCATGCTCC GTGATGCATG
 1301 AGGCTCTGCA CAACCACTAC ACGCAGAAGA GCCTCTCCCT GTCTCCGGGT
 1351 AAA (SEQ ID NO:226)

[0295] Amino acid sequence of the Ab-15 HC including signal peptide:

1 MDWTWRILFL VAAATGAHSE VQLVQSGAEV KKPGASVKVS CKASDFNIKD
 51 FYLHWVRQAP GQGLEWIGRI DPENGDTLYD PKFQDKVTMT TDTSTSTAYM
 101 ELRSLRSDDT AVYYCAREAD YFHDGTSYWY FDVWGRGTLV TVSSASTKGP
 151 SVFPLAPCSR STSESTAALG CLVKDYFPEP VTVSWNSGAL TSGVHTFPAV
 201 LQSSGLYSLS SVVTVPSNF GTQYTCNVD HKPSNTKVDK TVERKCCVEC
 251 PPCPAPPVAG PSVFLFPPKP KDTLMISRTP EVTCVVVDVS HEDPEVQFNW
 301 YVDGVEVHNA KTKPREEQFN STFRVSVLT VVHQDWLNGK EYKCKVSNKG
 351 LPAPIEKTIS KTKGQPREPQ VYTLPPSREE MTKNQVSLTC LVKGFYPSDI
 401 AVEWESNGQP ENNYKTTTPM LDSDGSFFLY SKLTVDKSRW QQGNVFSCSV
 451 MHEALHNHYT QKSLSLSPGK (SEQ ID NO:227)

[0296] Nucleic acid sequence of the Ab-15 HC including signal peptide encoding sequence:

1 ATGGA CTGGA CCTGGAGGAT CCTCTTCTTG GTGGCAGCAG CCACAGGAGC
 51 CCACTCCGAG GTGCAGCTGG TGCAGTCTGG GGCTGAGGTG AAGAAGCCTG
 101 GGGCCTCAGT GAAGGTCTCC TGCAAGGCTT CTGACTTCAA CATTAAGAC
 151 TTCTATCTAC ACTGGGTGCG ACAGGCCCTT GGACAAGGGC TTGAGTGGAT
 201 TGGAAAGGATT GATCCTGAGA ATGGTGATAC TTTATATGAC CCGAAGTTCC
 251 AGGACAAGGT CACCATGACC ACAGACACGT CCACCAGCAC AGCCTACATG
 301 GAGCTGAGGA GCCTGAGATC TGACGACACG GCCGTGTATT ACTGTGCGAG

351 AGAGGCGGAT TATTTCCACG ATGGTACCTC CTA CTGGTAC TTCGATGTCT
 401 GGGGCCGTGG CACCCTGGTC ACCGTCTCTA GTGCCTCCAC CAAGGGCCCA
 451 TCGGTCTTCC CCCTGGCGCC CTGCTCCAGG AGCACCTCCG AGAGCACAGC
 501 GGCCCTGGGC TGCCTGGTCA AGGACTACTT CCCC GAACCG GTGACGGTGT
 551 CGTGGA ACTC AGGCGCTCTG ACCAGCGGCG TGCACACCTT CCCAGCTGTC
 601 CTACAGTCCT CAGGACTCTA CTCCCTCAGC AGCGTGGTGA CCGTGCCCTC
 651 CAGCAACTTC GGCACCCAGA CCTACACCTG CAACGTAGAT CACAAGCCCA
 701 GCAACACCAA GGTGGACAAG ACAGTTGAGC GCAAATGTTG TGTCGAGTGC
 751 CCACCGTGCC CAGCACCACC TGTGGCAGGA CCGTCAGTCT TCCTCTTCCC
 801 CCCAAAACCC AAGGACACCC TCATGATCTC CCGGACCCCT GAGGTCACGT
 851 GCGTGGTGGT GGACGTGAGC CACGAAGACC CCGAGGTCCA GTTCAACTGG
 901 TACGTGGACG GCGTGGAGGT GCATAATGCC AAGACAAAGC CACGGGAGGA
 951 GCAGTTCAAC AGCACGTTCC GTGTGGTCAG CGTCCTCACC GTTGTGCACC
 1001 AGGACTGGCT GAACGGCAAG GAGTACAAGT GCAAGGTCTC CAACAAAGGC
 1051 CTCCCAGCCC CCATCGAGAA AACCATCTCC AAAACCAAAG GGCAGCCCCG
 1101 AGAACCACAG GTGTACACCC TGCCCCCATC CCGGGAGGAG ATGACCAAGA
 1151 ACCAGGTCAG CCTGACCTGC CTGGTCAAAG GCTTCTACCC CAGCGACATC
 1201 GCCGTGGAGT GGGAGAGCAA TGGGCAGCCG GAGAACA ACT ACAAGACCAC
 1251 ACCTCCCATG CTGGACTCCG ACGGCTCCTT CTCCTCTAC AGCAAGCTCA
 1301 CCGTGGACAA GAGCAGGTGG CAGCAGGGGA ACGTCTTCTC ATGCTCCGTG
 1351 ATGCATGAGG CTCTGCACAA CCACTACACG CAGAAGAGCC TCTCCCTGTC
 1401 TCCGGGTAAA (SEQ ID NO:228)

[0297] The CDR sequences in the variable region of the heavy chain of Ab-15 are:

CDR-H1: DFYLH (SEQ ID NO:290)

CDR-H2: RIDPENGDTLYDPKFQD (SEQ ID NO:291)

CDR-H3: EADYFHDGTSYWFYFDV (SEQ ID NO:292)

[0298] The light chain variable region CDR sequences of Ab-15 are:

CDR-L1: SVSSTISSNHLH (SEQ ID NO:278)

CDR-L2: GTSNLAS (SEQ ID NO:279)

CDR-L3: QQWSSYPLT (SEQ ID NO:280)

Ab-15 Variable domains:

[0299] Ab-15 light chain variable domain amino acid sequence (without signal sequence):

1 DIQMTQSPSS LSASVGDRVT ITC~~SVSSTIS~~ SN~~HLH~~WFQOK PGKAPKSLIY
 51 ~~GTSNLA~~SGVP SRFSGSGSGT DFTLTISLQ PEDFATYYCQ QWSSYPETFG
 101 GGTKVEIK (SEQ ID NO:384)

[0300] Ab-15 light chain variable domain DNA sequence (without signal sequence):

1 GACATCCAGA TGACCCAGTC TCCATCCTCC CTCTCAGCAT CCGTAGGCGA
 51 TAGAGTTACA ATAACATGCA GCGTATCATC AACTATATCA TCAAATCATC

101 TTCATTGGTT CCAACAGAAA CCCGGCAAAG CACCTAAATC ACTTATATAC
 151 GGCACATCAA ATCTCGCATC AGGCGTTCCT TCAAGATTTT CAGGCTCTGG
 201 CTCAGGCACC GACTTTACTC TTACAATATC CTCCTCCAA CCCGAAGACT
 251 TCGCAACCTA TTA~~CTGT~~CAA CAATGGTCCT CATATCCACT CACATTGGC
 301 GCGGCACAA AAGTAGAAAT TAAA (SEQ ID NO:385)

[0301] Ab-15 heavy chain variable domain amino acid sequence (without signal sequence):

1 EVQLVQSGAE VKKPGASVKV SCKASDFNIK ~~DFY~~L~~H~~WVRQA PGQGLEWIGR
 51 ~~ID~~PENGDTLY DPKFQDKVTM TTD~~T~~STSTAY MELRSLRSDD TAVYYCAREA
 101 ~~DYF~~H~~D~~GTSYW YFDVWGRGTL VTVSS (SEQ ID NO:386)

[0302] Ab-15 heavy chain variable domain DNA sequence (without signal sequence):

1 GAGGTGCAGC TGGTGCAGTC TGGGGCTGAG GTGAAGAAGC CTGGGGCCTC
 51 AGTGAAGGTC TCCTGCAAGG CTTCTGACTT CAACATTAAA GACTTCTATC
 101 TACACTGGGT GCGACAGGCC CCTGGACAAG GGCTTGAGTG GATTGGAAGG
 35 151 ATTGATCCTG AGAATGGTGA TACTTTATAT GACCCGAAGT TCCAGGACAA
 201 GGTCACCATG ACCACAGACA CGTCCACCAG CACAGCCTAC ATGGAGCTGA
 251 GGAGCCTGAG ATCTGACGAC ACGGCCGTGT ATTACTGTGC GAGAGAGGCG
 301 GATTATTTCC ACGATGGTAC CTCCTACTGG TACTTCGATG TCTGGGGCCG
 40 351 TGGCACCCTG GTCACCGTCT CTAGT (SEQ ID NO:387)

[0303] Ab-11 was humanized to generate Ab-16.

Ab-16

[0304] The sequences of the Antibody 16 (also referred to herein as Ab-16) LC and HC are as follows:

Ab-16 Light Chain:

[0305] Amino acid sequence of the mature form (signal peptide removed) of the Ab-16 LC:

1 DIQLTQSPSF LSASVGDRVT ITCRASSSISYIHWYQOKPG KAPKLLIYAT
 51 SNLASGVPSR FSGSGSGTEF TLTISSLQPE DFATYYCQW SSDPLTFGGG
 101 TKVEIKRTVA APSVFIFPPS DEQLKSGTAS VVCLLNNFYP REAKVQWKVD
 151 NALQSGNSQE SVTEQDSKDS TYSLSSTLTL SKADYEKHKV YACEVTHQGL
 201 SSPVTKSFNR GEC (SEQ ID NO:229)

[0306] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-16 LC:

1 GACATCCAGT TGACCCAGTC TCCATCCTTC CTGTCTGCAT CTGTAGGAGA
 51 CAGAGTCACC ATCACTTGCA GGGCCAGCTC AAGTATAAGT TACATACACT
 101 GGTATCAGCA AAAACCAGGG AAAGCCCCTA AGCTCCTGAT CTATGCCACA
 151 TCCAACCTGG CTTCTGGGGT CCCATCAAGG TTCAGCGGCA GTGGATCTGG
 201 GACAGAATTC ACTCTCACAA TCAGCAGCCT GCAGCCTGAA GATTTTGCAA
 251 CTTATTACTG TCAGCAGTGG AGTAGTGACC CACTCACGTT CGGCGGAGGG
 301 ACCAAGGTGG AGATCAAACG TACGGTGGCT GCACCATCTG TCTTCATCTT
 351 CCCGCCATCT GATGAGCAGT TGAAATCTGG AACTGCCTCT GTTGTGTGCC

401 TGCTGAATAA CTTCTATCCC AGAGAGGCCA AAGTACAGTG GAAGGTGGAT
 451 AACGCCCTCC AATCGGGTAA CTCCAGGAG AGTGTCACAG AGCAGGACAG
 501 CAAGGACAGC ACCTACAGCC TCAGCAGCAC CCTGACGCTG AGCAAAGCAG
 551 ACTACGAGAA ACACAAAGTC TACGCCTGCG AAGTCACCCA TCAGGGCCTG
 601 AGCTCGCCCG TCACAAAGAG CTTCAACAGG GGAGAGTGT (SEQ ID NO:230)

[0307] Amino acid sequence of the Ab-16 LC including signal peptide:

1 MDMRVPAQLL GLLLLWLPGA RCDIQLTQSP SFLSASVGDR VTITCRASSS
 51 ISYIHWYQOK PGKAPKLLIY ATSNLASGVP SRFSGSGSGT EFTLTISSLQ
 101 PEDFATYYCQ QWSSDPLTFG GGTKVEIKRT VAAPSVFIFP PSDEQLKSGT
 151 ASVVCLLNNF YPREAKVQWK VDNALQSGNS QESVTEQDSK DSTYLSSTL
 201 TLSKADYEKH KVYACEVTHQ GLSSPVTKSF NRGEC (SEQ ID NO:231)

[0308] Nucleic acid sequence of the Ab-16 LC including signal peptide encoding sequence:

1 ATGGACATGA GGGTCCCCGC TCAGCTCCTG GGGCTCCTGC TGCTCTGGCT
 51 CCCAGGTGCC AGATGTGACA TCCAGTTGAC CCAGTCTCCA TCCTTCCTGT
 101 CTGCATCTGT AGGAGACAGA GTCACCATCA CTTGCAGGGC CAGCTCAAGT
 151 ATAAGTTACA TACACTGGTA TCAGCAAAAA CCAGGGAAAG CCCCTAAGCT
 201 CCTGATCTAT GCCACATCCA ACCTGGCTTC TGGGGTCCCA TCAAGGTTCA
 251 GCGGCAGTGG ATCTGGGACA GAATTCACCTC TCACAATCAG CAGCCTGCAG
 301 CCTGAAGATT TTGCAACTTA TTA CTGTG CAG CAGTGGAGTA GTGACCCACT
 351 CACGTTCCGC GGAGGGACCA AGGTGGAGAT CAAACGTACG GTGGCTGCAC
 401 CATCTGTCTT CATCTTCCCG CCATCTGATG AGCAGTTGAA ATCTGGA ACT
 451 GCCTCTGTTG TGTGCCTGCT GAATAACTTC TATCCAGAG AGGCCAAAGT
 501 ACAGTGGAAG GTGGATAACG CCCTCCAATC GGGTAACTCC CAGGAGAGTG
 551 TCACAGAGCA GGACAGCAAG GACAGCACCT ACAGCCTCAG CAGCACCTG
 601 ACGCTGAGCA AAGCAGACTA CGAGAAACAC AAAGTCTACG CCTGCGAAGT
 651 CACCCATCAG GGCCTGAGCT CGCCCGTCAC AAAGAGCTTC AACAGGGGAG
 701 AGTGT (SEQ ID NO:232)

Ab-16 Heavy Chain:

[0309] Amino acid sequence of the mature form (signal peptide removed) of the Ab-16 HC:

1 EVQLVQSGAE VKKPGASVKV SCKASGFDIKDY¹Y¹HWVRQA PGQGLEWIGR
 51 YDPDNGETEF APKFPGKVTM TTDTSISTAY MELSRLRSDD TAVYYCARE
 101 YDGTYTWFPY WGQGT¹LVTVS SASTKGPSVF PLAPCSRSTS ESTAALGCLV
 151 KDYFPEPVTV SWNSGALTSG VHTFPAVLQS SGLYSLSSVV TVPSSNFGTQ
 201 TYTCNV¹DHKP SNTKVDK¹TVE RKCCVECP¹PC PAPPVAGPSV FLFPPKPKDT
 251 LMISRTPEVT CVVVDVSHED PEVQFNWYVD GVEVHNAKTK PREEQFNSTF
 301 RVVSVLTVVH QDWLNGKEYK CKVSNKGLPA PIEKTISKTK GQPREPQVYT
 351 LPPSREEMTK NQVSLTCLVK GFYPSDLAVE WESNGQPENN YKTPPMLDS

401 DGSFFLYSKL TVDKSRWQQG NVFSCSV¹MHE ALHNHYTQKS LSLSPGK (SEQ ID
 NO:233)

[0310] Amino acid sequence of the mature form (signal peptide removed) of the Ab-16 HC without carboxy-terminal lysine:

1 EVQLVQSGAE VKKPGASVKV SCKASGFDIKDY¹Y¹HWVRQA PGQGLEWIGR
 51 YDPDNGETEF APKFPGKVTM TTDTSISTAY MELSRLRSDD TAVYYCARE
 101 YDGTYTWFPY WGQGT¹LVTVS SASTKGPSVF PLAPCSRSTS ESTAALGCLV
 151 KDYFPEPVTV SWNSGALTSG VHTFPAVLQS SGLYSLSSVV TVPSSNFGTQ
 201 TYTCNV¹DHKP SNTKVDK¹TVE RKCCVECP¹PC PAPPVAGPSV FLFPPKPKDT
 251 LMISRTPEVT CVVVDVSHED PEVQFNWYVD GVEVHNAKTK PREEQFNSTF
 301 RVVSVLTVVH QDWLNGKEYK CKVSNKGLPA PIEKTISKTK GQPREPQVYT
 351 LPPSREEMTK NQVSLTCLVK GFYPSDIAVE WESNGQPENN YKTPPMLDS
 401 DGSFFLYSKL TVDKSRWQQG NVFSCSV¹MHE ALHNHYTQKS LSLSPG (SEQ ID
 NO:395)

[0311] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-16 HC:

1 GAGGTGCAGC TGGTGCAGTC TGGGGCTGAG GTGAAGAAGO CTGGGGCCTC
 5 51 AGTGAAGGTC TCCTGCAAGG CTTCTGGATT CGACATTAAG GACTACTATA
 101 TACACTGGGT GCGACAGGCC CCTGGACAAG GGCTTGAGTG GATCGGAAGG
 151 GTTGATCCTG ACAATGGTGA GACTGAATTT GCCCCGAAGT TCCCGGGCAA
 201 GGTCACCATG ACCACAGACA CGTCCATCAG CACAGCCTAC ATGGAGCTGA
 251 GCAGGCTGAG ATCTGACGAC ACGGCCGTGT ATTACTGTGC GAGAGAAGAC
 301 TACGATGGTA CCTACACCTG GTTTCCTTAT TGGGGCCAAG GGA CTCTGGT
 351 CACCGTCTCT AGTGCCTCCA CCAAGGGCCC ATCGGTCTTC CCCCTGGCGC
 401 CCTGCTCCAG GAGCACCTCC GAGAGCACAG CGGCCCTGGG CTGCCTGGTC
 451 AAGGACTACT TCCCGAACC GGTGACGGTG TCGTGGA ACT CAGGCGCTCT
 501 GACCAGCGGC GTGCACACCT TCCAGCTGT CCTACAGTCC TCAGGACTCT
 551 ACTCCCTCAG CAGCGTGGTG ACCGTGCCCT CCAGCAACTT CGGCACCCAG
 601 ACCTACACCT GCAACGTAGA TCACAAGCCC AGCAACACCA AGGTGGACAA
 651 GACAGTTGAG CGCAAATGTT GTGTCGAGTG CCCACCGTGC CCAGCACCAC
 701 CTGTGGCAGG ACCGTCAGTC TTCCTCTTCC CCCC AAAACC CAAGGACACC
 751 CTCATGATCT CCCGGACCCC TGAGGTCACG TCGTG GTTG TGGACGTGAG
 801 CCACGAAGAC CCCGAGGTCC AGTTCAACTG GTACGTGGAC GGC GTGAGG
 851 TGCATAATGC CAAGACAAAG CCACGGGAGG AGCAGTTCAA CAGCACGTTC
 901 CGTGTGGTCA GCGTCCTCAC CGTTGTGCAC CAGGACTGGC TGAACGGCAA
 951 GGAGTACAAG TGCAAGGTCT CCAACAAAGG CCTCCCAGCC CCCATCGAGA
 1001 AAACCATCTC CAAAACCAA GGCAGCCCC GAGAACCACA GGTGTACACC
 1051 CTGCCCCCAT CCCGGGAGGA GATGACCAAG AACCAGGTCA GCCTGACCTG
 1101 CCTGGTCAAA GGCTTCTACC CCAGCGACAT CGCCGTGGAG TGGGAGAGCA
 1151 ATGGGCAGCC GGAGAACAAC TACAAGACCA CACCTCCCAT GCTGGACTCC
 1201 GACGGCTCCT TCTTCTCTA CAGCAAGCTC ACCGTGGACA AGAGCAGGTG
 1251 GCAGCAGGGG AACGTCTTCT CATGCTCCGT GATGCATGAG GCTCTGCACA
 1301 ACCACTACAC GCAGAAGAGC CTCTCCCTGT CTCCGGGTAA A (SEQ ID
 NO:234)

[0312] Amino acid sequence of the Ab-16 HC including signal peptide:

1 MDWTWRILFL VAAATGAHSE VQLVQSGAEV KKPGASVKVS CKASGFDIKD
 51 YYIHWVRQAP GQGLEWIGRV DPDNGETEF A PKFPGKVTMT TDTSISTAYM
 101 ELSRLRSDDT AVYYCARE DY DGT YTWFPYW GQGLTVTVSS ASTKGPSVFP
 151 LAPCSRSTSE STAALGCLVK DYFPEPVTVS WNSGALTSGV HTFPAVLQSS
 201 GLYSLSSVVT VPSSNFGTQT YTCNV DHKPS NTKVDKTVR KCCVECP PCP
 251 APPVAGPSVF LFPPKPKDTL MISRTPEVTC VVVDVSHEDP EVQFNWYVDG
 301 VEVHNAKTKP REEQFNSTFR VVSVLTVVHQ DWLNGKEYKC KVS NKGLPAP
 351 IEKTISKTKG QPREPQVYTL PPSREEMTKN QVSLTCLVKG FYP SDIAVEW
 401 ESNQGPENNY KTT PPM LDSD GSFFLYSKLT VDKSRWQQGN VFSCSVMHEA
 451 LHNHYTQKSL SLSPGK (SEQ ID NO:235)

[0313] Nucleic acid sequence of the Ab-16 HC including signal peptide encoding sequence:

1 ATGGA CTGGA CCTGGAGGAT CCTCTTCTTG GTGGCAGCAG CCACAGGAGC
 51 CCACTCCGAG GTGCAGCTGG TGCAGTCTGG GGCTGAGGTG AAGAAGCCTG
 101 GGGCCTCAGT GAAGGTCTCC TGCAAGGCTT CTGGATTCTGA CATTAAAGGAC
 5 151 TACTATATAC ACTGGGTGCG ACAGGCCCTT GGACAAGGGC TTGAGTGGAT
 201 CGGAAGGGTT GATCCTGACA ATGGTGAGAC TGAATTTGCC CCGAAGTTCC
 251 CGGGCAAGGT CACCATGACC ACAGACACGT CCATCAGCAC AGCCTACATG
 301 GAGCTGAGCA GGCTGAGATC TGACGACACG GCCGTGTATT ACTGTGCGAG
 10 351 AGAAGACTAC GATGGTACCT ACACCTGGTT TCCTTATTGG GGCCAAGGGA
 401 CTCTGGTCAC CGTCTCTAGT GCCTCCACCA AGGGCCCATC GGTCTTCCCC
 451 CTGGCGCCCT GCTCCAGGAG CACCTCCGAG AGCACAGCGG CCCTGGGCTG
 501 CCTGGTCAAG GACTACTTCC CCGAACCGGT GACGGTGTCG TGGAAGTCAG
 551 GCGCTCTGAC CAGCGGCGTG CACACCTTCC CAGCTGTCCT ACAGTCCTCA
 15 601 GGACTCTACT CCCTCAGCAG CGTGGTGACC GTGCCCTCCA GCAACTTCGG
 651 CACCCAGACC TACACCTGCA ACGTAGATCA CAAGCCCAGC AACACCAAGG
 701 TGGACAAGAC AGTTGAGCGC AAATGTTGTG TCGAGTGCCC ACCGTGCCCA
 751 GCACCACCTG TGGCAGGACC GTCAGTCTTC CTCTTCCCCC CAAAACCCAA
 20 801 GGACACCCTC ATGATCTCCC GGACCCCTGA GGTCACGTGC GTGGTGGTGG
 851 ACGTGAGCCA CGAAGACCCC GAGGTCCAGT TCAACTGGTA CGTGGACGGC
 901 GTGGAGGTGC ATAATGCCAA GACAAAGCCA CGGGAGGAGC AGTTCAACAG
 951 CACGTTCCGT GTGGTCAGCG TCCTCACCGT TGTGCACCAG GACTGGCTGA
 1001 ACGGCAAGGA GTACAAGTGC AAGGTCTCCA ACAAAGGCCT CCCAGCCCCC
 25 1051 ATCGAGAAAA CCATCTCCAA AACCAAAGGG CAGCCCCGAG AACCACAGGT
 1101 GTACACCCTG CCCCCATCCC GGGAGGAGAT GACCAAGAAC CAGGTCAGCC
 1151 TGACCTGCCT GGTCAAAGGC TTCTACCCCA GCGACATCGC CGTGGAGTGG
 1201 GAGAGCAATG GGCAGCCGGA GAACAACTAC AAGACCACAC CTCCCATGCT
 30 1251 GGA CTCCGAC GGCTCCTTCT TCCTCTACAG CAAGCTCACC GTGGACAAGA
 1301 GCAGGTGGCA GCAGGGGAAC GTCTTCTCAT GCTCCGTGAT GCATGAGGCT
 1351 CTGCACAACC ACTACACGCA GAAGAGCCTC TCCCTGTCTC CGGGTAAA (SEQ
 ID NO:236)

35 [0314] The CDR sequences in the variable region of the heavy chain of Ab-16 are:

CDR-H1: DYYIH (SEQ ID NO:293)

40 CDR-H2: RVDPDNGETEFAPKFP (SEQ ID NO:294)

CDR-H3: EDYDGTYTWPY (SEQ ID NO:295)

45 [0315] The light chain variable region CDR sequences of Ab-16 are:

CDR-L1: RASSSISYIH (SEQ ID NO:281)

CDR-L2: ATSNLAS (SEQ ID NO:282)

50 CDR-L3: QQWSSDPLT (SEQ ID NO:283)

Ab-16 Variable domains:

55 [0316] Ab-16 light chain variable domain amino acid sequence (without signal sequence):

1 DIQLTQSPSF LSASVGDRVITCRASSIS YH WYQKPG KAPKLLIYAT
 51 SNLASGVPSR FSGSGSSTEF TLTISSLQPE DFATYYCQQW SSDPLTFGGG
 101 TKVEIK (SEQ ID NO:388)

[0317] Ab-16 light chain variable domain DNA sequence (without signal sequence):

1 GACATCCAGT TGACCCAGTC TCCATCCTTC CTGTCTGCAT CTGTAGGAGA
 51 CAGAGTCACC ATCACTTGCA GGGCCAGCTC AAGTATAAGT TACATACACT
 101 GGTATCAGCA AAAACCAGGG AAAGCCCCTA AGCTCCTGAT CTATGCCACA
 151 TCCAACCTGG CTTCTGGGGT CCCATCAAGG TTCAGCGGCA GTGGATCTGG
 201 GACAGAATTC ACTCTCACAA TCAGCAGCCT GCAGCCTGAA GATTTTGCAA
 251 CTTATTACTG TCAGCAGTGG AGTAGTGACC CACTCACGTT CGGCGGAGGG
 301 ACCAAGGTGG AGATCAAA (SEQ ID NO:389)

[0318] Ab-16 heavy chain variable domain amino acid sequence (without signal sequence):

1 EVQLVQSGAE VKKPGASVKV SCKASGFDIKDYIH WVRQA PGQGLEWIGR
 51 YDPDNGETEF APKFPQKVTM TTDTSISTAY MELSRLRSDD TAVYYCARE
 101 YDGTYLWFPY WGQGTLLTVS S (SEQ ID NO:390)

[0319] Ab-16 heavy chain variable domain DNA sequence (without signal sequence):

1 GAGGTGCAGC TGGTGCAGTC TGGGGCTGAG GTGAAGAAGC CTGGGGCCTC
 51 AGTGAAGGTC TCCTGCAAGG CTTCTGGATT CGACATTAAG GACTACTATA
 101 TACACTGGGT GCGACAGGCC CCTGGACAAG GGCTTGAGTG GATCGGAAGG
 151 GTTGATCCTG ACAATGGTGA GACTGAATTT GCCCCGAAGT TCCCGGGCAA
 201 GGTCACCATG ACCACAGACA CGTCCATCAG CACAGCCTAC ATGGAGCTGA
 251 GCAGGCTGAG ATCTGACGAC ACGGCCGTGT ATTACTGTGC GAGAGAAGAC
 301 TACGATGGTA CCTACACCTG GTTTCCTTAT TGGGGCCAAG GGACTCTGGT
 351 CACCGTCTCT AGT (SEQ ID NO:391)

[0320] Additional antibodies are referred to herein as Antibodies 17-22 (also referred to herein as Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, and Ab-22). The Kappa Constant region for all VK regions of Ab-17, Ab-19, and Ab-21 is as follows:

TDAAPTVSIFPPSSEQLTSGGASVVCFLNMFYPKDINVKWKIDGSERQNGVLNSWTDQD
 SKDSTYSMSSTLTTLTKDEYERHNSYTCEATHKTSTSPIVKSFNRNEC (SEQ ID NO:323)

[0321] The Heavy Constant Region for all VH regions of antibodies 17, 19 and 21 is as follows:

AKTTPPSVYPLAPGSAAQTNSMVTLGCLVKGYFPEPVTVTWNSGSLSSGVHTFPAVLQS
 DLYTLSSSVTVPSSTWPSETVTCNVAPASSTKVDKKIVPRDCGCKPCICTVPEVSSVFIF
 PPKPKDVLTTITLTPKVTCTVVDISKDDPEVQFSWFVDDVEVHTAQTQPREEQFNSTFRS
 VSELPIMHQDWLNGKEFKCRVNSAAFPAPIEKTISKTKGRPKAPQVYTIPPPKEQMAKD
 KVS LTCMITDFFPEDITVEWQWNGQPAENYKNTQPIMDTDGSYFVYSKLVQKSNWEA
 GNTFTCSVLHEGLHNHHTKSLSHSPGK (SEQ ID NO:324)

[0322] In the following antibody amino acid sequences, the boxed-shaded amino acids represent complement-determining regions (CDRs) and the underlined amino acids represent signal peptide.

Ab-17

[0323] Amino acid sequence of the Ab-17 LC including signal peptide:

MDFOVQIFSFMLISVTVILSSGEIVLTQSPALMAASPGEKVTITCSVSSSSISSNLHWSQOK
SGTSPKLWITYGTSNEASGVPVRFSGSGSGTSYSLSLTSSMEAEADAATYYCQQWTTTYTFG
SGTKLELKR (SEQ ID NO:299)

[0324] Nucleic acid sequence of the Ab-17 LC including signal peptide:

ATGGATTTTCAGGTGCAGATTTTCAGCTTCATGCTAATCAGTGTCACAGTCATATTG
TCCAGTGGAGAAATTGTGCTCACCCAGTCTCCAGCACTCATGGCTGCATCTCCAGGG
GAGAAGGTCACCATCACCTGCAGTGTCAGCTCGAGTATAAGTTCCAGCAACTTACA
CTGGTCCCAGCAGAAGTCAGGAACCTCCCCAAACTCTGGATTTATGGCACATCCA
ACCTTGCTTCTGGAGTCCCTGTTCTGCTTCAGTGGCAGTGGATCTGGGACCTCTTATTC
TTCACAATCAGCAGCATGGAGGCTGAAGATGCTGCCACTTATTACTGTCAACAGT
GGACTACTACGTATACGTTTCGGATCGGGGACCAAGCTGGAGCTGAAACGT (SEQ ID
NO:300)

[0325] Amino acid sequence of the Ab-17 HC including signal peptide:

MGWNWIFFFLMAVVTGVNSEVQLRQSGADLVKPGASVKLSCTASGFNIKDYYIEIWVK
ORPEQGLEWIGRIDPDNGESTYVPKFQGKATTTADTSSNTAYLQLRSLTSEDTAIYYCGR
EGLDYGDDYYAVDYWGQGSVTVSS (SEQ ID NO:301)

[0326] Nucleic acid sequence of the Ab-17 HC including signal peptide:

ATGGGATGGAACTGGATCATCTTCTTCCTGATGGCAGTGGTTACAGGGGTCAATTCA
GAGGTGCAGTTGCGGCAGTCTGGGGCAGACCTTGTGAAGCCAGGGGCCTCAGTCAA
GTTGTCCTGCACAGCTTCTGGCTTCAACATTAAAGACTACTATATACTGGGTGAA
GCAGAGGCCTGAACAGGGCCTGGAGTGGATTGGAAGGATTGATCCTGATAATGGTG
AAAGTACATATGTCCCGAAGTTCCAGGGCAAGGCCACTATAACAGCAGACACATCA
TCCAACACAGCCTACCTACAACCTCAGAAGCCTGACATCTGAGGACACTGCCATCTA

TTATIGTGGGAGAGAGGGGCTCGACTATGGTGACTACTATGCTGTGGACTACTGGG
GTCAAGGAACCTCGGTCACAGTCTCGAGC (SEQ ID NO:302)

[0327] Ab-17 was humanized to generate Ab-18.

Ab-18

[0328] Amino acid sequence of the Ab-18 LC including signal peptide:

MDMRVPAQLLGLLLLWLPGARCDIQLTQSPSFLSASVGDRVTTTCSVSSSISSNLHWYQ
 QKPGKAPKLLIYGTSNLA\$GVPSRFSGSGSGTEFTLTISSLOPEDFATYYCQQWTTTYTF
 GQGTKLEIKR (SEQ ID NO:303)

[0329] Nucleic acid sequence of the Ab-18 LC including signal peptide:

ATGGATATGCGCGTGCCGGCGCAGCTGCTGGGCCTGCTGCTGCTGTGGCTGCCGGG
 CGCGCGCTGCGATATTCAGCTGACCCAGAGCCCGAGCTTTCTGAGCGCGAGCGTGG
 GCGATCGCGTGACCATTACCTGCAGCGTGAGCAGCAGCATTAGCAGCAGCAACCTG
 CATTGGTATCAGCAGAAACCGGGCAAAGCGCCGAAACTGCTGATTTATGGCACCAG
 CAACCTGGCGAGCGGCGTGCCGAGCCGCTTTAGCGGCAGCGGCAGCGGCACCGAAT
 TTACCCTGACCATTAGCAGCCTGCAGCCGGAAGATTTTGCGACCTATTATTGCCAGC
 AGTGGACCACCACCTATACCTTTGGCCAGGGCACCAAACTGGAAATTAAACGT (SEQ
 ID NO:304)

[0330] Amino acid sequence of the Ab-18 HC including signal peptide:

MDWTWSILFLVAAPTGAHSEVQLVQSGAEVKKPGASVKVSCKASGFNIKDYIHWVR
 QAPGQGLEWMGRIDPENGESTYVPKFGGRVTMTTDTSTSTAYMELRSLRSDDTAVYY
 CAREGLDYGDYYAVDYWGQGLVTVSS (SEQ ID NO:305)

[0331] Nucleic acid sequence of the Ab-18 HC including signal peptide:

ATGGATTGGACCTGGAGCATTCTGTTTCTGGTGGCGGCGCCGACCGGCGCGCATAG
 CGAAGTGCAGCTGGTGCAGAGCGGCGCGGAAGTGAAAAACCGGGCGCGAGCGTG
 AAAGTGAGCTGCAAAGCGAGCGGCTTTAACATTAAAGATTATTATTCATTGGGT
 GCGCCAGGCGCCGGGCGCAGGGCCTGGAATGGATGGGCGCGCATTGATCCGGATAACG
 GCGAAAGCACCTATGTGCCGAAATTTAGGGCCGCGTGACCATGACCACCGATAACC
 AGCACCAGCACCGCGTATATGGAAGTGCAGCCTGCGCAGCGATGATACCGCGGT
 GTATTATTGCGCGCGCGAAGGCCTGGATTATGGCGATTATTATGCGGTGGATTATTG
 GGGCCAGGGCACCCCTGGTGACCGTCTCGAGC (SEQ ID NO:306)

[0332] Ab-18 light chain variable domain amino acid sequence (without signal sequence):

DIQLTQSPSFLSASVGDRVTTTCSVSSSISSNLHWYQQKPGKAPKLLIYGTSNLA\$GVPS
 RFSGSGSGTEFTLTISSLOPEDFATYYCQQWTTTYTFGQGTKLEIKR (SEQ ID NO:368)

[0333] Ab-18 light chain variable domain DNA sequence (without signal sequence):

GATATTCAGCTGACCCAGAGCCCGAGCTTTCTGAGCGCGAGCGTGGGCGATCGCGT
 GACCATTACCTGCAGCGTGAGCAGCAGCATTAGCAGCAGCAACCTGCATTGGTATC
 AGCAGAAACCGGGCAAAGCGCCGAAACTGCTGATTTATGGCACCAGCAACCTGGCG
 5 AGCGGCGTGCCGAGCCGCTTTAGCGGCAGCGGCAGCGGCACCGAATTTACCCTGAC
 CATTAGCAGCCTGCAGCCGGAAGATTTTGCAGCCTATTATTGCCAGCAGTGGACCA
 CCACCTATACCTTTGGCCAGGGCACCAAACCTGGAAATTAAACGT (SEQ ID NO:369)

10 [0334] Ab-18 heavy chain variable domain amino acid sequence (without signal sequence):

EVQLVQSGAEVKKPGASVKVSCKASGFNIKDYTHWVRQAPGQGLEWMGRIDPDNGE
 15 STYVPKFQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCAREGLDYGDYYAVDYWG
 QGTLVTVSS (SEQ ID NO:370)

[0335] Ab-18 heavy chain variable domain DNA sequence (without signal sequence):

GAAGTGCAGCTGGTGCAGAGCGGCGCGGAAGTGAAAAACCGGGCGCGAGCGTGA
 AAGTGAGCTGCAAAGCGAGCGGCTTTAACATTAAAGATTATTATATTTCATTGGGTG
 CGCCAGGCGCCGGGGCCAGGGCCTGGAATGGATGGGCGGCATTGATCCGGATAACGG
 20 CGAAAGCACCTATGTGCCGAAATTTACGGGCGCGTGACCATGACCACCGATACCA
 25 GCACCAGCACCGCGTATATGGAAGTGCAGCCTGCGCAGCGATGATACCGCGGTG
 TATTATTGCGCGCGCAAGGCCTGGATTATGGCGATTATTATGCGGTGGATTATTGG
 GGCCAGGGCACCTGGTGACCGTCTCGAGC (SEQ ID NO:371)

30 Ab-19

[0336] Amino acid sequence of the Ab-19 LC including signal peptide:

MMSSAOFLLGLLLCFQGRCDIQMTQTTSSLSASLGDRVNISCRA~~SQDIS~~SYLNWYQQK
 35 PDGTVKLLIY~~STSR~~LNSGVPSRFSGSGSGTDYSLTISNLAQEDIATYFC~~QQDIKHPT~~FGGG
 TKLELKR (SEQ ID NO:307)

[0337] Nucleic acid sequence of the Ab-19 LC including signal peptide:

ATGATGTCCTCTGCTCAGTTCCTTGGTCTCCTGTTGCTCTGTTTTCAAGGTACCAGAT
 GTGATATCCAGATGACACAGACTACATCCTCCCTGTCTGCCTCTCTGGGAGACAGAG
 TCAACATCAGCTGCAGGGCAAAGTCAGGACATTAGCAGTTATTTAAACTGGTATCAG
 CAGAAACCAGATGGAAGTGTAAACTCCTGATCTACTCCACATCAAGATTAAACTC
 45 AGGAGTCCCATCAAGGTTCAAGTGGCAGTGGGTCTGGGACAGATTATTCTCTCACTAT
 50 TAGCAACCTGGCACAAGAAGATATTGCCACTTACTTTTGCCAACAGGATATTAAGC
 ATCCGACGTTCCGGTGGAGGCACCAAGTTGGAGCTGAAACGT (SEQ ID NO:308)

[0338] Amino acid sequence of the Ab-19 HC including signal peptide:

MEWIWIFLFLSGTAGVHSEVQLQQSGPELVKPGASVKMSCKASGFTFTDYIMHWVKQ
KPGQGLEWIGYINPYNDDTEYNEKFKGKATLTSDKSSSTAYMDLSSLTSEGSVYYCA
RSIYYDAPFAYWGQGTLVTVSS (SEQ ID NO:309)

[0339] Nucleic acid sequence of the Ab-19 HC including signal peptide:

ATGGAATGGATCTGGATATTTCTCTTCCTCCTGTCAGGAACTGCAGGTGTCCACTCT
GAGGTCCAGCTGCAGCAGTCTGGACCTGAGCTGGTAAAGCCTGGGGCTTCAGTGAA
GATGTCCTGCAAGGCTTCTGGGTTCACATTCAGTACTACATTATGCACTGGGTGAA
GCAGAAAGCCTGGGCAGGGCCTTGAGTGGATTGGATATATTAATCCTTACAATGATG
ATACTGAATACAATGAGAAGTTCAAAGGCCAAGGCCACACTGACTTCAGACAAATCC
TCCAGCACAGCCTACATGGATCTCAGCAGTCTGACCTCTGAGGGCTCTGCGGTCTAT
TACTGTGCAAGATCGATTTATTACTACGATGCCCCGTTTGCTTACTGGGGCCAAGGG
ACTCTGGTCACAGTCTCGAGC (SEQ ID NO:310)

[0340] Ab-19 was humanized to generate Antibody 20 (also referred to herein as Ab-20) and Antibody 23 (also referred to herein as Ab-23).

Ab-20

IgG4 version

[0341] Amino acid sequence of the Ab-20 LC including signal peptide:

MMSSAQFLGLLLLCFQGTCDIQMTQSPSSLSASVGDRTTTCRASQDISSYLNWYQQK
PGKAPKLLIYSTSRLNSGVPSRFSGSGSGTDFTLTISSLQPEDFATYYCQQDIKHPTFGQG
TKVEIKR (SEQ ID NO:311)

[0342] Nucleic acid sequence of the Ab-20 LC including signal peptide:

ATGATGTCCTCTGCTCAGTTCCTTGGTCTCCTGTTGCTCTGTTTTCAAGGTACCAGAT
GTGATATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGTGACCGTG
TCACCATCACTTGCCGCGCAAGTCAGGATATTAGCAGCTATTTAAATTGGTATCAGC
AGAAACCAGGGAAAGCCCCTAAGCTCCTGATCTATTCTACTTCCCGTTTGAATAGTG
GGGTCCCATCACGCTTCAGTGGCAGTGGCTCTGGGACAGATTTCACTCTCACCATCA
GCAGTCTGCAACCTGAAGATTTTGCAACTTACTACTGTCAACAGGATATTAAACACC
CTACGTTCCGGTCAAGGCACCAAGGTGGAGATCAAACGT (SEQ ID NO:312)

[0343] Amino acid sequence of the Ab-20 HC including signal peptide:

MEWIWIFLFLSGTAGVHSEVQLVQSGAEVKKPGSSVKVSCKASGFTFTDYIMHWVRQ
APGQGLEWMGYINPYNDDTEYNEKFKGRVTITADKSTSTAYMELSSLRSEDTAVYYCA
RSIYYDAPFAYWGQGTLVTVSS (SEQ ID NO:313)

[0344] Nucleic acid sequence of the Ab-20 HC including signal peptide:

ATGGAATGGATCTGGATATTTCTCTTCCTCCTGTCAGGAACTGCAGGTGTCCACTCT

5 GAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCTCGGTGAA
 GGTCTCCTGCAAGGCTTCTGGTTTTACCTTCACCGACTATATTATGCACTGGGTGCG
 TCAGGCCCTGGTCAAGGGCTTGAGTGGATGGGCTATATCAACCCTTATAATGATG
 ACACCGAATAACAACGAGAAGTTCAAGGGCCGTGTCACGATTACCGCGGACAAATCC
 10 ACGAGCACAGCCTACATGGAGCTGAGCAGCCTGCGCTCTGAGGACACGGCCGTGTA
 TTACTGTGCGCGTTTCGATTATTACTACGATGCCCCGTTTGCTTACTGGGGCCAAGG
 GACTCTGGTACAGTCTCGAGC (SEQ ID NO:349)

15 Ab-23

IgG2 version

Light Chain:

20

[0345] Amino acid sequence of the mature form (signal peptide removed) of the Ab-23 LC:

1 DIQMTQSPSS LSASVGDRVITCRASQDIS SYENWYQQKP GKAPKLLIYS
 25 51 TSRLNSGVPS RFSGSGSGTD FTLTISSLQPEDFATYYCQQ DIKHPTFGQG
 101 TKVEIKRTVA APSVFIFPPS DEQLKSGTAS VVCLLNNFYP REAKVQWKVD
 151 NALQSGNSQE SVTEQDSKDS TYSLSSTLTLSKADYEKHKV YACEVTHQGL
 201 SSPVTKSFNR GEC (SEQ ID NO:341)

30

[0346] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-23 LC:

1 GACATCCAGA TGACCCAGTC TCCATCCTCC CTGTCTGCAT CTGTAGGTGA
 35 51 CCGTGTCAACC ATCACTTGCC GCGCAAGTCA GGATATTAGC AGCTATTTAA
 101 ATTGGTATCA GCAGAAACCA GGGAAAGCCC CTAAGCTCCT GATCTATTCT
 151 ACTTCCCGTT TGAATAGTGG GGTCCCATCA CGCTTCAGTG GCAGTGGCTC
 201 TGGGACAGAT TCACTCTCA CCATCAGCAG TCTGCAACCT GAAGATTTTG
 40 251 CAACTTACTA CTGTCAACAG GATATTAAAC ACCCTACGTT CGGTCAAGGC
 301 ACCAAGGTGG AGATCAAACG TACGGTGGCT GCACCATCTG TCTTCATCTT
 351 CCCGCCATCT GATGAGCAGT TGAAATCTGG AACTGCCTCT GTTGTGTGCC
 401 TGCTGAATAA CTTCTATCCC AGAGAGGCCA AAGTACAGTG GAAGGTGGAT
 451 AACGCCCTCC AATCGGGTAA CTCCAGGAG AGTGTCACAG AGCAGGACAG
 501 CAAGGACAGC ACCTACAGCC TCAGCAGCAC CCTGACGCTG AGCAAAGCAG
 45 551 ACTACGAGAA ACACAAAGTC TACGCCTGCG AAGTCACCCA TCAGGGCCTG
 601 AGCTCGCCCG TCACAAAGAG CTTCAACAGG GGAGAGTGT (SEQ ID NO:342)

50 [0347] Amino acid sequence of the Ab-23 LC including signal peptide:

1 MDMRVPAQLL GLLLWLRLGA RCDIQMTQSP SLSASVGDR VTITCRASQD
 51 ISSYLNWYQQ KPGKAPKLLI YTSRLNSGV PSRFSGSGSG TDFTLTISSL
 55 101 QPEDFATYYC QQDIKHPTFG QGTKVEIKRT VAAPSVFIFP PSDEQLKSGT
 151 ASVVCLLNNF YPREAKVQWK VDNALQSGNS QESVTEQDSK DSTYLSSTL
 201 TLSKADYEKH KVVACEVTHQ GLSSPVTKSF NRGEC (SEQ ID NO:343)

[0348] Nucleic acid sequence of the Ab-23 LC including signal peptide encoding sequence:

1 ATGGACATGA GGGTGCCCGC TCAGCTCCTG GGGCTCCTGC TGCTGTGGCT
51 GAGAGGTGCC AGATGTGACA TCCAGATGAC CCAGTCTCCA TCCTCCCTGT

101 CTGCATCTGT AGGTGACCGT GTCACCATCA CTTGCCGCGC AAGTCAGGAT
151 ATTAGCAGCT ATTTAAATTG GTATCAGCAG AAACCAGGGA AAGCCCCTAA
201 GCTCCTGATC TATTCTACTT CCCGTTTGAA TAGTGGGGTC CCATCACGCT
251 TCAGTGGCAG TGGCTCTGGG ACAGATTTCA CTCTACCAT CAGCAGTCTG
301 CAACCTGAAG ATTTTGCAAC TTAATACTGT CAACAGGATA TTAAACACCC
351 TACGTTCCGT CAAGGCACCA AGGTGGAGAT CAAACGTACG GTGGCTGCAC
401 CATCTGTCTT CATCTTCCCG CCATCTGATG AGCAGTTGAA ATCTGGAAGT
451 GCCTCTGTTG TGTGCCTGCT GAATAACTTC TATCCCAGAG AGGCCAAAGT
501 ACAGTGGAAAG GTGGATAACG CCCTCCAATC GGGTAACTCC CAGGAGAGTG
551 TCACAGAGCA GGACAGCAAG GACAGCACCT ACAGCCTCAG CAGCACCTG
601 ACGCTGAGCA AAGCAGACTA CGAGAAACAC AAAGTCTACG CCTGCGAAGT
651 CACCCATCAG GGCCTGAGCT CGCCCGTCAC AAAGAGCTTC AACAGGGGAG
701 AGTGT (SEQ ID NO:344)

Heavy Chain:

[0349] Amino acid sequence of the mature form (signal peptide removed) of the Ab-23 HC:

1 EVQLVQSGAE VKKPGSSVKV SCKASGFTFT DYMHWVRQA PGQGLEWMGY
51 INPYNDDEY NEKFKGRVTI TADKSTSTAY MELSSLRSED TAVYYCARSI
101 YYYDAPEAYW GQGLVTVSS ASTKGPSVFP LAPCSRSTSE STAALGCLVK
151 DYFPEPVTVS WNSGALTSGV HTFPAVLQSS GLYSLSSVVT VPSSNFGTQT
201 YTCNVDHKPS NTKVDKTVR KCCVECPPCP APPVAGPSVF LFPPKPKDTL
251 MISRTPEVTC VVVDVSHEDP EVQFNWYVDG VEVHNAKTKP REEQFNSTFR
301 VVSVLTVVHQ DWLNGKEYKC KVSNGKLPAP IEKTISKTKG QPREPOVYTL
351 PPSREEMTKN QVSLTCLVKG FYPSDLAVEW ESNGQOPENNY KTTTPMLDSD
401 GSFFLYSKLT VDKSRWQQGN VFSCSVMHEA LHNHYTQKSL SLSPGK (SEQ ID
NO:345)

[0350] Amino acid sequence of the mature form (signal peptide removed) of the Ab-23 HC without carboxy-terminal lysine:

1 EVQLVQSGAE VKKPGSSVKV SCKASGFTFT DYMHWVRQA PGQGLEWMGY
51 INPYNDDEY NEKFKGRVTI TADKSTSTAY MELSSLRSED TAVYYCARSI
101 YYYDAPEAYW GQGLVTVSS ASTKGPSVFP LAPCSRSTSE STAALGCLVK
151 DYFPEPVTVS WNSGALTSGV HTFPAVLQSS GLYSLSSVVT VPSSNFGTQT
201 YTCNVDHKPS NTKVDKTVR KCCVECPPCP APPVAGPSVF LFPPKPKDTL
251 MISRTPEVTC VVVDVSHEDP EVQFNWYVDG VEVHNAKTKP REEQFNSTFR
301 VVSVLTVVHQ DWLNGKEYKC KVSNGKLPAP IEKTISKTKG QPREPOVYTL
351 PPSREEMTKN QVSLTCLVKG FYPSDLAVEW ESNGQOPENNY KTTTPMLDSD
401 GSFFLYSKLT VDKSRWQQGN VFSCSVMHEA LHNHYTQKSL SLSPG (SEQ ID
NO:396)

[0351] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-23 HC:

1 GAGGTGCAGC TGGTGCAGTC TGGGGCTGAG GTGAAGAAGC CTGGGTCCTC
 5 51 GGTGAAGGTC TCCTGCAAGG CTTCTGGTTT TACCTTCACC GACTATATTA
 101 TGCACCTGGGT GCGTCAGGCC CCTGGTCAAG GGCTTGAGTG GATGGGCTAT
 151 ATCAACCCTT ATAATGATGA CACCGAATAC AACGAGAAGT TCAAGGGCCG

 10 201 TGTCACGATT ACCGCGGACA AATCCACGAG CACAGCCTAC ATGGAGCTGA
 251 GCAGCCTGCG CTCTGAGGAC ACGGCCGTGT ATTACTGTGC GCGTTCGATT
 301 TATTACTACG ATGCCCCGTT TGCTTACTGG GGCCAAGGGA CTCTGGTCAC
 351 CGTCTCTAGT GCCTCCACCA AGGGCCCATC GGTCTTCCCC CTGGCGCCCT
 15 401 GCTCCAGGAG CACCTCCGAG AGCACAGCGG CCCTGGGCTG CCTGGTCAAG
 451 GACTACTTCC CCGAACCGGT GACGGTGTCG TGGAACCTAG GCGCTCTGAC
 501 CAGCGGCGTG CACACCTTCC CAGCTGTCCT ACAGTCCTCA GGACTCTACT
 551 CCCTCAGCAG CGTGGTGACC GTGCCCTCCA GCAACTTCGG CACCCAGACC
 601 TACACCTGCA ACGTAGATCA CAAGCCCAGC AACACCAAGG TGGACAAGAC
 20 651 AGTTGAGCGC AAATGTTGTG TCGAGTGCCC ACCGTGCCCC GCACCACCTG
 701 TGGCAGGACC GTCAGTCTTC CTCTTCCCCC CAAAACCCAA GGACACCCTC
 751 ATGATCTCCC GGACCCCTGA GGTCACGTGC GTGGTGGTGG ACGTGAGCCA
 801 CGAAGACCCC GAGGTCCAGT TCAACTGGTA CGTGGACGGC GTGGAGGTGC
 25 851 ATAATGCCAA GACAAAGCCA CGGGAGGAGC AGTTCAACAG CACGTTCCGT
 901 GTGGTCAGCG TCCTCACCGT TGTGCACCAG GACTGGCTGA ACGGCAAGGA
 951 GTACAAGTGC AAGGTCTCCA ACAAAGGCCT CCCAGCCCCC ATCGAGAAAA
 1001 CCATCTCCAA AACCAAAGGG CAGCCCCGAG AACCACAGGT GTACACCCTG
 1051 CCCCCATCCC GGGAGGAGAT GACCAAGAAC CAGGTCAGCC TGACCTGCCT
 30 1101 GGTCAAAGGC TTCTACCCCA GCGACATCGC CGTGGAGTGG GAGAGCAATG
 1151 GGCAGCCGGA GAACAACCTAC AAGACCACAC CTCCCATGCT GGACTCCGAC
 1201 GGCTCCTTCT TCCTCTACAG CAAGCTCACC GTGGACAAGA GCAGGTGGCA
 1251 GCAGGGGAAC GTCTTCTCAT GCTCCGTGAT GCATGAGGCT CTGCACAACC
 35 1301 ACTACACGCA GAAGAGCCTC TCCCTGTCTC CGGGTAAA (SEQ ID NO:346)

[0352] Amino acid sequence of the Ab-23 HC including signal peptide:

40 1 MDWTWRILFL VAAATGAHSE VQLVQSGAEV KKPSSSVKVS CKASGFTFTD
 51 YIMHWVRQAP GQGLEWMGYI NPYNDDTEYN EKFKGRVTIT ADKSTSTAYM
 101 ELSSLRSEDV AVYYCARSY YYDAPFAYWG QGTLVTVSSA STKGPSVFPL
 151 APCSRSTSES TAALGCLVKD YFPEPVTVSW NSGALTSGVH TFPVVLQSSG
 45 201 LYSLSVVTV PSSNFGTQTY TCNVDHKPSN TKVDKTVERK CCVECPPCA
 251 PPVAGPSVFL FPPKPKDTLM ISRTPEVTCV VVDVSHEDPE VQFNWYVDGV
 301 EVHNAKTKPR EEQFNSTFRV VSVLTVVHQD WLNGKEYKCK VSNKGLPAPI
 351 EKTISKTKGQ PREPQVYTL PPSREEMTKNQ VSLTCLVKGF YPSDIAVEWE
 401 SNGQPENNYK TTPPMLDSG SFFLYSKLTV DKSRLWQQGNV FSCSVMHEAL
 50 451 HNHYTQKSL LSPGK (SEQ ID NO:347)

[0353] Nucleic acid sequence of the Ab-23 HC including signal peptide encoding sequence:

55

1 ATGGA CTGGA CCTGGAGGAT CCTCTTCTTG GTGGCAGCAG CCACAGGAGC
 51 CCACTCCGAG GTGCAGCTGG TGCAGTCTGG GGCTGAGGTG AAGAAGCCTG
 101 GGTCCCTCGGT GAAGGTCTCC TGCAAGGCTT CTGGTTTAC CTTACCCGAC
 151 TATATTATGC ACTGGGTGCG TCAGGCCCTT GGTCAAGGGC TTGAGTGGAT
 201 GGGCTATATC AACCCCTTATA ATGATGACAC CGAATACAAC GAGAAGTTCA
 251 AGGGCCGTGT CACGATTACC GCGGACAAAT CCACGAGCAC AGCCTACATG
 301 GAGCTGAGCA GCCTGCGCTC TGAGGACACG GCCGTGTATT ACTGTGCGCG
 351 TTCGATTTAT TACTACGATG CCCC GTTTGC TTA CTGGGGC CAAGGGACTC
 401 TGGTCACCGT CTCTAGTGCC TCCACCAAGG GCCCATCGGT CTTCCCCCTG
 451 GCGCCCTGCT CCAGGAGCAC CTCCGAGAGC ACAGCGGCC TGGGCTGCCT
 501 GGTCAAGGAC TACTTCCCCG AACCGGTGAC GGTGTCGTGG AACTCAGGCG
 551 CTCTGACCAG CGGCGTGCAC ACCTTCCCAG CTGTCCTACA GTCCTCAGGA

601 CTCTACTCCC TCAGCAGCGT GGTGACCGTG CCCTCCAGCA ACTTCGGCAC
 651 CCAGACCTAC ACCTGCAACG TAGATCACAA GCCCAGCAAC ACCAAGGTGG
 701 ACAAGACAGT TGAGCGCAA TGTGTGTGCG AGTGCCCACC GTGCCCAGCA
 751 CCACCTGTGG CAGGACCGTC AGTCTTCCTC TTCCCCCAA AACCCAAGGA
 801 CACCCTCATG ATCTCCCGGA CCCCTGAGGT CACGTGCGTG GTGGTGGACG
 851 TGAGCCACGA AGACCCCGAG GTCCAGTTCA ACTGGTACGT GGACGGCGTG
 901 GAGGTGCATA ATGCCAAGAC AAAGCCACGG GAGGAGCAGT TCAACAGCAC
 951 GTTCCGTGTG GTCAGCGTCC TCACCGTTGT GCACCAGGAC TGGCTGAACG
 1001 GCAAGGAGTA CAAGTGCAAG GTCTCCAACA AAGGCCTCCC AGCCCCATC
 1051 GAGAAAACCA TCTCCAAAAC CAAAGGGCAG CCCCAGAAAC CACAGGTGTA
 1101 CACCCTGCCC CCATCCCGGG AGGAGATGAC CAAGAACCAG GTCAGCCTGA
 1151 CCTGCCTGGT CAAAGGCTTC TACCCAGCG ACATCGCCGT GGAGTGGGAG
 1201 AGCAATGGGC AGCCGGAGAA CAACTACAAG ACCACACCTC CCATGCTGGA
 1251 CTCCGACGGC TCCTTCTTCC TCTACAGCAA GCTCACCCTG GACAAGAGCA
 1301 GGTGGCAGCA GGGGAACGTC TTCTCATGCT CCGTGATGCA TGAGGCTCTG
 1351 CACAACCACT ACACGCAGAA GAGCCTCTCC CTGTCTCCGG GTAAA (SEQ ID
 NO:348)

[0354] The CDR (complementarity determining region) sequences in the variable region of the heavy chain of Ab-23 are as follows:

CDR-H1: DYIMH (SEQ ID NO:269)

CDR-H2: YINPYNDDEYNEKFKG (SEQ ID NO:270)

CDR-H3: SIYYDAPFAY (SEQ ID NO:271)

[0355] The light chain variable region CDR sequences of Ab-23 are:

CDR-L1: RASQDISSYLN (SEQ ID NO:239)

CDR-L2: STSRLNS (SEQ ID NO:240)

CDR-L3: QQDIKHPT (SEQ ID NO:241)

[0356] Ab-23 Variable domains:

[0357] Ab-23 light chain variable domain amino acid sequence (without signal sequence):

DIQMTQSPSS LSASVGDRVIT ITCRASQDIS SYLNWYQQKP GKAPKLLIYS
 TSRLNSGVPS RFSGSGSGTD FTLTISSLQP EDFATYYCQQ DIKHPTFGQG
 TKVEIK (SEQ ID NO:364)

[0358] Ab-23 light chain variable domain DNA sequence (without signal sequence):

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGTGACCGTGTC
 ACC ATCACTTGCC GCGCAAGTCA GGATATTAGC AGCTATTAAATTGGTATCA
 GCAGAAACCA GGGAAAGCCC CTAAGCTCCT GATCTATTCTACTTCCCGTT
 TGAATAGTGG GGTCCCATCA CGCTTCAGTG GCAGTGGCTCTGGGACAGAT
 TTCACTCTCA CCATCAGCAG TCTGCAACCT GAAGATTTTGCAACTTACTA
 CTGTCAACAG GATATTAAAC ACCCTACGTT CGGTCAAGGCACCAAGGTGG
 AGATCAAA (SEQ ID NO:365)

[0359] Ab-23 heavy chain variable domain amino acid sequence (without signal sequence):

EVQLVQSGAE VKKPGSSVKV SCKASGFTFT DYIMHWVRQA
 PGQGLEWMGYINPYNDDEY NEKFKGRVTI TADKSTSTAY MELSSLRSED
 TAVYYCARSIIYYDAPFAYW GQGLVTVSS (SEQ ID NO:366)

[0360] Ab-23 heavy chain variable domain DNA sequence (without signal sequence):

GAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCTCGGTGAA
 GGTC TCCTGCAAGG CTTCTGGTTT TACCTTCACC GACTATATTATGCACTGGGT
 GCGTCAGGCC CCTGGTCAAG GGCTTGAGTG GATGGGCTATATCAACCCTT
 ATAATGATGA CACCGAATAC AACGAGAAGT TCAAGGGCCGTGTCACGATT
 ACCGCGGACA AATCCACGAG CACAGCCTAC ATGGAGCTGAGCAGCCTGCG
 CTCTGAGGAC ACGGCCGTGT ATTACTGTGC GCGTTCGATTTATTACTACG
 ATGCCCCGTT TGCTTACTGG GGCCAAGGGACTCTGGTCACCGTCTCTAGT (SEQ ID
 NO:367)

Ab-21

[0361] Amino acid sequence of the Ab-21 LC including signal peptide:

MKSOTQVFVYMLLWLSGVEGDIVMTQSHKFMSTSVGDRVITITCKASQDYFIAVAWYQ
QKPGQSPKLLIYWASTRHTGVPDRFTGSGSGTDFTLTISNVQSEDLADYFCQQYSSYPLT
FGAGTKLELKR (SEQ ID NO:315)

[0362] Nucleic acid sequence of the Ab-21 LC including signal peptide:

ATGAAGTCACAGACCCAGGTCTTTGTATACATGTTGCTGTGGTGTCTGGTGTGAA
 GGAGACATTGTGATGACCCAGTCTCACAATTCATGTCCACGTCAGTAGGAGACAG
 GGTACCATCACCTGCAAGGCCAGTCAGGATGTCTTTACTGCTGTAGCCTGGTATCA
 5 ACAGAAACCAGGACAATCTCCTAAACTACTGATTTACTGGGCATCCACCCGGCACA
 CTGGAGTCCCTGATCGCTTCACAGGCAGTGGATCTGGGACAGATTTCACTCTCACCA
 TTAGCAATGTGCAGTCTGAAGACTTGGCAGATTATTTCTGTCAACAATATAGCAGCT
 ATCCTCTCACGTTTCGGTGTCTGGGACCAAGTTGGAGCTGAAACGT (SEQ ID NO:316)

[0363] Amino acid sequence of the Ab-21 HC including signal peptide:

MGWNWIIFFLMAVVTGVNSEVQLQOSGAELVRPGALVKLSCKASGFNIKDYMHVWV
 15 KORPEOGLEWIGRIDPENGDIYDPKFGKASITTDSSNTAYLQLSSLTSEDVAVYYCA
 YDAGDPAWFTYWGQGTLLTVSS (SEQ ID NO:317)

[0364] Nucleic acid sequence of the Ab-21 HC including signal peptide:

ATGGGATGGAACTGGATCATCTTCTTCCTGATGGCAGTGGTTACAGGGGTCAATTCA
 GAGGTTGAGCTGCAGCAGTCTGGGGCTGAGCTTGTGAGGCCAGGGGCTTAGTCAA
 25 GTTGTCCTGCAAAGCTTCTGGCTTCAATATTAAGACTACTATATGCACTGGGTGAA
 GCAGAGGCCTGAACAGGGCCTGGAGTGGATTGGAAGGATTGATCCTGAGAATGGTG
 ATATTATATATGACCCGAAGTTCAGGGCAAGGCCAGTATAACAACAGACACATCC
 TCCAACACAGCCTACCTGCAGCTCAGCAGCCTGACGTCTGAGGACACTGCCGTCTAT
 TACTGTGCTTACGATGCTGGTGACCCCGCCTGGTTTACTTACTGGGGCCAAGGGACT
 30 CTGGTCACCGTCTCGAGC (SEQ ID NO:318)

[0365] Ab-21 was humanized to yield Ab-22.

Ab-22

[0366] Amino acid sequence of the Ab-22 LC including signal peptide:

MDMRVPAOLLGLLLLWLRGARCDIQMTQSPSSLSASVGDRVTTTCASQDVFTAVAW
 40 YQKPGKAPKLLIYWASTRHTGVPSRFSGSGSGTDFTLTISSLQPEDFATYYCQQYSSYP
 LTFGGGTKEIKR (SEQ ID NO:319)

[0367] Nucleic acid sequence of the Ab-22 LC including signal peptide:

ATGGATATGCGCGTGCCGGCGCAGCTGCTGGGCCTGCTGCTGCTGTGGCTGCGCGG
 50 CGCGCGCTGCGATATCCAGATGACCCAGAGCCCGAGCAGCCTGAGCGCGAGCGTGG
 GCGATCGCGTGACCATTACCTGCAAAGCGAGCCAGGATGTGTTTACCGCGGTGGCG
 TGGTATCAGCAGAAACCGGGCAAAGCGCCGAAACTGCTGATTTATTGGGCGAGCAC
 CCGCCATACCGGCGTGCCGAGTCGCTTTAGCGGCAGCGGCAGCGGCACCGATTTTA
 55 CCCTGACCATTAGCAGCCTGCAGCCGGAAGATTTTGCAGCCTATTATTGCCAGCAGT
 ATAGCAGCTATCCGCTGACCTTTGGCGGCGGCACCAAAGTGGAATTAAACGT (SEQ
 ID NO:320)

[0368] Amino acid sequence of the Ab-22 HC including signal peptide:

MDWTWSILFLVAAPTGAHSEVQLVQSGAEVKKPGASVKVSCKASGFNIKDYMHVW
 RQAPGQGLEWIGRIDPENGDIIYDPKFQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYC
 AYDAGDPAWFTYWGQGTLLTVSS (SEQ ID NO:321)

[0369] Nucleic acid sequence of the Ab-22 HC including signal peptide:

ATGGATTGGACCTGGAGCATTCTGTTTCTGGTGGCGGCGCCGACCGGCGCGCATAG
 CGAAGTGCAGCTGGTGCAGAGCGGCGCGGAAGTGAAAAACCGGGCGCGAGCGTG
 AAAGTGAGCTGCAAAGCGAGCGGCTTTAACATTAAAGATTATTATATGCATTGGGT
 GCGCCAGGCGCCGGGCGCAGGGCCTGGAATGGATCGGCCGCATTGATCCGGAAAAC
 GCGGATATTATTTATGATCCGAAATTTAGGGCCGCGTGACCATGACCACCGATACC
 AGCACCAGCACCGCGTATATGGAAGTGCAGCCTGCGCAGCGATGATACCGCGGT
 GTATTATTGCGCGTATGATGCGGGCGATCCGGCGTGTTTACCTATTGGGGCCAGGG
 CACCCTGGTGACCGTCTCGAGC (SEQ ID NO:322)

[0370] Ab-22 light chain variable domain amino acid sequence (without signal sequence):

DIQMTQSPSSLSASVGDRVTITCKASQDVF TAVAWYQQKP GKAPKLLIYW
 ASTRHTGVPS RFSGSGSGTD FTLTISSLQP EDFATYYCQQ YSSYPLTFGG
 GTKVEIKR (SEQ ID NO:336)

[0371] Ab-22 light chain variable domain DNA sequence (without signal sequence):

GATATCCAGATGACCCAGAGCCCGAGCAGCCTGAGCGCGAGCGTGGGCGATCGCGT
 GACCATTACCTGCAAAGCGAGCCAGGATGTGTTTACCGCGGTGGCGTGGTATCAGC

AGAAACCGGGCAAAGCGCCGAAACTGCTGATTTATTGGGCGAGCACCCGCCATACC
 GGCGTGCCGAGTCGCTTTAGCGGCAGCGGCAGCGGCACCGATTTTACCCTGACCAT
 TAGCAGCCTGCAGCCGGAAGATTTTGCAGCCTATTATTGCCAGCAGTATAGCAGCT
 ATCCGCTGACCTTTGGCGGCGGCACCAAAGTGGAATTAAACGT (SEQ ID NO:337)

[0372] Ab-22 heavy chain variable domain amino acid sequence (without signal sequence):

EVQLVQSGAE VKKPGASVKV SCKASGFNIK DYMHWVRQA
 PGQGLEWIGRIDPENGDIIY DPKFQGRVTM TTDSTSTAY MELRSLRSDD
 TAVYYCAYDAGDPAWFTYWG QGTLLTVSS (SEQ ID NO:338)

[0373] Ab-22 heavy chain variable domain DNA sequence (without signal sequence):

GAAGTGCAGCTGGTGCAGAGCGGCGCGGAAGTGAAAAACCGGGCGCGAGCGTGA
 AAGTGAGCTGCAAAGCGAGCGGCTTTAACATTAAAGATTATTATATGCATTGGGTG
 CGCCAGGCGCCGGGCGCAGGGCCTGGAATGGATCGGCCGCATTGATCCGGAACG
 GCGATATTATTTATGATCCGAAATTCAGGGCCGCGTGACCATGACCACCGATACCA
 GCACCAGCACCGCGTATATGGAAGTGCAGCCTGCGCAGCGATGATACCGCGGTG
 TATTATTGCGCGTATGATGCGGGCGATCCGGCGTGGTTTACCTATTGGGGCCAGGGC
 ACCCTGGTGACCGTCTCGAGC (SEQ ID NO:339).

[0374] For Ab-18, Ab-20, and Ab-22, the light chain human kappa constant region is as follows:

TVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD
 SKDSTYSLSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC* (SEQ ID NO:325)

and the heavy chain human gamma-4 constant region is as follows:

ASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSS
 GLYSLSSVVTVPSSSLGTQTYTCNVDPKPSNTKVDKRVEVKYGPCCPCPAPFLGGPSV
 FLFPPKPKDTLMISRTPEVTCVVDVSDPEVQFNWYVDGVEVHNAKTKPREEQFNS
 TYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPSQEE
 MTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSRLTVDKSR
 WQEGNVFSCSVMEALHNHYTQKSLSLGLK* (SEQ ID NO:326)

[0375] The hinge region contains the Ser-241-Pro mutation to improve hinge stability (Angal S et al, (1993), Mol Immunol, 30(1), 105-108).

Ab-24

[0376] The sequences of Antibody 24 (also referred to herein as Ab-24) LC and HC are as follows:

Light Chain:

[0377] Amino acid sequence of the mature form (signal peptide removed) of the Ab-24 LC:

1 DIVLTQSPAS LA VSLGQRAT IACKASQSD YDGTSYMNWY QOKPGQPPKL
 51 LIYAASNLES EIPARFSGTG SGTDFTLNIH PVEBEDITY YCQQSNEDEP

101 IFGGGKLEI KRADAAPTVS IFPPSSEQLT SGGASVVCFL NNFYPKDINV
 151 KWKIDGSERQ NGVLNSWTDQ DSKDSTYSMS STLTLTKDEY ERHNSYTCEA
 201 THKTSTSPIV KSFNRNEC (SEQ ID NO:350)

[0378] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-24 LC:

1 GACATTGTGT TGACCCAGTC TCCAGCTTCT TTGGCTGTGT CTCTAGGGCA
 51 GAGGGCCACC ATCGCCTGCA AGGCCAGCCA AAGTGTTGAT TATGATGGTA
 101 CTAGTTATAT GAATTGGTAC CAACAGAAAC CAGGACAGCC ACCCAAATC
 151 CTCATCTATG CTGCATCCAA TCTAGAATCT GAGATCCCAG CCAGGTTTAG
 201 TGGCACTGGG TCTGGGACAG ACTTCACCCT CAACATCCAT CCTGTGGAGG
 251 AGGAGGATAT CACAACCTAT TACTGTCAGC AAAGTAATGA GGATCCGTTT
 301 ACGTTCGGAG GGGGGACCAA GTTGGAATA AAACGGGCTG ATGCTGCACC
 351 AACTGTATCC ATCTTCCCAC CATCCAGTGA GCAGTTAACA TCTGGAGGTG
 401 CCTCAGTCGT GTGCTTCTTG AACAACTTCT ACCCCAAAGA CATCAATGTC
 451 AAGTGGAAGA TTGATGGCAG TGAACGACAA AATGGCGTCC TGAACAGTTG
 501 GACTGATCAG GACAGCAAAG ACAGCACCTA CAGCATGAGC AGCACCTCA
 551 CGTTGACCAA GGACGAGTAT GAACGACATA ACAGCTATAC CTGTGAGGCC
 601 ACTCACAAGA CATCAACTTC ACCCATTGTC AAGAGCTTCA ACAGGAATGA
 651 GTGTTAG (SEQ ID NO:354)

[0379] Amino acid sequence of the Ab-24 LC including signal peptide:

1 METDTILLWV LLLWVPGSTG DIVLTQSPAS LAVSLGQRAT IACKASQSVD
 51 YDGTSYMNWY QQKPGQPPKL LIYAASNLES EIPARFSGTG SGTDFTLNH
 101 PVEEEDITTY YCQSQSNEDPF TFGGGTKLEI KRADAAPTVS IFPPSEQLT
 151 SGGASVVCFL NNFYPKDINV KWKIDGSERQ NGVLNSWTDQ DSKDSTYSMS
 201 STLTLTKDEY ERHNSYTCEA THKTSTSPIV KSFNRNEC (SEQ ID NO:355)

[0380] Nucleic acid sequence of the Ab-24 LC including signal peptide encoding sequence:

1 ATGGAGACAG ACACAATCCT GCTATGGGTG CTGCTGCTCT GGGTTCCAGG
 51 CTCCACTGGT GACATTGTGT TGACCCAGTC TCCAGCTTCT TTGGCTGTGT
 101 CTCTAGGGCA GAGGGCCACC ATCGCCTGCA AGGCCAGCCA AAGTGTTGAT
 151 TATGATGGTA CTAGTTATAT GAATTGGTAC CAACAGAAAC CAGGACAGCC
 201 ACCCAAATC CTCATCTATG CTGCATCCAA TCTAGAATCT GAGATCCCAG
 251 CCAGGTTTAG TGGCACTGGG TCTGGGACAG ACTTCACCCT CAACATCCAT
 301 CCTGTGGAGG AGGAGGATAT CACAACCTAT TACTGTCAGC AAAGTAATGA
 351 GGATCCGTTT ACGTTCGGAG GGGGGACCAA GTTGGAATA AAACGGGCTG
 401 ATGCTGCACC AACTGTATCC ATCTTCCCAC CATCCAGTGA GCAGTTAACA
 451 TCTGGAGGTG CCTCAGTCGT GTGCTTCTTG AACAACTTCT ACCCCAAAGA
 501 CATCAATGTC AAGTGGAAGA TTGATGGCAG TGAACGACAA AATGGCGTCC
 551 TGAACAGTTG GACTGATCAG GACAGCAAAG ACAGCACCTA CAGCATGAGC
 601 AGCACCTCA CGTTGACCAA GGACGAGTAT GAACGACATA ACAGCTATAC
 651 CTGTGAGGCC ACTCACAAGA CATCAACTTC ACCCATTGTC AAGAGCTTCA
 701 ACAGGAATGA GTGTTAG (SEQ ID NO:356)

[0381] Ab-24 Heavy Chain:

[0382] Amino acid sequence of the mature form (signal peptide removed) of the Ab-24 HC:

1 QVQLQQPGTE LVRPGTSVKL SCKASGYIFT IYWMNWVKQR PGQGLEWIGM
 51 IHPSASEIRL DQKFKDKATL TLDKSSSTAY MHLSGPTSVD SAVYYCARSG
 101 EWGSMDYWGQ GTSVTVSSAK TPPSVYPLA PGSAAQTNSM VTLGCLVKGY
 151 FPEPVTVTWN SGSLSSGVHT FPAVLQSDLY TLSSSVTVPS STWPSETVTC
 201 NVAHPASSTK VDKKIVPRDC GCKPCICTVP EVSSVFIFPP KPKDVLITL
 251 TPKVTCVVVD ISKDDPEVQF SWFVDDVEVH TAQTQPREEQ FNSTFRSVSE
 301 LPIMHQDWLN GKEFKCRVNS AAFPAPIEKT ISKTKGRPKA PQVYTIPPPK
 10 351 EQMAKDKVSL TCMITDFFPE DITVEWQWNG QPAENYKNTQ PIMDTDGSYF
 401 IYSKLVNQKS NWEAGNTFTC SVLHEGLHNH HTEKSLSHSP GK (SEQ ID NO:357)

[0383] Nucleic acid sequence encoding the mature form (signal peptide removed) of the Ab-24 HC:

1 CAGGTCCAAC TACAGCAGCC TGGGACTGAG CTGGTGAGGC CTGGAACCTC
 51 AGTGAAGTTG TCCTGTAAGG CTTCTGGCTA CATCTTCACC ACCTACTGGA
 101 TGAAGTGGGT GAAACAGAGG CCTGGACAAG GCCTTGAGTG GATTGGCATG
 20 151 ATTCATCCTT CCGCAAGTGA AATTAGGTTG GATCAGAAAT TCAAGGACAA
 201 GGCCACATTG ACTCTTGACA AATCCTCCAG CACAGCCTAT ATGCACCTCA
 251 GCGGCCCGAC ATCTGTGGAT TCTGCGGTCT ATTACTGTGC AAGATCAGGG
 301 GAATGGGGGT CTATGGACTA CTGGGGTCAA GGAACCTCAG TCACCGTCTC
 25 351 CTCAGCCAAA ACGACACCCC CATCTGTCTA TCCACTGGCC CCTGGATCTG
 401 CTGCCCAAAC TAACTCCATG GTGACCCTGG GATGCCTGGT CAAGGGCTAT
 451 TTCCCTGAGC CAGTGACAGT GACCTGGAAC TCTGGATCCC TGTCCAGCGG
 501 TGTGCACACC TTCCCAGCTG TCCTGCAGTC TGACCTCTAC ACTCTGAGCA
 551 GCTCAGTGAC TGTCCCCTCC AGCACCTGGC CCAGCGAGAC CGTCACCTGC
 30 601 AACGTTGCCC ACCCGGCCAG CAGCACCAAG GTGGACAAGA AAATTGTGCC
 651 CAGGGATTGT GGTTGTAAGC CTTGCATATG TACAGTCCCA GAAGTATCAT
 701 CTGTCTTCAT CTTCCCCCCA AAGCCCAAGG ATGTGCTCAC CATTACTCTG
 751 ACTCCTAAGG TCACGTGTGT TGTGGTAGAC ATCAGCAAGG ATGATCCCGA
 35 801 GGTCCAGTTC AGCTGGTTTG TAGATGATGT GGAGGTGCAC ACAGCTCAGA
 851 CGCAACCCCG GGAGGAGCAG TTCAACAGCA CTTTCCGCTC AGTCAGTGAA
 901 CTTCCCATCA TGCACCAGGA CTGGCTCAAT GGCAAGGAGT TCAAATGCAG
 951 GGTCAACAGT GCAGCTTTCC CTGCCCCCAT CGAGAAAACC ATCTCCAAAA
 1001 CCAAAGGCAG ACCGAAGGCT CCACAGGTGT ACACCATTC ACCTCCCAAG
 40 1051 GAGCAGATGG CCAAGGATAA AGTCAGTCTG ACCTGCATGA TAACAGACTT
 1101 CTTCCCTGAA GACATTACTG TGGAGTGGCA GTGGAATGGG CAGCCAGCGG
 1151 AGAACTACAA GAACACTCAG CCCATCATGG ACACAGATGG CTCTTACTTC
 1201 ATCTACAGCA AGCTCAATGT GCAGAAGAGC AACTGGGAGG CAGGAAATAC
 45 1251 TTTCACCTGC TCTGTGTTAC ATGAGGGCCT GCACAACCAC CATACTGAGA
 1301 AGAGCCTCTC CCACTCTCCT GGTAATGA (SEQ ID NO:361)

[0384] Amino acid sequence of the Ab-24 HC including signal peptide:

1 MGWSSILFL VATATGVHSQ VQLQQPGTEL VRPGTSVKLS CKASGYIFTT
 51 YWMNWVKQRP GQGLEWIGMI HPSASEIRLD QKFKDKATLT LDKSSSTAYM
 101 HLSGPTSVD S AVYYCARSGE WGSMDYWGQG TSVTVSSAKT TPPSVYPLAP

151 GSAAQTNSMV TLGCLVKGYF PEPVTVTWNS GSLSSGVHTF PAVLQSDLYT
 201 LSSSVTVPPSS TWPSETVTCN VAHPASSTKV DKKIVPRDCG CKPCICTVPE
 251 VSSVFIFPPK PKDVLITLT PKVTCVVVDI SKDDPEVQFS WFVDDDEVHT
 301 AQTQPREEQF NSTFRSVSEL PIMHQDWLNG KEFKCRVNSA AFPAPIEKTI
 351 SKTKGRPKAP QVYTIPPPKE QMAKDKVSLT CMTDFFPED ITVEWQWNGQ
 401 PAENYKNTQP IMDTDGSYFI YSKLNVQKSN WEAGNTFTCS VLHEGLHNNH
 451 TEKSLSHSPG K (SEQ ID NO:362)

[0385] Nucleic acid sequence of the Ab-24 HC including signal peptide encoding sequence:

1 ATGGGATGGA GCTCTATCAT CCTCTTCTTG GTAGCAACAG CTACAGGTGT
 51 CCACTCCCAG GTCCAACTAC AGCAGCCTGG GACTGAGCTG GTGAGGCCTG
 101 GAACTTCAGT GAAGTTGTCC TGTAAGGCTT CTGGCTACAT CTTCACCACC
 151 TACTGGATGA ACTGGGTGAA ACAGAGGCCT GGACAAGGCC TTGAGTGGAT
 201 TGGCATGATT CATCCTTCCG CAAGTGAAAT TAGGTTGGAT CAGAAATTCA
 251 AGGACAAGGC CACATTGACT CTTGACAAAT CCTCCAGCAC AGCCTATATG
 301 CACCTCAGCG GCCCGACATC TGTGGATTCT GCGGTCTATT ACTGTGCAAG
 351 ATCAGGGGAA TGGGGGTCTA TGGACTACTG GGGTCAAGGA ACCTCAGTCA
 401 CCGTCTCCTC AGCCAAAACG ACACCCCCAT CTGTCTATCC ACTGGCCCCCT
 451 GGATCTGCTG CCCAACTAA CTCCATGGTG ACCCTGGGAT GCCTGGTCAA
 501 GGGCTATTTT CCTGAGCCAG TGACAGTGAC CTGGAAGTCT GGATCCCTGT
 551 CCAGCGGTGT GCACACCTT CCAGCTGTCC TGCAGTCTGA CCTCTACACT
 601 CTGAGCAGCT CAGTGACTGT CCCCTCCAGC ACCTGGCCCA GCGAGACCGT
 651 CACCTGCAAC GTTGCCCAAC CGGCCAGCAG CACCAAGGTG GACAAGAAAA
 701 TTGTGCCCAG GGATTGTGGT TGTAAGCCTT GCATATGTAC AGTCCCAGAA
 751 GTATCATCTG TCTTCATCTT CCCCCAAAG CCAAGGATG TGCTCACCAT
 801 TACTCTGACT CCTAAGGTCA CGTGTGTTGT GGTAAGACATC AGCAAGGATG
 851 ATCCCGAGGT CCAGTTCAGC TGGTTTGTAG ATGATGTGGA GGTGCACACA
 901 GCTCAGACGC AACCCCGGGA GGAGCAGTTC AACAGCACTT TCCGCTCAGT
 951 CAGTGAAGTT CCCATCATGC ACCAGGACTG GCTCAATGGC AAGGAGTTCA
 1001 AATGCAGGGT CAACAGTGCA GCTTTCCTG CCCCCATCGA GAAAACCATC
 1051 TCCAAAACCA AAGGCAGACC GAAGGCTCCA CAGGTGTACA CCATTCCACC
 1101 TCCAAGGAG CAGATGGCCA AGGATAAAGT CAGTCTGACC TGCATGATAA
 1151 CAGACTTCTT CCCTGAAGAC ATTACTGTGG AGTGGCAGTG GAATGGGCAG
 1201 CCAGCGGAGA ACTACAAGAA CACTCAGCCC ATCATGGACA CAGATGGCTC
 1251 TTAATTTCATC TACAGCAAGC TCAATGTGCA GAAGAGCAAC TGGGAGGCAG
 1301 GAAATACTTT CACCTGCTCT GTGTTACATG AGGGCCTGCA CAACCACCAT
 1351 ACTGAGAAGA GCCTCTCCCA CTCTCCTGGT AAATGA (SEQ ID NO:363)

[0386] The CDR sequences in the variable region of the light chain of Ab-24 are as follows:

CDR-L1: KASQSVDYDGTSYMN (SEQ ID NO:351)

CDR-L2: AASNLES (SEQ ID NO:352)

CDR-L3: QQSNEPFT (SEQ ID NO:353)

[0387] The CDR sequences in the variable region of the heavy chain of Ab-24 are as follows:

CDR-H1: TYWMN (SEQ ID NO:358)

CDR-H2: MIHPSASEIRLDQKFKD (SEQ ID NO:359)

CDR-H3: SGEWGSMDY (SEQ ID NO:360)

[0388] Table 1 below provides the SEQ ID NOs and amino acid sequences of the CDR's of Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24. L1, L2, and L3 refer to light chain CDR's 1, 2, and 3, and H1, H2, and H3 refer to heavy chain CDR's 1, 2, and 3 according to the Kabat numbering system Kabat et al., 1987 in Sequences of Proteins of Immunological Interest, U.S. Department of Health and Human Services, NIH, USA).

Table 1		
SEQ ID NO	DESCRIPTION	AMINO ACID SEQUENCE
54	Ab-A and Ab-1 CDR-L1	QSSQSVYDNNWLA
55	Ab-A and Ab-1 CDR-L2	DASDLAS
56	Ab-A and Ab-1 CDR-L3	QGAYNDVIYA
51	Ab-A and Ab-1 CDR-H1	SYWMN
52	Ab-A and Ab-1 CDR-H2	TIDSGGRTDYASWAKG
53	Ab-A and Ab-1 CDR-H3	NWNL
60	Ab-B CDR-L1	SASSSVSFVD
61	Ab-B CDR-L2	RTSNLGF
62	Ab-B CDR-L3	QQRSTYPPT
57	Ab-B CDR-H1	TSGMGVG
58	Ab-B CDR-H2	HIWWDDVKRYNPVLKS
59	Ab-B CDR-H3	EDFDYDEEYYAUDY
48	Ab-C CDR-L1	KASQSVDYDCDSYMN
49	Ab-C CDR-L2	AASNLES
50	Ab-C CDR-L3	QQSNEDPWT
45	Ab-C CDR-H1	DCYMN
46	Ab-C CDR-H2	DINPFNGGTTYNQKFKG
47	Ab-C CDR-H3	SHYYFDGRVPWDAMDY
42	Ab-D CDR-L1	QASQGTSINLN
43	Ab-D CDR-L2	GSSNLED
44	Ab-D CDR-L3	LQHSYLPYT
39	Ab-D CDR-H1	DHYMS
40	Ab-D CDR-H2	DINPYSGETTYNQKFKG
41	Ab-D CDR-H3	DDYDASPFAY
275	Ab-2 CDR-L 1	RASSSVYYMH
276	Ab-2 CDR L2	ATSNLAS
277	Ab-2 CDR-L3	QQWSSDPLT
287	Ab-2 CDR-H1	DYFIH
288	Ab-2.CDR-H2	RLDPEDGESDYAPKFQD
289	Ab-2 CDR-H3	EDYDGTYTFFPY
278	Ab-3 and Ab-15 CDR-L1	SVSSTISSNHLH
279	Ab-3 and Ab-15 CDR-L2	GTSNLAS
280	Ab-3 and Ab-15 CDR-L3	QQWSSYPLT
290	Ab-3 and Ab-15 CDR-H1	DFYLH

EP 2 325 199 A1

(continued)

Table 1		
SEQ ID NO	DESCRIPTION	AMINO ACID SEQUENCE
291	Ab-3 and Ab-15 CDR-H2	RIDPENGDTLYDPKFQD
292	Ab-3 and Ab-15 CDR-H3	EADYFHDGTSYWFYFDV
78	Ab-4 and Ab-5 CDR-L1	RASQDISNYLN
79	Ab-4 and Ab-5 CDR-L2	YTSRLLS
80	Ab-4 and Ab-5 CDR-L3	QQGDTLPYT
245	Ab-4 and Ab-5 CDR-H1	DYNMH
246	Ab-4 and Ab-5 CDR-H2	EINPNSGGAGYNQKFKG
247	Ab-4 and Ab-5 CDR-H3	LGYDDIYDDWYFDV
81	Ab-6 CDR-L 1	RASQDISNYLN
99	Ab-6 CDR-L2	YTSRLHS
100	Ab-6 CDR-L3	QQGDTLPYT
248	Ab-6 CDR-H1	DYNMH
249	Ab-6 CDR-H2	EINPNSGGSGYNQKFKG
250	Ab-6 CDR-H3	LVYDGSYEDWYFDV
101	Ab-7 CDR-L1	RASQVITNYLY
102	Ab-7 CDR-L2	YTSRLHS
103	Ab-7 CDR-L3	QQGDTLPYT
251	Ab-7 CDR-H1	DYNMH
252	Ab-7 CDR-H2	EINPNSGGAOYNQQFKG
253	Ab-7 CDR-H3	LGYVGNYEDWYFDV
104	Ab-8 CDR-L1	RASQDISNYLN
105	Ab-8 CDR-L2	YTSRLLS
106	Ab-8 CDR-L3	QQGDTLPYT
254	Ab-8 CDR-H1	DYNMH
255	Ab-8 CDR-H2	EINPNSGGAGYNQKFKG
256	Ab-8 CDR-H3	LGYDDIYDDWYFDV
107	Ab-9 CDR-L1	RASQDISNYLN
108	Ab-9 CDR-L2	YTSRLFS
109	Ab-9 CDR-L3	QQGDTLPYT
257	Ab-9 CDR-H1	DYNMH
258	Ab-9 CDR-H2	EINPNSGGAGYNQKFKG
259	Ab-9 CDR-H3	LGYDDIYDDWYFDV
110	Ab-10CDR-L1	RASQDISNYLN
111	Ab-10 CDR-L2	YTSRLLS
112	Ab-10 CDR-L3	QQGDTLPYT
260	Ab-10 CDR-H1	DYNMH
261	Ab-10 CDR-H2	EINPNSGGAGYNQKFKG

EP 2 325 199 A1

(continued)

Table 1		
SEQ ID NO	DESCRIPTION	AMINO ACID SEQUENCE
262	Ab-10 CDR-H3	LGYYDDIYDDWYFDV
281	Ab-11 and Ab-16 CDR-L1	RASSSISYIH
282	Ab-11 and Ab-16 CDR-L2	ATSNLAS
283	Ab-11 and Ab-16 CDR-L3	QQWSSDPLT
293	Ab-11 and Ab-16 CDR-H1	DYYIH
294	Ab-11 and Ab-16 CDR-H2	RVDPDNGETEFAPKFPG
295	Ab-11 and Ab-16 CDR-H3	EDYDGTYTWFY
113	Ab-12 CDR-L1	RASQDISNYLN
114	Ab-12 CDR-L2	YTSTLQS
115	Ab-12 CDR-L3	QQGDTLPYT
263	Ab-12 CDR-H1	DYNMH
264	Ab-12 CDR-H2	EINPNSGGSGYNQKFKG
265	Ab-12 CDR-H3	LGYYGNYEDWYFDV
284	Ab-13 and Ab-14 CDR-L1	RASSSVTSSYLN
285	Ab-13 and Ab-14 CDR-L2	STSNLAS
286	Ab-13 and Ab-14 CDR-L3	QQYDFFPST
296	Ab-13 and Ab-14 CDR-H1	DYYMN
297	Ab-13 and Ab-14 CDR-H2	DINPYNDDTTYNHKFKG
298	Ab-13 and Ab-14 CDR-H3	ETAVITTNAMD
116	Ab-17 and Ab-18 CDR L1	SVSSSISSSNLH
237	Ab-17 and Ab-18 CDR-L2	GTSNLAS
238	Ab-17 and Ab-18 CDR-L3	QQWTTTYT
266	Ab-17 and Ab-18 CDR-H1	DYYIH
267	Ab-17 and Ab-18 CDR-H2	RIDPDNGESTYVPKFQG
268	Ab-17 and Ab-18 CDR-H3	EGLDYGDYYAVDY
239	Ab-19, Ab-20 and Ab-23 CDR-L1	RASQDISSYLN
240	Ab-19, Ab-20 and Ab-23 CDR-L2	STSRNLNS
241	Ab-19, Ab-20 and Ab-23 CDR-L3	QQDIKHPT
269	Ab-19, Ab-20 and Ab-23 CDR-H1	DYIMH
270	Ab-19, Ab-20 and Ab-23 CDR-H2	YINPYNDDTEYNEKFKG
271	Ab-19, Ab-20 and Ab-23 CDR-H3	SIYYDAPFAY
242	Ab-21 and Ab-22 CDR-L1	KASQDVFTAVA
243	Ab-21 and Ab-22 CDR-L2	WASTRHT
244	Ab-21 and Ab-22 CDR-L3	QQYSSYPLT
272	Ab-21 and Ab-22 CDR-H1	DYYMH
273	Ab-21 and Ab-22 CDR-H2	RIDPENGDIIDPKFQG
274	Ab-21 and Ab-22 CDR-H3	DAGDPAWFTY

(continued)

Table 1		
SEQ ID NO	DESCRIPTION	AMINO ACID SEQUENCE
351	Ab-24 CDR-L1	KASQSVDYDGTSYMN
352	Ab-24 CDR-L2	AASNLES
353	Ab-24 CDR-L3	QQSNEDPFT
358	Ab-24 CDR-H1	TYWMN
359	Ab-24 CDR-H2	MIHPSASEIRLDQKPKD
360	Ab-24 CDR-H3	SGEWGSM DY

[0389] An oligopeptide or polypeptide is within the scope of the invention if it has an amino acid sequence that is at least 75%, 76%, 77%, 78%, 79%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% identical to least one of the CDR's of Table 1 above; and/or to a CDR of a sclerostin binding agent that cross-blocks the binding of at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24 to sclerostin, and/or is cross-blocked from binding to sclerostin by at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24; and/or to a CDR of a sclerostin binding agent wherein the binding agent can block the inhibitory effect of sclerostin in a cell based mineralization assay (*i.e.* a sclerostin neutralizing binding agent); and/or to a CDR of a sclerostin binding agent that binds to a Loop 2 epitope; and/or to a CDR of a sclerostin binding agent that binds to a T20.6 epitope; and/or to a CDR of a sclerostin binding agent that binds to a "T20.6 derivative (cystine-knot + 4 arms)" epitope.

[0390] Sclerostin binding agent polypeptides and antibodies are within the scope of the invention if they have amino acid sequences that are at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% identical to a variable region of at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24, and cross-block the binding of at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24 to sclerostin, and/or are cross-blocked from binding to sclerostin by at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24; and/or can block the inhibitory effect of sclerostin in a cell based mineralization assay (*i.e.* a sclerostin neutralizing binding agent); and/or bind to a Loop 2 epitope; and/or bind to a T20.6 epitope; and/or bind to a "T20.6 derivative (cystine-knot + 4 arms)" epitope.

[0391] Polynucleotides encoding sclerostin binding agents are within the scope of the invention if they have polynucleotide sequences that are at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% identical to a polynucleotide encoding a variable region of at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24, and wherein the encoded sclerostin binding agents cross-block the binding of at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24 to sclerostin, and/or are cross-blocked from binding to sclerostin by at least one of antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24; and/or can block the inhibitory effect of sclerostin in a cell based mineralization assay (*i.e.* a sclerostin neutralizing binding agent); and/or bind to a Loop 2 epitope; and/or bind to a T20.6 epitope; and/or bind to a "T20.6 derivative (cystine-knot + 4 arms)" epitope.

[0392] Antibodies according to the invention may have a binding affinity for human sclerostin of less than or equal to $1 \times 10^{-7}M$, less than or equal to $1 \times 10^{-8}M$, less than or equal to $1 \times 10^{-9}M$, less than or equal to $1 \times 10^{-10}M$, less than or equal to $1 \times 10^{-10}M$, or less than or equal to $1 \times 10^{-12}M$.

[0393] The affinity of a binding agent such as an antibody or binding partner, as well as the extent to which a binding agent (such as an antibody) inhibits binding, can be determined by one of ordinary skill in the art using conventional techniques, for example those described by Scatchard et al. (Ann. N.Y. Acad. Sci. 51:660-672 (1949)) or by surface plasmon resonance (SPR; BIAcore, Biosensor, Piscataway, NJ). For surface plasmon resonance, target molecules are immobilized on a solid phase and exposed to ligands in a mobile phase running along a flow cell. If ligand binding to the

immobilized target occurs, the local refractive index changes, leading to a change in SPR angle, which can be monitored in real time by detecting changes in the intensity of the reflected light. The rates of change of the SPR signal can be analyzed to yield apparent rate constants for the association and dissociation phases of the binding reaction. The ratio of these values gives the apparent equilibrium constant (affinity) (see, e.g., Wolff et al., Cancer Res. 53:2560-65 (1993)).

[0394] An antibody according to the present invention may belong to any immunoglobulin class, for example IgG, IgE, IgM, IgD, or IgA. It may be obtained from or derived from an animal, for example, fowl (e.g., chicken) and mammals, which includes but is not limited to a mouse, rat, hamster, rabbit, or other rodent, cow, horse, sheep, goat, camel, human, or other primate. The antibody may be an internalizing antibody. Production of antibodies is disclosed generally in U.S. Patent Publication No. 2004/0146888 A1.

Characterization Assays

[0395] In the methods described above to generate antibodies according to the invention, including the manipulation of the specific Ab-A, Ab-B, Ab-C, Ab-D, and Antibody 1-24 (Ab-1 to Ab-24) CDRs into new frameworks and/or constant regions, appropriate assays are available to select the desired antibodies or binding agents (*i.e.* assays for determining binding affinity to sclerostin; cross-blocking assays; Biacore-based "human sclerostin peptide epitope competition binding assay;" MC3T3-E1 cell based assay; *in vivo* assays).

Epitope Binding Assays

[0396] Mature form human sclerostin is a 190 amino acid glycoprotein with a cystine-knot structure (Figures 8 and 9). In addition to the cystine-knot structure, the protein is characterized as having three loops designated as Loop 1, Loop 2 and Loop 3. Human sclerostin was subjected to proteolytic digestion to produce fragments. Briefly, using different proteases, including trypsin, aspN, and lysC, fragments with various cleavage sites and sizes were generated. The sequences and mass for various human sclerostin peptides were determined. Antibody protection was evaluated to determine the effect on accessibility for proteolysis, including clipped site masking and peptide shifting. Finally, a Biacore-based "human sclerostin peptide epitope competition assay" was performed.

[0397] Exposure of sclerostin to trypsin cleavage resulted in a pattern of peptide fragments as summarized in Figure 13. The fragments are referred to as T19.2, T20, T20.6, and T21-22. As shown schematically in Figure 19B, the T20.6 epitope is a complex of four separate peptide sequences which are joined by the three disulfide bonds of the cystine-knot region. Two of the peptides are joined by two disulfide bonds. The other two peptides are linked by one disulfide bond that, schematically, bisects the first two polypeptides.

[0398] The T20.6 epitope that was generated by trypsin digestion retains the cystine-knot structure of the native polypeptide and is recognized by antibodies Ab-C and Ab-D. A derivative of epitope T20.6 consists of the cystine-knot region and amino acids 58-64, 73-81, 112-117 and 138-141 in sequence position with reference to SEQ ID NO:1. This derivative epitope is shown in Figure 21. An epitope comprising the cystine-knot region may have one or more amino acids that is present in the T20.6 epitope (Figure 19B) but not present in the T20.6 derivative epitope (Figure 21).

[0399] Another epitope-containing region was identified in the Loop 2 region of human sclerostin (Figure 19A) and is recognized by antibodies Ab-A and Ab-B. A Loop 2 epitope comprises amino acids 86-111 of SEQ ID NO:1 (C4GPARLLPNAIGRGKWWRPSPGPDFRC5, SEQ ID NO:6). Sterically, with reference to full-length sclerostin of SEQ ID NO:1, the Loop 2-containing structure is defined at one end by a disulfide bond between cysteine at position 86 (C4) and cysteine at position 144 (C8), and at the other end by a disulfide bond between cysteine at position 111 (C5) and cysteine at position 57 (C1).

[0400] The peptides generated by aspN cleavage of human sclerostin are shown in Figure 12. In the Figure, these peptides are designated as AspN14.6, AspN18.6, and AspN22.7-23.5, and are also referred to herein as N14.6, N18.6, and N22.7-23.5, respectively.

[0401] One group of antibodies exhibits a specific pattern of binding to certain epitopes as evidenced by a Biacore-based "human sclerostin peptide epitope competition binding assay." Briefly, the antibody is preincubated with the epitope to be tested, at concentrations that will saturate the epitope-binding sites on the antibody. The antibody is then exposed to sclerostin bound to a chip surface. After the appropriate incubation and washing procedures, a pattern of competitive binding is established. As shown in Figure 18, exemplary antibody Ab-D bound to sclerostin molecules attached to the surface of the chip. Preincubation of antibody Ab-D with sclerostin decreased the binding of the antibody to the sclerostin on the chip to close to zero. Preincubation with a peptide consisting of epitope T19.2 showed that T19.2 did not compete with sclerostin for antibody binding. However, preincubation with any one of the epitopes designated T20, T20.6, T21-22, or N22.7-23.5 abolished a large proportion of the binding of antibody to sclerostin on the chip. In contrast, preincubation of the antibody with any one of the epitopes designated T19.2, N14.6 or N18.6 did not abolish the ability of the antibody to bind to sclerostin. A second exemplary antibody with this binding profile (Fig. 17) is Ab-C.

[0402] Antibody Ab-D therefore is exemplary and representative of a group of antibodies that bind to the epitopes

T20, T20.6, T21-22, and N22.7-23.5, and have minimal detectable binding to epitopes T19.2, N14.6 and N18.6, as measured by the ability to block antibody binding to sclerostin. Antibodies having this characteristic binding pattern may or may not share amino acid sequence in one or more regions of the antibody molecule. Antibody similarity is determined functionally such as by the ability to bind to sclerostin following preincubation with each of the epitopes described above.

Antibodies that exhibit a binding pattern similar or identical to that of antibody Ab-D are included in the invention. By "similar to" is meant, for example, the antibody will exhibit binding to each of the polypeptides T20, T20.6, T21-22 and N22.7-23.5 whereby this binding will specifically compete out at least 50% of the antibody's binding to sclerostin that would otherwise occur in the absence of preincubation with sclerostin or a sclerostin peptide. The antibody will also exhibit little or no detectable binding to polypeptides T19.2, N14.6 and N18.6, resulting in a reduction of 30% or less of the binding that would occur in the absence of preincubation with sclerostin or a sclerostin peptide.

[0403] For example, without being bound by a particular mechanism, the antibody binding pattern of Figure 18 suggests that the epitope space to which antibody Ab-D and other antibodies having the epitope binding pattern of Ab-D bind consists of a polypeptide comprising the cystine-knot region of sclerostin.

[0404] Thus, as disclosed herein and with reference to Figure 19B, an exemplary T20.6 epitope comprises four peptide chains attached via three separate disulfide bonds. Peptide chain SAKPVTELC3SGQC4GPAR (SEQ ID NO:3) is attached to peptide chain LVASC7KC8KRLTR (SEQ ID NO:5) by disulfide bonds from C3 to C7, and from C4 to C8. Peptide chain DVSEYSCIRBLHFTR (SEQ ID NO:2) is attached to peptide chain WWRPSGPDFRC5IPDRYR (SEQ ID NO:4) by a disulfide bond from C1 to C5. The polypeptides of SEQ ID NOs:3 and 5 remain associated with the polypeptides of SEQ ID NOs:2 and 4 through a steric construct whereby the C1-C5 bond crosses the plane of the C4-C8 and C3-C7 bonds and is located between them, as illustrated in Figure 19B.

[0405] As disclosed herein and with reference to Figure 21, an exemplary derivative epitope of T20.6 comprises four peptide chains attached via three separate disulfide bonds. Peptide chain SAKPVTELC3SGQC4 (SEQ ID NO:70) is attached to peptide chain LVASC7KC8 (SEQ ID NO:71) by disulfide bonds from C3 to C7, and from C4 to C8. Peptide chain CIRELHFTR (SEQ ID NO:72) is attached to peptide chain C5IPDRYR (SEQ ID NO:73) by a disulfide bond from C1 to C5. The polypeptides of SEQ ID NOs:70 and 71 remain associated with the polypeptides of SEQ ID NOs:72 and 73 through a steric construct whereby the C1-C5 bond crosses the plane of the C4-C8 and C3-C7 bonds and is located between them, as illustrated in Figure 21.

[0406] Antibody Ab-A is exemplary and representative of a second group of antibodies that have a characteristic binding pattern to human sclerostin peptides that is distinct from that obtained for antibodies Ab-C and Ab-D. Ab-A and the group of antibodies it represents bind to the N22.7-23.5 epitope and have minimal detectable binding to epitopes T19.2, T20, T20.6, T21-22, N14.6 or N18.6, as measured by the ability to block antibody binding to sclerostin (Fig 15). A second exemplary antibody with this binding profile (Fig. 16) is Ab-B. Antibodies having this characteristic binding pattern may or may not share amino acid sequence in one or more regions of the antibody molecule. Antibody similarity is determined functionally such as by the ability to bind to sclerostin following preincubation with each of the epitopes described above. Antibodies that exhibit a binding pattern similar or identical to that of antibody Ab-A are included in the invention. By "similar to" is meant, for example, the antibody will exhibit binding to the N22.7-23.5 polypeptide whereby this binding will specifically compete out at least 50% of the antibody's binding to sclerostin that would otherwise occur in the absence of preincubation with sclerostin or a sclerostin peptide. The antibody will also exhibit little or no detectable binding to polypeptides T19.2, T20, T20.6, T21-22, N14.6 and N18.6, resulting in a reduction of 30% or less of the binding that would occur in the absence of preincubation with sclerostin or a sclerostin peptide.

[0407] For example, without being bound by a particular mechanism, the antibody binding pattern of Figure 15 suggests that the epitope space to which antibody Ab-A and other antibodies having the epitope binding pattern of Ab-A bind consists of a polypeptide comprising the Loop 2 region of sclerostin. Thus, as disclosed herein and with reference to Figure 19A, the Loop 2 region can be described as a linear peptide, but it acquires a tertiary structure when it is present in native sclerostin or a cystine-knot-containing portion of sclerostin in which the native disulfide bond structure is maintained. The linear or tertiary structure of the Loop 2 epitope can affect antibody binding thereto, as discussed in the Examples. A Loop 2 region can comprise the following amino acid sequence: C4GPARLLPNAIGRGKWWRPSGPDFRC5 (SEQ ID NO:6). "C4" refers to a cysteine residue located at position 86 with reference to SEQ ID NO:1. "C5" refers to a cysteine residue located at position 111 with reference to SEQ ID NO:1. In native sclerostin protein, C4 is linked to a cysteine at position 144 (C8) by a disulfide bond, and C5 is linked to a cysteine at position 57 (C1) by a disulfide bond. Epitopes derived from the Loop 2 region include CGPARLLPNAIGRGKWWRPS (SEQ ID NO:63); GPARLLPNAIGRGKWWRPSG (SEQ ID NO:64); PARLLPNAIGRGKWWRPSGP (SEQ ID NO:65); ARLLPNAIGRGKWWRPSGPD (SEQ ID NO:66); RLLPNAIGRGKWWRPSGPDF (SEQ ID NO:67); LLPNAIGRGKWWRPSGPDFR (SEQ ID NO:68); and LP-NAIGRGKWWRPSGPDFRC (SEQ ID NO:69).

CROSS-BLOCKING ASSAYS

[0408] The terms "cross-block", "cross-blocked" and "cross-blocking" are used interchangeably herein to mean the

ability of an antibody or other binding agent to interfere with the binding of other antibodies or binding agents to sclerostin.

[0409] The extent to which an antibody or other binding agent is able to interfere with the binding of another to sclerostin, and therefore whether it can be said to cross-block according to the invention, can be determined using competition binding assays. One particularly suitable quantitative assay uses a Biacore machine which can measure the extent of interactions using surface plasmon resonance technology. Another suitable quantitative cross-blocking assay uses an ELISA-based approach to measure competition between antibodies or other binding agents in terms of their binding to sclerostin.

BIACORE CROSS-BLOCKING ASSAY

[0410] The following generally describes a suitable Biacore assay for determining whether an antibody or other binding agent cross-blocks or is capable of cross-blocking according to the invention. For convenience reference is made to two antibodies, but it will be appreciated that the assay can be used with any of the sclerostin binding agents described herein. The Biacore machine (for example the Biacore 3000) is operated in line with the manufacturer's recommendations.

[0411] Thus in one cross-blocking assay, sclerostin is coupled to a CM5 Biacore chip using standard amine coupling chemistry to generate a sclerostin-coated surface. Typically 200-800 resonance units of sclerostin would be coupled to the chip (an amount that gives easily measurable levels of binding but that is readily saturable by the concentrations of test reagent being used).

[0412] The two antibodies (termed A* and B*) to be assessed for their ability to cross-block each other are mixed at a one to one molar ratio of binding sites in a suitable buffer to create the test mixture. When calculating the concentrations on a binding site basis the molecular weight of an antibody is assumed to be the total molecular weight of the antibody divided by the number of sclerostin binding sites on that antibody.

[0413] The concentration of each antibody in the test mix should be high enough to readily saturate the binding sites for that antibody on the sclerostin molecules captured on the Biacore chip. The antibodies in the mixture are at the same molar concentration (on a binding basis) and that concentration would typically be between 1.00 and 1.5 micromolar (on a binding site basis).

[0414] Separate solutions containing antibody A* alone and antibody B* alone are also prepared. Antibody A* and antibody B* in these solutions should be in the same buffer and at the same concentration as in the test mix.

[0415] The test mixture is passed over the sclerostin-coated Biacore chip and the total amount of binding recorded. The chip is then treated in such a way as to remove the bound antibodies without damaging the chip-bound sclerostin. Typically this is done by treating the chip with 30 mM HCl for 60 seconds.

[0416] The solution of antibody A* alone is then passed over the sclerostin-coated surface and the amount of binding recorded. The chip is again treated to remove all of the bound antibody without damaging the chip-bound sclerostin.

[0417] The solution of antibody B* alone is then passed over the sclerostin-coated surface and the amount of binding recorded.

[0418] The maximum theoretical binding of the mixture of antibody A* and antibody B* is next calculated, and is the sum of the binding of each antibody when passed over the sclerostin surface alone. If the actual recorded binding of the mixture is less than this theoretical maximum then the two antibodies are cross-blocking each other.

[0419] Thus, in general, a cross-blocking antibody or other binding agent according to the invention is one which will bind to sclerostin in the above Biacore cross-blocking assay such that during the assay and in the presence of a second antibody or other binding agent of the invention the recorded binding is between 80% and 0.1% (e.g. 80% to 4%) of the maximum theoretical binding, specifically between 75% and 0.1% (e.g. 75% to 4%) of the maximum theoretical binding, and more specifically between 70% and 0.1% (e.g. 70% to 4%) of maximum theoretical binding (as just defined above) of the two antibodies or binding agents in combination.

[0420] The Biacore assay described above is a primary assay used to determine if antibodies or other binding agents cross-block each other according to the invention. On rare occasions particular antibodies or other binding agents may not bind to sclerostin coupled via amine chemistry to a CMS Biacore chip (this usually occurs when the relevant binding site on sclerostin is masked or destroyed by the coupling to the chip). In such cases cross-blocking can be determined using a tagged version of Sclerostin, for example N-terminal His-tagged Sclerostin (R & D Systems, Minneapolis, MN, USA; 2005 cat# 1406-ST-025). In this particular format, an anti-His antibody would be coupled to the Biacore chip and then the His-tagged Sclerostin would be passed over the surface of the chip and captured by the anti-His antibody. The cross blocking analysis would be carried out essentially as described above, except that after each chip regeneration cycle, new His-tagged sclerostin would be loaded back onto the anti-His antibody coated surface. In addition to the example given using N terminal His-tagged Sclerostin, C-terminal His-tagged sclerostin could alternatively be used. Furthermore, various other tags and tag binding protein combinations that are known in the art could be used for such a cross-blocking analysis (e.g. HA tag with anti-HA antibodies; FLAG tag with anti-FLAG antibodies; biotin tag with streptavidin).

ELISA-BASED CROSS-BLOCKING ASSAY

[0421] The following generally describes an ELISA assay for determining whether an anti-sclerostin antibody or other sclerostin binding agent cross-blocks or is capable of cross-blocking according to the invention. For convenience, reference is made to two antibodies (Ab-X and Ab-Y), but it will be appreciated that the assay can be used with any of the sclerostin binding agents described herein.

[0422] The general principal of the assay is to have an anti-sclerostin antibody coated onto the wells of an ELISA plate. An excess amount of a second, potentially cross-blocking, anti-sclerostin antibody is added in solution (*i.e.* not bound to the ELISA plate). A limited amount of sclerostin is then added to the wells. The coated antibody and the antibody in solution compete for binding of the limited number of sclerostin molecules. The plate is washed to remove sclerostin that has not been bound by the coated antibody and to also remove the second, solution phase antibody as well as any complexes formed between the second, solution phase antibody and sclerostin. The amount of bound sclerostin is then measured using an appropriate sclerostin detection reagent. An antibody in solution that is able to cross-block the coated antibody will be able to cause a decrease in the number of sclerostin molecules that the coated antibody can bind relative to the number of sclerostin molecules that the coated antibody can bind in the absence of the second, solution phase, antibody.

[0423] This assay is described in more detail further below for Ab-X and Ab-Y. In the instance where Ab-X is chosen to be the immobilized antibody, it is coated onto the wells of the ELISA plate, after which the plates are blocked with a suitable blocking solution to minimize non-specific binding of reagents that are subsequently added. An excess amount of Ab-Y is then added to the ELISA plate such that the moles of Ab-Y sclerostin binding sites per well are at least 10 fold higher than the moles of Ab-X sclerostin binding sites that were used, per well, during the coating of the ELISA plate. Sclerostin is then added such that the moles of sclerostin added per well are at least 25-fold lower than the moles of Ab-X sclerostin binding sites that were used for coating each well. Following a suitable incubation period the ELISA plate is washed and a sclerostin detection reagent is added to measure the amount of sclerostin specifically bound by the coated anti-sclerostin antibody (in this case Ab-X). The background signal for the assay is defined as the signal obtained in wells with the coated antibody (in this case Ab-X), second solution phase antibody (in this case Ab-Y), sclerostin buffer only (*i.e.* no sclerostin) and sclerostin detection reagents. The positive control signal for the assay is defined as the signal obtained in wells with the coated antibody (in this case Ab-X), second solution phase antibody buffer only (*i.e.* no second solution phase antibody), sclerostin and sclerostin detection reagents. The ELISA assay needs to be run in such a manner so as to have the positive control signal be at least 6 times the background signal.

[0424] To avoid any artifacts (*e.g.* significantly different affinities between Ab-X and Ab-Y for sclerostin) resulting from the choice of which antibody to use as the coating antibody and which to use as the second (competitor) antibody, the cross-blocking assay needs to be run in two formats:

- 1) format 1 is where Ab-X is the antibody that is coated onto the ELISA plate and Ab-Y is the competitor antibody that is in solution and
- 2) format 2 is where Ab-Y is the antibody that is coated onto the ELISA plate and Ab-X is the competitor antibody that is in solution.

[0425] Ab-X and Ab-Y are defined as cross-blocking if, either in format 1 or in format 2, the solution phase anti-sclerostin antibody is able to cause a reduction of between 60% and 100%, specifically between 70% and 100%, and more specifically between 80% and 100%, of the sclerostin detection signal (*i.e.* the amount of sclerostin bound by the coated antibody) as compared to the sclerostin detection signal obtained in the absence of the solution phase anti-sclerostin antibody (*i.e.* the positive control wells).

[0426] An example of such an ELISA-based cross blocking assay can be found in Example 7 ("ELISA-based cross-blocking assay").

CELL BASED NEUTRALIZATION ASSAY

[0427] Mineralization by osteoblast lineage cells in culture, either primary cells or cell lines, is used as an *in vitro* model of bone formation. Mineralization takes from about one to six weeks to occur beginning with the induction of osteoblast-lineage cell differentiation by one or more differentiation agents. The overall sequence of events involves cell proliferation, differentiation, extracellular matrix production, matrix maturation and finally deposition of mineral, which refers to crystallization and/or deposition of calcium phosphate. This sequence of events starting with cell proliferation and differentiation, and ending with deposition of mineral is referred to herein as mineralization. Measurement of calcium (mineral) is the output of the assay.

[0428] MC3T3-E1 cells (Sudo H, Kodama H-A, Amagai Y, Yamamoto S, Kasai S. 1983. In vitro differentiation and

calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. J. Cell Biol. 96:191-198) and subclones of the original cell line can form mineral in culture upon growth in the presence of differentiating agents. Such subclones include MC3T3-E1-BF (Smith E, Redman R, Logg C, Coetzee G, Kasahara N, Frenkel B. 2000. Glucocorticoids inhibit developmental stage-specific osteoblast cell cycle. J. Biol. Chem. 275:19992-20001). For both the MC3T3-E1-BF subclone as well as the original MC3T3-E1 cells, sclerostin can inhibit one or more of the sequence of events leading up to and including mineral deposition (*i.e.* sclerostin inhibits mineralization). Anti-sclerostin antibodies that are able to neutralize sclerostin's inhibitory activity allow for mineralization of the culture in the presence of sclerostin such that there is a statistically significant increase in deposition of calcium phosphate (measured as calcium) as compared to the amount of calcium measured in the sclerostin-only (*i.e.* no antibody) treatment group. The antibodies used in the cell based mineralization assay experiments shown in Figures 22, 23 and 24 have molecular weights of about 145 Kd and have 2 sclerostin binding sites per antibody molecule.

[0429] When running the assay with the goal of determining whether a particular anti-sclerostin antibody or anti-sclerostin binding agent can neutralize sclerostin (*i.e.*, is a sclerostin neutralizing antibody or derivative thereof, or is a sclerostin neutralizing binding agent), the amount of sclerostin used in the assay needs to be the minimum amount of sclerostin that causes at least a 70%, statistically significant, reduction in deposition of calcium phosphate (measured as calcium) in the sclerostin-only group, as compared to the amount of calcium measured in the no sclerostin group. An anti-sclerostin neutralizing antibody or an anti-sclerostin neutralizing binding agent is defined as one that causes a statistically significant increase in deposition of calcium phosphate (measured as calcium) as compared to the amount of calcium measured in the sclerostin-only (*i.e.* no antibody, no binding agent) treatment group. To determine whether an anti-sclerostin antibody or an anti-sclerostin binding agent is neutralizing or not, the amount of anti-sclerostin antibody or anti-sclerostin binding agent used in the assay needs to be such that there is an excess of moles of sclerostin binding sites per well as compared to the number of moles of sclerostin per well. Depending on the potency of the antibody, the fold excess that may be required can be 24, 18, 12, 6, 3, or 1.5, and one of skill is familiar with the routine practice of testing more than one concentration of binding agent. For example, a very potent anti-sclerostin neutralizing antibody or anti-sclerostin neutralizing binding agent will be able to neutralize sclerostin even when there is less than a 6-fold excess of moles of sclerostin binding sites per well as compared to the number of moles of sclerostin per well. A less potent anti-sclerostin neutralizing antibody or anti-sclerostin neutralizing binding agent will be able to neutralize sclerostin only at a 12, 18 or 24 fold excess. Sclerostin binding agents within this full range of potencies are suitable as neutralizing sclerostin binding agents. Exemplary cell based mineralization assays are described in detail in Example 8.

[0430] Anti-sclerostin antibodies and derivatives thereof that can neutralize human sclerostin, and sclerostin binding agents that can neutralize human sclerostin may be of use in the treatment of human conditions/disorders that are caused by, associated with, or result in at least one of low bone formation, low bone mineral density, low bone mineral content, low bone mass, low bone quality and low bone strength.

IN VIVO NEUTRALIZATION ASSAY

[0431] Increases in various parameters associated with, or that result from, the stimulation of new bone formation can be measured as an output from *in vivo* testing of sclerostin binding agents in order to identify those binding agents that are able to neutralize sclerostin and thus able to cause stimulation of new bone formation. Such parameters include various serum anabolic markers [*e.g.* osteocalcin, P1NP (n-terminal propeptide of type 1 procollagen)], histomorphometric markers of bone formation (*e.g.* osteoblast surface/bone surface; bone formation rate/bone surface; trabecular thickness), bone mineral density, bone mineral content, bone mass, bone quality and bone strength. A sclerostin neutralizing binding agent is defined as one capable of causing a statistically significant increase, as compared to vehicle treated animals, in any parameter associated with, or that results from, the stimulation of new bone formation. Such *in vivo* testing can be performed in any suitable mammal (*e.g.* mouse, rat, monkey). An example of such *in vivo* testing can be found in Example 5 ("*In vivo* testing of anti-sclerostin monoclonal antibodies").

[0432] Although the amino acid sequence of sclerostin is not 100% identical across mammalian species (*e.g.* mouse sclerostin is not 100% identical to human sclerostin), it will be appreciated by one skilled in the art that a sclerostin binding agent that can neutralize, *in vivo*, the sclerostin of a certain species (*e.g.* mouse) and that also can bind human sclerostin *in vitro* is very likely to be able to neutralize human sclerostin *in vivo*. Thus, such a human sclerostin binding agent (*e.g.* anti-human sclerostin antibody) may be of use in the treatment of human conditions/disorders that are caused by, associated with, or result in at least one of low bone formation, low bone mineral density, low bone mineral content, low bone mass, low bone quality and low bone strength. Mice in which homologous recombination had been used to delete the mouse sclerostin gene and insert the human sclerostin gene in its place (*i.e.* human sclerostin gene knock-in mice or human SOST knock-in mice) would be an example of an additional *in vivo* system.

[0433] Pharmaceutical compositions are provided, comprising one of the above-described binding agents such as at least one of antibody Ab-A, Ab-B, Ab-C, Ab-D and Ab-1 to Ab-24 to human sclerostin along with a pharmaceutically or physiologically acceptable carrier, excipient, or diluent. Pharmaceutical compositions and methods of treatment are

disclosed in copending Application Serial No. 10/868,497, filed June 16, 2004, which claims priority to Serial No. 60/478,977, both of which are incorporated by reference herein.

[0434] The development of suitable dosing and treatment regimens for using the particular compositions described herein in a variety of treatment regimens, including *e.g.*, subcutaneous, oral, parenteral, intravenous, intranasal, and intramuscular administration and formulation, is well known in the art, some of which are briefly discussed below for general purposes of illustration.

[0435] In certain applications, the pharmaceutical compositions disclosed herein may be delivered *via* oral administration to an animal. As such, these compositions may be formulated with an inert diluent or with an assimilable edible carrier, or they may be enclosed in hard- or soft-shell gelatin capsule, or they may be compressed into tablets, or they may be incorporated directly with the food of the diet.

[0436] In certain circumstances it will be desirable to deliver the pharmaceutical compositions disclosed herein subcutaneously, parenterally, intravenously, intramuscularly, or even intraperitoneally. Such approaches are well known to the skilled artisan, some of which are further described, for example, in U.S. Patent No. 5, 543, 158; U.S. Patent No. 5, 641, 515 and U.S. Patent No. 5,399,363. In certain embodiments, solutions of the active compounds as free base or pharmacologically acceptable salts may be prepared in water suitably mixed with a surfactant, such as hydroxypropyl-cellulose. Dispersions may also be prepared in glycerol, liquid polyethylene glycols, and mixtures thereof and in oils. Under ordinary conditions of storage and use, these preparations generally will contain a preservative to prevent the growth of microorganisms.

[0437] Illustrative pharmaceutical forms suitable for injectable use include sterile aqueous solutions or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions (for example, see U.S. Patent No. 5,466,468). In all cases the form must be sterile and must be fluid to the extent that easy syringability exists. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms, such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (*e.g.*, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), suitable mixtures thereof, and/or vegetable oils. Proper fluidity may be maintained, for example, by the use of a coating, such as lecithin, by the maintenance of the required particle size in the case of dispersion and/or by the use of surfactants. The prevention of the action of microorganisms can be facilitated by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars or sodium chloride. Prolonged absorption of the injectable compositions can be brought about by the use in the compositions of agents delaying absorption, for example, aluminum monostearate and gelatin.

[0438] In one embodiment, for parenteral administration in an aqueous solution, the solution should be suitably buffered if necessary and the liquid diluent first rendered isotonic with sufficient saline or glucose. These particular aqueous solutions are especially suitable for intravenous, intramuscular, subcutaneous and intraperitoneal administration. In this connection, a sterile aqueous medium that can be employed will be known to those of skill in the art in light of the present disclosure. For example, one dosage may be dissolved in 1 ml of isotonic NaCl solution and either added to 1000 ml of hypodermoclysis fluid or injected at the proposed site of infusion, (see for example, Remington's Pharmaceutical Sciences, 15th ed., pp. 1035-1038 and 1570-1580). Some variation in dosage will necessarily occur depending on the condition of the subject being treated. Moreover, for human administration, preparations will of course preferably meet sterility, pyrogenicity, and the general safety and purity standards as required by FDA Office of Biologics standards.

[0439] In another embodiment of the invention, the compositions disclosed herein may be formulated in a neutral or salt form. Illustrative pharmaceutically-acceptable salts include the acid addition salts (formed with the free amino groups of the protein) and which are formed with inorganic acids such as, for example, hydrochloric or phosphoric acids, or such organic acids as acetic, oxalic, tartaric, mandelic, and the like. Salts formed with the free carboxyl groups can also be derived from inorganic bases such as, for example, sodium, potassium, ammonium, calcium, or ferric hydroxides, and such organic bases as isopropylamine, trimethylamine, histidine, procaine and the like. Upon formulation, solutions will be administered in a manner compatible with the dosage formulation and in such amount as is therapeutically effective.

[0440] The carriers can further comprise any and all solvents, dispersion media, vehicles, coatings; diluents, antibacterial and antifungal agents, isotonic and absorption delaying agents, buffers, carrier solutions, suspensions, colloids, and the like. The use of such media and agents for pharmaceutical active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active ingredient, its use in the therapeutic compositions is contemplated. Supplementary active ingredients can also be incorporated into the compositions. The phrase "pharmaceutically-acceptable" refers to molecular entities and compositions that do not produce an allergic or similar untoward reaction when administered to a human.

[0441] In certain embodiments, liposomes, nanocapsules, microparticles, lipid particles, vesicles, and the like, are used for the introduction of the compositions of the present invention into suitable host cells/organisms. In particular, the compositions of the present invention may be formulated for delivery either encapsulated in a lipid particle, a liposome, a vesicle, a nanosphere, or a nanoparticle or the like. Alternatively, compositions of the present invention can be bound,

either covalently or non-covalently, to the surface of such carrier vehicles.

[0442] The formation and use of liposome and liposome-like preparations as potential drug carriers is generally known to those of skill in the art (see for example, Lasic, Trends Biotechnol. 16(7):307-21, 1998; Takakura, Nippon Rinsho 56 (3):691-95, 1998; Chandran et al., Indian J. Exp. Biol. 35(8):801-09, 1997; Margalit, Crit. Rev. Ther. Drug Carrier Syst. 12(2-3):233-61, 1995; U.S. Patent No. 5,567,434; U.S. Patent No. 5,552,157; U.S. Patent No. 5,565,213; U.S. Patent No. 5,738,868 and U.S. Patent No. 5,795,587, each specifically incorporated herein by reference in its entirety). The use of liposomes does not appear to be associated with autoimmune responses or unacceptable toxicity after systemic delivery. In certain embodiments, liposomes are formed from phospholipids that are dispersed in an aqueous medium and spontaneously form multilamellar concentric bilayer vesicles (also termed multilamellar vesicles (MLVs)).

[0443] Alternatively, in other embodiments, the invention provides for pharmaceutically-acceptable nanocapsule formulations of the compositions of the present invention. Nanocapsules can generally entrap compounds in a stable and reproducible way (see, for example, Quintanar-Guerrero et al., Drug Dev. Ind. Pharm. 24(12):1113-28, 1998). To avoid side effects due to intracellular polymeric overloading, such ultrafine particles (sized around 0.1 μ m) may be designed using polymers able to be degraded *in vivo*. Such particles can be made as described, for example, by Couvreur et al., Crit. Rev. Ther. Drug Carrier Syst. 5(1):1-20, 1988; zur Muhlen et al., Eur. J. Pharm. Biopharm. 45(2):149-55, 1998; Zambaux et al., J. Controlled Release 50(1-3):31-40, 1998; and U.S. Patent No. 5, 145, 684.

[0444] In addition, pharmaceutical compositions of the present invention may be placed within containers, along with packaging material that provides instructions regarding the use of such pharmaceutical compositions. Generally, such instructions will include a tangible expression describing the reagent concentration, as well as within certain embodiments, relative amounts of excipient ingredients or diluents (e.g., water, saline or PBS) that may be necessary to reconstitute the pharmaceutical composition.

[0445] The dose administered may range from 0.01 mg/kg to 100 mg/kg of body weight. As will be evident to one of skill in the art, the amount and frequency of administration will depend, of course, on such factors as the nature and severity of the indication being treated, the desired response, the condition of the patient, and so forth. Typically, the compositions may be administered by a variety of techniques, as noted above.

[0446] Increases in bone mineral content and/or bone mineral density may be determined directly through the use of X-rays (e.g., Dual Energy X-ray Absorptometry or "DEXA"), or by inference through the measurement of 1) markers of bone formation and/or osteoblast activity, such as, but not limited to, osteoblast specific alkaline phosphatase, osteocalcin, type 1 procollagen C' propeptide (PICP), total alkaline phosphatase (see Comier, Curr. Opin. in Rheu. 7:243(1995)) and serum procollagen 1 N-terminal propeptide (P1NP) and/or 2) markers of bone resorption and/or osteoclast activity including, but not limited to, pyridinoline, deoxypyridinoline, N-telopeptide, urinary hydroxyproline, plasma tartrate-resistant acid phosphatases, and galactosyl hydroxylysine; (see Comier, *id*), serum TRAP 5b (tartrate-resistant acid phosphatase isoform 5b) and serum cross-linked C-telopeptide (sCTXI). The amount of bone mass may also be calculated from body weights or by using other methods (see Guinness-Hey, Metab. Bone Dis. Relat. Res. 5:177-181, 1984). Animals and particular animal models are used in the art for testing the effect of the compositions and methods of the invention on, for example, parameters of bone loss, bone resorption, bone formation, bone strength or bone mineralization that mimic conditions of human disease such as osteoporosis and osteopenias. Examples of such models include the ovariectomized rat model (Kalu, D.N., The ovariectomized rat model of postmenopausal bone loss. Bone and Mineral 15: 175-192 (1991); Frost, H.M. and Jee, W.S.S. On the rat model of human osteopenias and osteoporosis. Bone and Mineral 18:227-236 (1992); and Jee, W.S.S. and Yao, W., Overview: animal models of osteopenia and osteoporosis. J. Musculoskel. Neuron. Interact. 1:193-207 (2001)).

[0447] Particular conditions which may be treated by the compositions of the present invention include dysplasias, wherein growth or development of bone is abnormal and a wide variety of causes of osteopenia, osteoporosis and bone loss. Representative examples of such conditions include achondroplasia, cleidocranial dysostosis, enchondroinatosi, fibrous dysplasia, Gaucher's Disease, hypophosphatemic rickets, Marfan's syndrome, multiple hereditary exotoses, neurofibromatosis, osteogenesis imperfecta, osteopetrosis, osteopoikilosis, sclerotic lesions, pseudoarthrosis, and pyogenic osteomyelitis, periodontal disease, anti-epileptic drug induced bone loss, primary and secondary hyperparathyroidism, familial hyperparathyroidism syndromes, weightlessness induced bone loss, osteoporosis in men, postmenopausal bone loss, osteoarthritis, renal osteodystrophy, infiltrative disorders of bone, oral bone loss, osteonecrosis of the jaw, juvenile Paget's disease, melorheostosis, metabolic bone diseases, mastocytosis, sickle cell anemia/disease, organ transplant related bone loss, kidney transplant related bone loss, systemic lupus erythematosus, ankylosing spondylitis, epilepsy, juvenile arthritides, thalassemia, mucopolysaccharidoses, fabry disease, turner syndrome, Down Syndrome, Klinefelter Syndrome, leprosy, Perthes' Disease, adolescent idiopathic scoliosis, infantile onset multi-system inflammatory disease, Winchester Syndrome, Menkes Disease, Wilson's Disease, ischemic bone disease (such as Legg-Calve-Perthes disease, regional migratory osteoporosis), anemic states, conditions caused by steroids, glucocorticoid-induced bone loss, heparin-induced bone loss, bone marrow disorders, scurvy, malnutrition, calcium deficiency, idiopathic osteopenia or osteoporosis, congenital osteopenia or osteoporosis, alcoholism, chronic liver disease, postmenopausal state, chronic inflammatory conditions, rheumatoid arthritis, inflammatory bowel disease, ulcerative colitis, inflammatory

colitis, Crohn's disease, oligomenorrhea, amenorrhea, pregnancy, diabetes mellitus, hyperthyroidism, thyroid disorders, parathyroid disorders, Cushing's disease, acromegaly, hypogonadism, immobilization or disuse, reflex sympathetic dystrophy syndrome, regional osteoporosis, osteomalacia, bone loss associated with joint replacement, HIV associated bone loss, bone loss associated with loss of growth hormone, bone loss associated with cystic fibrosis, fibrous dysplasia, chemotherapy associated bone loss, tumor induced bone loss, cancer-related bone loss, hormone ablative bone loss, multiple myeloma, drug-induced bone loss, anorexia nervosa, disease associated facial bone loss, disease associated cranial bone loss, disease associated bone loss of the jaw, disease associated bone loss of the skull, and bone loss associated with space travel. Further conditions relate to bone loss associated with aging, including facial bone loss associated with aging, cranial bone loss associated with aging, jaw bone loss associated with aging, and skull bone loss associated with aging.

[0448] Compositions of the present invention may also be useful for improving outcomes in orthopedic procedures, dental procedures, implant surgery, joint replacement, bone grafting, bone cosmetic surgery and bone repair such as fracture healing, nonunion healing, delayed union healing and facial reconstruction. One or more compositions may be administered before, during and/or after the procedure, replacement, graft, surgery or repair.

[0449] The invention also provides a diagnostic kit comprising at least one anti-sclerostin binding agent according to the present invention. The binding agent may be an antibody. In addition, such a kit may optionally comprise one or more of the following:

- (1) instructions for using the one or more binding agent(s) for screening, diagnosis, prognosis, therapeutic monitoring or any combination of these applications;
- (2) a labeled binding partner to the anti-sclerostin binding agent(s);
- (3) a solid phase (such as a reagent strip) upon which the anti-sclerostin binding agent(s) is immobilized; and
- (4) a label or insert indicating regulatory approval for screening, diagnostic, prognostic or therapeutic use or any combination thereof.

[0450] If no labeled binding partner to the binding agent(s) is provided, the binding agent(s) itself can be labeled with one or more of a detectable marker(s), e.g. a chemiluminescent, enzymatic, fluorescent, or radioactive moiety.

[0451] The following examples are offered by way of illustration, and not by way of limitation.

EXAMPLES

EXAMPLE 1

Recombinant Expression of Sclerostin

[0452] Recombinant human sclerostin/SOST is commercially available from R&D Systems (Minneapolis, MN, USA; 2006 cat# 1406-ST-025). Additionally, recombinant mouse sclerostin/SOST is commercially available from R&D Systems (Minneapolis, MN, USA; 2006 cat# 1589-ST-025).

[0453] Alternatively, the different species of sclerostin can be expressed transiently in serum-free suspension adapted 293T or 293EBNA cells. Transfections can be performed as 500 mL or 1L cultures. The following reagents and materials are available from Gibco BRL (now Invitrogen, Carlsbad, CA). Catalog numbers are listed in parentheses: serum-free DMEM (21068-028); DMEM/F12 (3:1) (21068/11765); 1X Insulin-Transferrin-Selenium Supplement (51500-056); 1X Pen Strep Glut (10378-016); 2mM L-Glutamine (25030-081); 20 mM HERPES (15630-080); 0.01% Pluronic F68 (24040-032). Briefly, the cell inoculum ($5.0\text{--}10.0 \times 10^5$ cells/mL X culture volume) is centrifuged at 2,500 RPM for 10 minutes at 4°C to remove the conditioned medium.

[0454] The cells are resuspended in serum-free DMEM and centrifuged again at 2,500 RPM for 10 minutes at 4°C. After aspirating the wash solution, the cells are resuspended in growth medium [DMEM/F12 (3:1) + 1X Insulin-Transferrin-Selenium Supplement + 1X Pen Strep Glut + 2mM L-Glutamine + 20 mM HEPES + 0.01% Pluronic F68] in a 1L or 3L spinner flask culture. The spinner flask culture is maintained on magnetic stir plate at 125 RPM which is placed in a humidified incubator maintained at 37°C and 5% CO₂. The mammalian expression plasmid DNA (e.g. pcDNA3.1, pCEP4, Invitrogen Life Technologies, Carlsbad, CA), containing the complete coding region (and stop codon) of sclerostin with a Kozak consensus sequence (e.g., CCACC) directly 5' of the start site ATG, is complexed to the transfection reagent in a 50 mL conical tube.

[0455] The DNA-transfection reagent complex can be prepared in 5-10% of the final culture volume in serum-free DMEM or OPTI-MEM. The transfection reagents that can be used for this purpose include X-tremeGene RO-1539 (Roche Applied Science, Indianapolis, IN), FuGene6 (Roche Applied Science, Indianapolis, IN), Lipofectamine 2000 (Invitrogen, Carlsbad, CA) and 293fectin (Invitrogen, Carlsbad, CA). 1-5 µg plasmid DNA/mL culture is first added to serum-free DMEM, followed by 1-5 µL transfection reagent/mL culture. The complexes can be incubated at room tem-

perature for approximately 10-30 minutes and then added to the cells in the spinner flask. The transfection/expression can be performed for 4-7 days, after which the conditioned medium (CM) is harvested by centrifugation at 4,000 RPM for 60 minutes at 4°C.

EXAMPLE 2

PURIFICATION OF RECOMBINANT SCLEROSTIN

[0456] Recombinant sclerostin was purified from mammalian host cells as follows. All purification processes were carried out at room temperature. One purification scheme was used to purify various species of sclerostin, including murine and human sclerostin. The purification scheme used affinity chromatography followed by cation exchange chromatography.

Heparin Chromatography

[0457] The mammalian host cell conditioned medium (CM) was centrifuged in a Beckman J6-M1 centrifuge at 4000 rpm for 1 hour at 4°C to remove cell debris. The CM supernatant was then filtered through a sterile 0.2 µm filter. (At this point the sterile filtered CM may be optionally stored frozen until purification.) If the CM was frozen, it was thawed at the following temperatures, or combination thereof: 4°C, room temperature or warm water. Following thawing the CM was filtered through a sterile 0.2 µm filter and optionally concentrated by tangential flow ultrafiltration (TFF) using a 10 kD molecular weight cut-off membrane. The CM concentrate was filtered through a sterile 0.2 µm filter and then loaded onto a Heparin High Performance (Heparin HP) column (GE Healthcare, formerly Amersham Biosciences) equilibrated in PBS. Alternatively, the filtered CM supernatant may be loaded directly onto the Heparin HP column equilibrated in PBS.

[0458] After loading, the Heparin HP column was washed with PBS until the absorbance at 280 nm of the flow-through returned to baseline (*i.e.*, absorbance measured before loading CM supernatant). The sclerostin was then eluted from the column using a linear gradient from 150 mM to 2M sodium chloride in PBS. The absorbance at 280 nm of the eluate was monitored and fractions containing protein were collected. The fractions were then assayed by Coomassiestained SDS-PAGE to identify fractions containing a polypeptide that migrates at the size of glycosylated sclerostin. The appropriate fractions from the column were combined to make the Heparin HP pool.

Cation Exchange Chromatography

[0459] The sclerostin eluted from the Heparin HP column was further purified by cation exchange chromatography using SP High Performance (SPHP) chromatography media (GE Healthcare, formerly Amersham Biosciences). The Heparin HP pool was buffer exchanged into PBS by dialysis using 10,000 MWCO membranes (Pierce Slide-A-Lyzer). The dialyzed Heparin HP pool was then loaded onto an SPHP column equilibrated in PBS. After loading, the column was washed with PBS until the absorbance at 280 nm of the flow-through returned to baseline. The sclerostin was then eluted from the SPHP column using a linear gradient from 150 mM to 1 M sodium chloride in PBS. The absorbance at 280 nm of the eluate was monitored and the eluted sclerostin was collected in fractions. The fractions were then assayed by Coomassiestained SDS-PAGE to identify fractions containing a polypeptide that migrates at the size of glycosylated sclerostin. The appropriate fractions from the column were combined to make the SPHP pool.

Formulation

[0460] Following purification, the SPHP pool was formulated in PBS by dialysis using 10,000 MWCO membranes (Pierce Slide-A-Lyzer). If concentration of sclerostin was necessary, a centrifugal device (Amicon Centricon or Centriprep) with a 10,000 MWCO membrane was used. Following formulation the sclerostin was filtered through a sterile 0.2 µm filter and stored at 4°C or frozen.

EXAMPLE 3

PEPTIDE BINDING ELISA

[0461] A series of overlapping peptides (each peptide being approximately 20-25 amino acids long) were synthesized based on the known amino acid sequence of rat sclerostin (SEQ ID NO:98). The peptides were designed such that they all contained a reduced cysteine residue; an additional cysteine was included at the C-terminus of each peptide which did not already contain one in its sequence. This enabled the peptides to be bound to the assay plates by covalent coupling, using commercially available sulfhydryl binding plates (Costar), at a concentration of 1 µg/ml, in phosphate

EP 2 325 199 A1

buffered saline (PBS: pH 6.5) containing 1 mM EDTA. Following incubation for 1 hour at room temperature, the plates were washed three times with PBS containing 0.5% Tween 20. The plates were blocked by incubation with a PBS solution containing 0.5% fish skin gelatin (Sigma) for 30 minutes at room temperature and then washed three times in PBS containing 0.5% Tween 20.

[0462] Antibodies to be tested were diluted to 1 µg/ml in PBS containing 0.5% fish skin gelatin and incubated with the peptide-coated plates for 1 hour at room temperature. Excess antibody was removed by three washes with PBS, 0.5% Tween 20. The plates were then incubated with an appropriate secondary antibody conjugated to horseradish peroxidase (diluted appropriately in PBS containing 0.5% Tween 20) and capable of binding to the antibody of interest. The plates were then washed three times: once with PBS containing 0.5% Tween 20, and twice with PBS. Finally the plates were incubated with a horseradish peroxidase chromogenic substrate (TMB-Stable Stop, RDI) for 5 minutes at room temperature, the color development was stopped with acid, and the plates' optical density measured at 450nm.

Materials

[0463]

Costar's Sulphydryl Binding Plates (VWR# 29442-278)

Coating Buffer: 1XPBS PH 6.5 + 1mM EDTA

Blocking Buffer: 1X PBS + 0.5% Fish Skin Gelatin (PBS from CS; FSG from Sigma# G 7765)

Wash Buffer: 1X PBS + 0.5% Tween 20

Rat Sclerostin peptides

Antibody Samples: Transient Ab, Purified recombinant Ab, rabbit Serum, etc.

Appropriate secondary Ab: Goat-anti-Rabbit/Mouse-HRP (Jackson Immuno Research, 1 15-036-072)

TMB-Stable Stop (RDI# RDI-TMBSX-1L)

0.5M HCl"

Methods were as follows:

[0464]

1. Coat plates with 100 µl/well of rat sclerostin peptide diluted in 1XPBS PH 6.5 + 1mM EDTA at 1 µg/ml. Incubate plates 1 hour at room temperature. (Plates should be used within 30 minutes of opening).

2. Wash plates 3X with wash buffer.

3. Block plates with 200 µl/well blocking buffer. Incubate plates 30 minutes at room temp.

4. Repeat washing as described in (2).

5. Incubate plates with 50 µl/well of samples diluted in blocking buffer - Serum titers starting at 1:100; Transient Recombinant Ab use neat; Purified recombinant Ab use at 1 µg/ml (all samples run in duplicates). Incubate plates 1h at room temp.

6. Wash plates as described in (2).

7. Incubate plates with 50 µl/well of appropriate Secondary Antibody (HRP labeled) diluted 1:1600 in Blocking Buffer. Incubate plates 1 hour at room temperature.

8. Wash plates 1X wash buffer, 2x PBS

9. Incubate plates with 50 µl/well of TMB, 5 minutes at room temp.

10. Stop reaction with 50 µl/well 0.5M HCl.

11. Read plates at 450 nm wavelength.

[0465] The following peptides sequences were screened as described above:

QGWQAFKNDATTEIIPGLREYPEPP (SEQ ID NO:82)

TEIIPGLREYPEPPQLENN (SEQ ID NO:83)

PEPPQLENNQTMVRAENG (SEQ ID NO:84)

ENGGRPPHPYDTKDVSEYS (SEQ ID NO:85)

CRELHTYTRFVTDGP (SEQ ID NO:86)

CRELHYTRFVTDGPSRSAPVTELV (SEQ ID NO:87)

CRSAKPVTELVSSGQSGPRARLL (SEQ ID NO:88)

CGPARLLPNAIGRVKWWRPNGPDFR (SEQ ID NO:89)

RAQRVQLLCPGGAAPRSRKV (SEQ ID NO:90)

PGGAAPRSRKVRLVAS (SEQ ID NO:91)

KRLTRFHNQSELKDFGPETARPQ (SEQ ID NO:92)
 IPDRYAQRVQLLSPGG (SEQ ID NO:93)
 SELKDFGPETARPQKGRKPRPRAR (SEQ ID NO:94)
 KGRKPRPRARGAKANQAELENAY (SEQ ID NO:95)
 PNAIGRVKWWRPNGPDFR (SEQ ID NO:96)
 KWWRPNGPDFRCIPDRYRAQRV (SEQ ID NO:97).

[0466] A high-affinity neutralizing antibody (Ab-19) bound to two overlapping peptide sequences: PNAIGRVKWWRPNGPDFR (SEQ ID NO:96) and KWWRPNGPDFRCIPDRYRAQRV (SEQ ID NO:97).

[0467] This procedure allows the recognition of epitopes for antibodies that react with apparent linear epitopes. Peptides that contain all or part of the antibody binding site will bind antibody and thus be detected.

EXAMPLE 4

IDENTIFICATION OF HUMAN SCLEROSTIN EPITOPES

Sclerostin structure

[0468] Mature form (signal peptide removed) human sclerostin is a 190 amino acid protein (Figure 8). Figure 9 shows a schematic of the general structure of sclerostin with an N-terminal arm (from the N-terminal Q to Cysteine1) and a C-terminal arm (from Cysteine8 to the terminal Y). Sandwiched in between these two arms there is the cystine-knot structure and three loops which are designated Loop1, Loop2 and Loop 3. The four disulfide bonds in sclerostin are Cys1 at sequence position 57 linked to Cys5 at sequence position 111 (referred to as C1-C5), Cys2 at sequence position 71 linked to Cys6 at sequence position 125 (referred to as C2-C6, Cys3 at sequence position 82 linked to Cys7 at sequence position 142 (referred to as C3-C7), Cys4 at sequence position 86 linked to Cys8 at sequence position 144 (referred to as C4-C8). The eight-membered ring structure is formed via C3-C7 and C4-C8 disulfide bonding. This ring structure, together with the C1-C5 disulfide bond penetrating through the ring, forms a typical cystine-knot. C2-C6, which is not part of the cystine-knot, brings two large loop structures, loop 1 (residues 57 to 82) and loop 3 (residues 111 to 142) close together. Loop 2 goes from C4 (residue 86) to C5 (residue 111).

Experimental

[0469] The general approach for characterizing the epitopes bound by anti-sclerostin monoclonal antibodies involved fragmenting human Sclerostin into peptides with different proteases, determining the sequence of the various human sclerostin peptides, isolating these peptides and testing each of them for their ability to bind to a particular monoclonal antibody using a Biacore-based "human sclerostin peptide epitope competition binding assay." The resulting data permitted the location of the binding epitope to be determined.

[0470] The peptide digests were subjected to HPLC peptide mapping; the individual peaks were collected, and the peptides identified and mapped by matrix assisted laser desorption mass spectrometry (MALDI-MS) and electrospray ionization LC-MS (ESI-LC-MS) analyses and/or by N-terminal sequencing. All HPLC analyses for these studies were performed using a reverse-phase C8 column (2.1 mm i.d. x 15 cm length). HPLC peptide mapping was performed with a linear gradient from 0.05% trifluoroacetic acid (mobile phase A) to 90% acetonitrile in 0.05% trifluoroacetic acid. Columns were developed over 50 minutes at a flow rate of 0.2 ml/min.

Trypsin and AspN Endoproteinase Digestions

[0471] Mature form human sclerostin was digested with trypsin, which cleaves after arginine and lysine, or with AspN. About 200 µg of sclerostin at 0.5-1.0 mg/ml was incubated in PBS (pH 7.2) for 20 hrs at 37°C with 8 µg of either trypsin or AspN.

Trypsin digestion

[0472] HPLC chromatography of the trypsin digests yielded several major peaks (Fig. 10A). Sequence analysis was conducted on the peptide peaks recovered from HPLC after trypsin digestion. On-line ESI LC-MS analysis of the peptide digest was also performed to determine the precise mass of the peptides that were separated by HPLC. The identity of the peptides present in the peptide peaks was thus determined (Fig. 11). Figure 13 shows the alignment of various peptide sequences (T19.2, T20, T20.6, T21-22) along the sclerostin sequence. The number following each T (e.g., T19.2) reflects the retention time. T19.2 contains two peptides (one from loop 1 and one from loop 3) linked by the C2-

C6 disulfide bond. T20 contains two peptides held together by the cystine-knot structure, with intact loops 1 and 3 held together by the C2-C6 disulfide and with most of loop 2 absent. T20.6 contains four sequences held together by the cystine-knot structure, but is missing part of loop 1 and 3 (the T19.2 part) and is missing most of loop 2. T21-22 is almost identical to T20 but has 3 additional amino acids in the loop 2 region.

AspN Digestion

[0473] HPLC chromatography of the AspN digests yielded several major peaks (Fig. 10B). Sequence analysis was conducted on the peptide peaks recovered from HPLC. On-line ESILC-MS analysis of the peptide digest was also performed to determine the precise mass of the peptides that were separated by HPLC. The identity of the peptides present in the peptide peaks from the AspN digestion was thus determined (Fig. 12). Figure 14 shows the alignment of various peptide sequences (AspN14.6, AspN18.6, AspN22.7-23.5) along the sclerostin sequence. The number following each AspN (*e.g.* AspN18.6) reflects the retention time. AspN14.6 contains three short peptides from both the N- and C-terminal arms of sclerostin, while AspN18.6 is a larger peptide from the N-terminal arm of sclerostin. AspN22.7-23.5 contains a single peptide fragment of 104 amino acids that encompasses all eight cysteines (the four disulfide bonds), the cystine-knot and all of loops 1, 2 and 3.

[0474] The strategy for characterizing the epitopes was to use these various trypsin and AspN generated human sclerostin peptides and determine which peptides could still be bound by the various Antibodies (Ab-A, Ab-B, Ab-C and Ab-D). Specifically this was tested in a Biacore-based "human sclerostin peptide epitope competition binding assay" where the binding of a particular monoclonal antibody to human sclerostin immobilized on the Biacore chip was determined in the presence or absence of each of the various isolated trypsin and AspN HPLC peptide fractions. In the absence of any competing peptides, the particular monoclonal antibody was able to bind the human sclerostin on the chip and produce a resonance unit, RU, response. Preincubation of the particular monoclonal antibody with intact human sclerostin in solution, followed by testing of binding to the chip, demonstrated that the binding of the Mab to human sclerostin in solution prevented the binding of the Mab to the human sclerostin on the chip, thus validating the general principle of this competition assay.

[0475] This general procedure was repeated individually for each peptide. A robust RU response was taken to indicate that the particular peptide being tested could not bind the Mab in solution (hence the Mab was free to bind the human sclerostin that had been immobilized on the chip). Conversely, the absence of a robust RU response indicated that the Mab was able to bind the sclerostin peptide in solution. These binding patterns, coupled with the known identity of the various sclerostin peptides, were used to determine the epitopes of sclerostin that were bound by anti-sclerostin antibodies Ab-A, Ab-B, Ab-C and Ab-D.

BIACORE-BASED HUMAN SCLEROSTIN PEPTIDE EPIOTOPE COMPETITION BINDING ASSAY

Preparation of human sclerostin surface:

[0476] Immobilization of mature form human sclerostin to a Biacore sensor chip (CM5) surface was performed according to manufacturer's instructions. Briefly, carboxyl groups on the sensor chip surfaces were activated by injecting 60 μ L of a mixture containing 0.2 M N-ethyl-N'-(dimethylaminopropyl) carbodiimide (EDC) and 0.05 M N-hydroxysuccinimide (NHS). Human sclerostin was diluted in 10 mM sodium acetate, pH 4.0 at a concentration of 20 μ g/mL followed by injecting over the activated CM5 surface. Excess reactive groups on the surfaces were deactivated by injecting 60 μ L of 1 M ethanolamine. Final immobilized levels were ~ 5000 resonance units (RU) for the human sclerostin surface. A blank, mock-coupled reference surface was also prepared on the sensor chips.

Binding specificity analysis:

[0477] 1X Phosphate-buffered saline without calcium chloride or magnesium chloride was from Gibco/Invitrogen, Carlsbad, CA. Bovine serum albumin, fraction V, IgG-free was from Sigma-Aldrich, St. Louis, MO. Each Mab (2 nM) was separately incubated with 20 nM human sclerostin or a particular human sclerostin peptide (note: there are 3 unlinked peptides in AspN14.6) in sample buffer (1X PBS + 0.005% P-20 + 0.1 mg/mL BSA) before injection over the immobilized human sclerostin surface. The flow rate for sample injection was 5 μ L/min followed by surface regeneration using 1 M NaCl in 8 mM Glycine, pH 2.0 at 30 μ L/min for 30 seconds. The data was analyzed using BIAevaluation 3.2, and is presented in Figure 15 (Ab-A), Figure 16 (Ab-B), Figure 17 (Ab-C) and Figure 18 (Ab-D).

Loop 2 and T20.6 epitopes:

[0478] The sclerostin peptide binding pattern for two representative antibodies (Ab-A and Ab-B) were virtually identical

(Fig. 15 and Fig. 16) and showed that both of these Antibodies could only bind the AspN22.7-23.5 peptide. The unique difference between AspN22.7-23.5 and all the other sclerostin peptides is that AspN22.7-23.5 contains an intact loop 2. This shows that Ab-A and Ab-B bind the loop 2 region of sclerostin thus defining the loop 2 epitope (Fig. 19A). The sclerostin peptide binding pattern for Ab-C and Ab-D were virtually identical to each other (Fig. 17 and Fig. 18) but completely distinct from that found for Ab-A and Ab-B. Of the peptides tested in this Example, the most diminutive peptide that Ab-C and Ab-D could bind to was the T20.6 peptide. This result defines the T20.6 epitope (Fig. 19B).

Protease protection assay:

[0479] The general principle of this assay is that binding of a Mab to sclerostin can result in protection of certain specific protease cleavage sites and this information can be used to determine the region of sclerostin to where the Mab binds.

"T20.6 derivative 1 (cystine-knot + 4 arms)" epitope:

[0480] Figure 20 shows the HPLC peptide maps for a human sclerostin Ab-D complex (Fig 20A: human sclerostin was preincubated at a 1:1 molar ratio with Ab-D prior to digestion with trypsin as described above) and human sclerostin alone (Fig 20B: human sclerostin was digested with trypsin as described above). The peptide peaks of T19.2 and T20.6 in Figure 20A showed a clear reduction in their respective peak height, as compared to Figure 20B. This reduction in peak heights was accompanied by an increase in peak height for peptides T20 and T21-22. These data indicate that basic amino acid residues in loop 1 and loop 3, which in the absence of Ab-D were cleaved by trypsin to generate peptides T19.2 and T20.6, were resistant to cleavage by trypsin when Ab-D was prebound to sclerostin. The presence of T20, T20.6 and T21-22 indicates that loop 2 was still cleaved efficiently when Ab-D was prebound to sclerostin. These data indicate that Ab-D bound on the loop 1 and loop 3 side of the T20.6 epitope thus defining the smaller "T20.6 derivative 1 (cystine-knot + 4 arms)" epitope shown in Figure 21.

EXAMPLE 5

IN VIVO TESTING OF ANTI-SCLEROSTIN MONOCLONAL ANTIBODIES IN MICE

[0481] Four week-old BDF1 male mice were obtained from Charles River Laboratories (Raleigh, NC) and housed in clean caging, five animals per cage. Room temperature was maintained between 68 and 72°F, and relative humidity was maintained between 34 and 73%. The laboratory housing the cages had a 12-hour light/dark cycle and met all AAALAC specifications. Clinical observations of all mice on study occurred once daily.

[0482] Purified anti-sclerostin monoclonal antibodies (Ab-A Fig.1; Ab-B Fig.2; Ab-C Fig.3; Ab-D Fig.4) were diluted in sterile Dulbecco's phosphate buffered saline. Mice were injected with anti-sclerostin Antibodies or PBS vehicle subcutaneously at 21 μ l per gram body weight, two times per week (Monday and Thursday) at 25 mg/kg. Human PTH (1-34) was diluted in PTH buffer (0.001 N HCl, 0.15 M NaCl, 2% BSA), and dosed subcutaneously at 21 μ l per gram body weight five times per week (Monday, Tuesday, Wednesday, Thursday, Friday) at 100 μ g/kg as a positive control (Figures 5 and 6). Number of mice per group was N=5 in Fig 5 and 6, and N=6 in Figure 7.

PIXImus *in vivo* Bone Densitometry

[0483] Bone mineral density (BMD) was determined weekly at the proximal tibial metaphysis and lumbar vertebrae by peripheral Dual Energy X-ray Absorptometry (pDEXA) with the PIXImus2 system from GE/Lunar Medical Systems, Madison, WI. A 25mm² region of interest (ROI) was placed to include the proximal articular surface, the epiphysis, and the proximal end on the metaphysis of the tibia. A region of interest (ROI) was placed to include the lumbar vertebrae (L1-L5). The proximal tibia and lumbar regions were analyzed to determine total bone mineral density. Group means were reported $\pm$ Standard Deviation and compared to the vehicle treatment group for statistical analysis.

Statistical analysis

[0484] Statistical analysis was performed with a Dunnett's and Tukey-Kramer (using MS Excel and JMP v. 5.0. for the BMD data). Group means for each data set were considered significantly different when the P value was less than 0.05 ($P < 0.05$).

Sclerostin neutralizing activity of antibodies

[0485] The statistically significant increases in BMD as compared to vehicle seen for each of Ab-A (Figure 5), Ab-B

(Figure 5), Ab-C (Figure 6) and Ab-D. (Figure 7) demonstrates that these four antibodies are sclerostin neutralizing antibodies. Furthermore this data shows that, for anti-sclerostin antibodies that bind mouse sclerostin, treatment and analysis of mice as described above can be used to identify sclerostin neutralizing antibodies.

EXAMPLE 6

SCREENING ASSAY FOR ANTIBODIES THAT BLOCK BINDING OF AN ANTIBODY TO HUMAN SCLEROSTIN

[0486] Human sclerostin was coupled to a CM5 Biacore chip using standard amine coupling chemistry to generate a sclerostin coated surface. 300 resonance units of sclerostin were coupled to the surface.

[0487] The antibodies to be tested were diluted to a concentration of 200ug/ml in HBS-EP buffer (being 10 mM HEPES pH 7.4, 150 mM NaCl, 3 mM EDTA, 0.005% (v/v) Surfactant P20) and then mixed in a one to one molar ratio (on a binding site basis) to generate the test mixture. This test mixture thus contained each antibody at a concentration of 100ug/ml (1.3um on a binding site basis). Separate solutions containing each of the antibodies in the test mix alone were also prepared. These solutions contained the individual antibodies in HBS-EP buffer at a concentration of 100ug/ml (1.3um on a binding site basis).

[0488] 20 μ L of the test mixture was passed over the sclerostin-coated chip at a flow rate of 10 μ L/min and the amount of binding recorded. The chip was then treated with two 60 second pulses of 30 mM HCl to remove all of the bound antibody. A solution containing only one of the antibodies of the test mixture (at 1.3 μ M in the same buffer as the test mixture on a binding site basis) was then passed over the chip in the same manner as the test mixture and the amount of binding recorded. The chip was again treated to remove all of the bound antibody and finally a solution containing the other antibody from the test mixture alone (at 1.3 μ M in the same buffer as the test mixture on a binding site basis) was passed over the chip and the amount of binding recorded.

[0489] The table below show the results from cross-blocking assays on a range of different antibodies. The values in each square of the table represent the amount of binding (in RU) seen when the antibodies (at 1.3 μ M on a binding site basis) or buffer indicated in the top row of the table were mixed with the antibodies (at 1.3uM on a binding site basis) or buffer indicated in the first column of the table.

	Buffer	Ab-4	Ab-13	Ab-A	Ab-3	Ab-19
Buffer	-0.5	693	428.5	707.3	316.1	649.9
Ab-4	687.7	795.1	1018.2	860.5	869.3	822.5
Ab-13	425.6	1011.3	442.7	1108.4	431.9	1042.4
Ab-A	692.4	833.1	1080.4	728.5	946.2	868.1
Ab-3	305.5	845.1	428.2	952.2	344.4	895.7
Ab-19	618.1	788.6	1022.5	863.3	891.5	658.7

[0490] Using the mean binding value (in RU) for each combination of antibodies in the above table (since each combination appears twice) it is possible to calculate the percentage of the theoretical binding shown by each combination of antibodies. The theoretical binding being calculated as the sum of the average values for the components of each test mixture when assayed alone (*i.e.*, antibody and buffer).

	Buffer	Ab-4	Ab-13	Ab-A	Ab-3	Ab-19
Buffer						
Ab-4			90.75	60.45	85.4	60.75
Ab-13				96.9	58.0	97.0
Ab-A					93.5	65.0
Ab-3						94.4
Ab-19						

[0491] From the above data it is clear that Ab-4, Ab-A and Ab-19 cross-block each other. Similarly Ab-13 and Ab-3 cross block each other.

EXAMPLE 7

ELISA-BASED CROSS-BLOCKING ASSAY

[0492] Liquid volumes used in this example would be those typically used in 96-well plate ELISAs (*e.g.* 50-200 μ l/well). Ab-X and Ab-Y, in this example are assumed to have molecular weights of about 145 Kd and to have 2 sclerostin binding sites per antibody molecule. An anti-sclerostin antibody (Ab-X) is coated (*e.g.* 50 μ l of 1 μ g/ml) onto a 96-well ELISA plate [*e.g.* Corning 96 Well EIA/RIA Flat Bottom Microplate (Product # 3590), Corning Inc., Acton, MA] for at least one hour. After this coating step the antibody solution is removed, the plate is washed once or twice with wash solution (*e.g.*, PBS and 0.05% Tween 20) and is then blocked using an appropriate blocking solution (*e.g.*, PBS, 1% BSA, 1% goat serum and 0.5% Tween 20) and procedures known in the art. Blocking solution is then removed from the ELISA plate and a second anti-sclerostin antibody (Ab-Y), which is being tested for its ability to cross-block the coated antibody, is added in excess (*e.g.* 50 μ l of 10 μ g/ml) in blocking solution to the appropriate wells of the ELISA plate. Following this, a limited amount (*e.g.* 50 μ l of 10 ng/ml) of sclerostin in blocking solution is then added to the appropriate wells and the plate is incubated for at least one hour at room temperature while shaking. The plate is then washed 2-4 times with wash solution. An appropriate amount of a sclerostin detection reagent [*e.g.*, biotinylated anti-sclerostin polyclonal antibody that has been pre-complexed with an appropriate amount of a streptavidin-horseradish peroxidase (HRP) conjugate] in blocking solution is added to the ELISA plate and incubated for at least one hour at room temperature. The plate is then washed at least 4 times with wash solution and is developed with an appropriate reagent [*e.g.*, HRP substrates such as TMB (colorimetric) or various HRP luminescent substrates]. The background signal for the assay is defined as the signal obtained in wells with the coated antibody (in this case Ab-X), second solution phase antibody (in this case Ab-Y), sclerostin buffer only (*i.e.* no sclerostin) and sclerostin detection reagents. The positive control signal for the assay is defined as the signal obtained in wells with the coated antibody (in this case Ab-X), second solution phase antibody buffer only (*i.e.* no second solution phase antibody), sclerostin and sclerostin detection reagents. The ELISA assay needs to be run in such a manner so as to have the positive control signal be at least 6 times the background signal.

[0493] To avoid any artifacts (*e.g.* significantly different affinities between Ab-X and Ab-Y for sclerostin) resulting from the choice of which antibody to use as the coating antibody and which to use as the second (competitor) antibody, the cross-blocking assay needs to be run in two formats:

- 1) format 1 is where Ab-X is the antibody that is coated onto the ELISA plate and Ab-Y is the competitor antibody that is in solution and
- 2) format 2 is where Ab-Y is the antibody that is coated onto the ELISA plate and Ab-X is the competitor antibody that is in solution.

[0494] Ab-X and Ab-Y are defined as cross-blocking if, either in format 1 or in format 2, the solution phase anti-sclerostin antibody is able to cause a reduction of between 60% and 100%, specifically between 70% and 100%, and more specifically between 80% and 100%, of the sclerostin detection signal (*i.e.* the amount of sclerostin bound by the coated antibody) as compared to the sclerostin detection signal obtained in the absence of the solution phase anti-sclerostin antibody (*i.e.* the positive control wells).

[0495] In the event that a tagged version of sclerostin is used in the ELISA, such as a N-terminal His-tagged Sclerostin (R&D Systems, Minneapolis, MN, USA; 2005 cat# 1406-ST-025) then an appropriate type of sclerostin detection reagent would include an HRP labeled anti-His antibody. In addition to using N-terminal His-tagged Sclerostin, one could also use C-terminal His-tagged Sclerostin. Furthermore, various other tags and tag binding protein combinations that are known in the art could be used in this ELISA-based cross-blocking assay (*e.g.*, HA tag with anti-HA antibodies; FLAG tag with anti-FLAG antibodies; biotin tag with streptavidin).

EXAMPLE 8

CELL BASED MINERALIZATION ASSAY FOR IDENTIFYING AGENTS ABLE TO ANTAGONIZE SCLEROSTIN ACTIVITY

Introduction

[0496] Mineralization by osteoblast-lineage cells in culture, either primary cells or cell lines, is used as an *in vitro* model of bone formation. Mineralization takes from about one to six weeks to occur beginning with the induction of osteoblast-lineage cell differentiation by one or more differentiation agents. The overall sequence of events involves cell proliferation, differentiation, extracellular matrix production, matrix maturation and finally deposition of mineral, which refers to crys-

tallization and/or deposition of calcium phosphate. This sequence of events starting with cell proliferation and differentiation, and ending with deposition of mineral is referred to herein as mineralization. Measurement of calcium (mineral) is the output of the assay.

[0497] Deposition of mineral has a strong biophysical characteristic, in that once mineral "seeds" begin to form, the total amount of mineral that will be deposited in the entire culture can, sometimes be deposited quite rapidly, such as within a few days thereafter. The timing and extent of mineral deposition in culture is influenced, in part, by the particular osteoblast-lineage cells/cell-line being used, the growth conditions, the choice of differentiation agents and the particular lot number of serum used in the cell culture media. For osteoblast-lineage cell/cell-line mineralization cultures, at least eight to fifteen serum lots from more than one supplier should be tested in order to identify a particular serum lot that allows for mineralization to take place.

[0498] MC3T3-E1 cells (Sudo H et al., In vitro differentiation and calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. J. Cell Biol. 96:191-198) and subclones of the original cell line can form mineral in culture upon growth in the presence of differentiating agents. Such subclones include MC3T3-E1-BF (Smith E, Redman R, Logg C, Coetzee G, Kasahara N, Frenkel B. 2000. Glucocorticoids inhibit developmental stage-specific osteoblast cell cycle. J Biol Chem 275:19992-20001).

Identification of Sclerostin Neutralizing Antibodies

[0499] MC3T3-E1-BF cells were used for the mineralization assay. Ascorbic acid and B-glycerophosphate were used to induce MC3T3-E1-BF cell differentiation, leading to mineral deposition. The specific screening protocol, in 96-well format, involved plating cells on a Wednesday, followed by seven media changes (as described further below) over a 12-day period with most of the mineral deposition taking place in the final approximately eighteen hours (e.g. Sunday night through Monday). For any given treatment, 3 wells were used (N=3). The specific timing, and extent, of mineral deposition may vary depending, in part, on the particular serum lot number being used. Control experiments will allow such variables to be accounted for, as is well known in the art of cell culture experimentation generally.

[0500] In this assay system sclerostin inhibited one or more of the sequence of events leading up to and including mineral deposition (i.e., sclerostin inhibited mineralization). Anti-sclerostin antibodies that were able to neutralize sclerostin's inhibitory activity allowed for mineralization of the culture in the presence of sclerostin such that there was a statistically significant increase in deposition of calcium phosphate (measured as calcium) as compared to the amount of calcium measured in the sclerostin-only (i.e., no antibody) treatment group. For statistical analysis (using MS Excel and JMP) a 1-way-ANOVA followed by Dunnett's comparison was used to determine differences between groups. Group means for each data set were considered significantly different when the P value was less than 0.05 ($P < 0.05$). A representative result from running this assay is shown in Figure 22. In the absence of recombinant mouse sclerostin, the sequence of events leading up to and including mineral deposition proceeded normally. Calcium levels in each treatment group are shown as means $\pm$ Standard Error of the Mean (SEM). In this exemplary experiment calcium levels from the calcium assay were $\sim 31 \mu\text{g/ml}$. However, addition of recombinant mouse sclerostin caused inhibition of mineralization, and calcium was reduced by $\sim 85\%$. Addition of anti-sclerostin monoclonal antibody Ab-19 or Ab-4 along with the recombinant sclerostin resulted in a statistically significant increase in mineral deposition, as compared to the sclerostin-only group, because the inhibitory activity of sclerostin was neutralized by either antibody. The results from this experiment indicate that Ab-19 and Ab-4 are sclerostin neutralizing monoclonal antibodies (Mabs).

[0501] Figure 23 shows a very similar result using recombinant human sclerostin and two humanized anti-sclerostin Mabs. Figure 24 also shows a very similar result using recombinant human sclerostin and mouse and humanized anti-sclerostin Mabs as indicated.

[0502] The antibodies used for the experiments shown in Fig 22,23 and 24 have molecular weights of about 145 Kd and have 2 sclerostin binding sites per antibody molecule.

[0503] A detailed MC3T3-E1-BF cell culture protocol is described below.

Reagents and Medias

[0504]

Reagents	Company	Catalog #
Alpha-MEM	Gibco-Invitrogen	12571-048
Ascorbic acid	Sigma	A4544
Beta-glycerophosphate	Sigma	G6376
100X PenStrepGlutamine	Gibco-Invitrogen	10378-016

EP 2 325 199 A1

(continued)

Reagents	Company	Catalog #
Dimethylsulphoxide (DMSO)	Sigma	D5879 or D2650
Fetal bovine serum (FBS)	Cansera	CS-C08-500 (lot # SF50310)
or Fetal bovine serum (FBS)	TerraCell Int.	CS-C08-1000A (lot # SF-20308)

[0505] Alpha-MEM is usually manufactured with a 1 year expiration date. Alpha-MEM that was not older than 6-months post-manufacture date was used for the cell culture.

[0506] Expansion Medium (Alpha-MEM/10%FBS/PenStrepGlu) was prepared as follows:

A 500 ml bottle of FBS was thawed and filter sterilized through a 0.22 micron filter.
100 mls of this FBS was added to 1 liter of Alpha-MEM followed by the addition of 10 mls of
100x PenStrepGlutamine. Unused FBS was aliquoted and refrozen for later use.

[0507] Differentiation Medium (Alpha-MEM/10%FBS/PenStrepGlu, + 50 µg/ml ascorbic acid, + 10 mM beta-glycerophosphate) was prepared as follows:

100 mls of Differentiation Medium was prepared by supplementing 100 mls of Expansion Medium with ascorbic acid and beta-glycerophosphate as follows:

	Stock cone (see below)	Volume	Final Cone.
Ascorbic acid	10 mg/ml	0.5 mls	100 µg/ml (50ug/ml + 50µg/ml)
β-glycerophosphate	1 M	1.0 mls	10 mM

[0508] Differentiation Medium was made by supplementing Expansion Medium only on the day that the Differentiation media was going to be used for cell culture. The final concentration of ascorbic acid in Differentiation medium is 100 µg/ml because Alpha-MEM already contains 50 µg/ml ascorbic acid. Ascorbic acid stock solution (10 mg/ml) was made and aliquoted for freezing at -80°C. Each aliquot was only used once (*i.e.* not refrozen). Beta-glycerophosphate stock solution (1 M) was made and aliquoted for freezing at -20°C. Each aliquot was frozen and thawed a maximum of 5 times before being discarded.

Cell Culture for expansion of MC3T3-E1-BF cells.

[0509] Cell culture was performed at 37°C and 5% CO₂. A cell bank was generated for the purposes of screening for sclerostin neutralizing antibodies. The cell bank was created as follows:

[0510] One vial of frozen MC3T3-E1-BF cells was thawed by agitation in a 37°C water bath. The thawed cells were put into 10 mls of Expansion Medium (Alpha-MEM/10%PBS/PenStrepGlu) in a 50 ml tube and gently spun down for 5 minutes. The cells were then resuspended in 4 mls of Alpha-MEM/10%PBS/PenStrepGlu. After determining the number of cells using trypan blue and hemacytometer, 1 x 10⁶ cells were plated in 50 mls Alpha-MEM/10%FBS/PenStrepGlu media in one T175 flask.

[0511] When this passage was confluent (at approximately 7 days), the cells were trypsinized with trypsin/EDTA (0.05% Trypsin; 0.53 mM EDTA), gently spun down for 5 minutes and then resuspended in 5 mls Alpha-MEM/10%FBS/PenStrepGlu. After determining the number of cells using trypan blue and hemacytometer, cells were plated at 1 x 10⁶ cells in 50 mls Alpha-MEM/10%FBS/PenStrepGlu media per one T175 flask. The number of T175 flasks used for plating at this point depended upon the total cell number available and the desired number of flasks that were to be taken forward to the next passage. Extra cells were frozen down at 1-2x10⁶ live cells/ml in 90%FBS/10%DMSO.

[0512] When this passage was confluent (about 3-4 days), the cells were trypsinized with trypsin/EDTA (0.05% Trypsin; 0.53 mM EDTA), gently spun down for 5 minutes and then resuspended in 5 mls Alpha-MEM/10%FBS/PenstrepGlu. After determining the number of cells using trypan blue and hemacytometer, cells were plated at 1 x 10⁶ cells in 50 mls Alpha-MEM/10%PBS/PenStrepGlu media per one T175 flask. The number of T175 flasks used for plating at this point depended upon the total cell number available and the desired number of flasks that were to be taken forward to the next passage. Extra cells were frozen down at 1-2x10⁶ live cells/ml in 90%FBS/10%DMSO.

[0513] When this passage was confluent (about 3-4 days), the cells were trypsinized with trypsin/EDTA (0.05% Trypsin; 0.53 mM EDTA), gently spun down for 5 minutes and then resuspended in 5 mls Alpha-MEM/10%FBS/PenStrepGlu. After determining the number of cells using trypan blue and hemacytometer, cells were plated at 1 x 10⁶ cells in 50 mls Alpha-MEM/10%FBS/PenStrepGlu media per one T175 flask. The number of T175 flasks used for plating at this point

depended upon the total cell number available and the desired number of flasks that were to be taken forward to the next passage. Extra cells were frozen down at $1-2 \times 10^6$ live cells/ml in 90%FBS/10%DMSO.

[0514] When this passage was confluent (about 3-4 days), the cells were trypsinized with trypsin/EDTA (0.05% Trypsin; 0.53 mM EDTA), gently spun down for 5 minutes and then resuspended in 5 mls Alpha-MEM/10%FBS/PenstrepGlu. After determining the number of cells using trypan blue and hemacytometer, the cells were frozen down at $1-2 \times 10^6$ live cells/ml in 90%FBS/10%DMSO. This "final passage" of frozen cells was the passage that was used for the screening assay.

Cell Culture for mineralizing MC3T3-E1-BF cells.

[0515] Cell culture was performed at 37°C and 5% CO₂. It is desirable to minimize temperature and % CO₂ fluctuations during the mineralization cell culture procedure. This can be achieved by minimizing the time that plates spend out of the incubator during feeding and also by minimizing the number of times the incubator door is opened and closed during the mineralization cell culture procedure. In this regard having a tissue culture incubator that is dedicated exclusively for the mineralization cell culture (and thus not opened and closed more than is necessary) can be helpful.

[0516] An appropriate number of "final passage" vials prepared as described above were thawed by agitation in a 37°C water bath. The thawed cells were put into 10 mls of Expansion Medium (Alpha-MEM/10%FBS/PenStrepGlu) in a 50 ml tube and gently spun down for 5 minutes. The cells were then resuspended in 4 mls of Alpha-MEM/10%FB-SiPenStrepGlu. After determining the number of cells by trypan blue and hemacytometer, 2500 cells were plated in 200 microliters of Expansion media per well on collagen I coated 96-well plates (Becton Dickinson Labware, cat # 354407).

[0517] To avoid a mineralization plate-edge effect cells were not plated in the outermost row/column all the way around the plate. Instead 200 microliters of PBS was added to these wells.

Exemplary cell culture procedure

[0518] In the following procedure, the starting day for plating the cells is indicated to be a Wednesday. If a different day of the week is used as the starting day for plating the cells, that day will trigger the daily schedule for removing and adding media during the entire process as indicated below. For example, if the cells are plated on a Tuesday, media should not be removed and added on the first Friday and Saturday, nor on the second Friday and Saturday. With a Tuesday start, the plates would be prepared for the calcium assay on the final Sunday.

[0519] Cells were plated on a Wednesday at 2500 cells in 200 µl of Expansion media.

On Thursday all of the Expansion media was removed and 200 µl of Differentiation Media was added.

On Friday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

On Monday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

On Tuesday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

On Wednesday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

On Thursday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

On Friday 100 µl of media was removed and 100 µl of fresh Differentiation Media was added.

[0520] On the following Monday plates were prepared for the calcium assay as follows:

Plates were washed once with 10 mM Tris, HCl pH 7-8.

Working under a fume hood, 200 µl of 0.5 N HCl was added per well. Plates were then frozen at -80°C.

[0521] Just prior to measuring calcium, the plates were freeze-thawed twice, and then trituration with a multichannel pipette was used to disperse the contents of the plate. The contents of the plate was then allowed to settle at 4°C for 30 minutes at which point an appropriate amount of supernatant was removed for measuring calcium using a commercially available calcium kit. An exemplary and not-limiting kit is Calcium (CPC) Liquicolor, Cat. No. 0150-250, Stanbio Laboratory, Boerne, TX.

[0522] In this cell based assay, sclerostin inhibits one or more of the sequence of events leading up to and including mineral deposition (*i.e.* sclerostin inhibits mineralization). Thus, in experiments where sclerostin was included in the particular cell culture experiment, the recombinant sclerostin was added to the media starting on the first Thursday and every feeding day thereafter. In cases where an anti-sclerostin monoclonal antibody (Mab) was being tested for the ability to neutralize sclerostin, *i.e.* allow for mineralization by neutralizing sclerostin's ability to inhibit mineralization, the Mab was added to the media starting on the first Thursday and every feeding day thereafter. According to the protocol, this was accomplished as follows: the Mab was preincubated with the recombinant sclerostin in Differentiation media for 45-60 minutes at 37°C and then this media was used for feeding the cells.

[0523] Described above is a 12-day mineralization protocol for MC3T3-E1-BF cells. Using the same reagents and feeding protocol, the original MC3T3-E1 cells (Sudo H, Kodama H-A, Amagai Y, Yamamoto S, Kasai S. 1983. In vitro differentiation and calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. J Cell Biol 96: 191-198) which we obtained from the RIKEN Cell Bank (RCB 1126, RIKEN BioResource Center 3-1-1 Koyadai, Tsukuba-shi, Ibaraki 305-0074 Japan) took longer to mineralize (20 days total for mineralization) than the MC3T3-E1-BF cells. Mineralization of the original MC3T3-B1 cells was inhibited by recombinant sclerostin and this inhibition was blocked using a sclerostin neutralizing antibody.

EXAMPLE 9

ANTI-SCLEROSTIN ANTIBODY PROTECTS FROM INFLAMMATION-INDUCED BONE LOSS IN THE CD4 CD45RB^{HI} TRANSFER MODEL OF COLITIS IN SCID MICE

Summary of model

[0524] Injection of the CD45RB^{high} subset of CD4+ T cells into C.B-17 *scid* mice results in chronic intestinal inflammation with characteristics similar to those of human inflammatory bowel disease (IBD). Diarrhoea and wasting disease is noted 3-5 weeks after cell transfer with severe leukocyte infiltration into the colon accompanied by epithelial cell hyperplasia and granuloma formation. C.B-17 *scid* mice which receive the reciprocal subset of CD4+ cells, those which express CD45RB^{low}, do not exhibit colitis and have a weight gain indistinguishable from uninjected *scid* mice. In addition to colitis symptoms, the CD4+ CD45RB^{high} T cell transfer model of colitis is accompanied by a reduction in bone mineral density (BMD), thought to be primarily through inflammatory mechanisms rather than dietary malabsorption (Byrne, F. R. et al., Gut 54:78-86, 2005).

Induction of colitis and inflammation-induced bone loss

[0525] Spleens were taken from female balb/c mice and disrupted through a 70µm cell strainer. The CD4+ population was then enriched by negative selection with Dynabeads using antibodies against B220, MAC-1, CD8 and I-A^d. The enriched population was then stained with FITC conjugated anti-CD4 and PE conjugated anti-CD45RB and fractionated into CD4+CD45RB^{high} and CD4+CD45RB^{low} populations by two-color sorting on a Moflo (Dakocytometry). The CD45RB^{high} and CD45RB^{low} populations were defined as the brightest staining 40% and the dimmest staining 20% of CD4+ cells respectively. 5 x 10⁵ cells were then injected i.p. into C.B-17 *scid* mice on day 0 and the development of colitis was monitored through the appearance of soft stools or diarrhoea and weight loss. Bone mineral density measurements were taken at the termination of the study (day 88).

Effect of anti-Sclerostin treatment on colitis symptoms and BMD

[0526] Ab-A IgG was dosed at 10mg/kg s.c. from the day prior to CD4+CD45RB^{high} cell transfer and compared with mice which received the negative control antibody 101.4 also dosed at 10mg/kg s.c.. The antibodies were dosed weekly thereafter. A group of mice which received non-pathogenic CD4+CD45RB^{low} cells and were dosed with 10mg/kg 101.4 was studied as a control. At the termination of the study (day 88) the bone mineral density was measured and sections of the colon taken for analysis of cell infiltration and assessment of histological damage.

a) No effect on colitis symptoms

[0527] Typical colitis symptoms such as weight loss and infiltration of inflammatory cells into the colon were unaffected by treatment with Ab-A. Similarly there was no improvement of histological damage to the colon after treatment with Ab-A.

b) Inhibition of inflammation-induced loss of bone mineral density.

[0528] On day 88 after transfer of cells into C.B-17 *scid* mice, the bone mineral density was measured (total BMD, vertebrae BMD and femur BMD). In comparison to control mice which received CD4+CD45RB^{low} non-pathogenic cells, mice which received CD4+ CD45RB^{high} T cells and the negative control antibody 101.4 had reduced bone mineral density, as shown in Figure 25. In contrast, no reduction in BMD was noted after treatment with Ab-A. Total, vertebrae and femur measurements of BMD were significantly higher in mice receiving CD4+ CD45RB^{high} T cells and treated with Ab-A than mice receiving CD4+ CD45RB^{high} T cells and treated with 101.4 (P<0.001 by Bonferroni multiple comparison test).

EXAMPLE 10

KINEXA-BASED DETERMINATION OF AFFINITY (K_D) OF ANTI-SCLEROSTIN ANTIBODIES FOR HUMAN SCLEROSTIN

[0529] The affinity of several anti-sclerostin antibodies to human sclerostin was assessed by a solution equilibrium binding analysis using KinExA[®] 3000 (Sapidyne Instruments Inc., Boise, ID). For these measurements, Reacti-Gel 6x beads (Pierce, Rockford, IL) were pre-coated with 40 µg/ml human sclerostin in 50 mM Na₂CO₃, pH 9.6 at 4 °C overnight. The beads were then blocked with 1 mg/ml BSA in 1 M Tris-HCl, pH 7.5 at 4 °C for two hours. 10 pM, 30 pM, or 100 pM of the antibody was mixed with various concentrations of human sclerostin, ranging in concentration from 0.1 pM to 1 nM and equilibrated at room temperature for over 8 hours in PBS with 0.1 mg/ml BSA and 0.005% P20. The mixtures were then passed over the human sclerostin coated beads. The amount of bead-bound anti-sclerostin antibody was quantified using fluorescent Cy5-labeled goat anti-mouse-IgG or fluorescent Cy5-labeled goat anti-human-IgG antibodies (Jackson Immuno Research, West Grove, PA for the mouse or human antibody samples, respectively). The amount of fluorescent signal measured was proportional to the concentration of free anti-sclerostin antibody in each reaction mixture at equilibrium. The dissociation equilibrium constant (K_D) was obtained from nonlinear regression of the competition curves using a n-curve one-site homogeneous binding model provided in the KinExA Pro software. Results of the KinExA assays for the selected antibodies are summarized in the table below.

Antibodies	Antigen	K_D (pM)	95% confidence interval
Ab-13	Human Sclerostin	0.6	0.4–0.8 pM
Ab-4	Human Sclerostin	3	1.8–4 pM
Ab-19	Human Sclerostin	3	1.7–4 pM
Ab-14	Human Sclerostin	1	0.5–2 pM
Ab-5	Human Sclerostin	6	4.3–8 pM
Ab-23	Human Sclerostin	4	2.1–8 pM

EXAMPLE 11

BIAcore METHOD FOR DETERMINING THE AFFINITY OF HUMANISED ANTI-SCLEROSTIN ANTIBODIES FOR HUMAN SCLEROSTIN.

[0530] The BIAcore technology monitors the binding between biomolecules in real time and without the requirement for labelling. One of the interactants, termed the ligand, is either immobilised directly or captured on the immobilised surface while the other, termed the analyte, flows in solution over the captured surface. The sensor detects the change in mass on the sensor surface as the analyte binds to the ligand to form a complex on the surface. This corresponds to the association process. The dissociation process is monitored when the analyte is replaced by buffer. In the affinity BIAcore assay, the ligand is the anti-sclerostin antibody and the analyte is sclerostin.

Instrument

[0531] Biacore[®] 3000, Biacore AB, Uppsala, Sweden

Sensor chip

[0532] CM5 (research grade) Catalogue Number: BR-1001-14, Biacore AB, Uppsala, Sweden. Chips were stored at 4 °C.

BIA normalising solution

[0533] 70% (w/w) Glycerol. Part of BIA maintenance Kit Catalogue Number: BR-1002-51, Biacore AB, Uppsala, Sweden. The BIA maintenance kit was stored at 4 °C.

Amine Coupling Kit

[0534] Catalogue Number: BR-1000-50, Biacore AB, Uppsala, Sweden.

[0535] Ethyl-3-(3-dimethylaminopropyl) carbodiimide hydrochloride (EDC). Made up to 75 mg/mL in distilled water and stored in 200 µL aliquots at -70 °C.

[0536] N-Hydroxysuccinimide (NHS). Made up to 11.5 mg/mL in distilled water and stored in 200 µL aliquots at -70 °C.

[0537] 1 M Ethanolamine hydrochloride-NaOH pH 8.5. Stored in 200 µL aliquots at -70 °C.

Buffers

[0538] Running buffer for immobilising capture antibody: HBS-EP (being 0.01 M HEPES pH 7.4, 0.15 M NaCl, 3 mM EDTA, 0.005 % Surfactant P20). Catalogue Number: BR-1001-88, Biacore AB, Uppsala, Sweden. Buffer stored at 4 °C.

[0539] Immobilisation buffer. Acetate 5.0 (being 10 mM sodium acetate pH 5.0). Catalogue number: BR-1003-51, Biacore AB, Uppsala, Sweden. Buffer stored at 4 °C.

[0540] Running buffer for binding assay: HBS-EP (being 0.01 M HEPES pH 7.4, 0.15 M NaCl, 3 mM EDTA, 0.005 % Surfactant P20, Catalogue Number: BR-1001-88, Biacore AB, Uppsala, Sweden) with CM-Dextran added at 1 mg/mL (Catalogue Number 27560, Fluka BioChemika, Buchs, Switzerland). Buffer stored at 4 °C.

Ligand capture

[0541] Affinipure F(ab')₂ fragment goat anti-human IgG, Fc fragment specific. Jackson ImmunoResearch Inc (Pennsylvania, USA) Catalogue number: 109-006-098. Reagent stored at 4 °C.

Ligand

[0542] Humanised anti-human sclerostin antibodies Ab5, Ab14 and Ab20.

Analyte

[0543] Recombinant human sclerostin. Aliquots stored at -70 °C and thawed once for each assay.

Regeneration Solution

[0544] 40 mM HCl prepared by dilution with distilled water from an 11.6 M stock solution (BDH, Poole, England. Catalogue number: 101254H).

[0545] 5 mM NaOH prepared by dilution with distilled water from a 50 mM stock solution. Catalogue number: BR-1003-58, Biacore AB, Uppsala, Sweden.

Assay Method

[0546] The assay format was capture of the anti-sclerostin antibody by immobilised anti-human IgG-Fc then titration of the sclerostin over the captured surface.

[0547] An example of the procedure is given below:

[0548] BIA (Biomolecular Interaction Analysis) was performed using a BIAcore 3000 (BIAcore AB). Affinipure F(ab')₂ Fragment goat anti-human IgG, Fc fragment specific (Jackson ImmunoResearch) was immobilised on a CM5 Sensor Chip via amine coupling chemistry to a capture level of ≈4000 response units (RUs). HBS-EP buffer (10mM HEPES pH 7.4, 0.15 M NaCl, 3 mM EDTA, 0.005 % Surfactant P20, BIAcore AB) containing 1 mg/mL CM-Dextran was used as the running buffer with a flow rate of 10 µL/min. A 10 µL injection of the anti-sclerostin antibody at ~5 µg/mL was used for capture by the immobilised anti-human IgG-Fc. Antibody capture levels were typically 100-200 RU. Sclerostin was titrated over the captured anti-sclerostin antibody at various concentrations at a flow rate of 30 µL/min. The surface was regenerated by two 10 µL injections of 40 mM HCl, followed by a 5 µL injection of 5 mM NaOH at a flowrate of 10 µL/min.

[0549] Background subtraction binding curves were analysed using the BIAevaluation software (version 3.2) following standard procedures. Kinetic parameters were determined from the fitting algorithm.

[0550] The kinetic data and calculated dissociation constants are given in Table 2.

TABLE 2: Affinity of anti-sclerostin antibodies for sclerostin

Antibody	ka(1/Ms)	kd(1/s)	Kd(pM)
Ab-5	1.78E+06	1.74E-04	97.8
Ab-14	3.30E+06	4.87E-06	1.48
Ab-20	2.62E+06	4116E-05)	15.8

EXAMPLE 12

IN VIVO TESTING OF ANTI-SCLEROSTIN MONOCLONAL ANTIBODIES IN CYNOMOLGIOUS MONKEYS

[0551] Thirty-three, approximately 3-5 year old, female cynomolgus monkeys (*Macaca fascicularis*) were used in this 2- month study. The study contained 11 groups:

- Group 1: vehicle (N=4)
- Group 2: Ab-23 (N=2, dose 3 mg/kg)
- Group 3: Ab-23 (N=3, dose 10 mg/kg)
- Group 4: Ab-23 (N=3, dose 30 mg/kg)
- Group 5: Ab-5 (N=3, dose 3 mg/kg)
- Group 6: Ab-5 (N=3, dose 10 mg/kg)
- Group 7: Ab-5 (N=3, dose 30 mg/kg)
- Group 8: Ab-14 (N=3, dose 3 mg/kg)
- Group 9: Ab-14 (N=3, dose 10 mg/kg)
- Group 10: Ab-14 (N=3, dose 30 mg/kg)
- Group 11: Parathyroid Hormone (1-34) [PTH (1-34)] (N=3, dose 10 ug/kg)

[0552] All dosing was subcutaneous. PTH (1-34) was dosed everyday, monoclonal antibodies (Mabs) were dosed twice (first dose at the beginning of the study and second dose at the one month time point). For assessment of bone parameters (e.g. bone mineral density) pQCT (peripheral quantitative computed tomography) and DXA (dual energy X-ray absorptiometry) scans were performed prior to the beginning of the study (to obtain baseline values) and after a month (prior to the second dose of Mab) and finally at the end of the study (2-month time point) at which point the monkeys were necropsied for further analysis (e.g. histomorphometric analysis). Animals were fluorochrome labeled (days 14,24,47, and 57) for dynamic histomorphometry. Serum was collected at various time points during the study [day 1 pre-dose (the day of the first Mab dose), day 1 twelve hours post-dose, day 2, day 3, day 5, day 7, day 14, day 21, day 28, day 29 twelve hours post-dose (day 29 was the day of the second and final Mab dose), day 30, day 31, day 33, day 35, day 42, day 49 and day 56].

Three bone-related serum biomarkers were measured using commercially available kits:

Osteocalcin (OC) (DSL Osteocalcin Radioimmunoassay Kit; Diagnostic Systems Laboratories, Inc., Webster, TX, USA)
N-terminal Propeptide of Type I Procollagen (PINP) (P1NP Radioimmunoassay Kit; Orion Diagnostica, Espoo, Finland)
C-telopeptide fragments of collagen type I α 1 chains (sCTXI) (Serum CrossLaps® ELISA; Nordic Bioscience Diagnostics A/S, Herlev, Denmark).

[0553] pQCT and DXA scans yielded data on various bone parameters (including bone mineral density (BMD) and bone mineral content) across numerous skeletal sites (including tibial metaphysis and diaphysis, radial metaphysis and diaphysis, femur neck, lumbar vertebrae). Analysis of this bone data (percent change from baseline for each animal) and the anabolic (OC, P1NP) serum biomarker data (percent change from baseline for each animal) revealed statistically significant increases, versus the vehicle group, in some parameters at some of the time points and doses for each Mab. This bone parameter data, serum biomarker data, as well as the histomorphometric data, indicated that each of the 3 Mabs (Ab-23, Ab-5 and Ab-14) was able to neutralize sclerostin in cynomolgous monkeys. This activity was most robust for Ab-23 and Ab-5, particularly at the highest dose (30 mg/kg), with a clear increase in bone formation (anabolic effect) as well as net gains in bone (e.g. BMD). Statistically significant increases in bone parameters and anabolic histomorphometric parameters were also found for the positive control group (PTH (1-34)).

[0554] Serum bone formation markers (P1NP, osteocalcin) were increased ($p < 0.05$ vs vehicle (VEH)) at various time points and doses, but particularly in the 30 mg/kg groups for Ab-23 and Ab-5. Histomorphometric analysis revealed dramatic increases ($p < 0.05$ vs VEH) in bone formation rates in cancellous bone at lumbar vertebra and proximal tibia (up to 5-fold increase), as well as at the endocortical surface of the femur midshaft (up to 10-fold increase) at the higher doses of Ab-23 and Ab-5. Trabecular thickness was increased with high dose Ab-23 and Ab-5 in lumbar vertebrae 60%,

p<0.05 vs VEH). By study end (2 months), areal BMD, as percent change from baseline, was increased (p<0.05 vs VBH) at the femur neck, ultra-distal radius (Ab-23, 30 mg/kg), and lumbar vertebrae (Ab-5, 30 mg/kg). The increases in areal BMD at the lumbar vertebrae were accompanied by increases in vertebral strength (97% increase in vertebral maximal load for Ab-23, 30 mg/kg; p<0.05 vs VEH); baseline values for lumbar areal BMD prior to Mab dosing were statistically similar across all groups. In summary, short-term administration of selerostin-neutralizing Mabs in cynomolgous monkeys resulted, in part, in increases in bone formation, BMD and vertebral bone strength.

[0555] From the foregoing, although specific embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims. All publications, published patent application, and patent documents disclosed herein are hereby incorporated by reference.

SEQUENCE LISTING

<110> UCB S.A.
Amgen, Inc.

<120> Binding Agents

<130> 60117-225

<150>

<151> 2006-04-25

<150>

<151> 2006-04-17

<150> 60/782,244

<151> 2006-03-13

<150> 60/776,847

<151> 2006-02-24

<150> 60/667,583

<151> 2005-05-03

<160> 396

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 190

<212> PRT

<213> Homo sapiens

<400> 1

```

Gln Gly Trp Gln Ala Phe Lys Asn Asp Ala Thr Glu Ile Ile Pro Glu
 1          5          10
Leu Gly Glu Tyr Pro Glu Pro Pro Glu Leu Glu Asn Asn Lys Thr
 20          25          30
Met Asn Arg Ala Glu Asn Gly Gly Arg Pro Pro His His Pro Phe Glu
 35          40          45
Thr Lys Asp Val Ser Glu Tyr Ser Cys Arg Glu Leu His Phe Thr Arg
 50          55          60
Tyr Val Thr Asp Gly Pro Cys Arg Ser Ala Lys Pro Val Thr Glu Leu
 65          70          75          80
Val Cys Ser Gly Gln Cys Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile
 85          90          95
Gly Arg Gly Lys Trp Trp Arg Pro Ser Gly Pro Asp Phe Arg Cys Ile
100          105          110
Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu Leu Cys Pro Gly Gly
115          120          125
Glu Ala Pro Arg Ala Arg Lys Val Arg Leu Val Ala Ser Cys Lys Cys
130          135          140
Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu Leu Lys Asp Phe Gly
145          150          155          160
Thr Glu Ala Ala Arg Pro Gln Lys Gly Arg Lys Pro Arg Pro Arg Ala
165          170          175
Arg Ser Ala Lys Ala Asn Gln Ala Glu Leu Glu Asn Ala Tyr
180          185          190

```

<210> 2

<211> 14

<212> PRT

<213> Homo sapiens

<400> 2
 Asp Val Ser Glu Tyr Ser Cys Arg Glu Leu His Phe Thr Arg
 1 5 10

<210> 3
 <211> 18
 <212> PRT
 <213> Homo sapiens

<400> 3
 Ser Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro
 1 5 10 15
 Ala Arg

<210> 4
 <211> 16
 <212> PRT
 <213> Homo sapiens

<400> 4
 Trp Trp Arg Pro Ser Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr
 1 5 10 15

<210> 5
 <211> 12
 <212> PRT
 <213> Homo sapiens

<400> 5
 Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg
 1 5 10

<210> 6
 <211> 26
 <212> PRT
 <213> Homo sapiens

<400> 6
 Cys Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp
 1 5 10 15
 Trp Arg Pro Ser Gly Pro Asp Phe Arg Cys
 20 25

<210> 7
 <211> 214
 <212> PRT
 <213> Mus musculus

<400> 7
 Asp Val Gln Met Ile Gln Ser Pro Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Ile Val Thr Met Thr Cys Gln Ala Ser Gln Gly Thr Ser Ile Asn
 20 25 30
 Leu Asn Trp Phe Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45
 Tyr Gly Ser Ser Asn Leu Glu Asp Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Arg Tyr Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Asp
 65 70 75 80
 Glu Asp Leu Ala Thr Tyr Phe Cys Leu Gln His Ser Tyr Leu Pro Tyr
 85 90 95
 Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala

100 105 110
 Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125
 Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
 130 135 140
 Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
 145 150 155 160
 Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175
 Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190
 Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205
 Phe Asn Arg Asn Glu Cys
 210

 <210> 8
 <211> 645
 <212> DNA
 <213> Mus musculus

 <400> 8
 gatgtccaga tgattcagtc tccatcctcc ctgtctgcat ctttgggaga catagtcacc 60
 atgacttgcc aggcaagtca gggcactagc attaatTTaa actgggttca gcaaaaacca 120
 gggaaggctc ctaagctcct gatctatggt tcaagcaact tggaagatgg ggtcccatca 180
 aggttcagtg gcagtagata tgggacagat ttactctca ccatcagcag cctggaggat 240
 gaagatctgg caacttattt ctgtctacaa catagttatc tcccgtagac gticggaggg 300
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttccacca 360
 tccagtgagc agttaacatc tggagggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctctg 480
 aacagttgga ctgatacagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 645

 <210> 9
 <211> 236
 <212> PRT
 <213> Mus musculus

 <400> 9
 Met Asn Thr Arg Ala Pro Ala Glu Phe Leu Gly Phe Leu Leu Leu Trp
 1 5 10 15
 Phe Leu Gly Ala Arg Cys Asp Val Gln Met Ile Gln Ser Pro Ser Ser
 20 25 30
 Leu Ser Ala Ser Leu Gly Asp Ile Val Thr Met Thr Cys Gln Ala Ser
 35 40 45
 Gln Gly Thr Ser Ile Asn Leu Asn Trp Phe Gln Gln Lys Pro Gly Lys
 50 55 60
 Ala Pro Lys Leu Leu Ile Tyr Gly Ser Ser Asn Leu Glu Asp Gly Val
 65 70 75 80
 Pro Ser Arg Phe Ser Gly Ser Arg Tyr Gly Thr Asp Phe Thr Leu Thr
 85 90 95
 Ile Ser Ser Leu Glu Asp Glu Asp Leu Ala Thr Tyr Phe Cys Leu Gln
 100 105 110
 His Ser Tyr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile
 115 120 125
 Lys Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser
 130 135 140
 Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn
 145 150 155 160
 Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu
 165 170 175
 Asn Gln Asn Glv Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp
 185 190
 Thr Leu Thr Leu Thr Lys Asp Glu Tyr
 200 205
 Cys Glu Ala Thr His Lys Thr Ser Thr

210 215 220
 Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 10
 <211> 711
 <212> DNA
 <213> Mus musculus

<400> 10
 atgaacacga gggcccctgc tgagttcctt gggttcctgt tgctctgggt tttaggtgcc 60
 agatgtgatg tccagatgat tcagttctcca tctctccctgt ctgcatcttt gggagacata 120
 gtcacatga cttgccaggc aagtcagggc actagcatta atttaactg gtttcagcaa 180
 aaaccagggg aggtctctaa gctcctgac tatggttcaa gcaacttggg agatgggggc 240
 ccatcaaggt tcagtggcag tagatatggg acagatttca ctctcaccat cagcagcctg 300
 gaggatgaag atctggcaac ttatttctgt ctacaacata gttatctccc gtacacgttc 360
 ggaggggggga ccaagctgga aataaaacgg gctgatgctg caccaactgt atccatcttc 420
 ccacatcca gtgagcagtt aacatctgga ggtgcctcag tcgtgtgctt cttgaacaac 480
 ttctacccca aagacatcaa tgtcaagtgg aagattgatg gcagtgaacg acaaaatggc 540
 gtcctgaaca gttggactga tcaggacagc aaagacagca cctacagcat gagcagcacc 600
 ctcacgttga ccaaggacga gtatgaacga cataacagct atacctgtga ggccactcac 660
 aagacatcaa cttcaccat tgtcaagagc ttcaacagga atgagtgtta g 711

<210> 11
 <211> 443
 <212> PRT
 <213> Mus musculus

<400> 11
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Thr Pro Gly Ala
 1 5 10 15
 Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp His
 20 25 30
 Tyr Met Ser Trp Val Lys Gln Ser His Gly Lys Ser Leu Glu Trp Ile
 35 40 45
 Gly Asp Ile Asn Pro Tyr Ser Gly Glu Thr Thr Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Thr Ala Thr Leu Thr Val Asp Lys Ser Ser Ile Ala Tyr
 65 70 75 80
 Met Glu Ile Arg Gly Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Asp Tyr Asp Ala Ser Pro Phe Ala Tyr Trp Gly Gln Gly
 100 105 110
 Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr Pro Pro Ser Val Tyr
 115 120 125
 Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr Leu
 130 135 140
 Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr Trp
 145 150 155 160
 Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu
 165 170 175
 Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser Ser
 180 185 190
 Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala Ser
 195 200 205
 Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys Lys
 210 215 220
 Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe Pro
 225 230 235 240
 Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val Thr
 245 250 255
 Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe Ser
 260 265 270 275
 Val His Thr Ala Gln Thr Gln Pro Arg
 280 285
 Phe Arg Ser Val Ser Glu Leu Pro Ile
 300

Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val Asn
 305 310 315 320
 Ser Pro Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys
 325 330 335
 Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys Glu
 340 345 350
 Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp Phe
 355 360 365
 Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro Ala
 370 375 380
 Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser Tyr
 385 390 395 400
 Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala Gly
 405 410 415
 Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His His
 420 425 430
 Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440

<210> 12
 <211> 1332
 <212> DNA
 <213> Mus musculus

<400> 12
 gaggtccagc tgcaacagtc tggacctgaa ctggtgacgc ctggggccttc agtgaagata 60
 tcttgtaagg cttctggata cacattcact gaccactaca tgagctgggt gaagcagagt 120
 catggaaaaa gccttgagtg gattggagat attaatccct attctggtga aactacctac 180
 aaccagaagt tcaagggcac ggccacattg actgtagaca agtcttcag tatagcctac 240
 atggagatcc gcggcctgac atctgaggac tctgcagtct attactgtgc aagagatgat 300
 tacgacgcct ctccgtttgc ttactggggc caagggactc tggtcactgt ctctgcagcc 360
 aaaacgacac ccccatctgt ctatccactg gcccctggat ctgctgcca aactaactcc 420
 atggtgaccc tgggatgcct ggtcaagggc tatttccttg agccagtgc agtgacctg 480
 aactctggat ccctgtccag cgtgtgtcac accttcccag ctgtcctgca gtctgacctc 540
 tacactctga gcagctcagt gactgtcccc tccagcacct ggcccagcga gaccgtcacc 600
 tgcaacgttg cccacccggc cagcagcacc aagggtggaca agaaaattgt gccagggat 660
 tgtggttgta agccttgcat atgtacagtc ccagaagtat catctgtctt catcttcccc 720
 ccaaagccca aggatgtgct caccattact ctgactccta aggtcacgtg tgttggtgta 780
 gacatcagca aggatgatcc cgaggtccag ttcagctggt ttgtagatga tgtggagggtg 840
 cacacagctc agacgcaacc ccgggaggag cagttcaaca gcactttccg ctgagtcagt 900
 gaacttccca tcatgcacca ggactggctc aatggcaagg agttcaaag cagggtcaac 960
 agtccagctt tccctgcccc catcgagaaa accatctcca aaaccaaagg cagaccgaag 1020
 gctccacagg tgtacaccat tccacctccc aaggagcaga tggccaagga taaagtcagt 1080
 ctgacctgca tgataacaga cttcttccct gaagacatta ctgtggagtg gcagtggagt 1140
 gggcagccag cggagaacta caagaacact cagcccatca tggacacaga tggctcttac 1200
 ttcattctaca gcaagctcaa tgtgcagaag agcaactggg aggcaggaaa tactttcacc 1260
 tgctctgtgt tacatgaggg cctgcacaac caccatactg agaagagcct ctcccactct 1320
 cctggtaaat ga 1332

<210> 13
 <211> 462
 <212> PRT
 <213> Mus musculus

<400> 13
 Met Arg Cys Arg Trp Ile Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Thr
 20 25 30
 Pro Gly Ala Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 35 40 45
 Thr Asp His Tyr Met Ser Trp Val Lys Gln Ser His Gly Lys Ser Leu
 50 55 60
 Glu Trp Ile Gly Asp Ile Asn Pro Tyr Ser Gly Glu Thr Thr Tyr Asn
 65 70 75 80
 Gln Lys Phe Lys Gly Thr Ala Thr Leu Thr Val Asp Lys Ser Ser Ser
 85 90 95

Ile Ala Tyr Met Glu Ile Arg Gly Leu Thr Ser Glu Asp Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Asp Asp Tyr Ala Ser Pro Phe Ala Tyr Trp
 115 120 125
 Gly Gln Gly Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr Pro Pro
 130 135 140
 Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met
 145 150 155 160
 Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr
 165 170 175
 Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro
 180 185 190
 Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val
 195 200 205
 Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His
 210 215 220
 Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys
 225 230 235 240
 Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe
 245 250 255
 Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro
 260 265 270
 Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val
 275 280 285
 Gln Phe Ser Trp Phe Val Asp Val Glu Val His Thr Ala Gln Thr
 290 295 300
 Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu
 305 310 315 320
 Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys
 325 330 335
 Arg Val Asn Ser Pro Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser
 340 345 350
 Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro
 355 360 365
 Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile
 370 375 380
 Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly
 385 390 395 400
 Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp
 405 410 415
 Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp
 420 425 430
 Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His
 435 440 445
 Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 450 455 460

<210> 14
 <211> 1389
 <212> DNA
 <213> Mus musculus

<400> 14
 atgagatgca ggtggatctt tctctttctc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccagctgc aacagtctgg acctgaactg gtgacgcctg gggcttcagt gaagatatct 120
 tgtaaggctt ctggatacac attcactgac cactacatga gctgggtgaa gcagagtcac 180
 ggaaaaagcc ttgagtggat tggagatatt aatccctatt ctggtgaaac tacctacaac 240
 cagaagttca agggcacggc cacattgact gtagacaagt cttccagtat agcctacatg 300
 gagatccgag gcctgacatc tgaggactct gcagtctatt actgtgcaag agatgattac 360
 gacgcctctc cgtttgctta ctggggccaa gggactctgg tcactgtctc tgcagccaaa 420
 acgacacccc catctgtcta tccactggcc cctggatctg ctgcccacac taactccatg 480
 gtgaccctgg gatgcctggt caagggttat ttccctgagc cagtgacagt gacctggaac 540
 tctggatccc tgtccagcgg tgtgcacacc ttccagctg tcctgcagtc tgacctctac 600
 actctgagca gtcagtgac tgtcccctcc agcacctggc ccagcgagac cgtcacctgc 660
 aacgttgccc acccggccag cagcaccaag gtggacaaga aaattgtgcc cagggattgt 720
 ggttgtaagc ctgcatatg tacagtccca gaagtatcat ctgtcttcat ctccccca 780
 aagcccaagg atgtgctcac cattactctg actcctaagg tcacgtgtgt tgtggtagac 840

atcagcaagg atgatcccga ggtccagttc agctgggtttg tagatgatgt ggaggtgcac 900
 acagctcaga cgcaaccccg ggaggagcag ttcaacagca ctttccgctc agtcagtga 960
 cttcccatca tgcaccagga ctggctcaat ggcaaggagt tcaaagcag ggtcaacagt 1020
 ccagctttcc ctgccccat cgagaaaacc atctccaaa ccaaaggcag accgaaggct 1080
 ccacaggtgt acaccattcc acctcccaag gagcagatgg ccaaggataa agtcagtctg 1140
 acctgcatga taacagactt cttccctgaa gacattactg tggagtggca gtggaatggg 1200
 cagccagcgg agaactacaa gaacactcag cccatcatgg acacagatgg ctcttacttc 1260
 atctacagca agctcaatgt gcagaagagc aactgggagg caggaaatac ttccacctgc 1320
 tctgtgttac atgagggcct gcacaaccac catactgaga agagcctctc ccactctcct 1380
 ggtaaatga 1389

<210> 15
 <211> 218
 <212> PRT
 <213> Mus musculus

<400> 15
 Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu Thr Val Ser Leu Gly
 1 5 10 15
 Leu Arg Ala Thr Ile Ser Cys Lys Ala Ser Gln Ser Val Asp Tyr Asp
 20 25 30
 Gly Asp Ser Tyr Met Asn Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro
 35 40 45
 Lys Leu Leu Ile Tyr Ala Ala Ser Asn Leu Glu Ser Gly Ile Pro Ala
 50 55 60
 Arg Phe Ser Gly Asn Gly Ser Gly Thr Asp Phe Thr Leu Asn Ile His
 65 70 75 80
 Pro Val Glu Glu Glu Asp Ala Val Thr Tyr Cys Gln Gln Ser Asn
 85 90 95
 Glu Asp Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
 100 105 110
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 115 120 125
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 130 135 140
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 145 150 155 160
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 165 170 175
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 180 185 190
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 195 200 205
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 210 215

<210> 16
 <211> 657
 <212> DNA
 <213> Mus musculus

<400> 16
 gacattgtgc tgaccaatc tccagcttct ttgactgtgt ctctaggcct gagggccacc 60
 atctcctgca aggccagcca aagtgttgat tatgatgggtg atagttatat gaactgggtac 120
 cagcagaaac caggacagcc acccaaactc ctcatctatg ctgcatccaa tctagaatct 180
 gggatcccag ccagggttag tggcaatggg tctgggacag acttcaccct caacatccat 240
 cctgtggagg aggaggatgc tgtaacctat tactgtcaac aaagtaatga ggatccgtgg 300
 acgttcgggtg gaggcaccaa gctggaaatc aaacgggctg atgctgcacc aactgtatcc 360
 atcttcccac catccagtga gcagttaaca tctggagggtg cctcagtcgt gtgcttcttg 420
 aacaacttct accccaaaga catcaatgtc aagtgggaaga ttgatggcag tgaacgacaa 480
 aatggcgtcc tgaacagttg gactgatcag gacagcaaag acagcaccta cagcatgagc 540
 agcaccctca cgttgaccaa ggacgagtat gaacgacata acagctatac ctgtgaggcc 600
 actcacaaga catcaacttc acccattgtc aagagcttca acaggaatga gtgttag 657

<210> 17
 <211> 238
 <212> PRT

<213> Mus musculus

<400> 17

5 Met Glu Thr Asp Thr Ile Leu Leu Trp Val Leu Leu Leu Trp Val Pro
 1 5 10 15
 Gly Ser Thr Gly Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu Thr
 20 25 30
 Val Ser Leu Gly Leu Arg Ala Thr Ile Ser Cys Lys Ala Ser Gln Ser
 35 40 45
 Val Asp Tyr Asp Gly Asp Ser Tyr Met Asn Trp Tyr Gln Gln Lys Pro
 50 55 60
 10 Gly Gln Pro Pro Lys Leu Leu Ile Tyr Ala Ala Ser Asn Leu Glu Ser
 65 70 75 80
 Gly Ile Pro Ala Arg Phe Ser Gly Asn Gly Ser Gly Thr Asp Phe Thr
 85 90 95
 Leu Asn Ile His Pro Val Glu Glu Glu Asp Ala Val Thr Tyr Tyr Cys
 100 105 110
 15 Gln Gln Ser Asn Glu Asp Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu
 115 120 125
 Glu Ile Lys Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro
 130 135 140
 Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu
 145 150 155 160
 20 Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly
 165 170 175
 Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser
 180 185 190
 Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp
 195 200 205
 25 Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr
 210 215 220
 Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 18

<211> 717

<212> DNA

<213> Mus musculus

<400> 18

35 atggagacag acacaatcct gctatgggtg ctgctgctct gggttccagg ctccactggt 60
 gacattgtgc tgacccaatc tccagcttct ttgactgtgt ctctaggcct gagggccacc 120
 atctcctgca aggccagcca aagtgttgat tatgatgggtg atagttatat gaactggtac 180
 cagcagaaac caggacagcc acccaaactc ctcactctatg ctgcatccaa tctagaatct 240
 gggatcccag ccagggttag tggcaatggg tctgggacag acttcaccct caacatccat 300
 cctgtggagg aggaggatgc tgtaacctat tactgtcaac aaagtaatga ggatccgtgg 360
 40 acgttcgggtg gaggcaccaa gctggaaatc aaacgggctg atgctgcacc aactgtatcc 420
 atcttcccac catccagtga gcagttaaca tctggagggtg cctcagtcgt gtgcttcttg 480
 aacaacttct accccaaaga catcaatgtc aagtgggaaga ttgatggcag tgaacgacaa 540
 aatggcgctc tgaacagttg gactgatcag gacagcaaag acagcaccta cagcatgagc 600
 agcaccctca cgttgaccaa ggacgagtat gaacgacata acagctatac ctgtgaggcc 660
 actcacaaga catcaacttc acccattgtc aagagcttca acaggaatga gtgttag 717

<210> 19

<211> 449

<212> PRT

<213> Mus musculus

<400> 19

50 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Thr
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Cys
 20 25 30
 Tyr Met Asn Trp Val Lys Gln Ser His Gly Lys Ser Leu Glu Trp Ile
 35 40 45
 55 Gly Asp Ile Asn Pro Phe Asn Gly Gly Thr Thr Tyr Asn Gln Lys Phe
 50 55 60

Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met Gln Leu Asn Ser Leu Thr Ser Asp Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 5 Ala Arg Ser His Tyr Tyr Phe Asp Gly Arg Val Pro Trp Asp Ala Met
 100 105 110
 Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr
 115 120 125
 Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr
 130 135 140
 10 Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu
 145 150 155 160
 Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His
 165 170 175
 Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
 180 185 190
 15 Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn
 195 200 205
 Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro
 210 215 220
 Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser
 225 230 235 240
 20 Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr
 245 250 255
 Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp
 260 265 270
 Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr
 275 280 285
 25 Ala Gln Thr Gln Pro Arg Glu Gln Phe Asn Ser Thr Phe Arg Ser
 290 295 300
 Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu
 305 310 315 320
 Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys
 325 330 335
 30 Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr
 340 345 350
 Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr
 355 360 365
 Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln
 370 375 380
 35 Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met
 385 390 395 400
 Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys
 405 410 415
 Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu
 420 425 430
 40 Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly
 435 440 445
 Lys

<210> 20

<211> 1350

<212> DNA

<213> Mus musculus

<400> 20

gaggtccagc tgcaacaatc tggacctgag ctggtgaagc ctgggacttc agtgaagatg 60
 tcctgtaagg cttctggata cacattcact gactgctaca tgaactgggt gaagcagagc 120
 catgggaaga gccttgaatg gattggagat attaatacctt tcaacgggtg tactacctac 180
 aaccagaagt tcaagggcaa ggccacattg actgtagaca aatcctccag cacagcctac 240
 atgcagctca acagcctgac atctgacgac tctgcagtct attactgtgc aagatcccat 300
 tattacttcg atggtagagt cccttgggat gctatggact actggggtca aggaacctca 360
 gtcaccgtct cctcagccaa aacgacaccc ccatctgtct atccactggc ccctggatct 420
 gctgccccaa ctaactccat ggtgaccttg ggatgcctgg tcaagggcta tttccctgag 480
 ccagtgcagc tgacctggaa ctctggatcc ctgtccagcg gtgtgcacac cttcccagct 540
 gtctctcagt ctgacctcta cactctgagc agctcagtga ctgtcccttc cagcacctgg 600

```

cccagcgaga cccgtcacctg caacgttgcc caccgggcca gcagcaccaa ggtggacaag 660
aaaattgtgc ccagggattg tgggttgtaag ccttgcatat gtacagtccc agaagtatca 720
tctgtcttca tcttcccccc aaagcccaag gatgtgtctca ccattactct gactcctaag 780
gtcacgtgtg ttgtggtaga catcagcaag gatgatcccc aggtccagtt cagctgggtt 840
gtagatgatg tggaggtgca cacagctcag acgcaacccc gggaggagca gttcaacagc 900
actttccgct cagtcagtga acttccccatc atgcaccagg actggctcaa tggcaaggag 960
ttcaaattgca gggtaaacag tgcagctttc cctgccccca tcgagaaaac catctccaaa 1020
accaaaggca gaccgaaggc tccacaggtg tacaccattc cacctcccaa ggagcagatg 1080
gccaaaggata aagtcagtct gacctgcatg ataacagact tcttccctga agacattact 1140
gtggagtggc agtggaatgg gcagccagcg gagaactaca agaactacta gcccatcatg 1200
gacacagatg gctcttactt catctacagc aagctcaatg tgcagaagag caactgggag 1260
gcaggaaata ctttcacctg ctctgtgtta catgagggcc tgcacaacca ccatactgag 1320
aagagcctct cccactctcc tggtaaata 1350

```

```

<210> 21
<211> 468
<212> PRT
<213> Mus musculus

```

```

<400> 21
Met Gly Trp Asn Trp Ile Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
1 5 10 15
Val Tyr Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys
20 25 30
Pro Gly Thr Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35 40 45
Thr Asp Cys Tyr Met Asn Trp Val Lys Gln Ser His Gly Lys Ser Leu
50 55 60
Glu Trp Ile Gly Asp Ile Asn Pro Phe Asn Gly Thr Thr Tyr Asn
65 70 75 80
Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser
85 90 95
Thr Ala Tyr Met Gln Leu Asn Ser Leu Thr Ser Asp Asp Ser Ala Val
100 105 110
Tyr Tyr Cys Ala Arg Ser His Tyr Phe Asp Gly Arg Val Pro Trp
115 120 125
Asp Ala Met Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser
130 135 140
Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala
145 150 155 160
Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr
165 170 175
Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser
180 185 190
Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu
195 200 205
Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val
210 215 220
Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys
225 230 235 240
Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro
245 250 255
Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu
260 265 270
Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser
275 280 285
Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu
290 295 300
Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
305 310 315 320
Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn
325 330 335
Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro
340 345 350
Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
355 360 365
Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val
370 375 380

```


Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 385 390 395 400
 Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 405 410 415
 Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn
 420 425 430
 Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 435 440 445
 Leu His Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His
 450 455 460
 Ser Pro Gly Lys
 465

<210> 22
 <211> 1407
 <212> DNA
 <213> Mus musculus

<400> 22
 atgggatgga actggatctt tctcttcctc ttgtcaggaa ctgcagggtgt ctactctgag 60
 gtccagctgc aacaatctgg acctgagctg gtgaagcctg ggacttcagt gaagatgtcc 120
 tgtaaggctt ctggatacac attcactgac tgctacatga actgggtgaa gcagagccat 180
 gggaagagcc ttgaatggat tggagatatt aatcctttca acggtgggtac tacctacaac 240
 cagaagttca agggcaaggc cacattgact gtagacaaat cctccagcac agcctacatg 300
 cagctcaaca gcctgacatc tgacgactct gcagtctatt actgtgcaag atcccattat 360
 tacttctgat gtagagtccc ttgggatgct atggactact ggggtcaagg aacctcagtc 420
 accgtctcct cagccaaaac gacaccccca tctgtctatc cactggcccc tggatctgct 480
 gcccaaacta actccatggg gaccctggga tgccctggta agggctatct ccctgagcca 540
 gtgacagtga cctggaactc tggatccctg tccagcgggtg tgcacacctt cccagctgtc 600
 ctgcagctctg acctctacac tctgagcagc tcagtgaactg tccccctccag cacctggccc 660
 agcgagaccg tcacctgcaa cgttgcccac ccggccagca gcaccaaggt ggacaagaaa 720
 attgtgccca gggattgtgg ttgtaagcct tgcataatgta cagtcccaga agtatcatct 780
 gctttcatct tcccccaaa gcccaaggat gtgctcacca ttactctgac tcctaaggtc 840
 acgtgtgttg tggtagacat cagcaaggat gatcccagg tccagttcag ctggtttgta 900
 gatgatgtgg aggtgcacac agctcagacg caaccccggt agggagcagtt caacagcact 960
 ttccgctcag tcagtgaact tcccatcatg caccaggact ggctcaatgg caaggagtct 1020
 aaatgcaggg tcaacagtgc agctttccct gcccccacg agaaaaccat ctccaaaacc 1080
 aaaggcagac cgaaggctcc acaggtgtac accattccac ctcccaggga gcagatggcc 1140
 aaggataaag tcagtctgac ctgcatgata acagacttct tccctgaaga cattactgtg 1200
 gagtggcagt ggaatgggca gccagcggag aactacaaga acactcagcc catcatggac 1260
 acagatggct cttacttcat ctacagcaag ctcaatgtgc agaagagcaa ctgggaggca 1320
 ggaaataactt tcacctgctc tgtgttacat gagggcctgc acaaccacca tactgagaag 1380
 agcctctccc actctcctgg taaatga 1407

<210> 23
 <211> 217
 <212> PRT
 <213> Rabbit-Mouse Chimera

<400> 23
 Ala Gln Val Leu Thr Gln Thr Pro Ala Ser Val Ser Ala Ala Val Gly
 1 5 10 15
 Gly Thr Val Thr Ile Asn Cys Gln Ser Gln Ser Val Tyr Asp Asn
 20 25 30
 Asn Trp Leu Ala Trp Phe Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu
 35 40 45
 Leu Ile Tyr Asp Ala Ser Asp Leu Ala Ser Gly Val Pro Ser Arg Phe
 50 55 60
 Ser Gly Ser Gly Ser Gly Thr Gln Phe Thr Leu Thr Ile Ser Gly Val
 65 70 75 80
 Gln Cys Ala Asp Ala Thr Tyr Tyr Cys Gln Gly Ala Tyr Asn Asp
 85 90 95
 Val Ile Tyr Ala Phe Gly Gly Gly Thr Glu Val Val Val Lys Arg Thr
 100 105 110
 Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu
 115 120 125
 Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro

130 135 140
 Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn
 145 150 155 160
 Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr
 5 Ser Met Ser Ser 165 Leu Thr Leu Thr 170 Lys Asp Glu Tyr Glu Arg His
 180 185 190
 Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile
 195 200 205
 Val Lys Ser Phe Asn Arg Asn Glu Cys
 210 215

<210> 24
 <211> 654
 <212> DNA
 <213> Rabbit-Mouse Chimera

<400> 24
 gcgcaagtgc tgaccagac tccagcctcc gtgtctgcag ctgtgggagg cacagtcacc 60
 atcaattgcc agtccagtca gagggtttat gataacaact ggtagcctg gtttcagcag 120
 aaaccagggc agcctcccaa gctcctgatt tatgatgcat ccgatctggc atctgggggtc 180
 20 ccatcgcggt tcagtggcag tggatctggg acacagttca ctctcaccat cagcggcggtg 240
 cagtgtgccg atgctgccac ttactactgt caaggcgctt ataatgatgt taittatgct 300
 ttcggcgagg ggaccgaggt ggtggtcaaa cgtacggatg ctgcaccaac tgtatccatc 360
 ttcccaccat ccagtgagca gttaacatct ggaggtgcct cagtcgtgtg cttcttgaac 420
 aacttctacc ccaaagacat caatgtcaag tggagattg atggcagtga acgacaaaat 480
 gggtcctcta acagttggac tgatcaggac agcaaagaca gcacctacag catgagcagc 540
 25 accctcacgt tgaccaagga cgagtatgaa cgacataaca gctatacctg tgaggccact 600
 caaagacat caacttcacc cattgtcaag agcttcaaca ggaatgagtg ttag 654

<210> 25
 <211> 239
 <212> PRT
 <213> Rabbit-Mouse Chimera

<400> 25
 Met Asp Thr Arg Ala Pro Thr Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Pro Gly Ala Thr Phe Ala Gln Val Leu Thr Gln Thr Pro Ala Ser
 20 25 30
 Val Ser Ala Ala Val Gly Gly Thr Val Thr Ile Asn Cys Gln Ser Ser
 35 35 40 45
 Gln Ser Val Tyr Asp Asn Asn Trp Leu Ala Trp Phe Gln Gln Lys Pro
 50 55 60
 Gly Gln Pro Pro Lys Leu Leu Ile Tyr Asp Ala Ser Asp Leu Ala Ser
 65 70 75 80
 Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Thr Gln Phe Thr
 85 90 95
 Leu Thr Ile Ser Gly Val Gln Cys Ala Asp Ala Ala Thr Tyr Tyr Cys
 100 105 110
 Gln Gly Ala Tyr Asn Asp Val Ile Tyr Ala Phe Gly Gly Thr Glu
 115 120 125
 Val Val Val Lys Arg Thr Asp Ala Ala Pro Thr Val Ser Ile Phe Pro
 130 135 140
 Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe
 145 150 155 160
 Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp
 165 170 175
 Gly Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp
 180 185 190
 Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu Thr Thr Lys
 195 200 205
 Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys
 210 215 220
 Thr Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 26
 <211> 720
 <212> DNA
 <213> Rabbit-Mouse Chimera

<400> 26
 atggacacga gggccccac tcagctgctg gggctcctgc tgctctggct cccaggtgcc 60
 acatttgctg aagtgtgtgac ccagactcca gcctccgtgt ctgcagctgt gggaggcaca 120
 gtcaccatca attgccagtc cagtcagagt gtttatgata acaactgggt agcctgggtt 180
 cagcagaaac cagggcagcc tcccaagctc ctgatttatg atgcatccga tctggcatct 240
 ggggtcccat cgcggttcag tggcagtggg tctgggacac agttcactct caccatcagc 300
 ggcgtgcagt gtgccgatgc tgccacttac tactgtcaag gcgcttataa tgatgttatt 360
 tatgcttttcg gcggagggac cgagggtggg gtcaaacgta cggatgctgc accaactgta 420
 tccatcttcc caccatccag tgagcagtta acatctggag gtgcctcagt cgtgtgcttc 480
 ttgaacaact tctaccccaa agacatcaat gtcaagtggg agattgatgg cagtgaacga 540
 caaaatggcg tcctgaacag ttggactgat caggacagca aagacagcac ctacagcatg 600
 agcagcaccg tcacgttgac caaggacgag tatgaacgac ataacagcta tacctgtgag 660
 gccactcaca agacatcaac ttcacccatt gtcaagagct tcaacaggaa tgagtgttag 720

<210> 27
 <211> 433
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody

<400> 27
 Gln Ser Leu Glu Glu Ser Gly Gly Arg Leu Val Thr Pro Gly Thr Pro
 1 5 10 15
 Leu Thr Leu Thr Cys Thr Ala Ser Gly Phe Ser Leu Ser Ser Tyr Trp
 20 25 30
 Met Asn Trp Val Arg Gln Ala Pro Gly Glu Gly Leu Glu Trp Ile Gly
 35 40 45
 Thr Ile Asp Ser Gly Gly Arg Thr Asp Tyr Ala Ser Trp Ala Lys Gly
 50 55 60
 Arg Phe Thr Ile Ser Arg Thr Ser Thr Thr Met Asp Leu Lys Met Thr
 65 70 75 80
 Ser Leu Thr Thr Gly Asp Thr Ala Arg Tyr Phe Cys Ala Arg Asn Trp
 85 90 95
 Asn Leu Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
 100 105 110
 Lys Gly Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr
 115 120 125
 Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu
 130 135 140
 Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His
 145 150 155 160
 Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser
 165 170 175
 Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn
 180 185 190
 Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro
 195 200 205
 Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser
 210 215 220
 Ser Val Phe Ile Phe Pro Lys Pro Lys Asp Val Leu Thr Ile Thr
 225 230 235 240
 Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp
 245 250 255
 Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr
 260 265 270
 Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser
 275 280 285
 Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu
 290 295 300

Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys
 305 310 315 320
 Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr
 325 330 335
 Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr
 340 345 350
 Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln
 355 360 365
 Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met
 370 375 380
 Asn Thr Asn Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys
 385 390 395 400
 Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu
 405 410 415
 Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly
 420 425 430
 Lys

<210> 28
 <211> 1302
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody

<400> 28
 cagtcgctgg aggagtcgagg gggtcgcctg gtcacgcctg ggacacccct gacactcacc 60
 tgcacagcct ctggattctc cctcagtagt tattggatga actgggtccg ccaggctcca 120
 ggggaggggc tggaatggat cggaaccatt gattctgggt gtaggacgga ctacgcgagc 180
 tgggcaaaag gccgattcac catctccaga acctcgacta cgatggatct gaaaatgacc 240
 agtctgacga ccggggacac ggcccgttat ttctgtgcca gaaattggaa cttgtggggc 300
 caaggcaccc tcgtcacccg ctcgagcgct tctacaaagg gcccatctgt ctatccactg 360
 gccctggat ctgctgcccc aactaactcc atgggtgacc tgggatgcct ggtcaagggc 420
 tatttccctg agccagtgac agtgacctgg aactctggat ccctgtccag cgggtgtgcac 480
 accttcccag ctgtcctgca gtctgacctc tacactctga gcagctcagt gactgtcccc 540
 tccagcacct ggcccagcga gaccgtcacc tgcaacgttg cccacccggc cagcagcacc 600
 aaggtggaca agaaaattgt gccagggat tgtggttgta agccttgcat atgtacagtc 660
 ccagaagtat catctgtctt catcttcccc ccaaagccca aggatgtgct caccattact 720
 ctgactccta aggtcacgtg tgttgtggta gacatcagca aggatgatcc cgaggtccag 780
 ttcagctggt ttgtagatga tgtggagggt cacacagctc agacgcaacc ccgggaggag 840
 cagttcaaca gcactttccg ctcagtcagt gaacttccca tcatgacca ggactggctc 900
 aatggcaagg agttcaaatg cagggtcaac agtgcagctt tccctgcccc catcgagaaa 960
 accatctcca aaaccaaagg cagaccgaag gctccacagg tgtacaccat tccacctccc 1020
 aaggagcaga tggccaagga taaagtcagt ctgacctgca tgataacaga cttcttccct 1080
 gaagacatta ctgtggagtg gcagtggat gggcagccag cggagaacta caagaacact 1140
 cagcccatca tggacacaga tggctcttac ttcgtctaca gcaagctcaa tgtgcagaag 1200
 agcaactggg aggcaggaaa tactttcacc tgctctgtgt tacatgaggg cctgcacaac 1260
 caccatactg agaagagcct ctcccactct cctggtaaata ga 1302

<210> 29
 <211> 452
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody

<400> 29
 Met Glu Thr Gly Leu Arg Trp Leu Leu Leu Val Ala Val Leu Lys Gly
 1 5 10 15
 Val His Cys Gln Ser Leu Glu Glu Ser Gly Gly Arg Leu Val Thr Pro
 20 25 30
 Gly Thr Pro Leu Thr Leu Thr Cys Thr Ala Ser Gly Phe Ser Leu Ser
 35 40 45
 Ser Tyr Trp Met Asn Trp Val Arg Gln Ala Pro Gly Glu Gly Leu Glu

50 55 60
 Trp Ile Gly Thr Ile Asp Ser Gly Gly Arg Thr Asp Tyr Ala Ser Trp
 65 70 75 80
 Ala Lys Gly Arg Phe Thr Ile Ser Arg Thr Ser Thr Thr Met Asp Leu
 85 90 95
 Lys Met Thr Ser Leu Thr Thr Gly Asp Thr Ala Arg Tyr Phe Cys Ala
 100 105 110
 Arg Asn Trp Asn Leu Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120 125
 Ala Ser Thr Lys Gly Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala
 130 135 140
 Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr
 145 150 155 160
 Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser
 165 170 175
 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu
 180 185 190
 Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val
 195 200 205
 Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys
 210 215 220
 Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro
 225 230 235 240
 Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu
 245 250 255
 Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser
 260 265 270
 Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu
 275 280 285
 Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
 290 295 300
 Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn
 305 310 315 320
 Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro
 325 330 335
 Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
 340 345 350
 Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val
 355 360 365
 Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 370 375 380
 Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 385 390 395 400
 Pro Ile Met Asn Thr Asn Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn
 405 410 415
 Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 420 425 430
 Leu His Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His
 435 440 445
 Ser Pro Gly Lys
 450

<210> 30
 <211> 1359
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody

<400> 30
 atggagactg ggctgcgctg gcttctcctg gtcgctgtgc tcaaagggtgt ccactgtcag 60
 tcgctggagg agtccggggg tcgcctgggtc acgcctggga caccctgac actcacctgc 120
 acagcctctg gattctccct cagtagttat tggatgaact ggggccgcca ggctccaggg 180
 gaggggctgg aatggatcgg aaccattgat tctgggtggtg ggacggacta cgcgagctgg 240
 gcaaaaggcc gattcaccat ctccagaacc tcgactacga tggatctgaa aatgaccagt 300
 ctgacgaccg gggacacggc ccgttatttc tgtgccagaa attggaactt gtggggccaa 360

ggcaccctcg tcaccgtctc gagcgtctct acaaagggcc catctgtcta tccactggcc 420
 cctggatctg ctgcccacac taactccatg gtgaccctgg gatgcctggg caagggctat 480
 ttccctgagc cagtgcagct gacctggaac tctggatccc tgtccagcgg tgtgcacacc 540
 ttcccagctg tcctgcagtc tgacctctac actctgagca gctcagtgac tgtcccctcc 600
 agcacctggc ccagcgagac cgtcacctgc aacgttgccc acccggccag cagcaccaag 660
 gtggacaaga aaattgtgcc cagggattgt gggtgtaagc cttgcatatg tacagtccca 720
 gaagtatcat ctgtcttcat cttcccccca aagcccaagg atgtgctcac cattactctg 780
 actcctaagg tcacgtgtgt tgtggtagac atcagcaagg atgatcccga ggtccagttc 840
 agctggtttg tagatgatgt ggaggtgcac acagctcaga cgcaaccccg ggaggagcag 900
 ttcaacagca ctttcgcctc agtcagtga cttcccatca tgcaccagga ctggctcaat 960
 ggcaaggagt tcaaatgcag ggtcaacagt gcagctttcc ctgcccccat cgagaaaacc 1020
 atctccaaaa ccaaaggcag accgaaggct ccacaggtgt acaccattcc acctcccaag 1080
 gagcagatgg ccaaggataa agtcagtctg acctgcatga taacagactt cttccctgaa 1140
 gacattactg tggagtggca gtggaatggg cagccagcgg agaactacaa gaacactcag 1200
 cccatcatgg acacagatgg ctcttacttc gtctacagca agctcaatgt gcagaagagc 1260
 aactgggagg caggaaatac tttcacctgc tctgtgttac atgagggcct gcacaaccac 1320
 catactgaga agagcctctc ccactctcct ggtaaataga 1359

<210> 31
 <211> 213
 <212> PRT
 <213> Mus musculus

<400> 31
 Gln Ile Val Leu Thr Gln Ser Pro Thr Ile Val Ser Ala Ser Pro Gly
 1 5 10 15
 Glu Lys Val Thr Leu Ile Cys Ser Ala Ser Ser Ser Val Ser Phe Val
 20 25 30
 Asp Trp Phe Gln Gln Lys Pro Gly Thr Ser Pro Lys Arg Trp Ile Tyr
 35 40 45 50
 Arg Thr Ser Asn Leu Gly Phe Gly Val Pro Ala Arg Phe Ser Gly Gly
 55 60 65
 Gly Ser Gly Thr Ser His Ser Leu Thr Ile Ser Arg Met Glu Ala Glu
 70 75 80
 Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Arg Ser Thr Tyr Pro Pro Thr
 85 90 95
 Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala Asp Ala Ala Pro
 100 105 110
 Thr Val Ser Ile Phe Pro Pro Ser Glu Gln Leu Thr Ser Gly Gly
 115 120 125
 Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn
 130 135 140
 Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn
 145 150 155 160
 Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser
 165 170 175
 Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr
 180 185 190
 Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe
 195 200 205
 Asn Arg Asn Glu Cys
 210

<210> 32
 <211> 642
 <212> DNA
 <213> Mus musculus

<400> 32
 caaattgttc tcaccagtc tccaacaatc gtgtctgcat ctccagggga gaaggtcacc 60
 ctaatctgca tgcgcagttc aagtgtgaagt ttctgtggact ggttcagca gaagccaggc 120
 acttctccca aacgctggat ttacagaaca tccaacctgg gttttggagt ccctgctcgc 180
 ttcagtggcg gtggatctgg gacctctcac tctctacaa tcagccgaat ggaggctgaa 240
 gatgctgcca cttattactg ccagcaaagg agtacttacc caccacgtt cggtgctggg 300
 accaagctgg aactgaaacg ggctgatgct gcaccaactg tatccatctt cccaccatcc 360
 agtgagcagt taacatctgg aggtgcctca gtcgtgtgct tcttgaacaa cttctacccc 420
 aaagacatca atgtcaagtg gaagattgat ggcagtgaac gacaaaatgg cgctctgaac 480

agttggactg atcaggacag caaagacagc acctacagca tgagcagcac cctcacgttg 540
 accaaggacg agtatgaacg acataacagc tatacctgtg aggccactca caagacatca 600
 acttcacca ttgtcaagag cttcaacagg aatgagtgtt ag 642

<210> 33
 <211> 235
 <212> PRT
 <213> Mus musculus

<400> 33
 Met His Phe Gln Val Gln Ile Phe Ser Phe Leu Leu Ile Ser Ala Ser
 1 5 10 15
 Val Ile Val Ser Arg Gly Gln Ile Val Leu Thr Gln Ser Pro Thr Ile
 20 25 30
 Val Ser Ala Ser Pro Gly Glu Lys Val Thr Leu Ile Cys Ser Ala Ser
 35 40 45
 Ser Ser Val Ser Phe Val Asp Trp Phe Gln Gln Lys Pro Gly Thr Ser
 50 55 60
 Pro Lys Arg Trp Ile Tyr Arg Thr Ser Asn Leu Gly Phe Gly Val Pro
 65 70 75 80
 Ala Arg Phe Ser Gly Gly Ser Gly Thr Ser His Ser Leu Thr Ile
 85 90 95
 Ser Arg Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Arg
 100 105 110
 Ser Thr Tyr Pro Pro Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys
 115 120 125
 Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu
 130 135 140
 Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe
 145 150 155 160
 Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg
 165 170 175
 Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser
 180 185 190
 Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu
 195 200 205
 Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser
 210 215 220
 Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 34
 <211> 708
 <212> DNA
 <213> Mus musculus

<400> 34
 atgcattttc aagtgcagat tttcagcttc ctgctaataca gtgcctcagt catagtgtcc 60
 agaggcaaa ttgttctcac ccagtctcca acaatcgtgt ctgcatctcc aggggagaag 120
 gtcaccctaa tctgcagtgc cagttcaagt gtaagtttcg tggactgggt ccagcagaag 180
 ccaggcactt ctcccaaacg ctggatttac agaacatcca acctggggtt tggagtccct 240
 gctcgttcca gtggcgggtg atctgggacc tctcactctc tcacaatcag ccgaatggag 300
 gctgaagatg ctgccactta ttactgccag caaaggagta cttaccacc cagtttcggt 360
 gctgggacca agctggaact gaaacgggct gatgctgcac caactgtatc catcttccca 420
 ccatccagtg agcagttaac atctggaggt gcctcagtcg tgtgcttctt gaacaacttc 480
 taccctaaag acatcaatgt caagtggaag attgatggca gtgaacgaca aaatggcgctc 540
 ctgaacagtt ggactgatca ggacagcaaa gacagcacct acagcatgag cagcaccctc 600
 acgttgacca aggacgagta tgaacgacat aacagctata cctgtgaggc cactcacaag 660
 acatcaactt caccatttgt caagagcttc aacaggaatg agtggttag 708

<210> 35
 <211> 449
 <212> PRT
 <213> Mus musculus

<400> 35
 Gln Val Thr Leu Lys Glu Ser Gly Pro Gly Ile Leu Gln Pro Ser Gln

1 Thr Leu Ser Leu 5 Thr Cys Ser Phe Ser 10 Gly Phe Ser Leu Ser 15 Thr Ser
 Gly Met Gly 20 Val Gly Trp Ile Arg His Pro Ser Gly Lys 30 Asn Leu Glu
 5 Trp Leu 35 Ala His Ile Trp Trp 40 Asp Asp Val Lys Arg Tyr Asn Pro Val
 Leu Lys Ser Arg Leu Thr 55 Ile Ser Lys Asp Thr Ser Asn Ser Gln Val
 65 Phe Leu Lys Ile Ala 70 Asn Val Asp Thr Ala Asp Thr Ala Thr Tyr Tyr
 10 Cys Ala Arg Ile 85 Glu Asp Phe Asp Tyr Asp Glu Glu Tyr Tyr Ala Met
 Asp Tyr Trp 100 Gly Gln Gly Thr Ser Val Ile Val Ser Ser Ala Lys Thr
 115 Thr Pro Pro Ser Val Tyr Pro 120 Leu Ala Pro Gly Ser Ala Ala Gln Thr
 15 Asn Ser Met Val Thr Leu 135 Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu
 145 Pro Val Thr Val Thr 150 Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His
 Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser
 20 Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn
 Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro
 210 Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser
 225 Ser Val Phe Ile Phe 230 Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr
 Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp
 260 Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr
 275 Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser
 290 Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu
 305 Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys
 325 Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr
 340 Ile Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr
 355 Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln
 370 Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met
 385 Asp Thr Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys
 405 Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu
 420 Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly
 435 Lys 440 445

<210> 36
 <211> 1350
 <212> DNA
 <213> Mus musculus

<400> 36
 caggttactc tgaagagtc tggccctggg atattgcagc cctcccagac cctcagtctg 60
 acttggtcct tctctgggtt ttcactgagc acttctggtg tgggtgtagg ctggattcgt 120
 caccatcag ggaagaatct ggagtggctg gcacacattt ggtgggatga tgtaagcgc 180

tataaccag tcctgaagag ccgactgact atctccaagg atacctcaa cagccaggta 240
 ttcctcaaga tcgccaatgt ggacactgca gatactgcca cataactctg tgctcgaata 300
 gaggactttg attacgacga ggagtattat gctatggact actgggggtca aggaacctca 360
 gtcactgtct cctcagccaa aacgacaccc ccactgtgtct atccactggc ccctggatct 420
 gctgccc aaa ctaactccat ggtgaccctg ggatgcttg tcaagggcta tttccctgag 480
 ccagtgcag tgacctggaa ctctggatcc ctgtccagcg gtgtgcacac cttcccagct 540
 gtcctgcagt ctgacctcta cactctgagc agctcagtga ctgtccctc cagcacctgg 600
 cccagcgaga ccgtcacctg caacgttgcc caccggcca gcagaccaa ggtggacaag 660
 aaaattgtgc ccagggattg tggttgtaag ccttgcatat gtacagtccc agaagtatca 720
 tctgtcttca tcttcccccc aaagcccaag gatgtgctca ccattactct gactcctaag 780
 gtcacgtgtg ttgtggtaga catcagcaag gatgatcccc aggtccagtt cagctgggtt 840
 gtatgatgat tggaggtgca cacagctcag acgcaacccc gggaggagca gttcaacagc 900
 actttccgct cagtcatgta acttcccac atgcaccagg actggctcaa tggcaaggag 960
 ttcaaagtca gggtaacag tgcagcttcc cctgccccca tcgagaaaac catctccaaa 1020
 accaaaggca gaccgaaggc tccacaggtg tacaccattc cacctcccaa ggagcagatg 1080
 gccaaaggata aagtcagtct gacctgcatg ataacagact tcttccctga agacattact 1140
 gtggagtggc agtggagtgg gcagccagcg gagaaactaca agaacactca gcccattcatg 1200
 gacacagatg gctcttactt cgtctacagc aagctcaatg tgcagaagag caactgggag 1260
 gcaggaaata ctttcacctg ctctgtgtta catgagggcc tgcacaacca ccatactgag 1320
 aagagcctct cccactctcc tggtaaata 1350

<210> 37

<211> 468

<212> PRT

<213> Mus musculus

<400> 37

Met Gly Arg Leu Thr Ser Ser Phe Leu Leu Leu Ile Val Pro Ala Tyr
 1 5 10 15
 Val Leu Ser Gln Val Thr Leu Lys Glu Ser Gly Pro Gly Ile Leu Gln
 20 25 30
 Pro Ser Gln Thr Leu Ser Leu Thr Cys Ser Phe Ser Gly Phe Ser Leu
 35 40 45
 Ser Thr Ser Gly Met Gly Val Gly Trp Ile Arg His Pro Ser Gly Lys
 50 55 60
 Asn Leu Glu Trp Leu Ala His Ile Trp Trp Asp Val Lys Arg Tyr
 65 70 75 80
 Asn Pro Val Leu Lys Ser Arg Leu Thr Ile Ser Lys Asp Thr Ser Asn
 85 90 95
 Ser Gln Val Phe Leu Lys Ile Ala Asn Val Asp Thr Ala Asp Thr Ala
 100 105 110
 Thr Tyr Tyr Cys Ala Arg Ile Glu Asp Phe Asp Tyr Asp Glu Glu Tyr
 115 120 125
 Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Ser Val Ile Val Ser Ser
 130 135 140
 Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala
 145 150 155 160
 Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr
 165 170 175
 Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser
 180 185 190
 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu
 195 200 205
 Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val
 210 215 220
 Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys
 225 230 235 240
 Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro
 245 250 255
 Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu
 260 265 270
 Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser
 275 280 285
 Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu
 290 295 300
 Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
 305 310 315 320
 Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn

Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro
 Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
 Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val
 Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn
 Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 Leu His Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His
 Ser Pro Gly Lys
 465

<210> 38
 <211> 1407
 <212> DNA
 <213> Mus musculus

<400> 38
 atgggcaggc ttacttcttc attcctgcta ctgattgtcc ctgcatatgt cctgtcccag 60
 gttactctga aagagtctgg ccctgggata ttgcagccct cccagaccct cagtctgact 120
 tgttctttct ctgggttttc actgagcact tctggtagtg gtgtaggctg gattcgtcac 180
 ccatcaggga agaattctgga gtggctggca cacatttggg gggatgatgt caagcgctat 240
 aacccagtc tgaagagccg actgactatc tccaaggata cctccaacag ccaggatttc 300
 ctcaagatcg ccaatgtgga cactgcagat actgccacat actactgtgc tcgaatagag 360
 gactttgatt acgacgagga gtattatgct atggactact ggggtcaagg aacctcagtc 420
 atcgtctcct cagccaaaac gacaccccca tctgtctatc cactggcccc tggatctgct 480
 gcccaacta actccatggg gaccctggga tgcctgggtca agggctattt ccctgagcca 540
 gtgacagtga cctggaactc tggatccctg tccagcgggtg tgcacacctt cccagctgtc 600
 ctgcagtctg acctctacac tctgagcagc tcagtgactg tcccctccag cacctggccc 660
 agcgagaccg tcacctgcaa cgttgcccac ccggccagca gcaccaaggg ggacaagaaa 720
 attgtgcccc gggattgtgg ttgtaagcct tgcatatgta cagtcccaga agtatcatct 780
 gtcttcatct tcccccaaa gcccaaggat gtgctcacca ttactctgac tcctaagggtc 840
 acgtgtgttg tggtagacat cagcaaggat gatccccagg tccagttcag ctggtttgta 900
 gatgatgtgg aggtgcacac agctcagacg caaccccggg aggagcagtt caacagcact 960
 ttccgctcag tcagtgaact tcccatcatg caccaggact ggctcaatgg caaggagttc 1020
 aaatgcaggg tcaacagtgc agctttccct gcccctatcg agaaaaccat ctccaaaacc 1080
 aaaggcagac cgaaggctcc acaggtgtac accattccac ctcccaagga gcagatggcc 1140
 aaggataaag tcagtctgac ctgcatgata acagacttct tccctgaaga cattactgtg 1200
 gagtggcagt ggaatgggca gccagcggag aactacaaga aactcagcc catcatggac 1260
 acagatggct cttacttctg ctacagcaag ctcaatgtgc agaagagcaa ctgggaggca 1320
 ggaaatactt tcacctgctc tgtgttcat gagggcctgc acaaccacca tactgagaag 1380
 agcctctccc actctctctg taaatga 1407

<210> 39
 <211> 5
 <212> PRT
 <213> Mus musculus

<400> 39
 Asp His Tyr Met Ser
 1 5

<210> 40
 <211> 17
 <212> PRT
 <213> Mus musculus

<400> 40

Asp Ile Asn Pro Tyr Ser Gly Glu Thr Thr Tyr Asn Gln Lys Phe Lys
 1 5 10 15
 Gly

5

<210> 41
 <211> 10
 <212> PRT
 <213> Mus musculus

10

<400> 41
 Asp Asp Tyr Asp Ala Ser Pro Phe Ala Tyr
 1 5 10

15

<210> 42
 <211> 11
 <212> PRT
 <213> Mus musculus

20

<400> 42
 Gln Ala Ser Gln Gly Thr Ser Ile Asn Leu Asn
 1 5 10

25

<210> 43
 <211> 7
 <212> PRT
 <213> Mus musculus

30

<400> 43
 Gly Ser Ser Asn Leu Glu Asp
 1 5

35

<210> 44
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 44
 Leu Gln His Ser Tyr Leu Pro Tyr Thr
 1 5

40

<210> 45
 <211> 5
 <212> PRT
 <213> Mus musculus

45

<400> 45
 Asp Cys Tyr Met Asn
 1 5

50

<210> 46
 <211> 17
 <212> PRT
 <213> Mus musculus

55

<400> 46
 Asp Ile Asn Pro Phe Asn Gly Gly Thr Thr Tyr Asn Gln Lys Phe Lys
 1 5 10 15
 Gly

5
 <210> 47
 <211> 16
 <212> PRT
 <213> Mus musculus
 <400> 47
 Ser His Tyr Tyr Phe Asp Gly Arg Val Pro Trp Asp Ala Met Asp Tyr
 1 5 10 15

10
 <210> 48
 <211> 15
 <212> PRT
 <213> Mus musculus
 <400> 48
 Lys Ala Ser Gln Ser Val Asp Tyr Asp Gly Asp Ser Tyr Met Asn
 1 5 10 15

20
 <210> 49
 <211> 7
 <212> PRT
 <213> Mus musculus
 <400> 49
 Ala Ala Ser Asn Leu Glu Ser
 1 5

25
 <210> 50
 <211> 9
 <212> PRT
 <213> Mus musculus
 <400> 50
 Gln Gln Ser Asn Glu Asp Pro Trp Thr
 1 5

30
 <210> 51
 <211> 5
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 51
 Ser Tyr Trp Met Asn
 1 5

35
 <210> 52
 <211> 16
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 52
 Thr Ile Asp Ser Gly Gly Arg Thr Asp Tyr Ala Ser Trp Ala Lys Gly
 1 5 10 15

40
 <210> 53
 <211> 4
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 53
 Asn Trp Asn Leu
 1

45
 <210> 53
 <211> 4
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 53
 Asn Trp Asn Leu
 1

50
 <210> 53
 <211> 4
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 53
 Asn Trp Asn Leu
 1

55
 <210> 53
 <211> 4
 <212> PRT
 <213> Rabbit-Mouse Chimera
 <400> 53
 Asn Trp Asn Leu
 1

5 <210> 54
 <211> 13
 <212> PRT
 <213> Rabbit-Mouse Chimera

 <400> 54
 Gln Ser Ser Gln Ser Val Tyr Asp Asn Asn Trp Leu Ala
 1 5 10

 10 <210> 55
 <211> 7
 <212> PRT
 <213> Rabbit-Mouse Chimera

 15 <400> 55
 Asp Ala Ser Asp Leu Ala Ser
 1 5

 20 <210> 56
 <211> 10
 <212> PRT
 <213> Rabbit-Mouse Chimera

 25 <400> 56
 Gln Gly Ala Tyr Asn Asp Val Ile Tyr Ala
 1 5 10

 30 <210> 57
 <211> 7
 <212> PRT
 <213> Mus musculus

 <400> 57
 Thr Ser Gly Met Gly Val Gly
 1 5

 35 <210> 58
 <211> 16
 <212> PRT
 <213> Mus musculus

 40 <400> 58
 His Ile Trp Trp Asp Asp Val Lys Arg Tyr Asn Pro Val Leu Lys Ser
 1 5 10 15

 45 <210> 59
 <211> 14
 <212> PRT
 <213> Mus musculus

 50 <400> 59
 Glu Asp Phe Asp Tyr Asp Glu Glu Tyr Tyr Ala Met Asp Tyr
 1 5 10

 55 <210> 60
 <211> 10
 <212> PRT
 <213> Mus musculus

 <400> 60

Ser Ala Ser Ser Ser Val Ser Phe Val Asp
 1 5 10

5
 <210> 61
 <211> 7
 <212> PRT
 <213> Mus musculus

10
 <400> 61
 Arg Thr Ser Asn Leu Gly Phe
 1 5

15
 <210> 62
 <211> 9
 <212> PRT
 <213> Mus musculus

20
 <400> 62
 Gln Gln Arg Ser Thr Tyr Pro Pro Thr
 1 5

25
 <210> 63
 <211> 20
 <212> PRT
 <213> Homo sapiens

30
 <400> 63
 Cys Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp
 1 5 10 15
 Trp Arg Pro Ser
 20

35
 <210> 64
 <211> 20
 <212> PRT
 <213> Homo sapiens

40
 <400> 64
 Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp
 1 5 10 15
 Arg Pro Ser Gly
 20

45
 <210> 65
 <211> 20
 <212> PRT
 <213> Homo sapiens

50
 <400> 65
 Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg
 1 5 10 15
 Pro Ser Gly Pro
 20

55
 <210> 66
 <211> 20
 <212> PRT
 <213> Homo sapiens

60
 <400> 66
 Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro
 1 5 10 15

Ser Gly Pro Asp
20

5
<210> 67
<211> 20
<212> PRT
<213> Homo sapiens

10
<400> 67
Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser
1 5 10 15
Gly Pro Asp Phe
20

15
<210> 68
<211> 20
<212> PRT
<213> Homo sapiens

20
<400> 68
Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser Gly
1 5 10 15
Pro Asp Phe Arg
20

25
<210> 69
<211> 20
<212> PRT
<213> Homo sapiens

30
<400> 69
Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser Gly Pro
1 5 10 15
Asp Phe Arg Cys
20

35
<210> 70
<211> 14
<212> PRT
<213> Homo sapiens

40
<400> 70
Ser Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys
1 5 10

45
<210> 71
<211> 7
<212> PRT
<213> Homo sapiens

<400> 71
Leu Val Ala Ser Cys Lys Cys
1 5

50
<210> 72
<211> 8
<212> PRT
<213> Homo sapiens

55
<400> 72
Cys Arg Glu Leu His Phe Thr Arg
1 5

<210> 73
 <211> 7
 <212> PRT
 <213> Homo sapiens

<400> 73
 Cys Ile Pro Asp Arg Tyr Arg
 1 5

<210> 74
 <211> 399
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 74
 atggacacga gggccccac tcagctgctg gggctcctgc tgctctggct cccaggtgcc 60
 acatttgctc aagttctgac ccagagtcca agcagtctct ccgccagcgt aggcgatcgt 120
 gtgactatta cctgtcaatc tagtcagagc gtgtatgata acaattggct ggcgtgggtac 180
 cagcaaaaac cgggcaaagc cccgaagctg ctcatctatg acgcgtccga tctggctagc 240
 ggtgtgccaa gccgtttcag tggcagtggc agcggctactg acittaccct cacaatttcg 300
 tctctccagc cggaagattt cgccacttac tattgtcaag gtgcttaca cgaatgtgatt 360
 tatgccttcg gtcagggcac taaagtagaa atcaaactg 399

<210> 75
 <211> 133
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 75
 Met Asp Thr Arg Ala Pro Thr Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Pro Gly Ala Thr Phe Ala Gln Val Leu Thr Gln Ser Pro Ser Ser
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Gln Ser Ser
 35 40 45
 Gln Ser Val Tyr Asp Asn Asn Trp Leu Ala Trp Tyr Gln Gln Lys Pro
 50 55 60
 Gly Lys Ala Pro Lys Leu Leu Ile Tyr Asp Ala Ser Asp Leu Ala Ser
 65 70 75 80
 Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr
 85 90 95
 Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys
 100 105 110
 Gln Gly Ala Tyr Asn Asp Val Ile Tyr Ala Phe Gly Gln Gly Thr Lys
 115 120 125
 Val Glu Ile Lys Arg
 130

<210> 76
 <211> 393
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 76
 atggagactg ggctgcgctg gcttctcctg gtcgctgtgc tcaaaggtgt ccactgtgag 60


```

gtgcagctgt tggagtctgg aggcgggctt gtccagcctg gagggagcct gcgtctctct 120
tgtgcagcaa gcggcttcag cttatcctct tactggatga attgggtgcg gcaggcacct 180
gggaaggggc tggagtgggt gggcaccatt gattccggag gccgtacaga ctacgcgtct 240
5 tgggcaaagg gccgtttcac catttccgcg gacaactcca aaaataccat gtacctccag 300
atgaactctc tccgcgcaga ggacacagca cgttattact gtgcacgcaa ctggaatctg 360
tgggggtcaag gtactcttgt aacagtctcg agc 393

```

<210> 77

<211> 131

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 77

```

15 Met Glu Thr Gly Leu Arg Trp Leu Leu Leu Val Ala Val Leu Lys Gly
   1      5      10      15
Val His Cys Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln
   20      25      30
Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Leu
   35      40      45
20 Ser Ser Tyr Trp Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu
   50      55      60
Glu Trp Val Gly Thr Ile Asp Ser Gly Gly Arg Thr Asp Tyr Ala Ser
   65      70      75      80
Trp Ala Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr
   85      90      95
25 Met Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Arg Tyr
   100      105      110
Tyr Cys Ala Arg Asn Trp Asn Leu Trp Gly Gln Gly Thr Leu Val Thr
   115      120      125
Val Ser Ser
   130

```

<210> 78

<211> 11

<212> PRT

<213> Mus musculus

<400> 78

```

35 Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
   1      5      10

```

<210> 79

<211> 7

<212> PRT

<213> Mus musculus

<400> 79

```

45 Tyr Thr Ser Arg Leu Leu Ser
   1      5

```

<210> 80

<211> 9

<212> PRT

<213> Mus musculus

<400> 80

```

50 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
   1      5

```

<210> 81

<211> 11

<212> PRT

<213> Mus musculus

<400> 81

Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
 1 5 10

<210> 82

<211> 24

<212> PRT

<213> Rattus norvegicus

<400> 82

Gln Gly Trp Gln Ala Phe Lys Asn Asp Ala Thr Glu Ile Ile Pro Gly
 1 5 10 15
 Leu Arg Glu Tyr Pro Glu Pro Pro
 20

<210> 83

<211> 20

<212> PRT

<213> Rattus norvegicus

<400> 83

Thr Glu Ile Ile Pro Gly Leu Arg Glu Tyr Pro Glu Pro Pro Gln Glu
 1 5 10 15
 Leu Glu Asn Asn
 20

<210> 84

<211> 20

<212> PRT

<213> Rattus norvegicus

<400> 84

Pro Glu Pro Pro Gln Glu Leu Glu Asn Asn Gln Thr Met Asn Arg Ala
 1 5 10 15
 Glu Asn Gly Gly
 20

<210> 85

<211> 20

<212> PRT

<213> Rattus norvegicus

<400> 85

Glu Asn Gly Gly Arg Pro Pro His His Pro Tyr Asp Thr Lys Asp Val
 1 5 10 15
 Ser Glu Tyr Ser
 20

<210> 86

<211> 14

<212> PRT

<213> Rattus norvegicus

<400> 86

Cys Arg Glu Leu His Tyr Thr Arg Phe Val Thr Asp Gly Pro
 1 5 10

<210> 87

<211> 25

<212> PRT
 <213> Rattus norvegicus

5 <400> 87
 Cys Arg Glu Leu His Tyr Thr Arg Phe Val Thr Asp Gly Pro Ser Arg
 1 5 10 15
 Ser Ala Lys Pro Val Thr Glu Leu Val
 20 25

10 <210> 88
 <211> 23
 <212> PRT
 <213> Rattus norvegicus

15 <400> 88
 Cys Arg Ser Ala Lys Pro Val Thr Glu Leu Val Ser Ser Gly Gln Ser
 1 5 10 15
 Gly Pro Arg Ala Arg Leu Leu
 20

20 <210> 89
 <211> 25
 <212> PRT
 <213> Rattus norvegicus

25 <400> 89
 Cys Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Val Lys Trp
 1 5 10 15
 Trp Arg Pro Asn Gly Pro Asp Phe Arg
 20 25

30 <210> 90
 <211> 20
 <212> PRT
 <213> Rattus norvegicus

35 <400> 90
 Arg Ala Gln Arg Val Gln Leu Leu Cys Pro Gly Gly Ala Ala Pro Arg
 1 5 10 15
 Ser Arg Lys Val
 20

40 <210> 91
 <211> 16
 <212> PRT
 <213> Rattus norvegicus

45 <400> 91
 Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val Ala Ser
 1 5 10 15

50 <210> 92
 <211> 23
 <212> PRT
 <213> Rattus norvegicus

55 <400> 92
 Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu Leu Lys Asp Phe Gly
 1 5 10 15
 Pro Glu Thr Ala Arg Pro Gln
 20

<210> 93
 <211> 16
 <212> PRT
 <213> Rattus norvegicus

5

<400> 93
 Ile Pro Asp Arg Tyr Ala Gln Arg Val Gln Leu Leu Ser Pro Gly Gly
 1 5 10 15

10

<210> 94
 <211> 24
 <212> PRT
 <213> Rattus norvegicus

15

<400> 94
 Ser Glu Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly
 1 5 10 15
 Arg Lys Pro Arg Pro Arg Ala Arg
 20

20

<210> 95
 <211> 23
 <212> PRT
 <213> Rattus norvegicus

25

<400> 95
 Lys Gly Arg Lys Pro Arg Pro Arg Ala Arg Gly Ala Lys Ala Asn Gln
 1 5 10 15
 Ala Glu Leu Glu Asn Ala Tyr
 20

30

<210> 96
 <211> 18
 <212> PRT
 <213> Rattus norvegicus

35

<400> 96
 Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn Gly Pro Asp
 1 5 10 15
 Phe Arg

40

<210> 97
 <211> 22
 <212> PRT
 <213> Rattus norvegicus

45

<400> 97
 Lys Trp Trp Arg Pro Asn Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg
 1 5 10 15
 Tyr Arg Ala Gln Arg Val
 20

50

<210> 98
 <211> 213
 <212> PRT
 <213> Rattus norvegicus

55

<400> 98
 Met Gln Leu Ser Leu Ala Pro Cys Leu Ala Cys Leu Leu Val His Ala
 1 5 10 15
 Ala Phe Val Ala Val Glu Ser Gln Gly Trp Gln Ala Phe Lys Asn Asp
 20 25 30

Ala Thr Glu Ile Ile Pro Gly Leu Arg Glu Tyr Pro Glu Pro Pro Gln
 35 40 45
 Glu Leu Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg
 50 55 60
 Pro Pro His His Pro Tyr Asp Thr Lys Asp Val Ser Glu Tyr Ser Cys
 65 70 75 80
 Arg Glu Leu His Tyr Thr Arg Phe Val Thr Asp Gly Pro Cys Arg Ser
 85 90 95
 Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala
 100 105 110
 Arg Leu Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn
 115 120 125
 Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val
 130 135 140
 Gln Leu Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg
 145 150 155 160
 Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln
 165 170 175
 Ser Glu Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly
 180 185 190
 Arg Lys Pro Arg Pro Arg Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu
 195 200 205
 Leu Glu Asn Ala Tyr
 210

<210> 99
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 99
 Tyr Thr Ser Arg Leu His Ser
 1 5

<210> 100
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 100
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

<210> 101
 <211> 11
 <212> PRT
 <213> Mus musculus

<400> 101
 Arg Ala Ser Gln Val Ile Thr Asn Tyr Leu Tyr
 1 5 10

<210> 102
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 102
 Tyr Thr Ser Arg Leu His Ser
 1 5

<210> 103
 <211> 9

<212> PRT
 <213> Mus musculus

<400> 103
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

<210> 104
 <211> 11
 <212> PRT
 <213> Mus musculus

<400> 104
 Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
 1 5 10

<210> 105
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 105
 Tyr Thr Ser Arg Leu Leu Ser
 1 5

<210> 106
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 106
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

<210> 107
 <211> 11
 <212> PRT
 <213> Mus musculus

<400> 107
 Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
 1 5 10

<210> 108
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 108
 Tyr Thr Ser Arg Leu Phe Ser
 1 5

<210> 109
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 109
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

5
 <210> 110
 <211> 11
 <212> PRT
 <213> Mus musculus
 <400> 110
 Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
 1 5 10

10
 <210> 111
 <211> 7
 <212> PRT
 <213> Mus musculus
 <400> 111
 Tyr Thr Ser Arg Leu Leu Ser
 1 5

20
 <210> 112
 <211> 9
 <212> PRT
 <213> Mus musculus
 <400> 112
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

25
 <210> 113
 <211> 11
 <212> PRT
 <213> Mus musculus
 <400> 113
 Arg Ala Ser Gln Asp Ile Ser Asn Tyr Leu Asn
 1 5 10

35
 <210> 114
 <211> 7
 <212> PRT
 <213> Mus musculus
 <400> 114
 Tyr Thr Ser Thr Leu Gln Ser
 1 5

40
 <210> 115
 <211> 9
 <212> PRT
 <213> Mus musculus
 <400> 115
 Gln Gln Gly Asp Thr Leu Pro Tyr Thr
 1 5

50
 <210> 116
 <211> 12
 <212> PRT
 <213> Mus musculus
 <400> 116
 Ser Val Ser Ser Ser Ile Ser Ser Ser Asn Leu His
 1 5 10

55

<210> 117
 <211> 213
 <212> PRT
 <213> Mus musculus

<400> 117
 Gln Ile Val Leu Ser Gln Ser Pro Ala Ile Leu Ser Thr Ser Pro Gly
 1 5 10 15
 Glu Lys Val Thr Met Thr Cys Arg Ala Ser Ser Ser Val Tyr Tyr Met
 20 25 30
 His Trp Tyr Gln Gln Lys Pro Gly Ser Ser Pro Lys Pro Trp Ile Tyr
 35 40 45
 Ala Thr Ser Asn Leu Ala Ser Gly Val Pro Val Arg Phe Ser Gly Ser
 50 55 60
 Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Thr Arg Val Glu Ala Glu
 65 70 75 80
 Asp Ala Ala Thr Tyr Cys Gln Gln Trp Ser Ser Asp Pro Leu Thr
 85 90 95
 Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala Asp Ala Ala Pro
 100 105 110
 Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly
 115 120 125
 Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn
 130 135 140
 Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn
 145 150 155 160
 Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser
 165 170 175
 Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr
 180 185 190
 Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe
 195 200 205
 Asn Arg Asn Glu Cys
 210

<210> 118
 <211> 642
 <212> DNA
 <213> Mus musculus

<400> 118
 caaattgttc tctcccagtc tccagcaatc ctgtctacat ctccagggga gaaggtcaca 60
 atgacttgca gggccagctc aagtgtatat tacatgcact ggtaccagca gaagccagga 120
 tcctccccc aaccctggat ttatgccaca tccaacctgg cttctggagt ccctgttcgc 180
 ttcagtggca gtgggtctgg gacctcttac tctctcacia tcaccagagt ggaggctgaa 240
 gatgctgcc cttattactg ccagcagtg agtagtgacc cactcacgtt cgggtgctggg 300
 accaagctgg agctgaaacg ggctgatgct gcaccaactg tatccatctt cccaccatcc 360
 agtgagcagt taacatctgg aggtgcctca gtcgtgtgct tcttgaacaa cttctacccc 420
 aaagacatca atgtcaagtg gaagattgat ggcagtgaac gacaaaatgg cgtcctgaac 480
 agttggactg atcaggacag caaagacagc acctacagca tgagcagcac cctcacgttg 540
 accaaggacg agtatgaacg acataacagc tatacctgtg aggccactca caagacatca 600
 acttcacca ttgtcaagag cttcaacagg aatgagtgtt ag 642

<210> 119
 <211> 235
 <212> PRT
 <213> Mus musculus

<400> 119
 Met Asp Phe Gln Val Gln Ile Phe Ser Phe Leu Leu Ile Ser Ala Ser
 1 5 10 15
 Val Ile Met Ser Arg Gly Gln Ile Val Leu Ser Gln Ser Pro Ala Ile
 20 25 30
 Leu Ser Thr Ser Pro Gly Glu Lys Val Thr Met Thr Cys Arg Ala Ser
 35 40 45

Ser Ser Val Tyr Tyr Met His Trp Tyr Gln Gln Lys Pro Gly Ser Ser
 50 55 60
 Pro Lys Pro Trp Ile Tyr Ala Thr Ser Asn Leu Ala Ser Gly Val Pro
 65 70 75 80
 Val Arg Phe Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile
 85 90 95
 Thr Arg Val Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp
 100 105 110
 Ser Ser Asp Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys
 115 120 125
 Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu
 130 135 140
 Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe
 145 150 155 160
 Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg
 165 170 175
 Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser
 180 185 190
 Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu
 195 200 205
 Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser
 210 215 220
 Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 120

<211> 708

<212> DNA

<213> Mus musculus

<400> 120

atggattttc aagtgcagat tttcagcttc ctgctaataca gtgcttcagt cattatgtcc 60
 aggggacaaa ttgttctctc ccagtctcca gcaatcctgt ctacatctcc aggggagaag 120
 gtcacaatga ctgacagggc cagctcaagt gtatattaca tgcactggta ccagcagaag 180
 ccaggatcct cccccaacc ctggatttat gccacatcca acctggcttc tggagtccct 240
 gttcgcttca gtggcagtggt gtctgggacc tcttactctc tcacaatcac cagagtggag 300
 gctgaagatg ctgccactta ttactgccag cagtggagta gtgaccact caggttcggt 360
 gctgggacca agctggagct gaaacgggct gatgctgcac caactgtatc catcttccca 420
 ccatccagtg agcagttaac atctggaggt gccacagtcg tgtgcttctt gaacaacttc 480
 taccacaaag acatcaatgt caagtggag attgatggca gtgaacgaca aaatggcgctc 540
 ctgaacagtt ggactgatca ggacagcaaa gacagcacct acagcatgag cagcaccttc 600
 acgttgacca aggacgagta tgaacgacat aacagctata cctgtgaggc cactcacaag 660
 acatcaactt caccatttgt caagagcttc aacaggaatg agtggttag 708

<210> 121

<211> 445

<212> PRT

<213> Mus musculus

<400> 121

Glu Val Gln Val Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Leu Ser Cys Thr Ala Ser Gly Phe Asn Ile Lys Asp Tyr
 20 25 30
 Phe Ile His Trp Val Lys Gln Arg Pro Glu Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Leu Asp Pro Glu Asp Gly Glu Ser Asp Tyr Ala Pro Lys Phe
 50 55 60
 Gln Asp Lys Ala Ile Met Thr Ala Asp Thr Ser Asn Thr Ala Tyr
 65 70 75 80
 Leu Gln Leu Arg Ser Leu Thr Ser Glu Asp Thr Ala Ile Tyr Tyr Cys
 85 90 95
 Glu Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Phe Phe Pro Tyr Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr Pro Pro Ser
 115 120 125
 Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val

130 135 140
 Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Val Thr Val Pro
 180 185 190
 Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro
 195 200 205
 Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly
 210 215 220
 Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile
 225 230 235 240
 Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys
 245 250 255
 Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln
 260 265 270
 Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln
 275 280 285
 Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu
 290 295 300
 Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg
 305 310 315 320
 Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
 325 330 335
 Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro
 340 345 350
 Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr
 355 360 365
 Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln
 370 375 380
 Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly
 385 390 395 400
 Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu
 405 410 415
 Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn
 420 425 430
 His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 122
 <211> 1338
 <212> DNA
 <213> Mus musculus

<400> 122
 gaggttcagg tgcagcagtc tgggccagaa cttgtgaagc caggggcctc agtcaagttg 60
 tcctgcacag cttctggctt caacattaaa gactacttta tacactgggt gaagcagagg 120
 cctgaacagg gcctggagtg gatttgaagg cttgatcctg aggatgggtga aagtgattat 180
 gccccgaagt tccaggacaa ggccattatg acagcagaca catcatccaa cacagcctat 240
 cttcagctca gaagcctgac atctgaggac actgccatct attattgtga gagagaggac 300
 tacgatggta cctacacctt ttttccttac tggggccaag ggactctggt cactgtctct 360
 gcagccaaaa cgacaccccc atctgtctat ccactggccc ctggatctgc tgcccaaact 420
 aactccatgg tgacctggg atgcctggtc aagggctatt tccctgagcc agtgacagtg 480
 acctggaact ctggatccct gtccagcggg gtgcacacct tccagctgt cctgcagtct 540
 gacctctaca ctctgagcag ctgagtgact gtcccctcca gcacctggcc cagcgagacc 600
 gtcacctgca acgttgccca cccggccagc agaccaagg tggacaagaa aattgtgccc 660
 agggattgtg gttgtaagcc ttgcatatgt acagtcccag aagtatcatc tgtcttcatc 720
 ttcccccaa agcccaagga tgtgtcacc attactctga ctctaagggt cactgtgtgt 780
 gtggtagaca tcagcaagga tgatcccag gtccagttca gctggtttgt agatgatgtg 840
 gaggtgcaca cagctcagac gcaaccccg gaggagcagt tcaacagcac tttccgctca 900
 gtgagtgaac ttcccatcat gcaccaggac tggctcaatg gcaaggagtt caaatgcagg 960
 gtcaacagtg cagctttccc tgccccatc gagaaaacca tctccaaaac caaaggcaga 1020
 ccgaaggctc cacaggtgta caccattcca ctcccgaagg agcagatggc caaggataaa 1080
 gtcagtctga cctgcatgat aacagacttc ttccctgaag acattactgt ggagtggcag 1140
 tggaatgggc agccagcggg gaactacaag aacactcagc ccatcatgga cacagatggc 1200
 tcttacttca tctacagcaa gctcaatgtg cagaagagca actgggaggc aggaaatact 1260

ttcacctgct ctgtgttaca tgagggcctg cacaaccacc atactgagaa gagcctctcc 1320
cactctcctg gtaaatga 1338

<210> 123
<211> 464
<212> PRT
<213> Mus musculus

<400> 123

Met	Lys	Cys	Ser	Trp	Val	Ile	Phe	Phe	Leu	Met	Ala	Val	Val	Thr	Gly
1				5					10					15	
Val	Asn	Ser	Glu	Val	Gln	Val	Gln	Gln	Ser	Gly	Pro	Glu	Leu	Val	Lys
			20					25					30		
Pro	Gly	Ala	Ser	Val	Lys	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Asn	Ile
		35					40					45			
Lys	Asp	Tyr	Phe	Ile	His	Trp	Val	Lys	Gln	Arg	Pro	Glu	Gln	Gly	Leu
	50				55					60					
Glu	Trp	Ile	Gly	Arg	Leu	Asp	Pro	Glu	Asp	Gly	Glu	Ser	Asp	Tyr	Ala
65					70					75					80
Pro	Lys	Phe	Gln	Asp	Lys	Ala	Ile	Met	Thr	Ala	Asp	Thr	Ser	Ser	Asn
			85						90				95		
Thr	Ala	Tyr	Leu	Gln	Leu	Arg	Ser	Leu	Thr	Ser	Glu	Asp	Thr	Ala	Ile
			100					105					110		
Tyr	Tyr	Cys	Glu	Arg	Glu	Asp	Tyr	Asp	Gly	Thr	Tyr	Thr	Phe	Phe	Pro
		115					120					125			
Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ala	Ala	Lys	Thr	Thr
	130					135					140				
Pro	Pro	Ser	Val	Tyr	Pro	Leu	Ala	Pro	Gly	Ser	Ala	Ala	Gln	Thr	Asn
	145				150					155					160
Ser	Met	Val	Thr	Leu	Gly	Cys	Leu	Val	Lys	Gly	Tyr	Phe	Pro	Glu	Pro
			165						170					175	
Val	Thr	Val	Thr	Trp	Asn	Ser	Gly	Ser	Leu	Ser	Ser	Gly	Val	His	Thr
			180					185					190		
Phe	Pro	Ala	Val	Leu	Gln	Ser	Asp	Leu	Tyr	Thr	Leu	Ser	Ser	Ser	Val
		195					200					205			
Thr	Val	Pro	Ser	Ser	Thr	Trp	Pro	Ser	Glu	Thr	Val	Thr	Cys	Asn	Val
	210					215					220				
Ala	His	Pro	Ala	Ser	Ser	Thr	Lys	Val	Asp	Lys	Lys	Ile	Val	Pro	Arg
225					230					235					240
Asp	Cys	Gly	Cys	Lys	Pro	Cys	Ile	Cys	Thr	Val	Pro	Glu	Val	Ser	Ser
			245						250					255	
Val	Phe	Ile	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Val	Leu	Thr	Ile	Thr	Leu
			260					265					270		
Thr	Pro	Lys	Val	Thr	Cys	Val	Val	Val	Asp	Ile	Ser	Lys	Asp	Asp	Pro
		275					280					285			
Glu	Val	Gln	Phe	Ser	Trp	Phe	Val	Asp	Asp	Val	Glu	Val	His	Thr	Ala
	290					295					300				
Gln	Thr	Gln	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Phe	Arg	Ser	Val
305					310					315					320
Ser	Glu	Leu	Pro	Ile	Met	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Phe
			325						330				335		
Lys	Cys	Arg	Val	Asn	Ser	Ala	Ala	Phe	Pro	Ala	Pro	Ile	Glu	Lys	Thr
			340					345					350		
Ile	Ser	Lys	Thr	Lys	Gly	Arg	Pro	Lys	Ala	Pro	Gln	Val	Tyr	Thr	Ile
		355					360					365			
Pro	Pro	Pro	Lys	Glu	Gln	Met	Ala	Lys	Asp	Lys	Val	Ser	Leu	Thr	Cys
	370					375					380				
Met	Ile	Thr	Asp	Phe	Phe	Pro	Glu	Asp	Ile	Thr	Val	Glu	Trp	Gln	Trp
385					390					395					400
Asn	Gly	Gln	Pro	Ala	Glu	Asn	Tyr	Lys	Asn	Thr	Gln	Pro	Ile	Met	Asp
			405						410					415	
Thr	Asp	Gly	Ser	Tyr	Phe	Ile	Tyr	Ser	Lys	Leu	Asn	Val	Gln	Lys	Ser
			420					425					430		
Asn	Trp	Glu	Ala	Gly	Asn	Thr	Phe	Thr	Cys	Ser	Val	Leu	His	Glu	Gly
		435					440					445			
Leu	His	Asn	His	His	Thr	Glu	Lys	Ser	Leu	Ser	His	Ser	Pro	Gly	Lys
	450					455					460				

<210> 124
 <211> 1395
 <212> DNA
 <213> *Mus musculus*

5
 <400> 124
 atgaaatgca gctgggtcat cttcttcctg atggcagtgg ttacaggggt caattcagag 60
 gttcagggtgc agcagtctgg gccagaactt gtgaagccag gggcctcagt caagttgtcc 120
 tgcacagctt ctggcttcaa cattaagac tactttatac actgggtgaa gcagaggcct 180
 10 gaacagggcc tggagtggat tggaaaggct gatcctgagg atggtgaaag tgattatgcc 240
 ccgaagtcc aggacaaggc cattatgaca gcagacacat catccaacac agcctatctt 300
 cagctcagaa gcctgacatc tgaggacact gccatctatt attgtgagag agaggactac 360
 gatggtacct acaccttttt tccttactgg ggccaaggga ctctggtcac tgtctctgca 420
 gccaaaacga caccctcatc tgtctatcca ctggcccctg gatctgctgc ccaaactaac 480
 tccatggtga ccctgggatg cctgggtcaag ggctatttcc ctgagccagt gacagtgacc 540
 15 tggaaactctg gatccctgtc cagcgggtgtg cacaccttcc cagctgtcct gcagtctgac 600
 ctctacactc tgagcagctc agtgactgtc ccctccagca cctggcccag cgagaccgtc 660
 acctgcaacg ttgcccaccc ggccagcagc accaagggtg acaagaaaat tgtgcccagg 720
 gatgtgtggt gtaagccttg catatgtaca gtcccagaag tatcatctgt cttcatcttc 780
 ccccaaagc ccaaggatgt gctcaccatt actctgactc ctaagggtcac gtgtgtgtgtg 840
 gtagacatca gcaaggatga tcccagggtc cagttcagct ggttttaga tgatgtggag 900
 20 gtgcacacag ctacagacga accccgggag gagcagttca acagacttt cgcctcagtc 960
 agtgaacttc ccacatgca ccaggactgg ctcaatggca aggagttcaa atgcagggtc 1020
 aacagtgcag ctttccctgc ccccatcgag aaaaccatc ccaaaaccaa aggcagaccg 1080
 aaggctccac aggtgtacac cattccacct cccaaggagc agatggccaa ggataaagtc 1140
 agtctgacct gcatgataac agacttcttc cctgaagaca ttactgtgga gtggcagttg 1200
 25 aatgggcagc cagcggagaa ctacaagaac actcagccca tcatggacac agatggctct 1260
 tacttcatct acagcaagct caatgtgcag aagagcaact gggaggcagg aaatactttc 1320
 acctgctctg tgttacatga gggcctgcac aaccaccata ctgagaagag cctctcccac 1380
 tctctggtga aatga 1395

<210> 125
 <211> 215
 <212> PRT
 <213> *Mus musculus*

30
 <400> 125
 Glu Ile Val Leu Thr Gln Ser Pro Ala Leu Met Ala Ala Ser Pro Gly
 1 5 10 15
 35 Glu Lys Val Thr Ile Thr Cys Ser Val Ser Ser Thr Ile Ser Ser Asn
 20 25 30
 His Leu His Trp Phe Gln Gln Lys Ser Asp Thr Ser Pro Lys Pro Trp
 35 40 45
 Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly Val Pro Val Arg Phe Ser
 50 55 60
 40 Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Ser Met Glu
 65 70 75 80
 Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Tyr Pro
 85 90 95
 Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Arg Arg Ala Asp Ala
 100 105 110
 45 Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser
 115 120 125
 Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp
 130 135 140
 Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val
 145 150 155 160
 50 Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met
 165 170 175
 Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser
 180 185 190
 Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys
 195 200 205
 55 Ser Phe Asn Arg Asn Glu Cys
 210 215

<210> 126
 <211> 648
 <212> DNA
 <213> Mus musculus

<400> 126
 gaaattgtgc tcaccagtc tccagcactc atggctgcat ctccggggga gaaggtcacc 60
 atcacctgca gtgtcagttc aactataagt tccaaccact tgcactgggt ccagcagaag 120
 tcagacacct ccccaaacc ctggatttat ggcacatcca acctggcttc tggagtcctt 180
 gttcgcttca gtggcagtgg atctgggacc tcttattctc tcacaatcag cagcatggag 240
 gctgaggatg ctgccactta ttactgtcaa cagtggagta gttaccact caggttcggc 300
 gctgggacca agctggagct gagacgggct gatgctgcac caactgtatc catcttcca 360
 ccatccagtg agcagttaac atctggaggt gcctcagtcg tgtgcttctt gaacaacttc 420
 taccctaaag acatcaatgt caagtgggag attgatggca gtgaacgaca aaatggcgctc 480
 ctgaacagtt ggactgatca ggacagcaaa gacagcacct acagcatgag cagcaccctc 540
 acgttgacca aggacgagta tgaacgacat aacagctata cctgtgaggc cactcacaag 600
 acatcaactt caccattgt caagagcttc aacaggaatg agtgtag 648

<210> 127
 <211> 237
 <212> PRT
 <213> Mus musculus

<400> 127
 Met Asp Phe His Val Gln Ile Phe Ser Phe Met Leu Ile Ser Val Thr
 1 5 10 15
 Val Ile Leu Ser Gly Glu Ile Val Leu Thr Gln Ser Pro Ala Leu
 20 25 30
 Met Ala Ala Ser Pro Gly Glu Lys Val Thr Ile Thr Cys Ser Val Ser
 35 40 45
 Ser Thr Ile Ser Ser Asn His Leu His Trp Phe Gln Gln Lys Ser Asp
 50 55 60
 Thr Ser Pro Lys Pro Trp Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Val Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu
 85 90 95
 Thr Ile Ser Ser Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Trp Ser Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu
 115 120 125
 Leu Arg Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser
 130 135 140
 Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn
 145 150 155 160
 Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser
 165 170 175
 Glu Arg Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys
 180 185 190
 Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu
 195 200 205
 Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser
 210 215 220
 Thr Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 128
 <211> 714
 <212> DNA
 <213> Mus musculus

<400> 128
 atggattttc atgtgcagat tttcagcttc atgctaataca gtgtcacagt cattttgtcc 60
 agtggagaaa ttgtgctcac ccagctctcca gcactcatgg ctgcatctcc gggggagaag 120
 gtcacatca cctgcagtgt cagttcaact ataagttcca accacttgca ctggttcag 180
 cagaagtcag acacctcccc caaacctgg atttatggca catccaacct ggcttctgga 240
 gtccctgttc gcttcagtgg cagtggatct gggacctctt attctctcac aatcagcagc 300
 atggaggctg aggatgctgc cacttattac tgtcaacagt ggagtagtta cccactcacg 360

```

ttcggcgctg ggaccaagct ggagctgaga cgggctgatg ctgcaccaac tgtatccatc 420
ttcccacat ccagtgagca gttaacatct ggaggtgcct cagtcgtgtg cttcttgaac 480
aacttctacc ccaaagacat caatgtcaag tggaagattg atggcagtga acgacaaaat 540
ggcgctcctga acagttggac tgatcaggac agcaaagaca gcacctacag catgagcagc 600
accctcacgt tgaccaagga cgagtatgaa cgacataaca gctatacctg tgaggccact 660
cacaagacat caacttcacc cattgtcaag agcttcaaca ggaatgagtg ttag 714

```

<210> 129

<211> 449

<212> PRT

<213> Mus musculus

<400> 129

```

Glu Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Pro Gly Ala
1 5 10 15
Leu Val Lys Leu Ser Cys Thr Ala Ser Asp Phe Asn Ile Lys Asp Phe
20 25 30
Tyr Leu His Trp Met Arg Gln Arg Pro Glu Gln Gly Leu Asp Trp Ile
35 40 45
Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp Pro Lys Phe
50 55 60
Gln Asp Lys Ala Thr Leu Thr Thr Asp Thr Ser Ser Asn Thr Ala Tyr
65 70 75 80
Leu Gln Leu Ser Gly Leu Thr Ser Glu Thr Thr Ala Val Tyr Tyr Cys
85 90 95
Ser Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr Trp Tyr Phe
100 105 110
Asp Val Trp Gly Ala Gly Thr Thr Ile Thr Val Ser Ser Ala Lys Thr
115 120 125
Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr
130 135 140
Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu
145 150 155 160
Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His
165 170 175
Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser
180 185 190
Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn
195 200 205
Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro
210 215 220
Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser
225 230 235 240
Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr
245 250 255
Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp
260 265 270
Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr
275 280 285
Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser
290 295 300
Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu
305 310 315 320
Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys
325 330 335
Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr
340 345 350
Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr
355 360 365
Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln
370 375 380
Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met
385 390 395 400
Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys
405 410 415
Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu
420 425 430
Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly

```

		435		440		445	
	Lys						
5		<210> 130 <211> 1350 <212> DNA <213> Mus musculus					
10		<400> 130					
15		gaggttcagc tgcagcagtc tggggctgaa cttgtgaggc caggggcctt agtcaagttg 60					
		tcctgcacag cttctgactt caacattaaa gacttctatc tacactggat gaggcagcgg 120					
		cctgaacagg gcctggactg gattggaagg attgatcctg agaatgggtga tactttatat 180					
		gacccgaagt tccaggacaa ggccaactctt acaacagaca catcctccaa cacagcctac 240					
		ctgcagctca gcggcctgac atctgagacc actgccgtct attactgttc tagagaggcg 300					
20		gattattttcc acgatgggtac ctctactagg tacttcgatg tctggggcgc agggaccaca 360					
		atcacctgtc cctcagccaa aacgacaccc ccatctgtct atccactggc ccctggatct 420					
		gctgccccaa ctaactccat ggtgaccctg ggatgcctgg tcaagggcta tttccctgag 480					
		ccagtgcacag tgacctggaa ctctggatcc ctgtccagcg gtgtgcacac cttcccagct 540					
		gtcctgcagt ctgacctcta cactctgagc agctcagtga ctgtcccctc cagcacctgg 600					
		cccagcgaga ccgtcacctg caacgttgcc caccgggcca gcagcaccaa ggtggacaag 660					
25		aaaattgtgc ccagggattg tgggtgtaag ccttgcatat gtacagtccc agaagtatca 720					
		tctgtcttca tcttcccccc aaagcccaag gatgtgctca ccattactct gactcctaa 780					
		gtcagctgtg ttgtggtaga catcagcaag gatgatcccg aggtccagtt cagctgggtt 840					
		gtagatgatg tggaggtgca cacagctcag acgcaacccc gggaggagca gttcaacagc 900					
		actttccgct cagtcagtga acttcccac atgcaccagg actggctcaa tggcaaggag 960					
		ttcaaattgca gggtaaacag tgcagctttc cctgccccca tcgagaaaac catctccaaa 1020					
		accaaaggca gaccgaaggc tccacaggtg tacaccattc cacctcccaa ggagcagatg 1080					
30		gccaaggata aagtcagtct gacctgcatg ataacagact tcttccctga agacattact 1140					
		gtggagtggc agtggaatgg gcagccagcg gagaactaca agaacactca gcccatcatg 1200					
		gacacagatg gctcttactt catctacagc aagctcaatg tgcagaagag caactgggag 1260					
		gcaggaataa ctttcacctg ctctgtgtta catgagggcc tgcacaacca ccatactgag 1320					
		aagagcctct cccactctcc tggtaaatga					1350
35		<210> 131 <211> 468 <212> PRT <213> Mus musculus					
40		<400> 131					
		Met Lys Cys Ser Trp Val Ile Phe Phe Leu Met Ala Val Val Thr Gly					
		1 5 10 15					
		Val Asn Ser Glu Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg					
		20 25 30					
		Pro Gly Ala Leu Val Lys Leu Ser Cys Thr Ala Ser Asp Phe Asn Ile					
		35 40 45					
45		Lys Asp Phe Tyr Leu His Trp Met Arg Gln Arg Pro Glu Gln Gly Leu					
		50 55 60					
		Asp Trp Ile Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp					
		65 70 75 80					
		Pro Lys Phe Gln Asp Lys Ala Thr Leu Thr Thr Asp Thr Ser Ser Asn					
		85 90 95					
		Thr Ala Tyr Leu Gln Leu Ser Gly Leu Thr Ser Glu Thr Thr Ala Val					
		100 105 110					
50		Tyr Tyr Cys Ser Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr					
		115 120 125					
		Trp Tyr Phe Asp Val Trp Gly Ala Gly Thr Thr Ile Thr Val Ser Ser					
		130 135 140					
		Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala					
		145 150 155 160					
55		Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr					
		165 170 175					
		Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser					
		180 185 190					
		Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu					
		195 200 205					
		Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val					

210 215 220
 Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys
 225 230 235 240
 Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro
 5 Glu Val Ser Ser 245 Phe Ile Phe Pro 250 Lys Pro Lys Asp 255 Val Leu
 Thr Ile Thr 260 Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser
 10 Lys Asp 275 Pro Glu Val Gln 280 Phe Ser Trp Phe Val Asp Asp Val Glu
 290 295 300
 Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
 305 310 315 320
 Phe Arg Ser Val Ser 325 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn
 15 Gly Lys Glu Phe 340 Lys Cys Arg Val Asn 345 Ser Ala Ala Phe Pro Ala Pro
 Ile Glu Lys 355 Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
 Val Tyr 370 Thr Ile Pro Pro 375 Lys Glu Gln Met Ala Lys Asp Lys Val
 20 Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 385 390 395 400
 Glu Trp Gln Trp Asn 405 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn
 25 Val Gln Lys 420 Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 435 440 445
 Leu His Glu Gly Leu His Asn 455 His Thr Glu Lys Ser Leu Ser His
 460
 Ser Pro Gly Lys
 465

30 <210> 132
 <211> 1407
 <212> DNA
 <213> Mus musculus

35 <400> 132
 atgaaatgca gctgggtcat cttcttctctg atggcagtggt ttacaggggt caattcagag 60
 gttcagctgc agcagctctgg ggctgaactt gtgaggccag gggccttagt caagttgtcc 120
 tgcacagctt ctgacttcaa cattaaagac ttctatctac actggatgag gcagcgccct 180
 gaacagggcc tggactggat tggaggatt gatcctgaga atggtgatac tttatatgac 240
 ccgaagtcc aggacaaggc cactcttaca acagacacat cctccaacac agcctacctg 300
 cagctcagcg gcctgacatc tgagaccact gccgtctatt actgttctag agagggcggat 360
 40 tatttccacg atggtacctc ctactggtac ttctgatgtc ttcgatgtct ggggcgcagg gaccacaatc 420
 accgtctcct cagccaaaac gacaccccca tctgtctatc cactggcccc tggatctgct 480
 gcccaacta actccatggt gaccctggga tgccctggtca agggctatct ccctgagcca 540
 gtgacagtga cctggaactc tggatccctg tccagcgggtg tgcacacctt ccagctgtc 600
 ctgcagtctg acctctacac tctgagcagc tcagtgactg tcccctccag cacctggccc 660
 agcgagaccg tcacctgcaa cgttgccac ccggccagca gcaccaagggt ggacaagaaa 720
 attgtgccca gggattgtgg ttgtaagcct tgcataatga cagtcccaga agtatcatct 780
 45 gtcttcatct tcccccaaa gcccaaggat gtgctcacca ttactctgac tcctaagggtc 840
 acgtgtgttg tggtagacat cagcaaggat gatccccagg tccagttcag ctggtttgta 900
 gatgatgtgg aggtgcacac agctcagacg caaccccggt aggagcagtt caacagcact 960
 ttccgctcag tcagtgaact tccatcatg caccaggact ggctcaatgg caaggagttc 1020
 aaatgcaggg tcaacagtgc agctttccct gccccatcg agaaaaccat ctccaaaacc 1080
 50 aaaggcagac cgaaggctcc acaggtgtac accattccac ctccaagga gcagatggcc 1140
 aaggataaag tcagtctgac ctgcatgata acagacttct tccctgaaga cattactgtg 1200
 gagtggcagt ggaatgggca gccagcggag aactacaaga acactcagcc catcatggac 1260
 acagatggct cttacttcat ctacagcaag ctcaatgtgc agaagagcaa ctgggaggca 1320
 ggaaatactt tcacctgtc tgtgttacat gagggcctgc acaaccacca tactgagaag 1380
 agcctctccc actctcctgg taaatga 1407

55 <210> 133
 <211> 214

<212> PRT
 <213> Mus musculus

<400> 133

5 Asp Ile Gln Met Thr Gln Ile Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys Leu Ile
 35 40 45
 10 Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr Asn Leu Glu Gln
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
 85 90 95
 15 Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala
 100 105 110
 Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125
 Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
 130 135 140
 20 Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
 145 150 155 160
 Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175
 Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190
 25 Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205
 Phe Asn Arg Asn Glu Cys
 210

<210> 134
 <211> 645
 <212> DNA
 <213> Mus musculus

<400> 134

35 gatattcaga tgacacagat tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 60
 atcagttgca gggcaagtca agacattagc aattatttaa actggtatca gcagaaacca 120
 gatggaaactt ttaaactcct tatcttctac acatcaagat tactctcagg agtcccatca 180
 aggttcagtg gcagtggggc tggaaacagat tattctctca ccatttacaa cctggagcaa 240
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 300
 gggaccaagc tggaaataaa acgggctgat gctgcaccac ctgtatccat cttccacca 360
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 480
 40 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gtttag 645

<210> 135
 <211> 234
 <212> PRT
 <213> Mus musculus

<400> 135

50 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ile Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe
 50 55 60
 55 Lys Leu Leu Ile Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser
 65 70 75 80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr
 Asn Leu Glu Gln Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

<210> 136
 <211> 705
 <212> DNA
 <213> Mus musculus

<400> 136
 atgatgtcct ctgctcagtt ccttggtctc ctgttgctct gttttcaagg taccagatgt 60
 gatatccaga tgacacagat tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 120
 atcagttgca gggcaagtca agacattagc aattatttaa actggtatca gcagaaacca 180
 gatggaactt ttaaactcct tatcttctac acatcaagat tactctcagg agtcccatca 240
 aggttcagtg gcagtggtgc tggaacagat tattctctca ccatttacaa cctggagcaa 300
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 360
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttccacca 420
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 ccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 540
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 705

<210> 137
 <211> 447
 <212> PRT
 <213> Mus musculus

<400> 137
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu Glu Trp Ile
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Thr Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe

					165			170				175		
	Pro	Ala	Val	Leu	Gln	Ser	Asp	Leu	Tyr	Thr	Leu	Ser	Ser	Ser
				180					185				190	
	Val	Pro	Ser	Ser	Thr	Trp	Pro	Ser	Glu	Thr	Val	Thr	Cys	Asn
5			195					200					205	
	His	Pro	Ala	Ser	Ser	Thr	Lys	Val	Asp	Lys	Lys	Ile	Val	Pro
		210					215					220		Arg
	Cys	Gly	Cys	Lys	Pro	Cys	Ile	Cys	Thr	Val	Pro	Glu	Val	Ser
		225				230					235			Ser
	Phe	Ile	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Val	Leu	Thr	Ile	Thr
10				245						250				Leu
	Pro	Lys	Val	Thr	Cys	Val	Val	Val	Asp	Ile	Ser	Lys	Asp	Asp
			260						265				270	Pro
	Val	Gln	Phe	Ser	Trp	Phe	Val	Asp	Asp	Val	Glu	Val	His	Thr
			275					280					285	Ala
	Thr	Gln	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Phe	Arg	Ser
		290					295					300		Val
15	Glu	Leu	Pro	Ile	Met	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu
		305				310					315			Phe
	Cys	Arg	Val	Asn	Ser	Ala	Ala	Phe	Pro	Ala	Pro	Ile	Glu	Lys
				325						330				Thr
	Ser	Lys	Thr	Lys	Gly	Arg	Pro	Lys	Ala	Pro	Gln	Val	Tyr	Thr
				340					345				350	Ile
20	Pro	Pro	Lys	Glu	Gln	Met	Ala	Lys	Asp	Lys	Val	Ser	Leu	Cys
			355					360					365	Met
	Ile	Thr	Asp	Phe	Phe	Pro	Glu	Asp	Ile	Thr	Val	Glu	Trp	Gln
		370					375					380		Trp
	Gly	Gln	Pro	Ala	Glu	Asn	Tyr	Lys	Asn	Thr	Gln	Pro	Ile	Met
		385				390					395			Asp
25	Asp	Gly	Ser	Tyr	Phe	Ile	Tyr	Ser	Lys	Leu	Asn	Val	Gln	Lys
				405						410				Ser
	Trp	Glu	Ala	Gly	Asn	Thr	Phe	Thr	Cys	Ser	Val	Leu	His	Glu
			420						425				430	Gly
	His	Asn	His	His	Thr	Glu	Lys	Ser	Leu	Ser	His	Ser	Pro	Gly
			435					440					445	Lys
30														
	<210> 138													
	<211> 1344													
	<212> DNA													
	<213> Mus musculus													
35	<400> 138													
	gagggtccaac	tgcaacagtc	tggaacctgaa	ctaatagaagc	ctgggggcttc	agtgaagatg	60							
	tccttgcaagg	cttctgggata	tacattcact	gactacaaca	tgcaactgggt	gaagcagaac	120							
	caaggaaaga	ccctagagtg	gataggagaa	attaatccta	acagtggtgg	tgctggctac	180							
	aaccagaagt	tcaagggaac	ggccacattg	attgtagaca	agtcctccac	cacagcctac	240							
	atggagctcc	gcagcctgac	atctgaggac	tctgcagtct	attactgtgc	aagattgggc	300							
40	tacgatgata	tctacgacga	ctgggtacttc	gatgtctggg	gcgcaggggac	cacggtcacc	360							
	gtctcctcag	ccaaaacgac	acccccatct	gtctatccac	tgccccctgg	atctgctgcc	420							
	caaaactaact	ccatgggtgac	cctgggatgc	ctgggtcaagg	gctattttccc	tgagccagtg	480							
	acagtgcact	ggaactctgg	atccctgtcc	agcgggtgtgc	acaccttccc	agctgtcctg	540							
	cagtctgacc	tctacactct	gagcagctca	gtgactgtcc	cctccagcac	ctggcccagc	600							
	gagaccgtca	cctgcaacgt	tgcccacccg	gccagcagca	ccaaggtgga	caagaaaatt	660							
45	gtgcccaggg	attgtggttg	taagccttgc	atatgtacag	tcccagaagt	atcatctgtc	720							
	ttcatcttcc	ccccaaagcc	caaggatgtg	ctcaccatta	ctctgactcc	taaggtcacg	780							
	tgtgttggtg	tagacatcag	caaggatgat	cccagggtcc	agttcagctg	gtttgtagat	840							
	gatgtggagg	tgcaacacagc	tcagacgcaa	ccccgggagg	agcagttcaa	cagcactttc	900							
	cgctcagtc	gtgaacttcc	catcatgcac	caggactggc	tcaatggcaa	ggagttcaaa	960							
	tgcaagggtca	acagtgacgc	tttccctgcc	cccatcgaga	aaaccatctc	caaaacaaa	1020							
50	ggcagaccga	aggctccaca	ggtgtacacc	attccacctc	ccaaggagca	gatggccaag	1080							
	gataaagtca	gtctgacctg	catgataaca	gacttcttcc	ctgaagacat	tactgtggag	1140							
	tggcagtgga	atgggcagcc	agcggagaac	tacaagaaca	ctcagcccat	catggacaca	1200							
	gatggctctt	acttcatcta	cagcaagctc	aatgtgcaga	agagcaactg	ggaggcagga	1260							
	aatactttca	cctgctctgt	gttacatgag	ggcctgcaca	accaccatac	tgagaagagc	1320							
	ctctccctact	ctcctggtaa	atga				1344							
55	<210> 139													

<211> 466
 <212> PRT
 <213> Mus musculus

<400> 139

Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
 20 25 30
 Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 35 40 45
 Thr Asp Tyr Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu
 50 55 60
 Glu Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn
 65 70 75 80
 Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr
 85 90 95
 Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Trp Tyr
 115 120 125
 Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
 130 135 140
 Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln
 145 150 155 160
 Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
 165 170 175
 Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val
 180 185 190
 His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
 195 200 205
 Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys
 210 215 220
 Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val
 225 230 235 240
 Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val
 245 250 255
 Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile
 260 265 270
 Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp
 275 280 285
 Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His
 290 295 300
 Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
 305 310 315 320
 Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys
 325 330 335
 Glu Phe Lys Cys Arg Val Asn Ser Ala Phe Pro Ala Pro Ile Glu
 340 345 350
 Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr
 355 360 365
 Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu
 370 375 380
 Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp
 385 390 395 400
 Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile
 405 410 415
 Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln
 420 425 430
 Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His
 435 440 445
 Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 140

<211> 1401
 <212> DNA
 <213> Mus musculus

<400> 140

```

5  atgggatgga gctggacatt tctcttcctc ctgtcaggaa ctgcagggtgt cctctctgag 60
   gtccaactgc aacagtctgg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
   tgcaaggctt ctggatatac attcactgac tacaacatgc actgggtgaa gcagaaccaa 180
   ggaaagaccc tagagtggat aggagaaatt aatcctaaca gtggtggtgc tggctacaac 240
   cagaagttca agggcaaggc cacattgact gtagacaagt cctccaccac agcctacatg 300
10 gagctccgca gcctgacatc tgaggactct gcagctctatt actgtgcaag attgggctac 360
   gatgatatct acgacgactg gtacttcgat gtctggggcg cagggaccac ggtcaccgtc 420
   tcctcagcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgctgcccaa 480
   actaactcca tggtagccct gggatgcctg gtcaagggtt atttccctga gccagtgaca 540
   gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttcccagc tgtcctgcag 600
   tctgacctct acactctgag cagctcagtg actgtcccct ccagcacctg gccagcgag 660
   accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720
15 cccagggatt gtggttgtaa gccttgcata tgtacagtcc cagaagtatc atctgtcttc 780
   atcttccccc caaagcccaa ggatgtgctc accattactc tgactcctaa ggtcacgtgt 840
   gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctggtt tgtagatgat 900
   gtggaggtgc acacagctca gacgaaccc cgggaggagc agttcaacag cactttccgc 960
   tcagtcaagt aacttcccat catgcaccag gactggctca atggcaagga gttcaaattgc 1020
   aggggtcaag ctgcagcttt cctgcccccc atcgagaaaa ccatctccaa aaacaaaggc 1080
20 agaccgaagg ctccacaggt gtacacagac ttcttccttg aagacattac tgtggagtgg 1200
   aaagtcagtc tgacctgcat gataacagac ggagaactac aagaacactc agcccatcat ggacacagat 1260
   cagtggaaat ggagccagc caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
   actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
   tcccactctc ctggtaaatg a
  
```

<210> 141
 <211> 214
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 141

```

5  Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
   1      5      10      15
35 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
   20     25     30
   Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
   35     40     45
   Tyr Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser Arg Phe Ser Gly
   50     55     60
40 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
   65     70     75     80
   Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Asp Thr Leu Pro Tyr
   85     90     95
   Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
   100    105    110
   Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
   115    120    125
45 Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
   130    135    140
   Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
   145    150    155    160
   Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
   165    170    175
50 Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
   180    185    190
   Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
   195    200    205
   Phe Asn Arg Gly Glu Cys
   210
55
  
```

<210> 142
 <211> 642
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 142
 gacatccaga tgacccagtc tccatcctcc ctctccgcat ccgtaggcga ccgcgtaacc 60
 ataacatgta gagcatctca agatatttcc aactatttga attggtacca acaaaaaccc 120
 ggcaaaagcac ctaaactcct catttactat acatcaagac tcctctccgg cggtccatca 180
 cgattctcag gctccggctc cggcacagat ttcacactca ctatttcctc cctccaacca 240
 gaagattttg caacctatta ctgtcaacaa ggcgatacac tcccatacac attcggcggc 300
 ggcacaaaag ttgaaattaa acgtacgggtg gctgcaccat ctgtcttcat cttcccgcc 360
 tctgatgagc agttgaaatc tggaactgcc tctgttgtgt gcctgctgaa taacttctat 420
 cccagagagg ccaaagtaca gtggaagggtg gataacgccc tccaatcggg taactcccag 480
 gagagtgtca cagagcagga cagcaaggac agcacctaca gcctcagcag caccctgacg 540
 ctgagcaaag cagactacga gaaacacaaa gtctacgcct gcgaagtcac ccatcagggc 600
 ctgagctcgc ccgtcacaaa gagcttcaac aggggagagt gt 642

<210> 143
 <211> 236
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 143
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Arg Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
 35 40 45
 Gln Asp Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys
 50 55 60
 Ala Pro Lys Leu Leu Ile Tyr Tyr Thr Ser Arg Leu Leu Ser Gly Val
 65 70 75 80
 Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 85 90 95
 Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
 100 105 110
 Gly Asp Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Val Glu Ile
 115 120 125
 Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp
 130 135 140
 Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn
 145 150 155 160
 Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu
 165 170 175
 Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp
 180 185 190
 Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr
 195 200 205
 Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser
 210 215 220
 Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 225 230 235

<210> 144
 <211> 708
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 144

```

5  atggacatga ggggtccccgc tcagctcctg gggctcctgc tactctggct ccgaggtgcc 60
   agatgtgaca tccagatgac ccagtcctca tcctccctct ccgcatccgt aggcgaccgc 120
   gtaaccataa catgtagagc atctcaagat atttccaact atttgaattg gtaccaacaa 180
   aaacccggca aagcacctaa actcctcatt tactatacat caagactcct ctccggcggtt 240
   ccatcacgat tctcaggctc cggctccggc acagatttca cactcactat ttctctccctc 300
   caaccagaag attttgcaac ctattactgt caacaaggcg atacactccc atacacattc 360
10 ggcgggcgga caaaagttga aattaaacgt acggtggctg caccatctgt cttcatcttc 420
   ccgccatctg atgagcagtt gaaatctgga actgcctctg ttgtgtgcct gctgaataac 480
   ttctatccca gagaggccaa agtacagtgg aagggtggata acgcccctca atcgggtaac 540
   tcccaggaga gtgtcacaga gcaggacagc aaggacagca cctacagcct cagcagcacc 600
   ctgacgctga gcaaagcaga ctacgagaaa cacaaggtct acgcctgcga agtcacccat 660
   cagggcctga gctcgcccgt cacaagagc ttcaacaggg gagagtgt 708

```

<210> 145

<211> 449

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 145

```

5  Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
   1      5      10      15
25 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
   20      25      30
   Asn Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
   35      40      45
   Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
   50      55      60
30 Lys Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
   65      70      75      80
   Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
   85      90      95
   Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
   100      105      110
35 Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly
   115      120      125
   Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
   130      135      140
40 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
   145      150      155      160
   Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
   165      170      175
45 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
   180      185      190
   Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val
   195      200      205      210
   Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys
   215      220      225
50 Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro
   230      235      240
   Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
   245      250      255
   Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
   260      265      270
55 Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
   275      280      285
   Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
   290      295      300
   Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
   305      310      315      320
   Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
   325      330      335

```

Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
 Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
 Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
 Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
 Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
 Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
 Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
 Lys

<210> 146
 <211> 1347
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 146
 gaggtgcagc tgggtgcagag cggcgccgag gtaaaaaaac caggagcaag cgttaaagtt 60
 tcttgtaaag caagcggata tacatttaca gattacaaca tgcattgggt aagacaagcg 120
 ccaggacaag gattggaatg gatgggagaa attaacctta atagtggagg agcaggctac 180
 aatcaaaaat tcaaagggag agttacaatg acaacagaca caagcacttc aacagcatat 240
 atggaactgc gatcacttag aagcgacgat acagctgtat actattgctc acgacttggg 300
 tatgatgata tatatgatga ctggtatttc gatgtttggg gccagggaaac aacagttacc 360
 gtctctagtg cctccaccaa gggcccatcg gtcttcccc tggcgccctg ctccaggagc 420
 acctccgaga gcacagcggc cctgggctgc ctggtcaagg actacttccc cgaaccggtg 480
 acggtgtcgt ggaactcagg cgctctgacc agcggcgtgc acaccttccc agctgtccta 540
 cagtcctcag gactctactc cctcagcagc gtggtgaccg tgccctccag caacttcggc 600
 acccagacct acacctgcaa cgtagatcac aagcccagca acaccaaggt ggacaagaca 660
 gttgagcgca aatgtttgtg cgagtgccca ccgtgccag caccacctgt ggcaggaccg 720
 tcagtcttcc tcttcccccc aaaacccaag gacacctca tgatctccc gacctctgag 780
 gtcacgtgcg tgggtggtgga cgtgagccac gaagacccc aggtccagtt caactggtac 840
 gtggacggcg tggaggtgca taatgccaa acaaagccac gggaggagca gttcaacagc 900
 acgttccgtg tggtcagcgt cctcaccgtt gtgcaccagg actggctgaa cggcaaggag 960
 tacaagtgca aggtctccaa caaaggcctc ccagccccca tcgagaaaac catctccaaa 1020
 accaaagggc agccccgaga accacaggtg tacaccctgc ccccatccc ggaggagatg 1080
 accaagaacc aggtcagcct gacctgcctg gtcaaaggct tctaccccag cgacatcgcc 1140
 gtggagtggg agagcaatgg gcagccggag aacaactaca agaccacacc tcccatgctg 1200
 gactccgacg gctccttctt cctctacagc aagctcaccg tggacaagag caggtggcag 1260
 caggggaacg tcttctcatg ctccgtgatg catgaggctc tgcacaacca ctacacgcag 1320
 aagagcctct ccctgtctcc gggtaaa 1347

<210> 147
 <211> 468
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 147
 Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val Ala Ala Ala Thr Gly
 Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
 Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 Thr Asp Tyr Asn Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
 1 5 10 15 20 25 30 35 40 45 50 55 60

	Glu	Trp	Met	Gly	Glu	Ile	Asn	Pro	Asn	Ser	Gly	Gly	Ala	Gly	Tyr	Asn
	65				70						75				80	
	Gln	Lys	Phe	Lys	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser
5					85					90					95	
	Thr	Ala	Tyr	Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val
				100					105					110		
	Tyr	Tyr	Cys	Ala	Arg	Leu	Gly	Tyr	Asp	Asp	Ile	Tyr	Asp	Asp	Trp	Tyr
			115					120					125			
	Phe	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	Ser
		130					135					140				
10	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr
					150						155					160
	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro
					165					170					175	
	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val
				180					185					190		
15	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser
			195					200					205			
	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Asn	Phe	Gly	Thr	Gln	Thr	Tyr	Thr
		210					215					220				
	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Thr	Val
		225				230					235					240
20	Glu	Arg	Lys	Cys	Cys	Val	Glu	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Pro	Val
				245						250					255	
	Ala	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu
				260					265					270		
	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser
			275				280						285			
25	His	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu
						295						300				
	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr
		305				310					315					320
	Phe	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Val	His	Gln	Asp	Trp	Leu	Asn
					325					330					335	
30	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ala	Pro
				340					345					350		
	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Thr	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln
			355					360					365			
	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val
			370				375					380				
35	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val
					390						395					400
	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro
					405					410					415	
	Pro	Met	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr
				420					425					430		
	Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val
			435					440					445			
40	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu
							455					460				
	Ser	Pro	Gly	Lys												
	465															
45	<210> 148															
	<211> 1404															
	<212> DNA															
	<213> Mus musculus															
50	<400> 148															
	atggactgga	cctggaggat	cctcttcttg	gtggcagcag	ccacaggagc	ccactccgag	60									
	gtgcagctgg	tgcagagcgg	cgccgaggta	aaaaaaccag	gagcaagcgt	taaagtttct	120									
	tgtaaagcaa	gcggatatac	atttacagat	tacaacatgc	attgggtaag	acaagcgcca	180									
	ggacaaggat	tggaatggat	ggcgaaatt	aaccctaata	gtggaggagc	aggctacaat	240									
	caaaaattca	aagggagagt	tacaatgaca	acagacacaa	gcacttcaac	agcatatatg	300									
	gaactgcat	cacttagaag	cgacgataca	gctgtatact	attgcgcacg	acttgggtat	360									
	gatgatatat	atgatgactg	gtatttcgat	gtttggggcc	aggggaacaac	agttaccgtc	420									
55	tctagtgcct	ccaccaaggg	cccatcggtc	ttccccctgg	cgccctgctc	caggagcacc	480									

```

tccgagagca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc tctgaccagc ggcgtgcaca ccttcccagc tgtcctacag 600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcaa cttcggcacc 660
cagacctaca cctgcaacgt agatcacaag cccagcaaca ccaaggtgga caagacagtt 720
gagcgcaaat gttgtgtcga gtgcccaccg tgcccagcac cacctgtggc aggaccgtca 780
gtcttctctt tcccccaaa acccaaggac accctcatga tctcccggac ccttgaggtc 840
acgtgcgtgg tgggtggacgt gagccacgaa gaccccgagg tccagttcaa ctggtacgtg 900
gacggcgtgg aggtgcataa tgccaagaca aagccacggg aggagcagtt caacagcacg 960
ttccgtgtgg tcagcgtcct caccgttgtg caccaggact ggctgaacgg caaggagtac 1020
aagtgcaagg tctccaacaa aggcctccca gcccccacg agaaaacat ctccaaaacc 1080
aaagggcagc cccgagaacc acaggtgtac accctgcccc catcccggga ggagatgacc 1140
aagaaccagg tcagcctgac ctgcctggtc aaaggcttct accccagcga catcgccgtg 1200
gagtgaggaga gcaatgggca gccggagaac aactacaaga ccacacctcc catgctggac 1260
tccgacggct ccttcttctc ctacagcaag ctaccgtgg acaagagcag gtggcagcag 1320
gggaacgtct tctcatgctc ggtgatgcat gaggctctgc acaaccacta cacgcagaag 1380
agcctctccc tgtctccggg taaa 1404

```

<210> 149
 <211> 214
 <212> PRT
 <213> Mus musculus

```

<400> 149
Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
1      5      10      15
Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
20      25      30
Leu Asn Trp Phe Gln Gln Lys Pro Asp Gly Thr Leu Lys Leu Ile
35      40      45
Phe Tyr Thr Ser Arg Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
50      55      60
Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln
65      70      75      80
Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
85      90      95
Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Arg Arg Ala Asp Ala Ala
100      105      110
Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
115      120      125
Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
130      135      140
Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
145      150      155      160
Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
165      170      175
Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
180      185      190
Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
195      200      205
Phe Asn Arg Asn Glu Cys
210

```

<210> 150
 <211> 645
 <212> DNA
 <213> Mus musculus

```

<400> 150
gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagagtcacc 60
atcagttgca gggcaagtca ggacattagc aattatttaa actggtttca gcagaaacca 120
gatggaactc ttaactcct gatctttctac acatcaagat tacactcagg agttccatca 180
aggttcagtg ccagtgggtc tggaacagat tattctctca ccattagcaa cctggagcaa 240
gaagatatgg ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcgggggg 300
gggaccaagc tggaaataag acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaa tggcgtcctg 480
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540

```

ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
tcaacttcac ccatgtgtcaa gagcttcaac aggaatgagt gtttag 645

<210> 151
<211> 234
<212> PRT
<213> Mus musculus

<400> 151
Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Cys Phe Gln
1 5 10 15
Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser
20 25 30
Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp
35 40 45
Ile Ser Asn Tyr Leu Asn Trp Phe Gln Gln Lys Pro Asp Gly Thr Leu
50 55 60
Lys Leu Leu Ile Phe Tyr Thr Ser Arg Leu His Ser Gly Val Pro Ser
65 70 75 80
Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser
85 90 95
Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asp
100 105 110
Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Arg Arg
115 120 125
Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
130 135 140
Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
145 150 155 160
Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
165 170 175
Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
180 185 190
Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
195 200 205
His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
210 215 220
Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
225 230

<210> 152
<211> 705
<212> DNA
<213> Mus musculus

<400> 152
atgatgtcct ctgctcagtt ccttggtctc ctggttgcct gttttcaagg taccagatgt 60
gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagagtcacc 120
atcagttgca gggcaagtca ggacattagc aattatttaa actggtttca gcagaaacca 180
gatggaactc ttaaactcct gatcttctac acatcaagat tacactcagg agttccatca 240
aggttcagtg gcagtggttc tggaacagat tattctctca ccattagcaa cctggagcaa 300
gaagataatt ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcgggggg 360
gggaccaagc tggaaataag acgggctgat gctgcaccaa ctgtatccat cttccacca 420
tccagtgagc agttaacatc tggagggtcc tcagtcgtgt gcttcttgaa caacttctac 480
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 540
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
tcaacttcac ccatgtgtcaa gagcttcaac aggaatgagt gtttag 705

<210> 153
<211> 447
<212> PRT
<213> Mus musculus

<400> 153
Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Ser Leu Glu Trp Ile
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ser Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Val Tyr Asp Gly Ser Tyr Glu Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala
 195 200 205
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp
 210 215 220
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val
 225 230 235 240
 Phe Ile Phe Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr
 245 250 255
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu
 260 265 270
 Val Gln Phe Ser Trp Phe Val Asp Val Glu Val His Thr Ala Gln
 275 280 285
 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser
 290 295 300
 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys
 305 310 315 320
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro
 340 345 350
 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met
 355 360 365
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn
 370 375 380
 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr
 385 390 395 400
 Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn
 405 410 415
 Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu
 420 425 430
 His Asn His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 154

<211> 1344

<212> DNA

<213> Mus musculus

<400> 154

gaggtccagc tgcaacagtc tggacctgaa ctaatgaagc ctggggcctc agtgaagatg 60
 tcctgcaagg ctctggata cacattcact gactacaaca tgcactgggt gaaacagaac 120
 caaggaaaga gcctagagt gataggagaa attaataccta acagtgggtg tagtggctac 180
 aaccaaaagt tcaaaggcaa ggccacattg actgtagaca agtcttcag cacagcctac 240
 atggagctcc gcagcctgac atctgaggac tctgcagtct attactgtgc aagattgggtc 300
 tacgatggca gctacgagga ctggtacttc gatgtctggg gcgcagggac cacgggtcacc 360

```

gtctcctcag ccaaaacgac acccccatct gtctatccac tggcccctgg atctgctgcc 420
caaactaact ccatgggtgac cctgggatgc ctgggtcaagg gctatttccc tgagccagtg 480
acagtgaacct ggaactctgg atccctgtcc agcgggtgtgc acaccttccc agctgtcctg 540
cagttctgacc tctacactct gagcagctca gtgactgtcc cctccagcac ctggcccagc 600
gagaccgtca cctgcaacgt tgcccaccgg gccagcagca ccaaggtgga caagaaaatt 660
gtgcccaggg atttgtggtg taagccttgc atatgtacag tcccagaagt atcatctgtc 720
ttcatcttcc ccccaaagcc caaggatgtg ctcaccatta ctctgactcc taagggtcacg 780
tgtgttgtgg tagacatcag caaggatgat cccgaggtcc agttcagctg gttttagat 840
gatgtggagg tgcacacagc tcagacgcaa ccccgggagg agcagttcaa cagcactttc 900
cgctcagtca gtgaacttcc catcatgcac caggactggc tcaatggcaa ggagttcaaa 960
tgcaggggtca acagtgcagc tttccctgcc cccatcgaga aaaccatctc caaaaccaaa 1020
ggcagaccga aggtccaca ggtgtacacc attccacctc ccaaggagca gatggccaag 1080
gataaagtca gtctgacctg catgataaca gacttcttcc ctgaagacat tactgtggag 1140
tggcagtggg atgggcagcc agcggagaac tacaagaaca ctcagcccat catggacaca 1200
gatggctctt acitcatcta cagcaagctc aatgtgcaga agagcaactg ggaggcagga 1260
aatactttca cctgctctgt gttacatgag ggcctgcaca accaccatac tgagaagagc 1320
ctctcccact ctctggtaa atga 1344

```

```

<210> 155
<211> 466
<212> PRT
<213> Mus musculus

```

```

<400> 155
Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
1 5 10 15
Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
20 25 30
Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35 40 45
Thr Asp Tyr Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Ser Leu
50 55 60
Glu Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ser Gly Tyr Asn
65 70 75 80
Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser
85 90 95
Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
100 105 110
Tyr Tyr Cys Ala Arg Leu Val Tyr Asp Gly Ser Tyr Glu Asp Trp Tyr
115 120 125
Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
130 135 140
Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln
145 150 155 160
Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
165 170 175
Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val
180 185 190
His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
195 200 205
Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys
210 215 220
Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val
225 230 235 240
Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val
245 250 255
Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile
260 265 270
Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp
275 280 285
Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His
290 295 300
Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
305 310 315 320
Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys
325 330 335
Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu
340 345 350

```

Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr
 355 360
 Thr Ile Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu
 370 375 380
 Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp
 385 390 395 400
 Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile
 405 410 415
 Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln
 420 425 430
 Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His
 435 440 445
 Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 156
 <211> 1401
 <212> DNA
 <213> Mus musculus

<400> 156
 atgggatgga gctggacctt tctcttcttc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccagctgc aacagtcttg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggctt ctggatacac attcactgac tacaacatgc actgggtgaa acagaaccaa 180
 ggaaagagcc tagagtggat aggagaaatt aatcctaaca gtggtggtag tggctacaac 240
 caaaagttca aaggcaaggc cacattgact gtagacaagt cttccagcac agcctacatg 300
 gagctccgca gcctgacatc tgaggactct gcagctctatt actgtgcaag attggtctac 360
 gatggcagct acgaggactg gtacttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 tcctcagcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgctgcccaa 480
 actaactcca tggtgaccct gggatgcctg gtcaagggct atttccctga gccagtgaac 540
 gtgacctgga actctggatc cctgtccagc ggtgtgcaca cttcccagc tgcctgcag 600
 tctgacctct acactctgag cagctcagtg actgtcccct ccagcaccig gccacgcgag 660
 accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720
 cccagggatt gtggttgtaa gccttgcata tgtacagtcc cagaagtatc atctgtcttc 780
 atcttcccc caaagcccaa ggatgtgtc accattactc tgactcctaa ggtcacgtgt 840
 gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctggtt tgtagatgat 900
 gtggaggtgc acacagctca gacgcaacc cgaggaggc agttcaacag cactttccgc 960
 tcagtacgtg aacttcccat catgcaccag gactggctca atggcaagga gttcaaagtc 1020
 agggtaaca gtgcagcttt cctgtcccc atcgagaaaa ccattctcaa aaccaaggc 1080
 agaccgaagg ctccacaggt gtacaccatt ccacctccca aggagcagat ggccaaggat 1140
 aaagtcagtc tgacctgcag gataacagac ttcttccctg aagacattac tgtggagtgg 1200
 cagtggaaatg ggagccagc ggagaactac aagaacactc agcccatcat ggacacagat 1260
 ggctcttact tcatctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
 actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
 tcccactctc ctggtaaatg a 1401

<210> 157
 <211> 214
 <212> PRT
 <213> Mus musculus

<400> 157
 Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Thr Ile Cys Cys Arg Ala Ser Gln Val Ile Thr Asn Tyr
 20 25 30
 Leu Tyr Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys Leu Leu Ile
 35 40 45
 Tyr Tyr Thr Ser Arg Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln
 65 70 75 80
 Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
 85 90 95
 Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala

100 105 110
 Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125
 Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
 130 135 140
 Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
 145 150 155
 Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175
 Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190
 Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205
 Phe Asn Arg Asn Glu Cys
 210

 <210> 158
 <211> 642
 <212> DNA
 <213> Mus musculus

 <400> 158
 gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagagtcacc 60
 atctgttgca gggcaagtca ggtcattacc aattatttat actggtatca gcagaaacca 120
 gatggaactt ttaaactcct gatctactac acatcaagat tacactcagg agtcccatca 180
 aggttcagtg gcagtggggc tggaaacagat tattctctca ccattagcaa cctggaacag 240
 gaagatattg ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcggaggg 300
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
 tccagtgagc agttaacatc tggagggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 480
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 642

 <210> 159
 <211> 234
 <212> PRT
 <213> Mus musculus

 <400> 159
 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Thr Ile Cys Cys Arg Ala Ser Gln Val
 35 40 45
 Ile Thr Asn Tyr Leu Tyr Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe
 50 55 60
 Lys Leu Leu Ile Tyr Tyr Thr Ser Arg Leu His Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser
 85 90 95
 Asn Leu Glu Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 100 105 110
 Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg
 115 120 125
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 130 135 140
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro

210 215 220
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

<210> 160
 <211> 702
 <212> DNA
 <213> Mus musculus

<400> 160
 atgatgtcct ctgctcagtt ccttggtctc ctgttgctct gttttcaagg taccagatgt 60
 gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagagtcacc 120
 atctgttgca gggcaagtca ggtcattacc aattatttat actggtatca gcagaaacca 180
 gatggaactt ttaaactcct gatctactac acatcaagat tacactcagg agtcccatca 240
 aggttcagtg gcagtgggtc tggaaacagat tattctctca ccattagcaa cctggaacag 300
 gaagatattg ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcggaggg 360
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttccacca 420
 tccagtggagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctctg 540
 aacagttgga ctgacagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 702

<210> 161
 <211> 447
 <212> PRT
 <213> Mus musculus

<400> 161
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Met Lys Gln Asn Gln Gly Lys Ser Leu Glu Trp Ile
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Gln Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Arg Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Gly Tyr Val Gly Asn Tyr Glu Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala
 195 200 205
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp
 210 215 220
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val
 225 230 235 240
 Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr
 245 250 255
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu
 260 265 270
 Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln
 275 280 285
 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser
 290 295 300

Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys
 305 310 315 320
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 5 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro
 340 345 350
 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met
 355 360 365
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn
 370 375 380
 10 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr
 385 390 395 400
 Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn
 405 410 415
 Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu
 420 425 430
 15 His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 162
 <211> 1341
 <212> DNA
 <213> Mus musculus

<400> 162
 gaggtccagc tgcaacagtc tggacctgaa ctaatgaagc ctggggccttc agtgaagatg 60
 tcctgcaagg cttctggata cacattcact gactacaaca tgcactggat gaagcagaac 120
 caaggaaaga gcctagaatg gataggagaa attaataccta acagtgggtg tgctggctac 180
 25 aaccagcagt tcaaaggcaa ggccacattg actgtagaca agtcctccag gacagcctac 240
 atggagctcc gcagcctgac atctgaggac tctgcagtct attactgtgc aagattgggc 300
 tacgttggtg attacgagga ctggtacttc gatgtctggg gcgcagggac cacggtcacc 360
 gtctcctcag ccaaaacgac acccccatct gtctatccac tggcccctgg atctgctgcc 420
 caaactaact ccatgggtgac cctgggatgc ctgggtcaagg gctatttccc tgagccagtg 480
 acagtgcact ggaactctgg atccctgtcc agcgggtgtg acaccttccc agctgtcctg 540
 30 cagtctgacc tctacactct gagcagctca gtgactgtcc cctccagcac ctggcccagc 600
 gagaccgtca cctgcaacgt tgcccacccg gccagcagca ccaaggtgga caagaaaatt 660
 gtgcccaggg attgtggttg taagccttgc atatgtacag tcccagaagt atcatctgtc 720
 ttcactttcc ccccaaagcc caaggatgtg ctaccatta ctctgactcc taaggtcacg 780
 tgtgttgtgg tagacatcag caaggatgat cccgaggtcc agttcagctg gttgttagat 840
 gatgtggagg tgcacacagc tcagacgcaa ccccgaggag agcagttcaa cagcactttc 900
 35 cgctcagtcg gtgaacttcc catcatgcac caggactggc tcaatggcaa ggagttcaaa 960
 tgcagggtca acagtgcagc tttccctgccc cccactcgaga aaaccatctc caaaaccaa 1020
 ggcagaccga aggtccaca ggtgtacacc attccacctc ccaaggagca gatggccaag 1080
 gataaagtca gtctgacctg catgataaca gacttcttcc ctgaagacat tactgtggag 1140
 tggcagtgga atgggcagcc agcggagaac tacaagaaca ctcagcccat catggacaca 1200
 gatggctctt acttcatcta cagcaagctc aatgtgcaga agagcaactg ggaggcagga 1260
 40 aatactttca cctgctctgt gttacatgag ggctgcaca accaccatac tgagaagagc 1320
 ctctcccact ctcttggtaa a 1341

<210> 163
 <211> 466
 <212> PRT
 <213> Mus musculus

<400> 163
 Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
 20 25 30
 50 Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 35 40 45
 Thr Asp Tyr Asn Met His Trp Met Lys Gln Asn Gln Gly Lys Ser Leu
 50 55 60
 Glu Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn
 65 70 75 80
 55 Gln Gln Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Arg
 85 90 95

Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Leu Gly Tyr Val Gly Asn Tyr Glu Asp Trp Tyr
 115 120 125
 Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
 130 135 140
 Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln
 145 150 155 160
 Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
 165 170 175
 Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val
 180 185 190
 His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
 195 200 205
 Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys
 210 215 220
 Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val
 225 230 235 240
 Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val
 245 250 255
 Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile
 260 265 270
 Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp
 275 280 285
 Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His
 290 295 300
 Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
 305 310 315 320
 Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys
 325 330 335
 Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu
 340 345 350
 Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr
 355 360 365
 Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu
 370 375 380
 Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp
 385 390 395 400
 Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile
 405 410 415
 Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln
 420 425 430
 Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His
 435 440 445
 Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 164
 <211> 1398
 <212> DNA
 <213> Mus musculus

<400> 164
 atgggattgga gctggacctt tctcttctc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccagctgc aacagtctgg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggcct ctggatacac attcactgac tacaacatgc actggatgaa gcagaacca 180
 ggaaagagcc tagaatggat aggagaaatt aatcctaaca gtggtggtgc tggctacaac 240
 cagcagttca aaggcaaggc cacattgact gtagacaagt cctccaggac agcctacatg 300
 gagctccgca gcctgacatc tgaggactct gcagtctatt actgtgcaag attgggctac 360
 gttggttaatt acgaggactg gtacttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 tcctcagcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgctgcccaa 480
 actaactcca tggtgaccct gggatgcctg gtcaagggtc atttccctga gccagtgaca 540
 gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttcccagc tgcctgcag 600
 tctgacctct acactctgag cagctcagtg actgtccctt ccagcacctg gccagcgag 660
 accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720

```

cccagggtatt gtggtttaa gccttgata tgtacagtc cagaagtatc atctgtcttc 780
atcttccccc caaagcccaa ggatgtgtc accattactc tgactcctaa ggtcacgtgt 840
gttggtgtag acatcagcaa ggatgatccc gaggtccagt tcagctgggt ttagatgat 900
gtggaggtgc acacagctca gacgcaaccc cgggaggagc agttcaacag cactttccgc 960
tcagtcaagt aacttcccat catgcaccag gactgggtca atggcaagga gttcaaatgc 1020
agggtaaca gtgcagcttt ccttgcctcc atcgagaaaa ccatctccaa aaccaaaggc 1080
agaccgaagg ctccacaggt gtacaccatt ccacctccca aggagcagat ggccaaggat 1140
aaagtcaagc tgacctgcat gataacagac ttcttccctg aagacattac tgtggagtgg 1200
cagtggaaat ggcagccagc ggagaactac aagaacactc agcccatcat ggacacagat 1260
ggctcttact tcattctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
tcccactctc ctggtaaa

```

<210> 165

<211> 214

<212> PRT

<213> Mus musculus

<400> 165

```

Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
1      5      10      15
Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
20      25      30
Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys Leu Leu Ile
35      40      45
Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser Arg Phe Ser Gly
50      55      60
Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr Asn Leu Glu Gln
65      70      75      80
Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
85      90      95
Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala
100      105      110
Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
115      120      125
Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
130      135      140
Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
145      150      155      160
Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
165      170      175
Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
180      185      190
Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
195      200      205
Phe Asn Arg Asn Glu Cys
210

```

<210> 166

<211> 645

<212> DNA

<213> Mus musculus

<400> 166

```

gatattcaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 60
atcagttgca gggcaagtca agacattagc aattatttaa actggtatca gcagaaacca 120
gatggaactt ttaaacctct tatcttctac acatcaagat tactctcagg agtcccatca 180
aggttcagtg gcagtgggtc tggaaacagat tattctctca ccatttacaa cctggagcaa 240
gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac ttccggaggg 300
gggaccaaac tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
tccagtggac agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctcctg 480
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 645

```

<210> 167

<211> 234
 <212> PRT
 <213> Mus musculus

5 <400> 167
 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe
 50 55 60
 Lys Leu Leu Ile Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr
 85 90 95
 Asn Leu Glu Gln Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 100 105 110
 Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg
 115 120 125
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 130 135 140
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 210 215 220
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

<210> 168
 <211> 705
 <212> DNA
 <213> Mus musculus

35 <400> 168
 atgatgtcct ctgctcagtt ccttggtctc ctgttgctct gttttcaagg taccagatgt 60
 gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 120
 atcagttgca gggcaagtca agacattagc aattatttaa actggtatca gcagaaacca 180
 gatggaactt ttaaactcct tatcttctac acatcaagat tactctcagg agtcccatca 240
 40 aggttcagtg gcagtgggtc tggaaacagat tattctctca ccatttaca cctggagcaa 300
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 360
 gggaccaaac tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 420
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 540
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 45 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 705

<210> 169
 <211> 447
 <212> PRT
 <213> Mus musculus

50 <400> 169
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu Asp Trp Ile
 35 40 45

Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala
 195 200 205
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp
 210 215 220
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val
 225 230 235 240
 Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr
 245 250 255
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu
 260 265 270
 Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln
 275 280 285
 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser
 290 295 300
 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys
 305 310 315 320
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro
 340 345 350
 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met
 355 360 365
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn
 370 375 380
 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr
 385 390 395 400
 Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn
 405 410 415
 Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu
 420 425 430
 His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 170

<211> 1344

<212> DNA

<213> Mus musculus

<400> 170

gaggtccaac tgcaacagtc tggacctgaa ctaatgaagc ctggggcttc agtgaagatg 60
 tcctgcaagg cttctggata tacattcact gactacaaca tgcactgggt gaagcagaac 120
 caaggaaaga ccctagactg gataggagaa attaatccta acagtgggtg tgctggctac 180
 aaccagaagt tcaagggcaa ggccacattg actgtagaca agtcctccac cacagcctac 240
 atggagctcc gcagcctgac atctgaggac tctgcagtct attactgtgc aagattgggc 300
 tacgatgata tctacgacga ctggtacttc gatgtctggg gcgcagggac cacggtcacc 360
 gtctcctcag ccaaaacgac acccccatct gtctatccac tggcccctgg atctgctgcc 420
 caaactaact ccatggtgac cctgggatgc ctggtcaagg gctatttccc tgagccagtg 480
 acagtgacct ggaactctgg atccctgtcc agcgggtgtgc acaccttccc agctgtcctg 540
 cagtctgacc tctacactct gaggagctca gtgactgtcc cctccagcac ctggcccagc 600

```

gagaccgtca cctgcaacgt tgcccacccg gccagcagca ccaagggtgga caagaaaatt 660
gtgcccaggg attgtggttg taagccttgc atatgtacag tcccagaagt atcatctgtc 720
ttcatcttcc ccccaaagcc caaggatgtg ctcaccatta ctctgactcc taagggtcacg 780
tgtgtgtggt tagacatcag caaggatgat cccgaggtcc agttcagctg gttttagat 840
gatgtggagg tgacacacag tcagacgcaa ccccgaggag agcagttcaa cagcactttc 900
cgctcagtca gtgaacttcc catcatgcac caggactggc tcaatggcaa ggagttcaaa 960
tgcaggggtca acagtgcagc ttccctgccc cccatcgaga aaaccatctc caaaaccaa 1020
ggcagaccga aggctccaca ggtgtacacc attccacctc ccaaggagca gatggccaag 1080
gataaagtca gtctgacctg catgataaca gacttcttcc ctgaagacat tactgtggag 1140
tggcagtggg atgggcagcc agcggagaac tacaagaaca ctcagcccat catggacaca 1200
gatggctctt acttcatcta cagcaagctc aatgtgcaga agagcaactg ggaggcagga 1260
aatactttca cctgctctgt gttacatgag ggctgcaca accaccatac tgagaagagc 1320
ctctccact ctcctggtaa atga 1344

```

<210> 171

<211> 466

<212> PRT

<213> Mus musculus

<400> 171

```

Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
1      5      10      15
Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
20      25      30
Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35      40      45
Thr Asp Tyr Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu
50      55      60
Asp Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn
65      70      75      80
Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr
85      90      95
Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
100      105      110
Tyr Tyr Cys Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Trp Tyr
115      120      125
Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
130      135      140
Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln
145      150      155      160
Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
165      170      175
Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val
180      185      190
His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
195      200      205
Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys
210      215      220
Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val
225      230      235      240
Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val
245      250      255
Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile
260      265      270
Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp
275      280      285
Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His
290      295      300
Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
305      310      315      320
Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys
325      330      335
Glu Phe Lys Cys Arg Val Asn Ser Ala Phe Pro Ala Pro Ile Glu
340      345      350
Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr
355      360      365
Thr Ile Pro Pro Pro Lys Glu Met Ala Lys Asp Lys Val Ser Leu
370      375      380

```

Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp
 385 390 395 400
 Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile
 405 410 415
 Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln
 420 425 430
 Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His
 435 440 445
 Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 172
 <211> 1401
 <212> DNA
 <213> Mus musculus

<400> 172
 atgggatgga gctggacctt tctcttcttc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccaactgc aacagtctgg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggctt ctggatatac attcactgac tacaacatgc actgggtgaa gcagaaccaa 180
 ggaaagaccc tagactggat aggagaaatt aatcctaaca gtgggtggtgc tggctacaac 240
 cagaagttca agggcaaggc cacattgact gtagacaagt cctccaccac agcctacatg 300
 gagctccgca gcctgacatc tgaggactct gcagctctatt actgtgcaag attgggctac 360
 gatgatactt acgacgactg gtacttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 tcctcagcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgcgtcccaa 480
 actaactcca tggtgaccct gggatgcctg gtcaagggct atttccctga gccagtgaac 540
 gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttcccagc tgcctgtcag 600
 tctgacctct acactctgag cagctcagtg actgtcccct ccagcacctg gccagcgag 660
 accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720
 cccagggatt gtggtgtgaa gccttgcata tgtacagtcc cagaagtatc atctgtcttc 780
 atcttcccc caaagcccaa ggatgtgtct accattactc tgactcctaa ggtcacgtgt 840
 gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctgggt ttagatgat 900
 gtggaggtgc acacagctca gacgcaacc cgggaggagc agttcaacag cactttccgc 960
 tcagtcaagt aacttcccat catgcaccag gactggctca atggcaagga gttcaaatgc 1020
 agggatcaaa gtgcagcttt cctgtccccc atcgagaaaa ccatctccaa aaccaaaggc 1080
 agaccgaagg ctccacaggt gtacaccatt ccacctccca aggagcagat ggccaaggat 1140
 aaagtcagtc tgacctgcat gataacagac ttcttccctg aagacattac tgtggagtgg 1200
 cagtggaaat ggcagccagc ggagaactac aagaacactc agcccatcat ggacacagat 1260
 ggctcttact tcatctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
 actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
 tcccactctc ctggtaaatg a 1401

<210> 173
 <211> 214
 <212> PRT
 <213> Mus musculus

<400> 173
 Asp Ile Gln Met Thr Gln Ile Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys Leu Leu Ile
 35 40 45
 Phe Tyr Thr Ser Arg Leu Phe Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr Asn Leu Glu Gln
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
 85 90 95
 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Ala Asp Ala Ala
 100 105 110
 Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125
 Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile

130 135 140
 Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
 145 150 155 160
 Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175
 Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190
 Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205
 Phe Asn Arg Asn Glu Cys
 210

<210> 174
 <211> 642
 <212> DNA
 <213> Mus musculus

<400> 174
 gatatccaga tgacacagat tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 60
 atcagttgca gggcaagtca agacattagc aattatttaa attggtatca gcagaaacca 120
 gatggaactt ttaaactcct tatctttctac acatcaagat tattttcagg agtcccatca 180
 aggttcagtg gcagtggggtc tgggaacagat tattctctca ccatttaca cctggagcaa 240
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 300
 gggaccaagg tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttccacca 360
 tccagtggagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctcctg 480
 aacagttgga ctgatacagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 642

<210> 175
 <211> 234
 <212> PRT
 <213> Mus musculus

<400> 175
 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ile Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe
 50 55 60
 Lys Leu Leu Ile Phe Tyr Thr Ser Arg Leu Phe Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr
 85 90 95
 Asn Leu Glu Gln Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 100 105 110
 Thr Leu Pro Tyr Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg
 115 120 125
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 130 135 140
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 210 215 220
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

<210> 176
 <211> 702
 <212> DNA
 <213> Mus musculus

<400> 176
 atgatgtcct ctgctcagtt ccttgggtctc ctgttgcctc gttttcaagg taccagatgt 60
 gatatccaga tgacacagat tacatcctcc ctgtctgcct ctctgggaga cagggctctcc 120
 atcagttgca gggcaagtca agacattagc aattatttaa attggtatca gcagaaacca 180
 gatggaactt ttaaactcct tatcttctac acatcaagat tattttcagg agtcccatca 240
 aggttcagtg gcagtgggtc tggaaacagat tattctctca ccatttaca cctggagcaa 300
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 360
 gggaccaagg tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 420
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctcctg 540
 aacagttgga ctgacagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 702

<210> 177
 <211> 450
 <212> PRT
 <213> Mus musculus

<400> 177
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Thr
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Lys Gln Thr Gln Gly Lys Thr Leu Glu Trp Ile
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Lys Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Ala
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Val Cys Gly Asp Thr Thr Gly Ser
 130 135 140
 Ser Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Leu Thr Trp Asn Ser Gly Ser Leu Ser Ser Asp Val His Thr Phe
 165 170 175
 Pro Ala Leu Leu Gln Ser Gly Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 Val Thr Thr Trp Pro Ser Gln Thr Ile Thr Cys Asn Val Ala His Pro
 195 200 205
 Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Glu Pro Arg Gly Ser Pro
 210 215 220
 Thr His Lys Pro Cys Pro Pro Cys Pro Ala Pro Asn Leu Leu Gly Gly
 225 230 235 240
 Pro Ser Val Phe Ile Phe Pro Pro Lys Ile Lys Asp Val Leu Met Ile
 245 250 255
 Ser Leu Ser Pro Met Val Thr Cys Val Val Val Asp Val Ser Glu Asp
 260 265 270
 Asp Pro Asp Val His Val Ser Trp Phe Val Asn Asn Val Glu Val His
 275 280 285
 Thr Ala Gln Thr Gln Thr His Arg Glu Asp Tyr Asn Ser Thr Ile Arg
 290 295 300
 Val Val Ser Ala Leu Pro Ile Gln His Gln Asp Trp Met Ser Gly Lys
 305 310 315 320
 Glu Phe Lys Cys Lys Val Asn Asn Lys Ala Leu Pro Ala Pro Ile Glu
 325 330 335

Arg Thr Ile Ser Lys Pro Lys Gly Pro Val Arg Ala Pro Gln Val Tyr
 340 345 350
 Val Leu Pro Pro Pro Glu Glu Glu Met Thr Lys Lys Gln Val Thr Leu
 355 360 365
 5 Thr Cys Met Ile Thr Asp Phe Met Pro Glu Asp Ile Tyr Val Glu Trp
 370 375 380
 Thr Asn Asn Gly Gln Thr Glu Leu Asn Tyr Lys Asn Thr Glu Pro Val
 385 390 395 400
 Leu Asp Ser Asp Gly Ser Tyr Phe Met Tyr Ser Lys Leu Arg Val Glu
 405 410 415
 10 Lys Lys Asn Trp Val Glu Arg Asn Ser Tyr Ser Cys Ser Val Val His
 420 425 430
 Glu Gly Leu His Asn His His Thr Thr Lys Ser Phe Ser Arg Thr Pro
 435 440 445
 Gly Lys
 450

<210> 178
 <211> 1350
 <212> DNA
 <213> Mus musculus

20 <400> 178
 gaggtccaac tgcaacagtc tggacctgaa ctaatgaagc ctgggacttc agtgaagatg 60
 tcctgcaagg cttctggata tacattcact gactacaaca tgcactgggt gaagcagacc 120
 caaggaaaga ccctagagtg gataggagaa attaatccta acagtgggtg tgctggctac 180
 aaccagaagt tcaagggcaa ggccacattg actgtagaca agtcctccac cacagcctac 240
 25 atggagctcc gcagcctgac atctgaggac tctgcagtct attactgtgc aaaattgggc 300
 tacgatgata tctacgacga ctgggtatttc gatgtctggg gcgcagggac cacgggtcacc 360
 gtctcctcag ccaaaacaac agccccatcg gtctatccac tggccccctgt gtgtggagat 420
 acaactggct cctcgggtgac tctaggatgc ctgggtcaagg gttatttccc tgagccagtg 480
 accttgacct ggaactctgg atccctgtcc agtgaatgtc acaccttccc agctctcctg 540
 cagtcctggcc tctacaccct cagcagctca gtgactgtaa ccacctggcc cagccagacc 600
 atcacctgca atgtggccca cccggcaagc agcaccaaag tggacaagaa aattgagccc 660
 30 agagggtccc caacacataa accctgtcct ccatgcccag ctccctaacct cttgggtgga 720
 ccatcctgct tcatcttccc tccaaagatc aaggatgtac tcatgatctc cctgagcccc 780
 atggtcacgt gtgtgggtgg ggatgtgagc gaggatgacc cagatgtcca tgtcagctgg 840
 ttcgtgaaca acgtggaagt acacacagct cagacacaaa cccatagaga ggattacaac 900
 agtactatcc ggggtggtcag tgccttcccc atccagcacc aggactggat gagtggcaag 960
 gaggttcaaat gcaaggtcaa caacaaagcc ctcccagcgc ccatcgagag aaccatctca 1020
 35 aaaccctaaag ggccagtaag agctccacag gtatatgtct tgcctccacc agaagaagag 1080
 atgactaaga aacaggtcac tctgacctgc atgatcacag acttcatgcc tgaagacatt 1140
 tacgtggagt ggaccaacaa cgggcaacaa gagctaaact acaagaacac tgaaccagtc 1200
 ctggactctg atggttctta ctcatgtac agcaagctga gagtggaaaa gaagaactgg 1260
 gtggaaagaa atagctactc ctgttcagtg gtccacgagg gtctgcacaa tcaccacacg 1320
 actaagagct tctcccgac tccgggtaaa 1350

40 <210> 179
 <211> 469
 <212> PRT
 <213> Mus musculus

45 <400> 179
 Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
 20 25 30
 Pro Gly Thr Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 35 40 45
 50 Thr Asp Tyr Asn Met His Trp Val Lys Gln Thr Gln Gly Lys Thr Leu
 50 55 60
 Glu Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn
 65 70 75 80
 Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr
 85 90 95
 55 Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
 100 105 110

Tyr Tyr Cys Ala Lys Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr
 115 120 125
 Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
 130 135 140
 5 Thr Thr Ala Pro Ser Val Tyr Pro Leu Ala Pro Val Cys Gly Asp Thr
 145 150 155 160
 Thr Gly Ser Ser Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
 165 170 175
 Glu Pro Val Thr Leu Thr Trp Asn Ser Gly Ser Leu Ser Ser Asp Val
 180 185 190
 10 His Thr Phe Pro Ala Leu Leu Gln Ser Gly Leu Tyr Thr Thr Ser Ser
 195 200 205
 Ser Val Thr Val Thr Thr Trp Pro Ser Gln Thr Ile Thr Cys Asn Val
 210 215 220
 Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Ile Glu Pro Arg
 225 230 235 240
 15 Gly Ser Pro Thr His Lys Pro Cys Pro Pro Cys Pro Ala Pro Asn Leu
 245 250 255
 Leu Gly Gly Pro Ser Val Phe Ile Phe Pro Pro Lys Ile Lys Asp Val
 260 265 270
 Leu Met Ile Ser Leu Ser Pro Met Val Thr Cys Val Val Val Asp Val
 275 280 285
 20 Ser Glu Asp Asp Pro Asp Val His Val Ser Trp Phe Val Asn Asn Val
 290 295 300
 Glu Val His Thr Ala Gln Thr Gln Thr His Arg Glu Asp Tyr Asn Ser
 305 310 315 320
 Thr Ile Arg Val Val Ser Ala Leu Pro Ile Gln His Gln Asp Trp Met
 325 330 335
 25 Ser Gly Lys Glu Phe Lys Cys Lys Val Asn Asn Lys Ala Leu Pro Ala
 340 345 350
 Pro Ile Glu Arg Thr Ile Ser Lys Pro Lys Gly Pro Val Arg Ala Pro
 355 360 365
 Gln Val Tyr Val Leu Pro Pro Glu Glu Glu Met Thr Lys Lys Gln
 370 375 380
 Val Thr Leu Thr Cys Met Ile Thr Asp Phe Met Pro Glu Asp Ile Tyr
 385 390 395 400
 30 Val Glu Trp Thr Asn Asn Gly Gln Thr Glu Leu Asn Tyr Lys Asn Thr
 405 410 415
 Glu Pro Val Leu Asp Ser Asp Gly Ser Tyr Phe Met Tyr Ser Lys Leu
 420 425 430
 Arg Val Glu Lys Lys Asn Trp Val Glu Arg Asn Ser Tyr Ser Cys Ser
 435 440 445
 35 Val Val His Glu Gly Leu His Asn His His Thr Thr Lys Ser Phe Ser
 450 455 460
 Arg Thr Pro Gly Lys
 465

<210> 180
 <211> 1407
 <212> DNA
 <213> Mus musculus

<400> 180
 atgggatgga gctggacatt tctcttcctc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccaactgc aacagtctgg acctgaacta atgaagcctg ggacttcagt gaagatgtcc 120
 tgcaaggctt ctggatatac attcactgac tacaacatgc actgggtgaa gcagacccaa 180
 ggaaagaccc tagagtggat aggagaaatt aatcctaaca gtggtggtgc tggctacaac 240
 cagaagttca agggcaaggc cacattgact gtagacaagt cctccaccac agcctacatg 300
 gagctccgca gcctgacatc tgaggactct gcagtctatt actgtgcaaa attgggctac 360
 gatgatatct acgacgactg gtatttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 50 tcctcagcca aaacaacagc cccatcgggtc tatccactgg cccctgtgtg tggagataca 480
 actggctcct cggtgactct aggatgcctg gtcaagggtt atttcctga gccagtgacc 540
 ttgacctgga actctggatc cctgtccagt gatgtgcaca ccttccagc tctcctgcag 600
 tctggcctct acaccctcag cagctcagtg actgtaacca cctggcccag ccagaccatc 660
 acctgcaatg tggcccaccc ggcaagcagc accaaagtgg acaagaaaat tgagcccaga 720
 55 ggggtcccaa cacataaacc ctgtcctcca tgcccagctc ctaacctctt ggggtggacca 780
 tccgtcttca tcttccctcc aaagatcaag gatgtactca tgatctccct gagcccatg 840

```

gtcacgtgtg tgggtggtgga tgtgagcgag gatgaccag atgtccatgt cagctgggttc 900
gtgaacaacg tgggaagtaca cacagctcag acacaaaccc atagagagga ttacaacagt 960
actatccggg tggtcagtgc cctccccatc cagcaccagg actggatgag tggcaaggag 1020
ttcaaagtca aggtcaacaa caaagccctc ccagcgccca tcgagagaac catctcaaaa 1080
cccaaagggc cagtaagagc tccacaggtg tatgtcttgc ctccaccaga agaagagatg 1140
actaagaaac aggtcactct gacctgcagt atcacagact tcatgcctga agacatttac 1200
gtggagtggg ccaacaacgg gcaaacagag ctaaactaca agaactctga accagtcctg 1260
gactctgatg gttcttactt catgtacagc aagctgagag tggaaaagaa gaactgggtg 1320
gaaagaaata gctactcctg ttcagtggtc cagcaggggc tgcacaatca ccacacgact 1380
aagagcttct ccccgactcc gggtaaa 1407

```

```

<210> 181
<211> 214
<212> PRT
<213> Mus musculus

```

```

<400> 181
Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
1 5 10 15
Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
20 25 30
Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys Leu Leu Ile
35 40 45
Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60
Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr Asn Leu Glu Gln
65 70 75 80
Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
85 90 95
Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala
100 105 110
Pro Thr Val Ser Ile Phe Pro Leu Ser Ser Glu Gln Leu Thr Ser Gly
115 120 125
Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
130 135 140
Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
145 150 155 160
Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
165 170 175
Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
180 185 190
Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
195 200 205
Phe Asn Arg Asn Glu Cys
210

```

```

<210> 182
<211> 645
<212> DNA
<213> Mus musculus

```

```

<400> 182
gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagggtctcc 60
atcagttgca gggcaagtca agacattagc aattatttaa actggtatca gcagaaacca 120
gatggaactt ttaaactcct tatctttctac acatcaagat tactctcagg agtcccatca 180
agggttcagt gcagtgggtc tggaaacagat tattctctca ccatttacaa cctggagcaa 240
gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac ttccggaggg 300
gggaccaaac tggaaataaa acgggctgat gctgcaccaa ctgtatccat ctccacta 360
tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 480
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 645

```

```

<210> 183
<211> 234
<212> PRT

```

<213> Mus musculus

<400> 183

5 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 10 Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe
 50 55 60
 Lys Leu Leu Ile Phe Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Tyr
 85 90 95
 15 Asn Leu Glu Gln Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 100 105 110
 Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
 115 120 125
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Leu Ser Ser Glu Gln
 130 135 140
 20 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 25 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 210 215 220
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

<210> 184

<211> 705

<212> DNA

<213> Mus musculus

<400> 184

35 atgatgtcct ctgctcagtt ccttgggtctc ctgttgcctt gttttcaagg taccagatgt 60
 gatattcaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga caggggtctcc 120
 atcagttgca gggcaagtca agacattagc aattatttaa actgggatca gcagaaacca 180
 gatggaactt ttaaaactct tatcttctac acatcaagat tactctcagg agtcccatca 240
 aggttcagtg gcagtgggtc tggaaacagat tattctctca ccattacaa cctggagcaa 300
 gaagattttg ccacttactt ttgccaacag ggagatacgc ttccgtacac tttcggaggg 360
 40 gggaccaaac tggaaataaa acgggctgat gctgcaccaa ctgtatccat ctccccaacta 420
 tccagtggac agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 cccaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgctcctg 540
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 705

<210> 185

<211> 447

<212> PRT

<213> Mus musculus

<400> 185

50 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu Glu Trp Ile
 35 40 45
 55 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60

Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 5 Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 10 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 15 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala
 195 200 205
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp
 210 215 220
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val
 225 230 235 240
 20 Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr
 245 250 255
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu
 260 265 270
 Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln
 275 280 285
 25 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser
 290 295 300
 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys
 305 310 315 320
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro
 340 345 350
 30 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met
 355 360 365
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn
 370 375 380
 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr
 385 390 395 400
 35 Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn
 405 410 415
 Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu
 420 425 430
 His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 186

<211> 1344

<212> DNA

<213> Mus musculus

<400> 186

gaggtccaac tgcaacagtc tggacctgaa ctaatgaagc ctggggccttc agtgaagatg 60
 tcctgcaagg cttctggata tacattcact gactacaaca tgcactgggt gaagcagaac 120
 caaggaaaga ccctagaatg gataggagaa attaataccta acagtgggtg tgctggctac 180
 aaccagaagt tcaagggcaa ggccacattg actgtagaca agtcctccac cacagcctac 240
 atggagctcc gcagcctgac atctgaggac tctgcagtct attactgtgc aagattgggc 300
 tacgatgata tctacgacga ctggtacttc gatgtctggg gcgcaggac cacggtcacc 360
 gtctcctcag ccaaaacgac accccatct gtctatccac tggcccctgg atctgctgcc 420
 caaactaact ccatggtgac cctgggatgc ctggtcaagg gctatttccc tgagccagtg 480
 acagtgcact ggaactctgg atccctgtcc agcgggtgtgc acaccttccc agctgtcctg 540
 cagtctgacc tctacactct gagcagctca gtgactgtcc cctccagcac ctggcccagc 600
 gagaccgtca cctgcaacgt tgcccaccg gccagcagca ccaaggtgga caagaaaatt 660
 gtgcccaggg attgtggttg taagccttgc atatgtacag tcccagaagt atcatctgtc 720

```

ttcatcttcc ccccaaagcc caaggatgtg ctcaccatta ctctgactcc taaggtcacg 780
tgtgtgtgg tagacatcag caaggatgat cccgaggtcc agttcagctg gttttagat 840
gatgtggagg tgcacacagc tcagacgcaa ccccgaggagg agcagttcaa cagcactttc 900
cgctcagtca gtgaacttcc catcatgcac caggactggc tcaatggcaa ggagttcaaa 960
tgcaggggtca acagtgcagc tttccctgcc cccatcgaga aaaccatctc caaaaccaa 1020
ggcagaccga aggtccaca ggtgtacacc attccacctc ccaaggagca gatggccaag 1080
gataaagtca gtctgacctg catgataaca gacttcttcc ctgaagacat tactgtggag 1140
tggcagtggg atgggcagcc agcggagaac tacaagaaca ctcagcccat catggacaca 1200
gatggctctt acttcatcta cagcaagctc aatgtgcaga agagcaactg ggaggcagga 1260
aatactttca cctgtctgtg gttacatgag ggcctgcaca accaccatac tgagaagagc 1320
ctctcccaact ctctgtgtaa atga 1344

```

```

<210> 187
<211> 466
<212> PRT
<213> Mus musculus

```

```

<400> 187
Met Gly Trp Ser Trp Thr Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
1 5 10 15
Val Leu Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys
20 25 30
Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35 40 45
Thr Asp Tyr Asn Met His Trp Val Lys Gln Asn Gln Gly Lys Thr Leu
50 55 60
Glu Trp Ile Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn
65 70 75 80
Gln Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Thr
85 90 95
Thr Ala Tyr Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val
100 105 110
Tyr Tyr Cys Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Trp Tyr
115 120 125
Phe Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys
130 135 140
Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln
145 150 155 160
Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro
165 170 175
Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val
180 185 190
His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser
195 200 205
Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys
210 215 220
Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val
225 230 235 240
Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val
245 250 255
Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile
260 265 270
Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp
275 280 285
Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His
290 295 300
Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
305 310 315 320
Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys
325 330 335
Glu Phe Lys Cys Arg Val Asn Ser Ala Phe Pro Ala Pro Ile Glu
340 345 350
Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr
355 360 365
Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu
370 375 380
Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp
385 390 395 400

```

Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile
 405 410 415
 Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln
 420 425 430
 Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His
 435 440 445
 Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 188
 <211> 1401
 <212> DNA
 <213> Mus musculus

<400> 188
 atgggatgga gctggacctt tctcttctc ctgtcaggaa ctgcaggtgt cctctctgag 60
 gtccaactgc aacagtctgg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggctt ctggatatac attcactgac tacaacatgc actgggtgaa gcagaaccaa 180
 ggaaagaccc tagaatggat aggagaaatt aatcctaaca gtggtggtgc tggctacaac 240
 cagaagttca agggcaaggc cacattgact gtagacaagt cctccaccac agcctacatg 300
 gagctccgca gccctgacatc tgaggactct gcagtctatt actgtgcaag attgggctac 360
 gatgatatct acgacgactg gtacttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 tcctcagcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgctgcccac 480
 actaactcca tgggtgaccct gggatgcctg gtcaagggct atttcctga gccagtga 540
 gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttcccagc tgtcctgcag 600
 tctgacctct acactctgag cagctcagtg actgtcccct ccagcacctg gccagcgag 660
 accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720
 cccagggatt gtggttgtaa gccttgcata tgtacagtc cagaagtatc atctgtcttc 780
 atcttcccc caaagcccaa ggatgtgctc accattactc tgactcctaa ggtcacgtgt 840
 gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctggtt tgtatgatgat 900
 gtggagggtg acacagctca gacgcaacc cgggaggagc agttcaacag cacttccgc 960
 tcagtcagtg aacttcccat catgcaccag gactggctca atggcaagga gttcaaatgc 1020
 aggggtcaaca gtgcagcttt cctgcccc atcgagaaaa ccatctccaa aaccaaaggc 1080
 agaccgaagg ctccacaggt gtacaccatt ccacctccca aggagcagat ggccaaggat 1140
 aaagtcagtc tgacctgcat gataacagac ttcttccctg aagacattac tgtggagtgg 1200
 cagtggaaatg ggcagccagc ggagaactac aagaacactc agcccatcat ggacacagat 1260
 ggctcttact tcatctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
 actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
 tccactctc ctggtaaatg a 1401

<210> 189
 <211> 213
 <212> PRT
 <213> Mus musculus

<400> 189
 Gln Ile Val Leu Ser Gln Ser Pro Ala Phe Leu Ser Val Ser Pro Gly
 1 5 10 15
 Asp Lys Val Thr Met Thr Cys Arg Ala Ser Ser Ser Ile Ser Tyr Ile
 20 25 30
 His Trp Phe Gln Gln Lys Pro Gly Ser Ser Pro Arg Ser Trp Ile Tyr
 35 40 45
 Ala Thr Ser Asn Leu Ala Ser Gly Val Pro Gly Arg Phe Ser Gly Ser
 50 55 60
 Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Arg Val Glu Ala Glu
 65 70 75 80
 Asp Ala Ala Thr Tyr Cys Gln Gln Trp Ser Ser Asp Pro Leu Thr
 85 90 95
 Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala Asp Ala Ala Pro
 100 105 110
 Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly
 115 120 125
 Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn
 130 135 140
 Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn

145 Ser Trp Thr Asp Gln 150 Asp Ser Lys Asp Ser 155 Thr Tyr Ser Met Ser 160 Ser
 Thr Leu Thr Leu Thr 165 Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr
 Cys Glu Ala Thr His 180 Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe
 Asn Arg Asn Glu Cys 195 200 205 210

<210> 190
 <211> 642
 <212> DNA
 <213> Mus musculus

<400> 190
 caaattgttc tctcccagtc tccagcattc ctgtctgtat ctccagggga taagggtcaca 60
 atgacttgca gggccagctc aagtataagt tacatacact ggtttcagca gaagccagga 120
 tcctccccc gatcctggat ttatgccaca tccaacctgg cttctggagt ccctgggtcgc 180
 ttcagtggca gtgggtctgg gacctcttac tctctcacia tcagcagagt ggaggctgag 240
 gatgctgcca cttattactg ccagcagtgg agtagtgacc cactcacgtt cgggtgctggg 300
 accaagctgg agctgaaacg ggctgatgct gcaccaactg tatccatctt cccaccatcc 360
 agtgagcagt taacatctgg aggtgcctca gtcgtgtgct tcttgaacaa cttctacccc 420
 aaagacatca atgtcaagtg gaagattgat ggagtggaac gacaaaatgg cgtcctgaac 480
 agttggactg atcaggacag caaagacagc acctacagca tgagcagcac cctcacgttg 540
 accaaggacg agtatgaacg acataacagc tatacctgtg aggccactca caagacatca 600
 acttcacca ttgtcaagag ctccaacagg aatgagtgtt ag 642

<210> 191
 <211> 235
 <212> PRT
 <213> Mus musculus

<400> 191
 Met Asp Phe Gln Val Gln Ile Phe Ser Phe Leu Leu Ile Ser Ala Ser
 Val Ile Met Ser Arg Gly Gln Ile Val Leu Ser Gln Ser Pro Ala Phe
 Leu Ser Val Ser Pro Gly Asp Lys Val Thr Met Thr Cys Arg Ala Ser
 Ser Ser Ile Ser Tyr Ile His Trp Phe Gln Gln Lys Pro Gly Ser Ser
 Pro Arg Ser Trp Ile Tyr Ala Thr Ser Asn Leu Ala Ser Gly Val Pro
 Gly Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile
 Ser Arg Val Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp
 Ser Ser Asp Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys
 Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu
 Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe
 Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg
 Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser
 Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu
 Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser
 Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 192

<211> 708
 <212> DNA
 <213> Mus musculus

<400> 192
 atggattttc aagtgcagat tttcagcttc ctgctaataca gtgcttcagt cataatgtcc 60
 agaggacaaa ttgttctctc ccagctctcca gcattcctgt ctgtatctcc aggggataag 120
 gtcacaatga cttgcagggc cagctcaagt ataagttaca tacactgggt tcagcagaag 180
 ccaggatcct cccccagatc ctggatttat gccacatcca acctggcttc tggagtccct 240
 ggtcgcttca gtggcagtgg gtctgggacc tcttactctc tcacaatcag cagagtggag 300
 gctgaggatg ctgccactta ttactgccag cagtggagta gtgaccact caggttcggt 360
 gctgggacca agctggagct gaaacgggct gatgctgcac caactgtatc catcttccca 420
 ccatccagtg agcagttaac atctggaggt gcctcagtcg tgtgcttctt gaacaacttc 480
 taccctaaag acatcaatgt caagtggag attgatggca gtgaacgaca aaatggcgtc 540
 ctgaacagtt ggactgatca ggacagcaaa gacagcacct acagcatgag cagcaccctc 600
 acgttgacca aggacgagta tgaacgacat aacagctata cctgtgaggc cactcacaag 660
 acatcaactt caccattgt caagagcttc aacaggaatg agtgtag 708

<210> 193
 <211> 445
 <212> PRT
 <213> Mus musculus

<400> 193
 Glu Val Gln Leu Gln Gln Ser Gly Ala Asp Leu Val Gln Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Thr Ala Ser Gly Phe Asp Ile Lys Asp Tyr
 20 25 30
 Tyr Ile His Trp Met Lys Gln Arg Pro Asp Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala Pro Lys Phe
 50 55 60
 Pro Gly Lys Ala Thr Phe Thr Thr Asp Thr Ser Asn Thr Ala Tyr
 65 70 75 80
 Leu Gln Leu Arg Gly Leu Thr Ser Glu Asp Thr Ala Ile Tyr Tyr Cys
 85 90 95
 Gly Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro Tyr Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr Pro Pro Ser
 115 120 125
 Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val
 130 135 140
 Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro
 180 185 190
 Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro
 195 200 205
 Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly
 210 215 220
 Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile
 225 230 235 240
 Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys
 245 250 255
 Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln
 260 265 270
 Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln
 275 280 285
 Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu
 290 295 300
 Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg
 305 310 315 320
 Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
 325 330 335
 Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro
 340 345 350

Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr
 355 360
 Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln
 370 375 380
 Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly
 385 390 395 400
 Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu
 405 410 415
 Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn
 420 425 430
 His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 194
 <211> 1338
 <212> DNA
 <213> Mus musculus

<400> 194
 gaagttcagc tgcaacagtc tggggcagac cttgtgcagc caggggcctc agtcaaggtg 60
 tcctgcacag cttctggctt cgacattaag gactactata tacactggat gaaacagagg 120
 cctgaccagg gcctggagtg gattggaagg gttgatcctg acaatggatg gactgaattt 180
 gccccgaagt tcccgggcaa ggccactttt acaacagaca catcctccaa cacagcctac 240
 ctacaactca gaggcctgac atctgaggac actgccatct attactgtgg gagagaagac 300
 tacgatggta cctacacctg gtttccttat tggggccaag ggactctggt cactgtctct 360
 gcagccaaaa cgacaccccc atctgtctat ccactggccc ctggatctgc tgcccaaact 420
 aactccatgg tgaccctggg atgcctgggtc aaggggtatt tccctgagcc agtgacagtg 480
 acctggaact ctggatccct gtccagcggg gtgcacacct tcccagctgt cctgcagtct 540
 gacctctaca ctctgagcag ctcatgtact gtccccctca gcacctggcc cagcgagacc 600
 gtcacctgca acgttgccca cccggccagc agcaccaagg tggacaagaa aatttgtgcc 660
 agggattgtg gttgtaagcc ttgcatatgt acagtcccag aagtatcatc tgtcttcatc 720
 ttccccccaa agcccaagga tgtgtcacc attactctga ctctaaaggt cactgtgtgt 780
 gtggttagaca tcagcaagga tgatcccag gtccagttca gctggtttgt agatgatgtg 840
 gaggtgcaca cagctcagac gcaaccctgg gaggagcagt tcaacagcac ttcccgctca 900
 gtcagtgaac ttcccatcat gcaccaggac tggctcaatg gcaaggagtt caaatgcagg 960
 gtcaacagtg cagctttccc tgcccccatc gagaaaacca tctccaaaac caaaggcaga 1020
 ccgaaggctc cacaggtgta caccattcca cctcccaagg agcagatggc caaggataaa 1080
 gtcagtctga cctgcattgat aacagacttc ttccctgaag acattactgt ggagtggcag 1140
 tgggaatgggc agccagcggg gaactacaag aacactcagc ccatcatgga cacagatggc 1200
 tcttacttca tctacagcaa gctcaatgtg cagaagagca actgggaggc aggaaatact 1260
 ttcacctgct ctgtgttaca tgagggcctg cacaaccacc atactgagaa gagcctctcc 1320
 cactctcctg gtaaatga 1338

<210> 195
 <211> 464
 <212> PRT
 <213> Mus musculus

<400> 195
 Met Lys Cys Ser Trp Val Ile Phe Phe Leu Met Ala Val Val Thr Gly
 1 5 10 15
 Val Asn Ser Glu Val Gln Leu Gln Gln Ser Gly Ala Asp Leu Val Gln
 20 25 30
 Pro Gly Ala Ser Val Lys Val Ser Cys Thr Ala Ser Gly Phe Asp Ile
 35 40 45
 Lys Asp Tyr Tyr Ile His Trp Met Lys Gln Arg Pro Asp Gln Gly Leu
 50 55 60
 Glu Trp Ile Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala
 65 70 75 80
 Pro Lys Phe Pro Gly Lys Ala Thr Phe Thr Asp Thr Ser Ser Asn
 85 90 95
 Thr Ala Tyr Leu Gln Leu Arg Gly Leu Thr Ser Glu Asp Thr Ala Ile
 100 105 110
 Tyr Tyr Cys Gly Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro
 115 120 125
 Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr
 130 135 140

5 Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn
 145 150 155 160
 Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro
 165 170 175
 Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr
 180 185 190
 Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Val
 195 200 205
 Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val
 210 215 220
 10 Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg
 225 230 235 240
 Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser
 245 250 255
 Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu
 260 265 270
 15 Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro
 275 280 285
 Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala
 290 295 300
 Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val
 305 310 315 320
 20 Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe
 325 330 335
 Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr
 340 345 350
 Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile
 355 360 365
 25 Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys
 370 375 380
 Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp
 385 390 395 400
 Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp
 405 410 415
 30 Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser
 420 425 430
 Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly
 435 440 445
 Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 450 455 460

35 <210> 196
 <211> 1395
 <212> DNA
 <213> Mus musculus

40 <400> 196
 atgaaatgca gctgggtcat cttcttcttg atggcagtggt ttacaggggt caattcagaa 60
 gttagctgca aacagttctg ggcagacctt gtgcagccag gggcctcagt caaggtgtcc 120
 tgacagctt ctggcttcga cattaaggac tactatatac actggatgaa acagaggcct 180
 gaccagggcc tggagtggat tggaaggggt gatcctgaca atggtgagac tgaatttgcc 240
 ccgaagtccc cgggcaaggc cacttttaca acagacacat cctccaacac agcctaccta 300
 caactcagag gcctgacatc tgaggacact gccatctatt actgtgggag agaagactac 360
 gatggtacct acacctgggt tccttattgg ggccaaggga ctctggtcac tgtctctgca 420
 45 gccaaaacga ccccccatc tgtctatcca ctggccccctg gatctgctgc ccaactaac 480
 tccatggtga ccctgggatg cctgggtcaag ggctatttcc ctgagccagt gacagtgacc 540
 tggaactctg gatccctgtc cagcgggtgt cacaccttcc cagctgtcct gcagctgtac 600
 ctctacactc tgagcagctc agtgactgtc cctccagca cctggcccag cgagaccgtc 660
 acctgcaacg ttgcccaccc ggccagcagc accaagggtg acaagaaaat tgtgcccagg 720
 50 gattgtgggt gtaagccttg catatgtaca gtcccagaag tatcatctgt cttcatcttc 780
 ccccaaagc ccaaggatgt gctcaccatt actctgactc ctaagggtcac gtgtgtgtgt 840
 gtagacatca gcaaggatga tcccagggct cagttcagct gggttgtaga tgatgtggag 900
 gtgcacacag ctacagcga cccccgggag gagcagttca acagcacttt ccgctcagtc 960
 agtgaacttc ccacatgca ccaggactgg ctcaatggca aggagttcaa atgcagggtc 1020
 aacagtgcag ctttccctgc ccccatcgag aaaaccatct ccaaaaccaa aggcagaccg 1080
 aaggctccac aggtgtacac cattccacct cccaaggagc agatggccaa ggataaagtc 1140
 55 agtctgacct gcatgataac agacttcttc cctgaagaca ttactgtgga gtggcagtggt 1200

aatgggcagc cagcggagaa ctacaagaac actcagccca tcatggacac agatggctct 1260
 tacttcatct acagcaagct caatgtgcag aagagcaact gggaggcagg aaatactttc 1320
 acctgctctg tgttacatga gggcctgcac aaccaccata ctgagaagag cctctccac 1380
 tctcctgcta aatga 1395

<210> 197
 <211> 214
 <212> PRT
 <213> Mus musculus

<400> 197
 Asp Leu Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val Lys Leu Leu Ile
 35 40 45
 Phe Tyr Thr Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asn Tyr Ser Leu Thr Ile Thr Asn Leu Glu Gln
 65 70 75 80
 Asp Asp Ala Ala Thr Tyr Phe Cys Gln Gln Gly Asp Thr Leu Pro Tyr
 85 90 95
 Thr Phe Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala
 100 105 110
 Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125
 Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
 130 135 140
 Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
 145 150 155 160
 Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175
 Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190
 Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205
 Phe Asn Arg Asn Glu Cys
 210

<210> 198
 <211> 645
 <212> DNA
 <213> Mus musculus

<400> 198
 gatctccaga tgacacagac tacttctctc ctgtctgcct ctctgggaga cagagtcacc 60
 atcagttgca gggcaagtca ggacattagc aattatttaa actggtatca gcagaaacca 120
 gatggaactg ttaagctcct gatcttctac acatcaacat tacagtcagg agtcccatcg 180
 aggttcagtg gcagtgggtc tggaaacaaat tattctctca ccattaccaa cctggagcaa 240
 gatgatgctg ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcggaggg 300
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaa tggcgctcctg 480
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 645

<210> 199
 <211> 234
 <212> PRT
 <213> Mus musculus

<400> 199
 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Ser Arg Cys Asp Leu Gln Met Thr Gln Thr Thr Ser Ser Leu Ser

5 20 25 30
 Ala Ser Leu Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val
 50 55 60
 Lys Leu Leu Ile Phe Tyr Thr Ser Thr Leu Gln Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asn Tyr Ser Leu Thr Ile Thr
 85 90 95
 Asn Leu Glu Gln Asp Asp Ala Ala Thr Tyr Phe Cys Gln Gln Gly Asp
 100 105 110
 Thr Leu Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
 115 120 125
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 130 135 140
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 145 150 155 160
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 165 170 175
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 180 185 190
 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 195 200 205
 20 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 210 215 220
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230

25 <210> 200
 <211> 705
 <212> DNA
 <213> Mus musculus

30 <400> 200
 atgatgtcct ctgctcagtt ccttgggtctc ctgttgctct gttttcaagg ttccagatgt 60
 gatctccaga tgacacagac tacttcctcc ctgtctgcct ctctgggaga cagagtcacc 120
 atcagttgca gggcaagtca ggacattagc aattatttaa actgggtatca gcagaaacca 180
 gatggaactg ttaagctcct gatcttctac acatcaacat tacagtcagg agtcccacg 240
 aggttcagtg gcagtggttc tggaaacaaat tattctctca ccattaccaa cctggagcaa 300
 gatgatgctg ccacttactt ttgccaacag ggtgatacgc ttccgtacac gttcggaggg 360
 gggaccaagc tggaaataaa acgggctgat gctgcaccaa ctgtatccat ctcccacca 420
 35 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 540
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 705

40 <210> 201
 <211> 447
 <212> PRT
 <213> Mus musculus

45 <400> 201
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Met Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Met Lys Gln Asn Gln Gly Lys Ser Leu Glu Trp Ile
 35 40 45
 50 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ser Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 55 Ala Arg Leu Gly Tyr Tyr Gly Asn Tyr Glu Asp Trp Tyr Phe Asp Val
 100 105 110

Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser Ala Lys Thr Thr Pro
 115 120 125
 Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser
 130 135 140
 Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr
 180 185 190
 Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala
 195 200 205
 His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp
 210 215 220
 Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val
 225 230 235 240
 Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr
 245 250 255
 Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu
 260 265 270
 Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln
 275 280 285
 Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser
 290 295 300
 Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys
 305 310 315 320
 Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro
 340 345 350
 Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met
 355 360 365
 Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn
 370 375 380
 Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr
 385 390 395 400
 Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn
 405 410 415
 Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu
 420 425 430
 His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 202

<211> 1344

<212> DNA

<213> Mus musculus

<400> 202

gaggtccagt tgcaacagtc tggacctgaa ctaatgaagc ctggggcttc agtgaagatg 60
 tcctgcaagg ctctcggata cacattcact gactacaaca tgcactggat gaagcagaac 120
 caaggaaaga gcctagagtg gataggagag attaataccta acagtgggtg ttctgggttac 180
 aaccagaagt tcaaaaggcaa ggccacattg actgtagaca agtcctccag cacagcctac 240
 atggagctcc gcagcctgac aictgaggac tctgcagtct attactgtgc aagattggggc 300
 tactatggta actacgagga ctgggtatttc gatgtctggg gcgcagggac cacggtcacc 360
 gtctcctctg ccaaaacgac acccccatct gtctatccac tggcccctgg atctgctgcc 420
 caaactaact ccatgggtgac cctgggatgc ctgggtcaagg gctatttccc tgagccagtg 480
 acagtacact ggaactctgg atccctgtcc agcgggtgtgc acaccttccc agctgtcctg 540
 cagtctgacc tctacactct gagcagctca gtgactgtcc cctccagcac ctggcccagc 600
 gagaccgtca cctgcaacgt tgcccacccg gccagcagca ccaaggtgga caagaaaatt 660
 gtgcccaggg attgtgggtg taagccttgc atatgtacag tcccagaagt atcatctgtc 720
 ttcactcttc ccccaaagcc caaggatgtg ctccaccatta ctctgactcc taagggtcacg 780
 tgtgttctgg tagacatcag caaggatgat cccgaggtcc agttcagctg gttttagatg 840
 gatgtggagg tgcacacagc tcagacgcaa ccccgaggagg agcagttcaa cagcactttc 900
 cgctcagtcg gtgaacttcc catcatgcac caggactggc tcaatggcaa ggagttcaaa 960
 tgcaggggtc acagtgcagc tttccctgcc cccatcgaga aaaccatctc caaaaccaa 1020
 ggcagaccga aggtccaca ggtgtacacc attccacctc ccaaggagca gatggccaag 1080

gataaagtca gtctgacctg catgataaca gactttcttcc ctgaagacat tactgtggag 1140
 tggcagtggg atgggcagcc agcggagaaac tacaagaaca ctcagcccat catggacaca 1200
 gatggctctt acttcatcta cagcaagctc aatgtgcaga agagcaactg ggaggcagga 1260
 aatactttca cctgctctgt gttacatgag ggcctgcaca accaccatac tgagaagagc 1320
 ctctccact ctctggtaa atga 1344

<210> 203

<211> 466

<212> PRT

<213> Mus musculus

<400> 203

Met	Gly	Trp	Ser	Trp	Thr	Phe	Leu	Phe	Leu	Leu	Ser	Gly	Thr	Ser	Gly
1				5				10						15	
Val	Leu	Ser	Glu	Val	Gln	Leu	Gln	Gln	Ser	Gly	Pro	Glu	Leu	Met	Lys
			20					25					30		
Pro	Gly	Ala	Ser	Val	Lys	Met	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe
		35					40					45			
Thr	Asp	Tyr	Asn	Met	His	Trp	Met	Lys	Gln	Asn	Gln	Gly	Lys	Ser	Leu
	50					55					60				
Glu	Trp	Ile	Gly	Glu	Ile	Asn	Pro	Asn	Ser	Gly	Gly	Ser	Gly	Tyr	Asn
	65				70					75					80
Gln	Lys	Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Val	Asp	Lys	Ser	Ser	Ser
				85				90						95	
Thr	Ala	Tyr	Met	Glu	Leu	Arg	Ser	Leu	Thr	Ser	Glu	Asp	Ser	Ala	Val
			100					105					110		
Tyr	Tyr	Cys	Ala	Arg	Leu	Gly	Tyr	Tyr	Gly	Asn	Tyr	Glu	Asp	Trp	Tyr
		115					120					125			
Phe	Asp	Val	Trp	Gly	Ala	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	Lys
	130					135					140				
Thr	Thr	Pro	Pro	Ser	Val	Tyr	Pro	Leu	Ala	Pro	Gly	Ser	Ala	Ala	Gln
	145				150					155					160
Thr	Asn	Ser	Met	Val	Thr	Leu	Gly	Cys	Leu	Val	Lys	Gly	Tyr	Phe	Pro
				165					170					175	
Glu	Pro	Val	Thr	Val	Thr	Trp	Asn	Ser	Gly	Ser	Leu	Ser	Ser	Gly	Val
			180					185					190		
His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Asp	Leu	Tyr	Thr	Leu	Ser	Ser
		195					200					205			
Ser	Val	Thr	Val	Pro	Ser	Ser	Thr	Trp	Pro	Ser	Glu	Thr	Val	Thr	Cys
	210					215					220				
Asn	Val	Ala	His	Pro	Ala	Ser	Ser	Thr	Lys	Val	Asp	Lys	Lys	Ile	Val
	225				230					235					240
Pro	Arg	Asp	Cys	Gly	Cys	Lys	Pro	Cys	Ile	Cys	Thr	Val	Pro	Glu	Val
				245					250					255	
Ser	Ser	Val	Phe	Ile	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Val	Leu	Thr	Ile
			260					265					270		
Thr	Leu	Thr	Pro	Lys	Val	Thr	Cys	Val	Val	Val	Asp	Ile	Ser	Lys	Asp
		275					280					285			
Asp	Pro	Glu	Val	Gln	Phe	Ser	Trp	Phe	Val	Asp	Asp	Val	Glu	Val	His
	290					295					300				
Thr	Ala	Gln	Thr	Gln	Pro	Arg	Glu	Glu	Gln	Phe	Asn	Ser	Thr	Phe	Arg
	305				310					315					320
Ser	Val	Ser	Glu	Leu	Pro	Ile	Met	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys
				325					330					335	
Glu	Phe	Lys	Cys	Arg	Val	Asn	Ser	Ala	Ala	Phe	Pro	Ala	Pro	Ile	Glu
			340					345					350		
Lys	Thr	Ile	Ser	Lys	Thr	Lys	Gly	Arg	Pro	Lys	Ala	Pro	Gln	Val	Tyr
							360					365			
Thr	Ile	Pro	Pro	Pro	Lys	Glu	Gln	Met	Ala	Lys	Asp	Lys	Val	Ser	Leu
	370					375					380				
Thr	Cys	Met	Ile	Thr	Asp	Phe	Phe	Pro	Glu	Asp	Ile	Thr	Val	Glu	Trp
	385				390					395				400	
Gln	Trp	Asn	Gly	Gln	Pro	Ala	Glu	Asn	Tyr	Lys	Asn	Thr	Gln	Pro	Ile
				405					410					415	
Met	Asp	Thr	Asp	Gly	Ser	Tyr	Phe	Ile	Tyr	Ser	Lys	Leu	Asn	Val	Gln
			420					425					430		
Lys	Ser	Asn	Trp	Glu	Ala	Gly	Asn	Thr	Phe	Thr	Cys	Ser	Val	Leu	His
			435				440					445			

Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro
 450 455 460
 Gly Lys
 465

<210> 204
 <211> 1401
 <212> DNA
 <213> Mus musculus

<400> 204
 atgggatgga gctggacatt tctcttcctc ctgtcaggaa cttcgggtgt cctctctgag 60
 gtccagttgc aacagtctgg acctgaacta atgaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggctt ctggatacac attcactgac tacaacatgc actggatgaa gcagaaccaa 180
 ggaaagagcc tagagtggat aggagagatt aatcctaaca gtggtgggtc tgggtacaac 240
 cagaagttca aaggcaaggc cacattgact gtagacaagt cctccagcac agcctacatg 300
 gagctccgca gcctgacatc tgaggactct gcagctctatt actgtgcaag attgggctac 360
 tatggtaact acgaggactg gtatttcgat gtctggggcg cagggaccac ggtcaccgtc 420
 tctctgcca aaacgacacc cccatctgtc tatccactgg cccctggatc tgctgcccac 480
 actaactcca tggtagacct gggatgcctg gtcaagggct atttccctga gccagtgaac 540
 gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttccagc tgtctgcag 600
 tctgacctct acactctgag cagctcagtg actgtcccct ccagcacctg gccagcgag 660
 accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 720
 cccagggatt ttggtgtgaa gccttgata tgtacagtc cagaagtatc atctgtcttc 780
 atcttcccc ccaagcccaa ggatgtgtc accattactc tgactcctaa ggtcacgtgt 840
 gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctggtt ttagatgat 900
 gtggaggtgc acacagctca gacgcaaccc cgggaggagc agttcaacag cactttccgc 960
 tcagtcagtg aacttcccat catgcaccag gactggctca atggcaagga gttcaaatgc 1020
 aggggtcaaca gtgcagcttt ccttgcccc atcgagaaaa ccatctccaa aaccaaaggc 1080
 agaccgaagg ctccacaggt gtacaccatt ccacctccca aggagcagat ggccaaggat 1140
 aaagtcagtc tgacctgcat gataacagac ttcttccctg aagacattac tgtggagtgg 1200
 cagtggatg ggcagccagc ggagaactac aagaacactc agccatcat ggacacagat 1260
 ggctcttact tcatctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1320
 actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1380
 tccactctc ctggtaaatg a 1401

<210> 205
 <211> 215
 <212> PRT
 <213> Mus musculus

<400> 205
 Gln Ile Val Leu Thr Gln Ser Pro Ala Ile Met Ser Ala Ser Pro Gly
 1 5 10 15
 Glu Lys Val Thr Met Thr Cys Arg Ala Ser Ser Ser Val Thr Ser Ser
 20 25 30
 Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Ser Ser Pro Lys Leu Trp
 35 40 45
 Ile Tyr Ser Thr Ser Asn Leu Ala Ser Gly Val Pro Ala Arg Phe Ser
 50 55 60
 Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Ser Val Glu
 65 70 75 80
 Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Phe Phe Pro
 85 90 95
 Ser Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala
 100 105 110
 Ala Pro Thr Val Ser Ile Phe Pro Ser Ser Glu Gln Leu Thr Ser
 115 120 125
 Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp
 130 135 140
 Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val
 145 150 155 160
 Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met
 165 170 175
 Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser
 180 185 190
 Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys

195
 Ser Phe Asn Arg Asn Glu Cys 200 205
 210 215

<210> 206
 <211> 645
 <212> DNA
 <213> Mus musculus

<400> 206
 cagattgttc tcaccagtc tccagcaatc atgtctgcat ctccagggga gaaggtcacc 60
 atgacctgca gggccagctc aagtgttaact tccagttact tgaactggta ccagcagaag 120
 ccaggatctt ccccaaaact ctggatttat agcacatcca acctggcttc aggagtccca 180
 gctcgcttca gtggcagtg gtctgggacc tcttactctc tcacaatcag cagtgtggag 240
 gctgaggatg ctgccactta ttactggccag cagtatgatt ttttcccatc gacgttcggg 300
 ggaggcacca agctggaaat caagcgggct gatgctgcac caactgtatc catcttccca 360
 ccatccagtg agcagttaac atctggaggt gcctcagtcg tgtgcttctt gaacaacttc 420
 taccctaaag acatcaatgt caagtggaaag attgatggca gtgaacgaca aaatggcgctc 480
 ctgaacagtt ggactgatca ggacagcaaa gacagcacct acagcatgag cagcaccctc 540
 acgttgacca aggacgagta tgaacgacat aacagctata cctgtgaggc cactcacaag 600
 acatcaactt caccatcgt caagagcttc aacaggaatg agtgt 645

<210> 207
 <211> 237
 <212> PRT
 <213> Mus musculus

<400> 207
 Met Asp Ser Gln Val Gln Ile Phe Ser Phe Leu Leu Ile Ser Ala Leu
 1 5 10 15
 Val Lys Met Ser Arg Gly Gln Ile Val Leu Thr Gln Ser Pro Ala Ile
 20 25 30
 Met Ser Ala Ser Pro Gly Glu Lys Val Thr Met Thr Cys Arg Ala Ser
 35 40 45
 Ser Ser Val Thr Ser Ser Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly
 50 55 60
 Ser Ser Pro Lys Leu Trp Ile Tyr Ser Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Ala Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu
 85 90 95
 Thr Ile Ser Ser Val Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Tyr Asp Phe Phe Pro Ser Thr Phe Gly Gly Gly Thr Lys Leu Glu
 115 120 125
 Ile Lys Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser
 130 135 140
 Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn
 145 150 155 160
 Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser
 165 170 175
 Glu Arg Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys
 180 185 190
 Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu
 195 200 205
 Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser
 210 215 220
 Thr Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 208
 <211> 711
 <212> DNA
 <213> Mus musculus

<400> 208
 atggattctc aagtgcagat ttccagcttc cttctaataca gtgccttagt caaaatgtcc 60

5 agaggacaga ttgttctcac ccagtctcca gcaatcatgt ctgcatctcc aggggagaag 120
 gtcaccatga cctgcagggc cagctcaagt gtaacttcca gttacttgaa ctgggtaccag 180
 cagaagccag gatcttcccc caaactctgg atttatagca catccaacct ggcttcagga 240
 gtcccagctc gcttcagtgg cagtgggtct gggacctctt actctctcac aatcagcagt 300
 gtggaggctg aggatgctgc cacttattac tgccagcagt atgatttttt cccatcgacg 360
 ttcggtggag gcaccaagct ggaaatcaag cgggctgatg ctgcaccaac tgtatccatc 420
 ttcccacat ccagtgcagca gttaacatct ggaggtgcct cagtcgtgtg cttcttgaac 480
 aacttctacc ccaaagacat caatgtcaag tggaagattg atggcagtga acgacaaaat 540
 10 ggcgtcctga acagtgggac tgatcaggac agcaaagaca gcacctacag catgagcagc 600
 accctcacgt tgaccaagga cgagtatgaa cgacataaca gctatacctg tgaggccact 660
 cacaagacat caacttcacc catcgtcaag agcttcaaca ggaatgagtg t 711

<210> 209

<211> 445

<212> PRT

<213> Mus musculus

<400> 209

15 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 Tyr Met Asn Trp Val Lys Gln Ser His Gly Glu Ser Leu Glu Trp Ile
 35 40 45
 Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn His Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Asn Thr Ala Tyr
 65 70 75 80
 25 Met Gln Leu Asn Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp Tyr Trp Gly
 100 105 110
 Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser
 115 120 125
 30 Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val
 130 135 140
 Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 35 Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro
 180 185 190
 Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro
 195 200 205
 Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly
 210 215 220
 40 Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile
 225 230 235 240
 Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys
 245 250 255
 Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln
 260 265 270
 Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln
 275 280 285
 45 Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu
 290 295 300
 Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg
 305 310 315 320
 Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
 325 330 335
 50 Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro
 340 345 350
 Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr
 355 360 365
 Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln
 370 375 380
 55 Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly
 385 390 395 400

Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu
 405 410 415
 Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn
 420 425 430
 His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440 445

<210> 210
 <211> 1335
 <212> DNA
 <213> Mus musculus

<400> 210
 gaggtccagc tgcaacaatc tggacctgag ctggtgaagc ctggggcttc agtgaagatg 60
 tcctgtaagg cttctggata cacattcact gactactaca tgaactgggt gaagcagagc 120
 catggagaga gccttgagtg gattggagat attaatacctt acaacgatga tactacctac 180
 aaccacaagt tcaagggcaa ggccacattg actgtagaca aatcctccaa cacagcctac 240
 atgcagctca acagcctgac atctgaggac tctgcagtct attactgtgc aagagagacg 300
 gccgttatta ctacgaatgc tatggactac tgggggtcaag gaacctcagt caccgtctcc 360
 tcagccaaaa cgacaccccc atctgtctat ccactggccc ctggatctgc tgcccaaact 420
 aatcccatgg tgaccctggg atgcctgggc aagggctatt tccctgagcc agtgacagtg 480
 acctggaact ctggatccct gtccagcggg gtgcacacct tcccagctgt cctgcagtct 540
 gacctctaca ctctgagcag ctctgagctc gtccccctca gcacctggcc cagcgagacc 600
 gtcacctgca acgttgccca cccggccagc agcaccaagg tggacaagaa aattgtgccc 660
 agggattgtg gttgtaagcc ttgcatatgt acagtcccag aagtatcatc tgtcttcac 720
 ttccccccaa agcccaagga tgtgtcacc attactctga ctccaaaggt cacgtgtgtt 780
 gtggtagaca tcagcaagga tgatccccgag gtccagttca gctggtttgt agatgatgtg 840
 gaggtgcaca cagctcagac gcaaccccgg gaggagcagt tcaacagcac ttcccgctca 900
 gtccagtgaac ttcccatcat gcaccaggag tggctcaatg gcaaggagt caaatgcagg 960
 gtcaacagtg cagctttccc tgcccccac gagaaaaacca tctccaaaac caaaggcaga 1020
 ccgaaggctc cacaggtgta caccattcca cctcccaagg agcagatggc caaggataaa 1080
 gtcagtctga cctgcagtat aacagacttc ttccctgaag acattactgt ggagtggcag 1140
 tggaatgggc agccagcgga gaactacaag aacactcagc ccatcatgga cacagatggc 1200
 tcttacttca tctacagcaa gctcaatgtg cagaagagca actgggagggc aggaaatact 1260
 ttacactgct ctgtgttaca tgagggcctg cacaaccacc atactgagaa gagcctctcc 1320
 cactctcctg gtaaa 1335

<210> 211
 <211> 464
 <212> PRT
 <213> Mus musculus

<400> 211
 Met Gly Trp Asn Trp Ile Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val Tyr Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys
 20 25 30
 Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe
 35 40 45
 Thr Asp Tyr Tyr Met Asn Trp Val Lys Gln Ser His Gly Glu Ser Leu
 50 55 60
 Glu Trp Ile Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn
 65 70 75 80
 His Lys Phe Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Asn
 85 90 95
 Thr Ala Tyr Met Gln Leu Asn Ser Leu Thr Ser Glu Asp Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp
 115 120 125
 Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr
 130 135 140
 Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn
 145 150 155 160
 Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro
 165 170 175
 Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr
 180 185 190

Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val
 195 200 205
 Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val
 210 215 220
 5 Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg
 225 230 235 240
 Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser
 245 250 255
 Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu
 260 265 270
 10 Thr Pro Lys Val Thr Cys Val Val Asp Ile Ser Lys Asp Asp Pro
 275 280 285
 Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala
 290 295 300
 Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val
 305 310 315 320
 15 Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe
 325 330 335
 Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr
 340 345 350
 Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile
 355 360 365
 20 Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys
 370 375 380
 Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp
 385 390 395 400
 Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp
 405 410 415
 25 Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser
 420 425 430
 Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly
 435 440 445
 Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 450 455 460
 30
 <210> 212
 <211> 1392
 <212> DNA
 <213> Mus musculus
 35
 <400> 212
 atgggatgga actggatctt tctcttctctc ttgtcaggaa ctgcagggtgt ctactctgag 60
 gtccagctgc aacaatctgg acctgagctg gtgaagcctg gggcttcagt gaagatgtcc 120
 tgtaaggctt ctggatacac attcactgac tactacatga actgggtgaa gcagagccat 180
 ggagagagcc ttgagtggat tggagatatt aatccttaca acgatgatac tacctacaac 240
 cacaagttca agggcaaggc cacattgact gtagacaaat cctccaacac agcctacatg 300
 40 cagctcaaca gcctgacatc tgaggactct gcagctctatt actgtgcaag agagacggcc 360
 gttattacta cgaatgctat ggactactgg ggtcaaggaa cctcagtcac cgtctcctca 420
 gccaaaacga caccctccatc tgtctatcca ctggcccctg gatctgctgc ccaaactaac 480
 tccatggtga ccctgggatg cctgggtcaag ggctatttcc ctgagccagt gacagtgacc 540
 tggaactctg gatccctgtc cagcgggtgtg cacaccttcc cagctgtcct gcagtctgac 600
 ctctacactc tgagcagctc agtgactgtc cctccagca cctggcccag cgagaccgtc 660
 45 acctgcaacg ttgcccaccc ggccagcagc accaagggtg acaagaaaat tgtgcccagg 720
 gattgtggtt gtaagccttg catatgtaca gtcccagaag tatcatctgt cttcatcttc 780
 ccccaaagc ccaaggatgt gctcaccatt actctgactc ctaagggtcac gtgtgttgtg 840
 gtagacatca gcaaggatga tcccagggtc cagttcagct ggtttgtaga tgatgtggag 900
 gtgcacacag ctgacacgca accccgggag gtgacgttca acagcacttt ccgtcagtc 960
 agtgaacttc ccatcatgca ccaggactgg ctcaatggca aggagttcaa atgcagggtc 1020
 50 aacagtgcag ctttccctgc ccccatcgag aaaaccatct ccaaaaccaa aggcagaccg 1080
 aaggctccac aggtgtacac cattccacct cccaaggagc agatggccaa ggataaagtc 1140
 agtctgacct gcatgataac agacttcttc cctgaagaca ttactgtgga gtggcagtg 1200
 aatgggcagc cagcggagaa ctacaagaca actcagccca tcatggacac agatggctct 1260
 tacttcatct acagcaagct caatgtgcag aagagcaact gggaggcagg aaatactttc 1320
 acctgtctgt tgttacatga gggcctgcac aaccaccata ctgagaagag cctctccac 1380
 55 tctctgtgta aa 1392
 <210> 213

<211> 215
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 213
 Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Ser Ser Val Thr Ser Ser
 20
 Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu
 35 40 45
 Ile Tyr Ser Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser
 50 55 60
 Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln
 65 70 75 80
 Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Tyr Asp Phe Phe Pro
 85 90 95
 Ser Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
 100 105 110
 Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser
 115 120 125
 Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
 130 135 140
 Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
 145 150 155 160
 Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
 165 170 175
 Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
 180 185 190
 Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
 195 200 205
 Ser Phe Asn Arg Gly Glu Cys
 210 215

<210> 214
 <211> 645
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 214
 gacatccagc tgaccagag cccagcttc ctttccgcat ccgttggtga ccgagtaaca 60
 atcacatgcc ggcctcatc ttcagttaca tcttcttatac ttaattggta tcaacaaaaa 120
 ccaggaaaag cacctaaact tcttatatac tctacatcta atctcgcatc aggagtccc 180
 tctcgatttt caggatctgg atcaggcaca gaatttacac ttactatatac atcactccaa 240
 ccagaagact tcgccactta ttactgccaa caatacgatt tttttccaag cacattcgga 300
 ggaggtacaa aagtagaaat caagcgtacg gtggctgcac catctgtctt catcttccc 360
 ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 420
 tatcccagag aggccaaagt acagtggaag gtggataacg cctccaatc gggtactcc 480
 caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 540
 acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 600
 ggcttgagct cgcccgtcac aaagagcttc aacaggggag agtgt 645

<210> 215
 <211> 237
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 215

Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Pro Gly Ala Arg Cys Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
 35 40 45
 Ser Ser Val Thr Ser Ser Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly
 50 55 60
 Lys Ala Pro Lys Leu Leu Ile Tyr Ser Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu
 85 90 95
 Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Tyr Asp Phe Phe Pro Ser Thr Phe Gly Gly Gly Thr Lys Val Glu
 115 120 125
 Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
 130 135 140
 Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn
 145 150 155 160
 Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala
 165 170 175
 Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys
 180 185 190
 Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp
 195 200 205
 Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu
 210 215 220
 Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 225 230 235

<210> 216

<211> 711

<212> DNA

<213> Artificial sequence

<220>

<223> Humanized antibody sequence

<400> 216

atggacatga ggggtcccg ctcagctcctg ggggtcctgc tactctggct cccaggtgcc 60
 agatgtgaca tccagctgac ccagagcccc agcttccttt ccgcatccgt tgggtgaccga 120
 gtaacaatca catgccgcgc ctcatcttca gttacatctt cttatcttaa ttggtatcaa 180
 caaaaaccag gaaaagcacc taaacttctt atatactcta catctaactc cgcatcagga 240
 gttccctctc gattttcagg atctggatca ggcacagaat ttacacttac tatatcatca 300
 ctccaaccag aagacttcgc cacttattac tgccaacaat acgatttttt tccaagcaca 360
 ttcggaggag gtacaaaagt agaaatcaag cgtacgggtg ctgcaccatc tgtcttcac 420
 ttcccgccat ctgatgagca gttgaaatct ggaactgcct ctgttggtgt cctgctgaat 480
 aacttctatc ccagagaggc caaagtacag tggaagggtg ataacgccct ccaatcgggt 540
 aactcccagg agagtgtcac agagcaggac agcaaggaca gcacctacag cctcagcagc 600
 accctgacgc tgagcaaagc agactacgag aaacacaaag tctacgcctg cgaagtcacc 660
 catcagggcc tgagctcgcc cgtcacaag agcttcaaca ggggagagtg t 711

<210> 217

<211> 447

<212> PRT

<213> Artificial sequence

<220>

<223> Humanized antibody sequence

<400> 217

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Tyr Met Asn Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met

35 40 45
 Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn His Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp Tyr Trp Gly
 100 105 110
 Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
 115 120 125
 Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
 130 135 140
 Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
 180 185 190
 Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His
 195 200 205
 Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys Cys Cys
 210 215 220
 Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val
 225 230 235 240
 Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
 245 250 255
 Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
 260 265 270
 Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
 275 280 285
 Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser
 290 295 300
 Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
 305 310 315 320
 Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
 340 345 350
 Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
 355 360 365
 Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
 370 375 380
 Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser
 385 390 395 400
 Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
 405 410 415
 Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
 420 425 430
 His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
 435 440 445

<210> 218

<211> 1341

<212> DNA

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 218

gaggtgcagc tgggtgcagag cggcgccgag gtcaagaaac ctggagcaag cgtaaagggt 60
 agttgcaaag catctggata cacatttacc gactactaca tgaattgggt acgacaagcc 120
 cctggacaaa gacttgaatg gatgggagac attaaccctt ataacgacga cactacatac 180
 aatcataaat ttaaaggaag agttacaatt acaagagata catccgcac aaccgcctat 240
 atggaacttt cctcattgag atctgaagac actgctgttt attactgtgc aagagaaact 300
 gccgttatta ctactaacgc tatggattac tggggccaag gaaccactgt taccgtctct 360


```

agtgcctcca ccaagggccc atcgggtcttc cccctggcgc cctgctccag gagcacctcc 420
gagagcacag cgccctggg ctgcctgggtc aaggactact tccccgaacc ggtgacgggtg 480
tcgtggaact caggcgctct gaccagcggc gtgcacacct tcccagctgt cctacagtcc 540
tcaggactct actccctcag cagcggtgtg accgtgccct ccagcaactt cggcaccacag 600
acctacacct gcaacgtaga tcacaagccc agcaacacca aggtggacaa gacagttgag 660
cgcaaatgtt gtgtcgagt cccaccgtgc ccagcaccac ctgtggcagg accgtcagtc 720
ttcctcttcc ccccaaaacc caaggacacc ctcatgatct cccggacccc tgaggtcacg 780
tgcgtgggtg tgacgtgag ccacgaagac cccgaggtcc agttcaactg gtacgtggac 840
ggcgtggagg tgcataatgc caagacaaag ccacgggagg agcagttcaa cagcagttc 900
cgtgtgggtc gcgtctcac cgttgtgcac caggactggc tgaacggcaa ggagtacaag 960
tgcaaggctc ccaacaaagg cctcccagcc cccatcgaga aaaccatctc caaaaccaaaa 1020
gggcagcccc gagaaccaca ggtgtacacc ctgcccccat cccgggagga gatgaccaag 1080
aaccaggtca gcctgacctg cctgggtcaaa ggcttctacc ccagcgacat cgccgtggag 1140
tgaggagaca atgggcagcc ggagaacaac tacaagacca caccctccat gctggactcc 1200
gacggctcct tcttctcta cagcaagctc accgtggaca agagcagggt gcagcagggg 1260
aacgtcttct catgctccgt gatgcatgag gctctgcaca accactacac gcagaagagc 1320
ctctccctgt ctccgggtaa a 1341

```

<210> 219

<211> 466

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 219

```

Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val Ala Ala Ala Thr Gly
1      5      10      15
Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
20      25      30      35
Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe
35      40      45
Thr Asp Tyr Tyr Met Asn Trp Val Arg Gln Ala Pro Gly Gln Arg Leu
50      55      60
Glu Trp Met Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn
65      70      75      80
His Lys Phe Lys Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser
85      90      95
Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val
100      105      110
Tyr Tyr Cys Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp
115      120      125
Tyr Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys
130      135      140
Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
145      150      155      160
Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
165      170      175
Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
180      185      190
Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
195      200      205
Val Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn
210      215      220
Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg
225      230      235      240
Lys Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly
245      250      255
Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
260      265      270
Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
275      280      285
Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
290      295      300
Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
305      310      315      320
Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys

```

325 330 335
 Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu
 340 345 350
 Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
 355 360 365
 Thr Leu Pro Pro Ser Arg Glu Met Thr Lys Asn Gln Val Ser Leu
 370 375 380
 Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
 385 390 395 400
 Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met
 405 410 415
 Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
 420 425 430
 Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
 435 440 445 450
 Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
 455 460
 Gly Lys
 465

<210> 220
 <211> 1398
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Humanized antibody sequence

<400> 220
 atggactgga cctggaggat cctcttcttg gtggcagcag ccacaggagc ccactccgag 60
 gtgcagctgg tgcagagcgg cgccgaggtc aagaaacctg gagcaagcgt aaagggttagt 120
 tgcaaagcat ctggatacac atttaccgac tactacatga attgggtacg acaagcccct 180
 ggcaaaagac ttgaatggat gggagacatt aacccttata acgacgacac tacatacaat 240
 cataaatita aaggaagagt tacaattaca agagatacat ccgcatcaac cgcctatatg 300
 gaactttcct cattgagatc tgaagacact gctgtttatt actgtgcaag agaaactgcc 360
 gttattacta ctaacgctat ggattactgg ggtcaaggaa ccactgttac cgtctctagt 420
 gcctccacca agggcccatc ggtcttcccc ctggcgccct gctccaggag cacctccgag 480
 agcacagcgg ccctgggctg cctggtcaag gactacttcc ccgaaccggg gacggtgtcg 540
 tggaaactcag gcgctctgac cagcggcgctg cacaccttcc cagctgtcct acagtccctca 600
 ggactctact ccctcagcag cgtggtgacc gtgccctcca gcaacttcgg caccagacc 660
 tacacctgca acgtagatca caagcccagc aacaccaagg tggacaagac agttgagcgc 720
 aaatgttggtg tcgagtggcc accgtgcccc gcaccacctg tggcaggacc gtcagtcttc 780
 ctcttcccc caaaacccaa ggacaccctc atgatctccc ggacccctga ggtcacgtgc 840
 gtggtggtgg acgtgagcca cgaagacccc gaggtccagt tcaactggta cgtggacggc 900
 gtggagggtgc ataattgcaa gacaaagcca cgggaggagc agttcaacag cacgttccgt 960
 gtggtcagcg tcctcaccgt tgtgcaccag gactggctga acggcaagga gtacaagtgc 1020
 aaggtctcca acaaaggcct ccagccccc atcgagaaaa ccattctcaa aaccaaaggg 1080
 cagccccgag aaccacaggt gtacaccctg ccccatccc gggaggagat gaccaagaac 1140
 caggtcagcc tgacctgcct ggtcaaaggc ttctacccca gcgacatcgc cgtggagtgg 1200
 gagagcaatg ggagccgga gaacaactac aagaccacac ctcccatgct ggactccgac 1260
 ggctccttct tcctctacag caagctcacc gtggacaaga gcaggtggca gcaggggaac 1320
 gtcttctcat gctccgtgat gcatgaggct ctgcacaacc actacacgca gaagagcctc 1380
 tccctgtctc cgggtaaa 1398

<210> 221
 <211> 215
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Humanized antibody sequence

<400> 221
 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Ser Val Ser Ser Thr Ile Ser Ser Asn
 20 25 30

His Leu His Trp Phe Gln Gln Lys Pro Gly Lys Ala Pro Lys Ser Leu
 Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser
 Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln
 Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Tyr Pro
 Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala
 Ala Pro Ser Val Phe Ile Phe Pro Ser Asp Glu Gln Leu Lys Ser
 Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu
 Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser
 Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu
 Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val
 Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys
 Ser Phe Asn Arg Gly Glu Cys
 210 215

<210> 222

<211> 645

<212> DNA

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 222

gacatccaga tgaccagtc tccatcctcc ctctcagcat ccgtaggcga tagagttaca 60
 ataacatgca gcgtatcatc aactatatca tcaaatacatc ttcattgggt ccaacagaaa 120
 cccggcaaaag cacctaaatc acttatatac ggcacatcaa atctcgcatc aggcgttcct 180
 tcaagatttt caggctctgg ctccaggcacc gactttactc ttacaatata cttccctcaa 240
 ccgaagact tcgcaacctt ttactgtcaa caatggctcct catatccact cacatttggc 300
 ggcggcacaa aagtagaaat taaacgtacg gtggctgcac catctgtctt catcttcccg 360
 ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 420
 tatcccagag aggcctaaagt acagtggag gtggataacg ccctccaatc gggtaactcc 480
 caggagagtgc tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 540
 acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 600
 ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt 645

<210> 223

<211> 237

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 223

Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Trp
 1 5 10 15
 Leu Arg Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Ser Val Ser
 35 40 45
 Ser Thr Ile Ser Ser Asn His Leu His Trp Phe Gln Gln Lys Pro Gly
 50 55 60
 Lys Ala Pro Lys Ser Leu Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu
 85 90 95

Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Trp Ser Ser Tyr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu
 115 120 125
 5 Ile Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
 130 135 140
 Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn
 145 150 155 160
 Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala
 165 170 175
 10 Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys
 180 185 190
 Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp
 195 200 205
 Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu
 210 215 220
 15 Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 225 230 235

<210> 224

<211> 711

<212> DNA

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 224

atggacatga ggggtccccgc tcagctcctg gggctcctgc tactctggct ccgaggtgcc 60
 agatgtgaca tccagatgac ccagtcctca tcctccctct cagcatccgt aggcgataga 120
 gttacaataa catgcagcgt atcatcaact atatcatcaa atcatcttca ttggttccaa 180
 cagaaacccg gcaaagcacc taaatcactt atatacggca catcaaactc cgcacaggc 240
 gttccttcaa gattttcagg ctctggctca ggcaccgact ttactcttac aatattctcc 300
 ctccaacccg aagacttcgc aacctattac tgtcaacaat ggtcctcata tccactcaca 360
 30 tttggcggcg gcacaaaagt agaaattaaa cgtacgggtg ctgcaccatc tgtcttcac 420
 ttcccgcgat ctgatgagca gttgaaatct ggaactgcct ctgttgtgtg cctgctgaat 480
 aacttctatc ccagagaggc caaagtacag tggaagggtg ataacgccct ccaatcgggt 540
 aactcccagg agagtgtcac agagcaggac agcaaggaca gcacctacag cctcagcagc 600
 accctgacgc tgagcaaagc agactacgag aaacacaaag tctacgcctg cgaagtcacc 660
 catcagggcc tgagctcgcc cgtcacaaag agcttcaaca ggggagagtg t 711

<210> 225

<211> 451

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 225

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Asp Phe Asn Ile Lys Asp Phe
 20 25 30
 45 Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp Pro Lys Phe
 50 55 60
 Gln Asp Lys Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 50 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr Trp Tyr Phe
 100 105 110
 Asp Val Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
 115 120 125
 55 Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser

130 135 140
 Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
 145 150 155 160
 Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
 165 170 175
 Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
 180 185 190
 Val Val Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys
 195 200 205
 Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu
 210 215 220
 Arg Lys Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala
 225 230 235 240
 Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
 245 250 255
 Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
 260 265 270
 Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
 275 280 285
 His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe
 290 295 300
 Arg Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly
 305 310 315 320
 Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile
 325 330 335
 Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val
 340 345 350
 Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
 355 360 365
 Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
 370 375 380
 Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
 385 390 395 400
 Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
 405 410 415
 Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
 420 425 430 440 445
 His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
 435 445
 Pro Gly Lys
 450

<210> 226
 <211> 1353
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 226
 gaggtgcagc tggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggctc 60
 tcctgcaagg cttctgactt caacattaaa gacttctatc tacactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gattggaagg attgatcctg agaatggtga tactttatat 180
 gacccgaagt tccaggacaa ggtcaccatg accacagaca cgtccaccag cacagcctac 240
 atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagagaggcg 300
 gattatttcc acgatggtag ctccctactgg tacttcgatg tctggggccg tggcaccctg 360
 gtcaccgtct ctagtgcctc caccaagggc ccatcggtct tccccctggc gccctgctcc 420
 aggagcacct ccgagagcac agcggccctg ggctgcctgg tcaaggacta cttccccgaa 480
 ccggtgacgg tgtcgtggaa ctacaggcgt ctgaccagcg gcgtgcacac cttcccagct 540
 gtcctacagt cctcaggact ctactccctc agcagcgtgg tgaccgtgcc ctccagcaac 600
 ttcggcaccc agacctacac ctgcaacgta gatcacagc ccagcaacac caaggtggac 660
 aagacagttg agcgcaaatg ttgtgtcgag tgccaccgt gccagcacc acctgtggca 720
 ggaccgtcag tcttcctctt ccccccaaaa cccaaggaca cctcatgat ctcccgacc 780
 cctgaggtca cgtgcgtggt ggtggacgtg agccacgaag accccgaggt ccagttcaac 840
 tggtagctgg acggcgtgga ggtgcataat gcccaagaca agccacggga ggagcagttc 900
 aacagcacgt tccgtgtggt cagcgtcctc accgttgtgc accaggactg gctgaacggc 960

```

aaggagtaca agtgcaaggt ctccaacaaa ggcctccag ccccatcga gaaaaccatc 1020
tccaaaacca aagggcagcc ccgagaacca caggtgtaca ccctgcccc atccccgggag 1080
gagatgacca agaaccaggt cagcctgacc tgcctgggtca aaggcttcta ccccgagcag 1140
atcgccgtgg agtgggagag caatgggcag ccggagaaca actacaagac cacacctccc 1200
atgctggact ccgacggctc cttcttcctc tacagcaagc tcaccgtgga caagagcagg 1260
tggcagcagg ggaacgtctt ctcatgctcc gtgatgcatg aggctctgca caaccactac 1320
acgcagaaga gcctctccct gtctccgggt aaa 1353

```

<210> 227

<211> 470

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 227

```

Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val Ala Ala Ala Thr Gly
1      5      10      15
Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
20      25      30
Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Asp Phe Asn Ile
35      40      45
Lys Asp Phe Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
50      55      60
Glu Trp Ile Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp
65      70      75      80
Pro Lys Phe Gln Asp Lys Val Thr Met Thr Thr Asp Thr Ser Thr Ser
85      90      95
Thr Ala Tyr Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val
100      105      110
Tyr Tyr Cys Ala Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr
115      120      125
Trp Tyr Phe Asp Val Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ser
130      135      140
Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
145      150      155      160
Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
165      170      175
Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
180      185      190
Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
195      200      205
Leu Ser Ser Val Val Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr
210      215      220
Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
225      230      235      240
Thr Val Glu Arg Lys Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro
245      250      255
Pro Val Ala Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp
260      265      270
Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp
275      280      285
Val Ser His Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly
290      295      300
Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn
305      310      315      320
Ser Thr Phe Arg Val Val Ser Val Leu Thr Val Val His Gln Asp Trp
325      330      335
Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro
340      345      350
Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu
355      360      365
Pro Gln Val Tyr Thr Leu Pro Ser Arg Glu Glu Met Thr Lys Asn
370      375      380
Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile
385      390      395      400
Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr

```

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

Thr Pro Pro Met 405 Leu Asp Ser Asp Gly 410 Ser Phe Phe Leu Tyr 415 Ser Lys
 420 425 430
 Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys
 435 440 445
 Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu
 450 455 460
 Ser Leu Ser Pro Gly Lys 470
 465 470

<210> 228
 <211> 1410
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 228
 atggactgga cctggaggat cctcttcttg gtggcagcag ccacaggagc ccactccgag 60
 gtgcagctgg tgcagtctgg ggctgagggtg aagaagcctg gggcctcagt gaaggctctcc 120
 tgcaaggctt ctgacttcaa cattaagac ttctatctac actgggtgag acaggcccct 180
 ggacaagggc ttgagtggat tggaggatt gatcctgaga atggtgatac tttatatgac 240
 ccgaagtccc aggacaaggt caccatgacc acagacacgt ccaccagcac agcctacatg 300
 gagctgagga gcctgagatc tgacgacacg gccgtgtatt actgtgagag agaggcggat 360
 tatttccacg atggtacctc ctactggtag ttcgatgtct ggggcccgtg caccctgggtc 420
 accgtctcta gtgcctccac caagggccca tcggctctcc ccctggcgcc ctgctccagg 480
 agcacctccg agagcacagc ggccctggggc tgcctgggtca aggactactt ccccggaaccg 540
 gtgacgggtg cgtggaactc aggcgtctctg accagcggtg tgcacacctt cccagctgtc 600
 ctacagtcct caggactcta ctccctcagc agcgtggtga ccgtgccctc cagcaacttc 660
 ggcacccaga cctacacctg caacgtagat cacaagccca gcaacaccaa ggtggacaag 720
 acagttgagc gcaaatgttg tgtcgagtgc ccaccgtgcc cagcaccacc tgtggcagga 780
 ccgtcagctc tcctcttccc cccaaaaccc aaggacaccc tcatgatctc ccggaccctc 840
 gaggtcacgt gcgtgggtgt ggacgtgagc cacgaagacc ccgaggtcca gttcaactgg 900
 tacgtggacg gcgtggaggt gcataatgcc aagacaaagc cacgggagga gcagttcaac 960
 agcacgttcc gtgtggtcag cgtcctcacc gttgtgcacc aggactggct gaacggcaag 1020
 gagtacaagt gcaaggctct caacaaaggc ctcccagccc ccatcgagaa aaccatctcc 1080
 aaaaccaaaag ggcagccccg agaaccacag gtgtacaccc tgccccatc ccgggaggag 1140
 atgaccaaga accaggtcag cctgacctgc ctgggtcaaag gcttctaccc cagcgacatc 1200
 gccgtggagt gggagagcaa tgggcagccg gagaacaact acaagaccac acctcccatg 1260
 ctggactccg acggctcctt ctccctctac agcaagctca ccgtggacaa gagcaggtgg 1320
 cagcagggga acgtcttctc atgctccgtg atgcatgagg ctctgcacaa ccactacacg 1380
 cagaagagcc tcctccctgtc tccgggtaaa 1410

<210> 229
 <211> 213
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 229
 Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Ser Ser Ile Ser Tyr Ile
 20 25 30
 His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr
 35 40 45
 Ala Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser
 50 55 60
 Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Leu Gln Pro Glu
 65 70 75 80
 Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Asp Pro Leu Thr
 85 90 95
 Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro
 100 105 110

Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr
 115 120 125
 Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys
 130 135 140
 Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu
 145 150 155 160
 Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser
 165 170 175
 Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala
 180 185 190
 Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe
 195 200 205
 Asn Arg Gly Glu Cys
 210

<210> 230
 <211> 639
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 230
 gacatccagt tgacccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60
 atcacttgca gggccagctc aagtataagt tacatacact ggtatcagca aaaaccaggg 120
 aaagccccta agtccttgat ctatgccaca tccaacctgg cttctggggg cccatcaagg 180
 ttcagcggca gtggatctgg gacagaattc actctcacia tcagcagcct gcagcctgaa 240
 gattttgcaa cttattactg tcagcagtgg agtagtgacc cactcacgtt cggcggaggg 300
 accaaggtgg agatcaaacg tacggtggct gcaccatctg tcttcattct cccgccatct 360
 gatgagcagt tgaatctctg aactgcctct gttgtgtgcc tgctgaataa cttctatccc 420
 agagaggcca aagtacagtg gaaggtggat aacgccctcc aatcgggtaa ctcccaggag 480
 agtgtcacag agcaggacag caaggacagc acctacagcc tcagcagcac cctgacgctg 540
 agcaaagcag actacgagaa acacaaagtc tacgcctgcg aagtcaccca tcagggcctg 600
 agctcgcccc tcacaaagag cttcaacagg ggagagtgt 639

<210> 231
 <211> 235
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 231
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Pro Gly Ala Arg Cys Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
 35 40 45
 Ser Ser Ile Ser Tyr Ile His Trp Tyr Gln Gln Lys Pro Gly Lys Ala
 50 55 60
 Pro Lys Leu Leu Ile Tyr Ala Thr Ser Asn Leu Ala Ser Gly Val Pro
 65 70 75 80
 Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile
 85 90 95
 Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp
 100 105 110
 Ser Ser Asp Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 115 120 125
 Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
 130 135 140
 Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
 145 150 155 160
 Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
 165 170 175

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
 180 185 190
 Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
 195 200 205
 Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
 210 215 220
 Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 225 230 235

<210> 232
 <211> 705
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 232
 atggacatga ggggtccccgc tcagctcctg gggctcctgc tgctctggct cccaggtgcc 60
 agatgtgaca tccagttgac ccagctcca tccttcctgt ctgcatctgt aggagacaga 120
 gtcaccatca cttgcagggc cagctcaagt ataagttaca taactgggta tcagcaaaaa 180
 ccagggaag cccctaagct ccgatctat gccacatcca acctggcttc tggggtccca 240
 tcaaggttca gcggcagtg atctgggaca gaattcactc tcacaatcag cagcctgcag 300
 cctgaagatt ttgcaactta ttactgtcag cagtggagta gtgaccact caggttcggc 360
 ggagggacca aggtggagat caaacgtacg gtggctgcac catctgtctt catcttcccg 420
 ccatctgatg agcagttgaa atctggaact gcctctgttg tgtgcctgct gaataacttc 480
 tatcccagag aggccaaaagt acagtggaag gtggataacg ccctccaatc gggtaactcc 540
 caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 600
 acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 660
 ggcctgagct cgcccgtcac aaagagcttc aacaggggag agtgt 705

<210> 233
 <211> 447
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 233
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asp Ile Lys Asp Tyr
 20 25 30
 Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala Pro Lys Phe
 50 55 60
 Pro Gly Lys Val Thr Met Thr Thr Asp Thr Ser Ile Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro Tyr Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
 115 120 125
 Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
 130 135 140
 Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
 180 185 190
 Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His
 195 200 205
 Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys Cys Cys

210 215 220
 Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val
 225 230 235 240
 Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
 245 250 255
 Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
 260 265 270
 Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
 275 280 285
 Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser
 290 295 300
 Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
 305 310 315 320
 Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
 340 345 350
 Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
 355 360 365
 Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
 370 375 380
 Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser
 385 390 395 400
 Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
 405 410 415
 Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
 420 425 430
 His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
 435 440 445

<210> 234
 <211> 1341
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 234
 gaggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtc 60
 tcctgcaagg ctcttgatt cgacattaag gactactata tacactgggt gcgacaggcc 120
 cctggacaag ggcttgagt gatcggaagg gttgatcctg acaatgggtg gactgaattt 180
 gccccgaagt tcccgggcaa ggtcaccatg accacagaca cgtccatcag cacagcctac 240
 atggagctga gcaggctgag atctgacgac acggccgtgt attactgtgc gagagaagac 300
 tacgatggta cctacacctg gtttccttat tggggccaag ggactctggt caccgtctct 360
 agtgcctcca ccaagggccc atcgggtcttc cccctggcgc cctgctccag gagcacctcc 420
 gagagcacag cgggcctggg ctgcctggtc aaggactact tccccgaacc ggtgacggtg 480
 tcgtggaact caggcgctct gaccagcggc gtgcacacct tcccagctgt cctacagtcc 540
 tcaggactct actccctcag cagcgtgggt accgtgccct ccagcaactt cggcaccag 600
 acctacacct gcaacgtaga tcacaagccc agcaacacca aggtggacaa gacagttgag 660
 cgcaaatggt gtgtcgagt cccaccgtgc ccagaccac ctgtggcagg accgtcagtc 720
 ttctcttcc ccccaaaacc caaggacacc ctcatgatct cccggacccc tgaggtcacg 780
 tgcgtggtgg tggacgtgag ccacgaagac cccgagggtc agttcaactg gtacgtggac 840
 ggcgtggagg tgcataatgc caagacaaag ccacgggagg agcagttcaa cagcagttc 900
 cggtgtgtca gcgtcctcac cgttgtgcac caggactggc tgaacggcaa ggagtacaag 960
 tgcaaggctc ccaacaaagg cctcccagcc cccatcgaga aaaccatctc caaaaccaa 1020
 gggcagcccc gagaaccaca ggtgtacacc ctgcccccat cccgggagga gatgaccaag 1080
 aaccagggtca gcctgacctg cctgggtcaaa ggcttctacc ccagcgacat cgccgtggag 1140
 tgggagagca atgggcagcc ggagaacaac tacaagacca cacctcccat gctggactcc 1200
 gacggctcct tcttctccta cagcaagctc accgtggaca agagcaggtg gcagcagggg 1260
 aacgtcttct catgtctcgt gatgcatgag gctctgcaca accactacac gcagaagagc 1320
 ctctccctgt ctccgggtaa a 1341

<210> 235
 <211> 466
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 235

```

Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val Ala Ala Ala Thr Gly
1      5      10      15
Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
20
Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asp Ile
35
Lys Asp Tyr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
50
Glu Trp Ile Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala
65
Pro Lys Phe Pro Gly Lys Val Thr Met Thr Thr Asp Thr Ser Ile Ser
85
Thr Ala Tyr Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val
100
Tyr Tyr Cys Ala Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro
115
Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys
130
Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu
145
Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro
165
Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr
180
Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val
195
Val Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn
210
Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg
225
Lys Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly
245
Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
260
Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
275
Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
290
Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg
305
Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys
325
Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu
340
Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr
355
Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu
370
Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
385
Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met
405
Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp
420
Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
435
Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
450
Gly Lys
465

```

<210> 236

<211> 1398
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 236
 atggactgga cctggaggat cctcttcttg gtggcagcag ccacaggagc ccactccgag 60
 gtgcagctgg tgcagtctgg ggctgagggt aagaagcctg gggcctcagt gaaggctctc 120
 tgcaaggctt ctggattcga cattaaggac tactatatac actgggtgcg acaggcccct 180
 ggacaagggc ttgagtggat cgggaagggt gatcctgaca atggtgagac tgaatttgcc 240
 ccgaagttcc cgggcaagggt caccatgacc acagacacgt ccatcagcac agcctacatg 300
 gagctgagca ggctgagatc tgacgacacg gccgtgtatt actgtgagag agaagactac 360
 gatggtagct acacctgggt tccttattgg ggccaaggga ctctggtcac cgtctctagt 420
 gcctccacca agggcccacg ggtcttcccc ctggcgccct gctccaggag cacctccgag 480
 agcacagcgg ccctgggctg cctgggtcaag gactacttcc ccgaaccggt gacggtgtcg 540
 tggaactcag gcgctctgac cagcggcggt cacaccttcc cagctgtcct acagtcctca 600
 ggactctact ccctcagcag cgtggtgacc gtgccctcca gcaacttcgg caccagacc 660
 tacacctgca acgtagatca caagcccagc aacaccaagg tggacaagac agttgagcgc 720
 aaatgtttgt tcgagtggcc accgtgcccc gcaccacctg tggcaggacc gtcagtcttc 780
 ctcttcccc caaaacccaa ggacaccctc atgatctccc ggaccctga ggtcacgtgc 840
 gtgggtgggt acgtgagcca cgaagacccc gaggtccagt tcaactggta cgtggacggc 900
 gtggagggtg ataatgccaa gacaaagcca cgggaggagc agttcaacag cacgttccgt 960
 gtggtcagcg tcctcaccgt tgtgaccag gactggctga acggcaagga gtacaagtgc 1020
 aagggtctca acaaaggcct ccagcccccc atcgagaaaa ccatctccaa aaccaaaggg 1080
 cagccccgag aaccacagggt gtacaccctg ccccatccc gggaggagat gaccaagaac 1140
 caggtcagcc tgacctgcct ggtaaaaggc ttctacccca gcgacatcgc cgtggagtgg 1200
 gagagcaatg ggcagccgga gaacaactac aagaccacac ctcccatgct ggactccgac 1260
 ggctccttct tcctctacag caagctcacc gtggacaaga gcagggtggc gcaggggaac 1320
 gtcttctcat gtcctgtgat gcatgaggct ctgcacaacc actacacgca gaagagcctc 1380
 tccctgtctc cgggtaaa 1398

<210> 237
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 237
 Gly Thr Ser Asn Leu Ala Ser
 1 5

<210> 238
 <211> 8
 <212> PRT
 <213> Mus musculus

<400> 238
 Gln Gln Trp Thr Thr Thr Tyr Thr
 1 5

<210> 239
 <211> 11
 <212> PRT
 <213> Mus musculus

<400> 239
 Arg Ala Ser Gln Asp Ile Ser Ser Tyr Leu Asn
 1 5 10

<210> 240
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 240
Ser Thr Ser Arg Leu Asn Ser
1 5

5

<210> 241
<211> 8
<212> PRT
<213> Mus musculus

10

<400> 241
Gln Gln Asp Ile Lys His Pro Thr
1 5

15

<210> 242
<211> 11
<212> PRT
<213> Mus musculus

20

<400> 242
Lys Ala Ser Gln Asp Val Phe Thr Ala Val Ala
1 5 10

25

<210> 243
<211> 7
<212> PRT
<213> Mus musculus

<400> 243
Trp Ala Ser Thr Arg His Thr
1 5

30

<210> 244
<211> 9
<212> PRT
<213> Mus musculus

35

<400> 244
Gln Gln Tyr Ser Ser Tyr Pro Leu Thr
1 5

40

<210> 245
<211> 5
<212> PRT
<213> Mus musculus

<400> 245
Asp Tyr Asn Met His
1 5

45

<210> 246
<211> 17
<212> PRT
<213> Mus musculus

50

<400> 246
Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe Lys
1 5 10 15
Gly

55

<210> 247

<211> 14
 <212> PRT
 <213> Mus musculus

5 <400> 247
 Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 1 5 10

10 <210> 248
 <211> 5
 <212> PRT
 <213> Mus musculus

15 <400> 248
 Asp Tyr Asn Met His
 1 5

20 <210> 249
 <211> 17
 <212> PRT
 <213> Mus musculus

25 <400> 249
 Glu Ile Asn Pro Asn Ser Gly Gly Ser Gly Tyr Asn Gln Lys Phe Lys
 1 5 10 15
 Gly

30 <210> 250
 <211> 14
 <212> PRT
 <213> Mus musculus

<400> 250
 Leu Val Tyr Asp Gly Ser Tyr Glu Asp Trp Tyr Phe Asp Val
 1 5 10

35 <210> 251
 <211> 5
 <212> PRT
 <213> Mus musculus

40 <400> 251
 Asp Tyr Asn Met His
 1 5

45 <210> 252
 <211> 17
 <212> PRT
 <213> Mus musculus

50 <400> 252
 Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Gln Phe Lys
 1 5 10 15
 Gly

55 <210> 253
 <211> 14
 <212> PRT
 <213> Mus musculus

<400> 253

Leu Gly Tyr Val Gly Asn Tyr Glu Asp Trp Tyr Phe Asp Val
1 5 10

5

<210> 254

<211> 5

<212> PRT

<213> Mus musculus

10

<400> 254

Asp Tyr Asn Met His
1 5

15

<210> 255

<211> 17

<212> PRT

<213> Mus musculus

20

<400> 255

Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe Lys
1 5 10 15
Gly

25

<210> 256

<211> 14

<212> PRT

<213> Mus musculus

30

<400> 256

Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
1 5 10

35

<210> 257

<211> 5

<212> PRT

<213> Mus musculus

<400> 257

Asp Tyr Asn Met His
1 5

40

<210> 258

<211> 17

<212> PRT

<213> Mus musculus

45

<400> 258

Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe Lys
1 5 10 15
Gly

50

<210> 259

<211> 14

<212> PRT

<213> Mus musculus

55

<400> 259

Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
1 5 10

5
 <210> 260
 <211> 5
 <212> PRT
 <213> Mus musculus
 <400> 260
 Asp Tyr Asn Met His
 1 5

10
 <210> 261
 <211> 17
 <212> PRT
 <213> Mus musculus
 <400> 261
 15 Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe Lys
 1 5 10 15
 Gly

20
 <210> 262
 <211> 14
 <212> PRT
 <213> Mus musculus
 <400> 262
 25 Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 1 5 10

30
 <210> 263
 <211> 5
 <212> PRT
 <213> Mus musculus
 <400> 263
 Asp Tyr Asn Met His
 1 5

35
 <210> 264
 <211> 17
 <212> PRT
 <213> Mus musculus
 40 <400> 264
 Glu Ile Asn Pro Asn Ser Gly Gly Ser Gly Tyr Asn Gln Lys Phe Lys
 1 5 10 15
 Gly

45
 <210> 265
 <211> 14
 <212> PRT
 <213> Mus musculus
 50 <400> 265
 Leu Gly Tyr Tyr Gly Asn Tyr Glu Asp Trp Tyr Phe Asp Val
 1 5 10

55
 <210> 266
 <211> 5
 <212> PRT

<213> Mus musculus

<400> 266

Asp Tyr Tyr Ile His
1 5

<210> 267

<211> 17

<212> PRT

<213> Mus musculus

<400> 267

Arg Ile Asp Pro Asp Asn Gly Glu Ser Thr Tyr Val Pro Lys Phe Gln
1 5 10 15
Gly

<210> 268

<211> 13

<212> PRT

<213> Mus musculus

<400> 268

Glu Gly Leu Asp Tyr Gly Asp Tyr Tyr Ala Val Asp Tyr
1 5 10

<210> 269

<211> 5

<212> PRT

<213> Mus musculus

<400> 269

Asp Tyr Ile Met His
1 5

<210> 270

<211> 17

<212> PRT

<213> Mus musculus

<400> 270

Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe Lys
1 5 10 15
Gly

<210> 271

<211> 11

<212> PRT

<213> Mus musculus

<400> 271

Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr
1 5 10

<210> 272

<211> 5

<212> PRT

<213> Mus musculus

<400> 272

Asp Tyr Tyr Met His

1 5

<210> 273
 <211> 17
 <212> PRT
 <213> Mus musculus

<400> 273
 Arg Ile Asp Pro Glu Asn Gly Asp Ile Ile Tyr Asp Pro Lys Phe Gln
 1 5 10 15
 Gly

<210> 274
 <211> 10
 <212> PRT
 <213> Mus musculus

<400> 274
 Asp Ala Gly Asp Pro Ala Trp Phe Thr Tyr
 1 5 10

<210> 275
 <211> 10
 <212> PRT
 <213> Mus musculus

<400> 275
 Arg Ala Ser Ser Ser Val Tyr Tyr Met His
 1 5 10

<210> 276
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 276
 Ala Thr Ser Asn Leu Ala Ser
 1 5

<210> 277
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 277
 Gln Gln Trp Ser Ser Asp Pro Leu Thr
 1 5

<210> 278
 <211> 12
 <212> PRT
 <213> Mus musculus

<400> 278
 Ser Val Ser Ser Thr Ile Ser Ser Asn His Leu His
 1 5 10

<210> 279
 <211> 7
 <212> PRT

<213> Mus musculus

<400> 279

Gly Thr Ser Asn Leu Ala Ser
1 5

<210> 280

<211> 9

<212> PRT

<213> Mus musculus

<400> 280

Gln Gln Trp Ser Ser Tyr Pro Leu Thr
1 5

<210> 281

<211> 10

<212> PRT

<213> Mus musculus

<400> 281

Arg Ala Ser Ser Ser Ile Ser Tyr Ile His
1 5 10

<210> 282

<211> 7

<212> PRT

<213> Mus musculus

<400> 282

Ala Thr Ser Asn Leu Ala Ser
1 5

<210> 283

<211> 9

<212> PRT

<213> Mus musculus

<400> 283

Gln Gln Trp Ser Ser Asp Pro Leu Thr
1 5

<210> 284

<211> 12

<212> PRT

<213> Mus musculus

<400> 284

Arg Ala Ser Ser Ser Val Thr Ser Ser Tyr Leu Asn
1 5 10

<210> 285

<211> 7

<212> PRT

<213> Mus musculus

<400> 285

Ser Thr Ser Asn Leu Ala Ser
1 5

<210> 286

<211> 9
 <212> PRT
 <213> Mus musculus

5 <400> 286
 Gln Gln Tyr Asp Phe Phe Pro Ser Thr
 1 5

10 <210> 287
 <211> 5
 <212> PRT
 <213> Mus musculus

15 <400> 287
 Asp Tyr Phe Ile His
 1 5

20 <210> 288
 <211> 17
 <212> PRT
 <213> Mus musculus

25 <400> 288
 Arg Leu Asp Pro Glu Asp Gly Glu Ser Asp Tyr Ala Pro Lys Phe Gln
 1 5 10 15
 Asp

30 <210> 289
 <211> 12
 <212> PRT
 <213> Mus musculus

<400> 289
 Glu Asp Tyr Asp Gly Thr Tyr Thr Phe Phe Pro Tyr
 1 5 10

35 <210> 290
 <211> 5
 <212> PRT
 <213> Mus musculus

40 <400> 290
 Asp Phe Tyr Leu His
 1 5

45 <210> 291
 <211> 17
 <212> PRT
 <213> Mus musculus

50 <400> 291
 Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp Pro Lys Phe Gln
 1 5 10 15
 Asp

55 <210> 292
 <211> 16
 <212> PRT
 <213> Mus musculus

<400> 292

Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr Trp Tyr Phe Asp Val
 1 5 10 15

5

<210> 293

<211> 5

<212> PRT

<213> Mus musculus

10

<400> 293

Asp Tyr Tyr Ile His
 1 5

15

<210> 294

<211> 17

<212> PRT

<213> Mus musculus

20

<400> 294

Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala Pro Lys Phe Pro
 1 5 10 15
 Gly

25

<210> 295

<211> 12

<212> PRT

<213> Mus musculus

30

<400> 295

Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro Tyr
 1 5 10

35

<210> 296

<211> 5

<212> PRT

<213> Mus musculus

<400> 296

Asp Tyr Tyr Met Asn
 1 5

40

<210> 297

<211> 17

<212> PRT

<213> Mus musculus

45

<400> 297

Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn His Lys Phe Lys
 1 5 10 15
 Gly

50

<210> 298

<211> 11

<212> PRT

<213> Mus musculus

55

<400> 298

Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp
 1 5 10

<210> 299
 <211> 130
 <212> PRT
 <213> Mus musculus

<400> 299
 Met Asp Phe Gln Val Gln Ile Phe Ser Phe Met Leu Ile Ser Val Thr
 1 5 10 15
 Val Ile Leu Ser Gly Glu Ile Val Leu Thr Gln Ser Pro Ala Leu
 20 25 30
 Met Ala Ala Ser Pro Gly Glu Lys Val Thr Ile Thr Cys Ser Val Ser
 35 40 45
 Ser Ser Ile Ser Ser Ser Asn Leu His Trp Ser Gln Gln Lys Ser Gly
 50 55 60
 Thr Ser Pro Lys Leu Trp Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Val Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Tyr Ser Leu
 85 90 95
 Thr Ile Ser Ser Met Glu Ala Glu Asp Ala Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Trp Thr Thr Tyr Thr Phe Gly Ser Gly Thr Lys Leu Glu Leu
 115 120 125
 Lys Arg
 130

<210> 300
 <211> 390
 <212> DNA
 <213> Mus musculus

<400> 300
 atggattttc aggtgcagat tttcagcttc atgctaataca gtgtcacagt catattgtcc 60
 agtgagagaaa ttgtgctcac ccagctctcca gcactcatgg ctgcatctcc aggggagaag 120
 gtcacatca cctgcagtg cagctcgagt ataagttcca gcaacttaca ctgggtcccag 180
 cagaagtcag gaacctcccc caaactctgg atttatggca catccaacct tgcttctgga 240
 gtccctgttc gcttcagtg cagtggatct gggacctctt attctctcac aatcagcagc 300
 atggaggctg aagatgctgc cacttattac tgtcaacagt ggactactac gtatacgctc 360
 ggatcgggga ccaagctgga gctgaaacgt 390

<210> 301
 <211> 141
 <212> PRT
 <213> Mus musculus

<400> 301
 Met Gly Trp Asn Trp Ile Ile Phe Phe Leu Met Ala Val Val Thr Gly
 1 5 10 15
 Val Asn Ser Glu Val Gln Leu Arg Gln Ser Gly Ala Asp Leu Val Lys
 20 25 30
 Pro Gly Ala Ser Val Lys Leu Ser Cys Thr Ala Ser Gly Phe Asn Ile
 35 40 45
 Lys Asp Tyr Tyr Ile His Trp Val Lys Gln Arg Pro Glu Gln Gly Leu
 50 55 60
 Glu Trp Ile Gly Arg Ile Asp Pro Asp Asn Gly Glu Ser Thr Tyr Val
 65 70 75 80
 Pro Lys Phe Gln Gly Lys Ala Thr Ile Thr Ala Asp Thr Ser Ser Asn
 85 90 95
 Thr Ala Tyr Leu Gln Leu Arg Ser Leu Thr Ser Glu Asp Thr Ala Ile
 100 105 110
 Tyr Tyr Cys Gly Arg Glu Gly Leu Asp Tyr Gly Asp Tyr Ala Val
 115 120 125
 Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser
 130 135 140

<210> 302

<211> 423
 <212> DNA
 <213> Mus musculus

5 <400> 302
 atgggatgga actggatcat cttcttcctg atggcagtgg ttacaggggt caattcagag 60
 gtgcagttgc ggcagtctgg ggcagacctt gtgaagccag ggcctcagt caagttgtcc 120
 tgcacagctt ctggcttcaa cattaagac tactatatac actgggtgaa gcagaggcct 180
 gaacagggcc tggagtggat tggaggatt gatcctgata atggtgaaag tacatatgtc 240
 10 ccgaagttcc agggcaaggc cactataaca gcagacacat catccaacac agcctaccta 300
 caactcagaa gcctgacatc tgaggacact gccatctatt attgtgggag agaggggctc 360
 gactatggtg actactatgc tgtggactac tgggggtcaag gaacctcggc cacagtctcg 420
 agc 423

15 <210> 303
 <211> 130
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

20 <400> 303
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Pro Gly Ala Arg Cys Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Ser Val Ser
 35 40 45
 25 Ser Ser Ile Ser Ser Ser Asn Leu His Trp Tyr Gln Gln Lys Pro Gly
 50 55 60
 Lys Ala Pro Lys Leu Leu Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly
 65 70 75 80
 Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu
 85 90 95
 30 Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln
 100 105 110
 Gln Trp Thr Thr Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile
 115 120 125
 Lys Arg
 130

35 <210> 304
 <211> 390
 <212> DNA
 <213> Artificial Sequence

40 <220>
 <223> Humanized antibody sequence

45 <400> 304
 atggatatgc gcgtgccggc gcagctgctg ggcctgctgc tgctgtggct gccgggcgcg 60
 cgctgcgata ttcagctgac ccagagcccg agctttctga gcgcgagcgt gggcgatcgc 120
 gtgaccatta cctgcagcgt gagcagcagc attagcagca gcaacctgca ttggtatcag 180
 cagaaaccgg gcaaagcgcc gaaactgctg atttatggca ccagcaacct ggcgagcggc 240
 gtgccgagcc gctttagcgg cagcggcagc ggcaccgaat ttaccctgac cattagcagc 300
 ctgcagccgg aagattttgc gacctattat tgccagcagt ggaccaccac ctataccttt 360
 ggccagggca ccaaactgga aattaaacgt 390

50 <210> 305
 <211> 141
 <212> PRT
 <213> Artificial Sequence

55 <220>
 <223> Humanized antibody sequence

<400> 305

Met Asp Trp Thr Trp Ser Ile Leu Phe Leu Val Ala Ala Pro Thr Gly
 1 5 10 15
 Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
 20 25 30
 Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asn Ile
 35 40 45
 Lys Asp Tyr Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
 50 55 60
 Glu Trp Met Gly Arg Ile Asp Pro Asp Asn Gly Glu Ser Thr Tyr Val
 65 70 75 80
 Pro Lys Phe Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser
 85 90 95
 Thr Ala Tyr Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Glu Gly Leu Asp Tyr Gly Asp Tyr Ala Val
 115 120 125
 Asp Tyr Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
 130 135 140

<210> 306

<211> 423

<212> DNA

<213> Artificial sequence

<220>

<223> Humanized antibody sequence

<400> 306

atggattgga cctggagcat tctgtttctg gtggcggcgc cgaccggcgc gcatagcgaa 60
 gtgcagctgg tgcagagcgg cgcggaagtg aaaaaaccgg gcgcgagcgt gaaagtgagc 120
 tgcaagcgga gcggctttaa cattaagat tattatatc attgggtgcg ccaggcgccg 180
 ggccagggcc tggaatggat gggccgcatt gatccggata acggcgaaag cacctatgtg 240
 ccgaaatttc agggccgcgt gaccatgacc accgatacca gcaccagcac cgcgtatatg 300
 gaactgcgca gcctgcgcag cgatgatacc gcggtgtatt attgcgcgcg cgaaggcctg 360
 gattatggcg attattatgc ggtggattat tggggccagg gcaccctggt gaccgtctcg 420
 agc 423

<210> 307

<211> 127

<212> PRT

<213> Mus musculus

<400> 307

Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser
 20 25 30
 Ala Ser Leu Gly Asp Arg Val Asn Ile Ser Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Ser Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val
 50 55 60
 Lys Leu Leu Ile Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser
 65 70 75 80
 Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser
 85 90 95
 Asn Leu Ala Gln Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Asp Ile
 100 105 110
 Lys His Pro Thr Phe Gly Gly Gly Thr Lys Leu Glu Leu Lys Arg
 115 120 125

<210> 308

<211> 381

<212> DNA

<213> Mus musculus

<400> 308
 atgatgtcct ctgctcagtt ccttgggtctc ctgttgctct gttttcaagg taccagatgt 60
 gatatccaga tgacacagac tacatcctcc ctgtctgcct ctctgggaga cagagtcaac 120
 atcagctgca gggcaagtca ggacattagc agttatttaa actgggtatca gcagaaacca 180
 gatggaactg ttaaacctct gatctactcc acatcaagat taaactcagg agtcccatca 240
 aggttcagtg gcagtgggtc tgggacagat tattctctca ctattagcaa cctggcacaa 300
 gaagatattg ccacttactt ttgccaacag gatattaagc atccgacgtt cgggtggaggc 360
 accaagttgg agctgaaacg t 381

<210> 309
 <211> 139
 <212> PRT
 <213> Mus musculus

<400> 309
 Met Glu Trp Ile Trp Ile Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val His Ser Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys
 20 25 30
 Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Phe Thr Phe
 35 40 45
 Thr Asp Tyr Ile Met His Trp Val Lys Gln Lys Pro Gly Gln Gly Leu
 50 55 60
 Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Thr Glu Tyr Asn
 65 70 75 80
 Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Ser
 85 90 95
 Thr Ala Tyr Met Asp Leu Ser Ser Leu Thr Ser Glu Gly Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Ser Ile Tyr Tyr Asp Ala Pro Phe Ala Tyr
 115 120 125
 Trp Gly Gln Gly Thr Leu Val Thr Val ser Ser
 130 135

<210> 310
 <211> 417
 <212> DNA
 <213> Mus musculus

<400> 310
 atggaatgga tctggatatt tctcttcctc ctgtcaggaa ctgcaggtgt ccactctgag 60
 gtccagctgc agcagtctgg acctgagctg gtaaagcctg gggcttcagt gaagatgtcc 120
 tgcaaggctt ctgggttcac attcactgac tacattatgc actgggtgaa gcagaagcct 180
 gggcagggcc ttgagtggat tggatatatt aatccttaca atgatgatac tgaatacaat 240
 gagaagttca aaggcaaggc cacactgact tcagacaaat cctccagcac agcctacatg 300
 gatctcagca gtctgacctc tgaggggtct gcggtctatt actgtgcaag atcgatttat 360
 tactacgatg ccccgtttgc ttactggggc caagggactc tggtcacagt ctcgagc 417

<210> 311
 <211> 127
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 311
 Met Met Ser Ser Ala Gln Phe Leu Gly Leu Leu Leu Leu Cys Phe Gln
 1 5 10 15
 Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
 20 25 30
 Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp
 35 40 45
 Ile Ser Ser Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
 50 55 60
 Lys Leu Leu Ile Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser
 65 70 75 80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
 85 90 95
 Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Ile
 100 105 110
 Lys His Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
 115 120 125

<210> 312
 <211> 381
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 312
 atgatgtcct ctgctcagtt ccttgggtctc ctgttgctct gttttcaagg taccagatgt 60
 gatatccaga tgacccagtc tccatcctcc ctgtctgcat ctgtaggtga ccgtgtcacc 120
 atcacttgcc gcgcaagtc ggatattagc agctatttaa attggtatca gcagaaacca 180
 gggaaagccc ctaagctcct gatctattct acttcccgtt tgaatagtgg ggtcccatca 240
 cgcttcagtg gcagtggctc tgggacagat ttcactctca ccatcagcag tctgcaacct 300
 gaagattttg caacttacta ctgtcaacag gatattaaac accctacgtt cggtaaggc 360
 accaagggtg agatcaaacg t 381

<210> 313
 <211> 139
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Humanized antibody sequence

<400> 313
 Met Glu Trp Ile Trp Ile Phe Leu Phe Leu Leu Ser Gly Thr Ala Gly
 1 5 10 15
 Val His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
 20 25 30
 Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe
 35 40 45
 Thr Asp Tyr Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
 50 55 60
 Glu Trp Met Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn
 65 70 75 80
 Glu Lys Phe Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser
 85 90 95
 Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr
 115 120 125
 Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
 130 135

<210> 314
 <211> 107
 <212> PRT
 <213> Mus musculus

<400> 314
 Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Asn Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val Lys Leu Leu Ile
 35 40 45
 Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Ala Gln
 65 70 75 80
 Glu Asp Ile Ala Thr Phe Cys Gln Gln Asp Ile Lys His Pro Thr
 85 90 95
 Phe Gly Gly Gly Thr Lys Leu Glu Leu Lys Arg
 100 105

<210> 315
 <211> 128
 <212> PRT
 <213> Mus musculus

<400> 315
 Met Lys Ser Gln Thr Gln Val Phe Val Tyr Met Leu Leu Trp Leu Ser
 1 5 10 15
 Gly Val Glu Gly Asp Ile Val Met Thr Gln Ser His Lys Phe Met Ser
 20 25 30
 Thr Ser Val Gly Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp
 35 40 45
 Val Phe Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ser Pro
 50 55 60
 Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg His Thr Gly Val Pro Asp
 65 70 75 80
 Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser
 85 90 95
 Asn Val Gln Ser Glu Asp Leu Ala Asp Tyr Phe Cys Gln Gln Tyr Ser
 100 105 110
 Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg
 115 120 125

<210> 316
 <211> 381
 <212> DNA
 <213> Mus musculus

<400> 316
 atgaagtcac agaccaggt cttgtatcac atgttgctgt ggttgctctgg tgttgaagga 60
 gacattgtga tgaccagtc tcacaaattc atgtccacgt cagtaggaga cagggtcacc 120
 atcacctgca aggccagtc ggatgtcttt actgctgtag cctgggtatca acagaaacca 180
 ggacaatctc ctactact gattactgg gcatccaccc ggcacactgg agtccctgat 240
 cgcttcacag gcagtgatc tgggacagat ttactctca ccattagcaa tgtgcagtct 300
 gaagacttgg cagattattt ctgtcaacaa tatagcagct atcctctcac gttcgggtgct 360
 gggaccaagt tggagctgaa a 381

<210> 317
 <211> 138
 <212> PRT
 <213> Mus musculus

<400> 317
 Met Gly Trp Asn Trp Ile Ile Phe Phe Leu Met Ala Val Val Thr Gly
 1 5 10 15
 Val Asn Ser Glu Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg
 20 25 30
 Pro Gly Ala Leu Val Lys Leu Ser Cys Lys Ala Ser Gly Phe Asn Ile
 35 40 45
 Lys Asp Tyr Tyr Met His Trp Val Lys Gln Arg Pro Glu Gln Gly Leu
 50 55 60
 Glu Trp Ile Gly Arg Ile Asp Pro Glu Asn Gly Asp Ile Ile Tyr Asp
 65 70 75 80
 Pro Lys Phe Gln Gly Lys Ala Ser Ile Thr Thr Asp Thr Ser Ser Asn
 85 90 95
 Thr Ala Tyr Leu Gln Leu Ser Ser Leu Thr Ser Glu Asp Thr Ala Val
 100 105 110
 Tyr Tyr Cys Ala Tyr Asp Ala Gly Asp Pro Ala Trp Phe Thr Tyr Trp
 115 120 125

Gly Gln Gly Thr Leu Val Thr Val Ser Ser
130 135

<210> 318
<211> 411
<212> DNA
<213> Mus musculus

<400> 318
atgggatgga actggatcat cttcttcctg atggcagtggt ttacaggggt caattcagag 60
gttcagctgc agcagtctgg ggctgagctt gtgaggccag gggccttagt caagttgtcc 120
tgcaaagcct ctggcttcaa tattaaagac tactatatgc actgggtgaa gcagaggcct 180
gaacagggcc tggagtggat tgggaaggatt gatcctgaga atggtgatat tatatatgac 240
ccgaagtcc agggcaaggc cagtataaca acagacacat cctccaacac agcctacctg 300
cagctcagca gcctgacgtc tgaggacact gccgtctatt actgtgctta cgatgctggt 360
gacccgcct ggtttactta ctggggccaa gggactctgg tcaccgtctc g 411

<210> 319
<211> 130
<212> PRT
<213> Artificial Sequence

<220>
<223> Humanized antibody sequence

<400> 319
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
1 5 10 15
Leu Arg Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
20 25 30
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Lys Ala Ser
35 40 45
Gln Asp Val Phe Thr Ala Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys
50 55 60
Ala Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg His Thr Gly Val
65 70 75 80
Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
85 90 95
Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
100 105 110
Tyr Ser Ser Tyr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile
115 120 125
Lys Arg
130

<210> 320
<211> 390
<212> DNA
<213> Artificial Sequence

<220>
<223> Humanized antibody sequence

<400> 320
atggatatgc gcgtgccggc gcagctgctg ggcctgctgc tgctgtggct gcgcggcgcg 60
cgctgcgata tccagatgac ccagagcccg agcagcctga gcgcgagcgt gggcgatcgc 120
gtgaccatta cctgcaaagc gagccaggat gtgtttaccg cgggtggcgtg gtatcagcag 180
aaaccgggca aagcgccgaa actgctgatt tattgggcga gcacccgcca taccggcgtg 240
ccgagtcgct ttagcggcag cggcagcggc accgatttta ccctgaccat tagcagcctg 300
cagccggaag attttgcgac ctattattgc cagcagtata gcagctatcc gctgaccttt 360
ggcggcgga ccaaagtgga aattaaacgt 390

<210> 321
<211> 138
<212> PRT
<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 321

1 Met Asp Trp Thr Trp Ser Ile Leu Phe Leu Val Ala Ala Pro Thr Gly
 5 10 15
 20 Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
 25 30
 35 Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asn Ile
 40 45
 50 Lys Asp Tyr Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
 55 60
 65 Glu Trp Ile Gly Arg Ile Asp Pro Glu Asn Gly Asp Ile Ile Tyr Asp
 70 75 80
 85 Pro Lys Phe Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser
 90 95
 100 Thr Ala Tyr Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val
 105 110
 115 Tyr Tyr Cys Ala Tyr Asp Ala Gly Asp Pro Ala Trp Phe Thr Tyr Trp
 120 125
 130 Gly Gln Gly Thr Leu Val Thr Val Ser Ser 135

<210> 322

<211> 414

<212> DNA

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

<400> 322

atggattgga cctggagcat tctgtttctg gtggcggcgc cgaccggcgc gcatagcgaa 60
 gtgcagctgg tgcagagcgg cgcggaagtg aaaaaaccgg gcgcgagcgt gaaagtgagc 120
 tgcaaagcga gcggctttaa cattaaagat tattatatgc attgggtgcg ccaggcgccg 180
 ggccagggcc tggaatggat cggccgcatt gatccggaaa acggcgatat tatttatgat 240
 ccgaaatttc agggccgcgt gaccatgacc accgatacca gcaccagcac cgcgtatatg 300
 gaactgcgca gcctgcgcag cgatgatacc gcggtgtatt attgcgcgta tgatgcgggc 360
 gatccggcgt ggtttaccta ttggggccag ggcaccctgg tgaccgtctc gagc 414

<210> 323

<211> 106

<212> PRT

<213> Mus musculus

<400> 323

1 Thr Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 5 10 15
 20 Leu Thr Ser Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 25 30
 35 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 40 45
 50 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 55 60
 65 Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 70 75 80
 85 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 90 95
 100 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys 105

<210> 324

<211> 324

<212> PRT

<213> Mus musculus

<400> 324

5 Ala Lys Thr Thr Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala
 1 5 10 15
 Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr
 20 25 30
 Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser
 35 40 45
 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu
 50 55 60
 10 Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val
 65 70 75 80
 Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys
 85 90 95
 Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro
 100 105 110
 15 Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu
 115 120 125
 Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser
 130 135 140
 Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu
 145 150 155 160
 20 Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
 165 170 175
 Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn
 180 185 190
 Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro
 195 200 205
 25 Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
 210 215 220
 Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val
 225 230 235 240
 Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 245 250 255
 30 Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 260 265 270
 Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn
 275 280 285
 Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 290 295 300
 35 Leu His Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His
 305 310 315 320
 Ser Pro Gly Lys

<210> 325

<211> 106

<212> PRT

<213> Homo sapiens

<400> 325

45 Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
 1 5 10 15
 Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr
 20 25 30
 Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser
 35 40 45
 50 Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
 50 55 60
 Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys
 65 70 75 80
 His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro
 85 90 95
 55 Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 100 105

<210> 326
 <211> 327
 <212> PRT
 <213> Homo sapiens

5

<400> 326
 1 Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
 5 10 15
 5 Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
 20 25 30
 10 Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
 35 40 45
 15 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
 50 55 60
 20 Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
 65 70 75 80
 25 Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
 85 90 95
 30 Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro
 100 105 110
 35 Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
 115 120 125
 40 Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
 130 135 140
 45 Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
 145 150 155 160
 50 Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
 165 170 175
 55 Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
 180 185 190
 60 Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
 195 200 205
 65 Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
 210 215 220
 70 Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
 225 230 235 240
 75 Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
 245 250 255
 80 Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
 260 265 270
 85 Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
 275 280 285
 90 Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
 290 295 300 305
 95 Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
 310 315 320
 100 Leu Ser Leu Ser Leu Gly Lys
 325

40

<210> 327
 <211> 120
 <212> PRT
 <213> Mus musculus

45

<400> 327
 1 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 5 10 15
 5 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 10 Ile Met His Trp Val Lys Gln Lys Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 15 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60
 20 Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 25 Met Asp Leu Ser Ser Leu Thr Ser Glu Gly Ser Ala Val Tyr Tyr Cys
 85 90 95

55

Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 328
 <211> 120
 <212> PRT
 <213> Mus musculus

<400> 328
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 Ile Met His Trp Val Lys Gln Lys Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60
 Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met Asp Leu Ser Ser Leu Thr Ser Glu Gly Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 329
 <211> 120
 <212> PRT
 <213> Mus musculus

<400> 329
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 330
 <211> 226
 <212> PRT
 <213> Mus musculus

<400> 330
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 Ile Met His Trp Val Lys Gln Lys Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60

Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met Asp Leu Ser Ser Leu Thr Ser Glu Gly Ser Ala Val Tyr Tyr Cys
 85 90 95
 5 Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser Thr Val Ala Ala Pro Ser Val Phe
 115 120 125
 Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val
 130 135 140
 10 Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp
 145 150 155 160
 Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr
 165 170 175
 Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr
 180 185 190
 15 Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val
 195 200 205
 Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly
 210 215 220
 Glu Cys
 225
 20
 <210> 331
 <211> 447
 <212> PRT
 <213> Mus musculus
 25
 <400> 331
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 35 Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
 115 120 125
 Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala Ala
 130 140 145
 40 Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
 145 150 155 160
 Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
 165 170 175
 Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
 180 185 190
 45 Ser Ser Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His Lys
 195 200 205
 Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys Tyr Gly Pro
 210 215 220
 Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val
 225 230 235 240
 50 Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
 245 250 255
 Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu
 260 265 270
 Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
 275 280 285
 55 Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser
 290 295 300

Val³⁰⁵ Leu Thr Val³¹⁰ Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys³²⁰
 Cys Lys Val Ser Asn³²⁵ Lys Gly Leu Pro Ser³³⁰ Ser Ile Glu Lys Thr Ile³³⁵
 5 Ser Lys Ala Lys³⁴⁰ Gly Gln Pro Arg Glu³⁴⁵ Pro Gln Val Tyr Thr³⁵⁰ Leu Pro
 Pro Ser Gln³⁵⁵ Glu Glu Met Thr Lys³⁶⁰ Asn Gln Val Ser Leu³⁶⁵ Thr Cys Leu
 Val Lys³⁷⁰ Gly Phe Tyr Pro Ser³⁷⁵ Asp Ile Ala Val Glu³⁸⁰ Trp Glu Ser Asn
 10 Gly Gln Pro Glu Asn Asn³⁹⁰ Tyr Lys Thr Thr Pro³⁹⁵ Pro Val Leu Asp Ser⁴⁰⁰
 Asp Gly Ser Phe Phe⁴⁰⁵ Leu Tyr Ser Arg Leu⁴¹⁰ Thr Val Asp Lys Ser⁴¹⁵ Arg
 Trp Gln Glu Gly⁴²⁰ Asn Val Phe Ser Cys⁴²⁵ Ser Val Met His Glu⁴³⁰ Ala Leu
 15 His Asn His⁴³⁵ Tyr Thr Gln Lys Ser⁴⁴⁰ Leu Ser Leu Ser Leu⁴⁴⁵ Gly Lys

<210> 332
 <211> 107
 <212> PRT
 20 <213> Mus musculus

<400> 332
 Asp Ile Gln Met Thr⁵ Gln Ile Thr Ser Ser¹⁰ Leu Ser Ala Ser¹⁵ Leu Gly
 25 Asp Arg Val Ser²⁰ Ile Ser Cys Arg Ala²⁵ Ser Gln Asp Ile Ser³⁰ Asn Tyr
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Phe Lys⁴⁵ Leu Leu Ile
 Phe Tyr⁵⁰ Thr Ser Arg Leu⁵⁵ Ser Gly Val Pro Ser⁶⁰ Arg Phe Ser Gly
 Ser Gly Ser Gly Thr Asp⁷⁰ Tyr Ser Leu Thr Ile Tyr Asn Leu Glu Gln⁸⁰
 30 Glu Asp Phe Ala Thr⁸⁵ Tyr Phe Cys Gln Gln⁹⁰ Gly Asp Thr Leu Pro⁹⁵ Tyr
 Thr Phe Gly Gly¹⁰⁰ Gly Thr Lys Leu Glu¹⁰⁵ Ile Lys

35 <210> 333
 <211> 324
 <212> PRT
 <213> Mus musculus

<400> 333
 40 Ala Lys Thr Thr Pro⁵ Pro Ser Val Tyr Pro¹⁰ Leu Ala Pro Gly¹⁵ Ser Ala
 Ala Gln Thr Asn²⁰ Ser Met Val Thr Leu²⁵ Gly Cys Leu Val Lys³⁰ Gly Tyr
 Phe Pro Glu³⁵ Pro Val Thr Val Thr⁴⁰ Trp Asn Ser Gly Ser⁴⁵ Leu Ser Ser
 45 Gly Val His Thr Phe Pro Ala⁵⁵ Val Leu Gln Ser Asp⁶⁰ Leu Tyr Thr Leu
 Ser Ser Ser Val Thr Val⁷⁰ Pro Ser Ser Thr Trp⁷⁵ Pro Ser Glu Thr Val⁸⁰
 Thr Cys Asn Val Ala⁸⁵ His Pro Ala Ser Ser⁹⁰ Thr Lys Val Asp Lys⁹⁵ Lys
 50 Ile Val Pro Arg¹⁰⁰ Asp Cys Gly Cys Lys¹⁰⁵ Pro Cys Ile Cys Thr Val Pro
 Glu Val Ser¹¹⁵ Ser Val Phe Ile Phe¹²⁰ Pro Pro Lys Pro Lys¹²⁵ Asp Val Leu
 Thr Ile Thr Leu Thr Pro Lys¹³⁵ Val Thr Cys Val Val¹⁴⁰ Val Asp Ile Ser
 55 Lys Asp Asp Pro Glu Val¹⁵⁰ Gln Phe Ser Trp Phe¹⁵⁵ Val Asp Asp Val Glu¹⁶⁰

Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr
 165 170 175
 Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn
 180 185 190
 5 Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro
 195 200 205
 Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln
 210 215 220
 Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val
 225 230 235
 10 Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val
 245 250 255
 Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln
 260 265 270
 Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Ile Tyr Ser Lys Leu Asn
 275 280 285
 15 Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val
 290 295 300
 Leu His Glu Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His
 305 310 315 320
 Ser Pro Gly Lys

20

<210> 334
 <211> 213
 <212> PRT
 <213> Mus musculus

25

<400> 334
 Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
 1 5 10 15
 Asp Arg Val Asn Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr
 20 25 30
 30 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val Lys Leu Leu Ile
 35 40 45
 Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Ala Gln
 65 70 75 80
 Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Asp Ile Lys His Pro Thr
 85 90 95
 35 Phe Gly Gly Gly Thr Lys Leu Glu Leu Lys Arg Thr Asp Ala Ala Pro
 100 105 110
 Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly
 115 120 125
 Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn
 130 135 140
 40 Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn
 145 150 155 160
 Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser
 165 170 175
 Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr
 180 185 190
 45 Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe
 195 200 205
 Asn Arg Asn Glu Cys
 210

50

<210> 335
 <211> 444
 <212> PRT
 <213> Mus musculus

55

<400> 335
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Met Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 Ile Met His 20 Trp Val Lys Gln Lys 25 Pro Gly Gln Gly Leu 30 Glu Trp Ile
 Gly Tyr 35 Ile Asn Pro Tyr Asn 40 Asp Asp Thr Glu Tyr 45 Asn Glu Lys Phe
 Lys Gly Lys Ala Thr Leu 50 Thr Ser Asp Lys Ser 55 Ser Ser Thr Ala Tyr
 Met Asp Leu Ser 60 Ser 65 Leu Thr Ser Glu Gly 70 Ser Ala Val Tyr Tyr Cys
 Ala Arg Ser Ile 75 Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 Gly Thr Leu 80 Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val
 Tyr Pro Leu Ala Pro Gly Ser 85 Ala Ala Gln Thr Asn Ser Met Val Thr
 Leu Gly Cys Leu Val Lys 90 Gly Tyr Phe Pro Glu Pro Val Thr Val Thr
 Trp Asn Ser Gly Ser 95 Leu Ser Ser Gly Val His Thr Phe Pro Ala Val
 Leu Gln Ser Asp 100 Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser
 Ser Thr Trp 105 Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala
 Ser Ser Thr Lys Val Asp Lys 110 Lys Ile Val Pro Arg Asp Cys Gly Cys
 Lys Pro Cys Ile Cys Thr 115 Val pro Glu Val Ser Ser Val Phe Ile Phe
 Pro Pro Lys Pro Lys 120 Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val
 Thr Cys Val Val Val Asp Ile Ser Lys 125 Asp Asp Pro Glu Val Gln Phe
 Ser Trp Phe 130 Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro
 Arg Glu Glu Gln Phe Asn Ser 135 Thr Phe Arg Ser Val Ser Glu Leu Pro
 Ile Met His Gln Asp Trp 140 Leu Asn Gly Lys Glu Phe Lys Cys Arg Val
 Asn Ser Ala Ala Phe 145 Pro Ala pro Ile Glu Lys Thr Ile Ser Lys Thr
 Lys Gly Arg Pro 150 Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Lys
 Glu Gln Met 155 Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp
 Phe Phe Pro Glu Asp Ile Thr 160 Val Glu Trp Gln Trp Asn Gly Gln Pro
 Ala Glu Asn Tyr Lys Asn 165 Thr Gln Pro Ile Met Asp Thr Asp Gly Ser
 Tyr Phe Val Tyr Ser 170 Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala
 Gly Asn Thr Phe 175 Thr Cys Ser Val Leu His Glu Gly Leu His Asn His
 His Thr Glu Lys Ser Leu Ser His 180 Ser Pro Gly Lys

<210> 336

<211> 108

<212> PRT

<213> Mus musculus

<400> 336

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 Asp Arg Val Thr 5 Ile Thr Cys Lys Ala Ser Gln Asp Val Phe Thr Ala
 Val Ala Trp 10 Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys 15 Leu Leu Ile

Tyr Trp Ala Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ser Ser Tyr Pro Leu
 85 90 95
 Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg
 100 105

10
 <210> 337
 <211> 324
 <212> DNA
 <213> Mus musculus

15
 <400> 337
 gatatccaga tgacccagag cccgagcagc ctgagcgcga gcgtgggcga tcgctgacc 60
 attacctgca aagcgagcca ggatgtgttt accgcggtgg cgtgggtatca gcagaaaccg 120
 ggcaaagcgc cgaaactgct gatttatttg gcgagcacc gccataccgg cgtgccgagt 180
 cgcttttagcg gcagcggcag cggcaccgat tttaccctga ccattagcag cctgcagccg 240
 gaagattttg cgacctatta ttgccagcag tatagcagct atccgctgac ctttggcggc 300
 ggcaccaaag tggaaattaa acgt 324

20
 <210> 338
 <211> 119
 <212> PRT
 <213> Mus musculus

25
 <400> 338
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asn Ile Lys Asp Tyr
 20 25 30
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Trp Ile
 35 40 45
 Gly Arg Ile Asp Pro Glu Asn Gly Asp Ile Ile Tyr Asp Pro Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Tyr Asp Ala Gly Asp Pro Ala Trp Phe Thr Tyr Trp Gly Gln Gly
 100 105 110
 Thr Leu Val Thr Val Ser Ser
 115

40
 <210> 339
 <211> 357
 <212> DNA
 <213> Mus musculus

45
 <400> 339
 gaagtgcagc tgggtgcagag cggcgcgga gtgaaaaaac cggcgcgag cgtgaaagt 60
 agctgcaaag cgagcggctt taacattaaa gattattata tgcattgggt gcgccaggcg 120
 ccgggcccag gcctggaatg gatcgccgc attgatccgg aaaacggcga tattatttat 180
 gatccgaaat ttcaggggcg cgtgaccatg accaccgata ccagcaccag caccgcgtat 240
 atggaactgc gcagcctgcg cagcgatgat accgcggtgt attattgcgc gtatgatgcg 300
 ggcgatccgg cgtggtttac ctattggggc cagggcaccc tggtgaccgt ctcgagc 357

50
 <210> 340
 <211> 1395
 <212> DNA
 <213> Mus musculus

55
 <400> 340
 atggactgga cctggaggat cctcttcttg gtggcagcag ccacaggagc ccactccgag 60
 gtgcagctgg tgcagtctgg ggctgagggt aagaagcctg ggtcctcggg gaaggtctcc 120

```

tgcaaggcctt ctggtttttac cttcaccgac tatattatgc actgggtgcg tcaggcccct 180
gggtcaagggc ttgagtggat gggctatatc aacccttata atgatgacac cgaatacaac 240
gagaagttca agggccgtgt cagcattacc gcggacaaat ccacgagcac agcctacatg 300
gagctgagca gccctgcgtc tgaggacacg gccgtgtatt actgtgcgcg ttcgatttat 360
tactacgatg ccccgtttgc ttactggggc caagggactc tggtcaccgt ctctagtgcc 420
tccaccaagg gcccatcggg cttccccctg gcgccctgct ccaggagcac ctccgagagc 480
acagcggccc tgggctgcct ggtcaaggac tacttccccg aaccggtgac ggtgtcgtgg 540
aactcaggcg ctctgaccag cggcgtgcac acctccccag ctgtcctaca gtcctcagga 600
ctctactccc tcagcagcgt ggtgaccgtg ccctccagca acttcggcac ccagacctac 660
acctgcaacg tagatcaciaa gccagcaac accaagggtg acaagacagt tgagcgcaaa 720
tggtgtgtcg agtgcccacc gtgcccagca ccacctgtgg caggaccgtc agtcttcctc 780
ttccccccaa aacccaagga caccctcatg atctcccggg cccctgaggt cacgtgcgtg 840
gtggtggacg tgagccacga agaccccag gtccagttca actggtacgt ggacggcgtg 900
gaggtgcata atgccaagac aaagccacgg gaggagcagt tcaacagcac gttccgtgtg 960
gtcagcgtcc tcaccgttgt gcaccaggag tgggtgaacg gcaaggagta caagtgaag 1020
gtctccaaca aaggcctccc agccccatc gagaaaacca tctccaaaac caaagggcag 1080
ccccgagaac cacaggtgta caccctgccc ccatcccggg aggagatgac caagaaccag 1140
gtcagcctga cctgcctggg caaaggcttc taccacagcg acatcgccgt ggagtgaggag 1200
agcaatgggc agccggagaa caactacaag accacacctc ccatgctgga ctccgacggc 1260
tccttcttcc tctacagcaa gctcaccgtg gacaagagca ggtggcagca ggggaacgtc 1320
ttctcatgct cctgatgca tgaggctctg cacaaccact acacgcagaa gagcctctcc 1380
ctgtctccgg gtaaa 1395

```

```

<210> 341
<211> 213
<212> PRT
<213> Mus musculus

```

```

<400> 341
Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1      5      10      15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr
20     25     30
Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35     40     45
Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser Arg Phe Ser Gly
50     55     60
Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65     70     75     80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Ile Lys His Pro Thr
85     90     95
Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala Pro
100    105    110
Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr
115    120    125
Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys
130    135    140
Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu
145    150    155    160
Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser
165    170    175
Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala
180    185    190
Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe
195    200    205
Asn Arg Gly Glu Cys
210

```

```

<210> 342
<211> 639
<212> DNA
<213> Mus musculus

```

```

<400> 342
gacatccaga tgacccagtc tccatcctcc ctgtctgcat ctgtaggtga ccgtgtcacc 60
atcacttgcc gcgcaagtc ggaattagc agctatttaa attggtatca gcagaaacca 120
gggaaagccc ctaagctcct gatctattct acttcccgtt tgaatagtgg ggtcccatca 180

```

cgcttcagtg gcagtggtc tgggacagat ttcactctca ccatcagcag tctgcaacct 240
 gaagattttg caacttacta ctgtcaacag gatattaaac accctacgtt cgggtcaaggc 300
 accaagggtgg agatcaaacg tacgggtggct gcacatctg tcttcattct cccgccatct 360
 gatgagcagt tgaatcttgg aactgcctct gttgtgtgcc tgctgaataa cttctatccc 420
 agagaggcca aagtacagtg gaagggtggat aacgcccctc aatcggttaa ctcccaggag 480
 agtgtcacag agcaggacag caaggacagc acctacagcc tcagcagcac cctgacgctg 540
 agcaaagcag actacgagaa acacaaagtc tacgcctgcg aagtcaccca tcagggcctg 600
 agctcgcccg tcacaaagag cttcaacagg ggagagtggt 639

<210> 343
 <211> 235
 <212> PRT
 <213> Mus musculus

<400> 343
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1 5 10 15
 Leu Arg Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
 20 25 30
 Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser
 35 40 45
 Gln Asp Ile Ser Ser Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys
 50 55 60
 Ala Pro Lys Leu Leu Ile Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val
 65 70 75 80
 Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 85 90 95
 Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln
 100 105 110
 Asp Ile Lys His Pro Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 115 120 125
 Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
 130 135 140
 Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
 145 150 155 160
 Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
 165 170 175
 Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
 180 185 190
 Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
 195 200 205
 Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
 210 215 220
 Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 225 230 235

<210> 344
 <211> 705
 <212> DNA
 <213> Mus musculus

<400> 344
 atggacatga ggggtgcccgc tcagctcctg gggctcctgc tgctgtggct gagagggtgcc 60
 agatgtgaca tccagatgac ccagctctcca tcctccctgt ctgcatctgt aggtgaccgt 120
 gtcaccatca cttgcccgcgc aagtcaggat attagcagct atttaaattg gtatcagcag 180
 aaaccagggg aagcccctaa gctcctgacg tattctactt cccgtttgaa tagtgggggtc 240
 ccatcacgct tcagtggtcag tggctctggg acagatttca ctctcaccat cagcagctctg 300
 caacctgaag attttgcaac ttactactgt caacaggata ttaaaccacc tacgttcggg 360
 caaggcacca aggtggagat caaacgtacg gtggctgcac catctgtctt catcttccc 420
 ccatctgatg agcagttgaa atctggaact gccctctgtt tgtgcctgct gaataacttc 480
 tatcccagag aggccaaagt acagtgggaa gtggataacg ccctccaatc gggttaactcc 540
 caggagagtg tcacagagca ggacagcaag gacagcacct acagcctcag cagcaccctg 600
 acgctgagca aagcagacta cgagaaacac aaagtctacg cctgcgaagt caccatcag 660
 ggctgagct cgcccgctcac aaagagcttc aacaggggag agtgt 705

<210> 345
 <211> 446

<212> PRT

<213> Mus musculus

<400> 345

Glu 1	Val	Gln	Leu	Val 5	Gln	Ser	Gly	Ala	Glu 10	Val	Lys	Lys	Pro	Gly 15	Ser
Ser	Val	Lys	Val 20	Ser	Cys	Lys	Ala	Ser 25	Gly	Phe	Thr	Phe	Thr 30	Asp	Tyr
Ile	Met	His 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Gln	Gly	Leu 45	Glu	Trp	Met
Gly	Tyr 50	Ile	Asn	Pro	Tyr	Asn 55	Asp	Asp	Thr	Glu	Tyr 60	Asn	Glu	Lys	Phe
Lys 65	Gly	Arg	Val	Thr	Ile 70	Thr	Ala	Asp	Lys	Ser 75	Thr	Ser	Thr	Ala	Tyr 80
Met	Glu	Leu	Ser	Ser 85	Leu	Arg	Ser	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys
Ala	Arg	Ser	Ile 100	Tyr	Tyr	Tyr	Asp	Ala 105	Pro	Phe	Ala	Tyr	Trp 110	Gly	Gln
Gly	Thr	Leu 115	Val	Thr	Val	Ser	Ser 120	Ala	Ser	Thr	Lys	Gly 125	Pro	Ser	Val
Phe	Pro 130	Leu	Ala	Pro	Cys	Ser 135	Arg	Ser	Thr	Ser	Glu 140	Ser	Thr	Ala	Ala
Leu 145	Gly	Cys	Leu	Val	Lys 150	Asp	Tyr	Phe	Pro	Glu 155	Pro	Val	Thr	Val	Ser 160
Trp	Asn	Ser	Gly	Ala 165	Leu	Thr	Ser	Gly	Val 170	His	Thr	Phe	Pro	Ala 175	Val
Leu	Gln	Ser	Ser 180	Gly	Leu	Tyr	Ser	Leu 185	Ser	Ser	Val	Val	Thr 190	Val	Pro
Ser	Ser	Asn 195	Phe	Gly	Thr	Gln	Thr 200	Tyr	Thr	Cys	Asn	Val 205	Asp	His	Lys
Pro	Ser 210	Asn	Thr	Lys	Val	Asp 215	Lys	Thr	Val	Glu	Arg 220	Lys	Cys	Cys	Val
Glu 225	Cys	Pro	Pro	Cys	Pro 230	Ala	Pro	Pro	Val	Ala 235	Gly	Pro	Ser	Val	Phe 240
Leu	Phe	Pro	Pro	Lys 245	Pro	Lys	Asp	Thr	Leu 250	Met	Ile	Ser	Arg	Thr 255	Pro
Glu	Val	Thr	Cys 260	Val	Val	Val	Asp	Val 265	Ser	His	Glu	Asp	Pro 270	Glu	Val
Gln	Phe	Asn 275	Trp	Tyr	Val	Asp	Gly 280	Val	Glu	Val	His	Asn 285	Ala	Lys	Thr
Lys	Pro 290	Arg	Glu	Glu	Gln	Phe 295	Asn	Ser	Thr	Phe	Arg 300	Val	Val	Ser	Val
Leu 305	Thr	Val	Val	His	Gln 310	Asp	Trp	Leu	Asn	Gly 315	Lys	Glu	Tyr	Lys	Cys 320
Lys	Val	Ser	Asn	Lys 325	Gly	Leu	Pro	Ala	Pro 330	Ile	Glu	Lys	Thr	Ile 335	Ser
Lys	Thr	Lys	Gly 340	Gln	Pro	Arg	Glu	Pro 345	Gln	Val	Tyr	Thr	Leu 350	Pro	Pro
Ser	Arg	Glu 355	Glu	Met	Thr	Lys	Asn 360	Gln	Val	Ser	Leu	Thr 365	Cys	Leu	Val
Lys	Gly 370	Phe	Tyr	Pro	Ser	Asp 375	Ile	Ala	Val	Glu	Trp 380	Glu	Ser	Asn	Gly
Gln 385	Pro	Glu	Asn	Asn	Tyr 390	Lys	Thr	Thr	Pro	Pro 395	Met	Leu	Asp	Ser	Asp 400
Gly	Ser	Phe	Phe	Leu 405	Tyr	Ser	Lys	Leu	Thr 410	Val	Asp	Lys	Ser	Arg 415	Trp
Gln	Gln	Gly	Asn 420	Val	Phe	Ser	Cys	Ser 425	Val	Met	His	Glu	Ala 430	Leu	His
Asn	His	Tyr 435	Thr	Gln	Lys	Ser	Leu 440	Ser	Leu	Ser	Pro	Gly 445	Lys		

<210> 346

<211> 1338

<212> DNA

<213> Mus musculus

<400> 346

gaggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctgggtcctc ggtgaaggtc 60
 tcctgcaagg ctcttggttt taccttcacc gactatatta tgcactgggt gcgtcaggcc 120
 cctggtaag ggcttgagt gatggctat atcaaccctt ataatgatga caccgaatac 180
 aacgagaagt tcaagggccg tgtcacgatt accgcggaca aatccacgag cacagcctac 240
 atggagctga gcagcctgcg ctctgaggac acggccgtgt attactgtgc gcgttcgatt 300
 tattactacg atgccccgtt tgcttactgg ggccaaggga ctctgggtcac cgtctctagt 360
 gcctccacca agggcccatc ggtcttcccc ctggcgccct gctccaggag cacctccgag 420
 agcacagcgg cctggggtg cctgggtcaag gactacttcc ccgaaccggt gacggtgtcg 480
 tggaaactcag gcgctctgac cagcggcgtg cacaccttcc cagctgtcct acagtcctca 540
 ggactctact cctcagcag cgtggtgacc gtgccctcca gcaacttcgg caccagacc 600
 tacacctgca acgtagatca caagcccagc aacaccaagg tggacaagac agttgagcgc 660
 aaatgttgtg tcgagtgccc accgtgccc gaccacctg tggcaggacc gtcagtcttc 720
 ctcttcccc caaaacccaa ggacacctc atgatctccc ggaccctga ggtcacgtgc 780
 gtgggtgtgg acgtgagcca cgaagacccc gaggtccagt tcaactggta cgtggacggc 840
 gtggaggtgc ataatgccaa gacaaagcca cgggaggagc agttcaacag cacgttccgt 900
 gtggtcagcg tcctcaccgt tgtgcaccag gactggctga acggcaagga gtacaagtgc 960
 aaggtctcca acaaaggcct cccagccccc atcgagaaaa ccatctccaa aaccaaaggg 1020
 cagccccgag aaccacaggt gtacacctg ccccatctcc gggaggagat gaccaagaac 1080
 caggtcagcc tgacctgcct ggtcaaaggc ttctaccca gcgacatcgc cgtggagtgg 1140
 gagagcaatg ggcagccgga gaacaactac aagaccacac ctcccatgct ggactccgac 1200
 ggctctctct tcctctacag caagctcacc gtggacaaga gcaggtggca gcagggaac 1260
 gctctctcat gctccgtgat gcatgaggct ctgcacaacc actacacgca gaagagcctc 1320
 tcctgtctc cggtgaaa 1338

<210> 347

<211> 465

<212> PRT

<213> Mus musculus

<400> 347

Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val Ala Ala Ala Thr Gly
 1 5 10 15
 Ala His Ser Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys
 20 25 30
 Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe
 35 40 45
 Thr Asp Tyr Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu
 50 55 60
 Glu Trp Met Gly Tyr Ile Asn Pro Tyr Asn Asp Thr Glu Tyr Asn
 65 70 75 80
 Glu Lys Phe Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser
 85 90 95
 Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr
 115 120 125
 Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly
 130 135 140
 Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
 145 150 155 160
 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
 165 170 175
 Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
 180 185 190
 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
 195 200 205
 Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val
 210 215 220
 Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys
 225 230 235 240
 Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro
 245 250 255
 Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
 260 265 270
 Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
 275 280 285
 Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
 290 295 300

Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val
 305 310 315 320
 Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
 325 330 335
 Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
 340 345 350
 Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
 355 360 365
 Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
 370 375 380
 Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
 385 390 395 400
 Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
 405 410 415
 Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
 420 425 430
 Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
 435 440 445
 Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
 450 455 460
 Lys
 465

<210> 348
 <211> 1395
 <212> DNA
 <213> Mus musculus

<400> 348
 atggactgga cctggaggat cctcttcttg gtggcagcag ccacaggagc cactccgag 60
 gtgcagctgg tgcagtctgg ggctgagggtg aagaagcctg ggtcctcggt gaaggtctcc 120
 tgcaaggcct ctggttttac cttcaccgac tatattatgc actgggtgcg tcaggccctc 180
 ggtcaagggc ttgagtggat gggctatatc aacccttata atgatgacac cgaatacaac 240
 gagaagttca agggccgtgt caccgattacc gcggacaaat ccacgagcac agcctacatg 300
 gagctgagca gcctgcgctc tgaggacacg gccgtgtatt actgtgcgcg ttcgatttat 360
 tactacgatg ccccgtttgc ttactggggc caaggggactc tggtcaccgt ctctagtgcc 420
 tccaccaagg gcccatcggt cttccccctg gcgcccgtgt ccaggagcac ctccgagagc 480
 acagcggccc tgggctgcct ggtcaaggac tacttccccg aaccgggtgac ggtgtcgtgg 540
 aactcaggcg ctctgaccag cggcgtgcac accttcccag ctgtcctaca gtcctcagga 600
 ctctactccc tcagcagcgt ggtgaccgtg ccttccagca acttcggcac ccagacctac 660
 acctgcaacg tagatcaca gcccagcaac accaagggtg acaagacagt tgagcgcaaa 720
 tgttgctgcg agtgcaccac gtgccagca ccacctgtgg caggaccgtc agtcttctc 780
 tccccccaa aaccacaagg caccctcatg atctcccga cccctgaggt cactgtcggtg 840
 gtggtggacg tgagccacga agaccccgag gtccagttca actggtacgt ggacggcggtg 900
 gaggtgcata atgccaagac aaagccacgg gaggagcagt tcaacagcac gttccgtgtg 960
 gtcagcgtcc tcaccgttgt gcaccaggac tggctgaacg gcaaggagta caagtgaag 1020
 gtctccaaca aaggcctccc agcccccatc gagaaaacca tctccaaaac caaagggcag 1080
 ccccgagaac cacagggtgt caccctgccc ccatcccggg aggagatgac caagaaccag 1140
 gtcagcctga cctgcctggt caaaggcttc taccacagcg acatcgccgt ggagtgaggag 1200
 agcaatgggc agccggagaa caactacaag accacacctc ccatgctgga ctccgacggc 1260
 tccttcttcc tctacagcaa gctcaccgtg gacaagagca ggtggcagca ggggaacgtc 1320
 ttctcatgct ccgtgatgca tgaggctctg cacaaccact acacgcagaa gagcctctcc 1380
 ctgtctccgg gtaaa 1395

<210> 349
 <211> 417
 <212> DNA
 <213> Mus musculus

<400> 349
 atggaatgga tctggatatt tctcttcttc ctgtcaggaa ctgcaggtgt cactctgag 60
 gtgcagctgg tgcagtctgg ggctgagggtg aagaagcctg ggtcctcggt gaaggtctcc 120
 tgcaaggcct ctggttttac cttcaccgac tatattatgc actgggtgcg tcaggccctc 180
 ggtcaagggc ttgagtggat gggctatatc aacccttata atgatgacac cgaatacaac 240
 gagaagttca agggccgtgt caccgattacc gcggacaaat ccacgagcac agcctacatg 300
 gagctgagca gcctgcgctc tgaggacacg gccgtgtatt actgtgcgcg ttcgatttat 360
 tactacgatg ccccgtttgc ttactggggc caaggggactc tggtcacagt ctcgagc 417

<210> 350
 <211> 218
 <212> PRT
 <213> Mus musculus

<400> 350
 Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu Ala Val Ser Leu Gly
 1 5 10 15
 Gln Arg Ala Thr Ile Ala Cys Lys Ala Ser Gln Ser Val Asp Tyr Asp
 20 25 30
 Gly Thr Ser Tyr Met Asn Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro
 35 40 45
 Lys Leu Leu Ile Tyr Ala Ala Ser Asn Leu Glu Ser Glu Ile Pro Ala
 50 55 60
 Arg Phe Ser Gly Thr Gly Ser Gly Thr Asp Phe Thr Leu Asn Ile His
 65 70 75 80
 Pro Val Glu Glu Glu Asp Ile Thr Thr Tyr Tyr Cys Gln Gln Ser Asn
 85 90 95
 Glu Asp Pro Phe Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
 100 105 110
 Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
 115 120 125
 Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
 130 135 140
 Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
 145 150 155 160
 Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
 165 170 175
 Tyr Ser Met Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
 180 185 190
 His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
 195 200 205
 Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 210 215

<210> 351
 <211> 15
 <212> PRT
 <213> Mus musculus

<400> 351
 Lys Ala Ser Gln Ser Val Asp Tyr Asp Gly Thr Ser Tyr Met Asn
 1 5 10 15

<210> 352
 <211> 7
 <212> PRT
 <213> Mus musculus

<400> 352
 Ala Ala Ser Asn Leu Glu Ser
 1 5

<210> 353
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 353
 Gln Gln Ser Asn Glu Asp Pro Phe Thr
 1 5

<210> 354

<211> 657
 <212> DNA
 <213> Mus musculus

<400> 354
 gacattgtgt tgaccagtc tccagcttct ttggctgtgt ctctagggca gagggccacc 60
 atcgccctgca aggccagcca aagtgttgat tatgatggta ctagtatat gaattggtac 120
 caacagaaac caggacagcc acccaaaactc ctcatctatg ctgcatccaa tctagaatct 180
 gagatcccag ccaggtttag tggcactggg tctgggacag acttcaccct caacatccat 240
 cctgtggagg aggaggatat cacaacctat tactgtcagc aaagtaatga ggatccgttc 300
 acgttcggag gggggaccaa gttggaaata aaacgggctg atgctgcacc aactgtatcc 360
 atcttcccac catccagtga gcagttaaca tctggagggtg cctcagtcgt gtgcttcttg 420
 aacaacttct accccaaaga catcaatgtc aagtgggaaga ttgatggcag tgaacgacaa 480
 aatggcgtcc tgaacagttg gactgatcag gacagcaaag acagcaccta cagcatgagc 540
 agcaccctca cgttgaccaa ggacgagtat gaacgacata acagctatac ctgtgaggcc 600
 actcacaaga catcaacttc acccatgttc aagagcttca acaggaatga gtgttag 657

<210> 355
 <211> 238
 <212> PRT
 <213> Mus musculus

<400> 355
 Met Glu Thr Asp Thr Ile Leu Leu Trp Val Leu Leu Leu Trp Val Pro
 1 5 10 15
 Gly Ser Thr Gly Asp Ile Val Leu Thr Gln Ser Pro Ala Ser Leu Ala
 20 25 30
 Val Ser Leu Gly Gln Arg Ala Thr Ile Ala Cys Lys Ala Ser Gln Ser
 35 40 45
 Val Asp Tyr Asp Gly Thr Ser Tyr Met Asn Trp Tyr Gln Gln Lys Pro
 50 55 60
 Gly Gln Pro Pro Lys Leu Leu Ile Tyr Ala Ala Ser Asn Leu Glu Ser
 65 70 75 80
 Glu Ile Pro Ala Arg Phe Ser Gly Thr Gly Ser Gly Thr Asp Phe Thr
 85 90 95
 Leu Asn Ile His Pro Val Glu Glu Glu Asp Ile Thr Thr Tyr Tyr Cys
 100 105 110
 Gln Gln Ser Asn Glu Asp Pro Phe Thr Phe Gly Gly Gly Thr Lys Leu
 115 120 125
 Glu Ile Lys Arg Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro
 130 135 140
 Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu
 145 150 155 160
 Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly
 165 170 175
 Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser
 180 185 190
 Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp
 195 200 205
 Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr
 210 215 220
 Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
 225 230 235

<210> 356
 <211> 717
 <212> DNA
 <213> Mus musculus

<400> 356
 atggagacag acacaatcct gctatgggtg ctgctgctct ggggttcagg ctccactggt 60
 gacattgtgt tgaccagtc tccagcttct ttggctgtgt ctctagggca gagggccacc 120
 atcgccctgca aggccagcca aagtgttgat tatgatggta ctagtatat gaattggtac 180
 caacagaaac caggacagcc acccaaaactc ctcatctatg ctgcatccaa tctagaatct 240
 gagatcccag ccaggtttag tggcactggg tctgggacag acttcaccct caacatccat 300
 cctgtggagg aggaggatat cacaacctat tactgtcagc aaagtaatga ggatccgttc 360
 acgttcggag gggggaccaa gttggaaata aaacgggctg atgctgcacc aactgtatcc 420

atcttccac catccagtga gcagttaaca tctggagggtg cctcagtcgt gtgcttcttg 480
 aacaacttct accccaaaga catcaatgtc aagtgggaaga ttgatggcag tgaacgacaa 540
 aatggcggtcc tgaacagttg gactgatcag gacagcaaag acagcaccta cagcatgagc 600
 agcaccctca cgttgaccaa ggacgagtat gaacgacata acagctatac ctgtgaggcc 660
 actcacaaga catcaacttc acccattgtc aagagcttca acaggaatga gtgttag 717

<210> 357

<211> 442

<212> PRT

<213> Mus musculus

<400> 357

Gln Val Gln Leu Gln Gln Pro Gly Thr Glu Leu Val Arg Pro Gly Thr
 1 5 10 15
 Ser Val Lys Leu Ser Cys Lys Ala Ser Gly Tyr Ile Phe Thr Thr Tyr
 20
 Trp Met Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Met Ile His Pro Ser Ala Ser Glu Ile Arg Leu Asp Gln Lys Phe
 50 60
 Lys Asp Lys Ala Thr Leu Thr Leu Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80
 Met His Leu Ser Gly Pro Thr Ser Val Asp Ser Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Ser Gly Glu Trp Gly Ser Met Asp Tyr Trp Gly Gln Gly Thr
 100 105 110
 Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro
 115 120 125
 Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr Leu Gly
 130 135 140
 Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr Trp Asn
 145 150 155 160
 Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
 165 170 175
 Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser Ser Thr
 180 185 190
 Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala Ser Ser
 195 200 205
 Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys Lys Pro
 210 215 220
 Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe Pro Pro
 225 230 235 240
 Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val Thr Cys
 245 250 255
 Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe Ser Trp
 260 265 270
 Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro Arg Glu
 275 280 285
 Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro Ile Met
 290 295 300
 His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val Asn Ser
 305 310 315 320
 Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly
 325 330 335
 Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln
 340 345 350
 Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp Phe Phe
 355 360 365
 Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu
 370 375 380
 Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe
 385 390 395 400
 Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala Gly Asn
 405 410 415
 Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His His Thr
 420 425 430
 Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440

<210> 358
 <211> 5
 <212> PRT
 <213> Mus musculus

<400> 358
 Thr Tyr Trp Met Asn
 1 5

<210> 359
 <211> 17
 <212> PRT
 <213> Mus musculus

<400> 359
 Met Ile His Pro Ser Ala Ser Glu Ile Arg Leu Asp Gln Lys Phe Lys
 1 5 10 15
 Asp

<210> 360
 <211> 9
 <212> PRT
 <213> Mus musculus

<400> 360
 Ser Gly Glu Trp Gly Ser Met Asp Tyr
 1 5

<210> 361
 <211> 1329
 <212> DNA
 <213> Mus musculus

<400> 361
 caggtccaac tacagcagcc tgggactgag ctggtgaggc ctggaacttc agtgaagttg 60
 tcctgtaagg cttctggcta catcttcacc acctactgga tgaactgggt gaaacagagg 120
 cctggacaag gccttgagtg gattggcatg attcatcctt ccgcaagtga aattaggttg 180
 gatcagaaat tcaaggacaa ggccacattg actcttgaca aatcctccag cacagcctat 240
 atgcacctca gcggcccgac atctgtggat tctgcggtct attactgtgc aagatcaggg 300
 gaatgggggt ctatggacta ctggggtcaa ggaacctcag tcaccgtctc ctcagccaaa 360
 acgacacccc catctgtcta tccactggcc cctggatctg ctgcccacaa taactccatg 420
 gtgaccctgg gatgcctggt caagggctat ttccctgagc cagtgcagat gacctggaac 480
 tctggatccc tgtccagcgg tgtgcacacc ttcccagctg tcctgcagtc tgacctctac 540
 actctgagca gctcagtgac tgtcccctcc agcacctggc ccagcgagac cgtcacctgc 600
 aacgttgccc acccgccag cagcaccaag gtggacaaga aaattgtgcc cagggattgt 660
 ggttgtaagc cttgcatatg tacagtccca gaagtatcat ctgtcttcat cttcccccca 720
 aagcccaagg atgtgtctac cattactctg actcctaagg tcacgtgtgt tgtggtagac 780
 atcagcaagg atgatcccg ggtccagttc agctggtttg tagatgatgt ggagggtgcac 840
 acagctcaga cgcaacccc ggaggagcag ttcaacagca ctttccgctc agtcagtga 900
 cttcccatca tgcaccagga ctgggtcaat ggcaaggagt tcaaatgcag ggtcaacagt 960
 gcagctttcc ctgcccccat cgagaaaacc atctccaaaa ccaaaggcag accgaaggct 1020
 ccacaggtgt acactattcc acctcccaag gagcagatgg ccaaggataa agtcagtctg 1080
 acctgcatga taacagactt cttccctgaa gacattactg tggagtggca gtggaatggg 1140
 cagccagcgg agaactacaa gaacactcag cccatcatgg acacagatgg ctcttacttc 1200
 atctacagca agctcaatgt gcagaagagc aactgggagg caggaaatac tttcacctgc 1260
 tctgtgttac atgagggcct gcacaaccac catactgaga agagcctctc ccactctcct 1320
 ggtaaatga 1329

<210> 362
 <211> 461
 <212> PRT
 <213> Mus musculus

<400> 362

Met Gly Trp Ser Ser Ile Ile Leu Phe Leu Val Ala Thr Ala Thr Gly
 1 5 10 15
 Val His Ser Gln Val Gln Leu Gln Gln Pro Gly Thr Glu Leu Val Arg
 20 25 30
 Pro Gly Thr Ser Val Lys Leu Ser Cys Lys Ala Ser Gly Tyr Ile Phe
 35 40 45
 Thr Thr Tyr Trp Met Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu
 50 55 60
 Glu Trp Ile Gly Met Ile His Pro Ser Ala Ser Glu Ile Arg Leu Asp
 65 70 75 80
 Gln Lys Phe Lys Asp Lys Ala Thr Leu Thr Leu Asp Lys Ser Ser Ser
 85 90 95
 Thr Ala Tyr Met His Leu Ser Gly Pro Thr Ser Val Asp Ser Ala Val
 100 105 110
 Tyr Tyr Cys Ala Arg Ser Gly Glu Trp Gly Ser Met Asp Tyr Trp Gly
 115 120 125
 Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser
 130 135 140
 Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val
 145 150 155 160
 Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val
 165 170 175
 Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala
 180 185 190
 Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro
 195 200 205
 Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro
 210 215 220
 Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly
 225 230 235 240
 Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile
 245 250 255
 Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys
 260 265 270
 Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln
 275 280 285
 Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln
 290 295 300
 Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu
 305 310 315 320
 Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg
 325 330 335
 Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
 340 345 350
 Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro
 355 360 365
 Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr
 370 375 380
 Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln
 385 390 395 400
 Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly
 405 410 415
 Ser Tyr Phe Ile Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu
 420 425 430
 Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn
 435 440 445
 His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 450 455 460

<210> 363

<211> 1386

<212> DNA

<213> Mus musculus

<400> 363

atgggatgga gctctatcat cctcttcttg gtagcaacag ctacaggtgt ccactcccag 60
 gtccaactac agcagcctgg gactgagctg gtgaggcctg gaacttcagt gaagttgtcc 120
 tgaaggctt ctggctacat cttcaccacc tactggatga actgggtgaa acagaggcct 180
 ggacaaggcc ttgagtggat tggcatgatt catccttccg caagtgaat taggttggat 240
 cagaaattca aggacaaggc cacattgact cttgacaaat cctccagcac agcctatatg 300
 cactcagcg gcccgcacatc tgtggattct gcggtctatt actgtgcaag atcaggggaa 360
 tgggggtcta tggactactg gggcaagga acctcagtca ccgtctctc agccaaaacg 420
 acacccccat ctgtctatcc actggcccct ggatctgctg cccaaactaa ctccatgggtg 480
 accctgggat gcctgggtcaa gggctatttc cctgagccag tgacagtgc ctggaactct 540
 ggatccctgt ccagcgggtgt gcacaccttc ccagctgtcc tgcagtctga cctctacact 600
 ctgagcagct cagtgcactgt cccctccagc acctggccca gcgagaccgt cacttgcaac 660
 gttgccacc cggccagcag caccaagggtg gacaagaaaa ttgtgccag ggattgtggt 720
 tgaagcctt gcatatgtac agtcccagaa gtatcatctg tcttcatctt cccccaaag 780
 cccaaggatg tgctcaccat tactctgact cctaagggtc cgtgtgtgtt ggtagacatc 840
 agcaaggatg atcccggagt ccagttcagc tggttttag atgatgtgga ggtgcacaca 900
 gctcagacgc aaccccgga ggagcagttc aacagcactt tccgctcagt cagtgaactt 960
 cccatcatgc accaggactg gctcaatggc aaggagttca aatgcagggt caacagtgc 1020
 gctttccctg cccccatcga gaaaaccatc tccaaaacca aaggcagacc gaaggctcca 1080
 caggtgtara ccattccacc tcccaaggag cagatggcca aggataaagt cagtctgacc 1140
 tgcataataa cagacttctt ccctgaagac attactgtgg agtggcagt gaatggcag 1200
 ccagcggaga actacaagaa cactcagccc atcatggaca cagatggctc ttacttcac 1260
 tacagcaagc tcaatgtgca gaagagcaac tgggaggcag gaaatactt cactgtctct 1320
 gtgttacatg agggcctgca caaccaccat actgagaaga gcctctccca ctctcctggt 1380
 aatga 1386

<210> 364
 <211> 106
 <212> PRT
 <213> Mus musculus

<400> 364
 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45
 Tyr Ser Thr Ser Arg Leu Asn Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Ile Lys His Pro Thr
 85 90 95
 Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 365
 <211> 318
 <212> DNA
 <213> Mus musculus

<400> 365
 gacatccaga tgaccagtc tccatcctcc ctgtctgcat ctgtaggtga ccgtgtcacc 60
 atcacttgcc gcgcaagtca ggatattagc agctatttaa attggtatca gcagaaacca 120
 gggaaagccc ctaagctcct gatctattct acttcccgtt tgaatagtgg ggtcccatca 180
 cgcttcagt gcagtggctc tgggacagat ttcactctca ccatcagcag tctgcaacct 240
 gaagattttg caacttacta ctgtcaacag gatattaaac accctacgtt cgggtcaaggc 300
 accaagggtg agatcaaa 318

<210> 366
 <211> 120
 <212> PRT
 <213> Mus musculus

<400> 366
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr
 20 25 30
 Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 5 Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 10 Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 367
 <211> 360
 <212> DNA
 <213> Mus musculus

<400> 367
 gaggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctgggtcctc ggtgaaggctc 60
 20 tcctgcaagg ctcttggttt taccttcacc gactatatta tgcactgggt gcgtcaggcc 120
 cctgggtcaag ggcttgagtg gatgggctat atcaaccctt ataatgatga caccgaatac 180
 aacgagaagt tcaagggccg tgtcacgatt accgcggaca aatccacgag cacagcctac 240
 atggagctga gcagcctgag ctctgaggac acggccgtgt attactgtgc gcgttcgatt 300
 tattactacg atgccccgtt tgcttactgg ggccaaggga ctctggtcac cgtctctagt 360

<210> 368
 <211> 108
 <212> PRT
 <213> Mus musculus

<400> 368
 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Phe Thr Ala
 20 25 30
 Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45
 Tyr Trp Ala Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ser Ser Tyr Pro Leu
 85 90 95
 40 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg
 100 105

<210> 369
 <211> 324
 <212> DNA
 <213> Mus musculus

<400> 369
 gatataccaga tgaccagag cccgagcagc ctgagcgcga gcgtgggcga tcgctgagacc 60
 50 attacctgca aagcgagcca ggaatgtgtt accgcggttg cgtggtatca gcagaaaccg 120
 ggcaaaagcgc cgaaactgct gatttatttg gcgagcagcc gccataccgg cgtgccgagt 180
 cgcttttagcg gcagcggcag cggcaccgat ttaccctga ccattagcag cctgcagccg 240
 gaagattttg cgacctatta ttgccagcag tatagcagct atccgctgac ctttggcggc 300
 ggcaccaaag tggaaattaa acgt 324

<210> 370
 <211> 119
 <212> PRT

<213> Mus musculus

<400> 370

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85
 90
 95
 100
 105
 110
 115

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asn Ile Lys Asp Tyr
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 Gly Arg Ile Asp Pro Glu Asn Gly Asp Ile Ile Tyr Asp Pro Lys Phe
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 Met Glu Leu Arg Ser Leu Arg Ser Asp Thr Ala Val Tyr Tyr Cys
 Ala Tyr Asp Ala Gly Asp Pro Ala Trp Phe Thr Tyr Trp Gly Gln Gly
 Thr Leu Val Thr Val Ser Ser

<210> 371

<211> 357

<212> DNA

<213> Mus musculus

<400> 371

25
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85
 90
 95
 100
 105
 110
 115
 120
 125
 130
 135
 140
 145
 150
 155
 160
 165
 170
 175
 180
 185
 190
 195
 200
 205
 210
 215
 220
 225
 230
 235
 240
 245
 250
 255
 260
 265
 270
 275
 280
 285
 290
 295
 300
 305
 310
 315
 320
 325
 330
 335
 340
 345
 350
 355
 360
 365
 370
 375
 380
 385
 390
 395
 400
 405
 410
 415
 420
 425
 430
 435
 440
 445
 450
 455
 460
 465
 470
 475
 480
 485
 490
 495
 500
 505
 510
 515
 520
 525
 530
 535
 540
 545
 550
 555
 560
 565
 570
 575
 580
 585
 590
 595
 600
 605
 610
 615
 620
 625
 630
 635
 640
 645
 650
 655
 660
 665
 670
 675
 680
 685
 690
 695
 700
 705
 710
 715
 720
 725
 730
 735
 740
 745
 750
 755
 760
 765
 770
 775
 780
 785
 790
 795
 800
 805
 810
 815
 820
 825
 830
 835
 840
 845
 850
 855
 860
 865
 870
 875
 880
 885
 890
 895
 900
 905
 910
 915
 920
 925
 930
 935
 940
 945
 950
 955
 960
 965
 970
 975
 980
 985
 990
 995
 1000

gaagtgcagc tgggtgcagag cggcgccgaa gtgaaaaaac cggcgccgag cgtgaaagtg
 agctgcaaag cgagcggcct taacattaaa gattattata tgcattgggt gcgccaggcg
 ccggggccagg gcctggaatg gatcgccgcg attgatccgg aaaacggcga tattatttat
 gatccgaaat ttcaggggccg cgtgaccatg accaccgata ccagcaccag caccgcgtat
 atggaactgc gcagcctgcg cagcgatgat acccggtgtg attattgccc gtatgatgcg
 ggcgatccgg cgtggtttac ctattggggc cagggcaccc tgggtgaccgt ctcgagc

<210> 372

<211> 108

<212> PRT

<213> Mus musculus

<400> 372

35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85
 90
 95
 100
 105
 110
 115
 120
 125
 130
 135
 140
 145
 150
 155
 160
 165
 170
 175
 180
 185
 190
 195
 200
 205
 210
 215
 220
 225
 230
 235
 240
 245
 250
 255
 260
 265
 270
 275
 280
 285
 290
 295
 300
 305
 310
 315
 320
 325
 330
 335
 340
 345
 350
 355
 360
 365
 370
 375
 380
 385
 390
 395
 400
 405
 410
 415
 420
 425
 430
 435
 440
 445
 450
 455
 460
 465
 470
 475
 480
 485
 490
 495
 500
 505
 510
 515
 520
 525
 530
 535
 540
 545
 550
 555
 560
 565
 570
 575
 580
 585
 590
 595
 600
 605
 610
 615
 620
 625
 630
 635
 640
 645
 650
 655
 660
 665
 670
 675
 680
 685
 690
 695
 700
 705
 710
 715
 720
 725
 730
 735
 740
 745
 750
 755
 760
 765
 770
 775
 780
 785
 790
 795
 800
 805
 810
 815
 820
 825
 830
 835
 840
 845
 850
 855
 860
 865
 870
 875
 880
 885
 890
 895
 900
 905
 910
 915
 920
 925
 930
 935
 940
 945
 950
 955
 960
 965
 970
 975
 980
 985
 990
 995
 1000

Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 Asp Arg Val Thr Ile Thr Cys Ser Val Ser Ser Ser Ile Ser Ser Ser
 Asn Leu His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu
 Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser
 Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln
 Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Thr Thr Thr Tyr
 Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg

<210> 373

<211> 324

<212> DNA

<213> Mus musculus

<400> 373

50
 55
 60
 65
 70
 75
 80
 85
 90
 95
 100
 105
 110
 115
 120
 125
 130
 135
 140
 145
 150
 155
 160
 165
 170
 175
 180
 185
 190
 195
 200
 205
 210
 215
 220
 225
 230
 235
 240
 245
 250
 255
 260
 265
 270
 275
 280
 285
 290
 295
 300
 305
 310
 315
 320
 325
 330
 335
 340
 345
 350
 355
 360
 365
 370
 375
 380
 385
 390
 395
 400
 405
 410
 415
 420
 425
 430
 435
 440
 445
 450
 455
 460
 465
 470
 475
 480
 485
 490
 495
 500
 505
 510
 515
 520
 525
 530
 535
 540
 545
 550
 555
 560
 565
 570
 575
 580
 585
 590
 595
 600
 605
 610
 615
 620
 625
 630
 635
 640
 645
 650
 655
 660
 665
 670
 675
 680
 685
 690
 695
 700
 705
 710
 715
 720
 725
 730
 735
 740
 745
 750
 755
 760
 765
 770
 775
 780
 785
 790
 795
 800
 805
 810
 815
 820
 825
 830
 835
 840
 845
 850
 855
 860
 865
 870
 875
 880
 885
 890
 895
 900
 905
 910
 915
 920
 925
 930
 935
 940
 945
 950
 955
 960
 965
 970
 975
 980
 985
 990
 995
 1000

gatattcagc tgaccagag cccgagcttt ctgagcgcca gcgtgggcca tcgctgacc
 attacctgca gcgtgagcag cagcattagc agcagcaacc tgcattggta tcagcagaaa
 ccgggcaaag cgccgaaact gctgatttat ggcaccagca acctggcgag cggcgtgccg
 agccgcttta gcggcagcgg cagcggcacc gaatttaccg tgaccattag cagcctgcag
 ccggaagatt ttgcgacctt ttattgccag cagtggacca ccacctatac ctttggccag
 ggcaccaaac tggaaattaa acgt

<210> 374
 <211> 122
 <212> PRT
 <213> Mus musculus

<400> 374
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asn Ile Lys Asp Tyr
 20 25 30
 Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Arg Ile Asp Pro Asp Asn Gly Glu Ser Thr Tyr Val Pro Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Leu Asp Tyr Gly Asp Tyr Tyr Ala Val Asp Tyr Trp
 100 105 110
 Gly Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 375
 <211> 366
 <212> DNA
 <213> Mus musculus

<400> 375
 gaagtgcagc tgggtgcagag cggcgcgga gtaaaaaaac cgggcgcgag cgtgaaagtg 60
 agctgcaaag cgagcggctt taacattaaa gattattata ttcattgggt gcgccaggcg 120
 ccgggccagg gcctggaatg gatgggccgc attgatccgg ataacggcga aagcacctat 180
 gtgccgaaat ttcagggccg cgtgacccatg accaccgata ccagcaccag caccgcgtat 240
 atggaactgc gcagcctgcg cagcgatgat accgcggtgt attattgcgc gcgcgaaggc 300
 ctggattatg gcgattatta tgcggtggat tattggggcc agggcaccct ggtgaccgtc 360
 tcgagc 366

<210> 376
 <211> 107
 <212> PRT
 <213> Mus musculus

<400> 376
 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr
 20 25 30
 Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45
 Tyr Tyr Thr Ser Arg Leu Leu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Asp Thr Leu Pro Tyr
 85 90 95
 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 377
 <211> 321
 <212> DNA
 <213> Mus musculus

<400> 377
 gacatccaga tgaccagtc tccatcctcc ctctccgcat ccgtaggcga ccgcgtaacc 60

ataacatgta gagcatctca agatatttcc aactatttga attggtacca acaaaaaccc 120
 ggcaaagcac ctaaactcct catttactat acatcaagac tcctctccgg cgttccatca 180
 cgattctcag gctccggctc cggcacagat ttcacactca ctatttcctc cctccaacca 240
 gaagattttg caacctatta ctgtcaacaa ggcgatacac tcccatacac attcggcggc 300
 ggcacaaaag ttgaaattaa a 321

<210> 378
 <211> 123
 <212> PRT
 <213> Mus musculus

<400> 378
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 379
 <211> 369
 <212> DNA
 <213> Mus musculus

<400> 379
 gaggtgcagc tgggtgcagag cggcgccgag gtaaaaaaac caggagcaag cgtaaagtt 60
 tcttgtaaag caagcggata tacatttaca gattacaaca tgcattgggt aagacaagcg 120
 ccaggacaag gattggaatg gatgggagaa attaaccta atagtggagg agcaggctac 180
 aatcaaaaat tcaaagggag agttacaatg acaacagaca caagcacttc aacagcatat 240
 atggaactgc gatcacttag aagcgacgat acagctgtat actattgcgc acgacttggg 300
 tatgatgata tatatgatga ctggtatttc gatgtttggg gccaggggaac aacagttacc 360
 gtctctagt 369

<210> 380
 <211> 108
 <212> PRT
 <213> Mus musculus

<400> 380
 Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Ser Ser Val Thr Ser Ser
 20 25 30
 Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu
 35 40 45
 Ile Tyr Ser Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser
 50 55 60
 Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln
 65 70 75 80
 Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Phe Phe Pro
 85 90 95
 Ser Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 381
 <211> 324

<212> DNA

<213> Mus musculus

<400> 381

```

5  gacatccagc tgacccagag ccccagcttc ctttccgcat ccgttggtga ccgagtaaca 60
   atcacatgcc gcgcctcatc ttcagttaca tcttcttatt ttaattggta tcaacaaaaa 120
   ccaggaaaag cacctaaact tcttatatac tctacatcta atctcgcatc aggagttccc 180
   tctcgatttt caggatctgg atcaggcaca gaatttacac ttactatatc atcactccaa 240
   ccagaagact tcgccactta ttactgccaa caatacgatt tttttccaag cacattcgga 300
   ggaggtacaa aagtagaat caag                                     324

```

<210> 382

<211> 121

<212> PRT

<213> Mus musculus

<400> 382

```

15  Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
    1      5      10      15
   Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
    20      25      30
   Tyr Met Asn Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met
    35      40      45
   Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn His Lys Phe
    50      55      60
   Lys Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser Thr Ala Tyr
    65      70      75      80
   Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
    85      90      95
   Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp Tyr Trp Gly
   100      105      110
   Gln Gly Thr Thr Val Thr Val Ser Ser
    115      120

```

<210> 383

<211> 363

<212> DNA

<213> Mus musculus

<400> 383

```

35  gaggtgcagc tggtgcagag cggcgccgag gtcaagaaac ctggagcaag cgtaaagggt 60
   agttgcaaag catctggata cacatttacc gactactaca tgaattgggt acgacaagcc 120
   cctggacaaa gacttgaatg gatgggagac attaacctt ataacgacga cactacatac 180
   aatcataaat ttaaagggaag agttacaatt acaagagata catccgcatc aaccgcctat 240
   atggaacttt cctcattgag atctgaagac actgctgttt attactgtgc aagagaaact 300
   gccgttatta ctactaacgc tatggattac tgggggtcaag gaaccactgt taccgtctct 360
   agt                                     363

```

<210> 384

<211> 108

<212> PRT

<213> Mus musculus

<400> 384

```

45  Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
    1      5      10      15
   Asp Arg Val Thr Ile Thr Cys Ser Val Ser Ser Thr Ile Ser Ser Asn
    20      25      30
   His Leu His Trp Phe Gln Gln Lys Pro Gly Lys Ala Pro Lys Ser Leu
    35      40      45
   Ile Tyr Gly Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser
    50      55      60
   Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln
    65      70      75      80
   Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Tyr Pro
    85      90      95
   Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys

```

100

105

<210> 385
 <211> 324
 <212> DNA
 <213> Mus musculus

<400> 385
 gacatccaga tgacccagtc tccatcctcc ctctcagcat ccgtaggcga tagagttaca 60
 ataacatgca gcgtatcatc aactatatca tcaaatcatc ttcattgggt ccaacagaaa 120
 cccggcaaag cacctaaatc acttatatac ggcacatcaa atctcgcac aggcgttcct 180
 tcaagatttt caggctctgg ctccaggcacc gactttactc ttacaatatc ctccctccaa 240
 cccgaagact tcgcaacctt ttactgtcaa caatgggtcct catatccact cacatttggc 300
 ggcggcacia aagtagaaat taaa 324

<210> 386
 <211> 125
 <212> PRT
 <213> Mus musculus

<400> 386
 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Asp Phe Asn Ile Lys Asp Phe
 20 25 30
 Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp Pro Lys Phe
 50 55 60
 Gln Asp Lys Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr Trp Tyr Phe
 100 105 110
 Asp Val Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ser
 115 120 125

<210> 387
 <211> 375
 <212> DNA
 <213> Mus musculus

<400> 387
 gaggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtc 60
 tcctgcaagg cttctgactt caacattaata gacttctatc tacactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gattggaagg attgatcctg agaatgggtga tactttatat 180
 gacccgaagt tccaggacaa ggtcaccatg accacagaca cgtccaccag cacagcctac 240
 atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagagaggcg 300
 gattatttcc acgatggtac ctctactgg tacttcgatg tctggggccg tggcaccctg 360
 gtcaccgtct ctagt 375

<210> 388
 <211> 106
 <212> PRT
 <213> Mus musculus

<400> 388
 Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10 15
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Ser Ser Ile Ser Tyr Ile
 20 25 30
 His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Ile Tyr
 35 40 45
 Ala Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser
 50 55 60

Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu
 65 70 75 80
 Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Trp Ser Ser Asp Pro Leu Thr
 85 90 95
 5 Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 389
 <211> 318
 10 <212> DNA
 <213> Mus musculus

<400> 389
 gacatccagt tgaccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60
 15 atcacttgca gggccagctc aagtataagt tacatacact ggtatcagca aaaaccaggg 120
 aaagccccta agtcctgat ctatgccaca tccaacctgg ctctctgggt cccatcaagg 180
 ttcagcgcca gtggatctgg gacagaattc actctcaca tcagcagcct gcagcctgaa 240
 gattttgcaa cttattactg tcagcagtg agtagtgacc cactcacgtt cggcggaggg 300
 accaaggtgg agatcaaa 318

<210> 390
 <211> 121
 <212> PRT
 20 <213> Mus musculus

<400> 390
 25 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asp Ile Lys Asp Tyr
 20 25 30
 Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45
 Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala Pro Lys Phe
 50 55 60
 30 Pro Gly Lys Val Thr Met Thr Thr Asp Thr Ser Ile Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Arg Leu Arg Ser Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 35 Ala Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro Tyr Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 391
 <211> 363
 <212> DNA
 40 <213> Mus musculus

<400> 391
 gaggtgcagc tggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtc 60
 45 tcctgcaagg ctcttgatt cgacattaag gactactata tacactgggt gcgacaggcc 120
 cctggacaag ggcttgagt gatcggaagg gttgatcctg acaatggtga gactgaattt 180
 gccccgaagt tcccgggcaa ggtcaccatg accacagaca cgtccatcag cacagcctac 240
 atggagctga gcaggctgag atctgacgac acggccgtgt attactgtgc gagagaagac 300
 tacgatggta cctacacctg gtttccttat tggggccaag ggactctggt caccgtctct 360
 50 agt 363

<210> 392
 <211> 448
 <212> PRT
 <213> Artificial Sequence

55 <220>
 <223> Humanized antibody sequence

<400> 392

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30
 Asn Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Trp Met
 35 40 45
 Gly Glu Ile Asn Pro Asn Ser Gly Gly Ala Gly Tyr Asn Gln Lys Phe
 50 55 60
 Lys Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Leu Gly Tyr Asp Asp Ile Tyr Asp Asp Trp Tyr Phe Asp Val
 100 105 110
 Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly
 115 120 125
 Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser
 130 135 140
 Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
 145 150 155 160
 Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
 165 170 175
 Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
 180 185 190
 Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val
 195 200 205
 Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys
 210 215 220
 Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro
 225 230 235 240
 Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
 245 250 255
 Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
 260 265 270
 Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
 275 280 285
 Ala Lys Thr Lys Pro Arg Glu Gln Phe Asn Ser Thr Phe Arg Val
 290 295 300
 Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu
 305 310 315 320
 Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys
 325 330 335
 Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
 340 345 350
 Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
 355 360 365
 Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
 370 375 380
 Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu
 385 390 395 400
 Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
 405 410 415
 Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
 420 425 430
 Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
 435 440 445

<210> 393

<211> 446

<212> PRT

<213> Artificial sequence

<220>

<223> Humanized antibody sequence

<400> 393

1 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 Tyr Met Asn Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met
 Gly Asp Ile Asn Pro Tyr Asn Asp Asp Thr Thr Tyr Asn His Lys Phe
 10 Lys Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser Thr Ala Tyr
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 Ala Arg Glu Thr Ala Val Ile Thr Thr Asn Ala Met Asp Tyr Trp Gly
 15 Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser
 Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
 Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
 20 Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
 Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
 Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His
 25 Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys Cys Cys
 Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val
 Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
 30 Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
 Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
 Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser
 35 Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
 Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile
 Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
 40 Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
 Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
 Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser
 45 Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
 Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
 His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
 50
 <210> 394
 <211> 450
 <212> PRT
 <213> Artificial Sequence
 55
 <220>
 <223> Humanized antibody sequence

5 <400> 394
 1 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 Ser Val Lys Val Ser Cys Lys Ala Ser Asp Phe Asn Ile Lys Asp Phe
 Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 Gly Arg Ile Asp Pro Glu Asn Gly Asp Thr Leu Tyr Asp Pro Lys Phe
 10 Gln Asp Lys Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 Met Glu Leu Arg Ser Leu Arg Ser Asp Thr Ala Val Tyr Tyr Cys
 Ala Arg Glu Ala Asp Tyr Phe His Asp Gly Thr Ser Tyr Trp Tyr Phe
 15 Asp Val Trp Gly Arg Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr
 Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser
 Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu
 20 Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His
 Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser
 Val Val Thr Val Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys
 25 Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu
 Arg Lys Cys Cys Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala
 Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
 30 Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
 Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val
 His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe
 35 Arg Val Val Ser Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly
 Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile
 Glu Lys Thr Ile Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val
 40 Tyr Thr Leu Pro Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser
 Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
 Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
 45 Met Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val
 Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
 His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
 50 Pro Gly
 450

<210> 395

<211> 446

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

5

<400> 395

10

15

20

25

30

35

40

45

50

55

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Asp Ile Lys Asp Tyr
 20 25 30
 Tyr Ile His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Trp Ile
 35 40 45
 Gly Arg Val Asp Pro Asp Asn Gly Glu Thr Glu Phe Ala Pro Lys Phe
 50 55 60
 Pro Gly Lys Val Thr Met Thr Thr Asp Thr Ser Ile Ser Thr Ala Tyr
 65 70 75 80
 Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Asp Tyr Asp Gly Thr Tyr Thr Trp Phe Pro Tyr Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ala Ser Thr Lys Gly Pro Ser
 115 120 125
 Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala
 130 135 140
 Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val
 145 150 155 160
 Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala
 165 170 175
 Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val
 180 185 190
 Pro Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His
 195 200 205
 Lys Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys Cys Cys
 210 215 220
 Val Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val
 225 230 235 240
 Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr
 245 250 255
 Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu
 260 265 270
 Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys
 275 280 285
 Thr Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser
 290 295 300
 Val Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys
 305 310 315 320
 Cys Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile
 325 330 335
 Ser Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro
 340 345 350
 Pro Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu
 355 360 365
 Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn
 370 375 380
 Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser
 385 390 395 400
 Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg
 405 410 415
 Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu
 420 425 430
 His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
 435 440 445

<210> 396

<211> 445

<212> PRT

<213> Artificial Sequence

<220>

<223> Humanized antibody sequence

5

<400> 396

10

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser

1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Phe Thr Phe Thr Asp Tyr

20 25 30

Ile Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met

35 40 45

Gly Tyr Ile Asn Pro Tyr Asn Asp Asp Thr Glu Tyr Asn Glu Lys Phe

50 55 60

Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr

65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys

85 90 95

Ala Arg Ser Ile Tyr Tyr Tyr Asp Ala Pro Phe Ala Tyr Trp Gly Gln

100 105 110

Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val

115 120 125

Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala Ala

130 135 140

Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser

145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val

165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro

180 185 190

Ser Ser Asn Phe Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His Lys

195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Thr Val Glu Arg Lys Cys Cys Val

210 215 220

Glu Cys Pro Pro Cys Pro Ala Pro Pro Val Ala Gly Pro Ser Val Phe

225 230 235 240

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro

245 250 255

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val

260 265 270

Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr

275 280 285

Lys Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Val Val Ser Val

290 295 300

Leu Thr Val Val His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys

305 310 315 320

Lys Val Ser Asn Lys Gly Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser

325 330 335

Lys Thr Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro

340 345 350

Ser Arg Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val

355 360 365

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly

370 375 380

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Met Leu Asp Ser Asp

385 390 395 400

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp

405 410 415

Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His

420 425 430 435

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly

440 445

55

Claims**1.** A sclerostin-binding agent, such as an antibody, that

(a) cross-blocks the binding of at least one of antibodies Ab-14, Ab-13, Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24 to sclerostin; and/or

(b) is cross-blocked from binding to sclerostin by at least one of antibodies Ab-14, Ab-13, Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11, Ab-12, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, and Ab-24;

optionally wherein the ability of said sclerostin binding agent to cross-block or to be cross-blocked is detected in a Biacore assay or an ELISA assay.

2. The sclerostin-binding agent of claim 1 wherein said sclerostin-binding agent can:

(a) increase at least one of bone formation, bone mineral density, bone mineral content, bone mass, bone quality and bone strength in a mammal; or

(b) block the inhibitory effect of sclerostin in a cell-based mineralization assay.

3. A sclerostin-binding agent, such as an antibody, wherein said sclerostin-binding agent:

(a) can block the inhibitory effect of sclerostin in a cell-based mineralization assay; or

(b) binds to a Loop 2 epitope, a T20.6 epitope, or a "T20.6 derivative 1 (cystine-knot + 4 arms)" epitope.

4. A sclerostin-binding agent, such as an antibody, that comprises:

(a) at least one CDR sequence having at least 75%, at least 80% or at least 95% identity to a CDR selected from SEQ ID NOs:284, 285, 286, 296, 297, 298, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 78, 79, 80, 81, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 287, 288, 289, 290, 291, 292, 293, 294, 295, 351, 352, 353, 358, 359, and 360;

(b) at least two of said CDRs of (a);

(c) six of said CDRs of (a);

(d) CDR sequences of SEQ ID NOs:284, 285, 286;

(e) CDR sequences of SEQ ID NOs:296, 297, 298;

(f) CDR sequences of SEQ ID NOs:45, 46, and 47;

(g) CDR sequences of SEQ ID NOs:48, 49, and 50;

(h) CDR sequences of SEQ ID NOs:51, 52, and 53;

(i) CDR sequences of SEQ ID NOs:54, 55, and 56;

(j) CDR sequences of SEQ ID NOs:57, 58, and 59;

(k) CDR sequences of SEQ ID NOs:60, 61, and 62;

(l) CDR sequences of SEQ ID NOs:275, 276, and 277;

(m) CDR sequences of SEQ ID NOs:287, 288, and 289;

(n) CDR sequences of SEQ ID NOs:278, 279, and 280;

(o) CDR sequences of SEQ ID NOs:290, 291, and 292;

(p) CDR sequences of SEQ ID NOs:78, 79, and 80;

(q) CDR sequences of SEQ ID NOs:245, 246, and 247;

(r) CDR sequences of SEQ ID NOs:81, 99, and 100;

(s) CDR sequences of SEQ ID NOs:248, 249, and 250;

(t) CDR sequences of SEQ ID NOs:101, 102, and 103;

(u) CDR sequences of SEQ ID NOs:251, 252, and 253;

(v) CDR sequences of SEQ ID NOs:104, 105, and 106;

(w) CDR sequences of SEQ ID NOs:254, 255, and 256;

(x) CDR sequences of SEQ ID NOs:107, 108, and 109;

(y) CDR sequences of SEQ ID NOs:257, 258, and 259;

(z) CDR sequences of SEQ ID NOs: 110, 111, and 112;

(aa) CDR sequences of SEQ ID NOs:260, 261, and 262;
 (bb) CDR sequences of SEQ ID NOs:281, 282, and 283;
 (cc) CDR sequences of SEQ ID NOs:293, 294, and 295;
 (dd) CDR sequences of SEQ ID NOs:113, 114, and 115;
 (ee) CDR sequences of SEQ ID NOs:263, 264, and 265;
 (ff) CDR sequences of SEQ ID NOs:39, 40, 41;
 (gg) CDR sequences of SEQ ID NOs:42, 43, 44;
 (hh) CDR sequences of SEQ ID NOs:116, 237, and 238;
 (ii) CDR sequences of SEQ ID NOs:266, 267, and 268;
 (jj) CDR sequences of SEQ ID NOs:239, 240, and 241;
 (kk) CDR sequences of SEQ ID NOs:269, 270, and 271;
 (ll) CDR sequences of SEQ ID NOs:272, 273, and 274;
 (mm) CDR sequences of SEQ ID NOs:242, 243, and 244;
 (nn) CDR sequences of SEQ ID NOs:351, 352, and 353;
 (oo) CDR sequences of SEQ ID NOs:358, 359, and 360;
 (pp) CDR sequences of SEQ ID NOs: 284, 285, and 286 and CDR sequences of SEQ ID NOs:296, 297, and 298;
 (qq) CDR sequences of SEQ ID NOs:60, 61, and 62 and CDR sequences of SEQ ID NOs:57, 58, and 59;
 (rr) CDR sequences of SEQ ID NOs:48, 49, and 50 and CDR sequences of SEQ ID NOs:45, 46, and 47;
 (ss) CDR sequences of SEQ ID NOs:42, 43, and 44 and CDR sequences of SEQ ID NOs:39, 40, and 41;
 (tt) CDR sequences of SEQ ID NOs:275, 276, and 277 and CDR sequences of SEQ ID NOs:287, 288, and 289;
 (uu) CDR sequences of SEQ ID NOs:278, 279, and 280 and CDR sequences of SEQ ID NOs:290, 291, and 292;
 (vv) CDR sequences of SEQ ID NOs:78, 79, and 80 and CDR sequences of SEQ ID NOs: 245, 246, and 247;
 (vv) CDR sequences of SEQ ID NOs:81, 99, and 100 and CDR sequences of SEQ ID NOs:248, 249, and 250;
 (xx) CDR sequences of SEQ ID NOs: 101, 102, and 103 and CDR sequences of SEQ ID NOs:251, 252, and 253;
 (ww) CDR sequences of SEQ ID NOs:104, 105, and 106 and CDR sequences of SEQ ID NOs:254, 255, and 256;
 (xx) CDR sequences of SEQ ID NOs:107, 108, and 109 and CDR sequences of SEQ ID NOs:257, 258, and 259;
 (aaa) CDR sequences of SEQ ID NOs: 110, 111, and 112 and CDR sequences of SEQ ID NOs:260, 261, and 262;
 (bbb) CDR sequences of SEQ ID NOs:281, 282, and 283 and CDR sequences of SEQ ID NOs:293, 294, and 295;
 (ccc) CDR sequences of SEQ ID NOs:113, 114, and 115 and CDR sequences of SEQ ID NOs:263, 264, and 265;
 (ddd) CDR sequences of SEQ ID NOs: 54, 55, and 56 and CDR sequences of SEQ ID NOs:51, 52, and 53;
 (eee) CDR sequences of SEQ ID NOs:116, 237, and 238 and CDR sequences of SEQ ID NOs:266, 267, and 268;
 (fff) CDR sequences of SEQ ID NOs:239, 240, and 241 and CDR sequences of SEQ ID NOs:269, 270, and 271;
 (ggg) CDR sequences of SEQ ID NOs:242, 243, and 244 and CDR sequences of SEQ ID NOs:272, 273, and 274; or
 (hhh) CDR sequences of SEQ ID NOs:351, 352, and 353 and CDR sequences of SEQ ID NOs:358, 359, and 360.

5. A sclerostin-binding agent, such as an antibody comprising:

(a) at least one CDR sequence having at least 75% identity to a CDR selected from CDR-H1, CDR-H2, CDR-H3, CDR-L1, CDR-L2 and CDR-L3 wherein, CDR-H1 has the sequence given in SEQ ID NO:245 or SEQ ID NO:269, CDR-H2 has the sequence given in SEQ ID NO:246 or SEQ ID NO:270, CDR-H3 has the sequence given in SEQ ID NO:247 or SEQ ID NO:271, CDR-L1 has the sequence given in SEQ ID NO:78 or SEQ ID NO:239, CDR-L2 has the sequence given in SEQ ID NO:79 or SEQ ID NO:240 and CDR-L3 has the sequence given in SEQ ID NO:80 or SEQ ID NO 241;
 (b) three CDRs, CDR-H1, CDR-H2 and CDR-H3, wherein (i) CDR-H1 is SEQ ID NO:245, CDR-H2 is SEQ ID NO:246 and CDR-H3 is SEQ ID NO:247 or (ii) CDR-H1 is SEQ ID NO:269, CDR-H2 is SEQ ID NO:270 and CDR-H3 is SEQ ID NO:271;
 (c) three CDRs, CDR-L1, CDR-L2 and CDR-L3, wherein (i) CDR-L1 is SEQ ID NO:78, CDR-L2 is SEQ ID NO:79 and CDR-L3 is SEQ ID NO:80 or (ii) CDR-L1 is SEQ ID NO:239, CDR-L2 is SEQ ID NO:240 and CDR-L3 is SEQ ID NO:241; or
 (d) six CDRs, CDR-H1, CDR-H2, CDR-H3, CDR-L1, CDR-L2 and CDR-L3 wherein (i) CDR-H1 is SEQ ID NO:245, CDR-H2 is SEQ ID NO:246, CDR-H3 is SEQ ID NO:247, CDR-L1 is SEQ ID NO:78, CDR-L2 is SEQ ID NO:79 and CDR-L3 is SEQ ID NO:80 or (ii) CDR-H1 is SEQ ID NO:269, CDR-H2 is SEQ ID NO:270, CDR-H3 is SEQ ID NO:271, CDR-L1 is SEQ ID NO:239, CDR-L2 is SEQ ID NO:240 and CDR-L3 is SEQ ID NO:241;
 (e) a heavy chain wherein said heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:333; SEQ ID NO:378; SEQ ID NO:327; SEQ ID NO:329; or SEQ ID NO:366;
 (f) a light chain wherein said light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:332; SEQ ID NO:376; SEQ ID NO:314; SEQ ID NO:328; or SEQ ID NO:364; or

(g) both a heavy chain and a light chain wherein (i) the heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:333 and the light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:332; or (ii) the heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:378 and the light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:376; or (iii) the heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:327 and the light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:314; or (iv) the heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:329 and the light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:328; or (v) the heavy chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:366 and the light chain comprises a polypeptide having at least 85% identity to the sequence given in SEQ ID NO:364;

wherein said sclerostin-binding agent is optionally attached to one or more effector or reporter molecule(s).

6. The sclerostin-binding agent of claim 5 which comprises a light chain and/or heavy chain constant region, optionally the IgG4 or the IgG2 constant region.

7. A sclerostin-binding agent:

(a) having a heavy chain comprising CDRs H1, H2 and H3 and comprising a polypeptide having the sequence provided in SEQ ID NO:137 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO: 245, 246 and 247, respectively, and a light chain comprising CDRs L1, L2 and L3 and comprising a polypeptide having the sequence provided in SEQ ID NO:133 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:78, 79 and 80, respectively;

(b) having a heavy chain comprising CDRs H1, H2 and H3 and comprising a polypeptide having the sequence provided in SEQ ID NO:145 or 392 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:245, 246 and 247, respectively, and a light chain comprising CDRs L1, L2 and L3 and comprising a polypeptide having the sequence provided in SEQ ID NO:141 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:78, 79 and 80, respectively;

(c) having a heavy chain comprising CDRs H1, H2 and H3 and comprising a polypeptide having the sequence provided in SEQ ID NO:335 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO: 269, 270 and 271, respectively, and a light chain comprising CDRs L1, L2 and L3 and comprising a polypeptide having the sequence provided in SEQ ID NO:334 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:239, 240 and 241, respectively;

(d) having a heavy chain comprising CDRs H1, H2 and H3 and comprising a polypeptide having the sequence provided in SEQ ID NO:331 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO: 269, 270 and 271, respectively, and a light chain comprising CDRs L1, L2 and L3 and comprising a polypeptide having the sequence provided in SEQ ID NO:330 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:239, 240 and 241, respectively;

(e) having a heavy chain comprising CDRs H1, H2 and H3 and comprising a polypeptide having the sequence provided in SEQ ID NO:345 or 396 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:269, 270 and 271, respectively, and a light chain comprising CDRs L1, L2 and L3 and comprising a polypeptide having the sequence provided in SEQ ID NO:341 or a variant thereof in which said CDRs are at least 75% identical to SEQ ID NO:239, 240 and 241, respectively;

(f) having a heavy chain comprising a polypeptide having the sequence provided in SEQ ID NO:137, and a light chain comprising a polypeptide having the sequence provided in SEQ ID NO:133;

(g) having a heavy chain comprising a polypeptide having the sequence provided in SEQ ID NO:145 or 392, and a light chain comprising a polypeptide having the sequence provided in SEQ ID NO: 141;

(h) having a heavy chain comprising a polypeptide having the sequence provided in SEQ ID NO:335, and a light chain comprising a polypeptide having the sequence provided in SEQ ID NO:334;

(i) having a heavy chain comprising a polypeptide having the sequence provided in SEQ ID NO:331, and a light chain comprising a polypeptide having the sequence provided in SEQ ID NO:330; or

(j) having a heavy chain comprising a polypeptide having the sequence provided in SEQ ID NO:345 or 396, and a light chain comprising a polypeptide having the sequence provided in SEQ ID NO:341;

wherein said sclerostin-binding agent is optionally attached to one or more effector or reporter molecule(s).

8. An isolated polynucleotide sequence encoding the sclerostin-binding agent according to any one of the preceding

clams, or a cloning or expression vector comprising one or more of said polynucleotide sequences optionally wherein the vector comprises at least one sequence given in SEQ ID NO: 134, 136, 138, 140, 142, 144, 146, 148, 308, 310, 312, 342, 344, 346, 348, 349, 365, 367, 373, 375, and 379.

- 5 **9.** A host cell comprising one or more cloning or expression vectors according to claim 8, or a process for the production of the sclerostin-binding agent of any one of claims 1 to 7 comprising culturing the host cell and isolating the sclerostin-binding agent.
- 10 **10.** A pharmaceutical composition comprising a sclerostin-binding agent according to any one of claims 1 to 7 in combination with one or more of a pharmaceutically acceptable excipient, diluent or carrier, and optionally other active ingredients.
- 15 **11.** A sclerostin-binding agent according to any one of claims 1 to 7 or a pharmaceutical composition according to claim 10, for use in the treatment or prophylaxis of a pathological disorder that is mediated by sclerostin or that is associated with an increased level of sclerostin.
- 20 **12.** A sclerostin-binding agent according to any one of claims 1 to 7 or a pharmaceutical composition according to claim 10, for use in a method for treating a bone-related disorder in a mammalian subject.
- 25 **13.** The sclerostin-binding agent or pharmaceutical composition for use in a method according to claim 12 wherein the bone-related disorder is at least one of achondroplasia, cleidocranial dysostosis, enchondromatosis, fibrous dysplasia, Gaucher's Disease, hypophosphatemic rickets, Marfan's syndrome, multiple hereditary exotoses, neurofibromatosis, osteogenesis imperfecta, osteopetrosis, osteopoikilosis, sclerotic lesions, pseudoarthrosis, pyogenic osteomyelitis, periodontal disease, anti-epileptic drug induced bone loss, primary and secondary hyperparathyroidism, familial hyperparathyroidism syndromes, weightlessness induced bone loss, osteoporosis in men, postmenopausal bone loss, osteoarthritis, renal osteodystrophy, infiltrative disorders of bone, oral bone loss, osteonecrosis of the jaw, juvenile Paget's disease, melorheostosis, metabolic bone diseases, mastocytosis, sickle cell anemia/disease, organ transplant related bone loss, kidney transplant related bone loss, systemic lupus erythematosus, ankylosing spondylitis, epilepsy, juvenile arthritides, thalassemia, mucopolysaccharidoses, Fabry Disease, Turner Syndrome, Down Syndrome, Klinefelter Syndrome, leprosy, Perthes' Disease, adolescent idiopathic scoliosis, infantile onset multi-system inflammatory disease, Winchester Syndrome, Menses Disease, Wilson's Disease, ischemic bone disease (such as Legg-Calve-Perthes disease, regional migratory osteoporosis), anemic states, conditions caused by steroids, glucocorticoid-induced bone loss, heparin-induced bone loss, bone marrow disorders, scurvy, malnutrition, calcium deficiency, osteoporosis, osteopenia, alcoholism, chronic liver disease, postmenopausal state, chronic inflammatory conditions, rheumatoid arthritis, inflammatory bowel disease, ulcerative colitis, inflammatory colitis, Crohn's disease, oligomenorrhea, amenorrhea, pregnancy, diabetes mellitus, hyperthyroidism, thyroid disorders, parathyroid disorders, Cushing's disease, acromegaly, hypogonadism, immobilization or disuse, reflex sympathetic dystrophy syndrome, regional osteoporosis, osteomalacia, bone loss associated with joint replacement, HIV associated bone loss, bone loss associated with loss of growth hormone, bone loss associated with cystic fibrosis, chemotherapy associated bone loss, tumor induced bone loss, cancer-related bone loss, hormone ablative bone loss, multiple myeloma, drug-induced bone loss, anorexia nervosa, disease associated facial bone loss, disease associated cranial bone loss, disease associated bone loss of the jaw, disease associated bone loss of the skull, bone loss associated with aging, facial bone loss associated with aging, cranial bone loss associated with aging, jaw bone loss associated with aging, and skull bone loss associated with aging and bone loss associated with space travel.
- 35 **14.** A sclerostin-binding agent according to any one of claims 1 to 7 or a pharmaceutical composition according to claim 10, for use in a method of increasing at least one of bone formation, bone mineral content, bone mass, bone mineral density, bone quality, and bone strength in a mammal.
- 40 **15.** A sclerostin-binding agent according to any one of claims 1 to 7 or a pharmaceutical composition according to claim 10, for use in a method of improving the outcome in a mammal undergoing one or more of an orthopedic procedure, dental procedure, implant surgery, joint replacement, bone grafting, bone cosmetic surgery and bone repair such as fracture healing, nonunion healing, delayed union healing and facial reconstruction, comprising administering said agent or composition to said mammal before, during and/or after said procedure, replacement, graft, surgery or repair.
- 45 **16.** An antibody, wherein said antibody is Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3, Ab-4, Ab-5, Ab-6, Ab-7, Ab-8, Ab-

9, Ab-10, Ab-11, Ab-12, Ab-13, Ab-14, Ab-15, Ab-16, Ab-17, Ab-18, Ab-19, Ab-20, Ab-21, Ab-22, Ab-23, or Ab-24.

17. A diagnostic kit comprising a sclerostin-binding agent according to any one of claims 1 to 7.

5 18. A polypeptide comprising at least one of SEQ ID NOs:39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 78, 79, 80, 81, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 264, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 351, 352, 353, 10 358, 359, and 360, wherein said polypeptide is optionally conjugated to at least one of Fc, PEG, albumin, and transferrin.

15

20

25

30

35

40

45

50

55

A.

1 AQVLTQTPAS VSAAVGGTGT INCQSSQSVY DNNWLAWFQQ KPGQPPKLLI
 51 YDASDLASGV PSRFGSGSG TQFTLTISGV QCADAAATYYC QGAYNDVIYA
 101 FGGGTEVVVK RTDAAPTISI FPPSSEQLTG GGASVVCFLN NFYPKDINVK
 151 WKIDGSERON GVLNSWTDQD SKDSTYSMSS TLTLTKEDEYE RHNSYTCEAT
 201 HKTSTSPIVK SFNRNEC

B.

1 QSLEESGGERL VTPGTPLTLT CTASGFSLS YWMNVVRQAP GEGLEWIGTI
 51 DSGGRTDYAS WAKGRFTISR TSTTMDLKMT SLTTGDTARY FCARNWNLWG
 101 QGTLVTVSSA STKGPSVYPL APGSAAQTNM MVTLGCLVKG YFPEPVTVTW
 151 NSGSLSSGVH TFPVVLQSDI YTLSSSVTVP SSTWPSETVT CNVAHPASST
 201 KVDKKIVPRD CGCKPCICTV PEVSSVFFFP PKPKDVLITIT LTPKVTCVVV
 251 DISKDDPEVQ FSWFVDDVEV HTAQTPREE QFNSTFRSVS ELPIMHQDWL
 301 NGKEFKCRVN SAAFPAPIEK TISKTKGRPK APQVYTIPPP KEQMAKDKVS
 351 LTCMITDEFF EDITVENQWN GQPAENYKNT QPIMNTNGSY FVYSKLNQVK
 401 SNWEAGNTFT CSVLHEGLHN HHTKSLSHS PGK

Figure 1

A.

1 QIVLTQSPTI VSASPGKVT LICSSSSVS FVDWFQQKPG TSPKRWIYRT
 51 SNLGFVGPAP FSGGSGTSH SLTISRMEAE DAATYYCQQR STYPTTFGAG
 101 TKLELKRADA APTVSIFFPS SEQLTSGGAS VVCFLNFFYP KDINVKWKID
 151 GSERQNGVLN SWTDQDSKDS TYSMSSTLTL TKDEYERHNS YTCEATHKTS
 201 TSPIVKSENR NEC

B.

1 QVTLKESGPG ILQPSQTLSTL TCSFSGFSLT TSGMGVGWIR HPSGKNLEWL
 51 AHIWDDVKR YNPVLKSRLT ISKDTSNSQV FLKIANVDIA DTATYYCARI
 101 EDFDYDEEYY AMDYWGQGTS VIVSSAKTTP PSVYPLAPGS AAQTNSMVTLL
 151 GCLVKGYFPE PVTVTWNSGS LSSGVHTFPA VLQSDLYTLL SSVTVPSSTW
 201 PSETVTCNVA HPASSTKVDR KIVPRDCGCK PCICTVPEVS SVFIFPPKPK
 251 DVLITITLTPK VTCVVVDISK DDEEVQFSWF VDDVEVHTAQ TQPREEQENS
 301 TFRSVSELP I MHQDWLNGKE FKCRVNSAAF PAPIEKTISK TKGRPKAPQV
 351 YTIPPPKEQM AKDKVSLTCM ITDFFPEDIT VEWQWNGQPA ENYKNTQPIIM
 401 DTDGSYFVYS KINVQKSNWE AGNTFTCSVL HEGLNHHHTE KSLSHSPGK

Figure 2

A.

1 DIVLTQSPAS LTVSLGLRAT ISCKASQSD YDGDSYMNWY QOKPGQPPKL
 51 LIYAASNLES GIPARFSGNG SGTDFTLNIH PVEEDAVTY YCQQSNEDPW
 101 TFGGGTKLEI KRADAAPTVS IFPPSSEQLT SGGASVVCFL NNFYPKDINV
 151 KWKIDGSERQ NGVLNSWTDQ DSKDSTYSMS STLTTLTKDEY ERHNSYTCEA
 201 THKTSSTSPIV KSFNRNEC

B.

1 EVQLQQSGPE LVKPGTSVKM SCKASGYTFT DCYMNWVKQS HGKSLEWIGD
 51 INPFNGGTTY NQKFKGKATL TVDKSSSTAY MQLNSLTSDS SAVYYCARSH
 101 YYFDGRVPWD AMDYWGQGTIS VIVSSAKTTP PSVYPLAPGS AAQTNSMVTIL
 151 GCLVKGYFPE PVTVTWNSGS LSSGVHTFPA VLQSDLYTLS SSVTVPSSTW
 201 PSETVTCNVA HPASSITKVDK KIVPRDCGCK PCICTVPEVS SVFIFPPKPK
 251 DVLITITITPK VTCVVVDISK DDPEVQFSWF VDDVEVHTAQ TQPREEQFNS
 301 TFRSVSELPI MHQDWLNGKE FKCRVNSAAF PAPIEKTISK TKGRPKAPQV
 351 YTIPTPPKEQM AKDKVSLTCM ITDFFPEDIT VEWQWNGQPA ENYKNTQPIIM
 401 DTDGSYFYIS KLVNQKSNWE AGNTFTCSVL HEGLNHHHTE KSLSHSPGK

Figure 3


A.

1 DVQMIQSPSS LSASLGDI VT MTCQASQGTS INLNWFQQKP GKAPKLLIYG
 51 SSNLEDGVPS RFGSRYGTD FTLTISSELED EDLITYFCLQ HSYLPYTFGG
 101 GTKLEIKRAD AAPTVISIFPP SSEQLTSGGA SVVCFLNNFY PKDINVKWKI
 151 DGSERQNGVL NSWTDQDSKD STYSMSSTLT LTKDEYERHN SYTCEATHKT
 201 STSPIVKSFN RNEC

B.

1 EVQLQQSGPE LVTPGASVKI SCKASGYTFT DHYMSWVKQS HGKSLEWIGD
 51 INPYSGETTY NQKFKGTATL TVDKSSSIAY MEIRGLTSED SAVYICARDD
 101 YDASPFAYWG QGTLVTVSAA KTTTPSVYPL AFGSAAQTNS MVTLGCLVKG
 151 YFPEPVTVTW NSGSLSSGVH TFPAVLQSDL YTLSSSVTVP SSTWPSETVT
 201 CNVAHPASST KVDKKIVPRD CGCKPCICTV PEVSSVFIFP PKPKDVLITIT
 251 LTPKVTCVVV DISKDDPEVQ FSWFVDDVEV HTAQTPREE QFNSTFRSVS
 301 ELPIMHQDWL NGKEFKCRVN SPAFPAPIEK TISKTKGRPK APQVYTIPPP
 351 KEQMAKDKVS LTCMITDFFP EDITVENQWN GQPAENYKNT QPIMDTDGSY
 401 FTYSKLNQVK SNWEAGNTFT CSVLHEGLHN HHTKSLSHS PGK


Figure 4



* = statistically significantly different from Vehicle

Error bars = Mean +/- standard deviation


Figure 5



* = statistically significantly different from Vehicle

Error bars = Mean +/- standard deviation

Figure 6



* = statistically significantly different from Vehicle
 Error bars = Mean +/- standard deviation

Figure 7

1 QGWQAFKND A TEIIPELGEY PEPPELENN KTMNRAENG RPPHPEFETK
 51 DVSEYSCREL HFTRYVTDGP CRSAKPVTEL VCSGQCGPAR.LLPNAIGRGK
 101 WWRPSGPDFR CIPDRYRAQR VQLLCCPGGEA PRARKVRLVA SCKCKRLTRF
 151 HNQSELKDFG TEAARPOKGR KPRPRARSAK ANQAELENAY

1 CAGGGGTGGC AGGCGTTCAA GAATGATGCC ACGGAAATCA TCCCGGAGCT
 51 CGGAGAGTAC CCGAGCCTC CACCGGAGCT GGAGAACAAAC AAGACCATGA
 101 ACCGGGCGGA GAACGGAGGG CGGCTTCCCG ACCACCCCTT TGAGACCAAA
 151 GACGTGTCCG AGTACAGCTG CCGCGAGCTG CACTTCACCC GCTACGTGAC
 201 CGATGGGCCG TGCCGCAGCG CCAAGCCGGT CACCGAGCTG GTGTGCTCCG
 251 GCCAGTGCGG CCGGGCGCGC CTGCTGCCCA ACGCCATCGG CCGCGGCAAG
 301 TGGTGGCGAC CTAGTGGGCC CGACTTCCGC TGCATCCCG ACCGCTACCG
 351 CGCGCAGCGC GTGCAGCTGC TGTGTCCCGG TGGTGAGGCG CCGCGCGCGC
 401 GCAAGGTGCG CCTGGTGCC TCGTGCAAGT GCAAGCGCCT CACCGGCTTC
 451 CACAACCAGT CGGAGCTCAA GGACTTCGGG ACCGAGGCCG CTCGGCGCGA
 501 GAAGGGCCCG AAGCCGCGGC CCGCGGCCCG GAGCGCCAA GCGAACCAGG
 551 CCGAGCTGGA GAACGCCTAC

Figure 8




Figure 9




Figure 10

Peptides	Seq.pos.	Obs. Mass	Sequence
T19.2	65-72	2146.34	1. YVTDGP CR (910) <u>C2</u>
	121-132	(2145.8)	2. VQLLCPGGEA PR (1239) <u>C6</u>
T20		<u>9620.8 (MALDI); 9638.41 (ESI-MS)</u>	
	51-90	(4419.1)	1. DVSEYSCREL HFTRYVTDGP CRSAKPVTEL VCSGQCGPAR
	104-149	(5226.2)	2. PSGPDER CIPDRYRAQR VQLLCPGGEA PRARKVRLVA SCKCKRLT R
T20.6		<u>7105.7 (MALDI); 7122.0 (ESI-MS)</u>	
	51-64	3944.5	1. DVSEYSCREL HFTR (1740.9) <u>C1</u>
	101-117		2. WWRPSGPPFR CIPDRYR (2206.6) <u>C5</u>
	73-90	3177.0	3. SAKPVTELVC SGQCGPAR (1802.2) <u>C3, C4</u>
	138-149		4. LVASCKCKRL TR (1378.5) <u>C7, C8</u>
T21-22		<u>10,147 (MALDI); 10170.3 (ESI-MS)</u>	
	51-90	(4419.1)	1. DVSEYSCREL HFTRYVTDGP CRSAKPVTEL VCSGQCGPAR
	101-149	(5754.8)	2. WWRPSGPPFR CIPDRYRAQR VQLLCPGGEA PRARKVRLVA SCKCKRLTR

Figure 11

Peptides	Seq.pos.	Obs.Mass	Sequence
AspN14.6	34-47	1245.5	ENGGRPPHHFF
	12-25	1585.4	EIIPELGFYP EPPP
	158-184	2964.5	DFGTEAARPQ KGRKPRPRAR SAKANQA
AspN18.6	9-50		DATEIIPELG EYPEPPPELE NNKTMNRAEN GGRPPHHFFE TK (Glycopeptide)
AspN22.7-23.5	51-154	11,740	DVSEYSCREL HFTRYVTDGP CRSAKPVTEL VCSGQCGPAR LLPNAIGRGK WWRPSGPDFR CIPDRYRAQR VQLCPGGEA PRARKVRLVA SCKCKRLTRF HNQS

Figure 12




Figure 13

11 QGWQAFKND A TEIIPELGEY PEPPPELENN KTMNRAENG RPPHHPFETK

AspN18.6

AspN14.6

AspN14.6

01

20

C4
C3

51 DVSEYSCREL HFTRYVTDGP C¹RSAKPVTTEL VCSGQC²GPPAR LLPNAIGRCK

AspN22.7-23.5

55

66

85

101 WWRPSGPDFR CIPDRYRQR VOLLCPGGEA PRARKVRLVA SCKCKRLTRFS

AspN22.7-23.5

151 HNQSELKDFG TEAARPQKGR KPRPRARSAK ANQAELENAY

AspN14.6

Figure 14




Figure 15




Figure 16




Figure 17




Figure 18

A. Loop 2 epitope for Mab-A and Mab-B


C4GPARLLPNAIGRGKWWRPSPGPDFRC5



B. T20.6 epitope for Mab-C and Mab-D

DVSEYSC1RELHFTR SAKPVTCLVC3SGQC4GPAR

WWRPSPGPDFRC5IPDRYR LVASC7KC8KRLTR



T20.6




Figure 19






Figure 20



* = statistically significantly different from Mouse Scl group.

Error bars = Mean $\pm$ SEM


Figure 22



* = statistically significantly different from Human Scl group.

Error bars = Mean +/- SEM

Figure 23



* = statistically significantly different from Human Scl group.

Error bars = Mean +/- SEM

Figure 24




FIGURE 25



EUROPEAN SEARCH REPORT

Application Number
EP 10 01 4362

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	WO 2005/014650 A (CELLTECH R & D, INC; WINKLER, DAVID, G; SHI, JIYE; LATHAM, JOHN) 17 February 2005 (2005-02-17)	1-17	INV. C07K14/51 A61K38/10
Y	* sequences 29, 31, 53 * * page 6, line 23 - line 28 *	1-18	A61K38/17
X	WO 92/01047 A1 (CAMBRIDGE ANTIBODY TECH [GB]; MEDICAL RES COUNCIL [GB]) 23 January 1992 (1992-01-23) * figure 24; example 22 *	1,4-6, 8-10,17, 18	
X	WO 00/44777 A1 (IMCLONE SYSTEMS INC [US]; ZHU ZHENPING [US]; WITTE LARRY [US]) 3 August 2000 (2000-08-03) * figure 12; sequence 5 *	1,4-6, 8-10,17, 18	
X	WO 2005/003158 A2 (CELLTECH R & D INC [US]; BRUNKOW MARY E [US]; GALAS DAVID J [US]; KOVA) 13 January 2005 (2005-01-13)	1,3, 8-15,17	
Y	* page 41, lines 3-7; claims 1-13; examples 13, 15; sequences 76, 98 *	1-18	TECHNICAL FIELDS SEARCHED (IPC)
A	AVSIAN-KRETCHMER ORNA ET AL: "Comparative genomic analysis of the eight-membered ring cystine knot-containing bone morphogenetic protein antagonists.", MOLECULAR ENDOCRINOLOGY, vol. 18, no. 1, January 2004 (2004-01), pages 1-12, XP002400896, ISSN: 0888-8809 * the whole document *	1-18	C07K A61K
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 4 April 2011	Examiner Offermann, Stefanie
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

 1
EPO FORM 1503 03.82 (P04C01)



Application Number

EP 10 01 4362

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing claims for which payment was due.

☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for those claims for which no payment was due and for those claims for which claims fees have been paid, namely claim(s):

☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for those claims for which no payment was due.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

☐ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.

☒ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.

☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:

☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:

☐ The present supplementary European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims (Rule 164 (1) EPC).



**LACK OF UNITY OF INVENTION
SHEET B**

Application Number

EP 10 01 4362

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. claims: 1-18(partially)

antibodies Ab-13/Ab-14 represented by CDR sequences having SEQ ID NOs:284-286 and 296-298 (cf. table 1). Mouse Ab-13 was humanized to generate Ab-14. This invention group relates to sclerostin binding agents that cross block the binding of Ab-13/Ab-14 or are cross blocked by said antibodies, pharmaceutical compositions comprising said binding agents, isolated polynucleotide sequences encoding them and therefrom derived subject-matter such as expression vectors, host cells, a production process and methods of using said binding agents for the treatment of bone-related disorders.

2-19. claims: 1-18(partially)

antibodies Ab-A, Ab-B, Ab-C, Ab-D, Ab-1, Ab-2, Ab-3/Ab-15, Ab-4/Ab-5, Ab-6, Ab-7, Ab-8, Ab-9, Ab-10, Ab-11/Ab-16, Ab-12, Ab-17/Ab-18, Ab-19/Ab-20/Ab-23, Ab-21/Ab-22, or Ab-24, respectively, represented by CDR sequences having SEQ ID NOs:39, 40, ... or 351-353 and 358-360, respectively (cf. table 1). Each invention (group) relates to sclerostin binding agents that cross block the binding of Ab-A, Ab-B, Ab-C.... or Ab-24, respectively, or that are cross blocked by said antibodies, pharmaceutical compositions comprising said binding agents, isolated polynucleotide sequences encoding them and therefrom derived subject-matter such as expression vectors, host cells, a production process and methods of using said binding agents for the treatment of bone-related disorders.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 10 01 4362

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-04-2011

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 2005014650 A	17-02-2005	AU	2004262640 A1	17-02-2005
		BR	PI0411552 A	01-08-2006
		CA	2529623 A1	17-02-2005
		CN	1835974 A	20-09-2006
		EP	1636270 A2	22-03-2006
		JP	2007537130 T	20-12-2007
		KR	20060035622 A	26-04-2006
		NZ	544618 A	28-02-2009
		RS	P20050934 A	04-04-2008
		ZA	200600388 A	25-06-2008

WO 9201047 A1	23-01-1992	AT	358720 T	15-04-2007
		AT	447023 T	15-11-2009
		AT	145237 T	15-11-1996
		AT	212663 T	15-02-2002
		AT	339497 T	15-10-2006
		AU	664155 B2	09-11-1995
		CA	2086936 A1	11-01-1992
		DE	09001901 T1	03-09-2009
		DE	69123156 D1	19-12-1996
		DE	69123156 T2	17-04-1997
		DE	69132920 D1	14-03-2002
		DE	69132920 T2	21-11-2002
		DE	69133545 T2	24-05-2007
		DE	69133568 T2	03-01-2008
		DE	122010000026 I1	12-08-2010
		DK	1433846 T3	20-08-2007
		DK	2055777 T3	01-03-2010
		DK	0589877 T3	07-04-1997
		DK	0774511 T3	13-05-2002
		DK	0844306 T3	29-01-2007
		EP	1433846 A2	30-06-2004
		EP	1754787 A2	21-02-2007
		EP	1847605 A2	24-10-2007
		EP	2055777 A2	06-05-2009
		EP	0589877 A1	06-04-1994
		EP	0774511 A1	21-05-1997
		EP	0844306 A1	27-05-1998
		ES	2285292 T3	16-11-2007
		ES	2322323 T1	19-06-2009
		ES	2096655 T3	16-03-1997
		ES	2171581 T3	16-09-2002
		ES	2275280 T3	01-06-2007
		GR	3022126 T3	31-03-1997
		HK	1131637 A1	26-03-2010
		JP	3176917 B2	18-06-2001

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 10 01 4362

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-04-2011

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9201047	A1		JP 5508076 T	18-11-1993
			LU 91623 A9	11-01-2010
			NL 300423 I1	04-01-2010
			US 7635666 B1	22-12-2009
			US 7723270 B1	25-05-2010
			US 2009155810 A1	18-06-2009
			US 5969108 A	19-10-1999

WO 0044777	A1	03-08-2000	AU 3475100 A	18-08-2000
			CA 2361553 A1	03-08-2000
			CN 1345334 A	17-04-2002
			EP 1151002 A1	07-11-2001
			JP 2002536968 T	05-11-2002

WO 2005003158	A2	13-01-2005	AU 2004253870 A1	13-01-2005
			BR PI0411535 A	01-08-2006
			CA 2529578 A1	13-01-2005
			CN 1835968 A	20-09-2006
			EP 1638999 A2	29-03-2006
			JP 2008505843 T	28-02-2008
			KR 20060064568 A	13-06-2006
			NZ 544617 A	27-11-2009
			RS P20050932 A	28-11-2008
			US 2010151524 A1	17-06-2010
			ZA 200600384 A	29-10-2008

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 6395511 B [0047]
- US 6803453 B [0047]
- US 2004000953 A [0047]
- US 20050106683 A [0047]
- US 6703199 B [0049]
- US 20050238646 A [0049]
- US 4331647 A, Goldenberg [0050]
- US 4640835 A [0057]
- US 4496689 A [0057]
- US 4301144 A [0057]
- US 4670417 A [0057]
- US 4791192 A [0057]
- US 4179337 A [0057]
- US 6133426 A [0057]
- US RE32011 E [0078]
- US 4902614 A [0078]
- US 4543439 A [0078]
- US 4411993 A [0078]
- US 5877397 A [0080]
- US 4464456 A [0081]
- WO 9202551 A [0082]
- US 5627052 A [0082]
- US 5223409 A [0083]
- US 5698426 A [0083]
- US 20040146888 A1 [0394]
- US 10868497 B [0433]
- US 60478977 B [0433]
- US 5543158 A [0436]
- US 5641515 A [0436]
- US 5399363 A [0436]
- US 5466468 A [0437]
- US 5567434 A [0442]
- US 5552157 A [0442]
- US 5565213 A [0442]
- US 5738868 A [0442]
- US 5795587 A [0442]
- US 5145684 A [0443]

Non-patent literature cited in the description

- **RIGGS.** *West J. Med.*, 1991, vol. 154, 63-77 [0002]
- **KHOSLA ; RIGGS.** *Mayo Clin. Proc.*, 1995, vol. 70, 978982 [0004]
- **BRUNKOW et al.** *Am. J. Hum. Genet.*, 2001, vol. 68, 577-589 [0006]
- **BALEMANS et al.** *Hum. Mol. Genet.*, 2001, vol. 10, 537-543 [0006]
- **HOLLINGER ; HUDSON.** *Nature Biotechnology*, 2005, vol. 23 (9), 1126-1136 [0049]
- **NISONOFF et al.** *Arch. Biochem. Biophys.*, 1960, vol. 89, 230 [0050]
- **PORTER.** *Biochem. J.*, 1959, vol. 73, 119 [0050]
- **EDELMAN et al.** *Methods in Enzymology.* Academic Press, 1967, vol. 1, 422 [0050]
- **ANDREWS, S.M. ; TITUS, J.A. et al.** *Current Protocols in Immunology.* John Wiley & Sons, 2003, 2.8.1-2.8.102.10A.1-2.10A.5 [0050]
- **LARRICK et al.** *Methods: A Companion to Methods in Enzymology*, 1991, vol. 2, 106 [0052]
- Genetic Manipulation of Monoclonal Antibodies. **COURTENAY-LUCK et al.** *Monoclonal Antibodies: Production, Engineering and Clinical Application.* Cambridge University Press, 1995, 166 [0052]
- Genetic Manipulation and Expression of Antibodies. **WARD et al.** *Monoclonal Antibodies: Principles and Applications.* Wiley-Liss, Inc, 1995 [0052]
- **MOULT J.** *Curr. Op. in Biotech.*, 1996, vol. 7 (4), 422-427 [0064]
- **CHOU et al.** *Biochemistry*, 1974, vol. 13 (2), 222-245 [0064]
- **CHOU et al.** *Biochemistry*, 1974, vol. 113 (2), 211-222 [0064]
- **CHOU et al.** *Adv. Enzymol. Relat Areas Mol. Biol.*, 1978, vol. 47, 45-148 [0064]
- **CHOU et al.** *Ann. Rev. Biochem.*, vol. 47, 251-276 [0064]
- **CHOU et al.** *Biophys. J.*, 1979, vol. 26, 367-384 [0064]
- **HOLM et al.** *Nucl. Acid. Res.*, 1999, vol. 27 (1), 244-247 [0064]
- **BRENNER et al.** *Curr. Op. Struct. Biol.*, 1997, vol. 7 (3), 369-376 [0064]
- **JONES, D.** *Curr. Opin. Struct. Biol.*, 1997, vol. 7 (3), 377-87 [0065]
- **SIPPL et al.** *Structure*, 1996, vol. 4 (1), 15-19 [0065]
- **BOWIE et al.** *Science*, 1991, vol. 253, 164-170 [0065]
- **GRIBSKOV et al.** *Meth. Enzym.*, 1990, vol. 183, 146-159 [0065]
- **GRIBSKOV et al.** *Proc. Nat. Acad. Sci.*, 1987, vol. 84 (13), 4355-4358 [0065]

- Proteins, Structures and Molecular Principles. W. H. Freeman and Company, 1984 [0068]
- Introduction to Protein Structure. Garland Publishing, 1991 [0068]
- THORNTON et al. *Nature*, 1991, vol. 354, 105 [0068]
- NYGREN ; UHLEN. *Current Opinion in Structural Biology*, 1997, vol. 7, 463-469 [0071]
- ZHANG, W. et al. *Molecular Immunology*, 2005, vol. 42 (12), 1445-1451 [0072]
- HWANG W. et al. *Methods*, 2005, vol. 36 (1), 35-42 [0072]
- DALL'AOQUA WF et al. *Methods*, 2005, vol. 36 (1), 43-60 [0072]
- CLARK, M. *Immunology Today.*, 2000, vol. 21 (8), 397-402 [0072]
- PLUCKTHUN et al. *Methods Enzymol*, 1989, vol. 178, 497-515 [0075]
- MANIATIS et al. *Molecular Cloning, A Laboratory Manual*. Cold Spring Harbor Laboratory, 1989 [0076]
- SANGER et al. *PNAS*, 1977, vol. 74, 5463 [0076]
- KRAMER et al. *Nucleic Acids Res.*, 1984, vol. 12, 9441 [0076]
- KUNKEL. *Proc. Natl. Acad. Sci. USA*, 1985, vol. 82, 488-92 [0076]
- KUNKEL et al. *Methods in Enzymol*, 1987, vol. 154, 367-82 [0076]
- MOUNTAIN A ; ADAIR, J R. *Biotechnology and Genetic Engineering Reviews*. 1992 [0076]
- *Current Protocols in Molecular Biology*. Wiley Interscience, 1999 [0076]
- YANG et al. *J. Mol. Biol.*, 1995, vol. 254, 392-403 [0077]
- MARKS et al. *Bio/Technology*, 1992, vol. 10, 779-783 [0077]
- LOW et al. *J. Mol. Biol.*, 1996, vol. 250, 350-368 [0077]
- PATTEN et al. *Curr. Opin. Biotechnol.*, 1997, vol. 8, 724-733 [0077]
- THOMPSON et al. *J. Mol. Biol.*, 1996, vol. 256, 7-88 [0077]
- CRAMERI et al. *Nature*, 1998, vol. 391, 288-291 [0077]
- VAUGHAN et al. *Nature Biotechnology*, 1998, vol. 16, 535-539 [0077]
- KOHLER et al. *Nature*, 1975, vol. 256, 495 [0078]
- *Current Protocols in Immunology*. John Wiley & Sons, 1991, vol. 1, 2.5.12.6.7 [0078]
- *Monoclonal Antibodies, Hybridomas: A New Dimension in Biological Analyses*. Plenum Press, 1980 [0078]
- *Antibodies: A Laboratory Manual*. Cold Spring Harbor Laboratory Press, 1988 [0078]
- *Production of monoclonal antibodies against proteins expressed in E. coli*. PICKSLEY et al. *DNA Cloning 2: Expression Systems*. Oxford University Press, 1995, 93 [0078]
- Purification of Immunoglobulin G (IgG). BAINES et al. *Methods in Molecular Biology*. The Humana Press, Inc, 1992, vol. 10, 79-104 [0079]
- GREEN et al. *Nature Genet.*, 1994, vol. 7, 13 [0080]
- LONBERG et al. *Nature*, 1994, vol. 368, 856 [0080]
- TAYLOR et al. *Int. Immun.*, 1994, vol. 6, 579 [0080]
- BRUGGEMANN et al. *Curr Opin. Biotechnol.*, 1997, vol. 8, 455-58 [0080]
- JAKOBOVITS et al. *Ann. N. Y. Acad Sci.*, 1995, vol. 764, 525-35 [0080]
- BRUGGEMANN et al. *Curr. Opin. Biotechnol.*, 1997, vol. 8, 455-58 [0080]
- GLASKY et al. *Hybridoma*, 1989, vol. 8, 377-89 [0081]
- BOERNER et al. *J. Immunol.*, 1991, vol. 147, 86-95 [0081]
- BABCOCK et al. *Proc. Natl Acad. Sci. USA*, 1996, vol. 93, 7843-48 [0082]
- WINTER et al. *Annu. Rev. Immunol.*, 1994, vol. 12, 433-55 [0083]
- BURTON et al. *Adv. Immunol.*, 1994, vol. 57, 191-280 [0083]
- HUSE et al. *Science*, 1989, vol. 246, 1275-81 [0083]
- SASTRY et al. *Proc. Natl. Acad. Sci. USA*, 1989, vol. 86, 5728-32 [0083]
- ALTING-MEES et al. *Strategies in Molecular Biology*, 1990, vol. 3, 1-9 [0083]
- KANG et al. *Proc. Natl. Acad. Sci. USA*, 1991, vol. 88, 4363-66 [0083]
- HOOGENBOOM et al. *J. Molec. Biol.*, 1992, vol. 227, 381-388 [0083]
- SCHLEBUSCH et al. *Hybridoma*, 1997, vol. 16, 47-52 [0083]
- BIRD et al. *Science*, 1988, vol. 242, 423-426 [0085]
- HARRIS, R.J. *Journal of Chromatography*, 1995, vol. 705, 129-134 [0091]
- ANGAL S et al. *Mol Immunol*, 1993, vol. 30 (1), 105-108 [0375]
- KABAT et al. *Sequences of Proteins of Immunological Interest*. U.S. Department of Health and Human Services, 1987 [0388]
- SCATCHARD et al. *Ann. N.Y. Acad. Sci.*, 1949, vol. 51, 660-672 [0393]
- WOLFF et al. *Cancer Res.*, 1993, vol. 53, 2560-65 [0393]
- SUDO H ; KODAMA H-A ; AMAGAI Y ; YAMAMOTO S ; KASAI S. In vitro differentiation and calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. *J. Cell Biol.*, 1983, vol. 96, 191-198 [0428]
- SMITH E ; REDMAN R ; LOGG C ; COETZEE G ; KASAHARA N ; FRENKEL B. Glucocorticoids inhibit developmental stage-specific osteoblast cell cycle. *J. Biol. Chem.*, 2000, vol. 275, 19992-20001 [0428]
- Remington's Pharmaceutical Sciences. 1035-10381570-1580 [0438]
- LASIC. *Trends Biotechnol.*, 1998, vol. 16 (7), 307-21 [0442]

- **TAKAKURA.** *Nippon Rinsho*, 1998, vol. 56 (3), 691-95 [0442]
- **CHANDRAN et al.** *Indian J. Exp. Biol.*, 1997, vol. 35 (8), 801-09 [0442]
- **MARGALIT.** *Crit. Rev. Ther. Drug Carrier Syst.*, 1995, vol. 12 (2-3), 233-61 [0442]
- **QUINTANAR-GUERRERO et al.** *Drug Dev. Ind. Pharm.*, 1998, vol. 24 (12), 1113-28 [0443]
- **COUVREUR et al.** *Crit. Rev. Ther. Drug Carrier Syst.*, 1988, vol. 5 (1), 1-20 [0443]
- **MUHLEN et al.** *Eur. J. Pharm. Biopharm.*, 1998, vol. 45 (2), 149-55 [0443]
- **ZAMBAUX et al.** *J. Controlled Release*, 1998, vol. 50 (1-3), 31-40 [0443]
- **COMIER.** *Curr. Opin. in Rheu.*, 1995, vol. 7, 243 [0446]
- **GUINNESS-HEY.** *Metab. Bone Dis. Relat. Res.*, 1984, vol. 5, 177-181 [0446]
- **KALU, D.N.** The ovariectomized rat model of post-menopausal bone loss. *Bone and Mineral*, 1991, vol. 15, 175-192 [0446]
- **FROST, H.M. ; JEE, W.S.S.** On the rat model of human osteopenias and osteoporosis. *Bone and Mineral*, 1992, vol. 18, 227-236 [0446]
- **JEE, W.S.S. ; YAO, W.** Overview: animal models of osteopenia and osteoporosis. *J. Musculoskel. Neurom. Interact.*, 2001, vol. 1, 193-207 [0446]
- **SUDO H et al.** In vitro differentiation and calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. *J. Cell Biol.*, vol. 96, 191-198 [0498]
- **SMITH E ; REDMAN R ; LOGG C ; COETZEE G ; KASAHARAN ; FRENKEL B.** Glucocorticoids inhibit developmental stage-specific osteoblast cell cycle. *J Biol Chem*, 2000, vol. 275, 19992-20001 [0498]
- **SUDO H ; KODAMA H-A ; AMAGAI Y ; YAMAMOTO S ; KASAI S.** In vitro differentiation and calcification in a new clonal osteogenic cell line derived from newborn mouse calvaria. *J Cell Biol*, 1983, vol. 96, 191-198 [0523]
- **BYRNE, F. R. et al.** *Gut*, 2005, vol. 54, 78-86 [0524]