

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 August 2001 (30.08.2001)

PCT

(10) International Publication Number
WO 01/62977 A2

- (51) International Patent Classification⁷: **C12Q 1/68** (74) Agent: **WALLER, Patrick, R., H.**; Testa, Hurwitz & Thibault, LLP, High Street Tower, 125 High Street, Boston, MA 02110 (US).
- (21) International Application Number: PCT/US01/05741
- (22) International Filing Date: 23 February 2001 (23.02.2001) (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/184,269 23 February 2000 (23.02.2000) US (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicants: **PXE INTERNATIONAL, INC.** [US/US]; 23 Mountain Street, Sharon, MA 02067 (US). **UNIVERSITY OF HAWAII** [US/US]; 2800 Woodlawn Drive, Suite 280, Honolulu, HI 96822 (US).
- (72) Inventors: **BOYD, Charles, D.**; 3330 Paty Drive, Honolulu, HI 96822 (US). **CSISZAR, Katalin**; 3330 Paty Drive, Honolulu, HI 96822 (US). **LESAUX, Olivier**; 2745 Terrace Drive, Apartment A, Honolulu, HI 96822 (US). **URBAN, Zsolt**; 2630 Dole Street, Apartement A1, Honolulu, HI 96822 (US). **TERRY, Sharon**; 23 Mountain Street, Sharon, MA 02067 (US).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS AND COMPOSITION FOR DIAGNOSING AND TREATING *PSEUDOXANTHOMA ELASTICUM* AND RELATED CONDITIONS

(57) Abstract: Methods and compositions are provided for diagnosing and treating *Pseudoxanthoma elasticum* (PXE) patinet and PXE carriers. Methods and compositions are based on the discovery that PXE mutations are located in the MRP6 (ABCC6) gene.

WO 01/62977 A2

METHODS AND COMPOSITION FOR DIAGNOSING AND TREATING PSEUDOXANTHOMA ELASTICUM AND RELATED CONDITIONS

GOVERNMENT SUPPORT

Work described herein was supported, in part, by Federal Grant No. EY 13019. The U.S. Government has certain rights in the invention.

RELATED APPLICATIONS

This application claims priority to, and the benefit of U.S.S.N. 60/184,269, filed February 23, 2000, the disclosure of which is incorporated by reference herein.

FIELD OF THE INVENTION

The present invention relates generally to the field of physiological dysfunctions associated with *Pseudoxanthoma elasticum*. More particularly, the invention is concerned with the identification of a gene associated with *Pseudoxanthoma elasticum*, as well as mutations in the gene that cause the disease. The present invention also relates to methods for detecting and diagnosing *Pseudoxanthoma elasticum*, to methods for identifying carriers of mutant and normal alleles of the gene associated with *Pseudoxanthoma elasticum*, to methods for screening compounds to identify potential therapeutics for *Pseudoxanthoma elasticum*, to treatment methods for *Pseudoxanthoma elasticum*, and to useful cell lines and animal models of the disease.

BACKGROUND OF THE INVENTION

Pseudoxanthoma elasticum (PXE) is a heritable disorder characterized by mineralization of elastic fibers in skin, arteries and the retina, that result in dermal lesions with associated laxity and loss of elasticity, arterial insufficiency, cardiovascular disease and retinal hemorrhages leading to macular degeneration.

The skin manifestations are among the most common characteristics of PXE, but the ocular and cardiovascular symptoms are responsible for the morbidity of the disease. Characteristic skin lesions are generally an early sign of PXE and were first described by a French dermatologist in 1896. Skin lesions are usually detected during childhood or adolescence and progress slowly and often unpredictably. Therefore, the initial diagnosis of PXE is sometimes made by a dermatologist. The skin lesions consist of yellowish papules and plaques and laxity with loss of elasticity, and result from an accumulation of abnormal mineralized elastic fibers in the mid-dermis. Lesions are typically seen on the face, neck, axilla, antecubital fossa, popliteal fossa, groin and periumbilical areas. A PXE diagnosis can be confirmed by a skin biopsy that shows calcification of fragmented elastic fibers in the mid- and lower dermis.

Another characteristic of PXE is the presence of ocular lesions due to the accumulation of abnormal elastic fibers in the Bruch's membrane, resulting in angioid streaks. Doyne was the first to describe these ocular streaks in 1889, and Knapp introduced the term "angioid streaks" for their resemblance to blood vessels. The combination of PXE and ocular manifestations was initially referred to as the Gronblad-Strandberg syndrome, after the names of two ophthalmologists who independently related the occurrence of angioid streaks to PXE in 1929. The majority of PXE patients (approximately 85%) develop ocular manifestations during their second decade of life. Bilateral angioid streaks are normally seen as linear gray or dark red lines with irregular serrated edges lying beneath normal retinal blood vessels and represent breaks in the Bruch's membrane. The Bruch's membrane is not in a true sense a "membrane" but rather a heterogeneous elastin-rich layer separating the chorioid from the retina. The elastic laminae of the Bruch's membrane is located between two layers of collagen (type I, III and IV) which lie in direct contact with the basement membranes of the retinal pigmented epithelium (RPE) and the capillaries in the choriocapillary layer of the chorioid. As a consequence of angioid streaks, a PXE patient progressively develops a chorioidal neovascularization with a subsequent hemorrhagic detachment of the fovea and later scarring. Optic nerve drusen may also be associated with angioid streaks and results in visual field deficits and even advanced visual impairment.

Common cardiovascular complications of PXE are due to the presence of abnormal calcified elastic fibers in the internal elastic lamina of medium-sized arteries. The broad spectrum of phenotypes includes premature atherosclerotic changes, intimal fibroplasia causing

angina or intermittent claudication or both, early myocardial infarction and hypertension. Fibrous thickening of the endocardium and atrioventricular valves can also result in restrictive cardiomyopathy. Approximately 10% of PXE patients also develop gastrointestinal bleeding and central nervous system complications (such as stroke and dementia) as a consequence of systemic arterial wall mineralization. In addition, renovascular hypertension and atrial septal aneurysm can be seen in PXE patients.

Strikingly, lung abnormalities are not a significant phenotypic feature of PXE, even though pulmonary tissues are rich in elastic fibers. Mineralization of pulmonary elastic fibers has only been noted in a few patients.

PXE is usually found as a sporadic disorder but examples of both autosomal recessive and autosomal dominant forms of PXE have been reported. Partial manifestations of the PXE phenotype have also been described in presumed carriers in PXE families. Recent reports have linked both the dominant and recessive forms of PXE to a 5 cM domain on chromosome 16P13.1. However, the mechanisms underlying the physiological defects characteristic of PXE are not understood.

Therefore, there is a need in the art for methods and compositions for diagnosing and treating PXE and PXE associated phenotypes.

SUMMARY OF THE INVENTION

The invention provides methods and compositions for diagnosing and treating PXE and PXE associated physiological dysfunctions. According to the invention, mutations associated with PXE are located in the (MRP6) ABCC6 gene. Therefore, methods for detecting the presence of a mutation associated with PXE involve interrogating the (MRP6) ABCC6 gene, or a portion thereof, for the presence of one or more mutations that are associated with PXE. Accordingly, one aspect of the invention provides methods for identifying individuals that have one or two mutant alleles at the PXE locus. PXE is most often an autosomal recessive disease. Therefore, an individual with two mutant (MRP6) ABCC6 alleles associated with PXE will develop symptoms characteristic of the disease. In contrast, an individual with one mutant (MRP6) ABCC6 allele associated with PXE is a carrier of the disease and does not develop full-blown PXE. However, according to one embodiment of the invention, a PXE carrier may

develop mild forms of the characteristic manifestations. Accordingly, a PXE carrier status can be indicative of a predisposition to PXE related symptoms such as eye, skin, or cardiovascular problems. In a preferred embodiment of the invention, genetic counseling is provided to an individual identified as having a mutation associated with PXE in one or both alleles of the PXE ((MRP6) ABCC6) locus.

In another aspect, the invention provides compositions for detecting the presence of a mutation associated with PXE at the (MRP6) ABCC6 locus. In a preferred embodiment, an oligonucleotide that hybridizes to the (MRP6) ABCC6 locus is used in a diagnostic assay. In a more preferred embodiment, the oligonucleotide includes a sequence complementary to a mutation that is associated with PXE. Alternatively, an antibody-based diagnostic assay is used to detect the presence of a mutation associated with PXE at the (MRP6) ABCC6 locus.

Other aspects of the invention include therapeutic uses of the (MRP6) ABCC6 gene or protein, drug screening, the identification of (MRP6) ABCC6 homologues in other organisms (including mammalian organisms), cellular and animal models of PXE, the identification of (MRP6) ABCC6 functional domains related to the PXE phenotype, the identification of regulators of (MRP6) ABCC6 expression (mutations in these regulators can also result in PXE related symptoms), the identification of genes/proteins that interact with (MRP6) ABCC6 (alterations in these interacting molecules can also cause PXE related symptoms).

Thus, in one series of embodiments the invention provides methods for screening for the presence of a PXE mutation by interrogating an MRP6 nucleic acid obtained from a patient for the presence of a PXE mutation. The screen is positive if the presence of a PXE associated mutation is detected. A PXE associated mutation is a mutation that causes the PXE phenotype in an individual that is homozygous for the mutation. PXE associated mutations also cause the PXE phenotype in an individual that is a compound heterozygote with two different mutant alleles at the MRP6 locus, wherein each allele is a PXE associated allele. Nucleic acid is isolated from a patient biological sample, and the biological sample is preferably blood, saliva, amniotic fluid, or tissue such as a biopsy tissue. According to the invention, an MRP6 nucleic acid is a nucleic acid obtained from the MRP6 locus. An MRP6 nucleic acid can be mRNA, genomic DNA or cDNA from the MRP6 locus, or a PCR product of any of the above. According to the invention, the MRP6 locus includes the MRP6 exons, introns, and associated promoter and regulatory sequences in the genome surrounding the MRP6 exons.

In one series of embodiments, a PXE associated mutation is detected in MRP6 using a nucleic acid based detection assay. Preferred nucleic acid based detection assays include hybridization assays, primer extension assays, SSCP, DGGE, RFLP, LCR, DHPLC, and enzymatic cleavage assays. In another series of embodiments, a PXE associated mutation is detected in a protein based detection assay. Preferred protein based detection assays include ELISA and a Western blot assays. In one embodiment of the invention, mutation detection assays are provided to screen the MRP6 locus or a portion thereof to determine whether a mutation is present. The lack of MRP6 expression or the expression of a physically aberrant form of MRP6 may be sufficient to determine that an individual has a PXE associated mutation at the MRP6 locus. Alternatively, the determination that a mutation is present in the MRP6 locus may not be sufficient to determine the PXE status of an individual in the absence of information concerning the specific identity of the mutation. If such a mutation is present, it may be identified according to methods of the invention, for example by sequencing the region of the MRP6 locus that contains the mutation. Once a mutation is identified in a patient sample, the PXE status of the patient can be determined according to methods of the invention. In an alternative embodiment of the invention, specific mutation detection assays are provided to detect a known PXE associated MRP6 mutation in a patient sample.

In another series of embodiments, the invention provides oligonucleotide probes or primers and antibodies for use in mutation detection assays or screens according to the invention.

In another series of embodiments, the invention provides methods for screening candidate drug compounds to identify therapeutic compounds for treating PXE patients (individuals that have PXE due to the presence of two recessive PXE associated MRP6 alleles, or one apparently dominant PXE allele) or PXE carriers (individuals with one normal MRP6 allele and one allele with a PXE associated mutation).

In another series of embodiments, the invention provides methods for treating PXE patients or carriers using a normal MRP6 nucleic acid or protein to restore normal MRP6 function to the individual or to specific cells or tissues or the individual.

In another series of embodiments, the invention provides methods for creating transgenic or knockout cell lines and animals in order to provide a model system for PXE.

In another series of embodiments, the invention provides methods for identifying compounds such as other intracellular proteins that interact with MRP6 thereby to identify additional therapeutic targets for PXE treatment.

Accordingly, the invention provides methods and compositions for unambiguously determining the PXE status of an individual. The invention provides methods for detecting deletions, substitutions, insertions, and rearrangements in the MRP6 locus that are associated with PXE. In preferred embodiments, the invention provides methods for identifying mutations known to be associated with PXE. Preferred mutations include mutations that affect one or more of the bases in codons 1114, 1138, 1141, 1298, 1302, 1303, 1314, 1321 and other codons identified herein as being important for normal MRP6 function. Alternatively, the invention provides methods to identify mutations that result in non-conservative substitutions in the MRP6 locus. In a further embodiment, the invention provides assays to detect PXE associated mutations at intron/exon splice sites of the MRP6 gene. The invention also provides methods to detect mutations that affect one or more regulatory elements of the MRP6 gene, including the promoter, the polyA site and other transcriptional or translational control sequences.

Methods of the invention are also useful to screen a population in order to identify individuals with one or more PXE associated MRP6 alleles. According to the invention, these individuals are provided with appropriate genetic counseling in view of their PXE status.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the structure of the MRP6 gene and the surrounding genomic regions. Two (MRP6) *ABCC6* mutations that cause PXE are indicated.

Figure 2 shows the predicted topology of the MRP6 protein and the location of ten mutations causing PXE.

Figure 3 shows conserved amino acids in the human MRP6 protein.

Figure 4 shows co-segregation of the PXE phenotype with the R1141X mutation in exon 24 of the (MRP6) *ABCC6* gene.

Figure 5 shows segregation of the PPXE phenotype for an apparent autosomal dominant mutation.

Figure 6 shows a construct for deleting exon 28 in a mouse.

DETAILED DESCRIPTION OF THE INVENTION

The invention provides methods and compositions for diagnosing and treating PXE and PXE related symptoms. Methods and compositions of the invention rely in part on the discovery that mutations associated with PXE map to the (MRP6) ABCC6 gene locus on chromosome 16. Accordingly, the invention provides useful PXE related diagnostic and therapeutic methods and compositions by exploiting wild-type and mutant (MRP6) ABCC6 genes and proteins.

I. PXE Associated Mutations in the (MRP6) ABCC6 gene

a) Mapping of PXE associated mutations to the (MRP6) ABCC6 genetic locus

Although the first case of PXE was reported by Darier in 1896, most PXE cases have been reported since the 1970s. In most reports, PXE is inherited as an autosomal recessive (AR) phenotype or appears as a sporadic phenotype. However, kindreds showing apparent autosomal dominant (AD) inheritance have also been reported.

Using DNA from patients and unaffected family members from 21 unrelated PXE families, the PXE phenotype was linked to the short arm of chromosome 16. A very significant linkage with an 8 cM region was demonstrated with a maximum lod score of 8.07. A subsequent haplotype analysis and recombination mapping reduced the locus from 8 cM to 820 kb where six candidate genes were identified. The locus was later reduced to less than 600 kb and one candidate gene was excluded. All 109 exons of the five remaining candidate genes were screened by a combination of single-strand conformation polymorphism (SSCP), heteroduplex analysis (HA) or direct sequencing using genomic DNA from a cohort of 17 unrelated PXE patients and three unrelated normal individuals. The first six mutations, clearly associated with the PXE phenotype, were found in the (MRP6) ABCC6 gene (also known as the ABCC-6 gene). This analysis is described in further detail in Example 2. According to the invention, the MRP6 gene has 31 exons as shown in Figure 1. A 107.7 kb genomic sequence that includes the MRP6 locus is shown in SEQ ID NO: 1. The sequence of SEQ ID NO: 1 shows the complementary strand of the MRP6 gene. The intron/exon boundaries are as follows (on the complementary strand of SEQ ID NO: 1): Ex1: 102783-102748; Ex2:

101180-100998; Ex3: 99296-99171; Ex4: 99031-98903; Ex5: 93798-93676; Ex6:
 91594-91533; Ex7: 88207-88076; Ex8: 82954-82757; Ex9: 81524-81347; Ex10:
 77528-77367; Ex11: 72268-72176; Ex12: 69718-69515; Ex13: 68325-68182; Ex14:
 66562-66475; Ex15: 64385-64310; Ex16: 62282-62156; Ex17: 61940-61764; Ex18:
 5 58324-58157; Ex19: 56985-56811; Ex20: 55345-55270; Ex21: 52757-52637; Ex22:
 49588-49381; Ex23: 45578-45268; Ex24: 42837-42638; Ex25: 41209-41083; Ex26:
 39226-39125; Ex27: 37453-37307; Ex28: 34674-34516; Ex29: 34437-34271; Ex30:
 30412-30218; Ex31: 29881-29773. The mRNA coding sequence for human MRP6 is
 shown in SEQ ID NO: 2, and the encoded protein sequence is shown in SEQ ID NO: 3.

10

b) Identifying PXE associated mutations in the (MRP6) ABCC6 locus

According to methods of the invention, additional PXE associated mutations were
 identified in the (MRP6) ABCC6 locus using a combination of single strand
 conformation polymorphism (SSCP), heteroduplex analysis (HA) and direct sequencing.
 15 Single nucleotide mutations in the (MRP6) ABCC6 gene were identified in several
 cohorts of individuals originating from the United States, South Africa and several
 European countries (Belgium, Germany, Holland, Italy and United Kingdom). To
 confirm the causative or polymorphic nature of new variants, a control panel of 300
 alleles (150 normal individuals) was screened and the co-segregation of the identified
 20 variant and the PXE phenotype was verified. It is noteworthy that two single-allele
 mutations (R1141X, R1339C) were found in control panels of normal individuals
 indicating that heterozygote mutant (MRP6) *ABCC6* alleles can be found in the normal
 population. However, the missense mutation (R1339C) was identified in the genetically
 distinct Afrikaners of South Africa. The frequency of heterozygote carriers deduced only
 25 from the appearance of these heterozygote mutations is 1.3 percent and is consistent with
 the commonly accepted figures of 0.6 to 2.5%. Indeed, while most mutations appeared to
 be private, a few have been clearly identified as recurrent (R1141X, R518Q, 3775delT,
 16.5 kb deletion between exon 22 and 29. Most of the mutations (63%) were missense
 substitutions, 17% were nonsense mutations (5), 13% were frameshift mutations (4
 30 deletions or an insertions of a single nucleotide) and 7% were likely to affect splicing (2).

Twenty-seven of the mutations (90%) affected the C-terminal half of the (MRP6) ABCC6 protein and particularly the various domains of the C-terminal ATP-binding site, which are encoded by exons 28 to 30, where 12 (40%) mutations were clustered. Remarkably, 10 mutations (33%) affected arginyl residues. Eight of these were missense substitutions, suggesting an essential structural or functional role for these arginyl residues in (MRP6) ABCC6.

Large deletions, which are not detected by SSCP or HA, can be identified by the loss of heterozygosity of informative polymorphic markers. Seven highly informative microsatellites present in a 300 kb region encompassing both *ABCC1* and *ABCC6*, have been successfully used to detect large deletions involving parts or the entire *ABCC6* gene. The loss of heterozygosity can also be efficiently implemented by using several highly polymorphic variants present in the *ABCC6* gene. The latter approach was used to detect a partial deletion of the (MRP6) *ABCC6* gene, in a compound heterozygous state, in a family with an apparent dominant form of PXE, as discussed in Example 3. A non-limiting list of known PXE associated mutations at the MRP6 locus are shown in Table 1.

Mutations		Status		Exons
Effect	Nt change	Status	Origin	
-	938-939insT	ch,ht	A	8
R518Q	1553G>A	ch,ht	a, u	12
F568S	1703T>C	ht	U	13
L673P	2018T>C	ch	A	16
-	1995delG	ch	G	16
-	2322delC	ht	U	18
Y768X	2204C>A	ch, ht	A	18
-	IVS21+1G>T	ch	U	Intron 21
R1030X	3088C>T	ht	A	23
R1114P	3341G>C	hm	Uk	24
S1121W	3362C>G	ch	G	24
R1138P	3413G>C	ch	G	24
R1138Q	3413G>A	ch	Uk	24

Mutations		Status		Exons
Effect	Nt change	Status	Origin	
R1141X	3421C>T	all	All	24
G1203D	3608G>A			25
-	IVS26-1G>A	ch	B	Intron 26
W1241C	3723G>C			26
Q1237X	3709C>T	ch	B	26
-	3775delT	ht, hm	a, u, h	27
V1298F	3892G>T	ht	U	28
T1301I	3902C>T	ch	B	28
G1302R	3904G>A	ht	U	28
A1303P	3907G>C	ch	B	28
R1314W	3940C>T	hm	U	28
R1314Q	3941G>A	ht	G	28
G1321S	3961G>A	ht	U	28
R1339C	4015C>T	all	a, u	28
Q1347H	4041G>C	ht	U	28
D1361N	4081G>A	ch	G	29
R1398X	4192C>T	ch	B	29
I1424T	4271T>C	ht	U	30

ch= compound heterozygote; ht= heterozygote; hm= homozygote; ivs= intervening sequence

Table 1. Known PXE associated mutations at the human MRP6 locus.

According to methods of the invention, additional PXE associated mutations can be identified in the (MRP6) ABCC6 locus according to methods of the invention. For example, single strand conformation polymorphism (SSCP), heteroduplex analysis (HA), or direct sequence analysis can be used to identify additional mutations at the MRP6 locus. In one embodiment, the analysis is performed on genomic DNA. Alternatively, the analysis is performed on cDNA or on exon containing DNA amplification products such as exon containing PCR products. Deletion mutations are preferably detected using diagnostic PCR assays of genomic DNA and by Southern hybridization according to

methods known in the art. In addition, fluorescent in situ hybridization (FISH) analysis of human chromosome preparations can be used to identify a deletion at the MRP6 locus or a deletion that encompasses all or part of the MRP6 locus. Specific mutations are preferably identified using DNA arrays including mutation specific oligonucleotide
5 probes. Alternatively, mutation-specific antibodies can be used to detect mutations that alter an existing epitope or create a new specific epitope on the MRP6 protein. Preferably, specific antibodies are used on proteomic chips to detect protein altering mutations in the MRP6 gene. Mutations can also be detected using mass spectrometry, and mutation-specific mass spectrometer profiles can be generated for MRP6 nucleic acid
10 or protein analysis according to methods known in the art.

c) PXE Associated Mutations at the (MRP6) ABCC6 Locus

i) The (MRP6) ABCC6 gene and protein

The (MRP6) ABCC6 gene, also known as the ABCC6 gene, encodes an ATP-
15 binding cassette transporter (an ABC transporter) belonging to sub-family "C" which includes genes involved in drug-resistance such as MRP1 to 6 (ABCC1-6). (MRP6) ABCC6/ABCC6 encodes a 165 kDa protein that is located in the plasma membrane and has 17 membrane-spanning helices grouped into three transmembrane domains. MRP6 is highly homologous to MRP1 and may act as an efflux pump of amphipathic anion
20 conjugates. Accordingly, in one aspect of the invention, MRP6 transports glutathione anion conjugates and also anionic drugs. Therefore, an individual that is a PXE carrier or a PXE homozygote or compound heterozygote may have reduced transport of anionic drugs and may be more receptive to chemotherapy using such drugs. The ABCC family of genes also includes the cystic fibrosis transmembrane conductance regulator gene
25 (*ABCC7* or *CFTR*) and the sulfonylurea receptor genes (*ABCC8* and *9* or *SUR*).

Therefore, in contrast to genetic changes involved in other elastic fiber diseases such as Supravalvular Aortic Stenosis (SVAS), Marfan syndrome, and *Cutis laxa*, PXE associated mutations in the (MRP6) ABCC6 gene are not directly related to elastic fibers. The (MRP6) ABCC6/ABCC6 gene is expressed at relatively high levels in a limited range
30 of tissues, notably in kidney and liver. However, low levels of expression are also observed in smooth muscle cells and macrophages. According to the invention, this

tissue distribution suggests that (MRP6) ABCC6 has a function related to cellular detoxification which may affect the calcification of elastic fibers in skin, arteries and the retina. Alternatively, calcification of elastic fibers in skin, arteries, and the retina may result from MRP6 functional deficiencies in those tissues.

5 The predicted structure of the MRP6 protein is shown in Fig. 2. Transmembrane domains (unshaded rectangles), nucleotide-binding fold regions (NBF) and Walker motifs are indicated and were identified by amino acid sequence homology with similar transporters. Arrows indicate the positions of several PXE associated mutations. The large shaded rectangle represents the cell membrane.

10 According to the invention, the transmembrane domains of the MRP6 protein shown in Fig. 2 are hydrophobic stretches of amino acids identified via transmembrane domain predictions (SOSUI and DAS transmembrane prediction programs, <http://www.biokemi.su.se/~server/DAS/>; <http://azusa.proteome.bio.tuat.ac.jp/sosui/>). Regions of MRP6/ABCC6 with a high degree of conservation when compared with
15 similar proteins (ABC transporters) include the regions involved in the binding and hydrolysis of ATP also known as nucleotide binding folds (NBF). According to the invention, the MRP6 protein has two nucleotide-binding fold regions (NBF1 and NBF2) as shown in Fig. 2. These regions correspond to the following amino acid segments of the human MRP6 protein: NBF1 residues 656-679, 747-768, and 775-784 of SEQ ID
20 NO: 3; and NBF2 residues 1292-1307, 1321-1327, and 1403-1433 of SEQ ID NO: 3.

 According to one embodiment of the invention, conserved amino acids in the MRP6 protein are amino acids identified by comparing 12 ABC transporter proteins from Human, Rat, Mouse, *C. elegans*, Yeast (*S. cerevisiae*) and *A. thaliana*. Preferred conserved amino acids are shown in Fig. 3 (conserved amino acids are underlined).
25 According to the invention, conserved domains are concentrated in the C-terminal portion of the protein, where over 90% of the PXE causing mutations have been identified.

ii) Mutations in the (MRP6) ABCC6 gene

 According to one aspect of the invention, PXE is caused by a mutation at the
30 (MRP6) ABCC6 locus that results in reduced MRP6 protein function. PXE associated mutations include mutations that affect the level of MRP6 protein expression in addition

to mutations that alter the functional properties of an expressed MRP6 protein. PXE associated mutations at the (MRP6) ABCC6 locus include chain-terminating mutations. Such mutations are typically recessive and account for the autosomal recessive nature of the associated PXE phenotype. However, PXE associated mutations identified at the

5 (MRP6) ABCC6 locus include chain terminating mutations at different positions in the (MRP6) ABCC6 gene, and several substitution, deletion and insertion mutations. According to the invention, the C-terminal half of the MRP6 protein is functionally important. Indeed, many of the PXE associated mutations were identified in exons 23-29. However, even a I to T substitution at position 1424 (out of 1503 amino acid

10 residues) results in a PXE associated phenotype. Accordingly, a chain terminating or frameshift mutation in any one of exons 1-29, even up to position 1424 in exon 30, and maybe even beyond is expected to be associated with PXE. According to the invention, the PXE phenotype associated with different mutations in the (MRP6) ABCC6 gene varies in relation to the functional properties of the mutant (MRP6) ABCC6 protein product.

15 Therefore, individuals with different PXE associated mutations can have PXE symptoms of differing severity. In addition, different individuals having the same PXE mutations, but in different genetic backgrounds, can also develop PXE symptoms of differing severity. Accordingly, different mutations at the PXE locus are expected to result in PXE phenotypes of differing severity. For example, in one embodiment of the invention, a

20 mutation that results in the absence of MRP6 protein expression (for example a deletion of part or all of the gene, a chain terminating mutation, a mutation that prevents mRNA production, or a mutation that prevents translation of the mRNA) is expected to have a more severe PXE phenotype than a mutation that interferes with normal MRP6 protein function without destroying the function (for example an amino acid substitution that

25 alters the structure and function of the protein without inactivating it. In particular, an individual that is a homozygote for a mutation that prevents MRP6 protein expression, or that is a compound heterozygote with two different mutations each of which prevents MRP6 protein expression, is expected to have a more severe phenotype than an individual that has a mutation with less severe effects on MRP6 protein function at one or

30 both alleles of the MRP6 locus.

In a further embodiment of the invention, a heterozygote carrier of a PXE mutation can exhibit characteristic manifestations of PXE. In particular, a carrier of a recessive mutation can show partial skin, eye or cardiovascular symptoms. According to the invention, heterozygote carriers of different (MRP6) ABCC6 mutations can develop
5 different subsets of PXE related symptoms and can have symptoms of varying severity. Indeed, there are numerous examples of dermal "elastic fibers changes" or cardiovascular abnormalities ranging from hypertension to myocardial infarction, in family members of severely affected individuals. According to the invention, cases of partial expression of PXE symptoms in heterozygote carriers are cases that had been assumed to be examples
10 of dominant inheritance with for example 10 to 20% penetrance.

The various subtypes of a disorder or a dual mode of inheritance of a disease are frequently due either to mutations in different genes or different mutations in the same gene. Epidermolysis bullosa (EB) is an excellent example of a disorder characterized by several clinical types caused by distinct mutations in the same gene or mutations in
15 different genes. EB is viewed as a group of heritable mechano-bullous skin diseases classified into three major categories of simplex, junctional and dystrophic forms. EB simplex is due to mutations in the genes encoding keratins 5 and 14, the junctional form is associated with mutations in the *kalinin17aminin 5* genes; and the dystrophic disorder result from mutations in the type VII collagen gene (*COL7A1*). The dystrophic EB
20 presents clinical sub-types: the Hallopeau-Siemens type is autosomal recessive and caused by nonsense mutations and glycine substitutions result in the autosomal dominant form.

In contrast to EB, no locus heterogeneity has been shown for PXE. According to the invention, most cases of PXE, if not all, are due to (MRP6) ABCC6 mutations. While
25 the clinical heterogeneity in PXE patients may be caused by different types of (MRP6) ABCC6 mutations, the different PXE lesions (vascular, ocular, and dermal) observed for different autosomal recessive and seemingly dominant PXE mutations are clinically indistinguishable. Furthermore, identical PXE mutations can be either recessive or apparently dominant in unrelated pedigrees. Accordingly, different PXE mutations in
30 different genetic backgrounds are associated with different severities of PXE symptoms.

Furthermore, a PXE mutation can result in a partial PXE phenotype in a carrier individual (thereby accounting for observations of apparent dominant forms of PXE).

iii) Population Distributions of (MRP6) ABCC6 mutations

5 According to the invention, different PXE associated (MRP6) ABCC6 mutations exist in the population, and new (MRP6) ABCC6 mutations arise sporadically. Based on current estimations of the prevalence of PXE in the United States (between 1:100,000 and 1:25,000), the frequency of appearance of heterozygote individuals with PXE mutations should be between 0.6 and 2.5 percent of the general population (1.5 to 6.0 million
10 individuals). Given the risk of heterozygote individuals having children with PXE, an important aspect of the invention is to provide a genetic screen to identify heterozygote carriers of PXE mutations. According to the invention, a PXE carrier is an individual with one mutant allele of the (MRP6) ABCC6 gene, wherein the mutant allele is an allele that results in a PXE phenotype in an individual that is homozygous for that allele (or in
15 an individual that is heterozygous with two different (MRP6) ABCC6 mutant alleles, each of which is associated with PXE).

According to a further embodiment of the invention, a significant factor in the complex phenotype of the PXE multi-organ disorder is partial expression of the full range of the PXE symptoms in heterozygote carriers in recessive pedigrees. For example, a
20 single mutant-ABCC6 allele, for example R1141X, within heterozygote carriers can manifest a partial, mostly vascular-related phenotype. Indeed, cardiovascular abnormalities are frequently seen in obligate carriers but ocular and dermal lesions have also been diagnosed. The PXE phenotype, as observed in several heterozygous carriers, range from sub-clinical manifestations to visible lesions. The spectrum of these partial
25 phenotypes overlaps with that of the less severely affected PXE patients. There is, therefore, a continuum in the PXE phenotype between heterozygous carriers and PXE patients, which make the clinical diagnosis of the less severe forms of PXE equivocal. According to the invention, cardiovascular symptoms associated with PXE mutations at the MRP6 gene include atherosclerosis, hypertension, stroke, gastrointestinal bleeding,
30 intermittent claudication. Ocular symptoms include macular or retinal degeneration and skin related symptoms include premature aging and solar elastosis.

According to the invention, the identification of the PXE gene provides methods for an unambiguous molecular diagnosis of patients and the identification of heterozygous carriers in families with autosomal recessive PXE or apparent autosomal dominant PXE, and the identification of homozygous PXE individuals or PXE carriers in the general population.

According to the invention, different populations can contain different characteristic PXE associated MRP6 mutations or different frequencies of PXE associated MRP6 mutations due to factors such as founder effects. For example, a founder effect in the South African Afrikaner population is thought to have caused the observed higher frequency of PXE in Afrikaners. According to the invention, a higher frequency of PXE in a population correlates with a higher frequency of PXE associated MRP6 mutations.

Intra-familial variation of the phenotype is a well known characteristic of *PXE*. These variations may be due to genetic and/or environmental causes. A few environmental factors are thought to influence the PXE phenotype. Among these, calcium and Vitamin D have been reported to contribute to the severity of the phenotype in some cases. Life style, smoking, diet, sun-exposure and obesity are also likely to modulate the penetrance of the phenotype. Indeed, remarkably dissimilar PXE phenotypes have been observed recently in identical twins. According to the invention, non-genetic factors contributing to the development of PXE symptoms in heterozygote carriers can be identified. Studies involving large cohorts of twins for example, such as those used by the Queensland Institute of Medical Research of Australia (<http://gene12i.qimr.edu>) are also useful to identify both genetic and environmental factors related to the development of the PXE phenotype.

II. Diagnostic Applications

(MRP6) ABCC6 genes and gene products, including mutant genes and gene products, as well as probes, primers, and antibodies, are useful for identifying carriers of PXE associated mutations. According to the invention, PXE associated mutations can be identified in families with a PXE pedigree or in individuals not previously known to be at risk of carrying a PXE related mutation. PXE associated mutations can be routinely

screened using probes to detect the presence of a mutant (MRP6) *ABCC6* gene or protein by a variety of methods. In preferred embodiments of the invention, individuals are screened for the presence of a recurrent mutation that is known to be present at a relatively high frequency in the population. For example, a preferred method of the invention screens an individual from a population for the presence of an MRP6 mutation that accounts for about 30%, and preferably 50%, and more preferably over 50%, of known incidences of PXE in the population. An alternative method of the invention screens an individual for the presence of two or more, preferably about five, more preferably about ten, and even more preferably over ten PXE associated MRP6 mutations. In methods that include assays for a plurality of PXE associated MRP6 mutations, the plurality of mutations preferably account for about 30%, and more preferably 50%, and even more preferably over 50%, of known incidences of PXE in the population.

In one aspect of the invention, the identification of a specific mutation is not necessary. A diagnostic assay may be based on the detection of an MRP6 protein expression defect resulting from, for example, reduced levels of mRNA expression. Indeed, the analysis of steady state levels of (MRP6) *ABCC6* mRNA in skin fibroblasts from a PXE patient carrying a homozygous R1141X mutation showed that MRP6 mRNA levels were lower than in skin fibroblasts from a normal individual. Accordingly, low levels MRP6 mRNA can result from a mutation within the coding sequence, such as a nonsense mutation that results in nonsense mediated decay. In addition, low mRNA levels can be caused by mutations either an intron or an exon that destabilizes the RNA, or by a mutation in a regulatory region (including a promoter region) that reduces transcription of the MRP6 gene. Furthermore, the presence of a truncated MRP6 mRNA can be used as a diagnostic indicator for the presence of a PXE associated mutation.

Alternatively, the presence of a mutation that affects the amount, size, or other physical properties of the MRP6 protein can be detected without knowing the identity of the mutation. For example a decreased level of MRP6 protein or a the presence of a truncation in the MRP6 protein can be used as a diagnostic indicator for the presence of a PXE associated mutation. In addition, the presence of a larger than expected MRP6 protein (that may result for example, from a gene fusion or from one or more frameshift

mutations that produce a larger and possibly non-functional protein) can be used as a diagnostic indicator for the presence of a PXE associated mutation.

Accordingly the invention provides a method for screening for the presence of a PXE associated mutation at the MRP6 locus without specifically identifying the mutation. Such methods are useful to identify homozygotes, compound heterozygotes, or carriers.

According to the invention, the identification of the presence of any PXE associated mutation at the MRP6 locus can be used as a positive diagnosis of PXE in an individual with PXE symptoms or to diagnose a PXE patient who has not yet developed PXE symptoms but who is identified as a homozygote or a compound heterozygote for PXE associated MRP6 mutations. Alternatively, the detection of the presence of a PXE associated MRP6 mutation according to the invention provides a method for screening a population to identify individuals who are carriers of a PXE associated mutation.

In general, a PXE carrier is distinguished from a PXE homozygote by the presence of both a normal allele and a PXE mutant allele in the carrier and the presence of two PXE mutant alleles in the homozygote. According to the invention, a normal allele can contain a neutral polymorphism as disclosed herein.

a) Nucleic acid based diagnostics

When a diagnostic assay is to be based upon nucleic acids from a sample, the assay may be based upon mRNA, cDNA or genomic DNA. If mRNA is used from a sample, there may be little or no expression of transcripts unless appropriate tissue sources are chosen or available. Preferred tissue sources are biopsies of full thickness skin or skin fibroblasts cultured from dermal biopsies. Whether mRNA, cDNA or genomic DNA is assayed, standard methods well known in the art may be used to detect the presence of a particular sequence either in situ or in vitro (see, e.g., Sambrook et al., (1989) Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Press, Cold Spring Harbor, NY). As a general matter, however, any tissue with nucleated cells may be examined.

Genomic DNA used for the diagnosis may be obtained from body cells, such as those present in the blood, tissue biopsy, surgical specimen, or autopsy material. The

DNA may be isolated and used directly for detection of a specific sequence or may be amplified by the polymerase chain reaction (PCR) prior to analysis. Similarly, RNA or cDNA may also be used, with or without PCR amplification. To detect a specific nucleic acid sequence, direct nucleotide sequencing, hybridization using specific
5 oligonucleotides, restriction enzyme digest and mapping, PCR mapping, RNase protection, chemical mismatch cleavage, ligase-mediated detection, and various other methods may be employed. Oligonucleotides specific to particular sequences can be chemically synthesized and labeled radioactively or non-radioactively (e.g., biotin tags, ethidium bromide), and hybridized to individual samples immobilized on membranes or
10 other solid-supports (e.g., by dot-blot or transfer from gels after electrophoresis), or in solution. The presence or absence of the target sequences may then be visualized using methods such as autoradiography, fluorometry, or colorimetry. These procedures can be automated using redundant, short oligonucleotides of known sequence fixed in high density to silicon chips, or in other oligonucleotide array formats.

15 Whether for hybridization, RNase protection, ligase-mediated detection, PCR amplification or any other standards methods described herein and well known in the art, a variety of subsequences of the MRP6 sequences disclosed or otherwise enabled herein will be useful as probes and/or primers. These sequences or subsequences will include both normal MRP6 sequences and PXE associated MRP6 mutant sequences. In general,
20 useful oligonucleotide probes or primer sequences will include at least 8-9, more preferably 10-50, and most preferably 18-24 consecutive nucleotides from the MRP6 introns, exons or intron/exon boundaries. Depending upon the target sequence, the specificity required, and future technological developments, shorter sequences may also have utility. Therefore, any MRP6 derived sequence which is employed in a diagnostic
25 assay may be regarded as an appropriate probe or primer. Particularly useful sequences include nucleotide positions from the MRP6 gene for which PXE associated mutations are known, or sequences which flank these positions.

As discussed above, a variety of PXE causing mutations have now been identified at the human MRP6 gene locus. Detection of these and other PXE associated mutations
30 is now enabled using isolated nucleic acid probes or primers derived from normal or mutant MRP6 genes. According to the invention, useful oligonucleotide probes or

primers are derived from sequences encoding the C-terminal half of the MRP6 protein, the conserved NBF sequences, and conserved amino acid sequence shown in Fig. 3.

Particularly useful oligonucleotides are derived from sequences known to have PXE associated mutations, such as the sequences including the mutations shown in Table 1.

5 As disclosed above, a number of PXE associated MRP6 mutations have already identified, and it is expected that more will be identified according to the compositions and methods disclosed herein. Therefore, the present invention provides isolated nucleic acid probes and primers corresponding to normal and mutant sequences from any portion of the MRP6 gene, including exons, introns, and 5' and 3' UTRs, which may be shown to
10 be associated with the development of PXE.

Merely as an example, and without limiting the invention, useful diagnostic probes and primers derived from the MRP6 DNA are disclosed in Example 5.

For in situ hybridization-based detection of a normal or mutant MRP6, a sample
15 of tissue may be prepared by standard techniques and then contacted with one or more of the nucleic acids described herein, preferably one which is labeled to facilitate detection, and an assay for nucleic acid hybridization is conducted under stringent conditions which permit hybridization only between the probe and highly or perfectly complementary sequences. For the single nucleotide substitutions associated with PXE, high stringency
20 hybridization conditions will be required to distinguish most mutant sequences from normal sequences. When the MRP6 genotypes of an individual's parents are known, probes may be chosen accordingly. Alternatively, probes to a variety of mutants may be employed sequentially or in combination. Because PXE carriers will be heterozygous, probes to normal sequences also may be employed and homozygous normal individuals
25 may be distinguished from mutant heterozygotes by the amount of binding (e.g., by intensity of radioactive signal). In another variation, competitive binding assays may be employed in which both normal and mutant probes are used but only one is labeled.

In addition to oligonucleotide-based hybridization assays, methods of the invention include direct sequencing, loss of heterozygosity, SSCP, HA, and
30 Conformation-Sensitive Gel Electrophoresis (CSGE) to detect a PXE associated MRP6 mutation. As discussed above, preferred mutations to be screened for are those shown in

Table 1. However, additional mutations identified according to the invention are also useful as markers of PXE, including deletions in the (MRP6) ABCC6 locus.

According to one embodiment of the invention, a diagnostic test can be a nucleic acid scanning test where the assay detects the presence of a mutation in the nucleic acid being interrogated. In an alternative embodiment, a diagnostic test can interrogate a nucleic acid for the presence of a specific mutation.

According to this invention, base pair deletions or alterations leading to the omission of amino acid residues in the gene product are determined. Nucleic acid primers and probes are used in a variety of PCR-based amplification and hybridization assays to screen for and detect the presence of defective ABCC6 gene or mRNA in a patient. The genetic information derived from the intron/exon boundaries is also very useful in various screening and diagnosis procedures.

Various nucleic acid scanning methods are used for scanning the MRP6 genomic, mRNA or cDNA sequence obtained from a patient for detecting, for example, large deletions and substitutions in the sequence that would be indicative of the disease. These nucleic acid scanning techniques include PCR-based techniques and using oligonucleotide probes that hybridize to specific regions of the gene.

In one embodiment of the invention, preferred mutations for nucleic acid scanning techniques include large deletions in the genomic sequence for the ABCC6 gene for example a 16.5 kb deletion spanning from exon 22 to exon 29. Primers are designed to various regions of the ABCC6 gene which are used for PCR-based detection of large deletions in the gene.

In another embodiment of the invention, primers are designed to the ABCC6 gene that are able to differentiate between the size of the amplified wild-type sequence and sequence containing a specific mutation, for example a deletion.

In a preferred embodiment of the invention, nucleic acid probes are provided which comprise either ribonucleic or deoxyribonucleic acids. Typically, the size of the probes varies from approximately 18 to 22 nucleotides. Functionally, the probe is long enough to bind specifically to the homologous region of the ABCC6 gene, but short enough such that a difference of one nucleotide between the probe and the DNA being

tested disrupts hybridization. Thus the nucleic acid probes of the present invention are capable of detecting single nucleotide changes in the ABCC6 gene.

In a preferred embodiment of the invention, nucleic acid probes are 100 % homologous to a mutant allele of the ABCC6 gene, but not to the wild-type gene.

5 In another embodiment of the invention, the nucleic acid probes are 100 % homologous to the wild-type allele. Accordingly, the invention provides methods for determining whether an individual is homozygous or heterozygous for a particular allele using both a wild-type and an allele-specific probe.

According to one method of the invention, mutations are detected by sequencing
10 specific regions of the ABCC6 gene. In a preferred embodiment, the specific regions encompass one or more mutations presented in Table 1. In an alternative embodiment, a specific region being interrogated includes one of exons 1-31. Preferred exons include exons 25-29, and more preferably exon 28 in which many PXE associated mutations have been identified.

15 According to still other methods of the present invention rapid screening techniques are used to determine whether exons of the ABCC6 gene carry any mutations. Such techniques can be followed by one of the techniques already described above which are specific for a particular allele or mutation. One such rapid screening technique involves the determination of the conformation of single strands of DNA which have
20 been amplified from exon sequences that are known to carry mutations, including the mutations presented in Table 1. The single strands are run in non-denaturing electrophoretic gels, such as are typically used for sequencing DNA. The mobility of single stranded DNA on such gels is sensitive to the conformation of the DNA fragments. The conformation of the single stranded DNA is dependent on its base sequence,
25 alterations in even one base affecting the conformation. Thus the presence of a wild-type or mutant allele described herein can be detected by amplifying an exon sequence, denaturing the duplex molecules, and separating them on the basis of their conformation on non-denaturing polyacrylamide gels. If mutant alleles are present, they will have a different mobility than wild-type sequences amplified with the same primers. Most
30 conveniently, the amplified sequences will be radiolabeled to facilitate visualization on gels. This can be readily accomplished using labeled primers or a labeled nucleotide. For

a general reference on this technique see Orira, et al., Genomics vol. 5, pp. 874-879 (1989). A preferred nucleic acid amplification product for SSCP analysis is between about 100 and 500 bp, and more preferably between about 140 and 300 bp.

According to another rapid screening technique of the present invention, an amplified fragment containing a mutation is detected using denaturing gradient gel electrophoresis (DGGE). For a general reference on this technique see Sheffield, et al., Proc. Natl. Acad. Sci. vol. 86, pp. 232-236 (1989). Briefly, double stranded fragments which are generated by amplification (PCR) can be subjected to DGGE. "DGGE is a gel system that separates DNA fragments according to their melting properties. When a DNA fragment is electrophoresed through a linearly increasing gradient of denaturants, the fragment remains double stranded until it reaches the concentration of denaturants equivalent to a melting temperature (T_m) that causes the lower-temperature melting domains of the fragment to melt. At this point, the branching of the molecule caused by partial melting sharply decreases the mobility of the fragment in the gel. The lower-temperature melting domains of DNA fragments differing by as little as a single-base substitution will melt at slightly different denaturant concentrations because of differences in stacking interactions between adjacent bases in each DNA strand. These differences in melting cause two DNA fragments to begin slowing down at different levels in the gel, resulting in their separation from each other." Sheffield, et al., *ibid.* Use of a GC clamp as taught in Myers et al., Nucleic Acids Res. vol. 13, pp. 3111-3146 (1985) increases the sensitivity of detection of this method from about 40% to about 100%. If mismatches are present, which would be the case if the DNA sample amplified was heterozygous for an ABCC6 allele, they will be visible on these DGGE gels. Double stranded fragments containing one wild-type strand and one mutant strand will have a different mobility on these gels than will double stranded fragments which contain two wild-type or two mutant strands, due to the different melting temperatures of these species. Thus, the melting temperature of fragments amplified from different regions of the ABCC6 gene can be determined by DGGE and can be used to indicate whether a mutant allele is present.

In one embodiment, a region of the (MRP6) ABCC6 gene that encodes an important functional domain of the (MRP6) ABCC6 protein is screened for the presence

of any mutation. For example, a preferred diagnostic assay interrogates the region of the (MRP6) ABCC6 gene that encodes an ATP binding site of the (MRP6) ABCC6 protein, a region that encodes a hydrophobic transmembrane domain, or a region that encodes a conserved amino acid, preferably in the C-terminal half of the MRP6 protein.

5 One major application of the nucleic acid based diagnostics is in the area of genetic testing, carrier detection and prenatal diagnosis. Individuals carrying mutations in the ABCC6 gene (disease carrier or patients) may be detected at the DNA level with the use of a variety of techniques. The genomic DNA used for the diagnosis may be used directly for detecting specific sequences or may be amplified enzymatically in vitro, for
10 example by PCR. The detection of specific DNA sequence may be achieved by methods such as hybridization using specific oligonucleotides (Wallace et al. Cold Spring Harbour Symp. Quant. Biol. 51: 257-261 (1986)), direct DNA sequencing (Church and Gilbert, Proc. Nat. Acad. Sci. U. S. A. 81: 1991-1995 (1988)), the use of restriction enzymes (Flavell et al. Cell 15: 25 (1978), Geever et al Proc. Nat. Acad. Sci. U. S. A. 78: 5081
15 (1981)), discrimination on the basis of electrophoretic mobility in gels with denaturing reagent (Myers and Maniatis, Cold Spring Harbour Sym. Quant. Biol. 51: 275-284 (1986)), RNase protection (Myers, R. M., Larin, J., and T. Maniatis Science 230: 1242 (1985)), chemical cleavage (Cotton et al Proc. Nat. Acad. Sci. U. S. A. 85: 4397-4401, (1985)) and the ligase-mediated detection procedure (Landegren et al Science 241:1077
20 (1988)).

 Oligonucleotides specific to normal or mutant sequences are chemically synthesized using commercially available machines, labelled radioactively with isotopes or non-radioactively (with tags such as biotin (Ward and Langer et al. Proc. Nat. Acad. Sci. U. S. A. 78: 6633-6657 (1981)), and hybridized to individual DNA samples
25 immobilized on membranes or other solid supports by dot-blot or transfer from gels after electrophoresis. The presence or absence of these specific sequences are visualized by methods such as autoradiography or fluorometric (Landegren et al, 1989) or colorimetric reactions (Gebeyshu et al. Nucleic Acids Research 15: 4513-4534 (1987)).

 Sequence differences between normal and mutants may be revealed by the direct
30 DNA sequencing method of Church and Gilbert. Cloned DNA segments may be used as probes to detect specific DNA segments. The sensitivity of this method is greatly

enhanced when combined with PCR (Wrichnik et al, Nucleic Acids Res. 15:529-542 (1987); Wong et al, Nature 330:384-386 (1987); Stoflet et al, Science 239:491-494 (1988)). In the latter procedure, a sequencing primer which lies within the amplified sequence is used with double-stranded PCR product or single-stranded template

5 generated by a modified PCR. The sequence determination is performed by conventional procedures with radiolabeled nucleotides or by automatic sequencing procedures with fluorescent-tags.

Genetic testing based on DNA sequence differences may be achieved by detection of alteration in electrophoretic mobility of DNA fragments in gels with or without
10 denaturing reagent. Small sequence deletions and insertions can be visualized by high resolution gel electrophoresis. For example, a PCR product with a small deletion is clearly distinguishable from the normal sequence on an 8% non-denaturing polyacrylamide gel. DNA fragments of different sequence compositions may be distinguished on denaturing formamide gradient gel in which the mobilities of different
15 DNA fragments are retarded in the gel at different positions according to their specific "partial-melting" temperature (Myers, supra). In addition, sequence alterations, in particular small deletions, may be detected as changes in the migration pattern of DNA heteroduplexes in non-denaturing gel electrophoresis, as have been detected for the 3 dp (I507) mutation and in other experimental systems (Nagamine et al, Am. J. Hum. Genet,
20 45:337-339 (1989)). Alternatively, a method of detecting a mutation comprising a single base substitution or other small change could be based on differential primer length in a PCR. For example, one invariant primer could be used in addition to a primer specific for a mutation. The PCR products of the normal and mutant genes can then be differentially detected in acrylamide gels.

25 Sequence alterations may occasionally generate fortuitous restriction enzyme recognition sites which are revealed by the use of appropriate enzyme digestion followed by conventional gel-blot hybridization (Southern, J. Mol. Biol 98: 503 (1975)). DNA fragments carrying the site (either normal or mutant) are detected by their reduction in size or increase of corresponding restriction fragment numbers. Genomic DNA samples
30 may also be amplified by PCR prior to treatment with the appropriate restriction enzyme;

fragments of different sizes are then visualized under UV light in the presence of ethidium bromide after gel electrophoresis.

In another embodiment of the invention, sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase (Myers, supra) and S1 protection (Berk, A. J., and P. A. Sharpe Proc. Nat. Acad. Sci. U. S. A. 75: 1274 (1978)),
5 the chemical cleavage method (Cotton, supra) or the ligase-mediated detection procedure (Landegren supra).

In addition to conventional gel-electrophoresis and blot-hybridization methods, DNA fragments may also be visualized by methods where the individual DNA samples
10 are not immobilized on membranes. The probe and target sequences may be both in solution or the probe sequence may be immobilized (Saiki et al, Proc. Natl. Acad. Sci USA, 86:6230-6234 (1989)). A variety of detection methods, such as autoradiography involving radioisotopes, direct detection of radioactive decay (in the presence or absence of scintillant), spectrophotometry involving colorigenic reactions and fluorometry
15 involving fluorogenic reactions, may be used to identify specific individual genotypes.

In a preferred embodiment of the invention, for example, a PCR with multiple, specific oligonucleotide primers and hybridization probes, may be used to identify a plurality of possible mutations at the same time (Chamberlain et al. Nucleic Acids Research 16: 1141-1155 (1988)). The procedure may involve immobilized sequence-
20 specific oligonucleotides probes (Saiki et al, supra).

According to the invention, assays are performed to detect a deletion within or including the MRP6 gene using Southern hybridization, FISH analysis, or diagnostic PCR. It is expected that most deletions will occur between repetitive Alu sequences that are common within the introns of the MRP6 gene. Preferred PCR primers for detecting
25 these deletions are primers that flank intron Alu sequences.

According to one aspect of the invention, many of the PXE associated MRP6 mutations are found in exons 22-30. Accordingly, preferred assays of the invention interrogate any one of exons 22-30, taken alone or in combination, for the presence of a PXE associated MRP6 mutation.

30 In a preferred embodiment of the invention, a diagnostic assay interrogates the entire (MRP6) ABCC6 locus for the presence of a mutation, using for example SSCP, HA,

or CSGE, and direct sequencing. In a more preferred embodiment, an assay interrogates a portion of the ABCC6 locus for the presence of a mutation. If a mutation is detected, it is first compared to known mutations associated with PXE (Table 1) and known neutral polymorphisms (Table 2) that are not associated with PXE. If the mutation has not yet
5 been observed as either a PXE associated mutation or as a neutral polymorphism, the nature of the mutation is considered. If the mutation is a deletion, nonsense, frameshift or other mutation that affects expression of a normal MRP6 protein, the mutation is considered to be a PXE mutation. Similarly, if the mutation results in a nonconservative amino acid change or an amino acid change in a conserved sequence such as an NBF, a
10 transmembrane sequence, or a change in a conserved amino acid shown in Fig. 3, the mutation is considered to be a PXE mutation. In addition, if the mutation results in low levels of MRP6 expression, the mutation is considered to be a PXE mutation. However, if the mutation results in a conservative amino acid change in a non-conserved part of the MRP6 protein the mutation is considered to be a neutral polymorphism. Nonetheless, a
15 patient identified with a previously unknown neutral polymorphism according to this analysis should be subjected to additional diagnostic tests to look for known PXE associated symptoms or subclinical symptoms.

According to one aspect of the invention, the detection of PXE carriers and PXE patients is determined through the identification of mutant MRP6 alleles in DNA from
20 patients, family members and apparently unrelated and normal individuals. A single allele, with no evidence of a second mutant allele and the presence of a normal allele will be considered a carrier. Patients may be identified as either compound heterozygotes (having two different mutant alleles) or homozygotes (two identical mutant alleles).

25 **b) Protein based diagnostics**

Different approaches to a MRP6 protein-based diagnostic assay can be used to detect the presence of a PXE related mutation in a patient. Preferred assays include detecting a mutant electrophoretic mobility, the presence of a mutant epitope, the absence of a normal epitope, or by identifying altered biological activity, for example altered ATP
30 binding or altered transport of a synthetic, preferably radiolabeled molecule.

In one embodiment, diagnosis can be achieved by monitoring differences in the electrophoretic mobility of normal and mutant proteins. Such an approach will be particularly useful in identifying mutants in which charge substitutions are present, or in which insertions, deletions or substitutions have resulted in a significant change in the electrophoretic migration of the resultant protein. Alternatively, diagnosis may be based upon differences in the proteolytic cleavage patterns of normal and mutant proteins, differences in molar ratios of the various amino acid residues, or by functional assays demonstrating altered function of the gene products.

In preferred embodiments, protein-based diagnostics will employ differences in the ability of antibodies to bind to normal and mutant MRP6 proteins. Such diagnostic tests may employ antibodies which bind to the normal proteins but not to mutant proteins, or vice versa. In particular, an assay in which a plurality of monoclonal antibodies, each capable of binding to a mutant epitope, may be employed. The levels of anti-mutant antibody binding in a sample obtained from a test subject (visualized by, for example, radiolabelling, ELISA or chemiluminescence) may be compared to the levels of binding to a control sample. Alternatively, antibodies which bind to normal but not to mutant MRP6 protein may be employed, and decreases in the level of antibody binding may be used to distinguish homozygous normal individuals from mutant heterozygotes or homozygotes. Such antibody diagnostics may be used for in situ immunohistochemistry using biopsy samples of tissues obtained from patients.

c) Genetic counseling

According to one embodiment of the invention, genetic counseling is provided to an individual identified as a PXE carrier, a PXE homozygote, or a PXE compound heterozygote (an individual with two different PXE mutant alleles). According to the invention, individuals carrying two PXE mutant alleles are provided information about ameliorating treatments for some of the symptoms of PXE. For example, a person who inherits PXE recessively is cautioned with regard to diet and activity. A low fat, high fibre, heart healthy diet is critical for maintaining cardiovascular health. Regular exercise appears to alleviate some of the symptoms of peripheral vascular disease. Medications to allow the passage of blood through narrowed arteries may be recommended. Individuals exhibiting eye manifestations should not engage in activities that put them at risk for

injury to the eye that could subsequently lead to hemorrhage and vision loss. Smoking should be avoided at all costs since it appears to increase the rate and severity of eye disease. In one embodiment of the invention, a patient identified as being a carrier of a PXE associated mutation or as being a homozygote or a compound heterozygote for PXE associated mutations should be advised to reduce calcium intake or to use drugs that reduce calcium intake in order to reduce the severity of the phenotype.

III. Therapeutic applications

The present invention provides a basis for therapeutic treatments of PXE related symptoms caused by mutations at the (MRP6) ABCC6 locus. According to the invention, normal (MRP6) ABCC6 nucleic acid or protein is provided to cells and/or a patient having a PXE associated mutation at the (MRP6) ABCC6 locus.

Preferred target tissues include the kidney and liver, but also other tissues where low levels of MRP6 expression have been observed, such as smooth muscle cells and macrophages. Preferred target tissues also include tissues or cells that exhibit PXE related symptoms, such as a blood vessel, the gastrointestinal tract, ocular tissue, the urinary tract, and skin.

a) Nucleic acid-based therapeutics

According to the invention, PXE or PXE associated symptoms can be prevented or treated by providing a normal PXE gene or cDNA to a patient that is diagnosed as having on or more PXE associated mutations at the (MRP6) ABCC6 locus. The fact that PXE is a recessive disease makes it particularly amenable to gene therapy, because it is expected that most, if not all, PXE associated MRP6 mutations reduce the amount of functional MRP6 protein in a cell and can be compensated for by providing normal MRP6 to the cell.

In one series of embodiments, normal copies of the MRP6 gene are introduced into patients to code successfully for normal protein in one or more different affected cell types. The gene must be delivered to those cells in a form in which it can be taken up and code for sufficient protein to provide effective function. Thus, it is preferred that the recombinant gene be operably joined to a strong promoter so as to provide a high level of

expression which will compensate for the absence of sufficient amounts of normal MRP6. As noted above, the recombinant construct may contain endogenous or exogenous regulatory elements, inducible or repressible regulatory elements, or tissue-specific regulatory elements.

5 Preferred vectors for introducing an MRP6 gene to a cell or a patient include retroviral vectors, because of their high efficiency of infection and stable integration and expression. Other viral vectors which can be used include adeno-associated virus, vaccinia virus, bovine papilloma virus, or a herpes virus such as Epstein-Barr virus. Alternative vectors include plasmids that are replicated in human cells.

10 In another series of embodiments, a mutant MRP6 gene may be replaced by homologous recombination with a recombinant construct. The recombinant construct preferably contains a normal copy of the MRP6 gene. Alternatively, a regulatory region of a normal MRP6 gene in a PXE carrier may be altered to increase expression of normal MRP6.

15

i) Wild type genes

In one series of embodiments, a normal human (MRP6) ABCC6 gene is introduced to cells or a patient. A normal (MRP6) ABCC6 gene includes a gene with one or more polymorphic variations that are not associated with PXE. In one embodiment, an MRP6 genomic sequence is used. In an alternative embodiment an MRP6 cDNA sequence is used.

20

ii) Related genes

In an alternative series of embodiments, an (MRP6) ABCC6 related gene is provided to a cell or tissue having a PXE associated mutation. According to the invention, an (MRP6) ABCC6 related gene encodes a protein that has similar functional properties as a normal human MRP6 protein and can compensate for the absence of sufficient amounts of normal human MRP6 protein in a patient cell or tissue. Preferably, an (MRP6) ABCC6 homologue from another mammalian species is used. For example the mouse or rat MRP6 genes or cDNAs could be used. In one embodiment of the invention,

25

30

a homologue from a non-mammalian species is used. Alternatively, a nucleic acid encoding a different ABC protein is used, for example an MRP1 encoding nucleic acid.

5 The present invention also provides for cells or cell lines, both prokaryotic and eukaryotic, which have been transformed or transfected with the nucleic acids of the present invention so as to cause clonal propagation of those nucleic acids and/or expression of the proteins or peptides encoded thereby. Such cells or cell lines will have utility both in the propagation and production of the nucleic acids and proteins of the present invention but also, as further described herein, as model systems for diagnostic
10 and therapeutic assays. As used herein, the term "transformed cell" is intended to embrace any cell, or the descendant of any cell, into which has been introduced any of the nucleic acids of the invention, whether by transformation, transfection, infection, or other means. Methods of producing appropriate vectors, transforming cells with those vectors, and identifying transformants are well known in the art.

15

b) Protein based therapeutics

Treatment of PXE symptoms may be performed by directly providing normal protein to a patient cell or tissue. Sufficient amounts of substantially pure MRP6 protein can be obtained from cultured cell systems which express the protein. Delivery of the
20 protein to the affected tissue can then be accomplished using appropriate packaging or administering systems including, for example, liposome mediated protein delivery to the target cells.

c) Drug Therapies

25 In one embodiment of the invention, a drug identified according to methods of the invention is administered to a patient diagnosed with PXE or a PXE carrier with PXE related symptoms. Alternatively, a drug is administered to prevent or minimize the development of PXE or PXE associated symptoms in individuals identified as having one or more PXE mutations at the ABCC6 locus.

30

IV. Drug Discovery applications

The present invention provides a basis for screening drug candidates to identify useful therapeutic compositions to treat or alleviate the symptoms of PXE. In a series of embodiments, the invention provides screens based on MRP6 activity. As used
5 with respect to this series of embodiments, the term “activity” broadly includes gene and protein expression, protein post-translation processing, trafficking and localization, and any functional activity (e.g., enzymatic, receptor-effector, binding, channel), as well as downstream effects of any of these. MRP6 appears to be an integral membrane protein and may have transport related functions, and it also has ATP binding cassettes.
10 Accordingly, these functional properties can be used as a basis for a screen to identify compounds that increase MRP6 function.

In one embodiment, a drug candidate is screened for its ability to increase expression of the MRP6 gene. A preferred screen monitors the level of normal MRP6 mRNA in cells grown in culture in the presence and absence of the candidate compound.
15 Alternatively, normal MRP6 protein levels are monitored. Useful cells for these assays are preferably normal cells or PXE carrier cells. However, a PXE cell can also be used and the levels of mutant MRP6 expression can also be monitored. A compound that increases the level of MRP6 expression is particularly useful to treat a PXE carrier in order to increase the level of MRP6 expressed from the normal allele. However, a
20 compound that increases the level of MRP6 expression can also be useful to treat a PXE homozygote or compound heterozygote if the PXE associated MRP6 allele(s) encodes an MRP6 protein that retains some normal MRP6 function or if the allele is a mutation that reduces the level of normal MRP6 function.

Other assays are useful for screening candidate compounds to identify a
25 compound that increases normal MRP6 function. In one embodiment, an assay screens a compound for the ability to restore normal phenotype to dermal fibroblasts isolated from a PXE patient. Dermal fibroblasts isolated from patients with PXE exhibit abnormal phenotype when grown in vitro (Quaglino et al., Biochimica et Biophysica Acta 1501 (2000) 51-62). These phenotypes include an increased proliferation index compared to
30 normal fibroblasts when grown in monolayer. PXE fibroblasts also have lower adhesion properties to collagen type I and to plasma fibronectin when compared to normal

fibroblasts. Accordingly, these phenotypes provide a basis for an assay to identify a compound that restores normal MRP6 function to dermal fibroblasts isolated from a patient that was identified as having a PXE associated MRP6 mutation.

In another embodiment of the invention, an assay is used to screen candidate compounds for their ability to increase the ATPase activity of an MRP6 proteins. In a preferred embodiment, the assay monitors the ATPase activity of an MRP6 protein encoded by an MRP6 gene with a PXE associated mutation in the presence and absence of the candidate compound. ATPase activity of purified MRP6 can be assayed according to methods known in the art (see, for example, Mao et al., Biochimica et Biophysica Acta 1461, 69-82 (1999). According to the invention, a compound that increases the ATPase activity of a PXE associated MRP6 protein variant is useful to treat a patient that is heterozygous or homozygous for the PXE allele that encodes the protein variant used in the assay.

In a similar embodiment of the invention, an assay is used to screen candidate compounds for their ability to increase the transport activities of an MRP6 protein, in particular a PXE associated MRP6 protein variant. A useful transport assay is provided in Oude et al., Biochim Biophys Acta, 1241(2), 215-68, 1995. A compound identified according to this screen is useful to treat PXE patients and PXE carriers as described above.

20

V. Disease Models

The invention provides a basis for designing cellular and animal models of PXE. Such models are useful to study the development of the PXE disease in PXE homozygotes and compound heterozygotes and to identify potential PXE associated physiological dysfunctions in PXE carriers. Such models are also useful in screens to identify therapeutic compounds to prevent or treat PXE symptoms.

25

a) Cellular models

According to the invention, cellular models can be made by deleting one or both MRP6 alleles, or by introducing one or more PXE associated MRP6 alleles into a cell line grown *in vitro*, using methods known in the art. Preferred cell lines include renal and

30

hepatic cell lines. Other useful cell lines include those derived from skin (keratinocytes and fibroblasts) and ocular tissue (ganglioma cells).

b) Animal models

5 The present invention also provides for the production of transgenic non-human animal models for the study of PXE, for the screening of candidate pharmaceutical compounds, and for the evaluation of potential therapeutic interventions.

Animal species which suitable for use in the animal models of the present invention include, but are not limited to, rats, mice, hamsters, guinea pigs, rabbits, dogs, 10 cats, goats, sheep, pigs, and non-human primates (e.g., Rhesus monkeys, chimpanzees). For initial studies, transgenic rodents (e.g., mice) are preferred due to their relative ease of maintenance and shorter life spans. Transgenic yeast or invertebrates (e.g., nematodes, insects) may be preferred for some studies because they will allow for even more rapid and inexpensive screening. Transgenic non-human primates, however, may be preferred 15 for longer term studies due to their greater similarity to humans.

Based on the identification of MRP6 as the gene associated with PXE, there are now several available approaches for the creation of a transgenic animal models for PXE, including animal models with one or both MRP6 alleles deleted and animal models with one or two MRP6 alleles with mutations similar to known PXE associated human 20 MRP6 mutations.

To create an animal model (e.g., a transgenic mouse), a mutant MRP6 gene can be inserted into a germ line or stem cell using standard techniques of oocyte microinjection, or transfection or microinjection into embryonic stem cells. Animals produced by these or similar processes are referred to as transgenic. If the mutation 25 knocks out the MRP6 gene or a portion thereof, the animals are referred to as knockouts.

For oocyte injection, one or more copies of the recombinant DNA constructs of the present invention may be inserted into the pronucleus of a just-fertilized oocyte. This oocyte is then reimplanted into a pseudo-pregnant foster mother. The liveborn animals are screened for integrants using analysis of DNA (e.g., from the tail veins of 30 offspring mice) for the presence of the inserted recombinant transgene sequences. The transgene may be either a complete genomic sequence injected as a YAC, BAC, PAC or

other chromosome DNA fragment, a cDNA with either the natural promoter or a heterologous promoter, or a minigene containing all of the coding region and other elements found to be necessary for optimum expression.

5 Retroviral infection of early embryos can also be done to insert the recombinant DNA constructs of the invention. In this method, the transgene is inserted into a retroviral vector which is used to infect embryos (e.g., mouse or non-human primate embryos) directly during the early stages of development to generate chimeras, some of which will lead to germline transmission.

10 Homologous recombination using stem cells allows for the screening of gene transfer cells to identify the rare homologous recombination events. Once identified, these can be used to generate chimeras by injection of blastocysts, and a proportion of the resulting animals will show germline transmission from the recombinant line. In a preferred embodiment, inactivation of the MRP6 gene in mice may be accomplished by designing a DNA fragment which contains sequences from an MRP6 exon flanking a
15 selectable marker. Homologous recombination leads to the insertion of the marker sequences in the middle of an exon, causing inactivation of the MRP6 gene and/or deletion of internal sequences. DNA analysis of individual clones can then be used to recognize the homologous recombination events.

The techniques of generating transgenic animals, as well as the techniques for
20 homologous recombination or gene targeting, are now widely accepted and practiced. A laboratory manual on the manipulation of the mouse embryo, for example, is available detailing standard laboratory techniques for the production of transgenic mice (Hogan et al., 1986). A large number vectors are available to accomplish this and appropriate sources of genomic DNA for mouse and other animal genomes to be targeted are
25 commercially available from companies such as GenomeSystems Inc. (St. Louis, Missouri, USA). The typical feature of these targeting vector constructs is that 2 to 4 kb of genomic DNA is ligated 5' to a selectable marker (e.g., a bacterial neomycin resistance gene under its own promoter element termed a "neomycin cassette"). A second DNA fragment from the gene of interest is then ligated downstream of the neomycin cassette
30 but upstream of a second selectable marker (e.g., thymidine kinase). The DNA fragments are chosen such that mutant sequences can be introduced into the germ line of the

targeted animal by homologous replacement of the endogenous sequences by either one of the sequences included in the vector. Alternatively, the sequences can be chosen to cause deletion of sequences that would normally reside between the left and right arms of the vector surrounding the neomycin cassette. The former is known as a knock-in, the latter is known as a knock-out. Example 5 describes a knockout of most of exons 28 and 29 in mouse MRP6.

VI. (MRP6) ABCC6 Interacting Molecules

According to the invention, molecules that interact with a normal MRP6 gene product gene product provide candidates 1) for identifying additional types of mutations that result in a PXE phenotype and 2) for additional levels of therapeutic intervention to overcome or minimize the effect of a mutant PXE gene product. For example, the identification of a protein that interacts with a normal MRP6 protein but not with a PXE mutant protein provides a potential target for therapeutic intervention if the function of the interacting protein can be modified to compensate for the absence of normal MRP6 protein.

According to the invention, (MRP6) ABCC6 interacting molecules can be identified according to a number of biochemical and genetic methods known in the art, including affinity chromatography, mutational analysis, and yeast two hybrid analysis. As will be obvious to one of ordinary skill in the art, there are numerous other methods of screening individual proteins or other compounds, as well as large libraries of proteins or other compounds (e.g., phage display libraries and cloning systems from Stratagene, La Jolla, CA) to identify molecules which bind to normal or mutant MRP6 proteins. All of these methods comprise the step of mixing a normal or mutant MRP6 protein or protein fragment with test compounds, allowing for binding (if any), and assaying for bound complexes.

The invention is further illustrated by the following non-limiting examples.

EXAMPLES

Example 1: Materials and Methods

a) Sources of Patient Samples

5 *PXE International, Inc.*

To date, PXE International has assembled a database of over 2100 PXE patients from 1400 families from 31 countries including North America, several European and South American countries and South Africa. From this cohort of patients and family members, genomic DNA has been prepared from whole blood samples obtained from
10 over 1200 PXE patients and family members.

Honolulu Heart Program

In the early 1950's, studies around the world were reporting geographic differences in coronary heart disease (CHD) mortality, pathology, prevalence, and
15 incidence. Among these reports were those of significant differences in the CHD and cerebrovascular disease rates in Japan and in the United States. The overall mortality for men in Japan and in the United States was similar, but the rates for CHD were strikingly different. Reported CHD mortality among Japanese was approximately twenty percent of that among U.S. Caucasians. At about the same time, Japanese living in Hawaii and
20 California were reported to have a lower overall mortality than either U.S. Caucasians or Japanese living in Japan. The reasons for these differences were not apparent. However, it was felt that the study of these populations might offer important clues to the etiology of heart and vascular disease. The compared populations, living in Japan, Hawaii and California were of Japanese ancestry to limit genetic variation between study groups.

25 The Honolulu cohort of the Ni-Hon-San (Nippon-Honolulu, San Francisco) study formed the basis for the Honolulu Heart Program (HHP). That study has now been underway for 35 years, providing extensive information about the role of lifestyle, diet, and other risk factors to development of chronic diseases of major public health importance in 8,000 Japanese-American men.

30 Although several studies have suggested that PXE is more frequent in females there is no evidence that the observed gender difference is caused by genetic factors.

Indeed, men would often report skin lesions, usually the first signs of PXE, later in life, than women. Therefore, a study of an exclusively male cohort from the HHP should not compromise the general applicability of the conclusions. PXE has also no particular predilection for any ethnic or racial group. PXE has indeed largely been described in
5 Caucasians but also in African and Asian populations. PXE cases reported in Japan have shown no phenotypic or prevalence differences when compared to those observed in Caucasian populations.

Unaffected control subjects

10 DNA has been prepared from 150 unrelated individuals with no evidence of PXE. These samples have been aliquoted and are currently stored at -80°C. They are routinely used as control DNA samples and will be used to confirm that any new and potential mutation detected in a PXE patient or relative is indeed a mutation and not a neutral polymorphism. The donors of these DNA samples were adults of either sex from various
15 ethnic backgrounds.

b) Mutation Detection Methods

Detection of single nucleotide mutations

20 Single strand conformation polymorphism (SSCP) analysis is based on the observation that single stranded DNA will adopt, in non-denaturing conditions, a secondary structure that is strictly sequence-dependant. Slight variations in sequence, such as a single nucleotide change can alter the conformation of a DNA fragment, which can be resolved on a non-denaturing polyacrylamide gel. Heteroduplex analysis (HA) is
25 based on the observation that heteroduplexes formed between two DNA strands with one or more mismatches have electrophoretical mobility distinctly different from homoduplexes. While both methods (SSCP and HA) can detect point mutations, some sequence variants are more readily detected by one procedure than the other. Accordingly, a preferred screening method, uses a combination of SSCP and modified
30 HA called Conformation-Sensitive Gel Electrophoresis or CSGE.

In a preferred assay, each characterized PCR primer pair is radioactively labeled using T4 polynucleotide kinase and γ -[P³²]-ATP. For SSCP analysis, radiolabeled PCR products are mixed with denaturing loading buffer and loaded onto a 0.5 x MDE (MDE is a mutation detection enhancement polyacrylamide-derived matrix provided by FMC products), 0.6 x TBE native polyacrylamide gel and electrophoresed overnight at 8 watts in a sequencing gel apparatus. Separated, radiolabeled conformers are visualized by autoradiography. For CSGE, EDTA is added to the incubated PCR reaction mix to a final concentration of 1 mM and the reaction will be heat-denatured and incubated for 60 minutes at 68°C to allow heteroduplex formation. Heteroduplex products are analyzed on a 6% polyacrylamide gel (29:1 ratio of acrylamide/bisacrylamide), 10% (v/v) ethylene glycol and 15% (w/v) formamide in 0.5X TTE buffer (1 X TTE is 89 mM Tris, 15 mM taurine, 0.5 mM EDTA, pH 9.0). A solution of 20% (v/v) ethylene glycol, 30% (w/v) formamide and 0.05% xylene cyanol and bromophenol blue is mixed equally with the samples. The gel is run at 35 to 45 watts for 2 to 4 hours at room temperature. As for SSCP, CSGE conformers are revealed by autoradiography.

When an abnormal conformer or heteroduplex is detected, the segregation of the variant is analyzed for DNA samples from the entire family. Subsequently, the DNA sequence of the variant is determined by eluting normal and altered DNA conformers directly from the electrophoresis gel. These PCR fragments are eluted in water, re-amplified and directly used as a template for sequencing using an ABI 310 automated sequencer (Perkin Elmer). A panel of 150 DNA samples of normal unrelated individuals is used to identify abnormal variants that are common polymorphisms in the ABCC6 locus.

25 *Mutation detection by enzymatic cleavage*

Single nucleotide substitutions often modify the recognition site of a restriction enzyme. Polymorphisms and mutations can, therefore, be detected in a rapid and convenient manner by the enzymatic cleavage of a PCR fragment containing the nucleotide change. This method is frequently employed to verify the presence of previously characterized mutations or polymorphisms in DNA samples for control, study or diagnostic purposes. It can also be used for screening a large number of samples. Out

of the *ABCC6* mutations listed in Table 1, 10 mutations were identified with a unique restriction pattern. For example, three possible *HhaI* restriction profiles for one of these mutations, R1339C (4015C to T) can be visualized by electrophoresis. According to the invention, single nucleotide mutations in *ABCC6* are detectable by enzymatic cleavage.

- 5 Accordingly, this method is useful as an initial step to appropriately complement the screening of large cohorts with more traditional mutations detection techniques.

PCR mapping

- A single base substitution mutation may be detected based on differential PCR product length or production in PCR. Thus, primers which span mutant sites or which, preferably, have 3' termini at mutation sites, may be employed to amplify a sample of genomic DNA, mRNA or cDNA from a subject. A mismatch at a mutational site may be expected to alter the ability of the normal or mutant primers to promote the polymerase reaction and, thereby, result in product profiles which differ between normal subjects and heterozygous and/or homozygous MRP6 mutants. The PCR products of the normal and mutant gene may be differentially separated and detected by standard techniques, such as polyacrylamide or agarose gel electrophoresis and visualization with labeled probes, ethidium bromide or the like. Because of possible non-specific priming or readthrough of mutation sites, as well as the fact that most carriers of mutant alleles will be heterozygous, the power of this technique may be low.
- 10
15
20

Electrophoretic mobility

- Genetic testing based on DNA sequence differences also may be achieved by detection of alterations in electrophoretic mobility of DNA, mRNA or cDNA fragments in gels. Small sequence deletions and insertions, for example, can be visualized by high resolution gel electrophoresis of single or double stranded DNA, or as changes in the migration pattern of DNA heteroduplexes in non-denaturing gel electrophoresis. MRP6 mutations or polymorphisms may also be detected by methods which exploit mobility shifts due to single-stranded conformational polymorphisms (SSCP) associated with mRNA or single-stranded DNA secondary structures.
- 25
30

Chemical cleavage of mismatches

Mutations in MRP6 may also be detected by employing the chemical cleavage of mismatch (CCM) method. In this technique, probes (up to ~ 1 kb) may be mixed with a sample of genomic DNA, cDNA or mRNA obtained from a subject. The sample and probes are mixed and subjected to conditions which allow for heteroduplex formation (if any). Preferably, both the probe and sample nucleic acids are double-stranded, or the probe and sample may be PCR amplified together, to ensure creation of all possible mismatch heteroduplexes. Mismatched T residues are reactive to osmium tetroxide and mismatched C residues are reactive to hydroxylamine. Because each mismatched A will be accompanied by a mismatched T, and each mismatched G will be accompanied by a mismatched C, any nucleotide differences between the probe and sample (including small insertions or deletions) will lead to the formation of at least one reactive heteroduplex. After treatment with osmium tetroxide and/or hydroxylamine to modify any mismatch sites, the mixture is subjected to chemical cleavage at any modified mismatch sites by, for example, reaction with piperidine. The mixture may then be analyzed by standard techniques such as gel electrophoresis to detect cleavage products which would indicate mismatches between the probe and sample.

Other methods

Various other methods of detecting MRP6 mutations, based upon the MRP6 sequences disclosed and otherwise enabled herein, will be apparent to those of ordinary skill in the art. Any of these may be employed in accordance with the present invention. These include, but are not limited to, nuclease protection assays (S1 or ligase-mediated), ligated PCR, denaturing gradient gel electrophoresis (DGGE), restriction endonuclease fingerprinting combined with SSCP (REF-SSCP), and the like.

Methods for analyzing MRP6 mRNA levels:

The steady state levels of (MRP6) *ABCC6* mRNA was analyzed in skin fibroblasts from a PXE patient carrying a homozygous R1141X mutation. Total skin fibroblast RNA from an unaffected control individual and a PXE patient was used to synthesize single stranded cDNA using oligo(dT). PCR primers derived from (MRP6) *ABCC6* mRNA sequence

were then used in two consecutive rounds of 25 cycles of PCR. Poly(A)+ RNA from normal human kidney (obtained from Clontech) was used as a positive control for detection of (MRP6) *ABCC6* mRNA. *MRP-1* mRNA was detected in the same cDNA samples used for *ABCC6* mRNA with 30 cycles of PCR. The 390 bp and 180 bp DNA fragments detected correspond to the expected size of (MRP6) *ABCC6* and *MRP-1* mRNA domains encoded within exons 6-9 and 2-3 of the (MRP6) *ABCC6* and *MRP-1* genes respectively. No reverse transcriptase (No RT) controls were included to confirm that no PCR products were obtained in the absence of cDNA synthesis.

10 *Stringent hybridization conditions*

High stringency conditions are at least equivalent to a temperature in the range of about 40-70 degrees C, and between about 0.05 and 0.5 M sodium ion. High stringency hybridization conditions are well known in the art and can be optimized for a specific oligonucleotide based on the length and GC content of the oligonucleotide as described in, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (Cold Spring Harbor, N.Y., 1982).

An oligonucleotide selected for hybridizing to the target nucleic acid, whether synthesized chemically or by recombinant DNA methodologies, is isolated and purified using standard techniques and then preferably labeled (e.g., with ³⁵S or ³²P) using standard labeling protocols. A sample containing the target nucleic acid then is run on an electrophoresis gel, the dispersed nucleic acids transferred to a nitrocellulose filter and the labeled oligonucleotide exposed to the filter under stringent hybridizing conditions, e.g. 50% formamide, 5 X SSPE, 2 X Denhardt's solution, 0.1% SDS at 42°C, as described in Sambrook *et al.* (1989) *supra*. The filter may then be washed using 2 X SSPE, 0.1% SDS at 68°C, and more preferably using 0.1 X SSPE, 0.1% SDS at 68°C. Other useful procedures known in the art include solution hybridization, and dot and slot RNA hybridization. Optionally, the amount of the target nucleic acid present in a sample is then quantitated by measuring the radioactivity of hybridized fragments, using standard procedures known in the art.

30

Example 2: The positional cloning of the PXE gene

Blood samples and skin biopsies from PXE patients and unaffected relatives in the United States were collected by PXE International Inc., by Dr. Ivonne Pasquali-Ronchetti in Italy, by Dr. F. Michael Pope in the United Kingdom and by Dr. Anne de Paepe in Belgium. Blood samples were obtained from 100 Caucasian control individuals with no family history of PXE. Genomic DNA was isolated from aliquots of blood. Low passage and confluent skin fibroblasts were obtained from 3 mm full thickness skin biopsies using known procedures.

To identify the gene that contains mutations responsible for PXE, the disease locus was confined to a region of about 8 cM between markers D16S500 and- D16S3041. Recombination mapping reduced this large critical region to an 820 kb domain containing six candidate genes. These genes encode an isoform of Myosin Heavy Chain (MYH11), two Multidrug Resistance-associated Proteins (MRP-1 and (MRP6) ABCC6), an unknown protein called pM5 and two identical unknown proteins referred to as UNK. Using a polymorphic microsatellite repeat (*GAAA*₁₇) located at the 5' end of the *MRP-1* gene (Fig. 1) an informative meiotic recombination in one PXE patient was identified and this permitted the exclusion of the *MYH11* as a candidate gene and reduced the size of the PXE region to 570 kb and 5 candidate genes. Figure 1 shows the previously defined PXE locus covering 820 kb between markers D16S3060 and D16S79 at 16p13.1. The BAC contig that covers this region is shown along with the identity of the BACs. Figure 1b shows the gene content of the PXE locus represented from the telomere (left) to the centromere (right). The transcriptional orientation of the genes is indicated by arrows. A flag represents the position of a polymorphic marker (*GAAA*₁₇) used to identify an additional meiotic recombination in one PXE patient that excluded the *MYH11* gene as the PXE gene.

The 109 exons within the five candidate genes were then screened for mutations by Single-Strand Conformation Polymorphism (SSCP) and Heteroduplex Analysis (HA) using genomic DNA from a cohort of 20 unrelated PXE patients.

Mutation detection, sequence analysis and RT-PCR, SSCP, and Heteroduplex Analysis (HA) were carried out as previously described. Intron-derived primers for PCR amplification of exons present in the genes encoding MRP-1, (MRP6) ABCC6, pM5 and

both *UNK* gene were synthesized using intron sequences available in the TIGR database (<http://www.tigr.org>). PCR products were typically 150-350 bp in length and included complete intron/exon boundaries. Typical PCR reactions, were performed in the presence of ³²P-labelled primers in a 9700 thermocycler (Perkin Elmer). Radioactive PCR products were analyzed either by SSCP or HA using MDE polyacrylamide gel (FMC) according to the manufacturer's instructions. DNA conformers were eluted in water from gel slices, re-amplified and sequenced utilizing the same primers used to generate these PCR products. DNA sequence analysis was performed using ABI BigDye terminator cycle sequencing with an ABI310 automated DNA sequencer. The sequence information generated by the sequencer was analyzed using the ABI software. The Sequencher™ 3.1 program was used to identify variation between the sequence of putative mutations and control sequences. RT-PCR was performed on total RNA from cultured human skin fibroblasts and human kidney poly(A)+ RNA. The sequences of the PCR primers used are: (MRP6) *ABCC6*: 5'-AGCCACGTTCTGGTGGGTTT-3' (SEQ ID NO: 4); 5'-GGAGGCTTGGGATCACCAAT-3' (SEQ ID NO: 5); *MRP-1*: 5'-CAACTGCATCGTTCTGTTTG-3' (SEQ ID NO: 6); and 5'-ATACTCCTTGAGCCTCTCCA-3' (SEQ ID NO: 7). Following synthesis, PCR products were separated by electrophoresis through 1.2% agarose and visualized by staining with ethidium bromide.

DNA sequence analysis of two conformers detected in PCR products containing exons 19 and 28 of the pM5 gene revealed two private single nucleotide polymorphisms (SNPs) within the intronic sequence flanking these exons (Table 2). These were the only sequence variants detected in the 31 exons of the pM5 gene using a cohort of 20 PXE patients. Screening all eight exons of each of the two *UNK* genes revealed only one SNP in the first exon of either one or both *UNK* genes in 5 PXE patients. This was a silent nucleotide change (C33T) within the 11th codon (S11) of the open reading frame of either one or both unknown genes and therefore unrelated to PXE. Screening all 31 exons of the *MRP-1* gene in a panel of PXE patients identified several sequence variants (Table 2) that are not functionally related to PXE as they either occurred in intronic sequences or did not encode changes in amino acids. In addition, two missense variants (R633Q and G671V) were seen in exons-14 and 16 in two unrelated PXE patients but these

substitutions were unlikely to be responsible for PXE as they were also found in a panel of 200 alleles from unaffected, ethnically matched control individuals.

Finally, in screening the 31 exons of the (MRP6) *ABCC6* gene, the first mutations that are clearly responsible for PXE were identified. A C->T substitution within exon 24 (C3421T) of the (MRP6) *ABCC6* gene generated a stop codon at position 1141 (*R1141X*; Fig. 1 and Table 2). Figure 1c shows the intron/exon structure of the (MRP6) *ABCC6* gene. Intron sizes are drawn approximately to scale and the exons are numbered from the 5' end of the (MRP6) *ABCC6* gene. Figure 1d shows chromatograms of partial DNA sequence from two unrelated PXE patients containing a nonsense and a splice site mutation in exon 24 and intron 21 respectively. In exon 24, the sequence shows a 3421C>T substitution (arrowhead), which would generate a stop codon at position 1141 (*R1141X*). PXE patients in a consanguineous Italian pedigree were found to be homozygous for this stop codon mutation. In intron 21, a G to T substitution (*IVS21+1G>T*) was observed within the invariant GT sequence of the donor splice site. This mutation would influence constitutive splicing of (MRP6) *ABCC6* pre-mRNA and was found in two unrelated PXE patients as a compound heterozygote in association with either *R1141X* or *R1138Q*. Figure 1c shows the sequence of the normal and mutant nucleotide and amino acid sequences for the nonsense mutation in exon 24 and the splice site variant within intron 21.

The C3421T variant in exon 24, which was not found in the control panel of 200 normal alleles, co-segregated in a homozygous form with a recessive PXE phenotype in an Italian family in which all unaffected individuals but one were heterozygote carriers (Fig. 4). Figure 4 shows a large consanguineous Italian pedigree, SSCP conformers for a homozygous variant (*R1141X*) in exon 24 were noted in all four PXE patients (shaded symbols). All other unaffected family members were heterozygote for this nonsense mutation except one unaffected family member, indicated by an arrow. SSCP conformers from normal unrelated control DNA have been included. Total RNA from the PXE patient indicated by was used for an RT PCR analysis of (MRP6) *ABCC6* mRNA and shown to have low levels of MRP6 mRNA.

This *R1141X* mutation results either in an (MRP6) *ABCC6* protein lacking 362 amino acids at the C-terminal domain (Fig. 3) or a null allele, produced through nonsense

mediated decay of a truncated (MRP6) *ABCC6* mRNA. Indeed, an analysis of steady state (MRP6) *ABCC6* mRNA levels in skin fibroblasts from PXE patients of this Italian pedigree indicated the absence of detectable (MRP6) *ABCC6* mRNA, suggesting that the homozygous R1141X mutation results in the total loss of MRP6 gene product rather than the production of a truncated protein. R1141X was also found in a homozygous state in unrelated patients with autosomal recessive PXE from the United Kingdom and Belgium. Haplotype analysis of the PXE locus in families with the R1141X mutation revealed that this mutation is travelling within different haplotypes, suggesting that R1141X may be a recurrent mutation.

In two families with a recessive form of PXE from the United Kingdom and the United States, PXE patients were found to be compound heterozygotes. Affected individuals carried a substitution (TVS21+1G>T) affecting the donor- splice site of exon 21 of (MRP6) *ABCC6*, in association with either the nonsense R1141X substitution in exon 24 or a missense mutation, R1138Q also in exon 24. The splice site mutation occurred at the donor invariant dinucleotide and lowered the splice potential score from 72.1 to 53.8. Several other missense variants (Table 2) were also found within exon 24 and 28 of the (MRP6) *ABCC6* gene. These single nucleotide substitutions, none of which were detected in the control panel of 200 alleles, occurred within highly conserved coding domains, particularly the domain in exon 28 encoding the Walker A region of the second ATP binding fold (Fig. 2).

All the detected homozygous or compound heterozygous mutations were found to be associated with autosomal recessive PXE. One missense mutation (3961G>A) was observed in a family with an apparently dominant form of PXE. All the other heterozygous alterations were detected in individuals with sporadic PXE. The mode of inheritance of these sporadic PXE cases is presently unknown.

Elastic fibers within elastic tissues such as skin and the arterial wall are fragmented and calcified in PXE patients. Dermal and vascular elastic fiber calcification is patchy and does not involve all elastic fibers in these tissues. Therefore, without wishing to be bound by any particular theory, calcification of elastic fibers in PXE is probably therefore, a secondary consequence of a primary defect of either elastic fiber assembly or the interaction of elastic fibers with other extracellular matrix components.

Accordingly, MRP6 function is more likely to be related to fiber assembly or matrix interactions than calcium transport. Another possibility is that the maintenance of the integrity of normal elastic fibers, extracellular matrix polymers subject to constant mechanical stress, is modulated by (MRP6) ABCC6 in a way that has yet to be explained.

- 5 Polymorphic markers in genes encoding known elastic fiber proteins (tropoelastin, lysyl oxidase, fibrillin 1 and 2) were used in a linkage and sib pair analysis, performed with families with both autosomal recessive (AR) and dominant (AD) forms of PXE. No obvious linkage between these markers and the PXE phenotype was found.

10 Table 2

nt change	Codon #	Effect	Location	Status
UNK gene polymorphisms				
33C>T	11	Ser to Ser	Exon 1	Hetero
<i>pM5</i> gene polymorphisms				
2187C>T	729	Gly to Gly	Exon 19	Hetero
3241G>A	1081	Glu to Lys	Exon 28	Hetero
MRP-1 gene polymorphisms				
1062T>C	354	Asn to Asn	Exon 9	Hetero
1898G>A	633	Arg to Gln	Exon 14	Hetero
2001C>T	667	Ser to Ser	Exon 16	Hetero
2012G>T	671	Gly to Val	Exon 16	Both
4002G>A	1334	Ser to Ser	Exon 28	Hetero
IVS29-18delT	-	-	Intron 29	Hetero
(MRP6) ABCC6 gene polymorphisms				
549G>A	183	Leu to Leu	Exon 5	Hetero
IVS11-41A>G	-	-	Intron 11	Both

WO 01/62977			PCT/US01/05741	
1841T>C	614	Val to Ala	Exon 14	Both
2490C>T	830	Ala to Ala	Exon19	Both
IVS25+90G>A	-	-	Intron25	Both
IVS27-46A>G	-	-	Intron 27	Hetero
IVS28+49C>T	-	-	Intron 28	Hetero
3'UTR+17G>A	-	-	3'UTR	Hetero
(MRP6) ABCC6 gene				
mutations				
IVS21+1G>T	-	mRNA splicing	Intron 21	Compound
3341G>C	1114	Arg to Pro	Exon 24	Homo
3413G>A	1138	Arg to Gln	Exon 24	Compound
3421C>T	1141	Arg to X	Exon 24	Compound+Both
3775delT	1259	Fram Shift	Exon 27	Hetero
3892G>T	1298	Val to Phe	Exon 28	Hetero
3904G>A	1302	Gly to Arg	Exon 28	Homo
3907G>C	1303	Ala to Pro	Exon 28	Hetero
3940C>T	1314	Arg to Trp	Exon 28	Homo
3961G>A	1321	Gly to Ile	Exon 28	Hetero

Table 2: A summary of all variants identified in the PXE locus in a cohort of 20

5 unrelated PXE patients. Nucleotide (nt) numbering was derived either from full length
published cDNA sequences or from putative cDNA deduced from genomic DNA
sequence. Hetero indicates that a variant was identified in a heterozygous state. Homo
indicates that a variant was found in a homozygous state. Both, indicates that a variant
was seen in both heterozygous and homozygous states. Compound, indicates that a
10 variant was characterized as a compound heterozygote.

Example 3: Mutation detection in dominant pedigrees

The segregation of *ABCC6* mutations with the PXE phenotype was studied in three pedigrees with an apparent dominant inheritance. Two of the dominant families (families 1 and 3) presented three generations of individuals, while the remaining pedigree contained only two generations. In all 3 families, a heterozygous mutation, R1141X in exon 24, was found to segregate with the PXE phenotype. In the two-generation family (family 2), an apparent loss of heterozygosity of the R1141X allele was detected in the second generation of affected individuals (II-1 to -3). Several polymorphic variants in the surrounding exons and introns were subsequently analyzed by SSCP. Only one variant, V614A in exon 14, was found to be informative. These results suggested a heterozygous sub-microscopic deletion, which was paternally inherited. This deletion, with a breakpoint between exon 14 and 24, extended beyond exon 24, probably corresponds to a recurrent deletion recently characterized in 4 unrelated families. The latter deletion, confined to a region of the gene between intron 22 and 29 eliminated 16.5 kb of genomic DNA. Therefore, individuals II-1, II-2 and II-3 of family 2 have inherited compound heterozygote mutations, clearly indicating the recessive nature of PXE in this pedigree. Moreover, the phenotype displayed by the mother (Individual I-2) carrying a heterozygous allele R1141X, suggested the partial expression of the phenotype in an obligate carrier. Indeed, individual I-2 showed discreet skin lesions on the neck associated with a positive von Kossa staining of a skin biopsy- (from lesional skin) indicating the presence of calcium salt precipitates typical of PXE. No angioid streaks were reported for this obligate carrier and no cardiovascular examination has been performed yet. In the remaining families (family 1 and 3) no other mutations were found. However, the PXE phenotype of the family members dramatically varied with the generations, clearly suggesting either pseudo-dominance or partial penetrance in obligate carriers. In family 1, the paternal grandmother and the father presented discreet skin lesions on the neck region associated with a positive von Kossa staining of a skin biopsy (no other manifestation were diagnosed), while both children, although very young, had already visible signs of plaques of coalesced papules on the neck and angioids streaks following ocular examination. In family 3, the paternal grandfather was severely affected with lax and redundant skin, disciform scarring of the

retina (the vision is severely impaired at this stage) in addition to active gastrointestinal bleeding and intermittent claudication. The father was only diagnosed with a positive von Kossa staining of a skin biopsy while 3 of his children presented with the characteristic PXE skin lesions and angioid streaks.

5 Accordingly, heterozygote carriers of PXE mutations can develop PXE related phenotypes including sub-clinical manifestations of PXE. According to the invention, the penetrance of PXE lesions associated with a single mutant (MRP6) *ABCC6* allele is between about 10 to 20% of all carriers, based on the frequency of described AD PXE cases. Therefore, a pedigree with AR PXE presents sub-clinical manifestations of PXE
10 in 10 to 20% of the obligate carriers. These carriers will be parents of an affected individual and 25% of the unaffected siblings.

Example 4: PXE Heterozygote Frequencies

15 Upon screening a small sample of the general population (150 normal individuals) as part of a control panel to verify whether nucleotide substitutions found in the (MRP6) *ABCC6* gene from PXE patients were indeed mutations, two heterozygote mutations were found in unrelated subjects. The first of these variants was a founder mutation (R1339C) only present in South African Afrikaners while the second substitution is a recurrent
20 nonsense mutation (R1141X). R1141X is one of the four recurrent mutations that have been identified. These mutations are far more likely to be found in the general population than private mutations, which, in principle, can only be found in related individuals. The frequency of heterozygote carriers deduced from the presence of one recurrent mutation in the relatively small sample of the general population is 0.7%. However, four recurrent
25 mutations have thus far been identified. Although each of the recurrent mutations is likely to have a different frequency, the frequency of carriers can be as high as 2.8%, which is consistent with the commonly accepted prevalence of heterozygote carriers in the general population (0.6 to 2.5%).

Based upon these frequency of heterozygotes and the predicted penetrance of the
30 PXE phenotype in heterozygote carriers (10-20%), heterozygote carriers with PXE symptoms are expected at a frequency of about 0.25% of the general population. In a cohort of about 3000 individuals between 8 and 15 persons presenting cardiovascular,

ocular or dermal symptoms would be expected. These numbers provide a basis for a statistical analysis of the correlation between single (MRP6) *ABCC6* mutations and partial manifestations of PXE. Additional cohorts with clinically defined cardiovascular abnormalities such as the 1200 sib-pairs group from the Family Blood Pressure Program with hypertension, or the NHLBI Framingham study (<http://www.nhlbi.nih.gov/about/framingham/>) from which an appropriate cohort of 2400 to 4500 individuals is available, can be used to provide additional statistical significance.

Example 5: Creating a mouse knockout

To create a knock-out mouse for *ABCC6* a neomycin resistance cassette is introduced between exons 28 and 29 as shown in Fig. 6. This results in the destruction of the second ATP binding domain whose Walker A domain is encoded by exon 28 and which is essential for the function of any ABC transporter.

Based on the cDNA sequence for the mouse *ABCC6* gene (SEQ ID NO: 8), primers with restriction sites were designed to amplify genomic DNA and allow cloning into vector pPNT described in Tybulewicz et al., Cell vol. 65, 1153-1163, 1991. Specifically, a 2.2 kb DNA fragment from exon 26 to exon 28 is cloned into the unique BamHI of pPNT, and a 2.3 kb DNA fragment containing exon 29 to 30 was cloned in the XhoI site of pPNT. In the resulting construct, the neomycin cassette from the vector interrupts the reading frame of *ABCC6* in exon 28 after the conserved Lysine in the walker A domain.

This construct will be linearized by NotI digestion and transfected into mouse stem cells. The two resistance cassettes provided by the vector (TK and Neo) will allow screening for homologous recombination and knock out of an *ABCC6* locus according to methods known in the art (see, for example, Tybulewicz et al., Cell vol. 65, 1153-1163, 1991).

The deletion construct shown in Fig. 6 will be transfected into *E. coli* and amounts of DNA sufficient for the targeted mutagenesis process will be produced. This construct will be inserted into embryonic cell lines and cells that incorporate the construct will be implanted into surrogate mothers and MRP6 null mice will be obtained according to methods known in the art.

According to the invention, the production of MRP6 null mice with symptoms resembling those of human PXE would provide further proof that mutations at the MRP6 locus are responsible for PXE. However, a more important use for MRP6 null mice, or mice that are carriers of an MRP6 deletion (heterozygotes having an allele with the MRP6 deletion and a wild-type MRP6 allele) is to provide an animal model to study the development and progression of PXE, and to provide an animal model useful in the development of therapeutic approaches (including identifying therapeutic drugs) to treat existing PXE or to prevent or reduce the symptoms of PXE before they develop.

10 Example 6: Examples of oligonucleotide probes and probes useful to detect PXE associated MRP mutations.

Various probes corresponding to regions of specific mutations in *ABCC6* are used in standard oligonucleotide hybridization, in oligonucleotide array or nucleic acid chip assays (see www.brownlab.stanford.edu), and in PCR-based techniques for the detection of PXE. Each of the mutations shown below are indicative of a mutation in the *ABCC6* gene that leads to PXE.

In a preferred embodiment, the probe shown in SEQ ID NO: 10 is used for the detection of a G to A mutation in Exon 24 of the *ABCC6* gene.

CAGTGGTCCAGGGCATTCCGA (SEQ ID NO: 10)

20 In another embodiment, the probe shown in SEQ ID NO: 11 is used for the detection of a C to T mutation in Exon 24 of the *ABCC6* gene.

CAGTGGTCCGGGCATTCTGA (SEQ ID NO: 11)

In yet another embodiment of the invention, the probe in SEQ ID NO: 12 is used for the detection of a G to C mutation in Exon 24 of the *ABCC6* gene.

25 GACCGTTGGAGTCAGCCAGCTACTCG (SEQ ID NO: 12).

In another embodiment of the invention, the probe in SEQ ID NO: 13 is used for the detection of a C to G mutation in Exon 24 of the *ABCC6* gene.

GACCCTTGGAGTCAGCCAGCTACTGG (SEQ ID NO: 13)

In another embodiment, the following probes are used for the detection of specific mutations in Exon 26 of the ABCC6 gene.

In a preferred embodiment of the invention, the probe in SEQ ID NO: 14 is used for the detection of a C to T mutation in Exon 26 of the ABCC6 gene.

5 GGATGTAGGACTATGCCTGGACGCCC (SEQ ID NO: 14)

In a preferred embodiment of the invention, the probe in SEQ ID NO: 15 is used for the detection of a G to C mutation in Exon 26 of the ABCC6 gene.

GGATGCAGGACTATGCCTGCACGCCC (SEQ ID NO: 15)

10 In yet another preferred embodiment of the invention, specific mutations in Exon 27 of the ABCC6 gene are detected using the probes shown below.

In a preferred embodiment of the invention, the probe in SEQ ID NO: 16 is used for the detection of a C to A substitution in Exon 27 of the ABCC6 gene

TGCAGCTAAGCCCCCCTGGC (SEQ ID NO: 16)

15 The probe sequence in SEQ ID NO: 17 is used for the detection of a deletion in Exon 27 of the ABCC6 gene.

TGCAGCTCAGCCCCCGGC (SEQ ID NO: 17)

In yet another embodiment of the invention, the probe in SEQ ID NO: 18 is used for the detection of a G to A mutation in Exon 27 of the ABCC6 gene.

GCTCCAAGCTCCCTGGAGGC (SEQ ID NO: 18)

20 Mutations in Exon 28 of the ABCC6 gene in patients are detected using the probes shown in SEQ ID NOs. 19, 20, 21, 22, 23, 24 and 25.

In a preferred embodiment of the invention, the probe in SEQ ID. 19 is used for the detection of a C to T mutation in Exon 28 of the ABCC6 gene.

CTGTGGCTCCAGGAGGCAGCTGAGGGTGGG (SEQ ID NO: 19)

25 In yet another preferred embodiment of the invention, the probe in SEQ ID NO: 20 is used for the detection of a G to A mutation in Exon 28 of the ABCC6 gene.

CTGCAGCTCCAGGAGGCAGCTGAGGGTGGG (SEQ ID NO: 20)

30 Similarly, in a preferred embodiment of the invention, the probe in SEQ ID NO: 21 is used for the detection of a G to A mutation in a different region of Exon 28 of the ABCC6 gene.

CTGCGGCTCCAGGAGGCAGCTGAGAGTGGG (SEQ ID NO: 21)

Probes in SEQ ID NOs. 22, 23, 24 and 25 are used for the detection of additional specific mutations in Exon 28 of the ABCC6 gene.

GTGGGCATCTTTGGCAGGACCGGGG (SEQ ID NO: 22)

5 GTGGGCATCGTTGGCAGGACTGGGG (SEQ ID NO: 23)

GTGGGCATCTTTGGCAGGACCAGGG (SEQ ID NO: 24)

GTGGGCATCTTTGGCAGGACCGGGC (SEQ ID NO: 25)

EQUIVALENTS

10 The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The foregoing embodiments are therefore to be considered in all respects illustrative rather than limiting on the invention described herein. Scope of the invention is thus indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of
15 equivalency of the claims are intended to be embraced therein.

INCORPORATION BY REFERENCE

Each of the patent documents and scientific publications disclosed herein is incorporated by reference into this application in its entirety.

What is claimed is:

CLAIMS

- 1 1. A method for screening for the presence of a PXE mutation, the method
2 comprising the steps of:
3 interrogating an MRP6 nucleic acid in a patient sample for the presence of
4 a PXE mutation; and,
5 identifying a positive screen as the presence of said mutation.
1
- 2 2. The method according to claim 1, wherein the said patient sample is
3 selected from the group consisting of blood, saliva, amniotic fluid, and tissue.
1
- 2 3. The method according to claim 2, wherein the said patient sample is
3 blood.
1
- 2 4. The method according to claim 1, wherein said interrogating step is a
3 nucleic acid sequence scanning assay.
1
- 2 5. The method according to claim 4, wherein said scanning assay is selected
3 from the group consisting of SSCP, DGGE, RFLP, LCR, DHPLC, and enzymatic
4 cleavage.
1
- 2 6. The method according to claim 1, wherein said interrogating step is a
3 specific mutation detection assay.
1
- 2 7. The method according to claim 6, wherein said detection assay is selected
3 from the group consisting of oligonucleotide hybridization and primer extension assays.
1
- 2 8. The method according to claim 1, wherein said interrogating step is a
3 nucleic acid sequencing assay.

1

2 9. The method according to claim 1, wherein said assay detects the presence
3 of a mutation selected from the group consisting of a deletion, a substitution, an insertion,
4 and a rearrangement.

1

2 10. The method according to claim 1, wherein said mutation is a mutation in
3 codon 1141.

1

2 11. The method according to claim 1, wherein said mutation is a deletion of
3 base 3775.

1

2 12. The method according to claim 1, wherein said mutation is a non-
3 conserved amino acid substitution.

1

2 13. The method according to claim 1, wherein said mutation is in a codon
3 selected from the group consisting of 1114, 1138, 1141, 1298, 1302, 1303, 1314, and
4 1321.

1

2 14. The method according to claim 1, wherein said mutation is in a splice site
3 in an intron.

1

2 15. The method according to claim 1, wherein said mutation is in the promoter
3 region of the MRP6 gene.

1

2 16. The method according to claim 1, wherein said mutation is in a polyA site
3 of the MRP6 gene

1

2 17. The method according to claim 1, wherein said nucleic acid is selected
3 from the group consisting of mRNA, genomic DNA, and cDNA.

1

2 18. A method for screening for the presence of a PXE mutation, the method
3 comprising the steps of:
4 detecting MRP6 expression; and,
5 identifying a positive screen as one that detects a level of MRP6 expression that is
6 lower than normal MRP6 expression.

1

2 19. The method of claim 18, wherein said detecting step detects MRP6
3 mRNA.

1

2 20. The method of claim 18, wherein said detecting step detects MRP6
3 protein.

1

2 21. The method according to claim 20, wherein said detecting step is an
3 antibody-based assay.

1

2 22. The method according to claim 21, wherein said assay is selected from the
3 group consisting of an ELISA and a Western blot.

1

2 23. A method for screening for the presence of a PXE mutation, the method
3 comprising the steps of:

4 interrogating an MRP6 protein in a patient for the presence of a PXE
5 protein change; and,

6 identifying a positive screen as the presence of said change.

1

2 24. The method according to claim 23, wherein said interrogating step
3 measures the size of the MRP6 protein.

1

2 25. The method according to claim 1, wherein said assay detects the presence
3 of a mutation in an exon of the MRP6 gene.

1

2 26. The method according to claim 25, wherein said exon is selected from
3 exons 1-31 of the MRP6 gene

1

2 27. The method according to claim 1, wherein said interrogating step is a
3 hybridization assay.

1

2 28. An oligonucleotide for use in an assay to detect a PXE associated
3 mutation, wherein said oligonucleotide hybridizes to a PXE mutation in an MRP6 nucleic
4 acid under stringent conditions.

1

2 29. An oligonucleotide of claim 32, wherein said oligonucleotide is selected
3 from the group consisting of the oligonucleotides of SEQ ID NO: 10 through SEQ ID
4 NO: 25.

1

2 30. A method for identifying a patient at risk of having children with PXE, the
3 method comprising the step of interrogating a patient sample for the presence of a PXE
4 mutant MRP6 allele.

1

2 31. A method for identifying a patient at risk of developing a PXE associated
3 symptom, the method comprising the step of interrogating a patient sample for the
4 presence of a PXE mutant MRP6 allele.

1

2 32. A method for diagnosing PXE in a patient, the method comprising the step
3 of interrogating a patient sample for the presence of two PXE mutant MRP6 alleles.

1

2 33. The method of claim 32, wherein said patient is a homozygous PXE
3 patient.




Figure 1




Figure 2

MAAPAEPCAGQGVWNQTEPEPAATSLLSLCFLRTAGVWVPPMYLWVLGPYLLFIHHGR
GYLWMSPLFKAKMVLGFALIVLCTSSVAVALWKIQQGTPEAPEFLIHPTVWLTMSFAVF
LIHTERKKGVQSSGVLFYWLLCFVLPATNAAQQASGAGFQSDPVRHLSTYLCLSLVVAQ
FVLSCLADQPPFFPEDPQQSNPCPETGAAPSKATFWWVSGLVWRGYRRPLRPKDLWSLG
RENSSEELVSRLEKEWMNRSAARRHNKAI AFKRKGGSGMKAPETEPFLRQEGSQWRPLL
KAIWQVFHSTFLLGTLISLIISDVFRFTVPKLLSLFLEFIGDPKPPAWKGYLLAVLMFLSA
CLQTLFEQONMYRLKVLQMRLSAITGLVYRKVLALSSGSRKASAVGDVVNLVSVDVQRL
TESVLYLNGLWLPVWIVVCFVYLWQLLGPSALTAIAVFLSLLPLNFFISKRNHHQEEQ
MRQKDSRRLTSSILRNSKTIKFHGWEGAFLDRLGIRGOELGALRTSGLLFSVSLVSFQ
VSTFLVALVVFAVHTLVAENAMNAEKAFVTLTVLNILNKAQAFLPFSIHSLVQARVSFDR
LVTFCLCLEEVDPGVVDSSSSGSAAGKDCITIHSATFAWSQESPPCLHRINLTVPOGCLLA
VVGPGAGKSSLLSALLGELSKVEGFVSIEGAVAYVPOEAWVONTSVVENVCFGQELDPP
WLERVLEACALQPDVDSFPEGIHTSIGEQGMNLSGGQKQRLSLARAVYRKAAYLLDDPL
AALDAHVGQHVFNQVIGPGGLLQGTTRILVTHALHILPQADWIIVLANGAIAEMGSYQEL
LQRKGALVCLLDQARQPGDRGEGETEPGTSTKDPRTSAGRRPELRRERSIKSVPEKDRT
TSEAQTEVPLDDPDRAWGPAGKDSIQYGRVKATVHLAYLRAVGTPLCLYALFLFLCQOVA
SFCRGYWL^{SL}WADDPVGGQQTQ^{AL}RGGIFGL^{LG}CLQAIGLFASMAAVLLGGARASRL^L
FQRL^{LWD}VVRSPISFFERTPIGHL^{LN}RFSKETDTVDVDIPDKLRSL^{LM}YAFGLLEVSLV
AVATPLATVAILPLFLLYAGFQSLYVVS^{SC}QLRRLESASYSSVC^{SH}MAETFQGSTVVR^{AF}
RTQAPFVAQN^{NAR}VDESQRISFPRLVADR^{WL}AANVEL^{LG}NGLVFAAATCAVL^{SK}AHLSAG
LVGFSVSAALQVTQT^{LQ}WVVRNWTDL^{ENS}IVSVER^{MQ}DYAWTPKEAPWRLPTCAAQPPWP
QGGQIEFRDFGLRYP^{EL}PLAVQGV^{SFK}IHAGEKVGIVGRTGAGKSS^{LA}SGLLRLQEA^{AE}
GGIWIDGVPIAHVGLHTL^{RS}ISIIPODPILFPGSLRM^{NLD}LLQEH^{SD}EATWAALET^{VOL}
KALVASLPGQLQYKCADRGEDLSVGQK^{OLL}CLARALLRKTQILILDEATAAVDPGT^{EL}QM
QAMLGSWFAQCTVLLIAHRL^{RS}VMDCARVLVMDKGOVAESGSPAQL^{LA}QKGLFYRLAQES
GLV

Figure 3




Figure 4




Figure 5




Figure 6

SEQUENCE LISTING

<110> PXE International, Inc.
University of Hawaii

<120> Mutations in a gene encoding an ABC transporter (MRP6) causing
Pseudoxanthoma Elasticum

<130> PXE-001PC

<160> 27

<170> PatentIn version 3.0

<210> 1

<211> 107820

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> "n" can be an A or a T or a G or a C

<400> 1

```

aagcttgcag aaggtggttg gcttttgttc tgaatctaac aagacttatac gggaggctct      60
tggtgcctgg cactggctga atgcccaggt tgggggaggc agagcagatg aagcatctgc      120
ccgcgagggg ggggtggagct gcttgtgaaa cgtatcatcg tagcccgga gctgggacac      180
tgaagcccgg agaaggtgct catggaggat ggaagggct tcccaggaa gtgacatctg      240
tgctcccatc tgctgggtga tgaggaatgg cctggacggg atgggcatgg tgggtggagg      300
caggcggcct gtgtgcaggg aaggaagggg agagttacag gatgagatga gttgagggaa      360
gaagcatggt tggcaactct aacagcgctg ggaggccatc ggaggggggt gacgagattg      420
accctatcct catgggcatc tcagctgggc tgagtgtgct ggaaccggcc attgcatgga      480
cacagtcact cctgagggga tgtgatcaac aggcggaatt ctgtcactta atgataaaaa      540
tagtcaccag ctaactgaat gcttactggt aggtcaaact atatgaaact gctaataactt      600
atttcttatac tacagaaaca gctatttcct gtggttcaac ctagtattac caggcactgt      660
gcttagtgac atcatgcata tctatatgat ttatgaaata atgtgtccac gcaaatacac      720
atcacatgta agactgtaac tcttacatgt caccctcaca atgaccccggt gaagcaagct      780
ttgttttggt tcgtttgttt tcttaataat attttatttt ttagagatg gcattttgcc      840
atgtgcctgg gctggtctca gactcctggc ctcaagtgat ctccgcctc tgccctcctga      900
agtgcgggta ttacaagcat gagccacccc acctggccga gcaagccttg ttgttcccat      960

```

tttacagata	aggaaactga	ggcttagaga	agtaaagtgt	tagtcgtgtt	tatattgcc	1020
gtcagtagtt	gagtcaggat	ttgaactgag	gtctcgttga	cctcaaagcc	tatgctgaaa	1080
accacactgc	tggttccaga	aaaccctaga	ggtgaaaggc	ttcagagagg	cagtacaggg	1140
tagaggttag	cactttgcag	cccagatggc	ctgggtttga	atcccagttc	tgccccctgc	1200
tagccatgtg	accttgggga	ggagattaac	tagcttcttt	gtgccttagt	ctacccatca	1260
catataggaa	tgagcacctc	aggttttttg	tgaggattga	atgaactgat	gtttgtaaaa	1320
ctgcttagaa	cgatgcctgg	ggctgtgggc	tttgtataag	cgtgagctat	tattgtcact	1380
gtccttgta	ttggtggtgc	tattcctgtg	gttcaccagg	tgagtgggca	cccctgtgag	1440
ggcagcccgg	ctctaacatt	ttgcctcctg	gaggtatcgg	ttacgtctag	atgttctcca	1500
gcacagccct	gccctgggag	gatggcagga	gggaaccttc	atcaactccc	cgcgctctgtt	1560
ctctacccca	gaggttctac	gtggcttctc	cccggcagct	gaagcgcttc	gagtcgggtca	1620
gccgctcccc	ggtctattcc	catttcaacg	agaccttgct	gggggtcagc	gtcattcgag	1680
ccttcgagga	gcaggagcgc	ttcatccacc	agagtgcact	gaaggtggac	gagaaccaga	1740
aggcctatta	ccccagcatc	gtggccaaca	ggtgggcatg	gtgggcctgc	aggagcgggt	1800
ggaggaggcc	gccttagcac	cttgtctctt	tgctctgata	tttctctcgc	accttgagct	1860
gggtataaag	ccaaaccccc	gccttgacga	aaggatggag	aggcttgatg	agcgcggagg	1920
acagatgaat	cattaagagc	agacagcggc	actgtagaca	tgagtgccc	gcggcattta	1980
agtgcaggga	cacagctctt	ctggagtcag	aaagccctgc	aagtgcttcc	cgtaaactgt	2040
cactctagt	atgcaagact	gccagcgacc	gactctgcta	ttgagtatct	tcataccgct	2100
gttcccgtct	gggggtgatc	atgcacccct	gggtgatgtg	tgtcagaagc	aatttactaa	2160
tactaagcta	aaccatatga	gattgtcatc	ttgtgggcca	gatgtcatgg	ctcacgcctg	2220
taatcccagt	actttgggag	gctgaggcag	gaggatccat	tagattccag	gccagcctgg	2280
gcaacatagc	aagaccccc	tctctcttaa	aaaaaaaaaa	aaaaaaaaaa	agtagcccat	2340
catggtggtg	tgtgcctgta	gtcctagctt	ctcgagaggc	tgaggctgga	ggatcgtttc	2400
agcccaggag	ttcaaagttg	cattgagcta	tgattacacc	actgcactcc	agcctgggtg	2460
acagagttag	accctgtctc	tggaaaaaca	aaaaaaggag	atgggggtgg	gagattgaca	2520
tcttgtagat	cacagataat	agcatcaatc	caaaagaggc	agaagtttgc	taattatttg	2580
ctgaatttag	agaagtgtcc	ctctcaccca	tttgcatcct	tatagacttt	tctgaaaaag	2640
tgacagcacc	ccagaggtgt	cccataacca	ttagcccgct	ttacacactc	taatcccata	2700

gcgtaagtct	gggtgggcta	accctgaatg	attacagacc	ttgacttccc	ttcagaattt	2760
ttagggagtt	tgtcacaatc	tggtctgtgc	tgtcggagta	gtgaggatca	gtcacttggt	2820
tcataagggc	tgcaatggag	aaaagatcaa	caccccatct	tcctagaatg	ctttatatatt	2880
tagaacatta	aaataatagt	tctagtgc	tatgatatca	tacgaagcct	agcttttaaac	2940
aaataagatg	gccaggcgcg	gtggctcaca	tctgtaatcc	cagcactttg	ggatgccaaa	3000
gtgggtggat	cacctgaggt	caggagtcca	agaccagcct	ggtcaacatg	gcaaaatccc	3060
atctatatta	aaaatacaaa	aaaattagcc	gggcatgatg	gtgggtgcct	gtacttgggga	3120
ggctgaggca	ggagaatcac	ttgaacccaa	gaggcagagg	ttgcagtgag	ccaagaccgc	3180
accattgcac	tccagcctgg	gcaacgagag	cgaaactcta	tctgaagaaa	taatagaaga	3240
gaagagaaga	ataaaataaa	aagtaaaata	aaatagttct	gatggtacat	gataccatac	3300
taaacctagc	tttaaaca	taagatgacc	aggcacattg	gttgacacct	gtaatctcag	3360
cactttgggt	ggccaaggca	ggcgggtcac	ttgagccag	cagttcgaga	ccagcctggg	3420
cactctaggg	agaccctgtc	tctaaaaaca	aaacaaaaaa	ccaaaaattt	gccagggtgtg	3480
gtggcatggg	cctgtagtcg	cagctactca	ggctgaggca	ggaggatcac	tggaaacttg	3540
aaggttgagg	cggcagtgag	ctgtgatcat	gtcatccaca	ctccagcctg	gatggcagag	3600
taagacccca	tctcaaaaaa	acaaaatgac	agaaaacatg	atttctgttt	ctatttttaa	3660
gggtaaaata	gtatatatta	acactttgaa	atgaagagtc	tgggcttggg	aacggtacaa	3720
tgatgtttac	tgtactagt	tacgcactcc	cctcccagat	ctgtctcgta	acaagagact	3780
gttatattct	acttgttttt	agccaaaagg	ccgagaaacg	atggttattt	taaatcccta	3840
gtgtctctta	cagttgatgt	cttcttagta	tttaggaatt	tccaggacat	ctttttgttg	3900
ttgttaatgc	actgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgattatagg	3960
agtgaccac	tacgcccggc	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtggg	tgtgtgtgta	4020
tgtgtgtgtg	tgtgattata	ggagtgacct	actacgccc	gcctatgtgt	atgtatttta	4080
aaggcttcaa	tgagaaaaaa	gttggttctt	aaaaaggcaa	gcttcagatt	ccagggaaga	4140
ttgcctctgg	agagctctgt	tttaatccat	gggtttgcca	gattaatgag	gatttactgg	4200
cctcgtgcct	tggccctcc	ctaccctgcg	cccattgtgc	atgttttgaa	aaagcagtgc	4260
caggaaggac	tctctctgga	attactgcgg	agttacttga	gttagcaaag	aatccccctt	4320
ctcccccaag	agctgtaagc	caagtctctg	tagagctgac	tccatgcctg	tttgtctgcc	4380

tggtgtgtctt	ggcgcaggtg	gctggccgtg	cggctggagt	gtgtgggcaa	ctgcatcggt	4440
ctgtttgctg	ccctgtttgc	ggtgatctcc	aggcacagcc	tcagtgtctg	cttgggtggc	4500
ctctcagtgt	cttactcatt	gcaggtaaga	ggggatgctc	ttggctggat	tattaaagtc	4560
tgttaatggg	ggagccagtt	gtccttggct	ttggattcca	gtccaacag	gaatggggga	4620
gaggaacttg	agaggtacgg	agtttgagga	gcaggtacag	tgccacagt	cctgggtgacc	4680
aactagagca	ggagacggat	ttgacatgtg	gccaggat	ttcccatcag	tcacacagat	4740
tccttagtgg	cccaagagga	tacttccagg	tacgagggga	atgcttttaa	agctatgaat	4800
ttccctctaa	gaactgcttt	agctgcatct	cacaaatgat	gatacattgt	gttttcatat	4860
tgtcacctgg	ctaaaaatat	tttccagttt	cttattatgt	ggcccatgag	ttattttgga	4920
aatgtgtgtg	cttaggagat	ggcaatgtgg	caggcctggg	tgatggctat	acctgggggt	4980
gctaatttcg	gtacctttct	tacctgaatg	tttcataact	cataaccttt	tatttttatt	5040
tattttattt	ttttggagac	ggaatctcac	tctgtcacc	aggctggaat	gcagtgggtg	5100
gatctcggct	cactgcaacc	tctgcctcct	gggttcaagt	gattcttctg	cctcagcctc	5160
ccaaatagct	gggttttacag	gtgtgcgctc	ccatgcctgg	ctaattttta	tatttttagt	5220
agtgactgat	ggggtttcgc	cacatcggcc	aggctggctc	caaaccctg	acctcaggtg	5280
atctgaccgc	ctcagcctcc	cataattcat	acttggtgaa	aataatttgt	ttcctattat	5340
ctcagtggaa	aaaaaaaaaa	aaagaaaaag	gaaagtcaag	tacgcccgtc	tactctagaa	5400
atgccacgtg	actcttccac	tcacagggtc	ccacgtactt	gaactggctg	gttcggatgt	5460
catctgaaat	ggaaaccaac	atcgtggccg	tgagagggct	caaggagtat	tcagagactg	5520
agaaggaggt	aggcaagggc	ccctggctgg	acctcttgg	ctttgggtgta	gctttacccc	5580
aaggagatct	ctggacccta	tcctgtgcac	ctctgcctct	gagctggata	cctcaccagg	5640
tagaagtgca	tcttaacgct	tgccaggtct	ttttgcagca	cttatttaga	gcccggtttt	5700
agggtgaaaa	tagtttaccc	gctttaccca	agatctgggg	tatccatata	cgagactgtg	5760
ggatgctgtc	agggcattca	gaagggtatc	acattgtgaa	gaagtttccc	cctctatttc	5820
tctttcataa	cttctgatgg	tatcacagag	aaagtcttag	tctggggcta	gcaggctctt	5880
aacaccttag	caattgagat	gatctccctt	caacagacag	ataaacagca	gccctcacac	5940
ttggagtctt	caacaggacg	gcttctgtct	atcagaaata	accttctgtt	atttgttatg	6000
aatttggttt	ttttgtgtgt	gtgatggagt	ctcactgtca	cccaggctgg	agtgcagtgg	6060
cacaatctcg	gctcactgca	acctcctcct	cccaggttca	agtaattctc	ctgcctcagc	6120

ctcccaaata gttgggatta caggtgctg tcatcatgcc tggctaattt ttgtattttt	6180
agtagagatg ggggtttcac taagttggcc agtctggtct caaactcttg acctcaggtg	6240
atccgcctgc ctcagcctcc caaagtgcctg ggattacagg cgtgagccac tgcgcctggc	6300
ctgttatgta tttgtatagg ggactcctgt tacggaaaat aatactactt ttctttttgt	6360
gattgtaata aatttttctc ttaagtaagt tgagaaatta agtctaagt acttgattaa	6420
gcatattaaa acaacaagag aatgagtaca tgcatactac acgaatgatg tagctgggaa	6480
ctgaccaaag tttgggaaac cctgcagtta ttgaacccca gtcccctttt tatagatgga	6540
gaaaaaggga acctggggag ggacaacagc tgatccaagg tcccacgtgg cttggtagaa	6600
cagctgggac taggacctgt gcctccagtc tttgatgttg cgttgccctt aataactgcc	6660
ttcttaggcc ctgaacagca gcacaagtag gaacagcagt gataatagat aatcacaata	6720
atgcctggcg acacccccac cctacattaa tgataacagg gacacacata gtgccttgta	6780
gaatgtcagg cccagactta aacgtttaat atagagtaat gcactcagtc tttaccccg	6840
tctatgactg atttttgaga cacggtctca ctcttgcccg ggttggagt tagtgcgatc	6900
tcattcgctg cctcccaggc tcaagtgatt ctctacctc tgccctcctga gtgtctggga	6960
ccacgggcat atgccatcac accggaactga tttttgtatt tttagtagag acgggatttt	7020
gccagactc atcttgatct cctgagctct agtgatctgc ctgccttggc ctcccaaagt	7080
gctgggatta caagcgggag ccacccatgcc cagcccagcc ctataattta gatgctacta	7140
ttacccccat tttacagggtg aggaaactga gacaaaaagc tgaagttact tgcccaagat	7200
cacatggctg gtaaatggca gacctaggcg ttgagcctgt gcctcctcag agacctatc	7260
cagtgccatg ggagtcatgc taccggcct cctgaggaga gatgccctt gggagtgaga	7320
ccaaggcctc tgtaaggctc gtccctcctga ggaattcaca gaggtgacct cgccccactc	7380
ctttaacatt ctgactgggt gaaccaggtc ccatgtcacg ggtgagcatt gtaagaatgg	7440
cgtgagtgcc ccggtgagga accaagggtg tattacaccg gcggcttcca acttgacact	7500
gaatttaatt cacttacaag gtatttcatt aggttttttt tttttttttt ttttttagatg	7560
gaatttggct ttttttttgc ccaggctgga atgcagtggc acgatctcag ctcaactgaa	7620
cctccacctc ctgggttcaa gtgattctcc tgccctcagcc tcccaattag ctgggattac	7680
aagtaccac caccgcgcc agctaactta tttcattagt ttttataata gcctcattga	7740
catgtgaatt tcacatgcc tggaattcac ccagttaaag cgttcagtta gattgaattc	7800

```

agttttttttt tgtttgtttg agacttaagt ctcgctccag cctggagtgc agtggcatga 7860
tctcagctca ctgcaacctc cttctcctgg gttcaagcga ttcccagcct cctgagtagc 7920
tgggattaca ggcgattttt gtatttttag tagagaaggg atttcacat gttggcccgg 7980
ctgggtctcga actcctgacc tcgtgatcca cccgcctcag cctcccaaag tgctgggac 8040
acagggtgtga gccaccacac ccggcctgag ttcagttttt aaaagcattt tacttttgac 8100
tgacttttat attttttagaa ggatcgtgtt tgacaaaccc aagagaaagt aattgtcctc 8160
attagtccta ccactattct gtatttgcac gtatttttat atatagatag aaagtccac 8220
atacttctct ccattccgct cactgtgttg ttatagcatc tccccctcaa ttatgtacat 8280
aaattataaa atagagatac acttgttgtt ttaaaaaaga aaaaatcaat acagggctgg 8340
acacagtggc ccacgcctgc aatcccagca ctttgagagg ccaagggtggg tggatcactt 8400
gaagccagga gttcgagacc agcctggcca acggtgaatc ccgtctctac taaaaataca 8460
aaaattagtt ggcaggtggg caggtgccta taattccagc tacttgggag gctgaggtgg 8520
gaggatcgct ggaacccggg aggtggaggt tgcagtgagc tgaagaaaca tcaactgcact 8580
ccagcctggg tgacagagtg agactctgtc tcgaaaaaca aaaaaacaaa gaagtttatg 8640
gtggagaaag acagtttgtt cctgttcgcc ccgttctct cctctccaga gagaggcccc 8700
attagcattc ggggtgaattt cccccaaac tttcccggtg ggattccac atacccaac 8760
acttttgttt gcttgtttct tttctttta acgtaagtgg aatctacctg ttatcctgtg 8820
aaaccttttc ttttaacctg aggcacctt gcactctgtg atagtaacag tcaactgcctc 8880
taagggtctg tgtgaggtc agatgagatc atgggtctca agtgcagagc agagcaactt 8940
gccttagttg cattgtaagc gctcaataat aacatttatt ttttggccag gcgcggtggc 9000
tcacgcctgt aatcccagca ctttgggagg ccaaggcaga tggatcactt gagcccagga 9060
gtttgagacg atcctgggca acatgggtgag acatcgtctc tacaaaacaa aaaataatac 9120
tttttgttgt tggcgggtgg ggtgggggtt tttttgttt ttttttttt gagacagagg 9180
agtcttgctg tgtcaccag actggagtgt agtggtttta tcttggtca ctgcaacctc 9240
tgctcccag attctagtga tcgtcgtgtc tcaacctccc aagtagctga gattacaggc 9300
tcccaccatc aggccagct aatttttgta ttttttagtag agccagggtt tcaccatgtt 9360
ggtcaggctg gtctcaaact cctgacctca agtggtctgc ccacctggc ctccctaagt 9420
gctgggatta caggtgtgag ccaactgcgc ggcaacgctg tgattttata gcacgtccac 9480
aaaagggtct catgtcttgc ctaaaagtgt cccggcggtt tcttgttatg tgccgtctgc 9540

```


agtgcacctg	agcttggtcca	tgtgctctgc	agcctgggtc	agcacctgtg	tgtgcacctg	9600
acggggaggt	gcattccccg	aggctaaaac	cagtgaacct	ggcccaggcc	atatccagct	9660
gtgggcctca	ggaaatgctg	aactgaacta	cttttcaaaa	ggagggttgt	gtgtccctgg	9720
gcaagttacc	gccccctctc	gtgtctcagt	ctccttgtgt	gtaaactggg	gataatgaaa	9780
ggacctctcc	acatgggggt	gctgtgagga	ttggatgaga	cactgcgata	cagatgctgc	9840
ttttatcctt	gccttctctc	cgggggtggc	agccagggtg	actcactttt	attgtcgtgt	9900
ctgtccagag	aagaccactc	atttcattga	ctccatttat	aaatatttat	ttaaattttt	9960
ttttatcaaa	aagtaagttt	tattggcatc	taaaaacaaa	attcacccaa	cactgaaaca	10020
tacttcaata	tttatgttat	tgttttcttg	tttctttttt	actcactgca	gtgtgaggaa	10080
caaatcacat	ttactttgga	gaaacagaga	ccatagtgtg	gattttacaa	aatcactttt	10140
taaactctct	gtattgcgct	cctcaaatac	ctagagccag	tctgtgcata	acatggcaca	10200
ctgttgtcta	aaocgtaaaa	ttttgcatca	gcctaaagat	atggataaga	tatacctcca	10260
cttgctcttt	tgaatacat	ctattacctt	atccagccta	atgatagtta	cctaaaaaat	10320
tctttgttcc	gtaggaagtc	tctgacaagc	tgttattcat	ttccttgacg	ttaaaagaat	10380
ctgggggcaa	catttatatt	ttatcagaaa	aactttttta	aagtttacct	atcatgttca	10440
tattgagaac	aatgtctgtg	gcgggcatgg	tggctcacgc	ctgtaatccc	agcacttttg	10500
gaggtagagg	tgggoggatc	atgaggtcag	gagttagaga	ccagcctggc	caacatggtg	10560
aaaccacatc	tctactaaaa	atacaaaaat	tagctgggtg	tggtgggcgg	tgtctgtaat	10620
cccagctact	caggaggctg	aggcaggaga	gtcgcttgaa	cctgggaggc	aggggttgca	10680
gtgagctgag	atcatgccat	tgcactccag	cctgggagac	agagtggagc	tccgtctcaa	10740
aaaaaaaaaga	acaatgtcta	tacaaatcag	ttgtacaatt	attttaaaag	aatggtgagc	10800
atgaacgtca	cgttaattct	ggcagacaaa	aatgaacaac	tatgggtccat	tgagccatta	10860
tctgttacac	agagatgaca	gctttacaga	aggtatctct	gacctactga	gggatgatca	10920
tgtcctctca	gtttctgtgc	cttctaccac	tagttcactt	tctatatcag	cagctgtgtc	10980
actcttcttg	tttatgttca	taaatgtgtg	ttgaacacct	actatgtgct	ctgagccctg	11040
ggatacagca	gtgaacaatt	agagcctgtc	ctcattgagt	ggatgggtgca	gtgggtgtgg	11100
gagacagaat	acactcaagc	atgcgagccc	caagagggtc	ggggacaggc	agtgcctctg	11160
aggagaaggc	agtgcggggg	gggacagagg	gacacagggc	tgagaggggtg	ctctgtatcg	11220

accagagatc cacaggatgc aagggggtca tttggggaat aacattccag gaagggcaac 11280
 cccccagtgc tgaggcctgg gaggccacct tgggcagcag agtgagtgag aggggaggtc 11340
 aggggagtc cagctttacc agatggactg gaaattcctt actctctccc ttcactgcga 11400
 tcgaaggcgc cctggcaaat ccaggagaca gctccgcca gcagctggcc ccagggtggc 11460
 cgagtggaat tccggaacta ctgcctgcgc taccgagagg acctggactt cgttctcagg 11520
 cacatcaatg tcacgatcaa tgggggagaa aaggtgggta cacatcgccc cattccctca 11580
 cccattccca gtcgggcaca ggggtccatc gggcaggtga acctagctgc agcgtctccc 11640
 cagtcaactc cggctccaca cctttgcttg aatggctttt tggggggctg ggagtggact 11700
 gtggcagtaa aagctgttca gagcgcatc aacttgcaga agtgaaggct tttaggtgaa 11760
 ctgacagcct gaagaccaa tgagccccac agatttgttt tggaagattt tttgttgttg 11820
 ttgttgagag agggctcttc tctgttacc aggctagagt gcagtgggtg gatctcagcc 11880
 cactgcagcg gcagcctccc aagtgggggg actacacatg gttgggagtg cagggtgtgtg 11940
 ccactgcacc tggccatttt ttgtattttt tgtagagatg ggggtcctac tatgttgtcc 12000
 aggctgatct ggaactcttg agctcaaccg gtctgcccgc ctgagcttcc caaagtgtctg 12060
 ggattacagg aatcagccac cattcctggc ccctggaaga agttcttttt ttgttttttg 12120
 gttggttgtt tttttttttt tttttttttt ttttttgaga tggagtotta ctctgttgcc 12180
 aaggccagag tgcaggggccc cgatctcagc tcaactgcaac ttctgcctcc tgggttcaag 12240
 tgattctcct gccttagcct cccgagtagc tgggactaca ggcattgcgc accatgccta 12300
 gctaattttt gtgttattag tagagatggg gttttgccat gttggccagg gtggtcttga 12360
 actcctgacc tcaactgac caccgcctc agcctcccca agtgctggga ttacaggtgt 12420
 gagccactgc acctggcctg gaagaaattt gaataagttg caaatactga aaaatctgga 12480
 agacttaata taaaaattta ttttctgctt tttttggaag atcagaacat ctggcaacat 12540
 cagggtcaatc ctccccgcc tggctctttc tagtcaacct gtgagcctcc tggttcacc 12600
 cagtccctcc ctgtccatt cattgcctag ttggccctc caaacatta gaatttgtga 12660
 tctctagaat aaggtgtcac catcccttct agggggatgg ctcaaggga gtgagaaatt 12720
 gtcagaattt tggaaccttc tcttggttcc gagctgttct tggaagaggt tccttgacct 12780
 gagtgatacc cttagacttt cctctggaat tggctctgaca gtcttctgg ccatttctgt 12840
 ggggacaagg ctgctttcac ctctgaacat atggacttat tgaactgttc ctacgtacct 12900
 cccacaaagc tcagaacatt ctgttcccag cagataattt ctctctgagt tacagagaag 12960

agcagagtgg gtgatgttct tgctgtcttt ttttgttttt gtttttgttt ttgtttttgt 13020
 ttttgttttg ttttgttttg ttttgagaca gcctctcact ctgtcaccca ggctggagtc 13080
 cagtgggtgct atttcggctc actgcaacct ccgtcccctg ggttcaagtg attctcctgc 13140
 ctccgtctcc cgagtatctg ggactacagg tgcattgccac cacgcccagc taatttttgt 13200
 agtttttagta gagatggggg tttaccatgt tggccaggct ggtctcgaac tcttgacctt 13260
 ctctgatcca ccttctcctg cctcccaaag tgctggaact acaggcatga gccaccgtgc 13320
 ccagccctt gttgagtctt tatggcttat ctacgtcat gagaattttt gcacgcatgc 13380
 tgctctgtga caccctgtga ggaggaaga aggagccac ttctcaagag ccaggcagga 13440
 aggggagaac tggaggtcag gaacatcatc ctttggccat tagctagaga acctagtctc 13500
 ttcaagagag gatgcatgga gaccaggctc tagcaaaggc ccggaagatc tgcttgaatc 13560
 tttcagatat ttcaacaact catgatggga aactcaccat caaagggtgtg aaaaacagtg 13620
 gggaaatgag gaaatgcctg attattactt aatagtcttct tgagtctaaa caaatagggc 13680
 tttgttgga attccttctg cctcttctgt atctcttttg aggtctctag taacttataa 13740
 aaagccgagt cattcctttt gggagcctg caaagggaag agagtctctc ttgacctctg 13800
 gccgaaacac ccttaaagga gtgtctctg gcagcgcga agggagaggg ctgtcgagtt 13860
 gggttgacca gatgactgat gcctgaggtg gggccgagat gagggcactt tggggcaggg 13920
 acaagtccgg atgccagcat tcccaccaca cctgggcctt tctgtcctgc aggtcggcat 13980
 cgtggggcgg acgggagctg ggaagtcgtc cctgacctg ggcttatttc ggatcaacga 14040
 gtctgccgaa ggagagatca tcatcgatgg catcaacatc gccaaagatc gcctgcacga 14100
 cctccgcttc aagatcacca tcatcccca ggtgggtctt ggtgtggcc cagggggtga 14160
 gccagagctg gcaagcccta tgattgcact gacagtgggt tatgtatatt tttggggcaa 14220
 acatacattt ggccctactt catcgcttct tttttttttt tttttttttt tcttgaacaa 14280
 gggctctcgt ctgttgccca gagtggagtg cgctggcgca atctcagctc actgcaacct 14340
 ccgtctccca ggctcaagcg attctccac ccagcctcc tgagtagctg ggactacagg 14400
 cacatgccac cacaccagc taaatttggt ttgtactttt ttgtggagat ggggttccac 14460
 tgtgttgccc aggtgcctt tgaactctg ggctcaagca atccaccac cttggcctcc 14520
 aaaagtgctg ggattacagg catgaggcac cgtggctggc cttcattgtt tttattgaag 14580
 ttaggctgtg ctgctgcttc cctgaatttc ctcttagtat atgattaaca acgtgggaat 14640

taactgacta	tcagtcccgga	cttcctgtcc	ccgggagggg	tagtttcaga	gcattctagaa	14700
aaatccaaaa	agacaccgtc	ttctctctct	gctgccagag	tcagactgag	catctctaac	14760
ccttccaaga	gctagacaag	aaataagact	ttttaatttt	cgattcacgg	ggtgcacctg	14820
caggcttggt	acgtgggtat	attgtgtgat	gctgatgctt	cggcttctat	ggatctcatc	14880
acccaactat	tgaacagagt	acccgagaga	gagtagtttc	tcaaccatta	ccctcctcca	14940
tctgtcccca	cttatggagg	ctccagtgtt	tatcatttcc	atctttacaa	ccatgagtac	15000
gcagagttta	gctccctctt	acaagtgaga	acacacagta	tttggtgaga	aataaggatt	15060
ttctttttct	ttctcttttc	ttttttttct	ttttttaact	gagacggagt	ctcactctgt	15120
caccagtgct	agtggcacga	tctcagctta	ctgcaacctg	cacctcctgg	gttcaagcga	15180
ttcttctgcc	tcagcttccc	aagtagctgg	gattataggg	acgcaccacc	atgcgtggct	15240
agtttttgta	tttttagtag	aaacgggggt	tcaccatggt	accagggctg	gtctcaaaact	15300
cctgacctcg	agtgatctgc	ctgcctcggc	ctcccatagt	gctgggatta	caggggtgag	15360
ccaacatgct	tggctgaaat	aaggattttc	tagaccaatc	ccgcaggtg	gattccttaa	15420
tatgttgctt	tttagtgtaa	tcttccctaa	agtgtcttag	aagattctct	tctgtggttg	15480
gatgacggga	gaatccacgg	gactttactg	ttaggaatca	cctgtgctgc	gtctcatttc	15540
tggaggttct	caaccactt	gcataattgaa	ggctccagga	agttgtatgg	aaaggaaatc	15600
tgttgatttc	tgccaaactc	agactttcca	gacttttttt	ttttttccat	tattaaggca	15660
atcttttttt	tggagataga	gtcttgctct	ggagtgcagt	ggcacaatct	tggctcactg	15720
caacttccgt	ctcccgggtt	caagtgattc	tctgcctca	gtctcctgag	tagctgggac	15780
tacaggatatg	caccaccatg	cccagctaat	ttttgtattt	ttactagaga	caggggtgttg	15840
ccatgttggc	caggctggtc	tcgaactcct	gaccttaagt	gatccactcg	cctcggcctg	15900
caaagtgc	gggattacag	gcgtgaacca	ccgtacctgg	cctttttctc	cattattaac	15960
atctccagaa	atagtgattc	caaggagctc	tgatacccca	ccttcaacag	tcttgccag	16020
aagtccttag	gtcgctcca	tccatgtcag	catgacacag	gtgtcacatg	ccgtccactc	16080
tcttctctct	gaacaggacc	ctgttttggt	ttcgggttcc	ctccgaatga	acctggaccc	16140
attcagccag	tactcggatg	aagaagtctg	gacgtccctg	gagctggccc	acctgaagga	16200
cttcgtgtca	gcccttcctg	acaagctaga	ccatgaatgt	gcagaaggcg	gggagaacct	16260
caggtaggcg	ggggtgaaca	aggagacacc	gggtaagggtg	tcctaggcgc	catctcggta	16320
gggggtgttg	aagattctgt	ccagatctgt	gtcacctgga	tttgagtccc	agatgaccat	16380

ttgtcccttc acctcttggg gectcagttt ctgtatctgt aaaacgggtc tcaatccagg 16440
 ctctttgtac catgaggtag aataaccagg atgaccagta catttccttt tatacacacc 16500
 agctccattc agttgatagt ggctgtcagt tgtaagcta tggaaagtct tctgtaccag 16560
 ttggtcacta gcactgctct gagccccag gtcccatgc actaccccag ctgtcttggg 16620
 ctctaccagg atcctggagc tctgtccatg acccagcaac taaagcatta atgcctggca 16680
 caccagcgga acctctgggg tcttgccttg gtgggtgttg ttagtgctg gttctgggtc 16740
 tgttatccgt ctccatgaca accaaccata aagcctcagg catgttcaac cataaagcaa 16800
 cgatcattgc tgccatacga gggcagtcag ccagggtggct ctgctgatct cggtggggct 16860
 cacatgcatg tctgggagtc agctggctgt tggctgatct cggggtcagc tggcttttgg 16920
 cctcagggtg ggcaagaagg gtatgttccg tgcacccctc attctccagc agaccagctt 16980
 gggcatgttg tcatggcgat ggcaggggca caagagcgtg caagccccta ttgcatctaa 17040
 cagtattctt ttggctgtcc ttacttttgc tgggtgtccca ttggccaaag caaggaacat 17100
 gtctgattcc agagccacct ctcatggccc cacagttgga taagggatgc atgggtatga 17160
 ggcttttttt tttttttttt tttttttttt tgagacggag ggtctcactc tatcaccag 17220
 gctggagtgc agtggcgcaa tctcatctgc aacctccgcc ccagggtca agcaattgtt 17280
 ctgcctctgc ctccaaagta gctgggatga cagggtgctg tcaccatgcc cagttaaatt 17340
 ttgcattttt agtagagatg gggatatcacc acattgtcca ggctagtctc aaactcctgg 17400
 cctcaagcga tccacccgcc ttagcctcac aagggtgctg gatactaggt gtgagccact 17460
 gtgcccggct cttatttttt ttttatttta ttttttttaa gagacagtgt ctcaactctgt 17520
 tgcctaggct ggagtacagt ggattgatct cggactctta actcctggac tcaagcaatc 17580
 ctgcctcagc ctcccagtaa ctgggactac aagagcatgc caccacacc agctaatttg 17640
 tttatttttg tttttggaga gatgggggtc ttgctttttt gccaggctg gtctcaaatt 17700
 cctggcttca agctatcctc ccacctcagc ctcccaaagt gtcagattg taggtgtgag 17760
 ctgctgtttt gagaatgatt ctgaacctgc atcttgctga ataggagatg tgctctgatt 17820
 gattagtgat gtctgctgca gacacagatg ttgggagtgg acatgctttc ctggtcaagc 17880
 aacatagagt gtctcctttc gcttctccca gctgggctt aggttcaggg tcaggggtgg 17940
 tttgaccaa cactatctcc tggttttttt cttccggtca agtgctgggc agcgccagct 18000
 tgtgtgccta gcccgggccc tgctgaggaa gacgaagatc cttgtgttgg atgaggccac 18060

ggcagccgtg gacctggaaa cggacgacct catccagtcc accatccgga cacagttcga 18120
 ggactgcacc gtcttcacca tcgcccaccg gctcaacacc atcatggact acacaaggtg 18180
 atgccactgg cacagtggcc tctaggtctt gggagtttgc cttactcact ggctcactca 18240
 ttaattcatt aattcattca acactgtcct tatccctagt gacagcccca gtgggtggat 18300
 cctctcttca tcttggtatg taccagctat ttcttttttt tttttttttt ttgagacaga 18360
 gtctcgcttc atctctggag tgcagtgggtg tgatctcggc tcaactgcaac ctctgcctct 18420
 ggggttcaag catttctcct gcctcagact cccgaatagc tggaactaca ggaatgtgcc 18480
 accacgcccc tctaactttt atatttttag tagtgacagg gttttgcat gttggccagg 18540
 ctggtctoga actcctgacc tcaggcgatc tgcccgctc cgctcccaa attgctggga 18600
 ttacaggcat gaaccgctgt gccagtggg accaggtatt tctaatatca tctagtcatt 18660
 cattcacgtc agegcacctg cgggtgtccc agacactggg gactctgtag gctgctgtca 18720
 gacaaagtcc ctgcctccag gaccaagtag cttattagat ggaggagaca aaaaatatac 18780
 agagcaataa accaacagga ttccagaggg cagcaggtgc tgggaaggac gcttgccaag 18840
 gagacgggat agcgagtgtt gggcagggcc actgtttcca ttgaactctg caggcccagt 18900
 gcgtggggcc cacaaaaagg ttttattttt tttaaaaaat cagaagcagg ccaggtgcgg 18960
 tggctcacgg ctgtaatccc agcacttttg gaggccgagg caggcagatc acctgaggtc 19020
 gatagtttga gaccagcttg gccaacacgg tgagaccctg tcaccattaa aaatacaaaa 19080
 agtagccaag tgtggtggtg cgtgcccata atcccaggta cttgggaggc tgaggaagga 19140
 gaattgcttg aacctgggag gtggaggttg cagtgagctg agattgtgcc actgcagtcc 19200
 agcctgggca acagagttag actccatctc aaaaaaaaaa aaaaaaaaaa aaaaaaaga 19260
 atataatcca acctggattt tatttatact aacacagtca taaaatagaa tttctagcat 19320
 tttgtgtgga gaaagccacc tccgtaggca tcagtgcggg ggaccacaaa agtcagaatg 19380
 ctgccatagt gccaggggtc tgggggggtt tgagttttgt gtgggtcctc tctgaagagg 19440
 tgacatttta gctgagacct gaacaatgaa aaggagtcag ccttgagaag atctgggaca 19500
 gcgatctgca acctgtttct taagggccgg ggtagtttca gctttgtggg ccacatggcc 19560
 tctcagccac ttgactccag tgttgccgtg tgaaagcagt catagatagt gcacgaatga 19620
 atgagcatgg ctatgttcca ataaaacttt attcataaaa acaggcaagg ggtcagattt 19680
 ggctgcagg ccacagtttg ccaaccttg atctaaagga agaacattct aggcagccgg 19740
 tacagccgaa tgtaaaaatg aatgcgctta atgaatttga aggctagcat gaggaggcca 19800

tgtacctaga ggttggaatt gagtggacag gggcaggaga ttaggccaga aaggtaggca 19860
 ggggctggat cttagagcac catgtaacca cggtgagaag cttggaactt actctaagag 19920
 ccctataaag ccattggaag gttttaagca gggaagtgc atgagtttct attttatttt 19980
 atatattttt gagacagggc ctcacctgt cgcccaggct ggagtgcagt ggtgggatca 20040
 cagctcactg cggcctcaag tgatcctcct gcctcagcct tccaaagtgc tgggattata 20100
 ggcgtagtc tctgcacca gctgacatga tgtttctagt tcaactgagta ccacctacta 20160
 agtggcagat gctgagttgg tgcttttgaa atataggaca tagaaatgag gacagaagtg 20220
 ggcaagtgtca aatcttacag gacctaaaat attaggggtc agccaactat ggcccacagg 20280
 ccacagatct gggccctgc gtgtttttat gaataaagtt ttattggcac gcagccacat 20340
 ctgttcattt tctgttgtc tctggcagct ttcacactat aaatacagca gagatgcgta 20400
 gttgtaacag aaagcatatg gcctgcagag cctcaagtat ttactatctg gcctttttca 20460
 gaaaaatggt gccaatcgtt attgtagact gtggtaagat ctttttattt tactctgaat 20520
 gtaatggaac agtgaatgtg aacagtcaac actgttaata ccattcacac catgattgat 20580
 gtggggtaga tattaaggag ctggcctcat gggaatctga cattgactag aaatagggat 20640
 tgagggtag caaccagctg gaaggtagct caccagtcct agcaaaaagt gttagggggc 20700
 tgaccgaag cagtgaactg ccaggtcag ttgtcccagg ggcacgaggt gctcaccct 20760
 ccccttcccc tcatgtctgt atccccctc cctcaggggtg atcgtcttg acaaaggaga 20820
 aatccaggag tacggcgccc catcggaact cctgcagcag agaggctttt tctacagcat 20880
 ggccaaagac gccggcttg tgtgagcccc agagctggca tatctggtca gaactgcagg 20940
 gcctatatgc cagcgcccag ggaggagtca gtacccttg taaaccaagc ctcccacact 21000
 gaaacaaaa cataaaaacc aaaccagac aacaaaaaca tattcaaagc agcagccacc 21060
 gccatccggt cccctgcctg gaactggctg tgaagacca ggagagacag agatgcgaac 21120
 caccacaaac acgcacaccc tgcccctggc gcctgagac agacacacag cctcacgccc 21180
 ccaggaatgc aagtggtttc ctggtgcttc ccacggagga gttttggcag ccagacttct 21240
 ggaggaattg gttgtataga agatcctagt gaccaaattc agcctactgc ctggatctc 21300
 tccagccgaa gtctgtggac tgcaagtctt tgagatgctt ctggctccca tcacctctaa 21360
 catccttgct tgggtctacc aggaacgctt catttccttg gggctgcagt tttgtggttg 21420
 aggggcctgg agaaaatcat tttctccctc tggcagtgct ccagggccct ggatggctct 21480

cttaccaaca tctggtcttc caggcactca aaagctggga accagcatct cagcgccagc 21540
 tctaccagtt ctcgtttttg gccagaggca gcctctgcac tcccacgcct gtctctctgg 21600
 aagggaacctg gttggactaa cggctaacct ggacctggaa ctgtagggcc aggggattgt 21660
 ctcagggccg acgttccacc tggggcttcc ctccccaccc accccgactc caggettttc 21720
 cttttttctt ttgttcaaca ttgtaagaac aatcaatgct gttattactg atcccaccat 21780
 gattgatgtg gggtaaatat taaggagatg gcctcatggg aatttgacct tgactagaaa 21840
 tagagactga gagtgagcaa ccagctggaa ggtactatgc cagtcctagc agaaaaatgt 21900
 gttaggggcc tggcccaaag cagtgttggg tgcttacagt gttgattgat tttgttcttt 21960
 tttcttacca cctcttttct ttccctctca tggtaacctgc tcatggttat gaagctttca 22020
 aagtaaagaa cacgaaatac ctcccaagta ttaccagtgg gtacaaaaaa aatgtcccct 22080
 tgagtctttt ccttgttttt agatgttaat tctctccctt ggcatccggt tagcccccca 22140
 gggggggcag cattgtggag aacttgatat ttagttactg atgctcttcc aggacacgaa 22200
 aagaacccat ctttgaatat caatgatttt ttttttttta agtactgttc cggggagaaa 22260
 aacagtctca aaacttgaac ttcttgggaa gagaagtgtt gggctgagaa gtaacattcc 22320
 caggaaatag tgagaagctc gccctgtgtt tgaaaccgtg ttggtctctg tgttctctgga 22380
 agaaaacagg gaagcagcat cttttaaaag ctgttcttta aggtgtctcg ttagagccca 22440
 aagtggaatc cggaaggcag ccagagctga ggctgcccc aagctcagac ttgctaagaa 22500
 ttacgcgcgc gacttcaaac ccagagagca tctttctttt aggcgaaaac gcatatattt 22560
 attttttgta agttatacca ttctttcaca ttagataaac taagtttttg gggatccttt 22620
 tgtaatgact tacactggaa atgcgaacat ttgcagtaaa aaaatatata tatacttata 22680
 tattttattt ctttctaaag aatggttccc tttccttttg ggccctcgcg agggttccag 22740
 ccatgtcttc tgcagggcca ggatgtggca tcttctgtt tctgttcttt ccttttgaca 22800
 acaagtcgcc tctagtggga gctgttgcca gaaagggcaa gttgtagaga tcaactagtca 22860
 gatgggggtt agtggaagg cgggacagcc gcaaggtgga cggagcccag gttttgggg 22920
 tggacagacc ctggcttgag tctgtctctt gtcatttgcg gttcttctga ccttggggaa 22980
 gtcactcagc ctctgtgcct cacttgcttt gtctgtaaaa tgaggctgat cgtacttacc 23040
 ctgtgagcag tgatgtgtgc ggtactcgta gcctcggtca ggttctaaga cacaggcgag 23100
 gcagaaatca catgtggcca gaacgatcct tgaaaatcct gccctcgccc tgcccttttt 23160
 tttttttttt tttttttttt ttttttttgc tagaggcaag gtctcactct gttgccag 23220

ctggtgtgca gtggcacgat catagctcac tgcagcctca aactcctggg cttacgcaat 23280
 cttcctgcct cagcctcctg ggtagctggg actacaggca tgtgcccagc taatttttaa 23340
 aaatttttat agagtcaggg tcttgctatg ttaccaggt tgttcttaaa ctctgggct 23400
 ctggggatcc tctgcctga gcctcccaa gtgctgggg ttaggcacct ggctgaaaa 23460
 tccctttatg ttagtcaga gaggcgaggc tgcgctgcag taacaaattc gccgtaaaat 23520
 cttcggaat gatcacaagg ctttatttct tgctcacgca gttcttggtg agggtcagct 23580
 gcctctccag ggtaggtgac ttcctgtga caagtgatcc aggtgtcct ggttttgtga 23640
 catggcctcc caagggttg cctccaggc cccacagtgg gagaaggag agtggacgac 23700
 tctacccac tcttctgtgt ctgaaaccgg aactgacgca gttaatccca ctacagccc 23760
 attggccaaa atgagtcaca tggccccaac ccaaccactg cgggagctgg gaaatggagc 23820
 ggtgcctgtg gaagagaagg atttctcct ttcctaactg atgtggttct ggagttttg 23880
 atagcggagt agtcagacta gtgtgttcgg tttctaactt cgaactgggt gagtctgggc 23940
 agtaaggaat gtctgtattt ggggagcaca ccatttctgc cacacctaaa accatgcacc 24000
 aagtacatgt gcagatagaa cgttctagca ctgccattgt tccctcaagc tttcctgtcc 24060
 cctgattgaa attgttggt tgcactaggg actgtggtgt acaaagggtgc tcagggaaga 24120
 gccggcgagg tggtgacct tagaatgagt agtagtgtct ggggtgcagt actcatgccc 24180
 cattgaaact gttggcttgc attagggact gcagagtgtg aagggtgccta gtgaaaagcc 24240
 agtaaggta taaccattag aataggtagt atcagccagc cgggcatggt ggctcatgcc 24300
 tgaatgatgt cattggcttg cattaggaac cacagagtat gaagggtgcc agtgaaaaac 24360
 tggtgacgtt gtgactatta gaattagcag tattggctag acgagggtggc tcatgcctgt 24420
 aatcccagca ctttgagagg ctgagacagg aggactgctt gagctgaaga gttcaaaacc 24480
 agcctaggca acatagtga actctttcta tataaaaact tttttttgt taaattagaa 24540
 gtagttgagg ctgggtgcag tggctgacgc ctgtaatccc aggactttgg gaggtgagg 24600
 cgggtggatt gcctgaggtc aggagttcaa gaccagcctg atcaacatgg tgaaaccccg 24660
 tctctactaa aaacacaaaa attagttggg catggtggca catgcctgta gtcccagcta 24720
 ctggggaggc tgacaagaga attgcttgaa tgtgggagat aaaggttgca gtgggctgaa 24780
 atcaagtcac tgactccag cctgggcaac agagcaagcc gagactccat ttcaaaagag 24840
 tagtagttgg atctaccagc gggaatctta atagggatgt gagatgtgt tagatctcaa 24900

agcctgaccc tgagtcttaa aatcccaggt cagatcctaa gcagtcccag agagctccac 24960
 ctggtgtgca tctgtgccag tgtcttgggg tggggcagct gcatgctcag gtggaatccg 25020
 gggctgagtt caagttaa cactttatg aagaggaggc agagtgaggc ataactctc 25080
 atccagggga gtggaagtac tgtggaagga agctctgttt tgtacctact acgtgctggc 25140
 cctggcctca ctgtgcagaa ctctccacat tggaaaggat ccccccagac cagagaggcg 25200
 taaggagggg gctggtgctt tccagtgttg aactgttcat ctgtcctcac acccaccatc 25260
 gggtcctaca gcaaatttgt ttgattttct gaaaaacacc cagaatctat cactccccg 25320
 tctctccatt gccaccacgc tggcccagc cccccactt tctcctgca tcctacaac 25380
 agctgccaca gtggtctcga ggcttttgcc ccagcccc caccacaca tcagtgtcct 25440
 caacctggtg gctgtagtga cttatgaaa acacgcactg gccgggcacg gtggctcacg 25500
 cctgtcatcc cagcactttg ggaggccgag gcaggcagat cacctgaggt caggagtctg 25560
 agaccagcct ggccaacatg gtgaaatcct gtctctacta aaaatacaaa aattagccag 25620
 gtgtggtggc gagtgcctgt aattccagct acttgggaga ctgaggcata agaattgctt 25680
 gaactgggag gtggaggttg cagtgagcca agatcacgcc actgcacttc agcctgggtg 25740
 acagagtgag tgactgatgg tgaggacacg ggctctgaag ccacactgct tgggcagaga 25800
 tgccactcat tctgtttgtt ttctcatctg tcaaaagggc ctgatggtag taccttctc 25860
 atcaaaacgt tccagtaagg ggcccagtga ggtggcttcc tctctggtc cactgaatgc 25920
 gtgcgtggcg ggcatttaaa gcagtgtcag gtatacgtag ttacgtgttt gcagtggcga 25980
 ggtggactgt tgagttttaa agagtctact gggcgcaggc actgaccaga gaggaagtct 26040
 gcagccttga tggatgaaat tcgtgttcca cccaccagcc agaccctact ggcagcagcc 26100
 catggcgggg gtattaatgg cctgggcac cctctggcg cgtctccaga ctgccgtggt 26160
 gtgggccc aa cagcagtctc gttagcaggc tggcagggtgc cggttccac gtgctggcg 26220
 cctgtggccc accctctgct cctggcaca cagcctagga aagagagtct ggtggccctg 26280
 ggtcatcccc agctgagttt gccaaatgcc cacatggcag cccctgccta gggtcactct 26340
 gcaaggcagg tggtcagct ccagccagag aagacaggct gcatctgccg cccttcttt 26400
 ctctaaagga caaatgtgcc ctgtgcaatg actttggtat tacaccaga aacagatccc 26460
 cactctgtcc ttactgactg ggtcaacttg gcaagtcatg tcaaccctt gagcctcagt 26520
 ttctcacct gtgaaatgga gctaggaata ggtagttgtg ggtccacagc ttgacaggca 26580
 tgactagggg caggtaaga atgcggactt cctgcccac tttgaagggtg gtagaagctg 26640

cagttagaag tttactccag gccaaaaggg gcatcacaaa acctgtgagg atggggccatc 26700
agaaagtccc atgacctgat gggcggagca ggccctgtgt ccttaagaaa aggtggagtt 26760
cttgccctgc caccctgac accagcaaag ccaactgctca agtatctgtg gatgatggat 26820
ggcagcgggg caggttagac cggggattct caaccaagtg ggtctttttg ttttgtgttt 26880
tttcagacag tcttgctctg tcaccagcc tggagtgcag tgggtgatc ttggctcact 26940
gcaaccttct ctgcctgggt tcaggcgatt ctctgcctc agccttcaga gtagctggga 27000
ttataggcac ctgctaccac acccggctaa tttttgtatg tctggtagag ccaggggttc 27060
accttgttgt ccaggctgggt ctgaaactcc tgacctcaag tgattcacct gcctccgct 27120
cccaaagcac tgggattaca ggcattgagc actgcaccg gcccaactag gtggctttga 27180
ccccctgggg gattaatggc agtgtcaca gtctgggtggc ggtagaagga ggatgttatt 27240
ggcatctagt gaagaagagg ccaggggagc tgctgaacgt cctacgatgt gcaggacatg 27300
tccccacagc acagaactat ctggcccccac gtgtcaataa ggttcagaaa gcctggggga 27360
ttgccttctg tgcttccacg aacacatatc catgtattat gtcattcttg cggcaatgcc 27420
acgaggtcag tgagactccc tgactagcat acataatgtt aggatctagg gagttgtcta 27480
atgtctcacg ctgcccttcc cagcgatcta tgtgtggcct taggcttggc tactttagac 27540
ttagtccctc ttttccggtg cctgcagctg gtttgggtgag tccagtatta atatactgac 27600
cgctgtcaga aagaggagtg aggaggctgg gcatgatggt tcacgcctgt aatcccagca 27660
cttttgaggc ccgagggtggg cagatcacct gaggtcagga gttcaagacc aacctggcca 27720
acatggtgaa acccgtctc tagtaaaaat acaaaaataa ttagccaggt gtgggtgggtg 27780
gtgcctataa tcccagctac ccggcaggct gtagcaggag aatcgcttga acctgggagg 27840
cagaggttgc agtgagccga gatcttgcca ctgcacttta gcctaggtga cagagtaaga 27900
ctctgtctca aaaaacaaaa aaagaaatgt gtgaggaatg caacaagctg tgcattgacc 27960
acccttggtt acagcaagtt ctccacgctc agccgggtcc agcctttggc tgtcagcagc 28020
atctggagcg gaactgtgaa cagaaacact ccagggtgtc cgacgggtgc tggggcgccc 28080
ccaggagct ggaatttggt ttttagcaac cacatatagg aaatgaacct gccagccaca 28140
gtatctcacg cctgtaatcc cagcactttg ggaagctaag gccagcgat cacctgaggt 28200
caggagtttg agaccagct ggccaacatg gtgaaacccc gtctctacta aaaatacaaa 28260
aatcagctgg gcgtgggtggg gggcgctgt aatcccagct gctccagagg ctgagggtggg 28320

```

agaatcgctt gagccccgga ggtggaggtt gcagtgagtc aagattgcac ccctgcactc 28380
cggcttgggt gacagagtga gactttgtct cggacaaaaa aaaaaaaaaa aaaaaaagaa 28440
ccaagtcctc gggcaaattc tcccattgag ggctgtgaag tcttggtcc tctgttgttt 28500
gttttgaaa ccaaacttgc atatttgact ttctcatgcg tggagaggac ccatgcttgg 28560
catggggggg cacctggttt ttgtgtcctt ggagctcatc tctggtggg gaggaggagc 28620
agcaggagat gcgagggtg tagttctcag tcctggccgc acattggaat cctatggggg 28680
agctttaaaa ttatacacca aactcggcca ggtgcggtag ctacgcctg ttatcccaac 28740
actttgggag gccgaggagg gtggatcaca tgaggccagg agttcaagac cagcctggcc 28800
aatatgctga aacctcgat ctaataaaaa ttacacaagt tagccaggca tgggtggcgca 28860
cgctgtaat ctgagctgca cgggaggctg aggcaggaga attgcttgaa cccaggatgt 28920
ggaggttgca gtgagctgag attgagccac tgcacttcag cctgagcaac agagtgagac 28980
tctgtctcaa aaaaaaaaaa aaaaaaaat acacacacac acacacacac acacacacac 29040
acaactggag aacagagcat ggtcactggg ggcaggagcg agagtgatgg gtgtggtcgg 29100
aaaatggtgg tggtattcc gtatcctcac cctggtgtgg attcatgagc ctacatgtgt 29160
gataaaactg catgggacaa aataaacaca cacacacaca ggagtacagg taaaacggga 29220
aatcgagcaa gattgttgtg tcaatgtcaa caccctggct gtgatgcttt atcctagagt 29280
tttgcaagat gttaccattg ggtgaaatgg ggtaccaagt acacgaatct ctctatatta 29340
ttgtttcttt aactgcatgt gagtctggga ttatcccaa ataaaagtgt taatttgtaa 29400
aaagtacaca cagcatggca gttcccagcc tcagagattc tgatttaagg gtctagccgg 29460
gagcctgggc atgtgcttga ggcccccagg tgagtccaga gtacagcggg gctgagagtc 29520
gctgttgaca ttggctgcag ggtggacagg gcgagatggg ccctgcccgg gcagacctgt 29580
gtattgctag gtccttccgg ctctgatgct ctgtgataat tggccacttt ctctgccatt 29640
ttcctcccag agagcaaaca caggtctaga ctcaatatcg tgtggagcta tcgatgacca 29700
cgggtcactt ccatctccag cactgcaggc tgtgcgggct ggtccaactg gggtagcggt 29760
gagggtcctg gctcagacca ggccctgact ctgggccagt ctgtaaaaca ggcccttctg 29820
ggccagcagc tgggcccggc tgccgctctc tgccacctgc ccctgtcca tgaccagaac 29880
cctgtggggg agagggagac agagaggctc tctggacacc agcccaggct ctgggcagct 29940
gtgagagccc agtgtgtctg cgctgaggtt ttctccatag aagtccctgt ttccatgcgg 30000
ctccctggcc ctacagctg ggttggaagc gtgtgctggg cgcatgtcct tgggcagctt 30060

```

tcccacttgg catgtgttcc cgggcattcc tcccgtctctg gcccattca ggaccctcc 30120
agctctaacc cgaagcccag tggcccagga ctgcctccgc ctccttcccc caccactgca 30180
gggctgctgt gaggtcaggc cggggcggga gccttaccgg gcacagtcca tcacggagcg 30240
caggcgggtgg gcaatgagca gcacagtgca ctgtgcaaac cagctcccga gcatggcctg 30300
catctgcagc tccgtgccag ggtccacggc agcagtagcc tcgtccagga tgaggatctg 30360
ggctcttccgg agaagggcac gtgccagaca caggagctgt ttctggcca cgctgggaac 30420
gattgggaca attagctggg acgtgcgttt gtcggcacat ggtgatgtgt ggggtgtgcc 30480
agaaacaggt ccttgaagca gtgcaggagt gaggtgcctg tgttcaggca tccccacaca 30540
tggggtctgg ggtctgtggt ctgcagaact gataggaagc ctgttctgc catctttgag 30600
caggctgact gtaggcaggc cattcaaacc ctttgtgcct cagtttcccc acctgtgaaa 30660
tggtattttt cttttttctg tttatggctc tttttttctt cttcgttttt cttttttttt 30720
ttgagacgga gtcttgctct gccaccagg ctggcgtgca atggcacaat ctacgctcgc 30780
tgcaacttct gcctcccggc tcaagcagtt ttctgcctc agcctcccaa gtagctggaa 30840
ttacagtcac gcgccaccat gcctggcttt tgtattttta aagtagagat ggggtttcac 30900
catgttggtc cgacttgttt gaaactctca ggtgatccac ctacctcagc ctcccaaagt 30960
gctgggatta caggcgtgag cactgcgcc ccggtagttc tatttctagt ttgttttttg 31020
agaaatcatc atactatttt ccatagtgcac tgtactaatt tatatttccc ccaacagcga 31080
aagcacagct ttcacttcag tcatgccgtt gcaaacaaac ctacaatgac tcaactgctgc 31140
ttcaagaatc aaatctacag tcttcctaag acattcaagg ctggtgtcac gtgggcctta 31200
aatacagatg tgtacaacac ctgggtggga ttccaggcgt gatccaccgt gcctggcctg 31260
tttatggcta tgtccagttc tatttctagt ttccaacctg tgccaaacac attctaagtg 31320
cttgatatata ttcactcaat cctcataatg tccaccaagg tagatattat tgttctcttc 31380
ttttgagaga agaggacaca gatacagaga agctcagtgg cttgaccaag gtctcaaggc 31440
tagtggtggg tcataattht gaaccaagt cctctgaccc cagagtctgt gctcctaagt 31500
gatccgtcct cgctgaatcg tgacgacatg gcacataaaa gtgtgtgggt ggcggggcac 31560
ggcggtcac acctgtaatc ccagcacttt gggaggctga ggtgggcgga tcacgagatc 31620
aggagatcga gaccatcctg gctaacacgg tgaaaccctg tatgtactaa aaatacaaaa 31680
aattagccgg gcgtgggtggc gggcgcttgt agtcccaggc actcaggagg ctgaggcaga 31740

agaatggtgt	gaacccggga	ggcagagctt	gcaagtgagc	caagatcgcg	ccactgcact	31800
ccagcctggg	cgacagagca	agactctgtc	tcaaaaaaaaa	aaaaaaaaaa	aaaaaaaaagt	31860
gtgtaggctt	gtcacagaat	aagcccttgg	catggagtag	cacccttcgt	ggaggggtgga	31920
ggagttgaga	ttccaggttg	tgagcccagt	gagcccctga	cccagggtggg	aactgacccc	31980
tggggcccca	gcattggtgt	cttgccacagt	aagcccttcc	atgaaacagc	atcctttttac	32040
atgatcagaa	cctactatgg	tcattgcaggc	gttagagtgc	ctgggtcttg	tcccaacctc	32100
actactttta	agctgtgtga	cgtcaggcaa	gccccaggcc	tccaattcca	actctgtgaa	32160
atgatgttat	caggagtgtg	actcaggact	aaaatgagta	tttactcttt	gctctatgcc	32220
tgccactggt	tcaacaactt	tgtgcatata	attcaatcct	tgcaaggtag	gtagggtgcta	32280
ttattccac	cttacagatg	aggaaactga	ggcacacaag	ataagttgcc	taagatccta	32340
cagctagtaa	gtggcagggc	ggggcggggg	tgggggtgtg	gggtgggggg	cctggatttg	32400
agcccaggca	gtctgtcacc	tgtgtatact	cttaccacc	aagcaacgct	gcctctctag	32460
tgctggaaat	tattgcctac	cacaagccct	tcggacaccc	tcagggtcag	aggggtttat	32520
aaatccagaa	caccttaggt	ttttttttgt	tttttttgag	acggagtctt	actctgtcac	32580
ccaggctgga	gtgcagtggc	acaatcttgg	ctcactgaaa	cctctgcctc	ccgggttcaa	32640
gcgattctcc	tgtctcagtg	tcttagcctc	ccacgtaact	gggattacag	gcgcctgccg	32700
ccacaccag	ctaatttttg	tatttttagt	agagacgggg	cttcaccata	ttggtcaggc	32760
tggtcttgaa	ctcctgacct	caggatgatcc	accgcctcg	gcctcccata	gtgctaggat	32820
tacaggcatg	agccaccgcg	cccagccact	ttggtttttc	taaaggcata	tacctataca	32880
cctatgttca	tagtggcatt	attcaaaacg	gccaaagagt	ggaaacagcc	tgggtatcta	32940
ctggcagata	aacggataag	caaaatgtgg	tctatccatg	tagtggaaaa	ttattcggcc	33000
ttaaaaaggt	agagaatctg	acacatgcta	cgatgtggat	gacccttgaa	gacatcatgc	33060
tgtgtgaaat	aagccagtca	caaaaggaca	gatcctatga	ttctgcgtct	atgcagtgtc	33120
tagagtagtc	acactcagag	agacaggaga	atgctggtgg	ctgggcgctg	ggggagggga	33180
caaggagagt	tagggtttca	tgggtacaga	gttgtagttc	tgttggtgaa	cagtgtgaat	33240
gtacctaa	ctacagaaac	tatacactga	aaaatgggtg	agatgggccc	ggcgtggctg	33300
ctcacacctg	taatcccagc	actttgggag	gcctacgcaa	gttcgactgt	agcctgggca	33360
acatggtgaa	accctgtctc	tacaaaaaat	aaaaagatta	cctggccctg	gtggctcaca	33420
cctgtaaccc	cagctactcg	ggaggctgag	gtgggaggaa	tgcttgagcc	tgggaggtgg	33480

```

aggttgacagc gagccttgac ctcaccactg cactctagcc tgaatgacag agccagaccc 33540
tgtctccaaa gaaaaagaaa aaaaaaaaaa aaggttgaga tagtaaattt tatgtgtatc 33600
tttccacaca gctttttgtt gttgagacga agcccaggat ggagtgcagt ggtgcaatat 33660
cggctcactg caaccttcgc ctccctggct caagcgttct tcccacctca gcctcccaag 33720
taactaggac tacaggtgca tgccaccata cctggctaata actgttgtcc acagagatag 33780
ggctcttgcta tgttgcccag actagtctcg aactcctggg ctcaagcaat cctcctctct 33840
cagcctcctg aagtgcctggg attacaggca tgagccactg tgcccagtc acacttgaca 33900
tttacaaaaa aaaaaaatcc tatattatag tcccagttag tggtagaggt accacccgat 33960
atcaaacaat attttcatag caaaataaat actgagcaag agcaataaag gctatcagta 34020
gccctgtgtc agttgaggtt gggttttgcc accaagtaaa tatagaagac taactgctaa 34080
tttagggggg aaaaccttgg tattcagaga ctgtgtcaga gcttggaatt gcagataaga 34140
gacatgtggt tattaatgta acagagtgat aatcctatcg ggggaggcat ttctgaagg 34200
cccttgggga gggcatggcc atcccctcct ctcccacctg caggctcccag ccatgggtggg 34260
acgaccatac ctcaggctcct cgctcggctc agcacacttg tactgcagct ggccgggcag 34320
gctggccacc aaggctttga gctgcaccgt ctccagggtt gccagatag cctcgtccga 34380
gtgctcctgc agcaggctga ggttcatccg cagagagcca gggaacagga tggggtcctg 34440
gcggggaggg gcgggtgggtc agagccgggt cccaccatgc ctcccatctt tgcccacccc 34500
ctccaccagc ctcacctggg ggatgatgct gatcctggag cgcagtgtgt gcagccccac 34560
gtgggcaatg gggaccccgt cgatccagat cccaccctca gctgcctcct ggagccgcag 34620
cagcccactg gccagggagg acttccttgc ccgggtcctg ccaacgatgc ccacctgccc 34680
ggggttggga ggaaaggcct gctctgacca gagggtttgt gggcatttat tggggagatc 34740
tttctgctgt acccgagatc tgtctatcca tccctcattg tgtaaaggtc taccttccat 34800
ctctctttcc atctgtctac ctttctatat atccacccat caatocatcc agtcttccat 34860
ctgtgttctt ctctatcttt cccttatect gatattcttc tcccatcttt ctccccaccc 34920
ttccttttagt tctccatctt ttctcctacc ttctatttac acctctccat catctctcat 34980
ccttttttct accccatccc atccatctgt ctgtccgtcc atccatccct tatecttttt 35040
tccaccccat cctgccatcc atccatccat catccatcct caatcccatc cctccatctc 35100
tcttccaccc cattccatcc atccatccat tcctctgtct atccgtctct cgtttcttct 35160

```

tccctattca	tccatcaatt	cactaatcct	ttcattcatt	tattttctcc	catccatcca	35220
tccagtccat	ccttccctca	tccatccttc	cattcatcct	ccatcctatc	catgtgtcca	35280
ttctgttata	catctcccat	getgttatcc	accctccatc	cttatctctc	ttgctaactat	35340
tgcaccccca	gtgtctgaca	catgggtgtg	gttcaacatt	atttgtttaa	ttaatgatgg	35400
aaacatgtgg	gtcacccccc	tgtatgccaa	gtacctgttt	aggcaccgga	agtatagaaa	35460
ttaaagagtc	cttgctccag	tgtgcccata	atccgggtcta	ggaaacagtg	caattgagta	35520
aatgtaatac	agtgtgatga	acaatgcttt	atttatttat	ttatttatatt	atttttgaga	35580
taaagtcttg	ctctattgcc	caggctggag	tgcagtgggtg	cgatctcagc	tactgcaac	35640
ctccacctcc	caggttcaag	caattctcct	gcctcagcct	ccctagtagc	tgggactgca	35700
gggtgctgtc	accatgctcg	gctaattttt	gtatttttag	tagacacggg	atttcaccat	35760
gttggccagg	ctgggtctca	acttctggcc	tcaagtgate	tgccacacct	ggcctcctaa	35820
agtgtgggga	ttacaggtat	aagccacagc	accagccaa	caatgctgtt	tattatcaag	35880
gtctggacct	ctggcaatta	aggggaagca	ggcagtgtgt	ctcatgtgtc	ctgggatttg	35940
acagaggtaa	taagagaaga	cctcatggag	gaagggatac	ttgcatggaa	gcttgaagga	36000
tcaataggag	ttcaaggaag	gggaacactc	caggtaaacc	acaccaagtg	ggtttccaaa	36060
actagaagct	catggagctc	acagcaccat	gtgccccctc	ggccgagagg	cagctgtctc	36120
acaatgttgg	ctaagccctg	gcagagcaat	gaatgagagg	gggaggttgg	cagggcctgg	36180
gttgggtaga	gccttgaatg	ccaagctcag	gaattcacac	tttaccocaa	gggaagctgg	36240
aactagtaga	aggttttgag	caggggaatg	acatgcagtg	tcattcatgc	tgataaaggt	36300
cacaggatgg	ctgggcatgg	tgggtcatgc	ctgtagtccc	agcactttgg	gagggcaggg	36360
ggggtgattg	aggtcagaag	tttgatagca	gcctggccaa	catggtgaaa	ccctgtctct	36420
actaaaaata	caaaaattag	ccgggtgtgg	tggcaggtgc	ctgtaatccc	agctactcag	36480
gaggctgagg	caggagaatc	acttgaatct	gggaggcgga	ggttgcagtg	atctaaggtc	36540
acaccactgc	actccagcct	gggcaacaga	gtgagactct	gtctcaaaaa	aaaaaaaaaa	36600
aaaaaaaaat	caaggagagca	gattggagct	ggtgagacag	gatccactgc	tttttagggg	36660
acaaggagag	gacagggagg	aagcctctgt	aggttcagag	ggagggagga	aagggtattca	36720
gtgaaggggc	ctgatgaggc	atctgtaaaa	tgggatagta	ctagcacctc	acttaggggt	36780
tgttgtgaga	gtgaaaacgc	aaataataaa	agcattagta	aacatttctg	gagcactttc	36840
tatgagctaa	gcatgttcta	tgtattaact	caaacttcac	aacaactcag	agatcagtat	36900

taccagtccc aatttacaga tgggaaaact gagactgagc tatgaagtgc ttttcccaat 36960
gtctcccagc tgaaagcaaa tatcccattt gtgcaaaactg gaaaatgtac ctggagcatt 37020
taacacactg cccagcacat attaggtgct ggggttaatgt taaaggaaga aggaagtcac 37080
ggagttgctt cctcatctgg ggacaccaag gtggatgagg aagtcaccag atggaagcag 37140
gtttggggaa ggtgaggagt tcatttttagg gggtaatggg tctgaaagct aggggacctg 37200
aggtggggac actgtggagg tagctggtgc ccagggttta gggccttgct cctggagtcc 37260
tttggcctaa actccatgaa gaagacattg tgagagaacc actcaccttc tctcctgogt 37320
ggatcttgaa ggacacgccc tgcacagcca gcgggagctc aggtcggtat cttagcccaa 37380
agtcccgaa ctcgatctgc ccgccctgag gccagggggg ctgagctgca catgtgggca 37440
gcctccaggg agcctggagc aggaggggaa actgagtcag aggagccttc ctctaagact 37500
tcacacaaga tggcccacct ctatcagctt cagttttctc ttccgcaaaa tggacgtatt 37560
tattgctggt ttacagggtt gttatgggaa ttcaacaaga gagggcatgg actatgtcaa 37620
tgctaaaaac agatggtggt ggctactttt agtctatttt attgttatta ttagccactg 37680
tttattataa aataatctct ttttctatag tgggagcaga catttctctt tgtctttgtg 37740
aaaggacatg actgtgcagt gggaagacca atactgcctt tgctgtgccc gtgacctga 37800
acagatcatt ctacccctt gagtcttggt tttccaatct gggaaatagg gctaataaga 37860
gcagcagaca tgtattgagt gtttgcaatg gaccaggcac tctattaaat catttctttg 37920
caggatctca tttgatctc ccagtaaaact caacgctggt atgttactgt tacattagtg 37980
ctatgctgct gttcttatcc tttcttcac ccaatcccat ccatccattc atccatccat 38040
ctcttatcct ttatccaccc catcccaccc atccatccat ccatgcatcc atccatccat 38100
ctccaatccc atccctccat ctctcattct tccatcccat tccatccatt catctgtcca 38160
tctctacca tttcttctac cctattcatt aactaattaa ttcttccttg ttctgttact 38220
gtaatgttac tggtatattg ctaacacatt atatcatggt gctgttttgt taccgttgog 38280
ttgctatggt gctgttctgt cottataatg ctactgttat gttgctggaa ttttgccatc 38340
atgttactat aatgttgctg ttttcttact gttacattgc catgttgcta ttccgttact 38400
ataatttcag ttattttgct ggaatgttgc catcatgtta ctataatgtt gctgttttgt 38460
tactgttaca ttgttatggt gctactctgt tactctgtta cagtcgtgtt gctgggatgt 38520
tgctgtcatg ttatgatggt gctgttgtgt tactattgca ttgctatggt gctgttttgt 38580

ttctatcatg ttactaaaat gttgctatta cgttactatt acattgctat gttgtggttg 38640
 tattgctgga atgttgccat catgttacta taatgtctct attatgttac tattacactg 38700
 ctatgttgct attctggtac tgcaatattg tggttatggt gctgttacat tactgttaca 38760
 ttgctgttgc attactctca tgttctggaa tattgccatt gtgttgctgt tgccattatg 38820
 ttactatcat gttgcageta tgttgctggt gcaatgctgt tccttggtgt tccctgcact 38880
 cccatgggtg acctgctttc ctcaagctca gaagcaaagg aaccaagatt tggcctggct 38940
 ccaaacctta tgctcctaac cactgctgcc accctgtctg tgactctgac ctatagtggg 39000
 ggggggttag tgaggggaga agaggggtata aactccaaag cctgtagcag atgtcaacag 39060
 ggacccattg cccccccac aatatgtcct tgctgggacc cctccccac ctcccgccca 39120
 tcacctcctt gggcgccag gcatagtctt gcatccgctc cactgacacg atgctgttct 39180
 ctaggtctgt ccagttgcga acaaccact gcaagtgtct ggtcacctgg tgcaagaaag 39240
 cctctctggc tgggtttggc aaggccactt gagggcttgc aacagcccc ctggtttccc 39300
 aaccttttct gggaggccag acccagggga gtaaagaggg gaggcaggaa tgggacagtc 39360
 tgaggacctg ggcccagggg attgggattt ggatacaacc aacaggtccc tctcttctt 39420
 cagtagaacc agagcatgca gagcaaaaag aagccctcag acatcagctt gtacaaaactg 39480
 gcttgatgca ggtgagtaga caggatcaga gaggggtgtg ggccctccca aggacacaca 39540
 gcaggacca ggcccactga ttccattctg acggctttct cgcagcgact ggggtggccac 39600
 caatttccca tgacacttag aaccactcca agctcctccc tatgagccat tagcagctct 39660
 agccctgcc tccatecccc aaccttgtct cccagcacc ctgccttcac ccacctctc 39720
 cagccacacc cgtcttcttg ctgttctctt aacacaccag ggatgaacct tcaactccca 39780
 ggccttttct tctgctgtt aacctcactt cctcctaagt cacctcctca gagaggcctt 39840
 tctggatgca gtaggaaagt tccctcactg ccaccaaca tgctccagcc tcttacttca 39900
 tccttaagct tagcagcctt gactgtaaaa tgaggataat aacagtgtt ctctgatggg 39960
 gttgtgggca gtattaagt agttaatatt tataaaattc ttgtgcacag tggctcatgc 40020
 ctataatccc agcttttttg aagtctaagc aggaagattg tttgaacca ggaattgaag 40080
 gctgcagtga gctgtgatca caccactgca ctccagtctg ggcaaaagag tgagaccttg 40140
 tctcaaaaca aaacagctgg gcatggtggc tcacacctat aatctcagca ttttgggagg 40200
 ctggggcagg cagaccactt gaacctagag tttgagacca ggttgggcaa catggtgaaa 40260
 ctgtttctac caaaaaaaaa aaaaaaaaaa aaaaaaaaaa attagccagg catggtggtg 40320

catgcttgta gtcccagcta attgggaaag tgagggtggga gaatcccttg agcctggaga 40380
tggaggctga agtgagccaa gatcatgcca ctgcactcaa gcctaggcaa caaaatgaga 40440
tctgtctca aacagcaaca acaacaaacc aaaacgaaca aaaacatata aagctcttag 40500
aataatgcct cctccataac aaatgcttat gagtgtatat atatattttt ttcgtagatg 40560
tcatgaactg acattacata ctgttaatag ttaacaaaaa ttagccaggc atagtggctc 40620
acgcctgtaa ttccagcaac ttgggaggct gaggcataag aatcgcttga acccaggagg 40680
cagagttctc agtgagccga gattgcacca ctgcactcca gcctgagtaa aagagagaga 40740
ctctgtcttc aaaacaaaac aaaagttaac aatgcactag aaatgtctc cacaggatat 40800
gctttgtctc aactagtctt tataacatca gaagtagtgg gatttctggc ctgtctttcc 40860
aaggagcaca ctgacactcc acaaggaaag actcttgccc aagggtgcaa gttcacctta 40920
gctgagtctg gctctttag agctgcgtgt cctccttggt tggagggact ccacacacca 40980
tgggtggttg gacacagggc cttcaaaggt ccactagca ggggtccgac agtctctgcc 41040
tctgtctgtc cctcaagccc agtttgggga tgtggggagt acctggaggg cagcagagac 41100
agagaagccc acgaggccag cactgaggtg ggctttgctc agcacagcac acgtggcagc 41160
tgcaaacacc aggccattcc ccaggagctc cacattggcc gcaagccacc tgcaaaggga 41220
agcgacagca gggtgagtgg ttactctcat ctgcaggag atgcttctct gggcacaagg 41280
actggtcatc acaccagctt tgtacacaca ggggtcccag caatggcctc cacatgcaac 41340
ccaggctcag ggagtagagg aagatgacac cgtcctgtct caactaagcc cactttaggg 41400
tctggggtac actcggtggt ctgaagagca tcctgtgtg gctgcttttc tgtccctgga 41460
atgtgccaag ccattgtccac ctgccattcc cctggcctga accatggcct ccattggtttg 41520
gctctgtgtc cccacccaaa tctcatctca aattgtaatc cccacatgtg gaggggaggga 41580
tctgggtgga ggtgactgga tcatgggggc agttttcccc atattgttct cgagatagtg 41640
agttctcaca agatcatatg gcgtaaaagg atgcggcagt tcccacctca tgetctccct 41700
ctcctgtgtc catgtaagac gtgccttgct tccctttcca ccatgattgt aagtttcttg 41760
aggcctcccc agccacgtgg aactgagtca attaaacctt cctttcttta taaattactc 41820
agtctcaggt agttcttttt agcagtgtga agatggacta atacacagcc ccagctggct 41880
ggggacctga gatgaaagga aaaaggactt cacatgtatt gagcacctag tgtgtacttg 41940
accctctcca cactctggtg ccagactgct tggattcaaa tcttggtctt gccagtatta 42000

gctgtgagac cctggacaag tttccaaacc tcaactgtgcc taggatttat catctataga 42060
 acagtttctt cctggtgaag ctgttagcag aattaaataa attaacttac atagattgct 42120
 cagaacagtg ccaggcatgc agtaagcatg ttacaggctct tacctatgag tgtctgtatt 42180
 taatectcat atccactcca tgagcacgat ccagtttga caaatgaggc tcagagaggt 42240
 tatgtaactt gcctgaaatc aaccagctgg taagtggcag agctgggatt tgaacctgtg 42300
 tctatttgtg cttaaagctt gtgttcttgt tcttgcttag tacctaaaga tggctgagga 42360
 tgcttatatg gctgctttat caccaaggca aaagagggtg atccagttgc ctggcaacag 42420
 aagcttcttc ctgtaccccc cgccacctg ctgttgagaa tctctcggtc atgttccatc 42480
 tgcccacggt gagaactgat agactgcctg tgggatctag cctcaactat gtcctgact 42540
 ctctgggtga cctcgctacc atacaatatg acctcaggctc tcacctcta aggatatgga 42600
 tgaattgcaa ggtcttctct gccctggctc ttctacctg tcagccacca gtgcgggaa 42660
 actgatctc tggctttcat ctacgcgagc attgttctga gccacaaagg gggcctgggt 42720
 tcggaatgcc cggaacctg tgctgcctg gaacgtctca gccatgtggg agcagacaga 42780
 cgagtagctg gctgactcca agcgtctcag ctggcatgag ctaaccacat acaggctctg 42840
 agaaggatgg atgggagagg gaagaggaga agccacagac atagagagg agtttccaga 42900
 agcacagaga gcccgaagta caggattcca gaccaggatc tgttaacagc ttactgtgtg 42960
 accttgggct agttgcttgc cctctctggg ttctcatttc cttgcagaat cagagttcta 43020
 tggttttttt gaaaatcacc tggggagctt caaaaacctc taatgcccc cccagaatg 43080
 actgaatcgg aatctctgga aatgtcacct tgactttggg gctgtttaaa tagccttcca 43140
 gatgattcta agggacagcc agggttgaga aaccaccaat ttagtttaag tgtctcactt 43200
 ccagcactg agggcgacta cttcatttac ggctggtcag tgggagaaca aaactgtaag 43260
 gggcaatgaa ggcagttggc caagtcagtt tcaactcatgt aaccaagggt ttacatgcca 43320
 ggtgatgtgc agaaaatatt cgttatttgg tttgcagctg caggttgggt gcagctggca 43380
 gacaggcagg caggaggaa ctgaatttgc tgaacacca actgtatgtg ccaggctttt 43440
 cacacagtg ctcattcatt gcagagttag cattcgcgtc attcatcagt tagtggtag 43500
 aacatccaag gctcggggga ttcagcagct gtcttgagt ccacagtaag tgatagagcc 43560
 tggattttaa cccatctttg cttgactcta aagcttgaga cagaaacagc ccatcctcgg 43620
 agtcaagtga acttagagaa gacctaggac aattgtcggg gacagtggta gccatgggtt 43680
 ttgttgtttg ttttttgaga tggagtctct ctctgtcacc caggctggag tgcagtgggt 43740

caatctcagc	tcgctgcaac	ctctgcctcc	cgggctcaag	caatcctccc	gcctcctcct	43800
cccaagaagc	tgggattaca	agcatgcgcc	accacactgg	ctaaatTTTT	gtatTTTTtag	43860
tagacggagt	ttcaccatgt	tgaccaggct	ggctctgaac	tcctgacctc	aagtgatctg	43920
cccacctcag	cctcccaaag	tgctgtgatt	agatgtgtga	gccaccatgc	ctagccctag	43980
ccatggTTTT	tatctgacta	ccatgttttc	tacttctggg	ttcctgtggg	aaagggctgg	44040
gttggggTgc	tgtcaatcat	gggacctgat	cagagagggtg	gtcacatgat	gcagcctagt	44100
gtatcagaat	ctactatcca	ttcagttact	gtgacgagtt	cagagatgga	cacatgatcc	44160
acaaagggcc	aatcagaacc	ttccctggga	ttaatatatg	actactgagc	tgaagaaacg	44220
TTTTTtgc	gttgagttgc	taagggtgaga	tgatatgata	gctagtggcc	ataagacctg	44280
ccctggaaag	agagcgtgta	caaaattaga	ccagaggtaa	gccagtgggt	cctaaacatt	44340
tgtgtacatc	agaattactt	ggaggggtta	ttaaaacct	gattcatggg	ccgacccaca	44400
tagtatctga	ggcagtagtc	ctgggctggg	gcctaagaat	gtactttgct	aactagtccc	44460
caggtgatac	tactgctggg	cctgggggtca	cactttgaga	agcactgagt	gaagatatgg	44520
agagagtcac	tgtgtcctga	tgacaactgg	gcccattgcc	ccaaggaaat	ataagccatt	44580
aaattctatt	cttttgggtta	agctaatttt	agttggctgc	tggccccagc	aattgaaaga	44640
atctagcttc	atataatagc	ctttgagacc	ttgcaatgcc	TTTTTggctt	ccagataatt	44700
ggagaggaag	aaattacggc	aggataaaaa	cattacgcgt	gaaaggctct	ggcccttaat	44760
atttaactgt	gccgtggggc	acaggggctc	atgccctgta	atcccagAAC	tttgggaggc	44820
caaggtggga	ggatcacttg	gggccaggaa	ttcgagacca	gcctgggcaa	cacaggaaga	44880
cacttgctct	acaaaaataa	atttaaaaaat	tagccagtca	tggTggcacg	tgctgtagt	44940
cccagctact	tgagaggctg	aggtaggagg	atcacctgaa	cccaggagtt	caaggctgca	45000
gggagctatg	atcacctatt	gcacttcagc	cttggcagga	gagcaagatt	ctgtctctct	45060
aaaaaaaaaga	actttgatgt	gaacatttag	agacagacac	tagtgagat	accagaaaga	45120
ctgtagtgtc	cctgtccctg	ggaattctag	gaacagcccc	tagatgtcca	gctgggtgaa	45180
acctcatata	tggagtcttc	cccagagaca	ggggactggc	tgagttgacc	tcagccggtc	45240
ccggaagcct	cctgacctc	tccgtacctg	aaaccagcg	tagaggagaa	acagtggcag	45300
gatggccaca	gtggccagtg	gggtagccac	tgccaccacc	aggctgacct	ccaggagtcc	45360
aaaggcgtac	atcagcaggg	accggagttt	gtctggaatg	tccacgtcaa	cctgtgtctgt	45420

ctcccttgag aagcggttta gcaggtgacc aatgggtgtc cgctcaaaga agctgatggg 45480
 agatgcacc acatcccaca ggagcctctg gaagagcaac ctggatgccc gggccccacc 45540
 taggagcacc gcagccatgg aggcaaacag cccaatggct ggggagggag aggaggtaag 45600
 agcatgaggg ctggagaccc tcaggagcgg ccacggggc cctgcgcagg tctctccgc 45660
 taccocatgg tggacatctt atggcttggc caccctgatt attatatattt tttgagacag 45720
 ggtctcactc tgtcacccat gttgaagtgc agtagcatga tgatggctca gtgcagcctt 45780
 gacctcctgc actcaagcga tctcctgcc tcacctccg agtagctggg accacaggtg 45840
 tacgccacca tgccgggctaa tttgggggtat tttttagag atgggatctt gctatgctgt 45900
 ccaggctggg ctogaactcc tgggatcaag tgatctgcct gccttggcct cccaaagtgc 45960
 tgagatgaca ggcagagcc actgcgcctg taccctgctt gtttcttgat gtaatgggtt 46020
 gaagagtgtc ccccaaaatt catttgggat gggtcctaaa ttcagtgaact gccatttata 46080
 taagaatact agaggatact cagagacaca gcaggagata tgaagatggg gacacagatg 46140
 ggaggggtgta tctacaagcc aaggaatgcc agcgactgcc ggcgaccacc agaaaccagg 46200
 agagaagcct ggggtgtatt ctccatcaga gcctccacga ggggcccggc acagtggctc 46260
 atgcctgtaa tcacagcact ttgggagggc aaggcgggtg gatcacctga ggtcaggagt 46320
 tcgagaccag cctgagcaac acggtgaaac cctactaaac cctactctct actaaaaata 46380
 caaaaattag ctgggcgtgg tggcaggcac ctgtagtcct agctactcag gaggcttagt 46440
 caggagaaac actggaaccc aggaggcaga ggttgcagtg agccataagc cgagatcgtg 46500
 ctactgcact ccagcctggg tgacagagca agactccgtc tcagaaaaaa caaacaacaa 46560
 aacaaacaaa aaaacacaaa aaacctccac aaagagttaa cactgctgac accttgattt 46620
 tagacttcag gcctcagaac tgcgacagaa caaatctcaa ttgtgctggg ctcccaagtt 46680
 tgtggcaact tgtttggcag tagccctgtg agagaaatgc acatccttc tccagtgtc 46740
 aatctgtatg cctgggggtg ggctaacttc tctctgtggg tggggcaaat ttcacccatg 46800
 gccaatccaa accactgcag ttggttcagg gatgaacaca taaccacagt caggccaatg 46860
 acaggagagc ctgggaacttc actagaactt ttggaaaagt ggtacttggg tgttggaggt 46920
 agccaagctg gagctgtgga atatcatctt actgccaggg gcagcagcta agctggacag 46980
 gaagctgtca cagaggaggg aaataaagcg atttcttgtt tggacccta catccagcca 47040
 tacctgaagc cagaaatcta gggatactgg tcccaagagc caatcaattc tcttgttgc 47100
 taaacacttt gaattggagc tgaatttgtt tattttcaga cggagtctg ctctgtcacc 47160

caggctggag tgcagtgggtg caatctctgc tcaactgcaa ctcacactcc caggttcaag 47220
cgattctcct tcttcagcct cccaagtagc tgggattaca aacactgaca ccatgcctgg 47280
ctaatttttg tatttttagt agagacgggg tttcaccatg ttgccaggc tgatcttgaa 47340
ctcctgacct caagtgatec acccgctcgc gctcccaaa gtgctgggat tacaggcatg 47400
agccactgta tctggcctgg agctgaattt tttattcttt gtattcgaga gtcataacca 47460
atttctctct ctcagctccc atctctccat ctttagggga gagtaagact tgcccttagc 47520
tatcaaatga gggatggaag tggaaggatt ttgaaagggc tatttgccac ccaaatgagg 47580
atttgggtta attccagggc tcggctgact ctgagaatcc ctaatttcct cttgggttaag 47640
taaccattcg ccttgagtat tccactgtac atgcagttgt ggtgagtagg tgtacagggtt 47700
cttaggacta gaagagtcct caagttcagg cctggcgccc cctattttac aggggagggtc 47760
acaggctcac agcatttttg tgatgtggcc aatgtcacc cagtgaatgag gacgaatcaa 47820
catgaaaacg aggcaactgt cctttaaaga tgaagccagg ccgggcgtgg tggctcatgc 47880
ctgtgatccc aacacttttg gagtttgagg cggaggattg cctgagcca ggagtttgag 47940
accaggccgg gcctgggtgg tcatgcctgt gatcccaaca ctttgggagg ttgaggcgga 48000
ggattgcctg agcccaggag tttgagacca gcctgggcaa cacggcgaaa ctgtctctat 48060
caaaaacaaa aattagccag catggtggca tgtgcatgta gtcccagcta ctcgggaggc 48120
tgaggtggga ggattgcttg agcccaggag gcagagggtg cagtgagccg agttcgtgcc 48180
actgcattcc agcctgggtg acaaagccag acccagtcta tatatatgtg tgtgtgtgta 48240
taaataagaa gccaaactca catgtgcact cctgttact ccttcagcca ggccacgtat 48300
taaaaggaga agaaccaggg gttggggaca ggggtgggca ggcaggagaa ggggtgggtgt 48360
ggttgcaaaa gggcaacacg agagcgctc gtggtgacgg tgttgttcag tatctcaact 48420
gtcaaccatc gtgatggatg cgagagactg aacaggggat acgactgcac agaggcaaac 48480
atgcgcacac ccacgtgcaa gcaaaactgg ggaaatcaca atgagatcca tagggccggg 48540
tgcgggggct cacacctgta atcccaacac tctgggaggc cgaggcgggc agatcatttg 48600
aggtcaggag tttgagacca gcttggccaa catggtgaaa cccatctct actaaaaata 48660
caaaaattaa ccaggctgca cacttgtaat ccagcttcc agctactcag gaagctgagg 48720
taggagaact gcttgaacct cgagatggg ggttgcatg agccgagacg gcagcactgc 48780
cctccagccc gggcaacaga gcaagactct gtctcaaat aaaataaaca aataaataaa 48840

taaataaata attgagatcc atggattgat ggggtgtcagg atcctttgtg tgatacttta 48900
 ctatcagttt gcaaaatata accaatggga gaaactgggc agactgttca aggtagctgg 48960
 ctgccttatt tcctagaact gcatgtgaat ctacaattat ttcaagaaga agtctttcca 49020
 tttttgacga ggagaagaag gagtgatagc ggtgatgcat ttgttaggga gggctctggct 49080
 ctgtctggag gtttgggggc aggcactgaa agccaccagc aggcaggcct tgcagacgcc 49140
 ttccgctagt ggggaggggac tgggagaggc tctgaagctt ccagaaaagg agggatgtgc 49200
 cctgtccttc ccgttccctc cagcctcatc ttaaggacac agatctttgc ctggacocca 49260
 gacgttttgc aactgttcc agggggacag ggtgaccag ggaggggtgg ggtaaaggag 49320
 tcctgagcac cccttgggtgc agctgggagg agagggatga ggagggcagg tgaggcgtac 49380
 cttggagaca gccgaggagc ccgaagatcc cgccacgcag ggctgcctgc gtctgctgcc 49440
 cacctactgc agggctgtcc gccacaggc tcagccagta gcccggcag aaggaggcca 49500
 cttgctggca gaggaagagg aagagtgcgt agaggcagag ggggtgccc acggcacgca 49560
 ggtaggccag gtgcactgtg gccttcacct gtagcacaca tgagggagag ggaggcagag 49620
 agagcccca gtgggagggg tgggttgagg caaggccagg cgaggctccc agaaaacatg 49680
 cccatggcag atgggaccac cagcagacc tcaccggttc tcccgctgtg cctcccacca 49740
 ggagcaccat tccccgaca gggcccagcc agccttagaa ccccatctc ctatacaatc 49800
 cccagggagc tagtattaat attttttctt ttcttttttt ttttttgagg acagggtctt 49860
 gctttgtcgc ccatgtcacc caggctggag tacactggca tgatcatggc tcaactgcagc 49920
 cttgaactcc taggctcaag taatcccccc gcctcagcct cccgagtagt caggactaga 49980
 ggtttgtacc accatgtttt gttaattttc atagttttaa agagatggag tctcgtctgtg 50040
 ttgccaggc tagtctcaga ctctggcct caagcgatcc tccctcctcg gccttccaaa 50100
 gtgcttggat tacagggtgtg agccaccaca ccagctaga agggttttct tgaacacca 50160
 ccataggtca ggcattgtgc tctccttata acaacctcca tttcacagat aaggaaactg 50220
 aggcacagag aggttcagcc actggcttaa ggtcctgctc ctacaaatct gaagttctct 50280
 gcacagctgc agccaggcgg gactgttgaa aacattaatc taattatata ttgtcgttgg 50340
 cctgtccatg gctatctctt gctcttagaa gaaatcccag ccaggagggg tggctcatac 50400
 ctgtaagcac tttgggaggc caaggcgggt gtgtcacctg agctcaggag tttgagacca 50460
 gcctggacca acgtagttaa acccgtctc tactaaaaat acaaaaatta gccacgtgtg 50520
 gtggcaggca cctgtagtcc cagctactcg agaggctaag gcaagagaat cgtttgaagc 50580

caggaggtgg aggttgcagt gagctgagat tgcgccatta cactottctc tgggcgacaa 50640
 gagcgaaact ctgtctcaaa aaaaaaaaaa aaaaaaaaaa aaaaagaaag aaagaaagaa 50700
 agaaagaaat tccaagcttc ttatctcgcc cccactcact gcctgccagc ctcatgggac 50760
 ccctttctct ggcaccctaa gctacttccc acctcggagc cattgcacct gctgctctct 50820
 ctgcctggag cgctctttct cctgcccttt gtatgattga ttccttcaca cattcttttg 50880
 ggaagctcaa atgtcacttc tcagagcacc ctgtccatac caaccatggg atgggtttctc 50940
 agtgggtctct atttcatcat tctttctttt aagaggcagg gtctcactct gtcacccagg 51000
 ctggattgca gtgacatgat catagctcac tgcagcctcg aactcctggc ctcaagcaat 51060
 cctcctgcct cagcctctga aagtgttggg attacaggca tgagccactg cgctgatca 51120
 ttcttatttt ctttatagca cttattgtta ttggacatag cttacttatt agcataatta 51180
 tttactctcc gtctatcttc actagtgtct aatctctacc agacttagcc tggcacatag 51240
 tgggtattgt gtacatgttt gctggatgga tgaggagggt aggtgggtga ataaatgagc 51300
 ggggtggtag gtaggtagggt gtgtgaatga gtggatgaat ggatggaaag atcaatgaat 51360
 ggatgaacag ctgaacagac agatgcatag gtgagggaat ggttggatgt attgttaggt 51420
 gggatagatg gatgggtaag agaatgggat ggataaatga gtaggtgggt gagtggatgg 51480
 gttggacaga taaatgagtg ggtgggatag atggataaat gagtggatgg gatggacaga 51540
 taaatgagtg cctgggatgg atggataaat gagtgggtgg ggatggataa atgagttggt 51600
 gggagggatg gataaatgac taggtgggat ggatggataa atgaatgggt ggggtgggtgg 51660
 catggataaa tgagtgggtg ggatggataa atgagtgggt ggggtgggtgg gatggataaa 51720
 taagtggatg ggatggataa atgggagggt gggatggata aatgagtagg tgggatgcat 51780
 aaatgagtgg gatggataaa tgagtgggtg ggatggctaa atgagtggnn nnnnnnnnnn 51840
 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnngtaggtg aatggatggg atggataaat 51900
 gagtgggtgg gatggatagg tgggtgggtg gatgagcacc taggtggatg atggaatggg 51960
 taagtaggtg ggtggagata catagcagta tagaagatga gaaacagtgt aagcttcaga 52020
 ctgagattgg cctagatttg agtcccagggt tgtgtcccag gctagatatg aaaacacaaa 52080
 caagtctctt aactctttaa gacttcagtt tcttggctgg gcacagtggc tcacacctgt 52140
 aaccccagca ctttgggagg cagaggccag aggatcactt gagcccagga gttccagacc 52200
 aacctgggca acatggcaaa acccatctct actgaaaata caaacattag ctgggcatgg 52260

tggcacacgc	ctgtagtccc	agctacttga	gagactgagg	taggaggatt	gcttgagccc	52320
aggaggtcga	ggctgccgtg	agctatgatt	acatcactgc	ggtccagcct	gggtgagtga	52380
gcgagccact	ttctcaaaat	caaaataaaa	taaattttaa	aagaattcag	tttctttatg	52440
tctgaaatag	acctatcata	tctatTTTTT	agggtggttg	tgaggattaa	gaaaatgaac	52500
atctagaatg	ctactggcac	atagtaggtg	ctcaagaaag	gtgagtatca	ctgccaagtg	52560
ctacatTTTg	tgaggaggact	tgggcccttg	gaggtggcac	agtgggtggg	gaggggtggg	52620
tgaagctggt	ggttaccctg	ccgtattgga	tgctgtcctt	tctgtctggc	catcctgccc	52680
tgtcagggtc	atccagagga	acctctgtct	gggcttctga	agtgggtacg	tccttctcag	52740
ggactgactt	gatggacctg	tcatttagag	gaaatgaaga	caaagtcagt	atctctccca	52800
atggtggggg	gtatgtgcct	aaccctcagg	ccactgaca	gccactgagc	tctgggtaca	52860
ctctgtactc	tttcattcat	tcatttatct	aacagaatac	tgaccagata	tcacacttcc	52920
cttcttccca	tatggtaccc	agctaaatgc	catctattac	cccaggggtc	agcaagccca	52980
ttcttctgat	gccaatccac	aggatgaact	taacttgccc	accattggaa	ctctgttctc	53040
agaattttct	ttctTTTTTT	TTTTTTTTtg	agatggggtc	ttgtgtcatt	gcccaggttg	53100
gtctcaaaact	cctgagctca	agcaatccac	ctgcctcagc	ctcccaaagt	gctgggatta	53160
caggcatgag	ccaccatgcc	cagcctgttc	tcagaatttt	tattttggct	taagctttcg	53220
tgcaattggt	ttgttcctac	tgtataccat	cagatttgct	agtccaactg	gcagaatata	53280
aattatgcac	aattcagatg	ctaaagactc	tttgaatggt	ttatctgtgg	atgagtaggc	53340
tgacttaacc	tctgtgcctc	agtttcctca	gctgtaaaaa	taggaatatt	atctatctat	53400
ccatccatcc	atTTatccat	tcattctacat	acctgtatat	ctacatatata	atgtctacct	53460
accttctatt	aaattgaggt	tagcccaaag	ctgcctcctt	acatatTTta	agtttggcct	53520
aaaggTTTTc	cccgtacata	gtgaactgta	acctaattgg	actcaaacag	actgcaacct	53580
actcctgtgt	caatcactga	gtttcagcca	atcaaaggca	accaaccgtt	caaaccatgt	53640
tccaataaaag	caaacgctga	gctgtaacca	atccggctgt	ttctgtacct	cacttctggt	53700
ttctgtcctt	caccttcctt	tttctgtcta	ttaatctttg	accccggtgg	tgtaccagag	53760
cctctctgga	cgtattctgg	ttcagggact	gccgatgtg	cggatcatto	tttgcttagt	53820
taacctctgt	tagccagggtg	cagtggctca	cgtgtgtaat	cccagcactt	tgggaggctg	53880
aggcaggtgg	aacacctgaa	gtcaggagtt	tgagaccatc	ctggacaaca	tggcaaaacc	53940
ctgtctctac	taaaaataca	aaaattagcc	gggcctggtc	acatgtgcct	gtagtoccag	54000

ctactcaaga gactgaggca tgagaatcgc ttgaacctgg gagacgggga ttgcagtgag 54060
 ccgagattgt gccattgcac tccagcctgg gcgacagagc aagattctgt ctcaaacccc 54120
 gcccccccg caaaaaaaca aaaacotcag acacattaaa tttgctagag gttaatattg 54180
 cacaatctcg gctcactgca acctccgcct ccgaggttca agtgattctc gtgcctcagc 54240
 ctcccagagta gctgggacta caggcacatg ccaccacgcc ggcttttttt tttaaattta 54300
 cttatttttt attttttagta gagacggggt caccatgttg gccaggctgg tctcgaactc 54360
 ctgacctcta gctagtgatc caccgccttc agtttcccaa agtgctggga ttacagggtg 54420
 gagccaccgt gcccagcctt aatgtgtcta ctggttttct tttaacatga ctacctatcc 54480
 atctgatctt acttcagatt cttgtgcgct gtgaagggtg tgggatttct cagtgtgtgt 54540
 gtgattgaga agtgccctca ggggtggttag ctgggatggg ggtcagcccc aatgggtcct 54600
 ggggactgag gcccctcaag atcgctgcg cccaccaccc ctgtatagca ggcaactaag 54660
 ctcaggccat ctggtatcag tggcctgttg ttctgcttcc caagaccct ctcattaaga 54720
 ggggagagta tcaggcagca ggtccttctg ctgcagacag ctccacagtg aaccacagtg 54780
 tgtcctggct ggaggagct gagaaaagag gggaccggag gcctcctcct ggccccctgc 54840
 ccacgtgttc tggccagcgt caagtgatgc tgtgcataca gaccaagcc ctgtgcatag 54900
 ccagcctgtc aaagcataag tggccggggc tggcatggtg gtttacagct atggggagga 54960
 accagtcttg ccctactgca gcattcagac aactccagca agctggcctc ggccccactg 55020
 aagacatcca tcaattggaa ggcatattgt tcattccatg aactggcctt atgggggct 55080
 aatcatcttg gctaactgga ccaatttttg taaattatcc ctcagcaggg caccatgggg 55140
 ggacttcagc aggttctcta tccataatgg ttttggttgc ccgcctaact gcccagatg 55200
 cgggtggtcc cttcagctac ttcagcttca gcctgtgccc ttctgagtgt ggcaccatgg 55260
 tggactcacc tctcgcgtct aagctcgggc ctctgcctg cagaggtgcc tctggggctc 55320
 ttggtgctgg tcccagggtc tgtttctgca aggtcaagag agtcctgtca cgcaacacgg 55380
 cccagatacc cactttgaca cccactgact atgtggcctt aaccgctctg accatccatt 55440
 tcccctgac tggctcctgc cacgtctcca gcaacctctc tcaacacccc actctgagtt 55500
 cttccaggaa catccttcag gcattcactc actcattcat ttcttcaatc agtgataact 55560
 gagcacctac tatgaacttg aggttgga aaacagcattt aacactgtac aaagtcaagt 55620
 tacctctgtt tcccccaaca gccttgcctc agcagttcct tgtgtctgga atgctctttt 55680

ctggctaact ctcacctacc ctcaggtacc atctccccta ggaaggacac ctccccacca 55740
 ctatccccca ggtgtggcca gtaactgaaa gcaaactctgt agtagtttaa ccacagacct 55800
 gtaagcaaca agtaactgct actgtaagct gctaggattt ggggggctat ttgttacaca 55860
 gcatcatcac agcaaaagct gaccaacaca aacaggcaag ttctatcttc aagcttcagg 55920
 actgtgacat tgtgaatcaa cacttaaggt ttttaaccagg ttgggcccagt gctaagcaga 55980
 tgtttctcaga agaagcaaag cctgagattg agggagacct ggatgtgaat ccttgctttg 56040
 tcatgaaggg atagtgtaga gggtagcaat taaaaaacac attctctgga atcaagttgc 56100
 ttgggttcaa atcccagtgc tgccacttac aagccatgta acctgggact agttccttaa 56160
 cttctgggcc tcagtttcct catctgtgaa atggaaatga ttctagtacc agcctcacag 56220
 gggcattatg ttgattaaat gagctaacct ctgtgatgtg ctgttagttg ctacttttca 56280
 gtcattgtga gtgagcttgg cttggcaact ttacttccag aaccttgcca tgtatccagc 56340
 aactgtttt tttggattat tagaaacct agctagcatg gtgtagcttg ctaggcatca 56400
 aagtccttct tgggctgtct ccatagcaac tgcaagcata gactctggag ctggacatac 56460
 tcaagttcta atcttgtgac cttgggcaag tgatttaact ctctttgcct cagtttgctc 56520
 atctgtaaaa tgacagcaat aacttcacat gcctctgggg catgtgtgag aatcaaatga 56580
 aatagtgtat tttttacaga agcacttagc acaaccctg gctcatggat gatgttatcg 56640
 gctattcttg gagaaagggtg acctattaag agagctgtct gcttccaggc ctaggcctgc 56700
 agacagggtg tggccagagc actccattca tgccagtagg acccttogag ctttttcccc 56760
 caagggtggc aggagccagg cctggagaat cagcaaagcc cacctagtac ctcttctccc 56820
 tctatctcct ggctgtctgg cttgatccag aagacacacg agggccccct tcctctgcag 56880
 aagctcctgg taggaacca tctctgcgat ggccccattt gccagcacta tgatccaatc 56940
 agcctggggc aggatgtgga gtgcgtgcgt cacgagaatc cgtgtctggg cagggaaggg 57000
 gtagaagtta cacacatgtg gccgggtgca gtggctcatg cctgtaatcc caacactttg 57060
 ggaagccaaa gcatgtggat cacttgaggc cagaagtctg agaccagcct ggctgacagc 57120
 gctaagccct atctctacta aaaatacaaa aattagctag gtgaggtggc gcacacctgt 57180
 agtctcagct actttggagg ctaaggcaag agaatcactt aaacctggga ggtggagctt 57240
 gcagtgaggc gagattggac cacagcactc catcctgggt gacagagcaa gactctgtca 57300
 agaaaggaaa gaaagaaaga gaagaaaaga aagaagaaaa gaaaagaaac aaaggaagga 57360
 aggaaagaga gagagagaga aagaaagaaa aaaaaaatgt acggccgagc gcagtggctc 57420

atgcctgtaa tcccagcact ttgggaggcc gaggcagatg gatcacctga ggtcaggagt 57480
 tcgagaccag cctggccaac atggtgaaac cctttctcta ctaaaaatac aaaaaattag 57540
 ctgggcgtgg tggcgggcac ctgtagtccc agctactcgg gaggctgagg caggagaatg 57600
 gcgtgaaccc gggagccgga gcttccagtg agcggagatc gcaccactgc cctccagact 57660
 gaaagacaga gcgagactcc atctcaaaaa aaaaagaaaa agaaaaaagt tacacacatg 57720
 tgcttgGCCa gcctcctgag ctgggggttg gggTgggggt attgtccctg gactcagagt 57780
 ggggacagct ccccttcttg tgctcctgcc gcctttcttg taaacagcat atccaaatag 57840
 agaaacagag gggactccct tagcctgtgt ctcaaaacaa gaagacaagg agtacatctg 57900
 accctggcca atcatccaag gcaaagctgt agtagttaaa tcacagatcc ataaggaaga 57960
 aacacctgct gttgtaagct gctgggatct gggggttggt tgttacatag cattgtcaca 58020
 gcaaaagctg accaatacaa agaggaaatt ggactcaagt ggaaggggga ggtgagataa 58080
 acttgggtta ggactggatg ctaagtgctt cctctgcctt tgccctgtac tgtctgacac 58140
 atgttcccaa acttactgtt ccttgagta gccaccagg cccaatgacc tggttgaaga 58200
 catgctggcc aacgtgggca tccagggccg ccaggggggc atccagcagg tacacagctg 58260
 cctttctgta tacagcccgg gccaggctca gccgctgctt ctggcctccg gagagattca 58320
 tgccctgtgg ccacaaaagg aacagtggcc tgagtcagca tctacagggt gaaactgggg 58380
 tgcccaggct gtggcaggtc agggcacacc tgcccatcag ggtgaggtag agctcaacat 58440
 gcctattccc tggggacagg ccagcttcc aaggcactcg ctctcaagcc aacaatgcct 58500
 ccatecttac ccgacctcac ttctccactt cccaagcacg ctctctggag gagttaccta 58560
 cacttcccaa tccactctgt ctctcctgc tcaactctctc tatctctttg agtccaaactc 58620
 ttgtttccct ttctccactg agaccaccat ccatttccct attccctcat ccagtggcag 58680
 cttttcagtc ctacttttgt attttaaatt ttaattgttt tcttttagtt ttcatgata 58740
 tgtaatagtt gtaactattc gaggggcaca agtggtatTT ggatacctgt agggcagtgg 58800
 tccccagcct ttttggcacc agggaccagt tttgtagaag acgatttttc catggacctg 58860
 ggggcagggg gatgggtccg gggatggttt caggacgatt caagcacatt acgttgattg 58920
 tgcacttcta ttattattat tactgctgtt gtcgttgTTa ttattgagat ggagttttgc 58980
 tcttgTcacc caggctggga gtgcaatggc atgatcttga ctcaactgcaa cctctgcctc 59040
 ctgggttcaa gcaattctcc tgctcagcc tctgagtag ctggaattac aggcaccac 59100

taccacgcct ggctagtttc tgtattttta gtagagatgg ggtttcacca tggtagccag 59160
gctggtctcg aactcctgcc ctcaggtgat ccgcccacct tggcctccca aagtgctggg 59220
attacaggcg tgagccactg cgcccgccct acttgattta ttattgcatt gtaatatata 59280
atgactcacc atcatgcagt atcagtggga gccctgagct tgttttcctg aaactagata 59340
gtcccttctg gggatgatgg gaggcagtga cagatcatca ggcattagat tctcataaga 59400
tccctcacat gtgcagttta cagtaggggt tgtgctccta tgagaatcta atgctgccac 59460
tgatctgaca ggaggtggag ctcaggcggg gatgggaaca ataaggaatg gctgtaaata 59520
cagatgaaac ctcactcgcc tgccctctgc ccacctcctg ctgtgctgcc tgcccagttc 59580
ctaacaggcc acagactggg gctgatccat ggcccggggg ttggggaccc ctgctgtaga 59640
caatatgtaa tgatcaaac agggtaactg agatagtcac cacctcaa atttatcttt 59700
tgtattgoga acacaacac cttctcttc tagctatctt gaaatataca agtaaagat 59760
cattaactat aatttccctt gtgcactatt gattacttta acttattcct tctatctagg 59820
ccttcttgct tttcattcat tcttttaaaa cttattttta tttatttttg agatggagtt 59880
ccactctgac acccaggtg gagtgcaatg gcttgatctc ggctcactgc aacctctgcc 59940
tactgggttc aagcgattct cctgcctcag cctcccaagt agctgggatt acaggtagc 60000
caccatgcct ggctaatttt tgtattttta gtagagatgg ggcttcacca tggtagccag 60060
gctggtctca aactcctgac ctcaagcaac cctcccgcc tggcttccca aagtgctggg 60120
attacaggca tgagccaccg taaccagcca ttcattcatt cttacattca gtcattccac 60180
taataaccac tgctcgtta tcataaacca ggcatgggtc taggctctgg agaaacagca 60240
atgagcaaaa caaagttgct gctctcttaa tggatccatc attctcatga aggggacaga 60300
gacaggcaat ccataaacia gtaaggcaga cagcacatca ggtggaaagt gctatgaaga 60360
ataaatagta aagcaggggg agccaggttc aggggctcac gcctgtaac ccagcacttt 60420
gggaggcgga gctgggtgga tcaactgagg tcagaagttc aagaccagcc tggccaacat 60480
ggtgaaaccc catctctact aaaagtacaa aaaaaaatta gccagttgtg gtggtacatg 60540
gctgtaattc tagctactca tgaggctgag gtgggaggat tgcttgaact actcatgagg 60600
ctgaggtggg aggaatgctt gaactcagga ggtggaggtt acagtgagcc aagattgtgc 60660
cactgcactc cagcctgggc aacagagcga gactccgtct cagaaaaaaaa aaaaaaaaaa 60720
gagaaaaagc aggtgcaggt gtagggtgca ctaacaatag tagggtggct gtggtggtag 60780
ataaggtggg caggaaaggc ctctctgtga aggtgataga agtgagggat gagccctggg 60840

gactcctggg gagagctttc cagcagaggg aacagcagtg caaaggccct ggggccagag 60900
 tgtgctgtgg gggatcaggg aatatcacag agactaaggt ggctgcagta aagctgagag 60960
 gtgatgatgg gagatggggc taatggatac cagagccagg tcacagggac cttgccaggg 61020
 attgtcatga cttgggcttt gtctctgagg taaatgggga gatcacctga ggtccggagt 61080
 ttgagaccag cctggccaac atggtgaaac cctgtctcta ctaaaaatat aaaaattagc 61140
 caggtatggg ggcattgtgc tgtaattcca gctactcagg aggctgaggt gtgagaattg 61200
 cttgaacgtg ggaggcggag gttgcagtga gccgagattg catcactgca tgccagcctg 61260
 tgcaacagag caagactctg tctccaaaac aaaacaaaaa acaaaaccac aagtgggtggg 61320
 ctggatttgg cttgggggtca cagtttgcca acccctgccc aatccatagc tccagatgca 61380
 tatatcctgt ttcttggaaca tctctgtcca gacccttgg tgaggcccag agaggggaag 61440
 caattacacc aacattactc agcaaggcag ggcagagtaa gacaggagtc taggtcttct 61500
 cactctcagt tgtcagagag ctctcactg ccaatccctg ccacaactcc ctgcctctct 61560
 ctttgtgtct atttctgctt atcaattagt gattacgtat tgagcaccta gcacgtgctt 61620
 gacgtgagc tgagcccttt ttctccgcta ctccctaac cattcctctc atttctccat 61680
 catactgccc atgatgagtc ggggacccaa atgactccca actgcaatgt ctccctgtcc 61740
 caaaaagacc cccaaactct caoctgctcc ccaattgaag tgtggattcc ctcagggaag 61800
 ctgtccacat ctggctgcag ggcacaggct tctagtactc tctccagcca ggggtgggtcc 61860
 agctcctgcc cgaagcacac attctctacc acagaggtgt tctgcacca ggcctcctgg 61920
 ggcacgtagg ccacagcacc ctaaaacaca acttactttg gtcacaggag gatgatgggg 61980
 acagaggtgg gataggtttt gaggagcagt gggagctggg ctctcagtgg tgggtgagag 62040
 gtggagagaa tgagtgaag tgaacttggc tgggatgggg aggttgggaa ggcagcgagg 62100
 aagtgggact ttcaggatgg ggacatccta gcagacaggc tgggggtggc ctcacctcga 62160
 tgctcacgaa cccctccacc tttgacagct cccaaggag ggcggacagc agggaggact 62220
 tcctgcccc cactggaccg acaacagcca gcagacagcc ctggggcacc gtgaggttta 62280
 ttctggacac gcaagagggg agacatgacc ttggttaggg ttcagcccg cctctgtgagg 62340
 aaggatgagc ccagacgga gctgagcttt cctgctctgg gagtctcaa gaggacctgt 62400
 ggggctgttc ttttcccag tccttgtcta gctatttgag gaactatcct gtgcacatct 62460
 gtgcatgtac acatgcacac aaagcgtgca cacatgcatg cacatttgca cactcataca 62520

agcatgctag catgcacagc aacacaatgt gggcacgcat ccacacacac acaagtgcac 62580
 gcacataccc aatcaatcca tgctcacacg catacatgtg tgcacacatg cacaccacgc 62640
 acacacacac agggttgact atagcctgag ggtttcacca gcctggcctc ctgccttggc 62700
 tcttgcgata aataggctct ttctccctc cctcccgcta ctcttggtcc cgccccactc 62760
 ctgtccacgt cccacagccc atcctccacc cagtgaaccag agggatctgt taaaacccaa 62820
 gtcagatcgt gacacttccc agctaaaccc gccagcactc ccatttcact caggggtcaaa 62880
 gctaaagtcc tgacgatcag gaatgacatc tcccgctcc ttccgctctg tgccctcagct 62940
 gctcggccct ggcccttgctg acctccttgc tgtttcttga acacaaaagg ccagtggttc 63000
 tcaccagggg gtgactgcat ccccaggag tcatttggca agatctagag atatttttgg 63060
 atgtcacaa cagtaggggg tgctgctggc atctagtggg tagagactgg ggtcagctaa 63120
 acatcccaca atgcacacga cagcccccaa caaaggagtt tcagcccaaa atatcaacca 63180
 tgctgaggtt gagaaacca ggtccaggca ctctcctgcc ccaggacctt tgctgatgcc 63240
 attcccaccg cctagaaggt tcttctccca ggccggggcac ggtggctcat gcctgtaatc 63300
 ctagtccttt gggaactgag gcaggtggat cacttgagggt caggagttagg agaccagcct 63360
 gacgaacatg gtaaaacca tctctactaa aaatacaaaa attagctggg tgtggtagca 63420
 tgccgctgta atcccagcta ctcgaggagc tgaggcagga gaattgcttg aatccggaag 63480
 gtggagggtt cagtgaaccg agatcatgcc attgcaactc agcccgctg atagagcaag 63540
 actccgtttc aaaaaaaaaa aaaaaaaaaa aaaaaaaga acagctcttc tcccagacac 63600
 tccttcctta tgatctcggc ttgaatgcaa agccttcctt cgctagacat gccatcgtac 63660
 tctgttcctt tgctctgggt ttctgtttgg gcctcacctc tatcagcatg tcacccacg 63720
 agagcagggc ccttgtctgt ttcttcgcc ctatcccaaa tacctagaac agagcgtggc 63780
 ccatacctag tgctctatcg atgaagtgag tgaatgacaa ccaatacaaa tactacctgg 63840
 ggcataattc ttctcttctt agggagtctt agggctgtct gagatttttg gccacaaaga 63900
 ccaagcgata gagttggaga ctatagatga tcatgacctc ggactgatac aggaggcaca 63960
 gaagtgaaca cagctgatag ggctgaacct tggggctcct ctcagccagc cctcccttgg 64020
 catcgtcttg gccagcctgg gagcacaggg gtgtctcccc ctaatggggg aggctcagat 64080
 gccctggctc ccgtctgcag gagatactgg tctatgctgt gcagggtccc accttcagga 64140
 ggtagagatg tatcctgaga acctccccgg cagagcccca gccagccaa acccaccctc 64200
 cagtcccagg ctggaaacct acaccacctc tcagggtggga ggcagcagga gccccatgca 64260

tcttctccct aaaaacatga ggctgggttac tacgggtgtc gttctgtacc tgtggaggca 64320
gggagggcctt tcttgggacc aggcgaaggt ggcactgtgt atggtgatgc aatccttccc 64380
ggcagctgca gggcacaaga ggccatttac aggagacccc tgacctggcc ggccctctgca 64440
tcggagaggc cccagggcac catccccgcg cccccccagg ggcagaggct gcaggaagaa 64500
atctctccca ctgaacaaat tgccctgcta ctactggct tgtgggtgac cccgcagggt 64560
tcttgttctg tccgtgtccc atggctacat aatccagggg gaggcaaact gtggcccaga 64620
gaccaaattcc tgctgtctgc cttttcttat aaataaagtt ttattggaac acggccacat 64680
ccattcattt ctctatttca tgctttgagc agttgtgaca gagactgtgt ggcccacagg 64740
cctaaaaatg gcacaatctg gtcatttatg gaaaaagtta gtgaatttct gaaataaatt 64800
atcatcaaat ccagccttc ccagagtga ggggggtgta ttaatttcac tgtggccggc 64860
acagtgtctc atgctgttaa tcccagcact ttaggaagca gaggtggtag gatcacttga 64920
ggtcaggagt ttgagaccag cctggccaac atggcaaaac cctgcctcta ccaaaaaata 64980
caaaaattag ccaggcgtgg tgggtgggcgc ctgtaatcac agctacttga gaggctaagg 65040
caggagaatt gcttgaaccc aggaggcgga ggttgcagag aaccaagatt gcaccactgc 65100
actccagcct ggatgacgga gtaagactgt gtctcaaaaa tactactgct actactacta 65160
attattatta ttatttcact gtgataacaa gtgtaattag attagtgggt cttgatcctt 65220
aagacgtagt tagaattgcc tgaaagattt tctaaaaatc aaagctctca tggcttagcc 65280
cagatcaatt aaattcatcg tcacaattag ctgctataac gattaacatg cccattttgg 65340
agatgggaac acggaagctc agagagatga tctacttgct aggatcacc agctagtcag 65400
tgctggggct gggatttgga cctgggcagt tgaatgccac aggctcggct tcttaccact 65460
atgtgggtgt tttccaggta cacagtttgc ccaggttcct cagtgcaca agggggaggg 65520
tgtcttggcc cgtggcataa aagaaggatg ggggtggagg ggaagcccag gtaacttgag 65580
cttggttaagt ctcatcgtgc aatggtgctt gaaatgctgc tattttccag cttgatcaaa 65640
atgctgtcat gcttattacc tgggactttc tgcatgagga caaggacctg gtctgttaga 65700
gcaggagtcc tcaaccccca ggccacagac tggtagcagt ctgcagcctc ttaggaactg 65760
ggccatacag caggaggtga gcgcagggca ggtgagcaga gtgtcatctg tgtttatagc 65820
cactcccat cactcccatc accgcctgag ctccacctcc tgccaaatca gcagcagcaa 65880
tagattctca aaggagcacg aacacttggt aactgtgcat gtgaggaatc tgggttgctg 65940

```

gttccttata agaatctaata gcttgatgat ctctgtctcc catcaccgcg tttggggcca 66000
tctagttgac ggaaagcaag ctcagggctc ccactgggtc tacgttatgg tgagttgtat 66060
aattatttca ttatatagta caatgtaata ataataaagg gcacaataaa tggaaatgtgt 66120
ttgaatcatc ccaaaaccac gcgcctctcc ccggtccgtg ggaaaactgt cttccacaaa 66180
accagtccct ggtgccaaaa agcttgggga ccactgtgtt agagtgttcc ctgttgtaca 66240
cccaggatgg tacaaagtgg gcgctcagtc agtggctcgt gaatggctag cagaaagaag 66300
agcagcacgg tgccagtttc caagtgcac gcagatggcg tgatctgcac gtgtcatcca 66360
ttgcccgcag ccccatctc ccccagtac tgatgctggc ttgccattat gggccgggggt 66420
ggccccaca tccccatcc ctcccacacc cctcctgcc gactcagcac tcaccgcttc 66480
cagaggaact tgagtctacg acaccagggt caacttcttc caggcagagg aagggtacca 66540
gacggtcaaa ggacaccgg gcttaggaaa accgaagccg caggtcaccg agcaagaaga 66600
gcaaagaact caggtttttg gtgtcgggtg ctcaagatgt gtggcaacag ctctctgtct 66660
accaagctct gtgcatagga ggcgtgagga caaagctttc tagttcatgg gaaacgatgc 66720
aaccgagtg gtgacctga tgggtggtgat ctcccacctc tgcgatccta caaatcagtg 66780
acaccgaagc aagccagctg ccattctgca gacaagatct gggaagagga tgggtggcttt 66840
tccaataagg ttatcaagcc attgtgtgga acaatttcaa atgttgtcca cctgggggcg 66900
ctctctccca gtcacaaacc catctttggg gaagaaagag accagtcgtt aaaatagaga 66960
ttaggccagg tgcagcggct catgccggtg atcccagcac tttgggaagc caagtgcagg 67020
aggatcactt gaggccagga gttggagacc tggggaacat agcaagactc tttgtttcta 67080
caaaaaatta aaaaaattag ccggatgtgg tggcccatgc ctgtagtccc agctactcag 67140
gaggctggga ggtagaagca tcacttgagt ccaggagttt gagcatgcag tgagctgaga 67200
tcgtgccact gcactccagc ctgggtgaca gactgagaca ctgtctcaat aaataaatta 67260
aataaataaa taaataaata aataaataaa taaataaggc ggccaggcgc ggtggctcat 67320
gcctgtaatc ctagcacttt gggaggctga ggcgggctta ttacatgagg tcgggggttc 67380
aagaccagcc tggcctggcc aacatggtga aacctgtct ctactaaaaa cacaataaat 67440
aaataaataa gactgggtgc agtggctcat gtctgtaatc agcactttgg gaggccaaag 67500
tgggcagatc acctgaggtc agcggttcaa gacctgctg gccaacatgg tgaaatctca 67560
tctctactaa aaatacaaaa aaaaaaaaaa aaattagctg ggcatgggtg tgcatgcctg 67620
tgggtcccag tacttggcag gctggggcag gagaatcact tgaatctgcg aggtagatct 67680

```

tgcagtgagc cgagattgca ccactgcact ccagcctggg tgacagagtg agactccatc 67740
 tcaaataaat aaataaataa aaataaaaaa taaaaaacat ggagatggct caggtatgcc 67800
 gccgtttctt gttttcacca tgctgaaagg actagagata gcaaaggaag agaaacaaaa 67860
 tcgcttttga taaaaaaggg aactgacatg attgotttga tgtggaattg ctgggcagat 67920
 ggacaagtat gcatgttctg aggtgtgtgt ggaaagggtc gcacattgcc ctccaaaggc 67980
 tgaccccttc cagatgtatt tgctgtactc tctgcccgcc tctgttcttg ccctaccgcg 68040
 cctcttttcc agctccacac catccctctc cctcccactc tgtcttccct ctctctgca 68100
 aatggcaggg gtagggaagc tggagccagg tgtagccac gcactctccc aggatggctc 68160
 cagcccttgc acccacctca cctggacgag ggagtggatg gagaagggca ggaaagcctg 68220
 ggccttggtg aggatgttga gaactgtgag agtcacaaag gctttctctg cattcatagc 68280
 attctcgccc accagagtgt ggacagcaaa caccaccagt gcgacctggg ggggtggggg 68340
 gacacgtggg gcaacagtga gacacgcaag catggatagg gcagcctggg caagctgtgg 68400
 tgccctgcac gtccatgtgg cccaccgcc atgtccgcat gtgcttccct ccgtagatcc 68460
 cactcccagt cctgctaaca catgtcctct ccgcagtcac aagctacata aggctctctc 68520
 taaagacaca ggcatttgct aatggtgatg agtgccgagc cccacggctc taggcatcac 68580
 tagaacctag gggagaacct aatgcctcta ggttccaggc atcgggggac agcagagttt 68640
 ttgatcttgg tagccctgtt gttctagacg tgggtggaact tgtgattcta gagtcccttg 68700
 gaagatgact ctaaagttgc aggcaggagc agcacttgag ggctctaggt gttggtgcca 68760
 tttgtggtgc tttttttttt ttttttgaga tgaagtcttg ctctgtcgcc caggctggag 68820
 tacagtggca tgatctcggc tactgcaac ctctgcctcc tgggttcaag tgattctcct 68880
 gcctcagact cccaagtagc tgggattaca ggcgcccgcc actgcaacca gctaattttt 68940
 gtattttttag tagagacagg gtttcgccat gttggccagg ctggtcttga actcctgacc 69000
 tcaggtgatc caccacctc ggctcccaa agtattggga cgacaggcat gagccaccac 69060
 acccagccta cgtatcaaat tttttaaaac tgtggtttag gaaggttgtt ctgacagcaa 69120
 tatgaaataa attacagaat ggcaggacaa ggatcacgtc cagtgcagg gtggctatgg 69180
 acatctgctg gccaggatca gggaagtcac tctgaccag gattctacct ctgccacccc 69240
 cctgcatctg taccctctc cccacatcg tagaagcctg gaactctctc tgagagttca 69300
 gcagacttta tcagccactg ccacctttgc tagaataata tgattaatta gttctttag 69360

aagacagcag ggacccagag agaacaggat ccagaatgag tgggttttga tggacggggt 69420
ggtaggatct ggggggctcc acctacctca cctgcccc acccccgcac tccttcccc 69480
gtgctgctca gcatagagac tagagtgaag tcaccagaaa tgtagacact tgggaaggaca 69540
ccagcgacac agagaagagg aggcggagg tccgcaaggc gccagctcc tggcctcgga 69600
tgcccaggac tctgtccaga aaggctccct ccagccatg gaacttgatg gtcttcgagt 69660
tcctgaggat agagctgggtg agccgtgcc gtgagtcctt ctgcctcatt tgctcctcct 69720
gggatcgag ggaanaagag agatgaagac agggacagtt gagaattctt cctgcaccc 69780
tgacagccac ccttcagcaa atccattca tctcacaaa ctgcgtccca aacctgtctg 69840
cctctcagca cctctgacct tcaactcctgg tccaaccacc atcatcctgt acctggactt 69900
ctgcaggagt gccctggga taatgtgcc cacggaggaa gcctctgatg cccggagaac 69960
agaggcagcc tgagcccacc tgggtatgac accatcagga aggctacctg gaggtgggtg 70020
atgcctgagc tacgtctttt ttttttttta ctttttacat tttttgtgga gttgggggtct 70080
cactatgttg cccaggttg cctcagctc ctgggctcaa gtgatcctct gccctcagcc 70140
tcctaaaatg ctgggattac agcctgagct aaatcttaaa tgaccaggaa gtgcgtgctg 70200
agcaggcaga ggatgggggg atggagctgg agaagaaggg aggggagggg cttgagatgg 70260
gggtgggggg tgggggctgg ggggtagggg ggtggcgggg gcagctaaaa cccaggcaca 70320
gggaatagca tgactcagag gacactcagt gtgaccagag gaccgtgtgg gcagggtcac 70380
ttggcacttt aaagtcaggc agaagaattc agggctctct gtgcttcacc atggggcggg 70440
ggcatcatca gaggggcagc tgctggaga aggttttact ttttgagacc gagtcttct 70500
ctgtcgccca ggctggagtg cagtgggtgt gtctcggtc actgtaacct ccgcctcctg 70560
ggttcaagcg attctcctgc ctgagcctcc cgagtagctg ggattacagg cggccgccac 70620
cacgcccggc taaattttat attttttggt gaggcagggt tatgccatgt tggccaggct 70680
ggttttgaac tcctgacctc aggtgatctg cctgcctcgg cctcccaaag tgctgggatt 70740
acagggtgtg cctcccaaag tgctgggatt acagggtgtc gccactgtgc ccagcctaga 70800
atgtttttaga ggagtccacg caggaggctg aagaaacagc ccaggtgaca gacggacact 70860
gggacagctg ggccaagaga ggaaataagt tccttcctc catcccccct ctctccctct 70920
ctctttcccg ccttttcttt ccttccttcc ctatctcctt tcttctctt tcctttgctt 70980
tcttccctct ttcatttctt tccctccctc cccctttctt tccttctct cctcattcct 71040
tctcttctc cctcaattct ttccttccct ccttccctct gtccttctc ccttttcta 71100

tctttccttc	cctccctcct	tttctctcct	tcccctccct	tcttccctctc	ctccttttct	71160
tcttccctcc	ctccttttctt	ccatagttca	caaacactta	ctgagaacct	tctgcctgcc	71220
aagcactaac	tagatgccga	gttggccaca	atcagtggcc	tgtgctgttg	caaagcttcc	71280
agttaaggaa	aacaaggcaa	tcaaccctgc	cgggtgcttc	ctgtaggacc	ctgtatgttg	71340
tgggaagtgc	tgtgggggga	aaaaagcaaa	aacaatccca	gggcaggcaa	aggagaggct	71400
gctgctggga	ggggagggat	ggacgtgcca	tttcttgct	ggagggtggt	gaggggaagcc	71460
gccctgactg	cagggagggtg	acagaggatc	ttcgggagtg	agggatgatcc	aggtggaggg	71520
aacagctaaa	gcgaaggcct	gcagggatgt	gtgagatcgg	gcaggtttga	ggatgggaga	71580
tgtgtgggga	aaggcaggga	aggaggggag	atgggtagaa	ggtgagggtg	gaagcaataa	71640
ggccagctca	gggcgggcct	ggtggggccac	tgtggggtct	ttggctcagt	ctgaggaaaa	71700
tggggccgct	gtgggtctga	gtagaggagg	ggtacaacgt	atttggtttg	cataggctctc	71760
ctctggctgg	gagtggagag	aggctgaggg	cagaggcggg	gagtgagcca	ggggcttgct	71820
gctgtgacct	gggttagaga	tcatgggggt	tggagagcct	atgctgggaa	gtgtgacatt	71880
ttggatgcat	tttgaagggtg	atgccaagca	aatctgctga	cagatgggat	gtgagagaaa	71940
aaggcattga	actgaccag	ggcctgtggc	ctgaacattg	gagggacgga	gccactgtcc	72000
attgagagga	tagggggagg	gggtgcaggt	ctgagtgatg	ggcagctcac	agacgacaag	72060
aacaaagcca	gaccctgtggg	ctgcactca	gctctccct	ccccatctcc	cacaccagga	72120
cctgtggctt	cctccctact	tctgcttg	tccgtccct	tcccaaaagc	caaacctgat	72180
ggtggttct	tttcttgag	atgaagaaat	ttagaggag	gaggctcagg	aagacagcga	72240
tggcagtga	ggcggagggc	cccaggagct	ggggatagaa	ggggcaggat	gtcaggagat	72300
cccaggagc	ccagctctca	gaggcacgtg	aaccagagca	actccatctt	gaataggagc	72360
tgggtaaaat	gaggctgaga	cctactgggc	tgcattccca	gacggttagg	gtattgtaag	72420
tcacaggatg	agataggagg	tgggcacaag	atacaggcca	caaagacctt	cctgataaaa	72480
cagggttcag	taaagaaggc	ggccaaatcc	cacaaaaacc	aagatggcta	cgagagtga	72540
ctcccgctcat	cctcactgct	acaactccacc	agcgccatga	cagtttaca	atgccatggc	72600
aacatcagga	agttacccta	tatgggtctaa	gaaggaaagg	catgaataat	ccacccttg	72660
tttagcatat	catcaagaaa	taaccataaa	aatgggcaac	cagcagccct	ctgggttgct	72720
ctctctatgg	agtagccatt	cttttagatc	tttactttac	taaaaaactt	gcttttgcc	72780

```

gggcacggtg gatcatgcct gtaataccag cactttggga ggccggaggc gggcagatca 72840
cctgagggtca ggagtttgag accagcctgg ccaacatagt gaaacacagt ctctactaaa 72900
aatataaaaa ctatccaggt gtggtggtgg gcacctgtga tcccagctac tcgagaggct 72960
gaggcaggag aatagcttga acccaggagg cggagcttac agtgagccac gatcgcacca 73020
ctgcactcca gcctgggtgg cagagtgaga ctccgtctca aaaaacaaac aaacaaacac 73080
ttgctttcac tttatggact cgccctgaat tctttcttgc acgagatcca agaaccctct 73140
tttgggatct ggatcaggac cccttttctg taacacagct gcagaccccg aagggtggtca 73200
gacttgggtc ctaagatggg gatgtcaggg aatctgataa gggcagccac cagggtcccag 73260
ggatctgtgc tcatggggtc tgctgtgtca ggagatgcct gctgaagggtg gggctccttca 73320
atgtcaggga gggaaacagc cctcttacac gatagggaga gagttatatt caagacagat 73380
tgtgcacaca cacgagtggg actggggggg gttcccagcc acaacagtaa agttgagacc 73440
tatggaatca ggggacctgg ttcaaactct gacctgaga gttttgagtg tggccttggg 73500
gcaagtcac tcccttaggt gcaattctct tgtctgcaaa atgggaatag agttgttctc 73560
atgtggcatt ttctcttatt gcgtttaatt attttcttaa tcttcatttc atccctcgca 73620
agggttggtc gatttagtaa atcatcatac agaatgccca gttacatttg aagataaaga 73680
gtgaataagg ttttagtcta agtctcgtga aatatttggg acatacactg agaaattctt 73740
ccgtttgtct gaaactcaca cttcactgaa tgtcctgtgt tttctctggc aaccctgctc 73800
ccccaccaac gtggtgattt tgggatggtt atcttcccc tctcagcttt ggtttctata 73860
tctggaaaat gtggaagtgg ggggtagaat aaatgatttt taagtgtgtg tgactttctg 73920
agattttctg acaggttatt tggaccctt ctcttgacaa gccccacccc aactccagtc 73980
tgtgtgcctc agtttcccg tctcagtcctt aggaacacta tgtttattta tttatttatt 74040
tgtttgttta ttttgagatg gattcttggt ctgtgaccca ggctggagtg cagtctcatg 74100
atcttggtct actgcaacct ctgcttccca agcgattctc ctgtctcagc ctctgagta 74160
gctgggatta caggcatgtg tcactcggtt aatttttgta ttttagtag agatgggggtt 74220
tcaccacgtt gcccaggctg gtctcgaact cctggcctca agtgatccac ccacctcagc 74280
ctcccaaagt gctgatatta caggtttgag ccaccccacc tggcctggga acactatttt 74340
ctaacattgg gccagtttgt ttcatattatg cggcaatggc gctacctagt ggctcaatgg 74400
agaagggcgc agagggtaaa caccagccca cagcagggtt tggaaaaaca ctcaaggaat 74460
gtgagcagaa gatgaacatc tctgtctggg ggaaaaatgg tatcattaaa ctgtagcaac 74520

```

ctcaagtgtcc actcctcctt caccaagacc tcacggtgat gttaggaact gtctaccaag 74580
 aggcaggtaa agtacacaag caaagtaaca tgggtgcatta tctatggata tcttggttgg 74640
 ctcatctaatt tttttttttt tttttttttt tttttttaga aggagtctca ctctgtctgc 74700
 caggctgcag tgcagtgatg tgatctcagc tcaactgcaac ctccacctcc cgggttcaag 74760
 tgattctcct gcctcagcct ctctagtagc tgggattaca ggcacatgcc accatgcccc 74820
 gctaattttt atatttttcag tagagacagg gttttgccat gttggccagg ctggtcttga 74880
 actcctgacc tcaagtgttc tgccggcctt cacctcccaa agtgctggga ttacaggcgt 74940
 gagccaccgt gccccgcctg gtctcatctg attttttagca acggtgggggt caacctgac 75000
 aattgccctg aattttccca cgttcttctt ctctccctct ctttcttctt aatgatgaca 75060
 tttatgtact gcacatgaag ccctgtctga gtgccttatg ttgtaattgc taagcacctg 75120
 cctattgttt gcaaggccct ggaatacaag gtgaagacac tggaaaaagt cctggccccct 75180
 agccctagca aaaacaatca tatgcatgag cattcgagtt ttttttgga tattcagcaa 75240
 ttacaatcaa aatgccatta acagttttta caaggccagg cacagtggct catgccccga 75300
 atcccagcac tttgggaggc tgagggtggc agatcacctg aggtcaggag ttcaggacca 75360
 gccagccaa catggtgaaa ccagtttct actaaaaata caaaaattag ccagatgtcg 75420
 tgggtgcacgc ctgtaatccc agctactcag gaggtcagg ctggataatt gcttgaacct 75480
 gggagggtga ggttgcagtg agccgaagtt gtgccattgc accaaagcct gggcaacaca 75540
 gtgagactct gtctcaaaaa aaaaaaaaaa atcaaaagga tactatttca cgacatatga 75600
 aaatgatatg cacttcaa atgtcagcatcc ataaatagag ttttattgga ggaataccat 75660
 gcctgtttgc ttagtatggt ctacagccac ttctgcactc caagggcaga gatgaatatt 75720
 tgcaggagag gtggtgtggc ctccagtgtg aaaagcatct actgtcttat cttttatgga 75780
 aaagtaacta atgataatat taaaaatacc tacagggtac agttgtgtgc ctggcacct 75840
 tttaagtgtt ttctacatat gggctcggtt aatgcctcag cccctctggg gcaggagtgc 75900
 tactgttaat tatgatctc acgttggaga caagaacagg aggcacagag agagttaggt 75960
 ccttgcacac agattcacia ctgataagtg gtcagaagga ggatttgagc ctaggcagtt 76020
 cccgatacag agtctaattt tttttttact tttatttatt tgttgagac agagtctcac 76080
 tctgtcacc caggctggagt gcagtggcat tatctcagct cactgcaact tccacctcca 76140
 aggtcaagc gattctcctg cctcagcctc ctgagtggat ggggttatag gcacccacca 76200

ctatgccccg ctaatTTTTg tatctttcag tagagacggg gttggccagg ctggtctgga 76260
actcctggcc tcaagtgatc cacctacctc accccccaaa ttgctgagat tataggcatg 76320
agccactgtg cctggcccag agtctgattt taatTTTaaa aaagaaaatc ctataccaca 76380
acgttaaagg aatgaagttg gaaagtaa atgtttgtttg ttttgtttgg ttgtttcctg 76440
atggctactt tgtgtTTTT gaacactaag tagcaatTTT tccccctaaa atgttctcct 76500
cttgtgtttt gtggacagtg gctatggtgg tgcctcaggg ttactggtaa cttcaaaaca 76560
tggttaactt gcctactggg taccctaata gcacatgggg aagtatcaac gtcacatca 76620
tcacttttct acagaggaaa ctgaggccca gagagggtga acttctgcc caaggtcaag 76680
tgaaggtcat ccttattgag gacttttccc atcgtatcag acaatagtag gcaaattgag 76740
acaggattgg aggaggagga gaaggaggag atgggggtgg aaggggagga gaaaaaggag 76800
gagaggaaga agaaagggaa gagaaggaga gggaagagca gagggagag agggaggacg 76860
gtagaggaga agaagggaga agggaagaag tgggagggaa gatgacaggg agcagaaagg 76920
aagaagaagg tggagcagga gagaggaaga ggaggaggag ggggaaggag gaaaagggaag 76980
gggtgcagga agaggagggg gtgcgtgggc agaagggtgg agagatgcag gaggaggag 77040
ggtgcaggga ggggtgcaag aggaggaggg caggaggagg aggctggggc agagggagag 77100
gggaggaagc cttatgagct tctacaccag gaatggaatc cagggtgatg aaggcagaac 77160
aagggtaaaa ctttctatgt gcctctctga caccaacctg gttctccac agcctcagac 77220
ttgccctaac cctggggtca cagcggacct cttccagcct cttgaatgct aagtcaggag 77280
gaggaagggt gggaggggga aggacgaggg ggagaaggag ggggtggggg actccgttca 77340
aatcccgctc tctcctctg gcatacctgc cagagataga cgaagcagac cacgatccag 77400
acgagaggca gccacagccc gttgaggtag aggacgctc cggtcagccg ctgcacgtcc 77460
acggacacca gattgaccac atcaccacc gcactggcct ttctggagcc gctggacaga 77520
gccaggacct ggcgggtggg cagaaggaga gaagtaaagt ggggaggccg gggcagaggg 77580
atgccccagg tggcttctcc acccactgag cccacacctc cacgtctgcg aggtgggtga 77640
gtaaagtctc ttaggccaac ctctcagggc tctttgagga tccacagaga tgacaaaaat 77700
gaaaatcctc caagatccct aaagcacggg aggcataata atgaataaca tgcacgaaaa 77760
caccagatta acacagataa cgggtggcat ctgccagtg ctcaccatgt cgcaggcact 77820
gtgctaaatg aacagcctta tcttttcccg ggggtgtcac agccatgaat ggtaccaagc 77880
aggcactacc atattcatc cctctaagtc caggccaggg gcagtggcct ctgcctgtaa 77940

tcccgccact ctgggaggct gaggtgggag gattgcttga tcccaggagt tcgaaaccag 78000
cccgcgcgac atagtaagac ccaagctcta caaaatactt taaaaaatta gccagggggc 78060
cgggtgcggt gcctcacgtc tataatccca gcactttggg aggccgaggt ggacagatca 78120
cctgaggtca ggaggtggag accagcctgg ccaacatggt gaaaccctgt ctctacccaa 78180
aatacaaaaa ttagccgggc atggtggcag gcacctgtaa tcccagctac ttgggaggct 78240
gaggcaagag aatcgcttaa acccaggagg cagaggttgc agtgagccca gatcaagcca 78300
ttgcattcca gtctgggcaa caagagcaaa atccatttcg ggggggaaaa aagaaaaaat 78360
tagccaggca tggttgtggt gcgcctgtgg tcctagctag ctactgggga ggctgaggtg 78420
ggaggattaa ttgagtacag gaggttgagg ctgcagttag ccatgttggg gccactgcac 78480
tctagcctgg gcaacagagc aagaccctgt ctttaaaaaa aattctatgg ataaattgct 78540
ctctattatt ctctaccaa ggaaaaatac acttcagtt aaattaagac atgtaagaga 78600
catctcgatt ttggaagtat tagagtgaaa aaaaaatgtg agacgagaat caatgaaatg 78660
aacatttact aaccccattc tatggctaaa gaaactgagg cagagagaag ttgagcaact 78720
tgcccaaagt cacaggcctt gtaagctcct acacaaggaa tggaatccag ggtgacgaag 78780
gcatgacaag ggtgagacct ttcattgtgt tctgtgacac caacctggtt ctctggcagc 78840
ctcacatctg ccttaaccct ggggtcacag tggacctctt ccagcctgtt gaatgctaaa 78900
ttccaaatgc agccctccct ttgtgactgc gtgaggggtg gaagaagtga tccaggaatg 78960
actggacata gaaattctcc acttagcaag tctttgaaga gtgctcactg tgtgactcac 79020
actgagctgg gaactgaaaa tacagctgtg aacaacagag atgaggcttg ctctcccggy 79080
cctggagttt gaggtgggga acaaggctct ataataaaga tttatataac tggccgggca 79140
cagtggctca cacctgtaat cccagcactt tgggaggctg aggcgggtgg attgcttgag 79200
gccgggagtt cgagatcagc ctggccaata tggcaaaacc ccatctctag taaaaataca 79260
aaaattaact gggcatgctg gtgggcacct gtaatccag ctatttggga gggtgaggca 79320
ggacaattgc ttgaaccag gaggcagagg ttgcagttag ccaagattgc accgctgcac 79380
tacagcctgg gtgacagagt gagactctgt ctcaaaaaaa taagacaaaa caaaaatatt 79440
tctaaaactc atgctttaat ggcagttatg atgagtaaca taaaaaagta gccaggtg 79500
agcgcgttgg ctcatgtctg taatcccagc actttgggag gctgaggtgg gtggatcacc 79560
tgaggtcagg agttcgatac cagcttggcc aacatggtaa aacctgtct actaaaaata 79620

caaaattagc cgggcatggt ggcgcacacc tgtaatccca gctactcagg aagctgagac 79680
 aggagaatca cttgaaccca gggggcggag gttgtagtga gccgggactg tgccactgca 79740
 ctccagcctg ggcaacaaga gcgaaactct gtcagaaaaa aaaaaaaaaa aaaaagccca 79800
 gaggttagag aggagggatc tgatctcatc aggagatcaa agaaggcctc ctggcgtgtg 79860
 ggtggggaat aggaagatca atgcctgctc accaggcggc cttcctctta ggctcaagga 79920
 aatgtggact ctcaagacag gatagggcac acctagctct ggcatgctca ggggaacagg 79980
 agcctgggat gcagcactct ggcaggaaaag catcaagagc tgccctctcg gccacctagg 80040
 agctgtcccc tctgtccct cctcccctag gtgacagctc aggtgtcagg gaatgacact 80100
 tacatgggac gggacctgcc ctggctcaga tgctccatac cccacaggag ccaatagctc 80160
 ttggggcagc agtccaggga cttagcttcc agagtccag gaacggacaa gagccactgc 80220
 acagagagaa gtctaaagct atggcctcca accaggattt cacagtcaat ggacagaact 80280
 tccagcccg atgcaatttg ggtttttttg ttttgttttt tttttgttct gagacgaggt 80340
 ctgctctct taccagggt gcgctgtagt ggcgtgatct cagttcactg caacctccac 80400
 ctcccgggtt caagcgattc tctgtgtca gcttcccaag tagctggaat tacaggcaca 80460
 tgccaccatg cctggcta at tttgtat ttagtagaga tggggtttcg ccatgttggc 80520
 caggctggtc ttgaactcct gacctcaagt gatccgctg tctcagctc ccaaattgct 80580
 ggaattacag gcgtgcacca ctgtgccag cctaggggtc atttttacc caagcagtat 80640
 tgtctgggaa cacagctgac aggccacct atcagaagg taatccttta tctcaaggg 80700
 ggaatgagt gaagttaaaa tcaggctcaa aaattaaaat tagattgggg gagtagaagt 80760
 ggtgcctaga cagtgagaac agctgcaaag gccccagggt ggggtggggc ctggagtgtt 80820
 tgaggaactg aaaggagacc tgtgtggctg gaggagagt agcatgggag gagtgacgg 80880
 gatgaggtca gagacaccct agggacagat cacacaagac cttacaggaa taactaagga 80940
 gctgagacag atcacttgag gctaggagt cgagaccagc ctgaccaaca tggcaaaacc 81000
 ttgtctctac caaaaatata aaaattagct gggcgtggtg acacgtgtct atagtccag 81060
 ttactcagga ggctgaggca ggagaatcac ttgaaccogg gaggcggagg ttgcagtgag 81120
 ccgagattgc accactgcac tccagcctgg gtgacagagc aagactccat ctcaaaaaa 81180
 taaatacata taatacagag aaataactaa ggaagtgaga atgtatggtg agtgactcta 81240
 ataagcaagg actgaatgcg ttctcagctg ctgataacat tactgcccgc tcagtgatac 81300
 tgcttttctt ggctgggaag acctgcctt gtccccagg gctcacctt ctgtacacca 81360

ggccagtgat ggccgaccgc aacctcatct gcagcacctt gagcctgtac atgttctgct 81420
 gctcaaacag cgtttgcagg caggctgaga ggaacatcag cacggcgagg aggtagccct 81480
 tccaggctgg aggcttggga tcaccaataa actccaggaa aaggcttgca ggggaaggag 81540
 ggagaaggta cagctggtga gaggaggtgc ctaagggtgt tgcccttgcc caaaccagtc 81600
 cagatgtgga ggatcagtcg gcccaaacta gtccagggtgt ggaggatcag tcagtgtggt 81660
 tttttttgca ataatggtct ccgttatctc cccactgtc catactcctt ttcaatctga 81720
 ctgcagctcc tcaagatcaa gaggtggagt ttttgttccc acttggtata ggctaaattg 81780
 tgtcctcaca aagtttatat gttgaagccc cgacccccag tacctctgaa tgtgactgta 81840
 tttggaaata gggcctttaa agaggcaatg aagttaaaaa tgaggtcatt aggctgggccc 81900
 ctaatccaat ctgactgggg tccttttaag aagaggaaat gtagacacac aaggagacac 81960
 cagggggcgc aaacagaaga aagaccatat ggggacacag ggaggagggtg gccaaactgca 82020
 agccaaggac agaggcctca gatggaacca ccttgcagat actaatctcg aacttcagc 82080
 tttgagaatc atgataaaat acatttctgt tgttcaagcc actcagtctc agtctgtgat 82140
 gctttgttat gtcagctgag cagacaccac ttgaatctgg gctggctaca aaaccggctt 82200
 tggccaacag agtacagtgg aggtaaagcc atgctggctc tgagcctagg cctcaagaga 82260
 aaatgtggtt tttggtctat ttcttagaac cctcccaagc acccacatga acaagtctga 82320
 gctagccttt tggaggatgg ggaccacat ggagcagaga cagccatccc agtctcagat 82380
 acacaactgc aggcacatga gaaaaccag ccaagaaaag aaccaccacc cagctgagcc 82440
 cagcccatat tactgacca cattaccatg aactaaataa aagaatgttt gtcattttta 82500
 gccactcact tttggggcat tttacagcaa aaactaattg atgcagtcag gtaagagctt 82560
 gcttatttgc ccttctgggg gtcagtcact ttctcattaa tccatttccc ttcctcagtg 82620
 tccttctcac ccaccatcca gtgtcccgag caccagatgt ataggcagag gcaggagagc 82680
 tgaagcccc tggccctgga aggatgccac taagagacca cccaccttag cagggcactt 82740
 gaggtctggg actcacctga gcagcttggg gacagtgaac ctgaagacat cactgatgat 82800
 gaggtcagg gtccccagga ggaaggtaga atggaacacc tgccagatgg ccttcagcag 82860
 tgggcgccac tggctccctt cttgcgtag gaagggtcg gtctctggag ccttcatgcc 82920
 actgccgctt ttccttttaa atgctattgc cttgttgtgc ctgaggggaa gggagagatt 82980
 agctctgggt ccatttttat actctcagcc gccagcgga gggccaggca ttaaagggtt 83040

gttttcccaa cagtggagat ggggtgggtgt ggatctagcc tggctccctc acctgttcct 83100
 ccttatcacc ctgagtacc ctttaagagg caatcatggg agttgggggg cagggcagga 83160
 gggcactctg aggcctctta gatggccatg ggaaagcaca cctgttgagc acctactatg 83220
 tgccaggcac tccccagtca tctaagacc ccctgagaag ccagggtgtt tccccatttc 83280
 acagatgaga aaactggggc tcagagaagc gaacttgccc aagggcacac agctgagaag 83340
 taaaagaact ggaatttgat tccagctctc tgcctccaga gcccatgcac tttctttttt 83400
 tcttttcctt tttttttttt tgagacgaag tcttgctctg tcgcccaggc tggagtgcag 83460
 tgggtgtgatc tcagctcacg gcaacctcca cttcccagtt caagtgattg tcccacctca 83520
 gcctctcgag tagctgggat tacaggcaag tgccaccata ccagctaatt ttttgtattt 83580
 tcagtagaga aggggttatg ccatgttggc caggttggtt ttgaactcct gacctgaggt 83640
 gatctgctcg ccttggcctc ccaaagtgcg gggattacag atgtgagcca ccacacctgg 83700
 cctctcatgt acttttcaac ctatcgtgtt gtcaacctgg aggaagaaca gcaccccgctc 83760
 cccaacacac acaatcatcc agcccttagg tggttttgaa ctgggtggaga atcacggctg 83820
 atgggcatgg ggcctgggtc tctagctctg ggtgaaagtg cagacagaag ctgaggctgc 83880
 ctcaaactaa taagatcccc agcctttggc tataaccagg ggccacagag aagagctaag 83940
 gtgagggagg gagaggagga gatgggggag gcccgagggc ccctgtgagg caggtcagaa 84000
 gccctggggc agaaaggaga ggctggggcg atgcagctgc tgacagtccg gttgctgtgt 84060
 ggtcctgggc ggggacactg ctctctctc tgtgtgtgag aggatgggtg tggccccctg 84120
 ctgagtoooo tgtggctctg acaacctata aggttatcag taatttcttt tcttttttct 84180
 tttctttttt tttttttttt gagacagagt ttctgctctg tcgcccaggc tggagtgcag 84240
 tgtagcaatc tcggctcacc gcaacctctg cctcctgggt tcaagcaatt ctctgcctc 84300
 agcctcccaa gtagctggga ttacaggcac acaccaccat gcctggctaa tttttgtatt 84360
 tttggtagag acagggtttc acaacgttag ccaggctggc cttaaactcc tgacctcagg 84420
 tgatccacct gcctcggcct cccaaagtgc tgggattaca ggtgtgagcc accatgcccg 84480
 gccacttata agtaatttca atccccatta cagatctgtg acccgggggc acgtgctggg 84540
 atcagctctt tacacgaagg agctcactga ctcccctgga tccccttgcc aggtgagcat 84600
 tattaggttt tccattttac agaaggggaa gctgaggctc tgagagatgg cgacagccgc 84660
 ccgaggtcac acagcaaggg cagagcaggg atttgagcct agatcttgat ttatggtttg 84720
 taaagggttt cttgtgcact aaggaccccc aacctcacca taataaaata ataataaaaa 84780

aagaagcata agaaaaacct ctggtgagct caggtggcca gacccttcaa ggccaaggctc 84840
tctgtccac attattggctc tgatctgggtg tttggtttgg catctatgga gggttgtgggt 84900
tcagctctgt tactgagtgg gtgtggcctg ctgctcacia atattttggc atttggtatct 84960
caaagccaag aagatgcccc ttccatacag agagcatccc tgcccaccct ttctgttttg 85020
atcctgccat ttaattcatt gccttcacag ccatgtccat ggctccaacc ctctctttgt 85080
ctcgttagaa ccccaggtgg gtagactttg cctgtgtttt ccaccaagat gtccctagta 85140
tagagtccag ctctgcaca cagtaggagc tcaataaaca cttgtcaa at gaatgggaaa 85200
aacagattga gtgatgtgtg caaagggcct aataagagtg cccctgcac atactgttat 85260
aaaaatttat agaaggaagg aaggagcttg gctgggtgga cagaacttgg ctttgaggcc 85320
aggagactgt ggttccaatg cctgctctgt ctctctcct ctgagcctta gtgtttccat 85380
ctgcaaaatg gggtcgggga agagttcact ggaaagtttt ctttctggct gaggttctgc 85440
tcagttctat ttgagctgtt taaccagag agtcagtgtg ttcagcctgc aggctccata 85500
gcaagtgttt tctctctctg caggtctcac ctcccatcaa ggaagatgtc cagattgctg 85560
tctgacgtct ggtctctgga ctgaaggcca tttagtgcag atctcaciaa tgatgggtggg 85620
gcaaggcagg gggatatgat gagggtcatg ggcaagggtg gagttggggg atacaaaagg 85680
gagtgggtgga ggccgggcac ggtggctcac acctgtaatc ccagcacttt gggaggccaa 85740
tgcgggcgaa tcacctgagg tcaggagttc agggccagtc tgatagcctg agcaacatgg 85800
agaaaccccg cctctaataa aaaatacaaa aattagtga ggcgactgga ccagcaggtg 85860
gctgttgtgt ggctctcag gaggacgcc tctcccttcc ccagtggtt gcaaaatact 85920
tcagaaagaa aaccaaagtt ctctgtgggt gcagtcggtt gtttcagaag ctgacggagc 85980
ctggtctttg tataacccca tctttccctt ttctttctgt caactgttta tgggaggatt 86040
ctcaaactgt tctggagaat gtttctaccc tttagttcta gtgttgggtg acctgtaatt 86100
ttcatgttgg ctggggatgc caggagttgg cagaggctcc ttccagagcc cctgtggact 86160
ggattctgcc acttccgtaa aatcattcaa aagtagaggg tgagtcaggt gcagtagctc 86220
acatctgtaa tcccagcacc ttgagaggcc aaggcaggca gatccctga ggtcaggagt 86280
tcaagatcac cctggccaac atggtgagac cctgtctcta ctaaaaaaaaa tttaaaaatc 86340
agctagatgt ggtggcacac gcctgtggct ccagctactc agaaggctga ggcaggagaa 86400
ttgcttgaac ccaggaggtg gaggttgagc tgagctgaga tcataccaca acccagtgaa 86460

```

gggggtccag caagccatgc ctggggtgag agagaactga tgttttggtt ctctcacact 86520
acttattctg tttggaaaaa cacatgccct tcctttgtgg gaacagcccc taccacttc 86580
tgtggctctg aagggaccac cagtcatggc accagcccc tgggcatggg attggcccc 86640
gacaggcaca tgacttgagc caggccaatt agaggccttc cttgggattt actatatgga 86700
cgtaggaga gagatgctct cttattctgc tggagtttgc tgaacttgca tgggaaggga 86760
taggccttat ggagagacca acacatagat aatagttggg atgggagatg aaaggagaga 86820
atcctgacat catttgagtc ccctgatcca gcaacacctg aggctagatc ctcttagctg 86880
tgtgagccta tagtatcagt ctctgtctcc tctgtctctc ttaatgtgtg ggattcagcc 86940
atctgcaaca actaccacaa aatcccggag tatgcaggga acttcccaca gagctaactt 87000
ccttttttgt tctgtctcct aaaacaccaa gatccggtga ggttaagcaa cgtgtccaag 87060
gtcatcacta tttgaaggca gggcagcatt taaccaatt ttatctaata ctatgcaggc 87120
tcatttatct agaccagagt ttctcaaata aggcatacca ggctctaagg gctgcagaga 87180
agtttccaga gatgccactg agggcaggag tggacagagt ggataactcc aaagatctta 87240
acaccctctg gatgactaac agtgcttgag cacttcccat ttgcaagaca tttgcaagtt 87300
cttttccata aatcatcctt ttttttcatc ccataagct atgagctggg gctaatagaca 87360
tccccactga acagatgaga aaactgaggc ccaggaaagg aattgctcag gttatatagt 87420
aagtgagcag ctgcttgtgt gttgagtcac ctcccaaccc tccaccccg ccttaaaata 87480
cctcttctgt ttgctgctg tcattctgcc atttcccat ttgtaggaac ctgtttgttc 87540
cccgtttgta ggaacctgtg atgcgttctg ggaggaacca tatcttaagc ctgatactac 87600
ttagtgggat cagctggaag gcaagggtggg gaggcggcag tgccgccaga gtagcgttgg 87660
gggctggact ggggggtcaaa tgatgagggt tttttgtttt tgtttttgtt tttgtcttgt 87720
ttgtttgttt ttttttttga tacggagtct ggccctgtca ctcaggctgg agtgcaatgg 87780
tgacatctcc actcactgca acctctgcct cctgggttca aacgattctc ctgcctcaag 87840
cctcctgagt agctgggatt atagggtgcct accaccacgc ccagctaatt tttctatttt 87900
tagcagagat ggggtttcac tatgttggtc agattggtct tgaactcctg acctgtgat 87960
ccgctgcct cggcctccca aaatgccggg attacagtgc tgagccaccg caccggcca 88020
atgatgagct tttctgaagt agcatcaggt gagttcttga cctccacca cttacctccg 88080
ggctgcactg cggttctctca tccactcctt ttcaagccgg gaaacaagtt cttctgagga 88140
gttttctctc ccaagcgacc agaggtcttt tggctcagt ggctcctgt atcccccca 88200

```

gaccaggctg caaaagaggg gcaccaggga aagcttttcc tgccattcac ccctgcagga 88260
tcctggccag gcgagtagct gtgtgacctt gggtaagtca ctttacctct ctgtacctct 88320
actggccctt gggtaaaaaa aaagcaattc actaacccca cctaattgtc gcagggcatt 88380
tctcgtttca caaagattgt ctcattaatt cttacatgaa ccataaggt aggttattat 88440
tgtttgtttg agatggagtc ttgttctgtc tcccaggctg gagtgcagtg gtgcaatctc 88500
ggctcactgc aacctccacc tcccagggtc aagcgattct cccacctcag cctcctgagt 88560
agctgggatt acaggcacc accaccatac cgggctaatt tttgtatttt ttgtagagat 88620
ggagtttcac catgttggcc agactggctc cgaactcctg acctcaggtg atccacctgc 88680
ctcagcctcc caaagtgtct ggattacagg catgagccac cacaccagc ctgtaaattg 88740
atagtttata attgtataaa tgtatgagta tattattata gatctatttt acagatgggg 88800
aaggaaatag aagtgcagag agattcagtg gctaaaccaa gggatagccc ttggcaaggg 88860
aaacagacat ttccctggga atcagaagtc cgttgaccaa aactatcatt gtagaagaag 88920
cttgaactcc tcctcagct tttttttttt aattattatt attttttttg agatggagtc 88980
tactctgtt gcctaggctg gagtgcactg atgtgatctg ggctcactgc aacctccgcc 89040
tcctggctc aagcgattct cagcctcag ccttctgagt agttgaaatt acaagccacc 89100
atcacacctg gctaattttt gtgttttttg atggtgtatc accatgctgg ccaggctggg 89160
ctcgacctac tggcctcaag caatcctccc acctcagcct cccaaagtgc taggactaca 89220
ggcgtaagcc acccacctg gctaattttt ttgtttatag tagagatggg atttogccat 89280
gttggccagg ctggtctcga actcccgcc tcaagtgate tgtcagggtt ggcttccaa 89340
agtgttggga ttatgggtgt gagccactgt goctggcctc aggtctcttt aatctttctg 89400
atgacaccag ccagaaggtc ttgcctgggt ctggtctctg actcttctct aagccttacc 89460
aagttccctt ttctttttta tttttattct ttttattttt ttgagatgga atctcactct 89520
gttgctcagg ctggagtga ctggtgtgat ctgggctcac cgcaacctcc acctcctggg 89580
ttcaagtgat tctcctgcct cagcctcctg agtgactggg attgcaggct cccaccacca 89640
cacctggcta atttttatat ttttagtaga gatgggggtt caccatgttg gtcaggctgg 89700
tctcgaaatc ctgacctcag gtgatccacc tgccctcagc tccaaggtg ttgggattat 89760
aggcgtgagc cactgcgcca ggccaccaag ttcccttttc taatgcagag ccaacttggg 89820
gaagcaaccg ttctgacata gaaattatta acgtggcttg attttcctg aaattatttt 89880

tggagttctc	ctatatggca	agtgatgcta	tagatttttc	ctatttttagc	agtgatagag	89940
agttttctttt	taaaaacagt	ttattcgagt	aaaaaaagt	actcaattta	gtttttgccc	90000
cagtaggaca	aaaaagcatc	aagagtggtc	cataaatgct	taagtttggg	aagcaggggc	90060
tggaccccc	agtagagctg	tttcgaaaac	ctctaagctc	tttctaccag	ttccacacat	90120
tcaaagcctg	atattttttca	tttatttaat	agccatttag	gccgggtgcg	gtggcttatg	90180
cctgtaatcc	cagcactttg	ggaggtcgag	tggggtagat	cacttgaggt	caggagtttg	90240
agaccagctt	ggccaacgtg	gtgaaacccg	gtctctacaa	aaaactacaa	aaattagctg	90300
ggcatgatgg	caggcgctg	taatcccagc	tgctcgggag	gctgaggcag	gagaattgct	90360
tgaacctggg	aggtggaggt	tgcagtgagc	tgagattgtg	ccattgcact	gcagcctggg	90420
caacaagagt	gaaactctgt	ctcaaaaaaa	aaaagagaaa	atgaatagcc	caggcacagt	90480
gggtcacacc	tgtaatccca	gcactttggg	aagccgaggc	gggcagatca	cctgaggctg	90540
ggagtttcag	atcagcctga	ccaacatgga	gaaacactgt	ctctactaaa	aatacaaaat	90600
tagccgagca	tagtggtgca	tgccctgtaat	ctcagctact	cgggaggctg	aggcaggaga	90660
atcgcttgaa	cccaggaggc	ggaggttgca	gtgagccaag	atagtgccat	tgtactccag	90720
cctgggcaac	aagaacggaa	ctccatctca	aaagaaaaaa	aaataattac	cacttaaact	90780
cattatattgc	caggccctgt	tctaagtgt	ttacagatct	catcttattt	aagcttcaca	90840
accctatgag	ctaagtgtca	ctatcaatcc	cattttgaag	gagtggagac	tgaggcacag	90900
agaggttaag	taactgtcca	aagcaacaca	gctaggaagt	ggtagggcca	ggattcaaat	90960
ccatatgtca	ggtgctactg	aggtctgaat	gccgtgtggt	taggagagag	cacatcctca	91020
agtgccttgt	gagctggccc	tggagaagca	gctgttttct	caatctgcct	ggaaccctct	91080
agaaagtaga	cacttgctcc	tttatctcct	caccctggg	gcttagcaca	tagtaggtgc	91140
ctattaaatg	ttggtggaat	gactgaaatc	aagtattgga	gacaattcta	attactatta	91200
agcaccgcgt	gtgtgcaagc	actaagcact	ttccgtctca	tgaggttga	gtcatcccca	91260
ttttacagag	ggaaaactga	gactccggag	gtttgcgaca	tggcctgcta	acaggcagag	91320
ccgggattca	aatcaagatc	tcactccagt	gagtgaatgg	gaacaggatg	cagatggtag	91380
acactgaaca	cgaagaagaa	agcactgagg	ctgggatgga	gaaagacttg	ctggcctttg	91440
taagcacagg	ggaagggcca	tggctgggaa	tcagagcagc	aaatgcaggc	gggtgaggca	91500
ccaccccaac	ccttccgtgc	gactttactt	accagaaac	ccaccagaac	gtggcttttg	91560
aggggaaggc	tgccccagtc	tctggacagg	ggttctgcaa	cagacaaaaa	tggagaaggg	91620

aagtatgtgg caagggtagg aagacaggac gaactgtgta tttttttttt tttcgagaca 91680
ggttttcgct ctgttgccca ggccagagta cagcgggtgtg atcttggctc actactacct 91740
ctgcctcctg ggttcaagcg attctcctgc ctcagccttc caaagagctg ggatgacagg 91800
tgtgcgccac cacacacagc taattttttg tgtttttagt agagacaggg tttcaccatg 91860
ttggccaggc tgggtctcaa ctctaacct caagtgatct gcctatctcg gcctcccaaa 91920
gtgctgggat tacaggcatg agccactaca cccagccctg acggtgtatt tagtactgaa 91980
agtaaacatc gaggtgccct gtctccttgc caggggtgta gaccagttag cttggtgctt 92040
cccagcaggc agcgtaaaaa gaggttgggc cacaggcctg acaatgtcca caaggtaga 92100
aataacagtg gctcagaaga acaactatga ttatactgaa accaaaacct tgctttgctt 92160
ctcaaaagga aggacactgc ataacgaaga aattagatcc ttgacaatat ccctcggcaa 92220
atgttgtaga gacagacctg tcgtgcgatt tttgtcaggt gctccaggaa gattacaaca 92280
gtctgtactc tttaccaata aggcgtgaag gtgcccattt caccacgttt ttgccatcac 92340
agcttattaa tttttaaatt ttgttgctac tctggtaggt acaaaaaaga ttctatgat 92400
agttttaact attctcaagc cttcgagcaa tttttttttt tttttttttt tgaatacagg 92460
gtctcgctct gtcaccaggc ctggagtgc atggtgcaat catagctcac tgcagccttt 92520
atctcttggg ttcaagcaat cctcctgctt tagtctccac agagctactc tgtagtggga 92580
ctacaggcat gcaccaccac actaggctat ttttaaaaac cttttttag agatggggctc 92640
tcactacatt gcctagtctg atctagaaca cctgggcaca aacaatcctc cttcctcggg 92700
ctcccaaagt gttgagatta caggcatgat ccaactgcac tggccccatt tgaacatctg 92760
tttatatgat gtcagatcag tctcttcac aaaagaattg tttcttgatt tcacagactg 92820
cttcaactgtt acctattgta aatctctcaa tctctcatga gcttcttcta tggagcaactt 92880
acccaagggt taattttctt tttccttctt tttttttttt ttttttttgg tggagttccg 92940
ctcttggtgc ccaggctgga gtgcaaagtc acagtcttgg ctcctgcaa cctccacatc 93000
ccggattcaa gcaattctcc tgctcagcc tcccgagtag ctgggattac aggcgtgcac 93060
caccatgcct ggctaatttt tgtaatttta gaagagatga ggctttacca tgttggccag 93120
gctggctttg aactctcgac ctcaagtgat ccacctgcct tggcctocca aagtgttggg 93180
attacaggca tgagccactg tgaccatcca attttcaaca tatttgttta attttgtgac 93240
cagtgtctgg tttccctgct tgaccagtag ctacgtgaga acagaaactc tatctgcttg 93300

ttcacccatag atccttatgc ccttgctagg gcatagcggg gtttggcaaa ctatgaccaa 93360
 atctggccca ctgcctgttt ctgcaaatag tgttattgca acacagccat gcaatttggt 93420
 gacatattct gcttttgctg tcaatggcag agttgagtaa ttgccactga gatcactgta 93480
 tggctcacag agtccaaaat attttctctt ggcccatata gaaaaagtct gccaaactgtg 93540
 gcatcgagta gaaatgtggt acactttttg ctgaatggct aaatgaataa aaaaattaaa 93600
 gacttttggt cacctggggg agactgagac ctcaaagtgg aacaggaatg aggttggaac 93660
 ttggtgactt acagactgct ggggggtctt agggagaagagg ggggggttgat ccgccaggca 93720
 ggacagcaca aactgtgcca ccaccagaga caggcatagg taggtggaca ggtggcggac 93780
 agggctcgctc tggaagccct gtgggagggg aagcagaaga taaggaatgg agacagagga 93840
 ggggtgctcag aggagagaaa aggtttctga tcttgggtca gtgccactc tggggaccag 93900
 ggcaagagta tttgaaagcc agagccctgg ctttcttagt ggttctaatt ttctttcttt 93960
 cttttttttt taagacaaaag tctcacttgg tcgccaggc tgaagtgcag tggcatgac 94020
 tcggctccct gcaacctctg cctcctgggt tcaagtgatt ctctgcttc tgctcctta 94080
 gtagttggga ttacaggtgc ccaccaccat gcctggctaa cttttttaa atatttttag 94140
 tagagatggg gttttgccat gttggctagg ctgacctca actgctgacc taaagtgatc 94200
 tgctgcctt ggctcccaa agtggtggga ttacaggcat gagccaccat gccagcagg 94260
 tctaattttt caaataacca atttataata ttctgtctat acaaattgtg ggccagggt 94320
 gcgtctgggt tttgtcctta gccacatgat gattggccac agctgctggg acaatgagat 94380
 gaagaaacaa tttaccttct tctttgtgcc aaaaagaaa tcctttctcc gtccaccct 94440
 ctaccccaat cttcaaccct gctccccctt ggccagggtt ctctggtttg cagagatgag 94500
 agctggtttt attgagcact gacctgccc tgagcacatg cggcattctt gccatacaca 94560
 gtctcatcag ctggagttaa cttgcttctt ttgactcagg gggaaaccaa ggctcagaga 94620
 agtgacagca ccttgttcaa ggacacgcag atgatctggt ccaaattgtg atgctcctgc 94680
 tgccacacca caatgatattt tgcactctgt gccctgtcat ctggtcagaa acaccctaat 94740
 tttctttctt tttttaattt aaagcatttt ttatttttta attttaggtg tgtgtgtgtg 94800
 tgtgtgtgtg tgtgtgtgtg tgtatacttt tttttttttt gagacggagt cttgctttgt 94860
 caccagggt gatgtgcagt ggcatgatct tggctcactg caccctccgc ctctgggtt 94920
 caagcgattc tcctgcctta gcctcctgag tagctgggat tacaggcatg tgccacgacc 94980
 cctggotaat ttttgtattt ttagtagaga tggagtttta ccatgtaggc caggctggtc 95040

ttgaactcct gacctcaggt gatccgcctg ccttggcctc ccaaagtgcg gggattacag 95100
 gcatgagcca ccgcgcccgg cctgatatat atatttctgg atgacgtgag atattttgat 95160
 acaggcatgc aatgcataat aatcacatca aggtaaatga ggtctccatc cccgcaatca 95220
 tttatccttt ctgttacaaa tgatccattc tactcttgta gttattttat tttttagttt 95280
 attattgagt tggagtctca ctctgttgcc caggctggag tgcagtggct tgattttggc 95340
 tcaactgcaac ctccgtctcc tggattcaag tgattctcct gccttagcct cctgagtatc 95400
 tgagattaca gatgtgtgcc agcacgcctg gctacttttt ttgtattttt agtagagaca 95460
 gggtttcacc atgttgcccc tgctggctct gaactcctga cctcagatga tcctcctgcc 95520
 ttggcctccc aaagtgcctg aattacaggt gtgagccact gtgtccagcc tcttttagtt 95580
 attttaaaat gtacaattaa attattattg actatagtca ccctgttgtg ctatcaaata 95640
 gatattatc tttctgtttt tttgtacca ttaaccatcc ccatttcccc caccactgt 95700
 ccttcctagc ctctagtaac ctccatcta ctctatatgt tcatgagtta cattgtttta 95760
 atttttagct ttcacaaata agtgagaata tgtaaagttt gtctttctgt gcctggctta 95820
 tttcacttaa catccatgtt gttgaaaatg acagtacctc attctttttt atggctgcat 95880
 agtacttcat tgtgtatata taccacattt tctttatcag ttcgtctgtt gatggacact 95940
 taggttgctt ccaaactctg tttattgtga acagtgcctg aataatcatg ggagtgcaga 96000
 gatctcttcc atgtactgat tttctttctt cctaagtttt ttgcttggtt tggggcgtgt 96060
 gatttggtga gaactgactc tactccgagg ctgggtgggt gaatgaggcc tggccaacga 96120
 atacgttctg gtcttttggc taccatggca gggttaggaa tgcacatagc accccatgct 96180
 gggacttga gagctggaac catcgggaga ttctgctggc tttgctacat gctagaatgt 96240
 aagtgtgaag gtattgggtg ctcttcttgc cactccattg gagaatcaag ctaacatggc 96300
 agagccaaga ggcagaagtg gagatctggt gatggtacct ggtcccaggc ctggatcagt 96360
 catgcctggg agatcccatg ggtatgagct aataaatgca tgagctaatt aacccccttg 96420
 acttaccctt ttcattaagc tagtgtgaac tgaggtttta tggctttaaa ccagagccct 96480
 agttttaaat catgattcct ctactggatt ttatactctt ctagttttgg gtttttgttt 96540
 gtttgtttgt tttttggcag atagcagaca attggatatt ccaatgacaa tatggcccat 96600
 ctccctaaa ctccactgt tttcccact gtttctotca gaaagtttgt tctgaatttg 96660
 cctgagatga actcgggctc tgcactccca agctttgtgg ccctgaggcc gtcattccct 96720

tctcctagcc ttagttctccc tcatctttaa aatgggacgg ctagaattca tcattggctg 96780
gggcacattg gctcaagcct gtaatcccag cactttggga ggcttaggtg gaaagatcgc 96840
ttgagcccag gagtttgaga ccagccttgg gaacataatg agactttgtt tctatttcta 96900
tttaaaaaaa taaagaaccc atcactgtga actcttgtga gaatccagtg aggagacgtg 96960
tgtaagtgcc tgccacagtg cctggcacat ggttgggaacc ccagaatgta tatgggtccca 97020
gtattattgt ttctatgtcg tgtcccaaaa agctgactta tgtcaactgt gggagcccac 97080
catttcagaa attactgaat aacctgtgga atttcccctt agttacaaag gttactcttt 97140
taaaaaactct gtccctcggtc aggcgctgtg gctcacgcct gtaatcccag cactttggga 97200
ggccgaggcg ggtgagtcac ttgaggtcag gcatttgaga tgagcctggc caacatattg 97260
aaaccttgtc tctactaaaa atacaaaaat tagctgggca tgggtggcaca tgccctgtaat 97320
cccagctact tgggaggctg aggtatggga atcgattgaa cccggagggtg gaggttgtag 97380
tgagccaaga tcgtgccact gcactccagc ctgggcaata gagcaagact ctgtctcaga 97440
atgaacaaac aaaaaataaa aactctgtcc ttaaggacag ggtgatgctt ctctaccttc 97500
tccttttaggg gcaggatgga gtaaccactg gactgaagaa atgatctgtg agtccagacg 97560
tgggtggctca tgccctctaat cccagcattt taggaggctg aggtcagaga attgctcgag 97620
ccgaggagtt caagatcagc ctgggcaaca aagcatgatg ttgtctccac aaaaaataaaa 97680
taatgaagta aaatatctga aacctgctgc agcctgttca ttggtgttaa gataactccc 97740
tctcccagaa gccttggtga agcacactgt tgaggccagt gcttctcaat aggtgggtga 97800
ctttgtcctc ctcacccccca gggacacttg gtaatatctg gagacatttt gggttactgc 97860
aattggatgg tatgtacttg gcacctatgg gcagaagcca gggatgctgt ttcacaccct 97920
gcagcaaaca agacagccct gtccacccaa caaagaattg tctggccaca acattactaa 97980
agctgaggct gagggaagtt ggtctaggct acatgttttt ctctttacag agaaaatgac 98040
ccatcatgtc tcctaataga gaaacgctgc ttccggccga atgacaagag ctcacgcctg 98100
taatcccgac actttgggag gccaaaggcag gtggatcact tgaggtcagg agctcgagac 98160
cagcctggcc aacatggtga aacctcgtct ctactaaaaa tacaaaaatt tttagtagaa 98220
atthagtaga aatttttagt agaaatttag tagaaattta gaataagcca ggtgtagtgg 98280
cacacacctg taatcccagc tacacaggaa gcagaggcag gagaagtget tgaacccgag 98340
aggcagaaat tgcatgtgac tgagatcatg ccacttcatt ccagtctggg cgacagagca 98400
agcctctcaa aaaaaaaaaa aaaaaaaaaa aaaaaaagc tgcttcccag attgggcaac 98460

agaaatacga gtggtgtgca gaatgagtgt gtaaataatag gtgcatagga acatggggag 98520
 ggtgaatcca tgacatgagg ggaggtgtgc acggaggggt atgtgtgcac acaggtgtgt 98580
 ctgtgcccag gttgtgtgtg tgtgctgtgca tgcattgtact tgtgcatgtg atgaatcagt 98640
 gcctataagt gtgtgcatcg tgtgcaagtg gcacgtgtga tgtgggcctg taagacagga 98700
 aattgtgttg ataagaaatg tatgggatga tgggtactga caggtgcggg agtggatttt 98760
 gtgtctctag agtgtaagtg actggcttgt gtgtgtcact gtatagagaa taagttgtat 98820
 gtggaaacag gaggagaaag gaagggaccc aaggcatgag ccaccatttt ggtttcccag 98880
 ggtggccac gccccgactt accgctccgg aggcctgctg ggcagcgttg gtagctggca 98940
 agacaaagca gagaagccag taaccaaaca gcaactccaga tgactggact ccctttttcc 99000
 tctcgggtgtg aatcaggaac actgcgaagc tctggacggg aaagtcaggg agggccctta 99060
 ggggaggggtg ggaggtgag gggagcctct tctcttcccc ttgttctcca ctgtggcagg 99120
 caaagcagca gctgggagga agccgggctc cagactgaag gcatcattac catcgtgggtg 99180
 agccacacag taggatgaat gaggaattct ggggcctcag gcgttccttg ttggattttc 99240
 caaagagcga cagccacgct ggaggtacac aggactatga gggcgaatcc aagcacctga 99300
 ggatacaggc ttagataagc ttggggggca ataagagagg tcacagcaaa ctggtaggcg 99360
 gcccctatgtc caactgggag ctggttctgc aacatcctgg ctgatactga gtataccagg 99420
 gtcaccagct agcaactgtc caatgtgaac aatgtgtaaa gggcattgca gatcactcct 99480
 gacctgtaac tgtcatataa ataatgcaca ggaagggtt gagccaaccg agtgttttcc 99540
 aaaatgcagg aagtgtcca atcgtgcaca tatgagatga ctttgggtat ggagaaacag 99600
 caggaaatga aatgtactca ccaggtaaaa aactatcctt tctccaagtc atttttcaat 99660
 ccctgctatg aaatcaagga gcaactctct gttggggccag taagtctcta ggggtctctct 99720
 aatatatttt ggtttctcta ttgaataaaa gaaaggaaga aaatgagaga acgtgggcac 99780
 accagaggga aggcagagc taggttacgt tggaggaact gctcaaagaa cctcagttta 99840
 aagcagaagt tggcaaacta tcaatcatca aagaaaaaca aaaagcatat gtcattgacag 99900
 gtgaaaatta catgaaatcc aaatttcagt gactacaaat aaagttttat tgaaacgcag 99960
 tcggccgggg gtggtggctt acacctgtaa tccagcact ttggcaggcc aaggcaggca 100020
 gatcacctga ggtcaggagt tggagaccag cctggccaac atggcgaaac cctgtttcta 100080
 ctaaaaatac aaaaaaatag cgaggtgtgg ggggtgggcac ctgtaatccc agctactcgg 100140

gaagctgagg caggagaatc acttgaaccc aggaggcgga ggttgcagtg agccgagatc 100200
gcaccattgc actccagcct gggtaacaag agcaaaactg catctcaaaa aaaaaaaca 100260
aacaaaaaag taacacagtc atgactattg tctatgggta tgactattgc gttcattctg 100320
gaatggcaga gttcagtgtt cggaaggaag attacctggc tcacaaagtc tcaaatactg 100380
tgtaccgctt ggctctttaa gtttgccaac ccctggggtg gtggcggtg ataatgtaaa 100440
aattaatata atggcagaag aatgaatgaa ctctgaagaa cattctttgg aagcctacaa 100500
gaatggagta gaagaggatg gatgagcaga aaggctcaca cttggaatgc cagtgtttat 100560
ttaacacact aaggtaaata catatcacat ataaaaattg tcctataata cagccagtgg 100620
gggaacataa aaataaatgc ataacttttt aaaagggttca tcctaattg gctctaaaat 100680
taccttgtgt atccaagagt ctacatggta tgttttggaa aatgccaggt tatggtagct 100740
ataaactgtc caggaacatg ggagtgtatg cgtatgtttg cgcattgctg gattttcgga 100800
attacaaaat ctgtttggga gaaccgtgtt ccaactgagtt gacctctgta gcctttctaa 100860
tattgctctg tttgattaac agattccctt ctacaccccg ataggaggag tctactttaa 100920
gacttcacca gggtccagcc tgtccctgct ccccccgaa cattgcctgg ttccaggctc 100980
ccagggatgg cagctaccat cttggctttg aagagtgggg acatccacag gtagccccgg 101040
ccatggtggt ggatgaagag gaggtagatg ggaccaagga cccagaggta catgggggggt 101100
accagacccc ctgctgttct caggaagcac aggctcagca ggctgggtggc ggaggttca 101160
ggctctgtct gggtccagac ctgagggaac acaaagagga cccttaggat ggtacaaggc 101220
aggggtcccc agctcacctg cccagggggc caggcaactt tttgatctt taacatttac 101280
acaaaaatgt accaagtact ctttgaata cctactaatt ctcaattcct ttcattctga 101340
cattaaccct aggtagtgtc aattatattg atttgcagat gaagaagctg aggaccagag 101400
aggttgagta actttgctga ctttaccag ctgaggagtg gaagggtg gatttgaacc 101460
cagggaactg ggccatgtgg tctaggagac ctgggtcca taatcattgc taggcatgga 101520
ctgtcagtta atccttataa caactccagg acgcagacag tactgtctcc atttcagaaa 101580
ccagcagact gaggcaccag tcggggaact gcctcccca gggacacaca aatgggaagt 101640
ggcaaaagtg actctgacct aggttatct gaccccaaac ctggttcgac tgggtgtctt 101700
gatgtatgat ttgtttttat tttttattat taattaattt atgtttttaga gacagggtct 101760
cactctgttg cccaggctga agtggcacaa tcaaagctca acaaagcttc gaatttcctg 101820
ggctcaagca atcctccac ctcggcctcc cagagtgtg ggattacagg cataagcagc 101880

ctcaccaggc ctggctaatt tttttttttt atgttttgta gagatggggg tctctctatg 101940
ctgggtctcga actcctgggc tcaagcaatc ctctgcctc agcctcctag gtactgggat 102000
tacaggcaag agccaccggc ccagcttgat ctgttatttt catctcagca ggtctgctgg 102060
tcctatctaa ccctagaaga aatttgaagt ttagtggacg tggcctcttc aattctctct 102120
ccgctgtctt tttactcctc ctggtttcac aactcaccgg ctgtgcaaac tttaacctct 102180
ctgtatctca gtttccttcc ctgtaaaagg gggaaaacga gactctacct ctatgagttg 102240
tattaaatgg attaatagca gcaaagttca tagcagcatg gcacaagggt gggcacaagg 102300
ctaggcacag agaaagccct cagttcattg ccagtttatt gcttcaactc cctggccctc 102360
gaaatgctgg cagtttgcaa cccccacccc cactccatga actccactcc ctggagtcct 102420
ttgctaagag caatggaaaa agaaaccaga gaggtaaggg ctctccgggg gtaggagggc 102480
ttgggggacc cactagcttt atgcaaagaa gagtcaaagc ccctagtagc tgggaggtct 102540
gggtggccct taaatagagc tgggctctcg gctgctggct tggtgaaaga aatccaaccc 102600
gctgcagtga gggggccgga gtaagtctcc tcgcttcccg ggtccaggaa tttgggggtc 102660
tctcctctcc ccagtatcgc agcccgagag atctgcagcc aaaccaagcc tggaaaagga 102720
gagtggggcg cgatgggggg cactcacccc ctgccccgcg cagggtcag caggcgcggc 102780
catcgcgccc ttctgtctgc gtgggtccca gcgtctgtct gtcgctaagt ctctgggcag 102840
actgctcggc cgcgatcctg ccggagaaga ggcggggctg ggctggtcgg gctgggctgg 102900
tccggctggg attcgagctc cgggatcggg agggccccgg caaggtccag ctgcgcggcg 102960
ggagtgaggc cacgggaggt gaaaacaggc gaggtggggg atgggggaag agaggcgctc 103020
ggggagctgg gacgggcacc gggttggggg gtcccgaac ccctgaaagt tcagtgcacac 103080
ctccatagtt ccctcttccc cctgcaacaa gaatcactcc agacttecta aacactttgg 103140
accagcaat ttccaggagt tcactctgat gagagaactg aaaggtgtgc acacgttagt 103200
aacaaggagg cctggtgacc gcctaagcgt ccaatcgcg ggaccaccgg gtcgaggccg 103260
agaggatgga gaccgctca caggcacctc gctgctggaa tggagggtgg tggggagaac 103320
ttagaagatt atgcaatggg ctggcagggc tatacccagc cgccctggta agcagaaact 103380
caagaaacct ctagggtcct gttttctggt cgtatgatcc caggagtga catgggcccc 103440
tcgggtgtct gaacagaagg gcataggagg gagggcgcga gccctgcagt ctactctgc 103500
tggtgtagcg gtcacctgcc aactcccacc ccacctgca ccgcgggctc ctgagtcggc 103560

agattaagca ttttataaat tctatttttaa atacgtgttt taaacttgtc agatatttgt 103620
cttcatttca gtccctgcgc ctctacctct tgctgtggtc gcttatttaa cactgggggg 103680
ctacgttctg ctaagtccca gggagagact gttcctaata tccgaggag atattattcc 103740
taatatacag ctgggtgaac accacgtgtg tacagcctct gatacgattg gtaatatcca 103800
aggagatat taccctaaca tcccagtggg tgaacaccat gtgtgtaaac gctgtggtat 103860
tattagaaat atccaaggga gatattactc ctaatatcac agtgggtgta catcctgtga 103920
tattattcgt aatatctgaa ggagatttta ctccctaatat cacagtggga gtacacactg 103980
tgatattatt tgtaatatcc gagggagatt ttactcctaa tatcacagta ggtgtacaac 104040
ctgtgatatt attcataata tgctagagat atattactcc aaatctcatg gtgggtgtac 104100
actctgtcat agaattcgtg ataccctagg gagttattac cgctaataac acagtgagag 104160
tacaccctgt gatattattc atactatcct agaaagatat tacttttaac atcacagagg 104220
gtgtacaccc tgtgatatta ttcataatat tctatgaaga tataactcct gatataaccg 104280
taggtgtata ccctgtgata ttatttgta tatcctaggg agatactaca cctaatacca 104340
cagtgggtgt acaccctgtg atatgatttg taatatccta gggagatata actcctaata 104400
tcacagaggg agtacaccct gtaatatatt tcataaatat ctagaaagat aatactttca 104460
atatcacagt ggggtgtacac tctgtgataa tattcgtaat ttccctaggga gatactactc 104520
ctaatatcac cttgagtgtg cactgcgtga tattattcgt aatatcgtag ggagctattg 104580
cttttaattt cacagtgggt gtatacccta tgatattatt cataatatct taagaaggta 104640
gtactcctaa aatcacagtg cctgtacaca ctgtgatatt attcataata ttctaggag 104700
atgttactcc taatctcata gtgggtgtac acctgtgat actatttgta atgttctaga 104760
aagatattcc ttttaatatc acagtgggtg tacaccctgt gatatgattc gaaatattct 104820
aggcgatat tactcctaata atcccagtga atttacacca tgcgtgtaca cgctgtgacc 104880
tcccagaaag atatgactcc taatatcaca gtgggggtac accctgtgct attatttgta 104940
ataccctatg gatatacata tatcacaatg aacgtacacc attgtgtaca tgctgtgata 105000
ttatttgtaa tatttttggg tgatattacc cctaattgta cagtgcgtgt acatcttttg 105060
atattatttg taatatctg tggagatatt gccctaata tcacagtggg tgtatactct 105120
ttgatactat tcgtaacatc ctggaagata ttatccatat tgtaacgggtg ggtgtacacc 105180
ctgtgatatt attcgttata ttctggggat atactattac ccctaataata ctgtgggtgt 105240
acccctgtg atattattca ctatatcttg gagatataat attacccta atatcacagt 105300

ggggtgtatac tttgtgatat tattcattat atcctgaaga gatattatth cctttaatat 105360
 cacagtgcac gtacaccttg tgatattatt tggtatatcc tggggagata ctactatatt 105420
 actcctagta tcacagtggc tgtacgcctt gtgatactat tcattatatc ctggggagat 105480
 attattactc ctaatatcac agtaagtgtg taccctgtga tattattcat aatatcctgg 105540
 gagatattac ccatattgtc acagtgggtg tacatcctgt aatattatth gtaatatcct 105600
 ggggagatat tattactcct aatagcacag tgggtgtaca cctgtgata ttattgggta 105660
 tatcctgggg aggtattatt attcctaata tcacagtggg tgaacattct gtaatattat 105720
 tcattatatt ttggggagat attaattcct ctaatatcac agtgggtgtg caccctgtga 105780
 tattattcat tatatcctgg gaagatatta atccctctaa tatcacagtg ggtgtacacc 105840
 ctgtaatatt attcattata tcctgggaag atattatth ctctaatac acagtgggtg 105900
 tacaccctgt gatattatth gttgtatcct ggggagatat tattatgtct catatcaca 105960
 tgggtgaaca cctgtgata gtattcggtt tatttgggga agatgttatt acccctaata 106020
 tcacagtggg gtacactctg tgatattatt cattatgtag tggggagata gtattacca 106080
 taatatcaca gtggatgtac accctgtcat attatthgtt atatcctga gaaatattat 106140
 tattcctctt atcacagtgg gtgtacacc tgtgatatta ttcgttacat cctagggaga 106200
 tattgttacc cataatatca cagtggatgt acaccctgtc atattatthg ttatatcctt 106260
 gagagatgtt actacccta atatcacagt ggggtgtatac cctgtgatat tattcatcaa 106320
 attttctgga gatattatta ccataatat cacagtgtgt gtaccactg tgacagtatt 106380
 gattatatct tggggcgata ttactcttaa ttccacagtg gctgtatccc tgtgtttaca 106440
 cctgtgatg ttattcataa tatttttagg agatattact cctaatatca cagtcagtgt 106500
 ataccatgtt tgtacaccct atgatattat ttgtaattat ttagggagat attactcta 106560
 atatcgttgt ggggtgtacag catgtttgtg aacactgtga tattattcat aatatctgag 106620
 agagatatta ctgccaatat cacagtgggt gtacaccctg tacaccgtgt gatacgattc 106680
 ataatatccg agggagatat tactcccagt atcacagtgg gtttacacc tgtgggtatta 106740
 ttcataatat tcgagggaga tattactctc aatatcacag tggatgtaca cctgtgata 106800
 ttatttgcaa tatccgaggg aaacattact gctaatatca cagtgggagt acaccctgtg 106860
 atattatthg ttttatcctg gagacattat attcctatta tcacagtggg tgtacaccct 106920
 gtgatattct tcgctatatt catggaagat gttattacc ctaatatcac agttgggtgtg 106980

caccctgtga tattatctgt tatatcctgg ggagatattg ttacccttag tatcacagt 107040
 ggtgtacgcc ctgtcatatt atccattaca tcatgggaag atattattac atctaataatc 107100
 actgtgggtg tacaccctgt gatattatctt attatatact ggtgagatgt tattactgct 107160
 aatatcacag ggtgtgtcaa attttctgga gatattatta cccttaatat cacagtgggt 107220
 gtgcaccctg tgtgtacact ctgtaataatt atttgtaata ttttagggag atattactac 107280
 taatatcaca gtgggtgtac accctgagga gatattactt cctctgatat cacagtgggt 107340
 gtacaccctc tcatattatt cgttatgtgc taagtagata ttattacccc taatatcaca 107400
 gtgggtgtac accctgtgat gttattcctt atatcccaag aagatattat tataactaat 107460
 atcacagtgg gtgtacaccc tatgatatta tctgttatat actgggggga tattatttgt 107520
 aatatttttag ggagatacta ctccataat catagtgggt gtactcatat ttacagata 107580
 tattactttt aatatcacag tgggtgtaca ccctgtgtgt acaccctgta atattattag 107640
 taatatttta gggagatatt actcctaata tcatagtggg tgtacaccat gtttgtaaac 107700
 cctaggatat tattcataat atccgaggga gatattactc ccaatatcac ggtgggttta 107760
 caccctatga tattatttgt aatatctgag gcaggtatta ctctccatat cacagtgagt 107820

<210> 2
 <211> 4512
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (1)..(4512)
 <223> cDNA for human MRP6 protein

<400> 2
 atg gcc gcg cct gct gag ccc tgc gcg ggg cag ggg gtc tgg aac cag 48
 Met Ala Ala Pro Ala Glu Pro Cys Ala Gly Gln Gly Val Trp Asn Gln
 1 5 10 15
 aca gag cct gaa cct gcc gcc acc agc ctg ctg agc ctg tgc ttc ctg 96
 Thr Glu Pro Glu Pro Ala Ala Thr Ser Leu Leu Ser Leu Cys Phe Leu
 20 25 30
 aga aca gca ggg gtc tgg gta ccc ccc atg tac ctc tgg gtc ctt ggt 144
 Arg Thr Ala Gly Val Trp Val Pro Pro Met Tyr Leu Trp Val Leu Gly
 35 40 45
 ccc atc tac ctc ctc ttc atc cac cac cat ggc cgg ggc tac ctg tgg 192
 Pro Ile Tyr Leu Leu Phe Ile His His His Gly Arg Gly Tyr Leu Trp
 50 55 60

atg tcc cca ctc ttc aaa gcc aag atg gtg ctt gga ttc gcc ctc ata	240
Met Ser Pro Leu Phe Lys Ala Lys Met Val Leu Gly Phe Ala Leu Ile	
65 70 75 80	
gtc ctg tgt acc tcc agc gtg gct gtc gct ctt tgg aaa atc caa cag	288
Val Leu Cys Thr Ser Ser Val Ala Val Ala Leu Trp Lys Ile Gln Gln	
85 90 95	
gga acg cct gag gcc cca gaa ttc ctc att cat cct act gtg tgg ctc	336
Gly Thr Pro Glu Ala Pro Glu Phe Leu Ile His Pro Thr Val Trp Leu	
100 105 110	
acc acg atg agc ttc gca gtg ttc ctg att cac acc gag agg aaa aag	384
Thr Thr Met Ser Phe Ala Val Phe Leu Ile His Thr Glu Arg Lys Lys	
115 120 125	
gga gtc cag tca tct gga gtg ctg ttt ggt tac tgg ctt ctc tgc ttt	432
Gly Val Gln Ser Ser Gly Val Leu Phe Gly Tyr Trp Leu Leu Cys Phe	
130 135 140	
gtc ttg cca gct acc aac gct gcc cag cag gcc tcc gga gcg ggc ttc	480
Val Leu Pro Ala Thr Asn Ala Ala Gln Gln Ala Ser Gly Ala Gly Phe	
145 150 155 160	
cag agc gac cct gtc cgc cac ctg tcc acc tac cta tgc ctg tct ctg	528
Gln Ser Asp Pro Val Arg His Leu Ser Thr Tyr Leu Cys Leu Ser Leu	
165 170 175	
gtg gtg gca cag ttt gtg ctg tcc tgc ctg gcg gat caa ccc ccc ttc	576
Val Val Ala Gln Phe Val Leu Ser Cys Leu Ala Asp Gln Pro Pro Phe	
180 185 190	
ttc cct gaa gac ccc cag cag tct aac ccc tgt cca gag act ggg gca	624
Phe Pro Glu Asp Pro Gln Gln Ser Asn Pro Cys Pro Glu Thr Gly Ala	
195 200 205	
gcc ttc ccc tcc aaa gcc acg ttc tgg tgg gtt tct ggc ctg gtc tgg	672
Ala Phe Pro Ser Lys Ala Thr Phe Trp Trp Val Ser Gly Leu Val Trp	
210 215 220	
agg gga tac agg agg cca ctg aga cca aaa gac ctc tgg tcg ctt ggg	720
Arg Gly Tyr Arg Arg Pro Leu Arg Pro Lys Asp Leu Trp Ser Leu Gly	
225 230 235 240	
aga gaa aac tcc tca gaa gaa ctt gtt tcc cgg ctt gaa aag gag tgg	768
Arg Glu Asn Ser Ser Glu Glu Leu Val Ser Arg Leu Glu Lys Glu Trp	
245 250 255	
atg agg aac cgc agt gca gcc cgg agg cac aac aag gca ata gca ttt	816
Met Arg Asn Arg Ser Ala Ala Arg Arg His Asn Lys Ala Ile Ala Phe	
260 265 270	
aaa agg aaa ggc ggc agt ggc atg aag gct cca gag acc gag ccc ttc	864
Lys Arg Lys Gly Gly Ser Gly Met Lys Ala Pro Glu Thr Glu Pro Phe	
275 280 285	
cta cgg caa gaa ggg agc cag tgg cgc cca ctg ctg aag gcc atc tgg	912

Leu	Arg	Gln	Glu	Gly	Ser	Gln	Trp	Arg	Pro	Leu	Leu	Lys	Ala	Ile	Trp	
290						295				300						
cag	gtg	ttc	cat	tct	acc	ttc	ctc	ctg	ggg	acc	ctc	agc	ctc	atc	atc	960
Gln	Val	Phe	His	Ser	Thr	Phe	Leu	Leu	Gly	Thr	Leu	Ser	Leu	Ile	Ile	
305					310				315					320		
agt	gat	gtc	ttc	agg	ttc	act	gtc	ccc	aag	ctg	ctc	agc	ctt	ttc	ctg	1008
Ser	Asp	Val	Phe	Arg	Phe	Thr	Val	Pro	Lys	Leu	Leu	Ser	Leu	Phe	Leu	
				325				330					335			
gag	ttt	att	ggg	gat	ccc	aag	cct	cca	gcc	tgg	aag	ggc	tac	ctc	ctc	1056
Glu	Phe	Ile	Gly	Asp	Pro	Lys	Pro	Pro	Ala	Trp	Lys	Gly	Tyr	Leu	Leu	
			340					345					350			
gcc	gtg	ctg	atg	ttc	ctc	tca	gcc	tgc	ctg	caa	acg	ctg	ttt	gag	cag	1104
Ala	Val	Leu	Met	Phe	Leu	Ser	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu	Gln	
		355					360					365				
cag	aac	atg	tac	agg	ctc	aag	gtg	ctg	cag	atg	agg	ttg	cgg	tcg	gcc	1152
Gln	Asn	Met	Tyr	Arg	Leu	Lys	Val	Leu	Gln	Met	Arg	Leu	Arg	Ser	Ala	
	370					375					380					
atc	act	ggc	ctg	gtg	tac	aga	aag	gtc	ctg	gct	ctg	tcc	agc	ggc	tcc	1200
Ile	Thr	Gly	Leu	Val	Tyr	Arg	Lys	Val	Leu	Ala	Leu	Ser	Ser	Gly	Ser	
385					390				395					400		
aga	aag	gcc	agt	gcg	gtg	ggg	gat	gtg	gtc	aat	ctg	gtg	tcc	gtg	gac	1248
Arg	Lys	Ala	Ser	Ala	Val	Gly	Asp	Val	Val	Asn	Leu	Val	Ser	Val	Asp	
				405				410					415			
gtg	cag	cgg	ctg	acc	gag	agc	gtc	ctc	tac	ctc	aac	ggg	ctg	tgg	ctg	1296
Val	Gln	Arg	Leu	Thr	Glu	Ser	Val	Leu	Tyr	Leu	Asn	Gly	Leu	Trp	Leu	
			420					425					430			
cct	ctc	gtc	tgg	atc	gtg	gtc	tgc	ttc	gtc	tat	ctc	tgg	cag	ctc	ctg	1344
Pro	Leu	Val	Trp	Ile	Val	Val	Cys	Phe	Val	Tyr	Leu	Trp	Gln	Leu	Leu	
		435					440					445				
ggg	ccc	tcc	gcc	ctc	act	gcc	atc	gct	gtc	ttc	ctg	agc	ctc	ctc	cct	1392
Gly	Pro	Ser	Ala	Leu	Thr	Ala	Ile	Ala	Val	Phe	Leu	Ser	Leu	Leu	Pro	
	450					455					460					
ctg	aat	ttc	ttc	atc	tcc	aag	aaa	agg	aac	cac	cat	cag	gag	gag	caa	1440
Leu	Asn	Phe	Phe	Ile	Ser	Lys	Lys	Arg	Asn	His	His	Gln	Glu	Glu	Gln	
465					470				475					480		
atg	agg	cag	aag	gac	tca	cgg	gca	cgg	ctc	acc	agc	tct	atc	ctc	agg	1488
Met	Arg	Gln	Lys	Asp	Ser	Arg	Ala	Arg	Leu	Thr	Ser	Ser	Ile	Leu	Arg	
				485				490					495			
aac	tcg	aag	acc	atc	aag	ttc	cat	ggc	tgg	gag	gga	gcc	ttt	ctg	gac	1536
Asn	Ser	Lys	Thr	Ile	Lys	Phe	His	Gly	Trp	Glu	Gly	Ala	Phe	Leu	Asp	
			500					505					510			
aga	gtc	ctg	ggc	atc	cga	ggc	cag	gag	ctg	ggc	gcc	ttg	cgg	acc	tcc	1584
Arg	Val	Leu	Gly	Ile	Arg	Gly	Gln	Glu	Leu	Gly	Ala	Leu	Arg	Thr	Ser	

515	520	525	
ggc ctc ctc ttc tct gtg tgc ctg gtg tcc ttc caa gtg tct aca ttt Gly Leu Leu Phe Ser Val Ser Leu Val Ser Phe Gln Val Ser Thr Phe 530 535 540			1632
ctg gtc gca ctg gtg gtg ttt gct gtc cac act ctg gtg gcc gag aat Leu Val Ala Leu Val Val Phe Ala Val His Thr Leu Val Ala Glu Asn 545 550 555 560			1680
gct atg aat gca gag aaa gcc ttt gtg act ctc aca gtt ctc aac atc Ala Met Asn Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu Asn Ile 565 570 575			1728
ctc aac aag gcc cag gct ttc ctg ccc ttc tcc atc cac tcc ctc gtc Leu Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Ile His Ser Leu Val 580 585 590			1776
cag gcc cgg gtg tcc ttt gac cgt ctg gtc acc ttc ctc tgc ctg gaa Gln Ala Arg Val Ser Phe Asp Arg Leu Val Thr Phe Leu Cys Leu Glu 595 600 605			1824
gaa gtt gac cct ggt gtc gta gac tca agt tcc tct gga agc gct gcc Glu Val Asp Pro Gly Val Val Asp Ser Ser Ser Ser Gly Ser Ala Ala 610 615 620			1872
ggg aag gat tgc atc acc ata cac agt gcc acc ttc gcc tgg tcc cag Gly Lys Asp Cys Ile Thr Ile His Ser Ala Thr Phe Ala Trp Ser Gln 625 630 635 640			1920
gaa agc cct ccc tgc ctc cac aga ata aac ctc acg gtg ccc cag ggc Glu Ser Pro Pro Cys Leu His Arg Ile Asn Leu Thr Val Pro Gln Gly 645 650 655			1968
tgt ctg ctg gct gtt gtc ggt cca gtg ggg gca ggg aag tcc tcc ctg Cys Leu Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu 660 665 670			2016
ctg tcc gcc ctc ctt ggg gag ctg tca aag gtg gag ggg ttc gtg agc Leu Ser Ala Leu Leu Gly Glu Leu Ser Lys Val Glu Gly Phe Val Ser 675 680 685			2064
atc gag ggt gct gtg gcc tac gtg ccc cag gag gcc tgg gtg cag aac Ile Glu Gly Ala Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln Asn 690 695 700			2112
acc tct gtg gta gag aat gtg tgc ttc ggg cag gag ctg gac cca ccc Thr Ser Val Val Glu Asn Val Cys Phe Gly Gln Glu Leu Asp Pro Pro 705 710 715 720			2160
tgg ctg gag aga gta cta gaa gcc tgt gcc ctg cag cca gat gtg gac Trp Leu Glu Arg Val Leu Glu Ala Cys Ala Leu Gln Pro Asp Val Asp 725 730 735			2208
agc ttc cct gag gga atc cac act tca att ggg gag cag ggc atg aat Ser Phe Pro Glu Gly Ile His Thr Ser Ile Gly Glu Gln Gly Met Asn 740 745 750			2256

ctc tcc gga ggc cag aag cag cgg ctg agc ctg gcc cgg gct gta tac	2304
Leu Ser Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val Tyr	
755 760 765	
aga aag gca gct gtg tac ctg ctg gat gac ccc ctg gcg gcc ctg gat	2352
Arg Lys Ala Ala Val Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu Asp	
770 775 780	
gcc cac gtt ggc cag cat gtc ttc aac cag gtc att ggg cct ggt ggg	2400
Ala His Val Gly Gln His Val Phe Asn Gln Val Ile Gly Pro Gly Gly	
785 790 795 800	
cta ctc cag gga aca aca cgg att ctc gtg acg cac gca ctc cac atc	2448
Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Ala Leu His Ile	
805 810 815	
ctg ccc cag gct gat tgg atc ata gtg ctg gca aat ggg gcc atc gca	2496
Leu Pro Gln Ala Asp Trp Ile Ile Val Leu Ala Asn Gly Ala Ile Ala	
820 825 830	
gag atg ggt tcc tac cag gag ctt ctg cag agg aag ggg gcc ctc gtg	2544
Glu Met Gly Ser Tyr Gln Glu Leu Leu Gln Arg Lys Gly Ala Leu Val	
835 840 845	
tgt ctt ctg gat caa gcc aga cag cca gga gat aga gga gaa gga gaa	2592
Cys Leu Leu Asp Gln Ala Arg Gln Pro Gly Asp Arg Gly Glu Gly Glu	
850 855 860	
aca gaa cct ggg acc agc acc aag gac ccc aga ggc acc tct gca ggc	2640
Thr Glu Pro Gly Thr Ser Thr Lys Asp Pro Arg Gly Thr Ser Ala Gly	
865 870 875 880	
agg agg ccc gag ctt aga cgc gag agg tcc atc aag tca gtc cct gag	2688
Arg Arg Pro Glu Leu Arg Arg Glu Arg Ser Ile Lys Ser Val Pro Glu	
885 890 895	
aag gac cgt acc act tca gaa gcc cag aca gag gtt cct ctg gat gac	2736
Lys Asp Arg Thr Thr Ser Glu Ala Gln Thr Glu Val Pro Leu Asp Asp	
900 905 910	
cct gac agg gca gga tgg cca gca gga aag gac agc atc caa tac ggc	2784
Pro Asp Arg Ala Gly Trp Pro Ala Gly Lys Asp Ser Ile Gln Tyr Gly	
915 920 925	
agg gtg aag gcc aca gtg cac ctg gcc tac ctg cgt gcc gtg ggc acc	2832
Arg Val Lys Ala Thr Val His Leu Ala Tyr Leu Arg Ala Val Gly Thr	
930 935 940	
ccc ctc tgc ctc tac gca ctc ttc ctc ttc ctc tgc cag caa gtg gcc	2880
Pro Leu Cys Leu Tyr Ala Leu Phe Leu Phe Leu Cys Gln Gln Val Ala	
945 950 955 960	
tcc ttc tgc cgg ggc tac tgg ctg agc ctg tgg gcg gac gac cct gca	2928
Ser Phe Cys Arg Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Ala	
965 970 975	

gta ggt ggg cag cag acg cag gca gcc ctg cgt ggc ggg atc ttc ggg	2976
Val Gly Gly Gln Gln Thr Gln Ala Ala Leu Arg Gly Gly Ile Phe Gly	
980 985 990	
ctc ctc ggc tgt ctc caa gcc att ggg ctg ttt gcc tcc atg gct gcg	3024
Leu Leu Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala	
995 1000 1005	
gtg ctc cta ggt ggg gcc cgg gca tcc agg ttg ctc ttc cag agg	3069
Val Leu Leu Gly Gly Ala Arg Ala Ser Arg Leu Leu Phe Gln Arg	
1010 1015 1020	
ctc ctg tgg gat gtg gtg cga tct ccc atc agc ttc ttt gag cgg	3114
Leu Leu Trp Asp Val Val Arg Ser Pro Ile Ser Phe Phe Glu Arg	
1025 1030 1035	
aca ccc att ggt cac ctg cta aac cgc ttc tcc aag gag aca gac	3159
Thr Pro Ile Gly His Leu Leu Asn Arg Phe Ser Lys Glu Thr Asp	
1040 1045 1050	
acg gtt gac gtg gac att cca gac aaa ctc cgg tcc ctg ctg atg	3204
Thr Val Asp Val Asp Ile Pro Asp Lys Leu Arg Ser Leu Leu Met	
1055 1060 1065	
tac gcc ttt gga ctc ctg gag gtc agc ctg gtg gtg gca gtg gct	3249
Tyr Ala Phe Gly Leu Leu Glu Val Ser Leu Val Val Ala Val Ala	
1070 1075 1080	
acc cca ctg gcc act gtg gcc atc ctg cca ctg ttt ctc ctc tac	3294
Thr Pro Leu Ala Thr Val Ala Ile Leu Pro Leu Phe Leu Leu Tyr	
1085 1090 1095	
gct ggg ttt cag agc ctg tat gtg gtt agc tca tgc cag ctg aga	3339
Ala Gly Phe Gln Ser Leu Tyr Val Val Ser Ser Cys Gln Leu Arg	
1100 1105 1110	
cgc ttg gag tca gcc agc tac tcg tct gtc tgc tcc cac atg gct	3384
Arg Leu Glu Ser Ala Ser Tyr Ser Ser Val Cys Ser His Met Ala	
1115 1120 1125	
gag acg ttc cag ggc agc aca gtg gtc cgg gca ttc cga acc cag	3429
Glu Thr Phe Gln Gly Ser Thr Val Val Arg Ala Phe Arg Thr Gln	
1130 1135 1140	
gcc ccc ttt gtg gct cag aac aat gct cgc gta gat gaa agc cag	3474
Ala Pro Phe Val Ala Gln Asn Asn Ala Arg Val Asp Glu Ser Gln	
1145 1150 1155	
agg atc agt ttc ccg cga ctg gtg gct gac agg tgg ctt gcg gcc	3519
Arg Ile Ser Phe Pro Arg Leu Val Ala Asp Arg Trp Leu Ala Ala	
1160 1165 1170	
aat gtg gag ctc ctg ggg aat ggc ctg gtg ttt gca gct gcc acg	3564
Asn Val Glu Leu Leu Gly Asn Gly Leu Val Phe Ala Ala Ala Thr	
1175 1180 1185	
tgt gct gtg ctg agc aaa gcc cac ctc agt gct ggc ctc gtg ggc	3609

Cys	Ala	Val	Leu	Ser	Lys	Ala	His	Leu	Ser	Ala	Gly	Leu	Val	Gly	
1190						1195					1200				
ttc	tct	gtc	tct	gct	gcc	ctc	cag	gtg	acc	cag	aca	ctg	cag	tgg	3654
Phe	Ser	Val	Ser	Ala	Ala	Leu	Gln	Val	Thr	Gln	Thr	Leu	Gln	Trp	
1205						1210					1215				
gtt	gtt	cgc	aac	tgg	aca	gac	cta	gag	aac	agc	atc	gtg	tca	gtg	3699
Val	Val	Arg	Asn	Trp	Thr	Asp	Leu	Glu	Asn	Ser	Ile	Val	Ser	Val	
1220						1225					1230				
gag	cgg	atg	cag	gac	tat	gcc	tgg	acg	ccc	aag	gag	gct	ccc	tgg	3744
Glu	Arg	Met	Gln	Asp	Tyr	Ala	Trp	Thr	Pro	Lys	Glu	Ala	Pro	Trp	
1235						1240					1245				
agg	ctg	ccc	aca	tgt	gca	gct	cag	ccc	ccc	tgg	cct	cag	ggc	ggg	3789
Arg	Leu	Pro	Thr	Cys	Ala	Ala	Gln	Pro	Pro	Trp	Pro	Gln	Gly	Gly	
1250						1255					1260				
cag	atc	gag	ttc	cgg	gac	ttt	ggg	cta	aga	tac	cga	cct	gag	ctc	3834
Gln	Ile	Glu	Phe	Arg	Asp	Phe	Gly	Leu	Arg	Tyr	Arg	Pro	Glu	Leu	
1265						1270					1275				
ccg	ctg	gct	gtg	cag	ggc	gtg	tcc	ttc	aag	atc	cac	gca	gga	gag	3879
Pro	Leu	Ala	Val	Gln	Gly	Val	Ser	Phe	Lys	Ile	His	Ala	Gly	Glu	
1280						1285					1290				
aag	gtg	ggc	atc	gtt	ggc	agg	acc	ggg	gca	ggg	aag	tcc	tcc	ctg	3924
Lys	Val	Gly	Ile	Val	Gly	Arg	Thr	Gly	Ala	Gly	Lys	Ser	Ser	Leu	
1295						1300					1305				
gcc	agt	ggg	ctg	ctg	cgg	ctc	cag	gag	gca	gct	gag	ggg	ggg	atc	3969
Ala	Ser	Gly	Leu	Leu	Arg	Leu	Gln	Glu	Ala	Ala	Glu	Gly	Gly	Ile	
1310						1315					1320				
tgg	atc	gac	ggg	gtc	ccc	att	gcc	cac	gtg	ggg	ctg	cac	aca	ctg	4014
Trp	Ile	Asp	Gly	Val	Pro	Ile	Ala	His	Val	Gly	Leu	His	Thr	Leu	
1325						1330					1335				
cgc	tcc	agg	atc	agc	atc	atc	ccc	cag	gac	ccc	atc	ctg	ttc	cct	4059
Arg	Ser	Arg	Ile	Ser	Ile	Ile	Pro	Gln	Asp	Pro	Ile	Leu	Phe	Pro	
1340						1345					1350				
ggc	tct	ctg	cgg	atg	aac	ctc	gac	ctg	ctg	cag	gag	cac	tcg	gac	4104
Gly	Ser	Leu	Arg	Met	Asn	Leu	Asp	Leu	Leu	Gln	Glu	His	Ser	Asp	
1355						1360					1365				
gag	gct	atc	tgg	gca	gcc	ctg	gag	acg	gtg	cag	ctc	aaa	gcc	ttg	4149
Glu	Ala	Ile	Trp	Ala	Ala	Leu	Glu	Thr	Val	Gln	Leu	Lys	Ala	Leu	
1370						1375					1380				
gtg	gcc	agc	ctg	ccc	ggc	cag	ctg	cag	tac	aag	tgt	gct	gac	cga	4194
Val	Ala	Ser	Leu	Pro	Gly	Gln	Leu	Gln	Tyr	Lys	Cys	Ala	Asp	Arg	
1385						1390					1395				
ggc	gag	gac	ctg	agc	gtg	ggc	cag	aaa	cag	ctc	ctg	tgt	ctg	gca	4239
Gly	Glu	Asp	Leu	Ser	Val	Gly	Gln	Lys	Gln	Leu	Leu	Cys	Leu	Ala	

1400	1405	1410	
cgt gcc ctt ctc cgg aag acc	cag atc ctc atc ctg	gac gag gct	4284
Arg Ala Leu Leu Arg Lys Thr	Gln Ile Leu Ile Leu	Asp Glu Ala	
1415	1420	1425	
act gct gcc gtg gac cct ggc	acg gag ctg cag atg	cag gcc atg	4329
Thr Ala Ala Val Asp Pro Gly	Thr Glu Leu Gln Met	Gln Ala Met	
1430	1435	1440	
ctc ggg agc tgg ttt gca cag	tgc act gtg ctg ctc	att gcc cac	4374
Leu Gly Ser Trp Phe Ala Gln	Cys Thr Val Leu Leu	Ile Ala His	
1445	1450	1455	
cgc ctg cgc tcc gtg atg gac	tgt gcc cgg gtt ctg	gtc atg gac	4419
Arg Leu Arg Ser Val Met Asp	Cys Ala Arg Val Leu	Val Met Asp	
1460	1465	1470	
aag ggg cag gtg gca gag agc	ggc agc ccg gcc cag	ctg ctg gcc	4464
Lys Gly Gln Val Ala Glu Ser	Gly Ser Pro Ala Gln	Leu Leu Ala	
1475	1480	1485	
cag aag ggc ctg ttt tac aga	ctg gcc cag gag tca	ggc ctg gtc	4509
Gln Lys Gly Leu Phe Tyr Arg	Leu Ala Gln Glu Ser	Gly Leu Val	
1490	1495	1500	
tga			4512
<210>	3		
<211>	1503		
<212>	PRT		
<213>	Homo sapiens		
<400>	3		
Met Ala Ala Pro Ala Glu Pro Cys Ala Gly Gln Gly Val Trp Asn Gln			
1	5	10	15
Thr Glu Pro Glu Pro Ala Ala Thr Ser Leu Leu Ser Leu Cys Phe Leu			
	20	25	30
Arg Thr Ala Gly Val Trp Val Pro Pro Met Tyr Leu Trp Val Leu Gly			
	35	40	45
Pro Ile Tyr Leu Leu Phe Ile His His His Gly Arg Gly Tyr Leu Trp			
	50	55	60
Met Ser Pro Leu Phe Lys Ala Lys Met Val Leu Gly Phe Ala Leu Ile			
	65	70	75
Val Leu Cys Thr Ser Ser Val Ala Val Ala Leu Trp Lys Ile Gln Gln			

	85		90		95
Gly Thr Pro Glu Ala Pro Glu Phe Leu Ile His Pro Thr Val Trp Leu	100		105		110
Thr Thr Met Ser Phe Ala Val Phe Leu Ile His Thr Glu Arg Lys Lys	115		120		125
Gly Val Gln Ser Ser Gly Val Leu Phe Gly Tyr Trp Leu Leu Cys Phe	130		135		140
Val Leu Pro Ala Thr Asn Ala Ala Gln Gln Ala Ser Gly Ala Gly Phe	145		150		155
Gln Ser Asp Pro Val Arg His Leu Ser Thr Tyr Leu Cys Leu Ser Leu	165		170		175
Val Val Ala Gln Phe Val Leu Ser Cys Leu Ala Asp Gln Pro Pro Phe	180		185		190
Phe Pro Glu Asp Pro Gln Gln Ser Asn Pro Cys Pro Glu Thr Gly Ala	195		200		205
Ala Phe Pro Ser Lys Ala Thr Phe Trp Trp Val Ser Gly Leu Val Trp	210		215		220
Arg Gly Tyr Arg Arg Pro Leu Arg Pro Lys Asp Leu Trp Ser Leu Gly	225		230		235
Arg Glu Asn Ser Ser Glu Glu Leu Val Ser Arg Leu Glu Lys Glu Trp	245		250		255
Met Arg Asn Arg Ser Ala Ala Arg Arg His Asn Lys Ala Ile Ala Phe	260		265		270
Lys Arg Lys Gly Gly Ser Gly Met Lys Ala Pro Glu Thr Glu Pro Phe	275		280		285
Leu Arg Gln Glu Gly Ser Gln Trp Arg Pro Leu Leu Lys Ala Ile Trp	290		295		300
Gln Val Phe His Ser Thr Phe Leu Leu Gly Thr Leu Ser Leu Ile Ile	305		310		315
					320

Ser Asp Val Phe Arg Phe Thr Val Pro Lys Leu Leu Ser Leu Phe Leu
 325 330 335

Glu Phe Ile Gly Asp Pro Lys Pro Pro Ala Trp Lys Gly Tyr Leu Leu
 340 345 350

Ala Val Leu Met Phe Leu Ser Ala Cys Leu Gln Thr Leu Phe Glu Gln
 355 360 365

Gln Asn Met Tyr Arg Leu Lys Val Leu Gln Met Arg Leu Arg Ser Ala
 370 375 380

Ile Thr Gly Leu Val Tyr Arg Lys Val Leu Ala Leu Ser Ser Gly Ser
 385 390 395 400

Arg Lys Ala Ser Ala Val Gly Asp Val Val Asn Leu Val Ser Val Asp
 405 410 415

Val Gln Arg Leu Thr Glu Ser Val Leu Tyr Leu Asn Gly Leu Trp Leu
 420 425 430

Pro Leu Val Trp Ile Val Val Cys Phe Val Tyr Leu Trp Gln Leu Leu
 435 440 445

Gly Pro Ser Ala Leu Thr Ala Ile Ala Val Phe Leu Ser Leu Leu Pro
 450 455 460

Leu Asn Phe Phe Ile Ser Lys Lys Arg Asn His His Gln Glu Glu Gln
 465 470 475 480

Met Arg Gln Lys Asp Ser Arg Ala Arg Leu Thr Ser Ser Ile Leu Arg
 485 490 495

Asn Ser Lys Thr Ile Lys Phe His Gly Trp Glu Gly Ala Phe Leu Asp
 500 505 510

Arg Val Leu Gly Ile Arg Gly Gln Glu Leu Gly Ala Leu Arg Thr Ser
 515 520 525

Gly Leu Leu Phe Ser Val Ser Leu Val Ser Phe Gln Val Ser Thr Phe
 530 535 540

Leu Val Ala Leu Val Val Phe Ala Val His Thr Leu Val Ala Glu Asn
545 550 555 560

Ala Met Asn Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu Asn Ile
565 570 575

Leu Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Ile His Ser Leu Val
580 585 590

Gln Ala Arg Val Ser Phe Asp Arg Leu Val Thr Phe Leu Cys Leu Glu
595 600 605

Glu Val Asp Pro Gly Val Val Asp Ser Ser Ser Ser Gly Ser Ala Ala
610 615 620

Gly Lys Asp Cys Ile Thr Ile His Ser Ala Thr Phe Ala Trp Ser Gln
625 630 635 640

Glu Ser Pro Pro Cys Leu His Arg Ile Asn Leu Thr Val Pro Gln Gly
645 650 655

Cys Leu Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu
660 665 670

Leu Ser Ala Leu Leu Gly Glu Leu Ser Lys Val Glu Gly Phe Val Ser
675 680 685

Ile Glu Gly Ala Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln Asn
690 695 700

Thr Ser Val Val Glu Asn Val Cys Phe Gly Gln Glu Leu Asp Pro Pro
705 710 715 720

Trp Leu Glu Arg Val Leu Glu Ala Cys Ala Leu Gln Pro Asp Val Asp
725 730 735

Ser Phe Pro Glu Gly Ile His Thr Ser Ile Gly Glu Gln Gly Met Asn
740 745 750

Leu Ser Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val Tyr
755 760 765

Arg Lys Ala Ala Val Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu Asp
 770 775 780

Ala His Val Gly Gln His Val Phe Asn Gln Val Ile Gly Pro Gly Gly
 785 790 795 800

Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Ala Leu His Ile
 805 810 815

Leu Pro Gln Ala Asp Trp Ile Ile Val Leu Ala Asn Gly Ala Ile Ala
 820 825 830

Glu Met Gly Ser Tyr Gln Glu Leu Leu Gln Arg Lys Gly Ala Leu Val
 835 840 845

Cys Leu Leu Asp Gln Ala Arg Gln Pro Gly Asp Arg Gly Glu Gly Glu
 850 855 860

Thr Glu Pro Gly Thr Ser Thr Lys Asp Pro Arg Gly Thr Ser Ala Gly
 865 870 875 880

Arg Arg Pro Glu Leu Arg Arg Glu Arg Ser Ile Lys Ser Val Pro Glu
 885 890 895

Lys Asp Arg Thr Thr Ser Glu Ala Gln Thr Glu Val Pro Leu Asp Asp
 900 905 910

Pro Asp Arg Ala Gly Trp Pro Ala Gly Lys Asp Ser Ile Gln Tyr Gly
 915 920 925

Arg Val Lys Ala Thr Val His Leu Ala Tyr Leu Arg Ala Val Gly Thr
 930 935 940

Pro Leu Cys Leu Tyr Ala Leu Phe Leu Phe Leu Cys Gln Gln Val Ala
 945 950 955 960

Ser Phe Cys Arg Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Ala
 965 970 975

Val Gly Gly Gln Gln Thr Gln Ala Ala Leu Arg Gly Gly Ile Phe Gly
 980 985 990

Leu Leu Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala

995					1000					1005				
Val	Leu	Leu	Gly	Gly	Ala	Arg	Ala	Ser	Arg	Leu	Leu	Phe	Gln	Arg
1010						1015					1020			
Leu	Leu	Trp	Asp	Val	Val	Arg	Ser	Pro	Ile	Ser	Phe	Phe	Glu	Arg
1025						1030					1035			
Thr	Pro	Ile	Gly	His	Leu	Leu	Asn	Arg	Phe	Ser	Lys	Glu	Thr	Asp
1040						1045					1050			
Thr	Val	Asp	Val	Asp	Ile	Pro	Asp	Lys	Leu	Arg	Ser	Leu	Leu	Met
1055						1060					1065			
Tyr	Ala	Phe	Gly	Leu	Leu	Glu	Val	Ser	Leu	Val	Val	Ala	Val	Ala
1070						1075					1080			
Thr	Pro	Leu	Ala	Thr	Val	Ala	Ile	Leu	Pro	Leu	Phe	Leu	Leu	Tyr
1085						1090					1095			
Ala	Gly	Phe	Gln	Ser	Leu	Tyr	Val	Val	Ser	Ser	Cys	Gln	Leu	Arg
1100						1105					1110			
Arg	Leu	Glu	Ser	Ala	Ser	Tyr	Ser	Ser	Val	Cys	Ser	His	Met	Ala
1115						1120					1125			
Glu	Thr	Phe	Gln	Gly	Ser	Thr	Val	Val	Arg	Ala	Phe	Arg	Thr	Gln
1130						1135					1140			
Ala	Pro	Phe	Val	Ala	Gln	Asn	Asn	Ala	Arg	Val	Asp	Glu	Ser	Gln
1145						1150					1155			
Arg	Ile	Ser	Phe	Pro	Arg	Leu	Val	Ala	Asp	Arg	Trp	Leu	Ala	Ala
1160						1165					1170			
Asn	Val	Glu	Leu	Leu	Gly	Asn	Gly	Leu	Val	Phe	Ala	Ala	Ala	Thr
1175						1180					1185			
Cys	Ala	Val	Leu	Ser	Lys	Ala	His	Leu	Ser	Ala	Gly	Leu	Val	Gly
1190						1195					1200			
Phe	Ser	Val	Ser	Ala	Ala	Leu	Gln	Val	Thr	Gln	Thr	Leu	Gln	Trp
1205						1210					1215			

Val Val	Arg Asn Trp Thr Asp	Leu Glu Asn Ser Ile	Val Ser Val
1220	1225	1230	
Glu Arg	Met Gln Asp Tyr Ala	Trp Thr Pro Lys Glu	Ala Pro Trp
1235	1240	1245	
Arg Leu	Pro Thr Cys Ala Ala	Gln Pro Pro Trp Pro	Gln Gly Gly
1250	1255	1260	
Gln Ile	Glu Phe Arg Asp Phe	Gly Leu Arg Tyr Arg	Pro Glu Leu
1265	1270	1275	
Pro Leu	Ala Val Gln Gly Val	Ser Phe Lys Ile His	Ala Gly Glu
1280	1285	1290	
Lys Val	Gly Ile Val Gly Arg	Thr Gly Ala Gly Lys	Ser Ser Leu
1295	1300	1305	
Ala Ser	Gly Leu Leu Arg Leu	Gln Glu Ala Ala Glu	Gly Gly Ile
1310	1315	1320	
Trp Ile	Asp Gly Val Pro Ile	Ala His Val Gly Leu	His Thr Leu
1325	1330	1335	
Arg Ser	Arg Ile Ser Ile Ile	Pro Gln Asp Pro Ile	Leu Phe Pro
1340	1345	1350	
Gly Ser	Leu Arg Met Asn Leu	Asp Leu Leu Gln Glu	His Ser Asp
1355	1360	1365	
Glu Ala	Ile Trp Ala Ala Leu	Glu Thr Val Gln Leu	Lys Ala Leu
1370	1375	1380	
Val Ala	Ser Leu Pro Gly Gln	Leu Gln Tyr Lys Cys	Ala Asp Arg
1385	1390	1395	
Gly Glu	Asp Leu Ser Val Gly	Gln Lys Gln Leu Leu	Cys Leu Ala
1400	1405	1410	
Arg Ala	Leu Leu Arg Lys Thr	Gln Ile Leu Ile Leu	Asp Glu Ala
1415	1420	1425	

Thr Ala Ala Val Asp Pro Gly Thr Glu Leu Gln Met Gln Ala Met
 1430 1435 1440

Leu Gly Ser Trp Phe Ala Gln Cys Thr Val Leu Leu Ile Ala His
 1445 1450 1455

Arg Leu Arg Ser Val Met Asp Cys Ala Arg Val Leu Val Met Asp
 1460 1465 1470

Lys Gly Gln Val Ala Glu Ser Gly Ser Pro Ala Gln Leu Leu Ala
 1475 1480 1485

Gln Lys Gly Leu Phe Tyr Arg Leu Ala Gln Glu Ser Gly Leu Val
 1490 1495 1500

<210> 4
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for ABCC6

<400> 4
 agccacgttc tggtggggttt 20

<210> 5
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for ABCC6

<400> 5
 ggaggcttgg gatcaccaat 20

<210> 6
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for MRP-1

<400> 6
 caactgcac gttctgtttg 20

<210> 7
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for MRP-1

<400> 7
 atactccttg agcctctcca 20

<210> 8
 <211> 4980
 <212> DNA
 <213> Mus musculus

<220>
 <221> CDS
 <222> (12)..(4508)
 <223> cDNA for mouse MRP6

<400> 8
 ccgcgtcgac g atg aac agc ggg cgc tcc atg gcc acg cct gga gag cag 50
 Met Asn Ser Gly Arg Ser Met Ala Thr Pro Gly Glu Gln
 1 5 10

tgc gcc ggc ctg agg gtc tgg aac cag aca gag cag gag cct gcg gcc 98
 Cys Ala Gly Leu Arg Val Trp Asn Gln Thr Glu Gln Glu Pro Ala Ala
 15 20 25

tat cac ttg ctc agc ctg tgc ttc gtg aga gcc gcc agc agc tgg gtg 146
 Tyr His Leu Leu Ser Leu Cys Phe Val Arg Ala Ala Ser Ser Trp Val
 30 35 40 45

ccc ccc atg tac ctc tgg gtc ctc ggc ccc atc tac ctt ctc tac atc 194
 Pro Pro Met Tyr Leu Trp Val Leu Gly Pro Ile Tyr Leu Leu Tyr Ile
 50 55 60

cat cgc cat ggc cgg tgc tac ctc cgg atg tcc cac ctc ttc aaa acc 242
 His Arg His Gly Arg Cys Tyr Leu Arg Met Ser His Leu Phe Lys Thr
 65 70 75

aaa atg gtg ctg ggc ttg gcc ctc atc ctt ctg tat acc ttc aac gtg 290
 Lys Met Val Leu Gly Leu Ala Leu Ile Leu Leu Tyr Thr Phe Asn Val
 80 85 90

gcc gtg cct ctg tgg agg atc cac cag ggc gtg ccc cag gcc cca gag 338
 Ala Val Pro Leu Trp Arg Ile His Gln Gly Val Pro Gln Ala Pro Glu
 95 100 105

ctt cta att cac cct act gtg tgg ctc acc acc atg agc ttt gcc acc 386
 Leu Leu Ile His Pro Thr Val Trp Leu Thr Thr Met Ser Phe Ala Thr
 110 115 120 125

ttt ctg atc cac atg gag aga agg aag gga gtc cgg tca tcc ggg gtg 434

Phe	Leu	Ile	His	Met	Glu	Arg	Arg	Lys	Gly	Val	Arg	Ser	Ser	Gly	Val		
				130					135					140			
ttg	ttc	ggg	tac	tgg	ctg	ctc	tgc	tgc	atc	ttg	cca	gga	atc	aac	act	482	
Leu	Phe	Gly	Tyr	Trp	Leu	Leu	Cys	Cys	Ile	Leu	Pro	Gly	Ile	Asn	Thr		
			145					150					155				
gtg	cag	cag	gcc	tct	gca	ggg	aac	tta	cgt	cag	gag	ccc	ctc	cac	cac	530	
Val	Gln	Gln	Ala	Ser	Ala	Gly	Asn	Leu	Arg	Gln	Glu	Pro	Leu	His	His		
			160				165					170					
ctg	gcc	acc	tac	ctg	tgc	ttg	tcc	ctg	gtg	gtg	gct	gag	ctg	gtg	ctg	578	
Leu	Ala	Thr	Tyr	Leu	Cys	Leu	Ser	Leu	Val	Val	Ala	Glu	Leu	Val	Leu		
	175					180					185						
tcc	tgt	ctg	gtg	gac	cag	cca	ccc	ttc	ttc	tcg	gaa	gac	tcc	cag	cca	626	
Ser	Cys	Leu	Val	Asp	Gln	Pro	Pro	Phe	Phe	Ser	Glu	Asp	Ser	Gln	Pro		
190					195					200					205		
ttg	aat	ccg	tgt	cca	gag	gct	gag	gcc	tcc	ttt	ccc	tcc	aag	gcc	atg	674	
Leu	Asn	Pro	Cys	Pro	Glu	Ala	Glu	Ala	Ser	Phe	Pro	Ser	Lys	Ala	Met		
				210					215					220			
ttc	tgg	tgg	gcc	tct	gga	ctg	cta	tgg	agg	ggc	tac	aaa	aag	ctg	ctg	722	
Phe	Trp	Trp	Ala	Ser	Gly	Leu	Leu	Trp	Arg	Gly	Tyr	Lys	Lys	Leu	Leu		
			225					230					235				
gga	cca	aaa	gac	ctc	tgg	tca	ctt	ggg	aga	gaa	aac	tct	tca	gaa	gaa	770	
Gly	Pro	Lys	Asp	Leu	Trp	Ser	Leu	Gly	Arg	Glu	Asn	Ser	Ser	Glu	Glu		
		240					245					250					
ctc	gtt	tcc	cag	ctg	gaa	aga	gaa	tgg	agg	aga	agc	tgc	aat	ggg	ctg	818	
Leu	Val	Ser	Gln	Leu	Glu	Arg	Glu	Trp	Arg	Arg	Ser	Cys	Asn	Gly	Leu		
	255					260					265						
cca	ggg	cac	aaa	ggg	cac	agt	agt	gtg	ggg	gcc	cct	gag	aca	gag	gcc	866	
Pro	Gly	His	Lys	Gly	His	Ser	Ser	Val	Gly	Ala	Pro	Glu	Thr	Glu	Ala		
270					275					280					285		
ttc	ctg	cag	cca	gag	agg	agt	cag	agg	ggc	cca	cta	ctc	agg	gct	atc	914	
Phe	Leu	Gln	Pro	Glu	Arg	Ser	Gln	Arg	Gly	Pro	Leu	Leu	Arg	Ala	Ile		
				290					295					300			
tgg	cgc	gtg	ttc	cgg	tcc	acc	ttc	ctg	ctg	ggg	acc	ctc	agc	ctg	gtc	962	
Trp	Arg	Val	Phe	Arg	Ser	Thr	Phe	Leu	Leu	Gly	Thr	Leu	Ser	Leu	Val		
			305					310					315				
att	agc	gat	gcc	ttc	agg	ttt	gct	gtt	ccc	aag	ctc	ctc	agt	ctg	ttt	1010	
Ile	Ser	Asp	Ala	Phe	Arg	Phe	Ala	Val	Pro	Lys	Leu	Leu	Ser	Leu	Phe		
		320					325					330					
ctg	gag	ttc	atg	ggt	gac	cgc	aac	tcc	tcg	gcg	tgg	aca	ggc	tgg	ctc	1058	
Leu	Glu	Phe	Met	Gly	Asp	Arg	Asn	Ser	Ser	Ala	Trp	Thr	Gly	Trp	Leu		
	335					340					345						
cta	gct	gtg	ctg	atg	ttc	gcg	gca	gcc	tgc	cta	cag	acg	ttg	ttt	gaa	1106	
Leu	Ala	Val	Leu	Met	Phe	Ala	Ala	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu		

350	355	360	365	
cag cag cac atg tac aga gcc aag gtc ctg cag atg agg ctg cga aca				1154
Gln Gln His Met Tyr Arg Ala Lys Val Leu Gln Met Arg Leu Arg Thr				
	370	375	380	
gcc atc act ggc ctg gtg tac aga aag gtc ctg gtc ctg tcc agt ggt				1202
Ala Ile Thr Gly Leu Val Tyr Arg Lys Val Leu Val Leu Ser Ser Gly				
	385	390	395	
tcc aga aag tcc agc gca gca gga gac gtg gtc aac ctg gtg tgg gtg				1250
Ser Arg Lys Ser Ser Ala Ala Gly Asp Val Val Asn Leu Val Ser Val				
	400	405	410	
gac atc cag cgg ctg gcc gag agc atc atc tac ctc aac ggg ctg tgg				1298
Asp Ile Gln Arg Leu Ala Glu Ser Ile Ile Tyr Leu Asn Gly Leu Trp				
	415	420	425	
ctg ctc ttc ctg tgg atc ttt gtg tgc ttt gtc tac ctg tgg cag ctc				1346
Leu Leu Phe Leu Trp Ile Phe Val Cys Phe Val Tyr Leu Trp Gln Leu				
	430	435	440	445
ctt gga ccc tct gct ctc aca gcc gtt gct gtc ttc ctg agc ctc ctc				1394
Leu Gly Pro Ser Ala Leu Thr Ala Val Ala Val Phe Leu Ser Leu Leu				
	450	455	460	
cct ctg aac ttc ttc atc acc aag aag agg ggc ttc cat cag gaa gaa				1442
Pro Leu Asn Phe Phe Ile Thr Lys Lys Arg Gly Phe His Gln Glu Glu				
	465	470	475	
cag atg agg cag aag gcc tcc aga gca cgg ctc acc agc tcc atg ctc				1490
Gln Met Arg Gln Lys Ala Ser Arg Ala Arg Leu Thr Ser Ser Met Leu				
	480	485	490	
aga act gtg aga acc atc aag tcc cac ggc tgg gag cat gcc ttc ctg				1538
Arg Thr Val Arg Thr Ile Lys Ser His Gly Trp Glu His Ala Phe Leu				
	495	500	505	
gag cga ctc ctt cac atc cgg ggc cag gag ctc agc gcc ctg aag acc				1586
Glu Arg Leu Leu His Ile Arg Gly Gln Glu Leu Ser Ala Leu Lys Thr				
	510	515	520	525
tcc acc ctc ctc ttc tct gtg tct ctc gtg tcc ttc caa gtg tct aca				1634
Ser Thr Leu Leu Phe Ser Val Ser Leu Val Ser Phe Gln Val Ser Thr				
	530	535	540	
ttt ctg gtg gcg ctg gtc gtg ttt gct gtc cac acc ctg gtg gca gag				1682
Phe Leu Val Ala Leu Val Val Phe Ala Val His Thr Leu Val Ala Glu				
	545	550	555	
gac aat gcc atg gat gca gag aag gcc ttt gtg acg ctc aca gtg ctc				1730
Asp Asn Ala Met Asp Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu				
	560	565	570	
agc atc ctt aac aaa gcc cag gcc ttc ctc ccc ttc tct gtg cac tgc				1778
Ser Ile Leu Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Val His Cys				
	575	580	585	

atc gtt cag gct cga gtg tcc ttt gac cgg ctg gct gcc ttc ctg tgc	1826
Ile Val Gln Ala Arg Val Ser Phe Asp Arg Leu Ala Ala Phe Leu Cys	
590 595 600 605	
ctg gaa gaa gta gac ccc aat ggc atg atc gcg agt aac tcc agg cgc	1874
Leu Glu Glu Val Asp Pro Asn Gly Met Ile Ala Ser Asn Ser Arg Arg	
610 615 620	
tcc tcg aag gat cga att tct gta cac aat ggc acc ttc gct tgg tcc	1922
Ser Ser Lys Asp Arg Ile Ser Val His Asn Gly Thr Phe Ala Trp Ser	
625 630 635	
cag gag agc cca ccc tgc ctg cac ggg atc aac ctc acc gtg ccc cag	1970
Gln Glu Ser Pro Pro Cys Leu His Gly Ile Asn Leu Thr Val Pro Gln	
640 645 650	
ggc tgt ctg ctg gct gtt gtg ggt cca gtg ggg gct ggg aag tcc tcc	2018
Gly Cys Leu Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser	
655 660 665	
ctg ctg tct gcc ctg ctt ggg gag ctg ttg aag gta gaa ggg tct gtg	2066
Leu Leu Ser Ala Leu Leu Gly Glu Leu Leu Lys Val Glu Gly Ser Val	
670 675 680 685	
agc att gag ggt tcc gtg gct tac gtg cct cag gag gcc tgg gtc cag	2114
Ser Ile Glu Gly Ser Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln	
690 695 700	
aat acc tct gtg gcg gag aat gtg tgc ttc agg caa gag ctg gac ctg	2162
Asn Thr Ser Val Ala Glu Asn Val Cys Phe Arg Gln Glu Leu Asp Leu	
705 710 715	
ccc tgg ttg cag aaa gtt cta gac gcc tgt gcc ttg ggg tct gat gtg	2210
Pro Trp Leu Gln Lys Val Leu Asp Ala Cys Ala Leu Gly Ser Asp Val	
720 725 730	
gcc agc ttc cct gca gga gtt cac acc cca ata ggg gag cag ggc atg	2258
Ala Ser Phe Pro Ala Gly Val His Thr Pro Ile Gly Glu Gln Gly Met	
735 740 745	
aat ctt tct ggg ggc cag aag cag cgg ctg agc ttg gct cgg gct gtg	2306
Asn Leu Ser Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val	
750 755 760 765	
tac aaa aag gct gcc atc tac ttg ctg gat gac ccc ctg gca gcg ctg	2354
Tyr Lys Lys Ala Ala Ile Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu	
770 775 780	
gat gcc cac gtc agc cag cag gtc ttc aaa cag gtc atc ggg ccc agt	2402
Asp Ala His Val Ser Gln Gln Val Phe Lys Gln Val Ile Gly Pro Ser	
785 790 795	
gga ttg ctc cag ggt acg act cgg atc ctt gta aca cac acg ctg cac	2450
Gly Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Thr Leu His	
800 805 810	

gtc ctg ccc cag gct gac cgg atc ctg gtg ctg gcc aat ggg acc atc	2498
Val Leu Pro Gln Ala Asp Arg Ile Leu Val Leu Ala Asn Gly Thr Ile	
815 820 825	
gca gag atg ggc tcc tac cag gac ctt ctg caa agg aac gga gcc ctg	2546
Ala Glu Met Gly Ser Tyr Gln Asp Leu Leu Gln Arg Asn Gly Ala Leu	
830 835 840 845	
gtg ggt ctt ctg gat gga gcc aga cag cct gca gga aca cac gat gca	2594
Val Gly Leu Leu Asp Gly Ala Arg Gln Pro Ala Gly Thr His Asp Ala	
850 855 860	
gct acc agt gac gac ctc gga ggc ttt cct gga ggt ggg agg ccc aca	2642
Ala Thr Ser Asp Asp Leu Gly Gly Phe Pro Gly Gly Gly Arg Pro Thr	
865 870 875	
tgc aga cca gac agg ccc agg ccc acg gag gca gcc cct gtg aag ggc	2690
Cys Arg Pro Asp Arg Pro Arg Pro Thr Glu Ala Ala Pro Val Lys Gly	
880 885 890	
agg agc aca tct gag gta cag atg gag gct tct ctg gat gac cct gag	2738
Arg Ser Thr Ser Glu Val Gln Met Glu Ala Ser Leu Asp Asp Pro Glu	
895 900 905	
gcc aca gga ttg aca gca gaa gag gat agt gtg cga tat ggc cgg gtg	2786
Ala Thr Gly Leu Thr Ala Glu Glu Asp Ser Val Arg Tyr Gly Arg Val	
910 915 920 925	
aag atc acc ata tac ctg agc tac ctg cgg gcg gtg ggc aca ccc ctc	2834
Lys Ile Thr Ile Tyr Leu Ser Tyr Leu Arg Ala Val Gly Thr Pro Leu	
930 935 940	
tgt acc tac acc ctg ttc ctc ttc ctc tgc cag caa gtg gca tcc ttc	2882
Cys Thr Tyr Thr Leu Phe Leu Phe Leu Cys Gln Gln Val Ala Ser Phe	
945 950 955	
tcc caa ggc tac tgg ctg agc ctt tgg gcc gat gac ccg gtt gtg gat	2930
Ser Gln Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Val Val Asp	
960 965 970	
ggg cgg cag atg cat gca gcc ctg cgt ggc tgg gtc ttt ggg ctc ctt	2978
Gly Arg Gln Met His Ala Ala Leu Arg Gly Trp Val Phe Gly Leu Leu	
975 980 985	
ggc tgt ctg caa gcc atc gga ctg ttt gcc tcc atg gct gcg gtg ttc	3026
Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala Val Phe	
990 995 1000 1005	
ctg ggt gga gcc cgg gcc tca ggc ctc ctt ttc cgg agt ctc ctg	3071
Leu Gly Gly Ala Arg Ala Ser Gly Leu Leu Phe Arg Ser Leu Leu	
1010 1015 1020	
tgg gac gtg gct cgc tct ccc atc ggc ttc ttt gag cgc acg cca	3116
Trp Asp Val Ala Arg Ser Pro Ile Gly Phe Phe Glu Arg Thr Pro	
1025 1030 1035	
gtc ggg aac ctg ctg aac cgc ttt tcc aag gag aca gac aca gtg	3161

Val Gly Asn Leu Leu	Asn Arg Phe Ser Lys	Glu Thr Asp Thr Val	
1040	1045	1050	
gat gtg gac atc ccg	gac aag ctg agg tcc	ctt ctg acc tat gcc	3206
Asp Val Asp Ile Pro	Asp Lys Leu Arg Ser	Leu Leu Thr Tyr Ala	
1055	1060	1065	
ttt ggg ctc ctg gag	gtc ggc ctg gca gtg	acg atg gcc acg cct	3251
Phe Gly Leu Leu Glu	Val Gly Leu Ala Val	Thr Met Ala Thr Pro	
1070	1075	1080	
ctg gcc att gtg gcc	atc cta cct ctc atg	gtc ctc tat gct ggg	3296
Leu Ala Ile Val Ala	Ile Leu Pro Leu Met	Val Leu Tyr Ala Gly	
1085	1090	1095	
ttt cag agc ctc tat	gtg gcc aca tct tgc	cag ctg aga cgt cta	3341
Phe Gln Ser Leu Tyr	Val Ala Thr Ser Cys	Gln Leu Arg Arg Leu	
1100	1105	1110	
gag tca gcc cgc tac	tca tct gtg tgt tcc	cat atg gct gag acc	3386
Glu Ser Ala Arg Tyr	Ser Ser Val Cys Ser	His Met Ala Glu Thr	
1115	1120	1125	
ttc cag gga agt ctg	gtg gtc agg gcc ttc	cgg gcc cag gcg tcc	3431
Phe Gln Gly Ser Leu	Val Val Arg Ala Phe	Arg Ala Gln Ala Ser	
1130	1135	1140	
ttc acg gct cag cac	gat gct ctc atg gat	gag aac cag agg gtc	3476
Phe Thr Ala Gln His	Asp Ala Leu Met Asp	Glu Asn Gln Arg Val	
1145	1150	1155	
agt ttc ccg aaa ctg	gtg gct gac agg tgg	ctg gct act aac ctg	3521
Ser Phe Pro Lys Leu	Val Ala Asp Arg Trp	Leu Ala Thr Asn Leu	
1160	1165	1170	
gag ctt cta ggg aat	ggc ttg gta ttc gtg	gct gct aca tgt gct	3566
Glu Leu Leu Gly Asn	Gly Leu Val Phe Val	Ala Ala Thr Cys Ala	
1175	1180	1185	
gtg ctg agc aag gct	cac cta agt gct ggc	ctc gtg ggc ttc tcg	3611
Val Leu Ser Lys Ala	His Leu Ser Ala Gly	Leu Val Gly Phe Ser	
1190	1195	1200	
gtc tcc gct gcc ctc	cag gtg aca cag act	ctg cag tgg gtg gtc	3656
Val Ser Ala Ala Leu	Gln Val Thr Gln Thr	Leu Gln Trp Val Val	
1205	1210	1215	
cgc agc tgg aca gat	ctg gag aac agc atg	gta gcc gtg gag cgc	3701
Arg Ser Trp Thr Asp	Leu Glu Asn Ser Met	Val Ala Val Glu Arg	
1220	1225	1230	
gtg cag gac tac gct	cgc atc ccc aaa gag	gct ccc tgg agg ctg	3746
Val Gln Asp Tyr Ala	Arg Ile Pro Lys Glu	Ala Pro Trp Arg Leu	
1235	1240	1245	
ccc acc tgc gca gcc	cag cct ctc tgg cct	tgt ggg gga cag att	3791
Pro Thr Cys Ala Ala	Gln Pro Leu Trp Pro	Cys Gly Gly Gln Ile	

1250	1255	1260	
gag ttc cgg gac ttt	ggg ctc aga cac cga	cca gag ctg ccc ttg	3836
Glu Phe Arg Asp Phe	Gly Leu Arg His Arg	Pro Glu Leu Pro Leu	
1265	1270	1275	
gct gtg cag gga gtg	tcc ctg aag atc cat	gca gga gag aag gtg	3881
Ala Val Gln Gly Val	Ser Leu Lys Ile His	Ala Gly Glu Lys Val	
1280	1285	1290	
ggc atc gtg ggc aga	aca ggg gcc ggg aag	tcc tcc ctg gct tgg	3926
Gly Ile Val Gly Arg	Thr Gly Ala Gly Lys	Ser Ser Leu Ala Trp	
1295	1300	1305	
ggc ctg ctg cgg ctt	cag gag gct gcc gag	ggg aat atc tgg atc	3971
Gly Leu Leu Arg Leu	Gln Glu Ala Ala Glu	Gly Asn Ile Trp Ile	
1310	1315	1320	
gat ggg gtc cct atc	acc cat gtg ggg ctg	cac aca ctg agg tcc	4016
Asp Gly Val Pro Ile	Thr His Val Gly Leu	His Thr Leu Arg Ser	
1325	1330	1335	
cga atc acc atc atc	cct cag gac cct gtc	ctg ttc cca ggc tct	4061
Arg Ile Thr Ile Ile	Pro Gln Asp Pro Val	Leu Phe Pro Gly Ser	
1340	1345	1350	
ctg cgg atg aac ctg	gac ctg ctt cag gag	cac aca gat gaa ggc	4106
Leu Arg Met Asn Leu	Asp Leu Leu Gln Glu	His Thr Asp Glu Gly	
1355	1360	1365	
atc tgg gca gcg ctg	gag aca gtg cag ctc	aag gcc ttc gtg acc	4151
Ile Trp Ala Ala Leu	Glu Thr Val Gln Leu	Lys Ala Phe Val Thr	
1370	1375	1380	
agc ctg cct ggc cag	ctg caa tat gag tgt	gca ggc cag gga gat	4196
Ser Leu Pro Gly Gln	Leu Gln Tyr Glu Cys	Ala Gly Gln Gly Asp	
1385	1390	1395	
gac ctg agc gtg ggt	cat aaa cag ctc ctg	tgc ctg gca cga gcc	4241
Asp Leu Ser Val Gly	His Lys Gln Leu Leu	Cys Leu Ala Arg Ala	
1400	1405	1410	
ctt ctc cgg aaa acc	cag atc ctc atc ctg	gac gag gcg act gcc	4286
Leu Leu Arg Lys Thr	Gln Ile Leu Ile Leu	Asp Glu Ala Thr Ala	
1415	1420	1425	
tct gtg gac cca ggg	acg gag atg cag atg	cag gcg gcc ctg gag	4331
Ser Val Asp Pro Gly	Thr Glu Met Gln Met	Gln Ala Ala Leu Glu	
1430	1435	1440	
cgc tgg ttt aca cag	tgt acc tta ctg ctt	atc gct cac cgc ctg	4376
Arg Trp Phe Thr Gln	Cys Thr Leu Leu Leu	Ile Ala His Arg Leu	
1445	1450	1455	
cgc tcc gtg atg gac	tgt gcc aga gtc cta	gtc atg gat gag ggg	4421
Arg Ser Val Met Asp	Cys Ala Arg Val Leu	Val Met Asp Glu Gly	
1460	1465	1470	

cag gtg gca gaa agt ggc aat cct gct cag ctg ctg gcc cag aaa 4466
 Gln Val Ala Glu Ser Gly Asn Pro Ala Gln Leu Leu Ala Gln Lys
 1475 1480 1485

ggc ctg ttt tac agg cta gcc cat gag tog ggc ctc gct tga 4508
 Gly Leu Phe Tyr Arg Leu Ala His Glu Ser Gly Leu Ala
 1490 1495

atgaggattc ttaccaaccc ccgtggagcc agccatagag cctgcagtgg ctggagatgc 4568

cagagactcc aatctaaact cctctttggg agggagatgg cagagaaagt gatggagtat 4628

tgggatacca gaccagaag aaccagcac gccaggttg gcctgagcaa ggccatgccc 4688

acccaggcc aaagagaatg gtaactctca gccaagctg tctacttcaa ggccacgccc 4748

actccaggcc aatcagattg gatgccctgg acccaggtga tgggtgtgcac atattcccta 4808

actccttatt ttgaagtcac tgtagatttc agtcacagtt ttaagaaata acacggagag 4868

aaactgtgac ccctctgccc tgtttattcc aagggtgaca ccttgtccaa ctctagagca 4928

tcacaccgac tctgaccgac tcgtctttac aactccaaaa aaaaaaaaaa aa 4980

<210> 9

<211> 1498

<212> PRT

<213> Mus musculus

<400> 9

Met Asn Ser Gly Arg Ser Met Ala Thr Pro Gly Glu Gln Cys Ala Gly
 1 5 10 15

Leu Arg Val Trp Asn Gln Thr Glu Gln Glu Pro Ala Ala Tyr His Leu
 20 25 30

Leu Ser Leu Cys Phe Val Arg Ala Ala Ser Ser Trp Val Pro Pro Met
 35 40 45

Tyr Leu Trp Val Leu Gly Pro Ile Tyr Leu Leu Tyr Ile His Arg His
 50 55 60

Gly Arg Cys Tyr Leu Arg Met Ser His Leu Phe Lys Thr Lys Met Val
 65 70 75 80

Leu Gly Leu Ala Leu Ile Leu Leu Tyr Thr Phe Asn Val Ala Val Pro
 85 90 95

Leu Trp Arg Ile His Gln Gly Val Pro Gln Ala Pro Glu Leu Leu Ile
 100 105 110

His Pro Thr Val Trp Leu Thr Thr Met Ser Phe Ala Thr Phe Leu Ile
 115 120 125

His Met Glu Arg Arg Lys Gly Val Arg Ser Ser Gly Val Leu Phe Gly
 130 135 140

Tyr Trp Leu Leu Cys Cys Ile Leu Pro Gly Ile Asn Thr Val Gln Gln
 145 150 155 160

Ala Ser Ala Gly Asn Leu Arg Gln Glu Pro Leu His His Leu Ala Thr
 165 170 175

Tyr Leu Cys Leu Ser Leu Val Val Ala Glu Leu Val Leu Ser Cys Leu
 180 185 190

Val Asp Gln Pro Pro Phe Phe Ser Glu Asp Ser Gln Pro Leu Asn Pro
 195 200 205

Cys Pro Glu Ala Glu Ala Ser Phe Pro Ser Lys Ala Met Phe Trp Trp
 210 215 220

Ala Ser Gly Leu Leu Trp Arg Gly Tyr Lys Lys Leu Leu Gly Pro Lys
 225 230 235 240

Asp Leu Trp Ser Leu Gly Arg Glu Asn Ser Ser Glu Glu Leu Val Ser
 245 250 255

Gln Leu Glu Arg Glu Trp Arg Arg Ser Cys Asn Gly Leu Pro Gly His
 260 265 270

Lys Gly His Ser Ser Val Gly Ala Pro Glu Thr Glu Ala Phe Leu Gln
 275 280 285

Pro Glu Arg Ser Gln Arg Gly Pro Leu Leu Arg Ala Ile Trp Arg Val
 290 295 300

Phe Arg Ser Thr Phe Leu Leu Gly Thr Leu Ser Leu Val Ile Ser Asp
 305 310 315 320

Ala Phe Arg Phe Ala Val Pro Lys Leu Leu Ser Leu Phe Leu Glu Phe

325							330							335						
Met	Gly	Asp	Arg	Asn	Ser	Ser	Ala	Trp	Thr	Gly	Trp	Leu	Leu	Ala	Val					
			340					345					350							
Leu	Met	Phe	Ala	Ala	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu	Gln	Gln	His					
		355					360					365								
Met	Tyr	Arg	Ala	Lys	Val	Leu	Gln	Met	Arg	Leu	Arg	Thr	Ala	Ile	Thr					
	370					375					380									
Gly	Leu	Val	Tyr	Arg	Lys	Val	Leu	Val	Leu	Ser	Ser	Gly	Ser	Arg	Lys					
385					390					395					400					
Ser	Ser	Ala	Ala	Gly	Asp	Val	Val	Asn	Leu	Val	Ser	Val	Asp	Ile	Gln					
				405					410					415						
Arg	Leu	Ala	Glu	Ser	Ile	Ile	Tyr	Leu	Asn	Gly	Leu	Trp	Leu	Leu	Phe					
			420					425					430							
Leu	Trp	Ile	Phe	Val	Cys	Phe	Val	Tyr	Leu	Trp	Gln	Leu	Leu	Gly	Pro					
		435					440					445								
Ser	Ala	Leu	Thr	Ala	Val	Ala	Val	Phe	Leu	Ser	Leu	Leu	Pro	Leu	Asn					
	450					455					460									
Phe	Phe	Ile	Thr	Lys	Lys	Arg	Gly	Phe	His	Gln	Glu	Glu	Gln	Met	Arg					
465					470					475					480					
Gln	Lys	Ala	Ser	Arg	Ala	Arg	Leu	Thr	Ser	Ser	Met	Leu	Arg	Thr	Val					
				485					490					495						
Arg	Thr	Ile	Lys	Ser	His	Gly	Trp	Glu	His	Ala	Phe	Leu	Glu	Arg	Leu					
			500					505					510							
Leu	His	Ile	Arg	Gly	Gln	Glu	Leu	Ser	Ala	Leu	Lys	Thr	Ser	Thr	Leu					
		515					520					525								
Leu	Phe	Ser	Val	Ser	Leu	Val	Ser	Phe	Gln	Val	Ser	Thr	Phe	Leu	Val					
	530					535					540									
Ala	Leu	Val	Val	Phe	Ala	Val	His	Thr	Leu	Val	Ala	Glu	Asp	Asn	Ala					
545					550					555					560					

Met Asp Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu Ser Ile Leu
 565 570 575

Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Val His Cys Ile Val Gln
 580 585 590

Ala Arg Val Ser Phe Asp Arg Leu Ala Ala Phe Leu Cys Leu Glu Glu
 595 600 605

Val Asp Pro Asn Gly Met Ile Ala Ser Asn Ser Arg Arg Ser Ser Lys
 610 615 620

Asp Arg Ile Ser Val His Asn Gly Thr Phe Ala Trp Ser Gln Glu Ser
 625 630 635 640

Pro Pro Cys Leu His Gly Ile Asn Leu Thr Val Pro Gln Gly Cys Leu
 645 650 655

Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu Leu Ser
 660 665 670

Ala Leu Leu Gly Glu Leu Leu Lys Val Glu Gly Ser Val Ser Ile Glu
 675 680 685

Gly Ser Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln Asn Thr Ser
 690 695 700

Val Ala Glu Asn Val Cys Phe Arg Gln Glu Leu Asp Leu Pro Trp Leu
 705 710 715 720

Gln Lys Val Leu Asp Ala Cys Ala Leu Gly Ser Asp Val Ala Ser Phe
 725 730 735

Pro Ala Gly Val His Thr Pro Ile Gly Glu Gln Gly Met Asn Leu Ser
 740 745 750

Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val Tyr Lys Lys
 755 760 765

Ala Ala Ile Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu Asp Ala His
 770 775 780

Val Ser Gln Gln Val Phe Lys Gln Val Ile Gly Pro Ser Gly Leu Leu
785 790 795 800

Gln Gly Thr Thr Arg Ile Leu Val Thr His Thr Leu His Val Leu Pro
805 810 815

Gln Ala Asp Arg Ile Leu Val Leu Ala Asn Gly Thr Ile Ala Glu Met
820 825 830

Gly Ser Tyr Gln Asp Leu Leu Gln Arg Asn Gly Ala Leu Val Gly Leu
835 840 845

Leu Asp Gly Ala Arg Gln Pro Ala Gly Thr His Asp Ala Ala Thr Ser
850 855 860

Asp Asp Leu Gly Gly Phe Pro Gly Gly Gly Arg Pro Thr Cys Arg Pro
865 870 875 880

Asp Arg Pro Arg Pro Thr Glu Ala Ala Pro Val Lys Gly Arg Ser Thr
885 890 895

Ser Glu Val Gln Met Glu Ala Ser Leu Asp Asp Pro Glu Ala Thr Gly
900 905 910

Leu Thr Ala Glu Glu Asp Ser Val Arg Tyr Gly Arg Val Lys Ile Thr
915 920 925

Ile Tyr Leu Ser Tyr Leu Arg Ala Val Gly Thr Pro Leu Cys Thr Tyr
930 935 940

Thr Leu Phe Leu Phe Leu Cys Gln Gln Val Ala Ser Phe Ser Gln Gly
945 950 955 960

Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Val Val Asp Gly Arg Gln
965 970 975

Met His Ala Ala Leu Arg Gly Trp Val Phe Gly Leu Leu Gly Cys Leu
980 985 990

Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala Val Phe Leu Gly Gly
995 1000 1005

Ala Arg	Ala Ser Gly Leu	Leu	Phe Arg Ser Leu	Leu	Trp Asp Val
1010		1015		1020	
Ala Arg	Ser Pro Ile Gly	Phe	Phe Glu Arg Thr	Pro	Val Gly Asn
1025		1030		1035	
Leu Leu	Asn Arg Phe Ser	Lys	Glu Thr Asp Thr	Val	Asp Val Asp
1040		1045		1050	
Ile Pro	Asp Lys Leu Arg	Ser	Leu Leu Thr Tyr	Ala	Phe Gly Leu
1055		1060		1065	
Leu Glu	Val Gly Leu Ala	Val	Thr Met Ala Thr	Pro	Leu Ala Ile
1070		1075		1080	
Val Ala	Ile Leu Pro Leu	Met	Val Leu Tyr Ala	Gly	Phe Gln Ser
1085		1090		1095	
Leu Tyr	Val Ala Thr Ser	Cys	Gln Leu Arg Arg	Leu	Glu Ser Ala
1100		1105		1110	
Arg Tyr	Ser Ser Val Cys	Ser	His Met Ala Glu	Thr	Phe Gln Gly
1115		1120		1125	
Ser Leu	Val Val Arg Ala	Phe	Arg Ala Gln Ala	Ser	Phe Thr Ala
1130		1135		1140	
Gln His	Asp Ala Leu Met	Asp	Glu Asn Gln Arg	Val	Ser Phe Pro
1145		1150		1155	
Lys Leu	Val Ala Asp Arg	Trp	Leu Ala Thr Asn	Leu	Glu Leu Leu
1160		1165		1170	
Gly Asn	Gly Leu Val Phe	Val	Ala Ala Thr Cys	Ala	Val Leu Ser
1175		1180		1185	
Lys Ala	His Leu Ser Ala	Gly	Leu Val Gly Phe	Ser	Val Ser Ala
1190		1195		1200	
Ala Leu	Gln Val Thr Gln	Thr	Leu Gln Trp Val	Val	Arg Ser Trp
1205		1210		1215	
Thr Asp	Leu Glu Asn Ser	Met	Val Ala Val Glu	Arg	Val Gln Asp

1220	1225	1230
Tyr Ala Arg Ile Pro Lys Glu Ala Pro Trp Arg Leu Pro Thr Cys		
1235	1240	1245
Ala Ala Gln Pro Leu Trp Pro Cys Gly Gly Gln Ile Glu Phe Arg		
1250	1255	1260
Asp Phe Gly Leu Arg His Arg Pro Glu Leu Pro Leu Ala Val Gln		
1265	1270	1275
Gly Val Ser Leu Lys Ile His Ala Gly Glu Lys Val Gly Ile Val		
1280	1285	1290
Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ala Trp Gly Leu Leu		
1295	1300	1305
Arg Leu Gln Glu Ala Ala Glu Gly Asn Ile Trp Ile Asp Gly Val		
1310	1315	1320
Pro Ile Thr His Val Gly Leu His Thr Leu Arg Ser Arg Ile Thr		
1325	1330	1335
Ile Ile Pro Gln Asp Pro Val Leu Phe Pro Gly Ser Leu Arg Met		
1340	1345	1350
Asn Leu Asp Leu Leu Gln Glu His Thr Asp Glu Gly Ile Trp Ala		
1355	1360	1365
Ala Leu Glu Thr Val Gln Leu Lys Ala Phe Val Thr Ser Leu Pro		
1370	1375	1380
Gly Gln Leu Gln Tyr Glu Cys Ala Gly Gln Gly Asp Asp Leu Ser		
1385	1390	1395
Val Gly His Lys Gln Leu Leu Cys Leu Ala Arg Ala Leu Leu Arg		
1400	1405	1410
Lys Thr Gln Ile Leu Ile Leu Asp Glu Ala Thr Ala Ser Val Asp		
1415	1420	1425
Pro Gly Thr Glu Met Gln Met Gln Ala Ala Leu Glu Arg Trp Phe		
1430	1435	1440

Thr Gln Cys Thr Leu Leu Leu Ile Ala His Arg Leu Arg Ser Val
 1445 1450 1455

Met Asp Cys Ala Arg Val Leu Val Met Asp Glu Gly Gln Val Ala
 1460 1465 1470

Glu Ser Gly Asn Pro Ala Gln Leu Leu Ala Gln Lys Gly Leu Phe
 1475 1480 1485

Tyr Arg Leu Ala His Glu Ser Gly Leu Ala
 1490 1495

<210> 10

<211> 20

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to A mutation in exon 24 of the ABCC6 gene

<400> 10

cagtgggtcca ggcattccga

20

<210> 11

<211> 20

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a C to T mutation in exon 24 of the ABCC6 gene

<400> 11

cagtgggtccg ggcattctga

20

<210> 12

<211> 26

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to C mutation in exon 24 of the ABCC6 gene

<400> 12

gacccttgga gtcagccagc tactcg

26

<210> 13
<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a C to G mutation in exon 24 of the ABCC6 gene

<400> 13
gacgcttgga gtcagccagc tactgg 26

<210> 14
<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a C to T mutation in exon 26 of the ABCC gene

<400> 14
ggatgtagga ctatgcctgg acgccc 26

<210> 15
<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a G to C mutation in exon 26 of the ABCC6 gene

<400> 15
ggatgcagga ctatgcctgc acgccc 26

<210> 16
<211> 20
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a C to A mutation in exon 27 of the ABCC6 gene

<400> 16
tgcagctaag cccccctggc 20

<210> 17
<211> 19
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a deletion of a T in exon 27 of the ABCC6 gene

<400> 17
tgcagctcag ccccccggc 19

<210> 18
<211> 20
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a G to A mutation in exon 27 of the ABCC6 gene

<400> 18
gctccaagct ccctggaggc 20

<210> 19
<211> 30
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a C to T mutation in exon 28 of the ABCC6 gene

<400> 19
ctgtggctcc aggaggcagc tgagggtggg 30

<210> 20
<211> 30
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a G to A mutation in exon 28 of the ABCC6 gene

<400> 20
ctgcagctcc aggaggcagc tgagggtggg 30

<210> 21
<211> 30
<212> DNA
<213> Artificial

<220>
<223> primer corresponding to a G to A mutation in exon 28 of the ABCC6 gene

<400> 21

ctgcggtcc aggaggcagc tgagagtggg 30

<210> 22

<211> 25

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to T mutation in exon 28 of the ABCC6 gene

<400> 22

gtgggcatct ttggcaggac cgggg 25

<210> 23

<211> 25

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a C to T mutation in exon 28 of the ABCC6 gene

<400> 23

gtgggcatcg ttggcaggac tgggg 25

<210> 24

<211> 25

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to A mutation in exon 28 of the ABCC6 gene

<400> 24

gtgggcatcg ttggcaggac caggg 25

<210> 25

<211> 25

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to C mutation in exon 28 of the ABCC6 gene

<400> 25

gtgggcatcg ttggcaggac cgggc 25

<210> 26

<211> 21

<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (1)..(12)
<223> Mutation in Exon 24 of human MRP6 gene

<400> 26
cgg gca ttc tga acccaggcc 21
Arg Ala Phe
1

<210> 27
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> mutation in Intron 21 of human MRP6 gene

<400> 27
tacggcaggt taaccacc 18

2