



US00D633744S

(12) **United States Design Patent**
Williams

(10) **Patent No.:** **US D633,744 S**

(45) **Date of Patent:** **** Mar. 8, 2011**

(54) **HANGING DISK HOLDER**

(75) Inventor: **Sean Philip Williams**, Lyndhurst, OH (US)

(73) Assignee: **Ideastream Consumer Products, LLC**, Cleveland, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/346,603**

(22) Filed: **Nov. 3, 2009**

(51) **LOC (9) Cl.** **06-04**

(52) **U.S. Cl.** **D6/626**

(58) **Field of Classification Search** D6/626,
D6/628-629, 407-408; D19/75, 86; 206/307.1,
206/308.1, 309-310, 311-313; 312/902,
312/9.9, 9.48

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D298,265	S	*	10/1988	Snider et al.	D19/90
4,860,897	A		8/1989	Fowler et al.		
5,073,428	A	*	12/1991	Lancelot et al.	428/67
5,651,458	A		7/1997	Brosmith et al.		
5,699,905	A		12/1997	Hara		
5,813,525	A		9/1998	McQueeny		
D407,441	S	*	3/1999	Greenberg et al.	D19/90
5,947,301	A		9/1999	Kunz		

(Continued)

FOREIGN PATENT DOCUMENTS

DE	297 02 145	3/1997
----	------------	--------

OTHER PUBLICATIONS

Prototype Hanging Disk Holder shown before Nov. 3, 2008.

Primary Examiner — Elizabeth A Albert

Assistant Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**

I claim the ornamental design for a hanging disk holder, as shown and described.

DESCRIPTION

FIG. 1 is a front/right/top perspective view of a first embodiment of the hanging disk holder shown without the tab for convenience;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and

FIG. 6 is a left side elevational view thereof, for which the right side elevational view thereof would be a mirror image thereof.

FIG. 7 is a front/left/top perspective view of a second embodiment, further including a tab in the upper left pocket at a first location;

FIG. 8 is a front elevational view of the hanging disk holder and tab of FIG. 7 with the tab at the first location;

FIG. 9 is a rear elevational view of the hanging disk holder and tab of FIG. 7 with the tab at the first location;

FIG. 10 is a front/left/top perspective view thereof, with the tab in the upper left pocket at a second location;

FIG. 11 is a front elevational view of the hanging disk holder and tab of FIG. 10 with the tab at the second location;

FIG. 12 is a front/left/top perspective view thereof, with the tab in the upper right pocket at a third location;


FIG. 13 is a front elevational view of the hanging disk holder and tab of FIG. 12 with the tab at the third location;

FIG. 14 is a front/left/top perspective view thereof, with the tab in the upper right pocket at a fourth location; and,

FIG. 15 is a front elevational view of the hanging disk holder and tab of FIG. 14 with the tab at the fourth location.

Broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 13 Drawing Sheets



US D633,744 S

Page 2

U.S. PATENT DOCUMENTS

D419,358 S *	1/2000	Marcon	D6/626	D493,325 S *	7/2004	Hassett	D6/626
D426,099 S *	6/2000	Udwin et al.	D6/626	6,830,156 B2	12/2004	MacKelvie	
6,073,765 A	6/2000	Liu		D505,809 S *	6/2005	Cassidy et al.	D6/491
D485,112 S *	1/2004	Ballantine et al.	D6/626	D582,192 S *	12/2008	Pan	D6/626
D485,465 S	1/2004	Hassett		2006/0124480 A1	6/2006	Menard	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5

Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15